

CITATION REPORT

List of articles citing

Impedance Control: An Approach to Manipulation: Part II Implementation

DOI: 10.1115/1.3140713

Journal of Dynamic Systems, Measurement and
Control, Transactions of the ASME, 1985, 107, 8-16.

Source: <https://exaly.com/paper-pdf/17890726/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
630	On the Implementation of an Adaptive Hybrid Position/Force Control for Manipulators. 1987 , 201, 403-412		
629	Supervisory control architecture for underwater teleoperation.		17
628	Dynamic stability issues in force control of manipulators.		2
627	Robot control in the neighborhood of singular points.		1
626	.		21
625	Active force feedback in industrial robotic assembly: A case study. 1987 , 2, 27-40		12
624	. 1988 , 4, 303-309		24
623	. 1988 , 24, 542-551		2
622	An analysis of the sources of musculoskeletal system impedance. 1988 , 21, 1011-25		67
621	A Compliance Control Method Suggested by Muscle Networks In Human Arms.		6
620	.		51
619	.		33
618	.		63
617	An Approach To Manipulator Path Planning. 1989 , 8, 87-95		9
616	The Role of Dynamic Models in Cartesian Force Control of Manipulators. 1989 , 8, 51-72		55
615	Quantitative assessment of gait determinants during single stance via a three-dimensional model--Part 1. Normal gait. 1989 , 22, 717-24		32
614	. 1989 , 5, 426-434		558

613	.	
612	A closed-loop inverse kinematic scheme for on-line joint-based robot control*. 1990 , 8, 231-243	117
611	Redundant single gimbal control moment gyroscope singularity analysis. 1990 , 13, 1096-1101	66
610	Steering law design for redundant single-gimbal control moment gyroscopes. 1990 , 13, 1083-1089	126
609	External Control of Limb Movements Involving Environmental Interactions. 1990 , 343-359	12
608	. 1991 ,	2
607	IMPLEMENTATION OF IMPEDANCE CONTROL USING SLIDING MODE THEORY. 1991 , 187-192	3
606	A survey of bond graphs : Theory, applications and programs. 1991 , 328, 565-606	28
605	.	42
604	.	4
603	.	10
602	. 1992 , 8, 23-32	336
601	Force and motion control of a single flexible manipulator link. 1992 , 9, 87-99	11
600	.	2
599	.	
598	.	4
597	.	1
596	.	18

595	.	1
594	Robotic deburring with a hybrid-compliance end-effector. 1994 , 17, 499-511	0
593	Control properties induced by the existence of antagonistic pairs of bi-articular muscles □ Mechanical engineering model analyses. 1994 , 13, 611-634	106
592	Computer Integration for Robotic Masonry. 1994 , 9, 61-67	4
591	. 1994 , 41, 12-24	34
590	Collision: Modeling, simulation and identification of robotic manipulators interacting with environments. 1995 , 13, 1-44	29
589	Inner-loop design and analysis for hydraulic actuators, with an application to impedance control. 1995 , 3, 1323-1330	20
588	Environment estimation for enhanced impedance control.	52
587	. 1995 , 3, 3-13	49
586	A two-DOF manipulator with adjustable compliance capabilities and comparison with the human finger. 1996 , 13, 25-34	14
585	Methods of control for robotic brick masonry. 1996 , 4, 281-292	4
584	Controlled hydraulics for a direct drive brick laying robot. 1996 , 5, 23-29	12
583	Impedance control with on-line neural-network compensator for robot contact tasks. 1996 , 15, 389-399	1
582	Closed-loop, estimator-based model of human posture following reduced gravity exposure. 1996 , 19, 1102-8	8
581	Model Predictive Impedance Control: A Model for Joint Movement. 1997 , 29, 209-22	11
580	A compliant motion control for insertion of complex shaped objects using contact.	7
579	Control of dexterous hand master with force feedback.	2
578	Impedance control as merging mechanism for a behaviour-based architecture.	0

577	An infinite-dimensional analysis of a PD-controlled single flexible link in collision.	2
576	Force-responsive robotic assembly of transmission components.	20
575	Position/force control for robot manipulators applying robust control algorithms.	
574	Optimization of the antagonistic stiffness characteristic of a five-bar mechanism with redundant actuation.	
573	Control design and stability analysis of a surgical teleoperator. 1999 , 9, 843-866	23
572	Coordinated Motion and Force Control of Multi-Limbed Robotic Systems. 1999 , 6, 7-20	7
571	Parts Mating Aided by Constant-Amplitude Sinusoidal Motions. 1999 , 121, 802-810	1
570	Control properties of a two-joint link mechanism equipped with mono- and bi-articular actuators.	2
569	Impact Analysis as a Design Tool for the Legs of Mobile Robots. 2000 , 129-136	5
568	Towards the development of a humanoid arm by minimizing interaction forces through minimum impedance control.	11
567	Adaptive force control of position/velocity controlled robots: theory and experiment.	1
566	Inertance Control of Underwater Installations. 2001 , 34, 345-350	1
565	Multidirectional compliance and constraint for improved robotic deburring. Part 1: improved positioning. 2001 , 17, 277-286	7
564	Haptic interaction with virtual objects: the technology and some applications. 2002 , 29, 210-215	14
563	Force/torque sensing applied to industrial robotic deburring. 2002 , 22, 232-241	35
562	Active control of underwater installation. 2002 , 10, 743-748	23
561	Real-time tracking control with obstacle avoidance of multiple mobile robots.	2
560	Adaptive force control of position/velocity controlled robots: theory and experiment. 2002 , 18, 121-137	104

559	Force control for industrial applications using a fuzzy PI controller. 2004 , 24, 60-67	11
558	.	1
557	Design of a robust force control system for an automatic live-line maintenance robot using a force disturbance observer. 2004 , 218, 545-556	3
556	Application study of robotic control system based on force information.	
555	Animal inspired motion control mechanism.	1
554	HAPTIC FORCE CONTROL BASED ON IMPEDANCE/ADMITTANCE CONTROL. 2005 , 38, 427-432	3
553	Optimization and experimental verification for the antagonistic stiffness in redundantly actuated mechanisms: a five-bar example. 2005 , 15, 213-238	22
552	. 2005 ,	100
551	Feedback Strategies for Telemanipulation with Shared Control of Object Handling Forces. 2005 , 14, 720-731	55
550	Hyperbolic tangent function based force-position compliant controller for robotic devices. 2007 ,	1
549	Robot Manipulators and Control Systems. 2007 , 35-107	
548	Target Tracking Manipulation Theories for Combined Force and Position Control in Open and Closed Loop Manipulators. 2007 , 129, 326-333	6
547	. 2007 , 12, 418-429	215
546	Design of Optimal Hybrid Position/Force Controller for a Robot Manipulator Using Neural Networks. 2007 , 2007, 1-23	7
545	Interaction control of robotic manipulators via second-order sliding modes. 2007 , 21, 708-730	6
544	A Neural Tactile Architecture Applied to Real-time Stiffness Estimation for a Large Scale of Robotic Grasping Systems. 2007 , 49, 311-323	14
543	ARMin: a robot for patient-cooperative arm therapy. 2007 , 45, 887-900	293
542	Haptic force control based on impedance/admittance control aided by visual feedback. 2008 , 37, 39-52	13

541	Safe physical human robot interaction-past, present and future. 2008 , 22, 469-483	76
540	Characterization of the NEURARM bio-inspired joint position and stiffness open loop controller. 2008 ,	14
539	Contact impedance adaptation via environment identification. 2008 ,	1
538	Using neuroevolution for optimal impedance control. 2008 ,	
537	Mechatronics and bioinspiration in actuator design and control. 2008 , 5, 127-133	2
536	Active Compliant Motion Control for Grinding Robot. 2008 , 41, 4285-4289	2
535	Modelling and Simulation of Robot Arm Interaction Forces Using Impedance Control. 2008 , 41, 15589-15594	6
534	Development of a Human-Friendly Omnidirectional Wheelchair with Safety, Comfort and Operability Using a Smart Interface. 2008 ,	1
533	. 2009 ,	4
532	Novel endeffector stiffness control by biarticular muscle in robot manipulator. 2009 ,	1
531	Development of two-degree-of-freedom control for robot manipulator with biarticular muscle torque. 2009 ,	24
530	Human motion in cooperative tasks: Moving object case study. 2009 ,	18
529	Mechanical Issues Inherent in Antagonistically Actuated Systems. 2009 , 1,	1
528	Bond graph based control and substructuring. 2009 , 17, 211-227	12
527	. 2009 , 39, 1316-1330	108
526	Impedance control of ankle rehabilitation robot. 2009 ,	16
525	Dynamically Sized Occupancy Grids for Obstacle Avoidance. 2010 ,	2
524	Physical-model-based control of a piezoelectric tube for nano-scale positioning applications. 2010 , 20, 74-84	13

523	. 2010 ,	12
522	Force control based on biarticular muscle system and its application to novel robot arm driven by planetary gear system. 2010 ,	
521	Infinity norm approach for precise force control of manipulators driven by bi-articular actuators. 2010 ,	7
520	Whole body adapting behavior with muscle level stiffness control of tendon-driven multijoint robot. 2011 ,	13
519	Demonstrating the benefits of variable impedance to telerobotic task execution. 2011 ,	11
518	Multiple manipulator cooperative control using Disturbance Estimator and consensus algorithm. 2011 ,	
517	Learning variable impedance control. 2011 , 30, 820-833	186
516	A sliding mode-based impedance control for bilateral teleoperation under time delay. 2011 , 44, 326-331	3
515	Mathematical and Experimental Verification of Efficient Force Transmission by Biarticular Muscle Actuator. 2011 , 44, 13516-13521	6
514	A robotic model to investigate human motor control. 2011 , 105, 1-19	8
513	Disturbance rejection improvement in non-redundant robot arms using bi-articular actuators. 2011 ,	6
512	BiWi: Bi-articularly actuated and wire driven robot arm. 2011 ,	12
511	Development of simplified statics of robot manipulator and optimized muscle torque distribution based on the statics. 2011 ,	
510	Experimental verification of infinity norm approach for force maximization of manipulators driven by bi-articular actuators. 2011 ,	6
509	The influence of predicted arm biomechanics on decision making. 2011 , 105, 3022-33	102
508	Impedance control of quadruped robot and its impedance characteristic modulation for trotting on irregular terrain. 2012 ,	7
507	Torque-control based compliant actuation of a quadruped robot. 2012 ,	15
506	Code generation of algebraic quantities for robot controllers. 2012 ,	12

505	Adaptive grip control on an uncertain object. 2012,	3
504	Analysis of actuator redundancy resolution methods for bi-articularly actuated robot arms. 2012,	3
503	Adaptive admittance control to generate real-time assistive fixtures for a COBOT in transpedicular fixation surgery. 2012,	3
502	Adaptive internal impedance control for stable walking on uncertain visco-elastic terrains. 2012,	2
501	Variable impedance actuators: Moving the robots of tomorrow. 2012,	27
500	Backflips Performed by Humanoid Robots Based on Extended Linear Inverted Pendulum Mode. 2012, 45, 505-510	2
499	The modulatory influence of end-point controllability on decisions between actions. 2012, 108, 1764-80	33
498	Design and Control of a Pneumatically Actuated Lower-Extremity Orthosis. 2012, 6,	7
497	Force control and nonlinear master-slave force profile to manage an admittance type multi-fingered haptic user interface. 2012,	
496	Stability and performance of the compliance controller of the quadruped robot HyQ. 2013,	42
495	Real time map generation and obstacle avoidance using parallel fuzzy controller. 2013,	
494	Bilateral control for haptic laparoscopic surgery robot. 2013,	1
493	Design proposal for reducing actuator redundancy in intrinsically compliant manipulators. 2013,	1
492	Modelling the learning of biomechanics and visual planning for decision-making of motor actions. 2013, 107, 399-408	4
491	. 2013,	8
490	Modeling & control of a meat-cutting robotic cell. 2013,	6
489	Stable walking on variable visco-elastic terrains using meta-parameters for passive state migration. 2013,	2
488	Non-Linear Phase Different Control to improve dynamics of bi-articularly actuated manipulators. 2013,	

487	Development of Human-Robot Cooperative System Equipped with Mechanism to Detect the Contact Conditions between Robot and External Environment. 2013 , 79, 2981-2991		1
486	Evidence for a time-invariant phase variable in human ankle control. 2014 , 9, e89163		36
485	The MIT Cheetah, an Electrically-Powered Quadrupedal Robot for High-speed Running. 2014 , 32, 323-328		9
484	Integrated control method for power-assisted rehabilitation: Ellipsoid regression and impedance control. 2014 ,		
483	Internal impedance control helps information gain in embodied perception. 2014 ,		13
482	A taxonomy of everyday grasps in action. 2014 ,		19
481	Feedback parameter selection for impedance control of series elastic actuators. 2014 ,		11
480	Impedance control schemes for bilateral teleoperation. 2014 ,		8
479	A Research on Simulations for the Adaptive Impedance Algorithm of Robot Manipulator. 2014 , 687-691, 548-551		
478	Design and control of a wire-based rehabilitation robot. 2014 ,		0
477	Combined path following and compliance control with application to a biaxial gantry robot. 2014 ,		6
476	Adaptive hybrid impedance control for a 3DOF upper limb rehabilitation robot using hybrid automata. 2014 ,		4
475	Robust Tracking Control of a Prosthesis Test Robot. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2014 , 136,	1.6	17
474	Velocity field control with energy compensation toward therapeutic exercise. 2014 ,		0
473	Analytical study on improving intrinsic stiffness modulation of biarticularly actuated manipulators through infinity norm resolution. 2014 ,		
472	Series elasticity for free free-space motion for free. 2014 ,		10
471	Improving Finite State Impedance Control of Active-Transfemoral Prosthesis Using Dempster-Shafer Based State Transition Rules. 2014 , 76, 461-474		57
470	Absolutely stable model-based 2-port force controller for telerobotic applications. 2014 , 33, 847-865		2

469	Force-guidance of a compliant omnidirectional non-holonomic platform. 2014 , 62, 579-590	12
468	Tensor product model transformation-based control design for force reflecting tele-grasping under time delay. 2014 , 228, 765-777	9
467	Motion Expression by Elemental Separation of Haptic Information. 2014 , 61, 6192-6201	13
466	Analytical study on increasing isotropy of intrinsic stiffness in manipulators through biarticular structure. 2014 ,	
465	The concept of mobility in single- and double handed manipulation. 2014 , 47, 3569-73	
464	A patient-specific biological command based controller for the Human-inspired robotic exoskeleton (HuREx): A case study for gait-swing assistance robot. 2014 ,	2
463	Impedance Control Based Sliding Mode for Lower Limb Rehabilitation Robot. 2014 , 672-674, 1770-1773	0
462	Rapid prediction of biomechanical costs during action decisions. 2014 , 112, 1256-66	52
461	. 2015 ,	12
460	Integrating dynamic walking and arm impedance control for cooperative transportation. 2015 ,	10
459	Design of bilateral control for force feedback in surgical robot. 2015 , 13, 916-925	18
458	Model-Based Haptic Guidance in Surgical Skill Improvement. 2015 ,	4
457	Force Control of Human-Assist System using Pneumatic Artificial Muscles. 2015 , 33, 684-687	
456	Towards versatile legged robots through active impedance control. 2015 , 34, 1003-1020	104
455	An impedance control modification guaranteeing compliance strictly within preselected spatial limits. 2015 ,	2
454	Impedance control with energy regeneration in advanced exercise machines. 2015 ,	2
453	Model-Based Hydraulic Impedance Control for Dynamic Robots. 2015 , 31, 1324-1336	70
452	Gaussian filtering for enhanced impedance parameters identification in robotic assembly processes. 2015 ,	3

451	Impedance and force-field control of the index finger module of a hand exoskeleton for rehabilitation. 2015 ,		16
450	Multi-directional impedance control with electromyography for compliant human-robot interaction. 2015 ,		1
449	A novel MPC approach to optimize force feedback for human-robot shared control. 2015 ,		4
448	A Framework for Control of Robots With Energy Regeneration. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2015 , 137,	1.6	15
447	Mechanical design, fabrication, kinematics and dynamics modeling, multiple impedance control of a wrist rehabilitation robot. 2015 ,		2
446	A Hybrid System Framework for Unified Impedance and Admittance Control. 2015 , 78, 359-375		48
445	Development of a real-time force-controlled compliant polishing tool system with online tuning neural proportionalIntegralDerivative controller. 2015 , 229, 440-454		2
444	Robot-Aided Neurorehabilitation: A Pediatric Robot for Ankle Rehabilitation. 2015 , 23, 1056-67		60
443	Soft robotics for engineers. 2015 , 22, 88-97		30
442	Development of an upper limb rehabilitation robot with guidance control by pneumatic artificial muscles. 2015 ,		2
441	Learning of Temporal and Spatial Movement Aspects: A Comparison of Four Types of Haptic Control and Concurrent Visual Feedback. 2015 , 8, 421-33		16
440	A Cable Based Active Variable Stiffness Module With Decoupled Tension. 2015 , 7,		17
439	Control strategies for active lower extremity prosthetics and orthotics: a review. 2015 , 12, 1		448
438	Model free robust impedance control of robot manipulators using fourier series expansion. 2015 ,		5
437	A Compliant Multi-finger Grasp Approach Control Strategy Based on the Virtual Spring Framework. 2015 , 381-395		2
436	A robust parameterization approach for impedance control. 2015 ,		0
435	Task-Based Variation of Active Compliance of Arm/Hand Robots in Physical Human Robot Interactions. 2015 , 236-245		
434	Performance analysis of time-delay bilateral teleoperation using impedance-controlled slaves. 2015		2

433	Control System Design Implementation and Preliminary Demonstration for a Tendon Actuated Lightweight In-Space MANipulator (TALISMAN). 2015,	2
432	Motor Planning. 2015, 21, 385-98	113
431	An Augmented Discrete-Time Approach for Human-Robot Collaboration. 2016, 2016, 1-13	17
430	An EMG Interface for the Control of Motion and Compliance of a Supernumerary Robotic Finger. 2016, 10, 18	32
429	Design and Preliminary Evaluation of a Two DOFs Cable-Driven Ankle-Foot Prosthesis with Active Dorsiflexion-Plantarflexion and Inversion-Eversion. 2016, 4, 36	16
428	Design of Autonomous Emergency Braking System Based on Impedance Control for 3-Car Driving Scenario. 2016,	5
427	Improved dynamic formulation for decoupled cartesian admittance control and RCM constraint. 2016,	11
426	An ISO10218-compliant adaptive damping controller for safe physical human-robot interaction. 2016,	13
425	Technologies for Other Robot Applications. 2016, 393-419	
424	Intelligent Control of Robot Manipulator. 2016, 49-96	0
423	An observer-based adaptive impedance-control for robotic arms: Case study in SMOS robot. 2016,	0
422	Estimation of Upper Limb Impedance Parameters Using Recursive Least Square Estimator. 2016,	2
421	Human Hand Motor Control Studies. 2016, 7-17	1
420	Assessment of upper limb muscle tone level based on estimated impedance parameters. 2016,	1
419	Robotic Assistive Devices for Motor Disability Rehabilitation. 2016, 1-14	1
418	Velocity field control with energy compensation toward therapeutic exercise. 2016,	0
417	Task-space dynamics and motion/force control of fixed-base manipulators under reaction null-space-based redundancy resolution. 2016, 34, 2860-2877	3
416	Convexity of stiffness matrix eigenvalues for a position controlled limb of mobile climbing robots. 2016,	1

415	Modeling, design & characterization of a novel Passive Variable Stiffness Joint (pVSJ). 2016,		11
414	Augmentation of human arm motor control by isotropic force manipulability. 2016,		3
413	Robust impedance control with applications to a series-elastic actuated system. 2016,		8
412	Contact-based language for robotic manipulation planning. 2016,		2
411	Force control of a jumping musculoskeletal robot with pneumatic artificial muscles. 2016,		8
410	Muscle circumference sensor and model reference-based adaptive impedance control for upper limb assist exoskeleton robot. 2016, 30, 1515-1529		10
409	Understanding the Implementation of Impedance Control in Industrial Robots. 2016,		3
408	Predictability and Robustness in the Manipulation of Dynamically Complex Objects. 2016, 957, 55-77		8
407	Robotic Time-Varying Force Tracking in Position-Based Impedance Control. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME,</i> 2016, 138,	1.6	7
406	. 2016,		4
405	. 2016, 21, 2108-2119		13
404	Fuzzy coordinated control of contact constraint problem for robot system with compliant actuators. 2016, 230, 640-650		1
403	Slow Movements of Bio-Inspired Limbs. 2016, 26, 1293-1309		3
402	TP-Model Transformation-Based-Control Design Frameworks. 2016,		59
401	Impedance Control for Force Reflecting Telemanipulation. 2016, 187-194		
400	Is Active Impedance the Key to a Breakthrough for Legged Robots?. 2016, 3-19		5
399	Hybrid position/force control of 6-dof hydraulic parallel manipulator using force and vision. 2016, 43, 274-283		15
398	Coupled systems analyses for high-performance robust force control of wearable robots. 2016,		1

397	A novel multi-articular leg mechanism for biped robots inspired by bi-articular muscle. 2016,	
396	Design and control of an anthropomorphic prosthetic hand with a cosmesis. 2016,	2
395	A review on the evolvement trend of robotic interaction control. 2016, 43, 535-551	9
394	Switched robust tracking/impedance control for an active transfemoral prosthesis. 2016,	4
393	Motion control of series-elastic actuators. 2016,	2
392	Adaptive Impedance Controller for a Robot Astronaut to Climb Stably in a Space Station. 2016, 13, 81	4
391	Adaptive control of powered transfemoral prostheses based on adaptive dynamic programming. 2016, 2016, 5071-5074	12
390	Impedance control of non-passive bilateral teleoperation systems with uncertain dynamics. 2016,	1
389	A fast robot deployment strategy for successful snap assembly. 2016,	3
388	. 2016, 46, 510-521	14
387	Force tracking impedance control of robot-tissue interaction with a hunt-crosseley model. 2016,	1
386	Robot impedance control and passivity analysis with inner torque and velocity feedback loops. 2016, 14, 97-112	43
385	Observer based impedance control of a pneumatic system with long transmission lines. 2016,	3
384	Adaptive Neural Impedance Control of a Robotic Manipulator With Input Saturation. 2016, 46, 334-344	546
383	Constraint-Based and Sensorless Force Control With an Application to a Lightweight Dual-Arm Robot. 2016, 1, 340-347	14
382	Variable Stiffness Actuators: Review on Design and Components. 2016, 21, 2418-2430	186
381	Energetic Passivity of the Human Ankle Joint. 2016, 24, 1416-1425	10
380	Dynamically variable negative stiffness structures. 2016, 2, e1500778	48

379	Design of a Novel Compliant Safe Robot Joint With Multiple Working States. 2016 , 21, 1193-1198	14
378	Design and Implementation of a Distributed Variable Impedance Actuator Using Parallel Linear Springs. 2016 , 8,	7
377	Annotating Everyday Grasps in Action. 2016 , 263-282	4
376	. 2016 , 21, 625-637	36
375	Proxy-based position control of manipulators with passive compliant actuators: Stability analysis and experiments. 2016 , 75, 398-408	15
374	Safety control for impedance haptic interfaces. 2016 , 75, 15795-15819	0
373	. 2017 , 33, 509-522	139
372	. 2017 , 33, 432-445	8
371	Design and experiment of a modular multisensory hand for prosthetic applications. 2017 , 44, 104-113	10
370	A hybrid impedance control scheme for underwater welding robots with a passive foundation in the controller domain. 2017 , 93, 619-630	4
369	Estimation of Desired Motion Intention and compliance control for upper limb assist exoskeleton. 2017 , 15, 802-814	19
368	Robust Control of a Cable-Driven Soft Exoskeleton Joint for Intrinsic Human-Robot Interaction. 2017 , 25, 976-986	34
367	A Human-Robot Co-Manipulation Approach Based on Human Sensorimotor Information. 2017 , 25, 811-822	56
366	Physical Interaction via Dynamic Primitives. 2017 , 269-299	9
365	Stability analysis of virtual passive actuator with time delay and parameter uncertainties. 2017 , 231, 107-116	1
364	Controlling Soft Robots: Balancing Feedback and Feedforward Elements. 2017 , 24, 75-83	65
363	On the utility of leg distal compliance for buffering landing impact of legged robots. 2017 , 9, 168781401770005	
362	Physical HumanRobot Interaction (pHRI) in 6 DOF With Asymmetric Cooperation. 2017 , 5, 10834-10845	18

361	Adaptive Force Tracking Control of a Magnetically Navigated Microrobot in Uncertain Environment. 2017 , 22, 1644-1651	16
360	Advanced patient transfer assist device with intuitive interaction control. 2017 , 1-11	1
359	A generalized framework to achieve coordinated admittance control for multi-joint lower limb robotic exoskeleton. 2017 , 2017, 228-233	8
358	Impedance control for human-robot interaction with an adaptive fuzzy approach. 2017 ,	6
357	Adaptive impedance control of robot manipulators based on Q-learning and disturbance observer. 2017 , 5, 287-300	11
356	Fabric sensory sleeves for soft robot state estimation. 2017 ,	9
355	Power-augmentation control approach for arm exoskeleton based on human muscular manipulability. 2017 ,	5
354	An EMG-based variable impedance control for elbow exercise: preliminary study. 2017 , 31, 809-820	7
353	Knee rehabilitation robot control by Sliding-Backstepping and Admittance control. 2017 ,	
352	Upper Limb Exoskeleton Control for Isotropic Sensitivity of Human Arm. 2017 , 433-437	
351	Wearable Robotics: Challenges and Trends. 2017 ,	7
350	Catenary emulation for hardware-in-the-loop pantograph testing with a model predictive energy-conserving control algorithm. 2017 , 41, 17-28	23
349	. 2017 ,	1
348	Force Sensorless Multi-functional Impedance Control for Rehabilitation Robot * *This research was financially supported in part by the Robot industrial cluster construction program through the Ministry of Trade, Industry and Energy(MOTIE) and Korea Institute for Advancement of Technology(KIAT) and under Industrial Technology Innovation Program(10063333) and in part by	4
347	Design of a clinically relevant upper-limb exoskeleton robot for stroke patients with spasticity. 2017 , 2017, 622-627	5
346	Controller design and experimental validation of a robot joint with active compliance. 2017 ,	1
345	Dynamics superposition method for separating torque components of robot manipulators using sinusoidal trajectories. 2017 , 31, 5505-5513	3
344	Position and stiffness modulation of a wrist haptic device using myoelectric interface. 2017 , 2017, 734-739	1

343	A smooth position-force controller for asbestos removal manipulator. 2017 ,	2
342	An adaptive impedance controller for upper limb rehabilitation based on estimation of patients' stiffness. 2017 ,	
341	Development of the polishing tool system based on the pneumatic force servo. 2017 ,	0
340	Visual perception of limb stiffness. 2017 ,	1
339	Development and control of a variable stiffness actuator using a variable radius gear transmission mechanism. 2017 ,	4
338	A framework for intuitive collaboration with a mobile manipulator. 2017 ,	13
337	Design and control of a 3-DOF rehabilitation robot for forearm and wrist. 2017 , 2017, 4127-4130	1
336	Constrained motion tracking control system for medical device. 2017 ,	
335	Collision detection, localization & classification for industrial robots with joint torque sensors. 2017 ,	11
334	Iterative Learning Impedance for Lower Limb Rehabilitation Robot. 2017 , 2017, 6732459	6
333	Intermittent Impedance Control Model for Human Upright Standing. 2017 ,	0
332	Automatic Tuning of Virtual Constraint-Based Control Algorithms for Powered Knee-Ankle Prostheses. 2017 , 2017, 812-818	11
331	Control of Motion and Compliance. 2017 , 135-346	2
330	Achieving robustness by optimizing failure behavior. 2017 ,	0
329	Wire-tension control using Compact Planetary geared Elastic Actuator. 2017 ,	1
328	Impedance Control and Performance Measure of Series Elastic Actuators. 2018 , 65, 2817-2827	28
327	Survey on human-robot collaboration in industrial settings: Safety, intuitive interfaces and applications. 2018 , 55, 248-266	340
326	Towards dynamic alternating tripod trotting of a pony-sized hexapod robot for disaster rescuing based on multi-modal impedance control. 2018 , 36, 1048-1076	11

325	Passive Compliance Control of Redundant Serial Manipulators. 2018 , 10,	9
324	Learning from Physical Human Corrections, One Feature at a Time. 2018 ,	27
323	Contact Force Estimation for Robot Manipulator Using Semiparametric Model and Disturbance Kalman Filter. 2018 , 65, 3365-3375	39
322	Robot Contact Language for Manipulation Planning. 2018 , 23, 1171-1181	6
321	Design and control of a diagnosis and treatment aimed robotic platform for wrist and forearm rehabilitation: DIAGNOBOT. 2018 , 10, 168781401774970	9
320	Disturbance Observer-based Impedance Control for a Compliance Capture of an Object in Space. 2018 ,	4
319	An industrial security system for human-robot coexistence. 2018 , 45, 220-226	28
318	Adaptive Fuzzy Neural Network Control for a Constrained Robot Using Impedance Learning. 2018 , 29, 1174-1186	382
317	Progress and prospects of the human-robot collaboration. 2018 , 42, 957-975	197
316	Adaptive Hybrid System Framework for Unified Impedance and Admittance Control. 2018 , 91, 569-581	4
315	Subject-Specific Assist-as-Needed Controllers for a Hand Exoskeleton for Rehabilitation. 2018 , 3, 508-515	19
314	Design and Implementation of Plastic Deformation Behavior by Cartesian Impedance Control Based on Maxwell Model. 2018 , 2018, 1-9	4
313	Coupled and Decoupled Force/Motion Controllers for an Underwater Vehicle-Manipulator System. 2018 , 6, 96	14
312	Weighted Hybrid Admittance-Impedance Control with Human Intention Based Stiffness Estimation for Human-Robot Interaction. 2018 ,	3
311	Adaptive Control Strategy for Gait Rehabilitation Robot to Assist-When-Needed. 2018 ,	6
310	From Human Physical Interaction To Online Motion Adaptation Using Parameterized Dynamical Systems. 2018 ,	12
309	FPGA-Based Velocity Estimation for Control of Robots with Low-Resolution Encoders. 2018 ,	5
308	A Robust Adaptive Impedance Control of Robots. 2018 ,	3

307	Gravity Compensation for Impedance Control of Legged Robots Using Optimizationless Proportional Contact Force Estimation. 2018,	
306	Dynamic trajectory-tracking control method of robotic transcranial magnetic stimulation with end-effector gravity compensation based on force sensors. 2018, 45, 722-731	3
305	Variable Admittance Control Improving Stability in Physical Human-Robot Interaction *. 2018,	
304	Conceptual Design of a Variable Stiffness Mechanism in a Humanoid Ankle Using Parallel Redundant Actuation. 2018,	5
303	Force-Sensorless Contact Force Control of an Aerial Manipulator System. 2018,	0
302	Effect Of Arm Dewatering Using End-Effector Based Robotic Devices On Muscle Activity. 2018, 2018, 2470-2474	
301	A Novel Position-Based Impedance Control Method for Bionic Legged Robots[HDU]. 2018, 6, 55680-55692	9
300	Active Impedance Control of Bioinspired Motion Robotic Manipulators: An Overview. 2018, 2018, 8203054	16
299	. 2018,	3
298	Control and Experimental Validation of a Powered Knee and Ankle Prosthetic Device. 2018,	3
297	Force tracking impedance control with unknown environment via an iterative learning algorithm. 2018,	2
296	Contact Force Control of an Aerial Manipulator in Pressing an Emergency Switch Process. 2018,	12
295	Characterization of Active/Passive Pneumatic Actuators for Assistive Devices. 2018,	2
294	. 2018, 38, 32-34	
293	Stable PD position/force control in bilateral teleoperation. 2018,	
292	Design and Benchtop Validation of a Powered Knee-Ankle Prosthesis with High-Torque, Low-Impedance Actuators. 2018, 2018, 2788-2795	33
291	Optimal Control Parameterization for Active/Passive EXoskeleton with Variable Impedance Actuator. 2018,	2
290	Initial Results of a Variable Speed Knee Controller for Walking with a Powered Knee and Ankle Prosthesis. 2018,	1

289	Quantifying Human Autonomy Recovery During Ankle Robot-Assisted Reversal of Foot Drop After Stroke. 2018,	2
288	An Electrorheological Fluid Actuator for Rehabilitation Robotics. 2018, 23, 2156-2167	14
287	Motion Synchronization in Human-Robot Co-Transport without Force Sensing. 2018,	2
286	In Pursuit of Safety: An Open-Source Library for Physical Human-Robot Interaction. 2018, 25, 39-50	7
285	Force sensorless impedance control for a space robot to capture a satellite for on-orbit servicing. 2018,	5
284	The Next-Generation Surgical Robots. 2018,	6
283	Combined Predictive Path Following and Admittance Control. 2018,	5
282	Hierarchical Human Machine Interaction Learning for a Lower Extremity Augmentation Device. 2019, 11, 123-139	8
281	Neural Networks Enhanced Adaptive Admittance Control of Optimized Robot-Environment Interaction. 2019, 49, 2568-2579	93
280	. 2019, 7, 65029-65039	11
279	Towards Semi-Autonomous and Soft-Robotics Enabled Upper-Limb Exoprosthetics: First Concepts and Robot-Based Emulation Prototype. 2019,	3
278	Finite-Time Neural Impedance Control for an Uncertain Robotic Manipulator. 2019,	1
277	Dentronics: Review, First Concepts and Pilot Study of a New Application Domain for Collaborative Robots in Dental Assistance. 2019,	4
276	Robust Execution of Contact-Rich Motion Plans by Hybrid Force-Velocity Control. 2019,	8
275	Stiffness as a control factor for object manipulation. 2019, 122, 707-720	1
274	Wearable Ankle Robots in Post-stroke Rehabilitation of Gait: A Systematic Review. 2019, 13, 63	25
273	Collision-Free Compliance Control for Redundant Manipulators: An Optimization Case. 2019, 13, 50	3
272	Modeling, Identification, and Control of a Discrete Variable Stiffness Actuator (DVSA). 2019, 8, 50	5

271	Assistive Arm-Exoskeleton Control Based on Human Muscular Manipulability. 2019 , 13, 30		9
270	Human-Robot interaction in industrial collaborative robotics: a literature review of the decade 2008-2017. 2019 , 33, 764-799		79
269	Dynamic Adaptive Hybrid Impedance Control for Dynamic Contact Force Tracking in Uncertain Environments. 2019 , 7, 83162-83174		21
268	Distributed impedance control of latency-prone robotic systems with series elastic actuation. 2019 , 23-51		1
267	Control of Adaptive Switching in the Sensing-Executing Mode Used to Mitigate Collision in Robot Force Control. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2019 , 141,	1.6	6
266	Application of Impedance Control in Robotic Manipulators for Spacecraft On-orbit Servicing. 2019 ,		3
265	Adaptive Gain Control for a Steady Human-Robot Cooperation. 2019 ,		
264	Vertical Jump Control of Hydraulic Single Legged Robot (HSLR). 2019 ,		1
263	Fuzzy impedance control of an electro-hydraulic actuator with an extended disturbance observer. 2019 , 20, 1221-1233		4
262	Improving dual-arm assembly by master-slave compliance. 2019 ,		3
261	The Applications of Compliant Motion Control Technique on 6-DOF Hydraulic Parallel Mechanism. 2019 , 7, 90094-90105		2
260	Stiffness Bounds for Resilient and Stable Physical Interaction of Articulated Soft Robots. 2019 , 4, 4131-4138		3
259	. 2019 , 107, 2034-2051		47
258	The Advanced Control Approach based on SMC Design for the High-Fidelity Haptic Power Lever of a Small Hybrid Electric Aircraft. 2019 , 12, 2974		1
257	Human Intention-Driven Learning Control for Trajectory Synchronization in Human-Robot Collaborative Tasks. 2019 , 51, 1-7		7
256	Damping Perception During Active Ankle and Knee Movement. 2019 , 27, 198-206		1
255	Position/Force Tracking Impedance Control for Robotic Systems with Uncertainties Based on Adaptive Jacobian and Neural Network. 2019 , 2019, 1-16		17
254	A Model-Free Extremum-Seeking Approach to Autonomous Excavator Control Based on Output Power Maximization. 2019 , 4, 1005-1012		11

253	A Telepresence System for Therapist-in-the-Loop Training for Elbow Joint Rehabilitation. 2019 , 9, 1710	6
252	Human Locomotion Assistance using Two-Dimensional Features Based Adaptive Oscillator. 2019 ,	4
251	Hybrid impedance control of a knee joint orthosis. 2019 , 46, 192-201	2
250	Feedforward Motion Control With a Variable Stiffness Actuator Inspired by Muscle Cross-Bridge Kinematics. 2019 , 35, 747-760	10
249	An extended DMP framework for robot learning and improving variable stiffness manipulation. 2019 , 40, 85-94	6
248	Tutorial Review on Space Manipulators for Space Debris Mitigation. 2019 , 8, 34	10
247	Transferrable Expertise From Bionic Arms to Robotic Exoskeletons: Perspectives for Stroke and Duchenne Muscular Dystrophy. 2019 , 1, 88-96	7
246	Adaptive Fuzzy Control for Coordinated Multiple Robots With Constraint Using Impedance Learning. 2019 , 49, 3052-3063	128
245	Learning Force-Relevant Skills from Human Demonstration. 2019 , 2019, 1-11	14
244	Enhanced robust impedance control of a constrained piezoelectric actuator-based surgical device. 2019 , 290, 97-106	9
243	A Greedy Assist-as-Needed Controller for Upper Limb Rehabilitation. 2019 , 30, 3433-3443	19
242	An analytic solution for the force distribution based on Cartesian compliance models. 2019 , 16, 172988141982747	
241	Cooperative control of dual-arm robots in different human-robot collaborative tasks. 2019 , 40, 95-104	12
240	Variable impedance control of finger exoskeleton for hand rehabilitation following stroke. 2019 , 47, 23-32	2
239	Online Human Multi-joint Arm's Viscoelasticity Estimation during Movement. 2019 ,	
238	The Cable-Driven Parallel-Helix-Actuator: Design, Modeling, and Simulation. 2019 ,	
237	Robot Machining Method Bases on Dynamic System and Compliant Control. 2019 ,	0
236	Spatial Repetitive Learning Control for Trajectory Learning in Human-Robot Collaboration. 2019 ,	0

235	A novel hierarchical control strategy for biped robot walking on uneven terrain. 2019 ,		3
234	Research on High Precision Control of Joint Position Servo System for Hydraulic Quadruped Robot. 2019 ,		1
233	Variable Impedance Control in End-Effector Space: An Action Space for Reinforcement Learning in Contact-Rich Tasks. 2019 ,		30
232	Online Optimal Impedance Planning for Legged Robots. 2019 ,		11
231	Adaptive Impedance Control with Setpoint Force Tracking for Unknown Soft Environment Interactions. 2019 ,		1
230	On the Stability of Maxwell Model based Impedance Control and Cartesian Admittance Control Implementation. 2019 ,		2
229	Exploiting null space potentials to control arm robots compliantly performing nonlinear tactile tasks. 2019 , 16, 172988141988547		
228	On-line Motion Prediction and Adaptive Control in Human-Robot Handover Tasks. 2019 ,		4
227	Study of External Force and Impedance Scheme on Stroke Rehabilitation Robot Manipulator. 2019 ,		0
226	A Fixed Structure Gain Selection Strategy for High Impedance Series Elastic Actuator Behavior. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2019 , 141,	1.6	6
225	An improved force-based impedance control method for the HDU of legged robots. 2019 , 84, 187-205		27
224	Comparison of Muscular Activity and Movement Performance in Robot-Assisted and Freely Performed Exercises. 2019 , 27, 43-50		6
223	Stiffness Control of Deformable Robots Using Finite Element Modeling. 2019 , 4, 469-476		9
222	Compliance/Impedance Control Strategy for Humanoids. 2019 , 1009-1028		1
221	Human-Like Hand Mechanism. 2019 , 553-570		
220	Improving stability in physical humanRobot interaction by estimating human hand stiffness and a vibration index. 2019 , 46, 529-540		2
219	Upper-Limb Prosthetic Devices. 2019 , 177-240		2
218	Adaptive impedance control of uncertain robot manipulators with saturation effect based on dynamic surface technique and self-recurrent wavelet neural networks. 2019 , 37, 161-188		12

217	Human-Guided Multirobot Cooperative Manipulation. 2019 , 27, 1492-1509	15
216	Shared Impedance Control Based on Reinforcement Learning in a Human-Robot Collaboration Task. 2020 , 95-103	1
215	KUKA LWR Robot Cartesian Stiffness Control Based on Kinematic Redundancy. 2020 , 310-318	3
214	Estimation of human impedance and motion intention for constrained human-robot interaction. 2020 , 390, 268-279	11
213	Extremum Seeking Control for Model-Free Auto-Tuning of Powered Prosthetic Legs. 2020 , 28, 2120-2135	8
212	Survey on Aerial Manipulator: System, Modeling, and Control. 2020 , 38, 1288-1317	19
211	Asymmetrical nonlinear impedance control for dual robotic machining of thin-walled workpieces. 2020 , 63, 101889	14
210	Impedance-Controlled Variable Stiffness Actuator for Lower Limb Robot Applications. 2020 , 17, 991-1004	29
209	. 2020 ,	5
208	Evaluation of Human-Robot Object Co-manipulation Under Robot Impedance Control. 2020 ,	
207	Trajectory tracking control of 7-DOF redundant robot based on estimation of intention in physical human-robot interaction. 2020 , 103, 36850420953642	3
206	Visual Servoing and Impedance Control in Robotic Manipulators for On-Orbit Servicing. 2020 ,	1
205	Compliant Control and Compensation for A Compact Cable-Driven Robotic Manipulator. 2020 , 5, 5417-5424	5
204	Design and Validation of a Powered Knee-Ankle Prosthesis with High-Torque, Low-Impedance Actuators. 2020 , 36, 1649-1668	33
203	COVID-19 Pandemic Spurs Medical Telerobotic Systems: A Survey of Applications Requiring Physiological Organ Motion Compensation. 2020 , 7, 594673	3
202	Dynamic Primitives Facilitate Manipulating a Whip. 2020 ,	4
201	Dynamical system based variable admittance control for physical human-robot interaction. 2020 , 47, 623-635	1
200	Evidence for Dynamic Primitives in a Constrained Motion Task. 2020 ,	2

199	Compliance Control and Analysis for Equivalent Hydraulic Legs. 2020 , 8, 145661-145671	1
198	Hybrid Position/Force Control with Virtual Impedance Model of Robot Manipulators. 2020 , 1601, 062014	
197	A Robust Adaptive Admittance Control Scheme for Robotic Knee Prosthesis Using Human-Inspired Virtual Constraints. 2020 , 8, 164089-164102	2
196	Towards a Generic Manipulation Framework for Robots based on Model Predictive Interaction Control. 2020 ,	1
195	Admittance Control Strategy with Output Joint Space Constraints for a Lower Limb Rehabilitation Robot. 2020 ,	0
194	A solution method for predictive simulations in a stochastic environment. 2020 , 104, 109759	5
193	Maximizing the End-Effector Cartesian Stiffness Range for Kinematic Redundant Robot with Compliance. 2020 , 208-217	1
192	Integrating combined task and motion planning with compliant control. 2020 , 4, 149-163	12
191	Musculoskeletal Model for Path Generation and Modification of an Ankle Rehabilitation Robot. 2020 , 50, 373-383	5
190	Operational Space Model Predictive Sliding Mode Control for Redundant Manipulators. 2020 , 36, 1348-1355	13
189	Multi-segment soft robotic fingers enable robust precision grasping. 2020 , 39, 1647-1667	30
188	The Soft-Landing Problem: Minimizing Energy Loss by a Legged Robot Impacting Yielding Terrain. 2020 , 5, 3658-3665	4
187	Quantifying Hypothesis Space Misspecification in Learning From Human Robot Demonstrations and Physical Corrections. 2020 , 36, 835-854	5
186	Separating neural influences from peripheral mechanics: the speed-curvature relation in mechanically constrained actions. 2020 , 123, 1870-1885	6
185	Compliance Control of Slave Manipulator Using EMG Signal for Telemanipulation. 2020 , 10, 1431	2
184	Adaptive impedance control with variable target stiffness for wheel-legged robot on complex unknown terrain. 2020 , 69, 102388	5
183	Concentric Tube Robots for Minimally Invasive Surgery: Current Applications and Future Opportunities. 2020 , 2, 410-424	16
182	Exponentially convergence for the regressor-free adaptive fuzzy impedance control of robots by gradient descent algorithm. 2020 , 51, 1883-1904	0

181	Medical robotics. 2020 , 153-204	4
180	Adaptive Impedance Control of Robots With Reference Trajectory Learning. 2020 , 8, 104967-104976	5
179	Collaborative Human-Robot Framework for Delicate Sanding of Complex Shape Surfaces. 2020 , 5, 2848-2855	11
178	Input-to-State Stability of Variable Impedance Control for Robotic Manipulator. 2020 , 10, 1271	2
177	Impedance Control Strategies for Enhancing Sloped and Level Walking Capabilities for Individuals with Transfemoral Amputation Using a Powered Multi-Joint Prosthesis. 2020 , 185, 490-499	4
176	. 2020 , 1-1	6
175	State observation and feedback control in robotic systems for therapy and surgery. 2020 , 33-73	0
174	Adaptive neural impedance control with extended state observer for human-robot interactions by output feedback through tracking differentiator. 2020 , 234, 820-833	5
173	VnStylus: A Haptic Stylus With Variable Tip Compliance. 2020 , 13, 777-790	3
172	Impedance Sliding Mode Control With Adaptive Fuzzy Compensation for Robot-Environment Interacting. 2020 , 8, 19880-19889	9
171	Dentronics: Towards robotics and artificial intelligence in dentistry. 2020 , 36, 765-778	34
170	Development of an Improved Rotational Orthosis for Walking With Arm Swing and Active Ankle Control. 2020 , 14, 17	2
169	. 2020 , 17, 1937-1949	87
168	Comparing model-based control methods for simultaneous stiffness and position control of inflatable soft robots. 2021 , 40, 470-493	6
167	Recurrent fuzzy wavelet neural network variable impedance control of robotic manipulators with fuzzy gain dynamic surface in an unknown varied environment. 2021 , 416, 1-26	4
166	A parallel system-on-chip approach for impedance controller for a 7-DoF robotic hand. 2021 , 106, 195-204	3
165	Decoupled nonlinear adaptive control of position and stiffness for pneumatic soft robots. 2021 , 40, 277-295	7
164	Workpiece force and position control for active and flexible fixtures in assembly. 2021 , 112, 333-346	1

163	Force and Position Control of Mechatronic Systems. 2021 ,	1
162	On the motion/stiffness decoupling property of articulated soft robots with application to model-free torque iterative learning control. 2021 , 40, 348-374	11
161	Bayesian Estimation of Human Impedance and Motion Intention for Human-Robot Collaboration. 2021 , 51, 1822-1834	30
160	Hybrid Vision/Force Control of Soft Robot Based on a Deformation Model. 2021 , 29, 661-671	10
159	RobUST: An Autonomous Robotic Ultrasound System for Medical Imaging. 2021 , 9, 67456-67465	7
158	Human-Robot Cooperation Control Based on Trajectory Deformation Algorithm for a Lower Limb Rehabilitation Robot. 2021 , 1-1	5
157	A ball head positioning method based on hybrid force-position control. 2021 , 235, 1433-1444	1
156	Adaptive Neural Network-based Finite-Time Impedance Control of Constrained Robotic Manipulators with Disturbance Observer. 2021 , 1-1	0
155	Self-Adaptive Ultrasound Scanning System for Imaging Human Spine. 2021 , 1-1	1
154	Encyclopedia of Robotics. 2021 , 1-10	
153	How can the programming of impedance control be simplified?. 2021 , 97, 266-271	
152	. 2021 , 57, 497-505	2
151	A Learning Method for Stiffness Control of a Drum Robot for Rebounding Double Strokes. 2021 ,	
150	Discontinuous force-based robot adaptive switching update rate impedance control. 2021 ,	1
149	DBT AYAKLI ROBOTLARIN MODELLENMESİ KONTROL VE ENGEBELİ ZEMİNLERDE YERİNİZERİNE BİR LİTERATÜR ARATIRMASI. 2021 , 9, 250-279	
148	Analytical methodology for the analysis of vibration for unconstrained discrete systems and applications to impedance control of redundant robots. 2021 , 8,	2
147	Virtual Motor Torque Sensing for Multirotor Propulsion Systems. 2021 , 6, 4149-4155	
146	Learning Variable Impedance Control via Inverse Reinforcement Learning for Force-Related Tasks. 2021 , 6, 2225-2232	12

145	A Relative Dynamics Formulation for Hardware- in-the-Loop Simulation of On-Orbit Robotic Missions. 2021 , 6, 3569-3576	4
144	Task-Based Role Adaptation for Human-Robot Cooperative Object Handling. 2021 , 6, 3592-3598	2
143	Real-time optimization of an ellipsoidal trajectory orientation using muscle effort with Extremum Seeking Control. 2021 , 91, 19-27	
142	Manual guidance of manipulators: detection and control of intentional contacts without force sensors. 1	
141	Low level position control for 4-DOF arm robot using fuzzy logic controller and 2-DOF PID controller. 2021 ,	
140	Adaptive neural network command filtered backstepping impedance control for uncertain robotic manipulators with disturbance observer. 014233122110093	1
139	Design and Development of an Embedded Controller for a Hydraulic Walking Robot WLBOT. 2021 , 11, 5335	1
138	Quantitative Assessment of Motor Function by an End-Effector Upper Limb Rehabilitation Robot Based on Admittance Control. 2021 , 11, 6854	3
137	Impedance Optimization for Uncertain Contact Interactions Through Risk Sensitive Optimal Control. 2021 , 6, 4766-4773	7
136	Reinforcement Learning Based Variable Impedance Control for High Precision Human-robot Collaboration Tasks. 2021 ,	0
135	The Effect of Freespace Properties on Unilateral Stiffness Classification. 2021 ,	0
134	Fault tolerant control based on backstepping nonsingular terminal integral sliding mode and impedance control for a lower limb exoskeleton. 095440622110357	1
133	A fuzzy adaptive admittance controller for force tracking in an uncertain contact environment. 2021 , 15, 2158	1
132	Task-space impedance control of a parallel Delta robot using dual quaternions and a neural network. 2021 , 43, 1	0
131	Analysis of Coupling Effect in Human-Commanded Stiffness During Bilateral Tele-Impedance. 2021 , 37, 1282-1297	2
130	Intelligent Impedance Control using Wavelet Neural Network for dynamic contact force tracking in unknown varying environments. 2021 , 113, 104840	2
129	Biomechanical Comparison of Assistance Strategies Using a Bilateral Robotic Knee Exoskeleton. 2021 , 68, 2870-2879	9
128	A low cost 3-DOF force sensing unit design for wrist rehabilitation robots. 2021 , 78, 102623	3

127	Bilateral control of teleoperator systems with time-varying delay. 2021 , 134, 109707	0
126	Reinforcement Learning Control of Robotic Knee With Human-in-the-Loop by Flexible Policy Iteration. 2021 , PP,	5
125	Exploiting Redundancy to Facilitate Physical Interaction. 2021 , 1-17	4
124	Development of a Robotic Hand Using Bioinspired Optimization for Mechanical and Control Design: UnB-Hand. 2021 , 9, 61010-61023	2
123	Interaction Control. 2000 , 271-294	5
122	Implementation and Test of Human-Operated and Human-Like Adaptive Impedance Controls on Baxter Robot. 2014 , 109-119	18
121	Cartesian Impedance Control on Five-Finger Dexterous Robot Hand DLR-HIT II with Flexible Joint. 2010 , 1-12	6
120	Flexible Assembly Robotics for Self-optimizing Production. 2011 , 189-198	3
119	An Experimental Validation of Robotic Tactile Mapping in Harsh Environments such as Deep Sea Oil Well Sites. 2014 , 557-570	2
118	Human-Robot Handshaking: A Hybrid Deliberate/Reactive Model. 2012 , 258-267	7
117	Control Strategies for Complex Movements Derived from Physical Systems Theory. 1985 , 156-168	4
116	Learning and Sequencing of Object-Centric Manipulation Skills for Industrial Tasks. 2020 ,	4
115	A New Powered Lower Limb Prosthesis Control Framework Based on Adaptive Dynamic Programming. 2017 , 28, 2215-2220	44
114	Analysis and Validation of a Flexible Planar Two Degrees-of-Freedom Parallel Manipulator With Structural Passive Compliance. 2020 , 12,	10
113	Collaborative Robotics: A Survey. 2021 , 143,	22
112	Fine-Motion-Control Method for Realizing High-Accuracy and High-Speed Contact Motion of Industrial Robots by Employing Sensorless Force Control. 2012 , 132, 322-332	5
111	Utilizing the Nonlinearity of Tendon Elasticity for Compensation of Unknown Gravity of Payload. 2018 , 30, 873-879	2
110	Promoting both passenger comfort and aircraft handling of 6 DOF landing gear utilizing variable mechanical admittance approach. 2020 , 30, 79-85	1

109	Stability and Transparency of Delayed Bilateral Teleoperation with Haptic Feedback. 2019 , 29, 681-692	1
108	Neural Network Compensation for Impedance Force Controlled Robot Manipulators. 2014 , 14, 17-25	4
107	Accurate Terrain Estimation for Humanoid Robot Based on Disturbance State Observer. 2021 , 9, 144634-144645	
106	Logic-Dynamic Control of Assembly Manipulator Under Conditions of High-Energy Impacts. 2021 , 165-176	
105	Enhanced Admittance Control for Time-Varying Force Tracking of Robots in Unknown Environment. 2021 , 552-562	
104	LASER: Learning a Latent Action Space for Efficient Reinforcement Learning. 2021 ,	2
103	Learning Human Objectives from Sequences of Physical Corrections. 2021 ,	1
102	An Efficient Closed-Form Method for Optimal Hybrid Force-Velocity Control. 2021 ,	0
101	Physical interaction as communication: Learning robot objectives online from human corrections. 0278364921 10509	
100	Grappling Spacecraft. 2022 , 5,	
99	Optimal Cost Haptic Devices for Driving Simulators. 2009 , 1-15	1
98	. 2010 , 28, 672-677	
97	Robust Hitting with Dynamics Shaping. 2010 , 46, 346-352	
96	?????????????????????????????????????. 2010 , 28, 699-702	0
95	Coaxially Coupled Inverted Pendula: Bond Graph-Based Modelling, Design and Control. 2011 , 179-194	
94	Musculoskeletal System from the Viewpoint of Manipulator Analysis. 2012 , 132, 610-613	
93	Design and Control of Force Feedback Haptic Systems with Time Delay. 2014 , 373-387	
92	Impedance Control Applied to Automated Deburring. 1986 , 359-366	2

- 91 Distributed Fail-Safe Structure for Collaboration of Multiple Manipulators. **1996**, 295-303
- 90 Motion and Interactive Control for Upper Limb Exoskeleton. **2016**, 151-183
- 89 Control of Low-Cost Customizable Robot Arm Actuated by Elastic Tendons. **2016**, 28, 509-522 2
- 88 Minimal Energy Cartesian Impedance Control of Robot with Bidirectional Antagonistic Drives. **2017**, 56-64
- 87 Hardware-in-the-Loop Testing of High-Speed Pantographs Using Real-Time Catenary Emulation. **2017**, 75-83
- 86 Compliance/Impedance Control Strategy for Humanoids. **2017**, 1-20
- 85 Humanlike Hand Mechanism. **2017**, 1-18
- 84 Muscle Force Estimation Model for Gait Rehabilitation. **2017**, 147-170
- 83 Sensorless Force Control with Observer for Multi-functional Upper Limb Rehabilitation Robot. **2017**, 12, 356-364 1
- 82 Cascade Gain Scheduling Control of Antagonistic Actuators Based on System Identification. **2019**, 425-435 2
- 81 Muscle force prediction method considering the role of antagonistic muscle based on a coupled spring model. **2019**, 6, 18-00456-18-00456
- 80 Force Control Polishing Device Based on Fuzzy Adaptive Impedance Control. **2019**, 181-194
- 79 Performance Comparison of Interaction Control Techniques for Teleoperated systems. **2019**,
- 78 A Solution Method for Predictive Simulations in a Stochastic Environment.
- 77 A General Framework for Shared Control in Robot Teleoperation with Force and Visual Feedback. **2020**, 119-131 2
- 76 Nonlinear time delay estimation based model reference adaptive impedance control for an upper-limb human-robot interaction. **2021**, 9544119211054919
- 75 Adaptive Interaction Control of a Very Flexible Parallel Robot Manipulator. **2021**, 133-150
- 74 Robust Impedance Control of Constrained Piezoelectric Actuator-Based End-Effector. **2021**, 157-178

73	Adapting Movements and Behaviour to Favour Communication in Human-Robot Interaction. 2020 , 271-297	
72	Stiff and safe task-space position and attitude controller for robotic manipulators. 2020 , 7,	0
71	Adaptive variable impedance control for a modular soft robot manipulator in configuration space. 2022 , 57, 1	1
70	Antagonistic Co-contraction Can Minimize Muscular Effort in Systems with Uncertainty.	2
69	Robotic Knee Tracking Control to Mimic the Intact Human Knee Profile Based on Actor-Critic Reinforcement Learning. 2022 , 9, 19-30	4
68	Wearable Lower-Limb Exoskeleton for Children with Cerebral Palsy: A Systematic Review of Mechanical Design, Actuation Type, Control Strategy, and Clinical Evaluation.. 2021 , PP,	3
67	Model-based Actor-critic Learning of Robotic Impedance Control in Complex Interactive Environment. 2021 , 1-1	0
66	A Hybrid Arm-hand Rehabilitation Robot with EMG-based Admittance Controller. 2021 , PP,	3
65	Inertia-Decoupled Equations for Hardware-in-the-Loop Simulation of an Orbital Robot with External Forces. 2020 ,	1
64	Path following and terminal force control of robotic manipulators. 2020 ,	1
63	Model Predictive Position and Force Trajectory Tracking Control for Robot-Environment Interaction. 2020 ,	1
62	Human-in-the-Loop Robot Control for Human-Robot Collaboration: Human Intention Estimation and Safe Trajectory Tracking Control for Collaborative Tasks. 2020 , 40, 29-56	4
61	Learning Forceful Manipulation Skills from Multi-modal Human Demonstrations.	1
60	Reinforcement Learning-based Sim-to-Real Impedance Parameter Tuning for Robotic Assembly. 2021 ,	
59	Resistant Compliance Control for Biped Robot Inspired by Humanlike Behavior. 2022 , 1-11	3
58	Improving robotic impedance control performance employing a cascaded controller based on virtual dynamics model. 2022 , 236, 1815-1825	1
57	A Framework for Composite Layup Skill Learning and Generalizing Through Teleoperation.. 2022 , 16, 840240	3
56	A Study on Differences in Control Performance of Skill-Assist System Caused by Different Operational Input Devices. 2022 ,	

- 55 Shaping Impedances to Comply With Constrained Task Dynamics. **2022**, 1-18 ○
- 54 Cooperative Transportation With Mobile Manipulator: A Capability Map-Based Framework for Physical Human-Robot Collaboration. **2022**, 1-10 ○
- 53 Study on the impedance dynamics and control of the active suspensions based on the equilibrium trajectory error. 107754632110482
- 52 Guidelines for Robot-to-Human Handshake From the Movement Nuances in Human-to-Human Handshake.. **2022**, 9, 758519
- 51 Adaptive enhanced admittance force-tracking controller design for highly dynamic interactive tasks. **2022**, ahead-of-print, ○
- 50 Performance of Impedance Control-Based Strategies in Power-Assisted Wheelchairs: A Predictive Simulation Study.. **2022**, 16, 805835
- 49 Deep Deterministic Policy Gradient with Reward Function Based on Fuzzy Logic for Robotic Peg-in-Hole Assembly Tasks. **2022**, 12, 3181 1
- 48 A robotic puncture system with optical and mechanical feedback under respiratory motion.. **2022**, e2403 ○
- 47 Adaptive Compliant Skill Learning for Contact-Rich Manipulation With Human in the Loop. **2022**, 7, 5834-5841 1
- 46 Adaptability Control Towards Complex Ground Based on Fuzzy Logic for Humanoid Robots. **2022**, 1-1 2
- 45 Hybrid Impedance-Sliding Mode Switching Control of the Indego Explorer Lower-Limb Exoskeleton in Able-Bodied Walking. **2022**, 104, 1 1
- 44 Video_1.MP4. **2020**,
- 43 Design of a Force Feedback Device for Wrist Rehabilitation. **2022**, 396-403
- 42 Reinforcement Learning Impedance Control of a Robotic Prosthesis to Coordinate with Human Intact Knee Motion. **2022**, 1-1 ○
- 41 Energy Aware Impedance Control of a Flying End-Effector in the Port-Hamiltonian Framework. **2022**, 1-20 1
- 40 Variable Stiffness Control via External Torque Estimation Using LSTM. **2022**, ○
- 39 Adaptive Human-Robot Collaboration Control Based on Optimal Admittance Parameters.
- 38 A novel model for estimating the endpoint stiffness of a limb. **2022**, 1

- 37 Beyond task-space exploration: On the role of variance for motor control and learning. 13,
- 36 Adaptive finite-time impedance backstepping control for uncertain robotic systems interacting with unknown environments. 1-12 ○
- 35 Model Predictive Interaction Control based on a Path-Following Formulation. 2022,
- 34 A Review of Robot Grinding and Polishing Force Control Mode. 2022, ○
- 33 A survey of robot manipulation in contact. 2022, 156, 104224 3
- 32 Model Predictive Interaction Control for Robotic Manipulation Tasks. 2022, 1-14 ○
- 31 Impedance-based Foot-end Torque Vibration Isolation Control of Parallel Structure Wheel-legged Robot. 2022, ○
- 30 Robust Artificial Delay based Impedance Control of Robotic Manipulators with Uncertain Dynamics. 2022, ○
- 29 Asymmetric constrained control scheme design with discrete output feedback in unknown robot-environment interaction system. 1-21 ○
- 28 Research on Hybrid Force Control of Redundant Manipulator with Reverse Task Priority. 2022, 15, 6611 ○
- 27 Adaptive Robust Fuzzy Impedance Control of an Electro-Hydraulic Actuator. 2022, 12, 9575 ○
- 26 Super Twisting Sliding Mode Control-Based Impedance Control for Robot Arm End-Effector Force Tracking. 2022, ○
- 25 Design and Experimental Evaluation of a Low Cost, Portable, 3-DOF Wrist Rehabilitation Robot with High Physical Human-Robot Interaction. 2022, 106, 2
- 24 Role of path information in visual perception of joint stiffness. 2022, 18, e1010729 ○
- 23 Fractional-Order Impedance Control for Robot Manipulator. 2022, 6, 684 ○
- 22 Reinforcement Learning-based Search Trajectory Generation and Stiffness Tuning for Connector Assembly. 2022, 17, 455-462 ○
- 21 Robust complete synchronization control design for non-collocated nonlinear master-slave system over a delayed communication network. ○
- 20 Computer Vision and Human-Robot Collaboration Supported Design-to-Robotic-Assembly. ○

- 19 Dynamic Feedforward-Based Fractional Order Impedance Control for Robot Manipulator. **2023**, 7, 52 ○
- 18 Control System Design and Methods for Collaborative Robots: Review. **2023**, 13, 675 1
- 17 Deep Imitation Learning with Pseudo-haptics Module for Peg-in-hole with Hole Position Uncertainty. **2023**, 89, 83-89 ○
- 16 Toward an automatic diagnostic scanning robotic system using ultrasound images. **2022**, ○
- 15 Super Twisting Sliding Mode Control-Based Impedance Control for Teleoperated Virtual Robot Arm End-Effector Force Tracking. **2022**, ○
- 14 Development of a Robotic-Machining based Variable Cutting Force Servo System for Casting Scrap Removal. **2022**, ○
- 13 Path Following Control for Human-Robot Collaborative Tasks. **2022**, ○
- 12 Simulation Analysis of Discrete Admittance Control of Manipulator. **2022**, ○
- 11 A Comparison of Control Strategies for Contact Force Manipulation During Simulated On-Orbit Contact Events. **2023**, ○
- 10 Motion optimization for safe robotEnvironment interaction with force constraints. ○
- 9 Development of gait rehabilitation devices: a review of the literature. **2023**, ○
- 8 Adaptive Fractional-order admittance control for force tracking in highly dynamic unknown environments. **2023**, 50, 530-541 ○
- 7 Different Control Strategies Drive Interlimb Differences in Performance and Adaptation during Reaching Movements in Novel Dynamics. **2023**, 10, ENEURO.0275-22.2023 ○
- 6 Precise and smooth contact force control for a hybrid mobile robot used in polishing. **2023**, 83, 102573 ○
- 5 Surface polishing by industrial robots: a review. **2023**, 125, 3981-4012 ○
- 4 Force tracking smooth adaptive admittance control in unknown environment. 1-21 ○
- 3 HumanRobot Collaboration Framework Based on Impedance Control in Robotic Assembly. **2023**, ○
- 2 Dynamic Feedforward Based Fractional Order Impedance Control for Robot Manipulator. **2022**, ○

- 1 Biomechanics, motor control and dynamic models of the soft limbs of the octopus and other cephalopods. **2023**, 226,

1