

CITATION REPORT

List of articles citing

Measurement of signal intensities in the presence of noise in MR images

DOI: 10.1118/1.595711

Medical Physics, 1985, 12, 232-3.

Source: <https://exaly.com/paper-pdf/17910740/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
839	T1, T2, and relative proton density at 0.35 T for spleen, liver, adipose tissue, and vertebral body: normal values. <i>Magnetic Resonance in Medicine</i> , 1986 , 3, 901-10	4.4	11
838	The magnetic field dependence of the breathing artifact. 1986 , 4, 387-392		31
837	Phase and sensitivity of receiver coils in magnetic resonance imaging. <i>Medical Physics</i> , 1986 , 13, 806-14	4.4	74
836	Application of an equivalent circuit to signal-to-noise calculations in MRI. 1987 , 5, 101-8		25
835	Dextran-magnetite: a contrast agent for sodium-23 MRI. <i>Magnetic Resonance in Medicine</i> , 1988 , 8, 427-39	4.4	9
834	Magnetic resonance imaging for monitoring relapse of acute myeloid leukemia. 1988 , 12, 811-6		22
833	Resolution of biexponential transverse relaxation in magnetic resonance imaging. 1989 , 34, 305-14		8
832	Magnetic resonance imaging determination of ²³ Na visibility and in the vitreous body. 1989 , 82, 505-517		2
831	Usefulness and limitations of laboratory and hepatic imaging studies in iron-storage disease. 1990 , 99, 1079-91		95
830	Hepatic iron overload: diagnosis and quantification by noninvasive imaging. 1990 , 15, 27-31		45
829	Signal-to-noise in phase angle reconstruction: dynamic range extension using phase reference offsets. <i>Magnetic Resonance in Medicine</i> , 1990 , 15, 420-37	4.4	161
828	Bayesian image processing in magnetic resonance imaging. 1991 , 9, 611-20		23
827	Target-point combination of MR images. <i>Magnetic Resonance in Medicine</i> , 1991 , 18, 102-15	4.4	7
826	A simple method for the restoration of signal polarity in multi-image inversion recovery sequences for measuring T1. <i>Magnetic Resonance in Medicine</i> , 1991 , 18, 224-31	4.4	37
825	Noninvasive measurement of transmural gradients in myocardial strain with MR imaging. 1991 , 180, 677-83		141
824	Measurement of radiotracer concentration in brain gray matter using positron emission tomography: MRI-based correction for partial volume effects. 1992 , 12, 571-83		543
823	Contrast-to-noise ratios in maximum intensity projection images. <i>Magnetic Resonance in Medicine</i> , 1992 , 23, 130-7	4.4	63

822	Correction of chemical-shift artifacts in 19F imaging of PFOB: a robust signed magnitude method. <i>Magnetic Resonance in Medicine</i> , 1992 , 23, 254-63	4.4	13
821	Signal-to-noise, resolution, and bias function analysis of asymmetric sampling with zero-padded magnitude FT reconstruction. <i>Magnetic Resonance in Medicine</i> , 1992 , 27, 247-69	4.4	22
820	Feasibility of 19F imaging of perfluorochemical emulsions to measure myocardial vascular volume. <i>Magnetic Resonance in Medicine</i> , 1992 , 28, 129-36	4.4	13
819	Noise and artifact comparison for Fourier and polynomial phase correction used with Fourier reconstruction of asymmetric data sets. <i>Journal of Magnetic Resonance Imaging</i> , 1992 , 2, 347-53	5.6	9
818	Accurate measurement of T1 in vivo in less than 3 seconds using echo-planar imaging. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 351-4	4.4	98
817	Dependence on T1 of the echo amplitudes from multiple spin-echo sequences with equidistant echoes: simulation studies. 1993 , 11, 197-205		15
816	A chemical shift selective inversion recovery sequence for fat-suppressed MRI: theory and experimental validation. 1993 , 11, 341-55		78
815	Signal-to-noise measures for magnetic resonance imagers. 1993 , 11, 425-8		60
814	The use of power images to perform quantitative analysis on low SNR MR images. 1993 , 11, 1051-6		205
813	MRI measurements of the dependence on T1 of the echo amplitudes using a multiple spin-echo scheme. 1993 , 11, 1185-92		10
812	Generalized matched filtering for time-resolved MR angiography of pulsatile flow. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 600-8	4.4	18
811	A robust algorithm for reduction of truncation artifact in chemical shift images. 1993 , 12, 812-8		7
810	.		
809	Early temporal variation of cerebral metabolites after human stroke. A proton magnetic resonance spectroscopy study. 1993 , 24, 1891-6		95
808	Optimization of tag thickness for measuring position with magnetic resonance imaging. 1994 , 13, 152-60		72
807	Reproducibility of nonparametric feature map segmentation for determination of normal human intracranial volumes with MR imaging data. <i>Journal of Magnetic Resonance Imaging</i> , 1994 , 4, 692-700	5.6	37
806	A Bayesian approach to subvoxel tissue classification in NMR microscopic images of trabecular bone. <i>Magnetic Resonance in Medicine</i> , 1994 , 31, 302-8	4.4	30
805	Tag contrast in breath-hold CINE cardiac MRI. <i>Magnetic Resonance in Medicine</i> , 1994 , 31, 521-5	4.4	32

804	Dual-echo MRI segmentation using vector decomposition and probability techniques: a two-tissue model. <i>Magnetic Resonance in Medicine</i> , 1994 , 32, 342-57	4.4	18
803	The effect of high performance gradients on fast gradient echo imaging. <i>Magnetic Resonance in Medicine</i> , 1994 , 32, 612-21	4.4	42
802	Short tau inversion recovery fast spin-echo (fast STIR) imaging of the spinal cord in multiple sclerosis. 1994 , 12, 983-9		25
801	A time-efficient method for combined 1 and 2 measurement in magnetic resonance imaging: Evaluation for multiparameter tissue characterization. 1994 , 2, 79-89		8
800	Vessel enhancement filtering in three-dimensional MR angiography. <i>Journal of Magnetic Resonance Imaging</i> , 1995 , 5, 151-7	5.6	20
799	Vessel enhancement filtering in three-dimensional MR angiography. <i>Journal of Magnetic Resonance Imaging</i> , 1995 , 5, 353-9	5.6	37
798	An ROC approach for evaluating functional brain MR imaging and postprocessing protocols. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 57-64	4.4	78
797	A phased array coil for human cardiac imaging. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 92-8	4.4	31
796	A magnetization-driven gradient echo pulse sequence for the study of myocardial perfusion. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 276-82	4.4	47
795	The application of magnetization transfer to MR angiography with reduced total power. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 283-6	4.4	49
794	The Rician distribution of noisy MRI data. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 910-4	4.4	1685
793	Diffusion MRI: precision, accuracy and flow effects. 1995 , 8, 307-32		186
792	MRI segmentation: methods and applications. 1995 , 13, 343-68		475
791	The importance of ray pathlengths when measuring objects in maximum intensity projection images. 1996 , 15, 568-79		2
790	Magnetic resonance imaging of the brain with gadopentetate dimeglumine-DTPA: comparison of T1-weighted spin-echo and 3D gradient-echo sequences. <i>Journal of Magnetic Resonance Imaging</i> , 1996 , 6, 415-24	5.6	30
789	The effect of image resolution on vessel signal in high-resolution magnetic resonance angiography. <i>Journal of Magnetic Resonance Imaging</i> , 1996 , 6, 632-41	5.6	21
788	Automatic removal of extrameningeal tissues from MR images of human brain. <i>Journal of Magnetic Resonance Imaging</i> , 1996 , 6, 939-43	5.6	6
787	MR image segmentation using vector decomposition and probability techniques: a general model and its application to dual-echo images. <i>Magnetic Resonance in Medicine</i> , 1996 , 35, 114-25	4.4	12

786	Myocardial signal response to dipyridamole and dobutamine: demonstration of the BOLD effect using a double-echo gradient-echo sequence. <i>Magnetic Resonance in Medicine</i> , 1996 , 36, 16-20	4.4	95
785	T2 maximum likelihood estimation from multiple spin-echo magnitude images. <i>Magnetic Resonance in Medicine</i> , 1996 , 36, 287-93	4.4	59
784	Response. <i>Magnetic Resonance in Medicine</i> , 1996 , 36, 332-333	4.4	15
783	Noise in MRI. <i>Magnetic Resonance in Medicine</i> , 1996 , 36, 494-7	4.4	301
782	Arterial input functions from MR phase imaging. <i>Magnetic Resonance in Medicine</i> , 1996 , 36, 809-15	4.4	54
781	Toward a quantitative assessment of diffusion anisotropy. <i>Magnetic Resonance in Medicine</i> , 1996 , 36, 893-906	4.4	1947
780	A high-resolution three-dimensional T1-weighted gradient echo sequence improves the detection of disease activity in multiple sclerosis. 1996 , 40, 901-7		44
779	An interleaved sequence for accurate and reproducible clinical measurement of magnetization transfer ratio. 1996 , 14, 403-11		85
778	Quantification and improvement of the signal-to-noise ratio in a magnetic resonance image acquisition procedure. 1996 , 14, 1157-63		54
777	Signal-to-noise measurements in magnitude images from NMR phased arrays.		2
776	Use of MRI spin tagging for position tracking and deformation calculation in a stretching phantom.		
775	Measurement of magnetic resonance T2 for physiological experiments. 1997 , 83, 904-11		19
774	Statistical assessment of crosscorrelation and variance methods and the importance of electrocardiogram gating in functional magnetic resonance imaging. 1997 , 15, 169-81		20
773	An oblique cylinder contrast-adjusted (OCCA) phantom to measure the accuracy of MRI brain lesion volume estimation schemes in multiple sclerosis. 1997 , 15, 183-92		23
772	A multidimensional partition analysis of SSFP image pulse sequences. 1997 , 15, 451-67		11
771	Watershed-based segmentation of 3D MR data for volume quantization. 1997 , 15, 679-88		111
770	Simulation of two-dimensional tagged MRI. <i>Journal of Magnetic Resonance Imaging</i> , 1997 , 7, 416-24	5.6	20
769	Relative quantification of pulmonary edema with noncontrast-enhanced MRI. <i>Journal of Magnetic Resonance Imaging</i> , 1997 , 7, 544-50	5.6	8

768	Ultrasmall superparamagnetic iron oxide particles (AMI 227) as a blood pool contrast agent for MR angiography: experimental study in rabbits. <i>Journal of Magnetic Resonance Imaging</i> , 1997 , 7, 958-62	5.6	34
767	The effects of incomplete breath-holding on 3D MR image quality. <i>Journal of Magnetic Resonance Imaging</i> , 1997 , 7, 1132-9	5.6	63
766	A dual approach for minimizing false lesion classifications on magnetic resonance images. <i>Magnetic Resonance in Medicine</i> , 1997 , 37, 94-102	4.4	57
765	Techniques for high-speed cardiac magnetic resonance imaging in rats and rabbits. <i>Magnetic Resonance in Medicine</i> , 1997 , 37, 124-30	4.4	19
764	Signal-to-noise measurements in magnitude images from NMR phased arrays. <i>Magnetic Resonance in Medicine</i> , 1997 , 38, 852-7	4.4	401
763	Visual association encoding activates the medial temporal lobe: a functional magnetic resonance imaging study. 1997 , 7, 594-601		123
762	Dynamic T1 measurement using snapshot-FLASH MRI. 1997 , 127, 65-72		27
761	Radial echo-planar imaging. 1998 , 135, 242-7		14
760	In vivo measurement of changes in venous blood-oxygenation with high resolution functional MRI at 0.95 tesla by measuring changes in susceptibility and velocity. <i>Magnetic Resonance in Medicine</i> , 1998 , 39, 97-107	4.4	74
759	Self-navigated spiral fMRI: interleaved versus single-shot. <i>Magnetic Resonance in Medicine</i> , 1998 , 39, 361-84	4.4	436
758	Ultimate intrinsic signal-to-noise ratio in MRI. <i>Magnetic Resonance in Medicine</i> , 1998 , 39, 462-73	4.4	155
757	Volumetric analysis of white matter, gray matter, and CSF using fractional volume analysis. <i>Magnetic Resonance in Medicine</i> , 1998 , 39, 961-9	4.4	39
756	Intracranial black-blood MR angiography with high-resolution 3D fast spin echo. <i>Magnetic Resonance in Medicine</i> , 1998 , 40, 298-310	4.4	51
755	In vivo perfusion measurements in the human placenta using echo planar imaging at 0.5 T. <i>Magnetic Resonance in Medicine</i> , 1998 , 40, 467-73	4.4	65
754	Accurate determination of spin-density and T1 in the presence of RF-field inhomogeneities and flip-angle miscalibration. <i>Magnetic Resonance in Medicine</i> , 1998 , 40, 592-602	4.4	118
753	Developing a multichannel temperature probe for interventional MRI. <i>Journal of Magnetic Resonance Imaging</i> , 1998 , 8, 197-202	5.6	7
752	An expandable intravenous RF coil for arterial wall imaging. <i>Journal of Magnetic Resonance Imaging</i> , 1998 , 8, 226-34	5.6	31
751	Implementation and evaluation of a new pulse sequence for rapid acquisition of double inversion recovery images for simultaneous suppression of white matter and CSF. <i>Journal of Magnetic Resonance Imaging</i> , 1998 , 8, 544-7	5.6	48

750	Estimation of the noise in magnitude MR images. 1998 , 16, 87-90	206
749	MRI visualization of small structures using improved surface coils. 1998 , 16, 157-66	17
748	In vivo relaxation time measurements in the human placenta using echo planar imaging at 0.5 T. 1998 , 16, 241-7	44
747	Optimization of the ultrafast Look-Locker echo-planar imaging T1 mapping sequence. 1998 , 16, 765-72	55
746	Kinetics of a novel blood pool agent (MP-2269) with persistent high relaxivity for MR angiography. 1998 , 5 Suppl 1, S206-9; discussion S226-7	2
745	Review and evaluation of MRI nonuniformity corrections for brain tumor response measurements. <i>Medical Physics</i> , 1998 , 25, 1655-66	4.4 28
744	Automated atlas integration and interactive three-dimensional visualization tools for planning and guidance in functional neurosurgery. 1998 , 17, 672-80	73
743	Fully automatic segmentation of the brain in MRI. 1998 , 17, 98-107	229
742	Maximum-likelihood estimation of Rician distribution parameters. 1998 , 17, 357-61	264
741	Human acute cerebral ischemia: detection of changes in water diffusion anisotropy by using MR imaging. 1999 , 212, 785-92	266
740	Hepatic iron concentration: noninvasive estimation by means of MR imaging techniques. 1999 , 212, 227-34	133
739	A method for foetal heart rate monitoring during magnetic resonance imaging using Doppler ultrasound. 1999 , 20, 363-8	8
738	Contrast enhanced dynamic MRI of cervical carcinoma during radiotherapy: early prediction of tumour regression rate. 1999 , 72, 1177-84	42
737	Comparison of diffusion anisotropy measurements in combination with the flair-technique. 1999 , 17, 705-16	39
736	Characterization of the calcaneal fat pad in diabetic and non-diabetic patients using magnetic resonance imaging. 1999 , 17, 851-7	28
735	Probe efficiency improvement with remote and transmission line tuning and matching. 1999 , 17, 1083-6	3
734	Adaptive anisotropic noise filtering for magnitude MR data. 1999 , 17, 1533-9	49
733	Methodology: perfusion and diffusion. 1999 , 8, 102-106	

732	Quantification of regional intrapulmonary oxygen partial pressure evolution during apnea by (3)He MRI. 1999 , 141, 207-16		158
731	Evaluation of measures of technical image quality for intracranial magnetic resonance angiography. 1999 , 32, 530-56		8
730	Parameter estimation from magnitude MR images. 1999 , 10, 109-114		82
729	Automated quantification of brain magnetic resonance image hyperintensities using hybrid clustering and knowledge-based methods. 1999 , 10, 287-293		3
728	Construction of a protocol for measuring blood flow by two-dimensional phase-contrast MRA. <i>Journal of Magnetic Resonance Imaging</i> , 1999 , 9, 119-27	5.6	54
727	Sub-millimeter fMRI at 1.5 Tesla: correlation of high resolution with low resolution measurements. <i>Journal of Magnetic Resonance Imaging</i> , 1999 , 9, 475-82	5.6	41
726	Efficacy of slow infusion of gadolinium contrast agent in three-dimensional MR coronary artery imaging. <i>Journal of Magnetic Resonance Imaging</i> , 1999 , 10, 800-5	5.6	31
725	Parameter estimation from Rician-distributed data sets using a maximum likelihood estimator: application to T1 and perfusion measurements. <i>Magnetic Resonance in Medicine</i> , 1999 , 41, 614-23	4.4	74
724	Single-loop coil concepts for intravascular magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 1999 , 41, 751-8	4.4	54
723	MRI simulation-based evaluation of image-processing and classification methods. 1999 , 18, 1085-97		479
722	Estimation and detection of myocardial tags in MR image without user-defined myocardial contours. 1999 , 18, 330-44		33
721	T2* and proton density measurement of normal human lung parenchyma using submillisecond echo time gradient echo magnetic resonance imaging. 1999 , 29, 245-52		144
720	Wavelet-based Rician noise removal for magnetic resonance imaging. 1999 , 8, 1408-19		367
719	Ultra-fast three-dimensional MR perfusion imaging of the entire brain in acute stroke assessment. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 11, 250-9	5.6	25
718	A three-coil comparison for MR angiography. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 11, 458-68	5.6	21
717	In vivo intravoxel incoherent motion measurements in the human placenta using echo-planar imaging at 0.5 T. <i>Magnetic Resonance in Medicine</i> , 2000 , 43, 295-302	4.4	75
716	Fast functional MRA using time-resolved projection MR angiography with correlation analysis. <i>Magnetic Resonance in Medicine</i> , 2000 , 43, 303-9	4.4	34
715	Condition number as a measure of noise performance of diffusion tensor data acquisition schemes with MRI. 2000 , 147, 340-52		238

714	Noise reduction in 3D perfusion imaging by attenuating the static signal in arterial spin tagging (ASSIST). <i>Magnetic Resonance in Medicine</i> , 2000 , 44, 92-100	4.4	264
713	In vivo fiber tractography using DT-MRI data. <i>Magnetic Resonance in Medicine</i> , 2000 , 44, 625-32	4.4	2386
712	Phantom-based performance evaluation: application to brain segmentation from magnetic resonance images. <i>Medical Image Analysis</i> , 2000 , 4, 303-16	15.4	15
711	Automatic localization of EEG electrode markers within 3D MR data. 2000 , 18, 485-8		15
710	High-resolution segmented EPI in a motor task fMRI study. 2000 , 18, 405-9		39
709	Bayesian estimation of relaxation times T(1) in MR images of irradiated Fricke-agarose gels. 2000 , 18, 721-31		9
708	The influence of the resolution and contrast on measuring the articular cartilage volume in magnetic resonance images. 2000 , 18, 965-72		31
707	Evaluation of algorithms for analysis of NMR relaxation decay curves. 2000 , 18, 1151-8		31
706	A wavelet-based method for improving signal-to-noise ratio and contrast in MR images. 2000 , 18, 169-80		75
705	T(1) fast acquisition relaxation mapping (T(1)-FARM): optimized data acquisition. 2000 , 18, 129-38		6
704	Fully Automated Hybrid Segmentation of the Brain. 2000 , 171-183		2
703	Signal-to-Noise Ratio in MRI. 2000 , 77-86		
702	Image analysis methods for assessing levels of image plane nonuniformity and stochastic noise in a magnetic resonance image of a homogeneous phantom. <i>Medical Physics</i> , 2000 , 27, 1980-94	4.4	16
701	Preliminary evaluation of dual wavelength phased array imaging on neonatal brain function. 2000 , 5, 194-200		12
700	.		
699	Voxel similarity measures for 3-D serial MR brain image registration. 2000 , 19, 94-102		207
698	Liver iron estimation in beta-thalassaemia: comparison of MRI biochemical assay and histological grading. 2001 , 56, 911-6		18
697	Noninvasive methods for quantitative assessment of transfusional iron overload in sickle cell disease. 2001 , 38, 37-56		49

696 Signal and Noise. **2001**, 00, B6.1.1

695	Fetal and placental volumetric and functional analysis using echo-planar imaging. 2001 , 12, 52-66		14
694	Coronary artery imaging using contrast-enhanced 3D segmented EPI. <i>Journal of Magnetic Resonance Imaging</i> , 2001 , 13, 676-81	5.6	24
693	Contrast-enhanced coronary MR angiography: relationship between coronary artery delineation and blood T1. <i>Journal of Magnetic Resonance Imaging</i> , 2001 , 14, 348-54	5.6	13
692	Three-dimensional MR pulmonary perfusion imaging and angiography with an injection of a new blood pool contrast agent B-22956/1. <i>Journal of Magnetic Resonance Imaging</i> , 2001 , 14, 425-32	5.6	21
691	Dynamic (19)F-MRI of pulmonary ventilation using sulfur hexafluoride (SF(6)) gas. <i>Magnetic Resonance in Medicine</i> , 2001 , 45, 605-13	4.4	67
690	High-resolution fMRI using multislice partial k-space GR-EPI with cubic voxels. <i>Magnetic Resonance in Medicine</i> , 2001 , 46, 114-25	4.4	135
689	Optimal dose of Gd-DTPA in dynamic MR studies. <i>Magnetic Resonance in Medicine</i> , 2001 , 46, 312-6	4.4	45
688	3D magnetization-prepared true-FISP: a new technique for imaging coronary arteries. <i>Magnetic Resonance in Medicine</i> , 2001 , 46, 494-502	4.4	215
687	Improved harmonic phase myocardial strain maps. <i>Magnetic Resonance in Medicine</i> , 2001 , 46, 993-9	4.4	52
686	Coronary artery imaging: 3D segmented k-space data acquisition with multiple breath-holds and real-time slab following. <i>Journal of Magnetic Resonance Imaging</i> , 2001 , 13, 301-7	5.6	27
685	In vivo diffusion measurements as an indication of fetal lung maturation using echo planar imaging at 0.5T. <i>Magnetic Resonance in Medicine</i> , 2001 , 45, 247-53	4.4	48
684	Noise correction for the exact determination of apparent diffusion coefficients at low SNR. <i>Magnetic Resonance in Medicine</i> , 2001 , 45, 448-53	4.4	113
683	Variance components of two-dimensional strain parameters in the left-ventricular heart wall obtained by magnetic resonance tagging. 2001 , 17, 49-60		2
682	Novel MRI contrast agent for molecular imaging of fibrin: implications for detecting vulnerable plaques. 2001 , 104, 1280-5		481
681	Theory of high-speed MR imaging of the human heart with the selective line acquisition mode. 2001 , 220, 540-7		408
680	Contrast-enhanced MR imaging of coronary arteries: comparison of intra- and extravascular contrast agents in swine. 2001 , 218, 670-8		65
679	Coronary arteries: magnetization-prepared contrast-enhanced three-dimensional volume-targeted breath-hold MR angiography. 2001 , 219, 270-7		109

678	Carotid artery atherosclerosis: in vivo morphologic characterization with gadolinium-enhanced double-oblique MR imaging initial results. 2002 , 223, 566-73		274
677	Emphysema: hyperpolarized helium 3 diffusion MR imaging of the lungs compared with spirometric indexes--initial experience. 2002 , 222, 252-60		281
676	Improved visualization of coronary arteries using a new three-dimensional submillimeter MR coronary angiography sequence with balanced gradients. 2002 , 179, 901-10		37
675	Validation of a human vision model for image quality evaluation of fast interventional magnetic resonance imaging. 2002 , 11, 224		20
674	Time-resolved three-dimensional pulmonary MR angiography and perfusion imaging with ultrashort repetition time. 2002 , 9, 1407-18		31
673	Automatic 3D Registration for Interventional MRI-Guided Treatment of Prostate Cancer. 2002 , 7, 257-267		30
672	Combining spatial and scale-space techniques for edge detection to provide a spatially adaptive wavelet-based noise filtering algorithm. 2002 , 11, 1062-71		38
671	Breath-hold three-dimensional true-FISP imaging of coronary arteries using asymmetric sampling. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 15, 473-8	5.6	31
670	Analysis of subtraction methods in three-dimensional contrast-enhanced peripheral MR angiography. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 15, 541-50	5.6	7
669	Three-dimensional true-FISP imaging of the coronary arteries: improved contrast with T2-preparation. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 15, 597-602	5.6	95
668	Passive catheter tracking using MRI: comparison of conventional and magnetization-prepared FLASH. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 16, 104-9	5.6	20
667	Dynamic coronary MR angiography and first-pass perfusion with intracoronary administration of contrast agent. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 16, 311-9	5.6	9
666	¹⁹ F-MRI of perflubron for measurement of oxygen partial pressure in porcine lungs during partial liquid ventilation. <i>Magnetic Resonance in Medicine</i> , 2002 , 47, 82-9	4.4	42
665	Assessment of a single-acquisition imaging sequence for oxygen-sensitive (³ He)-MRI. <i>Magnetic Resonance in Medicine</i> , 2002 , 47, 105-14	4.4	79
664	Phase-sensitive inversion recovery for detecting myocardial infarction using gadolinium-delayed hyperenhancement. <i>Magnetic Resonance in Medicine</i> , 2002 , 47, 372-83	4.4	853
663	Multishot EPI-SSFP in the heart. <i>Magnetic Resonance in Medicine</i> , 2002 , 47, 655-64	4.4	37
662	Quantification of myocardial blood flow and blood flow reserve in the presence of arterial dispersion: a simulation study. <i>Magnetic Resonance in Medicine</i> , 2002 , 47, 787-93	4.4	30
661	Rapid cine MRI of the human heart using reconstruction by estimation of lines and inhibition of fold-in. <i>Magnetic Resonance in Medicine</i> , 2002 , 47, 844-9	4.4	1

660	Noise and motion correction in dynamic contrast-enhanced MRI for analysis of atherosclerotic lesions. <i>Magnetic Resonance in Medicine</i> , 2002 , 47, 1211-7	4.4	24
659	Independent component analysis of fMRI data in the complex domain. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 180-92	4.4	101
658	Quantitative measurement of regional lung ventilation using ³ He MRI. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 223-32	4.4	124
657	k-space interpretation of the Rose Model: noise limitation on the detectable resolution in MRI. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 550-4	4.4	24
656	A continuous tensor field approximation of discrete DT-MRI data for extracting microstructural and architectural features of tissue. 2002 , 154, 85-100		115
655	Diffusion tensor fiber tracking of human brain connectivity: acquisition methods, reliability analysis and biological results. 2002 , 15, 494-515		139
654	Fusing speed and phase information for vascular segmentation of phase contrast MR angiograms. <i>Medical Image Analysis</i> , 2002 , 6, 109-28	15.4	31
653	A reinvestigation of maximal signal drop in dynamic susceptibility contrast magnetic resonance imaging. 2002 , 12, 330-8		10
652	Signal-to-noise ratio effects in quantitative cerebral perfusion using dynamic susceptibility contrast agents. <i>Magnetic Resonance in Medicine</i> , 2003 , 49, 122-8	4.4	39
651	Reduction of transient signal oscillations in true-FISP using a linear flip angle series magnetization preparation. <i>Magnetic Resonance in Medicine</i> , 2003 , 49, 151-7	4.4	79
650	Hemodynamic segmentation of MR brain perfusion images using independent component analysis, thresholding, and Bayesian estimation. <i>Magnetic Resonance in Medicine</i> , 2003 , 49, 885-94	4.4	40
649	Centering the projection reconstruction trajectory: reducing gradient delay errors. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 1-6	4.4	124
648	Intravascular extended sensitivity (IVES) MRI antennas. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 383-90	4.4	33
647	Tracer arrival timing-insensitive technique for estimating flow in MR perfusion-weighted imaging using singular value decomposition with a block-circulant deconvolution matrix. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 164-74	4.4	454
646	Contrast-enhanced coronary artery imaging using 3D trueFISP. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 570-7	4.4	24
645	Optimization of diffusion measurements using Cramer-Rao lower bound theory and its application to articular cartilage. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 1069-76	4.4	55
644	Catheter-directed contrast-enhanced coronary MR angiography in swine using magnetization-prepared True-FISP. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 1317-21	4.4	19
643	Improved depiction of small anatomic structures in MR images using Gaussian-weighted spirals and zero-filled interpolation. 2003 , 21, 103-12		8

642	A measure of curve fitting error for noise filtering diffusion tensor MRI data. 2003 , 164, 1-9	11
641	Multi-exponential analysis of magnitude MR images using a quantitative multispectral edge-preserving filter. 2003 , 161, 25-34	13
640	Parametric and non-parametric statistical analysis of DT-MRI data. 2003 , 161, 1-14	127
639	Statistical properties of BOLD magnetic resonance activity in the human brain. 2003 , 20, 1096-109	16
638	On the optimality of magnetic resonance tag patterns for heart wall motion estimation. 2003 , 12, 524-32	2
637	A normal distribution for tensor-valued random variables: applications to diffusion tensor MRI. 2003 , 22, 785-94	71
636	Slice-to-volume registration and its potential application to interventional MRI-guided radio-frequency thermal ablation of prostate cancer. 2003 , 22, 515-25	78
635	Use of internal coils for independent and direct MR imaging-guided endovascular device tracking. 2003 , 14, 247-54	48
634	Coronary MR angiography: true FISP imaging improved by prolonging breath holds with preoxygenation in healthy volunteers. 2003 , 227, 283-8	29
633	Two- and three-dimensional MR coronary angiography with intraarterial injections of contrast agent in dogs: a feasibility study. 2003 , 226, 272-7	23
632	Characterization of viable and nonviable myocardium at MR imaging: comparison of gadolinium-based extracellular and blood pool contrast materials versus manganese-based contrast materials in a rat myocardial infarction model. 2003 , 226, 731-8	48
631	Information content and quality of MR thumb images. 2003 , 48, 3775-85	3
630	A High Resolution Dynamic Heart Model Based on Averaged MRI Data. 2003 , 549-555	23
629	[Accuracy of signal-to-noise ratio measurement method for magnetic resonance images]. 2003 , 59, 508-13	14
628	Quantitative analysis of focal masses at MR imaging: a plea for standardization. 2004 , 231, 737-44	17
627	Medical Physics top ten. <i>Medical Physics</i> , 2004 , 31, 682-682	4.4 1
626	Bayesian analysis of dynamic magnetic resonance breast images. 2004 , 53, 475-493	6
625	Undersampling to acquire nuclear magnetic resonance images. 2004 , 26, 523-9	8

624	High resolution MRI relaxation measurements of water in the articular cartilage of the meniscectomized rat knee at 4.7 T. 2004 , 22, 943-51		33
623	Coronary artery imaging using three-dimensional breath-hold steady-state free precession with two-dimensional iterative partial fourier reconstruction. <i>Journal of Magnetic Resonance Imaging</i> , 2004 , 19, 645-9	5.6	5
622	Selection of the optimum b factor for diffusion-weighted magnetic resonance imaging assessment of ischemic stroke. <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 996-1001	4.4	46
621	Optimized interleaved whole-brain 3D double inversion recovery (DIR) sequence for imaging the neocortex. <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 1181-6	4.4	22
620	Projection imaging of the right coronary artery with an intravenous injection of contrast agent. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 699-703	4.4	8
619	Single-acquisition sequence for the measurement of oxygen partial pressure by hyperpolarized gas MRI. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 766-73	4.4	59
618	Optimisation of T2 and M0 measurements of bi-exponential systems. 2004 , 22, 67-80		34
617	Rapid and accurate measurement of transverse relaxation times using a single shot multi-echo echo-planar imaging sequence. 2004 , 22, 1031-7		10
616	Measuring the signal-to-noise ratio in magnetic resonance imaging: a caveat. 2004 , 84, 1035-1040		19
615	Vascular segmentation of phase contrast magnetic resonance angiograms based on statistical mixture modeling and local phase coherence. 2004 , 23, 1490-507		35
614	In vivo imaging of intragastric gelation and its effect on satiety in humans. 2004 , 134, 2293-300		208
613	Methods and Applications of Quantitative MRI. 2005 , 213-229		1
612	Single-session magnetic resonance coronary angiography and myocardial perfusion imaging using the new blood pool compound B-22956 (gadocoletic acid): initial experience in a porcine model of coronary artery disease. 2005 , 40, 604-13		14
611	White matter fiber tract segmentation in DT-MRI using geometric flows. <i>Medical Image Analysis</i> , 2005 , 9, 223-36	15.4	58
610	Bayesian analysis of in vivo dynamic ¹³ C-edited ¹ H images. 2005 , 23, 577-84		0
609	MR imaging of articular cartilage at 1.5T and 3.0T: comparison of SPGR and SSFP sequences. 2005 , 13, 338-44		117
608	Anatomical and functional brain imaging using high-resolution echo-planar spectroscopic imaging at 1.5 Tesla. 2005 , 18, 235-41		12
607	Dynamic range requirements for MRI. 2005 , 26B, 28-35		27

606	Wash-in kinetics for gadolinium-enhanced magnetic resonance imaging of carotid atheroma. <i>Journal of Magnetic Resonance Imaging</i> , 2005 , 21, 91-5	5.6	30
605	Correlation of R2 with total iron concentration in the brains of rhesus monkeys. <i>Journal of Magnetic Resonance Imaging</i> , 2005 , 21, 118-27	5.6	66
604	Coronary arteries at 3.0 T: Contrast-enhanced magnetization-prepared three-dimensional breathhold MR angiography. <i>Journal of Magnetic Resonance Imaging</i> , 2005 , 21, 133-9	5.6	46
603	Reproducibility and dependence on diffusion weighting of line scan diffusion in the lumbar intervertebral discs. <i>Journal of Magnetic Resonance Imaging</i> , 2005 , 21, 482-8	5.6	7
602	Feasibility of in vivo, multicontrast-weighted MR imaging of carotid atherosclerosis for multicenter studies. <i>Journal of Magnetic Resonance Imaging</i> , 2005 , 21, 809-17	5.6	25
601	Application of refocused steady-state free-precession methods at 1.5 and 3 T to in vivo high-resolution MRI of trabecular bone: simulations and experiments. <i>Journal of Magnetic Resonance Imaging</i> , 2005 , 21, 818-25	5.6	45
600	Three-dimensional contrast-enhanced steady-state free precession for improved catheter-directed coronary magnetic resonance angiography. <i>Journal of Magnetic Resonance Imaging</i> , 2005 , 22, 415-9	5.6	3
599	Rapid quantitation of magnetization transfer using pulsed off-resonance irradiation and echo planar imaging. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 103-9	4.4	14
598	Development of a 0.014-inch magnetic resonance imaging guidewire. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 986-90	4.4	17
597	3D volume-localized pO ₂ measurement in the human lung with ³ He MRI. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 1055-64	4.4	88
596	RESTORE: robust estimation of tensors by outlier rejection. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 1088-95	4.4	476
595	Confidence mapping in diffusion tensor magnetic resonance imaging tractography using a bootstrap approach. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 1143-9	4.4	118
594	Practical approaches to the evaluation of signal-to-noise ratio performance with parallel imaging: application with cardiac imaging and a 32-channel cardiac coil. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 748-54	4.4	242
593	Image reconstruction in SNR units: a general method for SNR measurement. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 1439-47	4.4	359
592	Application of phase consistency to improve time efficiency and image quality in dual echo black-blood carotid angiography. 2005 , 23, 711-22		
591	A prototype manipulator for magnetic resonance-guided interventions inside standard cylindrical magnetic resonance imaging scanners. 2005 , 127, 972-80		48
590	Estimating intensity variance due to noise in registered images: applications to diffusion tensor MRI. 2005 , 26, 673-84		40
589	Three-dimensional quantitative magnetisation transfer imaging of the human brain. 2005 , 27, 436-41		53

588	Flow-based fiber tracking with diffusion tensor and q-ball data: validation and comparison to principal diffusion direction techniques. 2005 , 27, 725-36	135
587	Determination of optimal gadolinium concentration using SSFP for catheter-directed contrast-enhanced coronary MR angiography. 2005 , 12, 771-5	4
586	High-resolution black-blood MRI of the carotid vessel wall using phased-array coils at 1.5 and 3 Tesla. 2005 , 12, 1521-6	25
585	Measurements of regional alveolar oxygen pressure using hyperpolarized ³ He MRI. 2005 , 12, 1430-9	33
584	A novel local thresholding algorithm for trabecular bone volume fraction mapping in the limited spatial resolution regime of in vivo MRI. 2005 , 24, 1574-85	61
583	Nonlinear phase correction with an extended statistical algorithm. 2005 , 24, 791-8	6
582	BOLD Noise Assumptions in fMRI. 2006 , 2006, 12014	28
581	Cardiac steady-state free precession CINE magnetic resonance imaging at 3.0 tesla: impact of parallel imaging acceleration on volumetric accuracy and signal parameters. 2006 , 41, 141-7	37
580	Comparison of gradient-echo and steady-state free precession for coronary artery magnetic resonance angiography using a gadolinium-based intravascular contrast agent. 2006 , 41, 292-8	18
579	MR image reconstruction of sparsely sampled 3D k-space data by projection-onto-convex sets. 2006 , 24, 761-73	11
578	Non-quadratic convex regularized reconstruction of MR images from spiral acquisitions. 2006 , 86, 2479-2494	10
577	A statistical framework for the classification of tensor morphologies in diffusion tensor images. 2006 , 24, 569-82	10
576	Analytically exact correction scheme for signal extraction from noisy magnitude MR signals. 2006 , 179, 317-22	211
575	A unifying theoretical and algorithmic framework for least squares methods of estimation in diffusion tensor imaging. 2006 , 182, 115-25	185
574	Regional distribution of measurement error in diffusion tensor imaging. 2006 , 147, 69-78	57
573	Introduction to diffusion tensor imaging mathematics: Part III. Tensor calculation, noise, simulations, and optimization. 2006 , 28A, 155-179	72
572	Retrospective motion correction protocol for high-resolution anatomical MRI. 2006 , 27, 957-62	78
571	Characterizing radial undersampling artifacts for cardiac applications. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 396-403	4.4 26

570	Rapid high-resolution T(1) mapping by variable flip angles: accurate and precise measurements in the presence of radiofrequency field inhomogeneity. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 566-74	4.4	253
569	Magnetic field correlation imaging. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 1350-61	4.4	77
568	Rapid 3D-T1rho mapping of the knee joint at 3.0T with parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 563-71	4.4	57
567	Two-point water-fat imaging with partially-opposed-phase (POP) acquisition: an asymmetric Dixon method. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 572-84	4.4	77
566	Presentation of 3D isotropic imaging data for optimal viewing. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 1371-4	4.4	5
565	Cardiac CINE MR imaging with a 32-channel cardiac coil and parallel imaging: impact of acceleration factors on image quality and volumetric accuracy. <i>Journal of Magnetic Resonance Imaging</i> , 2006 , 23, 222-7	5.6	66
564	High-resolution imaging of the intracranial arterial and venous systems following a single contrast injection. <i>Journal of Magnetic Resonance Imaging</i> , 2006 , 24, 267-73	5.6	6
563	Tensor deflection (TEND) tractography with adaptive subvoxel stepping. <i>Journal of Magnetic Resonance Imaging</i> , 2006 , 24, 451-8	5.6	9
562	In vivo perfusion, T1, and T2 measurements in the female pelvis during the normal menstrual cycle: a feasibility study. <i>Journal of Magnetic Resonance Imaging</i> , 2006 , 24, 1350-6	5.6	13
561	Human gray matter: feasibility of single-slab 3D double inversion-recovery high-spatial-resolution MR imaging. 2006 , 241, 873-9		78
560	Cartilage T2 assessment: differentiation of normal hyaline cartilage and reparative tissue after arthroscopic cartilage repair in equine subjects. 2006 , 241, 407-14		155
559	Measurement of the internal diameter of plastic tubes from projection MR images using a model-based least-squares fit approach. <i>Medical Physics</i> , 2006 , 33, 1643-53	4.4	4
558	Intraarterial contrast-enhanced MR aortography with and without parallel acquisition technique in patients with peripheral arterial occlusive disease. 2007 , 188, 823-9		2
557	High-resolution 3D cartilage imaging with IDEAL SPGR at 3 T. 2007 , 189, 1510-5		38
556	Rapid detection of myocardial infarction by subsecond, free-breathing delayed contrast-enhancement cardiovascular magnetic resonance. 2007 , 115, 236-44		89
555	Automatic estimation of the noise variance from the histogram of a magnetic resonance image. 2007 , 52, 1335-48		110
554	Parsimonious model selection for tissue segmentation and classification applications: a study using simulated and experimental DTI data. 2007 , 26, 1576-84		22
553	Axon radius measurements in vivo from diffusion MRI: a feasibility study. 2007 ,		5

552	Polyamine-substituted gadolinium chelates: a new class of intracellular contrast agents for magnetic resonance imaging of tumors. 2007 , 50, 139-48		17
551	Wavelet-based de-noising algorithm for images acquired with parallel magnetic resonance imaging (MRI). 2007 , 52, 3741-51		31
550	Refinement of cardiac NMR imaging in awake hamsters: proof of feasibility and characterization of cardiomyopathy. 2007 , 20, 615-23		5
549	Time-resolved 3D quantitative flow MRI of the major intracranial vessels: initial experience and comparative evaluation at 1.5T and 3.0T in combination with parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 127-40	4.4	132
548	Minimizing macrovessel signal in cerebral perfusion imaging using independent component analysis. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 278-88	4.4	8
547	Phase-sensitive cardiac tagging--REALTAG. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 206-10	4.4	5
546	Fast spin-echo triple-echo dixon (fTED) technique for efficient T2-weighted water and fat imaging. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 103-9	4.4	44
545	Combining spin echoes with gradient echoes in the context of the global coherent free precession pulse sequence. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 82-91	4.4	
544	Intrinsic signal amplification in the application of 2D SENSE parallel imaging to 3D contrast-enhanced elliptical centric MRA and MRV. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 855-64	4.4	21
543	Fat quantification with IDEAL gradient echo imaging: correction of bias from T(1) and noise. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 354-64	4.4	358
542	Fast, accurate, and precise mapping of the RF field in vivo using the 180 degrees signal null. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 622-30	4.4	104
541	Fast multislice mapping of the myelin water fraction using multicompartiment analysis of T2* decay at 3T: a preliminary postmortem study. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 865-70	4.4	124
540	Precision, signal-to-noise ratio, and dose optimization of magnitude and phase arterial input functions in dynamic susceptibility contrast MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 25, 598-611	5.6	28
539	Multiple regression method for pulmonary apparent diffusion coefficient measurement by hyperpolarized 3He MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 25, 982-91	5.6	4
538	TSE with average-specific phase encoding ordering for motion detection and artifact suppression. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 25, 1271-82	5.6	5
537	Measurement of signal-to-noise ratios in MR images: influence of multichannel coils, parallel imaging, and reconstruction filters. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 26, 375-85	5.6	650
536	Signal-to-noise ratio comparison of phased-array vs. implantable coil for rat spinal cord MRI. 2007 , 25, 1215-21		10
535	Spectral decomposition of a 4th-order covariance tensor: Applications to diffusion tensor MRI. 2007 , 87, 220-236		68

534	Effects of injection rate and dose on image quality in time-resolved magnetic resonance angiography (MRA) by using 1.0M contrast agents. 2007 , 17, 1394-402		22
533	The effects of SNR on ADC measurements in diffusion-weighted hyperpolarized He-3 MRI. 2007 , 185, 42-9		16
532	Optimal estimation of the diffusion coefficient from non-averaged and averaged noisy magnitude data. 2007 , 187, 293-305		34
531	COmplex-Model-Based Estimation of thermal noise for fMRI data in the presence of artifacts. 2007 , 25, 1079-88		7
530	Rapid assessment of regional and global left ventricular function using three-dimensional k-t BLAST imaging. 2008 , 26, 727-38		7
529	Diffusion tensor imaging at low SNR: nonmonotonic behaviors of tensor contrasts. 2008 , 26, 790-800		36
528	Does high-field MR imaging improve cortical lesion detection in multiple sclerosis?. 2008 , 255, 183-91		59
527	Three dimensional first-pass myocardial perfusion imaging at 3T: feasibility study. 2008 , 10, 57		45
526	Hyperpolarized 3He apparent diffusion coefficient MRI of the lung: reproducibility and volume dependency in healthy volunteers and patients with emphysema. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 27, 763-70	5.6	61
525	Interstudy reproducibility of SSFP cine magnetic resonance: impact of magnetic field strength and parallel imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 27, 1139-45	5.6	12
524	Cartilage imaging at 3.0T with gradient refocused acquisition in the steady-state (GRASS) and IDEAL fat-water separation. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 28, 167-74	5.6	21
523	T2 and T2* quantification using optimal B1 image reconstruction for multicoil arrays. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 28, 278-81	5.6	10
522	Fast projective carotid MR angiography using arterial spin-labeled balanced SSFP. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 28, 778-82	5.6	7
521	Complex threshold method for identifying pixels that contain predominantly noise in magnetic resonance images. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 28, 727-35	5.6	32
520	Optimization of scan parameters in pulmonary partial pressure oxygen measurement by hyperpolarized 3He MRI. <i>Magnetic Resonance in Medicine</i> , 2008 , 59, 124-31	4.4	17
519	Multishot diffusion-weighted SPLICE PROPELLER MRI of the abdomen. <i>Magnetic Resonance in Medicine</i> , 2008 , 59, 947-53	4.4	42
518	Myocardial T*2 measurement in iron-overloaded thalassemia: an ex vivo study to investigate optimal methods of quantification. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 350-6	4.4	456
517	A general framework for experiment design in diffusion MRI and its application in measuring direct tissue-microstructure features. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 439-48	4.4	247

516	Linear least-squares method for unbiased estimation of T1 from SPGR signals. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 496-501	4-4	49
515	Magnetic resonance noise measurements and signal-quantization effects at very low noise levels. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 1477-87	4-4	13
514	FID sampling superior to spin-echo sampling for T2*-based quantification of holmium-loaded microspheres: theory and experiment. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 1466-76	4-4	17
513	Reinvestigating hyperpolarized (129)Xe longitudinal relaxation time in the rat brain with noise considerations. 2008 , 21, 217-25		27
512	Noise in magnitude magnetic resonance images. 2008 , 32A, 409-416		20
511	In vivo MRI-based dental impression using an intraoral RF receiver coil. 2008 , 33B, 244-251		26
510	Optimization of the SNR-resolution tradeoff for registration of magnetic resonance images. 2008 , 29, 1147-58		18
509	Influence of multichannel combination, parallel imaging and other reconstruction techniques on MRI noise characteristics. 2008 , 26, 754-62		176
508	Quantitative assessment of macromolecular concentration during direct infusion into an agarose hydrogel phantom using contrast-enhanced MRI. 2008 , 26, 1433-41		40
507	Oxygen-sensitive 3He-MRI in bronchiolitis obliterans after lung transplantation. 2008 , 18, 530-7		31
506	Multi-contrast, isotropic, single-slab 3D MR imaging in multiple sclerosis. 2008 , 18, 2311-20		77
505	The Absolute Maximum of the Likelihood Function of the Rice Distribution: Existence and Uniqueness. 2008 , 57, 682-689		29
504	Noise correction on Rician distributed data for fibre orientation estimators. 2008 , 27, 1242-51		22
503	Noise and signal estimation in magnitude MRI and Rician distributed images: a LMMSE approach. 2008 , 17, 1383-98		187
502	Restoration of DWI data using a Rician LMMSE estimator. 2008 , 27, 1389-403		117
501	Reproducibility of brain tissue volumes in longitudinal studies: effects of changes in signal-to-noise ratio and scanner software. 2008 , 41, 371-9		45
500	Investigation of spatial resolution, partial volume effects and smoothing in functional MRI using artificial 3D time series. 2008 , 41, 346-53		31
499	Maximum a posteriori estimation of diffusion tensor parameters using a Rician noise model: why, how and but. 2008 , 42, 1340-56		65

498	Measurement of pulmonary partial pressure of oxygen and oxygen depletion rate with hyperpolarized helium-3 MRI: a preliminary reproducibility study on pig model. 2008 , 15, 702-12		17
497	Signal, Noise, Signal-to-Noise, and Contrast-to-Noise Ratios. 2008 , 93-111		5
496	Respiratory motion and cardiac arrhythmia effects on diagnostic accuracy of myocardial delayed-enhanced MR imaging in canines. 2008 , 247, 106-14		15
495	Morphometric spatial patterns differentiating boys with fragile X syndrome, typically developing boys, and developmentally delayed boys aged 1 to 3 years. 2008 , 65, 1087-97		70
494	Reconstructing Brain White Matter Pathways with Diffusion Tensor MRI Using Kernel-Based Diffusion Simulations. 2008 , 2, 501-526		
493	Diffusion tensor magnetic resonance imaging of the human calf: comparison between 1.5 T and 3.0 T-preliminary results. 2008 , 43, 612-8		23
492	Assessment and reproducibility of aortic atherosclerosis magnetic resonance imaging: impact of 3-Tesla field strength and parallel imaging. 2008 , 43, 656-62		18
491	Information content of SNR/resolution trade-offs in three-dimensional magnetic resonance imaging. <i>Medical Physics</i> , 2009 , 36, 1442-51	4-4	4
490	Modelling, Fitting and Sampling in Diffusion MRI. 2009 , 3-20		8
489	A MRI myocardial perfusion analysis tool. 2009 , 2009, 4387-90		
488	Estimating the parameters of a Rice distribution: A Bayesian approach. 2009 ,		15
487	The difference in ventilation heterogeneity between asthmatic and healthy subjects quantified using hyperpolarized ³ He MRI. 2009 , 106, 813-22		136
486	Diffusion tensor imaging and fiber tractography of skeletal muscle: optimization of B value for imaging at 1.5 T. 2009 , 192, W282-90		32
485	Comparison of 1.5- and 3.0-T MR imaging for evaluating the articular cartilage of the knee joint. 2009 , 250, 839-48		133
484	A new single acquisition, two-image difference method for determining MR image SNR. <i>Medical Physics</i> , 2009 , 36, 662-71	4-4	15
483	A nonlocal maximum likelihood estimation method for Rician noise reduction in MR images. 2009 , 28, 165-72		110
482	Noise estimation in magnitude MR datasets. 2009 , 28, 1615-22		21
481	Measurements by MRI of the settling and packing of solid particles from aqueous suspensions. 2009 , 55, 1426-1433		14

480	Investigation of white matter pathology in ALS and PLS using tract-based spatial statistics. 2009 , 30, 615-24		107
479	Assessing and minimizing the effects of noise and motion in clinical DTI at 3 T. 2009 , 30, 2641-55		36
478	Diffusion measurements and diffusion tensor imaging with noisy magnitude data. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 29, 237-41	5.6	12
477	T(2) relaxometry of normal pediatric brain development. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 29, 258-67	5.6	67
476	Improved fat suppression using multipeak reconstruction for IDEAL chemical shift fat-water separation: application with fast spin echo imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 29, 436-42	5.6	28
475	Effect of flip angle on volume flow measurement with nontriggered phase-contrast MR: In vivo evaluation in carotid and basilar arteries. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 29, 1218-23	5.6	1
474	Aging effects on human calf muscle properties assessed by MRI at 3 Tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 29, 1346-54	5.6	53
473	Cine cardiac imaging using black-blood steady-state free precession (BB-SSFP) at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 30, 94-103	5.6	5
472	Quantitative MRI measurement of lung density must account for the change in T(2) (*) with lung inflation. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 30, 527-34	5.6	71
471	Robust tissue-air volume segmentation of MR images based on the statistics of phase and magnitude: Its applications in the display of susceptibility-weighted imaging of the brain. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 30, 722-31	5.6	5
470	Shorter difference between myocardium and blood optimal inversion time suggests diffuse fibrosis in dilated cardiomyopathy. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 30, 967-72	5.6	27
469	T1 independent, T2* corrected MRI with accurate spectral modeling for quantification of fat: validation in a fat-water-SPIO phantom. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 30, 1215-22	5.6	158
468	Retrospective correction for induced magnetic field inhomogeneity in measurements of large-vessel hemoglobin oxygen saturation by MR susceptometry. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 626-33	4.4	50
467	Simultaneous measurement of pulmonary partial pressure of oxygen and apparent diffusion coefficient by hyperpolarized ³ He MRI. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 1015-21	4.4	18
466	Mechanically adjustable coil array for wrist MRI. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 429-38	4.4	30
465	Calculating T2 in images from a phased array receiver. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 962-9	4.4	10
464	Spin-echo micro-MRI of trabecular bone using improved 3D fast large-angle spin-echo (FLASE). <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 1114-21	4.4	29
463	Myelin water imaging: Implementation and development at 3.0T and comparison to 1.5T measurements. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 106-15	4.4	51

462	Self-refocused spatial-spectral pulse for positive contrast imaging of cells labeled with SPIO nanoparticles. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 183-92	4.4	29
461	Automatic quality assessment in structural brain magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 365-72	4.4	109
460	Robust estimation of spatially variable noise fields. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 500-9	4.4	24
459	Robust correction of spike noise: application to diffusion tensor imaging. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 510-9	4.4	13
458	Robust GRAPPA-accelerated diffusion-weighted readout-segmented (RS)-EPI. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 1629-40	4.4	87
457	T2 measurement in articular cartilage: impact of the fitting method on accuracy and precision at low SNR. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 181-93	4.4	108
456	Trading off SNR and resolution in MR images. 2009 , 22, 488-94		16
455	A multivariate hypothesis testing framework for tissue clustering and classification of DTI data. 2009 , 22, 716-29		4
454	How background noise shifts eigenvectors and increases eigenvalues in DTI. 2009 , 22, 151-8		14
453	Comparison of regularization methods for human cardiac diffusion tensor MRI. <i>Medical Image Analysis</i> , 2009 , 13, 405-18	15.4	28
452	Extrinsic multiecho phase-contrast SSFP: evaluation on cardiac output measurements. 2009 , 27, 385-92		2
451	Estimation and application of spatially variable noise fields in diffusion tensor imaging. 2009 , 27, 741-51		25
450	Magnitude and PHase Thresholding (MAPHT) of noisy complex-valued magnetic resonance images. 2009 , 27, 1271-80		4
449	Diffusion tensor imaging and fiber tractography of the median nerve at 1.5T: optimization of b value. 2009 , 38, 51-9		45
448	Contrast-enhanced MR angiography with frequency-dependent mask subtraction. 2009 , 27, 1326-32		1
447	A signal transformational framework for breaking the noise floor and its applications in MRI. 2009 , 197, 108-19		100
446	Probabilistic Identification and Estimation of Noise (PIESNO): a self-consistent approach and its applications in MRI. 2009 , 199, 94-103		48
445	Quantitative analysis of trabecular microstructure by 400 MHz nuclear magnetic resonance imaging. 1995 , 10, 803-11		86

444	Three-dimensional nuclear magnetic resonance microimaging of trabecular bone. 1995 , 10, 1452-61		77
443	Regression Models for Identifying Noise Sources in Magnetic Resonance Images. 2009 , 104, 623-637		36
442	Noise-driven anisotropic diffusion filtering of MRI. 2009 , 18, 2265-74		140
441	On the construction of a ground truth framework for evaluating voxel-based diffusion tensor MRI analysis methods. 2009 , 46, 692-707		45
440	Multi-echo acquisition of MR angiography and venography of the brain at 3 Tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 30, 449-54	5.6	44
439	Progression of emphysema in a 12-month hyperpolarized ³ He-MRI study: lacunarity analysis provided a more sensitive measure than standard ADC analysis. 2009 , 16, 700-7		27
438	MR relaxation in multiple sclerosis. 2009 , 19, 1-26		71
437	Evaluation of a Validation Method for MR Imaging-Based Motion Tracking Using Image Simulation. 2009 , 2010,		4
436	Multi-Contrast, Isotropic, Single-Slab 3D MR Imaging in Multiple Sclerosis. 2009 , 22, 33-42		2
435	Evaluation of a modified Stejskal-Tanner diffusion encoding scheme, permitting a marked reduction in TE, in diffusion-weighted imaging of stroke patients at 3 T. 2010 , 45, 29-35		36
434	Noninvasive liver steatosis quantification using MRI techniques combined with blood markers. 2010 , 22, 973-82		22
433	Intraindividual in vivo comparison of gadolinium contrast agents for pharmacokinetic analysis using dynamic contrast enhanced magnetic resonance imaging. 2010 , 45, 233-44		14
432	A simple method for estimating the noise level in a signal region of an MR image. <i>Medical Physics</i> , 2010 , 37, 5072-9	4.4	7
431	Synthetic magnetic resonance imaging revisited. 2010 , 29, 895-902		12
430	Adipose segmentation in small animals at 7T: a preliminary study. 2010 , 11 Suppl 3, S9		2
429	Performance evaluation of a 32-element head array with respect to the ultimate intrinsic SNR. 2010 , 23, 142-51		41
428	T(2) relaxation times of (13)C metabolites in a rat hepatocellular carcinoma model measured in vivo using (13)C-MRS of hyperpolarized [1-(13)C]pyruvate. 2010 , 23, 414-23		50
427	Improved R2* measurement accuracy with absolute SNR truncation and optimal coil combination. 2010 , 23, 1127-36		12

426	Improved correction of spatial inhomogeneities of surface coils in quantitative analysis of first-pass myocardial perfusion imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2010 , 31, 227-33	5.6	14
425	Evaluation of multicoil breast arrays for parallel imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2010 , 31, 328-38	5.6	15
424	Quantification of T(2) in the abdomen at 3.0 T using a T(2)-prepared balanced turbo field echo sequence. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 356-64	4.4	12
423	A method to assess spatially variant noise in dynamic MR image series. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 782-9	4.4	22
422	Development of an inductively coupled MR coil system for imaging and spectroscopic analysis of an implantable bioartificial construct at 11.1 T. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 998-1006	4.4	10
421	Separate MRI quantification of dispersed (ferritin-like) and aggregated (hemosiderin-like) storage iron. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 1201-9	4.4	33
420	Removal of CSF pixels on brain MR perfusion images using first several images and Otsu's thresholding technique. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 743-8	4.4	6
419	A simple method for rectified noise floor suppression: Phase-corrected real data reconstruction with application to diffusion-weighted imaging. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 418-29	4.4	24
418	Simultaneous quantification of T2 and T2* using a combined gradient echo-spin echo sequence at ultrahigh field. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 1440-5	4.4	24
417	Cryogenic receive coil and low noise preamplifier for MRI at 0.01T. 2010 , 203, 57-65		11
416	Wavelet domain non-linear filtering for MRI denoising. 2010 , 28, 842-61		92
415	Regression error estimation significantly improves the region-of-interest statistics of noisy MR images. <i>Medical Physics</i> , 2010 , 37, 2813-21	4.4	11
414	Analyzing Rice distributed functional magnetic resonance imaging data: a Bayesian approach. 2010 , 21, 115804		4
413	Precision and accuracy in diffusion tensor magnetic resonance imaging. 2010 , 21, 87-99		59
412	Region-specific alterations in brain development in one- to three-year-old boys with fragile X syndrome. 2010 , 107, 9335-9		100
411	A novel spiral radiofrequency coil for high field mouse cardiac imaging. 2010 , 2010, 6657-61		
410	An analysis of the accuracy of magnetic resonance flip angle measurement methods. 2010 , 55, 6157-74		46
409	Evaluation of diffusion tensor imaging and fiber tractography of the median nerve: preliminary results on intrasubject variability and precision of measurements. 2010 , 194, W65-72		45

408	DTI parameter optimisation for acquisition at 1.5T: SNR analysis and clinical application. 2010 , 254032	21
407	Quantification of hepatic steatosis with 3-T MR imaging: validation in ob/ob mice. 2010 , 254, 119-28	66
406	Noise measurement from magnitude MRI using local estimates of variance and skewness. 2010 , 55, N441-9	65
405	Dealing with Uncertainty in Diffusion Tensor MR Data. 2010 , 43, 129-144	11
404	The effect of metric selection on the analysis of diffusion tensor MRI data. 2010 , 49, 2190-204	44
403	Rapid semi-automatic segmentation of the spinal cord from magnetic resonance images: application in multiple sclerosis. 2010 , 50, 446-55	203
402	Construction of human head voxel models from MR images for EEG analysis based on EM algorithm. 2010 ,	2
401	A new segmentation technique for brain and head from high resolution MR image using unique histogram features. 2010 ,	1
400	Track density imaging (TDI): validation of super resolution property. 2011 , 56, 1259-66	76
399	Effects of physiological noise in population analysis of diffusion tensor MRI data. 2011 , 54, 1168-77	48
398	Physiological noise and signal-to-noise ratio in fMRI with multi-channel array coils. 2011 , 55, 597-606	131
397	Maximum likelihood estimation-based denoising of magnetic resonance images using restricted local neighborhoods. 2011 , 56, 5221-34	50
396	Parallel MRI noise correction: an extension of the LMMSE to non central chi distributions. 2011 , 14, 226-33	11
395	Hashed nonlocal means for rapid image filtering. 2011 , 33, 485-99	28
394	Quantitative imaging of alveolar recruitment with hyperpolarized gas MRI during mechanical ventilation. 2011 , 110, 499-511	30
393	[Analyses of restricted diffusion of water molecules using trabecular bone phantom]. 2011 , 67, 634-9	
392	Regional correlation of emphysematous changes in lung function and structure: a comparison between pulmonary function testing and hyperpolarized MRI metrics. 2011 , 110, 225-35	16
391	Probabilistic 4D blood flow tracking and uncertainty estimation. <i>Medical Image Analysis</i> , 2011 , 15, 720-8 15.4	18

390	Development of a 0.014-in., anti-solenoid loop MR imaging guidewire for intravascular 3.0-T MR imaging. 2011 , 29, 1002-6		3
389	Wavelet-based de-noising techniques in MRI. 2011 , 104, 480-8		9
388	A variable echo-number method for estimating R2 in MRI-based polymer gel dosimetry. <i>Medical Physics</i> , 2011 , 38, 975-82	4.4	11
387	Single image signal-to-noise ratio estimation for magnetic resonance images. 2011 , 35, 39-48		8
386	On precise localization of boundaries between extended uniform objects in MRI: tooth imaging as an example. 2011 , 24, 19-28		8
385	Stripline resonator and preamplifier for preclinical magnetic resonance imaging at 4.7 T. 2011 , 24, 331-7		2
384	Geometric analysis of the b-dependent effects of Rician signal noise on diffusion tensor imaging estimates and determining an optimal b value. 2011 , 29, 777-88		10
383	Measurement and comparison of T1 relaxation times in native and transplanted kidney cortex and medulla. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 33, 1241-7	5.6	34
382	Practical signal-to-noise ratio quantification for sensitivity encoding: application to coronary MR angiography. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 33, 1330-40	5.6	19
381	MRI-guided vascular access with an active visualization needle. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 34, 1159-66	5.6	14
380	Assessment of MR compatibility of a PET insert developed for simultaneous multiparametric PET/MR imaging on an animal system operating at 7 T. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 269-79	4.4	46
379	Immobilized contrast-enhanced MRI: Gadolinium-based long-term MR contrast enhancement of the vein graft vessel wall. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 176-83	4.4	1
378	Nontriggered MRI quantification of aortic pulse-wave velocity. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 750-5	4.4	17
377	Comparison of lung T2* during free-breathing at 1.5 T and 3.0 T with ultrashort echo time imaging. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 248-54	4.4	47
376	The bias/variance trade-off when estimating the MR signal magnitude from the complex average of repeated measurements. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 1456-67	4.4	2
375	Statistical assessment of non-Gaussian diffusion models. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 1639-48	4.4	16
374	INTERCOMPARISON OF PERFORMANCE OF RF COIL GEOMETRIES FOR HIGH FIELD MOUSE CARDIAC MRI. 2011 , 38A, 236-252		7
373	In vivo SNR in DENSE MRI; temporal and regional effects of field strength, receiver coil sensitivity and flip angle strategies. 2011 , 29, 202-8		15

372	Measuring signal-to-noise ratio in partially parallel imaging MRI. <i>Medical Physics</i> , 2011 , 38, 5049-57	4.4	76
371	Multimodal image registration using IECC as the similarity measure. <i>Medical Physics</i> , 2011 , 38, 1103-15	4.4	3
370	Localisation of the central sulcus region in glioma patients with three-dimensional fluid-attenuated inversion recovery and volume rendering: comparison with functional and conventional magnetic resonance. 2011 , 25, 210-7		3
369	Noise Variance Estimation Based on Knowledge of Noise Reduction Coefficient. 2011 , 340, 149-155		
368	Influence of adenosine on ventricular function measurements as part of a comprehensive stress perfusion magnetic resonance imaging study. 2011 , 52, 624-31		1
367	Improved detection of subendocardial hyperenhancement in myocardial infarction using dark blood-pool delayed enhancement MRI. 2011 , 196, 339-48		26
366	Chi-square unbiased risk estimate for denoising magnitude MR images. 2011 ,		3
365	Dual-source radiofrequency transmission with patient-adaptive local radiofrequency shimming for 3.0-T cardiac MR imaging: initial experience. 2012 , 263, 77-85		43
364	Magnitude MR image denoising via CURE-optimized non-local means. 2012 ,		1
363	Quantitative assessment of regional cerebral blood flow by dynamic susceptibility contrast-enhanced MRI, without the need for arterial blood signals. 2012 , 57, 7873-92		7
362	Improvements in lumbar spine MRI at 3 T using parallel transmission. 2012 , 199, 861-7		4
361	Diffusion-weighted imaging of the head and neck with HASTE: influence of imaging parameters on image quality. 2012 , 28, 87-94		4
360	Articular cartilage segmentation in noisy MR images of human knee. 2012 ,		1
359	Diffusion time dependence of magnetic resonance diffusion signal decays: an investigation of water exchange in human brain in vivo. 2012 , 25, 285-96		5
358	A study on a method to reduce the effect of the cross-talk artifact in a simultaneous, multiple-slice, plane, oblique MRI scan. 2012 , 61, 807-814		2
357	Minimum SNR and acquisition for bias-free estimation of fractional anisotropy in diffusion tensor imaging - a comparison of two analytical techniques and field strengths. 2012 , 30, 1123-33		17
356	Signal-to-noise ratio, contrast-to-noise ratio and pharmacokinetic modeling considerations in dynamic contrast-enhanced magnetic resonance imaging. 2012 , 30, 1313-22		37
355	A CURE for noisy magnetic resonance images: chi-square unbiased risk estimation. 2012 , 21, 3454-66		22

354	Quantification of holmium-166 loaded microspheres: estimating high local concentrations using a conventional multiple gradient echo sequence with SFFitting. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 35, 1453-61	5.6	5
353	Diffusion-tensor MRI reveals the complex muscle architecture of the human forearm. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 36, 237-48	5.6	87
352	Time-resolved MR angiography of renal artery stenosis in a swine model at 3 Tesla using gadobutrol with digital subtraction angiography correlation. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 36, 704-13	5.6	7
351	Diffusion tensor imaging (DTI) with retrospective motion correction for large-scale pediatric imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 36, 961-71	5.6	31
350	Ultrashort echo time imaging with bicomponent analysis. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 645-54	4.4	96
349	High-resolution sodium imaging of human brain at 7 T. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 227-33	4.4	33
348	Overcoming the low relaxivity of gadofosveset at high field with spin locking. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1234-8	4.4	8
347	Pseudocontinuous arterial spin labeling with optimized tagging efficiency. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1135-44	4.4	31
346	Tuning and amplification strategies for intravascular imaging coils. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1675-80	4.4	2
345	Possibilities and limitations for high resolution small animal MRI on a clinical whole-body 3T scanner. 2012 , 25, 233-44		40
344	Usefulness of cardiovascular magnetic resonance imaging of the superficial femoral artery for screening patients with diabetes mellitus for atherosclerosis. 2012 , 110, 50-6		13
343	Consistent segmentation using a Rician classifier. <i>Medical Image Analysis</i> , 2012 , 16, 524-35	15.4	21
342	Spatially variable Rician noise in magnetic resonance imaging. <i>Medical Image Analysis</i> , 2012 , 16, 536-48	15.4	33
341	Estimating non-Gaussian diffusion model parameters in the presence of physiological noise and Rician signal bias. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 35, 181-9	5.6	15
340	On the inherent precision of mcDESPOT. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 127-36	4.4	61
339	Assessment of bias in experimentally measured diffusion tensor imaging parameters using SIMEX. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 891-902	4.4	13
338	Oscillating and pulsed gradient diffusion magnetic resonance microscopy over an extended b-value range: implications for the characterization of tissue microstructure. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 1131-45	4.4	48
337	Off-line determination of the optimal number of iterations of the robust anisotropic diffusion filter applied to denoising of brain MR images. 2013 , 51, 71-88		12

336	Effects of image reconstruction on fiber orientation mapping from multichannel diffusion MRI: reducing the noise floor using SENSE. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 1682-9	4.4	132
335	MRI denoising using nonlocal neutrosophic set approach of Wiener filtering. 2013 , 8, 779-791		40
334	GESFIDE-PROPELLER approach for simultaneous R2 and R2* measurements in the abdomen. 2013 , 31, 1760-5		4
333	A new similarity measure for non-local means filtering of MRI images. 2013 , 24, 1040-1054		18
332	Laplacian based non-local means denoising of MR images with Rician noise. 2013 , 31, 1599-610		21
331	Rapid 2D phase-contrast magnetic resonance angiography reconstruction algorithm via compressed sensing. 2013 , 63, 1072-1076		1
330	Diffusion-weighted MRI of the prostate at 3.0 T: comparison of endorectal coil (ERC) MRI and phased-array coil (PAC) MRI-The impact of SNR on ADC measurement. 2013 , 82, e515-20		26
329	Development and preliminary evaluation of a motorized needle guide template for MRI-guided targeted prostate biopsy. <i>IEEE Transactions on Biomedical Engineering</i> , 2013 , 60, 3019-27	5	32
328	Direct visualization of short transverse relaxation time component (ViSTa). 2013 , 83, 485-92		55
327	A statistical method for characterizing the noise in nonlinearly reconstructed images from undersampled MR data: the POCS example. 2013 , 31, 1587-98		3
326	Improved in vivo diffusion tensor imaging of human cervical spinal cord. 2013 , 67, 64-76		54
325	Massively parallel MRI detector arrays. 2013 , 229, 75-89		118
324	White matter integrity, fiber count, and other fallacies: the doBs and donBs of diffusion MRI. 2013 , 73, 239-54		1584
323	Effective noise estimation and filtering from correlated multiple-coil MR data. 2013 , 31, 272-85		29
322	A modified Rician LMMSE estimator for the restoration of magnitude MR images. 2013 , 124, 2387-2392		10
321	MR image denoising and enhancing using multiresolution image decomposition technique. 2013 ,		1
320	Noise correction for HARDI and HYDI data obtained with multi-channel coils and sum of squares reconstruction: an anisotropic extension of the LMMSE. 2013 , 31, 1360-71		7
319	MRI TV-Rician Denoising. 2013 , 255-268		2

318	Temporal phase correction of multiple echo T2 magnetic resonance images. 2013 , 231, 22-31		12
317	Motion correction for MR cystography by an image processing approach. <i>IEEE Transactions on Biomedical Engineering</i> , 2013 , 60, 2401-10	5	8
316	Clinical evaluation of single-shot and readout-segmented diffusion-weighted imaging in stroke patients at 3 T. 2013 , 54, 299-306		34
315	The clique potential of Markov random field in a random experiment for estimation of noise levels in 2D brain MRI. 2013 , 23, 304-313		4
314	Noise behavior of MR brain reconstructions using compressed sensing. 2013 , 2013, 5155-8		2
313	Anisotropic diffusion filtering for correlated multiple-coil MRI. 2013 , 2013, 2956-9		
312	Multipeak fat-corrected complex R2* relaxometry: theory, optimization, and clinical validation. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 1319-31	4.4	91
311	Imaging the interaction of atelectasis and overdistension in surfactant-depleted lungs. 2013 , 41, 527-35		37
310	Local Tests for Identifying Anisotropic Diffusion Areas in Human Brain with DTI. 2013 , 7, 201-225		3
309	Influence of noise correction on intra- and inter-subject variability of quantitative metrics in diffusion kurtosis imaging. 2014 , 9, e94531		24
308	Optimization of tagged MRI for quantification of liver stiffness using computer simulated data. 2014 , 9, e111852		5
307	Optimization of Bilateral Filter Parameters via Chi-Square Unbiased Risk Estimate. 2014 , 21, 97-100		7
306	The maximum spacing noise estimation in single-coil background MRI data. 2014 ,		
305	Simultaneous distributed carrier synchronization and data transmission in wireless sensor networks. 2014 ,		1
304	Quantitative evaluation of liver function with T1 relaxation time index on Gd-EOB-DTPA-enhanced MRI: comparison with signal intensity-based indices. <i>Journal of Magnetic Resonance Imaging</i> , 2014 , 40, 884-9	5.6	45
303	Noise estimation from averaged diffusion weighted images: Can unbiased quantitative decay parameters assist cancer evaluation?. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 2105-17	4.4	17
302	Unwrapping eddy current compensation: improved compensation of eddy current induced baseline shifts in high-resolution phase-contrast MRI at 9.4 Tesla. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 1096-1102	4.4	9
301	MR characterization of hepatic storage iron in transfusional iron overload. <i>Journal of Magnetic Resonance Imaging</i> , 2014 , 39, 307-16	5.6	13

300	Fiberfox: facilitating the creation of realistic white matter software phantoms. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 1460-70	4.4	74
299	An analysis of the uncertainty and bias in DCE-MRI measurements using the spoiled gradient-recalled echo pulse sequence. <i>Medical Physics</i> , 2014 , 41, 032301	4.4	13
298	Highly cited papers in Medical Physics. <i>Medical Physics</i> , 2014 , 41, 080401	4.4	5
297	Generative embeddings based on Rician mixtures for kernel-based classification of magnetic resonance images. 2014 , 123, 49-59		5
296	Magnetic resonance image reconstruction from undersampled measurements using a patch-based nonlocal operator. <i>Medical Image Analysis</i> , 2014 , 18, 843-56	15.4	206
295	Exploration of scanning effects in multi-site structural MRI studies. 2014 , 230, 37-50		70
294	Sodium (²³ Na) ultra-short echo time imaging in the human brain using a 3D-Cones trajectory. 2014 , 27, 35-46		26
293	Denosing diffusion-weighted magnitude MR images using rank and edge constraints. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 1272-84	4.4	52
292	New approach to phase correction in multi-echo T relaxometry. 2014 , 249, 100-107		6
291	Phase-aligned multiple spin-echo averaging: a simple way to improve signal-to-noise ratio of in vivo mouse spinal cord diffusion tensor image. 2014 , 32, 1335-43		9
290	Data distributions in magnetic resonance images: a review. 2014 , 30, 725-41		44
289	A survey on the magnetic resonance image denoising methods. 2014 , 9, 56-69		145
288	The effects of noise over the complete space of diffusion tensor shape. <i>Medical Image Analysis</i> , 2014 , 18, 197-210	15.4	12
287	Generalized total variation-based MRI Rician denoising model with spatially adaptive regularization parameters. 2014 , 32, 702-20		85
286	Impact of image acquisition on voxel-based-morphometry investigations of age-related structural brain changes. 2014 , 87, 170-82		27
285	A framework for accurate determination of the T ₂ distribution from multiple echo magnitude MRI images. 2014 , 244, 53-63		18
284	[Triexponential diffusion analysis in invasive ductal carcinoma and fibroadenoma]. 2014 , 70, 199-205		6
283	RF-transmissive PET detector insert for simultaneous PET/MRI. 2014 ,		5

282	Gadofosveset-based biomarker of tissue albumin concentration: Technical validation in vitro and feasibility in vivo. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 244-53	4.4	11
281	Evaluation of diffusion models in breast cancer. <i>Medical Physics</i> , 2015 , 42, 4833-9	4.4	15
280	Quantitative non-Gaussian diffusion and intravoxel incoherent motion magnetic resonance imaging: differentiation of malignant and benign breast lesions. 2015 , 50, 205-11		137
279	MRI thresholds for discrimination between normal and mild temporomandibular joint involvement in juvenile idiopathic arthritis. 2015 , 13, 53		20
278	A Nondestructive Method to Distinguish the Internal Constituent Architecture of the Intervertebral Discs Using 9.4 Tesla Magnetic Resonance Imaging. 2015 , 40, E1315-22		3
277	Iterative reweighted linear least squares for accurate, fast, and robust estimation of diffusion magnetic resonance parameters. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 2174-84	4.4	39
276	Dedicated receiver array coil for H lung imaging with same-breath acquisition of hyperpolarized He and Xe gas. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 291-299	4.4	10
275	(19)F MRSI of capecitabine in the liver at 7 T using broadband transmit-receive antennas and dual-band RF pulses. 2015 , 28, 1433-42		10
274	Quantitative R2* MRI of the liver with rician noise models for evaluation of hepatic iron overload: Simulation, phantom, and early clinical experience. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 42, 1544-59	5.6	12
273	Safely assessing radiofrequency heating potential of conductive devices using image-based current measurements. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 427-41	4.4	27
272	Nonlocal linear minimum mean square error methods for denoising MRI. 2015 , 20, 125-134		23
271	Detecting statistically significant differences in quantitative MRI experiments, applied to diffusion tensor imaging. 2015 , 34, 1164-76		23
270	Noise distribution and denoising of current density images. 2015 , 2, 024005		2
269	New Features Extraction Based on MRI Brain White Matter and Small Vessel Stroke Predisposition for Neural Network Input Classification. 2015 ,		
268	High-resolution quantitative sodium imaging at 9.4 Tesla. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 342-51	4.4	32
267	Sonosensitive theranostic liposomes for preclinical in vivo MRI-guided visualization of doxorubicin release stimulated by pulsed low intensity non-focused ultrasound. 2015 , 202, 21-30		44
266	Geometrically undistorted MRI in the presence of field inhomogeneities using compressed sensing accelerated broadband 3D phase encoded turbo spin-echo imaging. 2015 , 60, 615-31		10
265	Effects of scanner acoustic noise on intrinsic brain activity during auditory stimulation. 2015 , 57, 1063-73		4

264	A majorize-minimize framework for Rician and non-central chi MR images. 2015 , 34, 2191-202	21
263	Diffusion Tensor Imaging. 2015 , 245-251	4
262	MRI evaluation of the knee with non-ferromagnetic external fixators: cadaveric knee model. 2015 , 25, 933-9	8
261	Joint estimation of spherical harmonic coefficients from magnitude diffusion-weighted images with sparsity constraints. 2015 ,	1
260	Automatic estimation of noise parameters in Fourier-domain optical coherence tomography cross sectional images using statistical information. 2015 , 54, 3650	4
259	A low-cost, high-field-strength magnetic resonance imaging-compatible actuator. 2015 , 229, 215-24	10
258	Region of interest correction factors improve reliability of diffusion imaging measures within and across scanners and field strengths. 2015 , 119, 406-16	30
257	Multi-session complex averaging for high resolution high SNR 3T MR visualization of ex vivo hippocampus and insula. 2015 ,	
256	An Optimized LMMSE Based Method for 3D MRI Denoising. 2015 , 12, 861-70	16
255	A Convex Variational Model for Restoring Blurred Images with Large Rician Noise. 2015 , 53, 92-111	18
254	A simple noise correction scheme for diffusional kurtosis imaging. 2015 , 33, 124-33	28
253	Robust phase unwrapping for MR temperature imaging using a magnitude-sorted list, multi-clustering algorithm. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1662-8	4-4 24
252	Optogenetic fMRI reveals distinct, frequency-dependent networks recruited by dorsal and intermediate hippocampus stimulations. 2015 , 107, 229-241	62
251	REKINDLE: robust extraction of kurtosis INDices with linear estimation. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 794-808	4-4 99
250	The NeuroIMAGE study: a prospective phenotypic, cognitive, genetic and MRI study in children with attention-deficit/hyperactivity disorder. Design and descriptives. 2015 , 24, 265-81	102
249	Quantitative magnetic resonance imaging of the lumbar intervertebral discs. 2016 , 6, 744-755	16
248	On the averaging of cardiac diffusion tensor MRI data: the effect of distance function selection. 2016 , 61, 7765-7786	2
247	Nonlinear spatial domain first order moment estimation in magnitude resonance imaging data. 2016 ,	

246	Unbiased two-stage bilateral and non-local approach for MRI denoising. 2016,		
245	Identification and removal of different noise patterns by measuring SNR value in magnetic resonance images. 2016,		3
244	Review of medical image quality assessment. 2016, 27, 145-154		73
243	Low SNR in Diffusion MRI Models. 2016, 111, 1480-1490		4
242	A new magnetic resonance-based technique for high-resolution quantification of amorphous and quasi-amorphous structures. 2016, 13,		
241	Validation of a new T2* algorithm and its uncertainty value for cardiac and liver iron load determination from MRI magnitude images. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1717-29	4-4	7
240	Towards higher sensitivity and stability of axon diameter estimation with diffusion-weighted MRI. 2016, 29, 293-308		42
239	Accuracy of the Magnetic Field Gradient Waveform Monitor Technique and Consequent Accuracy of Pre-Equalized Gradient Waveform. 2016, 46B, 67-80		6
238	Neural network based denoised methods for retinal fundus images and MRI brain images. 2016,		3
237	An efficient PDE-Based nonlinear filter adapted to Rician noise for restoration and enhancement of magnetic resonance images. 2016,		1
236	Evaluation of adaptive combination of 30-channel head receive coil array data in ²³ Na MR imaging. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 527-36	4-4	17
235	Non-Cartesian balanced steady-state free precession pulse sequences for real-time cardiac MRI. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1546-55	4-4	20
234	Estimation of the measurement uncertainty in magnetic resonance velocimetry based on statistical models. 2016, 57, 1		22
233	Spatially-variant noise filtering in magnetic resonance imaging: A consensus-based approach. 2016, 106, 264-273		1
232	Invariant moments and transform-based unbiased nonlocal means for denoising of MR images. 2016, 30, 13-24		20
231	Fuzzy-based hybrid filter for Rician noise removal. 2016, 10, 215-224		15
230	Simple noise reduction for diffusion weighted images. 2016, 9, 221-6		4
229	A 4.7 T/11.1 T NMR Compliant 50 nW Wirelessly Programmable Implant for Bioartificial Pancreas In Vivo Monitoring. 2016, 51, 473-483		4

228	Medical image denoising by parallel non-local means. 2016 , 195, 117-122		20
227	Fast estimation of diffusion tensors under Rician noise by the EM algorithm. 2016 , 257, 147-58		4
226	Tract Orientation and Angular Dispersion Deviation Indicator (TOADDI): A framework for single-subject analysis in diffusion tensor imaging. 2016 , 126, 151-63		2
225	Fiber ball imaging. 2016 , 124, 824-833		46
224	Robust MR-based approaches to quantifying white matter structure and structure/function alterations in Huntington's disease. 2016 , 265, 2-12		13
223	Quantitative Evaluation of Intensity Inhomogeneity Correction Methods for Structural MR Brain Images. 2016 , 14, 5-21		22
222	A fast algorithm for denoising magnitude diffusion-weighted images with rank and edge constraints. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 433-40	4.4	4
221	Fine feature retention of magnetic resonance images using intensity inhomogeneity weighted non-local filtering. 2017 , 5, 183-194		
220	Rapid in vivo detection of rat spinal cord injury with double-diffusion-encoded magnetic resonance spectroscopy. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 1639-1649	4.4	33
219	T2* Measurement bias due to concomitant gradient fields. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 1562-1572	4.4	7
218	Agreement between region-of-interest- and parametric map-based hepatic proton density fat fraction estimation in adults with chronic liver disease. <i>Abdominal Radiology</i> , 2017 , 42, 833-841	3	6
217	Mid-infrared multiheterodyne spectroscopy with phase-locked quantum cascade lasers. 2017 , 110, 141108		29
216	Denoise diffusion-weighted images using higher-order singular value decomposition. 2017 , 156, 128-145		16
215	Crossover comparison of ferumoxytol and gadobenate dimeglumine for abdominal MR-angiography at 3.0 tesla: Effects of contrast bolus length and flip angle. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 45, 1617-1626	5.6	5
214	Quantitative Comparison of Spherical Deconvolution Approaches to Resolve Complex Fiber Configurations in Diffusion MRI: ISRA-Based vs L2L0 Sparse Methods. <i>IEEE Transactions on Biomedical Engineering</i> , 2017 , 64, 2847-2857	5	2
213	Microstructural models for diffusion MRI in breast cancer and surrounding stroma: an ex vivo study. 2017 , 30, e3679		20
212	Enhanced Fluorine-19 MRI Sensitivity using a Cryogenic Radiofrequency Probe: Technical Developments and Ex Vivo Demonstration in a Mouse Model of Neuroinflammation. 2017 , 7, 9808		25
211	A novel optically transparent RF shielding for fully integrated PET/MRI systems. 2017 , 62, 7357-7378		9

210	MRI Study of Liesegang Patterns: Mass Transport and Banded Inorganic Phase Formation in Gel. 2017 , 48, 545-557		1
209	Estimation of individual axon bundle properties by a Multi-Resolution Discrete-Search method. <i>Medical Image Analysis</i> , 2017 , 42, 26-43	15.4	4
208	Dependence on b-value of the direction-averaged diffusion-weighted imaging signal in brain. 2017 , 36, 121-127		56
207	A hybrid multibreath wash-in wash-out lung function quantification scheme in human subjects using hyperpolarized He MRI for simultaneous assessment of specific ventilation, alveolar oxygen tension, oxygen uptake, and air trapping. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 611-624	4.4	11
206	Non-Stationary Rician Noise Estimation in Parallel MRI Using a Single Image: A Variance-Stabilizing Approach. 2017 , 39, 2015-2029		17
205	On 1-Laplacian Elliptic Equations Modeling Magnetic Resonance Image Rician Denoising. 2017 , 57, 202-224		7
204	Scan-less hyperspectral dual-comb single-pixel-imaging in both amplitude and phase. 2017 , 25, 21947-21957		28
203	NODDI-DTI: Estimating Neurite Orientation and Dispersion Parameters from a Diffusion Tensor in Healthy White Matter. 2017 , 11, 720		33
202	Generalized min-max bound-based MRI pulse sequence design framework for wide-range T1 relaxometry: A case study on the tissue specific imaging sequence. 2017 , 12, e0172573		4
201	High SNR Acquisitions Improve the Repeatability of Liver Fat Quantification Using Confounder-corrected Chemical Shift-encoded MR Imaging. 2017 , 16, 332-339		7
200	Novel practical SNR determination method for MRI using double echo with longest second echo time (DELSET). 2018 , 91, 20170652		4
199	MR Performance in the Presence of a Radio Frequency-Penetrable Positron Emission Tomography (PET) Insert for Simultaneous PET/MRI. 2018 , 37, 2060-2069		13
198	. <i>IEEE Access</i> , 2018 , 6, 11534-11543	3.5	16
197	Noise properties of proton density fat fraction estimated using chemical shift-encoded MRI. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 685-695	4.4	14
196	Magnetization Transfer Contrast and Chemical Exchange Saturation Transfer MRI. Features and analysis of the field-dependent saturation spectrum. 2018 , 168, 222-241		135
195	Presence of time-dependent diffusion in the brachial plexus. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 789-795	4.4	1
194	Estimation of white matter fiber parameters from compressed multiresolution diffusion MRI using sparse Bayesian learning. 2018 , 167, 488-503		6
193	Development of Correction for Signal-to-Noise Ratio Using a T2* With Improved Phase Method. 2018 , 42, 117-123		

192	Human umbilical cord blood relaxation times and susceptibility at 3 T. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 3194-3206	4.4	19
191	Fast quantitative parameter maps without fitting: Integration yields accurate mono-exponential signal decay rates. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 2978-2985	4.4	2
190	Exact Calculation of Noise Maps and $\{g\}$ -Factor in GRAPPA Using a $\{k\}$ -Space Analysis. 2018 , 37, 480-490		4
189	Murine pulmonary imaging at 7T: T2* and T with anisotropic UTE. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 2254-2264	4.4	10
188	Feasibility of 7-T fluorine magnetic resonance spectroscopic imaging (19F MRSI) for TAS-102 metabolite detection in the liver of patients with metastatic colorectal cancer. 2018 , 2,		78
187	Comparing Various Filtering Techniques for Reducing Noise in MRI. 2018 ,		4
186	A New ROI-Based performance evaluation method for image denoising using the Squared Eigenfunctions of the Schrödinger Operator. 2018 , 2018, 5579-5582		1
185	Time-Varying Image Restoration Using Extended Kalman Filter. 2018 ,		1
184	Toward in vivo quantification of induced RF currents on long thin conductors. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1922-1934	4.4	8
183	A consistency evaluation of signal-to-noise ratio in the quality assessment of human brain magnetic resonance images. 2018 , 18, 17		12
182	Integrated fMRI Preprocessing Framework Using Extended Kalman Filter for Estimation of Slice-Wise Motion. 2018 , 12, 268		4
181	Effect of T relaxation on ventilation mapping using hyperpolarized Xe multiple breath wash-out imaging. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 2670-2680	4.4	2
180	Differentiation of Normal and Radioresistant Prostate Cancer Xenografts Using Magnetization Transfer-Prepared MRI. 2018 , 8, 10447		10
179	Influences of experimental parameters on chemical exchange saturation transfer (CEST) metrics of brain tumors using animal models at 4.7T. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 316-330	4.4	11
178	A correlative study between diffusion and perfusion MR imaging parameters on peripheral arterial disease data. 2019 , 55, 26-35		3
177	T and T mapping of the human quadriceps and patellar tendons using ultra-short echo-time (UTE) imaging and bivariate relaxation parameter-based volumetric visualization. 2019 , 63, 29-36		5
176	Spatially Regularized Multi-Exponential Transverse Relaxation Times Estimation from Magnitude Magnetic Resonance Images Under Rician Noise. 2019 ,		0
175	Bayesian Reconstruction of Undersampled Multicoil Hardi. 2019 ,		

174	De-noising Multi-coil Magnetic Resonance Imaging Using Patch-Based Adaptive Filtering in Wavelet Domain. 2019 , 50, 1325-1343			1
173	Toward F magnetic resonance thermometry: spin-lattice and spin-spin-relaxation times and temperature dependence of fluorinated drugs at 9.4 T. 2019 , 32, 51-61			7
172	Edge Preserved Herringbone Artifact Removal from MRI Using Two-Stage Variational Mode Decomposition. 2019 ,			
171	Towards a Resolution limit for DW-MRI tumor microstructural models: A simulation study investigating the feasibility of distinguishing between microstructural changes. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 2288-2301	4.4		6
170	Functional MR Imaging. 2019 , 73-94			0
169	Processing Pipeline for Atlas-Based Imaging Data Analysis of Structural and Functional Mouse Brain MRI (AIDAmri). 2019 , 13, 42			20
168	Improved accuracy of apparent diffusion coefficient quantification using a fully automatic noise bias compensation method: Preliminary evaluation in prostate diffusion weighted imaging. 2019 , 305, 22-30			1
167	Multi-channel framelet denoising of diffusion-weighted images. 2019 , 14, e0211621			3
166	On the analysis of rapidly sampled fMRI data. 2019 , 188, 807-820			33
165	Neutrosophic set in medical image denoising. 2019 , 77-100			0
164	Bayesian sparsity estimation in compressive sensing with application to MR images. 2019 , 5, 415-431			
163	Multi-Exponential Relaxation Times Maps Reconstruction and Unsupervised Classification in Magnitude Magnetic Resonance Imaging. 2019 ,			
162	Influence of Acquisition Time on MR Image Quality Estimated with Nonparametric Measures Based on Texture Features. 2019 , 2019, 3706581			7
161	Computation of exact g-factor maps in 3D GRAPPA reconstructions. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 1353-1367	4.4		
160	Precision and accuracy of cross-sectional area measurements used to measure coronary endothelial function with spiral MRI. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 291-302	4.4		6
159	NLM based magnetic resonance image denoising [A review]. 2019 , 47, 252-261			29
158	Quantifying cardiac-induced brain tissue expansion using DENSE. 2019 , 32, e4050			15
157	Efficient 3D Low-Discrepancy k -Space Sampling Using Highly Adaptable Seiffert Spirals. 2019 , 38, 1833-1840			2

156	Transcranial magnetic resonance-guided focused ultrasound surgery at 1.5T: a technical note. 2019 , 32, 132-138		11
155	A Statistical Knowledge Autocorrelation-Based Algorithm for Spectrum Sensing of OFDM Signals in Channels With Frequency Offset. 2019 , 68, 368-378		2
154	Denosing high angular resolution diffusion imaging data by combining singular value decomposition and non-local means filter. 2019 , 312, 105-113		5
153	Intensiometric biosensors visualize the activity of multiple small GTPases in vivo. 2019 , 10, 211		18
152	A Comparison of Two Hyperpolarized Xe MRI Ventilation Quantification Pipelines: The Effect of Signal to Noise Ratio. 2019 , 26, 949-959		11
151	The choice of embedding media affects image quality, tissue R ₂ , and susceptibility behaviors in post-mortem brain MR microscopy at 7.0T. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 2688-2701	4.4	12
150	Fluorine-19 MRI at 21.1T: enhanced spin-lattice relaxation of perfluoro-15-crown-5-ether and sensitivity as demonstrated in ex vivo murine neuroinflammation. 2019 , 32, 37-49		11
149	Prospective Evaluation of an R2* Method for Assessing Liver Iron Concentration (LIC) Against FerriScan: Derivation of the Calibration Curve and Characterization of the Nature and Source of Uncertainty in the Relationship. <i>Journal of Magnetic Resonance Imaging</i> , 2019 , 49, 1467-1474	5.6	14
148	Variational Image Restoration and Segmentation with Rician Noise. 2019 , 78, 1329-1352		5
147	What can we see with IVIM MRI?. 2019 , 187, 56-67		128
146	Adaptive fuzzy hexagonal bilateral filter for brain MRI denoising. 2020 , 79, 15513-15530		7
145	Selection and application of coils in temporomandibular joint MRI. 2020 , 49, 20190002		4
144	Adaptive phase correction of diffusion-weighted images. 2020 , 206, 116274		7
143	Removal of noise in MRI images using a block difference-based filtering approach. 2020 , 30, 203-215		1
142	Segmentation and visualization of the human cranial bone by T2* approximation using ultra-short echo time (UTE) magnetic resonance imaging. 2020 , 30, 51-59		6
141	Glucose dysregulation in patients with iron overload: is there a relationship with quantitative pancreas and liver iron and fat content measured by MRI?. 2020 , 30, 1616-1623		4
140	A Modified Higher-Order Singular Value Decomposition Framework With Adaptive Multilinear Tensor Rank Approximation for Three-Dimensional Magnetic Resonance Rician Noise Removal. 2020 , 10, 1640		1
139	Contemporary approaches to high-field magnetic resonance imaging with large field inhomogeneity. 2020 , 120-121, 95-108		4

138	Axon diameter index estimation independent of fiber orientation distribution using high-gradient diffusion MRI. 2020 , 222, 117197		20
137	Accelerating Prostate Diffusion-weighted MRI Using a Guided Denoising Convolutional Neural Network: Retrospective Feasibility Study. 2020 , 2, e200007		5
136	Effect of noise and estimator type on bias for analysis of liver proton density fat fraction. 2020 , 74, 244-249		
135	Radial-based acquisition strategies for pre-procedural non-contrast cardiovascular magnetic resonance angiography of the pulmonary veins. 2020 , 22, 78		2
134	Image Denoising Using Non-Local Means (NLM) Approach in Magnetic Resonance (MR) Imaging: A Systematic Review. 2020 , 10, 7028		7
133	Simultaneous Metabolic and Perfusion Imaging Using Hyperpolarized C MRI Can Evaluate Early and Dose-Dependent Response to Radiation Therapy in a Prostate Cancer Mouse Model. 2020 , 107, 887-896		6
132	Multicenter dataset of multi-shell diffusion MRI in healthy traveling adults with identical settings. 2020 , 7, 157		14
131	Multi-exponential Transverse Relaxation Times Estimation from Magnetic Resonance Images under Rician Noise and Spatial Regularization. 2020 ,		3
130	MRI denoising using progressively distribution-based neural network. 2020 , 71, 55-68		13
129	B field homogeneity recommendations, specifications, and measurement units for MRI in radiation therapy. <i>Medical Physics</i> , 2020 , 47, 4101-4114	4.4	6
128	Immersion of Achilles tendon in phosphate-buffered saline influences T and T * relaxation times: An ex vivo study. 2020 , 33, e4288		1
127	Three-dimensional inhomogeneous magnetization transfer with rapid gradient-echo (3D ihMTRAGE) imaging. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 2964-2980	4.4	5
126	Evolution of brain-wide activity in the awake behaving mouse after acute fear by longitudinal manganese-enhanced MRI. 2020 , 222, 116975		2
125	Denoise magnitude diffusion magnetic resonance images via variance-stabilizing transformation and optimal singular-value manipulation. 2020 , 215, 116852		6
124	Mesoscale diffusion magnetic resonance imaging of the ex vivo human hippocampus. 2020 , 41, 4200-4218		6
123	Performance of compressed sensing for fluorine-19 magnetic resonance imaging at low signal-to-noise ratio conditions. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 592-608	4.4	7
122	Adaptive denoising of 3D volumetric MR images using local variance based estimator. 2020 , 59, 101901		5
121	MRI denoising using BM3D equipped with noise invalidation denoising technique and VST for improved contrast. 2020 , 2, 1		4

120	Transmural Remodeling of Cardiac Microstructure in Aged Spontaneously Hypertensive Rats by Diffusion Tensor MRI. 2020 , 11, 265		0
119	The sensitivity of diffusion MRI to microstructural properties and experimental factors. 2021 , 347, 108951		13
118	A 32-channel receive array coil for bilateral breast imaging and spectroscopy at 7T. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 551-559	4.4	0
117	Rician Denoising Based on Correlated Local Features LMMSE Approach. 2021 , 45, 40		0
116	Comparison of different calibration methods for Mueller matrix microscopy of cells. 2021 , 60, 1380-1386		6
115	A 4D continuous representation of myocardial velocity fields from tissue phase mapping magnetic resonance imaging. 2021 , 16, e0247826		
114	Dual polarity encoded MRI using high bandwidth radiofrequency pulses for robust imaging with large field inhomogeneity. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 1271-1283	4.4	0
113	Quantitative investigation of dose accumulation errors from intra-fraction motion in MRgRT for prostate cancer. 2021 , 66, 065002		0
112	Comparison of selective excitation and multi-echo chemical shift encoding for imaging of hyperpolarized [1-C]pyruvate. 2021 , 325, 106927		1
111	Development and in vivo assessment of a novel MRI-compatible headframe system for the ovine animal model. 2021 , 17, e2257		0
110	Optimized bias and signal inference in diffusion-weighted image analysis (OBSIDIAN). <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 2716-2732	4.4	2
109	A novel method for removing Rician noise from MRI based on variational mode decomposition. 2021 , 69, 102737		3
108	Design and Implementation of Split-Leg Type Elliptical Whole-Body Birdcage RF Coil at 1.5 T MRI. 2021 , 11, 7448		1
107	High-resolution MRI of the human palatine tonsil and its schematic anatomic 3D reconstruction. 2022 , 240, 166-171		2
106	Design of an Intraoral Dipole Antenna for Dental Applications. <i>IEEE Transactions on Biomedical Engineering</i> , 2021 , 68, 2563-2573	5	2
105	Magnetization-prepared spoiled gradient-echo snapshot imaging for efficient measurement of R-R in knee cartilage. <i>Magnetic Resonance in Medicine</i> , 2022 , 87, 733-745	4.4	0
104	New setup for multi-parametric MRI in young and old rat gastrocnemius at 4.7 and 7 T during muscle stimulation. 2021 , e4620		
103	Calculation of Apparent Diffusion Coefficients in Prostate Cancer Using Deep Learning Algorithms: A Pilot Study. 2021 , 11, 697721		2

102	A Survey on State-of-the-art Denoising Techniques for Brain Magnetic Resonance Images. 2021 , PP,	3
101	Data Preparation Protocol for Low Signal-to-Noise Ratio Fluorine-19 MRI. 2021 , 2216, 711-722	2
100	Denoising for Improved Parametric MRI of the Kidney: Protocol for Nonlocal Means Filtering. 2021 , 2216, 565-576	
99	Center-out EPI (COEPI): A fast single-shot imaging technique with a short TE. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 787-799	4.4 2
98	Random Noise in Diffusion Tensor Imaging, its Destructive Impact and Some Corrections. 2006 , 107-119	3
97	Edge Preserving Regularization and Tracking for Diffusion Tensor Imaging. 2001 , 195-203	7
96	Voxel Similarity Measures for 3D Serial MR Brain Image Registration. 1999 , 472-477	5
95	Field Strength Dependence of Contrast and Noise in fMRI. 2015 , 793-818	1
94	Five Good Reasons for Complex-Valued Transforms in Image Processing. 2014 , 359-381	2
93	White Matter Mapping in DT-MRI Using Geometric Flows. 2003 , 585-596	7
92	Measurement of Signal-to-Noise Ratio and Parallel Imaging. 2007 , 49-61	13
91	Active imaging with dual spin-echo diffusion MRI. 2009 , 21, 264-75	4
90	Accurate and Robust Centerline Extraction from Tubular Structures in Medical Images. 2009 , 139-162	3
89	An object-based method for Rician noise estimation in MR images. 2009 , 12, 601-8	1
88	Segmentation Based Noise Variance Estimation from Background MRI Data. 2010 , 62-70	4
87	Probabilistic 4D blood flow mapping. 2010 , 13, 416-23	9
86	Joint Registration and Parameter Estimation of T1 Relaxation Times Using Variable Flip Angles. 2015 , 215-220	1
85	Carboxymethyl-dextran-gadolinium-DTPA as a blood-pool contrast agent for magnetic resonance angiography. Experimental study in rabbits. 1996 , 31, 288-93	35

84	A quantitative study of ramped radio frequency, magnetization transfer, and slab thickness in three-dimensional time-of-flight magnetic resonance angiography in a patient population. 1996 , 31, 323-32	9
83	Comparison of projection algorithms used for the construction of maximum intensity projection images. 1996 , 20, 56-67	36
82	SHARD: Spherical Harmonic-based Robust Outlier Detection for HARDI Methods. 2018 , 10574,	2
81	Fast ^{23}Na magnetic resonance imaging of acute reperfused myocardial infarction. Potential to assess myocardial viability. 1997 , 95, 1877-85	92
80	Assessment of a novel 32-channel phased array for cardiovascular hybrid PET/MRI imaging: MRI performance. 2019 , 3, 13	4
79	An Efficient Image Denoising Scheme for Higher Noise Levels Using Spatial Domain Filters. 2018 , 11, 625-634	9
78	Image corruption detection in diffusion tensor imaging for post-processing and real-time monitoring. 2013 , 8, e49764	23
77	Spherical Deconvolution of Multichannel Diffusion MRI Data with Non-Gaussian Noise Models and Spatial Regularization. 2015 , 10, e0138910	21
76	Linking Ventilation Heterogeneity Quantified via Hyperpolarized ^3He MRI to Dynamic Lung Mechanics and Airway Hyperresponsiveness. 2015 , 10, e0142738	11
75	Image denoising substantially improves accuracy and precision of intravoxel incoherent motion parameter estimates. 2017 , 12, e0175106	11
74	Low-Noise Active Decoupling Circuit and its Application to C Cryogenic RF Coils at 3 T. 2017 , 3, 60-66	10
73	Conditions of Rice statistical model applicability and estimation of the Rician signals parameters by maximum likelihood technique. 2014 , 6, 13-25	3
72	Single-Breathhold Four-Dimensional Assessment of Left Ventricular Morphological and Functional Parameters by Magnetic Resonance Imaging Using the VAST Technique. 2011 , 5, 90-8	5
71	Medical Image Segmentation and Tracking Through the Maximisation or the Minimisation of Divergence Between PDFs. 34-61	1
70	A partial differential equation-based general framework adapted to Rayleigh β , Rician β and Gaussian β distributed noise for restoration and enhancement of magnetic resonance image. 2016 , 41, 254-265	4
69	Carotid arterial wall MRI of apolipoprotein e-deficient mouse at 7T using DANTE-prepared variable-flip-angle rapid acquisition with relaxation enhancement. 2021 , 86, 1-9	
68	Noise estimation in single coil MR images. 2021 , 2, 100017	0
67	Automated Tag Detection. 2001 , 151-181	

- 66 Effects of MR image noise on estimation of short T2 values from T2 -weighted image series. **2007**, 6, 187-97 1
- 65 Complex Thresholding Methods for Eliminating Voxels That Contain Predominantly Noise in Magnetic Resonance Images. 577-603
- 64 Phase and its Relationship to Imaging Parameters and Susceptibility. 47-71
- 63 Signal and Noise Maximum Likelihood Estimation in MRI. 833-853
- 62 Automated scan prescription for MR imaging of deformed and normal livers. **2013**, 12, 11-20 0
- 61 Estimating the Level of Noise in Digital Images. **2013**, 409-433 1
- 60 Modelling Vascularity in Breast Cancer and Surrounding Stroma Using Diffusion MRI and Intravoxel Incoherent Motion. **2014**, 380-386
- 59 Magnitude and Complex Based Diffusion Signal Reconstruction. **2014**, 127-140 1
- 58 Appendix B: Statistics. 899-911
- 57 Combined LMMSE and Structure Tensor Diffusion Filter for Bias Removal in MRI Data. **2017**, 4, 11
- 56 Using signal-to-noise ratio to connect the quality assessment of natural and medical images. **2018**, 1
- 55 An Improved Rician Noise Correction Technique from the Magnitude of Diffusion MR Images. **2018**, 15, 133-147
- 54 A Survey on Multi-resolution Methods for De-noising Medical Images. **2019**, 263-271
- 53 Evolution of brain-wide activity in the awake behaving mouse after acute fear by longitudinal manganese-enhanced MRI. 1
- 52 Fast Fiber Orientation Estimation in Diffusion MRI from kq-Space Sampling and Anatomical Priors. *Journal of Imaging*, **2021**, 7, 3.1
- 51 Recommendations of Choice of Head Coil and Prescan Normalize Filter Depend on Region of Interest and Task. **2021**, 15, 735290 1
- 50 Comparison of three denoising methods for cardiac diffusion tensor imaging. **2020**,
- 49 A nonlocal enhanced Low-Rank tensor approximation framework for 3D Magnetic Resonance image denoising. **2022**, 72, 103302 0

48	Automatic Segmentation of Achilles Tendon Tissues Using Deep Convolutional Neural Network. 2020 , 444-454		
47	Maximum likelihood estimators in magnetic resonance imaging. 2007 , 20, 434-45		
46	MRI Dynamic Range: Theory and Measurement. 2008 , 2008, 1129		0
45	[Carotid artery wall imaging using 7.0T magnetic resonance imaging with threedimensional DANTE-prepared FLASH in ApoE mice]. <i>Nan Fang Yi Ke Da Xue Xue Bao = Journal of Southern Medical University</i> , 2021 , 41, 216-222		0.5
44	Computing diffusion rates in T2-dark hematomas and areas of low T2 signal. <i>American Journal of Neuroradiology</i> , 2001 , 22, 112-8	4.4	45
43	FLAIR diffusion-tensor MR tractography: comparison of fiber tracking with conventional imaging. <i>American Journal of Neuroradiology</i> , 2005 , 26, 591-7	4.4	40
42	[A diffusion-weighted image denoising algorithm using HOSVD combined with Rician noise corrected model]. <i>Nan Fang Yi Ke Da Xue Xue Bao = Journal of Southern Medical University</i> , 2021 , 41, 1400-1408		0.5
41	B inhomogeneity correction of RARE MRI at low SNR: Quantitative in vivo F MRI of mouse neuroinflammation with a cryogenically-cooled transceive surface radiofrequency probe. <i>Magnetic Resonance in Medicine</i> , 2021 ,	4.4	1
40	On What Manifold do Diffusion Tensors Live?. 2008 ,		0
39	Analysis and visualization of hyperpolarized ¹³ C MR data. <i>Advances in Magnetic Resonance Technology and Applications</i> , 2021 , 129-155		0.1
38	Comparative analysis of image noise estimation methods. 2021 ,		
37	Real-Time Control of Active Catheter Signals for Better Visual Profiling During Cardiovascular Interventions Under MRI Guidance. <i>IEEE Access</i> , 2022 , 10, 20581-20589		3.5
36	Axisymmetric diffusion kurtosis imaging with Rician bias correction: A simulation study.		
35	Non-Uniform Self-Gating in 2D Lung Imaging. <i>Frontiers in Physics</i> , 2022 , 10,	3.9	1
34	Time efficiency analysis for undersampled quantitative MRI acquisitions.. <i>Medical Image Analysis</i> , 2022 , 78, 102390	15.4	0
33	Image quality assessment for machine learning tasks using meta-reinforcement learning.. <i>Medical Image Analysis</i> , 2022 , 78, 102427	15.4	2
32	Denoising Diffusion MRI via Graph Total Variance in Spatioangular Domain.. <i>Computational and Mathematical Methods in Medicine</i> , 2021 , 2021, 4645544	2.8	
31	MRA of the Supraaortic Vasculature: Comparison of Gadobutrol and Gadoterate Meglumine at 1.5 T.. <i>Journal of Magnetic Resonance Imaging</i> , 2021 ,	5.6	

30	Combined maximum b-value and echo time: A practical method for determining the signal-to-noise ratio for magnetic resonance images.. <i>Journal of Applied Clinical Medical Physics</i> , 2021 ,	2.3	1
29	Data_Sheet_2.pdf. 2019 ,		
28	DataSheet1.pdf. 2017 ,		
27	Image_1.pdf. 2018 ,		
26	Data_Sheet_1.docx. 2019 ,		
25	Quantification and 3D localization of magnetically navigated superparamagnetic particles using MRI in phantom and swine chemoembolization models.. <i>IEEE Transactions on Biomedical Engineering</i> , 2022 , PP,	5	1
24	Variational Rician Noise Removal via Splitting on Spheres. <i>SIAM Journal on Imaging Sciences</i> , 2022 , 15, 521-549	1.9	
23	Preliminary results of abdominal simultaneous multi-slice accelerated diffusion-weighted imaging with motion-correction in patients with cystic fibrosis and impaired compliance. <i>Abdominal Radiology</i> ,	3	1
22	A Brief Survey on No-Reference Image Quality Assessment Methods for Magnetic Resonance Images. <i>Journal of Imaging</i> , 2022 , 8, 160	3.1	2
21	Gradient-echo-train -based sub-millisecond periodic event encoded dynamic imaging with random (k , t)-space undersampling: k-t get-SPEEDI. <i>Magnetic Resonance in Medicine</i> ,	4.4	
20	Radiologic-pathologic correlation of lesions in resected liver specimens with an ex vivo MRI-compatible localization device.		
19	A novel free-breathing abdominal RAVE T2/T1 hybrid MRI sequence in patients with cystic fibrosis: Preliminary results. 2022 , 154, 110454		
18	Model-based image reconstruction with wavelet sparsity regularization for through-plane resolution restoration in T 2 -weighted spin-echo prostate MRI.		o
17	A Bhattacharyya Coefficient-Based Framework for Noise Model-Aware Random Walker Image Segmentation. 2022 , 166-181		o
16	Fast, interleaved, Look-LockerBased T 1 mapping with a variable averaging approach: Towards temperature mapping at low magnetic field.		o
15	Axisymmetric diffusion kurtosis imaging with Rician bias correction: A simulation study.		o
14	MR Current Density and MREIT Data Acquisition. 2022 , 111-134		o
13	Scalable and modular 8-channel transmit and 8-channel flexible receive coil array for 19 F MRI of large animals.		o

- 12 Brief Introduction to MRI Physics. **2022**, 3-36
- 11 Image Enhancement Under Gaussian Impulse Noise for Satellite and Medical Applications. **2022**, 309-342
- 10 Personalized synthetic MR imaging with deep learning enhancements.
- 9 Perceptually Motivated Generative Model for Magnetic Resonance Image Denoising.
- 8 Improved Quantitative Parameter Estimation for Prostate T2 Relaxometry using Convolutional Neural Networks.
- 7 The distortions of the free water model for diffusion MRI data when assuming single compartment relaxometry and proton density.
- 6 Comparing Phantom and Animal Metrics Applied in the Determination of Focused Ultrasound Stable and Inertial Cavitation Levels. **2023**,
- 5 A new perspective of molecular diffusion by nuclear magnetic resonance. **2023**, 13,
- 4 Deep learning for improving ZTE MRI images in free breathing. **2023**, 98, 97-104
- 3 Hybrid calibration method for Mueller matrix microscopy. **2023**, 165, 107543
- 2 Magnetic particle based MRI thermometry at 0.2T and 3T. **2023**, 100, 43-54
- 1 Efficient PCA denoising of spatially correlated MRI data.