A non-invasive instrument for clinical assessment of th

Current Eye Research 4, 1-7

DOI: 10.3109/02713688508999960

Citation Report

#	Article	IF	CITATIONS
1	Effect of sodium hyaluronate $(0.1\%)$ on break-up time (NIBUT) in patients with dry eyes British Journal of Ophthalmology, 1986, 70, 442-447.	2.1	69
2	Polarized light biomicroscopic observations on the preâ€corneal tear film. 1. The normal tear film of the dog. Journal of Small Animal Practice, 1987, 28, 605-622.	0.5	34
3	Polarized light biomicroscopic observations on the pre-corneal tear film. 2. Keratoconjunctivitis sicca in the dog. Journal of Small Animal Practice, 1987, 28, 671-679.	0.5	16
4	Diagnostic Tests in Patients with Symptoms of Keratoconjunctivitis Sicca. American Journal of Ophthalmology, 1988, 106, 570-574.	1.7	90
5	Tear film stability and tear surface tension. Current Eye Research, 1989, 8, 507-515.	0.7	152
6	The ocular surface in keratoconjunctivitis sicca. Eye, 1989, 3, 428-437.	1.1	40
7	Human tear film preâ€rupture phase time (TPâ€RPT)â€A nonâ€invasive technique for evaluating the preâ€corneal tear film using a novel keratometer mire. Ophthalmic and Physiological Optics, 1989, 9, 139-142.	1.0	65
8	The aging eye and contact lenses — a review of ocular characteristics. Journal of the British Contact Lens Association, 1991, 14, 115-127.	0.2	11
9	Non-invasive assessment of tear film break-up time in a group of normal subjects - implications for contact lens wear. Journal of the British Contact Lens Association, 1991, 14, 201-205.	0.2	17
10	Stability of the precorneal tear film: a review. Australasian journal of optometry, The, 1991, 74, 19-25.	0.6	16
11	Characteristics of the pre-lens tear film during hydrogel contact lens wear. Ophthalmic and Physiological Optics, 1991, 11, 53-58.	1.0	81
12	The viscosity of human tears. International Ophthalmology, 1991, 15, 371-376.	0.6	172
13	Comparative study of two non-invasive tear film stability techniques. Current Eye Research, 1994, 13, 263-269.	0.7	35
14	Repeatability of the phenolâ€red thread and tear thinning time tests for tear film function. Australasian journal of optometry, The, 1994, 77, 64-68.	0.6	40
15	Inter―and intraâ€individual variability of nonâ€invasive tear breakâ€up time in Hong Kong Chinese. Australasian journal of optometry, The, 1994, 77, 15-23.	0.6	17
16	The effect of benoxinate on the tear stability of Hong Kong-Chinese. Ophthalmic and Physiological Optics, 1995, 15, 299-304.	1.0	12
17	Mechanisms of dryness in soft lens wear— role of BUT and deposits. Australasian journal of optometry, The, 1995, 78, 168-175.	0.6	15
18	Active sodium and chloride transport across the isolated rabbit conjunctiva. Current Eye Research, 1995, 14, 927-935.	0.7	52

#	Article	IF	Citations
19	Effect of contact lens wear on the tears of Hong Kong-Chinese. Journal of the British Contact Lens Association, 1995, 18, 87-94.	0.2	13
20	La composante oculaire du syndrome de Gougerot-Sjögren. Revue Francaise D'allergologie Et D'immunologie Clinique, 1995, 35, 253-261.	0.1	0
21	The phenol red thread (PRT) test and tear stability of Hong Kong-Chinese. Journal of the British Contact Lens Association, 1996, 19, 91-96.	0.2	6
22	Tear meniscus measurement in the diagnosis of dry eye. Current Eye Research, 1996, 15, 653-661.	0.7	263
23	Reflections on the tears. Eye, 1997, 11, 583-602.	1.1	110
24	Effect of reading on nonâ€invasive tear breakâ€up time and interâ€blink interval. Australasian journal of optometry, The, 1997, 80, 62-68.	0.6	10
25	Influence of the tear film on optical quality of the eye. Contact Lens and Anterior Eye, 1997, 20, 129-135.	0.8	70
26	Surface activity of tear fluid in normal subjects. Acta Ophthalmologica, 1998, 76, 438-441.	0.4	20
27	Tear break-up time: clinical procedures and their effects. Ophthalmic and Physiological Optics, 1998, 18, 319-324.	1.0	25
28	Tear break-up time: clinical procedures and their effects. Ophthalmic and Physiological Optics, 1998, 18, 319-324.	1.0	13
29	Application of Twyman–Green Interferometer for Evaluation of In Vivo Breakup Characteristic of the Human Tear Film. Journal of Biomedical Optics, 1999, 4, 176.	1.4	15
30	Preliminary tear film measurements of tolerant and nonâ€tolerant contact lens wearers. Australasian journal of optometry, The, 1999, 82, 177-181.	0.6	27
31	Soft contact lens wear in Hong Kong-Chinese: predicting success*. Ophthalmic and Physiological Optics, 2000, 20, 480-486.	1.0	13
32	Inter-ocular characteristics of the pre-contact lens tear film. Current Eye Research, 2000, 20, 248-250.	0.7	18
33	Soft contact lens wear in Hong Kong-Chinese: predicting success. Ophthalmic and Physiological Optics, 2000, 20, 480-486.	1.0	2
34	Diagnosis of Dry Eye. Survey of Ophthalmology, 2001, 45, S221-S226.	1.7	194
35	Spreading of the Tears After a Blink. Cornea, 2001, 20, 484-487.	0.9	83
36	Air pollutants and tear film stability - a method for experimental evaluation. Clinical Physiology, 2001, 21, 282-286.	0.7	21

#	Article	IF	Citations
37	Analysis of tear film breakup on Etafilcon A hydrogel lenses. Biomaterials, 2001, 22, 3249-3256.	5.7	25
38	The ex vivo wettability of soft contact lenses. Current Eye Research, 2001, 23, 51-59.	0.7	87
39	Anatomy and Physiology of the Ocular Surface. , 2002, , 3-15.		7
41	Quantitative in Vitro Comparison of Fluorescein Delivery to the Eye via Impregnated Paper Strip and Volumetric Techniques. Optometry and Vision Science, 2002, 79, 435-438.	0.6	16
42	Evaluation of Tear Film Interference Patterns and Measures of Tear Break-Up Time. Optometry and Vision Science, 2002, 79, 363-369.	0.6	126
43	The tear film — its role today and in the future. , 2002, , 126-192.		20
44	Dry Eye. , 2002, , 49-57.		0
45	A comparative study to assess the clinical use of Fluorescein Meniscus Time (FMT) with Tear Break up Time (TBUT) and Schirmer's tests (ST) in the diagnosis of dry eyes. Eye, 2002, 16, 594-600.	1.1	80
46	Nonâ€invasive tear breakâ€up time in normal Malays. Australasian journal of optometry, The, 2002, 85, 37-41.	0.6	30
47	Relationship between goblet cell density and tear function tests. Ophthalmic and Physiological Optics, 2003, 23, 87-94.	1.0	27
48	Challenges and Pitfalls in Clinical Trials of Treatments for Dry Eye. Ocular Surface, 2003, 1, 20-30.	2.2	97
49	Comparison of the Short-Term Effects on the Human Corneal Surface of Topical Timolol Maleate With and Without Benzalkonium Chloride. Journal of Glaucoma, 2003, 12, 486-490.	0.8	154
50	Use of Retroillumination to Visualize Optical Aberrations Caused by Tear Film Break-Up. Optometry and Vision Science, 2003, 80, 69-78.	0.6	38
51	Comparison of the Effects of Topical Levobunolol and Timolol Solution on the Human Ocular Surface. Cornea, 2003, 22, 709-715.	0.9	16
52	Grading Of Corneal and Conjunctival Staining in the Context of Other Dry Eye Tests. Cornea, 2003, 22, 640-650.	0.9	1,064
53	Effect of Environmental Conditions on Tear Dynamics in Soft Contact Lens Wearers., 2004, 45, 2563.		95
54	A New Noninvasive Tear Stability Analysis System for the Assessment of Dry Eyes. Investigative Ophthalmology and Visual Science, 2004, 45, 1369-1374.	3.3	129
55	Comparison of Noninvasive Tear Break-up Time Measurements from Black and White Background Instruments. Optometry and Vision Science, 2004, 81, 436-441.	0.6	22

#	Article	IF	Citations
56	Effect of Contact Lens Materials on Tear Physiology. Optometry and Vision Science, 2004, 81, 194-204.	0.6	126
57	The thickness of the tear film. Current Eye Research, 2004, 29, 357-368.	0.7	256
58	Non-invasive methods of assessing the tear film. Experimental Eye Research, 2004, 78, 399-407.	1.2	180
59	Development of a Rabbit Model of Tear Film Instability and Evaluation of Viscosity of Artificial Tear Preparations. Cornea, 2004, 23, 390-397.	0.9	29
60	Applications of highâ€speed videokeratoscopy. Australasian journal of optometry, The, 2005, 88, 223-231.	0.6	54
61	Survey of eye practitioners' attitudes towards diagnostic tests and therapies for dry eye disease. Clinical and Experimental Ophthalmology, 2005, 33, 351-355.	1.3	33
62	Evaluating Tear Film Stability in the Human Eye With High-Speed Videokeratoscopy. IEEE Transactions on Biomedical Engineering, 2005, 52, 1939-1949.	2.5	45
63	Diagnosis of Dry Eye. Seminars in Ophthalmology, 2005, 20, 53-62.	0.8	21
64	6 Diagnosis and Management of Lid and Ocular Surface Disorders. , 2006, , .		0
65	Comparison between graticule and image capture assessment of lower tear film meniscus height. Contact Lens and Anterior Eye, 2006, 29, 169-173.	0.8	38
66	Performance profile of sodium hyaluronate in patients with lipid tear deficiency: randomised, double-blind, controlled, exploratory study. British Journal of Ophthalmology, 2007, 91, 47-50.	2.1	45
67	Methodologies to Diagnose and Monitor Dry Eye Disease: Report of the Diagnostic Methodology Subcommittee of the International Dry Eye WorkShop (2007). Ocular Surface, 2007, 5, 108-152.	2.2	695
68	Exposure to a Controlled Adverse Environment Impairs the Ocular Surface of Subjects with Minimally Symptomatic Dry Eye., 2007, 48, 4026.		71
69	Pet keeping and dampness in the dwelling: associations with airway infections, symptoms, and physiological signs from the ocular and nasal mucosa. Indoor Air, 2007, 17, 60-69.	2.0	16
70	Atopy, symptoms and indoor environmental perceptions, tear film stability, nasal patency and lavage biomarkers in university staff. International Archives of Occupational and Environmental Health, 2008, 81, 861-872.	1.1	30
71	Symptoms, complaints, ocular and nasal physiological signs in university staff in relation to indoor environment $\hat{a} \in \mathbb{C}$ temperature and gender interactions. Indoor Air, 2008, 18, 131-143.	2.0	33
72	Tear Film Surface Quality with Soft Contact Lenses Using Dynamic Videokeratoscopy. Journal of Optometry, 2008, 1, 14-21.	0.7	29
73	Comparison between two cyclooxygenase inhibitors in an experimental dry eye model in albino rabbits. Acta Pharmaceutica, 2008, 58, 163-173.	0.9	24

#	Article	IF	CITATIONS
74	Classification and Diagnosis of Dry Eye. , 2008, 41, 36-53.		26
75	Dry Eye Diagnosis. , 2008, 49, 1407.		138
76	The challenge of dry eye diagnosis. Clinical Ophthalmology, 2008, 2, 31.	0.9	211
77	The Contribution of Lipid Layer Movement to Tear Film Thinning and Breakup. , 2009, 50, 2747.		113
78	Topical anaesthetic and tear film stability. Acta Ophthalmologica, 1986, 64, 79-82.	0.6	14
79	Nonâ€invasive tear film breakâ€uptime: sensitivity and specificity. Acta Ophthalmologica, 1986, 64, 441-444.	0.6	87
80	A classification for dry eyes following comparison of tear thinning time with Schirmer tear test. Acta Ophthalmologica, 1992, 70, 357-360.	0.6	24
81	Observation of precorneal tear film in patients with Sjögren's syndrome. Acta Ophthalmologica, 1995, 73, 501-505.	0.4	30
82	Clinical assessment of the lower tear meniscus height. Ophthalmic and Physiological Optics, 2009, 29, 526-534.	1.0	32
83	Influence of the Blink Interval on Tear Meniscus Height in Soft Contact Lens and Nonlens Wearers. Eye and Contact Lens, 2010, 36, 156-163.	0.8	12
84	Simultaneous examination of tear film break-up and the lipid layer of the human eye: A novel sensor design (Part 1). Zeitschrift Fur Medizinische Physik, 2010, 20, 309-315.	0.6	9
85	Simultaneous examination of tear film break-up and the lipid layer of the human eye: A novel model eye for time course simulation of physiologic tear film behavior (Part 2). Zeitschrift Fur Medizinische Physik, 2010, 20, 316-319.	0.6	5
86	Measurement of the Time Course of Optical Quality and Visual Deterioration during Tear Break-Up., 2010, 51, 3318.		59
87	Evidence for the Major Contribution of Evaporation to Tear Film Thinning between Blinks. , 2010, 51, 6294.		78
88	Lateral shearing interferometry, dynamic wavefront sensing, and high-speed videokeratoscopy for noninvasive assessment of tear film surface characteristics: a comparative study. Journal of Biomedical Optics, 2010, 15, 037005.	1.4	29
89	Tear film dynamics on an eye-shaped domain I: pressure boundary conditions. Mathematical Medicine and Biology, 2010, 27, 227-254.	0.8	28
90	Dry Eye Disease. Seminars in Ophthalmology, 2010, 25, 84-93.	0.8	61
91	Dry eye diagnosis and management. Expert Review of Ophthalmology, 2011, 6, 67-79.	0.3	14

#	Article	IF	CITATIONS
92	Tear Dynamics and Corneal Confocal Microscopy of Subjects with Mild Self-Reported Office Dry Eye. Ophthalmology, 2011, 118, 902-907.	2.5	63
93	The relation between invasive and non-invasive tear break-up time in young adults. Journal of the Nigerian Optometric Association, $2011,11,\ldots$	0.1	1
94	Dynamic Changes in Ocular Zernike Aberrations and Tear Menisci Measured with a Wavefront Sensor and an Anterior Segment OCT., 2011, 52, 6050.		11
95	Ocular surface adverse effects of ambient levels of air pollution. Arquivos Brasileiros De Oftalmologia, 2011, 74, 377-381.	0.2	54
96	The International Workshop on Meibomian Gland Dysfunction: Report of the Diagnosis Subcommittee. , 2011, 52, 2006.		634
97	Noninvasive Assessment of Tear Stability with the Tear Stability Analysis System in Tear Dysfunction Patients., 2011, 52, 456.		77
98	Efficacy of topically applied liposomeâ€bound tetracycline in the treatment of dry eye model. Veterinary Ophthalmology, 2011, 14, 18-25.	0.6	33
99	Comparison of the tear film clinical parameters at two different times of the day. Australasian journal of optometry, The, 2011, 94, 557-562.	0.6	24
100	The relationship between clinical signs and dry eye symptoms. Eye, 2011, 25, 502-510.	1.1	137
101	Can air pollution affect tear film stability? a cross-sectional study in the aftermath of an explosion accident. BMC Public Health, 2011, 11, 235.	1.2	22
102	Diagnosing dry eye with dynamic-area high-speed videokeratoscopy. Journal of Biomedical Optics, 2011, 16, 076012.	1.4	22
103	Dry eye disease: simple to diagnose but complex to manage. International Journal of Ophthalmic Practice, 2012, 3, 194-202.	0.0	1
104	Integrated Multimodal Metrology for Objective and Noninvasive Tear Evaluation. Ocular Surface, 2012, 10, 43-50.	2.2	27
105	Young non-VDU users are more susceptible to ocular functions changes with sustained VDU nearwork. Journal of Optometry, 2012, 5, 56-61.	0.7	4
106	Evaluation of Dry Eye. Survey of Ophthalmology, 2012, 57, 293-316.	1.7	131
107	Assessment of thermal dehydration using the human eye: What is the potential?. Journal of Thermal Biology, 2012, 37, 111-117.	1.1	14
108	Nonâ€contact meibography in diagnosis and treatment of nonâ€obvious meibomian gland dysfunction. Journal of Optometry, 2012, 5, 2-5.	0.7	14
109	Dry eye. , 2012, , 76-94.		1

#	ARTICLE	IF	CITATIONS
110	Introducing a New Parameter for the Assessment of the Tear Film Lipid Layer., 2012, 53, 6638.		16
111	Is Whole-Body Hydration an Important Consideration in Dry Eye?. , 2012, 53, 6622.		45
112	A new modified fluorescein strip: Its repeatability and usefulness in tear film break-up time analysis. Contact Lens and Anterior Eye, 2012, 35, 35-38.	0.8	32
113	Clinical evaluation of the Oculus Keratograph. Contact Lens and Anterior Eye, 2012, 35, 171-174.	0.8	110
114	Tear film stability: A review. Experimental Eye Research, 2013, 117, 28-38.	1.2	166
115	Application of texture analysis in tear film surface assessment based on videokeratoscopy. Journal of Optometry, 2013, 6, 185-193.	0.7	11
116	Comparison between three methods to value lower tear meniscus measured by image software. , 2013, , .		0
117	A Clinical Study of Subtype-based Prevalence of Dry Eye. Journal of Clinical and Diagnostic Research JCDR, 2013, 7, 2207-10.	0.8	29
118	Noninvasive Tear Breakup Times and Ocular Surface Disease. Optometry and Vision Science, 2013, 90, 1086-1091.	0.6	27
119	Wettability and Silicone Hydrogel Lenses. Eye and Contact Lens, 2013, 39, 100-108.	0.8	65
120	The non-invasive tear film break-up time in normal children. British Journal of Ophthalmology, 2013, 97, 1129-1133.	2.1	17
121	The TFOS International Workshop on Contact Lens Discomfort: Report of the Contact Lens Interactions With the Tear Film Subcommittee. , 2013, 54, TFOS123.		167
122	Assessment of Tear Film Stability in Dry Eye With a Newly Developed Keratograph. Cornea, 2013, 32, 716-721.	0.9	144
123	Correlation Between Signs and Symptoms of Ocular Surface Dysfunction and Tear Osmolarity With Ambient Levels of Air Pollution in a Large Metropolitan Area. Cornea, 2013, 32, e11-e15.	0.9	95
124	The TFOS International Workshop on Contact Lens Discomfort: Report of the Contact Lens Materials, Design, and Care Subcommittee., 2013, 54, TFOS37.		173
125	Tear Film Breakup and Structure Studied by Simultaneous Video Recording of Fluorescence and Tear Film Lipid Layer Images. , 2013, 54, 4900.		80
126	Direct observation and validation of fluorescein tear film break-up patterns by using a dual thermal-fluorescent imaging system. Biomedical Optics Express, 2014, 5, 2614.	1.5	26
127	Zinc Finger Protein in Severe Dry Eye Syndrome. Current Eye Research, 2014, 39, 431-438.	0.7	5

#	ARTICLE	IF	Citations
128	Evaluation of one―vs. twoâ€layered closure after wedge excision of 43 eyelid tumors in dogs. Veterinary Ophthalmology, 2014, 17, 32-40.	0.6	13
129	Evaluation of Age-Related Changes in Noninvasive Tear Breakup Time. Optometry and Vision Science, 2014, 91, 150-155.	0.6	19
130	Prospective, Multicenter, Clinical Evaluation of Point-of-Care Matrix Metalloproteinase-9 Test for Confirming Dry Eye Disease. Cornea, 2014, 33, 812-818.	0.9	83
131	Noninvasive Keratograph assessment of tear film break-up time and location in patients with age-related cataracts and dry eye syndrome. Journal of International Medical Research, 2014, 42, 494-502.	0.4	59
132	Automatic Noninvasive Tear Breakup Time (TBUT) and Conventional Fluorescent TBUT. Optometry and Vision Science, 2014, 91, 1412-1418.	0.6	54
133	Interfacial Phenomena and the Ocular Surface. Ocular Surface, 2014, 12, 178-201.	2.2	53
134	A Novel OCT Technique to Measure In Vivo the Corneal Adhesiveness for Sodium Carboxymethylcellulose in Humans and Its Validity in the Diagnosis of Dry Eye., 2014, 55, 3179.		24
135	Agreement between Automated and Traditional Measures of Tear Film Breakup. Optometry and Vision Science, 2015, 92, e257-e263.	0.6	50
136	Relationships among Tear Film Stability, Osmolarity, and Dryness Symptoms. Optometry and Vision Science, 2015, 92, e264-e272.	0.6	47
137	A Comprehensive Review on Dry Eye Disease: Diagnosis, Medical Management, Recent Developments, and Future Challenges. Advances in Pharmaceutics, 2015, 2015, 1-12.	0.5	50
138	AFM in peak force mode applied to worn siloxane-hydrogel contact lenses. Colloids and Surfaces B: Biointerfaces, 2015, 128, 61-66.	2.5	7
139	Comparing Tear Film Stability Prolongation Evaluated by Javal–Schiotz Keratometer and Slitlamp. Eye and Contact Lens, 2015, 41, 101-106.	0.8	5
140	Non invasive assessment of the human tear film dynamics. Annals of Anatomy, 2015, 202, 61-70.	1.0	6
141	Effect of nonâ€invasive tear stability assessment on tear meniscus height. Acta Ophthalmologica, 2015, 93, e135-9.	0.6	58
142	Reliability of a New Non-invasive Tear Film Break-up Time Measurement Using a Keratograph. Journal of Korean Ophthalmological Society, 2016, 57, 1354.	0.0	7
143	Repeatability and Reproducibility of Noninvasive Keratograph 5M Measurements in Patients with Dry Eye Disease. Journal of Ophthalmology, 2016, 2016, 1-6.	0.6	115
144	Inflammatory Cell Upregulation of the Lid Wiper in Contact Lens Dry Eye. Optometry and Vision Science, 2016, 93, 917-924.	0.6	29
145	Association Between Contact Lens Discomfort and Pre-lens Tear Film Kinetics. Optometry and Vision Science, 2016, 93, 881-891.	0.6	40

#	ARTICLE	IF	CITATIONS
146	High incidence of dry eye in young children with allergic conjunctivitis in Southwest China. Acta Ophthalmologica, 2016, 94, e727-e730.	0.6	39
147	Non-invasive assessment of tear film stability with a novel corneal topographer in Indian subjects. International Ophthalmology, 2016, 36, 781-790.	0.6	14
148	Dual interferometer for dynamic measurement of corneal topography. Journal of Biomedical Optics, 2016, 21, 085007.	1.4	3
149	Ocular response to environmental variations in contact lens wearers. Ophthalmic and Physiological Optics, 2017, 37, 60-70.	1.0	21
150	Ocular symptoms and tear film break up time (BUT) among junior high school students in Penang, Malaysia – Associations with fungal DNA in school dust. International Journal of Hygiene and Environmental Health, 2017, 220, 697-703.	2.1	9
151	New Diagnostics in Ocular Surface Disease. International Ophthalmology Clinics, 2017, 57, 27-46.	0.3	0
152	The protective efficacy and safety of bandage contact lenses in children aged 5 to 11 after frontalis muscle flap suspension for congenital blepharoptosis. Medicine (United States), 2017, 96, e8003.	0.4	9
153	TFOS DEWS II Diagnostic Methodology report. Ocular Surface, 2017, 15, 539-574.	2.2	1,249
154	TFOS DEWS II Tear Film Report. Ocular Surface, 2017, 15, 366-403.	2,2	610
155	Longitudinal changes in Langerhans cell density of the cornea and conjunctiva in contact lensâ€induced dry eye. Australasian journal of optometry, The, 2017, 100, 33-40.	0.6	57
156	Sensitivity of Diagnostic Tests for Dry Eye in Patients with Blepharospasm. Acta Clinica Croatica, 2017, 56, 375-381.	0.1	2
157	<i>In vivo</i> THz sensing of the cornea of the eye. Laser Physics Letters, 2018, 15, 055601.	0.6	38
158	Effect of tear supplements on signs, symptoms and inflammatory markers in dry eye. Cytokine, 2018, 105, 37-44.	1.4	20
159	Comparison of nonâ€invasive tear film stability measurement techniques. Australasian journal of optometry, The, 2018, 101, 13-17.	0.6	17
160	Mechanisms, imaging and structure of tear film breakup. Ocular Surface, 2018, 16, 4-30.	2.2	46
161	The Use of Keratography to Study Changes on the Ocular Surface after Absorbable Plug Insertion. Journal of Korean Ophthalmological Society, 2018, 59, 17.	0.0	2
162	Use of a novel extended blink test to evaluate the performance of two polyvinylpyrrolidone-containing, silicone hydrogel contact lenses. Clinical Ophthalmology, 2018, Volume 12, 819-825.	0.9	20
163	Trehalose/hyaluronate eyedrop effects on ocular surface inflammatory markers and mucin expression in dry eye patients. Clinical Ophthalmology, 2018, Volume 12, 1293-1300.	0.9	31

#	Article	IF	Citations
164	Noninvasive Tear Film Break-Up Time Assessment Using Handheld Lipid Layer Examination Instrument. Acta Clinica Croatica, 2019, 58, 63-71.	0.1	20
165	Clinical Significance of Computerized Videokeratoscopic Indices for Dry Eye. Journal of Korean Ophthalmological Society, 2019, 60, 627.	0.0	1
166	Dry Eye. , 2019, , 105-124.		0
167	Advances in Diagnosis and Management of Dry Eye Disease. Advances in Ophthalmology and Optometry, 2019, 4, 13-38.	0.3	3
168	Inferior Quadrant of Tear Film Is More Likely to Break and Breaks Early in Patients With Dry Eyes. Cornea, 2019, 38, 624-631.	0.9	2
169	<p>Keratograph 5M As A Useful And Objective Tool For Evaluating The Ocular Surface In Limbal Stem Cell Deficiency</p> . Clinical Ophthalmology, 2019, Volume 13, 2025-2033.	0.9	6
170	A model of tear-film breakup with continuous mucin concentration and viscosity profiles. Journal of Fluid Mechanics, 2019, 858, 352-376.	1.4	16
171	Novel in vitro method to determine pre-lens tear break-up time of hydrogel and silicone hydrogel contact lenses. Contact Lens and Anterior Eye, 2019, 42, 178-184.	0.8	10
172	Tear Film Dynamics of Soft Contact Lens-Induced Dry Eye. Current Eye Research, 2020, 45, 782-788.	0.7	7
173	Novel Approaches for Imaging-Based Diagnosis of Ocular Surface Disease. Diagnostics, 2020, 10, 589.	1.3	20
174	Diagnostic Performance of a Novel Noninvasive Workup in the Setting of Dry Eye Disease. Journal of Ophthalmology, 2020, 2020, 1-6.	0.6	23
175	<p>Objective Analysis of Pre-Lens Tear Film Stability of Daily Disposable Contact Lenses Using Ring Mire Projection</p> . Clinical Optometry, 2020, Volume 12, 203-211.	0.4	9
176	Agreement and repeatability of four different devices to measure non-invasive tear breakup time (NIBUT). Contact Lens and Anterior Eye, 2020, 43, 507-511.	0.8	22
177	The effect of sodium fluorescein on anterior eye surface measurements. Contact Lens and Anterior Eye, 2020, 43, 402-407.	0.8	2
178	Dry Eye Diagnosis and Management. , 2021, , 1-28.		0
179	A Randomized, Placebo-Controlled Phase II Clinical Trial of 0.01% or 0.02% Cyclosporin A with 3% Trehalose in Patients with Dry Eye Disease. Journal of Ocular Pharmacology and Therapeutics, 2021, 37, 4-11.	0.6	3
180	Manual interferometric device for routine non-invasive tear film break-up time assessment. Seminars in Ophthalmology, 2021, 36, 94-102.	0.8	3
182	Diagnosis of Dry Eye., 0,,.		O

#	Article	IF	Citations
183	Tear Film Surface Quality in Modern Daily Disposable Contact Lens Wear. Eye and Contact Lens, 2021, 47, 631-637.	0.8	2
184	The relationship of pre-corneal to pre-contact lens non-invasive tear breakup time. PLoS ONE, 2021, 16, e0247877.	1.1	6
185	Examination for Dry Eyes. , 0, , .		0
186	Association of Dry Eye with Laryngopharyngeal Reflux in Clinical Practice. Current Eye Research, 2022, 47, 214-219.	0.7	7
187	Non-Sjögren Dry Eye: Pathogenesis Diagnosis and Animal Models. Advances in Experimental Medicine and Biology, 1994, 350, 471-488.	0.8	6
188	The Ocular Surface, the Tear Film, and the Wettability of Contact Lenses. Advances in Experimental Medicine and Biology, 1998, 438, 717-722.	0.8	17
189	Clinical Assessment of Conjunctival Damage and Tear Film Stability in Drug-Induced Epithelial Keratopathy., 1997,, 57-64.		1
190	Current clinical techniques to study the tear film and tear secretions. , 2002, , 51-81.		9
191	Wetting of the Ocular Surface and Dry-Eye Disorders. , 2008, , 773-788.		1
192	Understanding the Dual Dilemma of Dry Eye and Glaucoma: An International Review. Asia-Pacific Journal of Ophthalmology, 2020, 9, 481-490.	1.3	21
193	Regional Differences in Tear Film Stability and Meibomian Glands in Patients With Aqueous-Deficient Dry Eye. Eye and Contact Lens, 2016, 42, 250-255.	0.8	25
194	Change of Refractive Error after Watching Smart-phone under Low Intensity of Illumination. Journal of Korean Ophthalmic Optics Society, 2014, 19, 105-109.	0.3	3
195	Effect of preserved and preservative-free timolol eye drops on tear film stability in healthy Africans. Nigerian Medical Journal, 2016, 57, 104.	0.6	4
196	Effect of smoking on tear stability and corneal surface. Journal of Current Ophthalmology, 2020, 32, 232.	0.3	18
197	The Anatomical Dry Eye —A Different Form of Ocular Surface Disease Deserves Focus. Open Journal of Ophthalmology, 2017, 07, 184-190.	0.1	8
198	Estabilidad de la pelÃeula lagrimal precorneal. Ciencia Y TecnologÃa Para La Salud Visual Y Ocular, 2009, 7, 141-156.	0.1	0
200	Sick Building Syndrome from a Medical Perspective-Symptoms and Signs., 2011,, 453-462.		1
201	Effect of Ophthalmic Examination Procedures on the Quality of Spectral Domain OCT Images. Ophthalmic Surgery Lasers and Imaging Retina, 2011, 42, e1-3.	0.4	0

#	Article	IF	Citations
202	The Relationship between Lens Properties and the Lens Wearer's Factors in RGP Lens Manufacturing. Journal of Korean Ophthalmic Optics Society, 2013, 18, 27-35.	0.3	1
203	Development of Paper-based Microfluidic Device for Dry Eye Test. Journal of Korean Ophthalmic Optics Society, 2013, 18, 93-99.	0.3	0
204	Changes in Subjective Symptom, Tear Film Stabilization and Blinking Rates when Wearing RGP Lenses with Different Polishing Conditions for Certain Period of Time. Journal of Korean Ophthalmic Optics Society, 2014, 19, 31-42.	0.3	0
205	Analysis of Accuracy of Tear Breakup Time (TBUT) and Non-invasive TBUT. The Korean Journal of Vision Science, 2017, 19, 257-266.	0.1	3
206	EVALUATION OF DRY EYES IN DIABETES MELLITUS. Journal of Evidence Based Medicine and Healthcare, 2017, 4, 5654-5657.	0.0	0
207	Development of K-Schirmer Strip and Evaluation of Clinical Availability. The Korean Journal of Vision Science, 2018, 20, 37-47.	0.1	1
208	Correlation between Tear Volume and Tear Film Stability and Protein Amount Deposited on Soft Contact Lenses in Dry Eyes. Journal of Korean Ophthalmic Optics Society, 2019, 24, 11-19.	0.3	2
209	Clinical improvement of ocular surface parameters in dry eye patients following treatment with urea/crosslinked-hyaluronate eyedrops correlates with the secretion of MUC-4. Expert Review of Ophthalmology, 0, , .	0.3	1
210	The Impact of Artificial Tear Viscosity on the Results of Optical Coherence Tomography. Klinische Monatsblatter Fur Augenheilkunde, 2021, 238, 1004-1009.	0.3	1
211	Dry Eye Disease: A Comprehensive Review. Integrative Journal of Conference Proceedings, 2020, 2, .	0.2	0
212	Advances in Dry Eye Disease Examination Techniques. Frontiers in Medicine, 2021, 8, 826530.	1.2	12
213	Lid Margin Score Is the Strongest Predictor of Meibomian Area Loss. Cornea, 2022, Publish Ahead of Print, .	0.9	4
214	Dry Eye Diagnosis and Management. , 2022, , 377-404.		0
215	The effect of day-long mask wearing on non-invasive break-up time. Graefe's Archive for Clinical and Experimental Ophthalmology, 0, , .	1.0	5
216	Meibomian Gland Dysfunction:., 2022, , 1-20.		0
217	Automation of dry eye disease quantitative assessment: A review. Clinical and Experimental Ophthalmology, 2022, 50, 653-666.	1.3	6
219	A Perspective on the Use of Fluorescent Imaging to Reveal Mechanisms of Breakup. Current Eye Research, $0, 1-7$ .	0.7	0
220	Current Diagnostic Tests for Dry Eye Disease in Sjögren's Syndrome. , 0, , .		1

#	ARTICLE	IF	CITATIONS
221	Changes Caused by Fluorescein in Tear film by Hybrid Break-up Time Test- Part One; On Quantitative Values. Photodiagnosis and Photodynamic Therapy, 2022, , 103137.	1.3	1
222	Lifting the lid on dry eye practice. The Optician, 2016, 2016, 141656-1.	0.0	0
223	A new look at tears. The Optician, 2017, 2017, 155846-1.	0.0	0
224	Developing a diagnosis model for dry eye disease in dogs using object detection. Scientific Reports, 2022, 12, .	1.6	2
225	A comparative review of evaporative dry eye disease and meibomian gland dysfunction in dogs and humans. Veterinary Ophthalmology, 2023, 26, 16-30.	0.6	3
230	Introductory Chapter: Recent Advances in the Evaluation and Treatment of Dry Eye Disease. , 0, , .		0