

CITATION REPORT

List of articles citing

Electrokinetic chromatography with micellar solution and open-tubular capillary

DOI: 10.1021/ac00281a014

Analytical Chemistry, 1985, 57, 834-841.

Source: <https://exaly.com/paper-pdf/17922399/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1104	Electrokinetic chromatography with micellar solutions. 1985 , 332, 219-226		192
1103	Electrokinetic chromatography with micellar solutions. 1985 , 348, 39-47		194
1102	Electrokinetic chromatography with 2-O-carboxymethyl- β -cyclodextrin as a moving [stationary] phase. 1985 , 332, 211-217		258
1101	Electrokinetic separation of chiral compounds. 1985 , 230, 813-4		537
1100	Factors controlling electroosmotic flow in open-tubular capillaries in electrokinetic chromatography. 1986 , 9, 666-670		71
1099	Zone electrophoresis in open-tubular capillaries [recent advances]. 1986 , 5, 11-15		37
1098	The effect of injection procedures on efficiency in micellar electrokinetic capillary chromatography. 1986 , 21, 583-586		53
1097	Analysis of B6 vitamers by micellar electrokinetic capillary chromatography with laser-excited fluorescence detection. 1986 , 24, 347-51		117
1096	Micellar Electrokinetic Capillary Chromatography. 1987 , 142-151		7
1095	Concentration Gradient Detector in Capillary Separation Technology. 1987 , 10, 3377-3392		6
1094	Evaluation of the Use of Various Surfactants in Micellar Electrokinetic Capillary Chromatography. 1987 , 25, 514-518		58
1093	Determination of ingredients of antipyretic analgesic preparations by micellar electrokinetic capillary chromatography. <i>Analytical Chemistry</i> , 1987 , 59, 2773-6	7.8	111
1092	Capillary chromatography in the condensed mobile phases: From the concepts to analytically useful separations and measurements. 1987 , 10, 248-256		9
1091	Modification of electroosmotic flow with cetyltrimethylammonium bromide in capillary zone electrophoresis. 1987 , 10, 622-624		136
1090	HPLC of nitrophenols: Determination of products of on-column nitration of phenol. 1987 , 10, 624-625		3
1089	Separation of modified nucleic acid constituents by micellar electrokinetic capillary chromatography. 1987 , 409, 193-203		71
1088	Evaluation of an automatic siphonic sampler for capillary zone electrophoresis. 1987 , 404, 313-320		28

1087	Quantitation and reproducibility in electrokinetic chromatography with micellar solutions. 1987 , 396, 350-354	49
1086	Experimental device for electrokinetic micellar chromatography exploiting some components of capillary isotachopheresis instrumentation. 1987 , 390, 87-96	8
1085	Influence of the experimental conditions on the performance of the electrokinetic detector. 1987 , 226, 227-238	
1084	High-performance capillary electrophoresis using open tubes and gels. 1987 , 24, 15-24	196
1083	Miniaturisation in pressure and electroosmotically driven liquid chromatography: Some theoretical considerations. 1987 , 24, 135-143	472
1082	Effects of organic mobile phase modifiers in micellar electrokinetic capillary chromatography. 1988 , 11, 554-559	145
1081	Capillary zone electrophoresis for the analysis of peptides synthesized by recombinant DNA technology. 1988 , 213, 215-219	38
1080	Separation and detection of DNA by capillary electrophoresis. 1988 , 458, 303-12	63
1079	Rapid separation of DNA restriction fragments using capillary electrophoresis. 1988 , 458, 323-33	93
1078	Micellar, Inclusion and metal-complex enantioselective pseudophases in high-performance electromigration methods. 1988 , 452, 571-590	104
1077	Capillary zone electrophoresis. 1988 , 452, 601-613	77
1076	Use of complexing agents for selective separation in high-performance capillary electrophoresis. 1988 , 448, 41-53	338
1075	Analysis of water-soluble vitamins by micellar electrokinetic capillary chromatography. 1988 , 447, 133-140	33
1074	Thermal effects and band spreading in capillary electro-separation. 1988 , 26, 329-337	278
1073	Electrochromatography. 1988 , 4, 123-133	13
1072	Amperometric detection of catechols in capillary zone electrophoresis with normal and micellar solutions. <i>Analytical Chemistry</i> , 1988 , 60, 258-63	7.8 149
1071	Separations of Compounds of Biological and Environmental Interest by Micellar Electrokinetic Capillary Chromatography. 1988 , 23, 1891-1904	35
1070	Capillary electrophoresis. 1988 , 242, 224-8	274

1069	Pharmaceutical analysis using micellar electrokinetic capillary chromatography. 1988 , 26, 406-9	44
1068	Separation of Small Molecules with Size Exclusion Chromatography Columns and Micellar Solutions. 1989 , 27, 653-658	6
1067	Microcolumn separations and the analysis of single cells. 1989 , 246, 57-63	280
1066	Electrophoresis versus electrochromatography. 1989 , 12, 28-31	13
1065	Influence of pH on elution behavior in micellar electrokinetic capillary chromatography. 1989 , 12, 635-636	26
1064	Effects of methanol-modified mobile phase on the separation of isotopically substituted compounds by micellar electrokinetic capillary chromatography. 1989 , 1, 125-130	84
1063	Effects of pH on electrokinetic velocities in micellar electrokinetic chromatography. 1989 , 1, 150-154	105
1062	Chiral separation of optical isomeric drugs using micellar electrokinetic chromatography and bile salts. 1989 , 1, 234-241	146
1061	New developments in bioanalytical chromatography. 1989 , 7, 239-46	4
1060	Concept of effective and non-effective inclusion complex formation in isotachopheresis. 1989 , 470, 113-121	16
1059	Extra-column effects in high-performance capillary electrophoresis. 1989 , 480, 91-94	16
1058	Use of peltier thermoelectric devices to control column temperature in high-performance capillary electrophoresis. 1989 , 480, 111-127	145
1057	Instrumental developments in micellar electrokinetic capillary chromatography. 1989 , 480, 185-196	49
1056	Capillary zone electrophoresis and isotachopheresis-mass spectrometry of polypeptides and proteins based upon an electrospray ionization interface. 1989 , 480, 211-32	114
1055	chiral separation by electrokinetic chromatography while bile salt micelles. 1989 , 480, 403-411	289
1054	Separation of beta-lactam antibiotics by micellar electrokinetic chromatography. 1989 , 477, 259-70	107
1053	Separation of water-soluble vitamins by micellar electrokinetic chromatography. 1989 , 465, 331-43	120
1052	Separation of 4-(2-pyridylazo)resorcinolato metal chelates by micellar electrokinetic capillary chromatography. 1989 , 469, 175-181	79

1051	Electrokinetic chromatography: An interface between electrophoresis and chromatography. 1989 , 8, 129-134		426
1050	High-performance capillary electrophoresis. 1989 , 339, 641-2		45
1049	High-performance capillary electrophoresis in the biological sciences. 1989 , 492, 585-614		255
1048	Enantioselective hydrophobic entanglement of enantiomeric solutes with chiral functionalized micelles by electrokinetic chromatography. 1989 , 480, 413-420		117
1047	Band broadening in electrokinetic chromatography with micellar solutions and open-tubular capillaries. <i>Analytical Chemistry</i> , 1989 , 61, 251-260	7.8	203
1046	Separation of dansylated methylamine and dansylated methyl-d3-amine by micellar electrokinetic capillary chromatography with methanol-modified mobile phase. <i>Analytical Chemistry</i> , 1989 , 61, 491-493 ^{7.8}		174
1045	Separation of catecholamines by capillary zone electrophoresis using complexation with boric acid.. 1990 , 6, 467-468		8
1044	Chiral separation of trimetoquinol hydrochloride and related compounds by micellar electrokinetic chromatography using sodium taurodeoxycholate solutions and application to optical purity determination. 1990 , 236, 281-286		72
1043	Separation and determination of the ingredients of a cold medicine by micellar electrokinetic chromatography with bile salts. 1990 , 498, 313-23		92
1042	Chiral separation of diltiazem, trimetoquinol and related compounds by micellar electrokinetic chromatography with bile salts. 1990 , 515, 233-43		143
1041	Separation and determination of aspoxicillin in human plasma by micellar electrokinetic chromatography with direct sample injection. 1990 , 515, 245-55		80
1040	Retention of eleven priority phenols using micellar electrokinetic chromatography. 1990 , 516, 263-70		74
1039	Theoretical evaluation of capillary electrophoresis performance. 1990 , 6, 485-93		13
1038	Construction, evaluation and analytical operation of a modular capillary electrophoresis instrument. 1990 , 30, 7-15		30
1037	Migration time and resolution in micellar electrokinetic capillary chromatography. 1990 , 30, 195-200		16
1036	Zone broadening in electrophoresis with special reference to high-performance electrophoresis in capillaries: an interplay between theory and practice. 1990 , 11, 665-90		206
1035	Application of micellar electrokinetic chromatography to pharmaceutical analysis. 1990 , 11, 691-701		118
1034	Capillary isotachopheresis with UV and tandem mass spectrometric detection for peptides and proteins. 1990 , 11, 709-17		44

1033	Recent advances in capillary electrophoresis of proteins, peptides and amino acids. 1990 , 11, 735-49	148
1032	Applications of capillary electrophoresis for industrial analysis. 1990 , 11, 750-6	18
1031	Separation of cationic proteins via charge reversal in capillary electrophoresis. 1990 , 11, 769-73	143
1030	Effects of methanol and urea on optical resolution of phenylthiohydantoin-DL-amino acids by micellar electrokinetic chromatography with sodium N-dodecanoyl-L-valinate. 1990 , 11, 982-4	62
1029	Influence of polymer coating of capillary surfaces on migration behavior in micellar electrokinetic capillary chromatography. 1990 , 13, 145-147	51
1028	Separation of hop bitter acids by capillary zone electrophoresis and micellar electrokinetic chromatography with UV-diode array detection. 1990 , 13, 295-298	43
1027	Optimization of binaphthyl enantiomer separations by capillary zone electrophoresis using mobile phases containing bile salts and organic solvent. 1990 , 13, 579-582	137
1026	Capillary electrokinetic separations: Influence of mobile phase composition on performance. 1990 , 13, 679-682	35
1025	Effect of surfactant structures on the separation of cold medicine ingredients by micellar electrokinetic chromatography. 1990 , 79, 519-23	74
1024	Capillary electrophoresis applied to the analysis of pharmaceutical compounds. 1990 , 2, 166-175	63
1023	Resolution of optical isomers of 2,3,4,6-tetra-O-acetyl- β -D-glucopyranosyl isothiocyanate (GITC)-derivatized DL-amino acids by micellar electrokinetic chromatography. 1990 , 2, 234-240	53
1022	Development of a model for predicting retention times in solvent-gradient micellar electrokinetic capillary chromatography. 1990 , 2, 278-284	15
1021	Analysis of oligonucleotides by capillary gel electrophoresis. 1990 , 507, 113-23	94
1020	Enantiomeric resolution by micellar electrokinetic chromatography with chiral surfactants. 1990 , 515, 221-226	159
1019	Effect of polymer ion concentrations on migration velocities in ion-exchange electrokinetic chromatography. 1990 , 515, 667-676	59
1018	Separation and determination of lipophilic corticosteroids and benzothiazepin analogues by micellar electrokinetic chromatography using bile salts. 1990 , 513, 279-95	155
1017	Separation of highly hydrophobic compounds by cyclodextrin-modified micellar electrokinetic chromatography. 1990 , 516, 23-31	248
1016	Capillary zone electrophoresis for monitoring r-DNA protein purification in multi-compartment electrolyzers with immobilized membranes. 1990 , 516, 133-46	16

1015	Capillary electrophoresis of urinary porphyrins with absorbance and fluorescence detection. 1990 , 516, 271-85		78
1014	Influence of thermal variation of diffusion coefficient on non-equilibrium plate height in capillary zone electrophoresis. 1990 , 517, 521-547		18
1013	Micellar electrokinetic chromatography employing sodium alkyl sulfates and Brij 35 . 1990 , 517, 549-555		58
1012	Electrically driven open-tubular liquid chromatography. 1990 , 517, 557-572		86
1011	Critical compilation of solute-micelle binding constants and related parameters from micellar liquid chromatographic measurements. 1990 , 231, 237-247		87
1010	Factors that Influence Mobility, Resolution, and Selectivity in Capillary Zone Electrophoresis. I. Sodium Phosphate vs. Potassium Phosphate. 1990 , 13, 1247-1259		29
1009	Micellar electrokinetic capillary chromatography theory based on electrochemical parameters: optimization for three modes of operation. <i>Analytical Chemistry</i> , 1990 , 62, 2714-2721	7.8	66
1008	Ion-exchange electrokinetic chromatography with polymer ions for the separation of isomeric ions having identical electrophoretic mobilities. <i>Analytical Chemistry</i> , 1990 , 62, 650-652	7.8	138
1007	THE COLUMN IN LIQUID CHROMATOGRAPHY. 1991 , 311-544		3
1006	Facilitating data transfer and improving precision in capillary zone electrophoresis with migration indexes. <i>Analytical Chemistry</i> , 1991 , 63, 2842-2848	7.8	40
1005	Micellar electrokinetic capillary chromatography of illicit drug substances. <i>Analytical Chemistry</i> , 1991 , 63, 823-827	7.8	170
1004	Capillary electrophoresis--a new clinical tool. 1991 , 37, 14-19		130
1003	The Energy Aspect of Oil/Water Partition and Its Application to the Analysis of Quantitative Structure-Activity Relationships. Aliphatic Alcohols in the Liposome/Water Partition System. 1991 , 64, 3707-3712		13
1002	Microemulsion Capillary Electrophoresis. 1991 , 20, 391-394		150
1001	Micellar Electrokinetic Capillary Chromatography of Porphinato Chelates as a Spectrophotometric Approach to Sub-Femtomole Detection of Metal Chelates.. 1991 , 7, 495-497		41
1000	Quantitative aspects of capillary electrophoresis. 1991 , 10, 272-279		54
999	Theoretical background for clinical and biomedical applications of electromigration techniques. 1991 , 569, 3-42		31
998	Capillary zone electrophoresis: its applicability and potential in biochemical analysis. 1991 , 569, 63-122		77

997	Temperature elevations of the sample zone in free solution capillary electrophoresis under stacking conditions. 1991 , 559, 27-42	48
996	Field effect electroosmosis. 1991 , 559, 95-101	51
995	Chiral separations by micellar electrokinetic chromatography with sodium N-dodecanoyl-L-valinate. 1991 , 559, 209-214	119
994	Effect of temperature on the separation of DNA restriction fragments in capillary gel electrophoresis. 1991 , 559, 285-294	70
993	Migration behaviour of catechols and catecholamines in capillary electrophoresis. 1991 , 559, 529-536	22
992	Determination of some drugs by micellar electrokinetic capillary chromatography. 1991 , 585, 123-131	52
991	Micellar electrokinetic capillary chromatography of vitamin B6 with electrochemical detection. 1991 , 585, 139-144	66
990	Comparative study of the determination of solute-micelle binding constants by micellar liquid chromatography and micellar electrokinetic capillary chromatography. 1991 , 246, 131-137	23
989	Bile salt surfactants in micellar electrokinetic capillary chromatography. 1991 , 557, 113-123	158
988	Chiral separation by cyclodextrin-modified micellar electrokinetic chromatography. 1991 , 553, 503-516	244
987	Effect of urea addition in micellar electrokinetic chromatography. 1991 , 545, 359-368	151
986	Separation of phthalates by micellar electrokinetic chromatography. 1991 , 542, 473-481	40
985	Improvement of resolution in the capillary electrophoretic separation of catecholamines by complex formation with boric acid and control of electroosmosis with a cationic surfactant. 1991 , 538, 385-391	76
984	Simultaneous pH and ionic strength effects and buffer selection in capillary electrophoretic techniques. 1991 , 541, 483-488	37
983	Electrochromatography in packed tubes using 1.5 to 50 μ m silica gels and ODS bonded silica gels. 1991 , 32, 317-328	410
982	The effect of electric field strength, buffer type and concentration on separation parameters in capillary zone electrophoresis. 1991 , 32, 155-161	149
981	Axial-beam absorbance detection for capillary electrophoresis. 1991 , 550, 831-837	28
980	Improved capillary zone electrophoretic separation of basic proteins, using a fluorosurfactant buffer additive. 1991 , 547, 544-550	113

979	Optimization of resolution in micellar electrokinetic chromatography. 1991 , 14, 25-28	38
978	Band broadening evaluation by back-and-forth capillary electrophoresis. 1991 , 14, 52-55	22
977	Influence of temperature control in capillary electrophoresis. 1991 , 14, 200-203	20
976	Mobilities of metal Ediketonato complexes in micellar electrokinetic chromatography. 1991 , 14, 245-248	37
975	Separation of benzothiazole sulfenamides using micellar electrokinetic capillary chromatography. 1991 , 14, 417-419	13
974	Micellar electrokinetic chromatography of ionic compounds: The analysis of hop bitter acids. 1991 , 14, 795-801	36
973	Separation by capillary electrophoresis followed by dynamic elution. 1991 , 196, 178-82	11
972	Separation of selected PAHs by using high performance capillary electrophoresis with modifiers. 1991 , 19, 73-81	9
971	Analysis of priority substituted phenols by micellar electrokinetic chromatography. 1991 , 19, 93-103	7
970	Quantitative Micellar Electrokinetic Capillary Chromatography: Linear Dynamic Range. 1991 , 14, 953-972	29
969	Separation of Corticosteroids and Aromatic Hydrocarbons by Cyclodextrin-Modified Micellar Electrokinetic Chromatography. 1991 , 14, 973-986	78
968	Methods For Calculating the Internal Temperature of Capillary Columns During Capillary Electrophoresis. 1991 , 14, 847-867	72
967	Applications of Enzyme Biotechnology. 1991 ,	
966	.	9
965	Chapter 1 Introduction. 1992 , 52, 1-30	1
964	Selected Organic Solvents as Electroosmotic Velocity Markers in Micellar Electrokinetic Capillary Chromatography. 1992 , 15, 1099-1113	20
963	Starburst Dendrimers as Carriers in Electrokinetic Chromatography. 1992 , 21, 959-962	66
962	Chapter 5 Electrolyte Systems. 1992 , 52, 201-293	4

961	Separation of poly(styrene sulfonates) by capillary electrophoresis with polymeric additives. <i>Analytical Chemistry</i> , 1992 , 64, 896-904	7.8	53
960	Chapter 4 Column liquid chromatography. 1992 , 51, A151-A225		6
959	High-performance capillary electrophoresis: Protein charge estimations and peptide mapping by complexation electrophoresis. 1992 , 4, 191-204		28
958	Micellar Electrokinetic Capillary Chromatography: Basic Considerations and Current Trends. 1992 , 15, 927-960		57
957	Capillary electrophoresis with electrochemical detection. 1992 , 11, 325-332		29
956	Fluorescence detection in capillary electrophoresis. 1992 , 11, 114-120		26
955	The history and analytical chemistry of beer bitter acids. 1992 , 11, 275-280		28
954	Selectivity manipulation in micellar electrokinetic chromatography. 1992 , 10, 705-15		92
953	Separation of polycyclic aromatic hydrocarbons by micellar electrokinetic chromatography with cyclodextrins as modifiers. 1992 , 589, 333-338		44
952	Chiral separation by analytical electromigration methods. 1992 , 609, 1-17		92
951	Separation of dideoxyribonucleosides in trace amounts by automated liquid chromatography and capillary electrophoresis. 1992 , 609, 147-61		14
950	Effect of addition of glucose on micellar electrokinetic capillary chromatography with sodium dodecyl sulphate. 1992 , 609, 369-374		28
949	Micellar electrokinetic chromatographic study of hydroquinone and some of its ethers. Determination of hydroquinone in skin-toning cream. 1992 , 596, 95-100		40
948	Electrokinetic reversed-phase chromatography with packed capillaries. 1992 , 593, 313-319		181
947	Separation and determination of 5-hydroxymethyl-2-furaldehyde and 2-furaldehyde in fruit juices by micellar electrokinetic capillary chromatography with direct sample injection. 1992 , 624, 503-509		21
946	Micellar electrokinetic capillary chromatography of neutral solutes with micelles of adjustable surface charge density. 1992 , 608, 31-45		82
945	Effect of the buffer solution on the elution order and separation of bis(amidinohydrazones) by micellar electrokinetic capillary chromatography. 1992 , 608, 317-323		6
944	Factors influencing the separation and quantitation of intact glucosinolates and desulphoglucosinolates by micellar electrokinetic capillary chromatography. 1992 , 608, 363-374		59

943	Separation of tetracycline and its degradation products by capillary zone electrophoresis. 1992 , 627, 281-286	47
942	Separation of theophylline and its analogues by micellar electrokinetic chromatography: application to the determination of theophylline in human plasma. 1992 , 577, 135-41	22
941	The measurement of temperature inside capillaries for electrophoresis using thermochromic solutions. 1992 , 33, 445-448	40
940	The influence of surface treatments on the electroosmotic flow in micellar electrokinetic capillary chromatography. 1992 , 33, 303-308	13
939	Systematic optimization of micellar electrokinetic chromatographic separation of flavonoids. 1992 , 34, 166-172	40
938	The separation of herbicides by micellar electrokinetic capillary chromatography. 1992 , 34, 25-30	42
937	Systematic optimization of capillary electrophoretic separation of sulphonamides. 1992 , 598, 133-138	40
936	Separation of sulphonamides and determination of the active ingredients in tablets by micellar electrokinetic capillary chromatography. 1992 , 603, 259-66	41
935	Qualitative analysis of environmental samples for aromatic sulfonic acids by high-performance capillary electrophoresis. 1992 , 603, 267-272	50
934	Determination of aminoglycoside antibiotics in pharmaceuticals by capillary zone electrophoresis with indirect UV detection coupled with micellar electrokinetic capillary chromatography. 1992 , 606, 229-35	71
933	Microemulsion electrokinetic chromatography: comparison with micellar electrokinetic chromatography. 1992 , 608, 23-29	139
932	Determination of vasoactive intestinal peptide in rat brain by high-performance capillary electrophoresis. 1992 , 608, 181-8	18
931	Capillary electrophoretic determination of the protease Savinase in cultivation broth. 1992 , 608, 205-10	7
930	Solute partition study in aqueous sodium dodecyl sulfate micellar solutions for some organic reagents and metal chelates. 1992 , 106, 91-99	17
929	Enantiomers resolution in capillary zone electrophoresis by using cyclodextrins. 1992 , 13, 687-90	53
928	Atrazine and simazine determination in river water samples by micellar electrokinetic capillary chromatography. 1992 , 13, 698-700	42
927	Optimization of the resolution of PTH-amino acids through control of surfactant concentration in micellar electrokinetic capillary chromatography: SDS vs. brij 35/SDS micellar systems. 1992 , 4, 145-154	55
926	Reproducibility of migration times and propagation of error in micellar electrokinetic chromatography. 1992 , 4, 399-404	3

925	Novel pseudostationary phase for micellar electrokinetic capillary chromatography. 1992 , 4, 509-514	73
924	Micellar electrokinetic capillary chromatography of glucosinolates and desulfoglucosinolates with a cationic surfactant. 1992 , 15, 271-275	11
923	Reproducibility of sample separation using liquid or forced air convection thermostatted high performance capillary electrophoresis systems. 1992 , 15, 517-525	13
922	A monomolecular pseudostationary phase for micellar electrokinetic capillary chromatography. 1992 , 15, 756-762	112
921	Utilization of polyethylene glycol for the separation of chlorophenols by capillary isotachopheresis. 1993 , 283, 917-921	9
920	Separation of reduced and oxidized glutathione by micellar electrokinetic capillary chromatography. 1993 , 7, 220-6	6
919	Kapillarelektrophorese: Methoden und Möglichkeiten. 1993 , 105, 659-680	23
918	High-performance capillary electrophoresis of glycoconjugates. 1993 , 14, 373-89	85
917	Measurement of thermodynamic quantities of micellar solubilization by micellar electrokinetic chromatography with sodium dodecyl sulfate. 1993 , 5, 23-33	78
916	Effects of 1-alkanols on separation performance in micellar electrokinetic capillary chromatography. 1993 , 5, 95-99	16
915	Effect of the dodecyl sulfate counter ion on selectivity and resolution in micellar electrokinetic capillary chromatography: SDS vs. Mg(DS) ₂ . 1993 , 5, 347-360	20
914	Pharmacokinetic studies using micellar electrokinetic capillary chromatography with in vivo capillary ultrafiltration probes. 1993 , 615, 327-33	19
913	Enantiomeric separation by micellar electrokinetic chromatography. 1993 , 12, 125-130	58
912	Prediction of the migration behavior of organic acids in micellar electrokinetic chromatography. 1993 , 632, 177-84	41
911	Cyclodextrin-modified micellar electrokinetic chromatography: Separation of hydrophobic and enantiomeric compounds. 1993 , 636, 47-55	198
910	Identification of gonadorelin (LHRH) derivatives: comparison of reversed-phase high-performance liquid chromatography and micellar electrokinetic chromatography. 1993 , 636, 87-94	26
909	Comparison of selectivities of reversed-phase high-performance liquid chromatography, capillary zone electrophoresis and micellar capillary electrophoresis in the separation of neurohypophyseal peptides and analogues. 1993 , 636, 95-103	31
908	Resolution of diastereomeric phosphoramidate bridged unnatural oligonucleotides by micellar electrokinetic chromatography. 1993 , 636, 113-123	9

907	Optimization of capillary zone electrophoresis-electrospray mass spectrometry for cationic and anionic laser dye analysis employing opposite polarities at the injector and interface. 1993 , 639, 303-316	21
906	Borate complexation of flavonoid-O-glycosides in capillary electrophoresis. 1993 , 628, 153-160	80
905	Separation of aniline derivatives by micellar electrokinetic chromatography. 1993 , 653, 109-114	26
904	Double-chain surfactant as a new and useful micelle-forming reagent for micellar electrokinetic chromatography. 1993 , 648, 469-473	40
903	Separation and simultaneous determination of the active ingredients in theophylline tablets by micellar electrokinetic capillary chromatography. 1993 , 630, 363-369	31
902	Optical resolution by high-performance capillary electrophoresis. Micellar electrokinetic chromatography with sodium N-dodecanoyl-L-glutamate and digitonin. 1993 , 652, 253-7	53
901	Micellar electrokinetic capillary chromatography theory based on conventional chromatography. 1993 , 655, 309-16	21
900	Effects of organic mobile phase modifiers on elution and separation of beta-blockers in micellar electrokinetic capillary chromatography. 1993 , 655, 317-24	38
899	Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis-electrospray mass spectrometry. 1993 , 652, 369-76	60
898	Investigation of the metabolism of the neuroleptic drug haloperidol by capillary electrophoresis. 1993 , 652, 417-26	29
897	Separation of gangliosides using cyclodextrin in capillary zone electrophoresis. 1993 , 652, 431-9	27
896	Determination of theophylline in plasma using different capillary electrophoretic systems. 1993 , 652, 487-93	25
895	Micellar electrokinetic capillary chromatography analysis of the behavior of bilirubin in micellar solutions. 1993 , 652, 525-33	12
894	Optimization of phenylthiohydantoinamino acid separation by micellar electrokinetic capillary chromatography. 1993 , 638, 327-334	40
893	Towards miniaturized electrophoresis and chemical analysis systems on silicon: an alternative to chemical sensors. 1993 , 10, 107-116	122
892	Separation of 13-cis and all-trans retinoic acid and their photodegradation products using capillary zone electrophoresis and micellar electrokinetic chromatography (MEC). 1993 , 11, 829-33	23
891	Application of electrokinetic chromatography to pharmaceutical analysis. 1993 , 11, 1277-87	29
890	Sample stacking effects and large injection volumes in micellar electrokinetic chromatography of ionic compounds: Direct determination of iso- α -acids in beer. 1993 , 36, 323-329	40

889	Effect of organic solvents on solute migration and separation in capillary zone electrophoresis. 1993 , 35, 497-502	63
888	Resolution optimization in micellar electrokinetic chromatography: Use of overlapping resolution mapping scheme in the analysis of dinitrophenyl derivatized amino acids. 1993 , 35, 560-566	40
887	Analysis of neutral and sialylated N-linked oligosaccharides by micellar electrokinetic capillary chromatography with addition of a divalent cation. 1993 , 37, 415-422	20
886	Optimization of precision and throughput in micellar electrokinetic chromatography. 1993 , 37, 149-155	10
885	Use of a microemulsion system to incorporate a lipophilic chiral selector in electrokinetic capillary chromatography. 1993 , 35, 448-450	92
884	Effect of urea concentration on the base-specific separation of oligodeoxynucleotides in capillary affinity gel electrophoresis. 1993 , 652, 93-9	17
883	Timescales of transient processes in capillary electrophoresis. 1993 , 652, 263-275	33
882	Chiral separations by complexation with proteins in capillary zone electrophoresis. 1993 , 635, 119-126	142
881	Studies of Migration Time Reproducibility of Capillary Electrophoretic Protein Separations. 1993 , 16, 51-68	44
880	Separation of Lisinopril and Its RSS Diastereoisomer by Micellar Electrokinetic Chromatography. 1993 , 16, 3713-3734	20
879	Micellar Electrokinetic Capillary Chromatography with Cationic Surfactants. 1993 , 16, 2161-2187	52
878	Enantiomeric Separation by Micellar Electrokinetic Chromatography Using Saponins. 1993 , 16, 933-944	60
877	Analytical Instrumentation and Computational Methods for Generating and Optimizing Solvent-Gradients in Micellar Electrokinetic Capillary Chromatography. 1993 , 21, 25-41	9
876	Micellar Electrokinetic Chromatographic Separation of Basic Polypeptides with Equal Mass to Charge Ratio Using Dynamically Modified Silica Capillaries. 1993 , 16, 2961-2975	13
875	Characterization of Polyaromatic Hydrocarbon Mixtures by Micellar Electrokinetic Capillary Chromatography. 1993 , 3, 121-135	15
874	Factors Influencing the Separation of Ionic and Non-Ionic Chemical Natural Compounds in Plant Extracts by Capillary Electrophoresis. 1993 , 16, 3735-3755	33
873	Analysis of Hemolymph Ecdysteroids in the Crayfish <i>Procambarus clarkii</i> by High Performance Capillary Electrophoresis. 1993 , 59, 1793-1799	7
872	Molar Volume Effect of Pyridylazophenols and Their Metal Chelates on Their Distribution between Aqueous Micellar Pseudophases in Triton X-100 Micellar Solutions. 1993 , 66, 3676-3679	4

871	Peptide Analysis Protocols. 1994 ,	5
870	Comparison of Micellar Electrokinetic Capillary Chromatography and High-Performance Liquid Chromatography on the Separation and Determination of Caffeine and Its Analogues in Pharmaceutical Tablets. 1994 , 27, 927-937	22
869	Study on Phosphate of Ethylenediamine, 1,3-Diaminopropane and 1,4-Diaminobutane as Carrying Electrolyte in Open-Tubular Capillary Electrophoresis. 1994 , 17, 1953-1969	12
868	Principles and practice of peptide analysis with capillary zone electrophoresis. 1994 , 36, 65-83	1
867	Quantitation of the hydroxyl radical adducts of salicylic acid by micellar electrokinetic capillary chromatography: oxidizing species formed by a Fenton reaction. 1994 , 68, 428-33	23
866	Terminology and nomenclature in capillary electroseparation systems. 1994 , 680, 3-13	84
865	Micellar electrokinetic chromatography using high-molecular surfactants use of butyl acrylate-butyl methacrylate-methacrylic acid copolymers sodium salts as pseudo-stationary phases. 1994 , 680, 117-123	76
864	Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers. 1994 , 669, 151-183	9
863	Separation of enantiomers by capillary electrophoretic techniques. 1994 , 666, 295-319	254
862	Effect of physico-chemical properties and molecular structure on the micelle/water partition coefficient in micellar electrokinetic chromatography. 1994 , 678, 327-332	54
861	Evaluation of a novel hydrophilic derivatized capillary for protein analysis by capillary electrophoresis-electrospray mass spectrometry. 1994 , 680, 363-73	20
860	Capillary zone electrophoresis of eleven priority phenols with indirect fluorescence detection. 1994 , 663, 229-237	53
859	Micellar electrokinetic chromatographic/ultraviolet diode array analysis of <i>Eleutherococcus senticosus</i> . 1994 , 5, 305-308	5
858	Micellar electrokinetic capillary chromatography with in situ charged micelles: II. Evaluation and comparison of octylmaltoside and octylsucrose surfactants as anionic borate complexes in the separation of herbicides. 1994 , 6, 127-138	39
857	Effect of the dodecyl sulfate counterion on selectivity and resolution in micellar electrokinetic chromatography: II. Organic counterions. 1994 , 6, 139-149	10
856	Microscale determination of dissociation constants of multivalent pharmaceuticals by capillary electrophoresis. 1994 , 83, 1500-7	110
855	The magnitude and reproducibility of the electroosmotic flow in silica capillary tubes. 1994 , 17, 325-334	23
854	Capillary zone electrophoresis of neutral organic molecules in organic aqueous solution. 1994 , 17, 713-718	34

853	Chiral separations by capillary electrophoresis: present state of the art. 1994 , 15, 755-62	62
852	On the possibility of performing chiral wall-coated open-tubular electrochromatography in 50 micron internal diameter capillaries. 1994 , 15, 842-7	35
851	Micellar electrokinetic capillary chromatography with in situ charged micelles: 3. Evaluation of alkylglucoside surfactants as anionic butylboronate complexes. 1994 , 15, 1248-59	35
850	Mixed micellar electrokinetic chromatography of corticosteroids. 1994 , 15, 1260-6	45
849	Effect of organic modifier on resolution of hydrophobic compounds by micellar electrokinetic chromatography. 1994 , 15, 1276-9	12
848	Separation of lipophilic compounds by micellar electrokinetic chromatography with organic modifiers. 1994 , 15, 1280-3	46
847	Micellar electrokinetic chromatographic studies in D2O based buffer solutions. 1994 , 15, 1284-9	11
846	Micellar capillary electrophoresis separation and thermo-optical absorbance detection of products from manual peptide sequencing. 1994 , 15, 1290-4	17
845	Application of micellar electrokinetic chromatography to the quality control of pharmaceutical formulations: the analysis of xanthine derivatives. 1994 , 15, 1304-9	27
844	Determination of benzodiazepines by micellar electrokinetic chromatography. 1994 , 15, 1316-21	24
843	Influence of structure on the behavior of flavonoids in capillary electrophoresis. 1994 , 15, 1326-31	29
842	Analysis of lower aliphatic aldehydes in water by micellar electrokinetic chromatography with derivatization to 2,4-dinitrophenylhydrazones. 1994 , 15, 1332-4	25
841	Capillary electrophoretic separation of nucleotide isomers via complexation with cyclodextrin and borate. 1994 , 657, 365-72	37
840	Separation of fifteen non-steroidal anti-inflammatory drugs using micellar electrokinetic capillary chromatography. 1994 , 657, 173-83	25
839	Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis. 1994 , 685, 303-312	39
838	Micellar electrokinetic capillary chromatography with in situ charged micelles. 1994 , 685, 131-143	52
837	Characterization of food proteins by capillary electrophoresis. 1994 , 685, 331-337	29
836	Zone sharpening of neutral solutes in micellar electrokinetic chromatography with electrokinetic injection. 1994 , 686, 283-291	47

835	Capillary electrokinetic chromatography with a suspension of Chromatographic particles. 1994 , 688, 283-292	37
834	Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt. 1994 , 688, 329-337	47
833	Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography. 1994 , 680, 73-83	35
832	Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography. 1994 , 680, 125-35	102
831	Comparison of micellar electrokinetic chromatography (MEKC) with capillary gas chromatography in the separation of phenols, anilines and polynuclear aromatics potential field-screening applications of MEKC. 1994 , 680, 163-73	34
830	Optimization of separation selectivity in capillary electrophoresis of flavonoids. 1994 , 680, 175-179	30
829	Optical resolution of amino acid derivatives by micellar electrokinetic chromatography with N-dodecanoyl-L-serine. 1994 , 680, 317-20	54
828	Electrochromatography and micro high-performance liquid chromatography with 320 fm I.D. packed columns. 1994 , 670, 15-23	131
827	Analytical study of biomass pyrolysis oils II. Optimization of analytical conditions for the phenolic fraction using micellar electrokinetic chromatography. 1994 , 669, 195-204	6
826	Enhanced micellar electrokinetic capillary chromatography separations on anionic polymer-coated capillary with pH-independent electroosmotic flow. 1994 , 669, 259-262	22
825	Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase. 1994 , 666, 193-201	55
824	Enantiomeric separation of diniconazole and uniconazole by cyclodextrin-modified micellar electrokinetic chromatography. 1994 , 676, 431-436	49
823	Determination of chromate ion in chromium plating baths using capillary zone electrophoresis with micellar solution. 1994 , 676, 443-450	22
822	Characterization of digoxigenin-labeled B-phycoerythrin by capillary electrophoresis with laser-induced fluorescence. Application to homogeneous digoxin immunoassay. 1994 , 680, 425-30	50
821	Separation of charged and neutral isotopic molecules by micellar electrokinetic chromatography in coated capillaries. 1994 , 680, 571-577	26
820	Capillary liquid chromatography-mass spectrometry and micellar electrokinetic chromatography as complementary techniques in environmental analysis. 1994 , 680, 635-644	28
819	In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves. 1994 , 674, 165-205	45
818	Analysis of diastereoisomer impurities in chiral pharmaceutical compounds by capillary electrophoresis. 1994 , 38, 441-446	15

817	Temperature effects in capillary electrophoresis. 1: Internal capillary temperature and effect upon performance. 1994 , 38, 207-214	157
816	Use of capillary electrophoresis to monitor concentrations of organic acids in snow and rain water. 1994 , 158, 21-29	14
815	Separation of metallothionein isoforms by micellar electrokinetic capillary chromatography. 1994 , 664, 129-34	35
814	Partition Characteristics of Metal(II, III) Acetylacetonates between Sodium Dodecyl Sulfate Micelles and Water. 1994 , 23, 349-350	5
813	New Pseudostationary Phases for Electrokinetic Chromatography: A High-Molecular Surfactant and Proteins. 1994 , 41, 251-257	33
812	Capillary Zone Electrophoresis of Eleven Priority Phenols with Amperometric Detection. 1994 , 41, 419-424	16
811	Comparison of Chiral Separations in Capillary Zone Electrophoresis with Other Methods*. 1994 , 22, 119-149	15
810	Indirect detection by semiconductor laser-induced fluorometry in micellar electrokinetic chromatography. 1995 ,	
809	Application of Capillary Electrophoresis for Environmental Analysis. 213-265	
808	Dendrimers as pseudo-stationary phases in elektrokinetic chromatography. 1995 , 18, 121-123	56
807	Micellar electrokinetic chromatography in coated capillaries: Determination of micelle aqueous partition coefficients. 1995 , 18, 171-174	9
806	Simultaneous determination of the electroosmotic flow and pseudo-stationary phase migration time in electrokinetic capillary chromatography. 1995 , 18, 439-442	14
805	Separation of highly hydrophobic compounds in MEKC with an ionic polymer. 1995 , 18, 443-445	39
804	The effect of electroosmotic and hydrodynamic flow profile superposition on band broadening in capillary electrophoresis. 1995 , 18, 741-744	14
803	Separation strategies for the determination of residues of explosives in soils using micellar electrokinetic capillary chromatography. 1995 , 7, 107-116	13
802	Electrokinetic chromatography of diterpenoid alkaloids from <i>Aconitum sinomontanum</i> Nakai. 1995 , 7, 123-126	10
801	Investigation of enantioselective ofloxacin-albumin binding and displacement interactions using capillary affinity zone electrophoresis. 1995 , 9, 68-74	31
800	Separation of polycyclic aromatic hydrocarbons by micellar electrokinetic chromatography with laser fluorescence detection. 1995 , 299, 371-375	32

799	Co-current chromatography: A new mode of liquid-liquid chromatography. 1995 , 307, 173-183	11
798	Selectivity optimization after prediction of the migration behaviour of anions in capillary ion analysis in the presence of micelles. 1995 , 310, 27-42	19
797	Analysis of immunoglobulin G using a capillary electrophoretic affinity assay with protein A and laser-induced fluorescence detection. 1995 , 16, 636-41	34
796	Effect of organic modifier concentrations on electrokinetic migrations in micellar electrokinetic chromatography. 1995 , 16, 1457-62	47
795	A quantitative study on the effect of organic modifiers in micellar electrokinetic chromatography. 1995 , 16, 2100-3	26
794	Study of high-field dispersion in micellar electrokinetic chromatography. 1995 , 16, 2104-20	19
793	Capillary electroseparations of enkephalin-related peptides and protein kinase A peptide substrates. 1995 , 16, 564-73	15
792	Capillary electrophoretic resolution of phosphorylated peptide isomers using micellar solutions and coated capillaries. 1995 , 16, 574-9	19
791	Effect of aliphatic alcohols as mobile phase modifiers on separation of phenylurea and phenoxyalkyl acid herbicides by micellar electrokinetic capillary chromatography. 1995 , 317, 181-188	23
790	Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography. 1995 , 692, 301-10	70
789	Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis. 1995 , 695, 103-111	79
788	Investigation and optimisation of the use of micellar electrokinetic chromatography for the analysis of six cardiovascular drugs. 1995 , 700, 173-8	23
787	On-line coupling of micellar electrokinetic chromatography to electrospray mass spectrometry. 1995 , 712, 219-25	45
786	Separation of phenylenediamine, phenol and aminophenol derivatives by micellar electrokinetic chromatography Comparison of the role of anionic and cationic surfactants. 1995 , 717, 167-179	23
785	Micellar electrokinetic chromatography-mass spectrometry using a high-molecular-mass surfactant on-line coupling with an electrospray ionization interface. 1995 , 716, 69-79	91
784	Migration behavior of niacin derivatives in capillary electrophoresis. 1995 , 718, 233-237	3
783	Micellar electrokinetic capillary chromatography of limonoid glucosides from citrus seeds. 1995 , 718, 187-193	16
782	Rapid determination of logarithmic partition coefficients between n-octanol and water using micellar electrokinetic capillary chromatography. 1995 , 669, 59-66	43

781	A rapid method for the determination of total l-ascorbic acid in fruits and vegetables by micellar electrokinetic capillary chromatography. 1995 , 53, 43-50	54
780	Capillary electrophoresis: a new tool in forensic toxicology. Applications and prospects in hair analysis for illicit drugs. 1995 , 70, 93-104	29
779	Optical resolution of drugs by capillary electrophoretic techniques. 1995 , 694, 245-276	261
778	Ion-exchange electrokinetic capillary chromatography with starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography. 1995 , 694, 463-469	51
777	Application of micellar electrokinetic chromatography and indirect UV detection for the analysis of fatty acids. 1995 , 694, 471-479	55
776	Analysis of metallothionein isoforms by capillary electrophoresis: optimisation of protein separation conditions using micellar electrokinetic capillary chromatography. 1995 , 700, 95-103	36
775	Separation and simultaneous determination of the components in an analgesic tablet formulation by micellar electrokinetic chromatography. 1995 , 695, 97-102	38
774	Parameters controlling the elution window and retention factors in micellar electrokinetic capillary chromatography. 1995 , 696, 273-284	49
773	Structural selectivity provided by starburst dendrimers as pseudostationary phase in electrokinetic chromatography. 1995 , 699, 331-341	64
772	Separation of six phenylureas and chlorsulfuron standards by micellar, mixed micellar and microemulsion electrokinetic chromatography. 1995 , 699, 371-382	46
771	Micellar electrokinetic chromatography using high-molecular-mass surfactants: comparison between anionic and cationic surfactants and effects of modifiers. 1995 , 709, 3-10	59
770	Direct and indirect chiral separation of amino acids by capillary electrophoresis. 1995 , 704, 179-193	99
769	MECCSIM, training software for micellar electrokinetic capillary chromatography. 1995 , 709, 21-29	9
768	Optimization of resolution in micellar electrokinetic chromatography via computer-aided simultaneous variation of concentrations of sodium dodecyl sulfate and urea as modifier. 1995 , 716, 81-95	28
767	Migration behaviour and optimization of selectivity of dichlorophenols in capillary zone electrophoresis. 1995 , 705, 325-333	28
766	Investigation and optimisation of the use of organic modifiers in micellar electrokinetic chromatography. 1995 , 716, 49-55	30
765	Separation of precolumn-labelled d- and l-amino acids by micellar electrokinetic chromatography with UV and fluorescence detection. 1995 , 708, 323-337	29
764	Determination of critical micelle concentration by capillary electrophoresis. Theoretical approach and validation. 1995 , 718, 167-175	59

763	Separation of sulfur containing chemical warfare related compounds in aqueous samples by micellar electrokinetic chromatography. 1995 , 711, 347-352	34
762	Optimisation of selectivity in capillary electrophoresis with emphasis on micellar electrokinetic capillary chromatography. 1995 , 715, 1-11	43
761	Double-chain surfactants with two sulfonate groups as micelle-forming reagents in micellar electrokinetic chromatography of naphthalene derivatives. 1995 , 715, 135-141	21
760	Polymer-supported pseudo-stationary phase for electrokinetic chromatography Electrokinetic chromatography in a full range of methanol-water mixtures with alkylated starburst dendrimers. 1995 , 716, 57-67	60
759	Micellar electrokinetic capillary chromatography using polymeric hollow fibers. 1995 , 41, 295-300	9
758	Optimization strategies in micellar electrokinetic capillary chromatography. 1995 , 40, 175-184	32
757	Optimization strategies in micellar electrokinetic capillary chromatography. Optimization of the temperature of the separation capillary. 1995 , 40, 69-77	22
756	Investigation of the in vitro biotransformation and simultaneous enantioselective separation of thalidomide and its neutral metabolites by capillary electrophoresis. 1995 , 674, 287-92	29
755	. 1995 ,	8
754	Separation of Sulfoxazole, Phenazopyridine, and Their Related Impurities by Micellar Electro-Kinetic Chromatography. 1995 , 18, 3847-3875	10
753	Simultaneous Separation Of Neutral and Acidic Herbicides by Micellar Electrokinetic Capillary Chromatography. 1995 , 58, 121-129	10
752	Chapter 8 High Performance Capillary Electrophoresis of Carbohydrates and Glycoconjugates. 1995 , 58, 267-360	30
751	CE Resolution of Neutral and Anionic Racemates with Glycopeptide Antibiotics and Micelles. 1995 , 18, 3659-3674	45
750	Determination of Platinum(II) in the Presence of Rhodium(III), Ruthenium(III), Osmium(III) and Iridium(III) by Micellar Electrokinetic Capillary Chromatography. 1995 , 28, 917-930	9
749	Porphyrin Synthesis in Surfactant Solution: Multicomponent Assembly in Micelles. 1996 , 61, 3623-3634	50
748	Study of the Polarity and Hydrogen Bond Ability of Sodium Dodecyl Sulfate Micelles by the Kamlet-Taft Solvatochromic Comparison Method. 1996 , 100, 18823-18828	42
747	Mechanism of signal suppression by anionic surfactants in capillary electrophoresis-electrospray ionization mass spectrometry. <i>Analytical Chemistry</i> , 1996 , 68, 3493-7	7.8 153
746	Hydrophobicity of cationic solutes measured by electrokinetic chromatography with cationic microemulsions. <i>Analytical Chemistry</i> , 1996 , 68, 4281-4	7.8 72

745	Mechanistic studies of partial-filling micellar electrokinetic chromatography. <i>Analytical Chemistry</i> , 1996 , 68, 3265-9	7.8	51
744	Micellar electrokinetic chromatography separations and analyses of biological samples on a cyclic planar microstructure. <i>Analytical Chemistry</i> , 1996 , 68, 2044-53	7.8	180
743	Reexamination of Dependence of Plate Number on SDS Concentration in Micellar Electrokinetic Chromatography. <i>Analytical Chemistry</i> , 1996 , 68, 4270-80	7.8	19
742	Characterization of the Cationic Surfactant Induced Reversal of Electroosmotic Flow in Capillary Electrophoresis. <i>Analytical Chemistry</i> , 1996 , 68, 300-305	7.8	144
741	Silver(I)-mediated separations by capillary zone electrophoresis and micellar electrokinetic chromatography: argentation electrophoresis. <i>Analytical Chemistry</i> , 1996 , 68, 415-24	7.8	20
740	Capillary electrophoresis-fluorescence line-narrowing system for on-line structural characterization of molecular analytes. <i>Analytical Chemistry</i> , 1996 , 68, 2549-53	7.8	27
739	The role of surfactants in capillary electroosmosis and electrophoresis. 1996 , 31, 2363-2379		
738	Chapter 6 Micellar chromatography. 1996 , 323-391		
737	Chapter 12. Capillary Electrophoresis/Mass Spectrometry Applied to Environmental Analysis. 1996 , 481-527		3
736	Hormones in the red swamp crayfish. 1996 , 627-687		1
735	Micellar Electrokinetic chromatography. 1996 , 270, 319-41		7
734	Equilibrium Study on Interactions between Proteins and Bile-Salt Micelles by Micellar Electrokinetic Chromatography.. 1996 , 12, 569-573		10
733	Detection of a Specific DNA Fragment by Free-Solution Capillary Electrophoresis Using a Fluorescent DNA Probe Measured by Semiconductor Laser-Induced Fluorometry.. 1996 , 12, 875-880		8
732	Determination of orotic acid in aqueous solutions by micellar electrokinetic capillary chromatography using sensitized lanthanide-ion luminescence detection. 1996 , 42, 12-16		12
731	Comparative study of the use of high-performance liquid chromatography and capillary electrophoresis for determination of phenolic compounds in water samples. 1996 , 43, 619-624		26
730	Principles and practice of peptide analysis with capillary zone electrophoresis. 1996 , 5, 263-73		3
729	Improved reproducibility in capillary electrophoresis through the use of mobility and migration time ratios. 1996 , 735, 209-220		61
728	Micellar electrokinetic capillary chromatography with in-situ charged micelles VI. Evaluation of novel chiral micelles consisting of steroidal-glycoside surfactant-borate complexes. 1996 , 724, 285-296		59

727	Separation of piperidine-2,6-dione drug enantiomers by micellar electrokinetic capillary chromatography using synthetic chiral surfactants. 1996 , 724, 307-316	26
726	Enantiomer separation of drugs by electrokinetic chromatography. 1996 , 735, 57-76	123
725	Determination of solute-micelle association constants for a group of benzene derivatives and polycyclic aromatic hydrocarbons with sodium dodecyl sulphate by micellar electrokinetic chromatography. 1996 , 732, 345-359	27
724	Mixed micelles of short chain alkyl surfactants and bile salts in electrokinetic chromatography: enhanced separation of corticosteroids. 1996 , 738, 275-83	40
723	Effect of alkyl chain length of sodium N-acyl sarcosinates on migration behavior in micellar electrokinetic chromatography. 1996 , 744, 135-139	23
722	Analysis of chlorophenoxy acid herbicides by cyclodextrin-modified capillary electrophoresis. 1996 , 745, 217-223	45
721	Indirect determination of octanol-water partition coefficients by microemulsion electrokinetic chromatography. 1996 , 744, 141-146	90
720	Comparative analysis of somatostatin analog peptides by capillary electrophoresis and micellar electrokinetic chromatography. 1996 , 17, 758-61	4
719	Calculation of modified capacity factor in micellar electrokinetic chromatography. 1996 , 17, 762-5	7
718	Temperature profile of buffer-filled electrophoresis capillaries using air convection cooling. 1996 , 17, 1115-20	21
717	Electrokinetic chromatography in suppressed electroosmotic flow environment: use of a charged cyclodextrin for the separation of enantiomers and geometric isomers. 1996 , 17, 1575-83	63
716	Micellar electrokinetic capillary chromatography of three natural vitamin A derivatives. 1996 , 17, 1617-21	15
715	Optimization of selectivity and resolution in micellar electrokinetic capillary chromatography with a mixed micellar system of sodium dodecyl sulfate and sodium cholate. 1996 , 17, 1931-7	21
714	Alcohol modifiers in MEKC with SDS as surfactant. Study on the influence of the alcohol chain length (C1-C12). 1996 , 19, 674-678	26
713	Partition behaviour of antioxidative phenolic compounds in heterophasic systems. 1996 , 98, 115-121	69
712	A novel sulfate polymer as a pseudo-stationary phase for micellar electrokinetic chromatography. 1996 , 8, 115-121	55
711	Effect of temperature on separation efficiency in capillary gel electrophoresis. 1996 , 15, 194-198	8
710	Capillary electrophoresis: principles and applications in illicit drug analysis. 1996 , 77, 211-29	28

709	Comparison of liquid chromatography, capillary electrophoresis and super-critical fluid chromatography in the determination of Losartan Potassium drug substance in Cozaar tablets. 1996 , 14, 1539-46	63
708	Application of capillary electrophoresis to the simultaneous screening and quantitation of benzodiazepines. 1996 , 678, 331-7	37
707	Micellar electrokinetic chromatography in zero-electroosmotic flow environment. 1996 , 683, 29-35	33
706	Migration behaviour and selectivity of dichlorophenols in micellar electrokinetic capillary chromatography Influence of micelle concentration and buffer pH. 1996 , 722, 333-343	35
705	Examination of the origin, variation, and proper use of expressions for the estimation of association constants by capillary electrophoresis. 1996 , 721, 173-186	256
704	Determination of structurally related phenothiazines by capillary zone electrophoresis and micellar electrokinetic chromatography. 1996 , 735, 395-402	39
703	Optimized micellar electrokinetic chromatographic separation of benzodiazepines. 1996 , 735, 249-261	29
702	Electrokinetic behaviour of salbutamol and its decomposition products and determination of salbutamol by micellar electrokinetic capillary chromatography. 1996 , 724, 297-306	7
701	Determination of triazine herbicides in water by micellar electrokinetic capillary chromatography. 1996 , 733, 349-360	42
700	Pesticide analysis by micellar electrokinetic capillary chromatography. 1996 , 730, 337-343	39
699	Capillary electrophoresis of Cheddar cheese. 1996 , 731, 305-313	38
698	Enantiomeric separation of local anaesthetic drugs by micellar electrokinetic capillary chromatography with taurodeoxycholate as chiral selector. 1996 , 737, 301-313	32
697	Separation of eleven priority phenols by capillary zone electrophoresis with ultraviolet detection. 1996 , 734, 367-373	74
696	Nonionic surfactants for improving resolution of the priority pollutant phenols by micelle-modified capillary electrophoresis. 1996 , 734, 357-365	21
695	Micellar electrokinetic chromatography as a screening method for the analysis of vanilla flavourings and vanilla extracts. 1996 , 736, 321-332	27
694	Hydrogen-bonding interaction-assisted micellar electrokinetic chromatography using mixed surfactant systems. 1996 , 736, 273-280	32
693	Micellar electrokinetic chromatography perspectives in drug analysis. 1996 , 735, 3-27	119
692	Self-consistent framework for standardising mobilities in free solution capillary electrophoresis: applications to oligoglycines and oligoalanines. 1996 , 741, 99-113	57

691	Determination of fluconazole in human plasma by micellar electrokinetic capillary chromatography with detection at 190 nm. 1996 , 745, 165-72	28
690	Separation of toxic peptides (microcystins) in capillary electrophoresis, with the aid of organic mobile phase modifiers. 1996 , 749, 271-7	28
689	Utilization of in enantiomeric separation by micellar electrokinetic chromatography. 1996 , 749, 257-269	21
688	Equation for the description of the resolution of charged solutes in micellar electrokinetic capillary chromatography. 1996 , 753, 121-131	11
687	Application of spherical and other polymers in capillary zone electrophoresis: separation of antiviral drugs and deoxyribonucleoside phosphates by different principles. 1996 , 756, 263-77	6
686	Evidence of metal binding activities of pentadecapeptide from <i>Panax ginseng</i> . 1996 , 687, 443-8	9
685	Determination of ions, amino acids/amines in the haemolymph of fairy shrimps by capillary electrophoresis with indirect UV and laser-induced fluorescence detection. 1996 , 319, 103-109	
684	Migration behaviour of benzodiazepines in micellar electrokinetic chromatography. 1996 , 756, 279-286	17
683	Chapter 3 Electrokinetic chromatography. 1996 , 81-178	6
682	Study of Water/Sodium Dodecyl Sulfate Micellar Solubilization Thermodynamics for Several Solute Homolog Series by Headspace Gas Chromatography. 1996 , 100, 5050-5062	30
681	Micelle Polymers as Pseudostationary Phases in MEKC: Chromatographic Performance and Chemical Selectivity. <i>Analytical Chemistry</i> , 1997 , 69, 1852-1860	7.8 122
680	Micellar Electrokinetic Chromatography Estimation of Critical Micellar Concentration of Sodium Dodecyl Sulphate Systems in Saline Media. 1997 , 20, 1327-1336	
679	Separation of Steroids by Micellar Electrokinetic Capillary Chromatography with Sodium Cholate. 1997 , 35, 259-264	4
678	Separations in Capillary electrophoresis. 1997 , 154-184	1
677	Micellar Electrokinetic Chromatography Using Mixed Sodium Dodecyl Sulfate and Sodium Cholate. 1997 , 20, 167-182	14
676	MEKC und CEC-miniaturisierte Trenntechniken. 1997 , 45, 33-36	1
675	Analysis of the Components of the Fluid in a Single Plant Cell by High-Performance Capillary Electrophoresis.. 1997 , 13, 557-564	8
674	Nano-Scale Monitoring of the Thermally-Induced Unfolding of Proteins Using Capillary Electrophoresis with In-Column Incubation.. 1997 , 13, 931-938	6

673	Capillary Zone Electrophoresis Versus Micellar Electrokinetic Chromatography in The Separation of Sphenols of Environmental Interest. 1997 , 20, 1-20		13
672	Capillary Electrophoresis: A Good Alternative for the Separation of Chiral Compounds of Environmental Interest. 1997 , 20, 1337-1365		17
671	Separation of Nonionic Compounds by CE Using A Lauryl Poly(oxyethylene) Sulfate Additive. <i>Analytical Chemistry</i> , 1997 , 69, 1593-1597	7.8	27
670	Capillary Electrokinetic Chromatography Employing p-(Carboxyethyl)calix[n]arenes as Running Buffer Additives. <i>Analytical Chemistry</i> , 1997 , 69, 344-8	7.8	40
669	Evaluation of a Separation-Based Fiber-Optic Sensor in a Micellar Electrokinetic Capillary Chromatography Mode of Operation. <i>Analytical Chemistry</i> , 1997 , 69, 3806-3811	7.8	7
668	Characterization of Pseudostationary Phases in Micellar Electrokinetic Chromatography by Applying Linear Solvation Energy Relationships and Retention Indexes. <i>Analytical Chemistry</i> , 1997 , 69, 1184-1191	7.8	52
667	Micellar Electrokinetic Capillary Chromatography Method for Direct Determination of Herbicides in Lake Pontchartrain, Louisiana, Sediments. 1997 , 31, 3251-3257		6
666	On-line micellar electrokinetic chromatography-electrospray ionization mass spectrometry using anodically migrating micelles. <i>Analytical Chemistry</i> , 1997 , 69, 1820-6	7.8	68
665	Selectivity in capillary electrophoresis: application to chiral separations with cyclodextrins. <i>Analytical Chemistry</i> , 1997 , 69, 385-92	7.8	93
664	Electrical Conductivity as a Tool for Characterizing Packing Structure in Capillary Electrochromatography. 1997 , 101, 8449-8453		15
663	Behavior and use of nonaqueous media without supporting electrolyte in capillary electrophoresis and capillary electrochromatography. <i>Analytical Chemistry</i> , 1997 , 69, 3251-9	7.8	173
662	Mixed Micelles of Sodium Dodecyl Sulfate and Sodium Cholate: Micellar Electrokinetic Capillary Chromatography and Nuclear Magnetic Resonance Spectroscopy. <i>Analytical Chemistry</i> , 1997 , 69, 1577-1584	7.8	42
661	Determination of Critical Micelle Concentration Values Using Capillary Electrophoresis Instrumentation. <i>Analytical Chemistry</i> , 1997 , 69, 4271-4274	7.8	209
660	Determination of okadaic acid by micellar electrokinetic chromatography with ultraviolet detection. 1997 , 35, 273-81		26
659	Binding of s-triazines to dissolved humic substances: Electrophoretic approaches using Affinity Capillary Electrophoresis (ACE) and Micellar Electrokinetic Chromatography (MEKC). 1997 , 35, 55-75		43
658	Determination of lower aliphatic carbonyl compounds in stack gas as their 2,4-dinitrophenylhydrazones by micellar electrokinetic chromatography. 1997 , 35, 2131-2136		9
657	Sodium dodecyl sulfate-Tween 20 mixed micellar electrokinetic chromatography for separation of hydrophobic cations: application to adrenaline and its precursors. <i>Analytical Chemistry</i> , 1997 , 69, 1332-8	7.8	38
656	Effect of organic modifiers on the capacity factor in micellar electrokinetic chromatography. 1997 , 15, 144-153		2

655	Quantitation of Penicillin G in Medicated Premix Feeds by Micellar Electrokinetic Capillary Chromatography. 1997 , 80, 951-955		8
654	Determination of saikosaponins by micellar electrokinetic capillary chromatography. 1997 , 759, 193-201		20
653	Analysis of prostaglandins by micellar electrokinetic capillary chromatography. 1997 , 761, 277-84		8
652	Separation of hydrophobic compounds by electrokinetic chromatography with tetraalkylammonium ions. 1997 , 764, 323-329		22
651	Migration behaviour of micelle counterions in micellar electrokinetic chromatography: influence on micelle mobility, efficiency and selectivity. 1997 , 764, 127-133		5
650	Investigation of the separation efficiency of hydrophobic compounds in suspension electrokinetic chromatography. 1997 , 768, 320-324		17
649	Micelles as separation media in high-performance liquid chromatography and high-performance capillary electrophoresis: overview and perspective. 1997 , 780, 3-40		137
648	Hydrophilic selectors for selectivity enhancement in capillary electrophoresis. 1997 , 792, 445-454		12
647	Electrokinetic chromatography without electroosmotic flow. 1997 , 792, 125-41		36
646	Selectivity in capillary electrophoresis: the use of proteins. 1997 , 792, 349-69		71
645	Macroporous Polyacrylamide/Poly(ethylene glycol) Matrixes as Stationary Phases in Capillary Electrochromatography. <i>Analytical Chemistry</i> , 1997 , 69, 4499-4507	7.8	312
644	Separation of Di-dansyl amino acids by MEKC with a co-surfactant. 1997 , 44, 267-273		10
643	Thermostating in capillary electrophoresis. 1997 , 44, 129-134		21
642	Micellar electrokinetic capillary chromatography for selected tropane alkaloid analysis in plant extract. 1997 , 46, 351-357		27
641	Multivariate evaluation of the separation performance in micellar electrokinetic capillary chromatography of peptides: Experimental screening. 1997 , 46, 545-554		10
640	New particles as pseudostationary phase for electrokinetic chromatography. 1997 , 45, 249-254		28
639	Evaluation and characterization of pseudo-stationary phases in micellar electrokinetic chromatography. 1997 , 45, 433-434		5
638	Charged native Cyclodextrin as a pseudostationary phase in electrokinetic chromatography. 1997 , 357, 32-36		9

637	Capillary zone electrophoresis and ion-exchange capillary electrochromatography: analytical tools for probing the Hanford nuclear site environment. 1997 , 695, 169-74	44
636	Micellar electrokinetic chromatographic study of the interaction between enkephalin peptide analogs and charged micelles. 1997 , 695, 39-47	21
635	Effect of different surfactants on the separation by micellar electrokinetic chromatography of a complex mixture of dipeptides in urine of prolidase-deficient patients. 1997 , 698, 47-57	10
634	Micellar electrokinetic chromatography as a fast screening method for the determination of the doping agents furosemide and piretanide in urine. 1997 , 688, 71-8	12
633	Determination of pentamidine in serum and urine by micellar electrokinetic chromatography. 1997 , 688, 135-42	4
632	Micellar electrokinetic capillary chromatography as a method for determination of n-octanol/water partition coefficients of pesticides. 1997 , 18, 214-9	16
631	Separation of fungicides by micellar electrokinetic capillary chromatography. 1997 , 18, 235-40	8
630	Phosphated surfactants as pseudostationary phase for micellar electrokinetic chromatography: separation of polycyclic aromatic hydrocarbons. 1997 , 18, 253-9	15
629	Quantitative description of analyte migration behavior based on dynamic complexation in capillary electrophoresis with one or more additives. 1997 , 18, 706-16	61
628	Monomeric and polymeric chiral surfactants as pseudo-stationary phases for chiral separations. 1997 , 18, 853-72	72
627	Electrokinetic chromatography employing an anionic and a cationic beta-cyclodextrin derivative. 1997 , 18, 897-904	46
626	Methods for the estimation of binding constants by capillary electrophoresis. 1997 , 18, 2194-202	149
625	Developments in amino acid analysis using capillary electrophoresis. 1997 , 18, 2377-92	71
624	Redefining the separation factor: a potential pathway to a unified separation science. 1997 , 18, 2928-34	23
623	Resolution of the diastereomers of a large synthetic peptide by capillary electrophoresis using nonionic surfactants. 1997 , 18, 2944-9	8
622	Starburst dendrimer-supported pseudostationary phases for electrokinetic chromatography. 1997 , 20, 529-538	15
621	Analysis of Anthraquinones by Micellar Electrokinetic Capillary Chromatography. 1997 , 8, 135-138	7
620	Separation, determination of solute-micelle association constants, and hydrophobicity quantitation for a group of dihydropyridines by micellar electrokinetic chromatography. 1997 , 9, 87-95	4

619	Evaluation of Distribution Constants of Lanthanoid(III) Acetylacetonates between Sodium Dodecyl Sulfate Micelles and Water by Micellar Capillary Electrophoresis. <i>Journal of Colloid and Interface Science</i> , 1997 , 195, 404-7	9.3	6
618	Separation of retinoids by micellar electrokinetic capillary chromatography. 1997 , 761, 307-313		14
617	Separation of free and glucuronidated opioids by capillary electrophoresis in aqueous, binary and micellar media. 1997 , 764, 157-168		21
616	Migration behaviour of monovalent weak acids in micellar electrokinetic chromatography mobility model versus retention model. 1997 , 765, 295-306		29
615	Complete resolution of imidodipeptide mixtures in urine of prolidase-deficient patients using micellar electrokinetic chromatography. 1997 , 768, 57-66		16
614	Determination of diffusion coefficients and separation numbers in micellar electrokinetic chromatography. 1997 , 766, 187-195		16
613	Purity control of carbamazepine by micellar electrokinetic chromatography. 1997 , 768, 113-123		11
612	Determination of cinnamaldehyde, cinnamic acid, paeoniflorin, glycyrrhizin and [6]-gingerol in the traditional Chinese medicinal preparation Kuei-chih-tang by cyclodextrin-modified micellar electrokinetic chromatography. 1997 , 771, 267-274		25
611	Optimization of resolution in micellar electrokinetic chromatography via computer-aided variation of concentrations of sodium dodecyl sulfate and acetonitrile as modifier. 1997 , 772, 27-38		24
610	Application of particles as pseudo-stationary phases in electrokinetic chromatography. 1997 , 780, 63-73		29
609	Use of different surfactants (sodium dodecyl sulfate, bile salts and ionic polymers) in micellar electrokinetic capillary chromatography application to the separation of organophosphorus pesticides. 1997 , 778, 201-205		23
608	Micellar chromatography of inorganic compounds. 1997 , 780, 343-360		30
607	Micellar electrokinetic chromatography-mass spectrometry. 1997 , 780, 207-18		49
606	Evaluation of distribution coefficients in micellar liquid chromatography. 1997 , 780, 103-116		23
605	Retention indices in micellar electrokinetic chromatography. 1997 , 780, 117-127		18
604	Pharmaceutical applications of micelles in chromatography and electrophoresis. 1997 , 780, 243-64		85
603	Analysis of environmental pollutants by capillary electrophoresis with emphasis on micellar electrokinetic chromatography. 1997 , 780, 297-328		30
602	Micelle polymers, polymer surfactants and dendrimers as pseudo-stationary phases in micellar electrokinetic chromatography. 1997 , 780, 75-92		77

601	Some reflections on speed and efficiency of modern chromatographic methods. 1997 , 778, 3-21	348
600	Microemulsions in separation sciences. 1997 , 780, 93-102	134
599	Prediction of the migration behavior of analytes in capillary electrophoresis based on three fundamental parameters. 1997 , 781, 23-34	24
598	Molecular recognition with micellar and micelle-like aggregates in aqueous media. 1997 , 780, 179-189	16
597	Effect of the polar groups of anionic surfactant on migration behavior in micellar electrokinetic chromatography. 1997 , 781, 11-16	15
596	Micellar electrokinetic chromatography of long chain saturated and unsaturated free fatty acids with neutral micelles. 1997 , 792, 165-177	32
595	Micelles as pseudo-stationary phases in micellar electrokinetic chromatography. 1997 , 780, 41-61	86
594	Polyallamine-supported pseudo-stationary phases for electrokinetic chromatography Effect of alkyl chain length of the pseudo-stationary phase and methanol content of aqueous buffer on the separation of hydrophobic compounds. 1997 , 781, 139-150	36
593	Achiral selectivity in cyclodextrin-modified capillary electrophoresis. 1997 , 792, 431-44	45
592	Selectivity in capillary electrophoresis in the presence of micelles, chiral selectors and non-aqueous media. 1997 , 792, 13-35	94
591	Simultaneous use of urea and acetonitrile as organic modifiers for optimization of resolution in micellar electrokinetic chromatography. 1997 , 792, 157-163	23
590	Separation of hydroxylated and methoxylated flavonoids by micellar electrokinetic capillary chromatography. 1997 , 791, 289-297	19
589	Application of cyclodextrin-modified micellar electrokinetic chromatography to the separations of selected neutral pesticides and their enantiomers. 1997 , 792, 419-429	64
588	Highly efficient separation of amines by electrokinetic chromatography using resorcarene-octacarboxylic acids as pseudostationary phases. 1997 , 792, 143-149	28
587	Separation of neutral substances by non-aqueous capillary electrophoresis through interactions with cationic additives. 1997 , 792, 475-482	33
586	Analytical chemistry of chlorpyrifos and diuron in aquatic ecosystems. 1998 , 360, 1-16	56
585	Micellar electrokinetic chromatography of highly hydrophobic peptides. 1998 , 372, 273-279	10
584	Separation of nucleotides using micellar electrokinetic capillary chromatography. 1998 , 806, 199-207	13

583	On-line coupling of partial-filling micellar electrokinetic chromatography with mass spectrometry. 1998 , 802, 3-15	56
582	Control of migration time window and selectivity in electrokinetic chromatography with mixed polymeric pseudostationary phases. 1998 , 802, 23-33	34
581	Characterization of mixed micellar pseudostationary phases in electrokinetic chromatography using linear solvation energy relationships. 1998 , 802, 35-47	43
580	Migration behavior and separation of tetracycline antibiotics by micellar electrokinetic chromatography. 1998 , 802, 95-105	25
579	Salt effects in capillary zone electrophoresis. 1998 , 809, 159-171	25
578	Capillary electrophoretic separation of polynuclear aromatic hydrocarbons using sodium cholate in mixed aqueous-organic buffers. 1998 , 817, 307-311	16
577	Strategy for selecting separation solutions in capillary electrophoresis-mass spectrometry. 1998 , 817, 49-57	55
576	Separation of ergot alkaloids by micellar electrokinetic capillary chromatography using cationic Gemini surfactants. 1998 , 822, 281-290	19
575	Improved resolution of inorganic anions in capillary electrophoresis by modification of the reversed electroosmotic flow and the anion mobility with mixed surfactants. 1998 , 804, 319-325	38
574	On-line micellar electrokinetic chromatography-mass spectrometry with a high-molecular-mass surfactant. 1998 , 794, 317-325	52
573	Separation of tea polyphenols using micellar electrokinetic chromatography with diode array detection. 1998 , 799, 309-320	71
572	Determination of vitamins in food based on supercritical fluid extraction prior to micellar electrokinetic capillary chromatographic analyses of individual vitamins. 1998 , 802, 233-41	32
571	Characterisation of retention in micellar high-performance liquid chromatography and in micellar electrokinetic chromatography using lipophilicity and polarity indices. 1998 , 807, 57-70	19
570	Use of several anionic surfactants for the separation of aniline derivatives in micellar electrokinetic chromatography. 1998 , 817, 59-63	11
569	Dendrimers-Branching out from curiosities into new technologies. 1998 , 23, 1-56	543
568	The effects of a mixture of charged and neutral additives on analyte migration behavior in capillary electrophoresis. 1998 , 19, 388-96	23
567	Rapid estimation of octanol-water partition coefficients of pesticides by micellar electrokinetic chromatography. 1998 , 19, 1719-27	15
566	Chiral separation of polychlorinated biphenyls by micellar electrokinetic chromatography with sodium cholate. 1998 , 19, 2113-8	26

565	Strategies for capillary electrophoresis: method development and validation for pharmaceutical and biological applications. 1998 , 19, 2695-752		174
564	Roles of Organic Modifiers in Micellar Electrokinetic Capillary Chromatography. 1998 , 21, 234-240		10
563	Influence of Counter Pressure on Separation Performance in SDS-MEKC. 1998 , 21, 435-439		12
562	Chromatographic Properties of Miniaturized Silica Rod Columns. 1998 , 21, 477-479		80
561	Silver (I)-Mediated Separations by Nonaqueous Capillary Electrophoresis: Nonaqueous Argentation Electrophoresis. 1998 , 21, 498-504		8
560	Separation and determination of pesticides by capillary electrophoresis. I. Rapid separation of fifteen N-methylcarbamate insecticides via micellar electrokinetic chromatography. 1998 , 10, 239-247		19
559	Application of capillary electrophoresis to the separation of structurally diverse N-(substituted)-glycine-peptoid combinatorial mixtures. 1998 , 705, 341-50		3
558	Development of a capillary electrophoretic separation of an N-(substituted)-glycine-peptoid combinatorial mixture. 1998 , 707, 247-55		6
557	Choice of capillary electrophoresis systems for the impurity profiling of drugs. 1998 , 16, 1251-60		17
556	Determination of losartan and its degradates in COZAAR tablets by reversed-phase high-performance thin-layer chromatography. 1998 , 17, 671-7		65
555	Micellar electrokinetic chromatography. 1998 , 9, 253-71		9
554	Separation of paclitaxel and related taxanes by micellar electrokinetic capillary chromatography. <i>Analytical Chemistry</i> , 1998 , 70, 897-906	7.8	9
553	P-sulfonic Calix[4]Arene as Running Buffer Additive in Electrokinetic Chromatography. 1998 , 21, 3111-3124		3
552	Use of triethylenetetraminehexaacetic Acid combined with field-amplified sample injection in speciation analysis by capillary electrophoresis. <i>Analytical Chemistry</i> , 1998 , 70, 2666-75	7.8	44
551	Enantiomeric Separation of Dansyl-Derivatized dl-Amino Acids by β -Cyclodextrin-Modified Micellar Electrokinetic Chromatography. 1998 , 46, 979-985		17
550	Separation and quantification by ion-association capillary zone electrophoresis of unsaturated disaccharide units of chondroitin sulfates and oligosaccharides derived from hyaluronan. <i>Analytical Chemistry</i> , 1998 , 70, 4780-6	7.8	25
549	Polymeric Anionic Surfactant for Electrokinetic Chromatography: Separation of 16 Priority Polycyclic Aromatic Hydrocarbon Pollutants. <i>Analytical Chemistry</i> , 1998 , 70, 3078-3083	7.8	93
548	Study of the Polarity and Hydrogen-Bond Ability of Dodecyltrimethylammonium Bromide Micelles by the Kamlet π ft Solvatochromic Comparison Method. 1998 , 102, 1888-1895		43

547	A micellar electrokinetic chromatographic method for determination of solubilization isotherms in surfactant micelles. <i>Analytical Chemistry</i> , 1998 , 70, 1389-93	7.8	15
546	Chiral separations using dipeptide polymerized surfactants: effect of amino acid order. <i>Analytical Chemistry</i> , 1998 , 70, 1375-81	7.8	72
545	MEKC analysis of different Echinacea species. 1998 , 64, 649-52		33
544	A Linear Solvation Energy Relationship Study of the Effects of Surfactant Chain Length on the Chemical Interactions Governing Retention and Selectivity in Micellar Electrokinetic Capillary Chromatography Using Sodium Alkyl Sulfate Elution Buffers. 1998 , 33, 2075-2100		35
543	The Statistical Evaluation of Migration Parameters of Flavonoids in Capillary Electrophoresis with Reference to Structural Descriptors. 1998 , 21, 625-643		2
542	Separation of aromatic acids, DOPA, and methyl-DOPA by capillary electrophoresis with dendrimers as buffer additives. 1998 , 36, 146-54		18
541	Effect of β -Cyclodextrin and Organic Modifier on Resolution of Nitro-Polycyclic Aromatic Hydrocarbons in Micellar Electrokinetic Chromatography. 1998 , 31, 1461-1472		3
540	Separation and Determination of Yellow Gardenia Pigments for Food and Iridoid Constituents in Gardenia Fruits by Micellar Electrokinetic Chromatography.. 1998 , 4, 54-58		11
539	Micellar Electrokinetic Chromatography. 1998 , 71, 2465-2481		33
538	Determination of Critical Micelle Concentration of Anionic Surfactants by Capillary Electrophoresis Using 2-Naphthalenemethanol as a Marker for Micelle Formation.. 1998 , 14, 379-382		77
537	Simultaneous Analysis of Individual Catechins, Caffeine, and Ascorbic Acid in Commercial Canned Green and Black Teas by Micellar Electrokinetic Chromatography.. 1998 , 14, 435-438		36
536	Analysis of Elderberry Pigments in Commercial Food Samples by Micellar Electrokinetic Chromatography.. 1998 , 14, 839-844		31
535	Electrically Driven Microseparation Methods for Pesticides and Metabolites: I. Micellar Electrokinetic Capillary Chromatography of Carbamate Insecticides with MEGA-Borate and SDS Surfactants. 1999 , 82, 1542-1549		7
534	Separation of urea, uric acid, creatine, and creatinine by micellar electrokinetic capillary chromatography with sodium cholate. 1999 , 37, 45-50		25
533	Chip technology for micro-separation. 1999 , 129-177		1
532	Development of capillary electrophoresis as an alternative to high resolution agarose electrophoresis for the diagnosis of multiple sclerosis. 1999 , 37, 37-45		9
531	Separation and simultaneous determination of nalidixic acid, hydroxynalidixic acid and carboxynalidixic acid in serum and urine by micellar electrokinetic capillary chromatography. 1999 , 724, 319-24		9
530	Charged cyclodextrin-mediated sample stacking in micellar capillary electrophoresis. A simple method for enhancing the detection sensitivity of hydrophobic compounds. 1999 , 731, 369-81		26

529	Capillary electrophoresis as a versatile tool for the bioanalysis of drugs--a review. 1999 , 20, 831-63	75
528	Multivariate evaluation of organic modifier effects on the separation performance of peptides in micellar electrokinetic chromatography. 1999 , 831, 293-309	19
527	Chemical modification of analytes in speciation analysis by capillary electrophoresis, liquid chromatography and gas chromatography. 1999 , 834, 45-63	32
526	Detection of neutral and charged mutations in alpha- and beta-human globin chains by capillary zone electrophoresis in isoelectric, acidic buffers. 1999 , 832, 225-38	18
525	Selective fluorescence derivatization and capillary electrophoretic separation of amidated amino acids. 1999 , 832, 211-224	6
524	Analysis of inorganic cations as their complexes by capillary electrophoresis. 1999 , 834, 277-308	61
523	Use of micellar partition in capillary isotachophoretic focusing. 1999 , 832, 265-271	7
522	Ion-interaction high-performance liquid chromatography and micellar electrokinetic capillary chromatography: two complementary techniques for the separation of aromatic sulfonated compounds. 1999 , 845, 257-271	30
521	Micellar electrokinetic chromatography as a fast screening method for the determination of 1,4-dihydropyridine calcium antagonists. 1999 , 836, 189-99	25
520	Control of separation selectivity in capillary zone electrophoresis of inorganic anions. 1999 , 834, 213-232	28
519	Effects of electrokinetic chromatography conditions on the structure and properties of polyallylamine-supported pseudo-stationary phase: A study by dynamic light scattering. 1999 , 836, 295-303	12
518	Development of capillary electrophoresis methods for the analysis of fluoroquinolones and application to the study of the influence of humic substances on their photodegradation in aqueous phase. 1999 , 837, 253-265	107
517	Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. 1999 , 848, 387-400	22
516	Equilibrium analysis of reactions between aromatic anions and nonionic surfactant micelles by capillary zone electrophoresis. 1999 , 853, 55-61	24
515	pH effects on micelle-water partitioning determined by micellar electrokinetic chromatography. 1999 , 852, 559-71	13
514	Widening of the elution window in micellar electrokinetic chromatography with cationic surfactants. II. Cationic additives and modifiers of the electroosmotic flow. 1999 , 855, 669-79	11
513	Simultaneous separation of sixteen positional and optical isomers of the tryptophan family by ligand-exchange micellar electrokinetic chromatography. 1999 , 49, 436-443	40
512	Separation of aromatic sulfonate compounds by coelectroosmotic micellar electrokinetic chromatography. 1999 , 50, 229-234	9

511	Determination of critical micelle concentration of SDS in formamide by capillary electrophoresis. 1999 , 50, 739-744		22
510	Application of Temperature and Applied Voltage Programming in Micellar Electrokinetic Capillary Chromatography. 1999 , 22, 443-448		6
509	Adjusting selectivity in micellar electrokinetic capillary chromatography with 1,2-hexanediol. 1999 , 20, 100-10		12
508	Electrokinetic chromatography of twelve monomethylbenz[a]anthracene isomers using a polymerized anionic surfactant. 1999 , 20, 145-51		28
507	Simultaneous separation and enantioresolution of racemic local anesthetic drugs by capillary zone electrophoresis with Tween 20 and methyl-beta-cyclodextrin as selectors, employing a double plug technique. 1999 , 20, 204-11		13
506	Discontinuous electrokinetic chromatography of parabens using different substituted resonances as pseudostationary phases. 1999 , 20, 92-9		14
505	A novel normalized retention factor in micellar electrokinetic chromatography. 1999 , 20, 1561-7		7
504	Interactions of hydroxy-s-triazines with sodium dodecyl sulfate-micelles investigated by micellar capillary electrophoresis. 1999 , 20, 1568-77		20
503	Manipulation of separation selectivity for alkali metals and ammonium in ion-exchange capillary electrochromatography using a suspension of cation exchange particles in the electrolyte as a pseudostationary phase. 1999 , 20, 1987-92		27
502	Explorations of alkyl polyols as "class I" organic modifiers to adjust selectivity in micellar electrokinetic capillary chromatography. 1999 , 20, 2390-9		20
501	Comparison between capillary and polyacrylamide gel electrophoresis for identification of Lolium species and cultivars. 1999 , 20, 2524-32		6
500	Chiral separation of dansyl-DL-amino acids with micellar systems containing copper (II) ion and N-n-dodecyl-L-proline in electrokinetic capillary chromatography. 1999 , 20, 2761-5		12
499	Enantioseparations by capillary electrophoresis using chiral glycosidic surfactants. I. Evaluation of cyclohexyl-pentyl-beta-D-maltoside surfactant. 1999 , 20, 2766-71		9
498	Selectivity in capillary electrokinetic separations. 1999 , 20, 2989-3010		34
497	Multi-residue analysis of N-methylcarbamate pesticides and their hydrolytic metabolites in environmental waters by use of solid-phase extraction and micellar electrokinetic chromatography. 1999 , 20, 3439-49		40
496	Separation of fluorescently derivatized deuterated isotopomers of phenylalanine using micellar electrokinetic chromatography and flow counterbalanced micellar electrokinetic chromatography. 1999 , 11, 175-183		4
495	Theoretical Migration Model for Micellar Capillary Electrophoresis and Its Application to the Separation of Anionic Metal Complexes of HEDTC and CDTA. <i>Analytical Chemistry</i> , 1999 , 71, 1826-33	7.8	17
494	Symmetry breaking during the formation of beta-cyclodextrin-imidazole inclusion compounds: capillary electrophoresis study. <i>Analytical Chemistry</i> , 1999 , 71, 2046-52	7.8	32

493	Capillary electrophoresis in food analysis. 1999 , 10, 87-93	15
492	Capillary electrophoresis of peptides and proteins using isoelectric buffers. 2001 , Chapter 10, Unit 10.13	
491	Micellar Electrokinetic Capillary Chromatography in the Undergraduate Curriculum: Separation and Identification of the Amino Acid Residues in an Unknown Dipeptide Using Fmoc Derivatization. 1999 , 76, 820	7
490	Characterization of chemical selectivity in micellar electrokinetic chromatography. 4. Effect of surfactant headgroup. <i>Analytical Chemistry</i> , 1999 , 71, 1270-7	7.8 69
489	Comparison of Micellar Electrokinetic Chromatography with HPLC for the Separation of Hematoporphyrin Derivatives. 1999 , 32, 1255-1267	
488	Estimation of Formation Constants of Ternary Cu(II) Complexes with Mixed Amino Acid Enantiomers Based on Ligand Exchange by Capillary Electrophoresis.. 2000 , 16, 837-841	27
487	Micellar Electrokinetic Chromatography. 2000 , 1-35	
486	Reversal Behaviors of the Enantiomer Migration Order and the Stereo-selectivity of Cu(II) Complex with Amino Acid Enantiomers in Ligand Exchange-Micellar Electrokinetic Chromatography.. 2000 , 16, 131-137	37
485	Capillary Electrophoresis in Detection of Chemicals Related to the Chemical Weapons Convention. 2000 ,	
484	Enantiomeric separation of chiral polychlorinated biphenyls by micellar electrokinetic chromatography using mixtures of bile salts and sodium dodecyl sulphate with and without β -cyclodextrin in the separation buffer. 2000 , 12, 33-40	19
483	Separation of various positional isomers of aromatic anions by nonionic micellar electrokinetic chromatography coupled with ion association distribution. 2000 , 12, 107-112	5
482	Electropherogram of capillary zone electrophoresis with effective mobility axis as a transverse axis and its analytical utility. I. Transformation applying the hypothetical electroosmotic flow. 2000 , 21, 360-6	12
481	Measurement of bilirubin partition coefficients in bile salt micelle/aqueous buffer solutions by micellar electrokinetic chromatography. 2000 , 21, 706-14	19
480	Separation of D-lysergic acid diethylamide derivatives using micellar electrokinetic capillary chromatography. 2000 , 21, 724-8	3
479	Separation of closely related peptide substrates of human proteinases by micellar electrokinetic chromatography with anionic and nonionic surfactants. 2000 , 21, 1985-91	7
478	Dual-opposite injection electrokinetic chromatography for the unbiased, simultaneous separation of cationic and anionic compounds. 2000 , 21, 1997-2009	19
477	Separation of a group of N-phenylpyrazole derivatives by micellar electrokinetic chromatography: application to the determination of solute-micelle association constants and estimation of the hydrophobicity. 2000 , 21, 2424-31	8
476	Modelling and optimization of the separation of anions in ion chromatography--capillary electrophoresis. 2000 , 21, 3181-90	17

475	Rapid determination of fungicides in fruit juices by micellar electrokinetic chromatography: use of organic modifiers to enhance selectivity and on-column high-salt stacking to improve sensitivity. 2000 , 21, 3625-33	31
474	Characterization of chemical selectivity in micellar electrokinetic chromatography: V. The effect of the surfactant hydrophobic chain. 2000 , 12, 433-441	24
473	Chiral glycosidic surfactants for enantiomeric separation in capillary electrophoresis. 2000 , 875, 207-33	40
472	Analysis of natural food pigments by capillary electrophoresis. 2000 , 880, 311-22	75
471	New pseudo-stationary phases for electrokinetic capillary chromatography. Complexes between bovine serum albumin and sodium dodecyl sulfate. 2000 , 876, 169-82	5
470	Characterization of chemical selectivity in micellar electrokinetic chromatography. VI. Effects of surfactant counter-ion. 2000 , 888, 229-40	32
469	Open access capillary electrophoresis. A walk up capillary electrophoresis service for the synthetic chemist. 2000 , 888, 219-27	2
468	Determination of cationic surfactants by capillary zone electrophoresis and micellar electrokinetic chromatography with deoxycholate micelles in the presence of large organic solvent concentrations. 2000 , 895, 227-35	30
467	Characterization of cephalosporin transfer between aqueous and colloidal phases by micellar electrokinetic chromatography. 2000 , 871, 439-48	17
466	Resolution optimisation in micellar electrokinetic chromatography using empirical models. 2000 , 867, 247-59	10
465	Chiral separation of amino acids and peptides by capillary electrophoresis. 2000 , 875, 43-88	189
464	New amphiphilic aminosaccharide derivatives as chiral selectors in capillary electrophoresis. 2000 , 875, 295-305	13
463	Characterization of partition and thermodynamic properties of cephalosporins using micellar electrokinetic chromatography in glycodeoxycholic acid solution. 2000 , 873, 237-46	21
462	Enantiomeric separation of selenoaminoacid derivatives by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium dodecyl sulphate and taurodeoxycholic acid. 2000 , 416, 1-7	31
461	Amperometric detection of three purine alkaloids following their separation by micellar electrokinetic capillary chromatography. 2000 , 419, 235-242	33
460	Determination of critical micelle concentrations of anionic surfactants based on ligand exchange micellar electrokinetic chromatography. 2000 , 403, 173-178	31
459	Advanced statistical evaluation of complex formation constant from electrophoretic data. 2000 , 407, 327-336	9
458	Chiral separation of amino acids in biological fluids by micellar electrokinetic chromatography with laser-induced fluorescence detection. 2000 , 745, 389-97	35

457	Application of micellar electrokinetic chromatography for the separation of retinoids. 2000 , 22, 879-85		6
456	Determination of micelle/water partition coefficients of cosmetic preservatives. 2000 , 412, 141-148		15
455	Novel, trifunctional diamine for silica coating in capillary zone electrophoresis. 2000 , 894, 53-61		45
454	Comparison of migration modeling in micellar electrokinetic chromatography by linear regression and by use of an artificial neural network. 2000 , 52, 607-613		6
453	Capillary Zone Electrophoresis. 2000 , 139-208		12
452	OPTIMIZING ENANTIOSEPARATION OF PHENYLTHIOHYDANTOIN AMINO ACIDS WITH POLYMERIZED SODIUM N-UNDECANOYL L-VALINATE IN CHIRAL ELECTROKINETIC CHROMATOGRAPHY. 2000 , 23, 1301-1317		6
451	SEPARATION OF POLYCYCLIC AROMATIC HYDROCARBON METABOLITES BY CYCLODEXTRIN-MODIFIED MICELLAR ELECTROKINETIC CHROMATOGRAPHY. 2000 , 23, 1657-1670		4
450	Electroosmotic and pressure-driven flow in open and packed capillaries: velocity distributions and fluid dispersion. <i>Analytical Chemistry</i> , 2000 , 72, 2292-301	7.8	106
449	Dynamic micellar electrokinetic chromatography. Determination of the enantiomerization barriers of oxazepam, temazepam, and lorazepam. <i>Analytical Chemistry</i> , 2000 , 72, 2758-64	7.8	67
448	Selectivity in capillary electrochromatography using native and single isomer anionic cyclodextrin reagents. <i>Analytical Chemistry</i> , 2000 , 72, 88-95	7.8	18
447	Congeneric behavior in estimations of octanol-water partition coefficients by micellar electrokinetic chromatography. <i>Analytical Chemistry</i> , 2000 , 72, 1228-35	7.8	71
446	Evaluation of Electrostatic Potential Induced by Anion-Dominated Partition into Zwitterionic Micelles and Origin of Selectivity in Anion Uptake. 2000 , 16, 9199-9204		52
445	Monitoring temperature changes in capillary electrophoresis with nanoliter-volume NMR thermometry. <i>Analytical Chemistry</i> , 2000 , 72, 4991-8	7.8	82
444	A wireless electrochemiluminescence detector applied to direct and indirect detection for electrophoresis on a microfabricated glass device. <i>Analytical Chemistry</i> , 2001 , 73, 3282-8	7.8	272
443	COMPARISON OF AOT DECANE WATER-IN-OIL AND OIL-IN-WATER MICROEMULSIONS AS MEDIA FOR CAPILLARY ELECTROPHORESIS. 2001 , 24, 1133-1151		7
442	Chapter 13 Sodium dodecyl sulphate polyacrylamide gel electrophoresis (SDS-PAGE). 2001 , 217-274		1
441	Chapter 6 Phenols. 2001 , 3, 175-236		5
440	Temperature measurement in microfluidic systems using a temperature-dependent fluorescent dye. <i>Analytical Chemistry</i> , 2001 , 73, 4117-23	7.8	475

439	CALCULATION OF PHASE RESIDENCE TIMES IN MICELLAR ELECTROKINETIC CHROMATOGRAPHY. 2001 , 24, 303-315		1
438	Prediction of retention in micellar electrokinetic chromatography from solute structure. 1. Sodium dodecyl sulfate micelles. <i>Analytical Chemistry</i> , 2001 , 73, 6057-62	7.8	36
437	SIMULTANEOUS DETERMINATION OF LOSARTAN POTASSIUM AND HYDROCHLOROTHIAZIDE FROM TABLETS AND HUMAN SERUM BY RP-HPLC. 2001 , 24, 2337-2346		19
436	Liquid-phase microextraction of phenolic compounds combined with on-line preconcentration by field-amplified sample injection at low pH in micellar electrokinetic chromatography. <i>Analytical Chemistry</i> , 2001 , 73, 5655-60	7.8	58
435	Ionic partition to zwitterionic micelles. 2001 , 117-120		3
434	Micellar electrokinetic chromatography--from theoretical concepts to real samples (review). 2001 , 371, 691-703		31
433	Determination of inorganic anions by capillary electrochromatography. 2001 , 20, 355-364		19
432	Manipulation of separation selectivity in capillary zone electrophoresis of anionic solutes. 2001 , 20, 375-385		20
431	Methyl malondialdehyde as an internal standard for the determination of malondialdehyde. 2001 , 751, 315-23		17
430	Non-ionic micellar affinity capillary electrophoresis for analysis of interactions between micelles and drugs. 2001 , 24, 637-43		9
429	Characterization of micellar solubilization of antibiotics using micellar electrokinetic chromatography. 2001 , 26, 883-9		6
428	Use of cyclodextrins for the separation of monoterpene isomers by micellar electrokinetic capillary chromatography. 2001 , 13, 293-299		2
427	Use of affinity capillary electrophoresis for characterizing pharmaceutical colloidal vehicle systems thermodynamically. 2001 , 22, 265-71		13
426	Molecular recognition by chiral cationic micellar and micelle-like aggregates in electrokinetic capillary chromatography. 2001 , 22, 88-96		18
425	Modelling of migration behaviour of inorganic anions in ion-exchange capillary electrochromatography. 2001 , 22, 503-10		11
424	Determination of alkylphenol ethoxylates by micellar electrokinetic chromatography with bile salts. 2001 , 22, 526-34		12
423	Application of linear solvation energy relationships to polymeric pseudostationary phases in micellar electrokinetic chromatography. 2001 , 22, 1322-9		22
422	Towards a general approach for the impurity profiling of drugs by micellar electrokinetic chromatography. 2001 , 22, 1337-44		14

421	Capillary electrokinetic separation techniques for profiling of drugs and related products. 2001 , 22, 2542-64	29
420	Fundamental aspects of chiral separations by capillary electrophoresis. 2001 , 22, 3079-106	198
419	Recent developments in chiral capillary electrophoresis and applications of this technique to pharmaceutical and biomedical analysis. 2001 , 22, 3107-30	178
418	Migration mechanism of bases and nucleosides in oil-in-water microemulsion capillary electrophoresis. 2001 , 22, 3438-43	25
417	In vivo monitoring of amine neurotransmitters using microdialysis with on-line capillary electrophoresis. 2001 , 22, 3668-76	144
416	Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning. 2001 , 919, 181-94	17
415	Electrokinetic chromatography with micelles, polymeric and monomeric additives with similar chemical functionality as pseudo-stationary phases. 2001 , 916, 79-87	17
414	A capillary electrophoresis study on the influence of beta-cyclodextrin on the critical micelle concentration of sodium dodecyl sulfate. 2001 , 917, 297-310	37
413	Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes. 2001 , 924, 83-91	23
412	Salt effects in capillary zone electrophoresis. V. Adsorption and retention of electrically neutral analytes. 2001 , 929, 113-21	7
411	Determination of octanol-water partition coefficients of pesticides by microemulsion electrokinetic chromatography. 2001 , 930, 145-54	81
410	Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes. 2001 , 907, 267-77	19
409	Recalculation of the temperature inside capillaries using high buffer concentrations. 2001 , 907, 353-6	4
408	How to increase precision in capillary electrophoresis. 2001 , 907, 21-37	154
407	Separation of monomethyl-benz[a]anthracene isomers using cyclodextrin-modified electrokinetic chromatography. 2001 , 910, 147-55	16
406	Separation of xylidine isomers by micellar electrokinetic chromatography. 2001 , 39, 332-8	2
405	Chapter 5 Prominent chromatographers and their research seminal concepts in chromatography/separation sciences. 2001 , 64, 99-599	1
404	System design of kinetic differentiation mode capillary electrophoresis for separation and determination of ultratrace metal chelates. 2002 , 51, 495-505	12

403	The Use of Sodium 10-Undecylenyl Sulfate Oligomer and Sodium 10-Undecenoic Acid Oligomer as Pseudostationary Phases in Micellar Electrokinetic Chromatography.. 2002 , 18, 101-103		6
402	Chiral separation by electrokinetic capillary chromatography using newly synthesized linear polymers containing L-amino acid moieties. 2002 , 18, 83-8		7
401	On-line temperature monitoring in a capillary electrochromatography frit using microcoil NMR. <i>Analytical Chemistry</i> , 2002 , 74, 4583-7	7.8	27
400	Nanoparticles as pseudostationary phase in capillary electrochromatography/ESI-MS. <i>Analytical Chemistry</i> , 2002 , 74, 4595-601	7.8	80
399	Enantioseparation of vinclozolin by gamma-cyclodextrin-modified micellar electrokinetic chromatography. 2002 , 50, 1312-7		25
398	DETERMINATION OF STAVUDINE/ DIDANOSINE/SAQUINAVIR AND STAVUDINE/DIDANOSINE/EFAVIRENZ IN HUMAN SERUM BY MICELLAR ELECTROKINETIC CHROMATOGRAPHY (MEKC). 2002 , 25, 937-947		5
397	The relative partitioning of neutral and ionised compounds in sodium dodecyl sulfate micelles measured by micellar electrokinetic capillary chromatography. 2002 , 15, 225-34		23
396	Solute-solvent interactions in micellar electrokinetic chromatography: IV. Characterization of electroosmotic flow and micellar markers. 2002 , 23, 56-66		43
395	Analysis of artichoke (<i>Cynara cardunculus</i> L.) extract by means of micellar electrokinetic capillary chromatography. 2002 , 23, 249-52		26
394	Analysis of arylamine isomers by micellar electrokinetic chromatography. 2002 , 23, 584-90		14
393	Evaluation of molecule-microbe interactions with capillary electrophoresis: procedures, utility and restrictions. 2002 , 23, 847-57		25
392	Accurately describing weak analyte-additive interactions by capillary electrophoresis. 2002 , 23, 880-8		20
391	Drug-plasma protein binding assay by electrokinetic chromatography-frontal analysis. 2002 , 23, 951-5		27
390	Poly(dimethylsiloxane) microchip for precolumn reaction and micellar electrokinetic chromatography of biogenic amines. 2002 , 23, 1129-37		70
389	Predicting and evaluating separation quality of micellar electrokinetic capillary chromatography by artificial neural networks. 2002 , 23, 1279-84		6
388	Characterization of dendrimer properties by capillary electrophoresis and their use as pseudostationary phases. 2002 , 23, 1769-78		52
387	Quantitative structure-mobility relationship modelling of electrokinetic chromatography of metal complexes: approaches and limitations. 2002 , 23, 1786-95		13
386	Multiple effect of surfactants used as additives in background electrolytes in capillary zone electrophoresis: cetyltrimethylammonium bromide as example of model surfactant. 2002 , 23, 1947-52		35

385	Chiral analysis of biogenic DL-amino acids derivatized by urethane - protected alpha-amino acid N-carboxyanhydride using capillary zone electrophoresis and micellar electrokinetic chromatography. 2002 , 23, 2449-56		11
384	Simultaneous analysis of sulfur-containing excitatory amino acids using micellar electrokinetic chromatography with diode array and laser-induced fluorescence detection. 2002 , 23, 2457-64		14
383	Component analysis of vanilla extracts and vanilla containing commercial preparations by micellar electrokinetic chromatography or high-performance liquid chromatography [A method comparison. 2002 , 25, 1035-1042		13
382	Enantioselective analysis of thiobencarb sulfoxide produced by metabolism of thiobencarb by hydroxypropyl-β-cyclodextrin modified micellar electrokinetic chromatography. 2002 , 25, 1055-1062		18
381	Micellar electrokinetic capillary chromatography determination of +S and -R arotinolol in serum using UV detection and solid phase extraction. 2002 , 14, 67-71		11
380	Determination of vesicle-water partition coefficients by electrokinetic chromatography: study of temperature effect. <i>Journal of Colloid and Interface Science</i> , 2002 , 253, 397-401	9.3	6
379	Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection. 2002 , 954, 267-76		39
378	Rapid estimation of octanol-water partition coefficients using synthesized vesicles in electrokinetic chromatography. 2002 , 962, 207-19		50
377	Determining eight colorants in milk beverages by capillary electrophoresis. 2002 , 959, 317-25		115
376	Use of capillary electrophoresis and laser-induced fluorescence for attomole detection of amino acids. 2002 , 964, 243-53		48
375	Determination of ebrotidine and its metabolites by micellar electrokinetic capillary chromatography. 2002 , 976, 221-7		2
374	Chiral separation of amino acids by capillary electrophoresis with octyl-beta-thioglucopyranoside as chiral selector. 2002 , 978, 221-30		27
373	Separation of polycyclic aromatic hydrocarbons with sodium dodecylbenzenesulfonate in electrokinetic chromatography. 2002 , 949, 301-5		21
372	Streaming potential in open and packed fused-silica capillaries. 2002 , 948, 203-23		39
371	Analysis of phenolic acids by micellar electrokinetic chromatography: application to Echinacea purpurea plant extracts. 2002 , 945, 239-47		59
370	Electroosmotic flow controllable coating on a capillary surface by a sol-gel process for capillary electrophoresis. 2002 , 952, 255-66		21
369	Determination of khellin and visnagin in Ammi visnaga fruits by capillary electrophoresis. 2002 , 954, 291-4		22
368	New approaches to chromatographic determination of lipophilicity of xenobiotics. 2003 , 377, 803-11		35

367	The role of organic solvents in the separation of nonionic compounds by capillary electrophoresis. 2003 , 24, 1530-6	16
366	Separation of some chiral flavanones by micellar electrokinetic chromatography. 2003 , 24, 2527-31	37
365	Use of poly(sodium oleyl-L-leucylvalinate) surfactant for the separation of chiral compounds in micellar electrokinetic chromatography. 2003 , 24, 2940-7	14
364	Analysis of N-acyl-L-homoserine lactones produced by Burkholderia cepacia with partial filling micellar electrokinetic chromatography--electrospray ionization-ion trap mass spectrometry. 2003 , 24, 3067-74	45
363	Chiral separation with ligand-exchange micellar electrokinetic chromatography using a D-penicillamine-copper(II) ternary complex as chiral selector. 2003 , 24, 4221-6	30
362	Copolymerized polymeric surfactants: characterization and application in micellar electrokinetic chromatography. 2003 , 24, 4209-20	16
361	Applications of affinity interactions in capillary electrophoresis. 2003 , 24, 3879-91	81
360	Simultaneous separation of fifteen approved protease and reverse transcriptase inhibitors for human immunodeficiency virus therapy by capillary electrophoresis. 2003 , 24, 662-70	11
359	Micellar electrokinetic chromatography with on-line Fourier transform infrared detection. 2003 , 24, 687-92	17
358	Analysis of chemical processes at single bovine adrenergic chromaffin cells with micellar electrokinetic capillary chromatography and electrochemical detection. 2003 , 26, 61-68	6
357	Analysis of gastrodin and tetramethylpyrazine in traditional Chinese preparations by micellar electrokinetic chromatography. 2003 , 26, 543-548	4
356	(Micellar) electrokinetic chromatography: an interesting solution for the liquid phase separation dilemma. 2003 , 1000, 935-51	19
355	Separation of phenols as neutral compounds by micellar electrokinetic capillary chromatography. 2003 , 1014, 179-87	4
354	Study of solute partitioning into cationic vesicles of dihexadecyldimethylammonium bromide using electrokinetic chromatography. 2003 , 1004, 145-53	17
353	Supramolecular assemblies for extracting organic compounds. 2003 , 22, 470-485	95
352	Determination of active components in rhubarb and study of their hydrophobicity by micellar electrokinetic chromatography. 2003 , 13, 617-22	25
351	Determination of biogenic amines by 3-(2-furoyl)quinoline-2-carboxaldehyde and capillary electrophoresis with laser-induced fluorescence detection. 2003 , 998, 213-9	47
350	Prediction of the behaviour of organic pollutants using cloud point extraction. 2003 , 1005, 23-34	28

349	Drug delivery systems: polymers and drugs monitored by capillary electromigration methods. 2003 , 797, 37-49		31
348	Characterization of the Solvation Properties of Sodium n-Dodecyl Sulfate Micelles in Buffered and Unbuffered Aqueous Phases by Solvatochromic Indicators. 2003 , 19, 55-62		35
347	Capillary electrophoresis-a high performance analytical separation technique. 2003 , 41, 724-38		32
346	Experimental studies of electroosmotic flow dynamics in microfabricated devices during current monitoring experiments. <i>Analytical Chemistry</i> , 2003 , 75, 361-70	7.8	65
345	Chiral Separations. 2003 ,		1
344	Analysis method of the angiotensin-I converting enzyme inhibitory activity based on micellar electrokinetic chromatography. 2003 , 19, 159-61		14
343	Basic Study for Micro Pump Using Electroosmotic Flow. 2003 , 1763		
342	Chiral micellar electrokinetic chromatography. 2004 , 243, 355-63		4
341	Micellar Electrokinetic Chromatography as a Tool for Combinatorial Chemistry Analysis: Theory and Applications. 2004 , 175-208		
340	Analysis of destruxins produced from <i>Metarhizium anisopliae</i> by capillary electrophoresis. 2004 , 42, 140-4		19
339	Separation of benzene, toluene, ethylbenzene, and xylenes by micellar electrokinetic capillary chromatography. 2004 , 25, 51-6		4
338	Determination of hesperetin, cinnamic acid and nicotinic acid in propolis with micellar electrokinetic capillary chromatography. 2004 , 75, 267-76		27
337	Micellar electrokinetic chromatography with bile salts for predicting ecotoxicity of aromatic compounds. 2004 , 1052, 171-80		14
336	In vivo monitoring of amino acids by microdialysis sampling with on-line derivatization by naphthalene-2,3-dicarboxyaldehyde and rapid micellar electrokinetic capillary chromatography. 2004 , 138, 189-97		59
335	Novel anionic copolymerized surfactants of mixed achiral and chiral surfactants as pseudostationary phases for micellar electrokinetic chromatography. 2004 , 25, 758-65		10
334	Polymeric sulfated surfactants with varied hydrocarbon tail: I. Synthesis, characterization, and application in micellar electrokinetic chromatography. 2004 , 25, 622-34		22
333	Polymeric sulfated surfactants with varied hydrocarbon tail: II. Chemical selectivity in micellar electrokinetic chromatography using linear solvation energy relationships study. 2004 , 25, 635-44		18
332	Polymeric alkenoxy amino acid surfactants: III. Chiral separations of binaphthyl derivatives. 2004 , 25, 712-22		19

331	A comparative study of microemulsion electrokinetic capillary chromatography and micellar electrokinetic capillary chromatography for the analysis of UV-absorbing compounds in human urine. 2004 , 25, 1503-10		20
330	Direct enantioseparation of catechin and epicatechin in tea drinks by 6-O-alpha-D-glucosyl-beta-cyclodextrin-modified micellar electrokinetic chromatography. 2004 , 25, 2892-8		43
329	Effects of partial/asymmetrical filling of micelles and chiral selectors on capillary electrophoresis enantiomeric separation: generation of a gradient. 2004 , 25, 2693-700		17
328	Validation and long-term assessment of an approach for the high throughput determination of lipophilicity (log POW) values using multiplexed, absorbance-based capillary electrophoresis. 2004 , 93, 916-31		46
327	Approaches to imprinted stationary phases for affinity capillary electrochromatography. 2004 , 1044, 53-66		50
326	Micellar electrokinetic chromatography with polyelectrolyte complexes as micellar pseudo-stationary phases. 2004 , 800, 91-100		13
325	Determination of critical micelle concentration of surfactants by capillary electrophoresis. 2004 , 1037, 467-78		61
324	Determination and regulation of the migration window in electrokinetic chromatography. 2004 , 1037, 479-90		42
323	Characterization and application of sodium di(2-ethylhexyl) sulfosuccinate and sodium di(2-ethylhexyl) phosphate surfactants as pseudostationary phases in micellar electrokinetic chromatography. 2004 , 1061, 105-11		8
322	Separation and selectivity in micellar electrokinetic chromatography using sodium dodecyl sulfate micelles or Tween 20-modified mixed micelles. 2004 , 519, 73-78		12
321	Use of Fluorescence Probes for Characterization of Solvation Properties of Micelles: A Linear Solvation Energy Relationship Study. 2004 , 108, 17703-17708		27
320	Micellar affinity gradient focusing: a new method for electrokinetic focusing. 2004 , 126, 1936-7		36
319	Predictions of micelle-water partition coefficients and retention in micellar electrokinetic chromatography from solute structure. 2. Fragmental constant approach. <i>Analytical Chemistry</i> , 2004 , 76, 5451-8	7.8	10
318	Peer Reviewed: Micellar Electrokinetic Chromatography. <i>Analytical Chemistry</i> , 2004 , 76, 240 A-246 A	7.8	118
317	Chapter 14 Chromatography of amino acids and peptides. 2004 , 69, 587-631		1
316	Analysis of ion-association reaction in aqueous solution and its utilization by capillary zone electrophoresis. 2004 , 20, 255-65		19
315	Sodium Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis. 2005 , 273-340		
314	Critical micelle concentration of surfactants in aqueous buffered and unbuffered systems. 2005 , 548, 95-100		255

313	Electrophoresis: the march of pennies, the march of dimes. 2005 , 1079, 24-40	78
312	Approach to quasi stationary electrokinetic chromatography. 2005 , 1070, 179-84	
311	Vesicles as pseudostationary phase for enantiomer separation by capillary electrophoresis. 2005 , 1070, 185-92	27
310	Selective determination of gamma-aminobutyric acid, glutamate and alanine by mixed micellar electrokinetic chromatography and fluorescence detection. 2005 , 1095, 185-8	16
309	Monomeric and polymeric anionic gemini surfactants and mixed surfactant systems in micellar electrokinetic chromatography. Part I: characterization and application as novel pseudostationary phases. 2005 , 26, 415-25	22
308	Monomeric and polymeric anionic gemini surfactants and mixed surfactant systems in micellar electrokinetic chromatography. Part II: characterization of chemical selectivity using two linear solvation energy relationship models. 2005 , 26, 426-45	14
307	Micellar proportion: a parameter to compare the hydrophobicity of the pseudostationary phases or that of the analytes in micellar electrokinetic chromatography. 2005 , 26, 849-57	2
306	Analysis of antiepileptic drugs in biological fluids by means of electrokinetic chromatography. 2005 , 26, 767-82	18
305	Separation of some chiral flavonoids by microbial cyclophorases and their sulfated derivatives in micellar electrokinetic chromatography. 2005 , 26, 3833-8	28
304	Polymeric alkenoxy amino acid surfactants: IV. effects of hydrophobic chain length and degree of polymerization of molecular micelles on chiral separation of beta-blockers. 2005 , 26, 4172-86	24
303	Modeling of anti-Langmuirian peaks in micellar electrokinetic chromatography: benzene and naphthalene. 2005 , 26, 4026-42	8
302	Online concentration by field-amplified sample injection in acidic buffer for analysis of fangchinoline and tetrandrine in herbal medicine by flow injection-micellar electrokinetic capillary chromatography. 2005 , 26, 4456-64	9
301	Supramolecular systems-based extraction-separation techniques coupled to mass spectrometry. 2005 , 28, 1613-27	27
300	Verification of statistical-overlap theory in micellar electrokinetic chromatography. 2005 , 382, 765-76	2
299	. 2005 ,	44
298	MICELLAR ELECTROKINETIC CHROMATOGRAPHY. 2005 , 1-10	
297	Resolution of small molecules by passage through an open capillary. <i>Analytical Chemistry</i> , 2005 , 77, 6041-8	34
296	Separation modes in capillary electrophoresis. 2005 , 45, 31-134	5

295	Tumour-inhibiting platinum(II) complexes with aminoalcohol ligands: biologically important transformations studied by micellar electrokinetic chromatography, nuclear magnetic resonance spectroscopy and mass spectrometry. 2005 , 130, 1383-9		21
294	Optimization of the Chiral Resolution of Metyrosine by Capillary Electrophoresis and/or Micellar Electrokinetic Capillary Chromatography. 2005 , 28, 439-452		2
293	Recent Progress in the Analysis of Pharmaceuticals by Capillary Electrophoresis. 2005 , 28, 1115-1160		33
292	Online coupling of solid-phase microextraction and capillary electrophoresis. 2006 , 44, 366-74		22
291	Surfactant gradient methods using mixed systems of cetyltrimethylammonium chloride and nonionic surfactants possessing polyoxyethylene chains for electrokinetic separation of benzoate anions as model analytes. <i>Analytical Chemistry</i> , 2006 , 78, 8142-9	7.8	7
290	Unlimited-volume electrokinetic stacking injection in sweeping capillary electrophoresis using a cationic surfactant. <i>Analytical Chemistry</i> , 2006 , 78, 6035-42	7.8	42
289	Micellar Electrokinetic Chromatography. 2006 ,		4
288	Front Matter. i-xii		
287	Organic Analysis in Environmental Samples by Capillary Electrophoresis. 2006 ,		
286	. 2006 ,		23
285	Theory of Electrokinetic Chromatography. 1-31		
284	Capillary Electrophoresis of Nucleic Acids. 2006 ,		
283	Concepts and Principles of High Performance Capillary Electrophoresis. 2006 , 41-63		0
282	Determination of Critical Micelle Concentrations by Capillary Electrokinetic Techniques. 33-54		
281	General Aspects of Resolution Optimization with Micellar Pseudostationary Phases. 79-93		
280	Optimization of the Separation Conditions in Electrokinetic Chromatography: Experimental Designs, Modelling and Validation. 95-113		
279	Capillary Electrophoresis of Peptides. 2006 ,		
278	Quantification of Nobiletin and Tangeretin in Citrus by Micellar Electrokinetic Capillary Chromatography. 2006 , 12, 284-289		5

277	Use of basic amphiprotic organic solvents containing neutral-surfactant aggregates as pseudostationary phase in non-aqueous capillary electrophoresis. 2006 , 560, 69-76	6
276	Suppression of electroosmotic flow and its application to determination of electrophoretic mobilities in a poly(vinylpyrrolidone)-coated capillary. 2006 , 1106, 52-5	49
275	Separation of O- and C-allyl glycoside anomeric mixtures by capillary electrophoresis and high-performance liquid chromatography. 2006 , 1110, 125-32	3
274	On-chip micellar electrokinetic chromatographic separation of phenolic chemicals in waters. 2006 , 1109, 179-82	24
273	Dynamic coating of a capillary with room-temperature ionic liquids for the separation of amino acids and acid drugs by capillary electrophoresis. 2006 , 61, 1108-1112	19
272	Modeling the binding of triazine herbicides to humic substances using capillary electrophoresis. 2006 , 4, 15-21	7
271	Simultaneous analysis of cationic, anionic, and neutral compounds using monolithic CEC columns. 2006 , 386, 572-7	11
270	Method for derivatization of ephedrine and pseudoephedrine in nonaqueous media and determination by nonaqueous capillary electrophoresis with laser induced fluorescence detection. 2006 , 20, 1150-6	12
269	Origin of peak asymmetry and isotherm nonlinearity in micellar electrokinetic chromatography: variation of peak shape with buffer concentration. 2006 , 27, 572-83	11
268	CE for cytokinin analyses: a review. 2006 , 27, 4779-91	14
267	Microchip capillary electrophoresis: application to peptide analysis. 2006 , 339, 159-86	10
266	Determination of bioactive constituents in traditional Chinese medicines by CE with electrochemical detection. 2006 , 13, 2467-85	40
265	Separation of Water-Soluble Vitamins by Micellar Electrokinetic Capillary Chromatography in Pharmaceutical Samples. 2006 , 29, 349-363	7
264	Application of retention factors in affinity electrokinetic chromatography and capillary electrophoresis. 2007 , 23, 489-92	10
263	Chapter 2 Chip Capillary Electrophoresis and Total Genetic Analysis Systems. 2007 , 2, 45-95	2
262	A comparative study of the enantiomeric separation of labeled amino acids with cyclodextrins and mixed micelles in capillary electrophoresis. 2007 , 45, 330-9	6
261	Enantioseparation of isoxanthohumol in beer by hydroxypropyl-gamma-cyclodextrin-modified micellar electrokinetic chromatography. 2007 , 55, 6547-52	12
260	Identification of PCR products using PNA amphiphiles in micellar electrokinetic chromatography. <i>Analytical Chemistry</i> , 2007 , 79, 9513-9	7.8 25

259	Application of Hadamard transformation to MEKC. 2007 , 28, 328-34	9
258	Thermodynamic studies of the interaction of molecular micelles and copolymerized molecular micelles with benzodiazepines and alkyl phenyl ketones using MEKC. 2007 , 28, 1752-61	11
257	Recent advances in the development and application of microemulsion EKC. 2007 , 28, 193-207	60
256	Study of recombinant cytochrome P450 2C9 activity with diclofenac by MEKC. 2007 , 28, 1229-34	18
255	Separation of fluorescent phosphatidyl inositol phosphates by CE. 2007 , 28, 1235-42	14
254	On-line preconcentration of weak electrolytes by electrokinetic accumulation in CE: experiment and simulation. 2007 , 28, 1540-7	33
253	Optimization of the separation of ionizable compounds in micellar electrokinetic chromatography by simultaneous change of pH and SDS concentration. 2007 , 28, 3712-21	4
252	CE frontal analysis employing contactless conductivity detection for determination of CMCs of non-UV absorbing charged surfactants. 2007 , 28, 2975-80	6
251	A comparison of ionic liquids to molecular organic solvents as additives for chiral separations in micellar electrokinetic chromatography. 2007 , 30, 1334-42	28
250	Applications of capillary electrophoresis in forensic analytical chemistry. 2007 , 26, 215-226	61
249	Comparison of migration models for acidic solutes in micellar electrokinetic chromatography. 2007 , 1139, 143-51	17
248	Comparison of micellar isotherms of benzene determined by headspace gas chromatography and micellar electrokinetic chromatography. Assessment on impact of buffer and solubilization-induced conductivity change. 2007 , 1147, 111-9	2
247	Flow manipulation for sweeping with a cationic surfactant in microchip capillary electrophoresis. 2007 , 1167, 217-24	10
246	Continuous full filling capillary electrochromatography: chromatographic performance and reproducibility. 2007 , 1154, 386-9	10
245	Kapillarelektrophorese, eine attraktive Methode zur Enantiomerenanalytik. 2007 , 28, 186-196	3
244	Mapping and Identification of Biopharmaceutical Grade Cell Culture Media by MEKC. 2007 , 66, 977-981	2
243	Estimation of binding constants of receptors and ligands by affinity capillary electrophoresis. 2007 , 387, 2833-41	8
242	Effects of applied electric field and microchannel wetted perimeter on electroosmotic velocity. 2008 , 5, 185-192	9

241	Micellar electrokinetic chromatography for high-performance analytical separation. 2008 , 8, 291-301	44
240	Human liver dihydrodiol dehydrogenase 1-catalyzed reaction generating 9alpha,11beta-prostaglandin F2 from prostaglandin D2 followed by micellar electrokinetic chromatography. 2008 , 31, 735-40	9
239	Micellar electrokinetic chromatography on microchips. 2008 , 31, 794-802	16
238	Recent progress of online sample preconcentration techniques in microchip electrophoresis. 2008 , 31, 2650-66	63
237	Separation of very hydrophobic analytes by MEKC. II. Carbon number equivalents as analyte descriptors--influence of the composition of the separation electrolyte. 2008 , 29, 567-75	6
236	Cationic surfactants for micellar electrokinetic chromatography: 1. Characterization of selectivity using the linear solvation energy relationships model. 2008 , 29, 767-76	24
235	Separation of very hydrophobic analytes by micellar electrokinetic chromatography. III. Characterization and optimization of the composition of the separation electrolyte using carbon number equivalents. 2008 , 29, 783-95	9
234	Enantiomeric separations of binaphthyl derivatives by capillary electrophoresis using N-(2-hydroxydodecyl)-L-threonine as chiral selector: effect of organic additives. 2008 , 29, 1540-7	5
233	Microemulsion electrokinetic chromatography hyphenated to atmospheric pressure photoionization mass spectrometry. 2008 , 29, 11-9	38
232	Simultaneous determination of nandrolone, testosterone, and methyltestosterone by multi-immunoaffinity column and capillary electrophoresis. 2008 , 29, 3398-405	9
231	Bilayer disk capillary electrophoresis: a novel method to study drug partitioning into membranes. 2008 , 29, 3377-83	24
230	System peaks in micellar electrophoresis: I. Utilization of system peaks for determination of critical micelle concentration. 2008 , 29, 1189-95	12
229	Compositional effects on electrophoretic and chromatographic figures of merit in electrokinetic chromatography with cetyltrimethylammonium bromide/sodium octyl sulfate vesicles as the pseudostationary phase. Part 1: effect of the phase ratio. 2008 , 29, 1180-8	8
228	Study of protein binding and micellar partition of highly hydrophobic molecules in a single system using capillary electrophoresis. 2008 , 29, 3038-46	6
227	An extended description of the effect of detergent monomers on migration in micellar electrokinetic chromatography. 2008 , 29, 3916-23	6
226	Capillary electrophoresis-based methods for the determination of lipids--a review. 2008 , 624, 163-74	35
225	Quantitative structure-retention (property) relationships in micellar electrokinetic chromatography. 2008 , 1182, 1-24	54
224	Comparative study of carbon nanotubes and C(60) fullerenes as pseudostationary phases in electrokinetic chromatography. 2008 , 1194, 128-33	33

223	Separation of very hydrophobic analytes by micellar electrokinetic chromatography IV. Modeling of the effective electrophoretic mobility from carbon number equivalents and octanol-water partition coefficients. 2008 , 1198-1199, 208-14	4
222	MEKC Determination of Antiretroviral Reverse Transcriptase Inhibitors Lamivudine, Stavudine, and Nevirapine in Pharmaceutical Formulations. 2008 , 67, 389-398	20
221	Hair Colors: Classification, Chemistry and a Review of Chromatographic and Electrophoretic Methods for Analysis. 2008 , 41, 2291-2321	22
220	On-line sample preconcentration and separation technique based on transient trapping in microchip micellar electrokinetic chromatography. <i>Analytical Chemistry</i> , 2008 , 80, 1255-62	7.8 66
219	Elektrophorese. 2008 , 173-209	
218	Capillary electrophoresis. Methods and protocols. Preface. 2008 , 384, vii-ix	16
217	Sodium cholate aggregation and chiral recognition of the probe molecule (R,S)-1,1'-binaphthyl-2,2'-diylhydrogenphosphate (BNDHP) observed by ¹ H and ³¹ P NMR spectroscopy. 2008 , 24, 13866-74	36
216	Chapter 8 Capillary-Based Separation Techniques. 2008 , 51, 231-255	
215	Fundamental studies on electrokinetic chromatography with PEGylated phospholipid micelles. 2008 , 24, 155-9	11
214	High-Performance Microchip Electrophoresis by Using On-Line Sample Preconcentration and Partial Filling Techniques. 2008 , 57, 1001-1010	1
213	High performance RNA separation by in-capillary denaturing gel electrophoresis with carboxylic acid as RNA denaturant.. 2008 , 52, 133-138	1
212	Sensitive Micellar Electrokinetic Chromatographic Determination of Salbutamol, Guaifenesin, and Dyphylline in Oral Formulations. 2009 , 32, 1407-1422	6
211	Separation and Determination of Low Abundant Flavonoids in <i>Scutellaria Baicalensis</i> Georgi by Micellar Electrokinetic Capillary Electrophoresis. 2009 , 42, 1444-1457	8
210	Joule heating effects and the experimental determination of temperature during CE. 2009 , 30, 897-909	38
209	Characterisation of mixed lithium dodecyl sulphate/lithium perfluorooctanesulphonate pseudo-stationary phases in MEKC. 2009 , 30, 1923-8	6
208	High-resolution computer simulations of EKC. 2009 , 30, 570-8	21
207	The effect of co-surfactant-modified micelles on chiral separations in EKC. 2009 , 30, 2829-36	5
206	Electrophoretic total analysis of trace tetracycline antibiotics in a microchip with amperometry. 2009 , 30, 3219-27	20

205	Determination of residual cell culture media components by MEKC. 2009 , 30, 3971-7		6
204	Quantitative structure migration relationship modeling of migration factor for some benzene derivatives in micellar electrokinetic chromatography. 2009 , 32, 1934-40		4
203	Enantioselective chromatography-a powerful tool for the discrimination of biotic and abiotic transformation processes of chiral environmental pollutants. 2009 , 1216, 481-502		93
202	Foundations of retention in partition chromatography. 2009 , 1216, 1530-50		74
201	High-sensitivity microchip electrophoresis determination of inorganic anions and oxalate in atmospheric aerosols with adjustable selectivity and conductivity detection. 2009 , 1216, 1503-10		35
200	Interactions between local anesthetics and lipid dispersions studied with liposome electrokinetic capillary chromatography. 2009 , 1216, 3392-7		27
199	Improvement of separation efficiencies of anion-exchange chromatography using monolithic silica capillary columns modified with polyacrylates and polymethacrylates containing tertiary amino or quaternary ammonium groups. 2009 , 1216, 7394-401		17
198	Multidimensional separation of chiral amino acid mixtures in a multilayered three-dimensional hybrid microfluidic/nanofluidic device. <i>Analytical Chemistry</i> , 2009 , 81, 2715-22	7.8	39
197	Microchip Capillary Electrophoresis. 2009 , 329-359		
196	Basic principles of electrolyte chemistry for microfluidic electrokinetics. Part I: Acid-base equilibria and pH buffers. 2009 , 9, 2437-53		81
195	Capillary separation: micellar electrokinetic chromatography. 2009 , 2, 99-120		82
194	Determination of the macromolecular dimensions of hydrophobically modified polymers by micellar size exclusion chromatography coupled with multiangle light scattering. <i>Analytical Chemistry</i> , 2009 , 81, 8993-9001	7.8	16
193	Microchip and Capillary Electrophoresis Using Nanoparticles. 2010 , 213-253		4
192	Capillary Electromigration Techniques. 2010 , 155-206		1
191	Stepping Stones in Modern Chromatography. 2010 , 71, 747-750		0
190	Celebrating the 70th Birthday of Professor Shigeru Terabe. 2010 , 72, 591-591		
189	Twenty-five years of micellar electrokinetic chromatography. 2010 , 2, 2-8		27
188	Microstructure of microemulsion in MEEKC. 2010 , 31, 672-8		11

187	Comparison and prediction of the retention in micellar electrokinetic chromatography and microemulsion electrokinetic chromatography for disubstituted benzenes. 2010 , 31, 695-701	5
186	Total analysis of endocrine disruptors in a microchip with gold nanoparticles. 2010 , 31, 3053-60	26
185	Marker compounds for the determination of retention factors in EKC. 2010 , 33, 394-409	17
184	Optical characterization of the heating performance of microchannel fluid flow. 2010 , 48, 32-36	2
183	Binary mixed micelles of chiral sodium undecenyl leucinate and achiral sodium undecenyl sulfate: I. Characterization and application as pseudostationary phases in micellar electrokinetic chromatography. 2010 , 1217, 375-85	6
182	Cationic gemini surfactants as pseudostationary phases in micellar electrokinetic chromatography. Part I: effect of head group. 2010 , 1217, 5279-87	21
181	. 2010 ,	2
180	Lysine-based zwitterionic molecular micelle for simultaneous separation of acidic and basic proteins using open tubular capillary electrochromatography. <i>Analytical Chemistry</i> , 2010 , 82, 3997-4005 ^{7,8}	17
179	Effects of an applied electric field on the vapor-liquid equilibria of water, methanol, and dimethyl ether. 2010 , 114, 4261-70	34
178	Nanomaterial surface chemistry design for advancements in capillary electrophoresis modes. 2011 , 136, 54-63	15
177	Recent advances in electrophoretic techniques for the characterization of protein biomolecules: a poker of aces. 2011 , 1218, 8727-37	21
176	Micelle to solvent stacking of organic cations in micellar electrokinetic chromatography with sodium dodecyl sulfate. 2011 , 1218, 7377-83	29
175	MEKC Determination of Nilutamide in Human Serum Using Sweeping in High Salt Sample Matrix. 2011 , 74, 151-155	16
174	Determination of amino acids and catecholamines derivatized with 3-(4-chlorobenzoyl)-2-quinolinecarboxaldehyde in PC12 and HEK293 cells by capillary electrophoresis with laser-induced fluorescence detection. 2011 , 401, 297-304	14
173	Two-step stacking in capillary zone electrophoresis featuring sweeping and micelle to solvent stacking: II. Organic anions. 2011 , 1218, 1004-10	45
172	Comparison of microstructures of microemulsion and swollen micelle in electrokinetic chromatography. 2011 , 1218, 2598-603	19
171	MEKC as a powerful growing analytical technique. 2011 , 32, 166-83	78
170	Theoretical models of separation selectivity for charged compounds in micellar electrokinetic chromatography. 2011 , 32, 203-9	3

- 169 Sweeping of neutral analytes in partial-filling micellar electrokinetic chromatography with electropray ionization mass spectrometry. **2011**, 32, 665-8 25
- 168 Hydrophobic labeling of amino acids: transient trapping-capillary/microchip electrophoresis. **2011**, 32, 1233-40 20
- 167 Nanoparticle-based pseudostationary phases in CEC: a breakthrough in protein analysis?. **2011**, 32, 1141-7 29
- 166 CHARACTERIZING EFFECTS OF CATIONIC SURFACTANT ON ELECTRO-OSMOTIC MOBILITY AND ANION MIGRATION IN CAPILLARY ELECTROPHORESIS. **2011**, 34, 1712-1728 1
- 165 Fundamentals of micellar electrokinetic chromatography (MEKC). **2011**, 2, 276-281 13
- 164 Micellar Characters for Hydrolysis of Benzotrifluoride Derivative in Acetonitrile-Water Mixtures. **2012**, 33, 887-893 2
- 163 Design of Liquid-Metals Heating-Induced Temperature Gradient Focusing in Microfluidic Channels. **2012**,
- 162 Capillary and Microchip Electrophoresis. **2012**,
- 161 Micellar electrokinetic chromatographic method for mianserin hydrochloride and analysis of degradation products by mass spectrometry. **2012**, 60, 1387-94 2
- 160 Capillary Electrophoresis. **2012**,
- 159 Drug Stereochemistry. **2012**, 46
- 158 Characterization and application of molecular binary mixed molecular micelles of sodium 10-undecenyl sulfate and sodium N-undecenyl leucinate as pseudostationary phases in micellar electrokinetic chromatography. **2012**, 99, 441-9 3
- 157 Synergistic effect of field enhanced sample injection on micelle to solvent stacking in capillary electrophoresis. **2012**, 1267, 74-9 29
- 156 Method Development by Use of Capillary Electrophoresis and Applications in Pharmaceutical, Biological and Natural Samples. **2012**, 2
- 155 Analysis of plasma nucleotides in rat by micellar electrokinetic capillary chromatography/electrospray ionization mass spectrometry. **2012**, 26, 1426-36 8
- 154 Molecularly imprinted SPE and MEKC with in-capillary sample preconcentration for the determination of digoxin in human urine. **2012**, 33, 1582-8 9
- 153 On-line sample concentration via micelle to solvent stacking of cations prepared with aqueous organic solvents in capillary electrophoresis. **2012**, 33, 2167-75 21
- 152 Using dendrimers and hyperbranched polymers in chromatography and electrophoresis. **2012**, 67, 190-197 2

151	Study of chemical selectivity of molecular binary mixed micelles of sodium 10-undecenyl sulfate and sodium N-undecenyl leucinate using linear solvation energy relationships model. 2012 , 1236, 207-14	2
150	Electromigration Techniques. 2013 ,	11
149	Super-resolution imaging of PDMS nanochannels by single-molecule micelle-assisted blink microscopy. 2013 , 117, 4406-11	11
148	Recent advances in enhancing the sensitivity of electrophoresis and electrochromatography in capillaries and microchips (2010-2012). 2013 , 34, 29-54	122
147	Label-free aptamer-based partial filling technique for enantioseparation and determination of DL-tryptophan with micellar electrokinetic chromatography. 2013 , 34, 254-9	22
146	Capillary electromigration techniques for studying interactions between analytes and lipid dispersions. 2013 , 36, 37-51	20
145	Capillary electrophoresis and isoelectric focusing in peptide and protein analysis. 2013 , 13, 325-40	126
144	Sweeping as a multistep enrichment process in micellar electrokinetic chromatography: the retention factor gradient effect. 2013 , 1297, 213-25	17
143	New advances in separation science for metabolomics: resolving chemical diversity in a post-genomic era. 2013 , 113, 2437-68	251
142	Twenty-one years of microemulsion electrokinetic chromatography (1991-2012): a powerful analytical tool. 2013 , 34, 1273-94	33
141	Steady-state continuous-flow purification by electrophoresis. 2013 , 52, 7256-60	16
140	Application of polymeric surfactants in chiral micellar electrokinetic chromatography (CMEKC) and CMEKC coupled to mass spectrometry. 2013 , 970, 319-48	5
139	Study of Liquid-Metal Based Heating Method for Temperature Gradient Focusing Purpose. 2013 , 135,	11
138	Simultaneous separation of jasmonic acid conjugates with amino acids by MEKC. 2013 , 36, 892-7	4
137	Physicochemical profiling of drug candidates using capillary-based techniques. 2013 , 23, 333-345	8
136	Effect of a low-conductivity zone on field-amplified sample stacking in microchip micellar electrokinetic chromatography. 2013 , 29, 133-8	7
135	Micellar electrokinetic chromatography of graphene and chemically modified graphenes with dodecylbenzenesulfonate. 2013 , 29, 769-71	8
134	Micellar electrokinetic chromatography-electrospray ionization mass spectrometry employing a volatile surfactant for the analysis of amino acids in human urine. 2013 , 34, 2615-22	28

133	Steady-State Continuous-Flow Purification by Electrophoresis. 2013 , 125, 7397-7401	3
132	Simultaneous Analysis of Polymethoxyflavones and Flavanone Glycosides in Citrus Fruits by Micellar Electrokinetic Chromatography Using Sodium Deoxycholate. 2014 , 35, 155-162	
131	Capillary Electrophoresis: Preconcentration Techniques. 2014 ,	
130	Capillary electrophoresis of natural products: 2011-2012. 2014 , 35, 190-204	20
129	Hydrophilic interaction electrokinetic chromatography using bio-based nanofillers. 2014 , 35, 2229-36	2
128	CHEMICAL ANALYSIS FOR SPECIFIC COMPONENTS Major Meat Components. 2014 , 206-211	1
127	Online sample concentration in partial-filling chiral electrokinetic chromatography [mass spectrometry. 2014 , 26, 734-8	21
126	Effect of low concentration sodium dodecyl sulfate on the electromigration of palonosetron hydrochloride stereoisomers in micellar electrokinetic chromatography. 2014 , 1342, 86-91	10
125	Evaluation of the oxidative deoxyribonucleic acid damage biomarker 8-hydroxy-2'-deoxyguanosine in the urine of leukemic children by micellar electrokinetic capillary chromatography. 2014 , 1336, 112-9	17
124	NMR studies of interactions of new CB2 cannabinoid receptor ligands with cyclodextrins hosts. Correlation with micellar electrokinetic chromatography and reversed phase high performance liquid chromatography. 2014 , 78, 265-274	
123	Separation efficiency of dual-selector systems in capillary electrophoresis. 2014 , 1330, 82-8	19
122	Optimizing separation conditions of 19 polycyclic aromatic hydrocarbons by cyclodextrin-modified capillary electrophoresis and applications to edible oils. 2014 , 119, 572-81	23
121	Physicochemical and chromatographic characteristics of random amphiphilic copolymer aggregation in electrokinetic chromatography. 2014 , 1365, 219-25	
120	Rapid analysis of water- and fat-soluble vitamins by electrokinetic chromatography with polymeric micelle as pseudostationary phase. 2014 , 1370, 263-9	11
119	Stepwise elution method in micellar electrokinetic chromatography via sequential use of lithium perfluorooctadecyl sulfonate and lithium dodecyl sulfate. 2014 , 1358, 261-8	1
118	Characterization and classification of pseudo-stationary phases in micellar electrokinetic chromatography using chemometric methods. <i>Analytical Chemistry</i> , 2014 , 86, 2371-9	7.8 7
117	Twenty years of development of dual and multi-selector models in capillary electrophoresis: a review. 2014 , 35, 2688-700	36
116	Separation of cationic analytes by nonionic micellar electrokinetic chromatography using polyoxyethylene lauryl ether surfactants with different polyoxyethylene length. 2014 , 37, 2613-7	4

115	Determination of bile salt critical micellization concentration on the road to drug discovery. 2014 , 87, 62-81	47
114	Food Adulterations. 2015 , 257-288	
113	Application of a multivariate approach for analyte focusing by micelle collapse-micellar electrokinetic chromatography for analyzing sunscreen agents in cosmetics. 2015 , 36, 2396-403	6
112	Solvent-modified MEKC for the enantioseparation of palonosetron hydrochloride and related enantiomeric impurities. 2015 , 36, 2762-2767	10
111	Separation mechanisms for palonosetron stereoisomers at different chiral selector concentrations in MEKC. 2015 , 36, 825-9	10
110	Estimation of Octanol-Water Partition Coefficient Using Cationic Gemini Surfactants by Micellar Electrokinetic Chromatography. 2015 , 06,	
109	Development of Micro-Flow-Controlled Techniques and Novel Stationary Phases in Capillary Liquid Chromatography. 2015 , 36, 1-12	1
108	Capillary and microchip electrophoretic analysis of polycyclic aromatic hydrocarbons. 2015 , 407, 2727-47	12
107	Recent advances in enhancing the sensitivity of electrophoresis and electrochromatography in capillaries and microchips (2012-2014). 2015 , 36, 36-61	129
106	Effect of temperature on acid-base equilibria in separation techniques. A review. 2015 , 889, 35-57	10
105	New pressure-assisted sweeping on-line preconcentration for highly polar environmentally relevant nitrosamines: Part 2. Cationic and anionic surfactants with zero-flow capillaries. 2015 , 36, 1016-23	1
104	Holistic analysis of seven active ingredients by micellar electrokinetic chromatography from three medicinal herbs composing Shuanghuanglian. 2015 , 53, 1786-93	7
103	An Edge Selection Mechanism for Chirally Selective Solubilization of Binaphthyl Atropisomeric Guests by Cholate and Deoxycholate Micelles. 2016 , 28, 525-33	7
102	The effects of organic modifier on physicochemical and chromatographic characteristics of self-assembled micelle from poly (stearyl methacrylate-co-methacrylic acid) in electrokinetic chromatography. 2016 , 37, 2226-34	1
101	Cationic gemini pyrrolidinium surfactants based sweeping-micellar electrokinetic chromatography for simultaneous detection of nine organic pollutants in environmental water. 2016 , 1475, 95-101	13
100	Capillary-Based Techniques for Physical-Chemical Characterization of Drug Substances and Drug Delivery Systems. 2016 , 439-465	
99	Enantioseparation of hydroxyeicosatetraenoic acids by hydroxypropyl- β -cyclodextrin-modified micellar electrokinetic chromatography. 2016 , 37, 3196-3205	19
98	Determining binding of sulfonamide antibiotics to CTABr micelles using semi-equilibrium dialysis. 2016 , 162, 134-141	10

97	Lipophilic properties of anti-Alzheimer's agents determined by micellar electrokinetic chromatography and reversed-phase thin-layer chromatography. 2017 , 38, 1268-1275	7
96	The Concept of Stationary and Moving Boundaries Modelled as Accelerating or Decelerating Planes in the Understanding of Sweeping Processes Employed for Online Focusing in Capillary Zone Electrophoresis and Electrokinetic Chromatography. 2017 , 80, 359-382	8
95	Dialkyl anionic surfactant in field-amplified sample injection and sweeping-micellar electrokinetic chromatography for determination of eight leanness-promoting agonists in animal feeds. 2017 , 141, 222-228	7
94	Noncapillary Electrophoresis. 2017 , 1-41	
93	A highly sensitive capillary electrophoresis immunoassay strategy based on dual-labeled gold nanoparticles enhancing chemiluminescence for the detection of prostate-specific antigen. 2017 , 38, 1780-1787	13
92	Determination of PAEs by Integrative Coupling Method of Headspace in-Tube Microextraction and Reverse-Flow Micellar Electrokinetic Capillary Chromatography. 2017 , 10, 3565-3571	13
91	Thermodynamic models to elucidate the enantioseparation of drugs with two stereogenic centers by micellar electrokinetic chromatography. 2017 , 1512, 133-142	7
90	Thermal gradient for fluorometric optimization of droplet PCR in virtual reaction chambers. 2017 , 184, 3433-3439	9
89	Dual-opposite injection capillary electrophoresis: Principles and misconceptions. 2017 , 38, 607-616	8
88	Sensitivity Enhancement by Sweeping via Solid Phase Extraction Using Titania Nanoparticles in Capillary Electrophoretic Analysis of Phosphopeptides. 2017 , 38, 39-43	4
87	Moment Analysis of Mass Transfer Kinetics in Micellar Electrokinetic Chromatography Systems. 2018 , 34, 215-220	5
86	Determination of Saikosaponins in Bupleuri Radix by Micellar Electrokinetic Chromatography with Experimental Design. 2018 , 51, 1840-1853	1
85	Determination of lipid bilayer affinities and solvation characteristics by electrokinetic chromatography using polymer-bound lipid bilayer nanodiscs. 2018 , 39, 844-852	1
84	Separation and simultaneous determination of seven bioactive components in Tripterygium wilfordii Hook. F. and Tripterygium preparations by micellar electrokinetic capillary chromatography. 2019 , 40, 547-554	4
83	Moment analysis for mass transfer kinetics at the interface of spherical molecular aggregates. 2018 , 1572, 172-178	3
82	Applications of various analytical techniques in quality control of pharmaceutical excipients. 2018 , 157, 122-136	19
81	Influences of the concentration and the molar ratio of mixed surfactants on the performance of vesicle pseudostationary phase. 2018 , 39, 1794	1
80	Determination of ligand efficiency indices in a group of 7H-purine-2,6-dione derivatives with psychotropic activity using micellar electrokinetic chromatography. 2018 , 39, 2446-2453	3

79	Stepwise Aggregation of Cholate and Deoxycholate Dictates the Formation and Loss of Surface-Available Chirally Selective Binding Sites. 2018 , 34, 6489-6501	12
78	Flow-gated capillary electrophoresis: a powerful technique for rapid and efficient chemical separation. 2018 , 10, 3131-3143	10
77	Theoretical Principles of Capillary Electromigration Methods. 2018 , 21-44	2
76	Micellar and Microemulsion Electrokinetic Chromatography. 2018 , 113-142	2
75	Moment theory for the analytical determination of rate constants for solute permeation at the interface of spherical molecular aggregates. 2019 , 40, 2962-2970	2
74	Investigating apolipoproteins of human high-density lipoprotein by cyclodextrin-micellar electrokinetic chromatography. 2019 , 1593, 164-173	2
73	Determination of the retention factor of ionizable compounds in microemulsion electrokinetic chromatography. 2019 , 1078, 221-230	5
72	Capillary electrophoresis for the analysis of antidepressant drugs: A review. 2019 , 42, 906-924	4
71	Band Broadening Theories in Capillary Electrophoresis. 2019 , 1906, 143-166	2
70	Rapid Separation of Organophosphate Pesticides using Micellar Electrokinetic Chromatography and Short-end Injection. 2019 , 64, 1213-1220	5
69	Determination of thermodynamic binding constants by affinity capillary electrophoresis. 2019 , 192, 448-454	7
68	Moment analysis of peak broadening in affinity capillary electrophoresis and electrokinetic chromatography. 2020 , 1609, 460451	0
67	Generalized model of the linear theory of electromigration and its application to electrokinetic chromatography: Capillary zone electrophoretic systems with complex-forming equilibria. 2020 , 1610, 460595	6
66	The matrix of SDS integrated with linear hydrophilic polymer for resolution of high- and low-molecular weight hyaluronic acids in MEKC. 2020 , 28, 159-166	1
65	Comparison of the retention of basic compounds in anionic and cationic microemulsion electrokinetic chromatographic systems. 2020 , 158, 105259	
64	Cyclodextrin-micellar electrokinetic chromatography of apolipoproteins on human very low-density lipoprotein. 2020 , 41, 1333-1343	1
63	Chiral Micellar Electrokinetic Chromatography. 2020 , 1626, 461383	10
62	Self-assembly of surfactants: An overview on general aspects of amphiphiles. 2020 , 265, 106429	30

61	Fundamentals of Electrophoresis. 2020 , 21-88	
60	. 2020 ,	1
59	Unlocking the Secret of Bio-additive Components in Rubber Compounding in Processing Quality Nitrile Glove. 2020 , 191, 1-28	7
58	Novel application of capillary electrophoresis with a liposome coated capillary for prediction of blood-brain barrier permeability. 2020 , 217, 121023	10
57	Recent Advances in Trace Bioanalysis by Capillary Electrophoresis. 2021 , 37, 27-36	5
56	Elektrophorese. 2021 , 223-258	
55	Development of Fast and Selective Analytical Methods of Pharmaceuticals and Herbal Medicines by High-Performance Liquid Chromatography and Capillary Electrophoresis. 2021 , 42, 1-16	1
54	Solvation in homogeneous and heterogeneous media. 2021 , 98, 100071	1
53	Native and substituted cyclodextrins as chiral selectors for capillary electrophoresis enantioseparations: Structures, features, application, and molecular modeling. 2021 , 42, 1676-1708	10
52	Simultaneous separation and determination of three diterpenoids in Euphorbia lathyris L. and its formulations by hydrophobic interaction electrokinetic chromatography. 2021 , 44, 2950-2956	0
51	Current trends and roles of surfactants for chromatographic and electrochemical sensing. 2021 , 144, 116418	4
50	A stationary pseudophase semi-permanent coating for open-tubular capillary liquid chromatography and electrochromatography. 2021 , 1657, 462553	1
49	Micellar Electrokinetic Chromatography of Aminoglycosides. 2016 , 1483, 77-90	1
48	Introduction to CE and the Use of CE in Pharmaceutical Analysis. 1998 , 1-20	1
47	Micellar Electrokinetic Chromatography. 2013 , 77-92	2
46	Mizellare Beeinflussung analytischer Reaktionen und Prozesse. 1990 , 23-90	1
45	Enantioselective Chromatographic Methods for the Analysis of Chiral Environmental Pollutants. 2001 , 15-52	2
44	Separation of enantiomeric compounds by micelle-mediated capillary electrokinetic chromatography. 1997 , 366-385	1

43	Organic acids and organic ions. 1997 , 550-579	1
42	Organized Assemblies in Chemical Separations. 1990 , 325-353	3
41	Fundamentals of Micellar Electrokinetic Capillary Chromatography. 1992 , 159-189	13
40	Separation of Small Molecules by High-Performance Capillary Electrophoresis. 1992 , 301-341	3
39	Analysis of Amino Acids by High Performance Capillary Electrophoresis. 1990 , 11-22	0
38	Amino Acids. 2008 , 11-39	0
37	Essential Amino Acids. 2009 , 287-307	1
36	Amino Acids. 2004 , 83-123	0
35	Nanoscale Analysis Systems. 2004 , 2149-2164	1
34	Die Kapillarelektrophorese Eine leistungsfähige analytische Trenntechnik. 2000 , 117-147	
33	?????????????????. 2001 , 69, 624-629	
32	Capillary electrokinetic chromatography. 2002 ,	
31	Capillary Separations.	
30	Retention Factor. 2005 , 1454-1455	
29	Electrokinetic Chromatography Including MEKC. 2005 , 523-527	
28	Temperature. 2005 , 1671-1672	
27	?????????????????. 2007 , 12, 223-229	1
26	Gradient micellar electrokinetic chromatography.. 2008 , 52, 161-165	

- 25 Micellar electrokinetic chromatography of aminoglycosides. **2008**, 384, 735-49
- 24 Mizellare Beeinflussung analytischer Reaktionen und Prozesse. **1988**, 23-90 3
- 23 Separation of Selected PAHs By Using High Performance Capillary Electrophoresis With Modifiers. **1991**, 73-81
- 22 High Performance Capillary Electrophoresis of Proteins and Peptides: A Minireview. **1991**, 233-250
- 21 Analysis of Priority Substituted Phenols by Micellar Electrokinetic Chromatography. **1991**, 93-103
- 20 Electrokinetic Capillary Chromatography. **1993**, 147-188 1
- 19 Literaturverzeichnis. **1994**, 193-198
- 18 Kapillarelektrophorese. **1995**, 23-81 1
- 17 Literaturverzeichnis. **1995**, 234-240
- 16 Literature Index. **1996**, 203-207
- 15 The Application of Two-Dimensional Capillary Electrophoresis to the Identification of Glycan Structures. **1997**, 279-293
- 14 Quantitative analysis, precision and reproducibility. **1997**, 25-40
- 13 Elektrophorese-Techniken. **1998**, 123-143
- 12 Literaturverzeichnis. **1998**, 285-306
- 11 Capillary Electrophoresis with Electrochemical Detection. 117-136
- 10 Professional Article Collection of Kang Chuen Tat - Informal.
- 9 Chiral Separations by Capillary Electrophoresis and related Techniques with Different Chiral Selectors: A Review.
- 8 Ultra-trace determination of oxaliplatin impurities by sweeping-MEKC-ICP-MS. **2021**, 106967 0

- 7 Recent advances in microscale separation techniques for lipidome analysis. **2021**, 146, 7418-7430 2
- 6 The Role of Capillary Electromigration Separation Techniques in Bioanalysis. **2022**, 405-429
- 5 Capillary Electrophoresis: Basic Principles. **2022**, 1-31
- 4 Understanding Nonlinear Composition Dependency of Enantioselectivity in Chiral Separation Using Mixed Micelle. *Journal of Colloid and Interface Science*, **2022**, 9-3 0
- 3 Comparison of the Performance of Different Bile Salts in Enantioselective Separation of Palonosetron Stereoisomers by Micellar Electrokinetic Chromatography. **2022**, 27, 5233
- 2 Recognition in the Domain of Molecular Chirality: From Noncovalent Interactions to Separation of Enantiomers. **2022**, 122, 13235-13400 7
- 1 Separation of unsaturated C18 fatty acids using perfluorinated-micellar electrokinetic chromatography: I) Optimization and separation process. 0