

CITATION REPORT

List of articles citing

Dating of the human-ape splitting by a molecular clock of mitochondrial DNA

DOI: 10.1007/bf02101694

Journal of Molecular Evolution, 1985, 22, 160-74.

Source: <https://exaly.com/paper-pdf/17926432/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2252	.		
2251	.		
2250	Evolution of mitochondrial DNA in <i>Drosophila subobscura</i> . 1986 , 83, 8649-53		168
2249	The number of nucleotides required to determine the branching order of three species, with special reference to the human-chimpanzee-gorilla divergence. <i>Journal of Molecular Evolution</i> , 1986 , 24, 189-204	3.1	166
2248	Variation in the gene encoding a major merozoite surface antigen of the human malaria parasite <i>Plasmodium falciparum</i> . 1986 , 14, 3311-23		64
2247	The L1 family (KpnI family) sequence near the 3' end of human beta-globin gene may have been derived from an active L1 sequence. 1987 , 15, 4007-20		14
2246	Evolutionary Analysis of Plant DNA Sequences. 1987 , 130, S74-S100		94
2245	Evolution of immunoglobulin allotypes and phylogeny of apes. 1987 , 49, 187-99		3
2244	The Rates of Nucleotide Substitution in the Human and Rodent Lineages: A Reply to Li and Wu. 1987 ,		
2243	Transfer of mitochondrial DNA from the northern red-backed vole (<i>Clethrionomys rutilus</i>) to the bank vole (<i>C. glareolus</i>). <i>Journal of Molecular Evolution</i> , 1987 , 24, 218-27	3.1	201
2242	DNA hybridization evidence of hominoid phylogeny: results from an expanded data set. <i>Journal of Molecular Evolution</i> , 1987 , 26, 99-121	3.1	267
2241	Man's place in Hominoidea as inferred from molecular clocks of DNA. <i>Journal of Molecular Evolution</i> , 1987 , 26, 132-47	3.1	103
2240	Genetic variability in mitochondrial DNA in a regional population of the great tit (<i>Parus major</i>). 1987 , 25, 95-110		28
2239	Sequence analysis of cDNAs for the human and bovine ATP synthase beta subunit: mitochondrial DNA genes sustain seventeen times more mutations. 1987 , 12, 81-90		199
2238	Nucleic acid evidence bearing on hominoid relationships. 1987 , 30, 41-73		9
2237	Mitochondrial DNA insertion polymorphism and germ line heteroplasmy in the <i>Triturus cristatus</i> complex. 1987 , 58 (Pt 2), 229-38		74
2236	Evolution of mitochondrial DNA in monkeys, apes, and humans. 1988 , 31, 15-48		68

2235	Property and efficiency of the maximum likelihood method for molecular phylogeny. <i>Journal of Molecular Evolution</i> , 1988 , 27, 261-73	3.1	73
2234	Concordant divergence in proteins and mitochondrial DNA between two vole species in the genus <i>Clethrionomys</i> . 1988 , 26, 223-37		24
2233	A cladistic analysis of hominoid molars. 1988 , 17, 489-502		37
2232	Evaluation of Some Alternative Procedures Used in Numerical Systematics. 1988 , 37, 1		17
2231	Mitochondrial DNA evolution in the <i>Drosophila obscura</i> group. 1988 , 5, 717-28		21
2230	Estimation of branching dates among primates by molecular clocks of nuclear DNA which slowed down in Hominoidea. 1989 , 18, 461-476		66
2229	Evaluation of the maximum likelihood estimate of the evolutionary tree topologies from DNA sequence data, and the branching order in hominoidea. <i>Journal of Molecular Evolution</i> , 1989 , 29, 170-9	3.1	2826
2228	Rates of molecular evolution and the fraction of nucleotide positions free to vary. <i>Journal of Molecular Evolution</i> , 1989 , 29, 180-7	3.1	60
2227	Mitochondrial DNA evolution in the <i>Drosophila nasuta</i> subgroup of species. <i>Journal of Molecular Evolution</i> , 1989 , 28, 337-48	3.1	21
2226	Stereophotogrammetric analysis of occlusal morphology of extant hominoid molars: phenetics and function. 1989 , 80, 145-66		27
2225	Molecular phylogeny of the family of apes and humans. 1989 , 31, 316-35		64
2224	Matching molecular and morphological evolution. 1989 , 4, 317-319		3
2223	DNA DIVERGENCE AMONG HOMINOIDS. 1989 , 43, 925-942		156
2222	CONFIDENCE LIMITS ON THE MAXIMUM-LIKELIHOOD ESTIMATE OF THE HOMINOID TREE FROM MITOCHONDRIAL-DNA SEQUENCES. 1989 , 43, 672-677		40
2221	Heterogeneity of tempo and mode of mitochondrial DNA evolution among mammalian orders. 1989 , 64, 243-58		56
2220	Converting distance to time: application to human evolution. 1990 , 183, 550-70		72
2219	Phylogeny and molecular evolution in primates.. 1990 , 65, 243-266		32
2218	Statistical methods for estimating sequence divergence. 1990 , 183, 531-50		25

2217	From population genetics to phylogeny: Uses and limits of mitochondrial DNA. 1990 , 3, 111		18
2216	Ribosomal RNA gene sequences and hominoid phylogeny. 1990 , 7, 203-19		71
2215	Comparison of class I MHC alleles in humans and apes. 1990 , 113, 147-85		135
2214	New hominid skull material from the late Miocene of Macedonia in northern Greece. 1990 , 345, 712-4		80
2213	African ape ancestry. 1990 , 5, 295-297		4
2212	Mitochondrial DNA evolution in primates: transition rate has been extremely low in the lemur. <i>Journal of Molecular Evolution</i> , 1990 , 31, 113-21	3.1	68
2211	A simple graphic method for reconstructing phylogenetic trees from molecular data. 1990 , 7, 578-88		1
2210	Literature. 1990 , 381-444		
2209	Necessary and sufficient conditions for the existence of certain quadratic invariants under a phylogenetic tree. 1991 , 105, 229-38		9
2208	Molecular phylogeny. 1991 , 1, 451-6		16
2207	10 Statistical methods for phylogenetic tree reconstruction. 1991 , 8, 317-346		6
2206	Reconstruction of molecular phylogeny of extant hominoids from DNA sequence data. 1991 , 84, 75-85		26
2205	Time of the deepest root for polymorphism in human mitochondrial DNA. <i>Journal of Molecular Evolution</i> , 1991 , 32, 37-42	3.1	79
2204	An evolutionary model for maximum likelihood alignment of DNA sequences. <i>Journal of Molecular Evolution</i> , 1991 , 33, 114-24	3.1	291
2203	Literary Depictions of Henry Berry Lowry: Mythic, Romantic and Tragic. 1991 , 17, 87		
2202	Resolution of the African hominoid trichotomy by use of a mitochondrial gene sequence. 1991 , 88, 1570-4		170
2201	Diversification of the Wnt gene family on the ancestral lineage of vertebrates. 1992 , 89, 5098-102		113
2200	Rate and mode differences between nuclear and mitochondrial small-subunit rRNA genes in mushrooms. 1992 , 9, 836-55		73

2199	Estimation of the number of nucleotide substitutions when there are strong transition-transversion and G+C-content biases. 1992 , 9, 678-87		1067
2198	The rate and pattern of nucleotide substitution in <i>Drosophila</i> mitochondrial DNA. 1992 , 9, 814-25		81
2197	Freeing phylogenies from artifacts of alignment. 1992 , 9, 1148-62		61
2196	References. 1992 , 349-386		
2195	Heterogeneity in the substitution process of amino acid sites of proteins coded for by mitochondrial DNA. <i>Journal of Molecular Evolution</i> , 1992 , 35, 17-31	3.1	126
2194	A derivation of all linear invariants for a nonbalanced transversion model. <i>Journal of Molecular Evolution</i> , 1992 , 35, 60-76	3.1	17
2193	Inching toward reality: an improved likelihood model of sequence evolution. <i>Journal of Molecular Evolution</i> , 1992 , 34, 3-16	3.1	244
2192	Does the VP1 gene of foot-and-mouth disease virus behave as a molecular clock?. <i>Journal of Molecular Evolution</i> , 1992 , 35, 223-9	3.1	11
2191	Estimating the fraction of invariable codons with a capture-recapture method. <i>Journal of Molecular Evolution</i> , 1992 , 35, 253-60	3.1	17
2190	Statistical tests of models of DNA substitution. <i>Journal of Molecular Evolution</i> , 1993 , 36, 182-98	3.1	624
2189	Network models for sequence evolution. <i>Journal of Molecular Evolution</i> , 1993 , 37, 77-85	3.1	35
2188	Toward a more accurate time scale for the human mitochondrial DNA tree. <i>Journal of Molecular Evolution</i> , 1993 , 37, 347-54	3.1	159
2187	Pathways of lysozyme evolution inferred from the sequences of cytochrome b in birds. <i>Journal of Molecular Evolution</i> , 1993 , 37, 367-79	3.1	123
2186	Substitution rate variation among sites in hypervariable region 1 of human mitochondrial DNA. <i>Journal of Molecular Evolution</i> , 1993 , 37, 613-23	3.1	183
2185	Simple diagnostic statistical tests of models for DNA substitution. <i>Journal of Molecular Evolution</i> , 1993 , 37, 650-61	3.1	68
2184	Evolution of hominoid mitochondrial DNA with special reference to the silent substitution rate over the genome. <i>Journal of Molecular Evolution</i> , 1993 , 36, 517-31	3.1	38
2183	Higher Level Systematics of Eutherian Mammals: An Assessment of Molecular Characters and Phylogenetic Hypotheses. 1993 , 24, 279-305		53
2182	Mitochondrial Gene Genealogy and Gene Flow among Island and Mainland Populations of a Sedentary Songbird, the Grey-Crowned Babbler (<i>Pomatostomus temporalis</i>). 1993 , 47, 1118		25

2181	Peopling of the Americas, founded by four major lineages of mitochondrial DNA. 1993 , 10, 23-47		190
2180	Estimation of the number of nucleotide substitutions in the control region of mitochondrial DNA in humans and chimpanzees. 1993 , 10, 512-26		6229
2179	MITOCHONDRIAL GENE GENEALOGY AND GENE FLOW AMONG ISLAND AND MAINLAND POPULATIONS OF A SEDENTARY SONGBIRD, THE GREY-CROWNED BABBLER (<i>POMATOSTOMUS TEMPORALIS</i>). 1993 , 47, 1118-1137		64
2178	Maximum-likelihood estimation of phylogeny from DNA sequences when substitution rates differ over sites. 1993 , 10, 1396-401		595
2177	Early evolution of photosynthesis: clues from nitrogenase and chlorophyll iron proteins. 1993 , 90, 7134-8		144
2176	Paleontological data and molecular phylogenetic analysis. 1994 , 20, 259-273		40
2175	Evolution, Weighting, and Phylogenetic Utility of Mitochondrial Gene Sequences and a Compilation of Conserved Polymerase Chain Reaction Primers. 1994 , 87, 651-701		4502
2174	Maximum likelihood phylogenetic estimation from DNA sequences with variable rates over sites: approximate methods. <i>Journal of Molecular Evolution</i> , 1994 , 39, 306-14	3.1	2125
2173	Estimation of evolutionary distances between nucleotide sequences. <i>Journal of Molecular Evolution</i> , 1994 , 39, 315-29	3.1	319
2172	Maximum likelihood with multiparameter models of substitution. <i>Journal of Molecular Evolution</i> , 1994 , 39, 409-417	3.1	36
2171	Phylogenetic relationships among eutherian orders estimated from inferred sequences of mitochondrial proteins: instability of a tree based on a single gene. <i>Journal of Molecular Evolution</i> , 1994 , 39, 519-27	3.1	152
2170	Estimating the pattern of nucleotide substitution. <i>Journal of Molecular Evolution</i> , 1994 , 39, 105-11	3.1	673
2169	Phylogenetic analysis of the <i>rpoB</i> gene from the plastid-like DNA of <i>Plasmodium falciparum</i> . 1994 , 66, 221-31		38
2168	Australopithecines: Ancestors of the African Apes?. 1994 , 9, 121-139		4
2167	Parsimony or statistics?. 1994 , 367, 26-7		9
2166	Parsimony or statistics?. 1994 , 367, 26-27		16
2165	A molecular evolutionary framework for eukaryotic model organisms. 1994 , 4, 596-603		95
2164	Statistical Properties of the Maximum Likelihood Method of Phylogenetic Estimation and Comparison With Distance Matrix Methods. 1994 , 43, 329-342		91

2163	Australopithecus ramidus, a new species of early hominid from Aramis, Ethiopia. 1994 , 371, 306-12		518
2162	A codon-based model of nucleotide substitution for protein-coding DNA sequences. 1994 , 11, 725-36		1299
2161	Eutherian phylogeny as inferred from mitochondrial DNA sequence data. 1994 , 69, 455-72		25
2160	Comparison of models for nucleotide substitution used in maximum-likelihood phylogenetic estimation. 1994 , 11, 316-24		226
2159	Relative efficiencies of the maximum-likelihood, neighbor-joining, and maximum-parsimony methods when substitution rate varies with site. 1994 , 11, 261-77		119
2158	A likelihood approach for comparing synonymous and nonsynonymous nucleotide substitution rates, with application to the chloroplast genome. 1994 , 11, 715-24		549
2157	Recovering evolutionary trees under a more realistic model of sequence evolution. 1994 , 11, 605-12		574
2156	Statistical Properties of the Maximum Likelihood Method of Phylogenetic Estimation and Comparison with Distance Matrix Methods. 1994 , 43, 329		6
2155	Maximum Likelihood Trees from DNA Sequences: A Peculiar Statistical Estimation Problem. 1995 , 44, 384		37
2154	Performance of the Maximum Likelihood, Neighbor Joining, and Maximum Parsimony Methods When Sequence Sites are not Independent. 1995 , 44, 533		2
2153	A Phylogenetic Study of the Blackbirds Based on Variation in Mitochondrial DNA Restriction Sites. 1995 , 44, 409		11
2152	On the use of nucleic acid sequences to infer early branchings in the tree of life. 1995 , 12, 451-8		114
2151	Improved dating of the human/chimpanzee separation in the mitochondrial DNA tree: heterogeneity among amino acid sites. <i>Journal of Molecular Evolution</i> , 1995 , 40, 622-8	3.1	81
2150	New methods for estimating the numbers of synonymous and nonsynonymous substitutions. <i>Journal of Molecular Evolution</i> , 1995 , 40, 190-226	3.1	159
2149	Phylogenetic relationships between tuna species of the genus Thunnus (Scombridae: Teleostei): inconsistent implications from morphology, nuclear and mitochondrial genomes. <i>Journal of Molecular Evolution</i> , 1995 , 41, 741-8	3.1	95
2148	Phylogenetic utility of the mitochondrial cytochrome oxidase gene: molecular evolution of the <i>Drosophila buzzatii</i> species complex. <i>Journal of Molecular Evolution</i> , 1995 , 41, 749-59	3.1	47
2147	Modelling evolution of autocorrelated sequences. 1995 , 20, 457-458		1
2146	Highly repeated DNA sequences and systematics of malagasy primates. 1995 , 10, 35-44		17

2145	Maximum Likelihood Trees from DNA Sequences: A Peculiar Statistical Estimation Problem. 1995 , 44, 384-399	198
2144	Mixed Model Analysis of DNA Sequence Evolution. 1995 , 51, 552	26
2143	Performance of the Maximum Likelihood, Neighbor Joining, and Maximum Parsimony Methods When Sequence Sites are Not Independent. 1995 , 44, 533-547	35
2142	A Phylogenetic Study of the Blackbirds Based on Variation in Mitochondrial DNA Restriction Sites. 1995 , 44, 409-420	34
2141	Tests of applicability of several substitution models for DNA sequence data. 1995 , 12, 131-51	128
2140	A Likelihood Ratio Test to Detect Conflicting Phylogenetic Signal. 1996 , 45, 92-98	174
2139	Combining data in phylogenetic analysis. 1996 , 11, 152-8	660
2138	The excess of transitions among nucleotide substitutions: new methods of estimating transition bias underscore its significance. 1996 , 11, 158-62	168
2137	Among-site rate variation and its impact on phylogenetic analyses. 1996 , 11, 367-72	902
2136	Structure and content of the major histocompatibility complex (MHC) class I regions of the great anthropoid apes. 1996 , 49, 71-84	6
2135	Inconsistency of evolutionary tree topology reconstruction methods when substitution rates vary across characters. 1996 , 134, 189-215	103
2134	Phylogenetic tree-building. 1996 , 26, 589-617	24
2133	Cloning and sequencing of a gene encoding 16S ribosomal RNA from a novel hyperthermophilic archaeobacterium NC12. 1996 , 180, 183-7	17
2132	A general additive distance with time-reversibility and rate variation among nucleotide sites. 1996 , 93, 4671-6	29
2131	Phylogenetic position of cetaceans relative to artiodactyls: reanalysis of mitochondrial and nuclear sequences. 1996 , 13, 710-7	41
2130	Molecular evolutionary dynamics of cytochrome b in strepsirrhine primates: the phylogenetic significance of third-position transversions. 1996 , 13, 1339-50	89
2129	Efficiencies of different genes and different tree-building methods in recovering a known vertebrate phylogeny. 1996 , 13, 525-36	247
2128	Combined DNA and protein alignment. 1996 , 266, 402-18	21

2127	PHYLOGENETIC ANALYSIS OF BREEDING SITE USE AND FLAMANITIN TOLERANCE WITHIN THE DROSOPHILA QUINARIA SPECIES GROUP. 1996 , 50, 2328-2337		44
2126	Phylogenetic analysis in molecular evolutionary genetics. 1996 , 30, 371-403		222
2125	Morphological distance between australopithecine, human and ape skulls. 1996 , 11, 35-41		
2124	Molecular systematics of the <i>Drosophila hydei</i> subgroup as inferred from mitochondrial DNA sequences. <i>Journal of Molecular Evolution</i> , 1996 , 43, 281-6	3.1	15
2123	Probability distribution of molecular evolutionary trees: a new method of phylogenetic inference. <i>Journal of Molecular Evolution</i> , 1996 , 43, 304-11	3.1	1190
2122	Phylogenetic analysis of the isopenicillin-N-synthetase horizontal gene transfer. <i>Journal of Molecular Evolution</i> , 1996 , 42, 537-42	3.1	31
2121	Maximum-Likelihood Models for Combined Analyses of Multiple Sequence Data. <i>Journal of Molecular Evolution</i> , 1996 , 42, 587-96	3.1	315
2120	The mitochondrial genome of a monotreme--the platypus (<i>Ornithorhynchus anatinus</i>). <i>Journal of Molecular Evolution</i> , 1996 , 42, 153-9	3.1	109
2119	Phylogenetic analysis using parsimony and likelihood methods. <i>Journal of Molecular Evolution</i> , 1996 , 42, 294-307	3.1	206
2118	Probabilistic models in cluster analysis. 1996 , 23, 5-28		99
2117	Crayfish Molecular Systematics: Using a Combination of Procedures to Estimate Phylogeny. 1996 , 45, 1-26		313
2116	Bi-De: an application for simulating phylogenetic processes. 1996 , 12, 469-71		11
2115	Molecular evolution of ependymin and the phylogenetic resolution of early divergences among euteleost fishes. 1996 , 13, 556-73		43
2114	The phylogenetic position of <i>Rhopalura ophiocomae</i> (Orthonectida) based on 18S ribosomal DNA sequence analysis. 1996 , 13, 1187-91		69
2113	Tempo and mode of synonymous substitutions in mitochondrial DNA of primates. 1996 , 13, 200-8		26
2112	Higher ribosomal RNA substitution rates in Bacillariophyceae and Dasycladales than in Mollusca, Echinodermata, and Actinistia-Tetrapoda. 1996 , 13, 1032-8		9
2111	When is it safe to use an oversimplified substitution model in tree-making?. 1996 , 13, 1255-65		28
2110	Quartet Puzzling: A Quartet Maximum-Likelihood Method for Reconstructing Tree Topologies. 1996 , 13, 964-969		2272

2109	Taxonomic status of <i>Ixodes neotomae</i> and <i>I. spinipalpis</i> (Acari: Ixodidae) based on mitochondrial DNA evidence. 1997 , 34, 696-703	52
2108	Phylogenetic Inference for Binary Data on Dendograms Using Markov Chain Monte Carlo. 1997 , 6, 122-131	60
2107	A new nuclear gene for insect phylogenetics: dopa decarboxylase is informative of relationships within Heliiothinae (Lepidoptera: Noctuidae). 1997 , 46, 269-83	85
2106	Is congruence between data partitions a reliable predictor of phylogenetic accuracy? Empirically testing an iterative procedure for choosing among phylogenetic methods. 1997 , 46, 464-78	271
2105	Seq-Gen: an application for the Monte Carlo simulation of DNA sequence evolution along phylogenetic trees. 1997 , 13, 235-8	631
2104	Nearly tight bounds on the learnability of evolution.	6
2103	An episodic change of rDNA nucleotide substitution rate has occurred during the emergence of the insect order Diptera. 1997 , 14, 644-53	98
2102	Phylogenetic position of guinea pigs revisited. 1997 , 14, 461-4	45
2101	Is the Felsenstein zone a fly trap?. 1997 , 46, 69-74	240
2100	The interphotoreceptor retinoid binding protein gene in therian mammals: implications for higher level relationships and evidence for loss of function in the marsupial mole. 1997 , 94, 13754-9	73
2099	Phylogenetic Inference for Binary Data on Dendograms Using Markov Chain Monte Carlo. 1997 , 6, 122	68
2098	Evolution of the primate lineage leading to modern humans: phylogenetic and demographic inferences from DNA sequences. 1997 , 94, 4811-5	152
2097	The complete mitochondrial genome of the wallaroo (<i>Macropus robustus</i>) and the phylogenetic relationship among Monotremata, Marsupialia, and Eutheria. 1997 , 94, 1276-81	219
2096	Phylogeny of Eurasian Soricine Shrews (Insectivora, Mammalia) Inferred from the Mitochondrial Cytochrome b Gene Sequences. 1997 , 14, 527-532	37
2095	Site-by-site estimation of the rate of substitution and the correlation of rates in mitochondrial DNA. 1997 , 46, 346-53	24
2094	PHYLOGENY ESTIMATION AND HYPOTHESIS TESTING USING MAXIMUM LIKELIHOOD. 1997 , 28, 437-466	710
2093	Phylogeography and molecular systematics of the <i>Peromyscus aztecus</i> species group (Rodentia: Muridae) inferred using parsimony and likelihood. 1997 , 46, 426-40	211
2092	The mouse Plk gene: structural characterization, chromosomal localization and identification of a processed Plk pseudogene. 1997 , 198, 329-39	7

2091	Old World fruitbat phylogeny: evidence for convergent evolution and an endemic African clade. 1997 , 94, 5716-21		44
2090	Interrelationships of Lamniform Sharks: Testing Phylogenetic Hypotheses with Sequence Data. 1997 , 199-218		35
2089	Radiation of Characiform Fishes: Evidence from Mitochondrial and Nuclear DNA Sequences. 1997 , 219-243		14
2088	Endemic African mammals shake the phylogenetic tree. 1997 , 388, 61-4		282
2087	Novel phylogeny of whales supported by total molecular evidence. <i>Journal of Molecular Evolution</i> , 1997 , 44 Suppl 1, S117-20	3.1	24
2086	Molecular evidence from the nuclear genome for the time frame of human evolution. <i>Journal of Molecular Evolution</i> , 1997 , 44 Suppl 1, S121-32	3.1	31
2085	Estimation of reversible substitution matrices from multiple pairs of sequences. <i>Journal of Molecular Evolution</i> , 1997 , 45, 696-703	3.1	13
2084	Are Guinea Pigs Rodents? The Importance of Adequate Models in Molecular Phylogenetics. 1997 , 4, 77-86		184
2083	Phylogenetic methods come of age: testing hypotheses in an evolutionary context. 1997 , 276, 227-32		696
2082	Evolution and phylogeny of the Diptera: a molecular phylogenetic analysis using 28S rDNA sequences. 1997 , 46, 674-98		85
2081	Intraspecific sequence variation of chloroplast DNA in <i>Pedicularis chamissonis</i> Steven (Scrophulariaceae) and geographic structuring of the Japanese Alpine plants. 1997 , 110, 195-207		87
2080	Phylogeny of the family hydrocharitaceae inferred from rbcL and matK gene sequence data. 1997 , 110, 329-337		35
2079	Molecular phylogenetic information on the identity of the closest living relative(s) of land vertebrates. 1997 , 84, 389-97		37
2078	Evolution of the mitochondrial cytochrome oxidase II gene in collembola. <i>Journal of Molecular Evolution</i> , 1997 , 44, 145-58	3.1	141
2077	Comparisons of the nucleotide substitution process among repetitive segments of the alpha- and beta-spectrin genes. <i>Journal of Molecular Evolution</i> , 1997 , 44, 492-500	3.1	6
2076	The molecular evolution of visual pigments of freshwater crayfishes (Decapoda: Cambaridae). <i>Journal of Molecular Evolution</i> , 1997 , 45, 524-34	3.1	29
2075	Mitochondrial haplotypes and phylogeography of <i>Phlebotomus</i> vectors of <i>Leishmania major</i> . 1997 , 6, 211-25		122
2074	The phylogenetic relationships of seven European <i>Ips</i> (Scolytidae, Ipinae) species. 1997 , 6, 233-40		27

2073	Hadamard conjugations and modeling sequence evolution with unequal rates across sites. 1997 , 8, 33-50		42
2072	Phylogeny of the grassland leafhopper genus <i>Flexamia</i> (Homoptera: Cicadellidae) based on mitochondrial DNA sequences. 1997 , 8, 139-49		29
2071	Evolution of the tryptophan biosynthetic pathway in <i>Buchnera</i> (aphid endosymbionts): studies of plasmid-associated <i>trpEG</i> within the genus <i>Uroleucon</i> . 1997 , 8, 167-76		23
2070	Methods for the detection of non-random base substitution in virus genes: models of synonymous nucleotide substitution in picornavirus genes. 1998 , 16, 253-66		7
2069	Conflict among individual mitochondrial proteins in resolving the phylogeny of eutherian orders. <i>Journal of Molecular Evolution</i> , 1998 , 47, 307-22	3.1	135
2068	Analyses of mitochondrial genomes strongly support a hippopotamus-whale clade. 1998 , 265, 2251-5		83
2067	Phylogenetic relationships of otters (Carnivora: Mustelidae) based on mitochondrial cytochrome b sequences. 1998 , 246, 401-416		89
2066	Divergent members of the bacterial division Verrucomicrobiales in a temperate freshwater lake. 1998 , 25, 159-169		89
2065	Phylogeny of nematode-trapping fungi based on 18S rDNA sequences. 1998 , 158, 179-84		59
2064	A proposal to transfer <i>Vibrio marinus</i> (Russell 1891) to a new genus <i>Moritella</i> gen. nov. as <i>Moritella marina</i> comb. nov. 1998 , 165, 373-8		60
2063	Phylogenetic relationships of colubroid snakes based on mitochondrial DNA sequences. 1998 , 122, 455-487		43
2062	Ultrastructure and 18S rRNA gene sequence of a small Heterotrophic flagellate <i>Siluania monomastiga</i> gen. et sp. nov. (bicosoecida). 1998 , 34, 415-425		21
2061	Phaeothamniophyceae Classis Nova: A New Lineage of Chromophytes Based upon Photosynthetic Pigments, <i>rbcl</i> Sequence Analysis and Ultrastructure. 1998 , 149, 245-63		61
2060	Primate evolution - in and out of Africa. 1998 , 8, R582-8		194
2059	Nearly identical 16S rRNA sequences recovered from lakes in North America and Europe indicate the existence of clades of globally distributed freshwater bacteria. 1998 , 21, 546-56		144
2058	Molecular phylogeny of Cyprinidae inferred from cytochrome b DNA sequences. 1998 , 9, 100-8		214
2057	Gnathostomulida--an enigmatic metazoan phylum from both morphological and molecular perspectives. 1998 , 9, 72-9		88
2056	Phylogenetic relationships and geographic structure in pocket gophers in the genus <i>Thomomys</i> . 1998 , 9, 1-14		58

2055	Systematics and evolution of lower Central American cichlids inferred from analysis of cytochrome b gene sequences. 1998 , 9, 192-203		83
2054	Rapid speciation, morphological evolution, and adaptation to extreme environments in South African sand lizards (<i>Meroles</i>) as revealed by mitochondrial gene sequences. 1998 , 10, 37-48		43
2053	Patterns of evolutionary change in Baikalian gammarids inferred from DNA sequences (Crustacea, Amphipoda). 1998 , 10, 160-7		40
2052	Two nuclear genes yield concordant relationships within Attacini (Lepidoptera: Saturniidae). 1998 , 9, 131-40		45
2051	Biogeography of Sulawesian shrews: testing for their origin with a parametric bootstrap on molecular data. 1998 , 9, 567-71		52
2050	Molecular phylogenetics at the Felsenstein zone: approaching the Strepsiptera problem using 5.8S and 28S rDNA sequences. 1998 , 9, 470-80		50
2049	Base compositional bias and phylogenetic analyses: a test of the "flying DNA" hypothesis. 1998 , 10, 408-16		34
2048	Molecular cloning, sequencing, and phylogenetic relationships of a new potyvirus: sugarcane streak mosaic virus, and a reevaluation of the classification of the potyviridae. 1998 , 10, 323-32		64
2047	Phylogenetic relationships of the Acanthocephala inferred from 18S ribosomal DNA sequences. 1998 , 10, 287-98		96
2046	A SINE species from hippopotamus and its distribution among animal species. 1998 , 9, 550-5		12
2045	Prion's progress: patterns and rates of molecular evolution in relation to spongiform disease. <i>Journal of Molecular Evolution</i> , 1998 , 47, 133-45	3.1	17
2044	Organization and evolution of the mitochondrial DNA control region in the avian genus <i>Alectoris</i> . <i>Journal of Molecular Evolution</i> , 1998 , 47, 449-62	3.1	144
2043	Actin phylogeny identifies <i>Mesostigma viride</i> as a flagellate ancestor of the land plants. <i>Journal of Molecular Evolution</i> , 1998 , 47, 544-50	3.1	51
2042	Phylogeny of Nematoda and Cephalorhyncha derived from 18S rDNA. <i>Journal of Molecular Evolution</i> , 1998 , 47, 597-605	3.1	22
2041	Molecular timing of primate divergences as estimated by two nonprimate calibration points. <i>Journal of Molecular Evolution</i> , 1998 , 47, 718-27	3.1	116
2040	PHYLOGENETIC RELATIONSHIPS OF THE BROWN ALGAL ORDERS ECTOCARPALES, CHORDARIALES, DICTYOSIPHONALES, AND TILOPTERIDALES (PHAEOPHYCEAE) BASED ON RUBISCO LARGE SUBUNIT AND SPACER SEQUENCES. 1998 , 34, 1038-1048		55
2039	Inferences about orthopteroid phylogeny and molecular evolution from small subunit nuclear ribosomal DNA sequences. 1998 , 7, 163-78		50
2038	Comparative mtDNA phylogeography of neotropical freshwater fishes: testing shared history to infer the evolutionary landscape of lower Central America. 1998 , 7, 499-517		275

2037	Evolution on a volcanic conveyor belt: using phylogeographic reconstructions and K-Ar-based ages of the Hawaiian Islands to estimate molecular evolutionary rates. 1998 , 7, 533-45	423
2036	Phylogeny of nematode-trapping fungi based on 18S rDNA sequences. 1998 , 158, 179-184	55
2035	Presence of a newly described human DNA virus (TTV) in patients with liver disease. 1998 , 352, 195-7	264
2034	Molecular phylogeny of fig wasps Agaonidae are not monophyletic. 1998 , 321, 517-26	53
2033	Phylogenetic relationships among nine species of the Xanthophyceae inferred from rbcL and 18S rRNA gene sequences. 1998 , 37, 458-466	17
2032	Evolution of Nest-Building Behavior in Agapornis Parrots. 1998 , 115, 455-464	33
2031	Relationships of lacertid lizards (Reptilia: Lacertidae) estimated from mitochondrial DNA sequences and morphology. 1998 , 265, 1939-48	129
2030	Different timing of the adaptive radiations of North American and Asian warblers. 1998 , 265, 1969-1975	20
2029	The origin of the Australasian marsupial fauna and the phylogenetic affinities of the enigmatic monito del monte and marsupial mole. 1998 , 265, 2381-6	70
2028	Molecular phylogeny of brachiopods and phoronids based on nuclear-encoded small subunit ribosomal RNA gene sequences. 1998 , 353, 2039-2061	107
2027	Estimating Rate and Time in Molecular Phylogenies: Beyond the Molecular Clock?. 1998 , 242-264	67
2026	Testing the Cambrian explosion hypothesis by using a molecular dating technique. 1998 , 95, 12386-9	115
2025	Cetaceans Are Highly Derived Artiodactyls. 1998 , 113-131	36
2024	Computational advances in maximum likelihood methods for molecular phylogeny. 1998 , 8, 222-33	37
2023	DNA sequence variation in <i>Dermacentor hunteri</i> and estimated phylogenies of <i>Dermacentor</i> spp. (Acari: Ixodidae) in the New World. 1998 , 35, 277-88	44
2022	Best-Fit Maximum-Likelihood Models for Phylogenetic Inference: Empirical Tests with Known Phylogenies. 1998 , 52, 978	64
2021	Models of molecular evolution and phylogeny. 1998 , 8, 1233-44	215
2020	Analysis of sequence diversity in the C2-V3 regions of the external glycoproteins of HIV type 1 in Singapore. 1998 , 14, 1601-4	8

2019	Evolution of DNA or amino acid sequences with dependent sites. 1998 , 5, 149-63	9
2018	Complete mitochondrial genome suggests diapsid affinities of turtles. 1998 , 95, 14226-31	172
2017	Evaluating multiple alternative hypotheses for the origin of Bilateria: an analysis of 18S rRNA molecular evidence. 1998 , 95, 15458-63	189
2016	Can weighting improve bushy trees? Models of cytochrome b evolution and the molecular systematics of pipits and wagtails (Aves: Motacillidae). 1998 , 47, 589-603	41
2015	Rose: generating sequence families. 1998 , 14, 157-63	199
2014	Evolutionary Differentiation in Three Endemic West Indian Warblers. 1998 , 115, 890-903	55
2013	Molecular phylogeny of zooxanthellate bivalves. 1998 , 195, 70-7	28
2012	Hierarchical analysis of variation in the mitochondrial 16S rRNA gene among Hymenoptera. 1998 , 15, 1728-43	80
2011	Comment on the Quartet Puzzling Method for Finding Maximum-Likelihood Tree Topologies. 1998 , 15, 87-89	33
2010	Granule-bound starch synthase: structure, function, and phylogenetic utility. 1998 , 15, 1658-73	227
2009	A hominoid-specific nuclear insertion of the mitochondrial D-loop: implications for reconstructing ancestral mitochondrial sequences. 1998 , 15, 463-9	37
2008	Searching for the closest living relative(s) of tetrapods through evolutionary analyses of mitochondrial and nuclear data. 1998 , 15, 506-17	104
2007	BEST-FIT MAXIMUM-LIKELIHOOD MODELS FOR PHYLOGENETIC INFERENCE: EMPIRICAL TESTS WITH KNOWN PHYLOGENIES. 1998 , 52, 978-987	153
2006	Support for a monophyletic lemuriformes: overcoming incongruence between data partitions. 1998 , 15, 1572-7	49
2005	A codon-based model designed to describe lentiviral evolution. 1998 , 15, 1069-81	37
2004	Reassessment of Dalbulus Leafhopper (Homoptera: Cicadellidae) Phylogeny Based on Mitochondrial Dna Sequences. 1998 , 91, 590-597	18
2003	BIOGEOGRAPHY OF A WIDESPREAD FRESHWATER CRUSTACEAN: PSEUDOCONGRUENCE AND CRYPTIC ENDEMISM IN THE NORTH AMERICAN DAPHNIA LAEVIS COMPLEX. 1998 , 52, 1648-1670	66
2002	Estimating divergence dates from molecular sequences. 1998 , 15, 442-8	229

2001	Nucleotide substitution models and estimation of phylogeny. 1998 , 15, 1381-9	21
2000	Bibliography. 1998 , 327-345	
1999	Evolutionary relationships in <i>Aspergillus</i> section <i>Fumigati</i> inferred from partial β -tubulin and hydrophobin DNA sequences. 1998 , 90, 831-845	122
1998	Estimation of evolutionary distances under stationary and nonstationary models of nucleotide substitution. 1998 , 95, 5899-905	48
1997	Markov chain Monte Carlo for the Bayesian analysis of evolutionary trees from aligned molecular sequences. 1999 , 33, 143-162	6
1996	Teleomorph-anamorph connections: the new pyrenomycetous genus <i>Carpoligna</i> and its <i>Pleurothecium</i> anamorph. 1999 , 91, 251-262	38
1995	Phylogenetic analysis of nuclear ribosomal DNA places the nematode parasite, <i>Drechmeria coniospora</i> , in <i>Clavicipitaceae</i> . 1999 , 91, 993-1000	11
1994	Phylogenetic relationships of <i>Agaricus</i> species based on ITS-2 and 28S ribosomal DNA sequences. 1999 , 91, 811-819	31
1993	Molecular systematics of the parasitic protozoan <i>Giardia intestinalis</i> . 1999 , 16, 1135-44	225
1992	Markov Chain Monte Carlo Algorithms for the Bayesian Analysis of Phylogenetic Trees. 1999 , 16, 750-759	1256
1991	Substitution rates of organelle and nuclear genes in sharks: implicating metabolic rate (again). 1999 , 16, 996-1002	94
1990	Building Phylogenetic Trees from Quartets by Using Local Inconsistency Measures. 1999 , 16, 685-693	23
1989	Distributions of Statistics Used for the Comparison of Models of Sequence Evolution in Phylogenetics. 1999 , 16, 1292-1299	110
1988	Phylogenetic relationships of land plants using mitochondrial small-subunit rDNA sequences. 1999 , 86, 372-386	103
1987	Phylogenetic Relationships of <i>Agaricus</i> Species Based on ITS-2 and 28S Ribosomal DNA Sequences. 1999 , 91, 811	23
1986	The Effect of Taxon Sampling on Estimating Rate Heterogeneity Parameters of Maximum-Likelihood Models. 1999 , 16, 1347-1356	141
1985	The origin and evolution of green algal and plant actins. 1999 , 16, 275-85	26
1984	Substitution rate variation among sites in mitochondrial hypervariable region I of humans and chimpanzees. 1999 , 16, 1357-68	116

1983	Teleomorph-Anamorph Connections: The New Pyrenomycetous Genus <i>Carpoligna</i> and Its Pleurothecium Anamorph. 1999 , 91, 251	18
1982	A Phylogenetic Study of <i>Sanicula</i> sect. <i>Sanicoria</i> and <i>S.</i> sect. <i>Sandwicenses</i> (Apiaceae) Based on Nuclear rDNA and Morphological Data. 1999 , 24, 228	12
1981	Molecular Phylogenetics and Evolution of Sexual Dichromatism among Populations of the Yarrow's Spiny Lizard (<i>Sceloporus jarrovii</i>). 1999 , 53, 1884	51
1980	Evolutionary Changes in Floral Structure within <i>Lepidium</i> L. (Brassicaceae). 1999 , 160, 917-929	45
1979	Probability models for genome rearrangement and linear invariants for phylogenetic inference. 1999 ,	11
1978	Effect of nonindependent substitution on phylogenetic accuracy. 1999 , 48, 317-28	44
1977	Maximum likelihood analysis of gene-based and structure-based process partitions, using mammalian mitochondrial genomes. 1999 , 48, 286-99	20
1976	Data set incongruence and correlated character evolution: an example of functional convergence in the hind-limbs of stifftail diving ducks. 1999 , 48, 683-714	87
1975	The mitochondrial DNA molecule of the aardvark, <i>Orycteropus afer</i> , and the position of the Tubulidentata in the eutherian tree. 1999 , 266, 339-45	23
1974	Combined molecular phylogenetic analysis of the Orthoptera (Arthropoda, Insecta) and implications for their higher systematics. 1999 , 48, 233-53	106
1973	Forty million years of mutualism: evidence for eocene origin of the yucca-yucca moth association. 1999 , 96, 9178-83	134
1972	Comparison of the Mitochondrial 12S and 16S Ribosomal Dna Genes in Resolving Phylogenetic Relationships among Hard Ticks (Acari: Ixodidae). 1999 , 92, 117-129	74
1971	Sampling confidence envelopes of phylogenetic trees for combinability testing: a reply to Rodrigo. 1999 , 48, 596-603	2
1970	Phylogenetic Analysis of Nuclear Ribosomal DNA Places the Nematode Parasite, <i>Drechmeria coniospora</i> , in Clavicipitaceae. 1999 , 91, 993	10
1969	The complete mitochondrial DNA sequences of <i>Nephroselmis olivacea</i> and <i>Pedinomonas minor</i> . Two radically different evolutionary patterns within green algae. 1999 , 11, 1717-30	136
1968	Phylogenetic invariants for genome rearrangements. 1999 , 6, 431-45	24
1967	Replicated evolution of trophic specializations in an endemic cichlid fish lineage from Lake Tanganyika. 1999 , 96, 10230-5	164
1966	Phylogenetic relationships of Polemoniaceae inferred from 18S ribosomal DNA sequences. 1999 , 214, 65-89	17

1965	An ITS-based phylogenetic analysis of the Euryptera species group in <i>Lomatium</i> (Apiaceae). 1999 , 219, 65-78	8
1964	Molecular identification of a male-killing agent in the ladybird <i>Harmonia axyridis</i> (Pallas) (Coleoptera: Coccinellidae). 1999 , 8, 551-5	83
1963	Species distinction and evolutionary relationships of the Italian hare (<i>Lepus corsicanus</i>) as described by mitochondrial DNA sequencing. 1999 , 8, 1805-17	117
1962	Mitochondrial DNA phylogeography and population history of the grey wolf <i>canis lupus</i> . 1999 , 8, 2089-103	264
1961	Mitochondrial DNA Phylogeography and the Conservation of Endangered Lesser Antillean Icterus Orioles. 1999 , 13, 1088-1096	40
1960	Hemichordates and deuterostome evolution: robust molecular phylogenetic support for a hemichordate + echinoderm clade. 1999 , 1, 166-71	90
1959	PHYLOGENETIC POSITION OF SYMBIODINIUM (DINOPHYCEAE) ISOLATES FROM TRIDACNIDS (BIVALVIA), CARDIIDS (BIVALVIA), A SPONGE (PORIFERA), A SOFT CORAL (ANTHOZOA), AND A FREE-LIVING STRAIN. 1999 , 35, 1054-1062	159
1958	THE PHYLOGENETIC RELATIONSHIP OF PFIESTERIA PISCICIDA, CRYPTOPERIDINIOPSOID SP. AMYLOODINOUM OCELLATUM AND A PFIESTERIA-LIKE DINOFLAGELLATE TO OTHER DINOFLAGELLATES AND APICOMPLEXANS. 1999 , 35, 1379-1389	79
1957	Origin of the Sulawesi macaques (Cercopithecidae: <i>Macaca</i>) as suggested by mitochondrial DNA phylogeny. 1999 , 66, 539-560	7
1956	Molecular evidence for the phylogeny of Australian gekkonoid lizards. 1999 , 67, 97-118	47
1955	Phylogeny of the Lemuridae: Effects of Character and Taxon Sampling on Resolution of Species Relationships within Eulemur.. 1999 , 15, 351-361	61
1954	Bayesian phylogenetic inference via Markov chain Monte Carlo methods. 1999 , 55, 1-12	354
1953	Molecular phylogeny of leeches: Congruence of nuclear and mitochondrial rDNA data sets and the origin of bloodsucking. 1999 , 37, 141-147	36
1952	Molecular genetic relationships of the extinct ostrich, <i>Struthio camelus syriacus</i> : consequences for ostrich introductions into Saudi Arabia. 1999 , 2, 165-171	18
1951	A phylogeny of the European lizard genus <i>Algyroides</i> (Reptilia: Lacertidae) based on DNA sequences, with comments on the evolution of the group. 1999 , 249, 49-60	14
1950	Origin of the Sulawesi macaques (Cercopithecidae: <i>Macaca</i>) as suggested by mitochondrial DNA phylogeny. 1999 , 66, 539-560	42
1949	A Comparison of Morphological, Chemical and Molecular Characters in Some Parmelioid Genera. 1999 , 31, 451-460	9
1948	A Re-Examination of Generic Concepts of Baeomycetoid Lichens Based on Phylogenetic Analyses of Nuclear <i>ssu</i> and <i>Lsu</i> Ribosomal Dna. 1999 , 31, 409-418	11

1947	Variation in the pattern of nucleotide substitution across sites. <i>Journal of Molecular Evolution</i> , 1999 , 48, 86-93	3.1	21
1946	DNA Sequence Evidence for Placement of the Ground Cuscus, <i>Phalanger gymnotis</i> , in the Tribe <i>Phalangerini</i> (Marsupialia: <i>Phalangeridae</i>). 1999 , 6, 1-17		12
1945	Molecular Relationships of the Extinct Pig-Footed Bandicoot <i>Chaeropus ecaudatus</i> (Marsupialia: <i>Perameloidea</i>) Using 12S rRNA Sequences. 1999 , 6, 271-288		15
1944	Maximum-Likelihood Analysis of the Tethythere Hypothesis Based on a Multigene Data Set and a Comparison of Different Models of Sequence Evolution. 1999 , 6, 161-176		11
1943	Male-killing <i>Wolbachia</i> in two species of insect. 1999 , 266, 735-740		284
1942	Molecular evolution of cytochrome b of subterranean mole rats, <i>Spalax ehrenbergi</i> superspecies, in Israel. <i>Journal of Molecular Evolution</i> , 1999 , 49, 215-26	3.1	23
1941	Phylogenetic study of methanogens associated with rumen ciliates. 1999 , 39, 123-8		72
1940	Estimation of the transition/transversion rate bias and species sampling. <i>Journal of Molecular Evolution</i> , 1999 , 48, 274-83	3.1	147
1939	Compositional bias may affect both DNA-based and protein-based phylogenetic reconstructions. <i>Journal of Molecular Evolution</i> , 1999 , 48, 284-90	3.1	236
1938	Mitochondrial DNA phylogeny of the family Cichlidae: monophyly and fast molecular evolution of the neotropical assemblage. <i>Journal of Molecular Evolution</i> , 1999 , 48, 703-11	3.1	104
1937	Detection of seven major evolutionary lineages in cyanobacteria based on the 16S rRNA gene sequence analysis with new sequences of five marine <i>Synechococcus</i> strains. <i>Journal of Molecular Evolution</i> , 1999 , 48, 723-39	3.1	182
1936	Phylogenetic analysis of <i>Pseudomonas syringae</i> pathovars suggests the horizontal gene transfer of <i>argK</i> and the evolutionary stability of <i>hrp</i> gene cluster. <i>Journal of Molecular Evolution</i> , 1999 , 49, 627-44	3.1	150
1935	Toward assigning helical regions in alignments of ribosomal RNA and testing the appropriateness of evolutionary models. <i>Journal of Molecular Evolution</i> , 1999 , 49, 691-8	3.1	21
1934	Further Analysis of Intraspecific Sequence Variation of Chloroplast DNA in <i>Primula cuneifolia</i> Ledeb. (<i>Primulaceae</i>): Implications for Biogeography of the Japanese Alpine Flora. 1999 , 112, 87-95		53
1933	Reconstruction of phylogenetic relationships. 1999 , 24, 121-137		2
1932	<i>Cryptosporidium</i> is more closely related to the gregarines than to coccidia as shown by phylogenetic analysis of apicomplexan parasites inferred using small-subunit ribosomal RNA gene sequences. 1999 , 85, 899-904		182
1931	Multigene analyses identify the three earliest lineages of extant flowering plants. 1999 , 9, 1485-8		182
1930	Mesostigmatophyceae, a new class of streptophyte green algae revealed by SSU rRNA sequence comparisons. 1999 , 150, 399-417		89

1929	Phylogeny of the bee genus <i>Lasioglossum</i> (Hymenoptera: Halictidae) based on mitochondrial COI sequence data. 1999 , 24, 377-393	71
1928	Phylogeny of carabid beetles as inferred from 18S ribosomal DNA (Coleoptera: Carabidae). 1999 , 24, 103-138	126
1927	<i>Papilio</i> phylogeny based on mitochondrial cytochrome oxidase I and II genes. 1999 , 11, 122-37	214
1926	Molecular evolutionary relationships in the avian genus <i>Anthus</i> (Pipits: Motacillidae). 1999 , 11, 84-94	54
1925	A molecular phylogeny of the patellid limpets (Gastropoda: Patellidae) and its implications for the origins of their antitropical distribution. 1999 , 11, 138-56	73
1924	A molecular phylogeny of the pheasants and partridges suggests that these lineages are not monophyletic. 1999 , 11, 38-54	135
1923	Cytochrome b phylogeny of the family bovidae: resolution within the alcelaphini, antilopini, neotragini, and tragelaphini. 1999 , 12, 31-46	64
1922	Evolution of a mitochondrial cytochrome b gene sequence in the species-rich genus <i>sebastes</i> (Teleostei, Scorpaenidae) and its utility in testing the monophyly of the subgenus <i>Sebastomus</i> . 1999 , 11, 426-40	55
1921	Molecular evolution, systematics, and zoogeography of the rockfish subgenus <i>Sebastomus</i> (<i>Sebastes</i> , Scorpaenidae) based on mitochondrial cytochrome b and control region sequences. 1999 , 11, 441-58	74
1920	Mitochondrial 12S rDNA indicates that the Rhipicephalinae (Acari: Ixodida) is paraphyletic. 1999 , 12, 83-6	28
1919	The phylogenetic relationships of the suborder Acanthuroidei (Teleostei: Perciformes) based on molecular and morphological evidence. 1999 , 11, 415-25	40
1918	Reevaluation of phylogeny in the <i>Drosophila obscura</i> species group based on combined analysis of nucleotide sequences. 1999 , 12, 124-39	48
1917	Phylogeny of salmonine fishes based on growth hormone introns: Atlantic (<i>Salmo</i>) and Pacific (<i>Oncorhynchus</i>) salmon are not sister taxa. 1999 , 11, 381-93	104
1916	Basal divergences in birds and the phylogenetic utility of the nuclear RAG-1 gene. 1999 , 12, 115-23	357
1915	Molecular phylogeny of swallowtail butterflies of the tribe Papilionini (Papilionidae, Lepidoptera). 1999 , 12, 156-67	44
1914	The major opsin in bees (Insecta: Hymenoptera): A promising nuclear gene for higher level phylogenetics. 1999 , 12, 168-76	81
1913	Phylogenetic signal in the COI, 16S, and 28S genes for inferring relationships among genera of Microgastrinae (Hymenoptera; Braconidae): evidence of a high diversification rate in this group of parasitoids. 1999 , 12, 282-94	116
1912	Molecular evolution and phylogeny of the <i>Drosophila saltans</i> species group inferred from the Xdh gene. 1999 , 13, 110-21	23

1911	Rapid radiation events in the family Ursidae indicated by likelihood phylogenetic estimation from multiple fragments of mtDNA. 1999 , 13, 82-92	60
1910	Miocene radiation of deep-sea hydrothermal vent shrimp (Caridea: Bresiliidae): evidence from mitochondrial cytochrome oxidase subunit I. 1999 , 13, 244-54	107
1909	Partial 28S rDNA sequences and the antiquity of hydrothermal vent endemic gastropods. 1999 , 13, 255-74	43
1908	The long and short of it: branch lengths and the problem of placing the New Zealand short-tailed bat, <i>Mystacina</i> . 1999 , 13, 405-16	36
1907	Phylogeny of "Oxycanus" lineages of hepialid moths from New Zealand inferred from sequence variation in the mtDNA COI and II gene regions. 1999 , 13, 463-73	27
1906	Different models, different trees: the geographic origin of PTLV-I. 1999 , 13, 336-47	42
1905	Phylogeography of African fruitbats (Megachiroptera). 1999 , 13, 596-604	43
1904	Phylogenetic inference from conserved sites alignments. 1999 , 285, 128-139	16
1903	Acoel flatworms: earliest extant bilaterian Metazoans, not members of Platyhelminthes. 1999 , 283, 1919-23	367
1902	Intron splice sites of <i>Papilio glaucus</i> PglRh3 corroborate insect opsin phylogeny. 1999 , 230, 101-9	13
1901	Evidence for mitochondrial DNA recombination in a human population of island Melanesia. 1999 , 266, 485-92	105
1900	Nucleotide sequence of <i>rbcl</i> and phylogenetic relationships of <i>Setchellanthus caeruleus</i> (Setchellanthaceae). 1999 , 48, 303-315	31
1899	A comparison of cytochrome b and DNA hybridization data bearing on the phylogeny of swallows (Aves: Hirundinidae). 1999 , 11, 320-31	39
1898	Internal phylogeny of the Chilopoda (Myriapoda, Arthropoda) using complete 18S rDNA and partial 28S rDNA sequences. 1999 , 354, 215-22	68
1897	Molecular evidence for multiple origins of woodiness and a new world biogeographic connection of the Macaronesian island endemic <i>Pericallis</i> (Asteraceae: senecioneae). 1999 , 96, 13886-91	105
1896	Convergent Evolution of Courtship Songs among Cryptic Species of the Carnea Group of Green Lacewings (Neuroptera: Chrysopidae: Chrysoperla). 1999 , 53, 1165	31
1895	High Levels of Mitochondrial DNA Differentiation in Two Lineages of Antbirds (<i>Drymophila</i> and <i>Hypocnemis</i>). 1999 , 116, 1093-1106	73
1894	Molecular phylogeny of the marmots (Rodentia: Sciuridae): tests of evolutionary and biogeographic hypotheses. 1999 , 48, 715-34	101

1893	A Re-Examination of Generic Concepts of Baeomycetoid Lichens Based on Phylogenetic Analyses of Nuclear ssu and Lsu Ribosomal Dna. 1999 , 31, 409	12
1892	A Comparison of Morphological, Chemical and Molecular Characters in Some Parmelioid Genera. 1999 , 31, 451	15
1891	EVOLUTION OF HAPLODIPLOIDY IN DERMANYSSINE MITES (ACARI: MESOSTIGMATA). 1999 , 53, 1796-1803	17
1890	CONVERGENT EVOLUTION OF COURTSHIP SONGS AMONG CRYPTIC SPECIES OF THE CARNEA GROUP OF GREEN LACEWINGS (NEUROPTERA: CHRYSOPIDAE: CHRYSOPERLA). 1999 , 53, 1165-1179	65
1889	BIOCHEMICAL EVOLUTION ASSOCIATED WITH ANTIPREDATOR ADAPTATION IN DAMSELFLIES. 1999 , 53, 1835-1845	30
1888	MOLECULAR PHYLOGENETICS AND EVOLUTION OF SEXUAL DICHROMATISM AMONG POPULATIONS OF THE YARROW'S SPINY LIZARD (SCHELOPORUS JARROVII). 1999 , 53, 1884-1897	39
1887	PHYLOGEOGRAPHY OF THE PANTROPICAL SEA URCHIN EUCIDARIS IN RELATION TO LAND BARRIERS AND OCEAN CURRENTS. 1999 , 53, 806-817	105
1886	Evolutionary dynamics of a mitochondrial rearrangement "hot spot" in the Hymenoptera. 1999 , 16, 298-309	177
1885	Correct and incorrect vertebrate phylogenies obtained by the entire mitochondrial DNA sequences. 1999 , 16, 590-601	71
1884	The Complete Mitochondrial DNA Sequences of Nephroselmis olivacea and Pedinomonas minor: Two Radically Different Evolutionary Patterns within Green Algae. 1999 , 11, 1717	5
1883	A Higher Order Parsimony Method to Reduce Long-Branch Attraction. 1999 , 16, 694-705	14
1882	Performance of likelihood ratio tests of evolutionary hypotheses under inadequate substitution models. 1999 , 16, 868-75	57
1881	Determination of the complete nucleotide sequence and haplotypes in the D-loop region of the mitochondrial genome in the oriental white stork, Ciconia boyciana. 2000 , 75, 25-32	23
1880	Molecular Systematics of the Deep-Sea Fish Genus Gonostoma (Stomiiformes: Gonostomatidae): Two Paraphyletic Clades and Resurrection of Sigmops. 2000 , 2000, 378-389	14
1879	The Imprint of History on Communities of North American and Asian Warblers. 2000 , 156, 354-367	96
1878	The phylogenetic position of the Talpidae within eutheria based on analysis of complete mitochondrial sequences. 2000 , 17, 60-7	102
1877	Intragenomic variation within ITS1 and ITS2 of freshwater crayfishes (Decapoda: Cambaridae): implications for phylogenetic and microsatellite studies. 2000 , 17, 284-91	222
1876	Molecular evolution and phylogeny of the buzzatii complex (Drosophila repleta group): a maximum-likelihood approach. 2000 , 17, 1112-22	31

1875	A test for concordance between the multilocus genealogies of genes and microsatellites in the pathogenic fungus <i>Coccidioides immitis</i> . 2000 , 17, 1164-74	84
1874	The complete mitochondrial genome of <i>Tupaia belangeri</i> and the phylogenetic affiliation of scandentia to other eutherian orders. 2000 , 17, 1334-43	74
1873	Actin gene family evolution and the phylogeny of coleoid cephalopods (Mollusca: Cephalopoda). 2000 , 17, 1353-70	71
1872	Statistical tests of gamma-distributed rate heterogeneity in models of sequence evolution in phylogenetics. 2000 , 17, 975-8	103
1871	Estimation of primate speciation dates using local molecular clocks. 2000 , 17, 1081-90	361
1870	The Origin of <i>Lecithodesmus</i> (Digenea: Campulidae) Based on ND3 Gene Comparison. 2000 , 86, 850	1
1869	Population genetics of the <i>porB</i> gene of <i>Neisseria gonorrhoeae</i> : different dynamics in different homology groups. 2000 , 17, 423-36	34
1868	Total evidence: Molecules, morphology, and the phylogenetics of cichlid fishes. 2000 , 288, 76-92	97
1867	Phylogenetic analysis of the Wnt gene family and discovery of an arthropod Wnt-10 orthologue. 2000 , 288, 105-119	11
1866	Phylogenetic relationships of mormyrid electric fishes (Mormyridae; Teleostei) inferred from cytochrome b sequences. 2000 , 14, 1-10	51
1865	The distribution of group I introns in lichen algae suggests that lichenization facilitates intron lateral transfer. 2000 , 14, 342-52	62
1864	Molecular phylogeny and larval morphological diversity of the lanternfish genus <i>Hygophum</i> (Teleostei: Myctophidae). 2000 , 15, 103-14	21
1863	A rapid heuristic algorithm for finding minimum evolution trees. 2000 , 16, 173-9	3
1862	A molecular phylogenetic framework for the Ryukyu endemic rodents <i>Tokudaia osimensis</i> and <i>Diplothrix legata</i> . 2000 , 15, 15-24	106
1861	Phylogenetic relationships among mytilidae (Bivalvia): 18S rRNA data suggest convergence in mytilid body plans. 2000 , 15, 25-33	66
1860	Phylogeny and biogeography of serolid isopods (Crustacea, Isopoda, Serolidae) and the use of ribosomal expansion segments in molecular systematics. 2000 , 15, 165-78	59
1859	Nuclear genes resolve mesozoic-aged divergences in the insect order Lepidoptera. 2000 , 15, 242-59	66
1858	Molecular phylogenetic analysis of the Pneumoroidea (Orthoptera, Caelifera): molecular data resolve morphological character conflicts in the basal acridomorpha. 2000 , 15, 345-54	34

1857	Molecular phylogeny of European muroid rodents based on complete cytochrome b sequences. 2000 , 16, 37-47	121
1856	Rapidly evolving lineages impede the resolution of phylogenetic relationships among Clitellata (Annelida). 2000 , 15, 355-68	42
1855	Resolving phylogeny at the family level by mitochondrial cytochrome oxidase sequences: phylogeny of carrion beetles (Coleoptera, Silphidae). 2000 , 15, 390-402	50
1854	Phylogenetic relationships of world populations of <i>Bemisia tabaci</i> (Gennadius) using ribosomal ITS1. 2000 , 16, 29-36	173
1853	The impact of parsimony weighting schemes on inferred relationships among toucans and neotropical barbets (Aves: piciformes). 2000 , 15, 215-34	34
1852	Phylogenetic analyses of the rhipicephaline ticks indicate that the genus <i>Rhipicephalus</i> is paraphyletic. 2000 , 16, 1-7	65
1851	Mitochondrial COI sequences of brachiopods: genetic code shared with protostomes and limits of utility for phylogenetic reconstruction. 2000 , 15, 331-44	32
1850	Molecular phylogeny of parasitic zygomycota (Dimargaritales, zoopagales) based on nuclear small subunit ribosomal DNA sequences. 2000 , 16, 253-62	47
1849	A phylogeny of the trimeresurus group of pit vipers: new evidence from a mitochondrial gene tree. 2000 , 16, 199-211	49
1848	Variation in modes and rates of evolution in nuclear and mitochondrial ribosomal DNA in the mushroom genus <i>Amanita</i> (Agaricales, Basidiomycota): phylogenetic implications. 2000 , 16, 48-63	41
1847	Relationships among brown lemurs (<i>Eulemur fulvus</i>) based on mitochondrial DNA sequences. 2000 , 16, 418-29	31
1846	A molecular phylogeny for the frog genus <i>Limnodynastes</i> (Anura: myobatrachidae). 2000 , 16, 379-91	24
1845	Testing morphological concepts of orders of pleurocarpous mosses (Bryophyta) using phylogenetic reconstructions based on TRNL-TRNF and RPS4 sequences. 2000 , 16, 180-98	96
1844	Molecular phylogenetics of the <i>Peromyscus boylii</i> species group (Rodentia: muridae) based on mitochondrial cytochrome b sequences. 2000 , 16, 366-78	60
1843	Utility of the mitochondrial cytochrome oxidase II gene for resolving relationships among black flies (Diptera: simuliidae). 2000 , 16, 286-95	23
1842	Phylogenetic and biogeographic relationships of eastern Asian and eastern North American disjunct <i>Suillus</i> species (fungi) as inferred from nuclear ribosomal RNA ITS sequences. 2000 , 17, 37-47	84
1841	Tree rooting with outgroups when they differ in their nucleotide composition from the ingroup: the <i>Drosophila saltans</i> and <i>willistoni</i> groups, a case study. 2000 , 16, 344-9	49
1840	28S rDNA evolution in the Eumalacostraca and the phylogenetic position of krill. 2000 , 17, 26-36	55

1839	Phylogeography and speciation of the morphologically variable, widespread species <i>Bufo valliceps</i> , based on molecular evidence from mtDNA. 2000 , 17, 173-89	76
1838	Affinities among anostracan (Crustacea: Branchiopoda) families inferred from phylogenetic analyses of multiple gene sequences. 2000 , 17, 117-28	33
1837	Phylogeny of the treehoppers (Insecta: Hemiptera: Membracidae): evidence from two nuclear genes. 2000 , 17, 317-34	45
1836	Phylogeography and systematics of the <i>Peromyscus eremicus</i> species group and the historical biogeography of North American warm regional deserts. 2000 , 17, 145-60	121
1835	A molecular phylogeny of warbling-finches (<i>Poospiza</i>): paraphyly in a neotropical Emberizid genus. 2000 , 17, 367-78	42
1834	Phylogenetic analysis and trait evolution in Australian lineages of drywood termites (Isoptera, Kalotermitidae). 2000 , 17, 419-29	45
1833	CONSPECIFICITY AND INDO-PACIFIC DISTRIBUTION OF SYMBIODINIUM GENOTYPES (DINOPHYCEAE) FROM GIANT CLAMS. 2000 , 36, 1153-1161	113
1832	Phylogenetic analyses of various euglenoid taxa (euglenozoa) based on 18s rDNA sequence data. 2000 , 36, 220-226	48
1831	PHYLOGENY OF THE CONJUGATING GREEN ALGAE (ZYGNEPHYCEAE) BASED ON rbc L SEQUENCES. 2000 , 36, 747-758	84
1830	TAXONOMY OF THE NEW ZEALAND-ENDEMIC GENUS <i>PLEUROSCHIDIUM</i> (RHODOMELACEAE, RHODOPHYTA). 2000 , 36, 773-786	13
1829	PHYLOGENETIC POSITION OF THE OOCYSTACEAE (CHLOROPHYTA). 2000 , 36, 590-595	34
1828	Gastropod evolutionary rates and phylogenetic relationships assessed using partial 28S rDNA and histone H3 sequences. 2000 , 29, 29-63	167
1827	<i>Clypeatula cooperensis</i> gen. n., sp. n., a new freshwater sponge (Porifera, Spongillidae) from the Rocky Mountains of Montana, USA. 2000 , 29, 265-74	10
1826	Phylogenetic position of the Tenrecs (Mammalia: Tenrecidae) of Madagascar based on analysis of the complete mitochondrial genome sequence of <i>Echinops telfairi</i> . 2000 , 29, 307-317	37
1825	Mitochondrial DNA sequence divergence among greenbug (Homoptera: aphididae) biotypes: evidence for host-adapted races. 2000 , 9, 179-84	99
1824	Biogeographical implications of mitochondrial DNA variation in the Bockadam snake (<i>Cerberus rynchops</i> , Serpentes: Homalopsinae) in Southeast Asia. 2000 , 27, 391-402	25
1823	Does the phylogeny of pelomedusoid turtles reflect vicariance due to continental drift?. 2000 , 27, 1245-1249	32
1822	Molecular biogeography of the Mediterranean lizards <i>Podarcis</i> Wagler, 1830 and <i>Teira</i> Gray, 1838 (Reptilia, Lacertidae). 2000 , 27, 1403-1420	54

1821	Assessment of natural and artificial propagation of the white-clawed crayfish (<i>Austropotamobius pallipes</i> species complex) in the Alpine region with nuclear and mitochondrial markers. 2000 , 9, 25-37	54
1820	Phylogeography of a post-glacial colonizer: <i>Microtus longicaudus</i> (Rodentia: muridae). 2000 , 9, 165-75	140
1819	Mitochondrial sequence analysis of <i>Salamandra</i> taxa suggests old splits of major lineages and postglacial recolonizations of central Europe from distinct source populations of <i>Salamandra salamandra</i> . 2000 , 9, 397-410	174
1818	Mitochondrial DNA sequences support allozyme evidence for cryptic radiation of New Zealand <i>Peripatoides</i> (Onychophora). 2000 , 9, 269-81	57
1817	Phylogeographical pattern correlates with pliocene mountain building in the alpine scree weta (Orthoptera, anostostomatidae). 2000 , 9, 657-66	117
1816	Mitochondrial haplotype diversity among Portuguese brown trout <i>Salmo trutta</i> L. populations: relevance to the post-pleistocene recolonization of northern Europe. 2000 , 9, 691-8	56
1815	Dispersal barriers in tropical oceans and speciation in Atlantic and eastern Pacific sea urchins of the genus <i>Echinometra</i> . 2000 , 9, 1391-400	181
1814	Across the Southern Alps by river capture? Freshwater fish phylogeography in South Island, New Zealand. 2000 , 9, 1577-82	67
1813	Phylogeography and population structure of an ecotonal marsupial, <i>Bettongia tropica</i> , determined using mtDNA and microsatellites. 2000 , 9, 2041-53	83
1812	Evolution of balanced genetic polymorphism. 2000 , 9, 1953-63	127
1811	Occurrence of three PII-like signal transmitter proteins in the diazotrophic proteobacterium <i>Azoarcus</i> sp. BH72. 2000 , 38, 276-88	31
1810	Phylogenetic evidence for a single, ancestral origin of a true worker caste in termites. 2000 , 13, 869-881	86
1809	Phylogenetic relationships and genetic diversity among members of the <i>Festuca-Lolium</i> complex (Poaceae) based on ITS sequence data. 2000 , 224, 33-53	59
1808	Phylogenetic relationships of the durians (Bombacaceae-Durioneae or /Malvaceae/Helicteroideae/Durioneae) based on chloroplast and nuclear ribosomal DNA sequences. 2000 , 224, 55-82	27
1807	Population structure, parasitism, and survivorship of sexual and autodiploid parthenogenetic <i>Campeloma limum</i> . 2000 , 54, 167-75	6
1806	The dynamics of natural selection and vicariance in the Dominican anole: patterns of within-island molecular and morphological divergence. 2000 , 54, 245-58	79
1805	Sexual selection drives rapid divergence in bowerbird display traits. 2000 , 54, 273-8	120
1804	Matrilineal genetic structure and female-mediated gene flow in red grouse (<i>Lagopus lagopus scoticus</i>): an analysis using mitochondrial DNA. 2000 , 54, 279-89	6

1803	A Bayesian framework for the analysis of cospeciation. 2000 , 54, 352-64	98
1802	Evolution of gall morphology and host-plant relationships in willow-feeding sawflies (Hymenoptera: Tenthredinidae). 2000 , 54, 526-33	110
1801	Parallel evolution of the melanic form of the California legless lizard, <i>Anniella pulchra</i> , inferred from mitochondrial DNA sequence variation. 2000 , 54, 1041-6	20
1800	Evolution of poecilogony and the biogeography of North American populations of the polychaete <i>Streblospio</i> . 2000 , 54, 1247-59	66
1799	Phylogeography of the jumping spider <i>Habronattus pugillis</i> (araneae: salticidae): recent vicariance of sky island populations?. 2000 , 54, 1699-711	111
1798	Molecular evolution, adaptive radiation, and geographic diversification in the amphiatlantic family Rapateaceae: evidence from <i>ndhF</i> sequences and morphology. 2000 , 54, 1915-37	105
1797	Interpreting colonization of the <i>Calathus</i> (Coleoptera: Carabidae) on the Canary Islands and Madeira through the application of the parametric bootstrap. 2000 , 54, 2081-90	61
1796	MITOCHONDRIAL DNA PHYLOGEOGRAPHY OF THE POLYTYPIC NORTH AMERICAN RAT SNAKE (<i>ELAPHE OBSOLETA</i>): A CRITIQUE OF THE SUBSPECIES CONCEPT. 2000 , 54, 2107-2118	430
1795	Molecular data support a rapid radiation of aphids in the Cretaceous and multiple origins of host alternation. 2000 , 71, 689-717	41
1794	Strongest Evidence Revisited.. 2000 , 16, 394-402	5
1793	Evolution of heteroneuran Lepidoptera (Insecta) and the utility of dopa decarboxylase for Cretaceous-age phylogenetics. 2000 , 130, 213-234	10
1792	Phylogeny of sea skaters, <i>Halobates</i> Eschscholtz (Hemiptera, Gerridae), based on mtDNA sequence and morphology. 2000 , 130, 511-526	31
1791	Molecular sequence data resolves basal divergences within Simuliidae (Diptera). 2000 , 25, 95-113	66
1790	Evidence from multiple gene sequences indicates that termites evolved from wood-feeding cockroaches. 2000 , 10, 801-4	317
1789	Examining rates and patterns of nucleotide substitution in plants. 2000 , 42, 25-43	104
1788	<i>Varroa jacobsoni</i> (Acari: Varroidae) is more than one species. 2000 , 24, 165-89	453
1787	Phylogenetic analysis of two potyvirus pathogens of commercial cowpea lines: implications for obtaining pathogen-derived resistance. 2000 , 20, 71-7	5
1786	Molecular Phylogeny of the Chipmunk Genus <i>Tamias</i> Based on the Mitochondrial Cytochrome Oxidase Subunit II Gene. 2000 , 7, 147-166	18

1785	Intergeneric Relationships Among Macropodoidea (Metatheria: Diprotodontia) and The Chronicle of Kangaroo Evolution. 2000 , 7, 213-237		32
1784	Introgressive hybridization between <i>Galaxias depressiceps</i> and <i>Galaxias</i> sp D (Teleostei: Galaxiidae) in Otago, New Zealand: Secondary contact mediated by water races. 2000 , 1, 329-339		32
1783	Sugarcane yellow leaf virus: an emerging virus that has evolved by recombination between luteoviral and poleroviral ancestors. 2000 , 269, 156-71		131
1782	Re-emergence of vesicular stomatitis in the western United States is associated with distinct viral genetic lineages. 2000 , 271, 171-81		47
1781	Strategies for amplification by polymerase chain reaction of the complete sequence of the gene encoding nuclear large subunit ribosomal RNA in corals. 2000 , 2, 558-70		36
1780	Phylogeography and regional endemism of a passively dispersing zooplankter: mitochondrial DNA variation in rotifer resting egg banks. 2000 , 267, 2189-97		110
1779	Molecular evolution of calmodulin and calmodulin-like genes in the cephalochordate <i>Branchiostoma</i> . <i>Journal of Molecular Evolution</i> , 2000 , 51, 141-8	3.1	19
1778	Fluctuating mutation bias and the evolution of base composition in <i>Drosophila</i> . <i>Journal of Molecular Evolution</i> , 2000 , 50, 1-10	3.1	31
1777	Intron conservation in a UV-specific DNA repair gene encoded by chlorella viruses. <i>Journal of Molecular Evolution</i> , 2000 , 50, 82-92	3.1	14
1776	Disparate evolution of paralogous introns in the <i>Xdh</i> gene of <i>Drosophila</i> . <i>Journal of Molecular Evolution</i> , 2000 , 50, 123-30	3.1	5
1775	A new method for locating changes in a tree reveals distinct nucleotide polymorphism vs. divergence patterns in mouse mitochondrial control region. <i>Journal of Molecular Evolution</i> , 2000 , 50, 224-31	3.1	11
1774	Evolutionary significance of an unusual chloroplast DNA inversion found in two basal angiosperm lineages. 2000 , 37, 183-8		34
1773	Phylogenetic relationships of the Japanese minnows, <i>Pseudorasbora</i> (Cyprinidae), as inferred from mitochondrial 16S rRNA gene sequences. 2000 , 47, 43-50		24
1772	Identification of the causal agent of <i>Armillaria</i> root rot of <i>Pinus</i> species in South Africa. 2000 , 92, 777-785		31
1771	New World Nine-Primaried Oscine Relationships: Constructing a Mitochondrial DNA Framework. 2000 , 117, 321-336		103
1770	Phylogenetic analyses and the fossil record: Tests and inferences, hypotheses and models. 2000 , 26, 341-371		2
1769	PHYLOGENETIC AND BIOGEOGRAPHICAL HISTORY OF THE GENUS <i>ISHIZAKIELLA</i> (OSTRACODA) INFERRED FROM MITOCHONDRIAL COI GENE SEQUENCES. 2000 , 20, 357-384		3
1768	Molecular evolution of a type 1 wild-vaccine poliovirus recombinant during widespread circulation in China. 2000 , 74, 11153-61		92

1767	Remarkable species diversity in Malagasy mouse lemurs (primates, <i>Microcebus</i>). 2000 , 97, 11325-30	192
1766	Phylogenetic analyses indicate an atypical nurse-to-patient transmission of human immunodeficiency virus type 1. 2000 , 74, 2525-32	64
1765	Phylogenetic analysis of psychrophilic bacteria isolated from the Japan Trench, including a description of the deep-sea species <i>Psychrobacter pacificensis</i> sp. nov. 2000 , 50 Pt 2, 835-846	108
1764	Rearrangement of immunoglobulin genes in shark germ cells. 2000 , 191, 1637-48	68
1763	THE DYNAMICS OF NATURAL SELECTION AND VICARIANCE IN THE DOMINICAN ANOLE: PATTERNS OF WITHIN-ISLAND MOLECULAR AND MORPHOLOGICAL DIVERGENCE. 2000 , 54, 245	5
1762	PHYLOGEOGRAPHY OF THE JUMPING SPIDER <i>HABRONATTUS PUGILLIS</i> (ARANEAE: SALTICIDAE): RECENT VICARIANCE OF SKY ISLAND POPULATIONS?. 2000 , 54, 1699	7
1761	Novel Relationships in Pleurocarpous Mosses as Revealed by cpDNA Sequences. 2000 , 103, 774-789	28
1760	Phylogenetic Relationships of Esocoid Fishes (Teleostei) Based on Partial Cytochromeband 16S Mitochondrial DNA Sequences. 2000 , 2000, 420-431	14
1759	Controversy and Consensus in Asteroid Systematics: New Insights to Ordinal and Familial Relationships1. 2000 , 40, 382-392	19
1758	POPULATION STRUCTURE, PARASITISM, AND SURVIVORSHIP OF SEXUAL AND AUTODIPLOID PARTHENOGENETIC <i>CAMPELOMA LIMUM</i> . 2000 , 54, 167	14
1757	PARALLEL EVOLUTION OF THE MELANIC FORM OF THE CALIFORNIA LEGLESS LIZARD, <i>ANNIELLA PULCHRA</i> , INFERRED FROM MITOCHONDRIAL DNA SEQUENCE VARIATION. 2000 , 54, 1041	1
1756	Phylogenetic Analysis of Molecular Lineages in a Species-Rich Subgenus of Sea Stars (<i>Leptasterias</i> Subgenus <i>Hexasterias</i>)1. 2000 , 40, 365-374	7
1755	Estimating the rate of molecular evolution: incorporating non-contemporaneous sequences into maximum likelihood phylogenies. 2000 , 16, 395-9	327
1754	EVOLUTION OF GALL MORPHOLOGY AND HOST-PLANT RELATIONSHIPS IN WILLOW-FEEDING SAWFLIES (HYMENOPTERA: TENTHREDINIDAE). 2000 , 54, 526	8
1753	MATRILINEAL GENETIC STRUCTURE AND FEMALE-MEDIATED GENE FLOW IN RED GROUSE (<i>LAGOPUS LAGOPUS SCOTICUS</i>): AN ANALYSIS USING MITOCHONDRIAL DNA. 2000 , 54, 279	39
1752	A BAYESIAN FRAMEWORK FOR THE ANALYSIS OF COSPECIATION. 2000 , 54, 352	11
1751	SEXUAL SELECTION DRIVES RAPID DIVERGENCE IN BOWERBIRD DISPLAY TRAITS. 2000 , 54, 273	11
1750	Evolution of Cytochromeband the Molecular Systematics of <i>Ammocrypta</i> (Percidae: Etheostomatinae). 2000 , 2000, 701-711	44

1749	Phylogenetic relationship among horseshoe crab species: effect of substitution models on phylogenetic analyses. 2000 , 49, 87-100	54
1748	Phylogenetic resolution within the tribe Episcieae (Gesneriaceae): congruence of ITS and NDHF sequences from parsimony and maximum-likelihood analyses. 2000 , 87, 883-897	32
1747	Patterns of nucleotide substitution in angiosperm cpDNA trnL (UAA)-trnF (GAA) regions. 2000 , 17, 1146-55	61
1746	Estimating synonymous and nonsynonymous substitution rates under realistic evolutionary models. 2000 , 17, 32-43	1210
1745	Horizontal transfer and selection in the evolution of P elements. 2000 , 17, 1542-57	102
1744	Bias in phylogenetic reconstruction of vertebrate rhodopsin sequences. 2000 , 17, 1220-31	50
1743	NJML: a hybrid algorithm for the neighbor-joining and maximum-likelihood methods. 2000 , 17, 1401-9	43
1742	Molecular evolution and phylogenetic utility of Wolbachia ftsZ and wsp gene sequences with special reference to the origin of male-killing. 2000 , 17, 584-600	48
1741	Relative patterns and rates of evolution in heron nuclear and mitochondrial DNA. 2000 , 17, 437-50	43
1740	Phylogenetic structure in the grass family (Poaceae): evidence from the nuclear gene phytochrome B. 2000 , 87, 96-107	117
1739	Phylogenetic systematics of the tribe Millettieae (Leguminosae) based on chloroplast trnK/matK sequences and its implications for evolutionary patterns in Papilionoideae. 2000 , 87, 418-430	132
1738	Phylogenetic and Biogeographical History of the Genus <i>Ishizakiella</i> (Ostracoda) Inferred from Mitochondrial COI Gene Sequences. 2000 , 20, 357-384	6
1737	Systematics of the European Endangered Crayfish Species <i>Austropotamobius Pallipes</i> (Decapoda: Astacidae). 2000 , 20, 522-529	33
1736	Phylogeny of the water strider genus <i>Aquarius</i> Schellenberg (Heteroptera: Gerridae) based on nuclear and mitochondrial DNA sequences and morphology. 2000 , 31, 71-90	27
1735	Consistency of SINE insertion topology and flanking sequence tree: quantifying relationships among cetartiodactyls. 2000 , 17, 1417-24	34
1734	A mitochondrial ancestry of the hydrogenosomes of <i>Nyctotherus ovalis</i> . 2000 , 17, 202-6	55
1733	Mitochondrial genomes of <i>Galathealinum</i> , <i>Helobdella</i> , and <i>Platynereis</i> : sequence and gene arrangement comparisons indicate that Pogonophora is not a phylum and Annelida and Arthropoda are not sister taxa. 2000 , 17, 87-106	249
1732	Rapid evolution of the family of CONSTANS LIKE genes in plants. 2000 , 17, 1499-507	72

1731	Evidence for a high ancestral GC content in <i>Drosophila</i> . 2000 , 17, 1710-7	27
1730	Efficiencies of fast algorithms of phylogenetic inference under the criteria of maximum parsimony, minimum evolution, and maximum likelihood when a large number of sequences are used. 2000 , 17, 1251-8	234
1729	c-mos variation in songbirds: molecular evolution, phylogenetic implications, and comparisons with mitochondrial differentiation. 2000 , 17, 1569-77	36
1728	Tempo and mode of human and simian T-lymphotropic virus (HTLV/STLV) evolution revealed by analyses of full-genome sequences. 2000 , 17, 374-86	63
1727	Determining Parasitoid Species Composition in a Host Population: A Molecular Approach. 2000 , 93, 640-647	42
1726	Phylogeny of the Bangiophycidae (Rhodophyta) and the secondary endosymbiotic origin of algal plastids. 2000 , 87, 482-492	62
1725	Identification of the Causal Agent of Armillaria Root Rot of <i>Pinus</i> Species in South Africa. 2000 , 92, 777	24
1724	Reversal of Mutualism as a Mechanism for Adaptive Radiation in <i>Yucca</i> Moths. 2000 , 156, S62-S76	76
1723	HTLV type I/II in British Columbia Amerindians: a seroprevalence study and sequence characterization of an HTLV type IIa isolate. 2000 , 16, 883-92	17
1722	Mitochondrial DNA phylogeography of the polytypic North American rat snake (<i>Elaphe obsoleta</i>): a critique of the subspecies concept. 2000 , 54, 2107-18	102
1721	Evolution of circulating wild poliovirus and of vaccine-derived poliovirus in an immunodeficient patient: a unifying model. 2000 , 74, 7381-90	112
1720	Evolutionary rate and genetic drift of hepatitis C virus are not correlated with the host immune response: studies of infected donor-recipient clusters. 2000 , 74, 2541-9	49
1719	A phylogenetic perspective on habitat shifts and diversity in the North American <i>Enallagma</i> damselflies. 2000 , 49, 697-712	65
1718	Molecular evidence supports an african affinity of the neotropical freshwater gastropod, <i>Biomphalaria glabrata</i> , say 1818, an intermediate host for <i>Schistosoma mansoni</i> . 2000 , 267, 2351-8	44
1717	Phylogenetic analysis of arthropods using two nuclear protein-encoding genes supports a crustacean + hexapod clade. 2000 , 267, 1011-9	111
1716	Myzostomida: a link between trochozoans and flatworms?. 2000 , 267, 1383-92	68
1715	War of the Iguanas: conflicting molecular and morphological phylogenies and long-branch attraction in iguanid lizards. 2000 , 49, 143-59	97
1714	Controversy and Consensus in Asteroid Systematics: New Insights to Ordinal and Familial Relationships. 2000 , 40, 382-392	30

1713	Mitochondrial DNA differentiation in the critically endangered Berg River redbfin (<i>Pseudobarbus burgii</i>). 2000 , 91, 122-7	12
1712	env sequences of simian immunodeficiency viruses from chimpanzees in Cameroon are strongly related to those of human immunodeficiency virus group N from the same geographic area. 2000 , 74, 529-34	136
1711	INTERPRETING COLONIZATION OF THE CALATHUS (COLEOPTERA: CARABIDAE) ON THE CANARY ISLANDS AND MADEIRA THROUGH THE APPLICATION OF THE PARAMETRIC BOOTSTRAP. 2000 , 54, 2081	4
1710	The origin of <i>Lecithodesmus</i> (Digenea: Campulidae) based on ND3 gene comparison. 2000 , 86, 850-2	9
1709	Evolution of a Ureagenic Ability of Japanese Mugilogobius Species (Pisces: Gobiidae). 2000 , 17, 549-557	5
1708	Likelihood-based tests of topologies in phylogenetics. 2000 , 49, 652-70	930
1707	Phylogenetic Analysis of Molecular Lineages in a Species-Rich Subgenus of Sea Stars (<i>Leptasterias</i> Subgenus <i>Hexasterias</i>). 2000 , 40, 365-374	9
1706	EDIBLE: experimental design and information calculations in phylogenetics. 2000 , 16, 294-5	14
1705	Molecular Phylogenetic Analysis of Relationships of the Tropical Salamander Genera <i>Oedipina</i> and <i>Nototriton</i> , with Descriptions of a New Genus and Three New Species. 2000 , 2000, 42-70	31
1704	MOLECULAR EVOLUTION, ADAPTIVE RADIATION, AND GEOGRAPHIC DIVERSIFICATION IN THE AMPHIATLANTIC FAMILY RAPATEACEAE: EVIDENCE FROM <i>ndhF</i> SEQUENCES AND MORPHOLOGY. 2000 , 54, 1915	11
1703	Biodiversity of Costa Rican salamanders: implications of high levels of genetic differentiation and phylogeographic structure for species formation. 2000 , 97, 1640-7	104
1702	The nucleotide sequence of koala (<i>Phascolarctos cinereus</i>) retrovirus: a novel type C endogenous virus related to Gibbon ape leukemia virus. 2000 , 74, 4264-72	153
1701	Long-distance colonization and radiation in gekkonid lizards, <i>Tarentola</i> (Reptilia: Gekkonidae), revealed by mitochondrial DNA sequences. 2000 , 267, 637-49	146
1700	Molecular phylogenetics of circumglobal <i>Euphausia</i> species (Euphausiacea: Crustacea). 2000 , 57, 51-58	19
1699	What Is the Relationship among Hernandiaceae, Lauraceae, and Monimiaceae, and Why Is This Question So Difficult to Answer?. 2000 , 161, S109-S119	44
1698	Evolutionary relationships in <i>Trypanosoma cruzi</i> : molecular phylogenetics supports the existence of a new major lineage of strains. 2000 , 246, 331-8	33
1697	Phylogenetic position of turtles among amniotes: evidence from mitochondrial and nuclear genes. 2000 , 259, 139-48	82
1696	CDNA cloning and sequence of European sea bass (<i>Dicentrarchus labrax</i>) somatolactin. 2000 , 127, 183-92	10

1695	Molecular phylogeny of three subfamilies of the Neanuridae (Insecta, Collembola) and the position of the antarctic species <i>Friesea grisea</i> Schfffer.. 2000 , 44, 342-360	21
1694	Molecular phylogeny of the apterygotan insects based on nuclear and mitochondrial genes. 2000 , 44, 361-373	34
1693	Molecular phylogenetics and biogeography of galaxiid fishes (Osteichthyes: Galaxiidae): dispersal, vicariance, and the position of <i>Lepidogalaxias salamandroides</i> . 2000 , 49, 777-95	101
1692	DNA evidence for morphological and cryptic Cenozoic speciations in the Anaspididae, [iving fossils] from the Triassic. 2000 , 13, 624-633	50
1691	Systematics of Pythons of the <i>Morelia amethistina</i> Complex (Serpentes: Boidae) with the Description of Three New Species. 2000 , 14, 139	23
1690	Molecular Phylogeny and Historical Biogeography of Pacific Island Boas (<i>Candoia</i>). 2000 , 2000, 341-352	25
1689	CRYPTIC SPECIES <i>INSIGMODON HISPIDUS</i> : EVIDENCE FROM DNA SEQUENCES. 2000 , 81, 332-343	46
1688	Accommodating phylogenetic uncertainty in evolutionary studies. 2000 , 288, 2349-50	261
1687	Systematic Relationships of the Endangered Queretaro Pocket Gopher (<i>Cratogeomys neglectus</i>). 2000 , 45, 249	3
1686	EVOLUTION OF POECIOGONY AND THE BIOGEOGRAPHY OF NORTH AMERICAN POPULATIONS OF THE POLYCHAETE <i>STREBLOSPIO</i> . 2000 , 54, 1247	5
1685	SYSTEMATICS OF THE EUROPEAN ENDANGERED CRAYFISH SPECIES <i>AUSTROPOTAMOBIVS PALLIPES</i> (DECAPODA: ASTACIDAE). 2000 , 20, 522-529	54
1684	Regional endemism and cryptic species revealed by molecular and morphological analysis of a widespread species of Neotropical catfish. 2000 , 267, 1135-41	61
1683	Independent adaptation to riverine habitats allowed survival of ancient cetacean lineages. 2000 , 97, 11343-7	167
1682	Genetic diversity among Lassa virus strains. 2000 , 74, 6992-7004	227
1681	<i>Phoma glomerata</i> as a mycoparasite of powdery mildew. 2000 , 66, 425-7	59
1680	Phylogenetic affiliation of the pseudomonads based on 16S rRNA sequence. 2000 , 50 Pt 4, 1563-1589	677
1679	Infrageneric Classification of <i>Eleocharis</i> (Cyperaceae) Revisited: Evidence from the Internal Transcribed Spacer (ITS) Region of Nuclear Ribosomal DNA. 2000 , 25, 323	33
1678	PHYLOGENETIC RELATIONSHIPS OF POCKET GOPHERS (GENUS <i>GEOMYS</i>) BASED ON THE MITOCHONDRIAL 12S rRNA GENE. 2000 , 81, 1025-1034	14

1677	Molecular Phylogeny of Poecilostome Copepods Based on the 18S rDNA Sequences. 2000 , 4, 257-261	12
1676	MOLECULAR SYSTEMATICS OF A HOLARCTIC RODENT (MICROTUS: MURIDAE). 2000 , 81, 344-359	100
1675	A NEW SUBSPECIES OF POCKET GOPHER (GENUSGEOMYS) FROM THE OZARK MOUNTAINS OF ARKANSAS WITH COMMENTS ON ITS HISTORICAL BIOGEOGRAPHY. 2000 , 81, 852-864	5
1674	TAXONOMIC STATUS OFPEROMYSCUS BOYLII SACARENSIS: INFERENCES FROM DNA SEQUENCES OF THE MITOCHONDRIAL CYTOCHROME-BGENE. 2000 , 81, 875-884	16
1673	Molecular and morphological evidence on the phylogeny of the Elephantidae. 2000 , 267, 2493-500	39
1672	Phylogeny and biogeography of the Chilean pseudopanax laetevirens. 2000 , 38, 409-414	9
1671	Molecular phylogenetics of the Chytridiomycota supports the utility of ultrastructural data in chytrid systematics. 2000 , 78, 336-350	39
1670	Phylogenetic relationships among the phrynosomatid sand lizards inferred from mitochondrial DNA sequences generated by heterogeneous evolutionary processes. 2000 , 49, 592-612	72
1669	Phylogenetic tree reconstruction using self-adaptive genetic algorithm.	4
1668	A Close Relationship of Chiroptera with Eulipotyphla (Core Insectivora) Suggested by Four Mitochondrial Genes. 2000 , 17, 1327-1332	12
1667	DNA sequence analysis to study the evolution of Antarctic Collembola. 2000 , 67, 133-139	8
1666	Convergent adaptive radiations in Madagascan and Asian ranid frogs reveal covariation between larval and adult traits. 2000 , 97, 6585-90	281
1665	BUILDING A REGIONAL SPECIES POOL: DIVERSIFICATION OF THE ENALLAGMA DAMSELFLIES IN EASTERN NORTH AMERICA. 2000 , 81, 904-920	108
1664	Phylogenetic analyses and the fossil record: tests and inferences, hypotheses and models. 2000 , 26, 341-371	40
1663	Molecular phylogeny of the other tissue coccidia: Lankesterella and Caryospora. 2001 , 87, 121-7	34
1662	ASSESSMENT OF SPECIES BOUNDARIES IN AUSTRALIANMYOTIS(CHIROPTERA: VESPERTILIONIDAE) USING MITOCHONDRIAL DNA. 2001 , 82, 328-338	11
1661	MOLECULAR EVIDENCE FOR EVOLUTION OF PISCIVORY IN NOCTILIO (CHIROPTERA: NOCTILIONIDAE). 2001 , 82, 748	13
1660	On the origin of the Hirudinea and the demise of the Oligochaeta. 2001 , 268, 1089-98	68

1659	Identification of two powdery mildew fungi, <i>Oidium neolycopersici</i> sp. nov. and <i>O. lycopersici</i> , infecting tomato in different parts of the world. 2001 , 105, 684-697		111
1658	SYSTEMATICS OF BATS OF THE GENUS GLOSSOPHAGA (CHIROPTERA: PHYLLOSTOMIDAE) AND PHYLOGEOGRAPHY IN G. SORICINA BASED ON THE CYTOCHROME-bGENE. 2001 , 82, 1092-1101		30
1657	Evolution of the angiosperms: calibrating the family tree. 2001 , 268, 2211-20		1183
1656	Phylogenetic evidence for colour pattern convergence in toxic pitohuis: Mllerian mimicry in birds?. 2001 , 268, 1971-6		75
1655	A revision of <i>Rhizobium</i> Frank 1889, with an emended description of the genus, and the inclusion of all species of <i>Agrobacterium</i> Conn 1942 and <i>Allorhizobium undicola</i> de Lajudie et al. 1998 as new combinations: <i>Rhizobium radiobacter</i> , <i>R. rhizogenes</i> , <i>R. rubi</i> , <i>R. undicola</i> and <i>R. vitis</i> . 2001 , 51, 89-103		474
1654	Molecular phylogenetics of Melastomataceae and Memecylaceae: implications for character evolution. 2001 , 88, 486-498		172
1653	Substitution model of sequence evolution for the human immunodeficiency virus type 1 subtype B gp120 gene over the C2-V5 region. <i>Journal of Molecular Evolution</i> , 2001 , 53, 55-62	3.1	12
1652	A molecular phylogenetic analysis in <i>Gymnotus</i> species (Pisces: Gymnotiformes) with inferences on chromosome evolution. 2001 , 54, 23-30		28
1651	Phylogenetic relationships, historical biogeography and character evolution of fig-pollinating wasps. 2001 , 268, 685-94		194
1650	Retroposon analysis of major cetacean lineages: the monophyly of toothed whales and the paraphyly of river dolphins. 2001 , 98, 7384-9		205
1649	Evolution of river dolphins. 2001 , 268, 549-56		143
1648	Morphology and molecular analysis of the Australasian monotypic genera <i>Lembergia</i> and <i>Sonderella</i> (Rhodomelaceae, Rhodophyta), with a description of the tribe <i>Sonderelleae</i> trib. nov.. 2001 , 40, 487-499		5
1647	Incomplete taxon sampling is not a problem for phylogenetic inference. 2001 , 98, 10751-6		240
1646	Caporiacco, 1950, stat. nov. (Scorpiones: Euscorpiidae): molecular (allozymes and mtDNA) and morphological evidence for an endemic Balearic Islands species. 2001 , 1, 301-320		13
1645	Primate DAX1, SRY, and SOX9: evolutionary stratification of sex-determination pathway. 2001 , 68, 275-80		20
1644	Independent origin of functional MHC class II genes in humans and New World monkeys. 2001 , 62, 1-14		25
1643	Phylogenetic systematics turns over a new leaf. 2001 , 16, 30-37		223
1642	Variability of human immunodeficiency virus type 2 (hiv-2) infecting patients living in france. 2001 , 280, 19-30		68

1641	Phylogenetic placement of the enigmatic angiosperm <i>Hydrostachys</i> . 2001 , 50, 781-805	22
1640	Phylogeography and Systematics of the Mud Turtle, <i>Kinosternon baurii</i> . 2001 , 2001, 797-801	2
1639	Molecular Phylogeny of the Other Tissue Coccidia: <i>Lankesterella</i> and <i>Caryospora</i> . 2001 , 87, 121	2
1638	The persistence of Pliocene populations through the Pleistocene climatic cycles: evidence from the phylogeography of an Iberian lizard. 2001 , 268, 1625-30	81
1637	Analysis of complex microbial community in soil and wastewater treatment processes by cloning method. 2001 , 41-54	2
1636	Molecular systematic relationships and evidence for a recent origin of the thermal spring endemic snails <i>Physella johnsoni</i> and <i>Physella wrighti</i> (Pulmonata: Physidae). 2001 , 79, 1941-1950	5
1635	Two APETALA2-like genes of <i>Picea abies</i> are differentially expressed during development. 2001 , 52, 1111-5	32
1634	Biogeography of <i>Asterias</i> : North Atlantic climate change and speciation. 2001 , 201, 95-103	55
1633	How to use MIGRATE or why are Markov chain Monte Carlo programs difficult to use?. 2001 , 42-79	142
1632	Relationships among <i>Botryosphaeria</i> species and associated anamorphic fungi inferred from the analyses of ITS and 5.8S rDNA sequences. 2001 , 93, 516-527	70
1631	Phylogenetic relationships of Australian and New Zealand <i>Armillaria</i> species. 2001 , 93, 887-896	25
1630	Mitochondrial Perspective on the Phylogenetic Relationships of the Parula Wood-warblers. 2001 , 118, 211-215	23
1629	Adenylate Kinase Intron 5: A New Nuclear Locus for Avian Systematics. 2001 , 118, 248-255	27
1628	Molecular Systematics and Biogeography of Antillean Thrashers, Tremblers, and Mockingbirds (Aves: Mimidae). 2001 , 118, 35-55	53
1627	A Cytochrome-b Perspective on <i>Passerina</i> Bunting Relationships. 2001 , 118, 610-623	5
1626	Biology of the ectomycorrhizal genus <i>Rhizopogon</i> . V. Phylogenetic relationships in the Boletales inferred from LSU rDNA sequences. 2001 , 93, 82-89	29
1625	Selecting models of nucleotide substitution: an application to human immunodeficiency virus 1 (HIV-1). 2001 , 18, 897-906	127
1624	A novel mitochondrial gene order in the crinoid echinoderm <i>Florometra serratissima</i> . 2001 , 18, 61-73	41

1623	Evolutionary relationships and biogeography of <i>Biomphalaria</i> (Gastropoda: Planorbidae) with implications regarding its role as host of the human bloodfluke, <i>Schistosoma mansoni</i> . 2001 , 18, 2225-39	122
1622	Three divergent rDNA clusters predate the species divergence in <i>Quercus petraea</i> (Matt.) Liebl. and <i>Quercus robur</i> L. 2001 , 18, 112-9	132
1621	Mitochondrial versus nuclear gene sequences in deep-level mammalian phylogeny reconstruction. 2001 , 18, 132-43	165
1620	Models of sequence evolution for DNA sequences containing gaps. 2001 , 18, 481-90	58
1619	Evidence for positive selection in the capsid protein-coding region of the foot-and-mouth disease virus (FMDV) subjected to experimental passage regimens. 2001 , 18, 10-21	56
1618	The complete sequence of the mitochondrial genome of <i>Buteo buteo</i> (Aves, Accipitridae) indicates an early split in the phylogeny of raptors. 2001 , 18, 1892-904	92
1617	Nucleotide sequence variation of the chloroplast <i>trnK/matK</i> region in two wild <i>Fagopyrum</i> (Polygonaceae) species, <i>F. leptopodum</i> and <i>F. statice</i> . 2001 , 76, 39-46	24
1616	Maximum Likelihood. 2001 , 1157-1160	3
1615	Major Events in Early Vertebrate Evolution. 2001 ,	16
1614	Phylogenetic relationships of Theaceae inferred from chloroplast DNA sequence data. 2001 , 88, 2309-2320	70
1613	On the origin of Darwin's finches. 2001 , 18, 299-311	147
1612	An error-correcting map for quartets can improve the signals for phylogenetic trees. 2001 , 18, 344-51	7
1611	Cytochrome b phylogeny and the taxonomy of great apes and mammals. 2001 , 18, 465-71	85
1610	Changes in the recombinational environment affect divergence in the yellow gene of <i>Drosophila</i> . 2001 , 18, 1045-56	14
1609	Quartet-mapping, a generalization of the likelihood-mapping procedure. 2001 , 18, 1204-19	55
1608	Traditional phylogenetic reconstruction methods reconstruct shallow and deep evolutionary relationships equally well. 2001 , 18, 1823-7	19
1607	Molecular evidence for precambrian origin of amelogenin, the major protein of vertebrate enamel. 2001 , 18, 2146-53	56
1606	Exploring the demographic history of DNA sequences using the generalized skyline plot. 2001 , 18, 2298-305	194

1605	Evolutionary relationships among "jakobid" flagellates as indicated by alpha- and beta-tubulin phylogenies. 2001 , 18, 514-22		64
1604	Molecular phylogeny and divergence time estimates for major rodent groups: evidence from multiple genes. 2001 , 18, 777-91		238
1603	Molecular Clock: Testing. 2001 ,		2
1602	Species-level systematics of some Kenyan termites of the genus <i>Odontotermes</i> (Termitidae, Macrotermitinae) using mitochondrial DNA, morphology, and behaviour. 2001 , 48, 138-143		13
1601	Cryptic species of <i>Clavelina</i> (Ascidiacea) in two different habitats: harbours and rocky littoral zones in the northwestern Mediterranean. 2001 , 139, 455-462		64
1600	Reconciling molecular systematics and traditional taxonomy in a species-rich clade of sea stars (<i>Leptasterias</i> subgenus <i>Hexasterias</i>). 2001 , 139, 475-483		25
1599	Analysis of the genetic structure of European eel (<i>Anguilla anguilla</i>) using microsatellite DNA and mtDNA markers. 2001 , 139, 755-764		62
1598	Complete mitochondrial DNA sequence of <i>Conger myriaster</i> (Teleostei: Anguilliformes): novel gene order for vertebrate mitochondrial genomes and the phylogenetic implications for anguilliform families. <i>Journal of Molecular Evolution</i> , 2001 , 52, 311-20	3.1	67
1597	Evolution of base composition and codon usage bias in the genus <i>Flavivirus</i> . <i>Journal of Molecular Evolution</i> , 2001 , 52, 383-90	3.1	88
1596	The effect of branch length variation on the selection of models of molecular evolution. <i>Journal of Molecular Evolution</i> , 2001 , 52, 434-44	3.1	29
1595	Extensive ribosomal DNA genic variation in the columnar cactus <i>Lophocereus</i> . <i>Journal of Molecular Evolution</i> , 2001 , 53, 124-34	3.1	70
1594	Phylogenetic analysis of viroid and viroid-like satellite RNAs from plants: a reassessment. <i>Journal of Molecular Evolution</i> , 2001 , 53, 155-9	3.1	38
1593	Taking variation of evolutionary rates between sites into account in inferring phylogenies. <i>Journal of Molecular Evolution</i> , 2001 , 53, 447-55	3.1	83
1592	Maximum likelihood analysis of the complete mitochondrial genomes of eutherians and a reevaluation of the phylogeny of bats and insectivores. <i>Journal of Molecular Evolution</i> , 2001 , 53, 508-16	3.1	115
1591	Mitochondrial DNA variation in Eritrean hamadryas baboons (<i>Papio hamadryas hamadryas</i>): life history influences population genetic structure. 2001 , 50, 483-492		49
1590	The "Linh Duong" <i>Pseudonovibos spiralis</i> (Mammalia, Artiodactyla) is a new buffalo. 2001 , 88, 123-5		12
1589	Molecular phylogeny supports the morphologically based taxonomic transfer of the <i>Medicagoid</i> <i>Trigonella</i> species to the genus <i>Medicago</i> L.. 2001 , 229, 217-236		41
1588	The murine orthologue of the Golgi-localized TPTE protein provides clues to the evolutionary history of the human TPTE gene family. 2001 , 109, 569-75		28

1587	Recurrent gains and losses of large (84-109 bp) repeats in the rDNA internal transcribed spacer 2 (ITS2) of rhipicephaline ticks. 2001 , 10, 587-96	33
1586	Characterization of major histocompatibility complex DRB diversity in the endemic South African antelope <i>Damaliscus pygargus</i> : a comparison in two subspecies with different demographic histories. 2001 , 10, 1679-88	20
1585	Multiple causation of phylogeographical pattern as revealed by nested clade analysis of the bamboo viper (<i>Trimeresurus stejnegeri</i>) within Taiwan. 2001 , 10, 1967-81	47
1584	Phylogeography of the barbel (<i>Barbus barbus</i>) assessed by mitochondrial DNA variation. 2001 , 10, 2177-85	105
1583	Phylogenetics, genome diversity and origin of modern leopard, <i>Panthera pardus</i> . 2001 , 10, 2617-33	129
1582	Genetic differentiation and phylogeography of gulls in the <i>Larus cachinnans-fuscus</i> group (Aves: Charadriiformes). 2001 , 10, 2447-62	73
1581	Multilocus nested haplotype networks extended with DNA fingerprints show common origin and fine-scale, ongoing genetic divergence in a wild microbial metapopulation. 2001 , 10, 2409-22	38
1580	A molecular phylogenetic analysis of diversification in Amazonian <i>Anolis</i> lizards. 2001 , 10, 2661-8	65
1579	Complete sequence of the Japanese quail (<i>Coturnix japonica</i>) mitochondrial genome and its genetic relationship with related species. 2001 , 32, 380-5	47
1578	Phylogenetic Reanalysis of the Saudi Gazelle and Its Implications for Conservation. 2001 , 15, 1123-1133	45
1577	PHYLOGENETIC UTILITY OF <i>rbc S</i> SEQUENCES: AN EXAMPLE FROM ANTITHAMNION AND RELATED GENERA (CERAMIACEAE, RHODOPHYTA). 2001 , 37, 1083-1090	12
1576	A COMPARATIVE STUDY OF THE RED ALGA <i>GRATELOUPIA FILICINA</i> (HALYMENIACEAE) FROM THE NORTHWESTERN PACIFIC AND MEDITERRANEAN WITH THE DESCRIPTION OF <i>GRATELOUPIA ASIATICA</i> , SP. NOV.. 2001 , 37, 433-442	53
1575	Ancestry of KNOX genes revealed by bryophyte (<i>Physcomitrella patens</i>) homologs. 2001 , 150, 23-36	35
1574	<i>Wolbachia</i> infection in crustaceans: novel hosts and potential routes for horizontal transmission. 2001 , 14, 237-243	136
1573	Selection of evolutionary models for phylogenetic hypothesis testing using parametric methods. 2001 , 14, 620-631	7
1572	The genus <i>Adriohydrobia</i> (Hydrobiidae: Gastropoda): polytypic species or polymorphic populations?. 2001 , 39, 227-234	52
1571	Cospeciation of ants and plants. 2001 , 16, 787-793	43
1570	Chromosome races with Pliocene origins: evidence from mtDNA. 2001 , 86, 303-12	44

1569	Nuclear and mitochondrial data reveal high genetic divergence among Atlantic and Mediterranean populations of the Iberian killifish <i>Aphanius iberus</i> (Teleostei: Cyprinodontidae). 2001 , 87, 314-24	39
1568	Assessing biogeographic relationships between North American and Chinese macrofungi. 2001 , 28, 271-281	52
1567	Population structure and biogeography of migratory freshwater fishes (<i>Prochilodus</i> : Characiformes) in major South American rivers. 2001 , 10, 407-17	196
1566	A microbial population-species interface: nested cladistic and coalescent inference with multilocus data. 2001 , 10, 947-64	87
1565	Phylogeography of the dusky shrew, <i>Sorex monticolus</i> (Insectivora, Soricidae): insight into deep and shallow history in northwestern North America. 2001 , 10, 1227-40	104
1564	Phylogeography of the yucca moth <i>Tegeticula maculata</i> : the role of historical biogeography in reconciling high genetic structure with limited speciation. 2001 , 10, 1247-53	25
1563	Phylogeography and conservation genetics of the Columbia spotted frog (<i>Rana luteiventris</i> ; Amphibia, Ranidae). 2001 , 10, 1499-513	29
1562	Phylogeography of Cape Verde Island skinks (<i>Mabuya</i>). 2001 , 10, 1593-7	13
1561	Intraspecific phylogeny and geographical variation of six species of northeastern Asiatic <i>Sorex</i> shrews based on the mitochondrial cytochrome b sequences. 2001 , 10, 2199-213	89
1560	Phylogeographic analysis of the threatened and endangered superconglutinate-producing mussels of the genus <i>Lampsilis</i> (Bivalvia: Unionidae). 2001 , 10, 2225-34	66
1559	Conservation genetics of the endangered Shenandoah salamander (<i>Plethodon shenandoah</i> , Plethodontidae). 2001 , 4, 111-119	9
1558	Phylogeographic variation in the quokka, <i>Setonix brachyurus</i> (Marsupialia: Macropodidae): implications for conservation. 2001 , 4, 325-333	16
1557	New Chinese turtles: endangered or invalid? A reassessment of two species using mitochondrial DNA, allozyme electrophoresis and known-locality specimens. 2001 , 4, 357-367	53
1556	A molecular phylogenetic study of ecological diversification in the Australian lizard genus <i>Ctenophorus</i> . 2001 , 291, 339-53	54
1555	The influence of selection on the evolutionary distance estimated from the base changes observed between homologous nucleotide sequences. 2001 , 213, 129-44	4
1554	Cytochrome b sequences reveal <i>Acomys minous</i> (Rodentia, Muridae) parphyly and answer the question about the ancestral karyotype of <i>Acomys dimidiatus</i> . 2001 , 18, 37-46	30
1553	A molecular phylogeny of two extinct sloths. 2001 , 18, 94-103	54
1552	Molecular evolution of the small subunit ribosomal DNA in woodlice (Crustacea, Isopoda, Oniscidea) and implications for Oniscidean phylogeny. 2001 , 18, 54-65	31

1551	The ITS-2 of the nuclear rDNA as a molecular marker for populations, species, and phylogenetic relationships in Triatominae (Hemiptera: Reduviidae), vectors of Chagas disease. 2001 , 18, 136-42	141
1550	Molecular phylogenetic analysis of the dragonfly genera <i>Libellula</i> , <i>Ladona</i> , and <i>Plathemis</i> (Odonata: Libellulidae) based on mitochondrial cytochrome oxidase I and 16S rRNA sequence data. 2001 , 18, 348-61	29
1549	Molecular evidence of an African Phiomorpha-South American Caviomorpha clade and support for Hystricognathi based on the complete mitochondrial genome of the cane rat (<i>Thryonomys swinderianus</i>). 2001 , 18, 127-35	37
1548	Phylogeny of the genus <i>Aleochara</i> inferred from mitochondrial cytochrome oxidase sequences (Coleoptera: Staphylinidae). 2001 , 18, 202-16	41
1547	Evidence of a cenozoic Betic-Kabilian connection based on freshwater fish phylogeography (<i>Luciobarbus</i> , Cyprinidae). 2001 , 18, 252-63	150
1546	A Paedomorphic parasite associated with a neotenic amphibian host: phylogenetic evidence suggests a revised systematic position for Sphyrnauridae within anuran and turtle Polystomatoineans. 2001 , 18, 189-201	56
1545	Molecular systematics of <i>Plethodon</i> and <i>Aneides</i> (Caudata: Plethodontidae: Plethodontini): phylogenetic analysis of an old and rapid radiation. 2001 , 18, 174-88	24
1544	Genetically distinct populations in an Asian soldier-producing aphid, <i>Pseudoregma bambucicola</i> (Homoptera: Aphididae), identified by DNA fingerprinting and molecular phylogenetic analysis. 2001 , 18, 423-33	33
1543	Phylogenetic utility of mitochondrial COI and nuclear Gpdh genes in <i>Drosophila</i> . 2001 , 18, 404-22	49
1542	Evolution of mitochondrial and ribosomal gene sequences in anophelinae (Diptera: Culicidae): implications for phylogeny reconstruction. 2001 , 18, 479-87	66
1541	The molecular systematics and biogeography of the European cobitids based on mitochondrial DNA sequences. 2001 , 19, 468-78	105
1540	Molecular phylogeny of the lemur family cheirogaleidae (primates) based on mitochondrial DNA sequences. 2001 , 19, 45-56	54
1539	Phylogeny of <i>Limia</i> (Teleostei: Poeciliidae) based on NADH dehydrogenase subunit 2 sequences. 2001 , 19, 277-89	31
1538	Nuclear and mtDNA phylogenies of the <i>Trimeresurus</i> complex: implications for the gene versus species tree debate. 2001 , 19, 57-66	23
1537	Phylogenetic relationships within <i>Diadasia</i> , a group of specialist bees. 2001 , 19, 144-56	30
1536	Evolution of the mitochondrial DNA control region and cytochrome b genes and the inference of phylogenetic relationships in the avian genus <i>Lophura</i> (Galliformes). 2001 , 19, 187-201	46
1535	Molecular phylogeny of Eastern Pacific porcelain crabs, genera <i>Petrolisthes</i> and <i>Pachycheles</i> , based on the mtDNA 16S rDNA sequence: phylogeographic and systematic implications. 2001 , 19, 236-45	76
1534	Phylogenetic utility of the glycerol-3-phosphate acyltransferase gene: evolution and implications in <i>Paeonia</i> (Paeoniaceae). 2001 , 19, 421-9	53

1533	Phylogeny and biogeography of the flowering plant genus <i>Styrax</i> (Styracaceae) based on chloroplast DNA restriction sites and DNA sequences of the internal transcribed spacer region. 2001 , 19, 387-408	74
1532	Molecular phylogeny of the major hylobatid divisions. 2001 , 19, 486-94	89
1531	Historical biogeography and a mitochondrial DNA phylogeny of grouse and ptarmigan. 2001 , 20, 149-62	62
1530	Higher-level phylogeny of new world vireos (aves: vireonidae) based on sequences of multiple mitochondrial DNA genes. 2001 , 20, 27-40	97
1529	Molecular phylogenetics of the sexually deceptive orchid genus <i>Ophrys</i> (Orchidaceae) based on nuclear and chloroplast DNA sequences. 2001 , 20, 78-88	82
1528	Molecular phylogeny and evolution of the freshwater eel, genus <i>Anguilla</i> . 2001 , 20, 450-9	80
1527	Retrieval of four adaptive lineages in duiker antelope: evidence from mitochondrial DNA sequences and fluorescence in situ hybridization. 2001 , 20, 409-25	24
1526	A mitogenomic perspective on the basal teleostean phylogeny: resolving higher-level relationships with longer DNA sequences. 2001 , 20, 275-85	144
1525	Phylogeny and evolution of African shrews (Mammalia: Soricidae) inferred from 16s rRNA sequences. 2001 , 20, 185-95	62
1524	Molecular phylogeny of the chipmunks inferred from Mitochondrial cytochrome b and cytochrome oxidase II gene sequences. 2001 , 20, 335-50	67
1523	Evidence for three major clades within the snapping shrimp genus <i>Alpheus</i> inferred from nuclear and mitochondrial gene sequence data. 2001 , 20, 375-89	81
1522	Phylogenetic relationships among higher Nemertean (Nemertea) Taxa inferred from 18S rDNA sequences. 2001 , 20, 327-34	54
1521	Phylogenetic relationships of the Cochliopinae (Rissooidea: Hydrobiidae): an enigmatic group of aquatic gastropods. 2001 , 21, 17-25	27
1520	The evolution of nuclear receptors: evidence from the coral <i>Acropora</i> . 2001 , 21, 93-102	44
1519	Phylogeographic structure in the bogus yucca moth <i>Prodoxus quinquepunctellus</i> (Prodoxidae): comparisons with coexisting pollinator yucca moths. 2001 , 21, 117-27	26
1518	Phylogenetic position of Eulipotyphla inferred from the cDNA sequences of pepsinogens A and C. 2001 , 21, 32-42	14
1517	Phylogenetic relationships within the class Spirotrichea (Ciliophora) inferred from small subunit rRNA gene sequences. 2001 , 21, 86-92	63
1516	Evolution of East Asian ninespine sticklebacks as shown by mitochondrial DNA control region sequences. 2001 , 21, 135-55	45

1515	Molecular phylogeny of the Australian frog genera <i>Crinia</i> , <i>Geocrinia</i> , and allied taxa (Anura: Myobatrachidae). 2001 , 21, 294-308	62
1514	Molecular systematics of bats of the genus <i>Myotis</i> (Vespertilionidae) suggests deterministic ecomorphological convergences. 2001 , 21, 436-48	235
1513	Molecular systematics and evolution of <i>Regina</i> and the thamnophiine snakes. 2001 , 21, 408-23	75
1512	Out of Asia: mitochondrial DNA evidence for an Oriental origin of tiger frogs, genus <i>Hoplobatrachus</i> . 2001 , 21, 398-407	79
1511	Phylogeny of lion tamarins (<i>Leontopithecus</i> spp) based on interphotoreceptor retinol binding protein intron sequences. 2001 , 54, 33-40	17
1510	Phylogenetic history of sifakas (<i>Propithecus</i> : lemuriformes) derived from mtDNA sequences. 2001 , 53, 1-17	43
1509	The use of <i>tat</i> and <i>env</i> sequences from human immunodeficiency virus 1 in phylogenetic epidemiological studies. 2001 , 22, 438-44	2
1508	A phylogeny for the genus <i>Isoodon</i> and a range extension for <i>I. obesulus peninsulae</i> based on mtDNA control region and morphology. 2001 , 49, 411	29
1507	NUCLEAR INTRON SEQUENCES FOR PHYLOGENETICS OF CLOSELY RELATED MAMMALS: AN EXAMPLE USING THE PHYLOGENY OF MUS. 2001 , 82, 280-288	26
1506	A molecular clock dates the common ancestor of European-type porcine reproductive and respiratory syndrome virus at more than 10 years before the emergence of disease. 2001 , 289, 174-9	52
1505	Molecular Evidence for the Major Clades of Placental Mammals. 2001 , 8, 239-277	69
1504	Taxonomic diversity, origin, and conservation status of Bermuda killifishes (<i>Fundulus</i>) based on mitochondrial cytochrome b phylogenies. 2001 , 2, 41-52	4
1503	Molecular population genetics, phylogeography, and conservation biology of the mottled duck (<i>Anas fulvigula</i>). 2001 , 2, 87-102	77
1502	Mitochondrial phylogeography, subspecific taxonomy, and conservation genetics of sandhill cranes (<i>Grus canadensis</i> ; Aves: Gruidae). 2001 , 2, 203-218	26
1501	Molecular data support rejection of the generic concept in the Coccotremataceae (Ascomycota). 2001 , 33, 315-321	29
1500	PHYLOGENETIC RELATIONSHIP AMONG VARIOUS STRAINS OF <i>DUNALIELLA</i> (CHLOROPHYCEAE) BASED ON NUCLEAR ITS rDNA SEQUENCES. 2001 , 37, 604-611	55
1499	Infrafamilial Phylogeny of the Aquatic Angiosperm Podostemaceae Inferred from the Nucleotide Sequences of the <i>matK</i> Gene. 2001 , 3, 156-163	80
1498	An aphid-borne bacterium allied to the secondary symbionts of whitefly. 2001 , 36, 43-50	79

1497	Phylogenetic systematics of Southeast Asian flying lizards (Iguania: Agamidae: Draco) as inferred from mitochondrial DNA sequence data. 2001 , 72, 203-229	30
1496	Nucleotide sequence differences reveal genetic variation in <i>Neotricula aperta</i> (Gastropoda: Pomatiopsidae), the snail host of schistosomiasis in the lower Mekong Basin. 2001 , 73, 23-41	22
1495	A molecular phylogeny of the peacock-pheasants (Galliformes: Polyplectron spp.) indicates loss and reduction of ornamental traits and display behaviours. 2001 , 73, 187-198	31
1494	The evolutionary history of krill inferred from nuclear large subunit rDNA sequence analysis. 2001 , 73, 199-212	13
1493	Phylogenetic relationships and remarkable radiation in <i>Parartemia</i> (Crustacea: Anostraca), the endemic brine shrimp of Australia: evidence from mitochondrial DNA sequences. 2001 , 74, 59-71	19
1492	Simultaneous analysis of 16S, 28S, COI and morphology in the Hymenoptera: Apocrita - evolutionary transitions among parasitic wasps. 2001 , 74, 87-111	75
1491	Evolutionary distinctness of grayling (<i>Thymallus thymallus</i>) inhabiting the Adriatic river system, as based on mtDNA variation. 2001 , 74, 375-385	32
1490	Myzostomida Are Not Annelids: Molecular and Morphological Support for a Clade of Animals with Anterior Sperm Flagella.. 2001 , 17, 170-198	73
1489	Phylogenetic relationships and historical biogeography of spined loaches (Cobitidae, <i>Cobitis</i> and <i>Sabanejewia</i>) as indicated by variability of mitochondrial DNA. 2001 , 131, 381-392	19
1488	A phylogenetic analysis of Myriapoda (Arthropoda) using two nuclear protein-encoding genes. 2001 , 132, 469-486	29
1487	Geographic patterns of genetic differentiation within the restricted range of the endangered Stephens' kangaroo rat <i>Dipodomys stephensi</i> . 2001 , 55, 1233-44	9
1486	Melastomeae come full circle: biogeographic reconstruction and molecular clock dating. 2001 , 55, 1315-24	88
1485	Phylogeography of the New Zealand cicada <i>Maoricicada campbelli</i> based on mitochondrial DNA sequences: ancient clades associated with cenozoic environmental change. 2001 , 55, 1395-407	89
1484	Genetic structure of the blue ridge dusky salamander (<i>Desmognathus orestes</i>): inferences from allozymes, mitochondrial dna, and behavior. 2001 , 55, 2287-302	45
1483	How lizards turn into snakes: a phylogenetic analysis of body-form evolution in anguid lizards. 2001 , 55, 2303-18	161
1482	A comparative study of asymmetric migration events across a marine biogeographic boundary. 2001 , 55, 295-306	172
1481	The phylogenetic status of the Corn Bunting <i>Miliaria calandra</i> based on mitochondrial control-region DNA sequences. 2001 , 143, 299-303	3
1480	Molecular phylogenetics: state-of-the-art methods for looking into the past. 2001 , 17, 262-72	311

1479	A phylogenetic analysis of the SSU rRNA from members of the Plasmodiophorida and Phagomyxida. 2001 , 152, 43-51	68
1478	Phylogenetic characterisation of the G(L) sequences of equine arteritis virus isolated from semen of asymptomatic stallions and fatal cases of equine viral arteritis in Denmark. 2001 , 80, 339-46	20
1477	Primers for amplification of mt SSU rDNA, and a phylogenetic study of Botryosphaeria and associated anamorphic fungi. 2001 , 105, 1033-1044	109
1476	Phylogeny of the water strider genus Gerris Fabricius (Heteroptera: Gerridae) based on COI mtDNA, EF-1 β nuclear DNA and morphology. 2001 , 26, 241-254	29
1475	Phylogenetic analysis of chloroplast small-subunit rRNA genes of the genus Euglena Ehrenberg. 2001 , 51, 773-781	36
1474	Extreme morphological and ecological homoplasy in tropical salamanders. 2001 , 98, 7888-91	112
1473	Incidence of male-killing Rickettsia spp. (alpha-proteobacteria) in the ten-spot ladybird beetle Adalia decempunctata L. (Coleoptera: Coccinellidae). 2001 , 67, 270-7	85
1472	Molecular evolution of receptor-like kinase genes in hexaploid wheat. Independent evolution of orthologs after polyploidization and mechanisms of local rearrangements at paralogous loci. 2001 , 125, 1304-13	66
1471	Phylogeography of the trumpetfishes (Aulostomus): ring species complex on a global scale. 2001 , 55, 1029-39	214
1470	Molecular and Morphological Phylogenetic Analysis of an Insular Radiation in Pacific Black Flies (Simulium). 2001 , 50, 18-38	13
1469	MOLECULAR PHYLOGENETICS OF THE NEOTOMA ALBIGULA SPECIES GROUP: FURTHER EVIDENCE OF A PARAPHYLETIC ASSEMBLAGE. 2001 , 82, 267-279	31
1468	Modern African ape populations as genetic and demographic models of the last common ancestor of humans, chimpanzees, and gorillas. 2001 , 92, 475-80	38
1467	On the origin of and phylogenetic relationships among living amphibians. 2001 , 98, 7380-3	94
1466	Phylogenetic analysis of phagotrophic, photomorph and osmotrophic euglenoids by using the nuclear 18S rDNA sequence. 2001 , 51, 783-791	65
1465	Squamate relationships based on C-mos nuclear DNA sequences: increased taxon sampling improves bootstrap support. 2001 , 22, 235-242	25
1464	GEOGRAPHIC PATTERNS OF GENETIC DIFFERENTIATION WITHIN THE RESTRICTED RANGE OF THE ENDANGERED STEPHENS' KANGAROO RAT DIPODOMYS STEPHENSI. 2001 , 55, 1233	8
1463	NJML+: an extension of the NJML method to handle protein sequence data and computer software implementation. 2001 , 18, 1983-92	21
1462	A novel approach to detecting and measuring recombination: new insights into evolution in viruses, bacteria, and mitochondria. 2001 , 18, 1425-34	102

1461	Multiple origins of sequestrate fungi related to <i>Cortinarius</i> (Cortinariaceae). 2001 , 88, 2168-2179	157
1460	Maximum-likelihood phylogenetic analysis under a covarion-like model. 2001 , 18, 866-73	213
1459	Decoupling of molecular and morphological evolution in deep lineages of a meiobenthic harpacticoid copepod. 2001 , 18, 1088-102	138
1458	Maximum-likelihood divergence date estimates based on rRNA gene sequences suggest two scenarios of <i>Trypanosoma cruzi</i> intraspecific evolution. 2001 , 18, 2250-9	65
1457	Molecular evolution of the wound-induced serine protease inhibitor wip1 in <i>Zea</i> and related genera. 2001 , 18, 2092-101	54
1456	Mobile elements and the genesis of microsatellites in dipterans. 2001 , 18, 384-92	103
1455	A dependent-rates model and an MCMC-based methodology for the maximum-likelihood analysis of sequences with overlapping reading frames. 2001 , 18, 763-76	81
1454	Mitogenomic exploration of higher teleostean phylogenies: a case study for moderate-scale evolutionary genomics with 38 newly determined complete mitochondrial DNA sequences. 2001 , 18, 1993-2009	303
1453	Evaluating hypotheses on the origin and evolution of the New Zealand alpine cicadas (<i>Maoricicada</i>) using multiple-comparison tests of tree topology. 2001 , 18, 223-34	80
1452	Bayesian selection of continuous-time Markov chain evolutionary models. 2001 , 18, 1001-13	670
1451	Molecular insights into the evolution of the family Bovidae: a nuclear DNA perspective. 2001 , 18, 1220-30	110
1450	Diplopod hemocyanin sequence and the phylogenetic position of the Myriapoda. 2001 , 18, 1566-73	72
1449	Combining and comparing morphometric shape descriptors with a molecular phylogeny: the case of fruit type evolution in Bornean <i>Lithocarpus</i> (Fagaceae). 2001 , 50, 860-80	42
1448	Molecular evolution of the arthropod hemocyanin superfamily. 2001 , 18, 184-95	187
1447	Genetic identification of wild and domestic cats (<i>Felis silvestris</i>) and their hybrids using Bayesian clustering methods. 2001 , 18, 1679-93	137
1446	Homologous recombination in GB virus C/hepatitis G virus. 2001 , 18, 254-61	59
1445	Phylogenetic Relationships of Australian and New Zealand <i>Armillaria</i> Species. 2001 , 93, 887	31
1444	Molecular phylogeny of the spiny lobster genus <i>Panulirus</i> (Decapoda: Palinuridae). 2001 , 52, 1037	64

1443	Algal switching among lichen symbioses. 2001 , 88, 1490-1498	217
1442	Accelerated regulatory gene evolution in an adaptive radiation. 2001 , 98, 10208-13	135
1441	A reconsideration of the systematic status of <i>Rhoptropus bradfieldi diporus</i> Haacke 1965. 2001 , 50, 71-78	4
1440	Evaluation of methods for detecting recombination from DNA sequences: computer simulations. 2001 , 98, 13757-62	1104
1439	Selecting the Best-Fit Model of Nucleotide Substitution. 2001 , 50, 580-601	254
1438	Wild <i>Mandrillus sphinx</i> are carriers of two types of lentivirus. 2001 , 75, 7086-96	121
1437	Should we use model-based methods for phylogenetic inference when we know that assumptions about among-site rate variation and nucleotide substitution pattern are violated?. 2001 , 50, 723-9	125
1436	An orphaned mammalian beta-globin gene of ancient evolutionary origin. 2001 , 98, 1101-6	47
1435	Nucleotide sequences provide evidence of genetic exchange among distantly related lineages of <i>Trypanosoma cruzi</i> . 2001 , 98, 7396-401	270
1434	A Partitioned Likelihood Analysis of Swallowtail Butterfly Phylogeny (Lepidoptera: Papilionidae). 2001 , 50, 106-127	58
1433	Genetic subtyping using cluster analysis. 2001 , 3, 33-42	1
1432	Selecting the Best-Fit Model of Nucleotide Substitution. 2001 , 50, 580-601	669
1431	The evolutionary enigma of bonefishes (<i>Albula</i> spp.): cryptic species and ancient separations in a globally distributed shorefish. 2001 , 55, 807-20	148
1430	MELASTOMEAE COME FULL CIRCLE: BIOGEOGRAPHIC RECONSTRUCTION AND MOLECULAR CLOCK DATING. 2001 , 55, 1315	4
1429	Rediscovering <i>Rana onca</i> : Evidence for Phylogenetically Distinct Leopard Frogs from the Border Region of Nevada, Utah, and Arizona. 2001 , 2001, 339-354	17
1428	Relationships of the Salamandrid Genera <i>Paramesotriton</i> , <i>Pachytriton</i> , and <i>Cynops</i> Based on Mitochondrial DNA Sequences. 2001 , 2001, 997-1009	14
1427	Exploring Among-Site Rate Variation Models in a Maximum Likelihood Framework Using Empirical Data: Effects of Model Assumptions on Estimates of Topology, Branch Lengths, and Bootstrap Support. 2001 , 50, 67-86	59
1426	A COMPARATIVE STUDY OF ASYMMETRIC MIGRATION EVENTS ACROSS A MARINE BIOGEOGRAPHIC BOUNDARY. 2001 , 55, 295	9

1425	HOW LIZARDS TURN INTO SNAKES: A PHYLOGENETIC ANALYSIS OF BODY-FORM EVOLUTION IN ANGUID LIZARDS. 2001 , 55, 2303	13
1424	Cladogenesis and loss of the marine life-history phase in freshwater galaxiid fishes (Osmeriformes: Galaxiidae). 2001 , 55, 587-97	92
1423	PATTERNS OF KARYOTYPIC MEGAEVOLUTION INREITHRODONTOMYS: EVIDENCE FROM A CYTOCHROME-bPHYLOGENETIC HYPOTHESIS. 2001 , 82, 81-91	17
1422	Evolutionarily Significant Units of Rare Pygmy Sunfishes (GenusElassoma). 2001 , 2001, 514-520	12
1421	Multiple Molecular Data Sets Suggest Independent Origins of Highly Eusocial Behavior in Bees (Hymenoptera:Apinae). 2001 , 50, 194-214	75
1420	Empirical and Hierarchical Bayesian Estimation of Ancestral States. 2001 , 50, 351-366	171
1419	Molecular and Morphological Phylogenetic Analysis of an Insular Radiation in Pacific Black Flies (Simulium). 2001 , 50, 18-38	37
1418	Molecular systematic relationships and evidence for a recent origin of the thermal spring endemic snails <i>Physella johnsoni</i> and <i>Physella wrighti</i> (Pulmonata: Physidae). 2001 , 79, 1941-1950	5
1417	Evolutionary rates and species diversity in flowering plants. 2001 , 55, 677-83	157
1416	Human immunodeficiency virus type 1 quasi species that rebound after discontinuation of highly active antiretroviral therapy are similar to the viral quasi species present before initiation of therapy. 2001 , 183, 36-50	121
1415	Rate heterogeneity in shell character evolution among lophospiroid gastropods. 2001 , 27, 290-310	20
1414	Mitochondrial Phylogeny of Namib Day Geckos (<i>Rhoptropus</i>) Based on Cytochromeband 16S rRNA Sequences. 2001 , 2001, 775-780	14
1413	Maximum likelihood estimation of phylogenetic trees is consistent when substitution rates vary according to the invariable sites plus gamma distribution. 2001 , 50, 713-22	36
1412	GENETIC STRUCTURE OF THE BLUE RIDGE DUSKY SALAMANDER (<i>DESMOGNATHUS ORESTES</i>): INFERENCES FROM ALLOZYMES, MITOCHONDRIAL DNA, AND BEHAVIOR. 2001 , 55, 2287	4
1411	MOLECULAR PHYLOGENETICS OF THE NEOTOMA FLORIDANA SPECIES GROUP. 2001 , 82, 791	14
1410	PHYLOGEOGRAPHY OF THE NEW ZEALAND CICADA MAORICICADA CAMPBELLI BASED ON MITOCHONDRIAL DNA SEQUENCES: ANCIENT CLADES ASSOCIATED WITH CENOZOIC ENVIRONMENTAL CHANGE. 2001 , 55, 1395	4
1409	Using molecular methods to understand the Gondwanan affinities of the New Zealand biota: three case studies. 2001 , 49, 377	46
1408	PHYLOGENETIC ANALYSIS OF PHALANGIDA (ARACHNIDA, OPILIONES) USING TWO NUCLEAR PROTEIN-ENCODING GENES SUPPORTS MONOPHYLY OF PALPATOIRES. 2001 , 29, 189-200	39

1407	Molecular evolution of Puumala hantavirus. 2001 , 75, 11803-10	92
1406	Taxon Sampling and the Phylogenetic Position of Passeriformes: Evidence from 916 Avian Cytochrome b Sequences. 2001 , 50, 128-136	50
1405	Empirical and Hierarchical Bayesian Estimation of Ancestral States. 2001 , 50, 351-366	199
1404	Improving interpretation of the decay index for DNA sequence data. 2001 , 50, 742-52	61
1403	Exploring Among-Site Rate Variation Models in a Maximum Likelihood Framework Using Empirical Data: Effects of Model Assumptions on Estimates of Topology, Branch Lengths, and Bootstrap Support. 2001 , 50, 67-86	102
1402	Phylogenetic position and inter-relationships of the osmotrophic euglenids based on SSU rDNA data, with emphasis on the Rhabdomonadales (Euglenozoa). 2001 , 51, 751-758	49
1401	Human immunodeficiency virus type 1 reverse-transcriptase and protease subtypes: classification, amino acid mutation patterns, and prevalence in a northern California clinic-based population. 2001 , 184, 998-1006	81
1400	Ribosomal DNA phylogeny of the Bangiophycidae (Rhodophyta) and the origin of secondary plastids. 2001 , 88, 1390-1400	74
1399	Relationships among Botryosphaeria Species and Associated Anamorphic Fungi Inferred from the Analyses of ITS and 5.8S rDNA Sequences. 2001 , 93, 516	57
1398	Phylogenetic relationships and evolution in Chrysosplenium (Saxifragaceae) based on matK sequence data. 2001 , 88, 883-893	57
1397	Picking fruit from the tree of life. 2001 ,	1
1396	Evolutionary HMMs: a Bayesian approach to multiple alignment. 2001 , 17, 803-20	133
1395	Biology of the Ectomycorrhizal Genus Rhizopogon. V. Phylogenetic Relationships in the Boletales Inferred from LSU rDNA Sequences. 2001 , 93, 82	22
1394	Origin and evolution of the endemic genera of Gonosperminae (Asteraceae: Anthemideae) from the Canary Islands: evidence from nucleotide sequences of the internal transcribed spacers of the nuclear ribosomal DNA. 2001 , 88, 161-169	79
1393	Phylogenetic relationships within Cornus (Cornaceae) based on 26S rDNA sequences. 2001 , 88, 1131-1138	53
1392	A Partitioned Likelihood Analysis of Swallowtail Butterfly Phylogeny (Lepidoptera: Papilionidae). 2001 , 50, 106-127	80
1391	Feeding specialization and host-derived chemical defense in Chrysomeline leaf beetles did not lead to an evolutionary dead end. 2001 , 98, 3909-14	127
1390	Algorithms for phylogenetic footprinting. 2002 , 9, 211-23	103

1389	Molecular epidemiology of HIV type 1 infection in Portugal: high prevalence of non-B subtypes. 2002 , 18, 313-25	77
1388	Analysis of partial pol and env sequences indicates a high prevalence of HIV type 1 recombinant strains circulating in Gabon. 2002 , 18, 1103-16	38
1387	Analyses of genotypic diversity among North, South, and Central American isolates of sugarcane yellow leaf virus: evidence for Colombian origins and for intraspecific spatial phylogenetic variation. 2002 , 76, 1339-48	45
1386	tfdA-like genes in 2,4-dichlorophenoxyacetic acid-degrading bacteria belonging to the Bradyrhizobium-Agromonas-Nitrobacter-Afipia cluster in alpha-Proteobacteria. 2002 , 68, 3449-54	70
1385	Phylogeny of the Macaronesian endemic Crambe section Dendrocrambe (Brassicaceae) based on internal transcribed spacer sequences of nuclear ribosomal DNA. 2002 , 89, 1984-90	58
1384	Effects of models of rate evolution on estimation of divergence dates with special reference to the metazoan 18S ribosomal RNA phylogeny. 2002 , 51, 703-14	157
1383	Molecular systematics of Korean cobitids based on mitochondrial cytochrome b sequence. 2002 , 6, 45-51	1
1382	Sequence evolution and copy number of Ty1-copia retrotransposons in diverse plant genomes. 2002 , 99, 268-73	33
1381	Dual chemical sequestration: a key mechanism in transitions among ecological specialization. 2002 , 269, 1-6	51
1380	Molecular evidence of HIV-1 transmission in a criminal case. 2002 , 99, 14292-7	152
1379	Rate heterogeneity among lineages of tracheophytes: integration of molecular and fossil data and evidence for molecular living fossils. 2002 , 99, 4430-5	207
1378	Estimating the age of the polydnavirus/braconid wasp symbiosis. 2002 , 99, 7508-13	126
1377	Diversity and evolution of the green fluorescent protein family. 2002 , 99, 4256-61	294
1376	Molecular Systematics and Historical Phylogeography of the Neotoma Mexicana Species Group. 2002 , 83, 20-30	22
1375	Morphological and Molecular Analysis of a Contact Zone in the Neotoma Fuscipes Species Complex. 2002 , 83, 866-883	39
1374	Molecular phylogeny of the salamandrid genus Neurergus: evidence for an intrageneric switch of reproductive biology. 2002 , 23, 419-431	23
1373	The utility of the incongruence length difference test. 2002 , 51, 625-37	363
1372	Phylogenetic relationships in the genus mus, based on paternally, maternally, and biparentally inherited characters. 2002 , 51, 410-31	100

1371	mtDNA from fossils reveals a radiation of Hawaiian geese recently derived from the Canada goose (<i>Branta canadensis</i>). 2002 , 99, 1399-404	99
1370	The metapopulation genetic algorithm: An efficient solution for the problem of large phylogeny estimation. 2002 , 99, 10516-21	133
1369	Examining Basal avian divergences with mitochondrial sequences: model complexity, taxon sampling, and sequence length. 2002 , 51, 614-25	69
1368	A New Species of <i>Philautus</i> (Anura: Ranidae) from the Western Ghats of India. 2002 , 36, 656-661	8
1367	Cryptic goldfields: a molecular phylogenetic reinvestigation of <i>Lasthenia californica</i> sensu lato and close relatives (Compositae: Heliantheae sensu lato). 2002 , 89, 1103-12	22
1366	Oh brother, where art thou? A Bayes factor test for recombination with uncertain heritage. 2002 , 51, 715-28	40
1365	TESTING THE RELATIONSHIP BETWEEN MORPHOLOGICAL AND MOLECULAR RATES OF CHANGE ALONG PHYLOGENIES. 2002 , 56, 1921	11
1364	Inferring the root of a phylogenetic tree. 2002 , 51, 32-43	161
1363	New inferences from tree shape: numbers of missing taxa and population growth rates. 2002 , 51, 881-8	72
1362	TIME TO THE MOST RECENT COMMON ANCESTOR AND DIVERGENCE TIMES OF POPULATIONS OF COMMON CHAFFINCHES (<i>FRINGILLA COELEBS</i>) IN EUROPE AND NORTH AFRICA: INSIGHTS INTO PLEISTOCENE REFUGIA AND CURRENT LEVELS OF MIGRATION. 2002 , 56, 143	2
1361	SYSTEMATICS OF THE EUROPEAN ENDANGERED CRAYFISH SPECIES <i>AUSTROPOTAMOBIVS PALLIPES</i> (DECAPODA: ASTACIDAE) WITH A RE-EXAMINATION OF THE STATUS OF <i>AUSTROPOTAMOBIVS BERNDHAUSERI</i> . 2002 , 22, 677-681	5
1360	Systematics of the European Endangered Crayfish Species <i>Austropotamobius Pallipes</i> (Decapoda: Astacidae) with a Re-Examination of the Status of <i>Austropotamobius Berndhauseri</i> . 2002 , 22, 677-681	20
1359	A novel use of equilibrium frequencies in models of sequence evolution. 2002 , 19, 1821-31	45
1358	Bayesian model adequacy and choice in phylogenetics. 2002 , 19, 1171-80	167
1357	Evolution of mitochondrial cytochrome B pseudogene in genus <i>Nycticebus</i> . 2002 , 19, 2337-41	54
1356	Phylogenetic relationships, ecological correlates, and molecular evolution within the cavioidae (mammalia, rodentia). 2002 , 19, 263-77	105
1355	Archaeal phylogeny based on ribosomal proteins. 2002 , 19, 631-9	153
1354	Genetic algorithms and parallel processing in maximum-likelihood phylogeny inference. 2002 , 19, 1717-26	68

1353	Evolutionary distance estimation under heterogeneous substitution pattern among lineages. 2002 , 19, 1727-36	200
1352	Patterns of insertion and deletion in contrasting chromatin domains. 2002 , 19, 2211-25	69
1351	Phylogenetic discordance at the species boundary: comparative gene genealogies among rapidly radiating <i>Heliconius</i> butterflies. 2002 , 19, 2176-90	140
1350	The effects of nucleotide substitution model assumptions on estimates of nonparametric bootstrap support. 2002 , 19, 394-405	79
1349	Alpha1,4-fucosyltransferase activity: a significant function in the primate lineage has appeared twice independently. 2002 , 19, 815-24	36
1348	Primate Divergence Times. 2002 , 19-33	2
1347	European bumblebees (Hymenoptera: Bombini)- phylogenetic relationships inferred from DNA sequences. 2002 , 33, 361-386	34
1346	An Evaluation of the Monophyly of Massarina Based on Ribosomal DNA Sequences. 2002 , 94, 803	26
1345	The Scutocoxifera Tax. Nov. and the Information Content of Nuclear SSU rDNA Sequences for Reconstruction of Isopod Phylogeny (Peracarida: Isopoda). 2002 , 22, 217-234	23
1344	Quantifying Heterogeneity in the HIV Genome. 2002 , 91-119	
1343	Molecular Phylogeny of the <i>Drosophila virilis</i> Species Group (Diptera: Drosophilidae) Inferred from Mitochondrial 12S and 16S Ribosomal RNA Genes. 2002 , 95, 156-161	57
1342	Molecular Evidence for a Species Complex in the Genus <i>Aphelinus</i> (Hymenoptera: Aphelinidae), with Additional Data on Aphidiine Phylogeny (Hymenoptera: Braconidae). 2002 , 95, 29-34	17
1341	Molecular divergence between <i>Treubia</i> Goebel and <i>Apotreubia</i> S. Hatt. & Mizut., the two genera of the archaic liverwort class Treubiopsida (Hepaticophytina): Studies in austral temperate rain forest bryophytes 19. 2002 , 75, 91-100	6
1340	DNA sequence evolution with neighbor-dependent mutation. 2002 ,	9
1339	Phylogeny of Nearctic Species of the <i>Xylosteana</i> Group of <i>Archips</i> Hübner (Lepidoptera: Tortricidae) Based on Combined Analysis of Morphological and Mitochondrial DNA Data Sets. 2002 , 95, 288-301	12
1338	PHYLOGEOGRAPHIC HISTORY OF THE LAND SNAIL <i>CANDIDULA UNIFASCIATA</i> (HELICELLINAE, STYLOMMATOPHORA): FRAGMENTATION, CORRIDOR MIGRATION, AND SECONDARY CONTACT. 2002 , 56, 1776	16
1337	MOLECULAR PHYLOGENY OF GRAPSOID AND OCYPODOID CRABS WITH SPECIAL REFERENCE TO THE GENERA <i>METAPLAX</i> AND <i>MACROPHTHALMUS</i> . 2002 , 22, 682-693	35
1336	Combined data, Bayesian phylogenetics, and the origin of the New Zealand cicada genera. 2002 , 51, 4-18	154

1335	Mitochondrial Variation in Sharp-Tailed Snakes (<i>Contia tenuis</i>): Evidence of a Cryptic Species. 2002 , 36, 648-655	19
1334	PHYLOGEOGRAPHY OF THE SOCIALLY POLYMORPHIC SWEAT BEE <i>HALICTUS RUBICUNDUS</i> (HYMENOPTERA: HALICTIDAE). 2002 , 56, 330	5
1333	Phytochemical, Morphological, and Molecular Evidence for the Occurrence of the Neotropical Liverwort <i>Plagiochila stricta</i> in the Canary Islands, New to Macaronesia. 2002 , 105, 363-372	22
1332	Evolutionary Networks of Maternal and Paternal Gene Lineages in Voles (<i>Eothenomys</i>) Endemic to Japan. 2002 , 83, 852-865	28
1331	Morphologic, Pathologic, and Genetic Investigations of <i>Bolbophorus</i> Species Affecting Cultured Channel Catfish in the Mississippi Delta. 2006 , 18, 235-46	32
1330	SYSTEMATICS OF <i>MYOTIS OCCULTUS</i> (CHIROPTERA: VESPERTILIONIDAE) INFERRED FROM SEQUENCES OF TWO MITOCHONDRIAL GENES. 2002 , 83, 386-395	21
1329	A viral sampling design for testing the molecular clock and for estimating evolutionary rates and divergence times. 2002 , 18, 115-23	43
1328	Model misspecification and probabilistic tests of topology: evidence from empirical data sets. 2002 , 51, 509-23	192
1327	PHYLOGENY OF <i>GAERTNERA</i> LAM. (RUBIACEAE) BASED ON MULTIPLE DNA MARKERS: EVIDENCE OF A RAPID RADIATION IN A WIDESPREAD, MORPHOLOGICALLY DIVERSE GENUS. 2002 , 56, 42	3
1326	THE HISTORICAL BIOGEOGRAPHY OF TWO CARIBBEAN BUTTERFLIES (LEPIDOPTERA: HELICONIIDAE) AS INFERRED FROM GENETIC VARIATION AT MULTIPLE LOCI. 2002 , 56, 573	3
1325	CORRELATED EVOLUTIONARY DIVERGENCE OF EGG SIZE AND A MITOCHONDRIAL PROTEIN ACROSS THE ISTHMUS OF PANAMA. 2002 , 56, 1303	7
1324	<i>Pseudocyphellaria perpetua</i> , a New Lichen from Western North America. 2002 , 105, 1-10	51
1323	Phylogenetic Relationships of the Large-Bodied Members of the African Lizard Genus <i>Pachydactylus</i> (Reptilia: Gekkonidae). 2002 , 2002, 586-596	21
1322	Human paralogs of KIAA0187 were created through independent pericentromeric-directed and chromosome-specific duplication mechanisms. 2002 , 12, 67-80	21
1321	EXAMINING GENETIC STRUCTURE IN A BOGUS YUCCA MOTH: A SEQUENTIAL APPROACH TO PHYLOGEOGRAPHY. 2002 , 56, 1632	6
1320	PATTERNS OF POSTZYGOTIC ISOLATION IN LEPIDOPTERA. 2002 , 56, 1168	38
1319	EVOLUTION AFTER THE FLOOD: PHYLOGEOGRAPHY OF THE DESERT FISH UTAH CHUB. 2002 , 56, 948	
1318	The Systematic Position of <i>Plagiochila moritziana</i> , <i>P. trichostoma</i> , and <i>P. deflexa</i> Based on ITS Sequence Variation of Nuclear Ribosomal DNA, Morphology, and Lipophilic Secondary Metabolites. 2002 , 105, 189-203	24

1317	Molecular phylogeny of grouse: individual and combined performance of W-linked, autosomal, and mitochondrial loci. 2002 , 51, 930-45	55
1316	Free-living heterotrophic nitrogen-fixing bacteria isolated from fuel-contaminated antarctic soils. 2002 , 68, 5181-5	81
1315	Rapid diversification of the cotton genus (<i>Gossypium</i> : Malvaceae) revealed by analysis of sixteen nuclear and chloroplast genes. 2002 , 89, 707-25	193
1314	Clade-specific morphological diversification and adaptive radiation in Hawaiian songbirds. 2002 , 269, 37-42	165
1313	A view of early vertebrate evolution inferred from the phylogeny of polystome parasites (Monogenea: Polystomatidae). 2002 , 269, 535-43	39
1312	Complete nucleotide sequence of the <i>Coturnix chinensis</i> (blue-breasted quail) mitochondrial genome and a phylogenetic analysis with related species. 2002 , 93, 439-44	26
1311	A new family of highly variable proteins in the <i>Chlamydomonas reinhardtii</i> genome. 2002 , 30, 4351-60	18
1310	THE SCUTOCOXIFERA TAX. NOV. AND THE INFORMATION CONTENT OF NUCLEAR SSU RDNA SEQUENCES FOR RECONSTRUCTION OF ISOPOD PHYLOGENY (PERACARIDA: ISOPODA). 2002 , 22, 217-234	20
1309	Monophyly of the Convolvulaceae and circumscription of their major lineages based on DNA sequences of multiple chloroplast loci. 2002 , 89, 1510-22	122
1308	Taxonomy and mitochondrial sequence evolution in non-diadromous species of <i>Rhinogobius</i> (Teleostei: Gobiidae) of Hainan Island, southern China. 2002 , 53, 259	13
1307	Recreating a functional ancestral archosaur visual pigment. 2002 , 19, 1483-9	123
1306	Description of <i>Enteromyxum scophthalmi</i> gen. nov., sp. nov. (Myxozoa), an intestinal parasite of turbot (<i>Scophthalmus maximus</i> L.) using morphological and ribosomal RNA sequence data. 2002 , 124, 369-79	72
1305	What, if anything, is a Tilapia?-mitochondrial ND2 phylogeny of tilapiines and the evolution of parental care systems in the African cichlid fishes. 2002 , 19, 865-83	90
1304	<i>Craseonycteris thonglongyai</i> (Chiroptera: Craseonycteridae) is a Rhinolophoid: Molecular Evidence from Cytochrome b. 2002 , 4, 107-120	20
1303	Phylogenetic relationships among members of the <i>Pachydactylus capensis</i> group of southern African geckos. 2002 , 37, 209-220	20
1302	Two new <i>Fagopyrum</i> (Polygonaceae) species, <i>F. gracilipedoides</i> and <i>F. jinshaense</i> from Yunnan, China. 2002 , 77, 399-408	34
1301	<i>Neoleptonema yongpilii</i> E.-Y. Lee & I.K. Lee, gen. et sp. nov. (Phaeophyceae), based on morphological characters and RuBisCO spacer sequences. 2002 , 37, 237-245	2
1300	An evaluation of the monophyly of <i>Massarina</i> based on ribosomal DNA sequences. 2002 , 94, 803-813	39

1299	Duplication and adaptive evolution of the chalcone synthase genes of <i>Dendranthema</i> (Asteraceae). 2002 , 19, 1752-9	43
1298	Efficient biased estimation of evolutionary distances when substitution rates vary across sites. 2002 , 19, 534-43	34
1297	Roles of diversifying selection and coordinated evolution in the evolution of amphibian antimicrobial peptides. 2002 , 19, 858-64	129
1296	The evolution of the heat-shock protein GroEL from <i>Buchnera</i> , the primary endosymbiont of aphids, is governed by positive selection. 2002 , 19, 1162-70	64
1295	Power analysis of tests for loss of selective constraint in cave crayfish and nonphotosynthetic plant lineages. 2002 , 19, 1292-302	23
1294	Bayesian phylogenetics using an RNA substitution model applied to early mammalian evolution. 2002 , 19, 1591-601	145
1293	Molecular evolution of the mammalian alpha 2B adrenergic receptor. 2002 , 19, 2150-60	21
1292	Chorionic gonadotropin has a recent origin within primates and an evolutionary history of selection. 2002 , 19, 320-35	154
1291	Molecular systematics of the Eastern Fence Lizard (<i>Sceloporus undulatus</i>): a comparison of Parsimony, Likelihood, and Bayesian approaches. 2002 , 51, 44-68	501
1290	Increased congruence does not necessarily indicate increased phylogenetic accuracy--the behavior of the incongruence length difference test in mixed-model analyses. 2002 , 51, 19-31	161
1289	Phylogenetic analyses of nitrogen-fixing cyanobacteria from the Baltic Sea reveal sequence anomalies in the phycocyanin operon. 2002 , 52, 1397-1404	31
1288	Phylogenetic relationships in the cactus family (Cactaceae) based on evidence from trnK/ matK and trnL-trnF sequences. 2002 , 89, 312-26	164
1287	Evidence of two genetically deeply divergent species of warthog, <i>Phacochoerus africanus</i> and <i>P. aethiopicus</i> (Artiodactyla: Suiformes) in East Africa. 2002 , 67, 91-96	19
1286	Local differentiation of <i>Clethrionomys rutilus</i> in northeastern Asia inferred from mitochondrial gene sequences. 2002 , 67, 157-166	29
1285	Systematics and Historical Biogeography of Wagtails: Dispersal Versus Vicariance Revisited. 2002 , 104, 725	40
1284	SYSTEMATICS OF OXYMYCTERUS WITH DESCRIPTION OF A NEW SPECIES FROM URUGUAY. 2002 , 83, 408-420	12
1283	Molecular Phylogeny of Acipenseridae: Nonmonophyly of Scaphirhynchinae. 2002 , 2002, 287-301	53
1282	Estimation of genetic distances from human and mouse introns. 2002 , 3, RESEARCH0028	21

1281	TREE-PUZZLE: maximum likelihood phylogenetic analysis using quartets and parallel computing. 2002 , 18, 502-4	2182
1280	Major adaptive radiation in neritopsine gastropods estimated from 28S rRNA sequences and fossil records. 2002 , 269, 2457-65	64
1279	Primary structure, unique enzymatic properties, and molecular evolution of pepsinogen B and pepsin B. 2002 , 404, 177-85	19
1278	Organization and evolution of the glandular kallikrein locus in <i>Mus musculus</i> . 2002 , 299, 305-11	55
1277	Effects of <i>Pseudomonas putida</i> WCS358r and its genetically modified phenazine producing derivative on the <i>Fusarium</i> population in a field experiment, as determined by 18S rDNA analysis. 2002 , 34, 1021-1025	17
1276	Rejection of <i>Sinkoraena</i> and transfer of some species of <i>Carpopeltis</i> and <i>Sinkoraena</i> to <i>Polyopes</i> (Rhodophyta, Halymeniaceae). 2002 , 41, 619-635	31
1275	How objective are genera in euascomycetes?. 2002 , 5, 91-101	18
1274	Higher-level relationships of snakes inferred from four nuclear and mitochondrial genes. 2002 , 325, 977-85	73
1273	Evolution and phylogenetic information content of the ribosomal DNA repeat unit in the Blattodea (Insecta). 2002 , 32, 951-60	19
1272	Molecular analysis of the echovirus 18 prototype: evidence of interserotypic recombination with echovirus 9. 2002 , 85, 71-83	50
1271	Phylogenetic position of <i>Rhynchopus</i> sp. and <i>Diplonema ambulator</i> as indicated by analyses of euglenozoan small subunit ribosomal DNA. 2002 , 284, 83-91	27
1270	Genetic heterogeneity in the foot-and-mouth disease virus Leader and 3C proteinases. 2002 , 289, 19-29	48
1269	Structure, molecular evolution, and gene expression of primate superoxide dismutases. 2002 , 296, 99-109	39
1268	Estimating Divergence Times from Molecular Data on Phylogenetic and Population Genetic Timescales. 2002 , 33, 707-740	453
1267	The evolution and phylogeography of the African elephant inferred from mitochondrial DNA sequence and nuclear microsatellite markers. 2002 , 269, 1993-2006	95
1266	Systematic studies on <i>Anopheles galvaoi</i> Causey, Deane & Deane from the subgenus <i>Nyssorhynchus blanchard</i> (Diptera: Culicidae). 2002 , 97, 1177-89	9
1265	Evolutionary relationships among blue- and black-plumaged populations of the white-winged fairy-wren (<i>Malurus leucopterus</i>). 2002 , 50, 581	27
1264	What is a Wood-Warbler? Molecular Characterization of a Monophyletic Parulidae. 2002 , 119, 695-714	71

1263	Seabird Supertrees: Combining Partial Estimates of Procellariiform Phylogeny. 2002 , 119, 88-108	95
1262	Systematics and Historical Biogeography of Wagtails: Dispersal Versus Vicariance Revisited. 2002 , 104, 725-739	50
1261	Speciation and phylogeography in the cosmopolitan marine moon jelly, <i>Aurelia</i> sp. 2002 , 2, 1	132
1260	Identification of a host-associated species complex using molecular and morphometric analyses, with the description of <i>Gyrodactylus rugiensoides</i> n. sp. (<i>Gyrodactylidae</i> , <i>Monogenea</i>). 2002 , 32, 907-19	69
1259	Eubacterial phylogeny based on translational apparatus proteins. 2002 , 18, 1-5	207
1258	Molecular phylogeny of <i>Melanospora</i> and similar pyrenomycetous fungi. 2002 , 106, 148-155	44
1257	Jahnulales (<i>Dothideomycetes</i> , <i>Ascomycota</i>): a new order of lignicolous freshwater ascomycetes. 2002 , 106, 1031-1042	43
1256	Phylogenetic relationships of tachinid flies in subfamily <i>Exoristinae</i> (<i>Tachinidae</i> : <i>Diptera</i>) based on 28S rDNA and elongation factor-1 β . 2002 , 27, 409-435	29
1255	Molecular Diversity of Eucaryotic Picoalgae from Three Lakes in Switzerland. 2002 , 87, 1	18
1254	Molecular phylogeny of a cosmopolitan group of woodpeckers (genus <i>Picoides</i>) based on COI and <i>cyt b</i> mitochondrial gene sequences. 2002 , 22, 65-75	40
1253	Evolution of insular Pacific <i>Pittosporum</i> (<i>Pittosporaceae</i>): origin of the Hawaiian radiation. 2002 , 22, 31-42	57
1252	Systematics and phylogeography of pocket gophers in the genera <i>Cratogeomys</i> and <i>Pappogeomys</i> . 2002 , 22, 144-54	31
1251	Gene diversity and geographic differentiation in mitochondrial DNA of the Genji firefly, <i>Luciola cruciata</i> (<i>Coleoptera</i> : <i>Lampyridae</i>). 2002 , 22, 193-205	30
1250	Phylogeny of the subgenus <i>sophophora</i> (<i>Diptera</i> : <i>drosophilidae</i>) based on combined analysis of nuclear and mitochondrial sequences. 2002 , 22, 442-53	58
1249	Phylogeny and character evolution in the <i>Empidonax</i> group of tyrant flycatchers (<i>Aves</i> : <i>Tyrannidae</i>): a test of W. E. Lanyon's hypothesis using mtDNA sequences. 2002 , 22, 289-302	42
1248	Molecular phylogeny of short-tailed shrews, <i>Blarina</i> (<i>Insectivora</i> : <i>Soricidae</i>). 2002 , 22, 163-73	19
1247	Mitochondrial phylogeography of moose (<i>Alces alces</i>): late pleistocene divergence and population expansion. 2002 , 22, 375-87	118
1246	A test of a mitochondrial gene-based phylogeny of woodpeckers (genus <i>Picoides</i>) using an independent nuclear gene, beta-fibrinogen intron 7. 2002 , 22, 247-57	60

1245	Phylogeny and morphological evolution of the amblystegiaceae (Bryopsida). 2002 , 23, 1-21		80
1244	Phylogenetic relationships and ancestral areas of the bustards (Gruiformes: Otididae), inferred from mitochondrial DNA and nuclear intron sequences. 2002 , 23, 63-74		27
1243	Phacopsis \square lichenicolous genus of the family Parmeliaceae. 2002 , 1, 43-55		32
1242	Molecular kinship analyses of the agaricoid Russulaceae: Correspondence with mycorrhizal anatomy and sporocarp features in the genus Russula. 2002 , 1, 201-223		51
1241	Studies on the origin and evolution of tetraploid wheats based on the internal transcribed spacer (ITS) sequences of nuclear ribosomal DNA. 2002 , 104, 1099-1106		43
1240	Molecular phylogeny of Crocidura shrews in northeastern Asia: A special reference to specimens on Cheju Island, South Korea. 2002 , 47, 369-379		19
1239	Unravelling host and symbiont phylogenies of halichondrid sponges (Demospongiae, Porifera) using a mitochondrial marker. 2002 , 141, 377-386		74
1238	Evolution of human Polyomavirus JC: implications for the population history of humans. <i>Journal of Molecular Evolution</i> , 2002 , 54, 285-97	3.1	71
1237	Hepatitis C virus evolutionary patterns studied through analysis of full-genome sequences. <i>Journal of Molecular Evolution</i> , 2002 , 54, 62-70	3.1	61
1236	A phylogenomic study of the OCTase genes in Pseudomonas syringae pathovars: the horizontal transfer of the argK-tox cluster and the evolutionary history of OCTase genes on their genomes. <i>Journal of Molecular Evolution</i> , 2002 , 54, 437-57	3.1	56
1235	The effect of recombination on the accuracy of phylogeny estimation. <i>Journal of Molecular Evolution</i> , 2002 , 54, 396-402	3.1	335
1234	Rates of molecular evolution in RNA viruses: a quantitative phylogenetic analysis. <i>Journal of Molecular Evolution</i> , 2002 , 54, 156-65	3.1	519
1233	JC virus strains indigenous to northeastern Siberians and Canadian Inuits are unique but evolutionally related to those distributed throughout Europe and Mediterranean areas. <i>Journal of Molecular Evolution</i> , 2002 , 55, 322-35	3.1	33
1232	Intra- and interfamily relationships of Vespertilionidae inferred by various molecular markers including SINE insertion data. <i>Journal of Molecular Evolution</i> , 2002 , 55, 284-301	3.1	56
1231	A DNA sequence evolution analysis generalized by simulation and the markov chain monte carlo method implicates strand slippage in a majority of insertions and deletions. <i>Journal of Molecular Evolution</i> , 2002 , 55, 706-17	3.1	22
1230	Species diversity among the genus Monorchis (Digenea: Monorchidae) parasitic in marine teleosts: molecular, morphological and morphometrical studies with a description of Monorchis blennii n. sp. 2002 , 88, 230-41		17
1229	Phylogenetic relationships of four species of floating gobies (Gymnogobius) as inferred from partial mitochondrial cytochrome b gene sequences. 2002 , 49, 324-332		42
1228	Phylogenetic relationships of Combretoideae (Combretaceae) inferred from plastid, nuclear gene and spacer sequences. 2002 , 115, 475-81		32

1227	Molecular phylogeny of four selected species of the strictly anamorphic genus <i>Thysanophora</i> using nuclear ribosomal DNA sequences. 2002 , 43, 169-180	19
1226	Characterization of <i>Symbiobacterium toebii</i> , an obligate commensal thermophile isolated from compost. 2002 , 6, 57-64	24
1225	Biological properties and molecular characterization of beet chlorosis virus (BChV). 2002 , 147, 745-62	29
1224	Sequence analysis of measles virus strains collected during the pre- and early-vaccination era in Denmark reveals a considerable diversity of ancient strains. 2002 , 110, 113-22	5
1223	Conservation of a dinucleotide simple sequence repeat locus in sharks. 2002 , 23, 205-13	34
1222	A phylogeny of the megapodes (Aves: Megapodiidae) based on nuclear and mitochondrial DNA sequences. 2002 , 23, 408-21	47
1221	Analysis of the mitochondrial 12S rRNA gene supports a two-clade hypothesis of the evolutionary history of scleractinian corals. 2002 , 23, 137-49	79
1220	Molecular phylogeny of symbiotic dinoflagellates inferred from partial chloroplast large subunit (23S)-rDNA sequences. 2002 , 23, 97-111	187
1219	Molecular phylogeny of the Eichhorni group of <i>Delias</i> Hübner, 1819 (Lepidoptera: Pieridae). 2002 , 23, 276-87	15
1218	Structure and evolution of the avian mitochondrial control region. 2002 , 23, 422-32	137
1217	Phylogeny and biogeography of Triatominae (Hemiptera: Reduviidae): molecular evidence of a New World origin of the Asiatic clade. 2002 , 23, 447-57	144
1216	Molecular phylogeny and historical biogeography of the <i>Aphanius</i> (Pisces, Cyprinodontiformes) species complex of central Anatolia, Turkey. 2002 , 25, 125-137	44
1215	The evolutionary origin of Indian Ocean tortoises (<i>Dipsochelys</i>). 2002 , 24, 216-27	45
1214	Molecular systematics, hybridization, and phylogeography of the <i>Bufo americanus</i> complex in Eastern North America. 2002 , 24, 302-14	58
1213	A molecular phylogeny for the South African limbless lizard taxa of the subfamily Acontinae (Sauria: Scincidae) with special emphasis on relationships within Acontias. 2002 , 24, 315-23	19
1212	The Atlas mountains as a biogeographical divide in North-West Africa: evidence from mtDNA evolution in the Agamid lizard <i>Agama impalearis</i> . 2002 , 24, 324-32	61
1211	Molecular support for Afrotheria and the polyphyly of Lipotyphla based on analyses of the growth hormone receptor gene. 2002 , 24, 91-101	36
1210	Evolutionary history of the genus <i>Rhamdia</i> (Teleostei: Pimelodidae) in Central America. 2002 , 25, 172-89	165

1209	Phylogeny of Tetraoninae and other galliform birds using mitochondrial 12S and ND2 genes. 2002 , 24, 203-15	108
1208	Progenesis in Eunicida ("Polychaeta," Annelida)--separate evolutionary events? Evidence from molecular data. 2002 , 25, 190-9	45
1207	A molecular phylogeny of African kestrels with reference to divergence across the Indian Ocean. 2002 , 25, 267-77	41
1206	Evolutionary patterns of the gypsy and bilbo retrotransposon families in the <i>Drosophila</i> species of the <i>obscura</i> group. 2002 , 25, 254-66	4
1205	Phylogeography of the Eurasian Willow Tit (<i>Parus montanus</i>) based on DNA sequences of the mitochondrial cytochrome b gene. 2002 , 24, 26-34	25
1204	Phylogeographic analysis of the cornsnake (<i>Elaphe guttata</i>) complex as inferred from maximum likelihood and Bayesian analyses. 2002 , 25, 465-76	47
1203	Biogeography of spiders on remote oceanic islands of the Pacific: archipelagoes as stepping stones?. 2002 , 29, 655-662	64
1202	The taxonomic status of the 'sea trout' from the north Adriatic Sea, as revealed by mitochondrial and nuclear DNA analysis. 2002 , 29, 1179-1185	18
1201	Islands within an island: phylogeography and conservation genetics of the endangered Hawaiian tree snail <i>Achatinella mustelina</i> . 2002 , 11, 365-75	66
1200	Molecular analysis of an 11,700-year-old rodent midden from the Atacama Desert, Chile. 2002 , 11, 913-24	61
1199	Population history of <i>Manihot esculenta</i> (Euphorbiaceae) inferred from nuclear DNA sequences. 2002 , 11, 901-11	31
1198	Recent introduction of the dominant tunicate, <i>Pyura praeputialis</i> (Urochordata, Pyuridae) to Antofagasta, Chile. 2002 , 11, 1579-84	47
1197	Recent changes in phenotype and patterns of host specialization in <i>Wolbachia</i> bacteria. 2002 , 11, 1275-83	51
1196	Historical biogeography and molecular systematics of the Indo-Pacific genus <i>Dascyllus</i> (Teleostei: Pomacentridae). 2002 , 11, 1377-92	77
1195	Complex patterns of colonization and refugia revealed for European grayling <i>Thymallus thymallus</i> , based on complete sequencing of the mitochondrial DNA control region. 2002 , 11, 1393-407	96
1194	Molecular phylogeography of common garter snakes (<i>Thamnophis sirtalis</i>) in western North America: implications for regional historical forces. 2002 , 11, 1739-51	74
1193	Locating the sources of an invasive pest, grape phylloxera, using a mitochondrial DNA gene genealogy. 2002 , 11, 2013-26	70
1192	The role of ecologic diversification in sibling speciation of <i>Empidonax</i> flycatchers (Tyrannidae): multigene evidence from mtDNA. 2002 , 11, 2065-81	61

1191	Trans-specific evolution of opsin alleles and the maintenance of trichromatic colour vision in Callitrichine primates. 2002 , 11, 2157-69	82
1190	Molecular phylogenetics and the historical biogeography of dippers (Cinclus). 2002 , 144, 577-584	22
1189	Mitochondrial DNA diversification among the subspecies of the Silver and Kalij Pheasants, <i>Lophura nycthemera</i> and <i>L. leucomelanos</i> , Phasianidae. 2002 , 145, E1-E11	6
1188	TAXONOMY AND MOLECULAR PHYLOGENY OF THE RED ALGAL GENUS <i>LENORMANDIA</i> (RHODOMELACEAE, CERAMIALES)1. 2002 , 38, 184-208	6
1187	GENETIC VARIABILITY AND POTENTIAL SOURCES OF <i>GRATELOUPIA DORYPHORA</i> (HALYMENIACEAE, RHODOPHYTA), AN INVASIVE SPECIES IN RHODE ISLAND WATERS (USA)1. 2002 , 38, 649-658	37
1186	PHYLOGENETIC ANALYSIS OF 32 STRAINS OF <i>VAUCHERIA</i> (XANTHOPHYCEAE) USING THE <i>rbcL</i> GENE AND ITS TWO FLANKING SPACER REGIONS1. 2002 , 38, 583-592	25
1185	PHYLOGENETIC RELATIONSHIPS AMONG STREPTOPHYTES AS INFERRED FROM CHLOROPLAST SMALL AND LARGE SUBUNIT rRNA GENE SEQUENCES1. 2002 , 38, 364-375	65
1184	PHYLOGENETIC SYSTEMATICS OF THE ULVACEAE (ULVALES, ULVOPHYCEAE) USING CHLOROPLAST AND NUCLEAR DNA SEQUENCES1. 2002 , 38, 1200-1212	94
1183	TWO DIFFERENT SPECIES OF <i>EUGLENA</i> , <i>E. GENICULATA</i> AND <i>E. MYXOCYLINDRACEA</i> (EUGLENOPHYCEAE), ARE VIRTUALLY GENETICALLY AND MORPHOLOGICALLY IDENTICAL1. 2002 , 38, 1190-1199	26
1182	MOLECULAR EVOLUTION OF <i>EUGLENOZOAN</i> PARAXONEMAL ROD GENES <i>par1</i> AND <i>par2</i> COINCIDES WITH PHYLOGENETIC RECONSTRUCTION BASED ON SMALL SUBUNIT rDNA DATA1. 2002 , 38, 995-1003	19
1181	Phylogeographical structure and regional history of the dusky-footed woodrat, <i>Neotoma fuscipes</i> . 2002 , 11, 229-42	73
1180	Speciation via introgressive hybridization in East African cichlids?. 2002 , 11, 619-25	178
1179	Molecular phylogeny and historical biogeography of the large carpenter bees, genus <i>Xylocopa</i> (Hymenoptera: Apidae). 2002 , 77, 249-266	74
1178	DNA phylogeny supports revised classification of <i>Salmothymus obtusirostris</i> . 2002 , 77, 399-411	38
1177	A molecular perspective on the evolutionary affinities of an enigmatic neotropical frog, <i>Allophryne ruthveni</i> . 2002 , 134, 335-346	21
1176	Detecting evolutionary rate heterogeneity among mangroves and their close terrestrial relatives. 2002 , 5, 427-432	11
1175	Phylogeography and colonization history of Lesser Black-backed Gulls (<i>Larus fuscus</i>) as revealed by mtDNA sequences. 2002 , 15, 1021-1033	43
1174	Timing of the population dynamics of bullhead <i>Cottus gobio</i> (Teleostei: Cottidae) during the Pleistocene. 2002 , 15, 930-944	75

1173	The phylogenetic position of the Aeolosomatidae and Parergodrilidae, two enigmatic oligochaete-like taxa of the Polychaeta—based on molecular data from 18S rDNA sequences. 2002 , 40, 155-163	67
1172	The application of molecular phylogenetics to the analysis of viral genome diversity and evolution. 2002 , 12, 221-38	24
1171	The phylogenetic position of the pelobiont <i>Mastigamoeba balamuthi</i> based on sequences of rDNA and translation elongation factors EF-1alpha and EF-2. 2002 , 49, 1-10	33
1170	Phylogenetic analyses of small subunit ribosomal RNA coding regions reveal a monophyletic lineage of euglyphid testate amoebae (Order Euglyphida). 2002 , 49, 108-18	85
1169	Restriction analysis and sequencing of the ITS regions and 5.8S gene of rDNA of <i>Ganoderma</i> isolates from infected oil palm and coconut stumps in Malaysia. 2002 , 141, 133-142	7
1168	Testing the relationship between morphological and molecular rates of change along phylogenies. 2002 , 56, 1921-30	112
1167	Phylogeographic history of the land snail <i>Candidula unifasciata</i> (Helicellinae, Stylommatophora): fragmentation, corridor migration, and secondary contact. 2002 , 56, 1776-88	447
1166	Phylogeny of <i>Gaertnera</i> Lam. (Rubiaceae) based on multiple DNA markers: evidence of a rapid radiation in a widespread, morphologically diverse genus. 2002 , 56, 42-57	107
1165	Time to the most recent common ancestor and divergence times of populations of common chaffinches (<i>Fringilla coelebs</i>) in Europe and North Africa: insights into Pleistocene refugia and current levels of migration. 2002 , 56, 143-53	81
1164	Phylogeography of the socially polymorphic sweat bee <i>Halictus rubicundus</i> (Hymenoptera: Halictidae). 2002 , 56, 330-41	70
1163	The historical biogeography of two Caribbean butterflies (Lepidoptera: Heliconiidae) as inferred from genetic variation at multiple loci. 2002 , 56, 573-89	28
1162	Evolution after the flood: phylogeography of the desert fish Utah Chub. 2002 , 56, 948-60	29
1161	Patterns of postzygotic isolation in Lepidoptera. 2002 , 56, 1168-83	246
1160	Correlated evolutionary divergence of egg size and a mitochondrial protein across the Isthmus of Panama. 2002 , 56, 1303-9	33
1159	Examining genetic structure in a bogus yucca moth: a sequential approach to phylogeography. 2002 , 56, 1632-43	60
1158	Phylogeny of a paradigm lineage: the <i>Drosophila melanogaster</i> species group (Diptera: Drosophilidae). 2002 , 76, 21-37	42
1157	Phylogenetic analysis of 49 newly derived HIV-1 group O strains: high viral diversity but no group M-like subtype structure. 2002 , 302, 259-73	66
1156	The genetic diversity of European type PRRSV is similar to that of the North American type but is geographically skewed within Europe. 2002 , 299, 38-47	122

1155	Compartmentalization of HIV-1 between breast milk and blood of HIV-infected mothers. 2002 , 300, 109-17	65
1154	A new parvovirus genotype persistent in human skin. 2002 , 302, 224-8	116
1153	Phylogenetic relationships among Lemuridae (Primates): evidence from mtDNA. 2002 , 43, 463-478	18
1152	Phylogenetic position of the Sphaeropleaceae (Chlorophyta). 2002 , 230, 161-171	32
1151	<i>Plagiochila virginica</i> A.Evans rather than <i>P. dubia</i> Lindenb. & Gottsche occurs in Macaronesia; placement in sect. <i>Contiguae</i> Carl is supported by ITS sequences of nuclear ribosomal DNA. 2002 , 230, 221-230	18
1150	Phylogeny of Mitochondrial DNA in Salmonids of the Subfamily Salmoninae: Analysis of the Cytochrome b Gene Sequences. 2002 , 38, 277-285	5
1149	Evolutionary significance of chromosome changes in northeastern Asiatic red-backed voles inferred with the aid of intron 1 sequences of the G6pd gene. 2002 , 10, 419-28	14
1148	Molecular phylogeny of <i>Diploschistes</i> inferred from ITS sequence data. 2003 , 35, 27-32	24
1147	On the systematic position of the lichen genus <i>Heppia</i> . 2003 , 35, 151-156	13
1146	Evolution of the tribe Tropheini from Lake Tanganyika: synchronized explosive speciation producing multiple evolutionary parallelism. 2003 , 500, 51-64	61
1145	Rates of Molecular Evolution of Primates. 2003 , 39, 721-736	4
1144	Molecular phylogenetic analysis supports the synonymy of <i>Prodontria modesta</i> (Broun) and <i>Prodontria bicolorata</i> Given (Coleoptera: Scarabaeidae: Melolonthinae). 2003 , 7, 215-221	6
1143	Phylogenetic Inferences Based on nrDNA Sequences Support Five Morphospecies Within the <i>Peltigera didactyla</i> Complex (Lichenized Ascomycota). 2003 , 106, 349-364	29
1142	Characterization of a <i>Plasmopara</i> isolate from <i>Helianthus laetiflorus</i> based on cross infection, morphological, fatty acids and molecular phylogenetic data. 2003 , 2, 163-170	30
1141	The alpha-actinin gene family: a revised classification. <i>Journal of Molecular Evolution</i> , 2003 , 56, 1-10	3.1 57
1140	Phylogenetic relationships among JC virus strains in Japanese/Koreans and Native Americans speaking Amerind or Na-Dene. <i>Journal of Molecular Evolution</i> , 2003 , 56, 18-27	3.1 32
1139	Mitochondrial genomics of ostariophysan fishes: perspectives on phylogeny and biogeography. <i>Journal of Molecular Evolution</i> , 2003 , 56, 464-72	3.1 154
1138	Revised small subunit rRNA analysis provides further evidence that Foraminifera are related to Cercozoa. <i>Journal of Molecular Evolution</i> , 2003 , 57 Suppl 1, S120-7	3.1 27

1137	Widespread adaptive evolution in the human immunodeficiency virus type 1 genome. <i>Journal of Molecular Evolution</i> , 2003 , 57, 212-21	3.1	80
1136	Phylogenetic analysis of new plant myosin sequences. <i>Journal of Molecular Evolution</i> , 2003 , 57, 229-39	3.1	25
1135	Rates of DNA duplication and mitochondrial DNA insertion in the human genome. <i>Journal of Molecular Evolution</i> , 2003 , 57, 343-54	3.1	97
1134	A new labyrinthulid isolate, which solely produces n-6 docosapentaenoic acid. 2003 , 63, 22-8		21
1133	A novel lineage of sulfate-reducing microorganisms: Thermodesulfobiaceae fam. nov., Thermodesulfobium narugense, gen. nov., sp. nov., a new thermophilic isolate from a hot spring. 2003 , 7, 283-90		125
1132	Evolution and microsynteny of the apyrase gene family in three legume genomes. 2003 , 270, 347-61		47
1131	Umbelopsis gibberispora sp. nov. from Japanese leaf litter and a clarification of Micromucor ramannianus var. angulisporus. 2003 , 44, 217-226		11
1130	Comparison of glycoprotein B (gB) variants of the elephant endotheliotropic herpesvirus (EEHV) isolated from Asian elephants (Elephas maximus). 2003 , 91, 11-21		16
1129	Speciation and host-parasite relationships in the parasite genus Gyrodactylus (Monogenea, Platyhelminthes) infecting gobies of the genus Pomatoschistus (Gobiidae, Teleostei). 2003 , 33, 1679-89		58
1128	Phylogenetic relationships of gentle lemurs (Hapalemur). 2003 , 11, 150-154		51
1127	Genetic variability and phylogeography in the wild Alaotran gentle lemur population. 2003 , 11, 175-179		2
1126	Molecular phylogenetics: parallelized parameter estimation and quartet puzzling. 2003 , 63, 719-727		24
1125	rRNA and nifD phylogeny of Bradyrhizobium from sites across the Pacific Basin. 2003 , 219, 159-65		35
1124	Molecular phylogenetics and evolution of the endemic Hawaiian genus Adenophorus (Grammitidaceae). 2003 , 26, 337-47		33
1123	A molecular phylogeny of the neotropical butterfly genus Anartia (Lepidoptera: Nymphalidae). 2003 , 26, 46-55		22
1122	Higher-level systematics of rodents and divergence time estimates based on two congruent nuclear genes. 2003 , 26, 409-20		132
1121	Molecular systematics and biogeography of the Neotropical monkey genus, Alouatta. 2003 , 26, 64-81		218
1120	Xantusiid "night" lizards: a puzzling phylogenetic problem revisited using likelihood-based Bayesian methods on mtDNA sequences. 2003 , 26, 243-61		33

1119	Extensive mtDNA variation within the yellow-pine chipmunk, <i>Tamias amoenus</i> (Rodentia: Sciuridae), and phylogeographic inferences for northwest North America. 2003 , 26, 389-408	52
1118	Relationships and origin of endemic Lake Baikal gastropods (Caenogastropoda: Rissosoidea) based on mitochondrial DNA sequences. 2003 , 26, 435-43	35
1117	Molecular systematics of the South American caviomorph rodents: relationships among species and genera in the family Octodontidae. 2003 , 26, 476-89	84
1116	New World monkey phylogeny based on X-linked G6PD DNA sequences. 2003 , 27, 121-30	50
1115	Phylogeographic analysis of the green python, <i>Morelia viridis</i> , reveals cryptic diversity. 2003 , 27, 36-44	65
1114	Can the current molecular arsenal adequately track rapid divergence events within Simuliidae (Diptera)? 2003 , 27, 45-57	22
1113	Basal euteleostean relationships: a mitogenomic perspective on the phylogenetic reality of the "Protacanthopterygii". 2003 , 27, 476-88	138
1112	Phylogenetic and genomic analysis of the complete mitochondrial DNA sequence of the spotted asparagus beetle <i>Crioceris duodecimpunctata</i> . 2003 , 26, 513-26	67
1111	Molecular phylogenetics of <i>Houstonia</i> (Rubiaceae): descending aneuploidy and breeding system evolution in the radiation of the lineage across North America. 2003 , 27, 223-38	36
1110	Molecular phylogeny of the genus <i>Buteo</i> (Aves: Accipitridae) based on mitochondrial marker sequences. 2003 , 27, 328-42	68
1109	Phylogenetic significance of morphological characters in the taxonomy of <i>Pestalotiopsis</i> species. 2003 , 27, 372-83	129
1108	The phylogeographic importance of the Strait of Gibraltar as a gene flow barrier in terrestrial arthropods: a case study with the scorpion <i>Buthus occitanus</i> as model organism. 2003 , 28, 119-30	92
1107	Mitochondrial DNA phylogeography reveals the existence of an Evolutionarily Significant Unit of the sand goby <i>Pomatoschistus minutus</i> in the Adriatic (Eastern Mediterranean). 2003 , 28, 601-9	67
1106	Phylogeny of bumble bees in the New World subgenus <i>Fervidobombus</i> (Hymenoptera: Apidae): congruence of molecular and morphological data. 2003 , 28, 552-63	29
1105	Phylogeny of hagfish based on the mitochondrial 16S rRNA gene. 2003 , 28, 448-57	20
1104	Molecular phylogeny of Mentawai macaques: taxonomic and biogeographic implications. 2003 , 29, 139-50	24
1103	Low genetic divergence obscures phylogeny among populations of <i>Sphenodon</i> , remnant of an ancient reptile lineage. 2003 , 29, 1-19	43
1102	Phylogenetic utility of the second intron of <i>LEAFY</i> in <i>Neillia</i> and <i>Stephanandra</i> (Rosaceae) and implications for the origin of <i>Stephanandra</i> . 2003 , 29, 203-15	64

1101	A phylogenetic analysis of the emberizid sparrows based on three mitochondrial genes. 2003 , 29, 43-57	48
1100	Evaluating placental inter-ordinal phylogenies with novel sequences including RAG1, gamma-fibrinogen, ND6, and mt-tRNA, plus MCMC-driven nucleotide, amino acid, and codon models. 2003 , 28, 197-224	98
1099	The status of the Japanese and East Asian bats of the genus <i>Myotis</i> (Vespertilionidae) based on mitochondrial sequences. 2003 , 28, 297-307	62
1098	Inference of higher-order relationships in the cycads from a large chloroplast data set. 2003 , 29, 350-9	73
1097	Phylogeny of Neotropical oryzomyine rodents (Muridae: Sigmodontinae) based on the nuclear IRBP exon. 2003 , 29, 331-49	123
1096	Phylogenetic relationships among Palearctic and Nearctic burbot (<i>Lota lota</i>): Pleistocene extinctions and recolonization. 2003 , 29, 599-612	59
1095	Apomorphic and plesiomorphic ITS-1 rDNA patterns in morphologically similar snails (Stylommatophora: Vallonia), with estimates of divergence time. 2003 , 260, 275-283	7
1094	Genetic diversity within the morphological species <i>Giardia intestinalis</i> and its relationship to host origin. 2003 , 3, 29-38	205
1093	Quasispecies composition and phylogenetic analysis of feline coronaviruses (FCoVs) in naturally infected cats. 2003 , 39, 141-7	26
1092	Discovery of two northern hemisphere <i>Armillaria</i> species on Proteaceae in South Africa. 2003 , 52, 604-612	34
1091	Closing of the Tethys Sea and the phylogeny of Eurasian killifishes (Cyprinodontiformes: Cyprinodontidae). 2003 , 16, 17-36	152
1090	Testing the link between the latitudinal gradient in species richness and rates of molecular evolution. 2003 , 16, 200-7	84
1089	Testing paleolimnological predictions with molecular data: the origins of Holarctic Eubosmina. 2003 , 16, 871-82	36
1088	Evolutionary history of asexual hybrid loaches (Cobitis: Teleostei) inferred from phylogenetic analysis of mitochondrial DNA variation. 2003 , 16, 1280-7	45
1087	The recent evolutionary origin of the phenotypically novel amphipod <i>Hyalella montezuma</i> offers an ecological explanation for morphological stasis in a closely allied species complex. 2003 , 12, 405-13	43
1086	Historical demography and genetic structure of sister species: deermice (<i>Peromyscus</i>) in the North American temperate rain forest. 2003 , 12, 711-24	49
1085	Phylogeography of the Northern short-tailed shrew, <i>Blarina brevicauda</i> (Insectivora: Soricidae): past fragmentation and postglacial recolonization. 2003 , 12, 1435-49	63
1084	Phylogeography of the common vole (<i>Microtus arvalis</i>) with particular emphasis on the colonization of the Orkney archipelago. 2003 , 12, 951-6	97

1083	Population genetic structure of the toad <i>Bufo woodhousii</i> : an empirical assessment of the effects of haplotype extinction on nested cladistic analysis. 2003 , 12, 1541-54	61
1082	Demographic expansion of parasitic nematodes of livestock based on mitochondrial DNA regions that conflict with the infinite-sites model. 2003 , 12, 1555-66	22
1081	<i>Wolbachia</i> and genetic variability in the birdnest blowfly <i>Protocalliphora sialia</i> . 2003 , 12, 1843-54	42
1080	Historical biogeography of the catfish genus <i>Hypostomus</i> (Siluriformes: Loricariidae), with implications on the diversification of Neotropical ichthyofauna. 2003 , 12, 1855-67	152
1079	Molecular evidence for deep phylogenetic divergence in <i>Mandrillus sphinx</i> . 2003 , 12, 2019-24	78
1078	The demographic history of the New Zealand short-tailed bat <i>Mystacina tuberculata</i> inferred from modified control region sequences. 2003 , 12, 1895-911	30
1077	The phylogeny of Turnip mosaic virus; comparisons of 38 genomic sequences reveal a Eurasian origin and a recent 'emergence' in east Asia. 2003 , 12, 2099-111	74
1076	Using faecal DNA sampling and GIS to monitor hybridization between red wolves (<i>Canis rufus</i>) and coyotes (<i>Canis latrans</i>). 2003 , 12, 2175-86	100
1075	Patterns of population subdivision and gene flow in the ant <i>Nothomyrmecia macrops</i> reflected in microsatellite and mitochondrial DNA markers. 2003 , 12, 2281-95	28
1074	Identification of reproductively isolated lineages of Amur grayling (<i>Thymallus grubii</i> Dybowski 1869): concordance between phenotypic and genetic variation. 2003 , 12, 2345-55	34
1073	Evidence for gene flow in parasitic nematodes between two host species of shrews. 2003 , 12, 2853-9	26
1072	Genetic mosaic in a marine species flock. 2003 , 12, 2963-73	67
1071	Mitochondrial DNA sequences reveal extensive cryptic diversity within a western American springsnail. 2003 , 12, 2771-82	86
1070	Contrasting patterns of mitochondrial and microsatellite population structure in fragmented populations of greater prairie-chickens. 2003 , 12, 3335-47	101
1069	Phylogeny and development of marine model species: stronglylocentrotid sea urchins. 2003 , 5, 360-71	61
1068	A STUDY OF THE PSEUDO-NITZSCHIA PSEUDODELICATISSIMA/CUSPIDATA COMPLEX (BACILLARIOPHYCEAE): WHAT IS P. PSEUDODELICATISSIMA? 1. 2003 , 39, 797-813	200
1067	PHYLOGENETIC EVIDENCE FOR THE CRYPTOPHYTE ORIGIN OF THE PLASTID OF DINOPHYSIS (DINOPHYSIALES, DINOPHYCEAE)1. 2003 , 39, 440-448	87
1066	MULTIPLE CRYPTIC SPECIES: MOLECULAR DIVERSITY AND REPRODUCTIVE ISOLATION IN THE BOSTRYCHIA RADICANS/B. MORITZIANA COMPLEX (RHODOMELACEAE, RHODOPHYTA) WITH FOCUS ON NORTH AMERICAN ISOLATES. 2003 , 39, 948-959	81

1065	MORPHOLOGICAL AND 16S rRNA GENE EVIDENCE FOR RECLASSIFICATION OF THE PARALYTIC SHELLFISH TOXIN PRODUCING APHANIZOMENON FLOS-AQUAE LMECYA 31 AS APHANIZOMENON ISSATSCHENKOI (CYANOPHYCEAE)1. 2003 , 39, 814-818	51
1064	Novel Proteorhodopsin variants from the Mediterranean and Red Seas. 2003 , 5, 842-9	98
1063	Molecular phylogeny of elopomorph fishes inferred from mitochondrial 12S ribosomal RNA sequences. 2003 , 32, 231-241	29
1062	Phylogeny of the lice (Insecta, Phthiraptera) inferred from small subunit rRNA. 2003 , 32, 407-414	39
1061	Genetic diversity of <i>Pisolithus</i> in New Zealand indicates multiple long-distance dispersal from Australia. 2003 , 160, 569-579	67
1060	Molecular and morphometric data demonstrate the presence of cryptic lineages among freshwater crabs (Decapoda: Potamonautidae: Potamonautes) from the Drakensberg Mountains, South Africa. 2003 , 78, 129-147	41
1059	Phylogeography and conservation genetics of endangered European Margaritiferidae (Bivalvia: Unionoidea). 2003 , 78, 235-252	122
1058	On the systematic status of the desert plated lizard (<i>Angolosaurus skoogi</i>): phylogenetic inference from DNA sequence analysis of the African Gerrhosauridae. 2003 , 78, 253-261	25
1057	Evolution in the slow lane: molecular rates of evolution in sexual and asexual ostracods (Crustacea: Ostracoda). 2003 , 79, 93-100	47
1056	Molecular systematics of cowries (Gastropoda: Cypraeidae) and diversification patterns in the tropics. 2003 , 79, 401-459	269
1055	Ecological diversification and phylogeny of emydid turtles. 2003 , 79, 577-610	106
1054	The evolutionary history of the Chydoridae (Crustacea: Cladocera). 2003 , 79, 629-643	62
1053	First report of three <i>Kudoa</i> species from eastern Australia: <i>Kudoa thyrsites</i> from mahi mahi (<i>Coryphaena hippurus</i>), <i>Kudoa amamiensis</i> and <i>Kudoa minithyrsites</i> n. sp. from sweeper (<i>Pempheris ypsilychnus</i>). 2003 , 50, 215-9	179
1052	The ceratotoxin gene family in the medfly <i>Ceratitis capitata</i> and the Natal fruit fly <i>Ceratitis rosa</i> (Diptera: Tephritidae). 2003 , 90, 382-9	7
1051	Floral morphometrics and the evolution of sexual dimorphism in <i>Lycium</i> (Solanaceae). 2003 , 57, 74-86	41
1050	Molecular systematics, phylogeography, and the effects of Pleistocene glaciation in the painted turtle (<i>Chrysemys picta</i>) complex. 2003 , 57, 119-28	92
1049	Dispersal of viviparity across contact zones in Iberian populations of fire salamanders (<i>Salamandra</i>) inferred from discordance of genetic and morphological traits. 2003 , 57, 129-43	144
1048	No association between mitochondrial DNA haplotypes and a female-limited mimicry phenotype in <i>Papilio glaucus</i> . 2003 , 57, 305-16	28

1047	EVIDENCE FOR MULTIPLE PLEISTOCENE REFUGIA IN THE POSTGLACIAL EXPANSION OF THE EASTERN TIGER SALAMANDER, <i>AMBYSTOMA TIGRINUM TIGRINUM</i> . 2003 , 57, 372-383	69
1046	Detecting correlation between characters in a comparative analysis with uncertain phylogeny. 2003 , 57, 1237-47	69
1045	The dynamics of male brooding, mating patterns, and sex roles in pipefishes and seahorses (family Syngnathidae). 2003 , 57, 1374-86	141
1044	Reductions in the mitochondrial DNA diversity of coral reef fish provide evidence of population bottlenecks resulting from Holocene sea-level change. 2003 , 57, 1571-83	133
1043	Phylogeography of the pantropical sea urchin <i>Tripneustes</i> : contrasting patterns of population structure between oceans. 2003 , 57, 2026-36	188
1042	Cryptic repeated genomic recombination during speciation in <i>Gossypium gossypioides</i> . 2003 , 57, 2475-89	63
1041	Recent radiation of endemic Caribbean <i>Drosophila</i> of the <i>dunni</i> subgroup inferred from multilocus DNA sequence variation. 2003 , 57, 2566-79	31
1040	Nonstochastic variation of species-level diversification rates within angiosperms. 2003 , 57, 460-79	40
1039	EVOLUTION OF PREY BEHAVIOR IN RESPONSE TO CHANGES IN PREDATION REGIME: DAMSELFLIES IN FISH AND DRAGONFLY LAKES. 2003 , 57, 574-585	120
1038	Refugial origins of reindeer (<i>Rangifer tarandus</i> L.) inferred from mitochondrial DNA sequences. 2003 , 57, 658-70	130
1037	Phylogenetics, zoogeography, and the role of dispersal and vicariance in the evolution of the <i>Rana catesbeiana</i> (Anura: Ranidae) species group. 2003 , 80, 601-624	40
1036	Inferences from DNA data: population histories, evolutionary processes and forensic match probabilities. 2003 , 166, 155-188	179
1035	MOLECULAR SYSTEMATICS OF THE MIDDLE AMERICAN JUMPING PITVIPERS (GENUS <i>ATROPOIDES</i>) AND PHYLOGEOGRAPHY OF THE <i>ATROPOIDES NUMMIFER</i> COMPLEX. 2003 , 59, 420-431	27
1034	Jumping spider phylogeny (Araneae : Salticidae). 2003 , 17, 529	112
1033	Molecular systematic analysis reveals cryptic tertiary diversification of a widespread tropical rain forest tree. 2003 , 162, 691-703	164
1032	USING MORPHOLOGICAL AND MOLECULAR EVIDENCE TO INFER SPECIES BOUNDARIES WITHIN <i>PROCTOPORUS BOLIVIANUS</i> WERNER (SQUAMATA: GYMNOPTHALMIDAE). 2003 , 59, 432-449	21
1031	Isolation and identification of Triticeae chromosome 1 receptor-like kinase genes (<i>Lrk10</i>) from diploid, tetraploid, and hexaploid species of the genus <i>Avena</i> . 2003 , 46, 119-27	18
1030	Using MODELTEST and PAUP* to select a model of nucleotide substitution. 2003 , Chapter 6, Unit 6.5	137

1029	Genetic relationships and origin of two geographic groups of the freshwater threespine stickleback, 'hariyo'. 2003 , 20, 265-74	41
1028	Inferring evolutionary trees with PAUP*. 2003 , Chapter 6, Unit 6.4	237
1027	Phylogenetic relationships of Peronospora and related genera based on nuclear ribosomal ITS sequences. 2003 , 107, 1132-42	115
1026	Diversity of the Hyaloperonospora parasitica complex from core brassicaceous hosts based on ITS rDNA sequences. 2003 , 107, 1314-22	50
1025	A simple, fast, and accurate algorithm to estimate large phylogenies by maximum likelihood. 2003 , 52, 696-704	13613
1024	How did pygmy shrews colonize Ireland? Clues from a phylogenetic analysis of mitochondrial cytochrome b sequences. 2003 , 270, 1593-9	25
1023	Recent Speciation in the Orchard Oriole Group: Divergence of Icterus spurius spurius and Icterus spurius fuertesii. 2003 , 120, 848-859	
1022	Evolution of Long-Distance Migration in and Historical Biogeography of Catharus Thrushes: A Molecular Phylogenetic Approach. 2003 , 120, 299-310	2
1021	Timing the origin of New World monkeys. 2003 , 20, 1620-5	124
1020	RECENT RADIATION OF ENDEMIC CARIBBEAN DROSOPHILA OF THE DUNNI SUBGROUP INFERRED FROM MULTILOCUS DNA SEQUENCE VARIATION. 2003 , 57, 2566	4
1019	Sequence alignments and pair hidden Markov models using evolutionary history. 2003 , 333, 453-60	49
1018	A first molecular phylogenetic analysis of Passiflora (Passifloraceae). 2003 , 90, 1229-38	83
1017	Macrophage migration inhibitory factor (MIF) of jawed and jawless fishes: implications for its evolutionary origin. 2003 , 27, 401-12	33
1016	Isolation of novel olfactory receptor genes in marmosets (Callithrix): insights into pseudogene formation and evidence for functional degeneracy in non-human primates. 2003 , 304, 87-96	15
1015	Evolution of low-copy number and major satellite DNA sequences coexisting in two Pimelia species-groups (Coleoptera). 2003 , 312, 85-94	14
1014	No slave to sex. 2003 , 270, 827-33	67
1013	What is Taxonomic implications from a study of cp-DNA evolution in the tribe Citreae (Rutaceae subfamily Aurantioideae). 2003 , 3, 55-62	59
1012	Quantitative detection of methanotrophs in soil by novel pmoA-targeted real-time PCR assays. 2003 , 69, 2423-9	352

1011	True and false gharials: a nuclear gene phylogeny of crocodylia. 2003 , 52, 386-402	78
1010	Analyses of Possible Domestic Pig Contribution in Two Populations of Finnish Farmed Wild Boar. 2003 , 53, 161-165	7
1009	<i>Polyopes tosaensis</i> Kawaguchi & Masuda, sp. nov. (Halymeniaceae, Rhodophyta) from Japan. 2003 , 38, 315-324	9
1008	Phylogeography of Barbastelle Bats (<i>Barbastella barbastellus</i>) in the Western Mediterranean and the Canary Islands. 2003 , 5, 165-175	11
1007	Aquatic Biodiversity. 2003 ,	1
1006	"Green-like" and "red-like" RubisCO cbbL genes in <i>Rhodobacter azotoformans</i> . 2003 , 20, 821-30	25
1005	The implications of virus diversity within the SAT 2 serotype for control of foot-and-mouth disease in sub-Saharan Africa. 2003 , 84, 1595-1606	81
1004	Phylogenetic Relationships of Barcheek Darters (<i>Percidae</i> : <i>Etheostoma</i> , Subgenus <i>Catonotus</i>) with Descriptions of Two New Species. 2003 , 2003, 512-530	27
1003	Presence of <i>Plecotus macrobullaris</i> (Chiroptera: Vespertilionidae) in the Pyrenees. 2003 , 5, 243	12
1002	A geographically diverse set of isolates indicates two phylogenetic lineages within <i>Stachybotrys chartarum</i> . 2003 , 81, 633-643	16
1001	Pseudogenes contribute to the extreme diversity of nuclear ribosomal DNA in the hard coral <i>Acropora</i> . 2003 , 20, 1077-86	84
1000	HIV type 1 diversity in northeastern Romania in 200-2001 based on phylogenetic analysis of pol sequences from patient failing antiretroviral therapy. 2003 , 19, 1155-1161	10
999	DNA sequence evolution with neighbor-dependent mutation. 2003 , 10, 313-22	76
998	A PCR-RFLP marker distinguishing <i>Ophiostoma clavigerum</i> from morphologically similar <i>Leptographium</i> species associated with bark beetles. 2003 , 81, 1104-1112	23
997	Detection and characterization of <i>Pasteuria</i> 16S rRNA gene sequences from nematodes and soils. 2003 , 53, 105-112	18
996	Sympatric speciation as a consequence of male pregnancy in seahorses. 2003 , 100, 6598-603	72
995	Serial recombination during circulation of type 1 wild-vaccine recombinant polioviruses in China. 2003 , 77, 10994-1005	68
994	When are phylogenetic analyses misled by convergence? A case study in Texas cave salamanders. 2003 , 52, 501-14	138

993	Pandit: a database of protein and associated nucleotide domains with inferred trees. 2003 , 19, 1556-63	40
992	Least and Most Powerful Phylogenetic Tests to Elucidate the Origin of the Seed Plants in the Presence of Conflicting Signals under Misspecified Models. 2003 , 52, 781-793	20
991	High levels of multiple Wolbachia infection and recombination in the ant <i>Formica exsecta</i> . 2003 , 20, 748-53	84
990	Type I STS markers are more informative than cytochrome B in phylogenetic reconstruction of the Mustelidae (Mammalia: Carnivora). 2003 , 52, 571-93	61
989	<i>Cryptococcus surugaensis</i> sp. nov., a novel yeast species from sediment collected on the deep-sea floor of Suruga Bay. 2003 , 53, 2095-8	51
988	Mitochondrial DNA diversity in South America and the genetic history of Andean highlanders. 2003 , 20, 1682-91	111
987	A low rate of simultaneous double-nucleotide mutations in primates. 2003 , 20, 47-53	30
986	Patterns of transitional mutation biases within and among mammalian genomes. 2003 , 20, 988-93	88
985	DISPERSAL OF VIVIPARITY ACROSS CONTACT ZONES IN IBERIAN POPULATIONS OF FIRE SALAMANDERS (<i>SALAMANDRA</i>) INFERRED FROM DISCORDANCE OF GENETIC AND MORPHOLOGICAL TRAITS. 2003 , 57, 129	7
984	DETECTING CORRELATION BETWEEN CHARACTERS IN A COMPARATIVE ANALYSIS WITH UNCERTAIN PHYLOGENY. 2003 , 57, 1237	8
983	CRYPTIC REPEATED GENOMIC RECOMBINATION DURING SPECIATION IN <i>GOSSYPIUM GOSSYPIOIDES</i> . 2003 , 57, 2475	5
982	NONSTOCHASTIC VARIATION OF SPECIES-LEVEL DIVERSIFICATION RATES WITHIN ANGIOSPERMS. 2003 , 57, 460	8
981	Evolution of prey behavior in response to changes in predation regime: damselflies in fish and dragonfly lakes. 2003 , 57, 574-85	39
980	MOLECULAR SYSTEMATICS, PHYLOGEOGRAPHY, AND THE EFFECTS OF PLEISTOCENE GLACIATION IN THE PAINTED TURTLE (<i>CHRYSEMYS PICTA</i>) COMPLEX. 2003 , 57, 119	8
979	THE DYNAMICS OF MALE BROODING, MATING PATTERNS, AND SEX ROLES IN PIPEFISHES AND SEAHORSES (FAMILY SYNGNATHIDAE). 2003 , 57, 1374	11
978	Phylogenetics of advanced snakes (Caenophidia) based on four mitochondrial genes. 2003 , 52, 439-59	76
977	Patterns of variation within self-incompatibility loci. 2003 , 20, 1778-94	49
976	The taxonomic impediment overcome: NSF's Partnerships for Enhancing Expertise in Taxonomy (PEET) as a model. 2003 , 52, 428-35	70

975	Lineage-specific selection in human mtDNA: lack of polymorphisms in a segment of MTND5 gene in haplogroup J. 2003 , 20, 2132-42	45
974	How Bayes tests of molecular phylogenies compare with frequentist approaches. 2003 , 19, 618-24	18
973	Assessing the phylogenetic utility of four mitochondrial genes and a nuclear intron in the asian pit viper genus, <i>Trimeresurus</i> : separate, simultaneous, and conditional data combination analyses. 2003 , 20, 1240-51	38
972	Sequence heterogeneity of the small subunit ribosomal RNA genes among blastocystis isolates. 2003 , 126, 1-9	92
971	Adaptation of metabolism and evaporative water loss along an aridity gradient. 2003 , 270, 207-14	135
970	Phylogenetic study of <i>Fulgensia</i> and allied <i>Caloplaca</i> and <i>Xanthoria</i> species (Teloschistaceae, lichen-forming ascomycota). 2003 , 90, 1095-103	35
969	PHYLOGEOGRAPHY OF THE PANTROPICAL SEA URCHIN TRIPNEUSTES: CONTRASTING PATTERNS OF POPULATION STRUCTURE BETWEEN OCEANS. 2003 , 57, 2026	9
968	MORPHOLOGICAL EVOLUTION OF CYTHEROCOPINE OSTRACODS INFERRED FROM 18S RIBOSOMAL DNA SEQUENCES. 2003 , 23, 131-153	4
967	MOLECULAR DATA REVEAL PARALLEL EVOLUTION IN NUMMULITID FORAMINIFERA. 2003 , 33, 277-284	20
966	Comparison of plastid 16S rRNA (<i>rrn16</i>) genes from <i>Helicosporidium</i> spp.: evidence supporting the reclassification of <i>Helicosporidia</i> as green algae (Chlorophyta). 2003 , 53, 1719-23	30
965	Taxon sampling, bioinformatics, and phylogenomics. 2003 , 52, 119-24	99
964	Phylogeny reconstruction: the role of morphology. 2003 , 52, 539-48	292
963	Molecular basis and evolutionary origins of color diversity in great star coral <i>Montastraea cavernosa</i> (Scleractinia: Faviida). 2003 , 20, 1125-33	85
962	Evolutionary rate variation in anthocyanin pathway genes. 2003 , 20, 1844-53	100
961	A gradient of silent substitution rate in the human pseudoautosomal region. 2004 , 21, 410-7	25
960	Molecular epidemiology and forensic genetics: application to a hepatitis C virus transmission event at a hemodialysis unit. 2003 , 187, 352-8	28
959	Intraspecific phylogeny of the New Zealand short-tailed bat <i>Mystacina tuberculata</i> inferred from multiple mitochondrial gene sequences. 2003 , 52, 460-76	43
958	PHYLOGEOGRAPHY OF CANADA GEESE (<i>BRANTA CANADENSIS</i>) IN WESTERN NORTH AMERICA. 2003 , 120, 889	26

957	REFUGIAL ORIGINS OF REINDEER (<i>RANGIFER TARANDUS</i> L.) INFERRED FROM MITOCHONDRIAL DNA SEQUENCES. 2003 , 57, 658	4
956	Quantitative estimates of sequence divergence for comparative analyses of mammalian genomes. 2003 , 13, 813-20	92
955	Isolation of Kaeng Khoi virus from dead <i>Chaerephon plicata</i> bats in Cambodia. 2003 , 84, 2685-2689	23
954	Natural selection shaped regional mtDNA variation in humans. 2003 , 100, 171-6	783
953	An approximate maximum likelihood approach, applied to phylogenetic trees. 2003 , 10, 737-49	1
952	Identification and characterization of multi-species conserved sequences. 2003 , 13, 2507-18	245
951	Phylogeny and interfertility of North Atlantic populations of <i>Ceramium strictum</i> (Ceramiales, Rhodophyta): how many species?. 2003 , 38, 1-13	25
950	Intra- and interspecific genetic complexities of two <i>Eothenomys</i> species in Honshu, Japan. 2003 , 20, 1305-13	14
949	Linnaeus was right all along: <i>Ulva</i> and <i>Enteromorpha</i> are not distinct genera. 2003 , 38, 277-294	417
948	Inferring Spatial Phylogenetic Variation Along Nucleotide Sequences. 2003 , 98, 427-437	60
947	Molecular phylogenies and divergence times of sea urchin species of Strongylocentrotidae, Echinoidea. 2003 , 20, 1211-21	69
946	REDUCTIONS IN THE MITOCHONDRIAL DNA DIVERSITY OF CORAL REEF FISH PROVIDE EVIDENCE OF POPULATION BOTTLENECKS RESULTING FROM HOLOCENE SEA-LEVEL CHANGE. 2003 , 57, 1571	4
945	Stochastic mapping of morphological characters. 2003 , 52, 131-58	590
944	<i>Rhodotorula benthica</i> sp. nov. and <i>Rhodotorula calyptogenae</i> sp. nov., novel yeast species from animals collected from the deep-sea floor, and <i>Rhodotorula lysiniphila</i> sp. nov., which is related phylogenetically. 2003 , 53, 897-903	46
943	Ancient DNA enables timing of the pleistocene origin and holocene expansion of two adlie penguin lineages in antarctica. 2004 , 21, 240-8	75
942	Phylogenetics of the genus <i>Scaevola</i> (Goodeniaceae): implication for dispersal patterns across the Pacific Basin and colonization of the Hawaiian Islands. 2003 , 90, 915-23	89
941	High intron sequence conservation across three mammalian orders suggests functional constraints. 2003 , 20, 969-78	73
940	Evaluation of the strategy of long-branch subdivision to improve the accuracy of phylogenetic methods. 2003 , 52, 423-8	57

939	Increased rates of sequence evolution in endosymbiotic bacteria and fungi with small effective population sizes. 2003 , 20, 1545-55	145
938	Recent Speciation in the Orchard Oriole Group: Divergence of <i>Icterus Spurius Spurius</i> and <i>Icterus Spurius Fuertesi</i> . 2003 , 120, 848	33
937	Bayesian models of episodic evolution support a late precambrian explosive diversification of the Metazoa. 2003 , 20, 1947-54	123
936	Differential expansion of zinc-finger transcription factor loci in homologous human and mouse gene clusters. 2003 , 13, 1097-110	76
935	Evolution of the genome of Human enterovirus B: incongruence between phylogenies of the VP1 and 3CD regions indicates frequent recombination within the species. 2003 , 84, 1223-1235	117
934	Characterization and comparison of recombinant simian immunodeficiency virus from drill (<i>Mandrillus leucophaeus</i>) and mandrill (<i>Mandrillus sphinx</i>) isolates. 2003 , 77, 4867-80	46
933	Gene finding with a hidden Markov model of genome structure and evolution. 2003 , 19, 219-27	74
932	FLORAL MORPHOMETRICS AND THE EVOLUTION OF SEXUAL DIMORPHISM IN LYCIUM (SOLANACEAE). 2003 , 57, 74	1
931	Molecular systematics and adaptive radiation of Hawaii's endemic Damselfly genus <i>Megalagrion</i> (Odonata: Coenagrionidae). 2003 , 52, 89-109	116
930	PHYLOGENETIC DIVERSIFICATION WITHIN THE SOREX CINEREUS GROUP (SORICIDAE). 2003 , 84, 144-158	36
929	The 18S ribosomal RNA gene of <i>Soboliphyme baturini</i> Petrow, 1930 (Nematoda: Dioctophymida) and its implications for phylogenetic relationships within <i>Dorylaimia</i> . 2003 , 5, 615-628	8
928	Phylogeny and Taxonomy of <i>Macrolepiota</i> (Agaricaceae). 2003 , 95, 442	24
927	Evidence for multiple Pleistocene refugia in the postglacial expansion of the eastern tiger salamander, <i>Ambystoma tigrinum tigrinum</i> . 2003 , 57, 372-83	20
926	Heterogeneity of nucleotide frequencies among evolutionary lineages and phylogenetic inference. 2003 , 20, 610-21	76
925	Phylogenetic estimation of context-dependent substitution rates by maximum likelihood. 2004 , 21, 468-88	245
924	NO ASSOCIATION BETWEEN MITOCHONDRIAL DNA HAPLOTYPES AND A FEMALE-LIMITED MIMICRY PHENOTYPE IN <i>PAPILIO GLAUCUS</i> . 2003 , 57, 305	2
923	EVOLUTION OF LONG-DISTANCE MIGRATION IN AND HISTORICAL BIOGEOGRAPHY OF CATHARUS THRUSHES: A MOLECULAR PHYLOGENETIC APPROACH. 2003 , 120, 299	58
922	Testing a molecular clock without an outgroup: derivations of induced priors on branch-length restrictions in a Bayesian framework. 2003 , 52, 48-54	19

921	Rapid molecular evolution of CYCLOIDEA-like genes in <i>Antirrhinum</i> and its relatives. 2003 , 20, 1537-44	44
920	Unique mammalian tRNA-derived repetitive elements in dermopterans: the t-SINE family and its retrotransposition through multiple sources. 2003 , 20, 1659-68	32
919	Genomic sequence and transcriptional profile of the boundary between pericentromeric satellites and genes on human chromosome arm 10p. 2003 , 13, 159-72	42
918	Morphological Evolution of Cytherocopine Ostracods Inferred from 18S Ribosomal DNA Sequences. 2003 , 23, 131-153	22
917	Biogeographical History and Morphological Evolution of Two Closely Related Ostracod Species, <i>Ishizakiella Ryukyuensis</i> and <i>I. Miurensis</i> . 2003 , 23, 623-632	3
916	Examining the Genetic Structure among Populations of the Common Cape River Crab <i>Potamonautes Perlatus</i> from River Systems in South Africa Reveals Hydrographic Boundaries. 2003 , 23, 936-950	16
915	Factors affecting the errors in the estimation of evolutionary distances between sequences. 2003 , 20, 1-9	12
914	Characterization of Diversity in <i>Colletotrichum acutatum</i> sensu lato by Sequence Analysis of Two Gene Introns, mtDNA and Intron RFLPs, and Mating Compatibility. 2003 , 95, 872	120
913	Evolutionary Similarity Among Genes. 2003 , 98, 653-662	9
912	Statistical alignment based on fragment insertion and deletion models. 2003 , 19, 490-9	47
911	Phylogeny of the Dragonfly and Damselfly Order Odonata as Inferred by Mitochondrial 12S Ribosomal RNA Sequences. 2003 , 96, 693-699	26
910	Traditional Infrageneric Classification of <i>Gymnopilus</i> Is Not Supported by Ribosomal DNA Sequence Data. 2003 , 95, 1204	9
909	Molecular genetic characterization of the Fennoscandian cervid strain, a new genotypic group (G10) of <i>Echinococcus granulosus</i> . 2003 , 127, 207-15	180
908	Persistence of drug-resistant HIV-1 after a structured treatment interruption and its impact on treatment response. 2003 , 17, 361-70	69
907	Phylogeny and taxonomy of <i>Macrolepiota</i> (Agaricaceae). 2003 , 95, 442-456	54
906	Traditional infrageneric classification of <i>Gymnopilus</i> is not supported by ribosomal DNA sequence data. 2003 , 95, 1204-14	31
905	Topological incongruence between nuclear and chloroplast DNA trees suggesting hybridization in the urophyllum group of the genus <i>Fagopyrum</i> (Polygonaceae). 2003 , 78, 139-53	42
904	Characterization of diversity in <i>Colletotrichum acutatum</i> sensu lato by sequence analysis of two gene introns, mtDNA and intron RFLPs, and mating compatibility. 2003 , 95, 872-895	181

903	A phylogenetic reconstruction and emendation of <i>Agaricus</i> section <i>Duploannulatae</i> . 2003 , 95, 61-73	46
902	Phylogenetic revision of the endemic New Zealand carabid genus <i>Oregus</i> Putzeys (Coleoptera : Carabidae : Broscini). 2003 , 17, 625	5
901	Phylogeny of <i>Halgerda</i> (Mollusca : Gastropoda) based on combined analysis of mitochondrial CO1 and morphology. 2003 , 17, 617	4
900	Global distribution of rubella virus genotypes. 2003 , 9, 1523-30	48
899	Phylogeny of the lichen genus <i>Placopsis</i> and its allies based on Bayesian analyses of nuclear and mitochondrial sequences. 2003 , 95, 827-835	27
898	A reassessment of two freshwater ascomycetes, <i>Ceriospora caudae-suis</i> and <i>Submersisphaeria aquatica</i> . 2003 , 95, 41-53	12
897	Maximum-Likelihood Analysis Using TREE-PUZZLE. 2003 , 1, 6.6.1-6.6.23	9
896	Molecular characterisation of <i>Neoparamoeba</i> strains isolated from gills of <i>Scophthalmus maximus</i> . 2003 , 55, 11-6	19
895	Molecular evolution of phytoplasmas based on polymorphisms in the 16S rRNA genes and the 16/23S spacer regions. 2003 , 79B, 155-162	3
894	The phylogenetic relationships of insectivores with special reference to the lesser hedgehog tenrec as inferred from the complete sequence of their mitochondrial genome. 2003 , 78, 107-12	11
893	Evolution of Long-Distance Migration in and Historical Biogeography of <i>Catharus</i> Thrushes: A Molecular Phylogenetic Approach. 2003 , 120, 299-310	72
892	Recent Speciation in the Orchard Oriole Group: Divergence of <i>Icterus Spurius Spurius</i> and <i>Icterus Spurius Fuertesi</i> . 2003 , 120, 848-859	39
891	. 2003 ,	6
890	Phylogenetic Reconstructions of Ostracodes I A Molecular Approach. 2003 , 9, 71-88	2
889	The NADH Dehydrogenase Genes of <i>Apis mellifera</i> , <i>A. cerana</i> , <i>A. dorsata</i> , <i>A. laboriosa</i> and <i>A. florea</i> : Sequence Comparison and Genetic Diversity. 2004 , 31, 3-12	5
888	Mammalian genomes ease location of human DNA functional segments but not their description. 2004 , 3, Article23	4
887	Distinguishing the parasitic wasp, <i>Peristenus howardi</i> , from some of its congeners using polymerase chain reaction and restriction endonuclease digestion. 2004 , 4, 25	5
886	Genus-specific diversification of mating types. 2004 , 254-272	2

885	. 2004 ,	6
884	Phylogenetic relationships and the evolution of mimicry in the <i>Chauliognathus</i> yellow-black species complex (Coleoptera: Cantharidae) inferred from mitochondrial COI sequences. 2004 , 27, 55-60	6
883	Complete Nucleotide Sequence of <i>Numida meleagris</i> (Helmeted Guineafowl) Mitochondrial Genome. 2004 , 41, 259-268	10
882	Computational identification of evolutionarily conserved exons. 2004 ,	36
881	Ancient phylogenetic separation between Pacific and Atlantic cephalochordates as revealed by mitochondrial genome analysis. 2004 , 21, 203-10	27
880	Phylogenetic relationships of the Australo-Papuan <i>Liasis</i> pythons (Reptilia : Macrostromata), based on mitochondrial DNA. 2004 , 52, 215	16
879	Buzz-pollinated <i>Dodecatheon</i> originated from within the heterostylous <i>Primula</i> subgenus <i>Auriculastrum</i> (Primulaceae): a seven-region cpDNA phylogeny and its implications for floral evolution. 2004 , 91, 926-42	26
878	Improved techniques for the identification of pseudogenes. 2004 , 20 Suppl 1, i94-100	19
877	Nuclear 18S rRNA gene sequence analyses indicate that the Mastophoroideae (Corallinaceae, Rhodophyta) is a polyphyletic taxon. 2004 , 43, 3-12	31
876	In Search of the Origin of Twin Penises: Molecular Phylogeny of Earwigs (Dermaptera: Forficulina) Based on Mitochondrial and Nuclear Ribosomal RNA Genes. 2004 , 97, 903-912	17
875	<i>Plagiochila stricta</i> Lindenb. new to Madeira Morphological and molecular evidence. 2004 , 79, 497-505	4
874	Phylogenetic relationships in <i>Bupleurum</i> (apiaceae) based on nuclear ribosomal DNA its sequence data. 2004 , 93, 379-98	51
873	EVOLUTIONARY HISTORY OF THE ARCTIC GROUND SQUIRREL (<i>SPERMOPHILUS PARRYII</i>) IN NEARCTIC BERINGIA. 2004 , 85, 601-610	41
872	Geographic variation and diversity of the cytochrome b gene in wild populations of medaka (<i>Oryzias latipes</i>) from Korea and China. 2004 , 21, 483-91	41
871	Combining phylogenetic and hidden Markov models in biosequence analysis. 2004 , 11, 413-28	166
870	Darwinian adaptation of proteorhodopsin to different light intensities in the marine environment. 2004 , 101, 14824-9	62
869	Gene expression and feeding ecology: evolution of piscivory in the venomous gastropod genus <i>Conus</i> . 2004 , 271, 1165-74	60
868	Phylogenetic identification of <i>Pneumocystis murina</i> sp. nov., a new species in laboratory mice. 2004 , 150, 1153-1165	65

867	Serotype 14 variants of the France 9V(-3) clone from Baltimore, Maryland, can be differentiated by the cpsB gene. 2004 , 42, 250-6	9
866	The importance of proper model assumption in bayesian phylogenetics. 2004 , 53, 265-77	222
865	Inter- and intralineaage recombinants are common in natural populations of Turnip mosaic virus. 2004 , 85, 2683-2696	64
864	On inconsistency of the neighbor-joining, least squares, and minimum evolution estimation when substitution processes are incorrectly modeled. 2004 , 21, 1629-42	40
863	Efficient approximations for learning phylogenetic HMM models from data. 2004 , 20 Suppl 1, i161-8	21
862	Explosive radiations and the reliability of molecular clocks: island endemic radiations as a test case. 2004 , 53, 758-66	52
861	IQPNNI: moving fast through tree space and stopping in time. 2004 , 21, 1565-71	116
860	DIFFERENTIAL PATTERNS OF MALE AND FEMALE MTDNA EXCHANGE ACROSS THE ATLANTIC OCEAN IN THE BLUE MUSSEL, MYTILUS EDULIS. 2004 , 58, 2438	7
859	THE EVOLUTION OF QUEENSLAND SPINY MOUNTAIN CRAYFISH OF THE GENUS EUASTACUS. I. TESTING VICARIANCE AND DISPERSAL WITH INTERSPECIFIC MITOCHONDRIAL DNA. 2004 , 58, 1073	1
858	DISCERNING BETWEEN RECURRENT GENE FLOW AND RECENT DIVERGENCE UNDER A FINITE-SITE MUTATION MODEL APPLIED TO NORTH ATLANTIC AND MEDITERRANEAN SEA FIN WHALE (BALAENOPTERA PHYSALUS) POPULATIONS. 2004 , 58, 670	5
857	SPECIATION ON THE COASTS OF THE NEW WORLD: PHYLOGEOGRAPHY AND THE EVOLUTION OF BINDIN IN THE SEA URCHIN GENUS LYTECHINUS. 2004 , 58, 1225	5
856	Modeling compositional heterogeneity. 2004 , 53, 485-95	335
855	EVOLUTIONARY HISTORY OF THE NORTHERN LEOPARD FROG: RECONSTRUCTION OF PHYLOGENY, PHYLOGEOGRAPHY, AND HISTORICAL CHANGES IN POPULATION DEMOGRAPHY FROM MITOCHONDRIAL DNA. 2004 , 58, 145	6
854	BIRDS IN A BUSH: FIVE GENES INDICATE EXPLOSIVE EVOLUTION OF AVIAN ORDERS. 2004 , 58, 404	7
853	Massive horizontal transfer of mitochondrial genes from diverse land plant donors to the basal angiosperm Amborella. 2004 , 101, 17747-52	194
852	Diversity and evolution of the class A chromosomal beta-lactamase gene in Klebsiella pneumoniae. 2004 , 48, 2400-8	116
851	Recent origin and phylogenetic utility of divergent ITS putative pseudogenes: a case study from Naucleaeae (Rubiaceae). 2004 , 53, 177-92	93
850	MITOCHONDRIAL DNA DIVERGENCE DOES NOT REFLECT MORPHOLOGICAL DIFFERENCE BETWEEN MYOTIS CALIFORNICUS AND MYOTIS CILIOLABRUM. 2004 , 85, 842-851	21

849	Reconstructing large regions of an ancestral mammalian genome in silico. 2004 , 14, 2412-23	98
848	The tobacco mouse and its relatives: a "tail" of coat colors, chromosomes, hybridization and speciation. 2004 , 105, 395-405	19
847	RATES OF MOLECULAR EVOLUTION IN NUCLEAR GENES OF EAST MEDITERRANEAN SCORPIONS. 2004 , 58, 2486	2
846	Selection pressure-driven evolution of the Epstein-Barr virus-encoded oncogene LMP1 in virus isolates from Southeast Asia. 2004 , 78, 7131-7	33
845	First record of scamp, <i>Mycteroperca phenax</i> , in the north-eastern Atlantic. 2004 , 84, 281-282	2
844	Belo Horizonte virus: a vaccinia-like virus lacking the A-type inclusion body gene isolated from infected mice. 2004 , 85, 2015-2021	30
843	Identification of Nogo-66 receptor (NgR) and homologous genes in fish. 2004 , 21, 76-85	30
842	An evolutionary model for protein-coding regions with conserved RNA structure. 2004 , 21, 1913-22	33
841	Biogeography of the <i>Pistia</i> clade (Araceae): based on chloroplast and mitochondrial DNA sequences and Bayesian divergence time inference. 2004 , 53, 422-32	58
840	Empirical problems of the hierarchical likelihood ratio test for model selection. 2004 , 53, 949-62	61
839	The repetitive landscape of the chicken genome. 2005 , 15, 126-36	84
838	GEOGRAPHIC DIFFERENCES IN SPECIES BOUNDARIES AMONG MEMBERS OF THE MONTASTRAEA ANNULARIS COMPLEX BASED ON MOLECULAR AND MORPHOLOGICAL MARKERS. 2004 , 58, 324	17
837	Mathematical Population Genetics. 2004 ,	791
836	Model parameterization, prior distributions, and the general time-reversible model in Bayesian phylogenetics. 2004 , 53, 877-88	53
835	Detecting selection in noncoding regions of nucleotide sequences. 2004 , 167, 949-58	83
834	Tuberculina- <i>Helicobasidium</i> : Host Specificity of the Tuberculina-Stage Reveals Unexpected Diversity within the Group. 2004 , 96, 1316	4
833	Phylogenetic characteristics of three new HIV-1 N strains and implications for the origin of group N. 2004 , 18, 1371-81	45
832	Phylogenetic analyses of <i>Nitella</i> subgenus <i>Tieffallenia</i> (Charales, Charophyceae) using nuclear ribosomal DNA internal transcribed spacer sequences. 2004 , 43, 672-681	17

831	Identifying clades in Asian Annonaceae: monophyletic genera in the polyphyletic Miliuseae. 2004 , 91, 590-600	53
830	Genomic data support the hominoid slowdown and an Early Oligocene estimate for the hominoid-cercopithecoid divergence. 2004 , 101, 17021-6	96
829	Phylogenetic relationships within the New World endemic Zeltnera (Gentianaceae-Chironiinae) inferred from molecular and karyological data. 2004 , 91, 2069-86	20
828	Bacterial biota in the human distal esophagus. 2004 , 101, 4250-5	326
827	Molecular architecture and rates of DNA substitutions of the mitochondrial control region of cracid birds. 2004 , 47, 535-45	24
826	Genetic analysis of 16th-century whale bones prompts a revision of the impact of Basque whaling on right and bowhead whales in the western North Atlantic. 2004 , 82, 1647-1654	37
825	Prospects for inferring very large phylogenies by using the neighbor-joining method. 2004 , 101, 11030-5	3177
824	Virus Evolution. 2004 ,	
823	Phylogenetic Supertrees. 2004 ,	131
822	Nonneutral evolution of the transcribed pseudogene Makorin1-p1 in mice. 2004 , 21, 2202-9	36
821	Current Perspectives on the Classification and Phylogenetics of the Genus Piper L.. 2004 , 179-198	10
820	Heterorhabditis mexicana n. sp. (Rhabditida: Heterorhabditidae) from Tamaulipas, Mexico, and morphological studies of the bursa of Heterorhabditis spp.. 2004 , 6, 231-244	27
819	Molecular, Morphological, and Phytochemical Evidence for a Broad Species Concept of Plagiochila bifaria (Hepaticae). 2004 , 107, 28-40	30
818	Column sorting: rapid calculation of the phylogenetic likelihood function. 2004 , 53, 685-92	24
817	REDUCTIO AD ABSURDUM: TESTING THE EVOLUTIONARY RELATIONSHIPS OF EDIACARAN AND PALEOZOIC PROBLEMATIC FOSSILS USING MOLECULAR DIVERGENCE DATES. 2004 , 78, 51-61	29
816	Mechanisms underlying the evolution and maintenance of functionally heterogeneous 18S rRNA genes in Apicomplexans. 2004 , 21, 1704-11	82
815	Modeling the impact of DNA methylation on the evolution of BRCA1 in mammals. 2004 , 21, 1760-8	31
814	WHEN CLOCKS (AND COMMUNITIES) COLLIDE: ESTIMATING DIVERGENCE TIME FROM MOLECULES AND THE FOSSIL RECORD. 2004 , 78, 1-6	24

813	PATTERNS OF CALIBRATION AGE SENSITIVITY WITH QUARTET DATING METHODS. 2004 , 78, 7-30	23
812	The analysis of variation of mtDNA hypervariable region 1 suggests that Eastern and Western Pygmies diverged before the Bantu expansion. 2004 , 163, 212-26	66
811	African Haplogroup L mtDNA sequences show violations of clock-like evolution. 2004 , 21, 1843-54	35
810	An analysis of determinants of amino acids substitution rates in bacterial proteins. 2004 , 21, 108-16	204
809	Molecular phylogenetics and evolution of maternal care in Membracine treehoppers. 2004 , 53, 400-21	35
808	MOLECULAR PHYLOGENETICS OF CROCIDURA SHREWS (INSECTIVORA) IN EAST AND CENTRAL ASIA. 2004 , 85, 396-403	45
807	A comparative method for finding and folding RNA secondary structures within protein-coding regions. 2004 , 32, 4925-36	70
806	Sexual isolation and extreme morphological divergence in the Cumana guppy: a possible case of incipient speciation. 2004 , 17, 1238-54	64
805	Synchronic east-west divergence in azure-winged magpies (<i>Cyanopica cyanus</i>) and magpies (<i>Pica pica</i>)*. 2004 , 42, 342-351	27
804	Exact filtering for partially observed continuous time models. 2004 , 66, 771-789	35
803	Evolution and phylogeny of the New Zealand cicada genus <i>Kikihia</i> Dugdale (Homoptera: Auchenorrhyncha: Cicadidae) with special reference to the origin of the Kermadec and Norfolk Islands' species. 2004 , 31, 1769-1783	44
802	Phylogeography of the widespread Australian freshwater prawn, <i>Macrobrachium australiense</i> (Decapoda, Palaemonidae). 2004 , 31, 1065-1072	28
801	The biogeography of <i>Hoffmannseggia</i> (Leguminosae, Caesalpinioideae, Caesalpinieae): a tale of many travels. 2004 , 32, 15-27	45
800	Phylogeography of subterranean and surface populations of water lice <i>Asellus aquaticus</i> (Crustacea: Isopoda). 2004 , 13, 1519-32	76
799	Phylogeographical lineages of Arctic grayling (<i>Thymallus arcticus</i>) in North America: divergence, origins and affinities with Eurasian <i>Thymallus</i> . 2004 , 13, 1533-49	66
798	Population genetics of the roan antelope (<i>Hippotragus equinus</i>) with suggestions for conservation. 2004 , 13, 1771-84	87
797	The effect of the last glacial age on speciation and population genetic structure of the endangered Ethiopian wolf (<i>Canis simensis</i>). 2004 , 13, 2275-86	63
796	Red to Mediterranean Sea bioinvasion: natural drift through the Suez Canal, or anthropogenic transport?. 2004 , 13, 2333-43	49

795	Genetic structure of desert ground squirrels over a 20-degree-latitude transect from Oregon through the Baja California peninsula. 2004 , 13, 2709-20	26
794	High degree of population subdivision in a widespread amphibian. 2004 , 13, 2631-44	100
793	Conservation genetics and demographic history of the endangered Cape Fear shiner (<i>Notropis mekistocholas</i>). 2004 , 13, 2947-58	29
792	Rivers influence the population genetic structure of bonobos (<i>Pan paniscus</i>). 2004 , 13, 3425-35	147
791	Mitochondrial DNA differentiation between two forms of trout <i>Salmo letnica</i> , endemic to the Balkan Lake Ohrid, reflects their reproductive isolation. 2004 , 13, 3633-44	31
790	New evidence for parallel evolution of colour patterns in Malagasy poison frogs (<i>Mantella</i>). 2004 , 13, 3763-74	89
789	Colonization history of the high-arctic pink-footed goose <i>Anser brachyrhynchus</i> . 2005 , 14, 171-8	25
788	Nuclear insertions help and hinder inference of the evolutionary history of gorilla mtDNA. 2005 , 14, 179-88	37
787	Evidence for emergence of an amphibian iridoviral disease because of human-enhanced spread. 2005 , 14, 213-24	88
786	Phylogeography and population genetics of the endangered Amazonian manatee, <i>Trichechus inunguis</i> Natterer, 1883 (Mammalia, Sirenia). 2005 , 14, 401-13	28
785	PHYLOGEOGRAPHY OF GRACILARIA TIKVAHIAE (GRACILARIACEAE, RHODOPHYTA): A STUDY OF GENETIC DISCONTINUITY IN A CONTINUOUSLY DISTRIBUTED SPECIES BASED ON MOLECULAR EVIDENCE1. 2004 , 40, 748-758	40
784	A NEW BROWN ALGAL ORDER, ISHIGEALES (PHAEOPHYCEAE), ESTABLISHED ON THE BASIS OF PLASTID PROTEIN-CODING <i>rbcL</i> , <i>psaA</i> , AND <i>psbA</i> REGION COMPARISONS1. 2004 , 40, 921-936	55
783	GENE SEQUENCE DIVERSITY AND THE PHYLOGENETIC POSITION OF ALGAE ASSIGNED TO THE GENERA PHAEOPHILA AND OCHLOCHAETE (ULVOPHYCEAE, CHLOROPHYTA)1. 2004 , 40, 789-799	37
782	The freshwater turtle genus <i>Mauremys</i> (Testudines, Geoemydidae) is a textbook example of an east-west disjunction or a taxonomic misconception?. 2004 , 33, 213-221	43
781	Phylogeny, evolutionary history and taxonomy of the Mustelidae based on sequences of the cytochrome b gene and a complex repetitive flanking region. 2004 , 33, 481-499	54
780	Secondary structure, high variability and conserved motifs for domain III of 12S rRNA in the Arthropoda (Hexapoda; Collembola). 2004 , 13, 659-70	14
779	Molecular evidence suggests an ancient radiation for the fairy shrimp genus <i>Streptocephalus</i> (Branchiopoda: Anostraca). 2004 , 82, 313-327	33
778	Molecular and morphological data reveal cryptic taxonomic diversity in the terrestrial slug complex <i>Arion subfuscus/fuscus</i> (Mollusca, Pulmonata, Arionidae) in continental north-west Europe. 2004 , 83, 23-38	365

777	Phylogeography of the freshwater crayfish <i>Cherax destructor</i> Clark (Parastacidae) in inland Australia: historical fragmentation and recent range expansion. 2004 , 83, 539-550	41
776	Phylogeography and intraspecific genetic variation of prochilodontid fishes endemic to rivers of northern South America. 2004 , 64, 186-201	46
775	Phylogenetic position of <i>Salmo</i> (<i>Platysalmo</i>) <i>platycephalus</i> Behnke 1968 from south-central Turkey, evidenced by genetic data. 2004 , 64, 947-960	18
774	The evolution of Queensland spiny mountain crayfish of the genus <i>Euastacus</i> . I. Testing vicariance and dispersal with interspecific mitochondrial DNA. 2004 , 58, 1073-85	54
773	Differential patterns of male and female mtDNA exchange across the Atlantic Ocean in the blue mussel, <i>Mytilus edulis</i> . 2004 , 58, 2438-51	52
772	RATES OF MOLECULAR EVOLUTION IN NUCLEAR GENES OF EAST MEDITERRANEAN SCORPIONS. 2004 , 58, 2486-2497	28
771	Evolutionary history of the northern leopard frog: reconstruction of phylogeny, phylogeography, and historical changes in population demography from mitochondrial DNA. 2004 , 58, 145-59	73
770	Evolution of ant-cultivar specialization and cultivar switching in <i>Apterostigma</i> fungus-growing ants. 2004 , 58, 2252-65	58
769	GEOGRAPHIC DIFFERENCES IN SPECIES BOUNDARIES AMONG MEMBERS OF THE MONTASTRAEA ANNULARIS COMPLEX BASED ON MOLECULAR AND MORPHOLOGICAL MARKERS. 2004 , 58, 324-337	160
768	BIRDS IN A BUSH: FIVE GENES INDICATE EXPLOSIVE EVOLUTION OF AVIAN ORDERS. 2004 , 58, 404-415	89
767	DISCERNING BETWEEN RECURRENT GENE FLOW AND RECENT DIVERGENCE UNDER A FINITE-SITE MUTATION MODEL APPLIED TO NORTH ATLANTIC AND MEDITERRANEAN SEA FIN WHALE (<i>BALAENOPTERA PHYSALUS</i>) POPULATIONS. 2004 , 58, 670-675	68
766	Speciation on the coasts of the new world: phylogeography and the evolution of bindin in the sea urchin genus <i>Lytechinus</i> . 2004 , 58, 1225-41	71
765	Linkage between nuclear and mitochondrial DNA sequences in avian malaria parasites: multiple cases of cryptic speciation?. 2004 , 58, 1617-21	250
764	The origin and evolution of geminivirus-related DNA sequences in <i>Nicotiana</i> . 2004 , 92, 352-8	56
763	Inheritance and dominance of self-incompatibility alleles in polyploid <i>Arabidopsis lyrata</i> . 2004 , 93, 476-86	33
762	Evolution and host specificity in the ectomycorrhizal genus <i>Leccinum</i> . 2004 , 163, 201-215	62
761	Ecology and molecular characterization of dark septate fungi from roots, living stems, coarse and fine woody debris. 2004 , 108, 965-73	100
760	RRNA and <i>dnaK</i> relationships of <i>Bradyrhizobium</i> sp. nodule bacteria from four papilionoid legume trees in Costa Rica. 2004 , 27, 334-42	31

759	Molecular comparison of echovirus 11 strains circulating in Europe during an epidemic of multisystem hemorrhagic disease of infants indicates that evolution generally occurs by recombination. 2004 , 325, 56-70	56
758	Comparisons of the genetic structure of populations of Turnip mosaic virus in West and East Eurasia. 2004 , 330, 408-23	72
757	Benchmarking tools for the alignment of functional noncoding DNA. 2004 , 5, 6	85
756	TREEFINDER: a powerful graphical analysis environment for molecular phylogenetics. 2004 , 4, 18	903
755	Phylogenetic relationships of typical antbirds (Thamnophilidae) and test of incongruence based on Bayes factors. 2004 , 4, 23	46
754	Long branch attraction, taxon sampling, and the earliest angiosperms: Amborella or monocots?. 2004 , 4, 35	106
753	Molecular phylogeny of Trichomonadidae family inferred from ITS-1, 5.8S rRNA and ITS-2 sequences. 2004 , 34, 963-70	71
752	Systematics of the Widely Distributed Japanese Clouded Salamander, <i>Hynobius nebulosus</i> (Amphibia: Caudata: Hynobiidae), and Its Closest Relatives. 2019 , 38, 32	10
751	Partial Biological and Molecular Characterization of Tomato yellow fruit ring virus Isolates from Potato. 2012 , 28, 390-400	3
750	Morphological, molecular and pathogenic characterization of <i>Phytophthora palmivora</i> isolates causing black pod rot of cacao in Colombia. 2020 , 18, e1003	1
749	The biodiversity of subaerophytic phototrophic biofilms from Maltese hypogea.. 2011 , 11, 187-201	20
748	Barcoding and Phylogenetic Inferences in Nine Mugilid Species (Pisces, Mugiliformes). 2013 , 29, 272-278	2
747	Diversity of Parasitic Peltogastrid Barnacles (Crustacea: Cirripedia: Rhizocephala) on Hermit Crabs in Korea. 2019 , 58, e33	5
746	The global antigenic diversity of swine influenza A viruses. 2016 , 5, e12217	106
745	avoids toxin-producing using a seven transmembrane domain chemosensory receptor. 2017 , 6,	21
744	Combining genomics and epidemiology to analyse bi-directional transmission of in a multi-host system. 2019 , 8,	33
743	A large effective population size for established within-host influenza virus infection. 2020 , 9,	6
742	Evolutionary dynamics and geographic dispersal of beta coronaviruses in African bats. 2020 , 8, e10434	3

741	Wolbachia co-infection in a hybrid zone: discovery of horizontal gene transfers from two Wolbachia supergroups into an animal genome. 2015 , 3, e1479	19
740	Genetic diversity of the Hungarian Gidran horse in two mitochondrial DNA markers. 2016 , 4, e1894	7
739	<i>Pseudorhabdosynochus sulamericanus</i> (Monogenea, Diplectanidae), a parasite of deep-sea groupers (Serranidae) occurs transatlantically on three congeneric hosts (<i>Hyporthodus</i> spp.), one from the Mediterranean Sea and two from the western Atlantic. 2016 , 4, e2233	25
738	Highly divergent mussel lineages in isolated Indonesian marine lakes. 2016 , 4, e2496	18
737	Ankyrin domains across the Tree of Life. 2014 , 2, e264	55
736	Pursuing the quest for better understanding the taxonomic distribution of the system of doubly uniparental inheritance of mtDNA. 2016 , 4, e2760	50
735	Evaluating multi-locus phylogenies for species boundaries determination in the genus. 2017 , 5, e3120	38
734	Sea star (Clark, 1901) in the northwestern Pacific: one species or three?. 2017 , 5, e3489	1
733	phydms: software for phylogenetic analyses informed by deep mutational scanning. 2017 , 5, e3657	14
732	A preliminary survey of zoantharian endosymbionts shows high genetic variation over small geographic scales on Okinawa-jima Island, Japan. 2017 , 5, e3740	13
731	Tracing hepatitis B virus (HBV) genotype B5 (formerly B6) evolutionary history in the circumpolar Arctic through phylogeographic modelling. 2017 , 5, e3757	23
730	Translating genomics into practice for real-time surveillance and response to carbapenemase-producing Enterobacteriaceae: evidence from a complex multi-institutional KPC outbreak. 2018 , 6, e4210	35
729	Relative evolutionary rate inference in HyPhy with LEISR. 2018 , 6, e4339	12
728	Giant worms Hammerhead flatworms (Platyhelminthes, Geoplanidae, spp., spp.) in metropolitan France and overseas French territories. 2018 , 6, e4672	15
727	Multilocus phylogeny of the parasitic wasps in the tribe Euphorini (Hymenoptera: Braconidae) with revised generic classifications. 2018 , 6, e4783	2
726	Imputing missing distances in molecular phylogenetics. 2018 , 6, e5321	3
725	Evidence that ebolaviruses and cuevaviruses have been diverging from marburgviruses since the Miocene. 2014 , 2, e556	22
724	Evidence of cryptic lineages within a small South American crocodylian: the Schneider's dwarf caiman (Alligatoridae: Caimaninae). 2019 , 7, e6580	19

723	Multi-gene phylogeny and divergence estimations for Evaniidae (Hymenoptera). 2019 , 7, e6689	3
722	Tandem-repeat protein domains across the tree of life. 2015 , 3, e732	37
721	The systematics of the Cervidae: a total evidence approach. 2020 , 8, e8114	26
720	The invasion of metropolitan France by the land planarian (Platyhelminthes, Geoplanidae). 2020 , 8, e8385	9
719	A new species of freshwater crab of the genus Huang, 2018 (Decapoda: Brachyura: Potamidae) from Guangxi, Southern China. 2020 , 8, e9194	1
718	The European and Japanese outbreaks of H5N8 derive from a single source population providing evidence for the dispersal along the long distance bird migratory flyways. 2015 , 3, e934	19
717	A taxonomic review of the genus (Echinodermata, Ophiuroidea, Euryalida, Gorgonocephalidae) from Japanese coastal waters. 2020 , 8, e9836	1
716	OUP accepted manuscript.	
715	Using ConSurf to Detect Functionally Important Regions in RNA. 2021 , 1, e270	0
714	Total evidence tip-dating phylogeny of platyrrhine primates and 27 well-justified fossil calibrations for primate divergences.	3
713	Red foxes harbor two genetically distinct, spatially separated <i>Echinococcus multilocularis</i> clusters in Brandenburg, Germany. 2021 , 14, 535	1
712	StarBeast3: Adaptive Parallelised Bayesian Inference of the Multispecies Coalescent.	0
711	Phenotypic and genetic variability of fungal isolates associated with the Septoria leaf spot disease of lettuce (<i>Lactuca sativa</i>) in Brazil. 1	0
710	A Genomic Survey of <i>Mayetiola destructor</i> Mobilome Provides New Insights into the Evolutionary History of Transposable Elements in the Cecidomyiid Midges. 2021 , 16, e0257996	1
709	Phylogeographic and SNPs Analyses of B Mitotype Populations Reveal Only Two of Eight Haplotypes Are Invasive. 2021 , 10,	3
708	New insights into the past and recent evolutionary history of the Corsican mouflon (<i>Ovis gmelini musimon</i>) to inform its conservation. 1	3
707	Swinepox Virus Strains Isolated from Domestic Pigs and Wild Boar in Germany Display Altered Coding Capacity in the Terminal Genome Region Encoding for Species-Specific Genes. 2021 , 13,	2
706	Evolution and expansion dynamics of a vector-borne virus: 2004-2006 vesicular stomatitis outbreak in the western USA. 2021 , 12, e03793	2

705	Adaptive preferential sampling in phylodynamics with an application to SARS-CoV-2. 1-29	0
704	Emergence and radiation of distemper viruses in terrestrial and marine mammals. 2021 , 288, 20211969	1
703	PREVALENCE AND RISK FACTORS OF ANAPLASMA INFECTIONS IN EASTERN MOOSE (ALCES ALCES AMERICANA) AND WINTER TICKS (DERMACENTOR ALBIPICTUS) IN MAINE, USA. 2021 , 57, 844-855	0
702	Drivers of genetic differentiation and recent evolutionary history of an Eurasian wild pea.	2
701	Relative time constraints improve molecular dating. 2021 ,	3
700	Species as a heuristic: reconciling theory and practice. 2021 ,	0
699	Molecular data elucidate cryptic diversity within the widespread Threadfin Shad (<i>Dorosoma petenense</i> : Clupeidae) across the Nearctic and Northern Neotropics. 1	0
698	Evolution of the tribe Tropheini from Lake Tanganyika: synchronized explosive speciation producing multiple evolutionary parallelism. 2003 , 51-64	
697	Use of microsatellite locus flanking regions for phylogenetic analysis? A preliminary study of <i>Sebastes</i> subgenera. 2004 , 461-470	
696	Bioinformatics Tools for HIV-1 Identification in Southern Brazilian States. 2005 , 234-237	
695	Models of amino acid and codon substitution. 2006 , 40-70	1
694	Models of nucleotide substitution. 2006 , 3-39	
693	Simulating molecular evolution. 2006 , 293-307	4
692	Perspectives. 2006 , 308-310	
691	Comparison of methods and tests on trees. 2006 , 185-220	
690	Comparative phylogeography of three endemic rodents from the Albertine Rift, east central Africa. 2006 , 061222052703002-???	
689	Biogeography and Distribution Pattern of a Korean Wood-eating Cockroach Species, <i>Cryptocercus kyebangensis</i> , Based on Genetic Network Analysis and DNA Sequence Information. 2007 , 30, 331-340	
688	Phylogeography and Conservation of the Rare South African Fruit Chafer <i>Ichnestoma stobbiai</i> (Coleoptera: Scarabaeidae). 2008 , 181-196	

- 687 Distinguishing Regional from Within-Codon Rate Heterogeneity in DNA Sequence Alignments. **2009**, 187-198
- 686 ??????????????. **2009**, 24, 213-220
- 685 Evolution of cis-regulatory sequences in *Drosophila*. **2010**, 674, 283-96
- 684 Sequence Alignment. **2010**, 89-155
- 683 Automated Segmentation of DNA Sequences with Complex Evolutionary Histories. **2011**, 1-13
- 682 The Expulsion of Eve. **2011**, 25-55
- 681 A Phylogenetic Analysis of Otters (*Lutra lutra*) Inhabiting in the Gyeongnam Area Using D-Loop Sequence of mtDNA and Microsatellite Markers. **2011**, 21, 385-392
- 680 Range Shifts of Mouse Lemurs in South-Eastern Madagascar: Evidence from Mitochondrial Genetic Data. **2012**, 71-77 1
- 679 Molecular Phylogenetic Analysis Confirms the Species Status of *Electra verticillata* (Ellis and Solander, 1786). **2013**, 217-236 2
- 678 Phylogenetic Analysis of Korean Native Goats Based on the Mitochondrial Cytochrome b Gene. **2012**, 54, 241-246 1
- 677 Evolutionary Distances. **2013**, 335-366
- 676 Land Bridge Calibration of Rates of Molecular Evolution in a Widespread Rodent. **2014**, 69-86
- 675 Zblady fylogenetickã analãzy. **2014**,
- 674 Population Genetics of *Tor douronensis* in Sarawak ð A Revisit. **2016**, 5, 1-15 1
- 673 Search, Parallelism, Comparison, and Evaluation: Algorithms for Evolutionary Trees. **1990**, 75-91
- 672 Eutherian phylogeny as inferred from mitochondrial DNA sequence data. **1994**, 69, 455-472
- 671 How to Deal with Third Codon Positions in Phylogenetic Analysis. **1994**, 376-383
- 670 Inference of Evolutionary Trees from DNA and Protein Sequence Data. **1994**, 241-248

- 669 Literaturverzeichnis. **1994**, 625-699
- 668 Ribosomal RNA Phylogeny Derived from a Correlation Model of Sequence Evolution. **1996**, 395-403
- 667 Structure and Evolution of Metazoan Mitochondrial Genome. **1999**, 521-551
- 666 Phylogeny reconstruction: overview. **2014**, 70-101
- 665 Comparison of phylogenetic methods and tests on trees. **2014**, 153-181
- 664 Molecular clock and estimation of species divergence times. **2014**, 361-389
- 663 Models of amino acid and codon substitution. **2014**, 35-69
- 662 Maximum likelihood methods. **2014**, 102-152
- 661 Bayesian theory. **2014**, 182-213
- 660 Simulating molecular evolution. **2014**, 418-441
- 659 Neutral and adaptive protein evolution. **2014**, 390-417
- 658 Appendices. **2014**, 442-449
- 657 Bayesian phylogenetics. **2014**, 263-307
- 656 Coalescent theory and species trees. **2014**, 308-360
- 655 Bayesian computation (MCMC). **2014**, 214-262
- 654 Primer Design for Non-Invasive Genetic Identification of West African Threatened Primates. **2014**, 7, 548-560
- 653 Using Statistics to Shed Light on the Dynamics of the Human Genome: A Review. **2015**, 69-85
- 652 Modeling Evolution of Molecular Sequences. **2014**, 28-47

- 651 Phylogenetic aspects of the concept of intelligent life design. **2015**, 11,
- 650 Sequence Alignment. **2015**, 107-174
- 649 Effect of Hundreds Sequenced Genomes on the Classification of Human Papillomaviruses. **2015**, 309-318 o
- 648 A comparison of one-rate and two-rate inference frameworks for site-specific dN/dS estimation.
- 647 Optimization of an Anti Staphylococcus Antibiotic Produced by Tropical Soil Dwelling Streptomyces Parvulus.
- 646 Reversible Polymorphism-Aware Phylogenetic Models and their Application to Tree Inference.
- 645 Phylogenetic incongruence and the origins of cardenolide-resistant forms of Na⁺, K⁺- ATPase in North American Danaus butterflies.
- 644 Monomorphic genotypes within a generalist lineage of Campylobacter jejuni show signs of global dispersion.
- 643 Bayesian inference of ancestral recombination graphs for bacterial populations.
- 642 Molekulare Anthropologie. **2017**, 123-134
- 641 Signatures of human European Paleolithic expansion shown by resequencing of non-recombining X-chromosome segments.
- 640 Spatio-Temporal Dynamics of HIV-1 Subtype B and Circulating Recombinant Form 01_AE Clades in Iran: A Phylogeographic Approach. **2016**, 19, 1
- 639 Virus genomes reveal the factors that spread and sustained the West African Ebola epidemic. 2
- 638 Spatial and temporal genetic homogeneity of the Monterey Spanish mackerel, , in the Gulf of California. **2016**, 4, e2583 1
- 637 Vertically transmitted rhabdoviruses are found across three insect families and have dynamic interactions with their hosts.
- 636 The Bacterial Sequential Markov Coalescent.
- 635 Infectious Disease Dynamics Inferred from Genetic Data via Sequential Monte Carlo.
- 634 Hierarchical Clustering-Based Algorithms and In Silico Techniques for Phylogenetic Analysis of Rhizobia. **2017**, 185-214

- 633 [doi:10.1016/j.cub.2017.05.011](#), 1758) [doi:10.1016/j.cub.2017.05.011](#)
[doi:10.1016/j.cub.2017.05.011](#) **2017**, 214-222
- 632 Genetic profile analysis of aquaculture Russian sturgeon (*Acipenser gueldenstaedtii*) implications for restocking measures. **2017**, 63, 361-376
- 631 Multiple introductions of Zika virus into the United States revealed through genomic epidemiology. 1
- 630 Epidemic establishment and cryptic transmission of Zika virus in Brazil and the Americas. 1
- 629 Bayesian molecular dating as a doubly intractable problem. 0
- 628 phydm: Software for phylogenetic analyses informed by deep mutational scanning.
- 627 Estimating epidemic incidence and prevalence from genomic data.
- 626 Genetic bottlenecks in *Pristis* sawfishes in northern Australian waters. **2017**, 32, 363-372 3
- 625 The pomegranate (*Punica granatum* L.) genome provides insights into fruit quality and ovule developmental biology. 1
- 624 Distinct antibody-mediated selection in a narrow-source HIV-1 outbreak among Chinese former plasma donors.
- 623 MERS-CoV spillover at the camel-human interface. 1
- 622 Real-time genomic and epidemiological investigation of a multi-institution outbreak of KPC-producing *Enterobacteriaceae*: a translational study. 1
- 621 Large-Scale Comparative Analysis of Codon Models Accounting for Protein and Nucleotide Selection.
- 620 Revisiting the phylogeny of phylum Ctenophora: a molecular perspective. 5, 2881
- 619 Phylodynamic assessment of intervention strategies for the West African Ebola virus outbreak. 1
- 618 Relative evolutionary rate inference in HyPhy with LEISR. 0
- 617 Aberrant Plant Diversity in the Purgatory Watershed of Southeastern Colorado and Northeastern New Mexico. **2017**, 77, 343 1
- 616 Using Phylogenomic Data to Explore the Effects of Relaxed Clocks and Calibration Strategies on Divergence Time Estimation: Primates as a Test Case. 1

- 615 1987-2017: Regard sur l'évolution de l'histoire des origines. **2017**,
- 614 Full-Length Envelope Analyzer (FLEA): A tool for longitudinal analysis of viral amplicons. 1
- 613 Transgenerational inheritance of shuffled symbiont communities in the coral *Montipora digitata*.
- 612 Big data analysis of mitochondrial DNA substitution models: A regression approach elucidating the effects of codon position and neighboring nucleotides.
- 611 Continuous-trait probabilistic model for comparing multi-species functional genomic data.
- 610 Influence of different modes of morphological character correlation on phylogenetic tree inference. 0
- 609 Retracing the Hawaiian silversword radiation despite phylogenetic, biogeographic, and paleogeographic uncertainty. 1
- 608 Analysis of differentially methylated regions in primates and non-primates provides support for the evolutionary hypothesis of schizophrenia. 0
- 607 Machine learning techniques for classifying the mutagenic origins of point mutations.
- 606 A Fast Likelihood Method to Reconstruct and Visualize Ancestral Scenarios. 3
- 605 A revision of the subgenus *Dudaica* Strand of the genus *Drosophila* Fallén, with descriptions of six new species (Diptera, Drosophilidae). 781, 19-50
- 604 Assessing genomic admixture between cryptic *Plutella* moth species following secondary contact.
- 603 An integrative and citizen science based approach to the rediscovery and redescription of the only known high-altitude endemic Pill Millipede, Koch (Diplopoda, Glomerida). **2018**, 6, e5569 0
- 602 Multiple Introductions of the *Mycobacterium tuberculosis* Lineage 2 Beijing into Africa over centuries. 2
- 601 Maternal lineage of Okinawa indigenous Agu pig inferred from mitochondrial DNA control region. **2019**, 32, 501-507 3
- 600 Starless bias and parameter-estimation bias in the likelihood-based phylogenetic method.
- 599 Evidence for strong fixation bias at 4-fold degenerate sites across genes in the great tit genome.
- 598 Bayesian Estimation of Species Divergence Times Using Correlated Quantitative Characters. 2

- 597 Polymorphism-aware species trees with advanced mutation models, bootstrap and rate heterogeneity.
- 596 Fin whale (*Balaenoptera physalus*) mitogenomics: A cautionary tale of defining sub-species from mitochondrial sequence monophyly.
- 595 A Darwinian Uncertainty Principle. 0
- 594 Nuclear and organelle genes based phylogeny of *Dryomys* (Gliridae, Rodentia, Mammalia) from Turkey. **2019**, 65, 399-413
- 593 Pathogen to commensal: longitudinal within-host population dynamics, evolution, and adaptation during a chronic >16-year *Burkholderia pseudomallei* infection.
- 592 Biodiversity lost: The phylogenetic relationships of a complete mitochondrial DNA genome sequenced from the extinct wolf population of Sicily.
- 591 Genetic differentiation in the southern population of the Fathead Minnow *Rafinesque* (Actinopterygii: Cyprinidae). **2019**, 7, e6224 0
- 590 A new method for inferring timetrees from temporally sampled molecular sequences. 0
- 589 jackalope: a swift, versatile phylogenomic and high-throughput sequencing simulator. 0
- 588 Genetic diversity and phylogenetic analyses of 11 cohorts of captive rhesus macaques from Chinese zoos. **2019**, 7, e6957 2
- 587 Identification of Mislabelling in Frozen Fish Fillets Based on DNA Barcoding Analysis. 30-35
- 586 Differential gene expression of heat shock protein in response to thermal stress, in two *Fundulus* species endemic to the Gulf of Mexico. **2019**, 90,
- 585 Reliable confidence intervals for RelTime estimates of evolutionary divergence times. 0
- 584 Jointly inferring the dynamics of population size and sampling intensity from molecular sequences. 1
- 583 Maximum likelihood estimation of species trees from gene trees in the presence of ancestral population structure.
- 582 Utility of the *Onchocerca volvulus* mitochondrial genome for delineation of parasite transmission zones. 2
- 581 Morphology and DNA Data Reveal a New Shrimp Species of Genus *Stimpson*, 1860 (Decapoda: Hippolytidae) from the Western Atlantic. **2019**, 36, 440-447
- 580 Distinguishing Felsenstein zone from Farris zone using neural networks.

- 579 Transmission network reconstruction for foot-and-mouth disease outbreaks incorporating farm-level covariates.
- 578 Quantifying the impact of an inference model in Bayesian phylogenetics. ○
- 577 The draft genome of horseshoe crab *Tachypleus tridentatus* reveals its evolutionary scenario and well-developed innate immunity.
- 576 Genetic diversity among geographically distant isolates of *Neoparamoeba perurans*. **2019**, 137, 81-87
- 575 Recent advances in Bayesian inference of isolation-with-migration models. **2019**, 17, e37 1
- 574 Comparing Phylogeographies: Incompatible Geographical Histories in Pathogens Genomes.
- 573 Genetic Differentiation Among the Breeding Areas of the Spotted Seal, *Phoca largha*, Around Hokkaido, Japan. **2020**, 45, 77
- 572 Under-the-radar dengue virus infections in natural populations of *Aedes aegypti* mosquitoes. 1
- 571 Evolutionary divergence of novel open reading frames in cichlids speciation. 1
- 570 Genomic epidemiology of SARS-CoV-2 in Guangdong Province, China. 6
- 569 A large effective population size for within-host influenza virus infection.
- 568 New morphological and molecular data for (Gorgoderidae, Gorgoderinae) from (Tetraodontiformes, Tetraodontidae) in Mexican waters. **2020**, 925, 141-161 ○
- 567 COVID-19 in healthcare workers in three hospitals in the South of the Netherlands, March 2020. ○
- 566 A spatially-explicit model of stabilizing selection for improving phylogenetic inference.
- 565 Substitution Model Distance Analysis for SARS-CoV-2 in China, USA, and Europe (Preprint).
- 564 Inferring the Allelic Series at QTL in Multiparental Populations.
- 563 A maximum likelihood approach to infer demographic models. **2020**, 27, 385-395
- 562 Cryptic Speciation of the Oriental Greenfinch on Oceanic Islands. **2020**, 37, 280-294 ○

- 561 A cautionary note on the use of haplotype callers in Phylogenomics.
- 560 Approximation of Indel Evolution by Differential Calculus of Finite State Automata.
- 559 Genome-based reclassification of DSM 21345 as subsp. subsp. nov. and description of subsp. subsp. nov. **2020**, 70, 4838-4842 0
- 558 Genetic Diversity of Isopods in Hokkaido and Niigata, Northern Japan, Based on Mitochondrial DNA Analysis. **2020**, 37, 417-428 1
- 557 An Explorative Tool for Mutation Tracking in the Spike Glycoprotein of SARS-CoV-2. **2021**,
- 556 Evolutionary History and Taxonomic Reappraisal of Coral Reef Rabbitfishes (Siganidae): Patterns of Lineage Diversification and Speciation. **2021**, 10,
- 555 Species limits and phylogeographic structure in two genera of solitary African mole-rats *Georychus* and *Heliophobius*. **2021**, 167, 107337 1
- 554 Confirmed polyphyly, generic recircumscription and typification of *Dysoxylum* (Meliaceae), with revised disposition of currently accepted species. 1
- 553 Biogeography of Angolan rodents: The first glimpse based on phylogenetic evidence. **2021**, 27, 2571 3
- 552 Discordance of genetic diversification between deep- and shallow-water species of *Kobeltocochlea* Lindholm, 1909 (Caenogastropoda: Truncatelloidea: Benedictiidae) endemic to Lake Baikal with the description of a new species, review of the genus, and notes on its origin. 2
- 551 Cross-border transmissions of delta substrain AY.29 during Olympic and Paralympic Games.
- 550 Molecular approach to confirm traditional identification of 'sampled in Tanzania. **2020**, 52, 1-8
- 549 Incorporating compositional heterogeneity into Lie Markov models for phylogenetic inference. **2020**, 14, 1
- 548 *Pseuduvaria khaosokensis* (Annonaceae), a New Species from Southern Thailand as Evidenced by Plastid Phylogeny and Morphology. **2020**, 58,
- 547 On the Challenge to Correctly Identify Rasboras (Teleostei: Cyprinidae: Danioninae) Inhabiting the Mesangat Wetlands, East Kalimantan, Indonesia. **2021**, 13, 8 1
- 546 A Spatially Explicit Model of Stabilizing Selection for Improving Phylogenetic Inference. **2021**, 38, 1641-1652
- 545 Taxonomic status of genera *Nodularia*, *Middendorffinaia* and *Inversiunio* (Bivalvia: Unionidae) from South-East Asia: morphometric, genetic and GenBank data. **2021**, 19, 54-73 4
- 544 Phylogenetic Novelty Scores: a New Approach for Weighting Genetic Sequences.

- 543 Using a GTR+ Γ substitution model for dating sequence divergence when stationarity and time-reversibility assumptions are violated. **2020**, 36, i884-i894 1
- 542 *Devaleraea titlyanoviorum* sp. nov. (Palmariaceae, Rhodophyta) from the Russian coast of the northwestern Pacific Ocean. **2021**, 60, 25-34 4
- 541 ModelTeller: model selection for optimal phylogenetic reconstruction using machine learning.
- 540 Assessing Rapid Relaxed-Clock Methods for Phylogenomic Dating. **2021**, 13, 0
- 539 OUP accepted manuscript. 1
- 538 The draft genome of horseshoe crab *Tachypleus tridentatus* reveals its evolutionary scenario and well-developed innate immunity.
- 537 Encyclopedia of Sustainability Science and Technology. **2020**, 1-22
- 536 Bucephalid Metacercarial Infection in Wild Larval and Juvenile Ayu *Plecoglossus altivelis*. **2020**, 54, 93-100 0
- 535 How Advances in Phylogenetic Methods Change Our Understanding of the Evolutionary Emergence of Land Plants (Embryophyta). 1-11
- 534 Relative efficiencies of simple and complex substitution models in estimating divergence times in phylogenomics.
- 533 Cetaceans of the Black Sea: where did they survive glacial?.
- 532 V-05: An Acetic Acid Bacterium Isolated from Vinegar Industry, with High Capacity for Bacterial Cellulose Production in Soybean Molasses Medium.. **2021**, 59, 432-442 0
- 531 Re-Estimation of Genetic Population Structure and Demographic History of the Whale Shark (*Rhincodon typus*) with Additional Japanese Samples, Inferred from Mitochondrial DNA Sequences. **2020**, 74, 31 1
- 530 Large-scale mitogenome sequencing reveals consecutive expansions of domestic taurine cattle and supports sporadic aurochs introgression.. **2022**, 15, 663-678 2
- 529 Five new species of *Neopestalotiopsis* associated with diseased *Eucalyptus* spp. in Portugal. **2021**, 20, 1441-1456 2
- 528 Global diversity of the gene encoding the Pfs25 protein-a *Plasmodium falciparum* transmission-blocking vaccine candidate. **2021**, 14, 571 1
- 527 Assessing the origin, genetic structure and demographic history of the common pheasant (*Phasianus colchicus*) in the introduced European range. **2021**, 11, 21721 1
- 526 Poorly Conserved P15 Proteins of Cileviruses Retain Elements of Common Ancestry and Putative Functionality: A Theoretical Assessment on the Evolution of Cilevirus Genomes. **2021**, 12, 771983 1

- 525 First detection and molecular characterisation of a pigeon aviadenovirus A and pigeon circovirus co-infection associated with Young Pigeon Disease Syndrome (YPDS) in Turkish pigeons (*Columba livia domestica*). **2021**, 1
- 524 Structural and Genetic Determinants of Convergence in the *Drosophila* tRNA Structure-Function Map.
- 523 Using a GTR+ Γ substitution model for dating sequence divergence when stationarity and time-reversibility assumptions are violated.
- 522 Genomic insights into the host specific adaptation of the *Pneumocystis* genus and emergence of the human pathogen *Pneumocystis jirovecii*.
- 521 Discovery of populations endemic to a marine biogeographical transition zone.
- 520 Evolution and Genetic Diversity of SARS-CoV-2 in Africa Using Whole Genome Sequences.
- 519 Phylogeography of Canada Geese (*Branta Canadensis*) in Western North America. **2003**, 120, 889-907 3
- 518 Phylogeography and speciation in the *Pseudocrenilabrus philander* species complex in Zambian Rivers. **2005**, 221-233
- 517 Phylogeographic history of the genus *Tropheus*, a lineage of rock-dwelling cichlid fishes endemic to Lake Tanganyika. **2005**, 335-366 1
- 516 Discrimination between the Mediterranean spiny lobsters *Palinurus elephas* and *P. mauritanicus* (Crustacea: Decapoda) by mitochondrial sequence analysis. **2006**, 1-4
- 515 A New Efficient Method for Assessing Missing Nucleotides in DNA Sequences in the Framework of a Generic Evolutionary Model. **2006**, 333-340
- 514 The rare, endemic zinc violets of Central Europe originate from *Viola lutea* Huds. **2006**, 257, 205 1
- 513 The ups and downs of amino acid co-evolution: evolutionary Stokes and anti-Stokes shifts.
- 512 Populations of a New Morphotype of Corrugate *Lessonia Bory* in the Beagle Channel, Sub-Antarctic Magellanic Ecoregion: A Possible Case of On-Going Speciation. **2020**, 41, 0
- 511 Neotype designation and re-description of Forsskål's reticulate whipray *Himantura uarnak*.
- 510 Computational analysis of SARS-CoV-2, SARS-CoV, and MERS-CoV genome using MEGA. **2020**, 18, e30 1
- 509 Wide Distribution but Low Differentiation: Phylogenetic Relationships and Phylogeography of (Amphibia: Caudata). **2020**, 37, 529-537 1
- 508 Adaptive dating and fast proposals: revisiting the phylogenetic relaxed clock model.

507	The 4R Genome Duplication In Salmonine Fishes: Insights From Conserved Non-Coding Elements.	
506	Short-range template switching in great ape genomes explored using a pair hidden Markov model.	
505	Bayesian modeling of skewed X inactivation in genetically diverse mice identifies a novel Xce allele associated with copy number changes.	
504	Parasitic flatworms infecting thorny skate, <i>Amblyraja radiata</i> : infection by the monogeneans <i>Acanthocotyle verrilli</i> and <i>Rajonchocotyle emarginata</i> in Svalbard.	
503	Analysis of the Mitochondrial Genomes of Japanese Wolf Specimens in the Siebold Collection, Leiden. 2021 , 38, 60-66	1
502	Examination of Substrate Specificity of the First Adenylation Domain in <i>mcyA</i> Module Involved in Microcystin Biosynthesis. 275-285	
501	First records of the Brahminy blindsnake, <i>Indotyphlops braminus</i> (Daudin, 1803) (Squamata: Typhlopidae) from Malta with genetic and morphological evidence. 2020 , 5, 122-135	0
500	Redescription of (<i>De Stefani</i> , 1879), a species endemic to the central Apennines, Italy (Gastropoda, Eupulmonata, Hygromiidae) by an integrative molecular and morphological approach. 2020 , 988, 17-61	0
499	Neotype designation for Valenciennes, 1848 from a museum topotype specimen and its affiliation with Adriatic grayling on the basis of mitochondrial DNA. 2020 , 999, 165-178	0
498	Table_1.docx. 2018 ,	1
497	Morphological and Molecular Identification of <i>Globodera pallida</i> Associated with Potato in Idaho. 2007 , 39, 133-44	34
496	MySSP: non-stationary evolutionary sequence simulation, including indels. 2007 , 1, 81-3	13
495	A nuclear ribosomal DNA phylogeny of <i>acer</i> inferred with maximum likelihood, splits graphs, and motif analysis of 606 sequences. 2007 , 2, 7-22	20
494	Seroprevalence of feline immunodeficiency virus (FIV) and feline leukemia virus (FeLV) in shelter cats on the island of Newfoundland, Canada. 2014 , 78, 140-4	3
493	Descriptions of <i>Deladenus albizicus</i> n. sp. and <i>D. processus</i> n. sp. (Nematoda: Hexatyulina) from Haryana, India. 2015 , 47, 52-9	4
492	Morphological and Molecular Identification of <i>Holothuria</i> (<i>Merthensiothuria</i>) <i>leucospilota</i> and <i>Stichopus horrens</i> from Pangkor Island, Malaysia. 2015 , 26, 87-99	3
491	YABBY3-Orthologous Genes in Wild Tomato Species: Structure, Variability, and Expression. 2017 , 9, 101-109	1
490	Molecular phylogenetic and genetic variability of in Kermanshah province, western Iran with an overview to understand haplotypes distribution in Asia and Africa. 2020 , 11, 265-271	

- 489 SARS-CoV-2 & influenza A virus co-infection in an elderly patient with pneumonia. **2021**, 153, 190-195 1
- 488 Multi-locus phylogenetic analyses uncover species boundaries and reveal the occurrence of two new entomopathogenic nematode species, *n. sp.* and *n. sp.* **2021**, 53, 2
- 487 Prevalence of intestinal parasites in a range of animal hosts and potential implications to animal and human health in Edo, Nigeria. 23,
- 486 Prevalence of intestinal parasites in a range of animal hosts and potential implications to animal and human health in Edo, Nigeria. 23,
- 485 Comparative Comprehensive Analysis on Natural Infections of and in Commensal Rodents.. **2021**, 58, 248-262 0
- 484 New insight into the taxonomic resolution of the genus *Bythotrephes* Leydig (Crustacea: Cladocera) based on molecular data from Central Europe. **2021**, 11, 23158 2
- 483 Geographic isolation created distinct pelage characters in *Finlaysonia* squirrel on isolated island offshore of the Indochina Peninsula in Central Vietnam. **2021**, 67, 403-415
- 482 Insights on mauritiana-like Elements Diversity in *Mayetiola destructor* and *M. hordei* (Diptera: Cecidomyiidae). **2021**,
- 481 Molecular Clock: Testing. 2, 1-8
- 480 Independent infections of porcine deltacoronavirus among Haitian children. **2021**, 600, 133-137 29
- 479 Alleles of the GRF3-2A Gene in Wheat and Their Agronomic Value. **2021**, 22, 2
- 478 The diversity of aphid parasitoids in East Africa and implications for biological control. **2021**,
- 477 Global phylogeny of *Treponema pallidum* lineages reveals recent expansion and spread of contemporary syphilis. **2021**, 6, 1549-1560 2
- 476 KaKs_Calculator 3.0: calculating selective pressure on coding and non-coding sequences. 0
- 475 Strongly structured populations and reproductive habitat fragmentation increase the vulnerability of the Mediterranean starry ray *Raja asterias* (Elasmobranchii, Rajidae). 2
- 474 Genome-wide alignment-free phylogenetic distance estimation under a no strand-bias model.
- 473 Genetic Characterization of Novel H7Nx Low Pathogenic Avian Influenza Viruses from Wild Birds in South Korea during the Winter of 2020-2021. **2021**, 13, 1
- 472 Nematicidal Activity of Cyclopiazonic Acid Derived From Against Root-Knot Nematodes and Optimization of the Culture Fermentation Process.. **2021**, 12, 726504 0

471	Macaronesia Acts as a Museum of Genetic Diversity of Relict Ferns: The Case of (Athuriaceae). 2021 , 10,	1
470	Phylogeographical patterns based on trnH-psbA plastid DNA shed light on evolution within Waldsteinia (Rosaceae). 2021 , 908, 012027	1
469	Swiss public health measures associated with reduced SARS-CoV-2 transmission using genome data.	0
468	Comparative analysis of transposable elements provides insights into genome evolution in the genus Camelus. 2021 , 22, 842	2
467	Chemical and Microbial Characterization of Washed Rice Water Waste to Assess Its Potential as Plant Fertilizer and for Increasing Soil Health. 2021 , 11, 2391	2
466	2-Methylisoborneol (2-MIB) Excretion by under Low Temperature.. 2021 , 9,	0
465	Taxonomic myths and phylogenetic realities in the systematics of the Opisthorchiidae (Trematoda).	1
464	Validity of Pampus liuorum Liu & Li, 2013, Revealed by the DNA Barcoding of Pampus Fishes (Perciformes, Stromateidae). 2021 , 13, 618	1
463	Molecular Epidemiology of in Cattle from Two Districts in Punjab (Pakistan).. 2021 , 11,	1
462	Diversity, distribution, and evolutionary history of the most studied African rodents, multimammate mice of the genus Mastomys: An overview after a quarter of century of using DNA sequencing. 2021 , 59, 2500	2
461	Metabarcoding in two isolated populations of wild roe deer (Capreolus capreolus) reveals variation in gastrointestinal nematode community composition between regions and among age classes. 2021 , 14, 594	3
460	SARS-CoV-2 & influenza A virus co-infection in an elderly patient with pneumonia. 2021 , 153, 190	5
459	OUP accepted manuscript.	0
458	Isolation of Nannocystis species from Iran and exploring their natural products.. 2022 , 204, 123	1
457	Analysis of Simian Endogenous Retrovirus (SERV) Full-Length Proviruses in Old World Monkey Genomes.. 2022 , 13,	
456	Role of three bird species in the life cycle of two spp. (Apicomplexa, Sarcocystidae) in the Czech Republic.. 2022 , 17, 133-137	1
455	Distribution patterns of four Termitomyces species cultivated by a fungus-growing termite, Odontotermes formosanus, in Taiwan. 2022 , 56, 101136	
454	Occurrence and characterization of cyst nematode species (Globodera spp.) associated with potato crops in Colombia.	

453	Shell features and anatomy of the springsnail genus <i>Radomaniola</i> (Caenogastropoda: Hydrobiidae) show a different pace and mode of evolution over five million years.	1
452	Redescription and molecular characterisation of the predatory isopod <i>Tachaea spongillicola</i> Stebbing, 1907 (Isopoda: Corallanidae) infesting the freshwater fish <i>Pangasius silasi</i> from India. 2021 , 55, 2419-2437	
451	Context-specific emergence and growth of the SARS-CoV-2 Delta variant.. 2021 ,	3
450	Earlier than expected introductions of the B mitotype in Brazil reveal an unprecedented, rapid invasion history.. 2022 , 12, e8557	0
449	Differentiation of the Pea Wilt Pathogen <i>Fusarium oxysporum</i> f. sp. <i>pisii</i> from Other Isolates of <i>Fusarium</i> Species by PCR.. 2022 , 37,	
448	<i>Colletotrichum fructicola</i> associated with fruit anthracnose of persimmon. 2022 , 170, 194-201	1
447	From viral evolution to spatial contagion: a biologically modulated Hawkes model.. 2022 ,	1
446	Difference in pathogenicity and genetic variability among isolates of <i>Biscogniauxia mediterranea</i> from <i>Quercus suber</i> in Tunisia. 1	
445	Coupling molecular and risk analysis to investigate the origin, distribution and potential impact of non-native species: an application to ruffe <i>Gymnocephalus cernua</i> in Turkey. 2022 , 89, 102-114	1
444	Evolution of amino acid propensities under stability-mediated epistasis.. 2022 ,	1
443	Molecular survey and genetic diversity of <i>Bartonella</i> spp. in domestic cats from Paraguay.. 2021 , 97, 105181	1
442	The Piroplasmida <i>Babesia</i> , <i>Cytauxzoon</i> , and <i>Theileria</i> in farm and companion animals: species compilation, molecular phylogeny, and evolutionary insights.. 2022 , 121, 1207	4
441	Origin and Demographic History of Philippine Pigs Inferred from Mitochondrial DNA.. 2021 , 12, 823364	0
440	Molecular and morphological evidence for the presence of a non-native oyster (genus <i>Crassostrea</i>) in the Persian Gulf. 2022 , 296, 120-128	
439	The Mediterranean limpet <i>Patella caerulea</i> (Gastropoda, Mollusca) to assess marine ecotoxicological risk: a case study of Tunisian coasts contaminated by metals.. 2022 , 29, 28339	1
438	First insight of genetic diversity, phylogeographic relationships, and population structure of marine sponge from the eastern and western Mediterranean coasts of Tunisia.. 2022 , 12, e8494	
437	Analysis of entire hepatitis B virus genomes reveals reversion of mutations to wild type in natural infection, a 15 year follow-up study.. 2021 , 97, 105184	0
436	KaKs_calculator 3.0: Calculating selective pressure on coding and non-coding sequences.. 2022 ,	8

- 435 DNA Barcoding Study of Representative Species in Bulgaria.. **2022**, 11, 0
- 434 Towards unveiling the nature of short SERPINA1 transcripts: Avoiding the main ORF control to translate alpha1-antitrypsin C-terminal peptides.. **2022**, 203, 703-703 0
- 433 SARS-CoV-2 introductions and early dynamics of the epidemic in Portugal. **2022**, 2, 1
- 432 Phylogeny and disparate selection signatures suggest two genetically independent domestication events of pea (*Pisum L.*).. **2022**, 3
- 431 Regional connectivity drove bidirectional transmission of SARS-CoV-2 in the Middle East during travel restrictions. 0
- 430 Amenability of (Lepidoptera: Crambidae) to gene silencing through exogenous administration and host-delivered dsRNA in pigeonpea (*L.*).. **2022**, 28, 189-202 0
- 429 Genomic and phenotypic analyses suggest moderate fitness differences among Zika virus lineages.
- 428 Hammerhead flatworms (Platyhelminthes, Geoplanidae, Bipaliinae): mitochondrial genomes and description of two new species from France, Italy, and Mayotte.. **2022**, 10, e12725 1
- 427 A revision of (Monogenea, Plectanocotylidae), with molecular barcoding of three species and the description of a new species from the streaked gurnard off Algeria.. **2022**, 10, e12873 2
- 426 SARS-CoV-2 genomes from Saudi Arabia implicate nucleocapsid mutations in host response and increased viral load.. **2022**, 13, 601 4
- 425 African or Asiatic origin? Genome analyses solved the mystery of the hybrid origin of the rescued lion cub.. **2022**, 817, 146228
- 424 StarBeast3: Adaptive Parallelised Bayesian Inference under the Multispecies Coalescent.. **2022**, 0
- 423 Evidence for multiple refugia and hotspots of genetic diversity for *Westralunio carteri*, a threatened freshwater mussel in south-western Australia. 1
- 422 Using multiple sampling strategies to estimate SARS-CoV-2 epidemiological parameters from genomic sequencing data. 0
- 421 Finding Optimal Triangulations Parameterized by Edge Clique Cover. 1
- 420 *Brenneria nigrifluens* Isolated from *Aesculus hippocastanum L.* Bark in Hungary. **2022**, 13, 227
- 419 Rabies surveillance in Senegal 2001 to 2015 uncovers first infection of a honey-badger.. **2022**, 1
- 418 Recombination-aware Phylogeographic Inference Using the Structured Coalescent with Ancestral Recombination.

417	Comparative genomic analyses of multi-drug resistant Mycobacterium tuberculosis from Nepal and other geographical locations.. 2022 , 114, 110278	0
416	Ascaridia galli and Heterakis gallinarum prevalence and genetic variance of A. galli in rural chicken from the Northern Region, Ghana.. 2022 , 29, 100692	
415	Joint inference of migration and reassortment patterns for viruses with segmented genomes. 2021 ,	0
414	Phylogeography reveals association between swine trade and the spread of porcine epidemic diarrhea virus in China and across the world.. 2021 ,	3
413	Genomics-informed outbreak investigations of SARS-CoV-2 using civet.	1
412	Examining rates and patterns of nucleotide substitution in plants. 2000 , 42, 25-43	49
411	First isolation and scanning electron microscopy of haptoral sclerites of (Monogenea).. 2022 , 96, e17	
410	OUP accepted manuscript.	0
409	Cytochrome c oxidase subunit 1 gene reveals species composition and phylogenetic relationships of Oesophagostomum spp. infecting pigs in northeastern Brazil.. 2022 , 31, e018421	0
408	Little Sharks in a Big World: Mitochondrial DNA Reveals Small-scale Population Structure in the California Horn Shark (Heterodontus francisci).. 2022 ,	1
407	Supergene origin and maintenance in Atlantic cod.. 2022 ,	5
406	Five new species of from moist soils in China.. 2022 , 87, 133-157	0
405	Occurrence of Wheat Curl Mite and Mite-Vectored Viruses of Wheat in Colorado and Insights into the Wheat Virome.. 2022 ,	0
404	Virological characteristics of SARS-CoV-2 BA.2 variant.	16
403	Consequences of the Last Glacial Period on the Genetic Diversity of Southeast Asians.. 2022 , 13,	1
402	GENETIC ANALYSIS OF ANCIENT CLONORCHIS SINENSIS EGGS ATTAINED FROM GORYEONG MUMMY OF JOSEON DYNASTY PERIOD.. 2022 , 108, 70-78	
401	Bayesian inference of phylogeny is robust to substitution model over-parameterization.	0
400	Early emergence phase of SARS-CoV-2 Delta variant in Florida.	

- 399 Pliocene-Pleistocene dispersal bring along low inter species diversity between *Vimba* species based on multilocus analysis. **2022**, 98, 65-75
- 398 Quantitatively defining species boundaries with more efficiency and more biological realism.
- 397 The Multi-Ocean Distribution of the Hadal Amphipod, *Hirondellea dubia* Dahl, 1959 (Crustacea, Amphipoda). **2022**, 9, 2
- 396 AMDOPARVOVIRUS INFECTIONS ARE PREVALENT, PERSISTENT, AND GENETICALLY DIVERSE IN ZOO-HOUSED RED PANDAS (*Ailuurus*). **2022**, 53, 83-91
- 395 Molecular Phylogeny and Historical Biogeography of *Petroleuciscus* (Teleostei: Leuciscidae) Species in Turkey. 0
- 394 Porcine Circovirus Type 4 Strains Circulating in China Are Relatively Stable and Have Higher Homology with Mink Circovirus than Other Porcine Circovirus Types.. **2022**, 23, 1
- 393 A genomic perspective on the conservation status of the endangered Nashville crayfish (*Faxonius shoupi*). 1
- 392 Genomic Epidemiology of SARS-CoV-2 in Tocantins State and the Diffusion of P.1.7 and AY.99.2 Lineages in Brazil.. **2022**, 14, 1
- 391 Genome-wide association analysis reveal the genetic reasons affect melanin spot accumulation in beak skin of ducks.. **2022**, 23, 236 0
- 390 Insights on the historical biogeography of Philippine domestic pigs and its relationship with continental domestic pigs and wild boars.. **2022**, 17, e0254299 0
- 389 Inference of B cell clonal families using heavy/light chain pairing information.
- 388 Investigation of cross-regional spread and evolution of equine influenza H3N8 at US and global scales using Bayesian phylogeography based on balanced subsampling.. **2022**, 0
- 387 How does familiarity in rhizobial interactions impact the performance of invasive and native legumes?. **2022**, 72, 129-156 0
- 386 Genomic signatures of adaptive divergence in lacustrine copepods. 0
- 385 Novel Low Pathogenic Avian Influenza H6N1 in Backyard Chicken in Easter Island (Rapa Nui), Chilean Polynesia.. **2022**, 14, 0
- 384 Virome characterization of game animals in China reveals a spectrum of emerging pathogens.. **2022**, 11
- 383 Integrative taxonomy peeps a new torrent catfish species of genus *Amblyceps* (Siluriformes: Amblycipitidae) in Kaladan River of Mizoram, India.. **2022**, 1
- 382 The Baltic grey seal: A 9000-year history of presence and absence. 095968362210807 1

- 381 Host diversification is concurrent with linear motif evolution in a Mastadenovirus hub protein.. **2022**, 167563 1
- 380 Like host, like parasite: intraspecific divergence in a polystomatid flatworm parasite across South Africa echoes that of its frog host. 0
- 379 The origins and molecular evolution of SARS-CoV-2 lineage B.1.1.7 in the UK. 2
- 378 Phylogeography of the ChocŁEndemic Rainbow Characin (Teleostei: Rhoadsia). **2022**, 110, 1
- 377 Evolutionary analysis of genomes of SARS-CoV-2-related bat viruses suggests old roots, constant effective population size, and possible increase of fitness.
- 376 An issue of concern: unique truncated ORF8 protein variants of SARS-CoV-2.. **2022**, 10, e13136 1
- 375 Demographic expansions and the emergence of host specialization in genetically distinct strains of the tick-transmitted bacterium *Anaplasma phagocytophilum*.
- 374 Early Emergence Phase of SARS-CoV-2 Delta Variant in Florida, US.. **2022**, 14,
- 373 A first phylogenetic hypothesis for the diverse genus *Conophytum* (Ruschieae, Ruschioideae, Aizoaceae) suggests convergent evolution of floral syndromes. **2022**, 125671
- 372 High throughput pH bioassay demonstrates pH adaptation of *Rhizobium* strains isolated from the nodules of *Trifolium subterraneum* and *T. repens*.. **2022**, 195, 106455 2
- 371 Alveolates (dinoflagellates, ciliates and apicomplexans) and Rhizarians are the most common microbial eukaryotes in temperate Appalachian karst caves.. **2022**, 0
- 370 A Bayesian evolutionary model towards understanding wildlife contribution to F4-family *Mycobacterium bovis* transmission in the South-West of France.. **2022**, 53, 28 1
- 369 *Dirofilaria repens* predominates in shelter dogs from South Romania.. **2022**, 84, 101793 0
- 368 Delineation of *Paraburkholderia tuberum* sensu stricto and description of *Paraburkholderia podalyriae* sp. nov. nodulating the South African legume *Podalyria calyptrata*.. **2022**, 45, 126316 1
- 367 Accounting for spatial sampling patterns in Bayesian phylogeography.. **2021**, 118, 1
- 366 ModelRevelator: Fast phylogenetic model estimation via deep learning. 0
- 365 The Kishony Mega-Plate Experiment, a Markov Process.
- 364 Context-specific emergence and growth of the SARS-CoV-2 Delta variant.. **2021**, 2

- 363 Pyramidanthe and Mitrella (Annonaceae, Uvarieae) unified: molecular phylogenetic and morphological congruence, with new combinations in Pyramidanthe. **2021**, 51, 1
- 362 Detection and Molecular Characterization of Canine Alphacoronavirus in Free-Roaming Dogs, Bangladesh.. **2021**, 14,
- 361 Contamination of Human Bocavirus Genotypes 1, 2, 3, and 4 in Environmental Waters in Thailand.. **2021**, 9, e0217821 1
- 360 Genomic ancestry, diet and microbiomes of Upper Palaeolithic hunter-gatherers from San Teodoro cave (Sicily, Italy).
- 359 Human mitochondrial DNA diversity is compatible with the multiregional continuity theory of the origin of Homo sapiens. **2021**, 84, 487-502 1
- 358 Enabling inference for context-dependent models of mutation by bounding the propagation of dependency.
- 357 Survey, Identification, and Pathogenicity of Ceratocystis fimbriata Complex Associated with Wilt Disease on Acacia mangium in Malaysia. **2021**, 12, 1782 2
- 356 The rare moss Cinclidotus vivesii Ederra, a case of interspecific hybridization. **2021**, 34,
- 355 Polymorphism-aware estimation of species trees and evolutionary forces from genomic sequences with RevBayes. 0
- 354 A Species-Level Timeline of Mammal Evolution Integrating Phylogenomic Data.. **2021**, 6
- 353 Taxonomic and genetic assessment of captive White-Handed Gibbons () in Peninsular Malaysia with implications towards conservation translocation and reintroduction programmes.. **2021**, 1076, 25-41 0
- 352 Latitudinal Variation in the Toxicity and Sexual Compatibility of Strains from Southern Chile.. **2021**, 13, 0
- 351 Juniperus excelsa s. str. in crimea Differentiation and history inferred from genetic and morphological markers. **2021**, 63, 276-288
- 350 A critical deliberation of the species complex status of the globally spread colonial ascidian Botryllus schlosseri. **2021**, 101, 1047-1060 2
- 349 Genetic Diversity of Hepatitis E Virus in the Republic of Belarus. **2020**, 297-305 0
- 348 OUP accepted manuscript. 0
- 347 Presence of the Pink shrimp Farfantepenaeus brasiliensis (Latreille, 1817) in the coastal lagoons of Uruguay (Crustacea: Decapoda: Penaeoidea). 30,
- 346 OUP accepted manuscript.

- 345 The phytoplasma associated with Bogia coconut syndrome in Papua New Guinea is a new phytoplasma in the group of the lethal yellowing syndromes (LYTS) of coconut and other palms. 1
- 344 Taxonomic reclassification of the fungal pathogen causing dry berry disease of caneberries into the division Ascomycota as .. **2022**,
- 343 Molecular Evidence Reveals the Sympatric Distribution of and on Jeju Island, South Korea.. **2022**, 12, 1
- 342 Molecular phylogeny suggests synonymy of *Sandalia bridgesi* Lorenz, 2009 with *S. triticea* (Lamarck, 1810) (Gastropoda, Ovulidae). 1096, 189-206
- 341 From elimination to suppression: genomic epidemiology of a large Delta SARS-CoV-2 outbreak in Aotearoa New Zealand. 0
- 340 Distinct mtDNA lineages in free-ranging (aoudad) from the United States indicate multiple introductions from northern Africa.. **2022**, 12, e8849
- 339 Table_1.doc. **2018**,
- 338 Table_2.doc. **2018**,
- 337 Table_3.xls. **2018**,
- 336 Table_4.xls. **2018**,
- 335 Table_5.xls. **2018**,
- 334 Table_6.doc. **2018**,
- 333 Table_7.doc. **2018**,
- 332 Data_Sheet_1.PDF. **2018**,
- 331 Table_1.PDF. **2018**,
- 330 Table_2.PDF. **2018**,
- 329 Table_3.PDF. **2018**,
- 328 Table_4.PDF. **2018**,

327 Table_5.PDF. 2018,

326 Table_6.PDF. 2018,

325 Table_7.PDF. 2018,

324 Table_8.PDF. 2018,

323 Table_9.PDF. 2018,

322 Data_Sheet_4.XLS. 2018,

321 Data_Sheet_1.pdf. 2019,

320 Table_1.XLSX. 2019,

319 Table_2.pdf. 2019,

318 Table_3.csv. 2019,

317 Table_4.csv. 2019,

316 Table_1.XLSX. 2019,

315 Table_2.DOCX. 2019,

314 Table_3.docx. 2019,

313 Table_4.XLSX. 2019,

312 Table_5.xlsx. 2019,

311 Table_6.XLSX. 2019,

310 Table_7.xlsx. 2019,

309 Table_8.xlsx. 2019,

308 Image_1.TIF. 2018,

307 Table_1.docx. 2018,

306 Image_1.TIF. 2019,

305 Image_2.TIF. 2019,

304 Image_3.TIFF. 2019,

303 Image_4.TIFF. 2019,

302 Image_5.TIFF. 2019,

301 Image_6.TIFF. 2019,

300 Image_7.TIF. 2019,

299 Table_1.xls. 2019,

298 Table_10.DOC. 2019,

297 Table_2.XLSX. 2019,

296 Table_3.xls. 2019,

295 Table_4.XLSX. 2019,

294 Table_5.XLSX. 2019,

293 Table_6.DOC. 2019,

292 Table_7.XLSX. 2019,

291 Table_8.DOC. 2019,

290 Table_9.DOC. 2019,

289 Table_1.docx. 2019,

288 Image_1.TIF. 2019,

287 Image_2.TIF. 2019,

286 Table_1.XLSX. 2019,

285 Table_2.XLSX. 2019,

284 Table_3.DOC. 2019,

283 Data_Sheet_1.docx. 2018,

282 Table_1.DOCX. 2020,

281 Image1.PDF. 2018,

280 Image2.PDF. 2018,

279 Table1.DOCX. 2018,

278 Table2.XLSX. 2018,

277 Table3.XLS. 2018,

276 Table4.XLSX. 2018,

275 Table5.DOCX. 2018,

274 Table6.DOCX. 2018,

- 273 Table_1.DOCX. **2018**,
- 272 Image_1.tif. **2020**,
- 271 Image_2.tif. **2020**,
- 270 Table_1.xlsx. **2019**,
- 269 Table_2.XLSX. **2019**,
- 268 Data_Sheet_1.docx. **2020**,
- 267 Molecular Systematics of the *Drosophila hydei* Subgroup as Inferred from Mitochondrial DNA Sequences. *Journal of Molecular Evolution*, **1996**, 43, 281-286 3.1
- 266 Two New Moray Eels of Genera and (Anguilliformes: Muraenidae) from Taiwan and the Philippines. **2021**, 60, e24
- 265 Littoral Water in Hong Kong as a Potential Transient Habitat for Juveniles of a Temperate Deepwater Gnomefish, (Acropomatiformes: Scombroptidae).. **2021**, 60, e33
- 264 Research outline: the first detection of sporocyst of *Dicrocoelium chinensis* in Japan. **2022**, 27, 35-43
- 263 Evolution of influenza A virus hemagglutinin H1 and H3 across host species. 0
- 262 Symbiodiniaceae diversity and characterization of palytoxin in various zoantharians (Anthozoa, Hexacorallia). 1
- 261 Differentiated historical demography and ecological niche forming present distribution and genetic structure in coexisting two salamanders (Amphibia, Urodela, Hynobiidae) in a small island, Japan.. **2022**, 10, e13202
- 260 Biogeography and diversification of bare-eyes, an endemic Amazonian clade. 1
- 259 Integrative Redescription of the *Minibiotus intermedius* (Plate, 1888) The Type Species of the Genus *Minibiotus* R.O. Schuster, 1980. **2022**, 14, 356 0
- 258 Molecular Phylogenetic Analysis of Bats in the Family Vespertilionidae in Mongolia. **2022**,
- 257 A road map for phylogenetic models of species trees.. **2022**, 173, 107483 0
- 256 Phylogeny and taxonomy of the African frog genus *Strongylopus* (Anura: Pyxicephalidae). **2022**, 129,

- 255 phastSim: Efficient simulation of sequence evolution for pandemic-scale datasets.. **2022**, 18, e1010056 0
- 254 Engraulidae (Teleostei, Clupeiformes) in tropical estuarine ecosystems: identification of fish larvae based on morphological analysis and molecular evidence. **2022**, 52, 1
- 253 Distribution and Differentiation Patterns of Sympatric Squids *Alloteuthis media* and *Alloteuthis subulata* (Cephalopoda: Loliginidae) Using Morphological and Molecular Approaches. **2022**, 9, 0
- 252 Spatial and temporal fluctuations in COVID-19 fatality rates in Brazilian hospitals.. **2022**, 1
- 251 Online Bayesian Analysis with BEAST 2. 0
- 250 Discovery of Pelagic Eggs of Two Species from the Rare Mesopelagic Fish Genus *Trachipterus* (Lampriformes: Trachipteridae). **2022**, 10, 637 2
- 249 Genome of a giant isopod, *Bathynomus jamesi*, provides insights into body size evolution and adaptation to deep-sea environment.. **2022**, 20, 113 0
- 248 Virological characteristics of the SARS-CoV-2 Omicron BA.2 spike.. **2022**, 17
- 247 *Cercopithifilaria* spp. in ticks of companion animals from Asia: new putative hosts and vectors.. **2022**, 13, 101957 0
- 246 Ultra-conserved elements provide insights to the biogeographic patterns of three benthic macroinvertebrate species in the Baltic Sea. **2022**, 271, 107863 0
- 245 Syntenic Dimensions of Genomic Evolution. **2022**, 21-30
- 244 Disentangling phylogenetic relations and biogeographic history within the *Cucujus haematodes* species group (Coleoptera: Cucujidae).. **2022**, 107527
- 243 Recurrent founder-event speciation across the Mediterranean likely shaped the species diversity and geographic distribution of the freshwater snail genus *Mercuria* Boeters, 1971 (Caenogastropoda: Hydrobiidae).. **2022**, 107524
- 242 Statistical Challenges in Tracking the Evolution of SARS-CoV-2. **2022**, 37, 1
- 241 Molecular Evolution of Parasitic Helminths. **2022**, 87-129
- 240 Integrative Taxonomy and Synonymization of *Aculus mosoniensis* (Acari: Eriophyiidae), a Potential Biological Control Agent for Tree of Heaven (*Ailanthus altissima*). **2022**, 13, 489
- 239 Museum specimens of a landlocked pinniped reveal recent loss of genetic diversity and unexpected population connections. 0
- 238 The Mitogenome Relationships and Phylogeography of Barn Swallows (*Hirundo rustica*). 0

- 237 Outbreaks of Foot-and-Mouth Disease in Burundi, East Africa, in 2016, Caused by Different Serotypes. **2022**, 14, 1077
- 236 DNA Species Identification for Seized Helmeted Hornbill (*Rhinoplax vigil*) Casques: Standardisation and Validation. ○
- 235 An *IGHG1* Variant Introgressed From Vindija Neanderthal Archaic Hominin Confers Enhanced Antibody Immunity Against SARS-CoV-2.
- 234 A pinhead millipede astray: a new polyzoniidan millipede from New Zealand in Great Britain and the genus *Siphonethus* Chamberlin, 1920 in New Zealand (Polyzoniida: Siphonotidae). 1-33 ○
- 233 Exploring Trade-offs in Scalable Phylogenetic Placement Methods.
- 232 Pan-European phylogeography of the European roe deer (*Capreolus capreolus*). **2022**, 12, 1
- 231 The chromosome-level genome of a free-floating aquatic weed *Pistia stratiotes* provides insights into its rapid invasion. ○
- 230 Ecuadorian *Coptoborus* beetles harbor *Fusarium* and *Graphium* fungi previously associated with *Euwallacea ambrosia* beetles. 1-14 ○
- 229 Characterisation of *Ficophagus virens* (Bartholomaeus, Davies, Kanzaki, Ye & Giblin-Davis, 2009) Davies & Bartholomaeus, 2015 from *Ficus virens* (Moraceae) in India with a tabular key for the Indian species of *Ficophagus*. **2022**, 1-16
- 228 Chromosome-level genome of *Entada phaseoloides* provides insights into genome evolution and triterpenoid saponins biosynthesis.
- 227 distAngsd: Fast and accurate inference of genetic distances for Next Generation Sequencing data.
- 226 The Sela macaque (*Macaca selai*) is a distinct phylogenetic species that evolved from the Arunachal macaque following allopatric speciation. **2022**, 174, 107513
- 225 Genomic Analyses of Iron Age Cattle Specimens from Althiburos, Tunisia, Support an Independent and Local Origin of African Taurine Cattle in the Maghreb.
- 224 Variation in the substitution rates among the human mitochondrial haplogroup U sublineages.
- 223 Is vertical transmission the only pathway for *Rickettsia felis*?. ○
- 222 The phylodynamics of SARS-CoV-2 during 2020 in Finland. **2022**, 2, ○
- 221 Chromosome-level and haplotype-resolved genome provides insight into the tetraploid hybrid origin of patchouli. **2022**, 13, ○
- 220 Diversity and metabolomic characterization of *Penicillium expansum* isolated from apples grown in Argentina and Spain. **2022**, ○

- 219 Genomic epidemiology of circulating SARS-CoV-2 variants during first two years of the pandemic in Colombia. 1
- 218 Phylogenetic and morphological characteristics of *Uromycladium falcatariae*, the fungal pathogen that causes gall rust epidemics of *Falcataria moluccana* in Indonesia.
- 217 Characterization of the O/ME-SA/Ind-2001d foot-and-mouth disease virus epidemic recorded in the Maghreb during 2014–2015.
- 216 Evaluating whole HIV-1 genome sequence for estimation of incidence and migration in a rural South African community. 7, 174
- 215 High rDNA polymorphisms in *Astyanax lacustris* (Characiformes: Characidae): new insights about the cryptic diversity in *A. bimaculatus* species complex with emphasis on the Paraná River basin. 2022, 20,
- 214 Resurrection of *Neocardiochiles Szöligeti*, 1908 (Hymenoptera, Braconidae, Cardiochilinae) with descriptions of five new species from the Neotropical region. 91, 41-68
- 213 Identification of a Male Sterile Candidate Gene in *Lilium x formolongi* and Transfer of the Gene to Easter Lily (*L. longiflorum*) via Hybridization. 13,
- 212 Insights into the Antimicrobial Activities and Metabolomes of *Aquimarina* (Flavobacteriaceae, Bacteroidetes) Species from the Rare Marine Biosphere. 2022, 20, 423 1
- 211 Demographic Expansions and the Emergence of Host Specialization in Genetically Distinct Ecotypes of the Tick-Transmitted Bacterium *Anaplasma phagocytophilum*. 1
- 210 Genomic epidemiology of Delta SARS-CoV-2 during transition from elimination to suppression in Aotearoa New Zealand. 2022, 13, 1
- 209 *Diclidophora luscae* (Monogenea: Diclidophoridae) in pouting, *Trisopterus luscus* (Linnaeus, 1758) from the northeast Atlantic; epidemiology, morphology, molecular and phylogenetic analysis.
- 208 J-SPACE: a Julia package for the simulation of spatial models of cancer evolution and of sequencing experiments. 2022, 23,
- 207 Molecular characterization of Cordyline virus 1 isolates infecting yam (*Dioscorea* spp). 0
- 206 Impact of joint interactions with humans and social interactions with conspecifics on the risk of zoonothroponotic outbreaks among wildlife populations. 2022, 12, 0
- 205 Population-genomic analyses reveal bottlenecks and asymmetric introgression from Persian into iron walnut during domestication. 2022, 23, 0
- 204 Impact and mitigation of sampling bias to determine viral spread: evaluating discrete phylogeography through CTMC modeling and structured coalescent model approximations. 0
- 203 Emergence of immune escape at dominant SARS-CoV-2 killer T-cell epitope. 2022, 5
- 202 Tracing the international arrivals of SARS-CoV-2 Omicron variants after Aotearoa New Zealand reopened its border.

- 201 Genomic surveillance of Rift Valley fever virus: from sequencing to lineage assignment. **2022**, 23, 1
- 200 Absence of Figla-like Gene Is Concordant with Femaleness in Cichlids Harboring the LG1 Sex-Determination System. **2022**, 23, 7636 1
- 199 Morphological and mtDNA sequence studies searching for the roots of silver crucian carp *Carassius gibelio* (Cyprinidae) from ponds of Sergievka Park, Saint Petersburg, Russia. **2011**, 315, 352-364
- 198 Occasional sexual reproduction significantly affects the population structure of the widespread, predominantly asexually reproducing marine worm *Lineus sanguineus* (Nemertea: Pilidiophora). **2022**, 169,
- 197 Marbled crayfish *Procambarus virginalis* invades a nature reserve: how to stop further introductions?. **2022**, 89, 888-901 0
- 196 Molecular Characterization, Evolutionary and Phylogenetic Analyses of Rice ACT/BAT-type Amino Acid Transporters. **2022**, 107745
- 195 Phylogenetic Tree Selection by Testing Substitution Number in Clade. **2022**, 14, 543 0
- 194 Hydra bioassay for the evaluation of chlordecone toxicity at environmental concentrations, alone or in complex mixtures with dechlorinated byproducts: experimental observations and modeling by experimental design.
- 193 Molecular identification of *Eimeria* species in liver and feces of naturally infected rabbits in Japan. 1
- 192 From Glaciers to Refrigerators: the Population Genomics and Biocontrol Potential of the Black Yeast *Aureobasidium subglaciale*. 2
- 191 New Xyleborine (Coleoptera: Curculionidae: Scolytinae) Genus With an Afrotropical-Neotropical Distribution. **2022**, 6, 0
- 190 Appendices. **2006**, 311-318
- 189 Preface. **2006**, vii-x
- 188 Dedication. **2006**, v-vi
- 187 Copyright Page. **2006**, iv-iv
- 186 Preface. **2014**, vii-viii
- 185 Copyright Page. **2014**, iv-iv
- 184 Foreword. **2014**, v-vi

183	Incorporation of transition to transversion ratio and nonsense mutations, improves the estimation of the number of synonymous and non-synonymous sites in codons. 2022 , 29,	0
182	Using landmark-based geometric morphometrics for holotype selection in cryptic species: a case study of Western Australian Halicyclops (Copepoda, Cyclopoida). 2022 , 95, 631-666	1
181	Quantitatively defining species boundaries with more efficiency and more biological realism. 2022 , 5,	1
180	Detection of HIV-1 Transmission Clusters from Dried Blood Spots within a Universal Test-and-Treat Trial in East Africa. 2022 , 14, 1673	
179	A small slug from a tropical greenhouse reveals a new rathouisiid lineage with triaulic tritrematic genitalia (Gastropoda: Systellommatophora).	
178	Replacement of the Alpha variant of SARS-CoV-2 by the Delta variant in Lebanon between April and June 2021. 2022 , 8,	0
177	Bayesian Phylogenetic Inference using Relaxed-clocks and the Multispecies Coalescent. 2022 , 39,	0
176	Percent positivity and phylogenetic analysis of <i>Mycoplasma gallisepticum</i> and <i>Mycoplasma synoviae</i> in commercial poultry from the different States of India. 1843-1851	
175	The Origins and Molecular Evolution of SARS-CoV-2 Lineage B.1.1.7 in the UK.	4
174	Phylogenetic placement and life history trait imputation for Grenada Dove <i>Leptotila wellsi</i> . 1-11	
173	LinguaPhylo: a probabilistic model specification language for reproducible phylogenetic analyses.	
172	Studies in <i>Gyromitra</i> II: cryptic speciation in the <i>Gyromitra gigas</i> species complex; rediscovery of <i>G. ussuriensis</i> and <i>G. americanigigas</i> sp. nov.. 2022 , 21,	1
171	Malacological news from the Czech and Slovak Republics in 2021. 21, 49-62	0
170	<i>Monacha samsunensis</i> (Pfeiffer, 1868): another Anatolian species introduced to Western Europe, where it is known as <i>Monacha atacis</i> Gittenberger & de Winter, 1985 (Gastropoda: Eupulmonata: Hygromiidae). 2022 , 89, 966-990	
169	Entomological assessment of tsetse-borne trypanosome risk in the Shimba Hills human-wildlife-livestock interface, Kenya. 9,	
168	Context-specific emergence and growth of the SARS-CoV-2 Delta variant.	1
167	Cross-Border Transmissions of the Delta Substrain AY.29 During Tokyo Olympic and Paralympic Games. 13,	0
166	Integrating Fossil Observations Into Phylogenetics Using the Fossilized BirthDeath Model. 2022 , 53,	0

- 165 An exhaustive genome analysis of a virulent Indian isolate of *Corynespora cassiicola*, causal agent of *Corynespora* leaf fall (CLF) disease in *Hevea brasiliensis*.
- 164 Two New Species of *Meiogyne* (Annonaceae) from Vietnam, Based on Molecular Phylogeny and Morphology. **2022**, 59,
- 163 Complete mitochondrial genome of freshwater pearl mussel *Lamellidens marginalis* (Lamarck, 1819) and its phylogenetic relation within unionidae family. 0
- 162 DupScan: predicting and visualizing vertebrate genome duplication database.
- 161 Recombination-aware phylogeographic inference using the structured coalescent with ancestral recombination. **2022**, 18, e1010422 0
- 160 A continental-scale survey of *Wolbachia* infections in blue butterflies reveals evidence of interspecific transfer and invasion dynamics.
- 159 Extended longevity of DNA preservation in Levantine Paleolithic sediments, Sefunim Cave, Israel. **2022**, 12, 0
- 158 A new species of lotic breeding salamander (Amphibia, Caudata, Hynobiidae) from Shikoku, Japan. 10, e13891
- 157 Dinoflagellate Proton-Pump Rhodopsin Gene in Long Island Sound: Diversity and Spatiotemporal Distribution.
- 156 Currents shaped the genetic structure of *Tridentiger barbatus* (Güther 1861) along the Chinese coast. 9,
- 155 Regional connectivity drove bidirectional transmission of SARS-CoV-2 in the Middle East during travel restrictions. **2022**, 13, 0
- 154 Spatial Pattern of Genetic Diversity in the Blood Fluke *Aporocotyle argentinensis* (Digenea, Aporocotylidae) from South American Hakes (Pisces: Merluccidae). **2022**, 14, 772 0
- 153 *Eranthis* Salisb. (Ranunculaceae) in South Siberia: Insights into Phylogeography and Taxonomy. **2022**, 14, 779 2
- 152 Detection of Alpha- and Betacoronaviruses in Frugivorous and Insectivorous Bats in Nigeria. **2022**, 11, 1017 0
- 151 Discovery of the first PD-1 ligand encoded by a pathogen. 13, 0
- 150 Invasion of fish parasite *Proserhynchoides ozakii* (Trematoda: Bucephalidae) into Lake Kasumigaura and surrounding rivers of eastern Japan. 0
- 149 Genome-wide alignment-free phylogenetic distance estimation under a no strand-bias model. **2022**, 2, 0
- 148 Phylogenetic, structural, functional characterisation and effect of exogenous spermidine on rice (*Oryza sativa*) HAK transporters under salt stress. **2022**, 1

- 147 Prevalence and Molecular Characterization of Ascaridoid Parasites of Philippine Decapterus species. **2022**, 54, ○
- 146 Analysis of autapomorphic point mutations provides a key for the tangled taxonomic distinction of the closely related species, *Euplotes crassus*, *E. minuta* and *E. vannus* (Ciliophora, Euplotida). **2022**, 125917 ○
- 145 Genetic evidence for cryptic species in the vulnerable spiny butterfly ray *Gymnura altavela* (Rajiformes: Gymnuridae). 1-5 ○
- 144 Deconvoluting complex correlates of COVID-19 severity with a multi-omic pandemic tracking strategy. **2022**, 13, ○
- 143 Using multiple sampling strategies to estimate SARS-CoV-2 epidemiological parameters from genomic sequencing data. **2022**, 13, ○
- 142 Morphological variation in Northwest Pacific *Devaleraea mollis* and description of *D. inkyuleei* sp. nov. (Palmariaceae, Rhodophyta). 1-10 2
- 141 Diversity and Ecological Features of Phylogenetic Lineages of Tinder Fungus in the Urals. **2022**, 53, 366-372 ○
- 140 Distinct HIV-1 Population Structure across Meningeal and Peripheral T Cells and Macrophage Lineage Cells. ○
- 139 Accumulated metagenomic studies reveal recent migration, whole genome evolution, and taxonomic incompleteness of orthomyxoviruses. ○
- 138 Emergence and spread of two SARS-CoV-2 variants of interest in Nigeria. ○
- 137 The giant diploid faba genome unlocks variation in a global protein crop. ○
- 136 Structural evolution of an immune evasion determinant shapes *Lyme borreliae* host tropism. ○
- 135 Cryptic diversity and population genetic structure of the mantis shrimp *Oratosquilla oratoria* in South Korea. ○
- 134 First report on morphological and molecular characteristics of eight Agaricomycotina mushrooms in Saudi Arabia. **2022**, 102345 ○
- 133 Polymorphism-aware estimation of species trees and evolutionary forces from genomic sequences with RevBayes. ○
- 132 Description of *Joyeuxiella pasqualei* (Cestoda: Dipylidiidae) from an Italian domestic dog, with a call for further research on its first intermediate host. 1-17 ○
- 131 Traditional phylogenetic models are insensitive to variations in the effective population size. ○
- 130 A forensically validated genetic toolkit for the species and lineage identification of the highly trafficked shingleback lizard (*Tiliqua rugosa*). **2022**, 102784 ○

- 129 Generalist nematodes dominate the nemabiome of roe deer in sympatry with sheep at a regional level. **2022**, 0
- 128 *Phytophthora alticola* and *Phytophthora cinnamomi* on *Eucalyptus globulus* in Portugal. 1
- 127 Independent radiation of snailfishes into the hadal zone confirmed by *Paraliparis selti* sp. nov. (Perciformes: Liparidae) from the Atacama Trench, SE Pacific. **2022**, 52, 0
- 126 Molecular characterization of *Peronospora variabilis* isolates infecting *Chenopodium quinoa* and *Chenopodium album* in Spain. 0
- 125 Faecal egg counts and nemabiome metabarcoding highlight the genomic complexity of equine cyathostomin communities and provide insight into their dynamics in a Scottish native pony herd. **2022**, 1
- 124 *Maxiclavella* and *Praeclavella* (Siphonostomatoida: Lernaeopodidae) new genera confirmed by molecular and morphological evidence. **2022**, 94, 0
- 123 *Steinernema africanum* n. sp. (Rhabditida, Steinernematidae), a New Entomopathogenic Nematode Species Isolated in the Republic of Rwanda. **2022**, 54, 0
- 122 Genetic variation among sea turtle life stages and species suggests connectivity among ocean basins. **2022**, 12, 0
- 121 Genomic and Phylogenetic Characterization of *Rhodopseudomonas infernalis* sp. nov., Isolated from the Hell Creek Watershed (Nebraska). **2022**, 10, 2024 0
- 120 Tracking the horizontal transfer of plasmids in *Shigella sonnei* and *Shigella flexneri* using phylogenetics. 0
- 119 *Hyporthodus griseofasciatus* (Perciformes: Epinephelidae), a new species of deep-water grouper from the west coast of Australia. 0
- 118 The genus *Schizymenia* (Nemastomatales, Rhodophyta) on the Russian coast of the northwest Pacific and description of *S. tamarae* sp. nov. 1-12 0
- 117 Tracing the international arrivals of SARS-CoV-2 Omicron variants after Aotearoa New Zealand reopened its border. **2022**, 13, 1
- 116 <i></i></i>Chromosomes in the African Frog Genus <i></i>Tomopterna</i></i> (Pyxicephalidae) and Probing the Origin of Tetraploid <i></i>Tomopterna tandyi</i></i>.. 0
- 115 A molecular phylogeny of the Persian Gulf and the Gulf of Oman oyster species. 0
- 114 Shedding Light on the Origin of Egyptian Sheep Breeds by Evolutionary Comparison of Mitochondrial D-Loop. **2022**, 12, 2738 0
- 113 Phylotranscriptomics interrogation uncovers a complex evolutionary history for the planarian genus *Dugesia* (Platyhelminthes, Tricladida) in the Western Mediterranean. **2022**, 107649 0
- 112 The whole mitochondrial genome signature of Teressa goat, an indigenous goat germplasm of Andaman and Nicobar Islands, India. **2022**, 106848 0

- 111 An imported human case with the SARS-CoV-2 omicron subvariant BA.2.75 in Yunnan province, China. **2022**, ○
- 110 Hidden diversity of the genus *Trinomys* (Rodentia: Echimyidae): phylogenetic and populational structure analyses uncover putative new lineages. ○
- 109 Introduced, Mixed, and Peripheral: Conservation of Mitochondrial-DNA Lineages in the Wild Boar (*Sus scrofa* L.) Population in the Urals. **2022**, 14, 916 ○
- 108 Investigating the Origin of *Mycobacterium chimaera* Contamination in Heater-Cooler Units: Integrated Analysis with Fourier Transform Infrared Spectroscopy and Whole-Genome Sequencing. ○
- 107 Phylogeography and population genetics of a headwater-stream adapted crayfish, *Cambarus pristinus* (Decapoda: Cambaridae), from the Cumberland Plateau in Tennessee. ○
- 106 MALDI-TOF MS Limits for the Identification of Mediterranean Sandflies of the Subgenus *Larrousius*, with a Special Focus on the *Phlebotomus perniciosus* Complex. **2022**, 10, 2135 ○
- 105 Taming the selection of optimal substitution models in Phylogenomics by site subsampling and upsampling. ○
- 104 *Photorhabdus antumapuensis* sp. nov., a novel symbiotic bacterial species associated with *Heterorhabditis atacamensis* entomopathogenic nematodes. **2022**, 72, ○
- 103 Marine Bacteria Associated with Colonization and Alteration of Plastic Polymers. **2022**, 12, 11093 ○
- 102 Impacts and trapping of ambrosia beetles *Euwallacea fornicatus* and *E. similis* in Acacia plantations in Vietnam. 1-11 ○
- 101 European and Mediterranean Myzocallidini Aphid Species: DNA Barcoding and Remarks on Ecology with Taxonomic Modifications in An Integrated Framework. **2022**, 13, 1006 ○
- 100 Morphological description and multilocus genotyping of *Onchocerca* spp. in red deer (*Cervus elaphus*) in Switzerland. **2022**, ○
- 99 Camallanid nematodes from *Clarias gariepinus* (Burchell, 1822) in the Crocodile River, Gauteng, South Africa: Exploring diversity and divergence in an acid-mine drainage impacted environment. **2022**, 19, 196-210 ○
- 98 Two new kathlaniid species (Nematoda: Cosmocercoidea) parasitic in salamanders of the genus *Andrias* (Amphibia: Caudata: Cryptobranchidae). **2023**, 92, 102693 ○
- 97 Swiss public health measures associated with reduced SARS-CoV-2 transmission using genome data. ○
- 96 Phylogeography of the pallid ground squirrel (*Spermophilus pallidicauda* Satunin, 1903) as a consequence of Holocene changes in the Mongolian steppe ecosystems. ○
- 95 Mitochondrial DNA variation of the caracal (*Caracal caracal*) in Iran and range-wide phylogeographic comparisons. ○
- 94 Evolution of Animal South American RVA Told by the NSP4 Gene E12 Genotype. **2022**, 14, 2506 ○

- 93 Two New Species of the Family Canuellidae Lang, 1944 (Copepoda: Polyarthra), from Korea, with a Key to Species of the Genus *Scottolana* Huys, 2009. **2022**, 14, 967 ○
- 92 *Glycomyces amatae* sp. nov., isolated from a yellow-ringed grass moth (*Amata spherbuis*). **2022**, 72, ○
- 91 Characterization of mitochondrial genome of Indian Ocean blue-spotted maskray, *Neotrygon indica* and its phylogenetic relationship within Dasyatidae Family. **2022**, 223, 458-467 ○
- 90 Genomic ancestry, diet and microbiomes of Upper Palaeolithic hunter-gatherers from San Teodoro cave. **2022**, 5, ○
- 89 Total evidence phylogeny of platyrrhine primates and a comparison of undated and tip-dating approaches. **2023**, 174, 103293 ○
- 88 *Karenia selliformis* bloom dynamics and growth rate estimation in the Sfax harbour (Tunisia), by using automated flow cytometry equipped with image in flow, during autumn 2019. **2023**, 121, 102366 ○
- 87 Independent recruitment of FRUITFULL-like transcription factors in the convergent origins of vernalization-responsive grass flowering. **2023**, 179, 107678 ○
- 86 A new insight into genetic structure of Danube and Italian foci of fascioloidosis. **2023**, 314, 109854 ○
- 85 DNA analysis and validation for species identification of seized helmeted hornbill (*Rhinoplax vigil*) casques. **2023**, 3, 100058 ○
- 84 Inference of B cell clonal families using heavy/light chain pairing information. **2022**, 18, e1010723 ○
- 83 Recombination-aware phylogenetic analysis sheds light on the evolutionary origin of SARS-CoV-2. ○
- 82 Pre-epidemic evolution of the USA300 clade and a molecular key for classification. ○
- 81 *Synchiropus flavistrigatus*, a new species of dragonet from the tropical eastern Atlantic (Teleostei: Callionymidae). **2022**, 5, ○
- 80 Phylogenetic position and reinstatement of *Gayella* (Sapotaceae), a monotypic genus endemic to Chile with an Eocene origin in continental Australia. ○
- 79 North-to-South diversity of lipomycetaceous yeasts in soils evaluated with a cultivation-based approach from 11 locations in Japan. **2022**, ○
- 78 Rice leaf endophytic *Microbacterium testaceum*: Antifungal actinobacterium confers immunocompetence against rice blast disease. 13, ○
- 77 Phylogenetic divergence and population genetics of the hydrothermal vent annelid genus *Hesiolyra* along the East Pacific Rise: Reappraisal using multi-locus data. **2023**, 29, 184-198 ○
- 76 Adaptation to HLA-associated immune pressure over the course of HIV infection and in circulating HIV-1 strains. **2022**, 18, e1010965 ○

- 75 Ehrlichia canis: Molecular characterization and genetic diversity based on the p28 and trp36 genes. **2022**, ○
- 74 Zygotic genome activation by the totipotency pioneer factor Nr5a2. **2022**, 378, 1305-1315 ○
- 73 Temporal associations of the COVID-19 related border restrictions and respiratory viral infections in New Zealand. ○
- 72 Assessing the relative performance of fast molecular dating methods for phylogenomic data. **2022**, 23, ○
- 71 Severe Infection of Nippostrongylus brasiliensis in Bandicota bengalensis Inhabiting Commensal Areas of Punjab, India: Prevalence, Risk Factor Analysis, Molecular Identification and Phylogenesis. ○
- 70 Emergence and Evolutionary Response of Vibrio cholerae to Novel Bacteriophage, Democratic Republic of the Congo1. **2022**, 28, 2482-2490 ○
- 69 Genomics-informed outbreak investigations of SARS-CoV-2 using civet. **2022**, 2, e0000704 ○
- 68 Bioinformatic analysis of the coding region of the melatonin receptor 1b gene as a reliable DNA marker to resolve interspecific mammal phylogenetic relationships. **2023**, 20, 5430-5447 ○
- 67 Phylogeography of the white-crowned parrot (Pionus senilis). **2022**, 22, ○
- 66 Molecular epidemiological study of clinical cases of acute hepatitis E in Belarus. **2023**, 99, 625-636 ○
- 65 Neotropical Clavulina: Two new species from Mexico and a re-evaluation of Clavulina floridana. 1-18 ○
- 64 Genetic Divergence and Connectivity among Gene Pools of Polyprion americanus. **2023**, 13, 302 ○
- 63 Reassessment of the subspecific status of the Australian Wet Tropics yellow-bellied glider, Petaurus australis. **2023**, 1 ○
- 62 Evolutionary dissection of monkeypox virus: Positive Darwinian selection drives the adaptation of virus-host interaction proteins. 12, ○
- 61 A highly divergent mitochondrial genome in extant Cape buffalo from Addo Elephant National Park, South Africa. ○
- 60 On the southernmost high Andean scorpion species, with the identification of a cryptic new species of Brachistosternus (Bothriuridae) through morphology, molecular data and species distribution models. **2023**, 302, 248-259 ○
- 59 Domestic Cat Hepadnavirus: Molecular Epidemiology and Phylogeny in Cats in Hong Kong. **2023**, 15, 150 ○
- 58 Thrips composition in cotton agroecosystem: a single species or a species complex?. ○

- 57 Detection of *Candidatus Phytoplasma prunorum* in Apricot Trees and its Associated Psyllid Samples. **2023**, 13, 199 ○
- 56 Natural infection with *Toxoplasma gondii*, *Neospora caninum* and *Sarcocystis* species in domestic pigeons (*Columba livia domestica*) in Iran. **2023**, 93, 101946 ○
- 55 Museomics reveals the phylogenetic position of the extinct Moroccan trout *Salmo pallaryi*. ○
- 54 Propagating uncertainty about molecular evolution models and prior distributions to phylogenetic trees. **2023**, 180, 107689 ○
- 53 Morpho-molecular Characterization and Phylogenetic Relationship of *Tapinoma indicum* Forel from Metropolitan Area. **2022**, 51, 35-45 ○
- 52 Genomic Epidemiology of the SARS-CoV-2 Epidemic in Cyprus from November 2020 to October 2021: The Passage of Waves of Alpha and Delta Variants of Concern. **2023**, 15, 108 1
- 51 Prevalence of intestinal parasitic infections and genetic differentiation of *Strongyloides stercoralis* among migrant workers from Myanmar, Lao PDR and Cambodia in northeastern Thailand. **2022**, 17, e0279754 ○
- 50 Chromosome-scale genomics, metabolomics, and transcriptomics provide insight into the synthesis and regulation of phenols in *Vitis adenoclada* grapes. 14, ○
- 49 SCAMPP+FastTree: Improving Scalability for Likelihood-based Phylogenetic Placement. ○
- 48 Next-Generation Sequencing in the Study of Infectious Diseases. **2023**, 35-56 ○
- 47 Ultraconserved elements resolve the phylogeny and corroborate patterns of molecular rate variation in herons (Aves: Ardeidae). ○
- 46 South(East) by Southwest: Identification of a New *Halocaridina rubra* Holthuis, 1963 (Decapoda: Atyidae) Genetic Group From Oahu, Hawaii **2023**, 76, ○
- 45 The Impact of Species Tree Estimation Error on Cophylogenetic Reconstruction. ○
- 44 Pre-epidemic evolution of the MRSA USA300 clade and a molecular key for classification. 13, ○
- 43 The Curious Case of *Fritillaria sonnikovae* (Liliaceae) in South Siberia: New Insights into Its Origin and Phylogeny. **2023**, 15, 193 ○
- 42 Evidence of philopatry in white mullet *Mugil curema* (Pisces: Mugilidae). ○
- 41 Emergence and spread of two SARS-CoV-2 variants of interest in Nigeria. **2023**, 14, 1
- 40 First report of *Planomicrobium okeanokoites* associated with *Himantothallus grandifolius* (Desmarestiales, Phaeophyta) from Southern Hemisphere. **2023**, 18, e0282516 ○

- 39 Clinical and molecular features of human cystic echinococcosis in Tehran, Iran, 2011-2019. **2022**, 15, 558 ○
- 38 Morphometric and genetic variations of four dominant species of snappers (Lutjanidae) harvested from the Northern Coast of Aceh waters, Indonesia. **2023**, 303, 26-32 1
- 37 Putative APOBEC3 deaminase editing in MPXV as evidence for sustained human transmission since at least 2016. 2
- 36 Next-generation development and application of codon model in evolution. 14, ○
- 35 Genetic Diversity and Population Structure of a Wide Pisum spp. Core Collection. **2023**, 24, 2470 1
- 34 New Insights on Endophytic Microbacterium-Assisted Blast Disease Suppression and Growth Promotion in Rice: Revelation by Polyphasic Functional Characterization and Transcriptomics. **2023**, 11, 362 ○
- 33 Genomic and phenotypic analyses suggest moderate fitness differences among Zika virus lineages. **2023**, 17, e0011055 ○
- 32 Evidence of phenotypic plasticity in *Alloteuthis media* (Linnaeus, 1758) from morphological analyses on North Sea specimens and DNA barcoding of the genus *Alloteuthis* Wlker, 1920 across its latitudinal range. **2023**, 170, ○
- 31 Genomic Signature in Evolutionary Biology: A Review. **2023**, 12, 322 ○
- 30 Emergence, phylogeography, and adaptive evolution of mpox virus. **2023**, 52, 101102 ○
- 29 First report of *Botrytis cinerea* causing gray mold of pomegranate (*Punica granatum* L.) in Mexico. ○
- 28 Nanopore Technology Applied to Targeted Detection of Tomato Brown Rugose Fruit Virus Allows Sequencing of Related Viruses and the Diagnosis of Mixed Infections. **2023**, 12, 999 ○
- 27 Roadmap to the study of gene and protein phylogeny and evolution: a practical guide. **2023**, 18, e0279597 ○
- 26 Population structure and evolutionary history of the greater cane rat (*Thryonomys swinderianus*) from the Guinean Forests of West Africa. 14, ○
- 25 Origin and diversification of the genera *Aratinga*, *Eupsittula* and *Psittacara* (Aves: Psittacidae). ○
- 24 Phylogenetic History and Phylogeographic Patterns of the European Wildcat (*Felis silvestris*) Populations. **2023**, 13, 953 ○
- 23 Dynamics of Eastern equine encephalitis virus during the 2019 outbreak in the Northeast United States. ○
- 22 The giant diploid faba genome unlocks variation in a global protein crop. **2023**, 615, 652-659 ○

- 21 Discovery of Avian Paramyxoviruses APMV-1 and APMV-6 in Shorebirds and Waterfowl in Southern Ukraine. **2023**, 15, 699 ○
- 20 Origin and diversification of the genera *Aratinga*, *Eupsittula* and *Psittacara* (Aves: Psittacidae). ○
- 19 *Acinetobacter nematophilus* sp. nov., *Alcaligenes nematophilus* sp. nov., *Enterobacter nematophilus* sp. nov., and *Kaistia nematophila* sp. nov., Isolated from Soil-Borne Nematodes and Proposal for the Elevation of *Alcaligenes faecalis* subsp. *faecalis*, *Alcaligenes faecalis* subsp. *parafaecalis*, and *Alcaligenes faecalis* subsp. *phenolicus* to the Species Level. **2023**, 3, 148-168 ○
- 18 Impacts of Taxon-Sampling Schemes on Bayesian Tip Dating Under the Fossilized Birth-Death Process. ○
- 17 Genomic surveillance reveals dynamic shifts in the connectivity of COVID-19 epidemics. ○
- 16 Phylogeography of the Siberian roe deer in Eurasia and origin of the Siberian mtDNA lineage in European roe deer populations. ○
- 15 A new short brown unpatterned moray eel (Anguilliformes, Muraenidae) from the southeast coast of India, Bay of Bengal. **2023**, 99, 253-260 ○
- 14 Establishing morphological and molecular evidences to support the identification of *Verba buena* (*Mentha villosa* Huds.) in the Philippines. ○
- 13 *Waldsteinia* within *Geum* s.l. (Rosaceae): Main Aspects of Phylogeny and Speciation History. **2023**, 15, 479 ○
- 12 The biology of an isolated *Mashona* mole-rat population from southern Malawi, with implications for the diversity and biogeography of the genus *Fukomys*. ○
- 11 Reassessment of generic boundaries in Neotropical Chrysophylloideae (Sapotaceae): Eleven reinstated genera and narrowed circumscriptions of *Chrysophyllum* and *Pouteria*. ○
- 10 Diversity of *Bradyrhizobium* strains that nodulate *Lupinus* species native to Uruguay. ○
- 9 Bayesian Phylogenetic Inference of HIV Latent Lineage Ages Using Serial Sequences. 1
- 8 Genetic diversity and demographic history of the leopard seal: a Southern Ocean top predator. ○
- 7 Molecular phylogenetic and morphological support for the recognition of *Friesodielsia lalisae* (Annonaceae), a new species from S Thailand. **2023**, 53, ○
- 6 Diversity of *Crenosoma* species in mustelids with the first molecular characterization of *C. melesi* and *C. petrowi*. 10, ○
- 5 Distribution, diversity and diversification from a DNA barcoding perspective: the case of *Gammarus* radiation in Europe's oldest inland waterbody - the ancient Lake Ohrid. ○
- 4 The first recent case of *Cimex hemipterus* (Hemiptera: Cimicidae) with super-kdr mutations in the Republic of Korea. ○

- 3 Bayesian phylogenetic inference of HIV latent lineage ages using serial sequences. **2023**, 20, ○
- 2 Sunda-Bahul floristic exchange and pathways into the Southwest Pacific: New insights from wet tropical forest trees. ○
- 1 *Spirosoma oryzicola* sp. nov., isolated from dried rice husk. **2023**, 73, ○