CITATION REPORT List of articles citing

Calculation of equilibrium constants from multiwavelength spectroscopic data-I Mathematical considerations.

DOI: 10.1016/0039-9140(85)80035-7 Talanta, 1985, 32, 95-101.

Source: https://exaly.com/paper-pdf/17971914/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
478	Disentangling the Luminescent Mechanism of Cs4PbBr6 Single Crystals from an Ultrafast Dynamics Perspective.		
477	Redox-Responsive Viologen-Mediated Self-Assembly of CB[7]-Modified Patchy Particles.		
476	Photochemical Formation of Dibenzosilacyclohept-4-yne for Cu-Free Click Chemistry with Azides and 1,2,4,5-Tetrazines.		
475	2HydroxypyridineNoxide-Embedded Aurones as Potent Human Tyrosinase Inhibitors.		
474	Calculation of equilibrium constants from multiwavelength spectroscopic dataII: SPECFIT: two user-friendly programs in basic and standard FORTRAN 77. <i>Talanta</i> , 1985 , 32, 257-64	6.2	369
473	Comparison of the Complexation of Open-Chain and Cyclic N2S2 Ligands with Cu+ and Cu2+. 1986 , 69, 1216-1223		12
472	Evolving factor analysis for the resolution of overlapping chromatographic peaks. 1987 , 59, 527-530		604
471	Evolving Factor Analysis. 1987 , 6, 41-60		29
470	Potentiometric and spectrophotometric titration of Cu2+ complexes with N-isopropyl-2-methyl-1,2-propanediamine. 1988 , 71, 1795-1800		1
469	Computerized data acquisition and data reduction in spectrophotometric analysis Part 2: numerical analysis with and without an underlying chemical model. 1988 , 7, 147-150		10
468	Solution equilibria of Alizarin Red S with Al(III) and Ni(II). <i>Inorganica Chimica Acta</i> , 1988 , 147, 257-259	2.7	7
467	A simple, performant diode array spectrophotometer. 1989 , 13, 33-38		8
466	Vanadium(V) protonation and condensation equilibria in the pH range 710 (NaCl medium, 25°C); A potentiometric and spectrophotometric study. <i>Polyhedron</i> , 1989 , 8, 1800-1801	2.7	9
465	Variable pressure spectrophotometric equilibrium and 139La NMR kinetic studies of lanthanum(III) ion complex formation with 2,6-dicarboxy-4-hydroxypyridine in aqueous solution. <i>Inorganica Chimica Acta</i> , 1989 , 158, 3-4	2.7	25
464	Digital Imaging Fluorescence Microscopy: Statistical Analysis of Photobleaching and Passive Cellular Uptake Processes. 1990 , 3, 111-151		O
463	Vasopressin, insulin and peroxide(s) of vanadate (pervanadate) influence Na+ transport mediated by (Na+, K+)ATPase or Na+/H+ exchanger of rat liver plasma membrane vesicles. 1990 , 193, 541-9		27
462	Das Tautomeriegleichgewicht zwischen Cyclopentadienyl-1-carbons Ire und Fulven-6,6-diol in wfiger Lflung. <i>Angewandte Chemie</i> , 1990 , 102, 807-809	3.6	9

461	Nonlinear least-squares fitting of multivariate absorption data. 1990 , 62, 2220-2224		367
460	Binding of nucleosides, nucleotides and anionic planar substrates by bis-intercaland receptor molecules. 1991 , 1182		36
459	Computer-aided determination of the composition and stability of complex compounds in solutions with complicated equilibria. <i>Analytica Chimica Acta</i> , 1991 , 249, 353-365	6.6	16
458	Vanadium(V) equilibria. Spectrophotometric and enthalpimetric investigation of the dimerization and deprotonation of HVO42\(\text{IPolyhedron}\), 1991 , 10, 249-253	2.7	20
457	Computer aided exploitation of mathematical models of processes. A general description of the approach. 1992 , 108, 173-184		3
456	A physiological role of Mn2+ in the regulation of cytosolic phosphoenolpyruvate carboxykinase from rat liver is unlikely. 1993 , 292 (Pt 2), 365-70		9
455	3H-Indole. 1994 , 33, 1153-1156		24
454	3H-Indol. <i>Angewandte Chemie</i> , 1994 , 106, 1240-1243	3.6	3
453	Evolutionary determination of physico-chemical parameters and concentrations of analytes from titration data. 1994 , 348, 626-632		6
452	Simultaneous decomposition of several spectra into the constituent Gaussian peaks. <i>Analytica Chimica Acta</i> , 1995 , 316, 195-204	6.6	30
451	Molybdenum(VI) complex formation B . Equilibria and thermodynamic quantities for the reactions with citrate. <i>Polyhedron</i> , 1995 , 14, 3481-3493	2.7	54
450	Mixed-Valence Cyanopyridine-Bridged Complexes of Pentacyanoferrate and Pentaammineruthenium: Electronic Structure, Stability, and Redox Reactivity. <i>Inorganic Chemistry</i> , 1996 , 35, 7718-7727	5.1	29
449	Helicates as Versatile Supramolecular Complexes. 1997 , 97, 2005-2062		1432
448	Spectrophotometric methods in the study of solution equilibria. 1997 , 34, 121-126		3
447	Flash Photolysis of 5-Methyl-1,4-naphthoquinone in Aqueous Solution: Kinetics and mechanism of photoenolization and of enol trapping. 1997 , 80, 1106-1121		24
446	Tautomeric and protonation equilibria of Schiff bases of salicylaldehyde with aminopyridines. <i>Analytica Chimica Acta</i> , 1997 , 343, 135-143	6.6	43
445	Second order global analysis: the evaluation of series of spectrophotometric titrations for improved determination of equilibrium constants. <i>Analytica Chimica Acta</i> , 1997 , 353, 381-393	6.6	99
444	Chemometric analysis: Uranium(VI) hydrolysis by UV-Vis spectroscopy. 1998 , 275-277, 777-781		15

443	Complex formation between copper(II) and several mmino alcohols in aqueous solution: a potentiometric and spectrophotometric study. <i>Polyhedron</i> , 1999 , 18, 3263-3267	2.7	6
442	New developments for the numerical analysis of spectrophotometric titrations. <i>Polyhedron</i> , 1999 , 18, 3227-3232	2.7	10
441	Complexation of beryllium(II) with hydroxamic acids in aqueous medium; spectrophotometric determination of stability constants. <i>Journal of Inorganic Biochemistry</i> , 1999 , 75, 85-91	4.2	14
440	Kinetics of isomerization for the proline helical forms of two oligoproline redox arrays by circular dichroic spectropolarimetry. 1999 , 6, 61-69		2
439	Nine-Coordinate Lanthanide Podates with Predetermined Structural and Electronic Properties: Facial Organization of Unsymmetrical Tridentate Binding Units by a Protonated Covalent Tripod. 1999 , 121, 9326-9342		112
438	Kinetics and a Revised Mechanism for the Autocatalytic Oxidation of SCN- by ClO2. 1999 , 103, 5732-57	41	21
437	Ketonization equilibria of phenol in aqueous solution. 1999 , 77, 605-613		37
436	Target testing procedure for determining chemical kinetics from spectroscopic data with absorption shifts and baseline drift. 2000 , 50, 63-73		34
435	Mutation of serine 395 of tyrosine hydroxylase decouples oxygen-oxygen bond cleavage and tyrosine hydroxylation. 2000 , 39, 4174-81		32
434	High-Pressure Studies as a Novel Approach in Determining Inclusion Mechanisms: Thermodynamics and Kinetics of the Host@uest Interactions for Ecyclodextrin Complexes. 2000 , 122, 592-602		70
433	Solid-state and solution structure of lanthanide complexes of a new nonadentate tripodal ligand containing phenanthroline binding units. <i>Inorganic Chemistry</i> , 2000 , 39, 3499-505	5.1	52
432	Self-assembly of a diferrous triple-stranded helicate with bis(2,2'-bipyridine) ligands: thermodynamic and kinetic intermediates. <i>Inorganic Chemistry</i> , 2000 , 39, 5771-8	5.1	38
431	Proton and metal ion binding of tetracyclines. 2001 , 65-104		11
430	Identification of two tetranuclear FeS clusters on the ferredoxin-type subunit of NADH:ubiquinone oxidoreductase (complex I). 2001 , 40, 6124-31		70
429	A model for sequential threading of alpha-cyclodextrin onto a guest: a complete thermodynamic and kinetic study in water. 2001 , 123, 10290-8		27
428	The Coordination Chemistry of cis-3,4-Diaminopyrrolidine and Related Polyamines. <i>European Journal of Inorganic Chemistry</i> , 2001 , 2001, 2525-2542	2.3	16
427	Complex formation of Ni(II), Cu(II), Pd(II), and Co(III) with 1,2,3,4-tetraaminobutane. <i>Chemistry - A European Journal</i> , 2001 , 7, 917-31	4.8	30
426	Synthesis and photophysical and cation-binding properties of mono- and tetranaphthylcalix[4]arenes as highly sensitive and selective fluorescent sensors for sodium. <i>Chemistry - A European Journal</i> , 2001 , 7, 4590-8	4.8	108

(2004-2002)

425	Synthesis and binding properties of calix[4]biscrown-based fluorescent molecular sensors for caesium or potassium ions. 2002 , 1429		43
424	[Ni(L)(MeCN)][BF4]2 {L = 2,5,8-trithia[9],(2,9)-1,10-phenanthrolinophane} as a building block for the synthesis of binuclear nickel(II) complexes: X-ray crystal structure and magnetochemistry of a singly F-bridged nickel(II) dimer. 2002 , 4389-4394		17
423	Spectrophotometric determination of acidity constants of 4-(2-pyridylazo)resorcinol in binary methanol water mixtures. <i>Analytica Chimica Acta</i> , 2002 , 455, 335-342	6.6	55
422	Iron(III) Chelation: Tuning of the pH Dependence by Mixed Ligands. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 2596-2605	2.3	16
421	The Coordination Chemistry of the Pentadentate 2,2,6,6-Tetrakis(aminomethyl)-4-azaheptane (ditame). European Journal of Inorganic Chemistry, 2003, 2003, 1340-1354	2.3	14
420	Characterizing batch reactions with in situ spectroscopic measurements, calorimetry and dynamic modeling. <i>Journal of Chemometrics</i> , 2003 , 17, 470-479	1.6	23
419	Spectropotentiometric analysis of metal binding to structural zinc-binding sites: accounting quantitatively for pH and metal ion buffering effects. 2003 , 320, 39-54		72
418	Characterization of subcritical water oxidation with in situ monitoring and self-modeling curve resolution. <i>Analytica Chimica Acta</i> , 2003 , 485, 73-87	6.6	9
417	A new computational application of the AGDC algorithm for kinetic resolution of multicomponent mixtures (static and dynamic). 2003 , 66, 63-78		7
416	Analysis of reactions in aqueous solution at non-constant pH: no more buffers?. <i>Physical Chemistry Chemical Physics</i> , 2003 , 5, 2836	3.6	49
415	Photohydration of Benzophenone in Aqueous Acid[12003, 107, 3305-3315		69
414	Self-assembly mechanism of a bimetallic europium triple-stranded helicate. 2003 , 125, 1541-50		75
413	Speciation in solution: interaction between calixarene derivatives and lanthanides(III). 2003, 91, 659-66	54	6
412	Laser photolysis studies of the photochemical reactions of chromium(III) octaethylporphyrin and tetramesitylporphyrin complexes in toluene solution. <i>Inorganic Chemistry</i> , 2003 , 42, 6095-105	5.1	7
411	. 2003,		224
410	References. 2003 , 250-284		
409	Design of Acidic Ni-Mo Alloy Plating Baths Using a Set of Apparent Equilibrium Constants. <i>Journal of the Electrochemical Society</i> , 2004 , 151, C798	3.9	12
408	Photophysics of Calix[4]biscrown-based ditopic receptors of caesium containing one or two dioxocoumarin fluorophores. <i>Journal of Fluorescence</i> , 2004 , 14, 451-8	2.4	25

407	Chromotropic acid, a fluorogenic chelating agent for aluminium(III). 2004, 378, 402-10		7
406	Complex Formation of 2, 6-Bis-(2?-hydroxyphenyl)pyridine with AlIII, FeIII and CuII. 2004 , 630, 1829-183	8	24
405	Lanthanide Homobimetallic Triple-Stranded Helicates: Insight into the Self-Assembly Mechanism. European Journal of Inorganic Chemistry, 2004 , 2004, 51-62	2.3	65
404	Complex Formation of ICL670 and Related Ligands with FeIII and FeII. <i>European Journal of Inorganic Chemistry</i> , 2004 , 2004, 4177-4192	2.3	128
403	Acid-base sensors based on novel quinone-type dyes. Chemistry - A European Journal, 2004, 10, 134-41	4.8	34
402	Synthesis and self-assembly of a rigid exotopic bisphenanthroline macrocycle: surface patterning and a supramolecular nanobasket. <i>Chemistry - A European Journal</i> , 2004 , 10, 5481-92	4.8	55
401	Lead and mercury sensing by calixarene-based fluoroionophores bearing two or four dansyl fluorophores. <i>Chemistry - A European Journal</i> , 2004 , 10, 4480-90	4.8	231
400	Equilibrium and kinetic studies of ligand BMXD complexation with copper(II) and glycylglycine. <i>Inorganica Chimica Acta</i> , 2004 , 357, 2261-2268	2.7	8
399	The kinetics and mechanisms of reactions of iron(III) with caffeic acid, chlorogenic acid, sinapic acid, ferulic acid and naringin. <i>Journal of Inorganic Biochemistry</i> , 2004 , 98, 1457-64	4.2	84
398	Proton-assisted dissociation of a triple-stranded dinuclear europium helicate. <i>New Journal of Chemistry</i> , 2004 , 28, 1096-1099	3.6	12
397	Complex formation of vanadium(IV) with 1,3,5-triamino-1,3,5-trideoxy-cis-inositol and related ligands. <i>Inorganic Chemistry</i> , 2004 , 43, 3116-26	5.1	43
396	Synthesis, characterization, and X-ray crystal structures of cyclam derivatives. 5. Copper(II) binding studies of a pyridine-strapped 5,12-dioxocyclam-based macrobicycle. <i>Inorganic Chemistry</i> , 2004 , 43, 557	'2 ⁵ 8 ⁷ 7	32
395	Complexation and transport of alkali, alkaline earth, transition and heavy metal cations by p-tert-butyldihomooxacalix[4]arene tetra(diethyl)amide. <i>New Journal of Chemistry</i> , 2004 , 28, 748-755	3.6	49
394	Europium and Terbium tris(Dipicolinates) as Secondary Standards for Quantum Yield Determination. 2004 , 37, 517-532		213
393	Spectrophotometric titration of cobalt(II) with CaCl2 in mixed solvents of 2-propanol and water for the analysis of the extraction mechanism of cobalt(II) by salting-out in the presence of CaCl2. 2005 , 21, 1287-90		2
392	Synthesis, solution equilibria and antiproliferative activity of copper(II) aminomethyltriazole and aminomethylthioxotriazoline complexes. <i>Journal of Inorganic Biochemistry</i> , 2005 , 99, 1573-84	4.2	26
391	The thermodynamic dissociation constants of losartan, paracetamol, phenylephrine and quinine by the regression analysis of spectrophotometric data. <i>Analytica Chimica Acta</i> , 2005 , 533, 97-110	6.6	37
390	The thermodynamic dissociation constants of haemanthamine, lisuride, metergoline and nicergoline by the regression analysis of spectrophotometric data. <i>Analytica Chimica Acta</i> , 2005 , 543, 254-266	6.6	15

(2006-2005)

389	Supramolecular Copper Phenanthroline Racks: Structures, Mechanistic Insight and Dynamic Nature. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 1841-1849	2.3	25	
388	Protonation Equilibria of Hoechst 33258 in Aqueous Solution. 2005 , 88, 53-67		26	
387	Supramolecular click chemistry with a bisammonium-C60 substrate and a ditopic crown ether host. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 5338-41	16.4	45	
386	Supramolecular Click Chemistry with a Bisammonium-C60 Substrate and a Ditopic Crown Ether Host. <i>Angewandte Chemie</i> , 2005 , 117, 5472-5475	3.6	16	
385	DABCO-directed self-assembly of bisporphyrins (DABCO=1,4-diazabicyclo[2.2.2]octane). <i>Chemistry - A European Journal</i> , 2005 , 11, 2196-206	4.8	83	
384	Cooperative recognition of C60-ammonium substrates by a ditopic oligophenylenevinylene/crown ether host. <i>Chemistry - A European Journal</i> , 2005 , 11, 4793-8	4.8	30	
383	Lower Rim Substituted tert-Butyl calix[4]arene (part VII): Ionophoric Properties of Calix[4]arene-crown-6 Derivatives in Plasticized PVC-Membrane Electrodes and in Solution. 2005 , 52, 129-134		11	
382	Hydrogen Bonding and Solvent Effects on Complexation of Alkali Metal Cations by Lower Rim Calix[4]arene Tetra(O-[N-acetyl-D-phenylglycine methyl ester]) Derivative. 2005 , 53, 263-268		19	
381	A highly selective fluorescent molecular sensor for potassium based on a calix[4]bisazacrown bearing boron-dipyrromethene fluorophores. <i>New Journal of Chemistry</i> , 2005 , 29, 1089	3.6	73	
380	Synthesis, characterization and X-ray crystal structures of cyclam derivatives. Part VI. Proton binding studies of a pyridine-strapped 5,12-dioxocyclam based macrobicycle. <i>New Journal of Chemistry</i> , 2005 , 29, 99-108	3.6	18	
379	Supramolecular click chemistry for the self-assembly of a stable Zn(II)-porphyrin-C60 conjugate. <i>Chemical Communications</i> , 2005 , 5736-8	5.8	41	
378	Structurally simple, modular amino alcohols for the recognition of carboxylic acids. Application to the development of a new chiral solvating agent. 2005 , 7, 5485-7		59	
377	Synthesis, characterization, and x-ray crystal structures of cyclam derivatives. 8. Thermodynamic and kinetic appraisal of lead(II) chelation by octadentate carbamoyl-armed macrocycles. <i>Inorganic Chemistry</i> , 2005 , 44, 7895-910	5.1	26	
376	A mesoporous silica functionalized by a covalently bound calixarene-based fluoroionophore for selective optical sensing of mercury(II) in water. 2005 , 15, 2965		183	
375	Dipyrrole carboxamide derived selective ratiometric probes for cyanide ion. 2006 , 8, 5053-6		193	
374	Photophysics and Photochemistry of Supramolecular Systems. 220-264		0	
373	Novel Insight into the Protonation Deprotonation Equilibria of Tetracycline, Sancycline and 10-Propoxy-Sancycline in Aqueous Solution. I. Analysis of the pH-Dependent UV/vis Absorption Spectra by the SVD Technique. 2006 , 220, 441-475		3	
372	Model peptides based on the binding loop of the copper metallochaperone Atx1: selectivity of the consensus sequence MxCxxC for metal ions Hg(II), Cu(I), Cd(II), Pb(II), and Zn(II). <i>Inorganic Chemistry</i> , 2006 , 45, 5510-20	5.1	78	

371	Tutorial on a chemical model building by least-squares non-linear regression of multiwavelength spectrophotometric pH-titration data. <i>Analytica Chimica Acta</i> , 2006 , 580, 107-21	6.6	40
370	Potentiometric and spectrophotometric study of a new dipodal ligand N,N'-bis{2-[(2-hydroxybenzylidine)amino]ethyl}malonamide with Co(II), Ni(II), Cu(II) and Zn(II). Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2006 , 63, 574-86	4.4	17
369	Photophysics of a series of efficient fluorescent pH probes for dual-emission-wavelength measurements in aqueous solutions. <i>Chemistry - A European Journal</i> , 2006 , 12, 1097-113	4.8	45
368	From supramolecular porphyrin tweezers to dynamic $A(n)B(m)C(l)D(k)$ multiporphyrin arrangements through orthogonal coordination. <i>Chemistry - A European Journal</i> , 2006 , 12, 8136-49	4.8	53
367	The Coordination Chemistry of 1,4-Diazepan-6-amine. <i>European Journal of Inorganic Chemistry</i> , 2006 , 2006, 314-328	2.3	17
366	Structure and reactivity of a thermostable prokaryotic nitric-oxide synthase that forms a long-lived oxy-heme complex. 2006 , 281, 9623-32		33
365	The Detection and Characterisation of Intermediates in Chemical Reactions. 2007, 227-260		
364	Spectrophotometric Determination of Acidity Constants of 4-(2-Pyridylazo) Resorcinol in Various Micellar Media Solutions. 2007 , 54, 1093-1097		0
363	Visible Colorimetric Sensor for Fluoride Ion Based on o-Phenylenediamine. <i>Supramolecular Chemistry</i> , 2007 , 19, 511-516	1.8	17
362	Drug Ionization and Physicochemical Profiling. 2007 , 53-83		1
361	Synthesis of supramolecular fullerene-porphyrin-Cu(phen)(2)-ferrocene architectures. A heteroleptic approach towards tetrads. <i>Organic and Biomolecular Chemistry</i> , 2007 , 5, 78-86	3.9	30
360	Novel Insight into the Protonation D eprotonation Equilibria of Tetracycline and Several Derivatives in Aqueous Solution. II. Analysis of the pH-Dependent Fluorescence Spectra by the SVD Technique. 2007 , 221, 235-271		10
359	Investigation into the reactivity of the coordinatively unsaturated phosphonodithioato [Ni(MeOpdt)2] towards 2,4,6-tris(2-pyridyl)-1,3,5-triazine: goals and achievements. <i>Dalton Transactions</i> , 2007 , 2127-34	4.3	17
358	Towards nanotubular structures with large voids: dynamic heteroleptic oligophenanthroline metallonanoscaffolds and their solution-state properties. <i>Chemistry - A European Journal</i> , 2007 , 13, 622.	3 ⁴ 3 ⁸ 7	28
358 357	Towards nanotubular structures with large voids: dynamic heteroleptic oligophenanthroline metallonanoscaffolds and their solution-state properties. <i>Chemistry - A European Journal</i> , 2007 , 13, 622. Probing Receptor Anion Interactions by Ratiometric Chemosensors Containing Pyrrolecarboxamide Interacting Sites. 2007 , 2007, 3999-4010	3437	36
	metallonanoscaffolds and their solution-state properties. <i>Chemistry - A European Journal</i> , 2007 , 13, 622. Probing Receptor Anion Interactions by Ratiometric Chemosensors Containing Pyrrolecarboxamide Interacting Sites. 2007 , 2007, 3999-4010 Thermodynamic studies of actinide complexes. 1. A reappraisal of the solution equilibria between plutonium(IV) and ethylenediaminetetraacetic acid (EDTAH4) in nitric media. <i>Comptes Rendus Chimie</i> , 2007 , 10, 929-947	3 ⁴ 3 ⁷ 7	
357	metallonanoscaffolds and their solution-state properties. <i>Chemistry - A European Journal</i> , 2007 , 13, 622. Probing ReceptorAnion Interactions by Ratiometric Chemosensors Containing Pyrrolecarboxamide Interacting Sites. 2007 , 2007, 3999-4010 Thermodynamic studies of actinide complexes. 1. A reappraisal of the solution equilibria between plutonium(IV) and ethylenediaminetetraacetic acid (EDTAH4) in nitric media. <i>Comptes Rendus</i>		36

(2008-2007)

353	The thermodynamic dissociation constants of four non-steroidal anti-inflammatory drugs by the least-squares nonlinear regression of multiwavelength spectrophotometric pH-titration data. 2007 , 45, 552-64	78
352	Excited state intramolecular proton transfer (ESIPT) in a dioxotetraamine derived schiff base and its complexation with Fe(III) and Cr(III). <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 4.7 2007 , 188, 298-310	42
351	The kinetics and mechanisms of the complex formation and antioxidant behaviour of the polyphenols EGCg and ECG with iron(III). <i>Journal of Inorganic Biochemistry</i> , 2007 , 101, 585-93	67
350	A novel computational strategy for the pKa estimation of drugs by non-linear regression of multiwavelength spectrophotometric pH-titration data exhibiting small spectral changes. 2007 , 20, 690-701	18
349	BeerOz, a set of Matlab routines for the quantitative interpretation of spectrophotometric measurements of metal speciation in solution. 2007 , 33, 248-261	33
348	Multivariate curve resolution of rapid-scan FTIR difference spectra of quinone photoreduction in bacterial photosynthetic membranes. 2007 , 387, 1863-73	30
347	Reliability and uncertainty in the estimation of pKa by least squares nonlinear regression analysis of multiwavelength spectrophotometric pH titration data. 2007 , 387, 941-55	27
346	A novel microfluidic flow-injection analysis device with fluorescence detection for cation sensing. Application to potassium. 2007 , 387, 2627-32	23
345	The kinetics and mechanisms of the reactions of iron(III) with quercetin and morin. <i>Journal of Inorganic Biochemistry</i> , 2008 , 102, 127-36	50
344	Rhod-5N as a fluorescent molecular sensor of cadmium(II) ion. <i>Journal of Fluorescence</i> , 2008 , 18, 1077-82.4	27
343	Measurement of dissociation constants (pKa values) of organic compounds by multiplexed capillary electrophoresis using aqueous and cosolvent buffers. 2008 , 97, 2581-606	143
342	Vesicles to concentrate iron in low-iron media: an attempt to mimic marine siderophores. <i>Chemistry - A European Journal</i> , 2008 , 14, 3680-6	10
341	Energy migration in a self-assembled nonameric porphyrinic molecular box. <i>Chemistry - A European Journal</i> , 2008 , 14, 4214-24	56
340	Synthesis, fluorescence, and two-photon absorption of bidentate phosphane oxide derivatives: complexation with pb(2+) and cd(2+) cations. <i>Chemistry - A European Journal</i> , 2008 , 14, 5941-50	26
339	Spectrophotometric determination of acidity constant of some indicators in various micellar media solutions by rank annihilation factor analysis. <i>Spectrochimica Acta - Part A: Molecular and</i> 4.4 Biomolecular Spectroscopy, 2008 , 70, 343-9	21
338	Spectroscopic, potentiometric and theoretical studies on the binding properties of a novel tripodal polycatechol-imine ligand towards iron(III). <i>Spectrochimica Acta - Part A: Molecular and Biomolecular</i> 4.4 <i>Spectroscopy</i> , 2008 , 71, 1452-60	2
337	Supramolecular edifices and switches based on metals. 2008 , 252, 1079-1092	42
336	Synthesis, characterization and photophysical properties of benzidine-based compounds. 2008 , 64, 6522-6529	18

335	Cu2+ and CNE elective fluorogenic sensors based on pyrene-appended thiacalix[4]arenes. 2008 , 64, 8095-8101		68
334	A chloride selective sensor based on a calix[4]arene possessing a urea moiety. 2008 , 49, 2772-2775		64
333	Ratiometry of monomer/excimer emissions of dipyrenyl thiacalix[4]arene for Cu2+ detection: a potential Cu2+ and K+ switched INHIBIT logic gate with NOT and YES logic functions. 2008 , 49, 4227-42	30	56
332	Syntheses, characterization, and reactivity of copper complexes with tridentate N-donor ligands. <i>Inorganica Chimica Acta</i> , 2008 , 361, 279-292	2.7	37
331	3,5-Bis(2-hydroxyphenyl)-1H-1,2,4-triazole based ligands [protonation and metal complex formation. 2008 , 62,		8
330	Light-triggered proton and electron transfer in flavin cofactors. 2008 , 112, 4573-83		68
329	Large photoactive supramolecular ensembles prepared from C60pyridine substrates and multi-Zn(II)porphyrin receptors. <i>New Journal of Chemistry</i> , 2008 , 32, 159-165	3.6	20
328	The kinetics and mechanisms of the reactions of iron(III) with naringenin, hesperetin, 3-hydroxychromone and 3-hydroxyflavone. A comparison of the coordination power of 3-hydroxychromone and 5-hydroxychromone. 2008 , 61, 3711-3726		6
327	Photophysics of cyclic multichromophoric systems based on beta-cyclodextrin and calix[4]arene with appended pyridin-2'-yl-1,2,3-triazole groups. 2008 , 7, 1323-31		34
326	The effect of complex stoichiometry in supramolecular chirality transfer to zinc bisporphyrin systems. <i>Chemical Communications</i> , 2008 , 5939-41	5.8	41
325	Ratiometric sensing of Hg2+ based on the calix[4]arene of partial cone conformation possessing a dansyl moiety. 2008 , 10, 4891-4		155
324	Iron(III) uptake and release by chrysobactin, a siderophore of the phytophatogenic bacterium Erwinia chrysanthemi. <i>Inorganic Chemistry</i> , 2008 , 47, 9419-30	5.1	17
323	Role of adenine in thymine-dimer repair by reduced flavin-adenine dinucleotide. 2008 , 112, 10758-64		17
322	Investigation by mass spectrometry of metal complexes of new molecular hosts: cyclic oligomer of sugar amino acid and sugar-aza-crown ethers. 2008 , 14, 61-9		6
321	A molecular keypad lock based on the thiacalix[4]arene of 1,3-alternate conformation. 2009, 11, 2567-7	'0	96
320	Anion-templated formation of supramolecular multinuclear assemblies. <i>Chemistry - A European Journal</i> , 2009 , 15, 5695-700	4.8	55
319	A gadolinium-binding cyclodecapeptide with a large high-field relaxivity involving second-sphere water. <i>Chemistry - A European Journal</i> , 2009 , 15, 7083-93	4.8	42
318	Lanthanide(III) complexes with two hexapeptides incorporating unnatural chelating amino acids: secondary structure and stability. <i>Chemistry - A European Journal</i> , 2009 , 15, 7456-69	4.8	20

317	2-(2,4-Dinitrobenzyl)pyridine (DNBP): A Potential Light-Activated Proton Shuttle. 2009 , 92, 1909-1922		4
316	From Molecular to Nanostructured Iron Complexes of Amphiphilic Chelators Based on 8-Hydroxyquinoline Subunits Evidence of Self-Assembled Edifices Mimicking Siderophores from Marine Bacteria. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 86-92	2.3	2
315	On Dff Switchable Binuclear Chemosensor Based on Thiacalix[4]crown Armed with Pyrene Moieties. 2009 , 2009, 4534-4540		32
314	Iron(III)-Complexes Engaged in the Biochemical Processes in Seawater. I. Voltammetry of Fe(III)-Succinate Complexes in Model Aqueous Solution. <i>Electroanalysis</i> , 2009 , 21, 2527-2534	3	7
313	Filinduced Burn-onlFluorescent chemosensor based on 1,3-alt thiacalix[4]arene. 2009 , 65, 4340-4344		44
312	Regulation of metal ion recognition by allosteric effects in thiacalix[4]crown based receptors. 2009 , 65, 7510-7515		17
311	Terphenyl based IIurn OnIfluorescent sensor for mercury. 2009 , 50, 2649-2652		41
310	Determination of the pKa value of the hydroxyl group in the alpha-hydroxycarboxylates citrate, malate and lactate by 13C NMR: implications for metal coordination in biological systems. 2009 , 22, 77	1-8	73
309	Formation and Extraction of Niobium(V) Complex with Xylenol Orange in the Presence of a 4-Pyridone Derivative. 2009 , 38, 149-158		7
308	A sinapic acidtalix[4]arene hybrid selectively binds Pb2+ over Hg2+ and Cd2+. <i>Polyhedron</i> , 2009 , 28, 343-348	2.7	9
307	Potentiometric determination of ionisation constants for diphacinone and chlorophacinone in a dioxane-water cosolvent system. 2009 , 50, 86-9		4
306	Chromogenic sensing of Cu(II) by imino linked thiacalix[4]arene in mixed aqueous environment. 2009 , 12, 332-335		19
305	Application of soft- and hard-modelling approaches to resolution of kinetics of electron donor-acceptor complex formation of 2,3-dichloro-5,6-dicyano-1,4-benzoquinone with imipramine in different solutions. <i>Analytica Chimica Acta</i> , 2009 , 636, 175-82	6.6	11
304	Titanium(IV) complexes with N,N'-dialkyl-2,3-dihydroxyterephthalamides and 1-hydroxy-2(1H)-pyridinone as siderophore and tunichrome analogues. <i>Inorganic Chemistry</i> , 2009 , 48, 10769-79	5.1	15
303	Detailed spectroscopic, thermodynamic, and kinetic studies on the protolytic equilibria of Fe(III)cydta and the activation of hydrogen peroxide. <i>Inorganic Chemistry</i> , 2009 , 48, 7864-84	5.1	30
302	Cu2+ coordination properties of a 2-pyridine heptaamine tripod: characterization and binding mechanism. <i>Inorganic Chemistry</i> , 2009 , 48, 8985-97	5.1	10
301	Thermodynamic characterization of the self-assembly process of a three component heterobimetallic bisporphyrin macrocycle. 2009 , 113, 11479-89		10
300	Molecular tools for the self-assembly of bisporphyrin photodyads: a comprehensive physicochemical and photophysical study. <i>Inorganic Chemistry</i> , 2009 , 48, 3743-54	5.1	10

299	Chloride ion recognition using thiourea/urea based receptors incorporated into 1,3-disubstituted calix[4]arenes. <i>New Journal of Chemistry</i> , 2009 , 33, 675	3.6	49
298	A reversible fluorescent Hg2+/K+ switch that works as keypad lock in the presence of F- ion. <i>Chemical Communications</i> , 2009 , 7384-6	5.8	112
297	[1,2,3]Triazolo[1,5-a]pyridine derivatives as molecular chemosensors for zinc(II), nitrite and cyanide anions. <i>New Journal of Chemistry</i> , 2009 , 33, 2102	3.6	41
296	Terphenyl derivatives as "turn on" fluorescent sensors for mercury. <i>Inorganic Chemistry</i> , 2009 , 48, 11677	′ - 84	59
295	Fluorimetric lead detection in a microfluidic device. 2009 , 9, 2818-23		34
294	Anion-induced contraction of helical receptors. <i>Chemical Communications</i> , 2009 , 3606-8	5.8	17
293	Self-assembly of double-decker cages induced by coordination of perylene bisimide with a trimeric Zn porphyrin: study of the electron transfer dynamics between the two photoactive components. <i>Dalton Transactions</i> , 2009 , 4023-37	4.3	40
292	Upper-rim alternately tethered Eyclodextrin molecular receptors: synthesis, metal complexation and interfacial behavior. <i>New Journal of Chemistry</i> , 2009 , 33, 554-560	3.6	11
291	Colorimetric and luminescent sensing of F- anion through strong anion-pi interaction inside the pi-acidic cavity of a pyridyl-triazine bridged trinuclear Re(I)-tricarbonyl diimine complex. <i>Chemical Communications</i> , 2009 , 1511-3	5.8	41
290	Anomalously slow rates of reduction of iron(III) polypyridine complexes by triphenyl verdazyl radicals in acetonitrile. <i>Dalton Transactions</i> , 2009 , 2878-82	4.3	2
289	Redox-driven switching in pseudorotaxanes. New Journal of Chemistry, 2009, 33, 254	3.6	44
288	Highly selective and sensitive Hg2+ fluorescent sensors based on a phosphane sulfide derivative. <i>Organic and Biomolecular Chemistry</i> , 2009 , 7, 1665-73	3.9	18
287	Structure and Enantio-Differentiating Behaviors of Nickel(II) Complexes with Chiral Schiff Base Ligands Derived from 1,1?-Binaphthyl-2,2?-diamine. 2009 , 82, 1266-1273		8
286	Steric Crowding Effect of 1,3-Diketonates on the Structures and the Solution Behaviors of Nickel(II) Mixed-Ligand Complexes. 2010 , 83, 790-798		2
285	Synthesis and characterization of novel gold(III) complexes of asymmetrically aryl-substituted 1,2-dithiolene ligands featuring potential-controlled spectroscopic properties. 2010 , 5, 1395-406		9
284	Recognition of some lanthanides, actinides, and transition- and heavy-metal cations by N-donor ligands: thermodynamic and kinetic aspects. <i>Inorganic Chemistry</i> , 2010 , 49, 1363-71	5.1	66
283	Fluorescent chemosensor for Cu2+ ion based on iminoanthryl appended calix[4]arene. 2010 , 66, 139-14.	5	27
282	Photoinduced cation translocation in a calix[4]biscrown: towards a new type of light-driven molecular shuttle. 2010 , 11, 2416-23		11

281	Thermodynamics and kinetics of the complexation reaction of lead by calix-DANS4. 2010 , 11, 3355-62		8
280	Pure component spectral recovery and constrained matrix factorizations: concepts and applications. <i>Journal of Chemometrics</i> , 2010 , 24, n/a-n/a	1.6	8
279	A selective, nontoxic, OFF-ON fluorescent molecular sensor based on 8-hydroxyquinoline for probing Cd(2+) in living cells. <i>Chemistry - A European Journal</i> , 2010 , 16, 919-30	4.8	121
278	Chelation versus binucleation: metal complex formation with the hexadentate all-cis-N1,N2-bis(2,4,6-trihydroxy-3,5-diaminocyclohexyl)ethane-1,2-diamine. <i>Chemistry - A European Journal</i> , 2010 , 16, 3326-40	4.8	6
277	Pyrazino[2.3-g]quinoxaline-bridged indole-based building blocks: design, synthesis, anion-binding properties, and phosphate-directed assembly in the solid state. <i>Chemistry - A European Journal</i> , 2010 , 16, 4639-49	4.8	34
276	2-Hydroxyazobenzenes to tailor pH pulses and oscillations with light. <i>Chemistry - A European Journal</i> , 2010 , 16, 8822-31	4.8	39
275	DnDfflreversible switch for Fe3+ and Flmimicking XNOR logic function. 2010 , 51, 5559-5562		44
274	Ratiometric/OnOfftensing of Pb2+ ion using pyrene-appended calix[4]arenes. <i>Sensors and Actuators B: Chemical</i> , 2010 , 144, 183-191	8.5	34
273	Rhodamine appended terphenyl: A reversible dffbnlfluorescent chemosensor for mercury ions. Sensors and Actuators B: Chemical, 2010 , 151, 180-185	8.5	73
272	Kinetic and mechanistic investigations in homogeneous catalysis using operando UV/vis spectroscopy. 2010 , 155, 282-288		12
271	The thermodynamic dissociation constants of methotrexate by the nonlinear regression and factor analysis of multiwavelength spectrophotometric pH-titration data. 2010 , 8, 494-507		12
270	A tristable [2]pseudo[2]rotaxane. <i>Chemical Communications</i> , 2010 , 46, 871-3	5.8	42
269	Measurement of intrinsic rate constants in the tyrosine hydroxylase reaction. 2010 , 49, 645-52		22
268	External and internal guest binding of a highly charged supramolecular host in water: deconvoluting the very different thermodynamics. 2010 , 132, 1005-9		75
267	Thermodynamic Dissociation Constants of Rasagiline by the Nonlinear Regression and Factor Analysis of Multiwavelength Spectrophotometric pH Titration Data. 2010 , 55, 2707-2713		2
266	Evaluating binuclear copper(II) complexes for glycoside hydrolysis. <i>Inorganic Chemistry</i> , 2010 , 49, 2639-	·4 § .1	32
265	Hydrogen and copper ion induced molecular reorganizations in two new scorpiand-like ligands appended with pyridine rings. <i>Inorganic Chemistry</i> , 2010 , 49, 7016-27	5.1	19
264	Facially coordinating triamine ligands with a cyclic backbone: some structure-stability correlations. <i>Inorganic Chemistry</i> , 2010 , 49, 10092-107	5.1	13

263	Azophenol appended (thia)calix[4]arenes for colorimetric sensing of anions: a complexation induced extended conjugation. <i>Talanta</i> , 2010 , 81, 9-14	6.2	14
262	Tritopic phenanthroline and pyridine tail-tied aza-scorpiands. <i>Organic and Biomolecular Chemistry</i> , 2010 , 8, 2367-76	3.9	19
261	A Ni2+ selective chemosensor based on partial cone conformation of calix[4]arene. <i>Dalton Transactions</i> , 2010 , 39, 10116-21	4.3	32
260	Sensitized emission of luminescent lanthanide complexes based on a phosphane oxide derivative. 2010 , 114, 3264-9		30
259	On the thermodynamic and kinetic investigations of a [c2]daisy chain polymer. 2010 , 20, 3422		54
258	Switching and fluorescence signal amplification with metal ions in allosteric systems based on 1, 3-alternate thiacalix[4]crown. <i>Dalton Transactions</i> , 2010 , 39, 10122-7	4.3	12
257	Highly effective chemosensor for mercury ions based on bispyrenyl derivative. 2010 , 135, 1600-5		21
256	Molecular trafficking based on latch circuit. Chemical Communications, 2010, 46, 6744-6	5.8	39
255	Acid-base and electrochemical properties of manganese meso(ortho- and meta-N-ethylpyridyl)porphyrins: potentiometric, spectrophotometric and spectroelectrochemical study of protolytic and redox equilibria. <i>Dalton Transactions</i> , 2010 , 39, 11568-76	4.3	17
254	Spectrophotometric determination of acidity constants by mean centering of ratio spectra. 2010 , 2, 15	514	1
253	Formation of very stable and selective Cu(II) complexes with a non-macrocyclic ligand: can basicity rival pre-organization?. <i>Dalton Transactions</i> , 2010 , 39, 9055-62	4.3	27
252	Zwitterionic dicopper helicates: anion encapsulation and binding studies. <i>Dalton Transactions</i> , 2010 , 39, 2936-41	4.3	22
251	Electronic properties of N(5)-ethyl flavinium ion. 2010 , 114, 12138-47		22
250	Photochemical deuterium exchange in phenyl-substituted pyrroles and indoles in CD3CN-D2O. 2010 , 9, 779-90		8
249	Photoinduced pH drops in water. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 6493-9	3.6	30
248	Artificial metalloenzymes for olefin metathesis based on the biotin-(strept)avidin technology. <i>Chemical Communications</i> , 2011 , 47, 12065-7	5.8	104
247	Anion-driven conformation control and enhanced sulfate binding utilising aryl linked salicylaldoxime dicopper helicates. <i>Dalton Transactions</i> , 2011 , 40, 12235-41	4.3	10

245	Fast excited-state deactivation in N(5)-ethyl-4a-hydroxyflavin pseudobase. 2011, 115, 7136-43		18
244	Fluorescent probe for Fe3+ and CNIIn aqueous media mimicking a memorized molecular crossword puzzle. 2011 , 1, 1045		14
243	Allosteric P?O-based receptors for dicarboxylic acids. 2011 , 13, 3632-5		9
242	Nonmacrocyclic luminescent lanthanide complexes stable in biological media. <i>Inorganic Chemistry</i> , 2011 , 50, 1689-97	5.1	34
241	Intrinsically fluorescent glycoligands to study metal selectivity. <i>Inorganic Chemistry</i> , 2011 , 50, 11353-62	5.1	19
240	Thermodynamic Dissociation Constants of Butorphanol and Zolpidem by the Least-Squares Nonlinear Regression of Multiwavelength Spectrophotometric pH-Titration Data. 2011 , 56, 1009-1019		4
239	Model peptides provide new insights into the role of histidine residues as potential ligands in human cellular copper acquisition via Ctr1. 2011 , 133, 4427-37		113
238	Luminescent lanthanide-functionalized gold nanoparticles: exploiting the interaction with bovine serum albumin for potential sensing applications. 2011 , 5, 7184-97		77
237	Pharmaceutical formulation affects titanocene transferrin interactions. <i>Dalton Transactions</i> , 2011 , 40, 9580-8	4.3	14
236	Combination of spectroscopic and computational methods to get an understanding of supramolecular chemistry of drugs: from simple host systems to biomolecules. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 20893-905	3.6	25
235	Photoinduced electron transfer in naphthalimide-pyridine systems: effect of proton transfer on charge recombination efficiencies. 2011 , 115, 11606-14		9
234	Ratiometric detection of Hg2+ ions: an allosterically synchronized Hg2+/Li+ switch based on thiacalix[4]crown. <i>Dalton Transactions</i> , 2011 , 40, 5170-5	4.3	31
233	Optical chemosensor for Ag+, Fe3+, and cysteine: information processing at molecular level. 2011 , 13, 366-9		152
232	Competing photodehydration and excited-state intramolecular proton transfer (ESIPT) in adamantyl derivatives of 2-phenylphenols. 2011 , 89, 221-234		20
231	A naked-eye selective detection of cyanide ion: studies on the effect of chromophores and spacers on ditopic receptors. 2011 , 136, 1873-80		23
230	Naphthalimide appended rhodamine derivative: through bond energy transfer for sensing of Hg2+ions. 2011 , 13, 1422-5		202
229	Synthesis and cation binding properties of fluorescent calix[4]arene derivatives bearing tryptophan units at the lower rim. <i>Supramolecular Chemistry</i> , 2011 , 23, 389-397	1.8	13
228	Rational design of aminoanthraquinones for colorimetric detection of heavy metal ions in aqueous solution. <i>Dalton Transactions</i> , 2011 , 40, 10491-502	4.3	25

227	New tripodal and dipodal colorimetric sensors for anions based on tris/bis-urea/thiourea moieties. Supramolecular Chemistry, 2011 , 23, 790-800	1.8	30
226	Thiacalix[4]arene based reconfigurable molecular switches: set-reset memorized sequential device. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 8237-45	3.9	21
225	E/Z-Photoisomerization of N, N'-Bis (4-dimethylaminobenzylidene) 1, 2-diaminoethane and N, N'-Bis (4-dimethylaminobenzylidene) 1, 3-diaminopropane in Chloroform. 2011 , 8, 952-959		4
224	Interaction of ⊞melanocortin and its pentapeptide antisense LVKAT: effects on hepatoprotection in male CBA mice. <i>Molecules</i> , 2011 , 16, 7331-43	4.8	10
223	Effects of intramolecular hydrogen bonding and solvent composition on acidity of some dihydroxy-thioxanthone derivatives in methanol later binary solvents. <i>Journal of Molecular Structure</i> , 2011 , 1006, 453-461	3.4	1
222	Distinguishing homogeneous from heterogeneous catalysis in electrode-driven water oxidation with molecular iridium complexes. 2011 , 133, 10473-81		263
221	Synthesis and Properties of the Emerging Azacalix[14]arenes. 2011 , 2011, 1914-1921		15
220	Elektronentransfer in Peptiden: der Einfluss geladener Aminosüren. <i>Angewandte Chemie</i> , 2011 , 123, 1967-1971	3.6	12
219	Electron transfer in peptides: the influence of charged amino acids. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 1926-30	16.4	74
218	Regioisomeric control induced by DABCO coordination to rotatable self-assembled bis- and tetraporphyrin Etyclic octapeptide dimers. <i>Chemistry - A European Journal</i> , 2011 , 17, 1220-9	4.8	24
217	Electrostatic barriers in rotaxanes and pseudorotaxanes. Chemistry - A European Journal, 2011, 17, 6076	5- & .78	61
216	The versatile binding mode of transition-state analogue inhibitors of tyrosinase towards dicopper(II) model complexes: experimental and theoretical investigations. <i>Chemistry - A European Journal</i> , 2011 , 17, 13482-94	4.8	8
215	Synthesis and solution studies of Cu(II) complexes with pyridine derivatives of iminobisphosphonic acids. <i>Inorganica Chimica Acta</i> , 2011 , 365, 391-399	2.7	5
214	Solution and solid-state studies of complexation of transition-metal cations and Al(III) by aroylhydrazones derived from nicotinic acid hydrazide. <i>Inorganica Chimica Acta</i> , 2011 , 366, 98-104	2.7	30
213	Hydroxyquinoline based binders: promising ligands for chelatotherapy?. <i>Journal of Inorganic Biochemistry</i> , 2011 , 105, 490-6	4.2	54
212	Terphenyl based fluorescent chemosensor for Cu2+ and Filons employing excited state intramolecular proton transfer. 2011 , 67, 1266-1271		38
211	Phosphate selective alkylenebisurea receptors: structure-binding relationship. 2011 , 67, 3846-3857		22
210	FRET-induced nanomolar detection of Fe2+ based on cinnamaldehyde-rhodamine derivative. 2011 , 52, 4333-4336		25

209	A bis-salicylaldoximato-copper(II) receptor for selective sulfate uptake. <i>Chemical Communications</i> , 2011 , 47, 499-501	5.8	19
208	Highly stable acyclic bifunctional chelator for 64Cu PET imaging. 2011 , 99, 663-678		13
207	Stability and Structure of Inclusion Complexes of Zaleplon with Natural and Modified Cyclodextrins. 2011 , 84, 169-178		11
206	Photocontrolled binding of artemisinin to a bis(tyclodextrin) bearing azobenzene on the primary face. 2012 , 22, 266-269		4
205	A Physico-Biochemical Study on Potential Redox-Cyclers as Antimalarial and Antischistosomal Drugs. <i>Current Pharmaceutical Design</i> , 2012 ,	3.3	2
204	New program for computation of the thermodynamic, spectral, and NMR relaxation parameters of coordination compounds in complex systems. 2012 , 394, 012031		4
203	Long-lived charge-separated states in ligand-stabilized silver clusters. 2012 , 134, 11856-9		61
202	Fluoride triggered fluorescence "turn on" sensor for Zn2+ ions based on pentaquinone scaffold that works as a molecular keypad lock. 2012 , 14, 2802-5		61
201	Influence of the solvent and metal center on supramolecular chirality induction with bisporphyrin tweezer receptors. Strong metal modulation of effective molarity values. <i>Inorganic Chemistry</i> , 2012 , 51, 4620-35	5.1	36
200	Luminescent lanthanide-binding peptides: sensitising the excited states of Eu(III) and Tb(III) with a 1,8-naphthalimide-based antenna. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 126-33	3.9	20
199	Thiacalix[4]arene-cinnamaldehyde derivative: ICT-induced preferential nanomolar detection of Ag+among different transition metal ions. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 1769-74	3.9	11
198	Photophysics and Photochemistry of Supramolecular Systems. 2012 , 287-336		2
197	Dissociation Enthalpies and Thermodynamic Constants of Sildenafil Citrate by the Regression of Multiwavelength pH-spectrophotometric Titration Data. 2012 , 41, 2123-2137		
196	Spectrophotometric thermodynamic study of orientational isomers formed by inclusion of methyl orange into æyclodextrin nanocavity. 2012 , 118, 230-238		10
195	New fluorogenic sensors for Hg2+ ions: through-bond energy transfer from pentaquinone to rhodamine. <i>Inorganic Chemistry</i> , 2012 , 51, 2150-6	5.1	84
194	Thiacalix[4]arene based fluorescent probe for sensing and imaging of Fe3+ ions. <i>Dalton Transactions</i> , 2012 , 41, 408-12	4.3	65
193	Mercury detection in a microfluidic device by using a molecular sensor soluble in organoaqueous solvent. 2012 , 11, 1737-43		13
192	Pyochelin, a siderophore of Pseudomonas aeruginosa: physicochemical characterization of the iron(III), copper(II) and zinc(II) complexes. <i>Dalton Transactions</i> , 2012 , 41, 2820-34	4.3	135

191	Highly selective fluorescence turn-on chemodosimeter based on rhodamine for nanomolar detection of copper ions. 2012 , 14, 406-9		175
190	Oxinobactin and sulfoxinobactin, abiotic siderophore analogues to enterobactin involving 8-hydroxyquinoline subunits: thermodynamic and structural studies. <i>Inorganic Chemistry</i> , 2012 , 51, 12142-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-	5 1	18
189	Titanium(IV) and vitamin C: aqueous complexes of a bioactive form of Ti(IV). <i>Inorganic Chemistry</i> , 2012 , 51, 11030-9	1	23
188	Investigations into the formation and stability of cationic rhodium diphosphane B -arene complexes. <i>Chemistry - A European Journal</i> , 2012 , 18, 11920-8	8	14
187	pKa Determination. 2012 , 31-173		3
186	Tetrathiafulvalene vinylogues as versatile building blocks for new organic materials. 2012 , 84, 1005-1025		38
185	Ratiometric nanomolar detection of Cu2+ ions in mixed aqueous media: a Cu2+/Li+ ions switchable allosteric system based on thiacalix[4]crown. <i>Dalton Transactions</i> , 2012 , 41, 10189-93	3	36
184	Terphenyl-phenanthroline conjugate as a Zn2+ sensor: H2PO4(-) induced tuning of emission wavelength. <i>Dalton Transactions</i> , 2012 , 41, 10182-8	3	21
183	Selective detection of heavy metal ions by calixarene-based fluorescent molecular sensors. 2012,		
182	Effects of Lattice Strain and Band Offset on Electron Transfer Rates in Type-II Nanorod Heterostructures. 2012 , 3, 1094-8		38
181	Charge transfer in model peptides: obtaining Marcus parameters from molecular simulation. 2012 , 116, 2284-93		39
180	A triphenylene based zinc ensemble as an oxidation inhibitor. <i>Chemical Communications</i> , 2012 , 48, 4722- 4 .	8	23
179	A charge transfer amplified fluorescent Hg2+ complex for detection of picric acid and construction of logic functions. 2012 , 14, 6084-7		73
178	New trick for an old ligand! The sensing of Zn(II) using a lanthanide based ternary Yb(III)-cyclen-8-hydroxyquinoline system as a dual emissive probe for displacement assay. <i>Inorganic</i> 5. Chemistry, 2012 , 51, 10158-68	1	88
177	Analysis of benzodiaza-15-crown-5 ether derivative binding properties by potentiometric and optical methods. 2012 , 25, 835-839		6
176	Thermodynamic dissociation constants of risedronate using spectrophotometric and potentiometric pH-titration. 2012 , 10, 338-353		7
175	Complexation of lanthanides, actinides and transition metal cations with a 6-(1,2,4-triazin-3-yl)-2,2':6',2''-terpyridine ligand: implications for actinide(III)/lanthanide(III) 4. partitioning. <i>Dalton Transactions</i> , 2012 , 41, 9209-19	3	34
174	Solution-phase mechanistic study and solid-state structure of a tris(bipyridinium radical cation) inclusion complex. 2012 , 134, 3061-72		112

(2013-2012)

173	Complexes of Di- and Triazacrown Ethers with Heavy Metal Ions in Water Solution. <i>Electroanalysis</i> , 2012 , 24, n/a-n/a	3	2
172	An Integrated approach (thermodynamic, structural, and computational) to the study of complexation of alkali-metal cations by a lower-rim calix[4]arene amide derivative in acetonitrile. <i>Inorganic Chemistry</i> , 2012 , 51, 6264-78	5.1	27
171	Europium-Directed Self-Assembly of a Luminescent Supramolecular Gel from a Tripodal Terpyridine-Based Ligand. <i>Angewandte Chemie</i> , 2012 , 124, 7320-7324	3.6	25
170	Europium-directed self-assembly of a luminescent supramolecular gel from a tripodal terpyridine-based ligand. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 7208-12	16.4	160
169	Extremely strong self-assembly of a bimetallic salen complex visualized at the single-molecule level. 2012 , 134, 7186-92		74
168	Synthesis and biological evaluation of 1,4-naphthoquinones and quinoline-5,8-diones as antimalarial and schistosomicidal agents. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 6375-87	3.9	43
167	Capillary electrophoresis-inductively coupled plasma-mass spectrometry hyphenation for the determination at the nanogram scale of metal affinities and binding constants of phosphorylated ligands. 2012 , 1229, 280-7		17
166	Binding ability of aminophosphonates containing imidazole and pyridine as additional donor systems. <i>Inorganica Chimica Acta</i> , 2012 , 380, 223-229	2.7	5
165	Reliability of dissociation constants and resolution capability of SQUAD(84) and SPECFIT/32 in the regression of multiwavelength spectrophotometric pH-titration data. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012 , 86, 305-14	4.4	15
164	Rhodamine appended thiacalix[4]arene of 1,3-alternate conformation for nanomolar detection of Hg2+ ions. <i>Sensors and Actuators B: Chemical</i> , 2012 , 161, 311-316	8.5	25
163	Tris-ACE-(6,6?-bipyridyl)-Ecyclodextrin: synthesis and chirality of the tripodal metal complexes. 2012 , 53, 2082-2087		8
162	Glycosiderophores: synthesis of tris-hydroxamate siderophores based on a galactose or glycero central scaffold, Fe(III) complexation studies. <i>Journal of Inorganic Biochemistry</i> , 2012 , 112, 59-67	4.2	5
161	The Influence of Substituents in Diphosphine Ligands on the Hydrogenation Activity and Selectivity of the Corresponding Rhodium Complexes as Exemplified by ButiPhane. 2012 , 4, 81-88		11
160	Metal-ion induced FRET in macrocyclic dynamic tweezers. 2013 , 69, 8178-8185		3
159	Aryl-linked salicylaldoxime-based copper(II) helicates and "boxes": synthesis, X-ray analysis, and anion influence on complex structure. <i>Inorganic Chemistry</i> , 2013 , 52, 9327-37	5.1	10
158	Mercury-modulated supramolecular assembly of a hexaphenylbenzene derivative for selective detection of picric acid. <i>Inorganic Chemistry</i> , 2013 , 52, 4860-5	5.1	59
157	Ratiometric/'turn-on' fluorescent chemosensor for CN-: mimicking XNOR logic function with Fe3+ ions. <i>Dalton Transactions</i> , 2013 , 42, 8808-14	4.3	23
156	Pentaquinone based probe for nanomolar detection of zinc ions: chemosensing ensemble as an antioxidant. <i>Dalton Transactions</i> , 2013 , 42, 975-80	4.3	63

155	Multimodal use of new coumarin-based fluorescent chemosensors: towards highly selective optical sensors for Hg(2+) probing. <i>Chemistry - A European Journal</i> , 2013 , 19, 14639-53	4.8	62
154	Tris-ACE-Etyclodextrin tripods: chemistry and metal coordination behaviour. <i>Dalton Transactions</i> , 2013 , 42, 16806-17	4.3	1
153	A new bis-tetraamine ligand with a chromophoric 4-(9-anthracenyl)-2,6-dimethylpyridinyl linker for glyphosate and ATP sensing. <i>Dalton Transactions</i> , 2013 , 42, 4859-72	4.3	11
152	Thiacalix[4]crown based optical chemosensor for Fe3+, Li+ and cysteine: a Fe3+/Li+ ion synchronized allosteric regulation. <i>Dalton Transactions</i> , 2013 , 42, 981-6	4.3	26
151	Light activation for the versatile and accurate kinetic analysis of disassembly of self-immolative spacers. <i>Chemistry - A European Journal</i> , 2013 , 19, 11717-24	4.8	23
150	A naphthalimide based chemosensor for Zn2+, pyrophosphate and H2O2: sequential logic operations at the molecular level. <i>Chemical Communications</i> , 2013 , 49, 877-9	5.8	79
149	Aryl substituted adamantanedipyrromethanes: chromogenic and fluorescent anion sensors. 2013 , 69, 1725-1734		10
148	Adamantane bisurea derivatives: anion binding in the solution and in the solid state. 2013 , 69, 517-526		24
147	Fe3+-ensemble of triazole appended pentacenequinone derivative for "turn-on" detection of fluoride ions. <i>Talanta</i> , 2013 , 105, 152-7	6.2	16
146	Stability and Toxicity of Contrast Agents. 2013 , 157-208		31
145	Colorimetric Hg2+ sensing in water: from molecules toward low-cost solid devices. 2013 , 15, 662-5		38
144	Rhodamine based fluorescence turn-on chemosensor for nanomolar detection of Fe3+ ions. <i>Sensors and Actuators B: Chemical</i> , 2013 , 178, 228-232	8.5	66
143	Thermodynamic protonation constants of vardenafil by the nonlinear regression of		1
	multiwavelength pH-spectrophotometric titration data. 2013 , 11, 271-279		
142	BTBPs versus BTPhens: some reasons for their differences in properties concerning the partitioning of minor actinides and the advantages of BTPhens. <i>Inorganic Chemistry</i> , 2013 , 52, 4993-5005	5.1	103
142 141	BTBPs versus BTPhens: some reasons for their differences in properties concerning the partitioning	5.1 4.3	103
	BTBPs versus BTPhens: some reasons for their differences in properties concerning the partitioning of minor actinides and the advantages of BTPhens. <i>Inorganic Chemistry</i> , 2013 , 52, 4993-5005 Aggregates of a triphenylene based chemosensing ensemble for sensitive detection of cyanide ions	4.3	
141	BTBPs versus BTPhens: some reasons for their differences in properties concerning the partitioning of minor actinides and the advantages of BTPhens. <i>Inorganic Chemistry</i> , 2013 , 52, 4993-5005 Aggregates of a triphenylene based chemosensing ensemble for sensitive detection of cyanide ions in an aqueous medium. <i>Dalton Transactions</i> , 2013 , 42, 4450-5	4.3	16

137	Coordination diversity in mono- and oligonuclear copper(II) complexes of pyridine-2-hydroxamic and pyridine-2,6-dihydroxamic acids. <i>Inorganic Chemistry</i> , 2013 , 52, 7633-44	5.1	18
136	Unsymmetrical binding modes of the HOPNO inhibitor of tyrosinase: from model complexes to the enzyme. <i>Chemistry - A European Journal</i> , 2013 , 19, 3655-64	4.8	13
135	The effect of specific solvent-solute interactions on complexation of alkali-metal cations by a lower-rim calix[4]arene amide derivative. <i>Inorganic Chemistry</i> , 2013 , 52, 12702-12	5.1	19
134	A pentaquinone based probe for relay recognition of F- and Cu2+ ions: sequential logic operations at the molecular level. <i>Dalton Transactions</i> , 2013 , 42, 13390-6	4.3	17
133	Multi-wavelength spectrophotometric determination of acidity constants of some salicylaldimine derivatives. <i>Journal of Molecular Liquids</i> , 2013 , 178, 70-77	6	7
132	Anion binding to a tetracopper resorcinarene-based complex. Supramolecular Chemistry, 2013, 25, 158-	16.5	2
131	Calix[4]arene-based fluorescent receptor for selective turn-on detection of Hg2+ ions. Supramolecular Chemistry, 2013 , 25, 28-33	1.8	3
130	A Bis(Ephenoxo)-Bridged Dizinc Complex with Hydrolytic Activity. 2013 , 639, 1534-1542		8
129	Hepatoprotective effects of Met-enkephalin on acetaminophen-induced liver lesions in male CBA mice. <i>Molecules</i> , 2014 , 19, 11833-45	4.8	5
128	A simple three-step method for design and affinity testing of new antisense peptides: an example of erythropoietin. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 9209-23	6.3	11
127	Phosphonated chelates for nuclear imaging. Organic and Biomolecular Chemistry, 2014, 12, 9601-20	3.9	11
126	Pyrophosphate-selective fluorescent chemosensor based on ratiometric tripodal-Zn(II) complex: Application in logic gates and living cells. <i>Sensors and Actuators B: Chemical</i> , 2014 , 200, 123-131	8.5	38
125	On the physicochemical properties of pyridohelicenes. <i>Chemistry - A European Journal</i> , 2014 , 20, 877-93	4.8	21
124	Towards sensory Langmuir monolayers consisting of macrocyclic pentaaminoanthraquinone. <i>New Journal of Chemistry</i> , 2014 , 38, 317-329	3.6	7
123	HSO4Isensing based on proton transfer in H-bonding complexes. <i>Supramolecular Chemistry</i> , 2014 , 26, 850-855	1.8	9
122	Exploring the interaction of N/S compounds with a dicopper center: tyrosinase inhibition and model studies. <i>Inorganic Chemistry</i> , 2014 , 53, 12848-58	5.1	23
121	Charge-carrier generation in organic solar cells using crystalline donor polymers. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 20338-46	3.6	39
120	Tetraphosphonated thiophene ligand: mixing the soft and the hard. <i>Dalton Transactions</i> , 2014 , 43, 9070	-813	7

119	Ultra-sensitive and selective Hg2+ chemosensors derived from substituted 8-hydroxyquinoline analogues. <i>New Journal of Chemistry</i> , 2014 , 38, 1072-1078	3.6	9
118	Photophysical evaluation of a new functional terbium complex in FRET-based time-resolved homogenous fluoroassays. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 6060-7	3.6	14
117	A new thiacalix[4]arene-fluorescein based probe for detection of CN(-) and Cu(2+) ions and construction of a sequential logic circuit. <i>Dalton Transactions</i> , 2014 , 43, 15929-36	4.3	37
116	A rapid, automated gradient flow injection-spectrophotometric technique for study of metal complexation reactions. <i>Talanta</i> , 2014 , 128, 511-7	6.2	9
115	Secrets of solid state and aqueous solution structures of [Ni(tmdta)](2-). <i>Inorganic Chemistry</i> , 2014 , 53, 6684-97	5.1	7
114	Two-photon fluorescence imaging and bimodal phototherapy of epidermal cancer cells with biocompatible self-assembled polymer nanoparticles. 2014 , 15, 1768-76		41
113	Thermodynamic study of inclusion complexes of zaleplon with natural and modified cyclodextrins. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2014 , 79, 391-400	1.7	O
112	Synthesis, characterization, and metal ion coordination of a multichromophoric highly luminescent polysulfurated pyrene. <i>Chemistry - A European Journal</i> , 2014 , 20, 10661-8	4.8	11
111	Supramolecularly Regulated Ligands for Asymmetric Hydroformylations and Hydrogenations. <i>Chemistry - A European Journal</i> , 2015 , 21, 11417-26	4.8	44
110	Extraction and complexation of alkali and alkaline earth metal cations by lower-rim calix[4]arene diethylene glycol amide derivatives. <i>New Journal of Chemistry</i> , 2015 , 39, 6099-6107	3.6	12
109	Calixarene-Based Fluorescent Sensors for Cesium Cations Containing BODIPY Fluorophore. 2015 , 119, 6065-73		31
108	Supramolecular complexes: Determination of stability constants on the basis of various experimental methods. 2015 , 51, 1-35		16
107	Healable luminescent self-assembly supramolecular metallogels possessing lanthanide (Eu/Tb) dependent rheological and morphological properties. 2015 , 137, 1983-92		174
106	Vanadium(V) complex with Schiff-base ligand containing a flexible amino side chain: Synthesis, structure and reactivity. <i>Journal of Inorganic Biochemistry</i> , 2015 , 147, 193-203	4.2	14
105	Cross-Linking the Fibers of Supramolecular Gels Formed from a Tripodal Terpyridine Derived Ligand with d-Block Metal Ions. <i>Inorganic Chemistry</i> , 2015 , 54, 7735-41	5.1	33
104	Kinetically Inert Bispidol-Based Cu(II) Chelate for Potential Application to (64/67)Cu Nuclear Medicine and Diagnosis. <i>Inorganic Chemistry</i> , 2015 , 54, 4431-44	5.1	23
103	Highly Efficient Chirality Transfer from Diamines Encapsulated within a Self-Assembled Calixarene-Salen Host. <i>Chemistry - A European Journal</i> , 2015 , 21, 7144-50	4.8	15
102	Formation and Transmetalation Mechanisms of Homo- and Heterometallic (Fe/Zn) Trinuclear Triple-Stranded Side-by-Side Helicates. <i>Inorganic Chemistry</i> , 2015 , 54, 4231-42	5.1	23

101	Phototautomerization in pyrrolylphenylpyridine terphenyl systems. 2015 , 80, 4430-42	8
100	Solution scanometry, a new method for determination of acidity constants of indicators. 2015 , 7, 3551-3558	15
99	Pre-organized dinucleosides with pendant porphyrins for the formation of sandwich type complexes with DABCO with high association constants. 2015 , 19, 535-546	5
98	Cavitands incorporating a Lewis acid dinickel chelate function as receptors for halide anions. Inorganic Chemistry, 2015 , 54, 3937-50 5.1	9
97	Anthracene adamantylbisurea receptors: switching of anion binding by photocyclization. 2015 , 71, 9321-932	7 5
96	Photodeamination Reaction Mechanism in Aminomethyl p-Cresol Derivatives: Different Reactivity of Amines and Ammonium Salts. 2015 , 80, 10817-28	20
95	Caged Fluoride: Photochemistry and Applications of 4-Hydroxyphenacyl Fluoride. 2015, 17, 4814-7	7
94	Fine tuning the pH triggers the enantiorecognition of underivatized amino acids by silver nanoparticles: a novel approach based on the focused use of solution equilibria. 2015 , 443, 30-5	9
93	Redox- and protonation-induced fluorescence switch in a new triphenylamine with six stable active or non-active forms. <i>Chemistry - A European Journal</i> , 2015 , 21, 2230-40	43
92	Application of a new version of GA-RBF neural network for simultaneous spectrophotometric determination of Zn(II), Fe(II), Co(II) and Cu(II) in real samples: An exploratory study of their 6.2 complexation abilities toward MTB. <i>Talanta</i> , 2016 , 160, 86-98	11
91	Comparative Study of Hard- and Soft-Modeling Algorithms for Kinetic Data Processing. 2016 , 48, 449-463	3
90	Step by Step Assembly of Polynuclear Lanthanide Complexes with a Phosphonated Bipyridine Ligand. <i>Inorganic Chemistry</i> , 2016 , 55, 12962-12974	12
89	Can betaine pyridinium derivatives be used to control the photoejection of cation?. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 15384-93	1
88	Structural and electronic determinants of flavonoid binding to human serum albumin: an extensive ligand-based study. 2016 , 6, 75014-75022	12
87	Sulphur-rich functionalized calix[4]arenes for selective complexation of Hg over Cu, Zn and Cd. Dalton Transactions, 2016 , 45, 15211-15224 4-3	12
86	A Highly Selective Potassium Sensor for the Detection of Potassium in Living Tissues. <i>Chemistry - A European Journal</i> , 2016 , 22, 14902-14911	16
85	Hand in Hand: Experimental and Theoretical Investigations into the Reactions of Copper(I) Mono- and Bis(guanidine) Complexes with Dioxygen. <i>European Journal of Inorganic Chemistry</i> , 2016 , 2016, 4744 ² 475	1 ²⁴
84	Room temperature molecular up conversion in solution. <i>Nature Communications</i> , 2016 , 7, 11978 17.4	65

83	Untangling the Diverse Interior and Multiple Exterior Guest Interactions of a Supramolecular Host by the Simultaneous Analysis of Complementary Observables. 2016 , 88, 6923-9		12
82	Redox Polypharmacology as an Emerging Strategy to Combat Malarial Parasites. 2016 , 11, 1339-51		21
81	1,3-Alternate Tetraamido-Azacalix[4]arenes as Selective Anion Receptors. <i>Chemistry - A European Journal</i> , 2016 , 22, 5756-66	4.8	9
80	The dissociation constants of the cytostatic bosutinib by nonlinear least-squares regression of multiwavelength spectrophotometric and potentiometric pH-titration data. 2016 , 120, 158-67		12
79	Naphthyl- vs. anthrylpyridine-2,6-dicarboxamides in cation binding studies. Synthesis and spectroscopic properties. <i>Supramolecular Chemistry</i> , 2016 , 28, 673-685	1.8	5
78	Mean centering of ratio spectra for dye degradation study in Fenton reaction. <i>Journal of the Iranian Chemical Society</i> , 2016 , 13, 449-455	2	
77	Chiral Supramolecular Gels with Lanthanide Ions: Correlation between Luminescence and Helical Pitch. <i>ACS Applied Materials & amp; Interfaces</i> , 2017 , 9, 3799-3807	9.5	30
76	White-light emission from discrete heterometallic lanthanide-directed self-assembled complexes in solution. <i>Chemical Science</i> , 2017 , 8, 3419-3426	9.4	44
75	Reversible Gas-Solid Ammonia N-H Bond Activation Mediated by an Organopalladium Complex. <i>Inorganic Chemistry</i> , 2017 , 56, 5342-5351	5.1	8
74	New sensitive and selective calixarene-based fluorescent sensors for the detection of Cs+ in an organoaqueous medium. <i>New Journal of Chemistry</i> , 2017 , 41, 7162-7170	3.6	20
73	Selective Fluorimetric Detection of Primary Alkylamines by a Calix[6]arene Funnel Complex. <i>Chemistry - A European Journal</i> , 2017 , 23, 8669-8677	4.8	6
72	A highly selective fluorescent probe for Fe in living cells: a stress induced cell based model study. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 1006-1012	3.9	22
71	Zn2+/Cd2+ optical discrimination by fluorescent acridine-based bis-macrocylic receptors. <i>Supramolecular Chemistry</i> , 2017 , 29, 912-921	1.8	14
70	A Bispidol Chelator with a Phosphonate Pendant Arm: Synthesis, Cu(II) Complexation, and Cu Labeling. <i>Inorganic Chemistry</i> , 2017 , 56, 11738-11752	5.1	16
69	Ferrichrome Has Found Its Match: Biomimetic Analogues with Diversified Activity Map Discrete Microbial Targets. <i>Chemistry - A European Journal</i> , 2017 , 23, 13181-13191	4.8	6
68	A chemometric approach for determining the reaction quantum yields in consecutive photochemical processes. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 21373-21381	3.6	12
67	Tuning the copper(ii) coordination properties of cyclam by subtle chemical modifications. <i>Dalton Transactions</i> , 2017 , 46, 11479-11490	4.3	5
66	Electrochemical Characterization of Biochemically Active Cu(II) Mixed Ligand Complex with Histidine and Cysteine. <i>Electroanalysis</i> , 2017 , 29, 392-397	3	3

65	Efficiency of Dinucleosides as the Backbone to Pre-Organize Multi-Porphyrins and Enhance Their Stability as Sandwich Type Complexes with DABCO. <i>Molecules</i> , 2017 , 22,	4.8	2
64	Pharmacomodulation of the Antimalarial Plasmodione: Synthesis of Biaryl- and N-Arylalkylamine Analogues, Antimalarial Activities and Physicochemical Properties. <i>Molecules</i> , 2017 , 22,	4.8	6
63	A Constrained Tetrapeptide as a Model of Cu(I) Binding Sites Involving CuS Clusters in Proteins. <i>Inorganic Chemistry</i> , 2018 , 57, 5723-5731	5.1	6
62	Fluorescent pseudorotaxanes of a quinodicarbocyanine dye with gamma cyclodextrin. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2018, 189, 202-214	4.4	3
61	Iron(III) coordination properties of ladanein, a flavone lead with a broad-spectrum antiviral activity. <i>New Journal of Chemistry</i> , 2018 , 42, 8074-8087	3.6	4
60	Influence of structural elements on iron(III) chelating properties in a new series of amino acid-derived monohydroxamates. <i>Inorganica Chimica Acta</i> , 2018 , 473, 286-296	2.7	2
59	Oligopeptide models of the metal binding loop of the bacterial copper efflux regulator protein CueR as potential Cu(I) chelators. <i>Inorganica Chimica Acta</i> , 2018 , 472, 192-198	2.7	6
58	Molecular modeling, pK a and thermodynamic values of asthma drugs. <i>Medicinal Chemistry Research</i> , 2018 , 27, 95-114	2.2	3
57	Remarkable Changes of the Acidity of Bound Nitroxyl (HNO) in the [Ru(Me[9]aneN)(L)(NO)] Family (n = 1-3). Systematic Structural and Chemical Exploration and Bioinorganic Chemistry Implications. <i>Inorganic Chemistry</i> , 2018 , 57, 12270-12281	5.1	10
56	Fluorescent pH-Responsive Probes Based on Water-Soluble Boron-Dipyrromethene (BODIPY) Derivatives, Featuring Long-Wavelength Emission. <i>Chemistry - A European Journal</i> , 2018 , 24, 11119-111	з б .8	14
55	Formation of Mono- and Polynuclear Luminescent Lanthanide Complexes based on the Coordination of Preorganized Phosphonated Pyridines. <i>Inorganic Chemistry</i> , 2018 , 57, 6095-6106	5.1	15
54	Short oligopeptides with three cysteine residues as models of sulphur-rich Cu(i)- and Hg(ii)-binding sites in proteins. <i>Metallomics</i> , 2018 , 10, 1232-1244	4.5	8
53	New water-soluble fluorescent sensors based on calix[4]arene biscrown-6 for selective detection of cesium. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018 , 364, 355-362	4.7	9
52	Properly handling negative values in the calculation of binding constants by physicochemical modeling of spectroscopic titration data. <i>Journal of Chemometrics</i> , 2019 , 33, e3183	1.6	2
51	Synthesis, crystal structures and reactivity towards dioxygen of copper(I) complexes with tripodal aliphatic amine ligands. <i>Polyhedron</i> , 2019 , 171, 448-454	2.7	2
50	Activation, Deactivation and Reversibility Phenomena in Homogeneous Catalysis: A Showcase based on the Chemistry of Rhodium/Phosphine Catalysts <i>Catalysts</i> , 2019 , 9, 582	4	8
49	Determination of Stability Constants of Copper(II) Lactate Complexes in Cu2O Electrodeposition Baths by UV-vis Absorption Spectra Factor Analysis. <i>Journal of the Electrochemical Society</i> , 2019 , 166, D761-D767	3.9	7
48	Mononuclear Ni(II) Complexes with a S3O Coordination Sphere Based on a Tripodal Cysteine-Rich Ligand: pH Tuning of the Superoxide Dismutase Activity. <i>Inorganic Chemistry</i> , 2019 , 58, 12775-12785	5.1	4

47	A benzimidazolyl terpyridine-Fe system and its recognition driven molecular model of a traffic light. <i>Dalton Transactions</i> , 2018 , 48, 158-167	4.3	
46	Optical chemosensors for metal ions in aqueous medium with polyfluorene derivatives: Sensitivity, selectivity and regeneration. <i>Sensors and Actuators B: Chemical</i> , 2019 , 286, 521-532	8.5	8
45	The solution thermodynamic stability of desferrioxamine B (DFO) with Zr(IV). <i>Journal of Inorganic Biochemistry</i> , 2019 , 198, 110753	4.2	19
44	Preclinical evidence of enhanced analgesic activity of duloxetine complexed with succinyl-tyclodextrin: A comparative study with cyclodextrin complexes. <i>International Journal of Pharmaceutics</i> , 2019 , 566, 391-399	6.5	2
43	Sensitivity limits for determining 1:1 binding constants from spectrophotometric titrations via global analysis. <i>Journal of Chemometrics</i> , 2019 , 33, e3119	1.6	3
42	Physicochemical Properties Govern the Activity of Potent Antiviral Flavones. ACS Omega, 2019, 4, 4871	-4887	5
41	Phosphate-Rich Biomimetic Peptides Shed Light on High-Affinity Hyperphosphorylated Uranyl Binding Sites in Phosphoproteins. <i>Chemistry - A European Journal</i> , 2019 , 25, 8570-8578	4.8	3
40	Phosphonated Podand Type Ligand for the Complexation of Lanthanide CationsPhosphonated Podand Type Ligand for the Complexation of Lanthanide Cations. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 2168-2174	2.3	5
39	Why are the anionic porphyrins so efficient to induce plant cell death? A structure-activity relationship study to solve the puzzle. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019 , 368, 276-289	4.7	6
38	Multivariate analysis of protolytic and tautomeric equilibria of Erythrosine B and its ester derivatives in ionic and non-ionic micelles. <i>Journal of Molecular Liquids</i> , 2020 , 313, 113320	6	6
37	Two-Way Data Analysis: Multivariate Curve Resolution: Noniterative Resolution Methods. 2020 , 137-15	2	1
36	Stability Constants of Metal Complexes in Solution. 2020 ,		4
35	Time-Resolved Exploration of a photoCORM (Ru(bpy)) Model Compound. <i>Inorganic Chemistry</i> , 2020 , 59, 12075-12085	5.1	2
34	Electrochemical characterization of Cobalt(II)-Complexes involved in marine biogeochemical processes. I. Co(II)-4-nitrocatechol and Co(II)-Humate. <i>Electrochimica Acta</i> , 2020 , 337, 135797	6.7	2
33	Indomethacin Increases Quercetin Affinity for Human Serum Albumin: A Combined Experimental and Computational Study and Its Broader Implications. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
32	Multi-component interaction between bisstyryl dyes and cucurbit[7]uril. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2020 , 98, 249-259	1.7	
31	Luminescent Anion Sensing by Transition-Metal Dipyridylbenzene Complexes Incorporated into Acyclic, Macrocyclic and Interlocked Hosts. <i>Chemistry - A European Journal</i> , 2020 , 26, 5288-5296	4.8	13
30	Formation of Heteropolynuclear Lanthanide Complexes Using Macrocyclic Phosphonated Cyclam-Based Ligands. <i>Inorganic Chemistry</i> , 2020 , 59, 10311-10327	5.1	4

(2012-2020)

29	Supramolecularly regulated copper-bisoxazoline catalysts for the efficient insertion of carbenoid species into hydroxyl bonds. <i>Chemical Communications</i> , 2020 , 56, 6364-6367	5.8	4
28	Lanthanide Podands with a Short Tripodal Ligand: The Missing Piece of Puzzle. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 276-282	2.3	1
27	Gallium(III) complexes of aroylhydrazones derived from nicotinic acid hydrazide in solid state and in solution. <i>Journal of Molecular Structure</i> , 2021 , 1227, 129564	3.4	1
26	Ditopic Chelators of Dicopper Centers for Enhanced Tyrosinases Inhibition. <i>Chemistry - A European Journal</i> , 2021 , 27, 4384-4393	4.8	O
25	Chemical equilibria of Eosin Y and its synthetic ester derivatives in non-ionic and ionic micellar environments. <i>Journal of Molecular Liquids</i> , 2021 , 327, 114794	6	6
24	Helpful correlations to estimate the pK of coordinated HNO: a potential-pH exploration in a pendant-arm cyclam-based ruthenium nitroxyl. <i>Dalton Transactions</i> , 2021 , 50, 1641-1650	4.3	4
23	Cyclam-Based Chelators Bearing Phosphonated Pyridine Pendants for Cu-PET Imaging: Synthesis, Physicochemical Studies, Radiolabeling, and Bioimaging. <i>Inorganic Chemistry</i> , 2021 , 60, 2634-2648	5.1	2
22	Magnesium Complexes of Ladanein: A Beneficial Strategy for Stabilizing Polyphenolic Antivirals. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 2764-2772	2.3	1
21	Design and synthesis of charged porphyrin dimers for polyoxometalate recognition. <i>Comptes Rendus Chimie</i> , 2021 , 24, 1-12	2.7	1
20	Do Spectra Live in the Matrix? A Brief Tutorial on Applications of Factor Analysis to Resolving Spectral Datasets of Mixtures. <i>Journal of Fluorescence</i> , 2021 , 31, 1599-1616	2.4	3
19	Thermodynamic Stability and Speciation of Ga(III) and Zr(IV) Complexes with High-Denticity Hydroxamate Chelators. <i>Inorganic Chemistry</i> , 2021 , 60, 13332-13347	5.1	2
18	Efficiency of dihydroxamic and trihydroxamic siderochelates to extract uranium and plutonium from contaminated soils. <i>Journal of Environmental Radioactivity</i> , 2021 , 235-236, 106645	2.4	3
17	Cooperative Effects in the Self-Assembly of Fullerene Donor Ensembles. 79-105		0
16	Following the Self-Assembly Process in Solution. 1994 , 409-423		10
15	Concise behavior of Curcumin in water-ethanol: Critical Water Aggregation Percentage and multivariate analysis of protolytic equilibria. <i>Dyes and Pigments</i> , 2022 , 197, 109887	4.6	1
14	Effect of Ethanol on the Protolytic Properties of the Vitamins B Group. <i>Journal of the Korean Chemical Society</i> , 2007 , 51, 21-30		
13	Spectrophotometric Study of Acidity and Complex Formation of Anti-Inflammatory Drug Piroxicam with Some Transition Metal Ions in Different Methanol/Water Mixtures by Chemometric Methods. <i>Journal of the Korean Chemical Society</i> , 2009 , 53, 693-703		
12	A physico-biochemical study on potential redox-cyclers as antimalarial and anti-schistosomal drugs. <i>Current Pharmaceutical Design</i> , 2012 , 18, 3539-66	3.3	15

11	Cyclic Analogs of Desferrioxamine E Siderophore for Ga Nuclear Imaging: Coordination Chemistry and Biological Activity in. <i>Inorganic Chemistry</i> , 2021 , 60, 17846-17857	5.1	О
10	Ultrafast charge transfer dynamics in 2D covalent organic frameworks/Re-complex hybrid photocatalyst <i>Nature Communications</i> , 2022 , 13, 845	17.4	6
9	Predicting the uniqueness of single non-negative profiles estimated by multivariate curve resolution methods <i>Analytica Chimica Acta</i> , 2022 , 1199, 339575	6.6	1
8	Multiwavelength spectrophotometric-thermodynamic studies of complexation reactions of newly synthesized triazenes with Hg2+, Pb2+, Zn2+, and Cd2+ in MeOH, EtOH, DMF, and DMSO. <i>Journal of Molecular Liquids</i> , 2022 , 357, 119145	6	O
7	A Simple Fluorescence Affinity Assay to Decipher Uranyl-Binding to Native Proteins <i>Angewandte Chemie - International Edition</i> , 2022 ,	16.4	0
6	Bootstrap methods for quantifying the uncertainty of binding constants in the hard modeling of spectrophotometric titration data. <i>Analytica Chimica Acta</i> , 2022 , 339834	6.6	1
5	A Simple Fluorescence Affinity Assay to Decipher Uranyl-Binding to Native Proteins. <i>Angewandte Chemie</i> ,	3.6	
4	Metal-Mediated Interactions in Homo- and Heterobimetallic Edifices with Lanthanides: A Study in Solution. <i>European Journal of Inorganic Chemistry</i> ,	2.3	1
3	Styryl dyes with N-Methylpiperazine and N-Phenylpiperazine Functionality: AT-DNA and G-quadruplex binding ligands and theranostic agents. <i>Bioorganic Chemistry</i> , 2022 , 127, 105999	5.1	1
2	Simultaneous staining of endoplasmic reticulum and lipid droplets by naphthol-aminonaphthalimide conjugates and photoinduced antiproliferative effects. 2022 , 110651		O
1	Evaluation of ferrocenyl-containing Ehydroxy-Elactam-derived tetramates as potential antiplasmodials. 2022 , 243, 114735		0