

CITATION REPORT

List of articles citing

Echocardiographic assessment of left ventricular hypertrophy: comparison to necropsy findings

DOI: 10.1016/0002-9149(86)90771-x
American Journal of Cardiology, 1986, 57, 450-8.

Source: <https://exaly.com/paper-pdf/18055297/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2251	Class, subclass, and allelic exclusion of membrane-bound Ig of human B lymphocytes. 1972 , 136, 409-14		88
2250	Gauging volcanic blast hazards not so simple. 1981 , 212, 1259		1
2249	Performance of primary and derived M-mode echocardiographic measurements for detection of left ventricular hypertrophy in necropsied subjects and in patients with systemic hypertension, mitral regurgitation and dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1986 , 57, 1388-93	3	170
2248	The prevalence and correlates of echocardiographic left ventricular hypertrophy among employed patients with uncomplicated hypertension. 1986 , 7, 639-50		390
2247	Reproducibility of Quantitative Echocardiography: Factors Affecting Variability of Imaging and Doppler Measurements. 1986 , 3, 219-235		33
2246	Echocardiography in Hypertension: A Review I. Left Ventricular Wall Mass, Standardization, and Ventricular Function. 1986 , 3, 181-218		30
2245	Cardiac structure and function in renovascular hypertension produced by unilateral and bilateral renal artery stenosis. <i>American Journal of Cardiology</i> , 1986 , 58, 575-82	3	64
2244	Left ventricular hypertrophy in hypertension. Prevalence and relationship to pathophysiologic variables. 1987 , 9, 1153-60		57
2243	Standardization in the measurement of left ventricular wall mass. M-mode echocardiography. 1987 , 9, 1127-9		3
2242	Detection of left ventricular hypertrophy by M-mode echocardiography. Anatomic validation, standardization, and comparison to other methods. 1987 , 9, 1119-26		234
2241	Recommendations concerning use of echocardiography in hypertension and general population research. 1987 , 9, 1197-104		50
2240	Echocardiographic left ventricular mass and function in the hypertensive baboon. 1987 , 10, 339-45		22
2239	Cost-effectiveness of echocardiography and electrocardiography for detection of left ventricular hypertrophy in patients with systemic hypertension. 1987 , 9, 1169-76		28
2238	Reproducibility of echocardiographic left ventricular measurements. 1987 , 9, 116-18		68
2237	Blood pressure and echocardiographic measures in children: the Bogalusa Heart Study. 1987 , 75, 106-14		141
2236	Cardiac involvement in essential hypertension. Prevalence, pathophysiology, and prognostic implications. 1987 , 71, 813-26		12
2235	Echocardiographic detection of left ventricular hypertrophy. Its usefulness as a prognostic tool in hypertensive patients. 1987 , 92, 923-5		4

2234	Relationship of the electrocardiographic response to exercise to geometric and functional findings in aortic regurgitation. 1987 , 113, 1097-102		9
2233	Assessment of stiffness of the hypertrophied left ventricle of bicyclists using left ventricular inflow Doppler velocimetry. 1987 , 9, 1250-4		72
2232	Improved sex-specific criteria of left ventricular hypertrophy for clinical and computer interpretation of electrocardiograms: validation with autopsy findings. 1987 , 75, 565-72		43 ¹
2231	Recent Progress in the Electrocardiographic Diagnosis of Ventricular Hypertrophy. 1987 , 5, 455-468		4
2230	Noninvasive assessment of systolic and diastolic left ventricular function in female runners. 1987 , 8, 1305-11		25
2229	Prediction of Symptom Status Following Mitral Valve Replacement for Mitral Regurgitation by Preoperative Echocardiographic Measurement of the End-Systolic Stress to End-Systolic Volume Ratio. 1987 , 1, 321-328		8
2228	Value of Five Electrocardiographic Criteria Correlated with Echocardiographic Left Ventricular Hypertrophy in Elderly Patients. 1987 , 1, 152-154		7
2227	Risk of ventricular arrhythmias in left ventricular hypertrophy: the Framingham Heart Study. <i>American Journal of Cardiology</i> , 1987 , 60, 560-5	3	35 ⁰
2226	Maximum oxygen uptake and cardiac size and function in twins. <i>American Journal of Cardiology</i> , 1987 , 60, 1362-7	3	4 ⁰
2225	Echocardiographic criteria for left ventricular hypertrophy: the Framingham Heart Study. <i>American Journal of Cardiology</i> , 1987 , 59, 956-60	3	699
2224	Systolic and diastolic performance in normal human subjects as measured by ultrafast computed tomography. 1988 , 15, 277-83		23
2223	Electrocardiographic detection of left ventricular hypertrophy in the presence of left anterior fascicular block. <i>American Journal of Cardiology</i> , 1988 , 61, 1098-101	3	17
2222	Relation of concentric left ventricular hypertrophy and extracardiac target organ damage to supranormal left ventricular performance in established essential hypertension. <i>American Journal of Cardiology</i> , 1988 , 62, 246-52	3	59
2221	Left ventricular structural characteristics in unilateral renovascular hypertension and primary aldosteronism. <i>American Journal of Cardiology</i> , 1988 , 62, 1224-7	3	41
2220	Accuracy of the RV6:RV5 voltage ratio for increased left ventricular mass. <i>American Journal of Cardiology</i> , 1988 , 62, 985-7	3	16
2219	Left atrial enlargement: an early sign of hypertensive heart disease. 1988 , 116, 1048-51		73
2218	Relationship between ambulatory and exercise blood pressure and cardiac structure. 1988 , 116, 1124-33		53
2217	Effects of electrophysiologic studies resulting in electrical countershock or burst pacing on left ventricular systolic and diastolic function. 1988 , 116, 364-70		21

2216	Combined hemodynamic overload of the left and right ventricles as a possible cause of interventricular septum preponderance in high blood pressure. 1988 , 116, 509-14	2
2215	Cardiac pathophysiology and its heterogeneity in patients with established hypertensive disease. The first Robert C. Tarazi lecture. 1988 , 84, 3-11	9
2214	Effects of long term treatment with pinacidil and nifedipine on left ventricular anatomy and function in patients with mild to moderate systemic hypertension. 1988 , 36 Suppl 7, 70-6	11
2213	Systolic and diastolic flow abnormalities in elderly patients with hypertensive hypertrophic cardiomyopathy. 1988 , 12, 989-95	77
2212	Relation of blood pressure and body build to left ventricular mass in normotensive and hypertensive employed adults. 1988 , 12, 996-1004	214
2211	Left ventricular mass in children and adolescents. 1988 , 12, 709-11	19
2210	Echocardiographically determined left ventricular mass index in normal children, adolescents and young adults. 1988 , 12, 703-8	195
2209	Echocardiographically detected left ventricular hypertrophy: prevalence and risk factors. The Framingham Heart Study. 1988 , 108, 7-13	603
2208	Reversion of cardiac hypertrophy and reduced arterial compliance after converting enzyme inhibition in essential hypertension. 1988 , 78, 941-50	201
2207	Cardiac hypertrophy in hypertension. Repolarization abnormalities elicited by rapid lowering of pressure. 1988 , 11, 84-91	51
2206	Comparison of computer and non-computer-assisted technologies in noninvasive cardiac imaging. 1988 , 1, 96S-99S	1
2205	Noninvasive assessment of left ventricular diastolic function by pulsed Doppler echocardiography in young alcoholics. 1988 , 75, 431-9	23
2204	Different determinants of left ventricular filling in normotensive subjects and essential hypertensive patients. 1989 , 2, 117-9	11
2203	Cardiac and hemodynamic adjustments to rapid and sustained blood pressure reduction. 1989 , 2, 196S-199S	6
2202	Ultrasonic tissue characterization of human hypertrophied hearts in vivo with cardiac cycle-dependent variation in integrated backscatter. 1989 , 80, 925-34	131
2201	Importance of left ventricular mass as a predictor of cardiovascular morbidity in hypertension. 1989 , 2, 650-4	35
2200	Effect of age on left ventricular filling in children of hypertensive parents. 1989 , 2, 792-6	3
2199	Prevalence of cardiac structural and functional abnormalities in untreated primary hypertension. 1989 , 13, 151-62	81

2198	Treatment of severe hypertension with atenolol and betaxolol with once-daily regimens. Hemodynamic aspects. 1989 , 96, 499-504		10
2197	Usefulness of Doppler echocardiography in the diagnosis of congestive heart failure. <i>American Journal of Cardiology</i> , 1989 , 63, 1098-102	3	95
2196	Effects of dilevalol, metoprolol and atenolol on left ventricular mass and function in nonelderly and elderly hypertensive patients. <i>American Journal of Cardiology</i> , 1989 , 63, 691-741	3	7
2195	Electrocardiographic left ventricular hypertrophy and effects of antihypertensive drug therapy in hypertensive participants in the Multiple Risk Factor Intervention Trial. <i>American Journal of Cardiology</i> , 1989 , 63, 202-10	3	105
2194	Left ventricular hypertrophy in persons age 90 years and older. <i>American Journal of Cardiology</i> , 1989 , 63, 237-40	3	11
2193	Noninvasive ambulatory blood pressure monitoring in patients with recently detected systemic hypertension. <i>American Journal of Cardiology</i> , 1989 , 64, 62F-64F	3	1
2192	Differential sensitivity of the RV6:RV5 voltage ratio by pathogenesis of left ventricular hypertrophy and diagnostic cutpoint. <i>American Journal of Cardiology</i> , 1989 , 64, 817-9	3	7
2191	Preparticipation echocardiographic screening for cardiovascular disease in a large, predominantly black population of collegiate athletes. <i>American Journal of Cardiology</i> , 1989 , 64, 1029-33	3	97
2190	Left ventricular structure and function in professional basketball players. <i>American Journal of Cardiology</i> , 1989 , 64, 1072-4	3	9
2189	The effect of chronic antihypertensive therapy on the index of left ventricular mass in patients with essential hypertension. 1989 , 22, 75-81		7
2188	Cardiac hypertrophy in old age. 1989 , 1, 1147		
2187	Transdermal testosterone. 1989 , 1, 1146-7		1
2186	Relationship of atrial natriuretic factor to left ventricular volume and mass. 1989 , 118, 1236-42		12
2185	Accuracy and reproducibility of clinically acquired two-dimensional echocardiographic mass measurements. 1989 , 118, 133-7		36
2184	Noninvasive assessment of diastolic and systolic properties of ibopamine in patients with congestive heart failure. 1989 , 117, 395-402		10
2183	Cardiac performance after reduction of myocardial hypertrophy. 1989 , 87, 22-7		58
2182	Left ventricular dynamics during exercise in elite marathon runners. 1989 , 14, 112-8		44
2181	Plasma atrial natriuretic factor in essential hypertension: relation to cardiac size, function and systemic hemodynamics. 1989 , 14, 715-24; discussion 725-7		51

2180	Immediate and short-term effects of aortic balloon valvuloplasty on left ventricular diastolic function and filling in humans. 1989 , 14, 1218-28		16
2179	Determinants of abnormal left ventricular filling in early hypertension. 1989 , 14, 979-85		89
2178	Left ventricular diastolic function: comparison of pulsed Doppler echocardiographic and hemodynamic indexes in subjects with and without coronary artery disease. 1989 , 13, 327-36		277
2177	Echocardiographic insights into the pathophysiology and prognostic significance of hypertensive cardiac hypertrophy. 1989 , 2, 186S-195S		9
2176	Regression of left ventricular hypertrophy in treated hypertensive patients with diltiazem and metoprolol—a double blind randomized study. 1989 , 29, 791-7		3
2175	Echo-Doppler assessment of left ventricular filling in borderline hypertension. 1989 , 2, 891-7		24
2174	Sustained Calcium Channel Blockade in the Treatment of Severe Hypertension. 1990 , 3, 313S-317S		2
2173	Ambulatory blood pressure monitoring and echocardiographic left ventricular wall thickness and mass. 1990 , 3, 81-9		105
2172	Doppler echocardiographic study of the consequences of aging and hypertension on the left ventricle and aorta. 1990 , 11 Suppl G, 39-45		29
2171	Left ventricular filling in hypertensive blacks and whites following adrenergic blockade. 1990 , 3, 48-51		2
2170	Artefacts in measurement of blood pressure and lack of target organ involvement in the assessment of patients with treatment-resistant hypertension. 1990 , 112, 270-7		59
2169	Prevalence and determinants of left ventricular diastolic filling abnormalities in an unselected hypertensive population. 1990 , 11, 679-91		83
2168	Right ventricular diastolic function in systemic hypertension. <i>American Journal of Cardiology</i> , 1990 , 65, 1117-20	3	41
2167	Risk stratification of left ventricular hypertrophy in systemic hypertension using noninvasive ambulatory blood pressure monitoring. <i>American Journal of Cardiology</i> , 1990 , 66, 583-90	3	56
2166	Left ventricular pseudohypertrophy in pericardial effusion as a sign of cardiac tamponade. <i>American Journal of Cardiology</i> , 1990 , 66, 508-11	3	11
2165	Left ventricular hypertrophy is associated with worse survival independent of ventricular function and number of coronary arteries severely narrowed. <i>American Journal of Cardiology</i> , 1990 , 65, 441-5	3	174
2164	Growth of the human heart relative to body surface area. <i>American Journal of Cardiology</i> , 1990 , 65, 662-8		219
2163	Diversity of patterns of hypertrophy in patients with systemic hypertension and marked left ventricular wall thickening. <i>American Journal of Cardiology</i> , 1990 , 65, 874-81	3	43

2162	[Significance of microproteinuria for early detection of hypertension-induced end organ damage]. 1990 , 68, 256-62	7
2161	Left ventricular hypertrophy reversal with labetalol and propranolol: a prospective randomized, double-blind study. 1990 , 4, 427-33	4
2160	Regression of left ventricular hypertrophy and systolic function in hypertensive patients during long-term treatment with ketanserin. 1990 , 4 Suppl 1, 77-80	4
2159	Sustained Calcium Channel Blockade in the Treatment of Severe Hypertension. 1990 , 3, 313S-317S	0
2158	Effects of Intravascular Volume Loading and Unloading on Atrial Sizes and Left Ventricular Function in Dialyzed Uremic Man. 1990 , 4, 53-59	3
2157	Mitral Anular Calcification: An Age-Stratified Case-Control Study. 1990 , 4, 352-357	
2156	Left Ventricular Filling Indexes in Hypertension: Relationships to Different Anatomic Features. 1990 , 4, 167-171	
2155	Echocardiographie Left Ventricular Mass Measurement in Small Animals: Anatomic Validation in Normal and Aortic Regurgitant Rabbits. 1990 , 4, 145-153	12
2154	Dietary calcium induces regression of left ventricular hypertrophy in hypertensive non-insulin-dependent diabetic blacks. 1990 , 3, 458-63	31
2153	Measurement of cardiac output by M-mode and two-dimensional echocardiography: application to patients with hypertension. 1990 , 11 Suppl I, 67-78	59
2152	Is the electrocardiogram still useful for detection of left ventricular hypertrophy?. 1990 , 81, 1144-6	45
2151	Relation of left ventricular hemodynamic load and contractile performance to left ventricular mass in hypertension. 1990 , 81, 25-36	208
2150	Restrictive diastolic abnormalities identified by Doppler echocardiography in patients with thalassemia major. 1990 , 82, 88-94	151
2149	Glomerular Hyperfiltration Indicates Early Target Organ Damage in Essential Hypertension. 1990 , 264, 2775	68
2148	ACC/AHA guidelines for the clinical application of echocardiography. A report of the American College of Cardiology/American Heart Association Task Force on Assessment of Diagnostic and Therapeutic Cardiovascular Procedures (Subcommittee to Develop Guidelines for the Clinical Application of Echocardiography). 1990 , 82, 2323-45	34
2147	Left ventricular hypertrophy sensitizes the myocardium to the development of ischaemia. 1990 , 11 Suppl G, 72-8	67
2146	Is echocardiography an adequate method to evaluate left ventricular hypertrophy regression?. 1990 , 11 Suppl G, 107-12	15
2145	Echocardiography (2). 1990 , 323, 165-72	31

2144	Echocardiographic measurement of left ventricular mass and volume in normotensive and hypertensive rats. Necropsy validation. 1990 , 3, 688-96	113
2143	Determinants of cardiac involvement in children and adolescents with essential hypertension. 1990 , 82, 1243-8	158
2142	Effect of moderate physical training on left ventricular mass in mild hypertensive persons. 1990 , 15, 1153-6	24
2141	The Relationship Between 'Job Strain,' Workplace Diastolic Blood Pressure, and Left Ventricular Mass Index. 1990 , 263, 1929	225
2140	Doppler echocardiographic findings in dialysis patients. 1990 , 5, 426-31	65
2139	Risk reduction following regression of cardiac hypertrophy. 1990 , 12, 903-16	4
2138	Circadian blood pressure changes and left ventricular hypertrophy in essential hypertension. 1990 , 81, 528-36	1029
2137	Determinants of sensitivity and specificity of electrocardiographic criteria for left ventricular hypertrophy. 1990 , 81, 815-20	403
2136	Electrocardiographic diagnosis of left ventricular hypertrophy in the presence of left bundle branch block: a wasted effort. 1990 , 28, 215-21	10
2135	Placebo-controlled trial of oral enoximone in end-stage congestive heart failure refractory to optimal treatment. 1990 , 28 Suppl 1, S33-42; discussion S43	15
2134	Prognostic implications of echocardiographically determined left ventricular mass in the Framingham Heart Study. 1990 , 322, 1561-6	4576
2133	Relation of obesity, high sodium intake, and eccentric left ventricular hypertrophy to left ventricular exercise dysfunction in essential hypertension. 1990 , 88, 477-85	57
2132	Left ventricular mass regression after aortic valve replacement measured by ultrafast computed tomography. 1990 , 120, 919-27	30
2131	Hypertensive heart disease: relationship of silent ischemia to coronary artery disease and left ventricular hypertrophy. 1990 , 120, 928-33	39
2130	Techniques for the determination of left ventricular mass by signal-averaged electrocardiography. 1990 , 120, 958-63	17
2129	Relations among impaired coronary flow reserve, left ventricular hypertrophy and thallium perfusion defects in hypertensive patients without obstructive coronary artery disease. 1990 , 15, 43-51	291
2128	ACC/AHA guidelines for the clinical application of echocardiography. 1990 , 16, 1505-1528	21
2127	Echocardiographic evaluation of cardiac structure and function in elderly subjects with isolated systolic hypertension. 1991 , 17, 422-30	111

2126	Aortoseptal angulation and left ventricular hypertrophy pattern: an echocardiographic study in patients with aortic valvular stenosis. 1991 , 4, 583-8	9
2125	Elevated serum activity of N-acetyl-beta-glucosaminidase in essential hypertension: diagnostic value and reversal to normal values after antihypertensive therapy. 1991 , 18, 638-48	5
2124	The inheritance of left ventricular structure and function assessed by imaging and Doppler echocardiography. 1991 , 121, 1743-9	62
2123	Left ventricular mechanics in preeclampsia. 1991 , 121, 1768-75	74
2122	Factors influencing transmitral flow velocity in normal and hypertensive subjects. 1991 , 122, 1101-6	11
2121	Relationship of left ventricular mass to impairment of coronary vasodilator reserve in hypertensive heart disease. 1991 , 121, 1107-12	22
2120	Electrocardiographic signs of atrial overload in hypertensive patients: indexes of abnormality of atrial morphology or function?. 1991 , 121, 1113-8	12
2119	Left ventricular mass in childhood dilated cardiomyopathy: a possible predictor for selection of patients for cardiac transplantation. 1991 , 122, 126-31	11
2118	Left ventricular hypertrophy: diagnosis, prognosis, and management. 1991 , 121, 148-57	23
2117	Prediction of left ventricular mass from the electrocardiogram. 1991 , 24, 121-7	26
2116	Left ventricular diastolic filling abnormalities identified by Doppler echocardiography in asymptomatic patients with sickle cell anemia. 1991 , 17, 1473-8	36
2115	Normalization of left ventricular mass and associated changes in neurohormones and atrial natriuretic peptide after 1 year of sustained nifedipine therapy for severe hypertension. 1991 , 17, 1595-602	59
2114	Casual, ambulatory and stress blood pressure: relationships with left ventricular mass and filling. 1991 , 31, 89-96	16
2113	Effect of balloon aortic valvuloplasty on Doppler indexes of left ventricular diastolic filling. <i>American Journal of Cardiology</i> , 1991 , 67, 544-6	3 4
2112	Cardiac changes from beta-blocker, diuretic and minoxidil combination in hypertension. 1991 , 78, 45-52	7
2111	Systolic intra-cavitary gradients following aortic valve replacement: an echo-Doppler study. 1991 , 12, 1098-106	22
2110	Relation of left ventricular mass and geometry to morbidity and mortality in uncomplicated essential hypertension. 1991 , 114, 345-52	1649
2109	Regression of left ventricular hypertrophy with 1 year of antihypertensive treatment in type 1 diabetic patients with early nephropathy. 1991 , 8, 106-10	12

2108	Left ventricular mass as a predictor of development of hypertension. 1991 , 4, 603S-607S		33
2107	Reversal of left ventricular hypertrophy following recombinant human erythropoietin treatment of anaemic dialysed uraemic patients. 1991 , 6, 31-7		118
2106	The limited echocardiogram: a modification of standard echocardiography for use in the routine evaluation of patients with systemic hypertension. <i>American Journal of Cardiology</i> , 1991 , 67, 1027-30	3	48
2105	Noninvasive assessment by pulsed Doppler ultrasound of left ventricular filling behavior in long distance runners during marathon race. <i>American Journal of Cardiology</i> , 1991 , 68, 1237-41	3	10
2104	Hemodynamic comparison of two nifedipine formulations in patients with essential hypertension. <i>American Journal of Cardiology</i> , 1991 , 68, 1346-50	3	43
2103	Age-related variation in contractility estimate in patients less than or equal to 20 years of age. <i>American Journal of Cardiology</i> , 1991 , 68, 1383-7	3	46
2102	Gender differences in left ventricular anatomy, blood viscosity and volume regulatory hormones in normal adults. <i>American Journal of Cardiology</i> , 1991 , 68, 1704-8	3	88
2101	Factors influencing Doppler indexes of left ventricular filling in healthy persons. <i>American Journal of Cardiology</i> , 1991 , 68, 653-9	3	95
2100	Thallium-201 stress scintigraphy in Takayasu arteritis. <i>American Journal of Cardiology</i> , 1991 , 67, 879-82	3	25
2099	Abnormal left ventricular diastolic filling in eccentric left ventricular hypertrophy of obesity. <i>American Journal of Cardiology</i> , 1991 , 68, 95-8	3	91
2098	Left ventricular myocardial mass determined by cross-sectional echocardiography in normal newborns, infants, and children. 1991 , 12, 143-9		53
2097	Isolated T-wave abnormalities and evaluation of left ventricular wall motion after nifedipine for severe hypertension. 1991 , 4, 432-7		15
2096	Red blood cell lithium-sodium countertransport in the tecumseh blood pressure study. 1991 , 17, 652-60		15
2095	Elevated pulmonary artery pressure. An independent predictor of mortality. 1991 , 99, 112-20		53
2094	Regression of left ventricular hypertrophy--a meta-analysis. 1992 , 14, 173-80		26
2093	Cardiac structure and function in children with human immunodeficiency virus infection treated with zidovudine. 1992 , 327, 1260-5		95
2092	Population-Derived Comparisons of Ambulatory and Office Blood Pressures. 1992 , 152, 750		31
2091	Relation between job strain, alcohol, and ambulatory blood pressure. 1992 , 19, 488-94		217

2090	Gender differences in left ventricular structure and function in young adults with normal or marginally elevated blood pressure. 1992 , 5, 32-6	24
2089	Variability between current definitions of 'normal' ambulatory blood pressure. Implications in the assessment of white coat hypertension. 1992 , 20, 555-62	163
2088	Reversal of left ventricular hypertrophy in hypertensive patients. A metaanalysis of 109 treatment studies. 1992 , 5, 95-110	821
2087	Differences in left ventricular structural and functional changes between pheochromocytoma and essential hypertension. Role of elevated circulating catecholamines. 1992 , 5, 134-40	32
2086	Left Ventricular Hypertrophy in Black and White Hypertensives. 1992 , 267, 3294	79
2085	.	0
2084	Diurnal blood pressure variation and cardiac mass in American blacks and whites and South African blacks. 1992 , 5, 111-6	62
2083	Correlates of the estimated arterial compliance in the population of Tecumseh, Michigan. 1992 , 1, 27-34	13
2082	The prognostic role of left ventricular hypertrophy in patients with or without coronary artery disease. 1992 , 117, 831-6	345
2081	Left ventricular mass as a measure of preclinical hypertensive disease. 1992 , 5, 175S-181S	24
2080	Effect of a new multifactorial antihypertensive on heart morphology and function in mild to moderate essential arterial hypertension. 1992 , 13 Suppl A, 45-8	94
2079	Inter-study variability in left ventricular mass measurement. Comparison between M-mode echography and MRI. 1992 , 13, 1011-9	113
2078	Effects of enalapril on heart failure in hypertensive patients with diastolic dysfunction. 1992 , 5, 480-3	13
2077	Angiotensin converting enzyme inhibition of renin system activity induces reversal of hypertensive target organ changes. Do these effects predict a reduction in long-term morbidity?. 1992 , 5, 923-6	1
2076	Echocardiographic design of a multicenter investigation of free-living elderly subjects: the Cardiovascular Health Study. 1992 , 5, 63-72	195
2075	Cardiac hypertrophy and aortic compliance after calcium channel antagonism in hypertension. 1992 , 44 Suppl 1, 44-7	2
2074	Left ventricular mechanics in the preterm infant and their effect on the measurement of cardiac performance. 1992 , 120, 114-9	40
2073	Limitations of the electrocardiographic diagnosis of left ventricular hypertrophy: the influence of left anterior hemiblock and right bundle branch block. 1992 , 34, 41-8	15

2072	Left ventricular function response to exercise in normotensive obese subjects: influence of degree and duration of obesity. 1992 , 37, 223-30	29
2071	Ambulatory blood pressure monitoring and left ventricular mass and function after successful surgical repair of coarctation of the aorta. 1992 , 20, 197-204	72
2070	Cardiac manifestations of cocaine abuse: a cross-sectional study of asymptomatic men with a history of long-term abuse of "crack" cocaine. 1992 , 20, 1168-74	49
2069	Left ventricular mass and body size in normotensive children and adults: assessment of allometric relations and impact of overweight. 1992 , 20, 1251-60	1421
2068	Patterns of left ventricular hypertrophy and geometric remodeling in essential hypertension. 1992 , 19, 1550-8	1218
2067	Lessons From Framingham: Cardiac Disease in the General Population. 1992 , 19-38	
2066	The influence of obesity on left ventricular filling and systolic function. 1992 , 124, 694-9	69
2065	Doppler assessment of right ventricular filling dynamics in systemic hypertension: comparison with left ventricular filling. 1992 , 124, 1313-20	23
2064	Determinants of ventricular ectopy in hypertensive cardiac hypertrophy. 1992 , 123, 89-95	22
2063	The role of gender in echocardiographically determined left ventricular mass in equally trained populations of runners. 1992 , 124, 1104-6	7
2062	Diminished nocturnal decline in blood pressure in elderly hypertensive patients with left ventricular hypertrophy. 1992 , 123, 1307-11	86
2061	Perindopril versus captopril: efficacy and acceptability in an Italian multicenter trial. 1992 , 92, 79S-83S	12
2060	Reversal of cardiovascular structural changes when treating essential hypertension. The importance of the renin-angiotensin-aldosterone system. 1992 , 5, 900-11	54
2059	Automated versus observer blood pressure as determinants of left ventricular structure. 1992 , 13, 1373-9	14
2058	Left ventricular diastolic and systolic function in normotensive obese subjects: influence of degree and duration of obesity. 1992 , 13, 738-42	74
2057	Rapid left ventricular filling in untreated hypertensive subjects with or without left ventricular hypertrophy. 1992 , 102, 1507-11	10
2056	Fasting insulin and left ventricular mass in hypertensives and normotensive controls. 1992 , 81, 207-12	24
2055	Comparison of ketanserin and celiprolol on regression of left ventricular hypertrophy in older hypertensive patients. 1992 , 6, 419-24	6

2054	Antihypertensive efficacy and effects of nitrendipine on cardiac and renal hemodynamics in mild to moderate hypertensive patients: randomized controlled trial versus hydrochlorothiazide. 1992 , 6, 141-6		8
2053	Regression of left ventricular hypertrophy in "previously untreated" hypertensive blacks after 6 months of blood pressure reduction with alpha- and beta-adrenergic blockade and thiazide therapy. 1992 , 6, 147-51		2
2052	Regression of left ventricular hypertrophy in systemic hypertension with beta blockers (propranolol, atenolol, metoprolol, pindolol and celiprolol). <i>American Journal of Cardiology</i> , 1992 , 70, 1209-11	3	11
2051	Exclusion of coronary artery disease by exercise thallium-201 tomography in patients with aortic valve stenosis. <i>American Journal of Cardiology</i> , 1992 , 70, 635-40	3	52
2050	Left ventricular function and dimensions in newly diagnosed non-insulin-dependent diabetes mellitus. <i>American Journal of Cardiology</i> , 1992 , 70, 371-8	3	72
2049	Racial differences in left ventricular structure in healthy young adults. <i>American Journal of Cardiology</i> , 1992 , 69, 1196-9	3	58
2048	Relation of regression of left ventricular hypertrophy to changes in ambulatory blood pressure after long-term therapy with perindopril versus nifedipine. <i>American Journal of Cardiology</i> , 1992 , 70, 468-73	3	30
2047	Effects of long-acting nifedipine on casual office blood pressure measurements, 24-hour ambulatory blood pressure profiles, exercise parameters and left ventricular mass and function in black patients with mild to moderate systemic hypertension. <i>American Journal of Cardiology</i> , 1992 , 70, 474-8	3	15
2046	Determinants of Doppler indexes of left ventricular diastolic function in normal subjects (the Framingham Heart Study). <i>American Journal of Cardiology</i> , 1992 , 70, 508-15	3	277
2045	Morphologic, hemodynamic and coronary perfusion characteristics in severe left ventricular hypertrophy secondary to systemic hypertension and evidence for nonatherosclerotic myocardial ischemia. <i>American Journal of Cardiology</i> , 1992 , 69, 219-24	3	31
2044	Hemodynamic and metabolic effects of intravenous clentiazem in hypertensive patients. <i>American Journal of Cardiology</i> , 1992 , 69, 229-32	3	1
2043	Aortic regurgitation in patients with Takayasu arteritis: assessment by color Doppler echocardiography. 1992 , 7, 111-5		16
2042	Left ventricular dysfunction and HLA Bw52 antigen in Takayasu arteritis. 1992 , 7, 116-9		36
2041	Effects of amlodipine on renal haemodynamics in mild to moderate hypertensive patients. A randomized controlled study versus placebo. 1993 , 45, 307-11		12
2040	Regression of left ventricular hypertrophy in hypertensive dialyzed uremic patients on long-term antihypertensive therapy. 1993 , 44, 881-6		77
2039	Cardiovascular consequences of correction of the anemia of renal failure with erythropoietin. 1993 , 44, 1309-15		55
2038	Cardiac anatomy and diastolic filling in professional road cyclists. 1993 , 67, 569-570		
2037	Long-term echocardiographic follow-up of acromegalic heart disease. <i>American Journal of Cardiology</i> , 1993 , 72, 205-10	3	35

2036	Menopause-induced changes in left ventricular wall thickness. <i>American Journal of Cardiology</i> , 1993 , 72, 240-1	3	43
2035	Relation of left ventricular function to habitual alcohol consumption. <i>American Journal of Cardiology</i> , 1993 , 72, 1418-24	3	12
2034	Accuracy and reproducibility of left ventricular mass measurement by subcostal M-mode echocardiography in hypertensive patients and professional bicyclists. <i>American Journal of Cardiology</i> , 1993 , 72, 620-4	3	11
2033	Effect of subadipose tissue on the variables of signal-averaged electrocardiography in healthy subjects. <i>American Journal of Cardiology</i> , 1993 , 71, 465-7	3	4
2032	Echocardiographic assessment of left ventricular structure and diastolic filling in elderly subjects with borderline isolated systolic hypertension (the Framingham Heart Study). <i>American Journal of Cardiology</i> , 1993 , 72, 662-5	3	41
2031	Rapid systolic intraventricular velocities after valve replacement for aortic stenosis. <i>American Journal of Cardiology</i> , 1993 , 71, 944-8	3	13
2030	Left ventricular myocardial function in myotonic dystrophy. <i>American Journal of Cardiology</i> , 1993 , 71, 987-91	3	37
2029	Cardiac adaptation to increased systemic blood pressure in borderline hypertensive men. <i>American Journal of Cardiology</i> , 1993 , 72, 407-12	3	8
2028	Alterations in heart rate variability and its circadian rhythm in hypertensive patients with left ventricular hypertrophy free of coronary artery disease. 1993 , 126, 1364-72		93
2027	The role of transesophageal echocardiography in cardiac donor screening. 1993 , 125, 1676-81		20
2026	Impaired left ventricular filling in borderline hypertensive patients without cardiac structural changes. 1993 , 125, 1710-6		43
2025	Left ventricular hypertrophy in normotensive cocaine users. 1993 , 125, 1441-3		19
2024	Glomerular hyperfiltration indicates organ damage in essential hypertension. 1993 , 54, 400-405		
2023	Reference values for Doppler indexes of left ventricular diastolic filling in the elderly. 1993 , 6, 570-6		53
2022	Assessment of cerebrovascular disease in the Cardiovascular Health Study. 1993 , 3, 504-7		115
2021	Management of the patient with left ventricular hypertrophy. 1993 , 14 Suppl D, 22-32		9
2020	Discordance in degree of right and left ventricular dilation in patients with dilated cardiomyopathy: recognition and clinical implications. 1993 , 21, 649-54		69
2019	Relation of left ventricular mass, preload, afterload and contractility in pediatric patients with essential hypertension. 1993 , 21, 997-1001		34

2018	Improved detection of echocardiographic left ventricular hypertrophy using a new electrocardiographic algorithm. 1993 , 21, 1680-6	64
2017	Ventricular arrhythmias in Takayasu arteritis. 1993 , 40, 243-9	6
2016	Precursors of established hypertension in borderline hypertensives. A two-year follow-up. 1993 , 39, 113-9	11
2015	Prevalence of ventricular premature complexes in healthy and untreated hypertensive elderly people. 1993 , 44, 447-53	4
2014	What Is Normal Blood Pressure? Comparison of Ambulatory Pressure Level and Variability In Patients With Normal or Abnormal Left Ventricular Geometry. 1993 ,	
2013	Aortic distensibility and left ventricular structure and function in isolated systolic hypertension. 1993 , 14, 1465-70	79
2012	Interrelation of cardiac and vascular structure in young men with borderline hypertension. 1993 , 14, 1304-14	9
2011	Left ventricular mass and geometry before and after etiologic treatment in renovascular hypertension, aldosterone-producing adenoma, and pheochromocytoma. 1993 , 6, 907-13	70
2010	Assessment of left ventricular hypertrophy in patients with essential hypertension. A rational basis for the electrocardiogram. 1993 , 6, 164-9	24
2009	Reversal of diastolic dysfunction in borderline hypertension by long-term medical treatment. Longitudinal evaluation by pulsed Doppler echocardiography. 1993 , 6, 547-53	11
2008	Methods for detection of left ventricular hypertrophy: application to hypertensive heart disease. 1993 , 14 Suppl D, 8-15	101
2007	Left ventricular hypertrophy and hypertension. 1993 , 15, 1025-32	25
2006	Does obesity influence early target organ damage in hypertensive patients?. 1993 , 87, 1482-8	56
2005	Concentric left ventricular hypertrophy in patients with Takayasu arteritis. 1993 , 44, 883-8	3
2004	Blunted nocturnal fall in blood pressure in hypertensive women with future cardiovascular morbid events. 1993 , 88, 986-92	227
2003	Relationships between ambulatory blood pressure, forearm vascular resistance, and left ventricular mass in hypertensive and normotensive subjects. 1993 , 6, 786-93	22
2002	Comparison of left ventricular mass and geometry in black and white patients with essential hypertension. 1993 , 6, 815-23	96
2001	Cardiovascular manifestations of hypertension in children. 1993 , 40, 51-9	5

2000	Modification of exercise performance by sharp reduction of blood pressure. A study in patients with uncomplicated hypertension. 1993 , 104, 1755-8	
1999	Role of preclinical cardiovascular disease in the evolution from risk factor exposure to development of morbid events. 1993 , 88, 1444-55	230
1998	Cardiac diastolic abnormalities and atrial natriuretic factor in essential hypertension. 1993 , 14, 910-4	12
1997	Non-invasive evaluation of left ventricular systolic function late after coarctation repair: influence of early vs late surgery. 1993 , 14, 764-9	15
1996	Beneficial effect of isradipine on the development of left ventricular hypertrophy in mild hypertension. 1993 , 6, 955-975	7
1995	Left ventricular mass regression and diastolic function improvement in mild and moderate hypertensive patients treated with lisinopril. 1993 , 83, 76-81	12
1994	Determinants of left ventricular mass in normotensive children. 1993 , 6, 505-13	63
1993	Echocardiographic assessment of LV mass in rabbits: models of pressure and volume overload hypertrophy. 1993 , 265, H2066-72	3
1992	Long-term effects of recombinant human erythropoietin on macro- and microcirculation in chronic hemodialysis patients. 1993 , 11, 237-47	2
1991	Impact of left ventricular structure on the incidence of hypertension. The Framingham Heart Study. 1994 , 90, 179-85	101
1990	Nifedipine versus captopril in the management of moderate hypertension in black patients. 1994 , 7, 440-7	7
1989	Hypertension and the heart. 1994 , 50, 299-321	14
1988	Predictors of left ventricular mass in old age: an echocardiographic, clinical and biochemical investigation of a random population sample. 1994 , 15, 769-80	13
1987	Humoral Determinants of the Left Ventricular Function in Pheochromocytoma Patients. 1994 , 8, 167-170	1
1986	Left ventricular function in children with the Marfan syndrome. 1994 , 15, 625-30	56
1985	Effect of isradipine in black patients with very severe hypertension. 24-hour ambulatory blood pressure monitoring and echocardiographic evaluation. 1994 , 7, 1058-64	5
1984	Left Ventricular Mass and Risk of Stroke in an Elderly Cohort. 1994 , 272, 33	186
1983	Effects on left ventricular hypertrophy of long-term nonpharmacological treatment with sodium restriction in mild-to-moderate essential hypertension. 1994 , 89, 1023-31	113

1982	Relation of obesity and gender to left ventricular hypertrophy in normotensive and hypertensive adults. 1994 , 23, 600-6	320
1981	Intramural myocardial shortening in hypertensive left ventricular hypertrophy with normal pump function. 1994 , 89, 122-31	179
1980	Serial echocardiographic assessment of left ventricular geometry and function after large myocardial infarction in the rat. 1994 , 89, 345-54	335
1979	Electrocardiographic diagnosis of left ventricular hypertrophy in the presence of right bundle branch block in cases with essential hypertension. 1994 , 45, 101-5	2
1978	Hypertension and left ventricular hypertrophy: a consideration of current antihypertensive therapies. 1994 , 9, 49-58	
1977	Magnetic resonance abnormalities and cardiovascular disease in older adults. The Cardiovascular Health Study. 1994 , 25, 318-27	377
1976	Role of ACE inhibitors in hypertension with left ventricular hypertrophy. 1994 , 72, S24-32	6
1975	Left ventricular mass and cardiovascular reactivity in young men. 1994 , 23, 1168-71	25
1974	Cardiac and arterial hypertrophy and atherosclerosis in hypertension. 1994 , 23, 802-9	36
1973	Prevalence and predictors of audible physiological third heart sound in a population sample aged 36 to 37 years. 1994 , 89, 1189-95	21
1972	Relation between physical training and ambulatory blood pressure in stage I hypertensive subjects. Results of the HARVEST Trial. Hypertension and Ambulatory Recording Venetia Study. 1994 , 90, 2870-6	114
1971	Cardiovascular status in young patients with insulin-dependent diabetes mellitus. 1994 , 90, 357-61	44
1970	Correlates of left ventricular mass in a population sample aged 36 to 37 years. Focus on lifestyle and salt intake. 1994 , 89, 1041-50	93
1969	Salt-regulating hormones in young normotensive obese subjects. Effects of saline load. 1994 , 23, 120-4	78
1968	Myocardial adaptation and weight fluctuation in college wrestlers. 1994 , 15, 70-3	3
1967	Evaluation of the effectiveness of isradipine SRO in the treatment of hypertensive patients with left ventricular hypertrophy. 1994 , 8, 153-60	3
1966	Immediate physiological responses of healthy volunteers to different types of music: cardiovascular, hormonal and mental changes. 1994 , 68, 451-9	66
1965	Left ventricular performance during prolonged exercise and early recovery in healthy subjects. 1994 , 69, 396-401	20

1964	Asymmetric left ventricular remodeling due to isolated septal thickening in patients with systemic hypertension and normal left ventricular masses. <i>American Journal of Cardiology</i> , 1994 , 73, 247-52	3	48
1963	Effectiveness of enalapril in combination with low-dose hydrochlorothiazide versus enalapril alone for mild to moderate systemic hypertension in black patients. <i>American Journal of Cardiology</i> , 1994 , 73, 1092-7	3	29
1962	Improved electrocardiographic diagnosis of left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 1994 , 74, 714-9	3	184
1961	Natural history of the asymptomatic/minimally symptomatic patient with severe mitral regurgitation secondary to mitral valve prolapse and normal right and left ventricular performance. <i>American Journal of Cardiology</i> , 1994 , 74, 374-80	3	132
1960	Echocardiographic evidence of left ventricular hypertrophy in a general aged population. <i>American Journal of Cardiology</i> , 1994 , 74, 385-90	3	39
1959	Cardiac dysfunction late after cardiotoxic therapy for childhood cancer. <i>American Journal of Cardiology</i> , 1994 , 74, 1152-6	3	36
1958	Disparate structural effects on left and right ventricles by angiotensin-converting enzyme inhibitors and calcium antagonists in essential hypertension. <i>American Journal of Cardiology</i> , 1994 , 73, 483-7	3	24
1957	Prognostic value of left ventricular mass in uncomplicated acute myocardial infarction and one-vessel coronary artery disease. <i>American Journal of Cardiology</i> , 1994 , 73, 1-5	3	82
1956	Effect of weight loss on left ventricular mass in nonhypertensive morbidly obese patients. <i>American Journal of Cardiology</i> , 1994 , 73, 918-21	3	69
1955	Comparison of ventricular mass and function in early versus late repair of coarctation of the aorta. <i>American Journal of Cardiology</i> , 1994 , 73, 698-701	3	19
1954	Echocardiographic measures of left ventricular structure and their relation with rest and ambulatory blood pressure in blacks and whites in the United Kingdom. 1994 , 24, 1499-505		68
1953	Three-dimensional echocardiography: in vitro and in vivo validation of left ventricular mass and comparison with conventional echocardiographic methods. 1994 , 24, 504-13		104
1952	Analysis of transmural trend of myocardial integrated ultrasound backscatter for differentiation of hypertrophic cardiomyopathy and ventricular hypertrophy due to hypertension. 1994 , 24, 517-24		64
1951	Electrocardiographic diagnosis of left ventricular hypertrophy by the time-voltage integral of the QRS complex. 1994 , 23, 133-40		39
1950	Persistent hyperdynamic cardiovascular state at rest and during exercise in children after successful repair of coarctation of the aorta. 1994 , 24, 194-200		63
1949	Racial differences in myocardial ischemia and coronary flow reserve in hypertension. 1994 , 23, 1123-9		24
1948	Cardiac arrhythmias on 24-h ambulatory electrocardiography in older women and men: the Cardiovascular Health Study. 1994 , 23, 916-25		123
1947	Diastolic function in the different patterns of left ventricular adaptation to essential hypertension. 1994 , 44, 73-8		7

1946	Echo Doppler diastolic function and exercise tolerance. 1994 , 43, 67-73	28
1945	Effect of 24-h blood pressure levels and circadian blood pressure rhythm on left ventricular structure and function in isolated systolic hypertension. 1994 , 47, 51-8	1
1944	Use of the signal-averaged QRS duration for diagnosing left ventricular hypertrophy in hypertensive patients. 1994 , 44, 261-70	11
1943	Decreased thickening of normal myocardium with transient increased wall thickness during stress echocardiography with atrial pacing. 1994 , 7, 381-7	16
1942	Determination of left ventricular mass by echocardiography in a normal population: effect of age and sex in addition to body size. 1994 , 69, 205-11	135
1941	Effects of age on left ventricular dimensions and filling dynamics in 117 normal persons. 1994 , 69, 212-24	263
1940	Prognostic value of echocardiography in children with idiopathic dilated cardiomyopathy. 1994 , 128, 133-6	28
1939	Left ventricular contractile state in preterm infants: relation between wall stress and velocity of circumferential fiber shortening. 1994 , 127, 1336-40	28
1938	Normalization of cardiac structure and function after regression of cardiac hypertrophy. 1994 , 128, 333-43	23
1937	Arrhythmias in mitral valve prolapse: relation to anterior mitral leaflet thickening, clinical variables, and color Doppler echocardiographic parameters. 1994 , 128, 919-27	52
1936	Abnormal coronary flow velocity pattern in patients with left ventricular hypertrophy, angina pectoris, and normal coronary arteries: a transesophageal Doppler echocardiographic study. 1994 , 128, 500-10	25
1935	Ventricular function after the arterial switch operation for transposition of the great arteries. 1994 , 57, 826-31	13
1934	Left ventricular structure and function by echocardiography in congenital muscular dystrophy. 1994 , 16, 301-3	9
1933	[Left ventricular hypertrophy of hypertensive origin: classical concepts and recent data]. 1994 , 15, 30-6	2
1932	Determinants of left ventricular hypertrophy and systolic dysfunction in chronic renal failure. 1994 , 24, 768-76	91
1931	Recreational exercise and cardiovascular status in the rural community of Tecumseh, Michigan. 1994 , 3, 178-84	4
1930	Ambulatory blood pressure. An independent predictor of prognosis in essential hypertension. 1994 , 24, 793-801	1369
1929	Short-term cardiac adaptation to severe haemodilution: an echocardiographic study in normal and hypertensive subjects. 1994 , 15, 637-40	6

1928	Lymphocyte beta-adrenergic receptors in young subjects with peripheral or central obesity: relationship with central haemodynamics and left ventricular function. 1994 , 15, 786-92	20
1927	Predictors of blood pressure and left ventricular mass in the young: the Hypertension in Pregnancy Offspring Study. 1994 , 7, 381-9	10
1926	Effect of body characteristics on the variables of signal-averaged electrocardiograms in healthy subjects. 1994 , 105, 1357-9	10
1925	Echocardiographic assessment of left ventricular hypertrophy in rats using a simplified approach. 1994 , 7, 555-8	10
1924	Left ventricular mass and subsequent blood pressure changes among middle-aged men in rural and urban Japanese populations. 1994 , 89, 1717-24	35
1923	Left ventricular volume and mass: Comparative study of two-dimensional echocardiography and ultrafast computed tomography. 1994 , 11, 1-9	30
1922	Effect of age on left atrial function in patients with coronary artery disease. 1994 , 85, 8-13	5
1921	Left ventricular hypertrophy in hypertension--general and local trends in diagnosis and therapy. 1994 , 39, 35-7	1
1920	Above-normal left ventricular systolic performance during exercise in young subjects with mild hypertension. 1995 , 16, 232-42	10
1919	Cardiac involvement in rheumatoid arthritis: evidence of silent heart disease. 1995 , 16, 253-6	40
1918	Cardiac involvement in collagen diseases. 1995 , 16, 257-62	20
1917	Left ventricular mechanics after early successful repair of aortic coarctation. 1995 , 5, 310-318	2
1916	Effects of amlodipine on 24-hour ambulatory blood pressure profiles, electrocardiographic monitoring, and left ventricular mass and function in black patients with very severe hypertension. 1995 , 35, 1052-9	7
1915	Hypertension and left ventricular hypertrophy in patients with spontaneous subarachnoid hemorrhage. 1995 , 37, 235-9; discussion 239-40	17
1914	Reduced vital capacity in elderly persons with hypertension, coronary heart disease, or left ventricular hypertrophy. The Cardiovascular Health Study. 1995 , 107, 28-35	51
1913	Effects of lisinopril vs hydralazine on left ventricular hypertrophy and ambulatory blood pressure monitoring in essential hypertension. 1995 , 16, 1120-5	14
1912	Noninvasive assessment of left ventricular mass, chamber volume, and contractile function. 1995 , 20, 364-440	27
1911	Reduced left ventricular systolic pump performance and depressed myocardial contractile function in patients > 65 years of age with normal ejection fraction and a high relative wall thickness. <i>American Journal of Cardiology</i> , 1995 , 76, 702-5	3 53

1910	Effect of total adipose weight and systemic hypertension on left ventricular mass in children. <i>American Journal of Cardiology</i> , 1995 , 76, 785-7	3	27
1909	Racial differences in the prevalence of left ventricular hypertrophy among chronic cocaine abusers. <i>American Journal of Cardiology</i> , 1995 , 76, 937-40	3	11
1908	Effect of menopause on left ventricular filling in 50-year-old women. <i>American Journal of Cardiology</i> , 1995 , 76, 1093-6	3	24
1907	Relation of duration of morbid obesity to left ventricular mass, systolic function, and diastolic filling, and effect of weight loss. <i>American Journal of Cardiology</i> , 1995 , 76, 1194-7	3	229
1906	Effect of weight loss on left ventricular diastolic filling in morbid obesity. <i>American Journal of Cardiology</i> , 1995 , 76, 1198-201	3	64
1905	Noninvasive assessment of myocardial contractility, preload, and afterload in healthy newborn infants. <i>American Journal of Cardiology</i> , 1995 , 75, 818-21	3	105
1904	Enalapril-induced regression of hypertensive left ventricular hypertrophy, regional ischemia, and microvascular angina. <i>American Journal of Cardiology</i> , 1995 , 75, 850-2	3	13
1903	Relation of left ventricular mass and filling to exercise blood pressure and rest blood pressure. <i>American Journal of Cardiology</i> , 1995 , 75, 53-7	3	76
1902	Which definition for echocardiographic left ventricular hypertrophy?. <i>American Journal of Cardiology</i> , 1995 , 75, 498-502	3	64
1901	Cardiovascular effects of high-dose growth hormone treatment in growth hormone-deficient children. 1995 , 16, 223-7		18
1900	Validity of electrocardiographic criteria for left ventricular hypertrophy in children with pressure- or volume-loaded ventricles: comparison with echocardiographic left ventricular muscle mass. 1995 , 16, 261-9		13
1899	Effects of ACE inhibition on endurance exercise haemodynamics in trained subjects with mild hypertension. 1995 , 48, 435-9		7
1898	Association between left ventricular hypertrophy and erythrocyte sodium-lithium exchange in normotensive subjects with and without NIDDM. 1995 , 38, 454-60		12
1897	Vascular compliance in sodium-sensitive and sodium-resistant borderline hypertensive patients. 1995 , 47, 169-76		2
1896	Clinical and echocardiographic disease in patients starting end-stage renal disease therapy. 1995 , 47, 186-92		881
1895	Angiotensin-converting enzyme and angiotensinogen genes in patterns of left ventricular hypertrophy and in diastolic dysfunction. 1995 , 22, 438-40		16
1894	Prevalence and upper limit of cardiac hypertrophy in professional cyclists. 1995 , 70, 375-8		22
1893	Analysis of randomness of atrial and ventricular rhythm in atrial fibrillation. 1995 , 16, 971-6		7

1892	The Relative Effects of Left Ventricular Hypertrophy, Coronary Artery Disease, and Ventricular Dysfunction on Survival Among Black Adults. 1995 , 273, 1592	193
1891	Left ventricular chamber dilatation in hypertrophic cardiomyopathy: related variables and prognosis in patients with medical and surgical therapy. 1995 , 74, 508-16	33
1890	Left Ventricular Diastolic Filling Performance in Older Male Athletes. 1995 , 273, 1371	69
1889	Cardiovascular effects of long-term L-thyroxine therapy for Hashimoto's thyroiditis in children and adolescents. 1995 , 132, 688-92	2
1888	Birth weight, weight at one year, and left ventricular mass in adult life. 1995 , 73, 363-7	73
1887	Effect of age and pathology on left ventricular diastolic function: the diagnostic yield of Doppler echocardiography. 1995 , 50, M78-82	9
1886	M mode and Doppler echocardiographic assessment of left ventricular diastolic function in primary antiphospholipid syndrome. 1995 , 74, 531-5	21
1885	Gender differences in left ventricle geometry and function in patients undergoing balloon dilatation of the aortic valve for isolated aortic stenosis. NHLBI Balloon Valvuloplasty Registry. 1995 , 73, 548-54	105
1884	Systemic hemodynamics and renal function during brain natriuretic peptide infusion in patients with essential hypertension. 1995 , 8, 799-807	13
1883	White coat hypertension and white coat effect. Similarities and differences. 1995 , 8, 790-8	126
1882	The relation between peripheral vascular structure, left ventricular hypertrophy, and ambulatory blood pressure in essential hypertension. 1995 , 8, 987-96	21
1881	Developmental studies demonstrate age-dependent elevation of renin activity in TGR(mRen2)27 rats. 1995 , 8, 1167-76	26
1880	Patients with borderline elevated blood pressure have enhanced left ventricular contractility. 1995 , 8, 1040-5	12
1879	Gender-specific cardiovascular adaptation due to circadian blood pressure variations in essential hypertension. 1995 , 8, 1160-6	46
1878	Black-white differences in subclinical cardiovascular disease among older adults: the Cardiovascular Health Study. CHS Collaborative Research Group. 1995 , 48, 1141-52	79
1877	Hemostatic function in young subjects with central obesity: relationship with left ventricular function. 1995 , 44, 1417-21	39
1876	The influence of body composition on left ventricular mass and other echocardiographic and Doppler measurements in 70-year-old males. 1995 , 15, 425-33	10
1875	Diastolic dysfunction is a feature of the antiphospholipid syndrome. 1995 , 129, 1009-13	36

1874	Influence of left ventricular mass on left ventricular diastolic filling in normotensive morbid obesity. 1995 , 130, 1068-73	78
1873	Transesophageal echocardiographic guidance of cardioversion in patients with atrial fibrillation. 1995 , 129, 1204-15	112
1872	Reply. 1995 , 1, 421-422	
1871	Night blood pressure: relation to organ lesions in microalbuminuric type 1 diabetic patients. 1995 , 12, 42-5	18
1870	Blood pressure response to stress tests does not reflect blood pressure variability and degree of cardiovascular involvement in young hypertensives. 1995 , 48, 303-10	14
1869	Influence of left ventricular hypertrophy on left ventricular function during dynamic exercise in the presence or absence of coronary artery disease. 1995 , 25, 91-8	25
1868	Electrocardiographic identification of increased left ventricular mass by simple voltage-duration products. 1995 , 25, 417-23	310
1867	Should echocardiography be performed to assess effects of antihypertensive therapy? Test-retest reliability of echocardiography for measurement of left ventricular mass and function. 1995 , 25, 424-30	163
1866	Coronary flow reserve assessment by dobutamine transesophageal Doppler echocardiography. 1995 , 25, 325-32	28
1865	Left atrial appendage thrombus is not uncommon in patients with acute atrial fibrillation and a recent embolic event: a transesophageal echocardiographic study. 1995 , 25, 452-9	411
1864	Adverse prognostic significance of concentric remodeling of the left ventricle in hypertensive patients with normal left ventricular mass. 1995 , 25, 871-8	336
1863	Lack of association of recreational cocaine and alcohol use with left ventricular mass in young adults. The Coronary Artery Risk Development in Young Adults (CARDIA) study. 1995 , 25, 895-900	22
1862	Clinical predictors of the defibrillation threshold with the unipolar implantable defibrillation system. 1995 , 25, 1576-83	71
1861	Cardiac function in smokers and nonsmokers: the CARDIA study. The Coronary Artery Risk Development in Young Adults Study. 1995 , 26, 211-6	53
1860	Functional and morphologic adaptation of undersized donor hearts after heart transplantation. 1995 , 26, 737-42	32
1859	Central blood volume: a determinant of early cardiac adaptation in arterial hypertension?. 1995 , 26, 1692-8	16
1858	Influence of left ventricular hypertrophy on detection of coronary artery disease using exercise echocardiography. 1995 , 26, 1180-6	64
1857	Comparison of M-mode and two-dimensional echocardiographic algorithms used to estimate left ventricular mass: the Coronary Artery Risk Development in Young Adults Study. 1995 , 8, 780-92	11

1856	Effects of cilazapril on renal haemodynamics and function in hypertensive patients: a randomised controlled study versus hydrochlorothiazide. 1995 , 4, 363-8	6
1855	Left ventricular hypertrophy. Prevalence in older patients and management. 1995 , 6, 301-11	3
1854	Risk and management of hypertension-related left ventricular hypertrophy. 1995 , 50, 959-70	3
1853	Gender, day-night blood pressure changes, and left ventricular mass in essential hypertension. Dippers and peakers. 1995 , 8, 193-6	54
1852	Left ventricular diastolic function in young adults: the Coronary Artery Risk Development in Young Adults Study. 1995 , 8, 771-9	8
1851	The value of two-dimensional echocardiography and Doppler examination in the assessment of hypertensive patients: a pilot study. 1995 , 8, 280-4	15
1850	Two-dimensional echocardiographic calculation of left ventricular mass as recommended by the American Society of Echocardiography: correlation with autopsy and M-mode echocardiography. 1996 , 9, 119-28	134
1849	Carotid artery and left ventricular structural relationship in asymptomatic men at risk for cardiovascular disease. 1996 , 127, 103-12	53
1848	Electrocardiographic identification of left ventricular hypertrophy: test performance in relation to definition of hypertrophy and presence of obesity. 1996 , 27, 124-31	77
1847	Hypertrophic obstructive cardiomyopathy: preoperative echocardiographic predictors of outcome after septal myectomy. 1996 , 27, 1491-6	22
1846	Late ventricular geometry and performance changes of functional single ventricle throughout staged Fontan reconstruction assessed by magnetic resonance imaging. 1996 , 28, 212-21	118
1845	Left ventricular systolic and diastolic function assessed with two-dimensional and doppler echocardiography in "white coat" hypertension. 1996 , 28, 190-6	22
1844	Relation of arterial structure and function to left ventricular geometric patterns in hypertensive adults. 1996 , 28, 751-6	144
1843	Severe aortic stenosis without left ventricular hypertrophy: prevalence, predictors, and short-term follow up after aortic valve replacement. 1996 , 76, 250-5	36
1842	Treatment and post-treatment effects of alpha- versus beta-receptor blockers on left ventricular structure and function in essential hypertension. 1996 , 132, 1004-9	20
1841	Parental hypertension and cardiac alterations in normotensive children and adolescents. 1996 , 131, 81-8	18
1840	Vascular hypertrophy is an early finding in essential hypertension and is related to arterial pressure waveform contour. 1996 , 132, 621-7	17
1839	Exercise and heart rate variability. 1996 , 131, 825-6	25

1838	Combined rest and exercise electrocardiographic repolarization findings in relation to structural and functional abnormalities in asymptomatic aortic regurgitation. 1996 , 132, 343-7	6
1837	Ventricular repolarization is correlated with metabolic control in newly diagnosed type 2 diabetes. 1996 , 16, 449-61	4
1836	Blood pressure levels and variability, smoking, and left ventricular structure in normotension and in borderline and mild hypertension. 1996 , 9, 1110-8	10
1835	Hemodynamics in white coat hypertension compared to ambulatory hypertension and normotension. 1996 , 9, 1090-8	11
1834	Four years follow-up study in patients with Takayasu arteritis and severe aortic regurgitation; assessment by echocardiography. 1996 , 54, S143-S146	1
1833	Oxygen consumption in the heart, hepatomesenteric bed, and brain in young and elderly human subjects, and accompanying sympathetic nervous activity. 1996 , 45, 1487-92	9
1832	The impact of anemia on cardiomyopathy, morbidity, and mortality in end-stage renal disease. 1996 , 28, 53-61	580
1831	Four years follow-up study in patients with Takayasu arteritis and severe aortic regurgitation; assessment by echocardiography. 1996 , 54 Suppl, S173-6	14
1830	Effects of Angiotensin-Converting Enzyme Inhibitors on the Heart and Vessels in Clinical and Experimental Hypertension. 1996 , 12, 226-243	6
1829	Effects of angiotensin-converting enzyme inhibition on left ventricular geometric patterns in patients with essential hypertension. 1996 , 36, 1141-8	6
1828	Ambulatory blood pressure and cardiac rhythm disturbances in elderly hypertensives: relation to left ventricular mass and filling pattern. 1996 , 25, 155-8	8
1827	Long-term cardiac follow-up of children with perinatally acquired human immunodeficiency virus-type 1 infection. 1996 , 6, 143-148	
1826	Left ventricular hypertrophy and geometry in a population sample of elderly males. 1996 , 17, 1800-7	46
1825	Left-ventricular hypertrophy in the elderly: unreliability of ECG criteria in 477 subjects aged 65 years or more. The Cardiovascular Study in the ELderly (CASTEL). 1996 , 87, 429-35	16
1824	Prevalence of left ventricular hypertrophy in a hypertensive population. 1996 , 17, 143-9	27
1823	Left ventricular outflow tract obstruction as a cause for hypotension and symptoms during dobutamine stress echocardiography. 1996 , 19, 225-30	51
1822	Measurement of myocardial accumulation of 123I-metaiodobenzylguanidine for studying cardiac autonomic neuropathy in diabetes mellitus. 1996 , 6, 163-9	15
1821	Blood pressure responses to stress: Relation to left ventricular structure and function. 1996 , 18, 61-6	12

1820	Anthropometric, demographic, and cardiovascular predictors of left ventricular mass in young children. <i>American Journal of Cardiology</i> , 1996 , 78, 323-6	3	30
1819	Prognostic value of left ventricular mass and geometry in systemic hypertension with left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 1996 , 78, 197-202	3	106
1818	Ethnic differences in forearm vasodilator capacity. <i>American Journal of Cardiology</i> , 1996 , 78, 208-11	3	38
1817	Influence of obesity on the diagnostic value of electrocardiographic criteria for detecting left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 1996 , 77, 739-44	3	65
1816	Comparison of technetium-99m sestamibi-gated tomographic perfusion imaging with echocardiography and electrocardiography for determination of left ventricular mass. <i>American Journal of Cardiology</i> , 1996 , 77, 750-5	3	12
1815	Effect of indapamide on left ventricular hypertrophy in hypertension: a meta-analysis. <i>American Journal of Cardiology</i> , 1996 , 77, 17b-19b	3	19
1814	Relation of ventricular size and function to heart failure status and ventricular dysrhythmia in patients with severe left ventricular dysfunction. <i>American Journal of Cardiology</i> , 1996 , 77, 606-11	3	59
1813	Carotid artery measures are strongly associated with left ventricular mass in older adults (a report from the Cardiovascular Health Study). <i>American Journal of Cardiology</i> , 1996 , 77, 628-33	3	43
1812	Prevalence and circadian variations of ST-segment depression and its concomitant blood pressure changes in asymptomatic systemic hypertension. <i>American Journal of Cardiology</i> , 1996 , 77, 384-90	3	32
1811	Long-term effects of multiple pregnancies on cardiac dimensions and systolic and diastolic function. 1996 , 174, 1061-4		11
1810	Prediction of the left ventricular mass from the electrocardiogram in systemic hypertension. <i>American Journal of Cardiology</i> , 1996 , 77, 974-8	3	22
1809	Antihypertensive treatment in hypertensive patients with normal left ventricular mass is associated with left ventricular remodeling and improved diastolic function. <i>American Journal of Cardiology</i> , 1996 , 78, 56-60	3	26
1808	Comparison of enalapril versus nifedipine to decrease left ventricular hypertrophy in systemic hypertension (the PRESERVE trial). <i>American Journal of Cardiology</i> , 1996 , 78, 61-5	3	121
1807	Natural history of aortic valve stenosis of varying severity in the elderly. <i>American Journal of Cardiology</i> , 1996 , 78, 97-101	3	130
1806	Age-associated changes in left ventricular outflow tract geometry in normal subjects. <i>American Journal of Cardiology</i> , 1996 , 78, 1070-3	3	33
1805	ECG identification of left ventricular hypertrophy. Relationship of test performance to body habitus. 1996 , 29 Suppl, 256-61		31
1804	Ambulatory blood pressure in insulin-dependent diabetes: the relation to stages of diabetic kidney disease. 1996 , 10, 331-51		6
1803	Echo-Doppler left ventricular filling abnormalities in patients with rheumatoid arthritis without clinically evident cardiovascular disease. 1996 , 26, 293-7		52

1802	Multivariate Analysis of Left Ventricular Mass Determinants in Adults: Different Patterns in Men and Women. 1996 , 13, 35-44	
1801	Reduced Left Ventricular Contractile Reserve Identified by Low Dose Dobutamine Echocardiography as an Early Marker of Cardiac Involvement in Asymptomatic Patients with Thalassemia Major. 1996 , 13, 463-472	24
1800	Classification Accuracy of Electrocardiographic Criteria for Left Ventricular Hypertrophy in Normal Weight and Overweight Older Adults. 1996 , 1, 121-132	7
1799	Impact of hypertension on cardiomyopathy, morbidity and mortality in end-stage renal disease. 1996 , 49, 1379-85	349
1798	Outcome and risk factors of ischemic heart disease in chronic uremia. 1996 , 49, 1428-34	212
1797	Left ventricular abnormalities in children, adolescents and young adults with renal disease. 1996 , 50, 998-1006	127
1796	Early increase in blood pressure and diastolic left ventricular malfunction in patients with glomerulonephritis. 1996 , 50, 1321-6	62
1795	Investigative Concerns in Demonstrating Reduced Risk From Reversing Left Ventricular Hypertrophy. 1996 , 1, 17-22	
1794	Short term reduction of left ventricular mass in primary hypertrophic cardiomyopathy by octreotide injections. 1996 , 76, 418-21	12
1793	Geometry of the carotid arteries and tilt-up hypotension in subjects with essential arterial hypertension. 1996 , 47, 859-67	1
1792	Cardiovascular effects of anabolic steroids in weight-trained subjects. 1996 , 36, 1132-40	40
1791	Ambulatory blood pressure reproducibility and application of the method in a healthy Finnish cohort. 1996 , 56, 471-80	11
1790	Why do exercise-induced ventricular arrhythmias increase with age? Role of M-mode echocardiographic aging changes. 1996 , 51, M23-8	9
1789	Outcome and risk factors for left ventricular disorders in chronic uraemia. 1996 , 11, 1277-1285	481
1788	Sports-specific adaptation of left ventricular muscle mass in athlete's heart. II: An echocardiographic study with 400-m runners and soccer players. 1996 , 17 Suppl 3, S152-6	22
1787	Structural and functional adaptations of the cardiovascular system by training. 1996 , 17 Suppl 3, S164-72	83
1786	Athlete's heart: a meta-analysis of the echocardiographic experience. 1996 , 17 Suppl 3, S140-4	119
1785	Intra-arterial blood pressure during exercise and left ventricular indices in normotension and borderline and mild hypertension. 1997 , 6, 5-12	6

1784	Left ventricular remodelling and improvement in Freestyle stentless valve haemodynamics. 1997 , 12, 63-9	25
1783	Association of Serum Lipoprotein(a) Levels and Apolipoprotein(a) Size Polymorphism With Target-Organ Damage in Arterial Hypertension. 1997 , 277, 1689	46
1782	Antihypertensive Treatment Based on Conventional or Ambulatory Blood Pressure Measurement. 1997 , 278, 1065	136
1781	Left ventricular hypertrophy and ambulatory blood pressure monitoring in chronic renal failure. 1997 , 12, 724-8	112
1780	Lack of effect of short-term lisinopril administration on left ventricular filling dynamics in hypertensive patients with diastolic dysfunction. 1997 , 6, 307-12	6
1779	Factors influencing LVM in hypertensive type-1 diabetic patients. 1997 , 6, 197-202	5
1778	Heart function in patients with chronic glomerulonephritis and mildly to moderately impaired renal function. An echocardiographic study. 1997 , 6, 286-93	20
1777	Reduced systemic arterial compliance is associated with left ventricular hypertrophy and diastolic dysfunction in older people. 1997 , 45, 803-8	35
1776	Prognostic value of arrhythmogenic markers in systemic hypertension. 1997 , 18, 1484-91	26
1775	Comparison of echocardiography with magnetic resonance imaging in the assessment of the athlete's heart. 1997 , 18, 1505-13	36
1774	Gender differences in the relationship between left ventricular size and ambulatory blood pressure in borderline hypertension. The HARVEST Study. 1997 , 18, 664-70	22
1773	Prognostic features in childhood idiopathic dilated cardiomyopathy. 1997 , 7, 183-187	
1772	Measurement of left ventricular mass: methodology and expertise. 1997 , 15, 801-9	63
1771	Is the absence of a normal nocturnal fall in blood pressure (nondipping) associated with cardiovascular target organ damage?. 1997 , 15, 969-78	72
1770	Reply. 1997 , 15, 213-214	3
1769	Relationships between changes in left ventricular mass and in clinic and ambulatory blood pressure in response to antihypertensive therapy. 1997 , 15, 1493-502	52
1768	Erythrocyte calpain activity and left ventricular mass in essential hypertension. 1997 , 15, 1775-8	4
1767	Isolated office hypertension and end-organ damage. 1997 , 15, 979-85	25

1766	Calculation of left ventricular mass in man--a comment. 1997 , 15, 811-3	9
1765	Smoking is associated with higher cardiovascular risk in young women than in men: the Tecumseh Blood Pressure Study. 1997 , 15, 127-34	27
1764	Does echocardiography overestimate left ventricular mass?. 1997 , 15, 213-4	2
1763	Reduction of left ventricular mass by antihypertensive treatment does not improve exercise performance in essential hypertension. 1997 , 15, 309-17	10
1762	Heart 'growth stagnation' during the year following menarche. 1997 , 24, 169-80	1
1761	Left ventricular morphology in chronic renal failure by echocardiography. 1997 , 19, 799-806	13
1760	Effects of Enalapril and Amlodipine on Left Ventricular Hypertrophy and Function in Essential Hypertension. 1997 , 13, 29-35	2
1759	Isolated noncompaction of the myocardium in adults. 1997 , 72, 26-31	596
1758	Determination of left ventricular mass and circumferential wall thickness by three-dimensional reconstruction: in vitro validation of a new method that uses a multiplane transesophageal transducer. 1997 , 10, 107-19	27
1757	Hypertension and coronary artery disease. 1997 , 81, 1147-63	2
1756	Right and left isovolumic ventricular relaxation time intervals compared in patients by means of a single-pulsed Doppler method. 1997 , 10, 699-706	23
1755	Myocardial ultrasonic tissue characterization in patients with different types of left ventricular hypertrophy: a videodensitometric approach. 1997 , 10, 74-82	14
1754	Echocardiographic left ventricular remodeling and pseudohypertrophy as markers of hypovolemia. An experimental study on bleeding and volume repletion. 1997 , 10, 926-36	28
1753	Do echocardiographic changes explain the age-associated increase in exercise-induced supraventricular arrhythmias?. 1997 , 9, 120-6	1
1752	Long-term effects of angiotensin-converting enzyme inhibitors and calcium antagonists on the right and left ventricles in essential hypertension. 1997 , 134, 557-64	9
1751	Interactive action of the white-coat effect and the blood pressure levels on cardiovascular complications in hypertension. 1997 , 103, 208-16	39
1750	Rest and effort hemodynamic responses during prolonged treatment with felodipine, 24-h blood pressure monitoring, and echocardiographic changes. 1997 , 10, 905-12	
1749	Renal and systemic hemodynamics in black and white hypertensive patients. 1997 , 10, 971-8	4

1748	White-coat resistant hypertension. 1997 , 10, 1302-7		35
1747	Physiologic estradiol replacement therapy and cardiac structure and function in normal postmenopausal women: a randomized, double-blind, placebo-controlled, crossover trial. 1997 , 89, 332-9		28
1746	Prediction of mortality risk by different methods of indexation for left ventricular mass. 1997 , 29, 641-7		147
1745	Freehand three-dimensional echocardiography for measurement of left ventricular mass: in vivo anatomic validation using explanted human hearts. 1997 , 30, 802-10		72
1744	Hydrochlorothiazide is superior to isradipine for reduction of left ventricular mass: results of a multicenter trial. The Isradipine Study Group. 1997 , 30, 1802-8		28
1743	Determination of left ventricular filling pressure by Doppler echocardiography in patients with coronary artery disease: critical role of left ventricular systolic function. 1997 , 30, 1819-26		232
1742	Relation of hemodynamic volume load to arterial and cardiac size. 1997 , 29, 1303-10		42
1741	Relationship between left ventricular hypertrophy, myocardial contractility, and load conditions in hemodialysis patients: an echocardiographic study. 1997 , 30, 780-5		29
1740	Prolonged therapy with ACE inhibitors induces a regression of left ventricular hypertrophy of dialyzed uremic patients independently from hypotensive effects. 1997 , 30, 659-64		105
1739	Myocardial ischemia and ventricular arrhythmias in relation to left ventricular mass and resistance artery structure. 1997 , 88, 141-6		2
1738	Nutritional status and cardiac mass and function in children infected with the human immunodeficiency virus. 1997 , 66, 660-4		36
1737	Cardiovascular responses to treadmill and cycle ergometer exercise in children and adults. 1997 , 83, 948-57		108
1736	Effects of ACE inhibitors versus calcium antagonists on left ventricular morphology and function in patients with essential hypertension. 1997 , 20, 7-10		5
1735	Association of carotid arterial distensibility with Doppler indices of left ventricular filling in 50-year-old subjects. 1997 , 17, 579-90		3
1734	Interobserver Variability of Left Ventricular Measurements in a Population of Predominantly Obese Hypertensives Using Simultaneously Acquired and Displayed M-Mode and 2-D Cine Echocardiography. 1997 , 14, 9-14		7
1733	Hypertensive microangiopathic angina with left ventricular hypertrophy: treatment with enalapril. 1997 , 11, 661-673		
1732	Cardiovascular effects of a trandolapril/verapamil combination in patients with mild to moderate essential hypertension. <i>American Journal of Cardiology</i> , 1997 , 79, 826-8	3	10
1731	Usefulness of subnormal midwall fractional shortening in predicting left ventricular exercise dysfunction in asymptomatic patients with systemic hypertension. <i>American Journal of Cardiology</i> , 1997 , 79, 1070-4	3	43

1730	Comparison of early target organ damage between blacks and whites with mild systemic arterial hypertension. <i>American Journal of Cardiology</i> , 1997 , 79, 1695-8	3	2
1729	Serum levels of soluble form of Fas molecule in patients with congestive heart failure. <i>American Journal of Cardiology</i> , 1997 , 79, 1698-701	3	55
1728	Cardiac morphology and left ventricular function in normotensive morbidly obese patients with and without congestive heart failure, and effect of weight loss. <i>American Journal of Cardiology</i> , 1997 , 80, 736-40	3	261
1727	Relation of systemic arterial pulse pressure to coronary atherosclerosis in patients with mitral stenosis. <i>American Journal of Cardiology</i> , 1997 , 80, 1035-9	3	17
1726	Comparison of mortality rates and progression of left ventricular dysfunction in patients with idiopathic dilated cardiomyopathy and dilated versus nondilated right ventricular cavities. <i>American Journal of Cardiology</i> , 1997 , 80, 1583-7	3	79
1725	Effects of hemodialysis on left ventricular diastolic filling. <i>American Journal of Cardiology</i> , 1997 , 79, 106-8		24
1724	Categorization of abnormal left ventricular function: comparison between radionuclide angiographic and echocardiographic technique in postinfarction patients. <i>American Journal of Cardiology</i> , 1997 , 79, 108-11	3	3
1723	Comparison of quantitative echocardiography with endomyocardial biopsy to define myocardial rejection in pediatric patients after cardiac transplantation. <i>American Journal of Cardiology</i> , 1997 , 79, 447-50	3	17
1722	Relation of left ventricular mass and QT dispersion in patients with systematic hypertension. <i>American Journal of Cardiology</i> , 1997 , 79, 508-11	3	70
1721	Heart rate variability is independent of age, gender, and race in congestive heart failure with a recent acute exacerbation. <i>American Journal of Cardiology</i> , 1997 , 79, 511-2	3	15
1720	Factors influencing heart rate variability in patients with severe aortic valve disease. 1997 , 20, 341-4		12
1719	Left ventricular mass assessed by three-dimensional echocardiography using rotational acquisition. 1997 , 20, 957-62		12
1718	Echocardiographic criteria of physiological left ventricular hypertrophy in combined strength- and endurance-trained athletes. 1997 , 13, 43-52		16
1717	Cardiac disease in diabetic end-stage renal disease. 1997 , 40, 1307-12		104
1716	Comparison of dobutamine stress echocardiography and technetium-99m sestamibi single-photon emission tomography for the diagnosis of coronary artery disease in hypertensive patients with and without left ventricular hypertrophy. 1998 , 25, 69-78		37
1715	Physiological characteristics and hormonal profile of young normotensive men with exaggerated blood pressure response to exercise. 1997 , 17, 1-18		11
1714	Associations between atrial natriuretic peptides, echocardiographic findings and mortality in an elderly population sample. 1997 , 241, 261-8		21
1713	Congestive heart failure in old age: prevalence, mechanisms and 4-year prognosis in the Helsinki Ageing Study. 1997 , 241, 387-94		183

1712	Sex differences in pubertal growth of the heart. 1997 , 9, 297-302		1
1711	Three-month effects of candesartan cilexetil, an angiotensin II type 1 (AT1) receptor antagonist, on left ventricular mass and hemodynamics in patients with essential hypertension. 1998 , 12, 469-74		31
1710	Age-related variation in left ventricular myocardial contractile state expressed by the stress velocity relation. 1998 , 19, 463-7		26
1709	Symmetric and asymmetric left ventricular hypertrophy in patients with end-stage renal failure on long-term hemodialysis. 1998 , 21, 672-8		15
1708	Stability of the defibrillation probability curve with the development of ventricular dysfunction in the canine rapid paced model. 1998 , 21, 339-51		9
1707	Nocturnal hypoxemia, night-day arterial pressure changes and left ventricular geometry in dialysis patients. 1998 , 53, 1078-84		90
1706	Absence of detectable regression of human hypertensive left ventricular hypertrophy following drug treatment for 1 year. 1998 , 25, 208-15		1
1705	Right ventricular function in systemic hypertension. 1998 , 12, 149-55		29
1704	Cardiac autonomic modulation and incidence of late potentials in essential hypertension: role of age, sex, ventricular mass and remodeling. 1998 , 12, 13-20		2
1703	Treatment of diastolic dysfunction in hypertensive patients without left ventricular hypertrophy. 1998 , 12, 21-7		5
1702	Opposite associations of circulating aldosterone and atrial natriuretic peptide with left ventricular diastolic function in essential hypertension. 1998 , 12, 195-202		13
1701	Comparison of irbesartan vs felodipine in the regression after 1 year of left ventricular hypertrophy in hypertensive patients (the SILVER trial). Study of Irbesartan in Left VENTricular hypertrophy Regression. 1998 , 12, 479-83		9
1700	Progression of asymmetric pattern of left ventricular hypertrophy in patients with hypertrophic cardiomyopathy accompanied by hypertension in the elderly. 1998 , 12, 631-2		1
1699	Can the Extent of Change of the Left Ventricular Doppler Inflow Pattern During the Valsalva Maneuver Predict an Elevated Left Ventricular End-Diastolic Pressure?. 1998 , 15, 211-218		9
1698	Left Ventricular Diastolic Function in a Population Sample of Elderly Men. 1998 , 15, 433-450		12
1697	Left ventricular performance in the early stages of systemic hypertension. HARVEST Study Group. Hypertension and Ambulatory Recording Venetia Study. <i>American Journal of Cardiology</i> , 1998 , 81, 418-23		25
1696	Left ventricular diastolic filling in the elderly: the cardiovascular health study. <i>American Journal of Cardiology</i> , 1998 , 82, 345-51	3	124
1695	Relation of age to left ventricular function in clinically normal adults. <i>American Journal of Cardiology</i> , 1998 , 82, 621-6	3	67

1694	Comparison in systemic hypertension of left ventricular mass and geometry with systolic and diastolic function in patients or = 65 years of age. <i>American Journal of Cardiology</i> , 1998 , 82, 604-8	3	39
1693	Increased ventricular repolarization inhomogeneity during postural changes in patients with syndrome X. <i>American Journal of Cardiology</i> , 1998 , 82, 615-20	3	18
1692	Left ventricular morphology in elite female resistance-trained athletes. <i>American Journal of Cardiology</i> , 1998 , 82, 912-4	3	12
1691	Midwall fractional shortening is an independent predictor of left ventricular diastolic dysfunction in asymptomatic patients with systemic hypertension. <i>American Journal of Cardiology</i> , 1998 , 82, 1056-9	3	39
1690	Hemodynamics and left ventricular mass regression following implantation of the Toronto SPV stentless porcine valve. <i>American Journal of Cardiology</i> , 1998 , 82, 1214-9	3	31
1689	Valve replacement with a stentless bioprosthesis: versatility of the porcine aortic root. 1998 , 116, 477-84		38
1688	Echocardiographic findings, 24-hour electrocardiographic Holter monitoring in patients with rheumatoid arthritis according to Steinbrocker's criteria, functional index, value of Waaler-Rose titre and duration of disease. 1998 , 17, 369-77		48
1687	[Heart enlargement in an athlete—a diagnostic challenge]. 1998 , 87, 105-10		5
1686	[Regulation of myocardium beta-adrenoceptors pathway in ventricular remodeling of heart failure patients]. 1998 , 18, 83-6		
1685	Insulin resistance characterizes glucose uptake in skeletal muscle but not in the heart in NIDDM. 1998 , 41, 555-9		109
1684	Do patient data ever exceed the partial volume limit in gated SPECT studies?. 1998 , 5, 484-90		9
1683	Angiotensin-converting enzyme gene polymorphism and reversibility of uremic left ventricular hypertrophy following long-term antihypertensive therapy. 1998 , 54, 618-26		26
1682	Long-term evolution of cardiomyopathy in dialysis patients. 1998 , 54, 1720-5		144
1681	Diagnostic accuracy and prognostic value of combined dipyridamole-exercise thallium imaging in hemodialysis patients. 1998 , 54, 255-62		77
1680	Evaluation of cardiac status in iron-loaded thalassaemia patients following bone marrow transplantation: improvement in cardiac function during reduction in body iron burden. 1998 , 103, 916-21		47
1679	Left ventricular geometry and function are related to electrocardiographic characteristics and diagnoses. 1998 , 18, 463-70		18
1678	Role of left ventricular mass/volume ratio on transmitral flow velocity patterns from infancy to childhood. 1998 , 63, 9-14		8
1677	Prevention of left ventricular hypertrophy by ACE-inhibitor, ramipril in comparison with calcium-channel antagonist, felodipine. 1998 , 63, 175-8		11

1676	Clinical significance of QT dispersion after exercise in patients with previous myocardial infarction. 1998 , 65, 255-60	6
1675	Association of increased QT dispersion with coronary atherosclerosis in patients with aortic stenosis. 1998 , 66, 267-74	8
1674	Structural abnormalities and not diastolic dysfunction are the earliest left ventricular changes in hypertension. HARVEST Study Group. 1998 , 11, 147-54	21
1673	Lack of association between blood pressure variability and left ventricular mass in essential hypertension. 1998 , 11, 515-22	32
1672	Hypertension in young patients after renal transplantation: ambulatory blood pressure monitoring versus casual blood pressure. 1998 , 11, 497-501	62
1671	Differential effects of angiotensin converting enzyme inhibition and diuretic therapy on reductions in ambulatory blood pressure, left ventricular mass, and vascular hypertrophy. 1998 , 11, 387-96	58
1670	Influence of diurnal blood pressure variations on target organ abnormalities in adolescents with mild essential hypertension. 1998 , 11, 410-7	114
1669	Left ventricular contractile performance, ventriculoarterial coupling, and left ventricular efficiency in hypertensive patients with left ventricular hypertrophy. 1998 , 11, 1188-98	13
1668	Factors influencing reduction in blood pressure and left ventricular mass in hypertensive type-1 diabetic patients using captopril or doxazosin for 6 months. 1998 , 11, 1178-87	7
1667	Nocturnal blood pressure in young patients with insulin-dependent diabetes mellitus: correlation with cardiac function. 1998 , 133, 46-50	14
1666	Fifth-year hemodynamic performance of the prima stentless aortic valve. 1998 , 66, 805-9	13
1665	Effect of sustained-release diltiazem on ambulatory blood pressure and left ventricular mass in elderly patients with hypertension. 1998 , 59, 725-736	0
1664	Homogeneously reduced versus regionally impaired myocardial blood flow in hypertensive patients: two different patterns of myocardial perfusion associated with degree of hypertrophy. 1998 , 31, 366-73	65
1663	Influence of left ventricular geometric patterns on prognosis in patients with or without coronary artery disease. 1998 , 31, 1635-40	178
1662	Circadian blood pressure changes and myocardial ischemia in hypertensive patients with coronary artery disease. 1998 , 31, 1627-34	79
1661	Early impairment of coronary flow reserve in young men with borderline hypertension. 1998 , 32, 147-53	179
1660	Left ventricular diastolic function in infants, children, and adolescents. Reference values and analysis of morphologic and physiologic determinants of echocardiographic Doppler flow signals during growth and maturation. 1998 , 32, 1441-8	73
1659	Transthoracic Doppler echocardiography of normally originating coronary arteries in children. 1998 , 11, 409-20	32

1658	["The athlete's heart": most common electrocardiographic findings]. 1998 , 51, 356-68	20
1657	Manifestaciones cardíacas del hipotiroidismo primario. Factores determinantes y respuesta al tratamiento. 1998 , 51, 893-900	11
1656	Factors influencing left ventricular mass in salt sensitive and salt resistant essential hypertensive patients. 1998 , 7, 223-30	6
1655	Prognostic significance of late-peaking left ventricular velocity contour in patients with aortic stenosis undergoing valve replacement. 1998 , 136, 71-7	1
1654	Differential Response in Left Ventricular Mass and Arterial Resistive Index following Fosinopril Therapy. 1998 , 15, 101-9	
1653	Selection bias in clinical research when subjects are excluded because of failure to estimate left ventricular mass by echocardiography. 1998 , 11, 1050-5	9
1652	Interaction between body size and cardiac workload: influence on left ventricular mass during body growth and adulthood. 1998 , 31, 1077-82	182
1651	Reduction of cardiovascular structural changes by nifedipine GITS in essential hypertensive patients. 1998 , 7, 160-9	10
1650	Echocardiographic evaluation of cardiac structure and function in broiler and Leghorn chickens. 1998 , 77, 1045-50	32
1649	Early cardiac changes after menopause. 1998 , 32, 764-9	70
1648	AT1 receptor A/C1166 polymorphism contributes to cardiac hypertrophy in subjects with hypertrophic cardiomyopathy. 1998 , 32, 825-30	105
1647	Endothelial function and common carotid artery wall thickening in patients with essential hypertension. 1998 , 32, 25-32	117
1646	Left ventricular structure and function in children infected with human immunodeficiency virus: the prospective P2C2 HIV Multicenter Study. Pediatric Pulmonary and Cardiac Complications of Vertically Transmitted HIV Infection (P2C2 HIV) Study Group. 1998 , 97, 1246-56	147
1645	Concerning minimal cardiac effects in asymptomatic athyreotic patients treated with thyrotropin-suppressive doses of L-thyroxine. 1998 , 83, 2607-8	1
1644	Effect of long-term intensive endurance training on left ventricular structure and diastolic function in prepubertal children. 1998 , 19, 149-54	30
1643	Bone and collagen turnover in patients with active and preclinical Cushing's syndrome and in subjects with adrenal incidentaloma. 1998 , 83, 2605-6	
1642	Comment on prostatic hyperplasia in patients with acromegaly. 1998 , 83, 2606-7	1
1641	Influence of the angiotensin II antagonist valsartan on left ventricular hypertrophy in patients with essential hypertension. 1998 , 98, 2037-42	164

1640	Regression of cellular hypertrophy after left ventricular assist device support. 1998 , 98, 656-62	296
1639	Relations of left ventricular mass to fat-free and adipose body mass: the strong heart study. The Strong Heart Study Investigators. 1998 , 98, 2538-44	199
1638	Coronary artery responses to physiological stimuli are improved by deferoxamine but not by L-arginine in non-insulin-dependent diabetic patients with angiographically normal coronary arteries and no other risk factors. 1998 , 97, 736-43	113
1637	Prognostic significance of serial changes in left ventricular mass in essential hypertension. 1998 , 97, 48-54	514
1636	Time-voltage QRS area of the 12-lead electrocardiogram: detection of left ventricular hypertrophy. 1998 , 31, 937-42	69
1635	Statistical base value of 24-hour blood pressure distribution in patients with essential hypertension. 1998 , 32, 430-6	27
1634	What is the value of home (self) blood pressure monitoring in patients with hypertensive heart disease?. 1998 , 11, 813-9	15
1633	Prediction of indications for valve replacement among asymptomatic or minimally symptomatic patients with chronic aortic regurgitation and normal left ventricular performance. 1998 , 97, 525-34	213
1632	Racial Differences in Ambulatory Blood Pressure and Echocardiographic Left Ventricular Geometry. 1998 , 315, 101-109	
1631	Prediction of Left Ventricular Mass in Youth with Family Histories of Essential Hypertension. 1998 , 315, 118-123	
1630	The clinical role of magnetic resonance in cardiovascular disease. 1998 , 19, 19-39	100
1629	Variants of renin-angiotensin system genes and echocardiographic left ventricular mass. 1998 , 19, 1109-17	23
1628	Impact of dietary sodium intake on left ventricular diastolic filling in early essential hypertension. 1998 , 19, 951-8	27
1627	Effects of angiotensin converting enzyme inhibition on endothelium-dependent vasodilatation in essential hypertensive patients. 1998 , 16, 447-56	77
1626	Cardiovascular outcome in white-coat versus sustained mild hypertension: a 10-year follow-up study. 1998 , 98, 1892-7	241
1625	Relation of left ventricular midwall function to cardiovascular risk factors and arterial structure and function. 1998 , 31, 929-36	92
1624	Various ways of calculating echocardiographic left ventricular mass and their relative prognostic values. 1998 , 16, 1201-6	7
1623	A longitudinal study of job strain and ambulatory blood pressure: results from a three-year follow-up. 1998 , 60, 697-706	199

1622	White-coat hypertension: a selection bias? Harvest Study Investigators. Hypertension and Ambulatory Recording Venetia Study. 1998 , 16, 977-84	43
1621	Effects of chronic adenosine uptake blockade on adrenergic responsiveness and left ventricular chamber function in pressure overload hypertrophy in the rat. 1998 , 16, 1813-22	46
1620	Prevalence of episodes of ST-segment depression among mild-to-moderate hypertensive patients in northern Italy: the Cardioscreening Study. 1998 , 16, 681-8	24
1619	Effects of nitrendipine and enalapril on left ventricular mass in patients with non-insulin-dependent diabetes mellitus and hypertension. 1998 , 16, 689-96	19
1618	Normal values for ambulatory blood pressure and differences between casual blood pressure and ambulatory blood pressure: results from a Danish population survey. 1998 , 16, 1415-24	75
1617	Clinical impact of various geometric models for calculation of echocardiographic left ventricular mass. 1998 , 16, 1207-14	18
1616	Abnormal transoesophageal Doppler coronary flow reserve in patients with dilated cardiomyopathy: relationship to exercise capacity. 1998 , 94, 485-92	8
1615	Arrhythmogenic effect of ventriculography in patients with left ventricular dilation and/or hypertrophy. 1998 , 95, 453-458	2
1614	Arrhythmogenic effect of ventriculography in patients with left ventricular dilation and/or hypertrophy. 1998 , 95, 453	1
1613	Relationship between electrocardiographic voltage and geometric patterns of left ventricular hypertrophy in patients with essential hypertension. 1998 , 21, 259-66	13
1612	Prostatic Hyperplasia in Patients with AcromegalyâAuthorsâResponse. 1998 , 83, 2606-a-2607	3
1611	Altered autonomic cardiac control in hypertrophic cardiomyopathy. Role of outflow tract obstruction and myocardial hypertrophy. 1998 , 19, 146-53	14
1610	Minimal Cardiac Effects in Asymptomatic Athyreotic Patients Chronically Treated with Thyrotropin-suppressive Doses of L-ThyroxineâAuthorsâResponse. 1998 , 83, 2607-2608	6
1609	Magnetic resonance imaging accurately estimates LV mass in a transgenic mouse model of cardiac hypertrophy. 1998 , 274, H679-83	55
1608	Determinants of ventricular arrhythmias in hemodialysis patients. Evaluation of the effect of arrhythmogenic substrate and autonomic imbalance. 1998 , 18, 280-4	20
1607	End-systolic stress-velocity and pressure-dimension relationships by transthoracic echocardiography in mice. 1998 , 274, H1828-35	17
1606	Increased left ventricular systolic function in insulin dependent diabetic patients with normal albumin excretion. 1998 , 19, 1735-9	9
1605	Target-organ damage in stage I hypertensive subjects with white coat and sustained hypertension: results from the HARVEST study. 1998 , 31, 57-63	142

1604	Circulating N-terminal pro-atrial natriuretic peptide is an independent predictor of left ventricular hypertrophy in the general population. The Tromsø study. 1999 , 20, 755-63	28
1603	Aortic stenosis. Gender influence on left ventricular geometry and function in patients under 70 years of age. 1999 , 72, 475-82	3
1602	Doppler echocardiographic study in adolescents and young adults with sickle cell anemia. 1999 , 73, 463-74	12
1601	Increased cardiac troponin T and endothelin-1 concentrations in dialysis patients may indicate heart disease. 1999 , 14, 1948-55	57
1600	Prevalence of left ventricular hypertrophy in a general population; The Tromsø study. 1999 , 20, 429-38	73
1599	The impact of withdrawing ACE inhibitors on erythropoietin responsiveness and left ventricular hypertrophy in haemodialysis patients. 1999 , 14, 1912-6	37
1598	A comparison of MRI and echocardiography in hypertrophic cardiomyopathy. 1999 , 72, 258-64	63
1597	Genetic epidemiology of the carnitine transporter OCTN2 gene in a Japanese population and phenotypic characterization in Japanese pedigrees with primary systemic carnitine deficiency. 1999 , 8, 2247-54	129
1596	New noninvasive method for coronary flow reserve assessment: contrast-enhanced transthoracic second harmonic echo Doppler. 1999 , 99, 771-8	274
1595	Validity of echocardiographic measurement in an epidemiological study. Project HeartBeat!. 1999 , 34, 236-41	23
1594	Effects of age and gender on the cardiovascular responses to isoproterenol. 1999 , 54, B393-400; discussion B401-3	31
1593	Determinants of left ventricular mass in a French male population. 1999 , 8, 79-84	8
1592	Right and Left Ventricular Diastolic Filling Parameters in Essential Hypertension. 1999 , 7, 214-220	6
1591	Ambulatory blood pressure and metabolic abnormalities in hypertensive subjects with inappropriately high left ventricular mass. 1999 , 34, 1032-40	75
1590	Multiple clinic and home blood pressure measurements versus ambulatory blood pressure monitoring. 1999 , 34, 261-6	83
1589	Assessment of arterial compliance by carotid midwall strain-stress relation in hypertension. 1999 , 33, 793-9	14
1588	QT dispersion is reduced after valve replacement in patients with aortic stenosis. 1999 , 82, 15-8	15
1587	Circulating insulin and insulin growth factor-1 are independent determinants of left ventricular mass and geometry in essential hypertension. 1999 , 100, 1802-7	154

1586	Relationship between left ventricular mass and endothelium-dependent vasodilation in never-treated hypertensive patients. 1999 , 99, 1991-6	86
1585	Factors underlying the increase in carotid intima-media thickness in borderline hypertensives. 1999 , 19, 1231-7	87
1584	Relation of mass/volume ratio to ECG abnormalities and symptoms in children with aortic stenosis/insufficiency. 1999 , 50, 131-6	
1583	Medium-term cardiovascular effects of high-dose growth hormone treatment in growth hormone-deficient children. 1999 , 52, 247-52	10
1582	Effects of transdermal 17beta-estradiol on left ventricular anatomy and performance in hypertensive women. 1999 , 34, 1041-6	51
1581	Heart dimensions may influence the occurrence of the heart rate deflection point in highly trained cyclists. 1999 , 33, 387-92	23
1580	A novel method for indexing echocardiographic left ventricular mass in infants, children and adolescents: evaluation of obesity-induced left ventricular hypertrophy. 1999 , 41, 126-31	11
1579	Left ventricular hypertrophy, treadmill tests, and 24-hour blood pressure in pediatric transplant patients. 1999 , 56, 1566-70	72
1578	Echocardiography overestimates left ventricular mass in hemodialysis patients relative to magnetic resonance imaging. 1999 , 56, 2248-53	108
1577	Stress responsivity and body fatness: links between socioeconomic status and cardiovascular risk factors in youth. 1999 , 896, 435-8	11
1576	Reevaluation of an Old Electrocardiographic Criterion for Coronary Disease: TV1 > TV6. 1999 , 4, 397-400	4
1575	Silent myocardial ischaemia in patients with essential arterial hypertension and non-insulin dependent diabetes mellitus. 1999 , 13, 309-13	8
1574	The influence of different antihypertensive drugs on left ventricular hypertrophy in a population sample of elderly men. 1999 , 13, 499-504	7
1573	Left ventricular hypertrophy predicts outcome of hypertension regardless of the type of ventricular arrhythmia present. 1999 , 13, 617-23	6
1572	Echocardiographic findings and 24-h electrocardiographic Holter monitoring in patients with nodular and non-nodular rheumatoid arthritis. 1999 , 18, 163-9	43
1571	Influence of aortic valve replacement, prosthesis type, and size on functional outcome and ventricular mass in patients with aortic stenosis. 1999 , 118, 57-65	43
1570	Ambulatory blood pressure monitoring and echocardiography--noninvasive techniques for evaluation of the hypertensive patient. 1999 , 41, 397-440	12
1569	Evaluation of extent of shortening versus velocity of shortening at the endocardium and midwall in hypertensive heart disease. <i>American Journal of Cardiology</i> , 1999 , 83, 792-4, A10	3 8

1568	Cardiovascular risk factors, angiotensin-converting enzyme gene I/D polymorphism, and left ventricular mass in systemic hypertension. <i>American Journal of Cardiology</i> , 1999 , 83, 1196-200	3	34
1567	Coronary arterial dimension-to-left ventricular mass ratio in idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1999 , 83, 1277-80, A9	3	11
1566	Predictors of death from congestive heart failure in hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , 1999 , 83, 1280-1283	3	30
1565	Regression of acromegalic left ventricular hypertrophy after lanreotide (a slow-release somatostatin analog). <i>American Journal of Cardiology</i> , 1999 , 83, 1506-9, A8	3	56
1564	Comparison of acebutolol with and without hydrochlorothiazide versus carvedilol with and without hydrochlorothiazide in black patients with mild to moderate systemic hypertension. <i>American Journal of Cardiology</i> , 1999 , 84, 70-5	3	6
1563	Effects of age and physiologic variables on right ventricular filling dynamics in normal subjects. <i>American Journal of Cardiology</i> , 1999 , 84, 440-8	3	52
1562	Relations of diastolic left ventricular filling to systolic chamber and myocardial contractility in hypertensive patients with left ventricular hypertrophy (The PRESERVE Study). <i>American Journal of Cardiology</i> , 1999 , 84, 558-62	3	57
1561	Comparison of frequencies of left ventricular systolic and diastolic heart failure in Chinese living in Hong Kong. <i>American Journal of Cardiology</i> , 1999 , 84, 563-7	3	71
1560	Relation of maximum blood pressure during exercise and regular physical activity in normotensive men with left ventricular mass and hypertrophy. MARATHOM Investigators. Medida de la Actividad física y su Relación Ambiental con Todos los Lípidos en el Hombre. <i>American Journal of Cardiology</i> , 1999 , 84, 890-3	3	23
1559	Angiotensin-converting enzyme gene polymorphism influences degree of left ventricular hypertrophy and its regression in patients undergoing operation for aortic stenosis. <i>American Journal of Cardiology</i> , 1999 , 84, 909-13	3	52
1558	Value of a simple echocardiographic linear predictor of left ventricular mass in systemic hypertension. <i>American Journal of Cardiology</i> , 1999 , 84, 1209-14	3	6
1557	Reduced myocardial flow reserve does not impair exercise capacity in asymptomatic men. <i>American Journal of Cardiology</i> , 1999 , 84, 1253-5, A8	3	3
1556	Pregnancy in patients with well-treated beta-thalassemia: outcome for mothers and newborn infants. 1999 , 180, 360-5		58
1555	Sports-specific adaptations and differentiation of the athlete's heart. 1999 , 28, 237-44		59
1554	Changes in left ventricular mass and function after aortic valve replacement: a comparison between stentless and stented bioprosthetic valves. 1999 , 12, 981-7		26
1553	Muscular strength training is associated with low arterial compliance and high pulse pressure. 1999 , 33, 1385-91		188
1552	Left ventricular hypertrophy as a surrogate end-point in hypertension. 1999 , 21, 583-93		23
1551	Similar central hemodynamics in salt-sensitive and salt-resistant hypertensive patients. 1999 , 8, 233-41		2

1550	Nocturnal blood pressure reduction and development of left ventricular hypertrophy in patients with treated essential hypertension. 1999 , 10, 21-26	1
1549	Antihypertensive monotherapy with nisoldipine CC is superior to enalapril in black patients with severe hypertension. 1999 , 12, 194-203	27
1548	Prevalence of the angiotensin I converting enzyme insertion/deletion polymorphism, plasma angiotensin converting enzyme activity, and left ventricular mass in a normotensive Chilean population. 1999 , 12, 697-704	26
1547	Diastolic function and tachycardia in hypertensive children. 1999 , 12, 1009-14	28
1546	Lack of correlation between left ventricular mass and diameter of left coronary artery main trunk in hypertensive patients. 1999 , 12, 1163-8	18
1545	Determinants of left ventricular mass in untreated mildly hypertensive subjects: hospitalet study in mild hypertension. 1999 , 12, 1084-90	20
1544	Brain natriuretic peptide as a marker of cardiac involvement in hypertension. 1999 , 69, 169-77	27
1543	Regression of ventricular repolarisation inhomogeneity after aortic bileaflet valve replacement in patients with aortic stenosis. 1999 , 70, 141-8	8
1542	Effects of an angiotensin II receptor antagonist on urinary albumin excretion, left ventricular mass, and systolic and diastolic blood pressures in essential hypertension. 1999 , 60, 295-303	1
1541	Tacrolimus: a cause of hypertrophic cardiomyopathy in pediatric heart transplant recipients?. 1999 , 31, 82-3	8
1540	Exhaustive cycle exercise induces P-selectin expression, coagulation, and fibrinolysis activation in ultraendurance athletes. 1999 , 94, 263-9	20
1539	Volume overload hypertrophy of the newborn heart slows the maturation of enzymes involved in the regulation of fatty acid metabolism. 1999 , 33, 1724-34	43
1538	Clinical features of isolated noncompaction of the ventricular myocardium: long-term clinical course, hemodynamic properties, and genetic background. 1999 , 34, 233-40	538
1537	Hemodynamic and physical performance during maximal exercise in patients with an aortic bioprosthesis: comparison of stentless versus stented bioprostheses. 1999 , 34, 1609-17	112
1536	Reliability of echocardiographic assessment of left ventricular structure and function: the PRESERVE study. Prospective Randomized Study Evaluating Regression of Ventricular Enlargement. 1999 , 34, 1625-32	284
1535	Physiological significance of early deceleration time prolongation in asymptomatic elderly subjects. 1999 , 5, 92-9	11
1534	Effects of age and gender on cardiovascular responses to phenylephrine. 1999 , 54, M17-24	12
1533	Relation between the renin-angiotensin-aldosterone system and left ventricular structure and function in young normotensive and mildly hypertensive subjects. 1999 , 138, 810-7	21

1532	Static and pulsatile blood pressure correlates of left ventricular structure and function in black and white young adults: the CARDIA study. 1999 , 138, 856-64	44
1531	Anthropometric and physiologic correlates of mitral valve prolapse in a biethnic cohort of young adults: the CARDIA study. 1999 , 138, 486-92	61
1530	Regional left ventricular myocardial contraction abnormalities and asynchrony in patients with hypertrophic cardiomyopathy evaluated by magnetic resonance spatial modulation of magnetization myocardial tagging. 1999 , 63, 442-6	27
1529	Influence of exercise on QT dispersion in hypertensive patients with left ventricular hypertrophy without coronary artery disease. 1999 , 63, 881-4	4
1528	Discrepancies between echocardiographic measurements of left ventricular mass in a healthy adult population. 1999 , 97, 377-383	8
1527	Discrepancies between echocardiographic measurements of left ventricular mass in a healthy adult population. 1999 , 97, 377	2
1526	Angiotensin II antagonism and the heart: valsartan in left ventricular hypertrophy. 1999 , 91 Suppl 1, 3-7	9
1525	Circadian blood pressure changes and cardiac abnormalities in IgA nephropathy. 1999 , 19, 546-51	11
1524	Left ventricular mass correlates with fat-free mass but not fat mass in adults. 1999 , 17, 569-74	25
1523	Can echocardiography identify mildly hypertensive patients at high risk, left untreated based on current guidelines?. 1999 , 17, 817-24	18
1522	Hyper-responsiveness to angiotensin II is related to cardiac structural adaptation in hypertensive subjects. 1999 , 17, 825-33	4
1521	Impact of nocturnal fall in blood pressure on early cardiovascular changes in essential hypertension. 1999 , 17, 1339-44	30
1520	A pressure-time index' for assessing the severity of essential hypertension. 1999 , 17, 1387-93	6
1519	Influence of a rapid change of left ventricular dimensions on the echocardiographic measurement of left ventricular mass by the Penn convention. 1999 , 17, 1323-8	5
1518	Prediction of left ventricular geometry by clinic, pre-dialysis and 24-h ambulatory BP monitoring in hemodialysis patients: CREED investigators. 1999 , 17, 1751-8	80
1517	Heart failure in community-dwelling older persons: aims, design and adherence rate of the ICARe Dicomano project: an epidemiologic study. Insufficienza Cardiaca negli Anziani Residenti a Dicomano. 1999 , 47, 664-71	26
1516	Impact of arterial elastance as a measure of vascular load on left ventricular geometry in hypertension. 1999 , 17, 1007-15	60
1515	Type A behavior is associated with an increased risk of left ventricular hypertrophy in male patients with essential hypertension. 1999 , 17, 115-20	16

1514	Effects of valsartan on left ventricular diastolic function in patients with mild or moderate essential hypertension: comparison with enalapril. 1999 , 17, 1759-66	22
1513	Reliability and limitations of echocardiographic measurement of left ventricular mass for risk stratification and follow-up in single patients: the RES trial. Working Group on Heart and Hypertension of the Italian Society of Hypertension. Reliability of M-mode Echocardiographic Studies. 1999 , 17, 1955-63	60
1512	Left ventricular geometry and function in patients with essential hypertension and microalbuminuria. 1999 , 17, 993-1000	81
1511	Transesophageal 3-Dimensional Echocardiography: In Vivo Determination of Left Ventricular Mass in Comparison with Magnetic Resonance Imaging. 2000 , 13, 205-215	33
1510	Left Ventricular Diastolic Dysfunction in Patients With Hypertension and Preserved Systolic Function. 2000 , 75, 148-155	12
1509	Evaluation of brain natriuretic peptide in the diagnosis of heart failure. 2000 , 93, 19-25	53
1508	Left ventricular structure and function in primary hyperparathyroidism before and after parathyroidectomy. 2000 , 93, 229-33	38
1507	Influence of age and cardiovascular factors on regional pulsed wave Doppler myocardial imaging indices. 2000 , 1, 87-95	22
1506	Assessment of pseudohypertrophy as a measure of left-ventricular compression in patients with cardiac tamponade. 2000 , 94, 213-9	4
1505	Antihypertensive effect of low-dose hydrochlorothiazide alone or in combination with quinapril in black patients with mild to moderate hypertension. 2000 , 40, 713-21	8
1504	Controlled study of circadian rhythm of blood pressure in patients with aldosterone-producing adenoma compared with those with essential hypertension. 2000 , 18, 21-5	12
1503	The Association of Left Ventricular Mass with Cardiovascular Risk Factors in African American Women. 2000 , 320, 13-17	2
1502	RAS genes influence exercise-induced left ventricular hypertrophy: an elite athletes study. 2000 , 32, 1868-72	46
1501	Association analysis of beta2 adrenoceptor polymorphisms with hypertension in a Black African population. 2000 , 18, 167-72	43
1500	Long-term changes in left ventricular hypertrophy after renal transplantation. 2000 , 70, 570-5	100
1499	Prospective analysis of the value of 24-hour ambulatory blood pressure on renal function after kidney transplantation. 2000 , 70, 819-27	35
1498	Left ventricular wall stresses and wall stress-mass-heart rate products in hypertensive patients with electrocardiographic left ventricular hypertrophy: the LIFE study. Losartan Intervention For Endpoint reduction in hypertension. 2000 , 18, 1129-38	60
1497	Use of an age-adjusted Doppler E/A ratio in patients with moderate to severe hypertension. 2000 , 18, 1477-81	2

1496	Changes in midwall systolic performance and cardiac hypertrophy reduction in hypertensive patients. 2000 , 18, 1651-6		22
1495	Left ventricular function in adolescents and adults with restrictive ventricular septal defect and moderate left-to-right shunting. 2000 , 10, 126-9		12
1494	The influence of right atrial septal pacing on the interatrial contraction sequence. 2000 , 23, 1752-7		20
1493	Carotid remodeling in essential hypertension: role of blood pressure, indexed parameters, and association with cardiac mass and aortic stiffness. 2000 , 22, 717-29		7
1492	Inadequate diagnosis and therapy of arterial hypertension as causes of left ventricular hypertrophy in uremic dialysis patients. 2000 , 58, 260-8		40
1491	Genetic polymorphism of the renin-angiotensin system and organ damage in essential hypertension. 2000 , 57, 561-9		53
1490	Determination of left ventricular mass by real-time three-dimensional echocardiography: in vitro validation. 2000 , 17, 665-74		8
1489	N-terminal atrial natriuretic peptide and left ventricular geometry and function in a population sample of elderly males. 2000 , 247, 699-708		10
1488	Relationships between cardiovascular remodelling and the pulse pressure in never treated hypertension. 2000 , 14, 23-30		43
1487	The association of RBC sodium-lithium countertransport (Vmax) with left ventricular mass in African American women. 2000 , 14, 213-9		3
1486	Echocardiographic Doppler evaluation of left ventricular diastolic filling in older, highly trained male endurance athletes. 2000 , 17, 7-16		19
1485	Efficiency of left ventricular diastolic function increases in healthy full-term infants during the first months of life. A prospective follow-up study. 2000 , 57, 49-59		25
1484	Left ventricular filling patterns in patients with systemic hypertension and left ventricular hypertrophy (the LIFE study). Losartan Intervention For Endpoint. <i>American Journal of Cardiology</i> , 2000 , 85, 466-72	3	140
1483	Impact of aldosterone on left ventricular structure and function in young normotensive and mildly hypertensive subjects. <i>American Journal of Cardiology</i> , 2000 , 85, 1199-206	3	51
1482	Possible role of increased blood viscosity in the hemodynamics of systemic hypertension. <i>American Journal of Cardiology</i> , 2000 , 85, 1265-8	3	52
1481	Subclinical left ventricular dysfunction in systemic hypertension and the role of 24-hour blood pressure. <i>American Journal of Cardiology</i> , 2000 , 86, 509-13	3	16
1480	Effects of pravastatin on left ventricular mass in patients with hyperlipidemia and essential hypertension. <i>American Journal of Cardiology</i> , 2000 , 86, 514-8	3	58
1479	Effect of hypertension on cardiac mass and radial artery wall thickness. <i>American Journal of Cardiology</i> , 2000 , 86, 564-7, A9	3	7

1478	Congestive heart failure despite normal left ventricular systolic function in a population-based sample: the Strong Heart Study. <i>American Journal of Cardiology</i> , 2000 , 86, 1090-6	3	219
1477	Treatment of hypertension with perindopril reduces plasma atrial natriuretic peptide levels, left ventricular mass, and improves echocardiographic parameters of diastolic function. 2000 , 23, 437-41		18
1476	Is ventricular repolarization heterogeneity a cause of serious ventricular tachyarrhythmias in aortic valve stenosis?. 2000 , 23, 449-52		3
1475	Does left ventricular shape influence clinical outcome in heart failure?. 2000 , 23, 813-9		16
1474	Genetic contributions to left ventricular hypertrophy. 2000 , 2, 50-5		19
1473	Morphologic left ventricular patterns and prevalence of high-grade ventricular arrhythmias in the normotensive and hypertensive elderly. 2000 , 17, 222-9		7
1472	Normal values of echocardiographic measurements. A population-based study. 2000 , 75, 107-14		17
1471	Usefulness of beta blocker therapy in patients with Takayasu arteritis and moderate or severe aortic regurgitation. 2000 , 41, 325-37		8
1470	Insulin resistance and hyperinsulinemia: No independent relation to left ventricular mass in humans. 2000 , 102, 2233-8		58
1469	QT intervals and heart rate variability in hypertensive patients. 2000 , 41, 173-82		12
1468	Control of blood pressure and prevention of end-organ damage in patients with accelerated hypertension by combination with arotinolol and extended release nifedipine. 2000 , 23, 159-66		10
1467	Blood viscosity, plasma adrenaline and fasting insulin in hypertensive patients with left ventricular hypertrophy. ICARUS, a LIFE Substudy. <i>Insulin CARotids US Scandinavica</i> . 2000 , 9, 83-90		14
1466	Cardiac dysfunction and mortality in HIV-infected children: The Prospective P2C2 HIV Multicenter Study. Pediatric Pulmonary and Cardiac Complications of Vertically Transmitted HIV Infection (P2C2 HIV) Study Group. 2000 , 102, 1542-8		115
1465	The transgenic expression of highly inhibitory monomeric forms of phospholamban in mouse heart impairs cardiac contractility. 2000 , 275, 14985-91		63
1464	Anticipatory blood pressure responses to exercise are associated with left ventricular mass in Finnish men: Kuopio Ischemic Heart Disease Risk Factor Study. 2000 , 102, 1394-9		40
1463	Effect of endurance exercise training on left ventricular size and remodeling in older adults with hypertension. 2000 , 55, M245-51		53
1462	Orthostatic Hypotension in the Elderly: Contributions of Impaired LV Filling and Altered Sympathovagal Balance. 2000 , 9, 273-280		17
1461	Blood pressure, arterial compliance, and left ventricular mass: no relation to small size at birth in south Indian adults. 2000 , 83, 272-7		42

1460	Impact of arterial stiffening on left ventricular structure. 2000 , 36, 489-94	205
1459	The influence of marital adjustment on 3-year left ventricular mass and ambulatory blood pressure in mild hypertension. 2000 , 160, 3453-8	45
1458	Three-dimensional echocardiography: assessment of inter- and intra-operator variability and accuracy in the measurement of left ventricular cavity volume and myocardial mass. 2000 , 45, 1255-73	11
1457	Genetic and environmental influences on left ventricular mass. A family study. 2000 , 36, 740-6	45
1456	Continuous relation between left ventricular mass and cardiovascular risk in essential hypertension. 2000 , 35, 580-6	396
1455	Impact of diabetes on cardiac structure and function: the strong heart study. 2000 , 101, 2271-6	690
1454	Impact of different partition values on prevalences of left ventricular hypertrophy and concentric geometry in a large hypertensive population : the LIFE study. 2000 , 35, 6-12	200
1453	QT dispersion in patients with Takayasu arteritis. 2000 , 51, 751-6	12
1452	Increased arterial intima-media thickness and in vivo LDL oxidation in young men with borderline hypertension. 2000 , 36, 929-33	111
1451	Effects of antihypertensive therapy on glucose and insulin metabolism and on left ventricular mass: A randomized, double-blind, controlled study of 21 obese hypertensives. 2000 , 102, 1802-6	31
1450	Left ventricular concentric remodeling rather than left ventricular hypertrophy is related to the insulin resistance syndrome in elderly men. 2000 , 101, 2595-600	97
1449	Lisinopril-mediated regression of myocardial fibrosis in patients with hypertensive heart disease. 2000 , 102, 1388-93	508
1448	Performance of classic electrocardiographic criteria for left ventricular hypertrophy in an African population. 2000 , 36, 54-61	22
1447	Clinical study to investigate the predictive parameters for the onset of atrial fibrillation in patients with essential hypertension. 2000 , 139, 814-9	138
1446	Prognostic value of left ventricular hypertrophy and geometry in patients with a first, uncomplicated myocardial infarction. 2000 , 74, 177-83	26
1445	Left ventricular mass index and sports: the influence of different sports activities and arterial blood pressure. 2000 , 75, 261-5	19
1444	beta-blocker therapy in patients after aortic valve replacement for aortic regurgitation. 2000 , 73, 49-53	10
1443	New insights in cardiac structural changes in patients with Fabry's disease. 2000 , 139, 1101-8	186

1442	Enhanced prognostic stratification of patients with left ventricular hypertrophy with the use of single-photon emission computed tomography. 2000 , 140, 456-62	18
1441	Long-term central hemodynamic effects at rest and during exercise of losartan in essential hypertension. 2000 , 140, 624-30	18
1440	Clinical relevance of office underestimation of usual blood pressure in treated hypertension. 2000 , 13, 523-8	21
1439	The influence of left ventricular geometry on coronary vasomotion in patients with essential hypertension. 2000 , 13, 789-95	8
1438	Effect of blood glucose on left ventricular mass in patients with hypertension and type 2 diabetes mellitus. 2000 , 13, 1149-54	35
1437	Effect of blood pressure and physical activity on carotid artery intima-media thickness in stage 1 hypertensives and controls. 2000 , 13, 1256-62	18
1436	Left ventricular geometry in pregnancy-induced hypertension. 2000 , 13, 226-30	13
1435	Arterial wall thickening at different sites and its association with left ventricular hypertrophy in newly diagnosed essential hypertension. 2000 , 13, 324-31	58
1434	Aerobic exercise training fails to reduce blood pressure in nondipper-type hypertension. 2000 , 13, 593-600	24
1433	Prediction of coronary artery disease and cardiac events using electrocardiographic changes during hemodialysis. 2000 , 36, 592-9	30
1432	Differences in echocardiographic findings and systemic hemodynamics among non-diabetic American Indians in different regions: The Strong Heart Study. 2000 , 10, 324-32	8
1431	Early experience with the mosaic bioprosthesis: a new generation porcine valve. 2000 , 69, 1846-50	25
1430	Relationship between left ventricular mass and hemodynamic responses to physical and mental stress. 2000 , 48, 79-88	12
1429	A new framework for echocardiographic assessment of left ventricular mechanics: sensitivity to heart failure. 2000 , 13, 969-79	3
1428	Correction of arterial structure and endothelial dysfunction in human essential hypertension by the angiotensin receptor antagonist losartan. 2000 , 101, 1653-9	531
1427	Lack of Association of Angiotensin-converting Enzyme and Angiotensinogen Genes Polymorphisms with Left Ventricular Structure in Young Normotensive Men. 2000 , 9, 47-51	13
1426	Diastolic function abnormalities in rheumatoid arthritis. Evaluation By echo Doppler transmitral flow and pulmonary venous flow: relation with duration of disease. 2000 , 59, 227-9	51
1425	Echocardiographic Study of Pulmonary Hypertension Syndrome in Broiler Chickens. 2000 , 44, 74	6

1424	Left ventricular end-diastolic pressure can be estimated by either changes in transmitral inflow pattern during valsalva maneuver or analysis of pulmonary venous flow. 2000 , 13, 599-607	40
1423	Doppler-determined peak systolic tricuspid pressure gradient in persons with normal pulmonary function and tricuspid regurgitation. 2000 , 13, 645-9	38
1422	Sublingual nitroglycerin delays arterial wave reflections despite increased aortic "stiffness" in patients with hypertension: a Doppler echocardiography study. 2000 , 13, 1100-8	9
1421	Echocardiographic features of genetic diseases: part 1. Cardiomyopathy. 2000 , 13, 73-86	15
1420	Left ventricular diastolic dysfunction in patients with hypertension and preserved systolic function. 2000 , 75, 148-55	20
1419	Race- and sex-specific ECG models for left ventricular mass in older populations. Factors influencing overestimation of left ventricular hypertrophy prevalence by ECG criteria in African-Americans. 2000 , 33, 205-18	49
1418	Early changes in left ventricular function in chronic asymptomatic alcoholics: relation to the duration of heavy drinking. 2000 , 35, 1599-606	104
1417	Long-term follow-up of 34 adults with isolated left ventricular noncompaction: a distinct cardiomyopathy with poor prognosis. 2000 , 36, 493-500	902
1416	Myocardial cell damage in human hypertension. 2000 , 36, 2198-203	17
1415	Reduced myocardial flow reserve relates to increased carotid intima-media thickness in healthy young men. 2001 , 156, 469-75	27
1414	Effect of the angiotensin II type 2-receptor gene (+1675 G/A) on left ventricular structure in humans. 2001 , 37, 175-82	76
1413	Androgenic anabolic steroids and arterial structure and function in male bodybuilders. 2001 , 37, 224-30	84
1412	Aldosterone synthase (CYP11B2) -344 C/T polymorphism is associated with left ventricular structure in human arterial hypertension. 2001 , 37, 878-84	43
1411	The impact of diabetes on left ventricular filling pattern in normotensive and hypertensive adults: the Strong Heart Study. 2001 , 37, 1943-9	257
1410	The importance of age and obesity on the relation between diabetes and left ventricular mass. 2001 , 37, 1957-62	35
1409	Effect of essential hypertension on cardiac autonomic function in type 2 diabetic patients. 2001 , 38, 232-7	63
1408	Relationship of the electrocardiographic strain pattern to left ventricular structure and function in hypertensive patients: the LIFE study. Losartan Intervention For End point. 2001 , 38, 514-20	90
1407	Relationship between plasma level of cardiotrophin-1 and left ventricular mass index in patients with dilated cardiomyopathy. 2001 , 38, 1485-90	54

1406	Hypertensive left ventricular hypertrophy: relation to peripheral sympathetic drive. 2001 , 38, 1711-7	134
1405	Left ventricular mass and cardiovascular morbidity in essential hypertension: the MAVI study. 2001 , 38, 1829-35	279
1404	Body mass index can predict left ventricular diastolic filling in asymptomatic obese children. 2001 , 22, 273-8	33
1403	Estimation of right ventricular free-wall mass using two-dimensional echocardiography. 2001 , 22, 306-14	17
1402	Associations of subclinical cardiovascular disease with frailty. 2001 , 56, M158-66	539
1401	Prevalence and correlates of mitral valve prolapse in a population-based sample of American Indians: the Strong Heart Study. 2001 , 111, 679-85	72
1400	Detection of changes in diastolic function by pulmonary venous flow analysis in women athletes. 2001 , 141, 139-47	10
1399	Right ventricular diastolic function in beta-thalassemia major: echocardiographic and clinical correlates. 2001 , 141, 428-34	56
1398	A population-based assessment of left ventricular systolic dysfunction in middle-aged and older adults: the Strong Heart Study. 2001 , 141, 439-46	81
1397	Lack of association among five genetic polymorphisms of the renin-angiotensin system and cardiac hypertrophy in patients with aortic stenosis. 2001 , 141, 671-6	20
1396	Left ventricular function and hemodynamic features of inappropriate left ventricular hypertrophy in patients with systemic hypertension: the LIFE study. 2001 , 141, 784-91	60
1395	Relationship of impaired glucose tolerance to left ventricular structure and function: The Strong Heart Study. 2001 , 141, 992-8	101
1394	Plasma brain natriuretic peptide as a novel therapeutic indicator in idiopathic dilated cardiomyopathy during beta-blocker therapy: a potential of hormone-guided treatment. 2001 , 141, 925-32	78
1393	Time course of left ventricular remodeling after stentless aortic valve replacement. 2001 , 142, 556-62	21
1392	Early signs of cardiac involvement in hypertension. 2001 , 142, 1016-23	20
1391	Development of left ventricular systolic and diastolic function in preterm infants during the first month of life: a prospective follow-up study. 2001 , 139, 539-45	41
1390	Usefulness of the Indexed Effective Orifice Area in the Assessment of Subaortic Stenosis in the Dog. 2001 , 15, 430-437	17
1389	Étude échographique de la fonction ventriculaire gauche d'un groupe de judokas camerounais. 2001 , 16, 10-15	1

1388	Endogenous ouabain and hemodynamic and left ventricular geometric patterns in essential hypertension. 2001 , 14, 44-50	92
1387	Diastolic dysfunction precedes myocardial hypertrophy in the development of hypertension. 2001 , 14, 106-13	112
1386	Left ventricular function impairment in pregnancy-induced hypertension. 2001 , 14, 271-5	28
1385	Pulse pressure in normotensives: a marker of cardiovascular disease. 2001 , 14, 195-9	34
1384	5,10-Methylenetetrahydrofolate reductase polymorphism and early organ damage in primary hypertension. 2001 , 14, 371-6	23
1383	Relation of echocardiographic left ventricular mass and hypertrophy to persistent electrocardiographic left ventricular hypertrophy in hypertensive patients: the LIFE Study. 2001 , 14, 775-82	36
1382	Optimizing assessment of carotid and femoral intima-media thickness in essential hypertension. 2001 , 14, 1025-31	5
1381	Sibling correlation of left ventricular mass and geometry in hypertensive African Americans and whites: the HyperGEN study. Hypertension Genetic Epidemiology Network. 2001 , 14, 1226-30	60
1380	Left ventricular mechanical efficiency in hypertensive patients with and without increased myocardial mass and with normal pump function. 2001 , 14, 1231-8	12
1379	Maximal exercise capacity is related to cardiovascular structure in patients with longstanding hypertension. A LIFE substudy. Losartan Intervention For Endpoint-Reduction in Hypertension. 2001 , 14, 1205-10	13
1378	The CryoLife O'Brien stentless porcine aortic bioprosthesis: 5-year follow-up. 2001 , 71, 86-91	47
1377	Ausencia de relación entre insulinemia y afectación orgánica en hipertensos no tratados grados 1-2. 2001 , 18, 112-117	
1376	Alteraciones electrocardiográficas en la hipertensión arterial. 2001 , 18, 207-211	
1375	[Comparative study of echocardiography and magnetic resonance imaging in the assessment of left ventricular mass]. 2001 , 54, 22-8	7
1374	Masa ventricular en ancianos con cardiopatía isquémica. 2001 , 13, 47-53	
1373	Real-time 3-dimensional echocardiographic evaluation of left ventricular volume: correlation with magnetic resonance imaging—a validation study. 2001 , 14, 1001-9	43
1372	Circulating natriuretic peptide concentrations in patients with end-stage renal disease: role of brain natriuretic peptide as a biomarker for ventricular remodeling. 2001 , 76, 1111-9	151
1371	Reference values for echocardiographic measurements in urban and rural populations of differing ethnicity: the Strong Heart Study. 2001 , 14, 601-11	87

1370	Left atrial volume: important risk marker of incident atrial fibrillation in 1655 older men and women. 2001 , 76, 467-75	454
1369	Regression of left ventricular mass with captopril and metoprolol, and the effects on glucose and lipid metabolism. 2001 , 10, 101-10	20
1368	Ambulatory blood pressure monitoring and clinical characteristics of the true and white-coat resistant hypertension. 2001 , 23, 203-11	34
1367	Surgical management and indication of left ventricular retraining in arterial switch for transposition of the great arteries with intact ventricular septum. 2001 , 20, 824-9	57
1366	Behavioral treatment of hypertensive heart disease in African Americans: rationale and design of a randomized controlled trial. 2001 , 27, 83-95	11
1365	Left ventricular hypertrophy as an independent predictor of acute cerebrovascular events in essential hypertension. 2001 , 104, 2039-44	215
1364	Effects of avertin versus xylazine-ketamine anesthesia on cardiac function in normal mice. 2001 , 281, H1938-45	86
1363	Echocardiographic assessment of the different left ventricular geometric patterns in hypertensive patients. 2001 , 76, 15-28	6
1362	Accuracy of echocardiographic estimates of left ventricular mass in mice. 2001 , 280, H1954-62	88
1361	Variations in cardiac diastolic function in hypertensive patients with different left ventricular geometric patterns. 2001 , 24, 601-4	15
1360	Blood Pressure and Left Ventricular Hypertrophy in Patients on Different Peritoneal Dialysis Regimens. 2001 , 21, 1-9	24
1359	Erythrocyte calcium influx is related to severity of ventricular arrhythmias in uraemic patients. 2001 , 16, 85-90	10
1358	Análise das alterações cardiovasculares em adultos com deficiência de hormônio de crescimento através da dopplerecardiografia e do teste de esforço cardiopulmonar. 2001 , 45, 540-546	1
1357	Target organ damage and non-dipping pattern defined by two sessions of ambulatory blood pressure monitoring in recently diagnosed essential hypertensive patients. 2001 , 19, 1539-45	120
1356	Flow-mediated dilatation of the brachial artery and left ventricular geometry in hypertensive patients. 2001 , 19, 641-7	30
1355	Regression of left ventricular hypertrophy in human hypertension with irbesartan. 2001 , 19, 1167-76	127
1354	Reduction of left ventricular mass by lisinopril and nifedipine in hypertensive renal transplant recipients: a prospective randomized double-blind study. 2001 , 72, 107-11	56
1353	Independent predictors of isolated clinic ('white-coat') hypertension. 2001 , 19, 1015-20	74

1352	Relation of left ventricular geometry and function to systemic hemodynamics in hypertension: the LIFE Study. Losartan Intervention For Endpoint Reduction in Hypertension Study. 2001 , 19, 127-34	41
1351	High-density lipoprotein cholesterol and left ventricular hypertrophy in essential hypertension. 2001 , 19, 2265-70	34
1350	Hormone replacement improves hemodynamic profile and left ventricular geometry in hypertensive and normotensive postmenopausal women. 2001 , 19, 269-78	54
1349	Relation of hemodynamics and risk factors to ventricular-vascular interactions in the elderly: the Cardiovascular Health Study. 2001 , 19, 1893-903	29
1348	Cardiovascular risk stratification in hypertensive patients: impact of echocardiography and carotid ultrasonography. 2001 , 19, 375-80	22
1347	Relation of QT interval and QT dispersion to echocardiographic left ventricular hypertrophy and geometric pattern in hypertensive patients. The LIFE study. The Losartan Intervention For Endpoint Reduction. 2001 , 19, 1883-91	86
1346	Left ventricular mass is not related to insulin sensitivity in never-treated primary hypertension. 2001 , 19, 311-7	12
1345	Long-term CAPD patients are volume expanded and display more severe left ventricular hypertrophy than haemodialysis patients. 2001 , 16, 1459-64	154
1344	Allometric analysis of the association between cardiac dimensions and body size variables in 464 junior athletes. 2001 , 100, 47-54	37
1343	Physiological relationships between central vascular haemodynamics and left ventricular structure. 2001 , 101, 79-85	8
1342	Allometric analysis of the association between cardiac dimensions and body size variables in 464 junior athletes. 2001 , 100, 47	17
1341	Physiological relationships between central vascular haemodynamics and left ventricular structure. 2001 , 101, 79	3
1340	Cardiac involvement in thalassemia intermedia: a multicenter study. 2001 , 97, 3411-6	223
1339	Gender and the relationship between resting heart rate and left ventricular geometry. 2001 , 19, 367-73	12
1338	Small artery remodeling is the most prevalent (earliest?) form of target organ damage in mild essential hypertension. 2001 , 19, 921-30	216
1337	Prognostic impact of plasma brain natriuretic peptide for cardiac events in elderly patients with congestive heart failure. 2001 , 47, 46-51	27
1336	Antiadrenergic effects of adenosine in pressure overload hypertrophy. 2001 , 37, 862-8	23
1335	High frame rate Doppler echocardiography in the rat: an evaluation of the method. 2001 , 2, 78-87	21

1334	Hypertension, cardiac state, and the role of volume overload during peritoneal dialysis. 2001 , 16, 324-31	37
1333	Ambulatory blood pressure monitoring after renal transplantation in children. 2001 , 16, 843-7	77
1332	Comparison of arrhythmias among different left ventricular geometric patterns in essential hypertension. 2001 , 21, 93-6	
1331	Partial left ventriculectomy. The First Japanese Registry Report 1999. 2001 , 49, 145-52	6
1330	Evaluation of various electrocardiographic criteria for left ventricular hypertrophy in patients with stable angina pectoris: influence of using modified limb electrodes. 2001 , 21, 196-207	6
1329	Left ventricular hypertrophy increases transepical dispersion of repolarisation in hypertensive patients: a differential effect on QTpeak and QTend dispersion. 2001 , 31, 563-9	25
1328	ACE and angiotensinogen gene genotypes and left ventricular mass in athletes. 2001 , 31, 836-42	33
1327	Short daily hemodialysis rapidly improves nutritional status in hemodialysis patients. 2001 , 60, 1555-60	100
1326	Diagnostic potential of cardiac natriuretic peptides in dialysis patients. 2001 , 59, 1559-66	124
1325	Effects of verapamil in normal elderly individuals with left ventricular diastolic dysfunction. 2001 , 18, 123-9	8
1324	Left ventricular diastolic function in patients on maintenance haemodialysis. 2001 , 6, 161-163	
1323	Measurement of left ventricular dimensions and function in patients with dilated cardiomyopathy. 2001 , 13, 367-71	66
1322	Echocardiographic evaluation of patients cured of childhood cancer: a single center study of 117 subjects who received anthracyclines. 2001 , 36, 593-600	26
1321	Cardiac manifestations of rheumatoid arthritis: a case-control transesophageal echocardiography study in 30 patients. 2001 , 45, 129-35	70
1320	Influence of age on left atrial appendage function in patients with nonvalvular atrial fibrillation. 2001 , 24, 39-44	9
1319	Partial left ventriculectomy: history, current status, and future role. 2001 , 16, 4-9	2
1318	Partial left ventriculectomy: the 2nd International Registry Report 2000. 2001 , 16, 10-23	10
1317	Improved left ventricular contraction and energetics in a patient with Chagas' disease undergoing partial left ventriculectomy. 2001 , 16, 30-3	8

1316	Partial left ventriculectomy for patients with ischemic cardiomyopathy. 2001 , 16, 145-52		12
1315	Left ventricular mass and function in young obese women. 2001 , 25, 233-8		18
1314	Exercise blood pressure correlates with the maximum heart rate corrected QT interval in hypertension. 2001 , 15, 169-72		3
1313	Blood pressure determinants of left ventricular wall thickness and mass index in hypertension: comparing office, ambulatory and exercise blood pressures. 2001 , 15, 627-33		22
1312	Effect of the Valsalva manoeuver on diastolic filling indices in patients with essential hypertension. 2001 , 15, 607-12		4
1311	Altered circadian blood pressure profile in patients with active acromegaly. Relationship with left ventricular mass and hormonal values. 2001 , 15, 601-5		27
1310	Influence of different echocardiographic criteria for detection of left ventricular hypertrophy on cardiovascular risk stratification in recently diagnosed essential hypertensives. 2001 , 15, 619-25		4
1309	Effects of long-acting ACE inhibitor (temocapril) and long-acting Ca channel blocker (amlodipine) on 24-h ambulatory BP in elderly hypertensive patients. 2001 , 15, 643-8		9
1308	Inappropriate left ventricular mass and angiotensin converting enzyme gene polymorphism. 2001 , 15, 811-3		8
1307	A Rodent Model of Alcoholic Heart Muscle Disease and Its Evaluation by Echocardiography. 2001 , 25, 457-463		45
1306	Effect of electrocardiographic left ventricular hypertrophy on left ventricular systolic function in systemic hypertension (The LIFE Study). Losartan Intervention For Endpoint. <i>American Journal of Cardiology</i> , 2001 , 87, 54-60	3	65
1305	Left ventricular midwall function improves with antihypertensive therapy and regression of left ventricular hypertrophy in patients with asymptomatic hypertension. <i>American Journal of Cardiology</i> , 2001 , 87, 61-5	3	17
1304	Prevalence and correlates of mitral regurgitation in a population-based sample (the Strong Heart Study). <i>American Journal of Cardiology</i> , 2001 , 87, 298-304	3	133
1303	Prevalence of diastolic dysfunction in normotensive, asymptomatic patients with well-controlled type 2 diabetes mellitus. <i>American Journal of Cardiology</i> , 2001 , 87, 320-3	3	204
1302	Inappropriate left ventricular mass in normotensive and hypertensive patients. <i>American Journal of Cardiology</i> , 2001 , 87, 361-3, A10	3	42
1301	Prognostic value of midwall shortening fraction and its relation with left ventricular mass in systemic hypertension. <i>American Journal of Cardiology</i> , 2001 , 87, 479-82, A7	3	21
1300	Ventricular and myocardial function following treatment of hypertension. <i>American Journal of Cardiology</i> , 2001 , 87, 732-6	3	12
1299	Effect of balloon aortic valvuloplasty of congenital aortic stenosis in children in regression of left ventricular mass. <i>American Journal of Cardiology</i> , 2001 , 87, 916-9	3	3

1298	Gender differences in systolic left ventricular function in hypertensive patients with electrocardiographic left ventricular hypertrophy (the LIFE study). <i>American Journal of Cardiology</i> , 2001 , 87, 980-3; A4	3	56
1297	M-mode echocardiographic predictors of six- to seven-year incidence of coronary heart disease, stroke, congestive heart failure, and mortality in an elderly cohort (the Cardiovascular Health Study). <i>American Journal of Cardiology</i> , 2001 , 87, 1051-7	3	314
1296	Separate and joint effects of systemic hypertension and diabetes mellitus on left ventricular structure and function in American Indians (the Strong Heart Study). <i>American Journal of Cardiology</i> , 2001 , 87, 1260-5	3	126
1295	Impact of coronary artery disease on left ventricular systolic function and geometry in hypertensive patients with left ventricular hypertrophy (the LIFE study). <i>American Journal of Cardiology</i> , 2001 , 88, 646-50	3	31
1294	Relation of various degrees of body mass index in patients with systemic hypertension to left ventricular mass, cardiac output, and peripheral resistance (The Hypertension Genetic Epidemiology Network Study). <i>American Journal of Cardiology</i> , 2001 , 88, 1163-8	3	98
1293	Implications of increased left ventricular mass index on in-hospital outcomes in patients undergoing aortic valve surgery. 2001 , 122, 919-28		85
1292	Mitral valve prolapse and mitral regurgitation are common in patients with polycystic kidney disease type 1. 2001 , 38, 1208-16		74
1291	Effects of candesartan on cardiac and arterial structure and function in hypertensive subjects. 2001 , 2, 227-32		8
1290	Right ventricular diastolic dysfunction in patients with anticardiolipin antibodies and antiphospholipid syndrome. 2001 , 60, 43-8		45
1289	A comparison of left ventricular abnormalities associated with glucose intolerance in African Caribbeans and Europeans in the UK. 2001 , 85, 643-8		12
1288	Midwall mechanics are improved after regression of hypertensive left ventricular hypertrophy and normalization of chamber geometry. 2001 , 103, 678-83		67
1287	Left ventricular systolic dysfunction in a biracial sample of hypertensive adults: The Hypertension Genetic Epidemiology Network (HyperGEN) Study. 2001 , 38, 417-23		59
1286	Load versus humoral activation in the genesis of early hypertensive heart disease. 2001 , 104, 215-20		37
1285	Impact of hypertension on the accuracy of exercise stress myocardial perfusion imaging for the diagnosis of coronary artery disease. 2001 , 85, 655-61		36
1284	Cardiac performance in Turner's syndrome patients on growth hormone therapy. 2001 , 55, 240-4		9
1283	Autonomic neuropathy is linked to nocturnal hypoxaemia and to concentric hypertrophy and remodelling in dialysis patients. 2001 , 16, 70-7		100
1282	Efficacy of different drug classes used to initiate antihypertensive treatment in black subjects: results of a randomized trial in Johannesburg, South Africa. 2001 , 161, 965-71		61
1281	Doppler tissue echocardiography: myocardial wall motion velocities in essential hypertension. 2001 , 2, 108-17		34

1280	Accurate determination of mitral regurgitation by assessing its influence on the combined diastolic mitral and pulmonary venous flow: just 'looking twice'. 2001 , 2, 277-84	2
1279	In patients with chronic atrial fibrillation and left ventricular systolic dysfunction, restoration of sinus rhythm confers substantial benefit. 2001 , 120, 132-8	15
1278	Effects of once-daily angiotensin-converting enzyme inhibition and calcium channel blockade-based antihypertensive treatment regimens on left ventricular hypertrophy and diastolic filling in hypertension: the prospective randomized enalapril study evaluating regression of ventricular enlargement (preserve) trial. 2001 , 104, 1248-54	181
1277	Echocardiographic and pathoanatomical characteristics of isolated left ventricular non-compaction: a step towards classification as a distinct cardiomyopathy. 2001 , 86, 666-71	959
1276	Prevalence of left ventricular hypertrophy and carotid thickening in a large selected hypertensive population: impact of different echocardiographic and ultrasonographic diagnostic criteria. 2001 , 10, 142-9	45
1275	Left ventricular muscle mass and elevated heart rate are associated with coronary plaque disruption. 2001 , 104, 1477-82	275
1274	Aortic root dilatation at sinuses of valsalva and aortic regurgitation in hypertensive and normotensive subjects: The Hypertension Genetic Epidemiology Network Study. 2001 , 37, 1229-35	112
1273	Impairment of coronary microvascular dilation in response to cold pressor-induced sympathetic stimulation in type 2 diabetic patients with abnormal stress thallium imaging. 2001 , 50, 1180-5	65
1272	G-protein beta(3) subunit gene (GNB3) 825T allele is associated with enhanced renal perfusion in early hypertension. 2001 , 37, 882-6	25
1271	Geometric mismatch between homograft (allograft) and native aortic root: a 14-year clinical experience. 2001 , 20, 835-41	16
1270	Relation of blood pressure variability to carotid atherosclerosis and carotid artery and left ventricular hypertrophy. 2001 , 21, 1507-11	52
1269	Fibrinogen and preclinical echocardiographic target organ damage: the strong heart study. 2001 , 38, 1068-74	33
1268	Left ventricular hypertrophy with exercise and ACE gene insertion/deletion polymorphism: a randomized controlled trial with losartan. 2001 , 103, 226-30	111
1267	Echocardiographic and electrocardiographic diagnoses of left ventricular hypertrophy predict mortality independently of each other in a population of elderly men. 2001 , 103, 2346-51	252
1266	Adverse cardiac effects of salt with fludrocortisone in hypertension. 2001 , 37, 856-61	38
1265	Relation of age to left ventricular function and systemic hemodynamics in uncomplicated mild hypertension. 2001 , 37, 1404-9	16
1264	Relationship between left ventricular diastolic relaxation and systolic function in hypertension: The Hypertension Genetic Epidemiology Network (HyperGEN) Study. 2001 , 38, 424-8	44
1263	Essential hypertension: the heart and hypertension. 2001 , 86, 467-75	24

1262	Effect of aerobic training and detraining on left ventricular dimensions and diastolic function in prepubertal boys and girls. 2001 , 22, 90-6	40
1261	Effect of type 2 diabetes mellitus on left ventricular geometry and systolic function in hypertensive subjects: Hypertension Genetic Epidemiology Network (HyperGEN) study. 2001 , 103, 102-7	255
1260	Echocardiographic left ventricular geometry in hypertensive patients with electrocardiographic left ventricular hypertrophy: The LIFE Study. 2001 , 10, 74-82	97
1259	Cardiac morphology and function following long-term exposure to carbon monoxide at high altitude in rats. 2002 , 65, 1981-98	15
1258	Assessment of left ventricular mass by cardiovascular magnetic resonance. 2002 , 39, 750-5	220
1257	Change in systolic left ventricular performance after 3 years of antihypertensive treatment: the Losartan Intervention for Endpoint (LIFE) Study. 2002 , 106, 227-32	70
1256	Associations of insulin levels with left ventricular structure and function in American Indians: the strong heart study. 2002 , 51, 1543-7	68
1255	A comparison of the effects of rosiglitazone and glyburide on cardiovascular function and glycemic control in patients with type 2 diabetes. 2002 , 25, 2058-64	233
1254	Uncontrolled hypertension due to volume overload contributes to higher left ventricular mass index in CAPD patients. 2002 , 17, 1661-6	63
1253	Cardiac effects of low-dose growth hormone replacement therapy in growth hormone-deficient adults. An 18-month randomised, placebo-controlled, double-blind study. 2002 , 58, 21-9	11
1252	Polymorphism of renin-angiotensin system genes in dialysis patients--association with cerebrovascular disease. 2002 , 17, 2184-8	17
1251	Relationship between treatment-induced changes in left ventricular mass and blood pressure in black african hypertensive patients: results of the Baragwanath Trial. 2002 , 105, 830-6	16
1250	Familial isolated growth hormone deficiency is associated with increased systolic blood pressure, central obesity, and dyslipidemia. 2002 , 87, 2018-23	73
1249	Coronary microvascular adaptation to myocardial metabolic demand can be restored by inhibition of iron-catalyzed formation of oxygen free radicals in type 2 diabetic patients. 2002 , 51, 813-8	34
1248	Significance of brain natriuretic peptides in patients on continuous ambulatory peritoneal dialysis. 2002 , 10, 457	1
1247	Right ventricular cardiomyopathy in beta-thalassaemia major. 2002 , 23, 147-56	61
1246	Prevalent influence of systolic over pulse pressure on left ventricular mass in essential hypertension. 2002 , 23, 658-65	16
1245	Electrocardiographic measures of left ventricular hypertrophy show greater heritability than echocardiographic left ventricular mass. 2002 , 23, 1963-71	49

1244	Exercise capacity and brain natriuretic peptide in hypertension. 2002 , 40, 519-27	13
1243	Association of pravastatin and left ventricular mass in hypercholesterolemic patients: role of 8-iso-prostaglandin f2alpha formation. 2002 , 40, 868-74	66
1242	Myocardial perfusion and perfusion reserve in endurance-trained men. 2002 , 34, 948-53	20
1241	Microalbuminuria is an integrated marker of subclinical organ damage in primary hypertension. 2002 , 16, 399-404	55
1240	Left ventricular hypertrophy and abnormal ventricular geometry in children and adolescents with obstructive sleep apnea. 2002 , 165, 1395-9	352
1239	Comparative effects of chronic ACE inhibition and AT1 receptor blocked losartan on cardiac hypertrophy and renal function in hypertensive patients. 2002 , 16, 133-40	42
1238	Left ventricular concentric remodelling and extracardiac target organ damage in essential hypertension. 2002 , 16, 385-90	11
1237	Relationship between left ventricular mass and blood pressure in treated hypertension. 2002 , 16, 61-6	24
1236	Left ventricular mass and systolic dysfunction in essential hypertension. 2002 , 16, 117-22	17
1235	Correlates of left atrial size in hypertensive patients with left ventricular hypertrophy: the Losartan Intervention For Endpoint Reduction in Hypertension (LIFE) Study. 2002 , 39, 739-43	176
1234	Arterial stiffness and endothelial function in patients with beta-thalassemia major. 2002 , 106, 2561-6	118
1233	Sibling resemblance for left ventricular structure, contractility, and diastolic filling. 2002 , 40, 233-8	16
1232	Influence of left ventricular geometry on regional systolic and diastolic function in patients with essential hypertension. 2002 , 36, 292-6	10
1231	Reduction of left ventricular hypertrophy after exercise and weight loss in overweight patients with mild hypertension. 2002 , 162, 1333-9	67
1230	Relation of the G protein beta3-subunit polymorphism with left ventricle structure and function. 2002 , 40, 162-7	17
1229	Change in diastolic left ventricular filling after one year of antihypertensive treatment: The Losartan Intervention For Endpoint Reduction in Hypertension (LIFE) Study. 2002 , 105, 1071-6	154
1228	Left ventricular mass: reliability of M-mode and 2-dimensional echocardiographic formulas. 2002 , 40, 673-8	132
1227	Mitral ratio of peak early to late diastolic filling velocity as a predictor of mortality in middle-aged and elderly adults: the Strong Heart Study. 2002 , 105, 1928-33	339

1226	Prognosis of inappropriate left ventricular mass in hypertension: the MAVI Study. 2002 , 40, 470-6	130
1225	Ambulatory blood pressure and left ventricular mass index in hypertensive children. 2002 , 39, 903-8	250
1224	Long-term enalapril therapy for left ventricular dysfunction in doxorubicin-treated survivors of childhood cancer. 2002 , 20, 4517-22	251
1223	Growth of left ventricular mass in African American and European American youth. 2002 , 39, 943-51	69
1222	Aortic valve calcification is an independent factor of left ventricular hypertrophy in patients on maintenance haemodialysis. 2002 , 17, 1795-801	25
1221	Left ventricular hypertrophy screening using a hand-held ultrasound device. 2002 , 23, 1516-21	46
1220	Polymorphisms in the angiotensinogen and angiotensin II type 1 receptor gene are related to change in left ventricular mass during antihypertensive treatment: results from the Swedish Irbesartan Left Ventricular Hypertrophy Investigation versus Atenolol (SILVHIA) trial. 2002 , 20, 657-63	48
1219	Change in cardiovascular risk profile by echocardiography in low- or medium-risk hypertension. 2002 , 20, 1519-25	38
1218	Microalbuminuria identifies overall cardiovascular risk in essential hypertension: an artificial neural network-based approach. 2002 , 20, 1315-21	50
1217	Progressive hypertrophy regression with sustained pressure reduction in hypertension: the Losartan Intervention For Endpoint Reduction study. 2002 , 20, 1445-50	63
1216	Soluble cell adhesion molecules in hypertensive concentric left ventricular hypertrophy. 2002 , 20, 1563-9	24
1215	alpha-Adducin Gly460Trp polymorphism, left ventricular mass and plasma renin activity. 2002 , 20, 1771-7	23
1214	Reduction of left ventricular diameter and mass after surgical arteriovenous fistula closure in renal transplant recipients. 2002 , 74, 73-9	84
1213	Relations of pulse pressure and other components of blood pressure to preclinical echocardiographic abnormalities. 2002 , 20, 531-7	16
1212	Comparative effects of candesartan and enalapril on left ventricular hypertrophy in patients with essential hypertension: the candesartan assessment in the treatment of cardiac hypertrophy (CATCH) study. 2002 , 20, 2293-300	90
1211	White-coat effect in normotension and hypertension. 2002 , 7, 271-6	28
1210	Impact of diastolic Doppler indices on exercise capacity in hypertensive patients with electrocardiographic left ventricular hypertrophy (a LIFE substudy). 2002 , 20, 1223-9	20
1209	Association of left ventricular hypertrophy with metabolic risk factors: the HyperGEN study. 2002 , 20, 323-31	128

1208	Nurse-recorded and ambulatory blood pressure predicts treatment-induced reduction of left ventricular hypertrophy equally well in hypertension: results from the Swedish irbesartan left ventricular hypertrophy investigation versus atenolol (SILVHIA) study. 2002 , 20, 1527-33	10
1207	Magnetocardiographic indices of left ventricular hypertrophy. 2002 , 20, 2285-92	8
1206	Doppler characterization of left ventricular diastolic function in beta-thalassaemia major. Evidence for an early stage of impaired relaxation. 2002 , 3, 47-51	31
1205	Myocardial abnormalities in hypertensive patients with normal and abnormal left ventricular filling: a study of ultrasound tissue characterization and strain. 2002 , 103, 283-93	61
1204	Plasma natriuretic peptides for community screening for left ventricular hypertrophy and systolic dysfunction: the Framingham heart study. 2002 , 288, 1252-9	352
1203	Effects of carvedilol on left ventricular remodeling and systolic function in elderly patients with heart failure. 2002 , 4, 765-70	35
1202	Dipyridamole myocardial perfusion tomography in patients with severe aortic stenosis. 2002 , 97, 37-42	13
1201	Association between tyrosine hydroxylase polymorphisms and left ventricular structure in young normotensive men. 2002 , 59, 90-94	5
1200	Relationship of clinic, ambulatory, and laboratory stress blood pressure to left ventricular mass in overweight men and women with high blood pressure. 2002 , 64, 247-57	13
1199	Appetite suppressants and valvular heart disease in a population-based sample: the HyperGEN study. 2002 , 112, 710-5	26
1198	Isolated ventricular noncompaction is associated with coronary microcirculatory dysfunction. 2002 , 39, 450-4	161
1197	Predictors of aneurysmal formation after surgical correction of aortic coarctation. 2002 , 39, 617-24	192
1196	Intensive cholesterol reduction lowers blood pressure and large artery stiffness in isolated systolic hypertension. 2002 , 39, 1020-5	259
1195	Prognostic significance of left ventricular diastolic dysfunction in essential hypertension. 2002 , 39, 2005-11	218
1194	Sympathetic neural mechanisms in white-coat hypertension. 2002 , 40, 126-32	105
1193	Demographics and correlates of five-year change in echocardiographic left ventricular mass in young black and white adult men and women: the Coronary Artery Risk Development in Young Adults (CARDIA) study. 2002 , 40, 529-35	53
1192	Large artery stiffness predicts ischemic threshold in patients with coronary artery disease. 2002 , 40, 773-9	207
1191	Influence of wall stress and left ventricular geometry on the accuracy of dobutamine stress echocardiography. 2002 , 40, 1311-9	66

1190	Cardiovascular remodeling is greater in isolated systolic hypertension than in diastolic hypertension in older adults: the Insufficienza Cardiaca negli Anziani Residenti (ICARE) a Dicomano Study. 2002 , 40, 1283-9	47
1189	Athlete's heart: right and left ventricular mass and function in male endurance athletes and untrained individuals determined by magnetic resonance imaging. 2002 , 40, 1856-63	306
1188	Noninvasive assessment of left ventricular remodeling: concepts, techniques, and implications for clinical trials. 2002 , 8, S452-64	36
1187	The prognostic role of brain natriuretic peptides in hemodialysis patients. 2002 , 22, 437-44	107
1186	Left ventricular hypertrophy is a risk factor independent of hypertension in survival of hemodialyzed patients. 2002 , 24, 175-86	11
1185	Impact of implant technique following freestyle stentless aortic valve replacement. 2002 , 74, 1107-13; discussion 1113-4	54
1184	Hemodynamics and early clinical performance of the St. Jude Medical Regent mechanical aortic valve. 2002 , 74, 2003-9; discussion 2009	39
1183	Nineteen-millimeter prosthetic aortic valves allow normalization of left ventricular mass in elderly women. 2002 , 74, 2022-5	22
1182	Echocardiographic backscatter signal analysis in heart transplant: is it useful in characterizing hypertrophy?. 2002 , 34, 171-3	
1181	Carotid intima media thickness and left ventricular changes in children with end-stage renal disease. 2002 , 34, 2073-5	16
1180	Urine albumin/creatinine ratio and echocardiographic left ventricular structure and function in hypertensive patients with electrocardiographic left ventricular hypertrophy: the LIFE study. Losartan Intervention for Endpoint Reduction. 2002 , 143, 319-26	107
1179	Associations between angiotensinogen gene variants and left ventricular mass and function in the HyperGEN study. 2002 , 143, 854-60	28
1178	Treatment of acromegaly improves myocardial abnormalities. 2002 , 143, 873-6	29
1177	Association of the human minK gene 38G allele with atrial fibrillation: evidence of possible genetic control on the pathogenesis of atrial fibrillation. 2002 , 144, 485-90	134
1176	Change of left ventricular geometric pattern after 1 year of antihypertensive treatment: the Losartan Intervention For Endpoint reduction in hypertension (LIFE) study. 2002 , 144, 1057-64	57
1175	Effect of amlodipine compared to atenolol on small arteries of previously untreated essential hypertensive patients. 2002 , 15, 105-10	74
1174	Aldosterone synthase (CYP11B2) -344 C/T polymorphism is related to antihypertensive response: result from the Swedish Irbesartan Left Ventricular Hypertrophy Investigation versus Atenolol (SILVHIA) trial. 2002 , 15, 389-93	57
1173	Ethnic differences in electrocardiographic criteria for left ventricular hypertrophy: the LIFE study. Losartan Intervention For Endpoint. 2002 , 15, 663-71	60

1172	Left ventricular mass change during treatment and outcome in patients with essential hypertension. 2002 , 15, 1021-8		82
1171	Relation of insulin to left ventricular geometry and function in African American and white hypertensive adults: the HyperGEN study. 2002 , 15, 1029-35		20
1170	Left ventricular mass and arterial compliance: relation to coronary heart disease and its risk factors in South Indian adults. 2002 , 83, 1-9		14
1169	Midwall myocardial shortening in athletic left ventricular hypertrophy. 2002 , 86, 233-8		8
1168	Left anterior descending coronary artery flow and its relation to age in children. 2002 , 15, 69-75		24
1167	Myocardial viability independently influences left ventricular diastolic function in the early phase after acute myocardial infarction. 2002 , 15, 1490-5		1
1166	The relation between left ventricular geometric patterns and left ventricular midwall mechanics in hypertensive patients. 2002 , 25, 191-5		8
1165	Left ventricular hypertrophy evaluation in obese hypertensive patients: effect of left ventricular mass index criteria. 2002 , 78, 341-51		7
1164	An analysis of electrocardiographic criteria for determining left ventricular hypertrophy. 2002 , 78, 59-82		10
1163	Effect of dilazep dihydrochloride on serum cardiac troponin T levels in hemodialysis patients. 2002 , 25, 50-4		7
1162	Left ventricular diastolic function in essential hypertensive patients: influence of age and left ventricular geometry. 2002 , 78, 466-77		6
1161	Cardiac abnormalities in patients with mitochondrial DNA mutation 3243A>G. 2002 , 2, 12		63
1160	Late hemodynamic and clinical outcomes of aortic valve replacement with the Carpentier-Edwards Perimount pericardial bioprosthesis. 2002 , 124, 146-54		132
1159	Systolic and diastolic performance late after the Fontan procedure for a single ventricle and comparison of those undergoing operation at 12 months of age. <i>American Journal of Cardiology</i> , 2002 , 89, 276-80	3	30
1158	Relation of left ventricular geometry and function to aortic root dilatation in patients with systemic hypertension and left ventricular hypertrophy (the LIFE study). <i>American Journal of Cardiology</i> , 2002 , 89, 337-41	3	53
1157	New insights into diastolic dysfunction as the cause of acute left-sided heart failure associated with systemic hypertension and/or coronary artery disease. <i>American Journal of Cardiology</i> , 2002 , 89, 341-5	3	19
1156	Correlates of pulse pressure reduction during antihypertensive treatment (losartan or atenolol) in hypertensive patients with electrocardiographic left ventricular hypertrophy (the LIFE study). <i>American Journal of Cardiology</i> , 2002 , 89, 399-402	3	14
1155	Analysis of left atrial volume change rate during left ventricular diastolic phase with M-mode echocardiography for differentiation between normal and pseudonormal mitral inflow. <i>American Journal of Cardiology</i> , 2002 , 89, 552-6	3	5

1154	Blood pressure responses to acute stress and left ventricular mass (The Hypertension Genetic Epidemiology Network Study). <i>American Journal of Cardiology</i> , 2002 , 89, 536-40	3	18
1153	Changes in hemodynamics and left ventricular structure after menopause. <i>American Journal of Cardiology</i> , 2002 , 89, 830-3	3	37
1152	Gender difference in diastolic function in hypertension (the HyperGEN study). <i>American Journal of Cardiology</i> , 2002 , 89, 1052-6	3	54
1151	Comparison of interstudy reproducibility of cardiovascular magnetic resonance with two-dimensional echocardiography in normal subjects and in patients with heart failure or left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 2002 , 90, 29-34	3	1076
1150	Relation of QT interval dispersion to the number of different cardiac abnormalities in diabetes mellitus. <i>American Journal of Cardiology</i> , 2002 , 90, 483-7	3	37
1149	Flow dynamics in the left anterior descending coronary artery in infants with idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2002 , 90, 557-61	3	11
1148	Relation of twelve-lead electrocardiographic T-wave morphology descriptors to left ventricular mass. <i>American Journal of Cardiology</i> , 2002 , 90, 1032-5	3	13
1147	Value of corrected QT interval dispersion in identifying patients initiating dialysis at increased risk of total and cardiovascular mortality. 2002 , 39, 834-42		71
1146	Left ventricular geometry and adverse cardiovascular events in chronic hemodialysis patients on prolonged therapy with ACE inhibitors. 2002 , 40, 728-36		58
1145	Combined dipyridamole-exercise stress echocardiography for detection of myocardial ischemia in hemodialysis patients: an alternative to stress nuclear imaging. 2002 , 40, 737-44		15
1144	Adaptation of cardiac morphology and function to endurance and strength training. A comparative study using MR imaging and echocardiography in males and females. 2002 , 12, 17-25		39
1143	Effects of athletic training on heart rate variability triangular index. 2002 , 22, 279-84		23
1142	Total peripheral vascular resistance in pediatric renal transplant patients. 2002 , 62, 1870-4		7
1141	Long-term results for aortic valve replacement with small aortic annulus. 2002 , 26, 474-8		
1140	Cross-sectional multiplane transesophageal echocardiographic measurements: comparison with standard transthoracic values obtained in the same setting. 2002 , 19, 383-90		23
1139	Physical training increases heart rate variability in healthy prepubertal children. 2002 , 32, 479-87		28
1138	Clinical predictors of defibrillation thresholds with an active pectoral pulse generator lead system. 2002 , 25, 408-13		35
1137	Increased dispersion of ventricular repolarization during head-up tilt test late after orthotopic heart transplantation in humans. 2002 , 25, 768-75		2

1136	Cardiac autonomic tone during trandolapril-irbesartan low-dose combined therapy in hypertension: a pilot project. 2002 , 16, 597-604		7
1135	Efficacy of very low dose perindopril 2 mg/indapamide 0.625 mg combination on left ventricular hypertrophy in hypertensive patients: the P.I.C.X.E.L. study rationale and design. 2002 , 16, 653-9		11
1134	Influence of excess fat on cardiac morphology and function: study in uncomplicated obesity. 2002 , 10, 767-73		157
1133	Cardiac involvement in Wilson disease. 2002 , 25, 269-77		51
1132	Left atrial and ventricular dimensions in highly trained cyclists. 2003 , 19, 211-7		34
1131	Technetium-99m sestamibi cavity/myocardium count ratio in the detection of left ventricular hypertrophy. 2003 , 26, 143-6		4
1130	Characteristics of patients with abnormal stress technetium Tc 99m sestamibi SPECT studies without significant coronary artery diameter stenoses. 2003 , 26, 521-4		14
1129	Reflux nephropathy and hypertension: correlation with the progression of renal damage. 2003 , 18, 241-5		28
1128	[Calcified plaques of extracranial carotid arteries and left ventricular geometry as predictors of coronary artery disease]. 2003 , 98, 72-8		5
1127	[Left ventricular mass in endurance-athletes with athlete's heart and untrained subjects--comparison between different echocardiographic methods and MRI]. 2003 , 92, 309-18		8
1126	[Clinical and hemodynamic results of the mosaic bioprosthesis in aortic position]. 2003 , 92, 407-14		1
1125	Transthoracic echocardiography in rats. Evaluation of commonly used indices of left ventricular dimensions, contractile performance, and hypertrophy in a genetic model of hypertrophic heart failure (SHHF-Mcc-facp-Rats) in comparison with Wistar rats during aging. 2003 , 98, 275-84		61
1124	Echocardiographic findings in children ill with acute postinfectious glomerulonephritis. 2003 , 162, 500-505		2
1123	Efficacy of esmolol as a myocardial protective agent during continuous retrograde blood cardioplegia. 2003 , 125, 1022-9		16
1122	Usefulness of B-type natriuretic peptide in hypertensive patients with exertional dyspnea and normal left ventricular ejection fraction and correlation with new echocardiographic indexes of systolic and diastolic function. <i>American Journal of Cardiology</i> , 2003 , 92, 1434-8	3	94
1121	Abnormal left ventricular filling with increasing age reflects abnormal myocardial characteristics independent of ischemia or hypertrophy. <i>American Journal of Cardiology</i> , 2003 , 91, 63-7	3	8
1120	Functional relevance of aldosterone for the determination of left ventricular mass. <i>American Journal of Cardiology</i> , 2003 , 91, 297-301	3	16
1119	Comparison of accuracy of left ventricular echocardiographic measurements by fundamental imaging versus second harmonic imaging. <i>American Journal of Cardiology</i> , 2003 , 91, 1037-9, A9	3	21

1118	Prevalence and correlates of rheumatic heart disease in American Indians (the Strong Heart Study). <i>American Journal of Cardiology</i> , 2003 , 91, 1379-82	3	10
1117	Is left ventricular postsystolic long-axis shortening a marker for severity of hypertensive heart disease?. <i>American Journal of Cardiology</i> , 2003 , 91, 1490-3, A8	3	13
1116	Relation of hemoglobin A1c to left ventricular relaxation in patients with type 1 diabetes mellitus and without overt heart disease. <i>American Journal of Cardiology</i> , 2003 , 91, 1514-7, A9	3	60
1115	Comparison of left ventricular function by echocardiogram in patients with Wilms' tumor treated with anthracyclines versus those not so treated. <i>American Journal of Cardiology</i> , 2003 , 92, 359-61	3	10
1114	Serial Doppler echocardiographic evaluation of small-sized sorin bicarbon prostheses. 2003 , 126, 337-43		13
1113	Coronary flow reserve correlates left ventricular diastolic dysfunction in patients with dilated cardiomyopathy. 2003 , 58, 43-50		13
1112	Fabry disease: a functional and anatomical study of cardiac manifestations in 20 hemizygous male patients. 2003 , 63, 46-52		36
1111	Non-dipper treated hypertensive patients do not have increased cardiac structural alterations. 2003 , 1, 1		30
1110	Association of interleukin-6 -174G/C promoter polymorphism with hypertension and left ventricular hypertrophy in dialysis patients. 2003 , 64, 616-22		60
1109	Echocardiographic left ventricular mass in African-Americans: the Jackson cohort of the Atherosclerosis Risk in Communities Study. 2003 , 20, 111-20		46
1108	Detection of a pseudonormal mitral inflow pattern: an echocardiographic and tissue Doppler study. 2003 , 20, 345-56		35
1107	Factors affecting ventricular function and survival after partial left ventriculectomy. 2003 , 18 Suppl 2, S77-85		8
1106	Echocardiographic evaluation of wheelchair-bound basketball players. 2003 , 45, 414-20		1
1105	Is 'diastolic heart failure' a diagnosis of exclusion? Echocardiographic parameters of diastolic dysfunction in patients with heart failure and normal systolic function. 2003 , 12, 127-34		9
1104	Relationship between plasma insulin and left ventricular mass in normotensive participants of the Gubbio Study. 2003 , 58, 316-22		10
1103	Cardiovascular responses to endurance training in children: effect of gender. 2003 , 33, 199-208		44
1102	Cerebrovascular Reactivity in Hypertensive and Healthy Adolescents: TCD With Vasodilatory Challenge. 2003 , 13, 106-112		41
1101	Relationship of insulin sensitivity and left ventricular mass in uncomplicated obesity. 2003 , 11, 518-24		55

1100	Reduced nocturnal fall in blood pressure, assessed by two ambulatory blood pressure monitorings and cardiac alterations in early phases of untreated essential hypertension. 2003 , 17, 245-51	51
1099	Ambulatory blood pressure and left ventricular structure and function in relation to the G-protein beta3-subunit polymorphism C825T in White Europeans. 2003 , 17, 325-32	8
1098	Increased volume reduction of late left-atrial emptying for patients with pseudonormal mitral inflow: an analysis for differentiation between normal and pseudonormal mitral inflow. 2003 , 20, 703-9	1
1097	Detecci3n de hipertrofia ventricular izquierda por ECG mediante el producto duraci3n por voltaje. Validaci3n por ecocardiograf3a 2003 , 20, 381-387	
1096	Longitudinal ventricular function: normal values of atrioventricular annular and myocardial velocities measured with quantitative two-dimensional color Doppler tissue imaging. 2003 , 16, 906-21	199
1095	Reversibility of cardiac abnormalities in adolescents with anorexia nervosa after weight recovery. 2003 , 42, 808-13	107
1094	Doppler tissue imaging reveals systolic dysfunction in patients with hypertension and apparent "isolated" diastolic dysfunction. 2003 , 16, 724-31	91
1093	Coronary blood flow reserve response to left anterior descending coronary artery stenting and its value in predicting coronary restenosis. 2003 , 16, 469-75	5
1092	Comparative value of single-beat load-independent contractility indices in dilated cardiomyopathy and mitral regurgitation. 2003 , 16, 703-11	5
1091	Abnormal myocardial strain rate in noncompaction of the left ventricle. 2003 , 16, 293-6	26
1090	The determination of carotid intima medial thickness in adults--a population-based twin study. 2003 , 166, 137-41	36
1089	Prediction of mortality in patients with left ventricular hypertrophy by clinical, exercise stress, and echocardiographic data. 2003 , 41, 129-35	44
1088	Gender differences in post-infarction hypertrophy in end-stage failing hearts. 2003 , 41, 300-6	77
1087	The influence of left ventricular hypertrophy on survival in patients with coronary artery disease: do race and gender matter?. 2003 , 41, 949-54	59
1086	Effect of a change in gender on coronary arterial size: a longitudinal intravascular ultrasound study in transplanted hearts. 2003 , 41, 1539-46	35
1085	Association of albuminuria with systolic and diastolic left ventricular dysfunction in type 2 diabetes: the Strong Heart Study. 2003 , 41, 2022-8	109
1084	Left ventricular structural and functional characteristics in Cushing's syndrome. 2003 , 41, 2275-9	136
1083	Asymptomatic cardiac disease following mediastinal irradiation. 2003 , 42, 743-9	278

1082	Electrocardiographic findings in naturally acquired chagasic heart disease in nonhuman primates. 2003 , 36, 155-60	10
1081	Apparent protective effect of increased left ventricular wall thickness in an ICD population. 2003 , 9, 412-5	4
1080	Relation of QT interval and QT dispersion to regression of echocardiographic and electrocardiographic left ventricular hypertrophy in hypertensive patients: the Losartan Intervention For Endpoint Reduction (LIFE) study. 2003 , 145, 919-25	30
1079	Associations of aortic and mitral regurgitation with body composition and myocardial energy expenditure in adults with hypertension: the Hypertension Genetic Epidemiology Network study. 2003 , 145, 1071-7	20
1078	Prognostic implications of ejection fraction from linear echocardiographic dimensions: the Strong Heart Study. 2003 , 146, 527-34	47
1077	Does a prolonged QT peak identify left ventricular hypertrophy in hypertension?. 2003 , 89, 179-86	8
1076	Relation of fibrinogen to cardiovascular events is independent of preclinical cardiovascular disease: the Strong Heart Study. 2003 , 145, 467-74	31
1075	Usefulness of the pediatric electrocardiogram in detecting left ventricular hypertrophy: results from the Prospective Pediatric Pulmonary and Cardiovascular Complications of Vertically Transmitted HIV Infection (P2C2 HIV) multicenter study. 2003 , 145, 716-23	21
1074	Left atrial thrombus predicts transient ischemic attack in patients with atrial fibrillation. 2003 , 145, 676-82	56
1073	An appraisal of echocardiography as an epidemiological tool. The Strong Heart Study. 2003 , 13, 238-44	20
1072	Postmortem cardiomegaly and echocardiographic measurements of left ventricular size and function in children infected with the human immunodeficiency virus. The Prospective P2C2 HIV Multicenter Study. 2003 , 12, 140-8	10
1071	Effects of growth hormone replacement therapy on metabolic and cardiac parameters, in adult patients with childhood-onset growth hormone deficiency. 2003 , 13, 81-8	17
1070	Left ventricular mass regression in the LIFE study: effect of previous antihypertensive treatment. 2003 , 16, 180-6	8
1069	Determinants of exercise capacity in hypertensive patients: new insights from tissue Doppler echocardiography. 2003 , 16, 564-9	18
1068	Effect of body weight changes on 24-hour blood pressure and left ventricular mass in hypertension: a 4-year follow-up. 2003 , 16, 634-9	21
1067	Improved cardiovascular risk stratification by a simple ECG index in hypertension. 2003 , 16, 646-52	50
1066	The Arg16Gly polymorphism of the beta2-adrenergic receptor and left ventricular systolic function. 2003 , 16, 945-51	30
1065	Changes in cardiovascular risk by reduction of left ventricular mass in hypertension: a meta-analysis. 2003 , 16, 895-9	208

1064	Association of severe coronary stenosis with subclinical left ventricular dysfunction in the absence of infarction. 2003 , 16, 1163-70	24
1063	Isolated ambulatory hypertension predicts cardiovascular morbidity in elderly men. 2003 , 107, 1297-302	277
1062	Effects of calcium channel antagonists on left ventricular hypertrophy and diastolic function in patients with essential hypertension. 2003 , 25, 525-35	16
1061	Are gestational and essential hypertension similar? Left ventricular geometry and diastolic function. 2003 , 22, 225-37	15
1060	Inferior vena cava diameter determines left ventricular geometry in continuous ambulatory peritoneal dialysis patients: an echocardiographic study. 2003 , 18, 2128-33	17
1059	Heart rate variability in rats acclimatized to high altitude. 2003 , 4, 375-87	14
1058	Symptomatic aortic stenosis: does systemic hypertension play an additional role?. 2003 , 41, 1268-72	111
1057	The degree of albuminuria is related to left ventricular hypertrophy in hypertensive diabetics and is associated with abnormal left ventricular filling: a pilot study. 2003 , 54, 671-8	9
1056	Echocardiographic wall motion abnormalities in hypertensive patients with electrocardiographic left ventricular hypertrophy: the LIFE Study. 2003 , 41, 75-82	33
1055	Editorial comment--Left ventricular hypertrophy: an unseemly risk factor for stroke?. 2003 , 34, 2385-6	3
1054	Relation between cardiac sympathetic activity and hypertensive left ventricular hypertrophy. 2003 , 108, 560-5	322
1053	Reliability of different echocardiographic methods in determining left ventricular mass in healthy men and athletes. 2003 , 41, e6; author reply e7	1
1052	What is bright is not always gold. 2003 , 41, e9-10; author reply e9-10	0
1051	Plasma brain natriuretic peptide levels and blood pressure tracking in the Framingham Heart Study. 2003 , 41, 978-83	56
1050	The short-term effects of different regimens of hormone replacement therapy on left ventricular structure and performance in healthy postmenopausal women. A prospective, controlled echocardiographic study. 2003 , 55, 139-44	5
1049	Carotid artery intimal-medial thickness and left ventricular hypertrophy in children with elevated blood pressure. 2003 , 111, 61-6	399
1048	Electrocardiographic left ventricular hypertrophy in renal transplant recipients: prognostic value and impact of blood pressure and anemia. 2003 , 14, 462-8	155
1047	Serum ratio of heart-type fatty acid-binding protein to myoglobin. A novel marker of cardiac damage and volume overload in hemodialysis patients. 2003 , 93, C69-74	13

1046	Mulibrey heart disease: clinical manifestations, long-term course, and results of pericardiectomy in a series of 49 patients born before 1985. 2003 , 107, 2810-5	43
1045	Relation between left ventricular midwall function and coronary vasodilator capacity in arterial hypertension. 2003 , 42, 528-33	16
1044	Atrial fibrillation in hypertension: predictors and outcome. 2003 , 41, 218-23	238
1043	Diagnosis of aortic stenosis in the elderly: role of echocardiography. 2003 , 12, 201-6	3
1042	Association between periodontal disease and left ventricle mass in essential hypertension. 2003 , 41, 488-92	90
1041	Left ventricular mass in dippers and nondippers with newly diagnosed hypertension. 2003 , 54, 661-9	14
1040	Coronary vasodilator capacity and hypertension-induced increase in left ventricular mass. 2003 , 41, 224-9	26
1039	Relation of left ventricular hypertrophy to inflammation and albuminuria in adults with type 2 diabetes: the strong heart study. 2003 , 26, 2764-9	73
1038	Left ventricular mass index in aortic valve surgery: a new index for early valve replacement?. 2003 , 23, 696-702	27
1037	Beta-blocker treatment of patients with diastolic heart failure and arterial hypertension. A prospective, randomized, comparison of the long-term effects of atenolol vs. nebivolol. 2003 , 5, 621-7	98
1036	Maternal and paternal influences on left ventricular mass of offspring. 2003 , 41, 69-74	19
1035	A pressure overload model to track the molecular biology of heart failure. 2003 , 24, 920-5	15
1034	Exercise systolic blood pressures are of questionable value in the assessment of the adult with a previous coarctation repair. 2003 , 89, 189-92	41
1033	Target organ damage and changes in arterial compliance in white coat hypertension. Is white coat innocent?. 2003 , 12, 307-13	31
1032	Impact of blood pressure and insulin on the relationship between body fat and left ventricular structure. 2003 , 24, 1500-5	28
1031	M-mode echocardiography overestimates left ventricular mass in patients with normal left ventricular shape: a comparative study using three-dimensional echocardiography. 2003 , 4, 312-9	30
1030	Greater impact of coexistence of hypertension and diabetes on silent cerebral infarcts. 2003 , 34, 2471-4	78
1029	Peak exercise stroke volume: associations with cardiac structure and diastolic function. 2003 , 94, 1108-14	19

1028	Secondary harmonic imaging overestimates left ventricular mass compared to fundamental echocardiography. 2003 , 4, 178-81	11
1027	Left ventricular hypertrophy is associated with asymptomatic cerebral damage in hypertensive patients. 2003 , 34, 1766-70	65
1026	Left ventricular mass and geometry and the risk of ischemic stroke. 2003 , 34, 2380-4	101
1025	[The heart of the athlete]. 2003 , 128, 625-9	2
1024	Echocardiographic epicardial adipose tissue is related to anthropometric and clinical parameters of metabolic syndrome: a new indicator of cardiovascular risk. 2003 , 88, 5163-8	629
1023	Increased common carotid artery intima media thickness in adolescent hypertension: results from the Debrecen Hypertension study. 2003 , 15, 167-72	32
1022	The genetic determination of left ventricular mass in healthy adults. 2003 , 24, 577-82	54
1021	Influence of body composition, hemoglobin concentration, and cardiac size and function of gender differences in maximal oxygen uptake in prepubertal children. 2003 , 124, 1494-9	47
1020	Parathyroid hormone and left ventricular hypertrophy. 2003 , 24, 2054-60	169
1019	Determinants of left atrial size in patients with newly diagnosed untreated hypertension. 2003 , 8, 3-7	10
1018	Pulse pressure/stroke index and left ventricular geometry and function: the LIFE Study. 2003 , 21, 781-7	65
1017	Comparative effects of irbesartan versus amlodipine on left ventricular mass index in hypertensive patients with left ventricular hypertrophy. 2003 , 42, 622-8	33
1016	2003 European Society of Hypertension-European Society of Cardiology guidelines for the management of arterial hypertension. 2003 , 21, 1011-53	2526
1015	Coronary vasodilator capacity and exercise-induced myocardial ischemia are related to the pulsatile component of blood pressure in patients with essential hypertension. 2003 , 21, 1407-14	5
1014	Long-term effects of irbesartan and atenolol on the renin-angiotensin-aldosterone system in human primary hypertension: the Swedish Irbesartan Left Ventricular Hypertrophy Investigation versus Atenolol (SILVHIA). 2003 , 42, 719-26	35
1013	Relation between left ventricular mass and systolic blood pressure at baseline in the APTH and THOP trials. 2003 , 8, 173-5	6
1012	Left ventricular hypertrophy and endothelial functions in patients with essential hypertension. 2003 , 14, 541-4	8
1011	Twenty-four hour ambulatory blood pressure monitoring pattern of resistant hypertension. 2003 , 8, 181-5	95

1010	Influence of fluid volume variations on the calculated value of the left ventricular mass measured by echocardiogram in patients submitted to hemodialysis. 2003 , 25, 43-53	14
1009	Cardiovascular protective role of a low-dose antihypertensive combination in obese Zucker rats. 2003 , 21, 611-20	22
1008	Gender differences in left ventricular chamber and midwall systolic function in normotensive and hypertensive adults. 2003 , 21, 1415-23	46
1007	ST-segment depression in hypertensive patients is linked to elevations in blood pressure, pulse pressure and double product by 24-h Cardiotens monitoring. 2003 , 21, 977-83	28
1006	Influence of fat-free mass on detection of appropriateness of left ventricular mass: the HyperGEN Study. 2003 , 21, 1747-52	7
1005	Diagnostic value of exercise electrocardiography and dipyridamole stress echocardiography in hypertensive and normotensive chest pain patients with right bundle branch block. 2003 , 21, 2189-94	14
1004	Adequate left ventricular preparation allows for arterial switch despite late referral. 2003 , 13, 49-52	24
1003	ACE I/D polymorphism and cardiac adaptations in adolescent athletes. 2003 , 35, 1986-90	16
1002	Use of echocardiography for the phenotypic assessment of genetically altered mice. 2003 , 13, 227-39	119
1001	Effect of preload reduction by haemodialysis on new indices of diastolic function. 2003 , 105, 499-506	61
1000	Role of insulin resistance in nondipper essential hypertensive patients. 2003 , 26, 669-76	63
999	The prognostic role of atrial natriuretic peptides in hemodialysis patients. 2003 , 21, 395-400	10
998	Structural and Functional Changes of Heart after Cardioversion of Atrial Fibrillation. 2003 , 33, 918	2
997	High prevalence of fenfluramine-related aortic regurgitation in women with end-stage renal disease secondary to Chinese herb nephropathy. 2003 , 18, 906-10	9
996	Noninvasive cardiac assessment in children of women with systemic lupus erythematosus. 2003 , 81, 483-93	
995	Unloading-induced remodeling in the normal and hypertrophic left ventricle. 2003 , 284, H2061-8	22
994	Differential influence of family history of hypertension and premature myocardial infarction on systolic blood pressure and left ventricular mass trajectories in youth. 2003 , 111, 1387-93	21
993	Regulation of the catecholamine beta-adrenergic system in ventricular remodeling of hypertension. 2004 , 45, 285-96	2

992	Morning rise in blood pressure is a predictor of left ventricular hypertrophy in treated hypertensive patients. 2004 , 27, 939-46	44
991	Greater change of orthostatic blood pressure is related to silent cerebral infarct and cardiac overload in hypertensive subjects. 2004 , 27, 235-41	78
990	Differentiation of Systolic and Diastolic Heart Failure using Strain and Strain Rate Echocardiography. 2004 , 34, 1090	1
989	An Appraisal of the Electrocardiographic Criteria for Diagnosis of Left Ventricular Hypertrophy in Koreans: Comparison to Echocardiographic Measurement of Left Ventricular Mass. 2004 , 34, 775	3
988	The influence of aldosterone on the development of left ventricular geometry and hypertrophy in patients with essential hypertension. 2004 , 45, 807-21	11
987	Smoking is associated with silent cerebrovascular disease in a high-risk Japanese community-dwelling population. 2004 , 27, 747-54	29
986	Comparison of early diastolic mitral annular velocity and flow propagation velocity in detection of mild to moderate left ventricular diastolic dysfunction. 2004 , 5, 196-204	15
985	Association of -344/T/C aldosterone synthase polymorphism (CYP11B2) with left ventricular structure and humoral parameters in young normotensive men. 2004 , 13, 158-63	11
984	Left ventricular mass increases with deteriorating glucose tolerance, especially in women: independence of increased arterial stiffness or decreased flow-mediated dilation: the Hoorn study. 2004 , 27, 522-9	44
983	Cardiovascular risk factors and sequelae in hypertensive children identified by referral versus school-based screening. 2004 , 43, 214-8	51
982	Endothelin-1 gene and progression of blood pressure and left ventricular mass: longitudinal findings in youth. 2004 , 44, 884-90	27
981	Amino-terminal propeptide of type III procollagen is associated with restrictive mitral filling pattern in patients with dilated cardiomyopathy: a possible link between diastolic dysfunction and prognosis. 2004 , 90, 650-4	44
980	Effect of aldosterone antagonism on myocardial dysfunction in hypertensive patients with diastolic heart failure. 2004 , 110, 558-65	231
979	Prognostic value of epicardial coronary artery constriction to the cold pressor test in type 2 diabetic patients with angiographically normal coronary arteries and no other major coronary risk factors. 2004 , 27, 208-15	55
978	Body mass index and blood pressure influences on left ventricular mass and geometry in African Americans: The Atherosclerotic Risk In Communities (ARIC) Study. 2004 , 44, 55-60	55
977	Acute and chronic effects of oestradiol on left ventricular diastolic function in hypertensive postmenopausal women with left ventricular diastolic dysfunction. 2004 , 90, 777-81	28
976	Left ventricular mass in relation to genetic variation in angiotensin II receptors, renin system genes, and sodium excretion. 2004 , 110, 2644-50	59
975	No reflow was caught red handed in a patient with acute anterior myocardial infarction undergoing rescue angioplasty. 2004 , 90, 654	

974	Relations of serum aldosterone to cardiac structure: gender-related differences in the Framingham Heart Study. 2004 , 43, 957-62	115
973	Mechanisms of exercise intolerance: insights from tissue Doppler imaging. 2004 , 109, 972-7	159
972	Regression of hypertensive left ventricular hypertrophy by losartan compared with atenolol: the Losartan Intervention for Endpoint Reduction in Hypertension (LIFE) trial. 2004 , 110, 1456-62	379
971	Differences in left ventricular structure between black and white hypertensive adults: the Hypertension Genetic Epidemiology Network study. 2004 , 43, 1182-8	155
970	Effects of early and late intervention with epoetin alpha on left ventricular mass among patients with chronic kidney disease (stage 3 or 4): results of a randomized clinical trial. 2004 , 15, 148-56	175
969	Development, prevention, and potential reversal of left ventricular hypertrophy in chronic kidney disease. 2004 , 15, 1640-7	61
968	Usefulness of microalbuminuria in cardiovascular risk stratification of essential hypertensive patients. 2004 , 96, c123-30	11
967	Prognostic significance of left ventricular mass change during treatment of hypertension. 2004 , 292, 2350-6	592
966	Relations of plasma homocysteine to left ventricular structure and function: the Framingham Heart Study. 2004 , 25, 523-30	75
965	Relations of plasma total TIMP-1 levels to cardiovascular risk factors and echocardiographic measures: the Framingham heart study. 2004 , 25, 1509-16	122
964	Echocardiographic assessment of left ventricular midwall mechanics in spontaneously hypertensive rats. 2004 , 5, 169-75	9
963	The worsening of left ventricular hypertrophy is the strongest predictor of sudden cardiac death in haemodialysis patients: a 10 year survey. 2004 , 19, 1829-34	126
962	The effect of isolated ultrafiltration on Doppler-derived indices of left ventricular diastolic function. 2004 , 19, 3130-6	7
961	Left atrioventricular plane displacement but not left ventricular ejection fraction is influenced by the degree of aortic stenosis. 2004 , 90, 1151-5	13
960	Resolution of intracoronary thrombus with direct thrombin inhibition in a cocaine abuser. 2004 , 90, 501	4
959	Effects of estradiol on myocardial global performance index in hypertensive postmenopausal women. 2004 , 19, 282-92	14
958	Clinical indications for cardiovascular magnetic resonance (CMR): Consensus Panel report. 2004 , 6, 727-65	166
957	Left ventricular concentric geometry during treatment adversely affects cardiovascular prognosis in hypertensive patients. 2004 , 43, 731-8	239

956	Effects of altered volume loading on left ventricular hemodynamics and diastolic filling during hemodialysis. 2004 , 26, 141-7	14
955	Antihypertensive treatment based on blood pressure measurement at home or in the physician's office: a randomized controlled trial. 2004 , 291, 955-64	222
954	Accuracy of one- and two-dimensional algorithms with optimal image plane position for the estimation of left ventricular mass: a comparative study using magnetic resonance imaging. 2004 , 6, 845-54	12
953	Echocardiographic Assessment of Left Ventricular Structure in Hypertension and the Impact on Clinical Outcomes. 2004 , 20, 304-314	1
952	Are the cardiac effects of anabolic steroid abuse in strength athletes reversible?. 2004 , 90, 496-501	150
951	Left ventricular hypertrophy differences in male professional runners and in young patients suffering from mild hypertension. 2004 , 13, 14-9	1
950	Enzyme replacement therapy with agalsidase beta improves cardiac involvement in Fabry's disease. 2004 , 66, 158-65	92
949	Long-term endurance training does not prevent the age-related decrease in left ventricular relaxation properties. 2004 , 181, 209-15	32
948	High cardiovascular risk in patients with Cushing's syndrome according to 1999 WHO/ISH guidelines. 2004 , 61, 768-77	200
947	Diagnosing heart failure in aortic valve stenosis. 2004 , 256, 381-7	7
946	Concentric remodeling detection by magnetocardiography in patients with recent onset arterial hypertension. 2004 , 27, 709-18	9
945	The influence of ambulatory blood pressure profile on left ventricular geometry. 2004 , 21, 7-10	15
944	Analysis of left atrial volume change rate for evaluation of left ventricular diastolic function. 2004 , 21, 593-601	8
943	Electrocardiographic assessment of left ventricular hypertrophy with time-voltage QRS and QRST-wave areas. 2004 , 18, 33-40	13
942	Neutral endopeptidase and angiotensin I converting enzyme insertion/deletion gene polymorphism in humans. 2004 , 18, 119-25	12
941	Early carotid atherosclerosis and cardiac diastolic abnormalities in hypertensive subjects. 2004 , 18, 201-5	26
940	Regression of electrocardiographic left ventricular hypertrophy predicts regression of echocardiographic left ventricular mass: the LIFE study. 2004 , 18, 403-9	40
939	Sex-related difference in regression of left ventricular hypertrophy with antihypertensive treatment: the LIFE study. 2004 , 18, 411-6	22

938	Association of left bundle branch block with left ventricular structure and function in hypertensive patients with left ventricular hypertrophy: the LIFE study. 2004 , 18, 397-402		14
937	Impact of valvular regurgitation on left ventricular geometry and function in hypertensive patients with left ventricular hypertrophy: the LIFE study. 2004 , 18, 431-6		11
936	24-h Ambulatory blood pressure in patients with ECG-determined left ventricular hypertrophy: left ventricular geometry and urinary albumin excretion-a LIFE substudy. 2004 , 18, 391-6		17
935	Impact of age on left ventricular hypertrophy regression during antihypertensive treatment with losartan or atenolol (the LIFE study). 2004 , 18, 417-22		16
934	Usefulness of the assessment of the appropriateness of left ventricular mass to detect left ventricular systolic and diastolic abnormalities in absence of echocardiographic left ventricular hypertrophy: the LIFE study. 2004 , 18, 423-30		11
933	Does the reduction in systolic blood pressure alone explain the regression of left ventricular hypertrophy?. 2004 , 18 Suppl 2, S23-8		22
932	Adapted changes in left ventricular structure and function in severe uncomplicated obesity. 2004 , 12, 1616-21		58
931	Cardiac status in well-treated patients with thalassemia major. 2004 , 73, 359-66		125
930	Eight-year results after aortic valve replacement with the Freestyle stentless bioprosthesis. 2004 , 127, 1657-63		20
929	Regression of left ventricular hypertrophy after arteriovenous fistula closure in renal transplant recipients: a long-term follow-up. 2004 , 4, 2038-44		65
928	Association of kidney function and hemoglobin with left ventricular morphology among African Americans: the Atherosclerosis Risk in Communities (ARIC) study. 2004 , 43, 836-45		59
927	Evaluating preload dependence of a novel Doppler application in assessment of left ventricular diastolic function during hemodialysis. 2004 , 43, 1040-6		46
926	Asymptomatic cerebral lacunae in patients with chronic kidney disease. 2004 , 44, 35-41		58
925	Impaired left ventricular diastolic function in newborn infants of mothers with pregestational or gestational diabetes with good glycemic control. 2004 , 77, 13-22		62
924	Comparison of cardiac structure and function in American Indians with and without the metabolic syndrome (the Strong Heart Study). <i>American Journal of Cardiology</i> , 2004 , 93, 40-4	3	118
923	Attenuation of biologic compensatory action of cardiac natriuretic peptide system with aging. <i>American Journal of Cardiology</i> , 2004 , 93, 719-23	3	28
922	Comparison of left ventricular function by tissue Doppler imaging in patients with diabetes mellitus without systemic hypertension versus diabetes mellitus with systemic hypertension. <i>American Journal of Cardiology</i> , 2004 , 94, 395-9	3	56
921	Effects of carvedilol on plasma B-type natriuretic peptide concentration and symptoms in patients with heart failure and preserved ejection fraction. <i>American Journal of Cardiology</i> , 2004 , 94, 448-53	3	63

920	Elevated B-type natriuretic peptide in asymptomatic men with chronic aortic regurgitation and preserved left ventricular systolic function. <i>American Journal of Cardiology</i> , 2004 , 94, 676-8	3	26
919	Prognostic value of dobutamine stress echocardiography in patients with systemic hypertension and known or suspected coronary artery disease. <i>American Journal of Cardiology</i> , 2004 , 94, 733-9	3	16
918	Relation between epicardial adipose tissue and left ventricular mass. <i>American Journal of Cardiology</i> , 2004 , 94, 1084-7	3	235
917	Tissue Doppler imaging of the right and left ventricle in severe obesity (body mass index >35 kg/m ²). <i>American Journal of Cardiology</i> , 2004 , 94, 1087-90	3	55
916	Association between exercise capacity and left ventricular geometry in overweight patients with mild systemic hypertension. <i>American Journal of Cardiology</i> , 2004 , 94, 1322-5	3	7
915	Myocardial adaptation in different endurance sports: an echocardiographic study. 2004 , 20, 19-26		29
914	Harmonic imaging improves estimation of left ventricular mass. 2004 , 20, 107-11		6
913	Evaluation of myocardial performance index to predict mild rejection in cardiac transplantation. 2004 , 27, 352-8		4
912	Endothelial dysfunction in patients with exaggerated blood pressure response during treadmill test. 2004 , 27, 421-5		32
911	Cardiac troponins T and I in patients with end-stage renal disease: the relation with left ventricular mass and their prognostic value. 2004 , 27, 704-9		16
910	Homocysteine and left ventricular hypertrophy in children with chronic renal failure. 2004 , 19, 193-8		11
909	Blood pressure and cardiovascular involvement in children with neurofibromatosis type1. 2004 , 19, 413-8		28
908	Peak exercise oxygen uptake and left ventricular systolic and diastolic function and arterial mechanics in healthy young men. 2004 , 91, 664-8		12
907	Is there any real target organ damage associated with white-coat normotension?. 2004 , 14, 160-6		21
906	Effects of losartan and valsartan on left ventricular hypertrophy and function in essential hypertension. 2004 , 21, 76-86		18
905	Assessment of right ventricular oxidative metabolism by PET in patients with idiopathic dilated cardiomyopathy undergoing cardiac resynchronization therapy. 2004 , 31, 1592-8		21
904	Coronary blood flow in healthy neonates: effects of left ventricular function and mass. 2004 , 25, 11-6		21
903	Angiotensin-converting enzyme gene polymorphism, carotid intima-media thickness, and left ventricular mass index in adolescent hypertension. 2004 , 32, 129-35		9

902	Clinical indications for cardiovascular magnetic resonance (CMR): Consensus Panel report. 2004 , 25, 1940-65	541
901	Relations of plasma matrix metalloproteinase-9 to clinical cardiovascular risk factors and echocardiographic left ventricular measures: the Framingham Heart Study. 2004 , 109, 2850-6	156
900	The effects of obesity, gender, and ethnic group on left ventricular hypertrophy and geometry in hypertensive children: a collaborative study of the International Pediatric Hypertension Association. 2004 , 113, 328-33	283
899	Effects of the reduction of preload on left and right ventricular myocardial velocities analyzed by Doppler tissue echocardiography in healthy subjects. 2004 , 5, 262-71	71
898	Paradoxical changes in brain natriuretic peptide levels and loading conditions after intravenous conscious sedation. 2004 , 17, 1191-6	3
897	Is quantitative interpretation likely to increase sensitivity of dobutamine stress echocardiography? A study of false-negative results. 2004 , 17, 448-53	7
896	Effects of coil closure of patent ductus arteriosus on left anterior descending coronary artery blood flow using transthoracic Doppler echocardiography. 2004 , 17, 659-63	7
895	Tissue inhibitor of metalloproteinase-1 and matrix metalloproteinase-9 levels in patients with hypertension: Relationship to tissue Doppler indices of diastolic relaxation. 2004 , 17, 770-774	37
894	Association of inappropriate left ventricular mass with systolic and diastolic dysfunctionThe HyperGEN study. 2004 , 17, 828-833	35
893	American Society of Echocardiography recommendations for use of echocardiography in clinical trials. 2004 , 17, 1086-119	392
892	Influence of hand-carried ultrasound on bedside patient treatment decisions for consultative cardiology. 2004 , 17, 50-5	31
891	Factors associated with mitral annular systolic and diastolic velocities in healthy adults. 2004 , 17, 1146-54	32
890	NT-proBNP Levels and Hypertension. Their Importance in the Diagnosis of Heart Failure. 2004 , 57, 396-402	1
889	Elevation of plasma brain natriuretic peptide is a hallmark of diastolic heart failure independent of ventricular hypertrophy. 2004 , 43, 55-60	123
888	Association between aldosterone synthase (CYP11B2) polymorphism and left ventricular mass in human essential hypertension. 2004 , 43, 265-70	48
887	Patients with a hypertensive response to exercise have impaired systolic function without diastolic dysfunction or left ventricular hypertrophy. 2004 , 43, 848-53	54
886	The effects of cardiac resynchronization therapy on left ventricular function, myocardial energetics, and metabolic reserve in patients with dilated cardiomyopathy and heart failure. 2004 , 43, 1027-33	97
885	Effects of ramipril on left ventricular mass and function in cardiovascular patients with controlled blood pressure and with preserved left ventricular ejection fraction: a substudy of the Heart Outcomes Prevention Evaluation (HOPE) Trial. 2004 , 43, 2200-6	81

884	Increased left ventricular mass is a risk factor for the development of a depressed left ventricular ejection fraction within five years: the Cardiovascular Health Study. 2004 , 43, 2207-15	257
883	Comparative effects of valsartan versus amlodipine on left ventricular mass and reactive oxygen species formation by monocytes in hypertensive patients with left ventricular hypertrophy. 2004 , 43, 2116-23	89
882	Myocardial wall thickness predicts recovery of contractile function after primary coronary intervention for acute myocardial infarction. 2004 , 43, 1489-93	20
881	Left ventricular hypertrophy: a "factor of risk": mass is reversible, but is the risk?. 2004 , 43, 2216-8	6
880	The diagnosis of heart failure in the community. Comparative validation of four sets of criteria in unselected older adults: the ICARe Dicomano Study. 2004 , 44, 1601-8	75
879	Wall stress modulates brain natriuretic peptide production in pressure overload cardiomyopathy. 2004 , 44, 2349-54	141
878	Hipertensiñ y valores de NT-proBNP. Su importancia en el diagnñstico de insuficiencia cardãca. 2004 , 57, 396-402	6
877	Renal revascularization in Takayasu arteritis-induced renal artery stenosis. 2004 , 39, 749-57	69
876	Midwall mechanics in physiologic and hypertensive concentric hypertrophy. 2004 , 17, 418-27	26
875	Plasma neuropeptide Y immunoreactivity influences left ventricular mass in pheochromocytoma. 2004 , 345, 43-7	12
874	Left ventricular diastolic function and carotid artery wall in elderly athletes and sedentary controls. 2004 , 58, 437-42	13
873	Effects of carvedilol therapy on restrictive diastolic filling pattern in chronic heart failure. 2004 , 147, E2	16
872	Cerebellar ataxia, seizures, premature death, and cardiac abnormalities in mice with targeted disruption of the Cacna2d2 gene. 2004 , 165, 1007-18	71
871	Candesartan, an angiotensin II receptor blocker, improves left ventricular hypertrophy and insulin resistance. 2004 , 53, 777-81	36
870	Microalbuminuria, cardiovascular autonomic dysfunction, and insulin resistance in patients with type 2 diabetes mellitus. 2004 , 53, 1359-64	34
869	Specific cardiac disorders in 402 consecutive patients with ischaemic cardioembolic stroke. 2004 , 95, 129-34	38
868	Cardiac hypertrophy in hypertension: relation to 24-h blood pressure profile and arterial stiffness. 2004 , 97, 29-33	49
867	Ventricular hypertrophy increases NT-proBNP in subjects with and without hypertension. 2004 , 96, 265-71	17

866	Hypertrophic cardiomyopathy: electrical abnormalities detected by the extended-length ECG and their relation to syncope. 2004 , 97, 43-8	12
865	No association of interleukin-6 gene polymorphism (-174 G/C) with myocardial infarction or traditional cardiovascular risk factors. 2004 , 97, 205-12	61
864	Limited utility of the subcostal view for the echocardiographic evaluation of left ventricular mass in epidemiological studies of older persons. 2004 , 97, 521-7	2
863	Importance of echocardiography in patients with severe nonischemic heart failure: the second Prospective Randomized Amlodipine Survival Evaluation (PRAISE-2) echocardiographic study. 2004 , 147, 151-7	21
862	Short-term prevention of thromboembolic complications in patients with atrial fibrillation with aspirin plus clopidogrel: the Clopidogrel-Aspirin Atrial Fibrillation (CLAAF) pilot study. 2004 , 148, e6	22
861	Response of B-type natriuretic peptide to exercise in hypertensive patients with suspected diastolic heart failure: correlation with cardiac function, hemodynamics, and workload. 2004 , 148, 365-70	42
860	Relation of impaired left ventricular filling to systolic midwall mechanics in hypertensive patients with normal left ventricular systolic chamber function: the Losartan Intervention for Endpoint Reduction in Hypertension (LIFE) study. 2004 , 148, 538-44	21
859	Glucose effectiveness is strongly related to left ventricular mass in subjects with stage I hypertension or high-normal blood pressure. 2004 , 17, 146-53	9
858	Effect of slow-release indapamide and perindopril compared with amlodipine on 24-hour blood pressure and left ventricular mass in hypertensive patients of African ancestry. 2004 , 17, 428-32	8
857	Association of inappropriate left ventricular mass with systolic and diastolic dysfunction: the HyperGEN study. 2004 , 17, 828-33	15
856	Prognostic value of left ventricular concentric remodeling in uncomplicated mild hypertension. 2004 , 17, 1035-9	47
855	Tissue inhibitor of metalloproteinase-1 and matrix metalloproteinase-9 levels in patients with hypertension Relationship to tissue Doppler indices of diastolic relaxation. 2004 , 17, 770-4	41
854	Relationship between insulin resistance and end-organ damage in white coat hypertension. 2004 , 17, 1011-6	3
853	Cardiovascular and renal events in uncomplicated mild hypertensive patients with sustained and white coat hypertension. 2004 , 17, 876-81	28
852	[Echocardiography in elderly patients]. 2004 , 33, 406-12	
851	Renin-angiotensin system gene polymorphisms and atrial fibrillation. 2004 , 109, 1640-6	304
850	Epicardial coronary artery constriction to cold pressor test is predictive of cardiovascular events in hypertensive patients with angiographically normal coronary arteries and without other major coronary risk factor. 2004 , 173, 115-23	36
849	Left ventricular function in endurance-trained children by tissue Doppler imaging. 2004 , 36, 1507-13	28

848	Left ventricular diastolic function and carotid artery wall in elderly athletes and sedentary controls. 2004 , 58, 437-442	14
847	Cardiovascular target organ damage in essential hypertensives with or without reproducible nocturnal fall in blood pressure. 2004 , 22, 273-80	149
846	Exercise versus recovery electrocardiography for predicting outcome in hypertensive patients with chest pain. 2004 , 22, 2193-9	9
845	Relation between exercise-induced hypertension and sustained hypertension in adult patients after successful repair of aortic coarctation. 2004 , 22, 501-9	43
844	Relationship between left ventricular mass and the ACE D/I polymorphism varies according to sodium intake. 2004 , 22, 287-95	20
843	Blood pressure surge on rising. 2004 , 22, 1113-8	139
842	Relationship between exercise systolic blood pressure and left ventricular geometry in overweight, mildly hypertensive patients. 2004 , 22, 399-405	12
841	Single nucleotide polymorphisms predict the change in left ventricular mass in response to antihypertensive treatment. 2004 , 22, 2321-8	18
840	Non-invasive evaluation of left ventricular filling pressures in patients with abnormal relaxation. 2004 , 106, 485-94	8
839	Association of high sensitivity C-reactive protein with coronary heart disease prediction, but not with carotid atherosclerosis, in patients with hypertension. 2004 , 68, 297-303	59
838	Utility of serum ratio of heart-type fatty acid-binding protein to myoglobin for cardiac damage regardless of renal dysfunction. 2004 , 68, 656-9	8
837	2003 European Society of Hypertension-European Society of Cardiology Guidelines for the Management of Arterial Hypertension. 2004 , 4, 6-51	
836	Laboratory, reading center, and coordinating center data management methods in the Jackson Heart Study. 2004 , 328, 131-44	194
835	American Society of Echocardiography recommendations for use of echocardiography in clinical trialsA report from the american society of echocardiography's guidelines and standards committee and the task force on echocardiography in clinical trials. 2004 , 17, 1086-1119	636
834	Is the area under blood pressure curve the best parameter to evaluate 24-h ambulatory blood pressure monitoring data?. 2005 , 10, 263-70	12
833	Mitral annular calcification, aortic valve sclerosis, and incident stroke in adults free of clinical cardiovascular disease: the Strong Heart Study. 2005 , 36, 2533-7	130
832	Aortic valve sclerosis is associated with preclinical cardiovascular disease in hypertensive adults: the Hypertension Genetic Epidemiology Network study. 2005 , 23, 867-73	23
831	Diurnal variation of blood pressure; reproducibility and association with left ventricular hypertrophy in hemodialysis patients. 2005 , 10, 25-32	48

830	Tissue Doppler imaging provides incremental prognostic value in patients with systemic hypertension and left ventricular hypertrophy. 2005 , 23, 183-91	155
829	Angiotensin II and norepinephrine release: interaction and effects on the heart. 2005 , 23, 1077-82	20
828	Athlete's heart in postmenopausal former elite endurance female athletes. 2005 , 15, 257-62	13
827	Left ventricular hypertrophy and preclinical impaired glucose tolerance and diabetes mellitus contribute to abnormal left ventricular diastolic function in hypertensive patients. 2005 , 10, 231-8	10
826	Increased blood pressure variability in pheochromocytoma compared to essential hypertension patients. 2005 , 23, 2033-9	35
825	Left ventricular diastolic function improvement by carvedilol therapy in advanced heart failure. 2005 , 45, 563-8	24
824	Cardiac structural and functional changes during long-term antihypertensive treatment with lacidipine and atenolol in the European Lacidipine Study on Atherosclerosis (ELSA). 2005 , 23, 1091-8	22
823	Prevalence and correlates of left atrial enlargement in essential hypertension: role of ventricular geometry and the metabolic syndrome: the Evaluation of Target Organ Damage in Hypertension study. 2005 , 23, 875-82	83
822	Influence of the eNOS gene on development of blood pressure and left ventricular mass: longitudinal findings in multiethnic youth. 2005 , 15, 669-75	22
821	Night-time and diastolic hypertension are common and underestimated conditions in newly diagnosed apnoeic patients. 2005 , 23, 521-7	110
820	Survival after aortic valve replacement for aortic stenosis: does left ventricular mass regression have a clinical correlate?. 2005 , 26, 51-7	52
819	B-type natriuretic peptide and extent of lesion on coronary angiography in stable coronary artery disease. 2005 , 16, 225-9	18
818	Intima-media complex of both the brachial artery and the common carotid artery are associated with left ventricular hypertrophy in patients with previous myocardial infarction. 2005 , 23, 119-25	13
817	Distinct mouse coronary anatomy and myocardial infarction consequent to ligation. 2005 , 16, 41-4	69
816	Factors affecting left ventricular remodelling and mechanics in the long-term follow-up after successful repair of aortic coarctation. 2005 , 15, 160-7	13
815	The additional value of gadolinium-enhanced MRI to standard assessment for cardiac involvement in patients with pulmonary sarcoidosis. 2005 , 128, 1629-37	94
814	Long-term effect of spironolactone on cardiac structure as assessed by analysis of ultrasonic radio-frequency signals in patients with ventricular hypertrophy. 2005 , 69, 1394-400	5
813	Clinical characteristics of heart disease patients with a good prognosis in spite of markedly increased plasma levels of type-B natriuretic peptide (BNP): anomalous behavior of plasma BNP in hypertrophic cardiomyopathy. 2005 , 69, 277-82	8

812	Functional assessment by myocardial performance index (Tei index) correlates with plasma brain natriuretic peptide concentration in patients with hypertrophic cardiomyopathy. 2005 , 69, 951-7	22
811	Protective effects of an angiotensin II receptor blocker and a long-acting calcium channel blocker against cardiovascular organ injuries in hypertensive patients. 2005 , 28, 351-9	22
810	Different effects on inhibition of cardiac hypertrophy in spontaneously hypertensive rats by monotherapy and combination therapy of adrenergic receptor antagonists and/or the angiotensin II type 1 receptor blocker under comparable blood pressure reduction. 2005 , 28, 79-87	16
809	Relationships between echocardiographic findings, pulse wave velocity, and carotid atherosclerosis in type 2 diabetic patients. 2005 , 28, 965-71	35
808	Collagen metabolism in extracellular matrix may be involved in arterial stiffness in older hypertensive patients with left ventricular hypertrophy. 2005 , 28, 995-1001	38
807	Impaired systolic dysfunction of left ventricular longitudinal fibers: a sign of early hypertensive cardiomyopathy. 2005 , 28, 282-6	36
806	Iodine 123-metaiodobenzylguanidine imaging reflect generalized sympathetic activation in patients with left ventricular dysfunction. 2005 , 25, 34-9	8
805	Parasympathetic dysfunction in hypertrophic cardiomyopathy assessed by heart rate variability: comparison between short-term and 24-h measurements. 2005 , 25, 90-9	16
804	Comparison between fundamental and second-harmonic imaging echocardiography for calculation of left ventricular mass in children. 2005 , 25, 223-5	3
803	The effects of left ventricular hypertrophy on the respiratory changes in transmitral Doppler flow patterns of hypertension patients. 2005 , 25, 327-31	8
802	Physiological determinants of the variation in left ventricular mass from early adolescence to late adulthood in healthy subjects. 2005 , 25, 332-9	7
801	Electrocardiographic abnormalities and uremic cardiomyopathy. 2005 , 67, 217-26	125
800	Impairment of cardiac function in hypertensive patients with Type 2 diabetes: a LIFE study. 2005 , 22, 1005-11	15
799	Impact of haemodialysis on QTc dispersion in children. 2005 , 10, 119-23	9
798	Nurse-recorded clinic and ambulatory blood pressures correlate equally well with left ventricular mass and carotid intima-media thickness. 2005 , 257, 514-22	16
797	Influence of metabolic syndrome on hypertension-related target organ damage. 2005 , 257, 503-13	99
796	Leakage of cardiac troponin I in aortic valve stenosis. 2005 , 258, 231-7	12
795	Left ventricular function and calcium phosphate plasma levels in uraemic patients. 2005 , 258, 378-84	50

794	Echocardiographic changes in patients with malignant phase hypertension: the West Birmingham Malignant Hypertension Register. 2005 , 19, 69-75		12
793	Context-dependency of the relation between left ventricular mass and AGT gene variants. 2005 , 19, 155-63		14
792	Ambulatory blood pressure, left ventricular mass and vascular phenotypes in relation to the endothelial nitric oxide synthase gene Glu298Asp and intron 4 polymorphisms in a population-based family study. 2005 , 19, 413-20		17
791	Relations of left ventricular mass and systolic function to endothelial function and coronary flow reserve in healthy, new discovered hypertensive subjects. 2005 , 19, 941-50		18
790	Serum troponin I and myoglobin after monophasic versus biphasic transthoracic shocks for cardioversion of persistent atrial fibrillation. 2005 , 28 Suppl 1, S128-32		21
789	Angiographic and hemodynamic follow-up of patients after partial left ventriculectomy. 2005 , 20, S35-8		7
788	Impact of body mass index on markers of left ventricular thickness and mass calculation: results of a pilot analysis. 2005 , 22, 203-10		30
787	Comparison of ventricular long-axis function in patients with cardiac amyloidosis versus idiopathic restrictive cardiomyopathy. <i>American Journal of Cardiology</i> , 2005 , 95, 146-9	3	15
786	Left ventricular structure and function in sedentary and physically active subjects with left ventricular hypertrophy (the LIFE Study). <i>American Journal of Cardiology</i> , 2005 , 95, 280-3	3	6
785	Doppler-derived left ventricular filling pressures and the regulation of heart rate recovery after exercise in patients with suspected coronary artery disease. <i>American Journal of Cardiology</i> , 2005 , 95, 832-7	3	7
784	Effects of weight loss after gastric bypass on right and left ventricular function assessed by tissue Doppler imaging. <i>American Journal of Cardiology</i> , 2005 , 95, 1521-4	3	74
783	Relation of left ventricular concentric remodeling to levels of C-reactive protein and serum amyloid A in patients with essential hypertension. <i>American Journal of Cardiology</i> , 2005 , 96, 252-6	3	32
782	Left ventricular diastolic dysfunction late after aortic valve replacement in patients with aortic stenosis. <i>American Journal of Cardiology</i> , 2005 , 96, 722-7	3	41
781	Usefulness of left atrial volume in predicting first congestive heart failure in patients > or = 65 years of age with well-preserved left ventricular systolic function. <i>American Journal of Cardiology</i> , 2005 , 96, 832-6	3	236
780	Prevalence and clinical significance of cardiac arrhythmia in Anderson-Fabry disease. <i>American Journal of Cardiology</i> , 2005 , 96, 842-6	3	147
779	Relation between left ventricular geometry and transmural dispersion of repolarization. <i>American Journal of Cardiology</i> , 2005 , 96, 952-5	3	16
778	Analysis of left ventricular systolic function using midwall mechanics in patients >60 years of age with hypertensive heart disease and heart failure. <i>American Journal of Cardiology</i> , 2005 , 96, 1299-303	3	32
777	Positron emission tomographic evaluation of regulation of myocardial perfusion in physiological (elite athletes) and pathological (systemic hypertension) left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 2005 , 96, 1692-8	3	32

776	Insulin resistance in patients with chronic kidney disease. 2005 , 45, 275-80	181
775	Enzyme replacement therapy in Fabry disease patients undergoing dialysis: effects on quality of life and organ involvement. 2005 , 46, 120-7	56
774	Left ventricular hypertrophy in nondiabetic predialysis CKD. 2005 , 46, 320-7	151
773	Canadian randomized trial of hemoglobin maintenance to prevent or delay left ventricular mass growth in patients with CKD. 2005 , 46, 799-811	157
772	Prevalence of left ventricular hypertrophy: some alternate thoughts. 2005 , 46, 1148; author reply 1148-9	1
771	Prevalence of symptomatic diastolic heart failure in patients hospitalized with cerebral or peripheral vascular disease. 2005 , 11, 256-61	2
770	P-wave dispersion in patients with stable coronary artery disease and its relationship with severity of the disease. 2005 , 38, 279-84	43
769	Exercise hemodynamics of bovine versus porcine bioprostheses: a prospective randomized comparison of the mosaic and perimount aortic valves. 2005 , 129, 1056-63	50
768	Preoperative moderate to severe diastolic dysfunction: a novel Doppler echocardiographic long-term prognostic factor in patients with severe aortic stenosis. 2005 , 129, 890-6	72
767	Effects of valsartan and perindopril combination therapy on left ventricular hypertrophy and aortic arterial stiffness in patients with essential hypertension. 2005 , 61, 353-9	54
766	Effect of successful hypertension control by manidipine or lisinopril on albuminuria and left ventricular mass in diabetic hypertensive patients with microalbuminuria. 2005 , 61, 483-90	39
765	Steroid therapy and cardiac function in Duchenne muscular dystrophy. 2005 , 26, 768-71	90
764	Cardiovascular effects of splenomegaly and splenectomy in beta-thalassemia. 2005 , 84, 353-7	39
763	The epidemiology of left ventricular hypertrophy in type 2 diabetes mellitus. 2005 , 48, 1971-9	68
762	Echocardiographic and hemodynamic characteristics of reconstructed bicuspid aortic valves at rest and exercise. 2005 , 94, 437-44	8
761	Abnormal left ventricular mass and aortic distensibility in pediatric dialysis patients. 2005 , 20, 64-8	30
760	White-coat and masked hypertension in children: association with target-organ damage. 2005 , 20, 1151-5	191
759	Doppler tissue imaging of the heart in secondary amyloidosis. 2005 , 22, 433-42	1

758	Impaired myocardial perfusion reserve but preserved peripheral endothelial function in patients with Fabry disease. 2005 , 28, 563-73	41
757	Echocardiography-based left ventricular mass estimation. How should we define hypertrophy?. 2005 , 3, 17	160
756	Cardiac structure and function in monozygotic twin pairs discordant for physical fitness. 2005 , 99, 535-41	14
755	The role of secondary hyperparathyroidism in left ventricular hypertrophy of patients under chronic hemodialysis. 2005 , 38, 1409-16	18
754	The Time Course of Serum C-Reactive Protein is More Predictive of Mortality than its Baseline Level in Peritoneal Dialysis Patients. 2005 , 25, 256-268	17
753	Hyperhomocysteinemia: an additional risk factor in white coat hypertension. 2005 , 46, 245-54	20
752	Echocardiographic Assessment of LV Geometric Pattern and Function in Pregnancy-Induced Hypertension. 2005 , 35, 718	1
751	Immediate and short-term biventricular function assessment post-atrial septal defect surgical versus device closure: A comparative two-dimensional speckle tracking study. 2021 , 60, 101309	
750	Left ventricular hypertrophy in chronic kidney disease: A diagnostic criteria comparison. 2021 , 31, 137-144	2
749	Prospective assessment of subclinical cardiovascular damage and associated factors in liver transplant recipients. 2021 , 34, 127-138	2
748	Association of abdominal obesity and high blood pressure with left ventricular hypertrophy and geometric remodeling in Chinese children. 2021 , 31, 306-313	
747	Influence of advanced pulmonary vascular remodeling on accuracy of echocardiographic parameters of left ventricular filling pressure. 2021 , 11, 2045894020983723	0
746	Early Left Ventricular Global Longitudinal Strain Deterioration After Aortic Aneurysm Repair: Impact of Aortic Stiffness. 2021 , 28, 352-359	1
745	Sex Differences in the Phenotype of Transthyretin Cardiac Amyloidosis Due to Val122Ile Mutation: Insights from Noninvasive Pressure-Volume Analysis. 2021 , 27, 67-74	7
744	Functional significance of intra-left ventricular vortices on energy efficiency in normal, dilated, and hypertrophied hearts. 2021 , 49, 358-367	0
743	The renin-angiotensin-system and left ventricular mass in young adults: the African-PREDICT study. 2021 , 30, 98-107	3
742	Effect of long-term glucocorticoid therapy on cardiac functions in children with congenital adrenal hyperplasia. 2021 , 94, 210-218	2
741	Effect of pregnancy prolongation in early-onset pre-eclampsia on postpartum maternal cardiovascular, renal and metabolic function in primiparous women: an observational study. 2021 , 128, 121-129	1

- 740 Uric acid and left ventricular hypertrophy: another relationship in hemodialysis patients. **2021**, 14, 578-585 0
- 739 Relationship between serum hepcidin levels and cardiovascular disease in patients with maintenance hemodialysis. **2020**, 107, 491-500 1
- 738 The association of echocardiographic parameters on renal outcomes in chronic kidney disease. **2021**, 43, 433-444 2
- 737 Assessment of fragmented QRS formation and its relationship with left ventricular hypertrophy in nonhypertensive acromegaly patients. **2021**, 51, 2437-2444
- 736 Effects of Angiotensin II Receptor Blockers on Ventricular Hypertrophy in Hypertrophic Cardiomyopathy: A Meta-Analysis of Randomized Controlled Trials. **2021**, 1 0
- 735 Usefulness of speckle tracking echocardiography and biomarkers for detecting acute cellular rejection after heart transplantation. **2021**, 19, 6 1
- 734 The effect of cardiac geometry variation according to sex and race on outcomes in patients with acute coronary syndrome undergoing percutaneous coronary intervention. **2021**, 6, e152-e159
- 733 Isolated nocturnal hypertension is associated with increased left ventricular mass index in children. **2021**, 36, 1543-1550 5
- 732 Predictive Parameters of Decreased Left Ventricular Global Longitudinal Strain at 1 Month After Pediatric Heart Transplantation. **2021**, 42, 784-792
- 731 Comparison of Aortic Gradient and Ventricular Mass after Valve Replacement for Aortic Stenosis with Rapid Deployment, Sutureless, and Conventional Bioprostheses. **2021**, 146, 656-666 0
- 730 Eccentric hypertrophy predicts adverse events in patients undergoing percutaneous coronary intervention for acute coronary syndrome. **2021**, 6, e21-e27 2
- 729 Left Ventricular Hypertrophy Is More Prevalent in Type B than Type A Aortic Dissection. **2021**, 27, 119-125
- 728 [The impact of methylphenidate treatment on the functional and structural properties of the left ventricle: A medium-term prospective study]. **2021**, 96, 43-43 0
- 727 Associations of the Mediterranean-Dietary Approaches to Stop Hypertension Intervention for Neurodegenerative Delay diet with cardiac remodelling in the community: the Framingham Heart Study. **2021**, 126, 1888-1896 3
- 726 Rapid decline of resting heart rate trajectories from childhood to young adulthood is paradoxically associated with increased cardiac mass. **2021**, 1-7 1
- 725 Natural history observations in moderate aortic stenosis. **2021**, 21, 108 3
- 724 Incremental prognostic role of left atrial reservoir strain in asymptomatic patients with moderate aortic stenosis. **2021**, 37, 1913-1925 3
- 723 Prevalence of severe cardiovascular abnormalities amongst West African HIV-infected patients on antiretroviral therapy followed at a referral HIV centre. **2021**, 36, 187

722	Comparing the associations of clinic vs. ambulatory blood pressure with subclinical organ damage in young healthy adults: the African-PREDICT study. 2021 , 44, 840-849	2
721	Tp-Te interval prolongs in hypertension independent of the left ventricular geometry. 2021 , 5, 183-187	
720	Prevalence and characteristics of mitral valve prolapse in military young adults in Taiwan of the CHIEF Heart Study. 2021 , 11, 2719	4
719	Eccentric hypertrophy in an animal model of mid- and long-term premature ventricular contraction-induced cardiomyopathy. 2021 , 2, 80-88	3
718	Short-term repeatability of the peguero-lo presti electrocardiographic left ventricular hypertrophy criteria. 2021 , 26, e12829	2
717	Association of lung diffusion capacity with cardiac remodeling and risk of heart failure: The Framingham heart study. 2021 , 16, e0246355	
716	Influence of chest conformation on ventricular-arterial coupling during normal pregnancy. 2021 , 49, 586-596	3
715	Relation of p - wave dispersion with presystolic a - wave and aortic valve sclerosis in asymptomatic subjects. 2021 , 38, 386-393	0
714	The role of baseline and post-treatment frontal QRS-T angle for detecting arterial blood pressure control. 2021 , 43, 363-367	
713	A case report of Leigh syndrome diagnosed by endomyocardial biopsy. 2021 , 5, ytaa582	2
712	Association Between Central-Peripheral Blood Pressure Amplification and Structural and Functional Cardiac Properties in Children, Adolescents, and Adults: Impact of the Amplification Parameter, Recording System and Calibration Scheme. 2021 , 28, 185-249	2
711	Fatty liver index and left ventricular mass: prospective associations from two independent cohorts. 2021 , 39, 961-969	0
710	Association Between M235T and Left Ventricular Mass in Vietnamese Patients Diagnosed With Essential Hypertension. 2021 , 8, 608948	4
709	Effect of anemia on the frontal QRS-T angle. 2021 , 69, 36-42	1
708	Aortic arch calcification: a novel parameter for prediction of masked hypertension. 2021 , 26, 257-262	1
707	Öcukluk ınKanser SaĖKalanlarında Antrasiklin İle Arteriyel SertliĖ DeĖlendirilmesi.	
706	Sex differences in transaortic flow rate and association with all-cause mortality in patients with severe aortic stenosis. 2021 , 22, 977-982	1
705	Echocardiographic Left Ventricular Mass Assessment: Correlation between 2D-Derived Linear Dimensions and 3-Dimensional Automated, Machine Learning-Based Methods in Unselected Patients. 2021 , 10,	1

704	Association of fetuin-A levels and left ventricular diastolic dysfunction in patients on haemodialysis. 2021 , 53, 1689-1694	
703	Impact of paravalvular leak on left ventricular remodeling and global longitudinal strain 1 year after transcatheter aortic valve replacement. 2021 , 17, 337-345	1
702	Left ventricular hypertrophy predicts poorer cardiovascular outcome in normotensive normoglycemic patients with rheumatoid arthritis. 2021 , 24, 510-518	
701	Accuracy of the novel Peguero Lo-Presti criterion for electrocardiographic detection of left ventricular hypertrophy in a black African population. 2021 , 23, 1186-1193	1
700	A Retrospective Comparison of Hemodynamic and Clinical Outcomes between Two Differently Designed Aortic Bioprostheses for Small Aortic Annuli. 2021 , 10,	0
699	Changes in extracellular water and left ventricular mass in peritoneal dialysis patients. 2021 , 40, 135-142	1
698	Feasibility and reference intervals assessed by conventional and speckle-tracking echocardiography in normal hamsters. 2021 , 9, e14776	2
697	Sex-specific differences in left ventricular mass and myocardial energetic efficiency in non-diabetic, pre-diabetic and newly diagnosed type 2 diabetic subjects. 2021 , 20, 60	3
696	Speckle tracking echocardiography in severe patient-prosthesis mismatch. 2021 , 46, 375-380	1
695	The Effects of Short-Term Changes in Sodium Intake on Plasma Marinobufagenin Levels in Patients with Primary Salt-Sensitive and Salt-Insensitive Hypertension. 2021 , 13,	
694	Pulse arrival time, a novel sleep cardiovascular marker: the multi-ethnic study of atherosclerosis. 2021 , 76, 1124-1130	3
693	Relationships between left ventricular mass and QRS duration in diverse types of left ventricular hypertrophy. 2021 ,	1
692	Epidemiology of Heart Failure Stages in Middle-Aged Black People in the Community: Prevalence and Prognosis in the Atherosclerosis Risk in Communities Study. 2021 , 10, e016524	2
691	Association of myocardial parasitic load with cardiac biomarkers and other selected variables in 10 dogs with advanced Canine Leishmaniasis. 2021 , 189, e198	1
690	Left-ventricular hypertrophy in 18-month-old donor rat hearts was not associated with graft dysfunction in the early phase of reperfusion after cardiac transplantation-gene expression profiling. 2021 , 43, 1995-2013	
689	Evaluation of left ventricular systolic synchrony by peak strain dispersion in patients with rheumatoid arthritis. 2021 , 49, 3000605211007737	0
688	Left ventricular systolic function impairment in children after balloon valvuloplasty for congenital aortic stenosis assessed by 2D speckle tracking echocardiography. 2021 , 16, e0248862	0
687	Smith-Magenis syndrome: Report of morphological and new functional cardiac findings with review of the literature. 2021 , 185, 2003-2011	2

686	Vitamin D and Subclinical Cardiovascular Damage in Essential Hypertension. 2021 , 2, 133-141	2
685	Early cardiac electrical and structural changes in patients with non-obese non-alcoholic fatty liver disease. 2021 , 61, 51-58	0
684	El ecocardiograma transtorácico: ¿cuándo solicitar y cómo interpretar un ecocardiograma?. 2021 , 28, 280-285	
683	Efficacy of high-intensity interval training compared with moderate-intensity continuous training on maximal aerobic potency in dogs: Trial protocol for a randomised controlled clinical study. 2021 , 8, e4	1
682	Chest conformation spuriously influences strain parameters of myocardial contractile function in healthy pregnant women. 2021 , 22, 767-779	3
681	The Progetto Ipertensione Umbria Monitoraggio Ambulatoriale (PIUMA) Study. 2021 ,	
680	Urinary sodium excretion and the risk of CVD: a community-based cohort study in Taiwan. 2021 , 1-12	
679	Impact of nutritional status on prevalence of left ventricular hypertrophy in children undergoing liver transplant. 2021 , 25, e14011	
678	Cardiac abnormalities in girls with Turner syndrome: ECG abnormalities, myocardial strain imaging, and karyotype-phenotype associations. 2021 , 185, 2399-2408	2
677	Medium to Long Term Follow-Up of Treated Hypertensive Mediated Heart Disease. 2021 , 28, 383-391	0
676	The TRIB3 R84 variant is associated with increased left ventricular mass in a sample of 2426 White individuals. 2021 , 20, 115	0
675	Splenic Volume Index Determined Using Computed Tomography upon Admission Is Associated with Readmission for Heart Failure Among Patients with Acute Decompensated Heart Failure. 2021 , 62, 584-591	1
674	The prognostic value of myocardial deformational patterns on all-cause mortality is modified by ischemic cardiomyopathy in patients with heart failure. 2021 , 37, 3137-3144	2
673	Predictive Value of Limb Artery Indices and Endothelial Functional Tests for the Degree of Coronary Artery Stenosis in a Diabetic Population. 2021 , 14, 2343-2349	1
672	Association of free androgen index and sex hormone-binding globulin and left ventricular hypertrophy in postmenopausal hypertensive women. 2021 , 23, 1413-1419	4
671	The diagnostic value of 2D-speckle tracking echocardiography for identifying subclinical ventricular dysfunction in subjects with early repolarization pattern. 2021 , 38, 1141-1148	0
670	Soluble CD14 Levels in the Jackson Heart Study: Associations With Cardiovascular Disease Risk and Genetic Variants. 2021 , 41, e369-e378	0
669	Could arterial stiffness be early reversible target organ damage test in childhood hypertension?. 2021 , 25, 496-504	

668	Serum Thiol Levels and Thiol/Disulfide Homeostasis in Patients with Rheumatic Mitral Valve Disease and Healthy Subjects. 2021 , 117, 437-443	0
667	Periton Diyalizi Programında İzlenen Kronik Böbrek Yetersizlikli Çocuklarda Sol Ventrikül Geometrisinin Değerlendirilmesi. 1-6	
666	Association between Neonatal Intakes and Hyperglycemia, and Left Heart and Aortic Dimensions at 6.5 Years of Age in Children Born Extremely Preterm. 2021 , 10,	1
665	Early systolic lengthening by speckle tracking echocardiography predicts outcome after coronary artery bypass surgery. 2021 , 34, 100799	1
664	Desempenho do Eletrocardiograma no Diagnóstico da Hipertrofia Ventricular Esquerda em Hipertensos Idosos e Muito Idosos. 2021 , 117, 437-443	1
663	Prognostic impact of transcatheter gradient of follistatin-like 1 reflecting hemodynamics in patients with dilated cardiomyopathy. 2021 , 78, 524-532	0
662	Sirtuin 1, Visfatin and IL-27 Serum Levels of Type 1 Diabetic Females in Relation to Cardiovascular Parameters and Autoimmune Thyroid Disease. 2021 , 11,	1
661	Inflammation Markers in Infants of Mothers with Gestational Diabetes. 2021 , 1-11	0
660	Pediatric and Adult Ambulatory Blood Pressure Thresholds and Blood Pressure Load as Predictors of Left Ventricular Hypertrophy in Adolescents. 2021 , 78, 30-37	14
659	Cardiac, Macro-, and Micro-Circulatory Abnormalities in Association With Individual Metabolic Syndrome Component: The Northern Shanghai Study. 2021 , 8, 690521	1
658	Left Ventricular SGLT1 Protein Expression Correlates with the Extent of Myocardial Nitro-Oxidative Stress in Rats with Pressure and Volume Overload-Induced Heart Failure. 2021 , 10,	4
657	Wild-type TTR amyloidosis among patients with unexplained heart failure and systolic LV dysfunction. 2021 , 16, e0254104	1
656	Adverse cardiac mechanics and incident coronary heart disease in the Cardiovascular Health Study. 2021 ,	0
655	Cystatin C, arterial stiffness, and echocardiography parameters in patients with respiratory diseases. 2021 , 31, 407-417	
654	The association between ECG criteria and Echo criteria for left ventricular hypertrophy in a general Chinese population. 2021 , 26, e12880	1
653	Association of Major Adverse Cardiovascular Events in Patients With Stroke and Cardiac Wall Motion Abnormalities. 2021 , 10, e020888	2
652	Prognostic impact of arterial stiffness following transcatheter aortic valve replacement. 2021 , 78, 37-43	3
651	Serial echocardiographic evaluation of the Perimount Magna Ease prosthesis. 2021 , 13, 4104-4113	0

650	Beneficial effects of sodium glucose cotransporter 2 inhibitors on left ventricular mass in patients with diabetes mellitus. 2021 , 13, 847-856	0
649	Impact of pulmonary hypertension on arteriovenous fistula failure of hemodialysis patients: A 10 years follow-up cohort study. 2021 , 11297298211027408	1
648	Higher Ventricular-Arterial Coupling Derived from Three-Dimensional Echocardiography Is Associated with a Worse Clinical Outcome in Systemic Sclerosis. 2021 , 14,	0
647	Sensitivity and Specificity of an Electrocardiogram to Detect Echocardiographic Left Ventricular Hypertrophy in a Sample of 326 Tanzanian Adults: Differences in Men and Women. Volume 12, 23-31	
646	Impact of stroke work on the ability of left ventricular mass to account for pressure effects on function in a community with prevalent systemic flow-dependent hypertension. 2021 , 39, 2092-2102	1
645	Association between PCSK9 Levels and Markers of Inflammation, Oxidative Stress, and Endothelial Dysfunction in a Population of Nondialysis Chronic Kidney Disease Patients. 2021 , 2021, 6677012	5
644	Change in waist circumference over 2 years and the odds of left ventricular hypertrophy among Chinese children. 2021 , 31, 2484-2489	1
643	Value of non-apical echocardiographic views in the up-grading of patients with aortic stenosis. 2021 , 55, 279-286	
642	Blood pressure and heart rate monitoring in children and adolescent with Still's vibratory murmur.. 2022 , 27, 9-13	
641	Prompt Agalsidase Alfa Therapy Initiation is Associated with Improved Renal and Cardiovascular Outcomes in a Fabry Outcome Survey Analysis. 2021 , 15, 3561-3572	1
640	Association of Maternal Gestational Weight Gain With Left Ventricle Geometry and Function in Offspring at 4 Years of Age: A Prospective Birth Cohort Study. 2021 , 9, 722385	0
639	Low myocardial energetic efficiency is associated with increased mortality in aortic stenosis. 2021 , 8,	0
638	Two-Year Change in Blood Pressure Status and Left Ventricular Mass Index in Chinese Children. 2021 , 8, 708044	1
637	A Sodium Oxalate-Rich Diet Induces Chronic Kidney Disease and Cardiac Dysfunction in Rats. 2021 , 22,	
636	Growth patterns in early childhood and cardiovascular structure and function at 4 years old: A prospective cohort study. 2021 , 31, 3492-3501	0
635	Associations between aortic regurgitation severity and risk of incident myocardial infarction and stroke among patients with degenerative aortic valve disease: insights from a large Chinese population-based cohort study. 2021 , 11, e046824	
634	Blood Pressure and Left Ventricular Geometric Changes: A Directionality Analysis. 2021 , 78, 1259-1266	0
633	Gut Microbiota and Subclinical Cardiovascular Disease in Patients with Type 2 Diabetes Mellitus. 2021 , 13,	5

- 632 Longitudinal Follow-Up on Cardiopulmonary Exercise Capacity Related to Cardio-Metabolic Risk Factors in Children With Renal Transplants. **2021**, 3, 688383 1
- 631 A nomogram integrating non-ECG factors with ECG to screen left ventricular hypertrophy among hypertensive patients from northern China.. **2022**, 40, 264-273 1
- 630 Assessment of Zinc- alpha2 glycoprotein (ZAG) and Lipase Maturation Factor 1 (LMF1) concentration in children with chronic kidney disease. **2021**, 70, 605-613
- 629 Hemodynamic and Functional Correlates of Concentric vs. Eccentric LVH in a Community-Based Sample With Prevalent Volume-Dependent Hypertension. **2021**, 34, 1300-1310 1
- 628 Challenges in choosing the appropriate guidelines for use in children and adolescents with hypertension. **2021**, 28, 451-458 0
- 627 Left Ventricular Measurements and Strain in Pediatric Patients Evaluated for Systemic Hypertension and the Effect of Adequate Anti-hypertensive Treatment. **2021**, 1 0
- 626 Clinical significance of ischemia-like electrocardiographic finding during heart failure treatment on left ventricular recovery in patients with non-ischemic dilated cardiomyopathy. **2021**, 78, 142-149
- 625 [Evaluaci3n de la contractilidad del ventr3culo izquierdo en pacientes con estenosis a3rtica grave, flujo bajo, gradiente bajo y fracci3n de expulsi3n preservada]. **2021**,
- 624 Novel Echocardiographic Algorithm for Right Ventricular Mass Quantification: Cardiovascular Magnetic Resonance and Clinical Prognosis Validation. **2021**, 34, 839-850.e1
- 623 Fatty liver index and hypertension-mediated organ damage in never-treated hypertensive patients without diabetes mellitus. **2021**, 39, 2470-2477 0
- 622 Higher rate of aortic stenosis progression in patients with bicuspid versus tricuspid aortic valve - A single center experience. **2021**, 66, 343-350
- 621 Association between exposure to heavy occupational lifting and cardiac structure and function: a cross-sectional analysis from the Copenhagen City Heart Study. **2021**, 1
- 620 Association of Urinary Sodium Excretion and Left Ventricular Hypertrophy in People With Type 2 Diabetes Mellitus: A Cross-Sectional Study. **2021**, 12, 728493
- 619 Aortic Root Dilatation Is Attenuated with Diabetes but Is Not Associated with Renal Progression in Chronic Kidney Disease. **2021**, 11,
- 618 Does chest wall conformation influence myocardial strain parameters in infants with pectus excavatum?. **2021**, 49, 918-928 4
- 617 Lower muscular strength is associated with smaller left and right chambers and lower cardiac mass in the general population - The Sedentary's Heart. **2021**, 68, 36-51 1
- 616 Relation between carotid intimal medial thickness and left ventricular mass and left ventricular mass indices in maintenance hemodialysis patients. **2021**, 1
- 615 Mechanical concordance between left atrium and left atrial appendage in nonvalvular atrial fibrillation: can it be exploited to avoid transesophageal echocardiography prior to electrical cardioversion during Covid-19 pandemic?. **2021**, 1 0

614	Influence of Left Ventricular Function on the "Aortic Regurgitation Index" Proposed for the Hemodynamic Assessment of Postprocedural Aortic Regurgitation. 2021 , 62, 1019-1025	1
613	Cardiovascular diseases and risk factors in kidney transplant candidates. 2021 , 7, 524-532	
612	Impact of afterload and infiltration on coexisting aortic stenosis and transthyretin amyloidosis. 2022 , 108, 67-72	0
611	Evaluation of ventricular systolic function by speckle tracking technique in patients with biliary atresia before and after liver transplantation. 2021 , 11, 17807	0
610	Arterial Stiffness and Left Ventricular Myocardial Function in Children with a Well-Functioning Bicuspid Aortic Valve. 2021 , 117, 1126-1133	0
609	Mukozal ve KutanĖ Tutulum ile Seyreden Liken Planus HastalarĖda Subklinik KardiyovaskĖler HastalĖ Riskinin DeĖlendirilmesi.	
608	The burden of subclinical cardiovascular disease in children and young adults with chronic kidney disease and on dialysis.. 2022 , 15, 287-294	0
607	Relative Impact of Surgical Mitral Repair and MitraClip on Annular Remodeling-A Potential Mechanism for Therapeutic Response to Mitral Repair for Degenerative Mitral Regurgitation. 2021 ,	
606	Interleukin-8 is increased in chronic kidney disease in children, but not related to cardiovascular disease. 2021 , 43, 359-364	2
605	Association of Left Ventricular Hypertrophy and Atrial Fibrillation with Hemorrhagic Evolution of Small Vessel Disease. 2021 , 30, 105946	0
604	Relation of Wnt Signaling Pathway Inhibitors (Sclerostin and Dickkopf-1) to Left Ventricular Mass Index in Maintenance Hemodialysis Patients. 2021 , 2021, 2439868	
603	Influence of left ventricular systolic dysfunction on occurrence of pulsus tardus in patients with aortic stenosis. 2021 , 78, 322-327	
602	Generating Synthetic Labeled Data From Existing Anatomical Models: An Example With Echocardiography Segmentation. 2021 , 40, 2783-2794	13
601	Rapid Risk Stratification of Acute Ischemic Stroke Patients in the Emergency Department: The Incremental Prognostic Role of Left Atrial Reservoir Strain. 2021 , 30, 106100	2
600	Cardiac Function is Preserved in Adolescents With Well-Controlled Type 1 Diabetes and a Normal Physical Fitness: A Cross-sectional Study. 2021 ,	
599	A study on normal reference values of echocardiographic chamber dimensions in young eastern Indian adults. 2021 , 73, 77-84	0
598	Nonalcoholic fatty liver disease, diastolic dysfunction, and impaired myocardial glucose uptake in patients with type 2 diabetes. 2021 , 23, 1041-1051	1
597	Asymptomatic type 2 diabetes mellitus display a reduced myocardial deformation but adequate response during exercise. 2021 , 121, 929-940	1

596	Impact of transcatheter aortic valve implantation on left ventricular function recovery, mass regression and outcome in patients with aortic stenosis: protocol of the TAVI-NOR prospective study. 2021 , 11, e039961	0
595	Patient-reported symptoms during dialysis: the effect of pre-dialysis extracellular water and change in extracellular water post-dialysis. 2021 , 7,	1
594	A high triglyceride-glucose index is associated with left ventricular dysfunction and atherosclerosis. 2021 , 18, 1051-1057	7
593	Pharmacotherapy for hypertension-induced left ventricular hypertrophy.	2
592	Relations of left ventricular geometry and function to prognosis in hypertension. 1997 , 432, 1-12	3
591	Echocardiographic Assessment of Ventricular Systolic Function. 2007 , 89-117	1
590	Investigation of Hypertension in Childhood. 2016 , 1339-1360	1
589	Impact of surgical aortic valve replacement on global and regional longitudinal strain across four flow gradient patterns of severe aortic stenosis. 2021 , 37, 2175-2187	1
588	Single-Photon Emission Computed Tomography Artifacts. 2010 , 72-95	4
587	Left Ventricular Hypertrophy, Congestive Heart Failure, and Coronary Flow Reserve Abnormalities in Hypertension. 2005 , 250-280	1
586	Quantitative Evaluation of Left Ventricular Structure, Wall Stress, and Systolic Function. 2007 , 187-211	2
585	Relationship between left ventricular mass and blood pressure in treated hypertension.	1
584	Exercise capacity is related to attenuated responses in oxygen extraction and left ventricular longitudinal strain in asymptomatic type 2 diabetes patients. 2020 ,	2
583	Racial differences in ambulatory blood pressure and echocardiographic left ventricular geometry. 1998 , 315, 101-9	21
582	Prediction of left ventricular mass in youth with family histories of essential hypertension. 1998 , 315, 118-23	44
581	The association of left ventricular mass with cardiovascular risk factors in African American women. 2000 , 320, 13-7	6
580	Physical performance is preserved after regression of left ventricular hypertrophy. 1997 , 30, 383-91	6
579	The effects of long-term treatment on left ventricular hypertrophy in patients with essential hypertension: relation to changes in neurohumoral factors. 1997 , 30, 643-8	7

578	Benazepril causes in hypertension a greater reduction in left ventricular mass than does nitrendipine: a randomized study using magnetic resonance imaging. 1998 , 32, 760-8	7
577	Angiotensin II Antagonism and the Heart: Valsartan in Left Ventricular Hypertrophy. 1999 , 33, S33-S36	5
576	Total arterial compliance in ambulatory hypertension during selective beta1-adrenergic receptor blockade and angiotensin-converting enzyme inhibition. 1999 , 33, 273-9	9
575	Time course of the effects of temocapril on cardiovascular structure and function in patients with essential hypertension. 1999 , 34, 561-6	8
574	Cardiovascular responses to submaximal exercise in 7- to 9-yr-old boys and girls. 1997 , 29, 824-32	23
573	Progression of ventricular wall thickening after liver transplantation for familial amyloidosis. 1997 , 64, 74-80	137
572	Home and ambulatory blood pressure monitoring in children, adolescents and young adults: comparison, diagnostic agreement and association with preclinical organ damage. 2020 , 38, 1047-1055	9
571	Myocardial mechano-energetic efficiency in primary aldosteronism. 2021 , 39, 318-324	2
570	Prognostic significance of left ventricular diastolic function in burn patients. 2012 , 37, 457-62	15
569	Feasibility of ventricular volumetry by cardiovascular MRI to assess cardiac function in the fetal sheep. 2020 , 598, 2557-2573	8
568	Control of blood pressure and risk of first acute myocardial infarction: Skaraborg hypertension project. 1994 , 308, 681-6	35
567	Prognostic value of automated longitudinal strain measurements in asymptomatic aortic stenosis. 2020 ,	3
566	Amlodipine: effective for treatment of mild to moderate essential hypertension and left ventricular hypertrophy. 2001 , 96 Suppl 1, 10-8	9
565	Sex differences in the relation of body composition to cardiovascular parameters and functions in Korean adolescents: a school-based study. 2014 , 7, 165-77	4
564	Differential effects of chronic oral antihypertensive therapies on systemic arterial circulation and ventricular energetics in African-American patients. 1995 , 91, 1052-62	37
563	Disparate effects of early pressure overload hypertrophy on velocity-dependent and force-dependent indices of ventricular performance in the conscious baboon. 1995 , 91, 1213-20	10
562	Sex, age, and disease affect echocardiographic left ventricular mass and systolic function in the free-living elderly. The Cardiovascular Health Study. 1995 , 91, 1739-48	169
561	Effect of lean body mass, fat mass, blood pressure, and sexual maturation on left ventricular mass in children and adolescents. Statistical, biological, and clinical significance. 1995 , 92, 3249-54	180

560	Relationship of cardiovascular risk factors to echocardiographic left ventricular mass in healthy young black and white adult men and women. The CARDIA study. Coronary Artery Risk Development in Young Adults. 1995 , 92, 380-7	209
559	Left ventricular hypertrophy has a greater impact on survival in women than in men. 1995 , 92, 805-10	108
558	Changes in phasic coronary blood flow velocity profile in relation to changes in hemodynamic parameters during stress in patients with aortic valve stenosis. 1995 , 92, 1437-47	22
557	Abnormal systolic intraventricular flow velocities after valve replacement for aortic stenosis. Mechanisms, predictive factors, and prognostic significance. 1996 , 93, 712-9	68
556	Serial assessment of the cardiovascular system in normal pregnancy. Role of arterial compliance and pulsatile arterial load. 1997 , 95, 2407-15	222
555	Remodeling of the left ventricle in primary aldosteronism due to Conn's adenoma. 1997 , 95, 1471-8	171
554	ACC/AHA Guidelines for the Clinical Application of Echocardiography. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Clinical Application of Echocardiography). Developed in collaboration with the American Society of Echocardiography. 1997 , 95, 1686-744	431
553	Do antihypertensive drugs differ in their ability to regress left ventricular hypertrophy?. 1997 , 95, 1983-5	26
552	Relations of left ventricular mass to demographic and hemodynamic variables in American Indians: the Strong Heart Study. 1997 , 96, 1416-23	138
551	Distribution and categorization of echocardiographic measurements in relation to reference limits: the Framingham Heart Study: formulation of a height- and sex-specific classification and its prospective validation. 1997 , 96, 1863-73	152
550	Gender differences and the electrocardiogram in left ventricular hypertrophy. 1995 , 25, 242-9	58
549	Common carotid artery stiffness and patterns of left ventricular hypertrophy in hypertensive patients. 1995 , 25, 651-9	110
548	Target organ status and serum lipids in patients with white coat hypertension. 1995 , 26, 801-7	77
547	Serum insulin levels, 24-hour blood pressure profile, and left ventricular mass in nonobese hypertensive patients. 1995 , 26, 1085-8	22
546	Role of anthropometric indexes and blood pressure as determinants of left ventricular mass and geometry in adolescents. The Rio de Janeiro Study. 1995 , 26, 1190-4	8
545	Gender differences in left ventricular growth. 1995 , 26, 979-83	133
544	Time-voltage area of the QRS for the identification of left ventricular hypertrophy. 1996 , 27, 251-8	24
543	Weights at birth and in early infancy, systolic pressure, and left ventricular structure in subjects aged 8 to 24 years. 1996 , 27, 339-45	50

542	Changes in left ventricular anatomy and function in hypertension and primary aldosteronism. 1996 , 27, 1039-45	211
541	Association of carotid atherosclerosis with electrocardiographic myocardial ischemia and left ventricular hypertrophy. 1996 , 28, 3-7	17
540	Utility of new electrocardiographic models for left ventricular mass in older adults. The Cardiovascular Health Study Collaborative Research Group. 1996 , 28, 8-15	48
539	Association between persistent pressure overload and ventricular arrhythmias in essential hypertension. 1996 , 28, 284-9	45
538	Influence of isradipine and spirapril on left ventricular hypertrophy and resistance arteries. 1996 , 28, 450-6	11
537	Superiority of brain natriuretic peptide as a hormonal marker of ventricular systolic and diastolic dysfunction and ventricular hypertrophy. 1996 , 28, 988-94	374
536	High prevalence of concentric remodeling in elderly individuals with isolated systolic hypertension from a population survey. 1997 , 29, 539-43	31
535	Left ventricular mass in the elderly. The Cardiovascular Health Study. 1997 , 29, 1095-103	81
534	Prognostic significance of the white coat effect. 1997 , 29, 1218-24	88
533	Relations of left ventricular geometry and function to body composition in children with high casual blood pressure. 1997 , 30, 377-82	28
532	Systolic function in hypertensive men with concentric remodeling. 1997 , 30, 777-81	29
531	Cardiovascular reactivity to stress and left ventricular mass in youth. 1997 , 30, 782-7	61
530	Heritability of left ventricular mass: the Framingham Heart Study. 1997 , 30, 1025-8	128
529	Relation of exercise-induced myocardial ischemia to cardiac and carotid structure. 1997 , 30, 1382-8	9
528	Echocardiographic assessment of left ventricular mass and systolic function in mice. 1995 , 76, 907-14	146
527	Trophic effect of human pericardial fluid on adult cardiac myocytes. Differential role of fibroblast growth factor-2 and factors related to ventricular hypertrophy. 1997 , 81, 679-87	56
526	Impact of Chamber Dilatation on the Prognostic Value of Left Ventricular Geometry in Hypertension. 2017 , 6,	10
525	Association of Blood Pressure Responses to Submaximal Exercise in Midlife With the Incidence of Cardiovascular Outcomes and All-Cause Mortality: The Framingham Heart Study. 2020 , 9, e015554	4

524	Characterization of cardiac mechanics and incident atrial fibrillation in participants of the Cardiovascular Health Study. 2020 , 5,	16
523	PPAR α induced cardiolipotoxicity in mice is ameliorated by PPAR β deficiency despite increases in fatty acid oxidation. 2010 , 120, 3443-54	121
522	Fibroblast growth factor-2 mediates pressure-induced hypertrophic response. 1999 , 104, 709-19	125
521	Associations between circulating resistin concentrations and left ventricular mass are not accounted for by effects on aortic stiffness or renal dysfunction. 2020 , 20, 35	0
520	Hyperhomocysteinemia accompany with metabolic syndrome increase the risk of left ventricular hypertrophy in rural Chinese. 2020 , 20, 44	2
519	Inflammation and oxidative stress caused by nitric oxide synthase uncoupling might lead to left ventricular diastolic and systolic dysfunction in patients with hypertension. 2015 , 12, 1-10	14
518	Significant Clinical Indexes of Exercise-Induced Pulmonary Hypertension in Patients With Connective Tissue Disease. 2019 , 1, 610-616	2
517	Cardiotrophin-1 plasma levels are increased in patients with diastolic heart failure. 2012 , 18, CR25-31	17
516	Statistical agreement of left ventricle measurements using cardiac magnetic resonance and 2D echocardiography in ischemic heart failure. 2012 , 18, MT19-25	9
515	Combined exercise training in asymptomatic elderly with controlled hypertension: effects on functional capacity and cardiac diastolic function. 2012 , 18, CR461-5	25
514	Increased dispersion of ventricular repolarization in Emery Dreifuss muscular dystrophy patients. 2012 , 18, CR643-7	28
513	Doppler echocardiography in athletes from different sports. 2013 , 19, 187-93	17
512	Echocardiographic markers of left ventricular dysfunction among men with uncontrolled hypertension and stage 3 chronic kidney disease. 2013 , 19, 838-45	5
511	Exercise-Induced Repolarization Changes in Patients with Isolated Myocardial Bridging. 2015 , 21, 2116-24	8
510	Vitamin D Level is Associated with Increased Left Ventricular Mass and Arterial Stiffness in Older Patients with Impaired Renal Function. 2015 , 21, 3993-9	6
509	Exercise-induced arterial hypertension - an independent factor for hypertrophy and a ticking clock for cardiac fatigue or atrial fibrillation in athletes?. 2014 , 3, 105	27
508	Predictors of controlled ambulatory blood pressure in treated hypertensive patients with uncontrolled office blood pressure. 2004 , 27, 805-11	4
507	The association of left ventricular hypertrophy with metabolic syndrome is dependent on body mass index in hypertensive overweight or obese patients. 2011 , 6, e16630	34

506	Electrocardiographic left ventricular hypertrophy and outcome in hemodialysis patients. 2012 , 7, e35534	16
505	Prognostic significance of elevated cardiac troponin-T levels in acute respiratory distress syndrome patients. 2012 , 7, e40515	36
504	The association of growth differentiation factor-15 with left ventricular hypertrophy in hypertensive patients. 2012 , 7, e46534	20
503	A comparison between brachial and echocardiographic systolic time intervals. 2013 , 8, e55840	8
502	The relationship of initial transferrin saturation to cardiovascular parameters and outcomes in patients initiating dialysis. 2014 , 9, e87231	11
501	Cardiac impairment evaluated by transesophageal echocardiography and invasive measurements in rats undergoing sinoaortic denervation. 2014 , 9, e87935	11
500	Determinants and improvement of electrocardiographic diagnosis of left ventricular hypertrophy in a black African population. 2014 , 9, e96783	16
499	Red cell distribution width and inappropriateness of left ventricular mass in patients with untreated essential hypertension. 2015 , 10, e0120300	7
498	Relative Importance of Aortic Stiffness and Volume as Predictors of Treatment-Induced Improvement in Left Ventricular Mass Index in Dialysis. 2015 , 10, e0135457	5
497	The Prognostic Value of Peak Cardiac Power Output in Chinese Patients with Chronic Heart Failure. 2016 , 11, e0147423	1
496	Effects of Malnutrition on Left Ventricular Mass in a North-Malagasy Children Population. 2016 , 11, e0154523	11
495	Possible Mechanisms Underlying Aging-Related Changes in Early Diastolic Filling and Long Axis Motion-Left Ventricular Length and Blood Pressure. 2016 , 11, e0158302	9
494	The Effect of Metformin on Diastolic Function in Patients Presenting with ST-Elevation Myocardial Infarction. 2016 , 11, e0168340	9
493	Predictors of Elevated Cardiac Enzyme Levels in Hospitalized Patients with Atrial Fibrillation and No Known Coronary Artery Disease. 2016 , 43, 38-42	1
492	Cardiac dysfunction in liver cirrhosis: A tissue Doppler imaging study from Egypt. 2015 , 7, 1135-43	1
491	Assessment of Myocardial Performance Index and Aortic Elasticity in Patients With Beta-Thalassemia Major. 2015 , 7, 795-801	7
490	Serum Copeptin, Pentraxin 3, Anti-Mullerian Hormone Levels With Echocardiography and Carotid Artery Intima-Media Thickness in Adolescents With Polycystic Ovary Syndrome. 2015 , 7, 989-94	9
489	Detecting volume responders prior to implantation of a cardiac resynchronization therapy device via minithoracotomy: the septal flash as a predictor of immediate left ventricular reverse remodeling. 2009 , 12, E362-7	6

488	Usefulness of Plasma Branched-Chain Amino Acid Analysis in Predicting Outcomes of Patients with Nonischemic Dilated Cardiomyopathy. 2020 , 61, 739-747	3
487	Changes and significance of subtype function of beta-adrenoreceptors in left ventricular remodeling of hypertension. 2003 , 44, 933-42	1
486	Effects of low and high doses of atorvastatin on arterial compliance. 2003 , 44, 953-61	9
485	The effects of octreotide in dilated cardiomyopathy: an open-label trial in 12 patients. 2004 , 45, 613-21	6
484	The Characteristics of Electrocardiography Findings in Left Ventricular Remodeling Patterns of Hypertensive Patients. 2015 , 21, 208-217	4
483	IMMUNOREGULATORY IMBALANCE AND FUNCTIONAL STATE OF THE HEART IN THE PATIENTS WITH DIABETES MELLITUS TYPE 2. 2018 , 20, 833-846	4
482	CLINICAL CHARACTERISTICS OF ISCHEMIC HEART DISEASE PATIENTS WITH TYPE D PERSONALITY, UNDERWENT PERCUTANEOUS CORONARY INTERVENTIONS. 2015 , 14, 25-29	2
481	Regression of Left Ventricular Hypertrophy Following Stenting of Renal Artery Stenosis. 2007 , 14, 189-197	11
480	Ambulatory blood pressure and Doppler echocardiographic indexes of borderline hypertensive men presenting an exaggerated blood pressure response during dynamic exercise. 2001 , 34, 1285-93	4
479	Serial change in echocardiographic parameters and cardiac failure in end-stage renal disease. 2000 , 11, 912-916	164
478	Prognostic value of ultrasonographic measurement of carotid intima media thickness in dialysis patients. 2001 , 12, 2458-2464	140
477	Adiponectin, metabolic risk factors, and cardiovascular events among patients with end-stage renal disease. 2002 , 13, 134-141	460
476	[The forensic medical characteristic of sudden death associated with metabolic syndrome]. 2018 , 61, 60-64	1
475	Evaluation of left ventricular hypertrophy in hypertensive patients with echocardiographic myocardial videodensitometry normalized by displacement. 2010 , 10, 292-96	2
474	Type 2 diabetes mellitus-related changes in left ventricular structure and function in patients with chronic kidney disease. 2018 , 9, 14661-14668	2
473	Brain Natriuretic Peptide in Liver Cirrhosis and Fatty Liver: Correlation with Cardiac Performance. 2016 , 8, 1984-93	9
472	Can the echocardiographic LV mass equation reliably demonstrate stable LV mass following acute change in LV load?. 2019 , 7, 3	4
471	Heart failure in sub-Saharan Africa. 2013 , 9, 157-73	57

470	High Sensitivity C - Reactive Protein is Associated with Diastolic Dysfunction in Young African Americans without Clinically Evident Cardiac Disease. 2011 , 5, 188-95	5
469	Comparison of the Effects of Dialysis Methods (Haemodialysis vs Peritoneal Dialysis) on Diastolic Left Ventricular Function Dialysis Methods and Diastolic Function. 2016 , 10, 171-8	3
468	Demographics and Clinical Characteristics of the Isolated Noncompaction of the Ventricular Myocardium. 2006 , 4, 117-122	2
467	Circulating suPAR as a biomarker of disease severity in children with proteinuric glomerulonephritis. 2019 , 71, 4-11	4
466	Clinical and genetic factors determining target lesions of patients with arterial hypertension among Mountain Shoria population. 2017 , 14, 42-50	2
465	Competitive sports and the heart: benefit or risk?. 2013 , 110, 14-23; quiz 24; e1-2	20
464	Association of serum adiponectin and insulin-like growth factor I levels with parameters of cardiac remodeling in severely obese patients. 2013 , 36, 686-92	2
463	Myocardial atrophy in children with mitochondrial disease and Duchenne muscular dystrophy. 2014 , 57, 232-9	4
462	Prevalence, predictive factor, and clinical significance of white-coat hypertension and masked hypertension in Korean hypertensive patients. 2007 , 22, 256-62	19
461	Relationship between left atrial size and stroke in patients with sinus rhythm and preserved systolic function. 2009 , 24, 24-32	14
460	Maternal Myocardial Performance in Various Stages of Pregnancy and Post-Partum. 2009 , 3, 9-16	5
459	Serum cystatin C concentration as an independent marker for hypertensive left ventricular hypertrophy. 2013 , 10, 286-90	9
458	Association between Non-Alcoholic Steatohepatitis and Left Ventricular Diastolic Dysfunction in Type 2 Diabetes Mellitus. 2020 , 44, 267-276	13
457	Hypertension and hyperparathyroidism are associated with left ventricular hypertrophy in patients on hemodialysis. 2009 , 19, 153-7	8
456	The association of metabolic syndrome with left ventricular mass and geometry in community-based hypertensive patients among Han Chinese. 2015 , 20, 963-8	4
455	Impact of obstructive sleep apnea and snoring on left ventricular mass and diastolic function in hypertensive nigerians. 2014 , 4, 350-4	2
454	Carotid Artery Stiffness and Development of Hypertension in People with Paraplegia and No Overt Cardiovascular Disease: A 7-year Follow-up Study. 2017 , 27, 132-140	3
453	The Association of Epicardial Adipose Tissue and the Metabolic Syndrome in Community Participants in South Africa. 2018 , 28, 160-165	2

452	The prognostic values of beta-2 microglobulin for risks of cardiovascular events and mortality in the elderly patients with isolated systolic hypertension. 2018 , 23, 82	4
451	Echocardiographic Parameters as Cardiovascular Mortality Predictors in Chronic Hemodialysis Patients. 2014 , 05, 635-643	2
450	Impact of renal sympathetic denervation on cardiac sympathetic nerve activity evaluated by cardiac MIBG imaging. 2016 , 11, 1070-6	7
449	Early echocardiographic evaluation following percutaneous implantation with the self-expanding CoreValve Revalving System aortic valve bioprosthesis. 2008 , 4, 351-7	48
448	Subtle myocardial damage associated with diagnostic coronary angiography alone. 2010 , 6, 388-93	2
447	Fibroblast Growth Factor 2 Mediates Isoproterenol-induced Cardiac Hypertrophy through Activation of the Extracellular Regulated Kinase. 2010 , 2, 143-154	42
446	Non-invasive Myocardial Strain Imaging to Evaluate Graft Failure in Cardiac Xenotransplantation. 2017 , 31, 25	2
445	Improved scoring system for the electrocardiographic diagnosis of left ventricular hypertrophy. 2019 , 11, 94-102	4
444	The effect of raloxifene on left ventricular hypertrophy in postmenopausal women: A prospective, randomized, and controlled study. 2015 , 15, 480-4	4
443	Relationship between epicardial fat tissue and left ventricular synchronicity: An observational study. 2015 , 15, 990-4	3
442	Two-dimensional and M-mode echocardiographic predictors of disease severity in dogs with congenital subaortic stenosis. 2002 , 38, 209-15	11
441	Higher fibroblast growth factor-23 concentrations associate with left ventricular systolic dysfunction in dialysis patients. 2013 , 80, 313-21	11
440	Association of carotid intima-media thickness with cardiovascular risk factors and patient outcomes in advanced chronic kidney disease: the RRI-CKD study. 2015 , 84, 10-20	21
439	Can markers of collagen turnover or other biomarkers contribute to the diagnostics of heart failure with normal left ventricular ejection fraction?. 2013 , 157, 331-9	4
438	High prevalence of exercise-induced heart failure with normal ejection fraction in post-heart transplant patients. 2014 , 158, 295-302	4
437	A 24-hour ambulatory ecg monitoring in assessment of qt interval duration and dispersion in rowers with physiological myocardial hypertrophy. 2013 , 30, 237-41	4
436	The effect of transcatheter aortic valve implantation on Tp-e interval, Tp-e/QT and Tp-e/QTc ratios, and Tp-e dispersion in patients with severe aortic stenosis. 2018 , 26, 65-72	4
435	Obstructive sleep apnea severity is associated with left ventricular mass independent of other cardiovascular risk factors in morbid obesity. 2013 , 9, 1165-71	17

434	Comparison of Left Atrial Function between Hypertensive Patients with Normal Atrial Size and Normotensive Subjects Using Strain Rate Imaging Technique. 2014 , 2,	6
433	Comparison of Echocardiographic Variables Between Systemic Lupus Erythematosus Patients and a Control Group. 2015 , 3,	3
432	Echocardiographic Evaluation of the Effects of High-Intensity Interval Training on Cardiac Morphology and Function. 2016 , 4,	2
431	Relationship between Tei index of myocardial performance and left ventricular geometry in Nigerians with systemic hypertension. 2011 , 22, 124-7	11
430	Prevalence of asymptomatic left ventricular systolic dysfunction in hypertensive Nigerians: echocardiographic study of 832 subjects. 2011 , 22, 297-302	4
429	Left ventricular hypertrophy and geometry in type 2 diabetes patients with chronic kidney disease. An echocardiographic study. 2012 , 23, 73-7	11
428	Early diastolic functional abnormalities in normotensive offspring of Nigerian hypertensives. 2012 , 23, 255-9	3
427	Echocardiographic diagnoses in HIV-infected patients presenting with cardiac symptoms at Muhimbili National Hospital in Dar es Salaam, Tanzania. 2012 , 23, 90-7	28
426	Right ventricular dysfunction in a hypertensive population stratified by patterns of left ventricular geometry. 2012 , 23, 478-82	9
425	Echocardiographic predictors of outcome in acute heart failure patients in sub-Saharan Africa: insights from THESUS-HF. 2017 , 28, 60-67	7
424	Left Ventricular Hypertrophy and Cerebral Small Vessel Disease: A Systematic Review and Meta-Analysis. 2020 , 22, 206-224	4
423	Epicardial Adiposity is Associated with Microalbuminuria in Patients with Essential Hypertension. 2017 , 33, 74-80	15
422	ECG is an inefficient screening-tool for left ventricular hypertrophy in normotensive African children population. 2016 , 4, e2439	1
421	Pericardial effusion in the course of Fabry disease cardiomyopathy: a case report. 2021 , 5, ytab407	1
420	Echocardiographic changes in elderly patients with heart failure with reduced ejection fraction after sacubitril-valsartan treatment. 2021 , 11, 1093-1100	1
419	Global and Regional Myocardial Work in Female Adolescents with Weight Disorders. 2021 , 10,	
418	The impact of short-term hyperglycemia and obesity on biventricular and biatrial myocardial function assessed by speckle tracking echocardiography in a population of women with gestational diabetes mellitus. 2021 ,	0
417	Sex-Disparity in the Association Between Birthweight and Cardiovascular Parameters in 4-Year-Old Children: A Chinese Cohort Study. 2021 , 8, 756512	0

- 416 Cardiovascular outcomes after simultaneous pancreas kidney transplantation compared to kidney transplantation alone: a propensity score matching analysis. **2021**, 22, 347 0
- 415 Non-dipper hipertansiyon ile presistolik dalga ve sol atriyum fonksiyonları arasındaki ilişki. **2021**, 46, 1500-1507
- 414 Prognostic Significance of Left Ventricular Diastolic Dysfunction Assessed by Color M-mode Doppler Echocardiography in Patients With Chronic Left Ventricular Systolic Dysfunction. **2004**, 2, 68-77 1
- 413 [Outcome and prognosis of surgical treatment in patients with severe aortic stenosis with respect to the duration and severity of associated aortic regurgitation]. **2004**, 132, 219-29
- 412 Pathophysiological characteristics and responsiveness to neurohormonal antagonism in idiopathic dilated cardiomyopathy patients with antihepatitis C virus antibody. **2005**, 46, 407-17 1
- 411 Coronary hemodynamics in left ventricular hypertrophy, as evidenced by ¹³N-ammonium positron emission tomography. **2005**, 11, 185-187
- 410 Reduced left ventricular mass after treatment of obese patients with sibutramine: an echocardiographic multicentre study. **2004**, 060721083724031
- 409 Gender differences in left ventricular function including diastolic function in patients with normal left ventricular ejection fraction and normal echocardiographic findings. **2007**, 34, 343-348
- 408 Aging Changes Seen on Echocardiography. **2007**, 952-968
- 407 Hypertension: Impact of Echocardiographic Data on the Mechanism of Hypertension, Treatment, Options, Prognosis, and Assessment of Therapy. **2007**, 816-847
- 406 Global Circumferential Strain by 2-Dimensional Speckle Tracking Method for the Evaluation of the Left Ventricular Function. **2008**, 38, 379
- 405 Echocardiographic Measurements in Elderly Patients Without Clinical Heart Disease. **2008**, 45-74
- 404 Chapter 9 Left ventricular hypertrophy. **2009**,
- 403 Estenose aórtica severa em idosos: avaliação clínica, eletrocardiográfica, ecocardiográfica e angiográfica. **2009**, 12, 49-61
- 402 Hypertension. **2009**, 437-464
- 401 Associations between ST-T changes on electrocardiogram and left atrial dilatation or left ventricular mass in patients on maintenance hemodialysis. **2010**, 43, 317-323
- 400 Enlargement and Hypertrophy. **2010**, 605-650
- 399 Regression of Left Ventricular Mass after Aortic Valve Replacement in Isolated Aortic Regurgitation. **2010**, 43, 614-618

398 3. ??????? ???? ?????????????????????? 2011, 44, 294-297

397 Lâccocardiografia nellâttleta. 2011, 29-67

396 Cardiac Assessment in Carotid Artery Disease. 101-107

395 [Mitochondrial tRNAMet mutation in Chinese Han essential hypertensive individuals]. 2011, 33, 601-6

1

394 Enlargement and Hypertrophy. 2012, 123-167

393 Which echocardiographic parameters do we need for the diagnostics of primary diastolic heart failure?. 2011, 53, 630-636

392 Cardiac structural changes in idiopathic hyperaldosteronism and treatment with spironolactone. 2011, 31, 697-700

391 Hypertensive Heart Failure. 2012, 79-98

390 Echocardiography in Athletes. 2012, 31-70

389 Echocardiographic Assessment of the Left Ventricle. 2012, 173-199

388 Respiratory changes in the E/A wave pattern can be an early sign of diastolic dysfunction: an echocardiographic long-term follow-up study. 2012, 18, MT79-84

1

387 Pathogenesis of hypertension in patients with primary hypothyroidism. 2012, 18, 58-61

2

386 Lifestyle-Related Risk Factors, Smoking Status and Cardiovascular Disease. 2012, 19, 85-92

10

385 INTERRELATION BETWEEN POLYFUNCTIONAL MONITORING DATA IN YOUNG MEN WITH PRE- OR MILD HYPERTENSION WITH DIFFERENT BLOOD PRESSURE DAILY PROFILE. 2013, 19, 44-50

1

384 Ventricles. 57-78

383 Echocardiography in the Assessment of Cardiovascular Disease Risk. 2014, 547-556

382 LEFT VENTRICULAR MASS INDEX: A PREDICTOR OF MORBIDITY AND MORTALITY IN ESSENTIAL HYPERTENSION. 2013, 2, 7714-7721

0

381 Echocardiography: Standard Techniques (M-mode, Two-Dimensional Imaging, and Doppler). 254-274

- 380 QT Dispersion and QTc Interval in Patients with Adult Sickle Cell Disease: Electrocardiographic (EKG) and Echocardiographic Evaluation. **2014**, 05, 550-557
- 379 Role of novel cardiac biomarkers in prediction of cardiovascular risk in predialysis CKD patients by their correlations with left ventricular mass index. **2014**, 1, 4
- 378 The effect of aortic coarctation surgical repair on QTc and JTc dispersion in severe aortic coarctation newborns: a short-term follow-up study. **2014**, 63, 27-33 5
- 377 Vascular calcification is not associated with increased ambulatory central aortic systolic pressure in prevalent dialysis patients. **2014**, 25, 4-8
- 376 ELEKTROKARDIOGRAFINIĖ KAIRIOJO SKILVELIO HIPERTROFIJOS KRITERIJŲ RYŠYS SU JAUNŲ SVEIKŲ YRAJANČIŲ KAIRIOJO SKILVELIO MASE. **2014**, 20, 123-128
- 375 Beeinflussung der Linksherzhypertrophie mit dem ACE-Hemmer Perindopril bei essentieller Hypertonie (Doppelblindstudie vs. Nifedipin). **1990**, 51-59
- 374 Diagnostik der linksventrikulären Hypertrophie. **1991**, 35-48
- 373 Pathophysiologie, Klinik und Prognose des Hochdruckherzens. **1991**, 40-129
- 372 Hypertension: Left Ventricular Hypertrophy, Ventricular Ectopy, and Sudden Death. **1991**, 18, 577-592 1
- 371 Comparison of Exercise and Pharmacologic Stress Echocardiography and Electrocardiography. **1994**, 95-111
- 370 Hypertension and Left Ventricular Hypertrophy in Patients with Spontaneous Subarachnoid Hemorrhage. **1995**, 37, 235-240 1
- 369 Activation of Thrombocytes and the Hemostatic System During Maximal Cycle Exercise in Healthy Triathletes. **1996**, 153-159
- 368 Occurrence and Diagnostic Importance of Postural ST-Segment Depression in Ambulatory Holter Monitoring in Male Patients After Myocardial Infarction. **1998**, 353-369
- 367 Negative U-wave as a predictor of antihypertensive treatment effect on regression of echocardiographic hypertrophy in hypertensive patients. **1999**, 40, 31-44
- 366 Ventricular morphology and function: study of cardiomyopathies. **1999**, 26-37
- 365 Different effects of temocapril and cadralazine on electrocardiographic voltages and left ventricular mass in patients with essential hypertension. **1999**, 40, 55-63
- 364 Assessment of LV Mass by Echocardiography. **1999**, 99, 0
- 363 Do we always consistently define the clinically important echocardiographic parameters?. **2014**, 158, 313-4

- 362 Heart rate variability in familial Mediterranean fever patients. **2014**, 1, 58-61 5
- 361 Atrial Fibrillation in Patients after Myocardial Infarction: Association with Changes in Heart Structure, Heart Failure and Age. **2014**, 4, 14-18 0
- 360 Ventricular Activation Time as a Marker for Diastolic Dysfunction. **2015**, 1-19
- 359 Left Ventricular Structure, Geometry and Systolic Function among Hypertensive Black Patients with Reduced Kidney Function. **2015**, 05, 287-295 3
- 358 Left Ventricular Remodeling after Transcatheter Aortic Valve Implantation: One-Year Follow-up Study. **2015**, 10, 44-47
- 357 Left Ventricular Mass Regression after Two Alternative Sutureless Aortic Bioprostheses. **2015**, 10, 114-119
- 356 Variability of post-exercise pulmonary capillary wedge pressure recovery. Implications for noninvasive echocardiographic diagnostics. **2015**, 159, 114-9 1
- 355 Evaluation of myocardial function in pediatric patients with transposition of great arteries after arterial switch operation. **2016**, 16, 55-61 2
- 354 Association of clinical and genetic factors with left ventricular hypertrophy in hypertension among the indigenous population Mountain Shoria. **2015**, 12, 11-17
- 353 Ventricular Activation Time as a Marker for Diastolic Dysfunction. **2016**, 935-953
- 352 TGA-IVS and TGA-VSD Seen Late. **2016**, 283-302
- 351 The association between brain natriuretic peptide and tissue Doppler parameters in children with hypertrophic cardiomyopathy. **2016**, 16, 58-63 2
- 350 Echocardiographic evaluation of left ventricle in hypertensive children: contribution for clinical practice. **2016**, 17, 112-115
- 349 Evaluating of the effectiveness and safety of the reproduced selective β -blocker without intrinsic sympathomimetic activity Bidopryl in patients with hypertrophic cardiomyopathy. **2016**, 13, 88-90
- 348 Impact of Pulse Pressure Reserve on Prediabetics with Typical Chest Pain and Normal Coronary Angiography. **2016**, 6,
- 347 Right Ventricular Isovolumic Acceleration in Children with Patent Ductus Arteriosus: Short and Mid-term Follow-up after Percutaneous Device Closure. **2016**, 6,
- 346 Comparison of the Performance of Three Commonly Used Electrocardiographic Indexes for the Diagnosis of Left Ventricular Hypertrophy in Black Hypertensive Patients with Reduced Kidney Function Managed at a Tertiary Healthcare Hospital: A Post-Hoc Analysis. **2017**, 07, 105-118 1
- 345 Is hepatic steatosis associated with left ventricular mass index increase in the general population?. **2017**, 9, 857-866

- 344 Association of Age at Menarche With Left Ventricular Diastolic Dysfunction in Middle-Aged Women. **2018**, 82, 708-714 1
- 343 Hypertensive Heart Disease. **2018**, 189-212
- 342 ELECTROCARDIOGRAPHIC AND ECHOCARDIOGRAPHIC EVALUATION OF LEFT VENTRICULAR HYPERTROPHY IN HYPERTENSIVE PATIENTS- A HOSPITAL-BASED STUDY. **2018**, 7, 1189-1193
- 341 Is High Central BP but Normal Office Brachial BP a risk?-The ABC-J II Study-. **2018**, 2, 66-73
- 340 LEFT VENTRICULAR MASS INDEX AND PREHYPERTENSION AMONG YOUNG MALES. **2018**, 5, 2235-2239
- 339 Genome Wide Meta-Analysis identifies new loci associated with cardiac phenotypes and uncovers a common genetic signature shared by heart function and Alzheimer's disease.
- 338 Anatomical and functional changes after aortic valve replacement with different sizes of mechanical valves. **2018**, 29, 338-343
- 337 Multi-aspect approach to the optimization of pharmacotherapy of patients with arterial hypertension of high and very high risk. **2018**, 4, 53-64
- 336 An electrocardiographic and echocardiographic assessment of football athletes. **2019**, 12, 36-39
- 335 Advanced Assessment of the Left Ventricle. **2019**, 73-86
- 334 Assessment of Left Ventricular Torsion in Hypertensive Patients. **2019**, 09, 109-121
- 333 Left Ventricular Remodeling Patterns in Primary Healthcare. **2020**, 114, 59-65 0
- 332 Serum chemerin as a predictor of left ventricle hypertrophy in patients with coronary artery disease. **2019**, 16, 25
- 331 THE CLINICAL SIGNIFICANCE OF THE DAILY MONITORING OF HOLTER ECG IN CHRONIC GLOMERULONEPHRITIS AT THE PREDIALYSIS STAGE OF THE DISEASE. **2019**, 9, 44-51
- 330 Sağın atletlerde tam kan viskozitesi ve sol ventriköl geometrisi: atlet kalbi için bir araştırma.
- 329 [Evaluation of the efficiency of combined pharmacotherapy with the use of trimetazidine with prolonged release in patients with stable angina in outpatient practice]. **2019**, 91, 18-21
- 328 Looking beyond ejection fraction: what we have in echocardiography. 3, 143 1
- 327 Hyperhomocysteinemia accompany with metabolic syndrome increase the risk of left ventricular hypertrophy in rural Chinese.

- 326 Comparison of Various ECG Criteria in the Diagnosis of Left Ventricular Hypertrophy Using Echocardiography as Gold Standard. **2020**, 7, 377-380
- 325 Left ventricular hypertrophy in Japanese pregnant women with chronic hypertension predicts blood pressure elevation during pregnancy. **2020**, 8, 15-21
- 324 The types of left ventricular remodeling in patients with rheumatoid arthritis. **2020**, 14, 62-68
- 323 Sex-Related Differences in Cardiac Remodeling and Reverse Remodeling After Transcatheter Aortic Valve Implantation in Patients with Severe Aortic Stenosis in a Japanese Population. **2020**, 61, 961-969 1
- 322 Sex-related differences in the clinical characteristics of wild-type transthyretin amyloidosis cardiomyopathy. **2022**, 79, 50-57 0
- 321 Furosemide-related thiamine deficiency in hospitalized hypervolemic patients with renal failure and heart failure. **2021**,
- 320 Soluble Urokinase Plasminogen Activator Receptor: Genetic Variation and Cardiovascular Disease Risk in Blacks. **2021**, CIRCGEN121003421 1
- 319 The role of oxidative stress-related biomarkers in ascending aortic dilatation: Malondialdehyde and paraoxonase-1 activity.
- 318 The relationship of plasma renin , angiotensin , and aldosterone levels to blood pressure variability and target organ damage in children with essential hypertension.
- 317 Hyperhomocysteinemia accompany with metabolic syndrome increase the risk of left ventricular hypertrophy in rural Chinese.
- 316 Joint influences of obesity, diabetes, and hypertension on indices of ventricular remodeling: Findings from the community-based Framingham Heart Study. **2020**, 15, e0243199 4
- 315 Does obesity influence ventricular repolarisation in children?. **2021**, 31, 568-576 1
- 314 Evaluation of Relationship between fQRS and CD4/CD8 Ratio in Patients with HIV. **2021**, 55, 247-252
- 313 WAS THE CLASSIFICATION ABLE TO DIVIDE DOGS WITH MYXOMATOUS MITRAL VALVE DISEASE ACCORDING TO THE SEVERITY OF THE DISEASE?. **2020**, 23, 41-45
- 312 The relationship of plasma renin , angiotensin , and aldosterone levels to blood pressure variability and target organ damage in children with essential hypertension.
- 311 Epicardial fat thickness is associated with retinopathy in patients with newly diagnosed hypertension. **2021**, 8, 365-370 0
- 310 An Analysis of Myocardial Efficiency in Patients with Severe Asymptomatic Mitral Regurgitation. **2020**, 28, 267-278 1
- 309 Normal reference ranges for the left ventricular mass and left ventricular mass index in preterm infants. **2020**, 13, 25-30 1

308 Echocardiography in Assessment of Cardiovascular Disease Risk. **2020**, 1-12

307 True Resistant Hypertension among Treated Hypertensive Black Patients. A Clinical-Based Cross-Sectional Study. **2020**, 10, 278-293

306 Serelaxin Improves Regional Myocardial Function in Experimental Heart Failure: An In Vivo Cardiac Magnetic Resonance Study. **2020**, 9, e013702

305  **2020**, 1, 32-34

304 Early structural and functional left ventricular disorders in young patients with hypertension: a role of insulin resistance. **2020**, 25, 3774

303 Performance of different adiposity measures for predicting left ventricular remodeling in Chinese hypertensive youth. **2021**, 11, 21943

302 Angiotensin-like proteins 3, 4 and 8 are linked to cardiovascular function in naïve sub-clinical and overt hypothyroid patients receiving levothyroxine therapy. **2021**, 10, 1570-1583

301 A preliminary study on the evaluation of left atrial function of rheumatoid arthritis by two dimensional speckle tracking imaging. **2021**, 11, 21537

300 Assessment of Cardiovascular Health of Children Ages 6 to 10 Years Conceived by Assisted Reproductive Technology. **2021**, 4, e2132602

299 Kronik b̄rek hastalarında anormal kalp geometrisi ve sol ventrikül hipertrofisi. **2020**, 45, 1089-1098

298 Troponin T but not C reactive protein is associated with future surgery for aortic stenosis: a population-based nested case-referent study. **2020**, 7,

297 Predictors and prognostic role of low myocardial mechano-energetic efficiency in chronic inflammatory arthritis. **2021**, 39, 53-61

296 Evaluation of the Effect of Aortic Stenosis and Severity on Left Ventricular Function by Isovolumic Myocardial Acceleration.

295 Hydration status and blood pressure variability in primary hypertensive patients. **2020**, 40, 522-530

294 Combined use of brain natriuretic peptide and C-reactive protein for predicting cardiovascular risk in outpatients with type 2 diabetes mellitus. **2007**, 3, 417-23

293 Design of a family study among high-risk Caribbean Hispanics: the Northern Manhattan Family Study. **2007**, 17, 351-7

292 The 894T allele of endothelial nitric oxide synthase gene is related to left ventricular mass in African Americans with high-normal blood pressure. **2005**, 97, 197-205

291 Obesity is associated with left atrial enlargement, E/A reversal and left ventricular hypertrophy. **2008**, 13, 89-91

290	Coronary angiographic findings in African-American and white patients from a single institution. 2001 , 93, 465-74	4
289	Nebivolol and quinapril reduce p-wave duration and dispersion in hypertensive patients. 2009 , 9, 158-66	1
288	Autonomic neuropathy tests correlate with left ventricular mass and cardiac diastolic function in normotensive patients with type 2 diabetes mellitus and without left ventricular hypertrophy. 2010 , 15, e5-9	3
287	Left atrial size and force in patients with systolic chronic heart failure: Comparison with healthy controls and different cardiac diseases. 2010 , 15, e45-51	13
286	Prevalence of left ventricular diastolic dysfunction in newly diagnosed Nigerians with systemic hypertension: a pulsed wave Doppler echocardiographic study. 2010 , 10, 177-82	5
285	Adducin 1 (alpha) Gly460Trp variant is associated with left ventricular geometry in Caucasians and African Americans: The HyperGEN Study. 2010 , 1, 367-76	1
284	Impact of left ventricular geometry on prognosis-a review of ochsner studies. 2008 , 8, 11-7	14
283	Natural occurrence of aflatoxin residues in fresh and sun-dried meat in Nigeria. 2010 , 7, 14	2
282	Echocardiographic findings and abnormalities in HIV-infected patients: results from a large, prospective, multicenter HIV-heart study. 2011 , 1, 176-84	26
281	Point-of-care screening for left ventricular hypertrophy and concentric geometry using hand-held cardiac ultrasound in hypertensive patients. 2011 , 1, 119-25	6
280	Relation of components of the metabolic syndrome to left ventricular geometry in hispanic and non-hispanic black adults. 2011 , 1, 84-91	3
279	Normotensive offspring of hypertensive Nigerians have increased left ventricular mass and abnormal geometric patterns. 2012 , 11, 6	3
278	Subclinical, hemodynamic, and echocardiographic abnormalities of high pulse pressure in hypertensive and non-hypertensive adults. 2012 , 2, 309-17	5
277	P wave dispersion in juvenile idiopathic arthritis patients with diastolic dysfunction. 2012 , 22, 512-8	4
276	Mitral valve repair versus replacement in simultaneous aortic and mitral valve surgery. 2013 , 18, 22-6	2
275	Combined circumferential and longitudinal left ventricular systolic dysfunction in patients with type 2 diabetes mellitus without myocardial ischemia. 2013 , 18, e26-31	8
274	Noninvasive prediction of the exercise-induced elevation in left ventricular filling pressure in post-heart transplant patients with normal left ventricular ejection fraction. 2013 , 18, 63-72	12
273	Correlates of left ventricular mass in hypertensive Nigerians: an echocardiographic study. 2010 , 21, 79-85	4

272	Relationship between left ventricular geometric pattern and systolic and diastolic function in treated Nigerian hypertensives. 2010 , 21, 21-5	7
271	Relationship between left ventricular diastolic function and geometric patterns in Nigerians with newly diagnosed systemic hypertension. 2009 , 20, 173-7	8
270	Serum IGF-I and hormonal responses to incremental exercise in athletes with and without left ventricular hypertrophy. 2009 , 8, 67-76	10
269	Association of glomerular filtration rate and inflammation with left ventricular hypertrophy in chronic kidney disease patients. 2012 , 16, 137-42	11
268	Effects of long-term physical activity on cardiac structure and function: a twin study. 2009 , 8, 533-42	6
267	Echocardiographic parameters in athletes of different sports. 2008 , 7, 151-6	16
266	Procollagen type III N-terminal peptide (P3NP) and lean mass: a cross-sectional study. 2013 , 2, 129-34	16
265	Exercise stress echocardiography in patients with aortic stenosis: impact of baseline diastolic dysfunction and functional capacity on mortality and aortic valve replacement. 2013 , 3, 205-15	3
264	Myocardial performance and aortic elastic properties in elite basketball and soccer players: relationship with aerobic and anaerobic capacity. 2005 , 4, 185-94	7
263	Characterisation of left ventricular function by tissue Doppler imaging technique in newly diagnosed, untreated hypertensive subjects. 2008 , 19, 259-63	2
262	Effect of non-dipper and dipper blood pressure patterns on Tp-Te interval and Tp-Te/QT ratio in patients with metabolic syndrome. 2014 , 7, 1397-403	11
261	Evaluation of the relationship between epicardial adipose tissue and myocardial performance (Tei) index. 2014 , 7, 1598-602	1
260	Microalbuminuria in untreated prehypertension and hypertension without diabetes. 2014 , 7, 3420-9	4
259	The impact of sub-clinical over-hydration on left ventricular mass in peritoneal dialysis patients. 2015 , 8, 5890-6	10
258	Does the transapical approach impair early recovery of systolic strain following transcatheter aortic valve replacement?. 2015 , 5, 110-8	9
257	Physiological adaptation of the left ventricle during the second and third trimesters of a healthy pregnancy: a speckle tracking echocardiography study. 2015 , 5, 119-26	16
256	The evaluation of carotid intima-media thickness and mean platelet volume values and correlation with cardiac functions in obese children. 2015 , 8, 22557-63	4
255	Association of body surface area and body composition with heart structural characteristics of female swimmers. 2010 , 3, 97-101	2

254	Atrial Functions and Aortic Elasticity in Children with Aortic Coarctation. 2015 , 31, 183-92	1
253	Effect of angiotensin II type 1 receptor antagonist valsartan on cardiac remodeling and left ventricular function in patients with acute ST-elevation myocardial infarction. 2008 , 1, 323-33	3
252	Evaluation of Subtle Left Ventricular Systolic Dysfunction by Longitudinal Systolic Strain in Patients with Human Immunodeficiency Virus. 2018 , 34, 321-327	3
251	Coronary Artery Dominance May Predict Future Risk of Atrial Fibrillation. 2018 , 34, 344-351	4
250	Circulating extracellular RNAs, myocardial remodeling, and heart failure in patients with acute coronary syndrome. 2019 , 5, 33-43	3
249	Preclinical cardiac disease in nonalcoholic fatty liver disease with and without metabolic syndrome. 2019 , 9, 65-77	3
248	Longitudinal changes in cardiac function in the very elderly: the Jerusalem longitudinal cohort study. 2019 , 16, 800-805	1
247	Aortic Arch Calcification on Routine Chest Radiography is Strongly and Independently Associated with Non-Dipper Blood Pressure Pattern. 2020 , 114, 109-117	1
246	Relationship between elevated bilirubin level and subclinical atherosclerosis as well as oxidative stress in Gilbert syndrome. 2020 , 13, 133-140	1
245	[Change in serum follistatin-like protein 1 and its clinical significance in children with chronic heart failure]. 2016 , 18, 136-40	1
244	Assessment of Diastolic Function and Thiol-Disulphide Homeostasis in Arsenic-Exposed Workers. 2021 , 37, 86-96	
243	[Association between serum uric acid and subclinical cardiac damage in children with primary hypertension]. 2021 , 23, 174-179	
242	Pentraxin-3 is Associated with Adverse Diastolic Remodeling in Patients with ST-Elevation Myocardial Infarction after Successful Reperfusion by Primary Percutaneous Intervention. 2021 , 31, 77-84	1
241	Performance of a novel ECG criterion for improving detection of left ventricular hypertrophy: a cross-sectional study in a general Chinese population. 2021 , 11, e051172	
240	Metabolic syndrome and breast cancer: a dangerous association for postmenopausal women. 2021 , 92, e2021177	
239	Paroxetine mitigates cardiac remodelling by doxorubicin and increases survival. 2021 , 145, 112411	1
238	Fibroblast Growth Factor 23 Level and Cardiovascular Parameters in Children with Chronic Kidney Disease. 2021 , 1	0
237	Association Between Insulin Resistance, Oxidative Stress, Sympathetic Activity and Coronary Microvascular Function in Patients With Early Stage Impaired Glucose Metabolism. 2021 ,	0

236	Combined effects of ARNI and SGLT2 inhibitors in diabetic patients with heart failure with reduced ejection fraction. 2021 , 11, 22342	2
235	Low serum 25-Hydroxy (OH) vitamin D levels are associated with increased arterial stiffness in healthy children: An echocardiographic study from Turkey. 2021 , 38, 1941-1947	0
234	Utility of Three Adiposity Indices for Identifying Left Ventricular Hypertrophy and Geometric Remodeling in Chinese Children. 2021 , 12, 762250	1
233	Association of left ventricular hypertrophy and functional impairment with cardiovascular outcomes and mortality among patients with chronic kidney disease, results from the C-STRIDE Study. 2021 ,	0
232	Diabetes Status Modifies the Association Between Different Measures of Obesity and Heart Failure Risk Among Older Adults: A Pooled Analysis of Community-Based NHLBI Cohorts. 2021 ,	1
231	The Fourth Report on the Diagnosis, Evaluation, and Treatment of High Blood Pressure in Children and Adolescents. 2004 , 114, 555-576	208
230	Correlaci3n del strain longitudinal global con el grado de disfunci3n diast3lica, factores de riesgo cardiovascular y variables del ecocardiograma 2D. 2021 , 19, 485-490	
229	Cardiovascular Burden Is High in Pediatric Lung Transplant Recipients.. 2022 ,	0
228	Prognostic indicators of persistent carotid intima-media thickness increase in postpartum period in a population of normotensive women with gestational diabetes mellitus.. 2021 , 269, 47-54	0
227	Early myocardial remodeling after aortic valve replacement. 2021 , 7, 119	
226	Blood pressure trajectories in early adulthood and myocardial structure and function in later life.. 2022 ,	1
225	[Left ventricular hypertrophy in hemodialysis patient: Prevalence, electrocardiographic, echocardiographic study and associated risk factors].. 2022 ,	0
224	Blood pressure characteristics of collegiate female athletes: A call for more focused attention on young women's health. 2022 , 13, 100085	
223	Relationship between overweight and obesity and cardiac dimensions and function in a paediatric population.. 2022 , 1	2
222	The impact of methylphenidate treatment on the functional and structural properties of the left ventricle: A medium-term prospective study.. 2021 , 96, 43-43	
221	Influence of chest wall conformation on spirometry parameters and outcome in mild-to-moderate idiopathic pulmonary fibrosis.. 2022 , 1	0
220	Long-term cardiac assessment in a sample of adolescent-onset anorexia nervosa.. 2022 , 10, 12	0
219	Epicardial Fat Thickness: A Cardiometabolic Risk Marker in Rheumatoid Arthritis.. 2022 , 14, e21397	

218	The WNT/ β -catenin pathway regulates expression of the genes involved in cell cycle progression and mitochondrial oxidative phosphorylation in the postmitotic cardiac myocytes.. 2022 , 2,	0
217	Relationship of a new anthropometric index with left ventricular hypertrophy in hypertensive patients among the Han Chinese.. 2022 , 22, 16	0
216	Angiotensin-Like Protein 8/Leptin Crosstalk Influences Cardiac Mass in Youths With Cardiometabolic Risk: The BCAMS Study.. 2021 , 12, 788549	0
215	Sex-related differences in clinical presentation and all-cause mortality in patients with cardiac transthyretin amyloidosis and light chain amyloidosis.. 2022 ,	1
214	Relationship between serum 25-hydroxyvitamin D and target organ damage in children with essential hypertension.. 2022 ,	2
213	Determinants of altered left ventricular suction in pre-capillary pulmonary hypertension.. 2022 ,	
212	Progression of Cardiovascular Manifestations in Adults and Children With Mucopolysaccharidoses With and Without Enzyme Replacement Therapy.. 2021 , 8, 801147	0
211	The impact of the Adenotonsillectomy on cardiac functions and oxidative stress.. 2022 , 154, 111039	0
210	Associations between Cardiovascular Risk Factors, Biomarkers and Left Ventricular Mechanical Dispersion: Insights from the ACE 1950 Study.	
209	Relationship between onset age of type 2 diabetes mellitus and vascular complications based on Propensity score matching analysis.. 2022 ,	1
208	Mass to voltage ratio index predicts mortality following TAVI.. 2022 ,	0
207	Left Ventricular Strains and Myocardial Work in Adolescents With Anorexia Nervosa.. 2022 , 9, 798774	
206	Cardiac structure and functions in patients with asymptomatic primary hyperparathyroidism. 2013 , 36, 848-52	3
205	Determinants of Exercise Capacity in Patients With Hypertrophic Cardiomyopathy.. 2022 , 37, e62	
204	Effects of Sacubitril/Valsartan on Cardiac Structure and Cardiac Function of Patients with Heart Failure and Reduced Ejection Fraction. 2022 , 12, 1959-1968	
203	Comparative Assessment of Echocardiographic Patterns Among Chronic Myeloid Leukemia Patients on Tyrosine Kinase Inhibitor and Healthy Controls.. 2022 , 18, 27-42	
202	Echocardiographic left ventricular hypertrophy and geometry in Chinese chronic hemodialysis patients: the prevalence and determinants.. 2022 , 22, 55	1
201	Left Ventricular Mass and Parameters of Body Composition in Older Adults.. 2022 , 97, 626-628	0

- 200 Effects of ambulatory blood pressure monitoring parameters on left ventricular mass index in hypertensive children.. **2022**,
- 199 The association of age at natural menopause with pre- to postmenopausal changes in left ventricular structure and function: the Coronary Artery Risk Development in Young Adults (CARDIA) study.. **2022**, 1
- 198 The combined clinical impact of red blood cell distribution width and vascular calcification on cardiovascular events and mortality in patients with end-stage kidney disease.. **2022**,
- 197 Oxidative Stress and Left Ventricular Performance in Patients with Different Glycometabolic Phenotypes.. **2022**, 14, 0
- 196 Prevalence, Predictors, Progression, and Prognosis of Hypertension Subtypes in the Framingham Heart Study.. **2022**, e024202 0
- 195 Developmental Differences in Left Ventricular Strain in IUGR vs. Control Children the First Three Months of Life.. **2022**, 1 1
- 194 Cardiac Remodeling and Its Determinants in Anorexia Nervosa Adolescents: Impact of Weight Recovery.. **2022**, 9,
- 193 Utility of left atrial and ventricular strain for diagnosis of transthyretin amyloid cardiomyopathy in aortic stenosis.. **2022**,
- 192 Long-term cholecalciferol supplementation in hemodialysis patients: Effects on mineral metabolism, inflammation, and cardiac parameters.. **2022**,
- 191 Association of Myocardial Muscle Non-Compaction and Multiple Ventricular Septal Defects by Echocardiography.. **2022**, 1
- 190 Low-density lipoprotein and blood pressure are important risk factors for vasculopathy in children on dialysis: a single center study.. **2022**,
- 189 The Relationship Between N-Terminal Pro-Brain Natriuretic Peptide Level and Left Ventricular Metabolic Index in Patients with Heart Failure with Mildly Reduced Ejection Fraction. **2022**, 10, 4-11
- 188 Value of estimated pulse wave velocity to identify left ventricular hypertrophy prevalence: insights from a general population.. **2022**, 22, 157 1
- 187 Development of systolic dysfunction unrelated to myocardial infarction in treated hypertensive patients with left ventricular hypertrophy. The LIFE Study. 160-172 0
- 186 Impact of Myocardial Energy Expenditure and Diastolic Dysfunction on One Year Outcome Patients With HFpEF.. **2022**, 13, 655827
- 185 Eosinophils protect pressure overload- and β -adrenoreceptor agonist-induced cardiac hypertrophy.. **2022**, 1
- 184 Left Ventricular Hypertrophy and Biomarkers of Cardiac Damage and Stress in Aortic Stenosis.. **2022**, e023466 1
- 183 Performance of a novel ECG criterion for improving detection of left ventricular hypertrophy: a cross-sectional study in a general Chinese population. **2021**, 11, e051172 0

- 182 Subclinical Left Atrial and Ventricular Dysfunction in Acromegaly Patients: A Speckle Tracking Echocardiography Study.. **2022,**
- 181 Usefulness of second trimester left ventricular global longitudinal strain for predicting adverse maternal outcome in pregnant women aged 35 years or older. **2021, 38, 1061** ○
- 180 Efficacy of Renin-angiotensin-aldosterone-system inhibitors for heart failure with preserved ejection fraction and left ventricular hypertrophy -from the KUNIUMI Registry Acute Cohort.. **2021,** ○
- 179 Early Vascular Aging in Children With Type 1 Diabetes and Ambulatory Normotension.. **2021, 9, 764004** ○
- 178 Racial Differences in Val122Ile associated Transthyretin Cardiac Amyloidosis.. **2021,** 1
- 177 Exercise Training Increases Serum Cardiac Troponin T Independent of Left Ventricular Mass. **2021,**
- 176 Cardiovascular Effects of Autologous Bone Marrow-Derived Mesenchymal Stromal Cell Therapy With Early Tacrolimus Withdrawal in Renal Transplant Recipients: An Analysis of the Randomized TRITON Study.. **2021, 10, e023300** ○
- 175 Prognostic value of left atrial size in hypertensive African Americans undergoing stress echocardiography.. **2021, 13, 733-744**
- 174 Effects of a Low-Salt and High-Potassium Diet on Arterial Stiffness and Left Ventricular Function in Indigenous Papuans. **2021, e021789** 1
- 173 Assessment of cardiac function using the modified ejection fraction as an indicator of myocardial circumferential strain. **2022, 17,**
- 172 Childhood cardiovascular morphology and function following abnormal fetal growth.. **2022,**
- 171 Left ventricular strain predicts subclinical atherosclerosis in nonadvanced nonalcoholic fatty liver disease patients.. **2022, 34,**
- 170 Data_Sheet_1.xlsx. **2019,**
- 169 Presentation_1.PPTX. **2019,**
- 168 Image_1.JPEG. **2019,**
- 167 Image_2.JPEG. **2019,**
- 166 Table_1.DOCX. **2019,**
- 165 Is conventional cardiac examination adequate for obese pregnant women? A prospective case-control study.. **2022, 61, 86-90** 1

- 164 The cardiovascular phenotype of long-term anabolic-androgenic steroid abusers compared to strength-trained athletes.. **2022**, 0
- 163 Differences in shuntflow (Qa), cardiac function and mortality between hemodialysis patients with a lower-arm fistula, an upper-arm fistula, and an arteriovenous graft.. **2022**, 11297298221092741
- 162 Left Atrial Ejection Force as a Marker for the Diagnosis of Heart Failure with Preserved Ejection Fraction.. **2021**, 31, 125-130
- 161 Electro-Mechanical Finite Element Model of Left Ventricular Hypertrophy. **2022**, 113-122
- 160 Heritability of cardiovascular health across three generations in South Africa: the Birth to Twenty-Plus cohort.
- 159 HİPERTANSE SOL VENTRİKÜL HİPERTROFİSİNİN VENTRİKÜLER REPOLARİZASYON ÜZERİNE ETKİSİ16-22
- 158 Kynurenine pathway metabolites predict subclinical atherosclerotic disease and new cardiovascular events in chronic kidney disease. 0
- 157 Necropsy Validation of a Novel Method for Left Ventricular Mass Quantification in Porcine Transthoracic and Transdiaphragmal Echocardiography.. **2022**, 9, 868603
- 156 Changes in body size phenotypes from childhood to adulthood and the associated cardiometabolic outcomes.. **2022**, 187, 109884
- 155 Cardiovascular Risk Factors and Target Organ Damage in Adolescents: The SHIP AHOY Study.. **2022**, 1
- 154 Transthoracic Echocardiography. **2016**, 19-45
- 153 Quantitative Evaluation of Left Ventricular Structure, Wall Stress, and Systolic Function. **2017**, 107-127 1
- 152 Aging Changes Seen On Echocardiography. **2017**, 781-801
- 151 The Value of Four Anthropometric Indicators for Identifying Left Ventricular Hypertrophy in Chinese Hypertensive Patients. **2022**, 2022, 1-7 0
- 150 Parâmetros Ecocardiográficos Simples são Fortes Preditores de Risco Cardiovascular em Indivíduos Assintomáticos: Coorte Elsa-Brasil. **2022**, 118, 916-924 1
- 149 Factors Affecting the Exercise Capacity in Pediatric Primary Hypertension. **2022**, 10,
- 148 Determination of sources of error and improvement in accuracy of left ventricular mass measurement by echocardiography. 0
- 147 Obesity in pregnancy is a predictor of persistent subclinical myocardial dysfunction over postpartum period.

- 146 Prognostic values of left ventricular mass index progression in incident peritoneal dialysis patients : a prospective cohort study. **2022**, 23,
- 145 Tumor Necrosis Factor Receptor Superfamily Member 21 Induces Endothelial-Mesenchymal Transition in Coronary Artery Endothelium of Type 2 Diabetes Mellitus. **2022**, 10, 1282 ○
- 144 Patients phenotypes and cardiovascular risk in type 2 diabetes: the Jackson Heart Study. **2022**, 21, ○
- 143 Potential role of conventional and speckle-tracking echocardiography in the screening of structural and functional cardiac abnormalities in elderly individuals: Baseline echocardiographic findings from the LOOP study. **2022**, 17, e0269475 ○
- 142 Comprehensive assessment of biventricular myocardial function by two-dimensional speckle tracking echocardiography in infants of gestational diabetic mothers. ○
- 141 Kardiyak Yeniden Bkillenme ile Kardiyo-Elektrofizyolojik Denge İndeksi Arasındaki İlişki.
- 140 Echocardiographic Evaluation of Healthy Subjects with Different Grades of Periodontal Disease. **2022**, 4, ○
- 139 Plasma Brain Natriuretic Peptide Levels in Children with Chronic Kidney Disease and Renal Transplant Recipients: A Single Center Study. **2022**, 9, 916
- 138 Left atrioventricular coupling index in hypertrophic cardiomyopathy and risk of new-onset atrial fibrillation. **2022**, ○
- 137 Early Hemodynamic Effects of Mydriatic Eye-Drops in Preterm Infants.
- 136 Effects of a multicomponent intervention on cardiovascular risk factors in overweight children: a randomized clinical trial in light of complex systems. 1-11
- 135 A new method to quantify left ventricular mass by 2D echocardiography. **2022**, 12,
- 134 Combined superposition effect of hypertension and dyslipidemia on left ventricular hypertrophy.
- 133 Implementation of a CT-derived correction factor to refine the measurement of aortic valve area and stroke volume using Doppler echocardiography improves grading of severity and prediction of prognosis in patients with severe aortic stenosis. **2022**,
- 132 Temporal Changes of Cardiac Structure, Function, and Mechanics During Sub-acute Cervical and Thoracolumbar Spinal Cord Injury in Humans: A Case-Series. 9,
- 131 Evaluation of Different Criteria in the Diagnosis of Left Ventricular Hypertrophy by Electrocardiogram in Comparison With Echocardiogram. **2022**,
- 130 Editorial commentary for the manuscript entitled determination of sources of error and improvement in accuracy of left ventricular mass measurement by echocardiography.
- 129 Arterial Wave Reflection and Aortic Valve Stenosis: Diagnostic Challenges and Prognostic Significance. 9, 1

- 128 Effects of 26-week treatment with empagliflozin versus glimepiride on myocardial glucose metabolic rate in patients with type 2 diabetes: the randomized, open-label, active-controlled crossover FIORE trial. 1
- 127 Reverse Remodeling Following Valve Replacement in Coexisting Aortic Stenosis and Transthyretin Cardiac Amyloidosis. 1
- 126 Asymptomatic Left Ventricular Hypertrophy Is a Potent Risk Factor for the Development of HFpEF but Not HFrEF: Results of a Retrospective Cohort Study. **2022**, 11, 3885 0
- 125 Comparison of Influence of Blood Pressure and Carotid-Femoral Pulse Wave Velocity on Target Organ Damage in Hypertension. 9,
- 124 Damage of uremic myocardium by p-cresyl sulfate and the ameliorative effect of Klotho by regulating SIRT6 ubiquitination. **2022**, 367, 19-31 0
- 123 Prognostic Role of Cardiac Power in a Large Cohort of Patients with Normal Ejection Fraction Referred for Dobutamine Stress Echocardiography. **2022**,
- 122 A comparative analysis of conventional and speckle-tracking strain echocardiographic findings in diabetic and non-diabetic kidney disease patients with normal ejection fraction.
- 121 Surgical aortic valve replacement provides better left ventricular mass regression than transcatheter aortic valve replacement in patients with small aortic annulus.
- 120 Vitamin D Levels in Black Americans and the Association with Left Ventricular Remodeling and Incident Heart Failure With Preserved Ejection Fraction: the Jackson Heart Study. **2022**,
- 119 Echocardiographic Investigation of Low-Flow State in a Hispanic/Latino Population. **2022**, 6, 388-397
- 118 Relationship between vascular ageing and left ventricular geometry in patients with newly diagnosed primary aldosteronism. 13,
- 117 Effects of idiopathic erythrocytosis on the left ventricular diastolic functions and the spectrum of genetic mutations: A case control study. **2022**, 101, e29881
- 116 Unveiling Cardiac Amyloidosis, its Characteristics, and Outcomes Among Patients With MR Undergoing Transcatheter Edge-to-Edge MV Repair. **2022**, 1
- 115 Two-dimensional speckle tracking echocardiography in assessing the subclinical myocardial dysfunction in patients with gestational diabetes mellitus. **2022**, 20,
- 114 Incremental value of preoperative right ventricular function in predicting moderate to severe acute kidney injury after heart transplantation. 9,
- 113 Left atrial dysfunction is an independent predictor of mortality in patients with cirrhosis treated by transjugular intrahepatic portosystemic shunt. 0
- 112 Fully Automated Mouse Echocardiography Analysis Using Deep Convolutional Neural Networks. 1
- 111 Prognostic significance of left atrial strain in sarcomere gene variant carriers without hypertrophic cardiomyopathy.

110	Heart Dysfunction in Essential Hypertension Depends on Systemic Proinflammatory Influences: A Retrospective Clinical Pathophysiological Study. 2022 , 29, 453-468	1
109	Association of Blood Pressure-Related Increase in Vascular Stiffness on Other Measures of Target Organ Damage in Youth. 2022 , 79, 2042-2050	1
108	Maternal Exposure to Perfluoroalkyl Substances in Early Pregnancy and Cardiovascular Development in Offspring: A Prospective Cohort Study.	0
107	Perioperative anesthetic management of transposition of great arteries: a review. 2022 , 16, 23	0
106	Cardiac Complications Associated with Eating Disorders in Children: A Multicenter Retrospective Study. 2022 , 25, 432	0
105	Associations between Subclinical Myocardial Dysfunction and Premature Fusion of Early and Late Diastolic Filling with Uncertain Cause. 2022 , 63, 817	0
104	Are cardiovascular health measures heritable across three generations of families in Soweto, South Africa? A cross-sectional analysis using the random family method. 2022 , 12, e059910	0
103	Quantitative Analysis of Left Ventricular Flow Dynamics in Hypertrophic Cardiomyopathy using vector flow mapping: Comparison with hypertensive LV hypertrophy.	0
102	Automatic Detection of Left Ventricular Dilatation and Hypertrophy from Electrocardiograms Using Deep Learning. 2022 , 63, 939-947	0
101	Aortic pressure-only wave separation analysis in adolescents: accuracy and associations with left ventricular mass index.	0
100	Clinical Characteristics of Target Organ Damage in Primary Aldosteronism with or without Metabolic Syndrome. 2022 , 2022, 1-7	0
99	Impaired insulin-stimulated myocardial glucose metabolic rate is associated with reduced myocardial energetic efficiency.	0
98	Evaluation of Arterial Stiffness and Carotid Intima-Media Thickness in Children with Primary and Renal Hypertension.	0
97	Association between serum cystatin C and early impairment of cardiac function and structure in type 2 diabetes patients with normal renal function.	0
96	Long-term impacts of different dialysis modalities on right ventricular function in patients with end-stage renal disease.	0
95	Nocturia independently predicts left ventricular hypertrophy and left atrial enlargement among patients with cardiac symptoms. 2022 , 12,	0
94	Training intensity influences left ventricular dimensions in young competitive athletes. 9,	0
93	Echocardiography-Based Cardiac Structure Parameters for the Long-term Risk of End-Stage Kidney Disease in Black Individuals: The Atherosclerosis Risk in Communities Study. 2022 , 97, 1794-1807	0

92	Value of estimated glucose disposal rate to detect prevalent left ventricular hypertrophy: implications from a general population. 1-9	1
91	Phoenixin plasma concentration in heart failure with reduced ejection fraction patients. 1-7	0
90	Association of total lymphocyte count and echocardiographic parameters in human immunodeficiency virus-positive patients. 2021 , 18, 14	0
89	Response of circulating metabolites to an oral glucose challenge and risk of cardiovascular disease and mortality in the community. 2022 , 21,	0
88	Genetic Ablation of the DNA Damage Response Pathway Attenuates Lamin-Associated Dilated Cardiomyopathy in Mice. 2022 ,	0
87	Effects of switching from sacubitril/valsartan to valsartan alone on plasma levels of natriuretic peptides and myocardial remodeling in heart failure with reduced ejection fraction.	0
86	The relationship between vitamin D deficiency and hypertensive organ damage. 2022 , 5, 1704-1712	0
85	Does types of atrial fibrillation matter in the impairment of global and regional left ventricular mechanics and intra-ventricular dyssynchrony?. 9,	0
84	Cardiac function in adolescents and young adults with 22q11.2 deletion syndrome without congenital heart disease. 2022 , 104651	0
83	Patients With Bicuspid Aortic Stenosis Demonstrate Adverse Left Ventricular Remodeling and Impaired Cardiac Function Before Surgery With Increased Risk of Postoperative Heart Failure. 2022 , 146, 1310-1322	0
82	Serum myostatin level is associated with myocardial scar burden by SPECT myocardial perfusion imaging. 2022 , 537, 9-15	0
81	Left Atrial Mechanics and Diastolic Function Among People Living With Human Immunodeficiency Virus (from the Veterans Aging Cohort Study). 2023 , 186, 50-57	0
80	Angiotensin II and atrial natriuretic peptide ã¸¸unity and struggle of opposites in the model of renovascular hypertension ã¸¸ kidneys, 1 clampã¸¸A meta-analysis. 2022 , 28, 328-347	0
79	Plasma Amyloid-ã¸¸n Relation to Cardiac Function and Risk of Heart Failure in General Population. 2022 ,	1
78	Predictive value of the TyG index and rheumatoid factor for cardiovascular disease risk in a rheumatoid arthritis population: data from a survey of 418 patients. 2022 , 21,	0
77	Molecular characterization of immune checkpoint inhibitor-induced cardiotoxicity reveals IL-17A as a driver of cardiac dysfunction after anti-PD-1 treatment.	0
76	The association of dietary glutamine supplementation with the development of high salt-induced hypertension in rats. 9,	0
75	Inflammatory cytokines and their correlations with different left ventricular geometries and functions in PHT patients.	0

74	Efficacy of SGLT2 Inhibitors in Patients With Diabetes and Nonobstructive Hypertrophic Cardiomyopathy. 2023 , 188, 80-86	o
73	Prognostic significance of gender and sexual risk factors in the development of arterial hypertension in an organized population. 2022 , 28, 573-584	o
72	Prognostic significance of geometric patterns of left ventricular hypertrophy in a 12-year cohort study. 2022 , 28, 532-545	o
71	Missing Values Imputation in the SEPHAR IV Echocardiographic Study. 2022 ,	o
70	Diastolic function and cardiovascular risk among patients with severe obesity referred to a lifestyle-program â pilot study. 2023 , 57, 8-16	o
69	Prognostic value of echocardiographic evaluation of cardiac mechanics in patients with aortic stenosis and preserved left ventricular ejection fraction.	1
68	Furosemide-related thiamine deficiency in hospitalized hypervolemic patients with renal failure and heart failure. 2022 ,	o
67	Muscle Strength, but Not Muscle Mass, Is Associated with Left Ventricular Diastolic Function during Aging in Chinese. 2022 , 63, 1115-1120	o
66	Consequences of gestational diabetes mellitus on neonatal cardiovascular health: MySweetHeart Cohort study.	o
65	Echocardiographic Evidence of Cardiac Atrophy in the Critically Ill. 2022 , 4, e0804	o
64	The Association of Protein Biomarkers With Incident Heart Failure With Preserved and Reduced Ejection Fraction.	o
63	Assessment of aortic valve area on cardiac computed tomography in symptomatic bicuspid aortic stenosis: Utility and differences from Doppler echocardiography. 9,	o
62	Relationship Between Subclinical Cardiovascular Diseases and Cardiac Morpho-Functional Parameters in Preclinical Stage A/B Heart Failure Adults with Type 2 Diabetes. Volume 15, 3923-3931	o
61	A Unique High-Output Cardiac Hypertrophy Phenotype Arising From Low Systemic Vascular Resistance in Cantu Syndrome. 2022 , 11,	o
60	Associations of right ventricular pulsatile load and cardiac power output to clinical outcomes in heart failure: Difference from systemic circulation. 2022 ,	o
59	Myocardial contraction fraction predicts mortality in the oldest old. 2022 , 43, 101158	o
58	Extent of Left Ventricular Mass Regression and Impact of Global Left Ventricular Afterload on Cardiac Events and Mortality after Aortic Valve Replacement. 2022 , 11, 7482	o
57	Blood pressure, arterial waveform, and arterial stiffness during hemodialysis and their clinical implications in intradialytic hypotension.	o

- 56 Evaluation of cardiac structure, exercise capacity and electrocardiography parameters in children with partial and complete growth hormone deficiency and their changes with short term growth hormone replacement therapy. ○
- 55 Echocardiographic Evaluation in Paediatric Sickle Cell Disease Patients: A Pilot Study. **2023**, 12, 7 ○
- 54 Association of Maternal Glucose Concentrations During Pregnancy With Cardiovascular Alterations in Early Childhood: A Prospective Birth Cohort Study. **2022**, ○
- 53 Prognostic implication of left ventricular hypertrophy regression after antihypertensive therapy in patients with hypertension. 9, ○
- 52 Short term effect of sacubitril/valsartan on comprehensive geriatric assessment in chronic heart failure: a real life analysis. ○
- 51 The cardiac computed tomography-derived extracellular volume fraction predicts patient outcomes and left ventricular mass reductions after transcatheter aortic valve implantation for aortic stenosis. **2022**, ○
- 50 Abdominal aortic calcification score can predict all-cause and cardiovascular mortality in maintenance hemodialysis patients. **2023**, 45, ○
- 49 Effects of Bempedoic Acid in Acute Myocardial Infarction in Rats: No Cardioprotection and No Hidden Cardiotoxicity. **2023**, 24, 1585 ○
- 48 Effect of candesartan treatment on echocardiographic indices of cardiac remodeling in post-myocardial infarction patients. ○
- 47 Diabetes mellitus is associated with more adverse non-hemodynamic left ventricular remodeling and less recovery in patients with primary aldosteronism. 108155892211418 ○
- 46 N-terminal pro-B-type natriuretic peptide and high-sensitivity troponin T hold diagnostic value in cardiac amyloidosis. ○
- 45 Young athlete's growing heart: sex differences in cardiac adaptation to exercise training during adolescence. **2023**, 10, e002155 1
- 44 Hypertension in a Cohort of Obese Caucasian Children and Adolescents and its Association with Glycometabolic Indices: a Proposed Screening Tool. **2023**, ○
- 43 Insights into the Cardiac Phenotype in 9p Deletion Syndrome: A Multicenter Italian Experience and Literature Review. **2023**, 14, 146 ○
- 42 Maternal plasma perfluoroalkyl substances concentrations in early pregnancy and cardiovascular development in offspring: a prospective cohort study. **2023**, 107748 ○
- 41 Left ventricular hypertrophy, diastolic dysfunction and right ventricular load predict outcome in moderate aortic stenosis. 9, ○
- 40 Impaired insulin-stimulated myocardial glucose metabolic rate is associated with reduced estimated myocardial energetic efficiency in subjects with different degrees of glucose tolerance. **2023**, 22, ○
- 39 Computed tomography myocardial perfusion imaging of patients with left ventricular hypertrophy in hypertension: A retrospective study. **2023**, 45, ○

- 38 Association of lipoprotein(a) with left ventricular hypertrophy in patients with new-onset acute myocardial infarction: A large cross-sectional study. **2023**, 540, 117226 ○
- 37 Diabetic Kidney Disease versus Primary Glomerular Disease: A Propensity Score-Matched Analysis of Association between Ambulatory Blood-Pressure Monitoring and Target-Organ Damage. **2023**, 12, 167 ○
- 36 Hipertansif Hastalarda Angiotensin Tip 1 Resptif Blokfleri ile Tedavi Etkisinin Egzersiz Doku Doppler Ekokardiyografik Parametrelerle DeErlendirilmesi. ○
- 35 Normal Values of Left Ventricular Mass by 2D and 3D Echocardiography: Results from the World Alliance Societies of Echocardiography Normal Values Study. **2022**, ○
- 34 ECHO provides layer-specific insight of both myocardial deformation and microcirculation dysfunction in dilated cardiomyopathy patients: Clinical value of combined application of left ventricular layer-specific strain and myocardial contrast echocardiography. ○
- 33 A retrospective study of baseline peritoneal transport character and left ventricular hypertrophy in incident peritoneal dialysis patients: interrelationship and prognostic impacts. **2022**, 44, 2073-2084 ○
- 32 Improving Echocardiography Segmentation by Polar Transformation. **2022**, 133-142 ○
- 31 Ambulatory blood pressure monitoring in children: A retrospective single-center study. 11, ○
- 30 Predictors of adverse diastolic remodeling in non-diabetic patients presenting with ST-elevation myocardial infarction. **2023**, 23, ○
- 29 Association of Shunt Size and Long-Term Clinical Outcomes in Patients with Cryptogenic Ischemic Stroke and Patent Foramen Ovale on Medical Management. **2023**, 12, 941 ○
- 28 Impact of the 2022 American Heart Association pediatric ambulatory blood pressure monitoring statement on the diagnosis of hypertension. ○
- 27 Effects of switching from sacubitril/valsartan to valsartan alone on plasma levels of natriuretic peptides and myocardial remodeling in heart failure with reduced ejection fraction. **2023**, 23, 1
- 26 Association between liver fibrosis and decreased myocardial mechano-energetic efficiency in individuals with different degree of glucose tolerance. **2023**, 199, 110639 ○
- 25 ~~2023, 12, 167~~
2016, 47-53 ○
- 24 ~~2023, 12, 167~~
~~2023, 12, 167~~**2016**, 38-43 ○
- 23 Association of Elevated Arterial Stiffness With Cardiac Target Organ Damage and Cardiac Autonomic Neuropathy in Young Adults With Diabetes: The SEARCH for Diabetes in Youth Study. **2023**, 46, 786-793 ○
- 22 Role of basal autonomic functions in patients with increased morning blood pressure surge. **2023**, 28, 79-85 ○
- 21 Clinical impact of left ventricular systolic dysfunction in patients undergoing dialysis access surgery. **2023**, 27, 374-381 ○

- 20 Prognostic Stratification of Clinically Stable Patients with Heart Failure by Echocardiographic Pressure/Volume Loop Model. **2023**, ○
- 19 Cohort profile: the Utrecht Cardiovascular Cohort—Second Manifestations of Arterial Disease (UCC-SMART) Study—An ongoing prospective cohort study of patients at high cardiovascular risk in the Netherlands. **2023**, 13, e066952 ○
- 18 The Atrial Natriuretic Peptide-to-brain Natriuretic Peptide Ratio Predicts Left Atrial Reverse Remodeling after Rhythm Control Therapy in Patients with Persistent Atrial Fibrillation. **2023**, ○
- 17 Impact of Tafamidis on Echocardiographic Cardiac Function of Patients With Transthyretin Cardiac Amyloidosis. **2023**, 87, 508-516 ○
- 16 Evidence-Based Cardiovascular Imaging. **2023**, 16, 405-407 ○
- 15 Association between Intra- and Extra-Cellular Water Ratio Imbalance and Natriuretic Peptides in Patients Undergoing Hemodialysis. **2023**, 15, 1274 ○
- 14 Family History of Modifiable Risk Factors and Association With Future Cardiovascular Disease. ○
- 13 Electrocardiographic prediction of left ventricular hypertrophy in women and men with left bundle branch block —Comparison of QRS duration, amplitude and voltage-time-integral. **2023**, ○
- 12 Morphological and Functional Remodeling of the Ischemic Heart Correlates with Homocysteine Levels. **2023**, 10, 122 ○
- 11 Prognostic role of the left ventricular global function index in predicting major adverse cardiovascular events in acute coronary syndrome patients. ○
- 10 Physical Activity, Sedentary Behaviour and Cardiovascular Risk Factors in Overweight Low-Income Schoolchildren: A Complex System Perspective. **2023**, 3, 86-96 ○
- 9 Childhood household dysfunction is associated with reduced left ventricular mass in young adulthood. ○
- 8 Impact of anemia treatment for left ventricular hypertrophy using long-acting erythropoietin-stimulating agents from the pre-dialysis to maintenance dialysis period in patients with chronic kidney disease, retrospective longitudinal cohort study. **2023**, 24, ○
- 7 Impact of acute TTE-evidenced cardiac dysfunction on in-hospital and outpatient mortality: A multicenter NYC COVID-19 registry study. **2023**, 18, e0283708 ○
- 6 Endothelial dysfunction is associated with reduced myocardial mechano-energetic efficiency in drug-naïve hypertensive individuals with a broad spectrum of glucose tolerance. ○
- 5 Subclinical cardiac abnormalities in children with biliary atresia correlate with outcomes after liver transplantation. 11, ○
- 4 ~~11~~ **2016**, 17-22 ○
- 3 Elevated bile acids are associated with left ventricular structural changes in biliary atresia. **2023**, 7, ○

- 2 Urinary proteomics combined with home blood pressure telemonitoring for health care reform trial—First progress report. ○
- 1 Role of cardiovascular magnetic resonance imaging and cardiopulmonary exercise test in predicting composite clinical outcomes in patients with hypertrophic cardiomyopathy. **2023**, 18, e0285887 ○