

# The inventory for depressive symptomatology (IDS): Pr

Psychiatry Research

18, 65-87

DOI: 10.1016/0165-1781(86)90060-0

Citation Report

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | A structured interview version of the Hamilton Rating Scale for Depression: Reliability and validity.. Psychological Assessment, 1989, 1, 238-241.                | 1.2  | 41        |
| 2  | Guilt in depressed outpatients.. Journal of Consulting and Clinical Psychology, 1990, 58, 495-498.  | 1.6  | 17        |
| 3  | Does the pretreatment polysomnogram predict response to cognitive therapy in depressed outpatients? A preliminary report. Psychiatry Research, 1990, 33, 285-299. | 1.7  | 41        |
| 4  | Clinical, cognitive, and demographic predictors of response to cognitive therapy for depression: A preliminary report. Psychiatry Research, 1991, 37, 245-260.    | 1.7  | 96        |
| 5  | Conceptualization and Rationale for Consensus Definitions of Terms in Major Depressive Disorder. Archives of General Psychiatry, 1991, 48, 851.                   | 13.8 | 1,774     |
| 6  | Assessment of Depression in Patients with Chronic Fatigue Syndrome. Clinical Infectious Diseases, 1991, 13, S114-S118.  | 2.9  | 15        |
| 7  | Effects of tricyclic antidepressant treatment on tyramine-O-sulfate excretion in depressed patients. Journal of Affective Disorders, 1993, 27, 29-34.             | 2.0  | 3         |
| 8  | Tridimensional personality questionnaire and serotonin in bulimia nervosa. Psychiatry Research, 1993, 48, 9-15.   | 1.7  | 61        |
| 9  | Differential Diagnosis of Personality Disorders by the Seven-Factor Model of Temperament and Character. Archives of General Psychiatry, 1993, 50, 991.            | 13.8 | 639       |
| 10 | The predictors of persistence of depression in primary care. Journal of Affective Disorders, 1994, 31, 81-90.   | 2.0  | 123       |
| 11 | Clinical characteristics associated with interpersonal depression: symptoms, course and treatment response. Journal of Affective Disorders, 1994, 31, 97-109.     | 2.0  | 8         |
| 12 | Natural history of chronic depression: predictors of change in severity over time. Journal of Affective Disorders, 1994, 32, 219-222.                             | 2.0  | 18        |
| 13 | What factors predict discrepancies between self and observer ratings of depression?. Journal of Affective Disorders, 1994, 31, 253-259.                           | 2.0  | 74        |
| 14 | The Role of the Primary Care Physician in Patients's Adherence to Antidepressant Therapy. Medical Care, 1995, 33, 67-74.  | 1.1  | 543       |
| 15 | Collaborative care: Patient satisfaction, outcomes, and medical cost-offset.. Family Systems Medicine, 1995, 13, 351-365.   | 0.2  | 34        |
| 16 | Outcomes of "inadequate" antidepressant treatment. Journal of General Internal Medicine, 1995, 10, 663-670.   | 1.3  | 103       |
| 17 | Collaborative Management to Achieve Treatment Guidelines. JAMA - Journal of the American Medical Association, 1995, 273, 1026.                                    | 3.8  | 1,025     |
| 18 | Concordant factors of depression rating scales and dimensionality of depression. Biological Psychiatry, 1995, 37, 253-258.  | 0.7  | 5         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Sex differences in the distribution of EEG frequencies during sleep: unipolar depressed outpatients. <i>Journal of Affective Disorders</i> , 1995, 34, 121-129.                                    | 2.0  | 46        |
| 20 | Growth hormone response to baclofen: a comparison of 10-mg and 20-mg doses in healthy men. <i>Psychiatry Research</i> , 1996, 60, 41-47.   | 1.7  | 9         |
| 21 | Comorbidity of personality disorders and unipolar major depression: A review. <i>Journal of Affective Disorders</i> , 1996, 37, 157-170.   | 2.0  | 158       |
| 22 | The Inventory of Depressive Symptomatology (IDS): psychometric properties. <i>Psychological Medicine</i> , 1996, 26, 477-486.  | 2.7  | 1,802     |
| 23 | A Placebo-Controlled, Randomized Clinical Trial Comparing Sertraline and Imipramine for the Treatment of Dysthymia. <i>Archives of General Psychiatry</i> , 1996, 53, 777.                         | 13.8 | 189       |
| 24 | A Multifaceted Intervention to Improve Treatment of Depression in Primary Care. <i>Archives of General Psychiatry</i> , 1996, 53, 924.   | 13.8 | 763       |
| 25 | Double-blind comparison of sertraline, imipramine, and placebo in the treatment of dysthymia: psychosocial outcomes. <i>American Journal of Psychiatry</i> , 1997, 154, 390-395.                   | 4.0  | 101       |
| 26 | Marital interactions of depressed men and women.. <i>Journal of Consulting and Clinical Psychology</i> , 1997, 65, 15-23.  | 1.6  | 105       |
| 27 | Parent-child interaction among depressed fathers and mothers: Impact on child functioning.. <i>Journal of Family Psychology</i> , 1997, 11, 391-409.   | 1.0  | 143       |
| 28 | Methodological issues raised by clinical trials on dysthymia: assessment instruments and response criteria. <i>European Psychiatry</i> , 1997, 12, 183-189.  | 0.1  | 3         |
| 29 | Does anhedonia correlate with depression severity in chronic depression?. <i>Comprehensive Psychiatry</i> , 1997, 38, 260-263.   | 1.5  | 65        |
| 30 | Neuroticism and Extraversion as Predictors of Health Outcomes in Depressed Primary Care Patients. <i>Psychosomatics</i> , 1997, 38, 339-348.   | 2.5  | 50        |
| 31 | Preliminary evidence of the reliability and validity of the prospective life-chart methodology (LCM-p). <i>Journal of Psychiatric Research</i> , 1997, 31, 593-603.                                | 1.5  | 94        |
| 32 | The Major Depression Rating Scale (MDS). Inter-rater reliability and validity across different settings in randomized moclobemide trials. <i>Journal of Affective Disorders</i> , 1997, 42, 39-48. | 2.0  | 42        |
| 33 | Case-finding instruments for depression. <i>Journal of General Internal Medicine</i> , 1997, 12, 439-445.  | 1.3  | 1,544     |
| 34 | Relationship between objective and subjective sleep measures in depressed patients and healthy controls. , 1997, 5, 97-102.  |      | 136       |
| 35 | Minor depressive disorder and subsyndromal depressive symptoms: functional impairment and response to treatment. <i>Journal of Affective Disorders</i> , 1998, 48, 227-232.                        | 2.0  | 141       |
| 36 | Comparative effects of nefazodone and fluoxetine on sleep in outpatients with major depressive disorder. <i>Biological Psychiatry</i> , 1998, 44, 3-14.  | 0.7  | 192       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Toward a generalizable model of symptoms in major depressive disorder. <i>Biological Psychiatry</i> , 1998, 44, 959-972.  | 0.7 | 78        |
| 41 | Responsiveness of observer rating scales by analysis of number of days until improvement in patients with major depression. <i>European Psychiatry</i> , 1998, 13, 143-145.   | 0.1 | 6         |
| 43 | The Efficacy of Acupuncture in the Treatment of Major Depression in Women. <i>Psychological Science</i> , 1998, 9, 397-401.   | 1.8 | 166       |
| 44 | Treatment Costs, Cost Offset, and Cost-Effectiveness of Collaborative Management of Depression. <i>Psychosomatic Medicine</i> , 1998, 60, 143-149.  | 1.3 | 228       |
| 45 | FACTORS ASSOCIATED WITH PARTIAL REMISSION IN DEPRESSION. <i>Behavioural and Cognitive Psychotherapy</i> , 1999, 27, 215-222.  | 0.9 | 1         |
| 46 | Interpersonal Guilt, Shame, and Psychological Problems. <i>Journal of Social and Clinical Psychology</i> , 1999, 18, 181-203.   | 0.2 | 117       |
| 47 | IDS-C and IDS-SR: Psychometric properties in depressed in-patients. <i>Journal of Affective Disorders</i> , 1999, 56, 95-101.   | 2.0 | 75        |
| 48 | Concordance between self-report and clinician's assessment of depression. <i>Journal of Psychiatric Research</i> , 1999, 33, 457-465.   | 1.5 | 63        |
| 49 | Effects of Fluoxetine on the Polysomnogram in Outpatients with Major Depression. <i>Neuropsychopharmacology</i> , 1999, 20, 447-459.  | 2.8 | 57        |
| 50 | Tryptophan depletion and depressive vulnerability. <i>Biological Psychiatry</i> , 1999, 46, 498-505.  | 0.7 | 98        |
| 51 | Double-Blind Comparison of Sertraline, Imipramine, and Placebo in the Treatment of Dysthymia: Effects on Personality. <i>American Journal of Psychiatry</i> , 2000, 157, 1436-1444.                                     | 4.0 | 67        |
| 52 | Sequential interactions in the marital communication of depressed men and women.. <i>Journal of Consulting and Clinical Psychology</i> , 2000, 68, 4-12.  | 1.6 | 69        |
| 53 | Validation of the prospective NIMH-Life-Chart Method (NIMH-LCMTM-p) for longitudinal assessment of bipolar illness. <i>Psychological Medicine</i> , 2000, 30, 1391-1397.  | 2.7 | 155       |
| 54 | The Inventory of Depressive Symptomatology (IDS): Clinician (IDS-C) and Self-Report (IDS-SR) ratings of depressive symptoms. <i>International Journal of Methods in Psychiatric Research</i> , 2000, 9, 45-59.          | 1.1 | 328       |
| 55 | Health-related quality of life using the SF-36 in patients with bipolar disorder compared with patients with chronic back pain and the general population. <i>Journal of Affective Disorders</i> , 2000, 57, 235-239.   | 2.0 | 104       |
| 56 | Health values of patients with bipolar disorder. <i>Quality of Life Research</i> , 2000, 9, 579-586.  | 1.5 | 26        |
| 57 | Tryptophan depletion selectively reduces CSF 5-HT metabolites in healthy young men: results from single lumbar puncture sampling technique. <i>International Journal of Neuropsychopharmacology</i> , 2000, 3, 277-283. | 1.0 | 34        |
| 58 | Open-label adjunctive topiramate in the treatment of bipolar disorders. <i>Biological Psychiatry</i> , 2000, 47, 1025-1033.   | 0.7 | 203       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 59 | A comparison of alternative assessments of depressive symptom severity: a pilot study. <i>Psychiatry Research</i> , 2000, 95, 55-65.   | 1.7 | 14        |
| 60 | A comparison of alternative assessments of depressive symptom severity: a pilot study. <i>Psychiatry Research</i> , 2000, 96, 269-279.   | 1.7 | 30        |
| 61 | Rating depressed patients: observer- vs self-assessment. <i>European Psychiatry</i> , 2000, 15, 160-172.   | 0.1 | 100       |
| 62 | Methodological issues in developing new acute treatments for patients with bipolar illness. <i>Biological Psychiatry</i> , 2000, 48, 615-624.  | 0.7 | 23        |
| 63 | “Expectation as etiology” versus “the good old days”: Postconcussion syndrome symptom reporting in athletes, headache sufferers, and depressed individuals. <i>Journal of the International Neuropsychological Society</i> , 2001, 7, 323-333. | 1.2 | 174       |
| 64 | Sequential interactions in the parent-child communications of depressed fathers and depressed mothers.. <i>Journal of Family Psychology</i> , 2001, 15, 38-52.   | 1.0 | 51        |
| 65 | Rate of switch in bipolar patients prospectively treated with second-generation antidepressants as augmentation to mood stabilizers. <i>Bipolar Disorders</i> , 2001, 3, 259-265.  | 1.1 | 97        |
| 66 | Primary Prevention for Mental Health: Results of an Exploratory Cognitive-Behavioral College Course. <i>Journal of Primary Prevention</i> , 2001, 22, 55-67.   | 0.8 | 15        |
| 67 | The Stanley Foundation Bipolar Treatment Outcome Network. <i>Journal of Affective Disorders</i> , 2001, 67, 33-44.   | 2.0 | 162       |
| 68 | System youth. <i>Journal of Substance Abuse</i> , 2001, 13, 367-384.   | 1.1 | 23        |
| 69 | The Stanley Foundation Bipolar Network. <i>British Journal of Psychiatry</i> , 2001, 178, s169-s176.   | 1.7 | 96        |
| 70 | The Stanley Foundation Bipolar Network. <i>British Journal of Psychiatry</i> , 2001, 178, s177-s183.   | 1.7 | 39        |
| 71 | Validation of the Inventory of Depressive Symptomatology (IDS) in Cocaine Dependent Inmates. <i>Journal of Offender Rehabilitation</i> , 2001, 32, 15-30.  | 0.5 | 5         |
| 72 | The Stanley Foundation Bipolar Network: Results of the Naturalistic Follow-Up Study after 2.5 Years of Follow-Up in the German Centres. <i>Neuropsychobiology</i> , 2002, 46, 2-9.   | 0.9 | 56        |
| 73 | Psychometric Assessment and Clinical Application of the Correa-Barrick Depression Rating Scale. <i>Clinical Nursing Research</i> , 2002, 11, 363-381.  | 0.7 | 3         |
| 74 | A Descriptive Analysis of Minor Depression. <i>American Journal of Psychiatry</i> , 2002, 159, 637-643.  | 4.0 | 154       |
| 75 | Family Functioning, Substance Use and Related Problem Behaviors. <i>Journal of Ethnicity in Substance Abuse</i> , 2002, 1, 83-101.   | 0.6 | 16        |
| 76 | Review of the Use of Topiramate for Treatment of Bipolar Disorders. <i>Journal of Clinical Psychopharmacology</i> , 2002, 22, 599-609.   | 0.7 | 205       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 77 | Perception of illness: Nonspecificity of Postconcussion Syndrome symptom expectation. <i>Journal of the International Neuropsychological Society</i> , 2002, 8, 37-47.                                       | 1.2 | 45        |
| 78 | Conceptualization and identification of depression in adults with brain damage by clients and rehabilitation clinical staff. <i>Brain Injury</i> , 2002, 16, 501-507.  | 0.6 | 3         |
| 79 | Clinical Pathways for Mood and Anxiety Disorders. <i>CNS Spectrums</i> , 2002, 9, 18-24.   | 0.7 | 1         |
| 80 | Impact of a collaborative pharmacy practice model on the treatment of depression in primary care. <i>American Journal of Health-System Pharmacy</i> , 2002, 59, 1518-1526.                                   | 0.5 | 108       |
| 81 | Color sensitivity and mood disorders: biology or metaphor?. <i>Journal of Affective Disorders</i> , 2002, 68, 67-71.   | 2.0 | 37        |
| 82 | Presentations of depression in bipolar illness. <i>Clinical Neuroscience Research</i> , 2002, 2, 142-157.  | 0.8 | 12        |
| 83 | Naturalistic study of the early psychiatric use of citalopram in the United States. <i>Depression and Anxiety</i> , 2002, 16, 121-127.   | 2.0 | 7         |
| 84 | Utility of the daily prospective National Institute of Mental Health Life-Chart Method (NIMH-LCM-p) ratings in clinical trials of bipolar disorder. <i>Depression and Anxiety</i> , 2002, 15, 1-9.           | 2.0 | 48        |
| 85 | The relationship between compulsive buying and eating disorders. <i>International Journal of Eating Disorders</i> , 2002, 32, 107-111.   | 2.1 | 42        |
| 86 | Tiagabine in treatment refractory bipolar disorder: a clinical case series. <i>Bipolar Disorders</i> , 2002, 4, 283-289.   | 1.1 | 62        |
| 87 | Two Measures of Health-Related Quality of Life in Morbid Obesity. <i>Obesity</i> , 2002, 10, 1143-1151.  | 4.0 | 103       |
| 88 | Validity of the Depression-Arkansas (D-ARK) Scale: a tool for measuring major depressive disorder. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2002, 4, 167-173. | 2.2 | 10        |
| 89 | Pretreatment Correlates of the Therapeutic Alliance in the Chronically Depressed. <i>Journal of Contemporary Psychotherapy</i> , 2002, 32, 281-290.  | 0.7 | 7         |
| 90 | Marital History and Current Marital Satisfaction in Chronic Depression. <i>Journal of Contemporary Psychotherapy</i> , 2002, 32, 291-295.  | 0.7 | 9         |
| 91 | Impact of a Collaborative Care Model on Depression in a Primary Care Setting: A Randomized Controlled Trial. <i>Pharmacotherapy</i> , 2003, 23, 1175-1185.   | 1.2 | 132       |
| 92 | An overview of recent findings of the Stanley Foundation Bipolar Network (Part I). <i>Bipolar Disorders</i> , 2003, 5, 310-319.  | 1.1 | 128       |
| 93 | A re-evaluation of the role of antidepressants in the treatment of bipolar depression: data from the Stanley Foundation Bipolar Network. <i>Bipolar Disorders</i> , 2003, 5, 396-406.                        | 1.1 | 128       |
| 94 | Catching Up on Health Outcomes: The Texas Medication Algorithm Project. <i>Health Services Research</i> , 2003, 38, 311-331.   | 1.0 | 26        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 95  | Background and rationale for the Sequenced Treatment Alternatives to Relieve Depression (STAR <sup>®</sup> -D) study. <i>Psychiatric Clinics of North America</i> , 2003, 26, 457-494.  | 0.7  | 456       |
| 96  | The 16-Item quick inventory of depressive symptomatology (QIDS), clinician rating (QIDS-C), and self-report (QIDS-SR): a psychometric evaluation in patients with chronic major depression. <i>Biological Psychiatry</i> , 2003, 54, 573-583. | 0.7  | 2,981     |
| 97  | Characteristics of morbidly obese patients before gastric bypass surgery. <i>Comprehensive Psychiatry</i> , 2003, 44, 428-434.  | 1.5  | 132       |
| 98  | Research issues in the study of difficult-to-treat depression. <i>Biological Psychiatry</i> , 2003, 53, 743-753.  | 0.7  | 169       |
| 99  | Clinician ratings vs. global ratings of symptom severity: a comparison of symptom measures in the bipolar disorder module, phase II, Texas Medication Algorithm Project. <i>Psychiatry Research</i> , 2003, 117, 167-175.                     | 1.7  | 6         |
| 100 | Depression With Atypical Features in the National Comorbidity Survey. <i>Archives of General Psychiatry</i> , 2003, 60, 817.  | 13.8 | 199       |
| 101 | Proton Magnetic Resonance Spectroscopy of the Frontal Lobe and Cerebellar Vermis in Children with a Mood Disorder and a Familial Risk for Bipolar Disorders. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2003, 13, 545-555.   | 0.7  | 155       |
| 102 | The efficacy of olanzapine monotherapy for acute hypomania or mania in an outpatient setting. <i>International Clinical Psychopharmacology</i> , 2003, 18, 143-145.   | 0.9  | 6         |
| 103 | Group Comparisons of DSM-IV Subtypes of Chronic Depression: Validity of the Distinctions, Part 2.. <i>Journal of Abnormal Psychology</i> , 2003, 112, 614-622.  | 2.0  | 90        |
| 104 | Cognitive aspects of chronic depression.. <i>Journal of Abnormal Psychology</i> , 2003, 112, 72-80.   | 2.0  | 129       |
| 105 | The Effects of Psychotherapy, Nefazodone, and Their Combination on Subjective Assessment of Disturbed Sleep in Chronic Depression. <i>Sleep</i> , 2003, 26, 130-136.  | 0.6  | 95        |
| 106 | Psychosocial Stressors as Predisposing Factors to Affective Illness and PTSD: Potential Neurobiological Mechanisms and Theoretical Implications. , 2003, , 491-525.   |      | 5         |
| 107 | The Hamilton Depression Rating Scale: Has the Gold Standard Become a Lead Weight?. <i>American Journal of Psychiatry</i> , 2004, 161, 2163-2177.  | 4.0  | 915       |
| 108 | Depression and Comorbid Illness in Elderly Primary Care Patients: Impact on Multiple Domains of Health Status and Well-being. <i>Annals of Family Medicine</i> , 2004, 2, 555-562.  | 0.9  | 213       |
| 109 | Improvement in social-interpersonal functioning after cognitive therapy for recurrent depression. <i>Psychological Medicine</i> , 2004, 34, 643-658.  | 2.7  | 62        |
| 110 | A Pilot Study of Subjective Daytime Alertness and Mood in Primary Insomnia Participants Using Ecological Momentary Assessment. <i>Behavioral Sleep Medicine</i> , 2004, 2, 113-131.   | 1.1  | 24        |
| 111 | Methods of testing feasibility for sequenced treatment alternatives to relieve depression (STAR*D). <i>Journal of Psychiatric Research</i> , 2004, 38, 241-248.   | 1.5  | 7         |
| 112 | Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design. <i>Contemporary Clinical Trials</i> , 2004, 25, 119-142.   | 2.0  | 898       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 113 | Depression with atypical features in a sample of primary care outpatients: prevalence, specific characteristics and consequences. <i>Journal of Affective Disorders</i> , 2004, 83, 237-242. | 2.0 | 29        |
| 114 | Clinical features of depressed outpatients with and without co-occurring general medical conditions in STAR*D. <i>General Hospital Psychiatry</i> , 2004, 26, 421-429.                       | 1.2 | 109       |
| 115 | Assessment of Alcohol and Other Drug Use by Runaway Youths. <i>Alcoholism Treatment Quarterly</i> , 2004, 22, 21-34.   | 0.5 | 59        |
| 116 | One-year clinical outcomes of depressed public sector outpatients: a benchmark for subsequent studies. <i>Biological Psychiatry</i> , 2004, 56, 46-53.                                       | 0.7 | 93        |
| 117 | A high prevalence of organ-specific autoimmunity in patients with bipolar disorder. <i>Biological Psychiatry</i> , 2004, 56, 476-482.  | 0.7 | 96        |
| 118 | Factors that differentiate early vs. later onset of major depression disorder. <i>Psychiatry Research</i> , 2004, 129, 127-140.  | 1.7 | 121       |
| 119 | Cognitive factors in Postconcussion Syndrome symptom report. <i>Archives of Clinical Neuropsychology</i> , 2004, 19, 391-405.  | 0.3 | 95        |
| 120 | Development of the Brief Bipolar Disorder Symptom Scale for patients with bipolar disorder. <i>Psychiatry Research</i> , 2004, 127, 137-145.   | 1.7 | 19        |
| 121 | Monitoring Depression Treatment Outcomes With the Patient Health Questionnaire-9. <i>Medical Care</i> , 2004, 42, 1194-1201.   | 1.1 | 1,017     |
| 122 | Who Benefits from More Structured Depression Treatment?. <i>International Journal of Psychiatry in Medicine</i> , 2004, 34, 247-258.   | 0.8 | 16        |
| 123 | Clinical correlates and symptom patterns of anxious depression among patients with major depressive disorder in STAR*D. <i>Psychological Medicine</i> , 2004, 34, 1299-1308.                 | 2.7 | 352       |
| 124 | Quality of Depression Care in a Population-Based Sample of Patients With Diabetes and Major Depression. <i>Medical Care</i> , 2004, 42, 1222-1229.   | 1.1 | 178       |
| 125 | Personality subtyping and bulimia nervosa: psychopathological and genetic correlates. <i>Psychological Medicine</i> , 2005, 35, 649-657.   | 2.7 | 124       |
| 126 | Factors associated with chronic depressive episodes: a preliminary report from the STAR-D project. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 425-433.                               | 2.2 | 157       |
| 127 | Comorbid psychiatric disorders in depressed outpatients: Demographic and clinical features. <i>Journal of Affective Disorders</i> , 2005, 87, 43-55.   | 2.0 | 210       |
| 128 | Improving depression outcomes in older adults with comorbid medical illness. <i>General Hospital Psychiatry</i> , 2005, 27, 4-12.  | 1.2 | 140       |
| 129 | Assessing insomnia severity in depression: comparison of depression rating scales and sleep diaries. <i>Journal of Psychiatric Research</i> , 2005, 39, 481-488.                             | 1.5 | 74        |
| 130 | Vagus nerve stimulation for the treatment of depression. <i>IEEE Engineering in Medicine and Biology Magazine</i> , 2005, 24, 68-72.   | 1.1 | 22        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 131 | Irritable psychomotor elation in depressed inpatients: a factor validation of mixed depression. <i>Journal of Affective Disorders</i> , 2005, 84, 187-196.   | 2.0  | 62        |
| 132 | Impulsivity and compulsivity in bulimia nervosa. <i>International Journal of Eating Disorders</i> , 2005, 38, 244-251.   | 2.1  | 76        |
| 133 | Review of screening instruments for postpartum depression. <i>Archives of Women's Mental Health</i> , 2005, 8, 141-153.  | 1.2  | 301       |
| 134 | Self-Reported Depressive Symptom Measures: Sensitivity to Detecting Change in a Randomized, Controlled Trial of Chronically Depressed, Nonpsychotic Outpatients. <i>Neuropsychopharmacology</i> , 2005, 30, 405-416. | 2.8  | 115       |
| 135 | High Frequency EEG Activity during Sleep: Characteristics in Schizophrenia and Depression. <i>Clinical EEG and Neuroscience</i> , 2005, 36, 25-35.   | 0.9  | 78        |
| 136 | Validity of Sudden Gains in Acute Phase Treatment of Depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2005, 73, 173-182.  | 1.6  | 101       |
| 137 | Multiple measures, methods, and moments: a factor-analytic investigation of change in depressive symptoms during acute-phase cognitive therapy for depression. <i>Psychological Medicine</i> , 2005, 35, 693-704.    | 2.7  | 58        |
| 138 | Management of the Depression-Pain Syndrome. <i>Journal of the American Psychiatric Nurses Association</i> , 2005, 11, 81-87.   | 0.4  | 6         |
| 139 | Characteristics of Insured and Noninsured Outpatients With Depression in STAR*D. <i>Psychiatric Services</i> , 2005, 56, 995-1004.   | 1.1  | 26        |
| 140 | Chronic Depression. <i>Archives of General Psychiatry</i> , 2005, 62, 513.   | 13.8 | 139       |
| 141 | Major Depression and the Use of Electroconvulsive Therapy (ECT) in Lung Transplant Recipients. <i>Psychosomatics</i> , 2005, 46, 244-249.  | 2.5  | 8         |
| 142 | Impact of Comorbid Panic and Posttraumatic Stress Disorder on Outcomes of Collaborative Care for Late-Life Depression in Primary Care. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 48-58.            | 0.6  | 91        |
| 143 | Age-Related Characteristics of Depression: A Preliminary STAR*D Report. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 852-860.   | 0.6  | 52        |
| 144 | Comparison of the Internal State Scale to Clinician-Administered Assessments in Patients with Bipolar Disorder and Alcohol Abuse or Dependence. <i>Journal of Dual Diagnosis</i> , 2005, 1, 61-69.                   | 0.7  | 1         |
| 145 | Newer Prophylactic Agents for Bipolar Disorder and Their Influence on Suicidality. <i>Archives of Suicide Research</i> , 2005, 9, 301-306.   | 1.2  | 18        |
| 146 | Quality improvement methods as applied to a multicenter effectiveness trial of STAR*D. <i>Contemporary Clinical Trials</i> , 2005, 26, 95-112.   | 0.8  | 6         |
| 147 | Mood switch in bipolar depression: comparison of adjunctive venlafaxine, bupropion and sertraline. <i>British Journal of Psychiatry</i> , 2006, 189, 124-131.  | 1.7  | 310       |
| 148 | Monocyte-Derived Dendritic Cells in Bipolar Disorder. <i>Biological Psychiatry</i> , 2006, 59, 317-326.  | 0.7  | 36        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 149 | An Evaluation of the Quick Inventory of Depressive Symptomatology and the Hamilton Rating Scale for Depression: A Sequenced Treatment Alternatives to Relieve Depression Trial Report. <i>Biological Psychiatry</i> , 2006, 59, 493-501. | 0.7  | 344       |
| 150 | Depressive symptom patterns in patients with chronic schizophrenia and subsyndromal depression. <i>Schizophrenia Research</i> , 2006, 86, 226-233.   | 1.1  | 59        |
| 151 | Vagus nerve stimulation in chronic treatment-resistant depression. <i>British Journal of Psychiatry</i> , 2006, 189, 282-283.  | 1.7  | 33        |
| 152 | Design and Rationale for a Randomized, Controlled Trial of Interpersonal Psychotherapy and Citalopram for Depression in Coronary Artery Disease (CREATE). <i>Psychosomatic Medicine</i> , 2006, 68, 87-93.                               | 1.3  | 27        |
| 153 | What Clinical and Symptom Features and Comorbid Disorders Characterize Outpatients with Anxious Major Depressive Disorder: A Replication and Extension. <i>Canadian Journal of Psychiatry</i> , 2006, 51, 823-835.                       | 0.9  | 148       |
| 154 | Assessment and Treatment of Depression in Patients With Cardiovascular Disease: National Heart, Lung, and Blood Institute Working Group Report. <i>Psychosomatic Medicine</i> , 2006, 68, 645-650.                                       | 1.3  | 140       |
| 155 | Escitalopram for Major Depression in Parkinson's Disease: An Open-Label, Flexible-Dosage Study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2006, 18, 377-383.  | 0.9  | 35        |
| 156 | Comparison of Self-Report and Clinician Ratings on Two Inventories of Depressive Symptomatology. <i>Psychiatric Services</i> , 2006, 57, 829-837.  | 1.1  | 106       |
| 157 | Reduced Muscarinic Type 2 Receptor Binding in Subjects With Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2006, 63, 741.   | 13.8 | 106       |
| 158 | Cognitive-behavioral therapy for bipolar disorders in adolescents: a pilot study. <i>Bipolar Disorders</i> , 2006, 8, 508-515.   | 1.1  | 73        |
| 159 | A relative resistance of T cells to dexamethasone in bipolar disorder. <i>Bipolar Disorders</i> , 2006, 8, 740-750.  | 1.1  | 49        |
| 161 | The Long-Term Stability of Early Maladaptive Schemas. <i>Cognitive Therapy and Research</i> , 2006, 30, 515-529.   | 1.2  | 112       |
| 162 | Panic episodes among patients with diabetes. <i>General Hospital Psychiatry</i> , 2006, 28, 475-481.   | 1.2  | 40        |
| 163 | DSM-IV threshold versus subthreshold bulimia nervosa. <i>International Journal of Eating Disorders</i> , 2006, 39, 462-467.  | 2.1  | 85        |
| 164 | Assessment of outcome in depression. <i>Journal of Psychopharmacology</i> , 2006, 20, 47-53.   | 2.0  | 15        |
| 165 | Lower Switch Rate in Depressed Patients With Bipolar II Than Bipolar I Disorder Treated Adjunctively With Second-Generation Antidepressants. <i>American Journal of Psychiatry</i> , 2006, 163, 313-315.                                 | 4.0  | 140       |
| 166 | Screening for depression in a diabetic outpatient population. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007, 11, 268-272.   | 1.2  | 5         |
| 167 | Telephone Screening, Outreach, and Care Management for Depressed Workers and Impact on Clinical and Work Productivity Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2007, 298, 1401.                             | 3.8  | 352       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 168 | Insured and Non-insured Depressed Outpatients: How Do They Compare?. <i>Annals of Clinical Psychiatry</i> , 2007, 19, 73-82.  | 0.6 | 5         |
| 169 | Acceptability of Second-Step Treatments to Depressed Outpatients: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2007, 164, 753-760.  | 4.0 | 68        |
| 170 | Age Difference in Rates of Mental Health/Substance Abuse and Behavioral Care in HIV-Positive Adults. <i>AIDS Patient Care and STDs</i> , 2007, 21, 347-355.   | 1.1 | 37        |
| 171 | Response to Group-Based Cognitive Behavioral Therapy for Older Adults with Bipolar Disorder. <i>Clinical Gerontologist</i> , 2007, 30, 103-110.   | 1.2 | 3         |
| 172 | Changes in cognitive content during and following cognitive therapy for recurrent depression: Substantial and enduring, but not predictive of change in depressive symptoms.. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 432-446. | 1.6 | 57        |
| 173 | Effects of Citalopram and Interpersonal Psychotherapy on Depression in Patients With Coronary Artery Disease. <i>JAMA - Journal of the American Medical Association</i> , 2007, 297, 367.   | 3.8 | 575       |
| 174 | Biased emotional attention in post-traumatic stress disorder: a help as well as a hindrance?. <i>Psychological Medicine</i> , 2007, 37, 1445-1455.  | 2.7 | 75        |
| 175 | A Placebo-Controlled Evaluation of Adjunctive Modafinil in the Treatment of Bipolar Depression. <i>American Journal of Psychiatry</i> , 2007, 164, 1242-1249.   | 4.0 | 224       |
| 176 | The Differential Effect of Instructions on Dysphoric and Nondysphoric Persons. <i>Psychological Record</i> , 2007, 57, 543-554.   | 0.6 | 29        |
| 177 | Reducing relapse and recurrence in unipolar depression: A comparative meta-analysis of cognitive-behavioral therapy's effects.. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 475-488.   | 1.6 | 459       |
| 178 | Comparison of Quality of Life Measures in a Depressed Population. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 219-225.  | 0.5 | 27        |
| 179 | Motor Cortex Excitability After Vagus Nerve Stimulation in Major Depression. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 156-159.   | 0.7 | 15        |
| 180 | Durability of antidepressant response to vagus nerve stimulation (VNS). <i>International Journal of Neuropsychopharmacology</i> , 2007, 10, 817-26.   | 1.0 | 92        |
| 181 | An open trial of cognitive-behavioral treatment for insomnia comorbid with alcohol dependence. <i>Sleep Medicine</i> , 2007, 8, 176-180.  | 0.8 | 83        |
| 182 | A double-blind placebo-controlled pilot study of controlled-release paroxetine on depression and quality of life in chronic heart failure. <i>American Heart Journal</i> , 2007, 153, 868-873.  | 1.2 | 100       |
| 183 | Assessing Physicians' Use of Treatment Algorithms: Project IMPACTS Study Design and Rationale. <i>Contemporary Clinical Trials</i> , 2007, 28, 192-212.   | 0.8 | 19        |
| 184 | Pain in depression: STAR*D study findings. <i>Journal of Psychosomatic Research</i> , 2007, 63, 113-122.  | 1.2 | 73        |
| 185 | Omega-3 fatty acids as treatments for mental illness: which disorder and which fatty acid?. <i>Lipids in Health and Disease</i> , 2007, 6, 21.  | 1.2 | 221       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 186 | The Prevention of Recurrent Episodes of Depression with Venlafaxine for Two Years (PREVENT) Study: Outcomes from the Acute and Continuation Phases. <i>Biological Psychiatry</i> , 2007, 62, 1371-1379.                           | 0.7 | 39        |
| 187 | The Inventory of Depressive Symptomatology: German translation and psychometric validation. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 230-236.  | 1.1 | 40        |
| 188 | Cognitive Behavioral Therapy versus Short Psychodynamic Supportive Psychotherapy in the outpatient treatment of depression: a randomized controlled trial. <i>BMC Psychiatry</i> , 2007, 7, 58.                                   | 1.1 | 29        |
| 189 | An imbalance in the production of IL-1 $\beta$ and IL-6 by monocytes of bipolar patients: restoration by lithium treatment. <i>Bipolar Disorders</i> , 2007, 9, 743-753.  | 1.1 | 128       |
| 190 | A 24-week, randomized, controlled trial of adjunctive sibutramine versus topiramate in the treatment of weight gain in overweight or obese patients with bipolar disorders. <i>Bipolar Disorders</i> , 2007, 9, 426-434.          | 1.1 | 65        |
| 191 | Preadult onset vs. adult onset of major depressive disorder: a replication study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 196-205.   | 2.2 | 62        |
| 192 | Clinical features and correlates of major depressive disorder in individuals with body dysmorphic disorder. <i>Journal of Affective Disorders</i> , 2007, 97, 129-135.  | 2.0 | 59        |
| 193 | P300 is enhanced in responders to vagus nerve stimulation for treatment of major depressive disorder. <i>Journal of Affective Disorders</i> , 2007, 100, 123-128.   | 2.0 | 33        |
| 194 | Clinical factors associated with relapse in primary care patients with chronic or recurrent depression. <i>Journal of Affective Disorders</i> , 2007, 101, 57-63.   | 2.0 | 87        |
| 195 | Family history of mood disorder and characteristics of major depressive disorder: A STAR $\hat{a}$ -D (sequenced treatment alternatives to relieve depression) study. <i>Journal of Psychiatric Research</i> , 2007, 41, 214-221. | 1.5 | 67        |
| 196 | Clinical vs. self-report versions of the quick inventory of depressive symptomatology in a public sector sample. <i>Journal of Psychiatric Research</i> , 2007, 41, 239-246.  | 1.5 | 47        |
| 197 | Electronic source materials in clinical research: Acceptability and validity of symptom self-rating in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2007, 41, 737-743.                                     | 1.5 | 20        |
| 198 | Comparison of HIV Risks among Gay, Lesbian, Bisexual and Heterosexual Homeless Youth. <i>Journal of Youth and Adolescence</i> , 2008, 37, 456-464.  | 1.9 | 119       |
| 199 | Suicidal and death ideation in Parkinson's disease. <i>Movement Disorders</i> , 2008, 23, 1573-1579.  | 2.2 | 106       |
| 200 | Sex differences in the use of coping strategies: predictors of anxiety and depressive symptoms. <i>Depression and Anxiety</i> , 2008, 25, 839-846.  | 2.0 | 188       |
| 201 | Interplay between childhood maltreatment, parental bonding, and gender effects: Impact on quality of life. <i>Child Abuse and Neglect</i> , 2008, 32, 19-34.  | 1.3 | 75        |
| 202 | Chronic forms of major depression are still undertreated in the 21st century: Systematic assessment of 801 patients presenting for treatment. <i>Journal of Affective Disorders</i> , 2008, 110, 55-61.                           | 2.0 | 68        |
| 203 | How much cognitive therapy, for which patients, will prevent depressive relapse?. <i>Journal of Affective Disorders</i> , 2008, 111, 185-192.   | 2.0 | 30        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 204 | Managing the Patient with Co-Morbid Depression and an Anxiety Disorder. <i>Drugs</i> , 2008, 68, 1621-1634.  | 4.9 | 40        |
| 205 | Approved and Investigational Uses of Modafinil. <i>Drugs</i> , 2008, 68, 1803-1839.  | 4.9 | 377       |
| 206 | Sex differences in emotional and physiological responses to the Trier Social Stress Test. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2008, 39, 87-98.  | 0.6 | 258       |
| 207 | Occupational functioning and impairment in adults with body dysmorphic disorder. <i>Comprehensive Psychiatry</i> , 2008, 49, 561-569.  | 1.5 | 48        |
| 208 | Outcomes in major depressive disorder: The evolving concept of remission and its implications for treatment. <i>World Journal of Biological Psychiatry</i> , 2008, 9, 102-114.   | 1.3 | 95        |
| 209 | Childhood Parental Loss and Adult Psychopathology: Effects of Loss Characteristics and Contextual Factors. <i>International Journal of Psychiatry in Medicine</i> , 2008, 38, 329-344.   | 0.8 | 58        |
| 210 | Temperament in Child Offspring of Parents with Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008, 18, 589-593.  | 0.7 | 19        |
| 211 | Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. <i>Focus (American Psychiatric Publishing)</i> , 2008, 6, 104-119.   | 0.4 | 2         |
| 213 | Relaxation for depression. <i>The Cochrane Library</i> , 2008, , CD007142.   | 1.5 | 95        |
| 214 | Augmentation of Antidepressants with Atypical Antipsychotics: A Review of the Current Literature. <i>Journal of Psychiatric Practice</i> , 2008, 14, 34-44.  | 0.3 | 54        |
| 215 | Making the Business Case for Enhanced Depression Care: The National Institute of Mental Health-Harvard Work Outcomes Research and Cost-Effectiveness Study. <i>Journal of Occupational and Environmental Medicine</i> , 2008, 50, 468-475. | 0.9 | 36        |
| 216 | The Efficacy of Self-Help Group Treatment and Therapist-Led Group Treatment for Binge Eating Disorder. <i>American Journal of Psychiatry</i> , 2009, 166, 1347-1354.   | 4.0 | 82        |
| 217 | Sex differences in response to citalopram: A STAR*D report. <i>Journal of Psychiatric Research</i> , 2009, 43, 503-511.  | 1.5 | 164       |
| 218 | Low serum IL-10 concentrations and loss of regulatory association between IL-6 and IL-10 in adults with major depression. <i>Journal of Psychiatric Research</i> , 2009, 43, 962-969.  | 1.5 | 171       |
| 219 | Concordance of self-rated and observer-rated dysphoric symptoms in mania. <i>Journal of Affective Disorders</i> , 2009, 114, 294-298.  | 2.0 | 13        |
| 220 | Lamotrigine in bipolar disorder: Results of a mirror-image evaluation using the NIMH Lifechart-Methodology. <i>Journal of Affective Disorders</i> , 2009, 115, 241-245.  | 2.0 | 9         |
| 221 | Cognitive therapy for depressed adults with comorbid social phobia. <i>Journal of Affective Disorders</i> , 2009, 114, 271-278.  | 2.0 | 27        |
| 222 | Affective lability and impulsivity in a clinical sample of women with bulimia nervosa: The role of affect in severely dysregulated behavior. <i>International Journal of Eating Disorders</i> , 2009, 42, 259-266.                         | 2.1 | 73        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 223 | A psychometric evaluation of the clinician-rated Quick Inventory of Depressive Symptomatology (QIDS-C <sub>16</sub> ) in patients with bipolar disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 138-146. | 1.1 | 18        |
| 224 | Preliminary results of a fine-grain analysis of mood swings and treatment modalities of bipolar I and II patients using the daily prospective life-chart methodology. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 474-480.             | 2.2 | 15        |
| 225 | Hot and cold cognition in unmedicated depressed subjects with bipolar disorder. <i>Bipolar Disorders</i> , 2009, 11, 178-189.   | 1.1 | 89        |
| 226 | Comparison of Family Therapy Outcome With Alcohol-Abusing, Runaway Adolescents. <i>Journal of Marital and Family Therapy</i> , 2009, 35, 255-277.   | 0.6 | 93        |
| 227 | The importance of functional impairment to mental health outcomes: A case for reassessing our goals in depression treatment research. <i>Clinical Psychology Review</i> , 2009, 29, 243-259.  | 6.0 | 286       |
| 228 | Concurrent anxiety and substance use disorders among outpatients with major depression: Clinical features and effect on treatment outcome. <i>Drug and Alcohol Dependence</i> , 2009, 99, 248-260.  | 1.6 | 124       |
| 229 | Clinical issues in considering vagus nerve stimulation for treatment-resistant depression. <i>Experimental Neurology</i> , 2009, 219, 36-43.  | 2.0 | 49        |
| 230 | Mild cognitive impairment is common in Parkinson's disease patients with normal Mini-Mental State Examination (MMSE) scores. <i>Parkinsonism and Related Disorders</i> , 2009, 15, 226-231.   | 1.1 | 163       |
| 231 | Use of Latent Variable Modeling to Delineate Psychiatric and Cognitive Profiles in Parkinson Disease. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 986-995.  | 0.6 | 23        |
| 232 | Screening for Maternal Depression in the Neonatal ICU. <i>Clinics in Perinatology</i> , 2009, 36, 137-152.  | 0.8 | 43        |
| 233 | Predictors of Attrition During One Year of Depression Treatment: A Roadmap to Personalized Intervention. <i>Journal of Psychiatric Practice</i> , 2009, 15, 113-124.  | 0.3 | 25        |
| 234 | Empirical Identification and Validation of Eating Disorder Phenotypes in a Multisite Clinical Sample. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 41-49.  | 0.5 | 49        |
| 235 | Do atypical features affect outcome in depressed outpatients treated with citalopram?. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 15.  | 1.0 | 50        |
| 236 | A Comparison of the QIDS-C <sub>16</sub> , QIDS-SR <sub>16</sub> , and the MADRS in an Adult Outpatient Clinical Sample. <i>CNS Spectrums</i> , 2010, 15, 458-468.  | 0.7 | 30        |
| 237 | Development and psychometric evaluation of the Yale-Brown Obsessive-Compulsive Scale-Second Edition.. <i>Psychological Assessment</i> , 2010, 22, 223-232.  | 1.2 | 178       |
| 238 | Trait and state dependent functional impairments in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2010, 184, 135-142.   | 0.9 | 43        |
| 239 | Effectiveness of adjuvant occupational therapy in employees with depression: design of a randomized controlled trial. <i>BMC Public Health</i> , 2010, 10, 558.   | 1.2 | 31        |
| 240 | Using the QIDS-SR16 to Identify Major Depressive Disorder in Primary Care Medical Patients. <i>Behavior Therapy</i> , 2010, 41, 423-431.  | 1.3 | 44        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 241 | The impact of diabetes on depression treatment outcomes. <i>General Hospital Psychiatry</i> , 2010, 32, 33-41.   | 1.2  | 26        |
| 242 | Which depressive symptoms remain after response to cognitive therapy of depression and predict relapse and recurrence?. <i>Journal of Affective Disorders</i> , 2010, 123, 181-187.  | 2.0  | 81        |
| 243 | Subthreshold depression based on functional impairment better defined by symptom severity than by number of DSM-IV symptoms. <i>Journal of Affective Disorders</i> , 2010, 123, 230-237.   | 2.0  | 57        |
| 244 | The structure and dimensionality of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in patients with depressive disorders and healthy controls. <i>Journal of Affective Disorders</i> , 2010, 125, 146-154.                                  | 2.0  | 68        |
| 245 | Explaining heterogeneity in disability associated with current major depressive disorder: Effects of illness characteristics and comorbid mental disorders. <i>Journal of Affective Disorders</i> , 2010, 127, 203-210.                                      | 2.0  | 19        |
| 246 | Major depression: the importance of clinical characteristics and treatment response to prognosis. <i>Depression and Anxiety</i> , 2010, 27, 19-26.   | 2.0  | 79        |
| 247 | Reduced electrocortical response to threatening faces in major depressive disorder. <i>Depression and Anxiety</i> , 2010, 27, 813-820.   | 2.0  | 151       |
| 248 | The study protocol of the Norwegian randomized controlled trial of electroconvulsive therapy in treatment resistant depression in bipolar disorder. <i>BMC Psychiatry</i> , 2010, 10, 16.  | 1.1  | 23        |
| 249 | Validation of the Norwegian version of the Social Functioning Scale (SFS) for schizophrenia and bipolar disorder. <i>Scandinavian Journal of Psychology</i> , 2010, 51, 525-533.   | 0.8  | 43        |
| 250 | Regional Brain Volume in Depression and Anxiety Disorders. <i>Archives of General Psychiatry</i> , 2010, 67, 1002.   | 13.8 | 330       |
| 251 | Subsyndromal Mood Symptoms: A Useful Concept for Maintenance Studies of Bipolar Disorder?. <i>Psychopathology</i> , 2010, 43, 1-7.   | 1.1  | 32        |
| 252 | Effects of pharmacotherapy and psychotherapy in depressed primary-care patients: a randomized, controlled trial including a patients' choice arm. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 31.                                    | 1.0  | 93        |
| 253 | Self-Report of Depressive Symptoms in African American and White Women in Primary Care. <i>Journal of the National Medical Association</i> , 2010, 102, 389-395.   | 0.6  | 5         |
| 254 | Gender and Depressive Symptoms in 711 Patients With Bipolar Disorder Evaluated Prospectively in the Stanley Foundation Bipolar Treatment Outcome Network. <i>American Journal of Psychiatry</i> , 2010, 167, 708-715.  | 4.0  | 103       |
| 255 | The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Update 2010 on the treatment of acute bipolar depression. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 81-109. | 1.3  | 322       |
| 256 | Psychometric properties of the Chinese version of Inventory for Depressive Symptomatology (IDS): Preliminary findings. <i>Asian Journal of Psychiatry</i> , 2010, 3, 126-129.  | 0.9  | 7         |
| 258 | Moderators of continuation phase cognitive therapy's effects on relapse, recurrence, remission, and recovery from depression. <i>Behaviour Research and Therapy</i> , 2010, 48, 449-458.   | 1.6  | 30        |
| 259 | Child abuse and negative explicit and automatic self-associations: The cognitive scars of emotional maltreatment. <i>Behaviour Research and Therapy</i> , 2010, 48, 486-494.   | 1.6  | 138       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 260 | Comparative efficacy and durability of continuation phase cognitive therapy for preventing recurrent depression: Design of a double-blinded, fluoxetine- and pill placebo-controlled, randomized trial with 2-year follow-up. <i>Contemporary Clinical Trials</i> , 2010, 31, 355-377. | 0.8 | 48        |
| 261 | Treatment of atypical depression: Post-hoc analysis of a randomized controlled study testing the efficacy of sertraline and cognitive behavioural therapy in mildly depressed outpatients. <i>European Psychiatry</i> , 2010, 25, 491-498.   | 0.1 | 12        |
| 262 | Defining and Measuring Functional Recovery from Depression. <i>CNS Drugs</i> , 2010, 24, 267-284.  | 2.7 | 163       |
| 263 | Review of major measuring instruments in comorbid depression and coronary heart disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 905-912.  | 2.5 | 9         |
| 264 | Study healthy ageing and intellectual disabilities: Recruitment and design. <i>Research in Developmental Disabilities</i> , 2011, 32, 1097-1106.   | 1.2 | 84        |
| 265 | Mood and Anxiety in the Medically Ill. <i>Advances in Psychosomatic Medicine</i> , 2011, 32, 118-132.  | 2.2 | 8         |
| 266 | Psychiatric history and subthreshold symptoms as predictors of the occurrence of depressive or anxiety disorder within 2 years. <i>British Journal of Psychiatry</i> , 2011, 198, 206-212.   | 1.7 | 122       |
| 267 | A randomized, placebo-controlled study of adjunctive ramelteon in ambulatory bipolar I disorder with manic symptoms and sleep disturbance. <i>International Clinical Psychopharmacology</i> , 2011, 26, 48-53.   | 0.9 | 61        |
| 268 | A Primary Care Focus on the Diagnosis and Treatment of Major Depressive Disorder in Adults. <i>Journal of Psychiatric Practice</i> , 2011, 17, 340-350.  | 0.3 | 13        |
| 269 | Implementing Interpersonal and Social Rhythm Therapy for Mood Disorders Across a Continuum of Care. <i>Psychiatric Services</i> , 2011, 62, 1377-1380.   | 1.1 | 24        |
| 270 | The Relationship Between Adverse Events During Selective Serotonin Reuptake Inhibitor Treatment for Major Depressive Disorder and Nonremission in the Suicide Assessment Methodology Study. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 31-38.                           | 0.7 | 15        |
| 271 | Psychometric considerations of depression symptom rating scales. <i>Neuropsychiatry</i> , 2011, 1, 611-623.  | 0.4 | 7         |
| 272 | Clinical and Pharmacologic Perspectives on the Treatment of Major Depressive Disorder. <i>CNS Spectrums</i> , 2011, 16, 191-203.   | 0.7 | 5         |
| 273 | Pharmacologic treatment of depression in multiple sclerosis. <i>The Cochrane Library</i> , 2011, , CD007295.   | 1.5 | 53        |
| 274 | A Primary Care Focus on the Treatment of Patients With Major Depressive Disorder. <i>American Journal of the Medical Sciences</i> , 2011, 342, 324-330.  | 0.4 | 23        |
| 275 | Is a patient-administered depression rating scale valid for detecting cognitive deficits in patients with major depressive disorder?. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 70-76.  | 1.0 | 10        |
| 276 | Comparing venlafaxine extended release and fluoxetine for preventing the recurrence of major depression: Results from the PREVENT study. <i>Journal of Psychiatric Research</i> , 2011, 45, 412-420.   | 1.5 | 22        |
| 277 | Explaining heterogeneity in disability with major depressive disorder: Effects of personal and environmental characteristics. <i>Journal of Affective Disorders</i> , 2011, 132, 71-81.  | 2.0 | 27        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 278 | Factor structure and dimensionality of the two depression scales in STAR*D using level 1 datasets. <i>Journal of Affective Disorders</i> , 2011, 132, 396-400.   | 2.0 | 45        |
| 279 | Do GPs' medical records demonstrate a good recognition of depression? A new perspective on case extraction. <i>Journal of Affective Disorders</i> , 2011, 133, 522-527.  | 2.0 | 56        |
| 280 | Fronto-extracerebral transcranial direct current stimulation as a treatment for major depression: An open-label pilot study. <i>Journal of Affective Disorders</i> , 2011, 134, 459-463.   | 2.0 | 94        |
| 281 | Development and validation of a patient-report measure of fatigue associated with depression. <i>Journal of Affective Disorders</i> , 2011, 134, 294-303.  | 2.0 | 19        |
| 282 | The Inventory of Depressive Symptomatology (IDS-C28) is more sensitive to changes in depressive symptomatology than the Hamilton Depression Rating Scale (HAM-D17) in patients with mild major, minor or subsyndromal depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 357-367. | 1.8 | 19        |
| 283 | Feasibility of Dissemination of Cognitive Behavioral Therapy to Texas Community Mental Health Centers. <i>Journal of Behavioral Health Services and Research</i> , 2011, 38, 91-104.   | 0.6 | 14        |
| 284 | Measurement-Based Care for Unipolar Depression. <i>Current Psychiatry Reports</i> , 2011, 13, 446-458.   | 2.1 | 30        |
| 285 | Psychometric properties of the IDS-SR30 for the assessment of depressive symptoms in spanish population. <i>BMC Medical Research Methodology</i> , 2011, 11, 131.  | 1.4 | 10        |
| 286 | Comorbid mental disorders in substance users from a single catchment area - a clinical study. <i>BMC Psychiatry</i> , 2011, 11, 25.  | 1.1 | 51        |
| 287 | Personality, Life Events and the Course of Anxiety and Depression. <i>European Journal of Personality</i> , 2011, 25, 443-452.   | 1.9 | 70        |
| 288 | Olfactory dysfunction is associated with neuropsychiatric manifestations in Parkinson's disease. <i>Movement Disorders</i> , 2011, 26, 2051-2057.  | 2.2 | 67        |
| 289 | Assessing anxious features in depressed outpatients. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, e69-82.   | 1.1 | 16        |
| 290 | The inter-rater reliability of the Japanese version of the Inventory of Depressive Symptomatology, Clinician version. <i>Human Psychopharmacology</i> , 2011, 26, n/a-n/a.   | 0.7 | 0         |
| 291 | Skills of Cognitive Therapy (SoCT): A new measure of patients' comprehension and use.. <i>Psychological Assessment</i> , 2011, 23, 578-586.  | 1.2 | 70        |
| 292 | Shame, guilt, and depressive symptoms: A meta-analytic review.. <i>Psychological Bulletin</i> , 2011, 137, 68-96.  | 5.5 | 550       |
| 293 | Does Pain Improve Earlier than Mood in Depressed Patients with Painful Physical Symptoms Treated with Duloxetine?. <i>Pharmacopsychiatry</i> , 2012, 45, 114-118.  | 1.7 | 15        |
| 294 | A comparison of nine scales to detect depression in Parkinson disease. <i>Neurology</i> , 2012, 78, 998-1006.  | 1.5 | 118       |
| 295 | Are antidepressants useful in the treatment of minor depression. <i>Current Opinion in Psychiatry</i> , 2012, 25, 1-6.   | 3.1 | 18        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 296 | Piccolo genotype modulates neural correlates of emotion processing but not executive functioning. <i>Translational Psychiatry</i> , 2012, 2, e99-e99.  | 2.4 | 41        |
| 297 | Outcomes of Acute Phase Cognitive Therapy in Outpatients with Anxious versus Nonanxious Depression. <i>Psychotherapy and Psychosomatics</i> , 2012, 81, 153-160.   | 4.0 | 27        |
| 298 | Course trajectories of unipolar depressive disorders identified by latent class growth analysis. <i>Psychological Medicine</i> , 2012, 42, 1383-1396.  | 2.7 | 74        |
| 299 | Lack of Data on Depression-like States and Antidepressant Pharmacotherapy in Patients with Epilepsy: Randomised Controlled Trials are Badly Needed. <i>Current Pharmaceutical Design</i> , 2012, 18, 5828-5836.  | 0.9 | 4         |
| 300 | Moderators of the synchrony of change between decreasing depression severity and disability. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 175-185.   | 2.2 | 7         |
| 301 | The subscale structure of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in older persons. <i>Journal of Psychiatric Research</i> , 2012, 46, 1383-1388.  | 1.5 | 36        |
| 302 | Psychometric properties of the dutch version of the core measure of melancholia. <i>Journal of Affective Disorders</i> , 2012, 142, 343-346.   | 2.0 | 10        |
| 303 | Efficacy, safety, and tolerability of a triple reuptake inhibitor GSK372475 in the treatment of patients with major depressive disorder: two randomized, placebo- and active-controlled clinical trials. <i>Journal of Psychopharmacology</i> , 2012, 26, 653-662.                 | 2.0 | 19        |
| 304 | Major depressive disorder severity and the frequency of painful physical symptoms: a pooled analysis of observational studies. <i>Current Medical Research and Opinion</i> , 2012, 28, 1891-1897.  | 0.9 | 13        |
| 305 | Childhood sexual abuse is associated with cortisol awakening response over pregnancy: Preliminary findings. <i>Psychoneuroendocrinology</i> , 2012, 37, 1425-1430.   | 1.3 | 76        |
| 306 | Feasibility, reliability and validity of the Dutch translation of the Anxiety, Depression And Mood Scale in older adults with intellectual disabilities. <i>Research in Developmental Disabilities</i> , 2012, 33, 315-323.  | 1.2 | 30        |
| 307 | Frequency and outcomes of painful physical symptoms in a naturalistic population with major depressive disorder: an analysis of pooled observational studies focusing on subjects aged 65 years and over. <i>International Journal of Clinical Practice</i> , 2012, 66, 1158-1167. | 0.8 | 4         |
| 308 | Functional Magnetic Resonance Imaging Correlates of Emotional Word Encoding and Recognition in Depression and Anxiety Disorders. <i>Biological Psychiatry</i> , 2012, 71, 593-602.   | 0.7 | 84        |
| 309 | Preventing mood and anxiety disorders in youth: a multi-centre RCT in the high risk offspring of depressed and anxious patients. <i>BMC Psychiatry</i> , 2012, 12, 31.   | 1.1 | 15        |
| 310 | Diabetes MILES – The Netherlands: rationale, design and sample characteristics of a national survey examining the psychosocial aspects of living with diabetes in Dutch adults. <i>BMC Public Health</i> , 2012, 12, 925.  | 1.2 | 28        |
| 311 | Data-driven subtypes of major depressive disorder: a systematic review. <i>BMC Medicine</i> , 2012, 10, 156.   | 2.3 | 229       |
| 312 | Medical writing for CNS indications. , 0, , 156-168.   |     | 0         |
| 313 | Psychosis in Parkinson's disease without dementia: Common and comorbid with other non-motor symptoms. <i>Movement Disorders</i> , 2012, 27, 858-863.   | 2.2 | 109       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 314 | Sensitivity to changes during antidepressant treatment: a comparison of unidimensional subscales of the Inventory of Depressive Symptomatology (IDS-C) and the Hamilton Depression Rating Scale (HAMD) in patients with mild major, minor or subsyndromal depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 291-304. | 1.8 | 26        |
| 315 | Resting leukocyte telomerase activity is elevated in major depression and predicts treatment response. <i>Molecular Psychiatry</i> , 2012, 17, 164-172.  | 4.1 | 112       |
| 316 | Choosing Assessment Instruments for Depression Outcome Research With School-Age Youth. <i>Journal of Counseling and Development</i> , 2012, 90, 208-220.   | 1.3 | 10        |
| 317 | Life events and their associations with depression and anxiety in older people with intellectual disabilities: Results of the HA-ID study. <i>Journal of Affective Disorders</i> , 2012, 138, 79-85.   | 2.0 | 35        |
| 318 | Determinants of (non-)recognition of depression by general practitioners: Results of the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2012, 138, 397-404.  | 2.0 | 30        |
| 319 | The predictive validity of atypical neurovegetative depressive symptoms identified by the first principal component in the DUAG trial of moclobemide versus clomipramine. <i>Journal of Affective Disorders</i> , 2012, 140, 253-259.  | 2.0 | 6         |
| 320 | Chronotype and diurnal patterns of positive affect and affective neural circuitry in primary insomnia. <i>Journal of Sleep Research</i> , 2012, 21, 515-526.   | 1.7 | 64        |
| 321 | The state effect of depressive and anxiety disorders on big five personality traits. <i>Journal of Psychiatric Research</i> , 2012, 46, 644-650.   | 1.5 | 122       |
| 322 | Neurocognitive functioning in patients recently diagnosed with bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 227-238.   | 1.1 | 76        |
| 323 | Duloxetine in the treatment of binge eating disorder with depressive disorders: A placebo-controlled trial. <i>International Journal of Eating Disorders</i> , 2012, 45, 281-289.  | 2.1 | 65        |
| 324 | Decision-making Impairments in Women with Binge Eating Disorder in Comparison with Obese and Normal Weight Women. <i>European Eating Disorders Review</i> , 2012, 20, e56-62.  | 2.3 | 97        |
| 325 | Towards automated detection of depression from brain structural magnetic resonance images. <i>Neuroradiology</i> , 2013, 55, 567-584.  | 1.1 | 17        |
| 326 | The Fatigue Associated with Depression Questionnaire (FAsD): responsiveness and responder definition. <i>Quality of Life Research</i> , 2013, 22, 351-360.   | 1.5 | 12        |
| 327 | Examining duration of binge eating episodes in binge eating disorder. <i>International Journal of Eating Disorders</i> , 2013, 46, 810-814.  | 2.1 | 18        |
| 328 | HIV-infected mental health patients: characteristics and comparison with HIV-infected patients from the general population and non-infected mental health patients. <i>BMC Psychiatry</i> , 2013, 13, 35.  | 1.1 | 50        |
| 329 | Regional homogeneity and resting state functional connectivity: Associations with exposure to early life stress. <i>Psychiatry Research - Neuroimaging</i> , 2013, 214, 247-253.   | 0.9 | 46        |
| 330 | A comparative analysis between site-based and centralized ratings and patient self-ratings in a clinical trial of Major Depressive Disorder. <i>Journal of Psychiatric Research</i> , 2013, 47, 944-954.   | 1.5 | 24        |
| 331 | Predicting group cognitive-behavioral therapy outcome of binge eating disorder using empirical classification. <i>Behaviour Research and Therapy</i> , 2013, 51, 526-532.  | 1.6 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 332 | Lamotrigine Dosing for Pregnant Patients With Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2013, 170, 1240-1247.  | 4.0 | 154       |
| 333 | The Efficacy of Cognitive-Behavioral Therapy and Psychodynamic Therapy in the Outpatient Treatment of Major Depression: A Randomized Clinical Trial. <i>American Journal of Psychiatry</i> , 2013, 170, 1041-1050.                         | 4.0 | 198       |
| 334 | Aberrant limbic and salience network resting-state functional connectivity in panic disorder without comorbidity. <i>Journal of Affective Disorders</i> , 2013, 145, 29-35.  | 2.0 | 92        |
| 335 | Efficacy of vitamin D supplementation in depression in adults: a systematic review protocol. <i>Systematic Reviews</i> , 2013, 2, 64.  | 2.5 | 15        |
| 336 | Impaired glucose regulation is associated with poorer performance on the Stroop Task. <i>Physiology and Behavior</i> , 2013, 122, 113-119.   | 1.0 | 18        |
| 337 | Maternal history of child abuse moderates the association between daily stress and diurnal cortisol in pregnancy: a pilot study. <i>Stress</i> , 2013, 16, 706-710.  | 0.8 | 29        |
| 338 | Subjective and objective binge eating in relation to eating disorder symptomatology, negative affect, and personality dimensions. <i>International Journal of Eating Disorders</i> , 2013, 46, 66-76.                                      | 2.1 | 51        |
| 339 | Prevalence of depression and anxiety in older users of formal Dutch intellectual disability services. <i>Journal of Affective Disorders</i> , 2013, 144, 94-100.   | 2.0 | 58        |
| 340 | Examining determinants of early and late age at onset in panic disorder: An admixture analysis. <i>Journal of Psychiatric Research</i> , 2013, 47, 1870-1875.  | 1.5 | 25        |
| 341 | Reference values for major depression questionnaires: The Leiden Routine Outcome Monitoring Study. <i>Journal of Affective Disorders</i> , 2013, 149, 342-349.   | 2.0 | 49        |
| 342 | Treatment inadequacy in primary and specialized care patients with depressive and/or anxiety disorders. <i>Psychiatry Research</i> , 2013, 210, 594-600.   | 1.7 | 27        |
| 343 | Comparison of objective and subjective assessments of sleep time in subjects with bipolar disorder. <i>Journal of Affective Disorders</i> , 2013, 149, 363-366.  | 2.0 | 37        |
| 344 | Dissociable roles of ventromedial prefrontal cortex (vmPFC) and rostral anterior cingulate cortex (rACC) in value representation and optimistic bias. <i>NeuroImage</i> , 2013, 78, 103-110.   | 2.1 | 53        |
| 345 | Fluoxetine increases suicide ideation less than placebo during treatment of adults with minor depressive disorder. <i>Journal of Psychiatric Research</i> , 2013, 47, 1199-1203.   | 1.5 | 11        |
| 346 | Whole-brain functional connectivity during emotional word classification in medication-free Major Depressive Disorder: Abnormal salience circuitry and relations to positive emotionality. <i>NeuroImage: Clinical</i> , 2013, 2, 790-796. | 1.4 | 30        |
| 347 | Assessing depression in obese women: An examination of two commonly-used measures. <i>Journal of Psychosomatic Research</i> , 2013, 75, 425-430.   | 1.2 | 5         |
| 348 | Startle response to unpredictable threat in comorbid panic disorder and alcohol dependence. <i>Drug and Alcohol Dependence</i> , 2013, 132, 216-222.   | 1.6 | 42        |
| 349 | Social functioning in first contact mania: Clinical and neurocognitive correlates. <i>Comprehensive Psychiatry</i> , 2013, 54, 432-438.  | 1.5 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 350 | Dysregulated diurnal cortisol pattern is associated with glucocorticoid resistance in women with major depressive disorder. <i>Biological Psychology</i> , 2013, 93, 150-158.   | 1.1 | 109       |
| 351 | Fast versus slow onset of depressive episodes: A clinical criterion for subtyping patients with major depression. <i>European Psychiatry</i> , 2013, 28, 288-292.   | 0.1 | 5         |
| 352 | Anxiety and Depression Are Associated With Migraine and Pain in General: An Investigation of the Interrelationships. <i>Journal of Pain</i> , 2013, 14, 363-370.  | 0.7 | 81        |
| 353 | Eating disorder and obsessive-compulsive symptoms in a sample of bulimic women: Perfectionism as a mediating factor. <i>Personality and Individual Differences</i> , 2013, 54, 231-235.   | 1.6 | 12        |
| 354 | Do Menopausal Status and Use of Hormone Therapy Affect Antidepressant Treatment Response? Findings from the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) Study. <i>Journal of Women's Health</i> , 2013, 22, 121-131.    | 1.5 | 34        |
| 355 | Factors associated with depression and anxiety in older adults with intellectual disabilities: results of the healthy ageing and intellectual disabilities study. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 691-699. | 1.3 | 30        |
| 356 | Use of adjunctive stimulants in adult bipolar depression. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 55-68.  | 1.0 | 26        |
| 357 | Adjunctive Atypical Antipsychotic Treatment for Major Depressive Disorder: A Meta-Analysis of Depression, Quality of Life, and Safety Outcomes. <i>PLoS Medicine</i> , 2013, 10, e1001403.  | 3.9 | 211       |
| 358 | Cued Panic Attacks in Body Dysmorphic Disorder. <i>Journal of Psychiatric Practice</i> , 2013, 19, 194-203.   | 0.3 | 9         |
| 359 | Cognitive control of attention is differentially affected in trauma-exposed individuals with and without post-traumatic stress disorder. <i>Psychological Medicine</i> , 2013, 43, 85-95.   | 2.7 | 79        |
| 360 | COURSE AND RISK FACTORS OF FUNCTIONAL IMPAIRMENT IN SUBTHRESHOLD DEPRESSION AND ANXIETY. <i>Depression and Anxiety</i> , 2013, 30, 386-394.   | 2.0 | 53        |
| 361 | The Amsterdam Resting-State Questionnaire reveals multiple phenotypes of resting-state cognition. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 446.  | 1.0 | 130       |
| 362 | Maintenance Use of Antidepressants in Dutch General Practice: Non-Guideline Concordant. <i>PLoS ONE</i> , 2014, 9, e97463.  | 1.1 | 18        |
| 363 | The Scars of Childhood Adversity: Minor Stress Sensitivity and Depressive Symptoms in Remitted Recurrently Depressed Adult Patients. <i>PLoS ONE</i> , 2014, 9, e111711.  | 1.1 | 8         |
| 364 | SHAPS-C: the Snaith-Hamilton pleasure scale modified for clinician administration. <i>PeerJ</i> , 2014, 2, e429.  | 0.9 | 31        |
| 365 | The Dark-Side of Rule Governed Behavior. <i>Behavior Modification</i> , 2014, 38, 587-613.  | 1.1 | 39        |
| 366 | Genome-wide analyses of borderline personality features. <i>Molecular Psychiatry</i> , 2014, 19, 923-929.   | 4.1 | 55        |
| 367 | Childhood Trauma Questionnaire: Factor structure, measurement invariance, and validity across emotional disorders. <i>Psychological Assessment</i> , 2014, 26, 717-729.   | 1.2 | 158       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 368 | Long-Term Neuropsychological Safety of Subgenual Cingulate Gyrus Deep Brain Stimulation for Treatment-Resistant Depression. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2014, 26, 126-133.                                      | 0.9 | 24        |
| 369 | Differential diagnosis of bipolar disorder and major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 169, S12-S16.  | 2.0 | 153       |
| 370 | Use of High-Resolution Volumetric MR Spectroscopic Imaging in Assessing Treatment Response of Glioblastoma to an HDAC Inhibitor. <i>American Journal of Roentgenology</i> , 2014, 203, W158-W165.  | 1.0 | 13        |
| 371 | Current landscape, unmet needs, and future directions for treatment of bipolar depression. <i>Journal of Affective Disorders</i> , 2014, 169, S17-S23.   | 2.0 | 29        |
| 372 | Comparison of Physician-Rating and Self-Rating Scales for Patients With Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 716-721.  | 0.7 | 13        |
| 373 | An examination of generalized anxiety disorder and dysthymic disorder by latent class analysis. <i>Psychological Medicine</i> , 2014, 44, 1701-1712.   | 2.7 | 13        |
| 374 | Does Duloxetine Improve Cognitive Function Independently of Its Antidepressant Effect in Patients with Major Depressive Disorder and Subjective Reports of Cognitive Dysfunction?. <i>Depression Research and Treatment</i> , 2014, 2014, 1-13.    | 0.7 | 43        |
| 375 | Guide to Assessment Scales in Major Depressive Disorder. , 2014, , .   |     | 2         |
| 376 | Patient Assessment in Insomnia. , 2014, , 29-36.   |     | 0         |
| 377 | Test-Retest Stability of the Onset of Depression Inventory. <i>Psychopathology</i> , 2014, 47, 45-50.  | 1.1 | 4         |
| 378 | Physical frailty: vulnerability of patients suffering from late-life depression. <i>Aging and Mental Health</i> , 2014, 18, 570-578.   | 1.5 | 76        |
| 379 | Brief, unidimensional melancholia rating scales are highly sensitive to the effect of citalopram and may have biological validity: Implications for the Research Domain Criteria (RDoC). <i>Journal of Affective Disorders</i> , 2014, 163, 18-24. | 2.0 | 36        |
| 380 | Relationship between clinical features and inflammation-related monocyte gene expression in bipolar disorder – towards a better understanding of psychoimmunological interactions. <i>Bipolar Disorders</i> , 2014, 16, 137-150.                   | 1.1 | 45        |
| 381 | Frontal alpha EEG asymmetry before and after behavioral activation treatment for depression. <i>Biological Psychology</i> , 2014, 99, 198-208.   | 1.1 | 114       |
| 382 | The effects of childhood sexual abuse on cortisol trajectories in pregnancy are moderated by current family functioning. <i>Biological Psychology</i> , 2014, 103, 152-157.  | 1.1 | 36        |
| 383 | Curcumin for the treatment of major depression: A randomised, double-blind, placebo controlled study. <i>Journal of Affective Disorders</i> , 2014, 167, 368-375.  | 2.0 | 146       |
| 384 | Resting-state functional connectivity in women with Major Depressive Disorder. <i>Journal of Psychiatric Research</i> , 2014, 59, 38-44.   | 1.5 | 24        |
| 385 | The addition of STEPPS in the treatment of patients with bipolar disorder and comorbid borderline personality features: a protocol for a randomized controlled trial. <i>BMC Psychiatry</i> , 2014, 14, 172.                                       | 1.1 | 17        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 386 | Establishing the bidirectional relationship between depression and subclinical arteriosclerosis â€“ rationale, design, and characteristics of the BiDirect Study. <i>BMC Psychiatry</i> , 2014, 14, 174.                                   | 1.1  | 64        |
| 387 | Saving time and money: a validation of the self ratings on the prospective NIMH life-chart method (NIMH-LCM). <i>BMC Psychiatry</i> , 2014, 14, 130.   | 1.1  | 20        |
| 388 | Lipids in health and disease. <i>Nature</i> , 2014, 510, 47-47.  | 13.7 | 24        |
| 389 | A Randomized Controlled Trial of Intranasal Ketamine in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2014, 76, 970-976.   | 0.7  | 369       |
| 390 | Gender differences in major depressive disorder: Results from the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2014, 156, 156-163.   | 2.0  | 208       |
| 391 | Early life stress impacts dorsolateral prefrontal cortex functional connectivity in healthy adults: Informing future studies of antidepressant treatments. <i>Journal of Psychiatric Research</i> , 2014, 52, 63-69.                       | 1.5  | 28        |
| 392 | Anger Is a Distinctive Feature of Epilepsy Patients with Depression. <i>Tohoku Journal of Experimental Medicine</i> , 2014, 232, 123-128.  | 0.5  | 10        |
| 393 | Are Improvements in Cognitive Content and Depressive Symptoms Correlates or Mediators during Acute-Phase Cognitive Therapy for Recurrent Major Depressive Disorder?. <i>International Journal of Cognitive Therapy</i> , 2014, 7, 251-271. | 1.3  | 19        |
| 394 | Negative symptoms in schizophrenia show association with amygdala volumes and neural activation during affective processing. <i>Acta Neuropsychiatrica</i> , 2015, 27, 213-220.  | 1.0  | 31        |
| 395 | Improved cognitive content endures for 2 years among unstable responders to acute-phase cognitive therapy for recurrent major depressive disorder. <i>Psychological Medicine</i> , 2015, 45, 3191-3204.                                    | 2.7  | 5         |
| 398 | Modifying Cognitive-Behavioral Therapy for a Depressed Older Adult With Partial Sight. <i>Gerontology and Geriatric Medicine</i> , 2015, 1, 233372141558543.   | 0.8  | 4         |
| 399 | Differences in the neural correlates of affective responses in depressed and healthy women. <i>Psychiatry Research - Neuroimaging</i> , 2015, 234, 336-345.  | 0.9  | 8         |
| 400 | Depression and Personality Traits Associated With Emotion Dysregulation: Correlates of Suicide Attempts in Women with Bulimia Nervosa. <i>European Eating Disorders Review</i> , 2015, 23, 537-544.  | 2.3  | 19        |
| 401 | Anxious or Depressed and Still Happy?. <i>PLoS ONE</i> , 2015, 10, e0139912.   | 1.1  | 24        |
| 403 | Changes in cognitive symptoms after a buspironeâ€“melatonin combination treatment for Major Depressive Disorder. <i>Journal of Psychiatric Research</i> , 2015, 68, 392-396.   | 1.5  | 23        |
| 404 | Dose-dependent changes in cognitive function with exercise augmentation for major depression: Results from the TREAD study. <i>European Neuropsychopharmacology</i> , 2015, 25, 248-256.   | 0.3  | 53        |
| 405 | Treatment-Resistant Bipolar Depression: A Randomized Controlled Trial of Electroconvulsive Therapy Versus Algorithm-Based Pharmacological Treatment. <i>American Journal of Psychiatry</i> , 2015, 172, 41-51.                             | 4.0  | 135       |
| 406 | Which instruments to support diagnosis of depression have sufficient accuracy? A systematic review. <i>Nordic Journal of Psychiatry</i> , 2015, 69, 497-508.   | 0.7  | 124       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 407 | Longevity factor klotho and chronic psychological stress. <i>Translational Psychiatry</i> , 2015, 5, e585-e585.   | 2.4 | 60        |
| 408 | Rate of Nicotine Metabolism and Smoking Cessation Outcomes in a Community-based Sample of Treatment-Seeking Smokers. <i>Addictive Behaviors</i> , 2015, 51, 93-99.  | 1.7 | 45        |
| 409 | Predictors of post-natal depression are shaped distinctly by the measure of "depression". <i>Journal of Affective Disorders</i> , 2015, 173, 239-244.   | 2.0 | 7         |
| 410 | Hamilton depression rating subscales to predict antidepressant treatment outcome in the early course of treatment. <i>Journal of Affective Disorders</i> , 2015, 175, 199-208.  | 2.0 | 8         |
| 411 | Reduced striatal activation in females with major depression during the processing of affective stimuli. <i>Journal of Psychiatric Research</i> , 2015, 68, 384-391.  | 1.5 | 11        |
| 412 | Depression rating scales in Parkinson's disease: A critical review updating recent literature. <i>Journal of Affective Disorders</i> , 2015, 184, 216-224.  | 2.0 | 84        |
| 413 | Common rather than unique aspects of repetitive negative thinking are related to depressive and anxiety disorders and symptoms. <i>Journal of Anxiety Disorders</i> , 2015, 33, 45-52.  | 1.5 | 77        |
| 414 | Trait rumination predicts onset of Post-Traumatic Stress Disorder through trauma-related cognitive appraisals: A 4-year longitudinal study. <i>Behaviour Research and Therapy</i> , 2015, 71, 101-109.  | 1.6 | 59        |
| 415 | Qualitative Research on Fatigue Associated with Depression: Content Validity of the Fatigue Associated with Depression Questionnaire (FAsD-V2). <i>Patient</i> , 2015, 8, 433-443.  | 1.1 | 8         |
| 416 | Metabolic syndrome in patients with bipolar disorder: Comparison with major depressive disorder and non-psychiatric controls. <i>Journal of Psychosomatic Research</i> , 2015, 78, 391-398.   | 1.2 | 40        |
| 417 | An admixture analysis of age of onset in agoraphobia. <i>Journal of Affective Disorders</i> , 2015, 180, 112-115.   | 2.0 | 13        |
| 419 | Long-term work disability and absenteeism in anxiety and depressive disorders. <i>Journal of Affective Disorders</i> , 2015, 178, 121-130.  | 2.0 | 67        |
| 420 | "Onset of Depression Inventory" comparison between the data of depressed patients and their relatives. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015, 19, 188-191.   | 1.2 | 0         |
| 421 | Association of Speed of Onset and Speed of Recovery of Depressive Episodes in Patients with Major Depression. <i>Psychopathology</i> , 2015, 48, 65-68.   | 1.1 | 0         |
| 422 | Associations of symptoms of anxiety and depression with diabetes and cardiovascular risk factors in older people with intellectual disability. <i>Journal of Intellectual Disability Research</i> , 2015, 59, 176-185.                                  | 1.2 | 27        |
| 423 | Predicting the Naturalistic Course of Major Depressive Disorder Using Clinical and Multimodal Neuroimaging Information: A Multivariate Pattern Recognition Study. <i>Biological Psychiatry</i> , 2015, 78, 278-286.                                     | 0.7 | 87        |
| 424 | The Three-Month Effect of Mobile Internet-Based Cognitive Therapy on the Course of Depressive Symptoms in Remitted Recurrently Depressed Patients: Results of a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 90-99. | 4.0 | 38        |
| 425 | Continued cannabis use at one year follow up is associated with elevated mood and lower global functioning in bipolar I disorder. <i>BMC Psychiatry</i> , 2015, 15, 11.   | 1.1 | 22        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 426 | How much do we know about the functional effectiveness of interventions for depression? A systematic review. <i>Journal of Affective Disorders</i> , 2015, 188, 89-96.   | 2.0 | 18        |
| 427 | Neural substrates of negativity bias in women with and without major depression. <i>Biological Psychology</i> , 2015, 109, 184-191.  | 1.1 | 26        |
| 428 | The role of frailty in the association between depression and somatic comorbidity: Results from baseline data of an ongoing prospective cohort study. <i>International Journal of Nursing Studies</i> , 2015, 52, 188-196.                               | 2.5 | 20        |
| 429 | Free, Brief, and Validated: Standardized Instruments for Low-Resource Mental Health Settings. <i>Cognitive and Behavioral Practice</i> , 2015, 22, 5-19.   | 0.9 | 143       |
| 430 | Rating scales in general practice depression: Psychometric analyses of the Clinical Interview for Depression and the Hamilton Rating Scale. <i>Journal of Affective Disorders</i> , 2015, 171, 68-73.  | 2.0 | 22        |
| 431 | Cannabis use in first-treatment bipolar I disorder: relations to clinical characteristics. <i>Microbial Biotechnology</i> , 2016, 10, 36-44.   | 0.9 | 22        |
| 432 | Mindfulness Based Cognitive Therapy (MBCT) as An Addition to Psychiatric Care as Usual Useful for HIV-infected Patients with Mental Health Symptoms. <i>Journal of AIDS &amp; Clinical Research</i> , 2016, 07, .  | 0.5 | 2         |
| 433 | Factors associated with anxiety and depressive symptoms in colorectal cancer survivors. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 831-835.  | 0.8 | 28        |
| 434 | Guided Act and Feel Indonesia (GAF-ID) – Internet-based behavioral activation intervention for depression in Indonesia: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 455.   | 0.7 | 16        |
| 435 | The network structure of major depressive disorder, generalized anxiety disorder and somatic symptomatology. <i>Psychological Medicine</i> , 2016, 46, 2989-2998.  | 2.7 | 60        |
| 436 | The role of interpersonal personality traits and reassurance seeking in eating disorder symptoms and depressive symptoms among women with bulimia nervosa. <i>Comprehensive Psychiatry</i> , 2016, 68, 165-171.  | 1.5 | 10        |
| 437 | Perceived stress and anhedonia predict short-and long-term weight change, respectively, in healthy adults. <i>Eating Behaviors</i> , 2016, 21, 214-219.  | 1.1 | 23        |
| 438 | Is Experiential Avoidance a Mediating, Moderating, Independent, Overlapping, or Proxy Risk Factor in the Onset, Relapse and Maintenance of Depressive Disorders?. <i>Cognitive Therapy and Research</i> , 2016, 40, 150-163.                             | 1.2 | 55        |
| 439 | Transcriptomics in Interferon-Î±-Treated Patients Identifies Inflammation-, Neuroplasticity- and Oxidative Stress-Related Signatures as Predictors and Correlates of Depression. <i>Neuropsychopharmacology</i> , 2016, 41, 2502-2511.                   | 2.8 | 48        |
| 440 | The Clinical TMS Society Consensus Review and Treatment Recommendations for TMS Therapy for Major Depressive Disorder. <i>Brain Stimulation</i> , 2016, 9, 336-346.  | 0.7 | 467       |
| 441 | Treatment outcome variation between depression symptom combinations in the STAR*D study. <i>Journal of Affective Disorders</i> , 2016, 201, 1-7.   | 2.0 | 6         |
| 442 | The role of avoidant and obsessive-compulsive personality disorder traits in matching patients with major depression to cognitive behavioral and psychodynamic therapy: A replication study. <i>Journal of Affective Disorders</i> , 2016, 205, 400-405. | 2.0 | 7         |
| 443 | Five-Year Follow-Up of Bilateral Epidural Prefrontal Cortical Stimulation for Treatment-Resistant Depression. <i>Brain Stimulation</i> , 2016, 9, 897-904.   | 0.7 | 36        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 444 | Emotional Word Processing in Cardiovascular Disease, Depression, and Depression Subtypes. , 2016, , 257-277.  |     | 0         |
| 445 | BIDIRECTIONAL PROSPECTIVE ASSOCIATIONS OF METABOLIC SYNDROME COMPONENTS WITH DEPRESSION, ANXIETY, AND ANTIDEPRESSANT USE. Depression and Anxiety, 2016, 33, 754-764.  | 2.0 | 74        |
| 446 | Social rhythm interventions for bipolar disorder: a systematic review and rationale for practice. Journal of Psychiatric and Mental Health Nursing, 2016, 23, 3-11.   | 1.2 | 20        |
| 447 | Development and psychometric evaluation of the Interactive Test of Interpersonal Behavior (<scp>ITIB</scp>): a pilot study examining interpersonal deficits in chronic depression. Scandinavian Journal of Psychology, 2016, 57, 83-91. | 0.8 | 9         |
| 448 | Big Five personality traits and medically unexplained symptoms in later life. European Psychiatry, 2016, 38, 23-30.   | 0.1 | 33        |
| 449 | Impact of major depressive disorder, distinct subtypes, and symptom severity on lifestyle in the BiDirect Study. Psychiatry Research, 2016, 245, 164-171.   | 1.7 | 18        |
| 450 | Detecting depression in Parkinson disease. Neurology, 2016, 87, 426-437.  | 1.5 | 136       |
| 451 | Duration of untreated illness in first-treatment bipolar I disorder in relation to clinical outcome and cannabis use. Psychiatry Research, 2016, 246, 762-768.  | 1.7 | 17        |
| 452 | Binge-Eating Disorder in Adults. Annals of Internal Medicine, 2016, 165, 409.   | 2.0 | 209       |
| 453 | Tablet-based support for older adults with severe mood disorders treated in an ambulatory geriatric psychiatry setting: Protocol of a feasibility study of the eCare@Home platform. Internet Interventions, 2016, 6, 22-28.             | 1.4 | 3         |
| 454 | Sleep-Wake Differences in Relative Regional Cerebral Metabolic Rate for Glucose among Patients with Insomnia Compared with Good Sleepers. Sleep, 2016, 39, 1779-1794.   | 0.6 | 74        |
| 455 | The therapistâ€™s role in the implementation of internet-based cognitive behavioural therapy for patients with depression: study protocol. BMC Psychiatry, 2016, 16, 338.   | 1.1 | 13        |
| 456 | The Cognitive Remediation in Bipolar (CRiB) pilot study: study protocol for a randomised controlled trial. Trials, 2016, 17, 371.   | 0.7 | 19        |
| 457 | Cognitive behavioural therapy for psychopathology in relatives of missing persons: study protocol for a pilot randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, 19.  | 0.5 | 9         |
| 458 | Shifts Toward Morningness During Behavioral Sleep Interventions Are Associated With Improvements in Depression, Positive Affect, and Sleep Quality. Behavioral Sleep Medicine, 2016, 14, 624-635.                                       | 1.1 | 29        |
| 459 | Determinants of attitudes towards professional mental health care, informal help and self-reliance in people with subclinical depression. International Journal of Social Psychiatry, 2016, 62, 84-93.                                  | 1.6 | 10        |
| 460 | Abnormal decision-making in generalized anxiety disorder: Aversion of risk or stimulus-reinforcement impairment?. Psychiatry Research, 2016, 237, 351-356.  | 1.7 | 17        |
| 461 | Bupropion: a systematic review and meta-analysis of effectiveness as an antidepressant. Therapeutic Advances in Psychopharmacology, 2016, 6, 99-144.  | 1.2 | 119       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 462 | Prevalence of ADHD symptoms across clinical stages of major depressive disorder. <i>Journal of Affective Disorders</i> , 2016, 197, 29-35.   | 2.0 | 44        |
| 463 | Childhood maltreatment, maladaptive personality types and level and course of psychological distress: A six-year longitudinal study. <i>Journal of Affective Disorders</i> , 2016, 191, 100-108.                                 | 2.0 | 58        |
| 464 | Twice the negativity bias and half the positivity offset: Evaluative responses to emotional information in depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016, 52, 166-170.                       | 0.6 | 34        |
| 465 | Physical Frailty and Cognitive Functioning in Depressed Older Adults: Findings From the NESDO Study. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 36-43.   | 1.2 | 53        |
| 466 | The negativity bias predicts response rate to Behavioral Activation for depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016, 52, 171-178.  | 0.6 | 6         |
| 467 | Questionnaires that screen for multiple sleep disorders. <i>Sleep Medicine Reviews</i> , 2017, 32, 37-44.  | 3.8 | 58        |
| 468 | Sit, step, sweat: longitudinal associations between physical activity patterns, anxiety and depression. <i>Psychological Medicine</i> , 2017, 47, 1466-1477.   | 2.7 | 97        |
| 469 | The impact of frailty on depressive disorder in later life: Findings from the Netherlands Study of depression in older persons. <i>European Psychiatry</i> , 2017, 43, 66-72.  | 0.1 | 43        |
| 470 | Psychological rumination and recovery from work in intensive care professionals: associations with stress, burnout, depression and health. <i>Journal of Intensive Care</i> , 2017, 5, 16.                                       | 1.3 | 82        |
| 471 | Oxidative stress and brain morphology in individuals with depression, anxiety and healthy controls. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 76, 140-144.                                   | 2.5 | 42        |
| 472 | Depressive symptoms during adverse economic and political circumstances: A comparative study on Greek female breast cancer patients receiving chemotherapy treatment. <i>European Journal of Cancer Care</i> , 2017, 26, e12687. | 0.7 | 4         |
| 473 | Guideline adherence of antidepressant treatment in outpatients with major depressive disorder: a naturalistic study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 711-721.                      | 1.8 | 18        |
| 474 | Longitudinal associations of multiple physical symptoms with recurrence of depressive and anxiety disorders. <i>Journal of Psychosomatic Research</i> , 2017, 97, 96-101.  | 1.2 | 12        |
| 475 | Prevalence of depression in mothers of children having ASD. <i>Current Medicine Research and Practice</i> , 2017, 7, 11-15.  | 0.1 | 9         |
| 476 | Depression and cognitive deficits as long-term consequences of thrombotic thrombocytopenic purpura. <i>Transfusion</i> , 2017, 57, 1152-1162.  | 0.8 | 40        |
| 477 | Toward a very brief self-report to assess the core symptoms of depression (VQIDS-5<sub>5</sub>). <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 548-553.   | 2.2 | 9         |
| 478 | Immunometabolic dysregulation is associated with reduced cortical thickness of the anterior cingulate cortex. <i>Brain, Behavior, and Immunity</i> , 2017, 60, 361-368.  | 2.0 | 28        |
| 479 | Correlates of weight-related quality of life among individuals with binge eating disorder before and after cognitive behavioral therapy. <i>Eating Behaviors</i> , 2017, 27, 1-6.  | 1.1 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 480 | Worry and cognitive control predict course trajectories of anxiety in older adults with late-life depression. <i>European Psychiatry</i> , 2017, 44, 134-140.  | 0.1 | 11        |
| 481 | Group psychotherapy for eating disorders: A meta-analysis. <i>International Journal of Eating Disorders</i> , 2017, 50, 997-1013.  | 2.1 | 30        |
| 482 | Music therapy for depression. <i>The Cochrane Library</i> , 2017, 2017, CD004517.  | 1.5 | 291       |
| 483 | Applying brain emotional learning based fuzzy inference system for EEG signal classification between schizophrenics and control participant. , 2017, , .   |     | 1         |
| 484 | Evaluation of client progress in music therapy: an illustration of an N-of-1 design in individual short-term improvisational music therapy with clients with depression. <i>Nordic Journal of Music Therapy</i> , 2017, 26, 256-271. | 0.7 | 9         |
| 485 | Efficacy of curcumin, and a saffron/curcumin combination for the treatment of major depression: A randomised, double-blind, placebo-controlled study. <i>Journal of Affective Disorders</i> , 2017, 207, 188-196.                    | 2.0 | 112       |
| 486 | Illnesses in siblings of US patients with bipolar disorder relate to multigenerational family history and patients severity of illness. <i>Journal of Affective Disorders</i> , 2017, 207, 313-319.                                  | 2.0 | 1         |
| 487 | The relationship between self-reported borderline personality features and prospective illness course in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 31.  | 0.8 | 19        |
| 488 | Aberrant default-mode network-hippocampus connectivity after sad memory-recall in remitted-depression. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1803-1813.   | 1.5 | 44        |
| 489 | Subjectiveâ€œObjective Sleep Discrepancy Is Associated With Alterations in Regional Glucose Metabolism in Patients With Insomnia and Good Sleeper Controls. <i>Sleep</i> , 2017, 40, .   | 0.6 | 40        |
| 490 | Construct validity of the Depression and Somatic Symptoms Scale: evaluation by Mokken scale analysis. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 205-211.  | 1.0 | 12        |
| 491 | The reciprocal relationship between physical activity and depression: Does age matter?. <i>European Psychiatry</i> , 2018, 51, 9-15.   | 0.1 | 5         |
| 492 | Effectiveness of theta burst versus high-frequency repetitive transcranial magnetic stimulation in patients with depression (THREE-D): a randomised non-inferiority trial. <i>Lancet, The</i> , 2018, 391, 1683-1692.                | 6.3 | 706       |
| 493 | Cortical thickness abnormalities in bipolar disorder patients with a lifetime history of auditory hallucinations. <i>Bipolar Disorders</i> , 2018, 20, 647-657.  | 1.1 | 10        |
| 494 | The relationship between asthma and depression in a community-based sample. <i>Journal of Asthma</i> , 2018, 55, 1271-1277.  | 0.9 | 24        |
| 495 | Morningness-Eveningness questionnaire in bipolar disorder. <i>Psychiatry Research</i> , 2018, 262, 102-107.  | 1.7 | 31        |
| 496 | Depressive symptoms and poorer performance on the Stroop Task are associated with weight gain. <i>Physiology and Behavior</i> , 2018, 186, 25-30.  | 1.0 | 41        |
| 497 | Acceptance or Despair? Maternal Adjustment to Having a Child Diagnosed with Autism. <i>Journal of Autism and Developmental Disorders</i> , 2018, 48, 1971-1981.  | 1.7 | 36        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 498 | One-year follow-up of a randomized controlled trial of sertraline and cognitive behavior group therapy in depressed primary care patients (MIND study). <i>Journal of Affective Disorders</i> , 2018, 230, 15-21.   | 2.0 | 2         |
| 499 | Weight Change over the Course of Binge Eating Disorder Treatment: Relationship to Binge Episodes and Psychological Factors. <i>Obesity</i> , 2018, 26, 838-844.   | 1.5 | 17        |
| 500 | Kynurenine pathway and white matter microstructure in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 157-168.  | 1.8 | 34        |
| 501 | Couplesâ€™ depression and relationship satisfaction: examining the moderating effects of demand/withdraw communication patterns. <i>Journal of Family Therapy</i> , 2018, 40, S63.                                  | 0.5 | 18        |
| 502 | Maternal Sleep Quality and Diurnal Cortisol Regulation Over Pregnancy. <i>Behavioral Sleep Medicine</i> , 2018, 16, 282-293.  | 1.1 | 29        |
| 503 | Factors Associated with Adherence to Transdermal Nicotine Patches within a Smoking Cessation Effectiveness Trial. <i>Journal of Smoking Cessation</i> , 2018, 13, 33-43.  | 0.3 | 14        |
| 504 | Effects of daily maladaptive coping on nightly sleep in mothers. <i>Psychology and Health</i> , 2018, 33, 144-157.  | 1.2 | 5         |
| 505 | Pain characteristics of older persons with medically unexplained symptoms, older persons with medically explained symptoms and older persons with depression. <i>Aging and Mental Health</i> , 2018, 22, 1642-1649. | 1.5 | 2         |
| 506 | Patientsâ€™ comprehension and skill usage as a putative mediator of change or an engaged target in cognitive therapy: Preliminary findings. <i>Journal of Affective Disorders</i> , 2018, 226, 163-168.             | 2.0 | 7         |
| 507 | Impact, Diagnosis, Phenomenology, and Biology. <i>Handbook of Experimental Pharmacology</i> , 2018, 250, 3-33.  | 0.9 | 0         |
| 508 | Predicting the naturalistic course of depression from a wide range of clinical, psychological, and biological data: a machine learning approach. <i>Translational Psychiatry</i> , 2018, 8, 241.                    | 2.4 | 87        |
| 509 | Self-Esteem Instability in Current, Remitted, Recovered, and Comorbid Depression and Anxiety. <i>Cognitive Therapy and Research</i> , 2018, 42, 813-822.  | 1.2 | 9         |
| 510 | Behavioral Health and Diabetes. , 2018, , 383-405.  |     | 0         |
| 511 | Acceptability of internet-based interventions for depression in Indonesia. <i>Internet Interventions</i> , 2018, 13, 8-15.  | 1.4 | 22        |
| 512 | Adiponectin moderates antidepressant treatment outcome in the combining medications to enhance depression outcomes randomized clinical trial. <i>Personalized Medicine in Psychiatry</i> , 2018, 9-10, 1-7.         | 0.1 | 5         |
| 513 | Associations between chronic caregiving stress and T cell markers implicated in immunosenescence. <i>Brain, Behavior, and Immunity</i> , 2018, 73, 546-549.   | 2.0 | 30        |
| 514 | Symptomatic and functional recovery in depression in later life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1071-1079.   | 1.6 | 12        |
| 515 | Emotion Regulation in Current and Remitted Depression: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychology</i> , 2018, 9, 756.  | 1.1 | 156       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 516 | Six-year healthcare trajectories of adults with anxiety and depressive disorders: Determinants of transition to specialised mental healthcare. <i>Journal of Affective Disorders</i> , 2018, 241, 226-234.   | 2.0 | 4         |
| 517 | Prevention of violent revictimization in depressed patients with an add-on internet-based emotion regulation training (iERT): study protocol for a multicenter randomized controlled trial. <i>BMC Psychiatry</i> , 2018, 18, 29.  | 1.1 | 11        |
| 518 | Leucocyte telomere length is no molecular marker of physical frailty in late-life depression. <i>Experimental Gerontology</i> , 2018, 111, 229-234.  | 1.2 | 8         |
| 519 | Convergence of evidence from a methylome-wide CpG-SNP association study and GWAS of major depressive disorder. <i>Translational Psychiatry</i> , 2018, 8, 162.   | 2.4 | 16        |
| 520 | Repetitive negative thinking as a predictor of depression and anxiety: A longitudinal cohort study. <i>Journal of Affective Disorders</i> , 2018, 241, 216-225.  | 2.0 | 102       |
| 521 | Depression recurrence after recovery: Prognostic value of implicit and explicit self-depressed associations. <i>Behaviour Research and Therapy</i> , 2018, 107, 76-82.   | 1.6 | 9         |
| 522 | The Impact of (the Concept of) Treatment-Resistant Depression: An Opinion Review. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 85-92.   | 1.0 | 54        |
| 523 | Symptoms of Major Depressive Disorder Scale: Performance of a Novel Patient-Reported Symptom Measure. <i>Value in Health</i> , 2019, 22, 906-915.  | 0.1 | 9         |
| 524 | Longitudinal course of suicidal ideation and predictors of its persistence – A NESDA study. <i>Journal of Affective Disorders</i> , 2019, 257, 365-375.  | 2.0 | 26        |
| 525 | &lt;p&gt;Melatonin receptor agonists&quot;ramelteon and melatonin&quot;for bipolar disorder: a systematic review and meta-analysis of double-blind, randomized, placebo-controlled trials&lt;/p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 1479-1486. | 1.0 | 16        |
| 526 | Development of an improvisational music therapy intervention for young adults with depressive symptoms: An intervention mapping study. <i>Arts in Psychotherapy</i> , 2019, 65, 101584.  | 0.6 | 13        |
| 527 | Maternal circadian cortisol mediates the link between prenatal distress and breastfeeding. <i>Stress</i> , 2019, 22, 53-59.  | 0.8 | 9         |
| 528 | Trait anger and anger attacks in relation to depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2019, 259, 259-265.   | 2.0 | 25        |
| 529 | Major depression and enhanced molecular senescence abnormalities in young and middle-aged adults. <i>Translational Psychiatry</i> , 2019, 9, 198.  | 2.4 | 31        |
| 530 | Cardiovascular risk remains high in schizophrenia with modest improvements in bipolar disorder during past decade. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 348-360.   | 2.2 | 31        |
| 531 | Efficacy of rTMS in decreasing postnatal depression symptoms: A systematic review. <i>Psychiatry Research</i> , 2019, 279, 315-322.  | 1.7 | 17        |
| 532 | World Workshop in Oral Medicine VII: Reporting of IMMPACT&quot;recommended outcome domains in randomized controlled trials of burning mouth syndrome: A systematic review. <i>Oral Diseases</i> , 2019, 25, 122-140.   | 1.5 | 22        |
| 533 | Diagnostic and symptom interviews for adults. , 2019, , 355-393.   |     | 2         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 534 | Cumulative lifetime stress exposure and leukocyte telomere length attrition: The unique role of stressor duration and exposure timing. <i>Psychoneuroendocrinology</i> , 2019, 104, 210-218.  | 1.3 | 60        |
| 535 | Altered ability to access a clinically relevant control network in patients remitted from major depressive disorder. <i>Human Brain Mapping</i> , 2019, 40, 2771-2786.  | 1.9 | 76        |
| 536 | Evaluating the evidence for biotypes of depression: Methodological replication and extension of. <i>NeuroImage: Clinical</i> , 2019, 22, 101796.  | 1.4 | 232       |
| 537 | Lower Switch Rate in Depressed Patients With Bipolar II Than Bipolar I Disorder Treated Adjunctively With Second-Generation Antidepressants. <i>Focus (American Psychiatric Publishing)</i> , 2019, 17, 322-324.                    | 0.4 | 1         |
| 538 | Effects of Opioid Dependence on Visuospatial Memory and Its Associations With Depression and Anxiety. <i>Frontiers in Psychiatry</i> , 2019, 10, 743.   | 1.3 | 14        |
| 539 | P.351 Omega-3 fatty acids for major depressive disorder with high inflammation: A personalized approach. <i>European Neuropsychopharmacology</i> , 2019, 29, S250-S251.   | 0.3 | 0         |
| 540 | Depressive Symptom Clusters in Relation to Body Weight Status: Results From Two Large European Multicenter Studies. <i>Frontiers in Psychiatry</i> , 2019, 10, 858.   | 1.3 | 11        |
| 541 | Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre, randomized, observer-blinded, controlled trial (CBTlate). <i>BMC Psychiatry</i> , 2019, 19, 423.                          | 1.1 | 11        |
| 542 | Effectiveness of parenting education for expectant primiparous women in Asian countries: a quantitative systematic review protocol. <i>JB Database of Systematic Reviews and Implementation Reports</i> , 2019, 17, 1034-1042.      | 1.7 | 2         |
| 543 | Comparative responsiveness of generic versus disorder-specific instruments for depression: An assessment in three longitudinal datasets. <i>Depression and Anxiety</i> , 2019, 36, 93-102.  | 2.0 | 12        |
| 544 | Abuse as a risk factor for prenatal depressive symptoms: a meta-analysis. <i>Archives of Women's Mental Health</i> , 2019, 22, 199-213.   | 1.2 | 25        |
| 545 | Impact of acute sleep restriction on cerebral glucose metabolism during recovery non-rapid eye movement sleep among individuals with primary insomnia and good sleeper controls. <i>Sleep Medicine</i> , 2019, 55, 81-91.           | 0.8 | 9         |
| 546 | The Concise Health Risk Tracking Self-Report (CHRT-SR) assessment of suicidality in depressed outpatients: A psychometric evaluation. <i>Depression and Anxiety</i> , 2019, 36, 313-320.  | 2.0 | 7         |
| 547 | Comparing factor structures of depressed patients with and without suicidal ideation, a measurement invariance analysis. <i>Journal of Affective Disorders</i> , 2019, 245, 180-187.  | 2.0 | 14        |
| 548 | Repetitive negative thinking as a mediator in prospective cross-disorder associations between anxiety and depression disorders and their symptoms. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2019, 63, 6-11. | 0.6 | 24        |
| 549 | Methylome-wide association findings for major depressive disorder overlap in blood and brain and replicate in independent brain samples. <i>Molecular Psychiatry</i> , 2020, 25, 1344-1354.   | 4.1 | 61        |
| 550 | Psychometric Properties of the Expanded Version of the Inventory of Depression and Anxiety Symptoms in a Turkish Population. <i>Psychological Reports</i> , 2020, 123, 517-545.   | 0.9 | 8         |
| 551 | Psychopathology in parents of children with autism spectrum disorder: A systematic review and meta-analysis of prevalence. <i>Autism</i> , 2020, 24, 26-40.   | 2.4 | 80        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 552 | Long-term disability in major depressive disorder: a 6-year follow-up study. <i>Psychological Medicine</i> , 2020, 50, 1644-1652.   | 2.7 | 27        |
| 553 | Depression Reduction Among Acupuncture Patients in an Interprofessional Study. <i>Research on Social Work Practice</i> , 2020, 30, 298-305.   | 1.1 | 1         |
| 554 | Temporal stability of symptoms of affective disorders, cognitive vulnerability and personality over time. <i>Journal of Affective Disorders</i> , 2020, 260, 77-83.   | 2.0 | 18        |
| 555 | Can early treatment response serve as a predictor of antidepressant outcome of repetitive Transcranial Magnetic Stimulation?. <i>Brain Stimulation</i> , 2020, 13, 420-421.   | 0.7 | 10        |
| 556 | Comorbidity between depression and anxiety: assessing the role of bridge mental states in dynamic psychological networks. <i>BMC Medicine</i> , 2020, 18, 308.  | 2.3 | 78        |
| 557 | Strategies for augmentation of high-frequency left-sided repetitive transcranial magnetic stimulation treatment of major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 277, 964-969.           | 2.0 | 15        |
| 558 | Efficacy of emotion-regulating improvisational music therapy to reduce depressive symptoms in young adult students: A multiple-case study design. <i>Arts in Psychotherapy</i> , 2020, 71, 101720.                  | 0.6 | 12        |
| 559 | The association of changes in repetitive negative thinking with changes in depression and anxiety. <i>Journal of Affective Disorders</i> , 2020, 275, 157-164.  | 2.0 | 13        |
| 560 | Combined transcranial magnetic stimulation and brief cognitive behavioral therapy for suicide: study protocol for a randomized controlled trial in veterans. <i>Trials</i> , 2020, 21, 924.                         | 0.7 | 5         |
| 561 | The clinical effectiveness of an algorithm-guided treatment program for depression in specialized mental healthcare: A comparison with efficacy trials. <i>Journal of Affective Disorders</i> , 2020, 275, 216-223. | 2.0 | 5         |
| 562 | Neuromodulation for major depressive disorder: innovative measures to capture efficacy and outcomes. <i>Lancet Psychiatry</i> , 2020, 7, 1075-1080.   | 3.7 | 8         |
| 563 | Cortical thickness abnormalities in long-term remitted Cushing's disease. <i>Translational Psychiatry</i> , 2020, 10, 293.  | 2.4 | 12        |
| 564 | Effectiveness of clinical decision support systems and telemedicine on outcomes of depression: a cluster randomized trial in general practice. <i>Family Practice</i> , 2020, 37, 731-737.                          | 0.8 | 12        |
| 565 | Associations of major depressive disorder and related clinical characteristics with 25-hydroxyvitamin D levels in middle-aged adults. <i>Nutritional Neuroscience</i> , 2022, 25, 1209-1218.                        | 1.5 | 15        |
| 566 | Psychiatric characteristics of older persons with medically unexplained symptoms: A comparison with older patients suffering from medically explained symptoms. <i>European Psychiatry</i> , 2020, 63, e56.         | 0.1 | 2         |
| 567 | Protocol Across study: longitudinal transdiagnostic cognitive functioning, psychiatric symptoms, and biological parameters in patients with a psychiatric disorder. <i>BMC Psychiatry</i> , 2020, 20, 212.          | 1.1 | 7         |
| 568 | The Heterogeneity of Mental Health Assessment. <i>Frontiers in Psychiatry</i> , 2020, 11, 76.   | 1.3 | 53        |
| 569 | Transcranial magnetic stimulation to reduce suicidality – A review and naturalistic outcomes. <i>Journal of Psychiatric Research</i> , 2020, 125, 106-112.  | 1.5 | 35        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 570 | Central Obesity is Associated With Neuropathy in the Severely Obese. Mayo Clinic Proceedings, 2020, 95, 1342-1353.  | 1.4 | 48        |
| 571 | Individual Differences in Response to Antidepressants. JAMA Psychiatry, 2020, 77, 607.  | 6.0 | 36        |
| 572 | A Holistic Client Functioning Profile Comparison of People With Serious Mental Illness. Journal of Counseling and Development, 2020, 98, 3-16.  | 1.3 | 4         |
| 573 | Childhood trauma is associated with poorer social functioning in severe mental disorders both during an active illness phase and in remission. Schizophrenia Research, 2022, 243, 241-246.      | 1.1 | 15        |
| 574 | A cognitive behavioural group therapy for bipolar disorder using daily mood monitoring. Behavioural and Cognitive Psychotherapy, 2020, 48, 515-529.   | 0.9 | 3         |
| 575 | The Hamilton Rating Scales for Depression: A Critical Review of Clinimetric Properties of Different Versions. Psychotherapy and Psychosomatics, 2020, 89, 133-150.                              | 4.0 | 133       |
| 576 | A pilot randomized controlled trial of hearing aids to improve mood and cognition in older adults. International Journal of Geriatric Psychiatry, 2020, 35, 842-850.                            | 1.3 | 26        |
| 577 | Sleep Disturbance in Early Pregnancy, but Not Inflammatory Cytokines, May Increase Risk for Adverse Pregnancy Outcomes. International Journal of Behavioral Medicine, 2021, 28, 48-63.          | 0.8 | 8         |
| 578 | Sensitivity to change of the Beck Depression Inventory versus the Inventory of Depressive Symptoms. Journal of Affective Disorders, 2021, 281, 338-341.   | 2.0 | 3         |
| 579 | Structural brain correlates of serum and epigenetic markers of inflammation in major depressive disorder. Brain, Behavior, and Immunity, 2021, 92, 39-48.                                       | 2.0 | 53        |
| 580 | The patient health questionnaire (PHQ). , 2021, , 185-193.  |     | 0         |
| 581 | Implementing Measurement-Based Care for Depression: Practical Solutions for Psychiatrists and Primary Care Physicians. Neuropsychiatric Disease and Treatment, 2021, Volume 17, 79-90.          | 1.0 | 27        |
| 582 | Sleep alterations as a predictor of bipolar disorder among offspring of parents with bipolar disorder: a systematic review and meta-analysis. Trends in Psychiatry and Psychotherapy, 2021, , . | 0.4 | 0         |
| 583 | Use of Parametric Methods and Questionnaires for the Study of Depressive and Anxiety Disorders in Schizophrenia. Doctor Ru, 2021, 20, 55-61.  | 0.1 | 2         |
| 584 | Toxoplasma gondii seropositivity in patients with depressive and anxiety disorders. Brain, Behavior, & Immunity - Health, 2021, 11, 100197.   | 1.3 | 3         |
| 585 | The long shadow of childhood trauma for depression in midlife: examining daily psychological stress processes as a persistent risk pathway. Psychological Medicine, 2022, 52, 4029-4038.        | 2.7 | 6         |
| 587 | The Role of Impulsivity in Major Depression: A Systematic Review. Current Behavioral Neuroscience Reports, 2021, 8, 38-50.  | 0.6 | 8         |
| 588 | Networks of major depressive disorder: A systematic review. Clinical Psychology Review, 2021, 85, 102000.   | 6.0 | 67        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 589 | Activation and deactivation steps in the tryptophan breakdown pathway in major depressive disorder: A link to the monocyte inflammatory state of patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 107, 110226.   | 2.5 | 12        |
| 590 | Understanding trajectories of underlying dimensions of posttraumatic psychopathology. <i>Journal of Affective Disorders</i> , 2021, 284, 75-84.   | 2.0 | 1         |
| 591 | The D*Phase-study: study protocol for a pragmatic two-phased, randomised controlled (non-inferiority) trial that addresses treatment non-response and compares cognitive behavioural therapy and short-term psychodynamic supportive psychotherapy for major depression. <i>BMC Psychiatry</i> , 2021, 21, 233. | 1.1 | 1         |
| 592 | Individual Differences in Response to Antidepressants. <i>JAMA Psychiatry</i> , 2021, 78, 490.  | 6.0 | 26        |
| 593 | Blood cytokines differentiate bipolar disorder and major depressive disorder during a major depressive episode: Initial discovery and independent sample replication. <i>Brain, Behavior, &amp; Immunity - Health</i> , 2021, 13, 100232.   | 1.3 | 6         |
| 594 | The relationship between cognitive functioning and psychopathology in patients with psychiatric disorders: a transdiagnostic network analysis. <i>Psychological Medicine</i> , 2021, , 1-10.  | 2.7 | 13        |
| 595 | Temporal relationships between happiness and psychiatric disorders and their symptom severity in a large cohort study: the Netherlands Study of Depression and Anxiety (NESDA). <i>BMC Psychiatry</i> , 2021, 21, 344.  | 1.1 | 1         |
| 596 | Early onset of depression and treatment outcome in patients with major depressive disorder. <i>Journal of Psychiatric Research</i> , 2021, 139, 150-158.  | 1.5 | 22        |
| 597 | Subthreshold stimulation intensity is associated with greater clinical efficacy of intermittent theta-burst stimulation priming for Major Depressive Disorder. <i>Brain Stimulation</i> , 2021, 14, 1015-1021.  | 0.7 | 14        |
| 598 | Cohort profile for the STRatifying Resilience and Depression Longitudinally (STRADL) study: A depression-focused investigation of Generation Scotland, using detailed clinical, cognitive, and neuroimaging assessments. <i>Wellcome Open Research</i> , 0, 4, 185.   | 0.9 | 12        |
| 599 | Feasibility of emotion-regulating improvisational music therapy for young adult students with depressive symptoms: A process evaluation. <i>Nordic Journal of Music Therapy</i> , 0, , 1-20.  | 0.7 | 7         |
| 600 | Efficacy of non-invasive brain stimulation in decreasing depression symptoms during the peripartum period: A systematic review. <i>Journal of Psychiatric Research</i> , 2021, 140, 443-460.  | 1.5 | 13        |
| 602 | Potential associations between immune signaling genes, deactivated microglia, and oligodendrocytes and cortical gray matter loss in patients with long-term remitted Cushing's disease. <i>Psychoneuroendocrinology</i> , 2021, 132, 105334.  | 1.3 | 6         |
| 603 | Intermittent Theta Burst Stimulation in Veterans with Mild Alcohol Use Disorder. <i>Journal of Affective Disorders</i> , 2021, 293, 314-319.  | 2.0 | 4         |
| 604 | No antidepressant effects of low intensity transcranial pulsed electromagnetic fields for treatment resistant depression. <i>Journal of Affective Disorders</i> , 2021, 294, 679-685.   | 2.0 | 2         |
| 605 | A tangled start: The link between childhood maltreatment, psychopathology, and relationships in adulthood. <i>Child Abuse and Neglect</i> , 2021, 121, 105228.  | 1.3 | 11        |
| 606 | Telomeres are shorter and associated with number of suicide attempts in affective disorders. <i>Journal of Affective Disorders</i> , 2021, 295, 1032-1039.  | 2.0 | 13        |
| 608 | Current Approaches to the Assessment of Depression. , 0, , 307-317.   |     | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 609 | Algorithmusgestützte Behandlung. , 2005, , 459-476.   |     | 1         |
| 610 | Rating Scales for Depression. , 2009, , 7-35.   |     | 59        |
| 611 | Quality of Life and Rating Scales of Depression. Handbook of Experimental Pharmacology, 2004, , 149-167.  | 0.9 | 4         |
| 612 | Functional Restoration. , 2011, , 1912-1935.  |     | 2         |
| 614 | Essential CNS Drug Development. , 2012, , .   |     | 3         |
| 616 | Tripartite model of anxiety and depression: psychometric evidence and taxonomic implications. Journal of Abnormal Psychology, 1991, 100, 316-36.  | 2.0 | 1,646     |
| 617 | Sequential interactions in the marital communication of depressed men and women. Journal of Consulting and Clinical Psychology, 2000, 68, 4-12.   | 1.6 | 28        |
| 618 | Outcome measures of depression.. , 0, , 191-245.  |     | 18        |
| 619 | Illness cognitions in later life: Development and validation of the Extended Illness Cognition Questionnaire (ICQ-Plus).. Psychological Assessment, 2016, 28, 1119-1127.  | 1.2 | 4         |
| 620 | Moclobemide and Tricyclic Antidepressants in Severe Depression. Journal of Clinical Psychopharmacology, 1995, 15, 16S-23S.  | 0.7 | 51        |
| 621 | Desipramine Versus Phenelzine in Recurrent Unipolar Depression. Journal of Clinical Psychopharmacology, 1997, 17, 78-83.  | 0.7 | 8         |
| 622 | A Multicenter, Double-Blind Comparison of the Effects of Nefazodone and Fluoxetine on Sleep Architecture and Quality of Sleep in Depressed Outpatients. Journal of Clinical Psychopharmacology, 1997, 17, 161-168.                                | 0.7 | 83        |
| 623 | The Dependent Personality and Interpersonal Problems. Journal of Nervous and Mental Disease, 1996, 184, 8-16.   | 0.5 | 70        |
| 624 | Achieving Guidelines for the Treatment of Depression in Primary Care. Medical Care, 1997, 35, 831-842.  | 1.1 | 208       |
| 625 | Predictors of Out-of-Class Mindfulness Practice Adherence During and After a Mindfulness-Based Intervention. Psychosomatic Medicine, 2021, 83, 655-664.   | 1.3 | 12        |
| 627 | Age-related characteristics of depression: a preliminary STAR*D report. American Journal of Geriatric Psychiatry, 2005, 13, 852-60.   | 0.6 | 43        |
| 628 | The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Update 2010 on the Treatment of Acute Bipolar Depression. Focus (American Psychiatric Publishing), 2011, 9, 500. | 0.4 | 20        |
| 630 | Implementing Interpersonal and Social Rhythm Therapy for Mood Disorders Across a Continuum of Care. Psychiatric Services, 2011, 62, 1377-80.  | 1.1 | 14        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 631 | What are the optimal measures to identify anxiety and depression in people diagnosed with head and neck cancer (HNC): a systematic review. <i>Journal of Patient-Reported Outcomes</i> , 2020, 4, 26.  | 0.9 | 16        |
| 632 | Update on the use of new anticonvulsants as mood stabilisers. <i>Psychiatric Bulletin</i> , 1999, 23, 554-558.   | 0.3 | 2         |
| 633 | Cohort profile for the STRatifying Resilience and Depression Longitudinally (STRADL) study: A depression-focused investigation of Generation Scotland, using detailed clinical, cognitive, and neuroimaging assessments. <i>Wellcome Open Research</i> , 2019, 4, 185. | 0.9 | 27        |
| 634 | Modulatory Effects of the Piccolo Genotype on Emotional Memory in Health and Depression. <i>PLoS ONE</i> , 2013, 8, e61494.  | 1.1 | 48        |
| 635 | Implicit and Explicit Self-Esteem in Current, Remitted, Recovered, and Comorbid Depression and Anxiety Disorders: The NESDA Study. <i>PLoS ONE</i> , 2016, 11, e0166116.   | 1.1 | 19        |
| 636 | The Inventory of Depressive Symptomatology Self Report (IDS-SR): Psychometric properties of the Indonesian version. <i>PLoS ONE</i> , 2017, 12, e0187009.  | 1.1 | 7         |
| 637 | Large-scale evidence for an association between low-grade peripheral inflammation and brain structural alterations in major depression in the BiDirect study. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 423-431.                                       | 1.4 | 29        |
| 638 | Dorsolateral prefrontal $\hat{1}^3$ -aminobutyric acid in patients with treatment-resistant depression after transcranial magnetic stimulation measured with magnetic resonance spectroscopy. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 386-394.       | 1.4 | 29        |
| 639 | What moderator characteristics are associated with better prognosis for depression?. <i>Neuropsychiatric Disease and Treatment</i> , 2005, 1, 51-57.   | 1.0 | 40        |
| 640 | Ketamine Treatment in Depression: A Systematic Review of Clinical Characteristics Predicting Symptom Improvement. <i>Current Topics in Medicinal Chemistry</i> , 2020, 20, 1398-1414.  | 1.0 | 4         |
| 641 | Should Unexplained Painful Physical Symptoms be Considered within the Spectrum of Depressive Symptoms?. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2015, 11, 130-139.  | 0.6 | 4         |
| 642 | Complaint-Directed Mini-Interventions for Depressive Complaints: A Randomized Controlled Trial of Unguided Web-Based Self-Help Interventions. <i>Journal of Medical Internet Research</i> , 2017, 19, e4.  | 2.1 | 24        |
| 643 | Toward achieving optimal response: understanding and managing antidepressant side effects. <i>Dialogues in Clinical Neuroscience</i> , 2008, 10, 409-418.  | 1.8 | 81        |
| 644 | Treating Depression to Remission. <i>Psychiatric Annals</i> , 1995, 25, 704-709.   | 0.1 | 67        |
| 645 | The Value of Patient-administered Depression Rating Scale in Detecting Cognitive Deficits in Depressed Patients. <i>Journal of Clinical Medicine Research</i> , 2010, 2, 27-33.  | 0.6 | 6         |
| 646 | Identifying Depressive Subtypes in a Large Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1582-1589.  | 1.1 | 225       |
| 647 | The Relationship Between Affective State and the Rhythmicity of Activity in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e317-e322.   | 1.1 | 44        |
| 648 | Effects of Open-Label, Adjunctive Ganaxolone on Persistent Depression Despite Adequate Antidepressant Treatment in Postmenopausal Women. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .   | 1.1 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 649 | The Need for Clinically Relevant Research on Treatment-Resistant Depression. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 221-224.   | 1.1 | 35        |
| 650 | Preliminary Observations on the Effectiveness of Levetiracetam in the Open Adjunctive Treatment of Refractory Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 370-374.  | 1.1 | 53        |
| 651 | Prevention of Recurrent Episodes of Depression With Venlafaxine ER in a 1-Year Maintenance Phase From the PREVENT Study. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1014-1023.   | 1.1 | 53        |
| 652 | The Prevention of Recurrent Episodes of Depression With Venlafaxine for Two Years (PREVENT) Study. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1246-1256.   | 1.1 | 93        |
| 653 | Do Depressed Patients With Diabetes Experience More Side Effects When Treated With Citalopram Than Their Counterparts Without Diabetes?. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2009, 11, 186-196.   | 0.6 | 2         |
| 654 | Clinical Features of Depression in Outpatients With and Without Co-Occurring General Medical Conditions in STAR*D. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2007, 09, 7-15.  | 0.6 | 56        |
| 655 | Cognitive and Psychosocial Improvements Following Aripiprazole Augmentation of SSRI Antidepressant Therapy in Treatment Refractory Depression: A Pilot Study. <i>Open Journal of Depression</i> , 2013, 02, 45-53.  | 0.2 | 6         |
| 656 | Review of Cohort Studies for Mood Disorders. <i>Psychiatry Investigation</i> , 2016, 13, 265.   | 0.7 | 7         |
| 657 | The relationship of perceived severity of tinnitus with depression, anxiety, hearing status, age and gender in individuals with tinnitus. <i>International Tinnitus Journal</i> , 2013, 18, 29-34.  | 0.1 | 30        |
| 658 | Transitioning From In-Person to Remote Clinical Research on Depression and Traumatic Brain Injury During the COVID-19 Pandemic: Study Modifications and Preliminary Feasibility From a Randomized Controlled Pilot Study. <i>JMIR Formative Research</i> , 2021, 5, e28734. | 0.7 | 6         |
| 659 | Characterising the severity of treatment resistance in unipolar and bipolar depression. <i>BJPsych Open</i> , 2021, 7, .  | 0.3 | 1         |
| 660 | Indoxyl sulfate, a gut microbiome-derived uremic toxin, is associated with psychic anxiety and its functional magnetic resonance imaging-based neurologic signature. <i>Scientific Reports</i> , 2021, 11, 21011.   | 1.6 | 37        |
| 661 | Hair glucocorticoids are associated with childhood adversity, depressive symptoms and reduced global and lobar grey matter in Generation Scotland. <i>Translational Psychiatry</i> , 2021, 11, 523.   | 2.4 | 13        |
| 662 | Evaluaci3n por el observador frente a autoevaluaci3n en la valoraci3n de los pacientes deprimidos. <i>European Psychiatry (Ed Espa±ola)</i> , 2000, 7, 486-500.   | 0.0 | 0         |
| 663 | Acute In-patient Setting. , 2004, , 307-334.  |     | 0         |
| 664 | Enhancement of Treatment Response in Depression in the Primary Care Setting. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2004, 6, .   | 0.6 | 1         |
| 665 | Diagnostic Rating Scales and Psychiatric Instruments. , 2008, , 79-90.  |     | 0         |
| 669 | CBASP im stationÄren Kontext. , 2013, , 171-198.  |     | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 672 | Self-rating scales. , 2014, , 23-34.  |     | 2         |
| 673 | Observer rating scales. , 2014, , 7-22.   |     | 3         |
| 674 | The Relationship between Age and Affective Reactivity in Depressed and Healthy Females Across the Lifespan. Journal of Depression & Anxiety, 2014, S1, .  | 0.1 | 0         |
| 675 | Inventaires d'auto-évaluation de la psychopathologie chez l'adulte. 2e partie: inventaires de dépression. Psychiatrie Et Psychobiologie, 1990, 5, 87-102.   | 0.1 | 3         |
| 676 | The Assessment Process. , 1993, , 49-80.  |     | 0         |
| 677 | Sensibilidad de las escalas de evaluación del observador por el análisis del número de días hasta la mejoría en pacientes con depresión mayor. European Psychiatry (Ed Española), 1998, 5, 451-454.                                     | 0.0 | 0         |
| 678 | Depression diagnosis in patients with Parkinson's disease using various diagnostic tools. Aktualnosci Neurologiczne, 2015, 15, 210-216.   | 0.1 | 0         |
| 681 | The Levels of Suicide Intention in Secondary School of Pakistan: Students' Perceptions. Sir Syed Journal of Education & Social Research (SJESR), 2020, 3, 223-238.  | 0.1 | 1         |
| 683 | Effectiveness of Korean Mentalization Based Treatment in Patients with Borderline Personality Disorder: Preliminary Report on Interim Analysis. Journal of Korean Neuropsychiatric Association, 2020, 59, 61.                           | 0.2 | 1         |
| 684 | The Influence of Discrete Trial Teaching on Vocabulary Acquisition Effect of Autistic Children between the Age of 3 and 6"Based on a 9-Month Follow-Up of 23 Autistic Children. Advances in Psychology, 2020, 10, 996-1005.             | 0.0 | 0         |
| 685 | Klassifikation und Diagnostik inklusive Frühherkennung. , 2020, , 43-89.  |     | 0         |
| 686 | The Validity of Inventory of Depressive Symptomatology, Self-report and the Association of Depression with Professional Help-seeking among Individuals with Social Anxiety Disorder. Taiwanese Journal of Psychiatry, 2020, 34, 188.    | 0.1 | 0         |
| 687 | The impact of primary care behavioral health services on patient behaviors: A randomized controlled trial.. Families, Systems and Health, 2020, 38, 6-15.   | 0.4 | 3         |
| 689 | Effectiveness of parenting education for expectant primiparous women in Asia: a systematic review. JBI Evidence Synthesis, 2021, 19, 523-555.   | 0.6 | 2         |
| 690 | The link between depression and physical symptoms. Primary Care Companion To the Journal of Clinical Psychiatry, 2004, 6, 12-6.   | 0.6 | 109       |
| 693 | Do depressed patients with diabetes experience more side effects when treated with Citalopram Than their counterparts without diabetes? a STAR*D study. Primary Care Companion To the Journal of Clinical Psychiatry, 2009, 11, 186-96. | 0.6 | 0         |
| 694 | Prospective assessment of suicidal ideation and behavior: an internet survey of pharmaceutical sponsor practices. Innovations in Clinical Neuroscience, 2014, 11, 14-22.  | 0.1 | 2         |
| 695 | Mania and bipolar depression: complementing not opposing poles" a post-hoc analysis of mixed features in manic and hypomanic episodes. International Journal of Bipolar Disorders, 2021, 9, 36.   | 0.8 | 2         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 696 | Possibilities and limitations of antidepressant use to correct depressive and negative symptoms in schizophrenia. <i>Personalized Psychiatry and Neurology</i> , 2021, 1, 21-45.   | 0.2  | 2         |
| 697 | A novel peripheral biomarker for depression and antidepressant response. <i>Molecular Psychiatry</i> , 2022, 27, 1640-1646.  | 4.1  | 14        |
| 698 | Absence of early mood improvement as a robust predictor of rTMS nonresponse in major depressive disorder. <i>Depression and Anxiety</i> , 2022, 39, 123-133.   | 2.0  | 12        |
| 699 | Comparing impacts of meditation training in focused attention, open monitoring, and mindfulness-based cognitive therapy on emotion reactivity and regulation: Neural and subjective evidence from a dismantling study. <i>Psychophysiology</i> , 2022, 59, e14024. | 1.2  | 9         |
| 700 | Healthy Ageing and Intellectual Disability study: summary of findings and the protocol for the 10-year follow-up study. <i>BMJ Open</i> , 2022, 12, e053499.   | 0.8  | 9         |
| 701 | Effect of high frequency versus theta-burst repetitive transcranial magnetic stimulation on suicidality in patients with treatment-resistant depression. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 529-538.   | 2.2  | 6         |
| 704 | Self-assessment instruments for depression. , 2009, , 46-67.   |      | 0         |
| 713 | Rating Weight Loss on the Hamilton Depression Rating Scale-Reply. <i>Archives of General Psychiatry</i> , 1989, 46, 482.   | 13.8 | 0         |
| 714 | Sex differences in antipsychotic-related triglyceride levels are associated with metabolic hormone differences in patients with severe mental disorders. <i>Schizophrenia Research</i> , 2022, 243, 55-63.   | 1.1  | 2         |
| 715 | Can Enhanced Acute-Phase Treatment of Depression Improve Long-Term Outcomes? A Report of Randomized Trials in Primary Care. <i>American Journal of Psychiatry</i> , 1999, 156, 643-645.  | 4.0  | 71        |
| 717 | Making Sense of the Matrix: A Qualitative Assessment and Commentary on Connecting Psychiatric Symptom Scale Items to the Research Domain Criteria (RDoC).. <i>Innovations in Clinical Neuroscience</i> , 2022, 19, 26-32.  | 0.1  | 3         |
| 718 | Chemokine receptor 4 expression on blood T lymphocytes predicts severity of major depressive disorder. <i>Journal of Affective Disorders</i> , 2022, 310, 343-353.   | 2.0  | 5         |
| 719 | A novel longitudinal clustering approach to psychopathology across diagnostic entities in the hospital-based PsyCourse study. <i>Schizophrenia Research</i> , 2022, 244, 29-38.  | 1.1  | 2         |
| 720 | A Systematic Review of "Helicopter Parenting" and Its Relationship With Anxiety and Depression. <i>Frontiers in Psychology</i> , 2022, 13, .   | 1.1  | 19        |
| 721 | DLPFC stimulation alters working memory related activations and performance: An interleaved TMS-fMRI study. <i>Brain Stimulation</i> , 2022, 15, 823-832.  | 0.7  | 9         |
| 722 | <scp>ANT-DBS</scp> in epilepsy shows no effect on selected neuropsychiatric tests. <i>Acta Neurologica Scandinavica</i> , 2022, 146, 258-264.  | 1.0  | 2         |
| 723 | Violent victimization and revictimization in patients with depressive disorders: context characteristics, disclosure rates, and gender differences. <i>BMC Psychiatry</i> , 2022, 22, .  | 1.1  | 2         |
| 724 | Childhood trauma increases vulnerability to attempt suicide in adulthood through avoidant attachment. <i>Comprehensive Psychiatry</i> , 2022, 117, 152333.   | 1.5  | 8         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 725 | The interplay between psychopathological symptoms: transdiagnostic cross-lagged panel network model. <i>BJPsych Open</i> , 2022, 8, .  | 0.3 | 6         |
| 726 | Use of right orbitofrontal repetitive transcranial magnetic stimulation (rTMS) augmentation for treatment-refractory obsessive-compulsive disorder with comorbid major depressive disorder. <i>Psychiatry Research</i> , 2022, 317, 114856.  | 1.7 | 6         |
| 727 | Sex-specific associations between metabolic hormones, severe mental disorders and antipsychotic treatment. <i>Psychoneuroendocrinology</i> , 2022, 146, 105927.  | 1.3 | 0         |
| 728 | Comparing personalized brain-based and genetic risk scores for major depressive disorder in large population samples of adults and adolescents. <i>European Psychiatry</i> , 2022, 65, .   | 0.1 | 1         |
| 729 | The clinical characterization of the adult patient with bipolar disorder aimed at personalization of management. <i>World Psychiatry</i> , 2022, 21, 364-387.  | 4.8 | 48        |
| 730 | Klinische Erhebungsmethoden und Instrumente. , 2023, , 37-46.  |     | 0         |
| 731 | Cognitive-affective processes and suicidality in response to repetitive transcranial magnetic stimulation for treatment resistant depression. <i>Journal of Affective Disorders</i> , 2023, 321, 182-190.  | 2.0 | 3         |
| 733 | Pain predict genetics: protocol for a prospective observational study of clinical and genetic factors to predict the development of postoperative pain. <i>BMJ Open</i> , 2022, 12, e066134.   | 0.8 | 2         |
| 736 | The Relation between Depressive Symptoms and Unsafe Sex among MSM Living with HIV. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 1595.  | 1.2 | 0         |
| 737 | Genetic contributions to transdiagnostic symptom dimensions in patients with major depressive disorder, bipolar disorder, and schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2023, 252, 161-171.  | 1.1 | 5         |
| 738 | Efficacy of celecoxib add-on treatment for immuno-metabolic depression: Protocol of the INFLAMED double-blind placebo-controlled randomized controlled trial. <i>Brain, Behavior, &amp; Immunity - Health</i> , 2023, 27, 100585.  | 1.3 | 7         |
| 739 | Associations of early life stress with leptin and ghrelin in healthy young adults. <i>Psychoneuroendocrinology</i> , 2023, 149, 106007.  | 1.3 | 4         |
| 740 | The effect of surgical weight loss on diabetes complications in individuals with class II/III obesity. <i>Diabetologia</i> , 2023, 66, 1192-1207.  | 2.9 | 7         |
| 741 | Assessment of patient life engagement in major depressive disorder using items from the Inventory of Depressive Symptomatology Self-Report (IDS-SR). <i>Journal of Psychiatric Research</i> , 2023, 161, 132-139.  | 1.5 | 3         |
| 742 | Transdiagnostic psychiatry: Symptom profiles and their direct and indirect relationship with well-being. <i>Journal of Psychiatric Research</i> , 2023, 161, 218-227.  | 1.5 | 2         |
| 743 | Adaption of tele-behavioral activation to increase physical activity in depression: Protocol for iterative development and evaluation. <i>Contemporary Clinical Trials Communications</i> , 2023, 33, 101103.  | 0.5 | 3         |
| 744 | Synchronised transcranial magnetic stimulation for substance use-disordered Veterans: protocol for the pilot sham-controlled acceptability trial. <i>BMJ Open</i> , 2023, 13, e066175.   | 0.8 | 0         |
| 745 | Sleep and Healthy Aging Research on Depression (SHARE-D) randomized controlled trial: Protocol overview of an experimental model of depression with insomnia, inflammation, and affect mechanisms in older adults. <i>Brain, Behavior, &amp; Immunity - Health</i> , 2023, 28, 100601. | 1.3 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 746 | Comparative effectiveness of a mindfulness-based intervention (M-Body) on depressive symptoms: study protocol of a randomized controlled trial in a Federally Qualified Health Center (FQHC). <i>Trials</i> , 2023, 24, .                       | 0.7 | 0         |
| 747 | FMRI study of implicit emotional face processing in patients with MDD with melancholic subtype. <i>Frontiers in Human Neuroscience</i> , 0, 17, .   | 1.0 | 1         |
| 748 | New Psychometric Strategies for the Evaluation of Affective, Cognitive, and Psychosocial Functioning in Unipolar versus Bipolar Depression: Impact of Drug Treatment. <i>CNS and Neurological Disorders - Drug Targets</i> , 2024, 23, 262-270. | 0.8 | 2         |
| 749 | Life Engagement Improvement Following Initiation of Brexpiprazole Treatment in Patients with MDD: A Naturalistic, Retrospective Real-World Study. <i>ClinicoEconomics and Outcomes Research</i> , 0, Volume 15, 195-208.                        | 0.7 | 2         |
| 750 | A Systematic Review Identifying Child-Focused Assessment Tools to Improve the Development and Evaluation of Divorce Education Programs. <i>Journal of Divorce and Remarriage</i> , 0, , 1-17.   | 0.4 | 0         |
| 751 | <scp>Preâ€pandemic</scp> circadian phase predicts pandemic alcohol use among adolescents. <i>Journal of Sleep Research</i> , 2024, 33, .  | 1.7 | 0         |
| 761 | Assessment Tools in Psychiatry. , 2023, , 1-32.   |     | 0         |
| 765 | Use of Technology and Stepped Care. <i>Current Clinical Psychiatry</i> , 2023, , 411-422.   | 0.2 | 0         |
| 784 | Measurement-Based Care for Depression in Youth: Practical Considerations for Selecting Measures to Assess Depression, Associated Features and Functioning. <i>Child Psychiatry and Human Development</i> , 0, , .                               | 1.1 | 0         |
| 791 | Did We Lose Interest and Pleasure in the Concept of Major Depression?. , 2024, , 341-354.   |     | 0         |