

# CITATION REPORT

List of articles citing

Development of criteria for the classification and reporting of osteoarthritis. Classification of osteoarthritis of the knee. Diagnostic and Therapeutic Criteria Committee of the American Rheumatism Association

DOI: 10.1002/art.1780290816

Arthritis and Rheumatism, 1986, 29, 1039-49.

**Source:** <https://exaly.com/paper-pdf/18421035/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2290	Overview of osteoarthritis. <b>1987</b> , 83, 65-9		229
2289	Criteria for the classification of osteoarthritis of the knee and hip. <b>1987</b> , 65, 31-9		85
2288	Exercise and arthritis. <b>1987</b> , 4, 54-64		30
2287	ARAMIS today: moving toward internationally distributed databank systems for follow-up studies. <b>1987</b> , 6 Suppl 2, 93-102		11
2286	The immunologic detection and characterization of cartilage proteoglycan degradation products in synovial fluids of patients with arthritis. <i>Arthritis and Rheumatism</i> , <b>1987</b> , 30, 519-29		101
2285	Arthroscopic and immunohistologic characterization of knee joint synovitis in osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>1987</b> , 30, 1081-8		142
2284	Radiographic assessment of progression in osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>1987</b> , 30, 1214-25		317
2283	Epidemiological, sociological and environmental aspects of rheumatoid arthritis and osteoarthritis. <b>1987</b> , 1, 467-89		23
2282	Synovial fluid inorganic pyrophosphate concentration and nucleotide pyrophosphohydrolase activity in basic calcium phosphate deposition arthropathy and Milwaukee shoulder syndrome. <i>Arthritis and Rheumatism</i> , <b>1988</b> , 31, 408-13		56
2281	Identification of cartilage matrix glycoprotein in synovial fluid in human osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>1988</b> , 31, 553-6		28
2280	. <b>1988</b> , 76, 672-679		1
2279	The American Rheumatism Association 1987 revised criteria for the classification of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>1988</b> , 31, 315-24		16602
2278	Characterization of synovial macrophages by monoclonal antibodies in rheumatoid arthritis and osteoarthritis. <b>1988</b> , 76, 61-6		4
2277	The 1987 revised American Rheumatism Association criteria for rheumatoid arthritis. <b>1988</b> , 27, 341-3		49
2276	Evidence for metalloproteinase and metalloproteinase inhibitor imbalance in human osteoarthritic cartilage. <b>1989</b> , 84, 678-85		475
2275	Peripheral arthritis in the elderly: a hospital study. <b>1989</b> , 48, 227-31		10
2274	Osteoarthritis: definitions and criteria. <b>1989</b> , 48, 531-2		65

2273	Measurement of sulphated glycosaminoglycans and proteoglycan fragments in arthritic synovial fluid. <b>1989</b> , 48, 17-24	28
2272	Informational indices. Validation of criteria and tests. <b>1989</b> , 80, 17-28	5
2271	Factors associated with pain and osteoarthritis in the Tecumseh Community Health Study. <b>1989</b> , 18, 10-3	22
2270	Arthroscopic and synovial correlates of pain in osteoarthritis. <b>1989</b> , 18, 91-3	16
2269	Molecular basis for the action of tiaprofenic acid on human osteoarthritic cartilage degradation. <b>1989</b> , 18, 19-26	10
2268	Characteristics of tumor necrosis factor production in rheumatoid arthritis. <b>1989</b> , 122, 131-45	107
2267	Measurement of pain threshold in patients with rheumatoid arthritis, osteoarthritis, ankylosing spondylitis, and healthy controls. <b>1989</b> , 8, 467-74	73
2266	Prophylactic treatment of canine osteoarthritis with glycosaminoglycan polysulfuric acid ester. <i>Arthritis and Rheumatism</i> , <b>1989</b> , 32, 759-66	41
2265	Immunohistologic demonstration of type II collagen in synovial fluid phagocytes of osteoarthritis and rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , <b>1989</b> , 32, 1458-64	21
2264	Synovial fluid proteins in degenerative joint disease in dogs. <b>1989</b> , 22, 187-96	5
2263	Epidemiology of osteoarthritis: Zoetermeer survey. Comparison of radiological osteoarthritis in a Dutch population with that in 10 other populations. <b>1989</b> , 48, 271-80	556
2262	Osteoarthritis. <b>1989</b> , 299, 1476-7	16
2261	Design and conduct of clinical trials in osteoarthritis. <b>1990</b> , 81, 24-7	6
2260	Disorders of the shoulder: an often unrecognised cause of disability in elderly people. <b>1990</b> , 300, 848-9	57
2259	Self-reported arthritis among men and women in an adult community. <b>1990</b> , 15, 195-208	15
2258	Osteoarthritis of the hip and knee in Saudi Arabia. <b>1990</b> , 14, 29-30	11
2257	The American College of Rheumatology criteria for the classification and reporting of osteoarthritis of the hand. <i>Arthritis and Rheumatism</i> , <b>1990</b> , 33, 1601-10	867
2256	Clinical assessment of osteoarthritis of the knee. <b>1990</b> , 49, 768-70	38

2255	Do clinical findings associate with radiographic osteoarthritis of the knee?. <b>1990</b> , 49, 771-4	92
2254	Osteoarthritis: definitions and criteria. <b>1990</b> , 49, 201	13
2253	Synovial Fluid Tests. <b>1990</b> , 264, 1009	115
2252	Review of UK data on the rheumatic diseases--3. Osteoarthritis. <b>1990</b> , 29, 391-5	12
2251	Running, osteoarthritis, and bone density: initial 2-year longitudinal study. <b>1990</b> , 88, 452-9	61
2250	Markers of cartilage metabolism in arthrosis. A review. <b>1991</b> , 62, 623-32	64
2249	Quantitative imaging of osteoarthritis. <b>1991</b> , 20, 26-39	26
2248	Classification of disease: osteoarthritis. <b>1991</b> , 20, 40-7	157
2247	Fine structure of the human synovial lining cell in osteoarthritis: its prominent cytoskeleton. <b>1991</b> , 231, 145-55	10
2246	Synovial membrane histology and immunopathology in rheumatoid arthritis and osteoarthritis. In vivo effects of antirheumatic drugs. <i>Arthritis and Rheumatism</i> , <b>1991</b> , 34, 153-63	139
2245	Serum keratan sulfate. Quantitative and qualitative comparisons in inflammatory versus noninflammatory arthritides. <i>Arthritis and Rheumatism</i> , <b>1991</b> , 34, 383-92	43
2244	The American College of Rheumatology criteria for the classification and reporting of osteoarthritis of the hip. <i>Arthritis and Rheumatism</i> , <b>1991</b> , 34, 505-14	1418
2243	Synovial fluid 5'-nucleotidase activity. Relationship to other purine catabolic enzymes and to arthropathies associated with calcium crystal deposition. <i>Arthritis and Rheumatism</i> , <b>1991</b> , 34, 1014-20	12
2242	Levels of keratan sulfate in the serum and synovial fluid of patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , <b>1991</b> , 34, 1254-9	64
2241	Effect of interleukin-1 on hyaluronate synthesis by synovial fibroblastic cells. <b>1991</b> , 10, 151-4	13
2240	Comparison of keratan sulphate concentrations and the size distribution of proteoglycans in the synovial fluid of patients with osteoarthritis and pyrophosphate arthropathy. <b>1991</b> , 11, 63-8	11
2239	Osteoarthritis in the elderly: clinical and radiological findings in 79 and 85 year olds. <b>1991</b> , 50, 535-9	82
2238	Clinical signs of early osteoarthritis: reproducibility and relation to x ray changes in 541 women in the general population. <b>1991</b> , 50, 467-70	67

2237	Magnetic resonance imaging in osteoarthritis of the knee: correlation with radiographic and scintigraphic findings. <b>1991</b> , 50, 14-9	81
2236	Reliability of hand-held dynamometry and its relationship with manual muscle testing in patients with osteoarthritis in the knee. <b>1992</b> , 16, 145-9	49
2235	Proteoglycans from osteoarthritic human articular cartilage influence type II collagen in vitro fibrillogenesis. <b>1992</b> , 27, 235-50	18
2234	Scintigraphic assessment of osteoarthritis of the knee joint. <b>1992</b> , 51, 938-42	71
2233	Quantitation of chondroitin 4-sulfate and chondroitin 6-sulfate in pathologic joint fluid. <i>Arthritis and Rheumatism</i> , <b>1992</b> , 35, 1304-8	122
2232	A 12 year follow up study in the general population on prognostic factors of cartilage loss in osteoarthritis of the knee. <b>1992</b> , 51, 932-7	215
2231	Reduction of the concentration and total amount of keratan sulphate in synovial fluid from patients with osteoarthritis during treatment with piroxicam. <b>1992</b> , 51, 850-4	7
2230	Evaluation of a method for clinically assessing osteoarthritis of the knee. <b>1992</b> , 51, 243-5	37
2229	Prorenin-renin axis in synovial fluid in patients with rheumatoid arthritis and osteoarthritis. <b>1992</b> , 39, 259-67	9
2228	Hyperprolactinemia in systemic lupus erythematosus: association with disease activity. <b>1992</b> , 303, 222-6	113
2227	Differential muscle strength decline in osteoarthritis of the knee. A developing hypothesis. <i>Arthritis and Rheumatism</i> , <b>1992</b> , 5, 24-8	25
2226	Enhanced production of monocyte chemoattractant protein-1 in rheumatoid arthritis. <b>1992</b> , 90, 772-9	489
2225	Joint exercises in elderly persons with symptomatic osteoarthritis of the hip or knee. Performance patterns, medical support patterns, and the relationship between exercising and medical care. <i>Arthritis and Rheumatism</i> , <b>1992</b> , 5, 36-41	37
2224	Proteoglycan fragments in joint fluid. Influence of arthrosis and inflammation. <b>1992</b> , 63, 417-23	77
2223	Expression of interleukin-1 and interleukin-1 receptor antagonist by human rheumatoid synovial tissue macrophages. <b>1992</b> , 65, 23-9	57
2222	Effect of ultrasound on mobility in osteoarthritis of the knee. A randomized clinical trial. <i>Arthritis and Rheumatism</i> , <b>1992</b> , 5, 29-35	63
2221	A one-step sandwich enzyme immunoassay for human matrix metalloproteinase 3 (stromelysin-1) using monoclonal antibodies. <b>1992</b> , 211, 59-72	101
2220	Prevalence of radiographic osteoarthritis in two elderly European populations. <b>1992</b> , 12, 33-8	35

2219	Osteophytosis of the knee: association with changes in weight-bearing exercise. <b>1992</b> , 11, 235-8	19
2218	Cartilage matrix metabolism in osteoarthritis: markers in synovial fluid, serum, and urine. <b>1992</b> , 25, 167-74	51
2217	Nerve growth factor in the synovial fluid of patients with chronic arthritis. <i>Arthritis and Rheumatism</i> , <b>1992</b> , 35, 351-5	226
2216	Reduction of joint pain in patients with knee osteoarthritis who have received monthly telephone calls from lay personnel and whose medical treatment regimens have remained stable. <i>Arthritis and Rheumatism</i> , <b>1992</b> , 35, 511-5	95
2215	The interleukin-1 receptor in normal and osteoarthritic human articular chondrocytes. Identification as the type I receptor and analysis of binding kinetics and biologic function. <i>Arthritis and Rheumatism</i> , <b>1992</b> , 35, 530-40	132
2214	Supravital staining of synovial fluid with Testsimplets. <b>1992</b> , 8, 147-52	5
2213	Association of HLA-DR and HLA-DQ antigens with congenital dislocation and dysplastic osteoarthritis of the hip joints in Japanese people. <i>Arthritis and Rheumatism</i> , <b>1993</b> , 36, 815-8	5
2212	Comparison of naproxen and acetaminophen in a two-year study of treatment of osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , <b>1993</b> , 36, 1196-206	216
2211	Effect of piroxicam on gait in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , <b>1993</b> , 36, 1207-13	140
2210	Detection of intraarticular abnormalities in osteoarthritis of the knee. A pilot study comparing needle arthroscopy with standard arthroscopy. <i>Arthritis and Rheumatism</i> , <b>1993</b> , 36, 1353-63	23
2209	Regulation of human normal and osteoarthritic chondrocyte interleukin-1 receptor by antirheumatic drugs. <i>Arthritis and Rheumatism</i> , <b>1993</b> , 36, 1517-27	39
2208	Chondroscopy: a new method for scoring chondropathy. <b>1993</b> , 22, 289-97	65
2207	High molecular weight sodium hyaluronate (hyalectin) in osteoarthritis of the knee: a 1 year placebo-controlled trial. <b>1993</b> , 1, 97-103	226
2206	Joint fluid carboxy-terminal type II procollagen peptide as a marker of cartilage collagen biosynthesis. <b>1993</b> , 1, 121-8	60
2205	Radiographic assessment of osteoarthritis in population studies: whither Kellgren and Lawrence?. <b>1993</b> , 1, 203-6	134
2204	Adhesion molecule expression in human synovial tissue. <i>Arthritis and Rheumatism</i> , <b>1993</b> , 36, 137-46	175
2203	A one-step sandwich enzyme immunoassay for tissue inhibitor of metalloproteinases-2 using monoclonal antibodies. <b>1993</b> , 220, 31-45	103
2202	A one-step sandwich enzyme immunoassay for human matrix metalloproteinase 2 (72-kDa gelatinase/type IV collagenase) using monoclonal antibodies. <b>1993</b> , 221, 91-103	150

2201	Effects of nimesulide and naproxen on the degradation and metalloprotease synthesis of human osteoarthritic cartilage. <b>1993</b> , 46 Suppl 1, 34-9	36
2200	Quadriceps Strength Training for Osteo-Arthritis of the Knee: A Literature Review and Analysis. <b>1993</b> , 79, 13-18	15
2199	Definition of osteoarthritis of the knee for epidemiological studies. <b>1993</b> , 52, 790-4	174
2198	Arthritis. <b>1993</b> , 3, 259-280	
2197	Differential strength decline in patients with osteoarthritis of the knee: revision of a hypothesis. <i>Arthritis and Rheumatism</i> , <b>1993</b> , 6, 89-96	28
2196	Localization of the angiogenesis inhibitor thrombospondin in human synovial tissues. <b>1993</b> , 61, 1-6	35
2195	Submicroscopic crystals in osteoarthritic synovial fluids. <b>1994</b> , 53, 467-70	55
2194	Musculoskeletal disorders and disability in persons aged 85 and over: a community survey. <b>1994</b> , 53, 807-11	50
2193	Quantitative radiography of osteoarthritis. <b>1994</b> , 53, 268-75	83
2192	Synovial fluid and plasma levels of cartilage matrix glycoprotein in arthritis. <b>1994</b> , 55, 100-2	9
2191	Synoviocytes in chronic synovitis in situ and cytokine stimulated synovial cells in vitro neo-express alpha 1, alpha 3 and alpha 5 chains of beta 1 integrins. <b>1994</b> , 425, 171-80	16
2190	Differential distribution of intercellular adhesion molecules (ICAM-1, ICAM-2, and ICAM-3) and the MS-1 antigen in normal and diseased human synovia. Their possible pathogenetic and clinical significance in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>1994</b> , 37, 221-31	122
2189	Human osteoarthritic chondrocytes possess an increased number of insulin-like growth factor 1 binding sites but are unresponsive to its stimulation. Possible role of IGF-1-binding proteins. <i>Arthritis and Rheumatism</i> , <b>1994</b> , 37, 253-63	177
2188	Criteria for rheumatic disease. Different types and different functions. The American College of Rheumatology Diagnostic and Therapeutic Criteria Committee. <i>Arthritis and Rheumatism</i> , <b>1994</b> , 37, 454-62	96
2187	Application of neural networks to the classification of giant cell arteritis. <i>Arthritis and Rheumatism</i> , <b>1994</b> , 37, 760-70	31
2186	Alteration in multijoint dynamics in patients with bilateral knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>1994</b> , 37, 1297-304	26
2185	Type VI collagen-specific messenger RNA is expressed constitutively by cultured human synovial fibroblasts and is suppressed by interleukin-1. <i>Arthritis and Rheumatism</i> , <b>1994</b> , 37, 1350-6	19
2184	Effects of local heat and cold treatment on surface and articular temperature of arthritic knees. <i>Arthritis and Rheumatism</i> , <b>1994</b> , 37, 1578-82	79

2183	Granzyme-positive cytotoxic cells are specifically increased in early rheumatoid synovial tissue. <i>Arthritis and Rheumatism</i> , <b>1994</b> , 37, 1735-43	109
2182	MR features of osteoarthritis of the knee. <b>1994</b> , 12, 703-9	63
2181	Pannus-induced destruction of joint cartilage and subchondral bone. Visualization and staging by MRI. <b>1994</b> , 2, 91-100	3
2180	Exercise and the musculoskeletal system. <b>1994</b> , 8, 79-102	18
2179	Capsaicin cream 0.025% as Monotherapy for Osteoarthritis: A double-blind study. <b>1994</b> , 23, 25-33	78
2178	A pilot clinical evaluation of the treatment of hip osteoarthritis with hyaluronic acid. <b>1994</b> , 55, 319-330	31
2177	Neuropeptides and interleukin-6 in human joint inflammation relationship between intraarticular substance P and interleukin-6 concentrations. <b>1994</b> , 170, 251-4	47
2176	Hyaluronic acid. A review of its pharmacology and use as a surgical aid in ophthalmology, and its therapeutic potential in joint disease and wound healing. <b>1994</b> , 47, 536-66	292
2175	An examination of Cyriax's passive motion tests with patients having osteoarthritis of the knee. <b>1994</b> , 74, 697-707; discussion 707-9	46
2174	Transmission of molecular information through electro-magnetic waves with different frequencies and its application to non-invasive diagnosis of patients as well as detection from patient's X-ray film of visible and not visible medical information: Part I. <b>1994</b> , 19, 39-63	5
2173	Health-related quality of life in patients with osteoarthritis in a family practice setting. <i>Arthritis and Rheumatism</i> , <b>1995</b> , 8, 88-93	51
2172	Association of radiographic features of osteoarthritis of the knee with knee pain: data from the Baltimore Longitudinal Study of Aging. <i>Arthritis and Rheumatism</i> , <b>1995</b> , 8, 182-8	115
2171	The prevalence and impact of arthritis in older persons. <i>Arthritis and Rheumatism</i> , <b>1995</b> , 8, 257-64	31
2170	Feasibility of maximal cardiopulmonary exercise testing in patients with end-stage arthritis of the hip and knee prior to total joint arthroplasty. <b>1995</b> , 108, 174-81	18
2169	Interleukin-1 receptor antagonist production in cultured synovial cells from patients with rheumatoid arthritis and osteoarthritis. <b>1995</b> , 54, 318-20	17
2168	Case report: in situ hybridization for detection of inapparent infection with <i>Chlamydia trachomatis</i> in synovial tissue of a patient with Reiter's syndrome. <b>1995</b> , 310, 206-13	27
2167	Women, men, and osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>1995</b> , 8, 212-20	67
2166	The role of viscosupplementation with hylan G-F 20 (Synvisc) in the treatment of osteoarthritis of the knee: a Canadian multicenter trial comparing hylan G-F 20 alone, hylan G-F 20 with non-steroidal anti-inflammatory drugs (NSAIDs) and NSAIDs alone. <b>1995</b> , 3, 213-25	296



2165	Glycosaminoglycan polysulfuric acid (GAGPS) in osteoarthritis of the knee. <b>1995</b> , 3, 15-23	19
2164	Recommended methodology for assessing the progression of osteoarthritis of the hip and knee joints. <b>1995</b> , 3, 73-7	73
2163	Efficacy of traditional Chinese acupuncture in the treatment of symptomatic knee osteoarthritis: a pilot study. <b>1995</b> , 3, 139-42	43
2162	Osteoarthritis staging: comparison between magnetic resonance imaging, gross pathology and histopathology in the rhesus macaque. <b>1995</b> , 3, 169-80	54
2161	Methodological and statistical approaches to criteria development in rheumatic diseases. <b>1995</b> , 9, 253-66	51
2160	The classification and assessment of osteoarthritis. <b>1995</b> , 9, 407-32	65
2159	Markers of osteoarthritis: a review of the literature. <b>1995</b> , 24, 255-62	17
2158	Increased insulin-like growth factor 1 production by human osteoarthritic chondrocytes is not dependent on growth hormone action. <i>Arthritis and Rheumatism</i> , <b>1995</b> , 38, 413-9	32
2157	Cardiovascular fitness and health in patients with end-stage osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>1995</b> , 38, 799-805	69
2156	Radiographic osteoarthritis of the hip and bone mineral density. The Study of Osteoporotic Fractures Research Group. <i>Arthritis and Rheumatism</i> , <b>1995</b> , 38, 907-16	268
2155	Compartment-directed physical examination of the knee can predict articular cartilage abnormalities disclosed by needle arthroscopy. <i>Arthritis and Rheumatism</i> , <b>1995</b> , 38, 917-25	17
2154	Increased levels of stromelysin-1 and tissue inhibitor of metalloproteinases-1 in sera from patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>1995</b> , 38, 969-75	105
2153	Incidence of symptomatic hand, hip, and knee osteoarthritis among patients in a health maintenance organization. <i>Arthritis and Rheumatism</i> , <b>1995</b> , 38, 1134-41	624
2152	Guidelines for the medical management of osteoarthritis. Part II. Osteoarthritis of the knee. American College of Rheumatology. <i>Arthritis and Rheumatism</i> , <b>1995</b> , 38, 1541-6	651
2151	Microheterogeneity of acute phase proteins in patients with clinically active and clinically nonactive osteoarthritis. <b>1995</b> , 14, 434-40	12
2150	Sensitivity versus specificity of phonoarthrography as an indicator for cartilage degeneration. <b>1995</b> , 14, 135-42	5
2149	Association between degree of bone-erosion and synovial fluid-levels of tumor necrosis factor alpha in the knee-joints of patients with rheumatoid arthritis. <b>1995</b> , 44, 217-21	77
2148	Changes in mean trabecular orientation in the medial condyle of the proximal tibia in osteoarthritis. <b>1995</b> , 57, 69-73	48

2147	Synovial thickening detected by MR imaging in osteoarthritis of the knee confirmed by biopsy as synovitis. <b>1995</b> , 13, 177-83	166
2146	Noninvasive acceleration measurements to characterize knee arthritis and chondromalacia. <b>1995</b> , 23, 78-84	30
2145	Conservative management of osteoarthritic knees. <b>1995</b> , 2, 179-183	
2144	Novel 68 kDa autoantigen detected by rheumatoid arthritis specific antibodies. <b>1995</b> , 54, 355-60	29
2143	Comparison of the efficacy and safety of oxaprozin and nabumetone in the treatment of patients with osteoarthritis of the knee. <b>1995</b> , 17, 735-45	23
2142	Osteoarthritis in the aged. Epidemiological issues and optimal management. <b>1995</b> , 6, 409-20	45
2141	Ro 15-8081 in osteoarthritis of hip and knee: a double-blind placebo-controlled multicentre dose-ranging study on analgesia. <b>1996</b> , 64, 99-105	9
2140	A one-step sandwich enzyme immunoassay for human matrix metalloproteinase 8 (neutrophil collagenase) using monoclonal antibodies. <b>1996</b> , 244, 129-43	44
2139	Further evidence of impaired position sense in knee osteoarthritis. <b>1996</b> , 1, 127-36	26
2138	Diagnosis of osteoarthritis. Guidelines and current pitfalls. <b>1996</b> , 52 Suppl 3, 1-13	22
2137	Back pain in osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , <b>1996</b> , 9, 376-83	35
2136	Soluble forms of P-selectin and intercellular adhesion molecule-3 in synovial fluids. <b>1996</b> , 78, 276-82	18
2135	Mechanisms of prostanoid synthesis in human synovial cells: cytokine-peptide synergism. <b>1996</b> , 20, 537-54	12
2134	The effect of ranitidine on NSAID related dyspeptic symptoms with and without peptic ulcer disease of patients with rheumatoid arthritis and osteoarthritis. <b>1996</b> , 15, 450-6	28
2133	The effect of niacinamide on osteoarthritis: a pilot study. <b>1996</b> , 45, 330-4	55
2132	Cartilage imaging in osteoarthritis. <b>1996</b> , 25, 273-81	37
2131	Imaging in clinical trials. <b>1996</b> , 10, 699-709	
2130	Design and conduct of clinical trials in patients with osteoarthritis: recommendations from a task force of the Osteoarthritis Research Society. Results from a workshop. <b>1996</b> , 4, 217-43	446

2129	IGF and IGF-binding protein system in the synovial fluid of osteoarthritic and rheumatoid arthritic patients. <b>1996</b> , 4, 263-74	57
2128	Parametric and non-parametric measures in the assessment of knee and hip osteoarthritis: interobserver reliability and correlation with radiology. <b>1996</b> , 4, 35-42	35
2127	The increased synthesis of inducible nitric oxide inhibits IL-1ra synthesis by human articular chondrocytes: possible role in osteoarthritic cartilage degradation. <b>1996</b> , 4, 77-84	138
2126	Enhancement of SPARC (osteonectin) synthesis in arthritic cartilage. Increased levels in synovial fluids from patients with rheumatoid arthritis and regulation by growth factors and cytokines in chondrocyte cultures. <i>Arthritis and Rheumatism</i> , <b>1996</b> , 39, 539-51	57
2125	Normal expression of type 1 insulin-like growth factor receptor by human osteoarthritic chondrocytes with increased expression and synthesis of insulin-like growth factor binding proteins. <i>Arthritis and Rheumatism</i> , <b>1996</b> , 39, 968-78	72
2124	Local disruption of the insulin-like growth factor system in the arthritic joint. <i>Arthritis and Rheumatism</i> , <b>1996</b> , 39, 1556-65	61
2123	Hepatocyte growth factor. A cytokine mediating endothelial migration in inflammatory arthritis. <i>Arthritis and Rheumatism</i> , <b>1996</b> , 39, 1566-75	62
2122	Synovial distribution of alpha d/CD18, a novel leukointegrin. Comparison with other integrins and their ligands. <i>Arthritis and Rheumatism</i> , <b>1996</b> , 39, 1913-21	32
2121	The role of interleukin-15 in T-cell migration and activation in rheumatoid arthritis. <b>1996</b> , 2, 175-82	418
2120	Complement in acute and chronic arthritides: assessment of C3c, C9, and protectin (CD59) in synovial membrane. <b>1996</b> , 55, 888-94	68
2119	Definitions of osteoarthritis in the knee and hand. <b>1996</b> , 55, 656-8	11
2118	Increased expression of interferon (IFN)-gamma together with IFN-gamma receptor in the rheumatoid synovial membrane compared with synovium of patients with osteoarthritis. <b>1996</b> , 35, 24-32	63
2117	Screening for pain in knee osteoarthritis: which question?. <b>1996</b> , 55, 931-3	97
2116	Intra-articular corticosteroids are effective in osteoarthritis but there are no clinical predictors of response. <b>1996</b> , 55, 829-32	148
2115	Nerve growth factor (NGF) autoantibodies and NGF in the synovial fluid: implications in spondylarthropathies. <b>1996</b> , 24, 1-9	27
2114	Differential expression of the urokinase receptor (CD87) in arthritic and normal synovial tissues. <b>1997</b> , 50, 314-9	14
2113	Differential expression and functional behaviour of the alpha v and beta 3 integrin subunits in cytokine stimulated fibroblast-like cells derived from synovial tissue of rheumatoid arthritis and osteoarthritis in vitro. <b>1997</b> , 56, 729-36	23
2112	Prolonged effects of 3 week therapy in a spa resort on lumbar spine, knee and hip osteoarthritis: follow-up after 6 months. A randomized controlled trial. <b>1997</b> , 36, 77-81	109

2111	Sensorimotor changes and functional performance in patients with knee osteoarthritis. <b>1997</b> , 56, 641-8	361
2110	Knee arthroscopy in the office. <b>1997</b> , 32, 179-82, 184, 190	4
2109	The pattern of health care utilization of elderly people with arthritic pain in the hip or knee. <b>1997</b> , 9, 129-37	22
2108	Small fragments of cartilage oligomeric matrix protein in synovial fluid and serum as markers for cartilage degradation. <b>1997</b> , 36, 1151-60	187
2107	Measurement of the quality of life in rheumatic disorders using the EuroQol. <b>1997</b> , 36, 786-93	109
2106	Intraarticular Morphine Analgesia in Chronic Pain Patients with Osteoarthritis. <b>1997</b> , 84, 1313-1317	78
2105	Osteoarthritis of the knee: report of a Task Force of the International League of Associations for Rheumatology and the Osteoarthritis Research Society. <b>1997</b> , 45, 850-2	3
2104	Effects of exercise on knee joints with osteoarthritis: a pilot study of biologic markers. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 10, 48-55	53
2103	Intraarticular morphine analgesia in chronic pain patients with osteoarthritis. <b>1997</b> , 84, 1313-7	85
2102	Quadriceps weakness and osteoarthritis of the knee. <b>1997</b> , 127, 97-104	624
2101	Pathogenesis and treatment of osteoarthritis. <b>1997</b> , 81, 85-112	65
2100	Effects of Aceclofenac and Diclofenac on Synovial Inflammatory Factors in Human Osteoarthritis. <b>1997</b> , 14, 226-232	8
2099	Characterization of monoclonal antibodies recognizing different fragments of cartilage oligomeric matrix protein in human body fluids. <b>1997</b> , 341, 8-16	43
2098	The rational initial clinical evaluation of the patient with musculoskeletal complaints. <b>1997</b> , 103, 7S-11S	6
2097	Measurement of synovial tumor necrosis factor-alpha in diagnosing emergency patients with bacterial arthritis. <b>1997</b> , 15, 626-9	54
2096	Osteoarthritis. <b>1997</b> , 350, 503-8	357
2095	Osteoarthritis of the knee in retired, elite Australian Rules footballers. <b>1997</b> , 166, 187-90	76
2094	GENETIC INFLUENCES IN END-STAGE OSTEOARTHRITIS. <b>1997</b> , 79-B, 660-664	22

2093	Clinical guidelines for management. <b>1997</b> , 11, 157-79	8
2092	Sport practice and osteoarthritis of the limbs. <b>1997</b> , 5, 75-86	79
2091	Gene expression of type II collagens in chondro-osteophytes in experimental osteoarthritis. <b>1997</b> , 5, 99-105	43
2090	Arthroscopic evaluation of potential structure modifying activity of hyaluronan (Hyalgan) in osteoarthritis of the knee. <b>1997</b> , 5, 153-60	207
2089	Activation of fibrillar collagen synthesis and phenotypic modulation of chondrocytes in early human osteoarthritic cartilage lesions. <b>1997</b> , 5, 183-9	70
2088	Comparison of synovial fluid cartilage marker concentrations and chondral damage assessed arthroscopically in acute knee injury. <b>1997</b> , 5, 419-26	23
2087	Low-level production of interleukin-13 in synovial fluid and tissue from patients with arthritis. <b>1997</b> , 85, 210-20	18
2086	The association between arthritis and the weather. <b>1997</b> , 40, 192-9	75
2085	Elevated levels of insulin-like growth factor (IGF) binding protein-3 in rheumatoid arthritis synovial fluid inhibit stimulation by IGF-I of articular chondrocyte proteoglycan synthesis. <b>1997</b> , 17, 29-37	18
2084	A revised group exercise program for osteoarthritis of the knee. <b>1997</b> , 2, 30-41	15
2083	Suppression of cartilage matrix gene expression in upper zone chondrocytes of osteoarthritic cartilage. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 562-9	123
2082	Enhancement of cartilage matrix protein synthesis in arthritic cartilage. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 1029-36	36
2081	The synovial expression and serum levels of interleukin-6, interleukin-11, leukemia inhibitory factor, and oncostatin M in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 1096-105	196
2080	Inhibition of rheumatoid synovial fibroblast proliferation by antisense oligonucleotides targeting proliferating cell nuclear antigen messenger rna. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 1292-1297	
2079	Interleukin-1 $\beta$ -stimulated invasion of articular cartilage by rheumatoid synovial fibroblasts is inhibited by antibodies to specific integrin receptors and by collagenase inhibitors. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 1298-1307	55
2078	Matrix metalloproteinase 13 (collagenase 3) in human rheumatoid synovium. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 1391-9	187
2077	Sensitivity and positive predictive value of Medicare Part B physician claims for rheumatologic diagnoses and procedures. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 1594-600	116
2076	Collagenase-3 (matrix metalloprotease 13) is preferentially localized in the deep layer of human arthritic cartilage in situ: in vitro mimicking effect by transforming growth factor beta. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 1653-61	154

2075	Magnetic resonance imaging-determined synovial membrane and joint effusion volumes in rheumatoid arthritis and osteoarthritis: comparison with the macroscopic and microscopic appearance of the synovium. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 1856-67	206
2074	Increased expression of IL-15 in the synovium of patients with rheumatoid arthritis compared with patients with Yersinia-induced arthritis and osteoarthritis. <b>1997</b> , 181, 444-50	81
2073	Advances in the microscopy of osteoarthritis. <b>1997</b> , 37, 245-70	23
2072	Comparative study of serum and synovial fluid interleukin-11 levels in patients with various arthritides. <b>1998</b> , 31, 673-9	18
2071	Soluble recombinant neutral endopeptidase (CD10) as a potential antiinflammatory agent. <b>1998</b> , 22, 107-21	17
2070	RANTES expression and contribution to monocyte chemotaxis in arthritis. <b>1998</b> , 89, 44-53	103
2069	Dactylitis: implications for clinical practice. <b>1998</b> , 28, 41-7	64
2068	Effect of IL-13 on cytokines, cytokine receptors and inhibitors on human osteoarthritis synovium and synovial fibroblasts. <b>1998</b> , 6, 40-9	37
2067	Comparison of the WOMAC (Western Ontario and McMaster Universities) osteoarthritis index and a self-report format of the self-administered Lequesne-Algofunctional index in patients with knee and hip osteoarthritis. <b>1998</b> , 6, 79-86	127
2066	Inter-observer reliability of the arthroscopic quantification of chondropathy of the knee. <b>1998</b> , 6, 160-6	55
2065	Quantitative evaluation of joint space width in femorotibial osteoarthritis: comparison of three radiographic views. <b>1998</b> , 6, 252-9	128
2064	Light and electron microscopic in-situ hybridization of collagen type I and type II mRNA in the fibrocartilaginous tissue of late-stage osteoarthritis. <b>1998</b> , 6, 278-85	32
2063	Where does it hurt? Pain localization in osteoarthritis of the knee. <b>1998</b> , 6, 318-23	80
2062	Efficacy and tolerability of oral chondroitin sulfate as a symptomatic slow-acting drug for osteoarthritis (SYSADOA) in the treatment of knee osteoarthritis. <b>1998</b> , 6 Suppl A, 31-6	111
2061	Effects of oral chondroitin sulfate on the progression of knee osteoarthritis: a pilot study. <b>1998</b> , 6 Suppl A, 39-46	147
2060	Symptomatic efficacy of avocado/soybean unsaponifiables in the treatment of osteoarthritis of the knee and hip: a prospective, randomized, double-blind, placebo-controlled, multicenter clinical trial with a six-month treatment period and a two-month followup demonstrating a persistent effect. <i>Arthritis and Rheumatism</i> , <b>1998</b> , 41, 81-91	149
2059	Detection of bacterial DNA in joint samples from patients with undifferentiated arthritis and reactive arthritis, using polymerase chain reaction with universal 16S ribosomal RNA primers. <i>Arthritis and Rheumatism</i> , <b>1998</b> , 41, 535-43	111
2058	Estimates of the prevalence of arthritis and selected musculoskeletal disorders in the United States. <i>Arthritis and Rheumatism</i> , <b>1998</b> , 41, 778-99	2004

2057	Osteoblast-like cells from human subchondral osteoarthritic bone demonstrate an altered phenotype in vitro: possible role in subchondral bone sclerosis. <i>Arthritis and Rheumatism</i> , <b>1998</b> , 41, 891-9	169
2056	Severe disturbance of the distribution and expression of type VI collagen chains in osteoarthritic articular cartilage. <i>Arthritis and Rheumatism</i> , <b>1998</b> , 41, 986-96	71
2055	Knee adduction moment, serum hyaluronan level, and disease severity in medial tibiofemoral osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>1998</b> , 41, 1233-40	515
2054	Enhanced and coordinated in vivo expression of inflammatory cytokines and nitric oxide synthase by chondrocytes from patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>1998</b> , 41, 2165-74	212
2053	Gelatin/chondroitin 6-sulfate microspheres for the delivery of therapeutic proteins to the joint. <i>Arthritis and Rheumatism</i> , <b>1998</b> , 41, 2185-95	45
2052	Comparative study of tetranectin levels in serum and synovial fluid of patients with rheumatoid arthritis, seronegative spondylarthritis and osteoarthritis. <b>1998</b> , 17, 318-24	14
2051	Scoring prevalence and severity in gonarthrosis: the suitability of the Kellgren & Lawrence scale. <b>1998</b> , 17, 205-9	39
2050	Characteristics of osteoarthritis among Kuwaitis: a hospital-based study. <b>1998</b> , 17, 210-3	11
2049	Synovial fluid and serum levels of soluble interleukin-6 receptor in patients with rheumatoid arthritis. <b>1998</b> , 8, 27-36	
2048	Quantification of synovitis by MRI: correlation between dynamic and static gadolinium-enhanced magnetic resonance imaging and microscopic and macroscopic signs of synovial inflammation. <b>1998</b> , 16, 743-54	207
2047	New collagenolytic enzymes/cascade identified at the pannus-hard tissue junction in rheumatoid arthritis: destruction from above. <b>1998</b> , 17, 585-601	78
2046	Immunohistochemistry in the study of normal and osteoarthritic articular cartilage. <b>1998</b> , 33, 93-165	9
2045	Validity of Cyriax's concept capsular pattern for the diagnosis of osteoarthritis of hip and/or knee. <b>1998</b> , 27, 347-51	33
2044	The Use of Guidelines for Managing and Treating Osteoarthritis. <b>1998</b> , 3, 131-142	
2043	Establishment and characterization of a novel human rheumatoid fibroblast-like synoviocyte line, MH7A, immortalized with SV40 T antigen. <b>1998</b> , 124, 1153-62	94
2042	Limitations of the 1990 American College of Rheumatology classification criteria in the diagnosis of vasculitis. <b>1998</b> , 129, 345-52	228
2041	Associations of radiological osteoarthritis of the hip and knee with locomotor disability in the Rotterdam Study. <b>1998</b> , 57, 203-8	152
2040	Knee pain and disability in the Nottingham community: association with poor health status and psychological distress. <b>1998</b> , 37, 870-3	50

2039	Radiographic assessment of symptomatic knee osteoarthritis in the community: definitions and normal joint space. <b>1998</b> , 57, 595-601	139
2038	Loss of laminin and of the laminin receptor integrin subunit alpha 6 in situ correlates with cytokine induced down regulation of alpha 6 on fibroblast-like synoviocytes from rheumatoid arthritis. <b>1998</b> , 57, 559-65	8
2037	Symptom severity of osteoarthritis of the knee: a patient-based measure developed in the veterans health study. <b>1998</b> , 53, M351-60	9
2036	Synovial fluid and serum levels of soluble interleukin-6 receptor in patients with rheumatoid arthritis. <b>1998</b> , 8, 27-36	2
2035	Pathomechanics and classification of cartilage lesions, facilitation of repair. <b>1998</b> , 28, 216-31	39
2034	Improvements in quadriceps sensorimotor function and disability of patients with knee osteoarthritis following a clinically practicable exercise regime. <b>1998</b> , 37, 1181-7	202
2033	Transcriptional roles of CCAAT/enhancer binding protein-beta, nuclear factor-kappaB, and C-promoter binding factor 1 in interleukin (IL)-1beta-induced IL-6 synthesis by human rheumatoid fibroblast-like synoviocytes. <b>1998</b> , 273, 7620-7	63
2032	Classification and low back pain: a review of the literature and critical analysis of selected systems. <b>1998</b> , 78, 708-37	110
2031	A comparison of IgM rheumatoid factor by nephelometry and latex methods: clinical and laboratory significance. <i>Arthritis and Rheumatism</i> , <b>1998</b> , 11, 89-93	15
2030	Arthritis. <b>1998</b> , 8, 115-140	
2029	Diagnostic criteria for non-traumatic osteonecrosis of the femoral head. <b>1999</b> , 81-B, 590-595	32
2028	Telomerase activity in the synovial tissues of chronic inflammatory and non-inflammatory rheumatic diseases. <b>1999</b> , 4, 513-7	10
2027	Risk of degenerative ankle joint disease in volleyball players: study of former elite athletes. <b>1999</b> , 20, 58-63	65
2026	Reliability and validity of the EuroQol in patients with osteoarthritis of the knee. <b>1999</b> , 38, 807-13	154
2025	Expression of adhesion molecules on synovial fluid and peripheral blood monocytes in patients with inflammatory joint disease and osteoarthritis. <b>1999</b> , 58, 709-12	22
2024	Serum levels of matrix metalloproteinase-3 in relation to the development of radiological damage in patients with early rheumatoid arthritis. <b>1999</b> , 38, 1081-7	61
2023	Rasch analysis of the Western Ontario MacMaster questionnaire (WOMAC) in 2205 patients with osteoarthritis, rheumatoid arthritis, and fibromyalgia. <b>1999</b> , 58, 563-8	97
2022	Examination of synovial fluid and serum hyaluronidase activity as a joint marker in rheumatoid arthritis and osteoarthritis patients (by zymography). <b>1999</b> , 58, 186-8	40



2021	Recent developments in the treatment of osteoarthritis. <b>1999</b> , 4, 273-290	2
2020	The levels of soluble granzyme A and B are elevated in plasma and synovial fluid of patients with rheumatoid arthritis (RA). <b>1999</b> , 116, 366-70	121
2019	Chemokine expression by subchondral bone marrow stromal cells isolated from osteoarthritis (OA) and rheumatoid arthritis (RA) patients. <b>1999</b> , 116, 371-8	44
2018	Osteoarthritis: a problem of joint failure. <b>1999</b> , 58, 142-7	71
2017	Increased levels of lactoferrin in synovial fluid but not in serum from patients with rheumatoid arthritis. <b>1999</b> , 29, 30-5	38
2016	Analysis of synovial fluid components of hydrarthrosis in long-term hemodialysis patients. <b>1999</b> , 4, 171-5	7
2015	Evaluation of the functional status aspects of health-related quality of life of patients with osteoarthritis treated with celecoxib. <b>1999</b> , 19, 1269-78	67
2014	Osteophytes in osteoarthritis. Clinical aspects. <b>1999</b> , 7, 334-5	30
2013	Radiographic assessment. Introduction: existing methodology. <b>1999</b> , 7, 427-9	16
2012	Meniscal subluxation: association with osteoarthritis and joint space narrowing. <b>1999</b> , 7, 526-32	298
2011	Superior responsiveness of the pain and function sections of the Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC) as compared to the Lequesne-Algofunctional Index in patients with osteoarthritis of the lower extremities. <b>1999</b> , 7, 515-9	77
2010	A Review of the Literature on Shortwave Diathermy as Applied to Osteo-arthritis of the Knee. <b>1999</b> , 85, 304-316	24
2009	The pathobiology of osteoarthritis and the rationale for the use of pentosan polysulfate for its treatment. <b>1999</b> , 28, 211-67	102
2008	Regional musculoskeletal pain. The knee. <b>1999</b> , 13, 329-44	17
2007	Changes in serum cartilage marker levels indicate altered cartilage metabolism in families with the osteoarthritis-related type II collagen gene COL2A1 mutation. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 39-45	50
2006	Internal consistency and validity of an observational method for assessing disability in mobility in patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 12, 19-25	22
2005	Effects of joint lavage and steroid injection in patients with osteoarthritis of the knee: results of a multicenter, randomized, controlled trial. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 475-82	168
2004	Synovial fluid CD146 (MUC18), a marker for synovial membrane angiogenesis in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 622-30	58

2003	Expression of the activation antigen CD97 and its ligand CD55 in rheumatoid synovial tissue. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 650-8	112
2002	Inhibition of tumor necrosis factor alpha-induced prostaglandin E2 production by the antiinflammatory cytokines interleukin-4, interleukin-10, and interleukin-13 in osteoarthritic synovial fibroblasts: distinct targeting in the signaling pathways. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 712-8	96
2001	p53 overexpression in synovial tissue from patients with early and longstanding rheumatoid arthritis compared with patients with reactive arthritis and osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 948-53	79
2000	Comparison of the responsiveness and relative effect size of the western Ontario and McMaster Universities Osteoarthritis Index and the short-form Medical Outcomes Study Survey in a randomized, clinical trial of osteoarthritis patients. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 12, 172-9	92
1999	Collagenase 3 production by human osteoarthritic chondrocytes in response to growth factors and cytokines is a function of the physiologic state of the cells. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 1147-58	74
1998	Reexpression of type IIA procollagen by adult articular chondrocytes in osteoarthritic cartilage. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 1443-50	158
1997	Interleukin-1beta-converting enzyme/caspase-1 in human osteoarthritic tissues: localization and role in the maturation of interleukin-1beta and interleukin-18. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 1577-87	118
1996	Up-regulation of MDC15 (metargidin) messenger RNA in human osteoarthritic cartilage. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 1946-50	40
1995	Abnormal regulation of urokinase plasminogen activator by insulin-like growth factor 1 in human osteoarthritic subchondral osteoblasts. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 2112-22	56
1994	Mitogen-activated protein kinase and nuclear factor kappaB together regulate interleukin-17-induced nitric oxide production in human osteoarthritic chondrocytes: possible role of transactivating factor mitogen-activated protein kinase-activated protein kinase (MAPKAPK). <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 2399-409	139
1993	Positive impact of an intervention by arthritis patient educators on knowledge and satisfaction of patients in a rheumatology practice. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 12, 370-5	33
1992	Radiographic-anatomic correlation at different wrist articulations. <b>1999</b> , 24, 777-80	6
1991	Intraarticular morphine versus dexamethasone in chronic arthritis. <b>1999</b> , 83, 525-532	103
1990	Renal hemodynamic effects of nabumetone, sulindac, and placebo in patients with osteoarthritis. <b>1999</b> , 21, 503-12	7
1989	Osteoarthritis of the knee: isokinetic quadriceps exercise versus an educational intervention. <b>1999</b> , 80, 1293-9	157
1988	Treatment of osteoarthritis with celecoxib, a cyclooxygenase-2 inhibitor: a randomized controlled trial. <b>1999</b> , 74, 1095-105	284
1987	IL-6 synthesis by rheumatoid synoviocytes is autonomously upregulated at the transcriptional level. <b>1999</b> , 103, S437-44	19
1986	Behçet's syndrome. <b>1999</b> , 38, 1171-4	56

1985	Body mass index in young men and the risk of subsequent knee and hip osteoarthritis. <b>1999</b> , 107, 542-8	194
1984	Differential effects of IL-8, LIF (pro-inflammatory) and IL-11 (anti-inflammatory) on TNF-alpha-induced PGE(2) release and on signalling pathways in human OA synovial fibroblasts. <b>1999</b> , 11, 1020-30	35
1983	Osteoarthritis: Update on Pathology, Pathogenesis and Treatment. <b>1999</b> , 12, 293-308	
1982	Heart failure in community-dwelling older persons: aims, design and adherence rate of the ICARE Dicomano project: an epidemiologic study. <i>Insufficienza Cardiaca negli Anziani Residenti a Dicomano</i> . <b>1999</b> , 47, 664-71	26
1981	Treatment of Osteoarthritis by Cutaneous Injection of Salicylate or Saline: A Pilot Study. <b>2000</b> , 22, 75-80	3
1980	Effectiveness of manual physical therapy and exercise in osteoarthritis of the knee. A randomized, controlled trial. <b>2000</b> , 132, 173-81	403
1979	Procollagen IIC-peptide as a marker for assessing mechanical risk factors of knee osteoarthritis: effect of obesity and varus alignment. <b>2000</b> , 59, 982-4	16
1978	Comparative study of the synovial histology in rheumatoid arthritis, spondyloarthropathy, and osteoarthritis: influence of disease duration and activity. <b>2000</b> , 59, 945-53	171
1977	Exercise and weight loss in obese older adults with knee osteoarthritis: a preliminary study. <b>2000</b> , 48, 1062-72	199
1976	Exercise for knee osteoarthritis. <b>2000</b> , 12, 456-63	80
1975	Gap junctions in human synovial cells and tissue. <b>2000</b> , 184, 110-7	14
1974	Expression of vascular endothelial growth factor isoforms and their receptors Flt-1, KDR, and neuropilin-1 in synovial tissues of rheumatoid arthritis. <b>2000</b> , 191, 426-33	105
1973	Preference for nonsteroidal antiinflammatory drugs over acetaminophen by rheumatic disease patients: a survey of 1,799 patients with osteoarthritis, rheumatoid arthritis, and fibromyalgia. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 378-85	187
1972	Presence of bacterial DNA and bacterial peptidoglycans in joints of patients with rheumatoid arthritis and other arthritides. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 593-8	231
1971	Selective enhancement of collagenase-mediated cleavage of resident type II collagen in cultured osteoarthritic cartilage and arrest with a synthetic inhibitor that spares collagenase 1 (matrix metalloproteinase 1). <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 673-82	193
1970	Stimulation of 92-kd gelatinase (matrix metalloproteinase 9) production by interleukin-17 in human monocyte/macrophages: a possible role in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 1134-44	147
1969	Rofecoxib, a specific inhibitor of cyclooxygenase 2, with clinical efficacy comparable with that of diclofenac sodium: results of a one-year, randomized, clinical trial in patients with osteoarthritis of the knee and hip. Rofecoxib Phase III Protocol 035 Study Group. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 978-87	209
1968	Evaluating the predictive value of osteoarthritis diagnoses in an administrative database. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 1881-5	45

1967	Mesenchymal cells expressing bone morphogenetic protein receptors are present in the rheumatoid arthritis joint. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 2046-55	84
1966	Modulation of collagenase 3 in human osteoarthritic cartilage by activation of extracellular transforming growth factor beta: role of furin convertase. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 2100-9	31
1965	Comparison of the responsiveness of symptomatic outcome measures in knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 13, 280-5	34
1964	Antigen-presenting cells containing bacterial peptidoglycan in synovial tissues of rheumatoid arthritis patients coexpress costimulatory molecules and cytokines. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 2160-8	73
1963	Efficacy and safety of diacerein in osteoarthritis of the knee: a double-blind, placebo-controlled trial. The Diacerein Study Group. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 2339-48	116
1962	Intercellular adhesion molecule 1 underlies the functional heterogeneity of synovial cells in patients with rheumatoid arthritis: involvement of cell cycle machinery. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 2513-22	8
1961	Annexin I surface binding sites and their regulation on human fibroblast-like synoviocytes. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 2537-42	17
1960	Knee pain and joint loading in subjects with osteoarthritis of the knee. <b>2000</b> , 18, 572-9	205
1959	Osteoblasts and stromal cells isolated from femora in rheumatoid arthritis (RA) and osteoarthritis (OA) patients express IL-11, leukaemia inhibitory factor and oncostatin M. <b>2000</b> , 119, 346-53	45
1958	La douleur dans la gonarthrose. Apport de l'arthroscopie et de l'imagerie par rsonance magnétique. <b>2000</b> , 67, 882-886	2
1957	Dfinition et pidmiologie de la gonarthrose. <b>2000</b> , 67, 130-137	9
1956	Methotrexate suppresses the interleukin-6 induced generation of reactive oxygen species in the synoviocytes of rheumatoid arthritis. <b>2000</b> , 47, 35-44	83
1955	Expression and tissue localization of membrane-types 1, 2, and 3 matrix metalloproteinases in rheumatoid synovium. <b>2000</b> , 80, 677-87	66
1954	Formes cliniques de la gonarthrose. <b>2000</b> , 67, 149-153	1
1953	Contribution of arthroscopy and magnetic resonance imaging to the evaluation of painful knee osteoarthritis. <b>2000</b> , 67, 504-8	6
1952	The Bristol 'OA500 study': progression and impact of the disease after 8 years. <b>2000</b> , 8, 63-8	95
1951	An analysis of 14 molecular markers for monitoring osteoarthritis: segregation of the markers into clusters and distinguishing osteoarthritis at baseline. <b>2000</b> , 8, 180-5	96
1950	Diacerhein and rhein reduce the ICE-induced IL-1beta and IL-18 activation in human osteoarthritic cartilage. <b>2000</b> , 8, 186-96	67

1949	Increased serum levels of non-collagenous matrix proteins (cartilage oligomeric matrix protein and melanoma inhibitory activity) in marathon runners. <b>2000</b> , 8, 222-9	124
1948	Visually-guided irrigation in patients with early knee osteoarthritis: a multicenter randomized, controlled trial. <b>2000</b> , 8, 412-8	57
1947	Response criteria for clinical trials on osteoarthritis of the knee and hip: a report of the Osteoarthritis Research Society International Standing Committee for Clinical Trials response criteria initiative. <b>2000</b> , 8, 395-403	137
1946	Intra-articular sodium hyaluronate in osteoarthritis of the knee. <b>2000</b> , 30, 11-8	46
1945	Role of collagen hydrolysate in bone and joint disease. <b>2000</b> , 30, 87-99	208
1944	Ultrasound for Osteo-arthritis of the Knee. <b>2000</b> , 86, 452-463	9
1943	High incidence of parvovirus B19 DNA in synovial tissue of patients with undifferentiated mono- and oligoarthritis. <b>2000</b> , 19, 281-6	24
1942	An experimental study in the chick embryo chorioallantoic membrane of the anti-angiogenic activity of cyclosporine in rheumatoid arthritis versus osteoarthritis. <b>2000</b> , 49, 418-23	11
1941	Mig, GRO alpha and RANTES messenger RNA expression in lining layer, infiltrates and different leucocyte populations of synovial tissue from patients with rheumatoid arthritis, psoriatic arthritis and osteoarthritis. <b>2000</b> , 436, 449-58	46
1940	Serum chondrex values in knee osteoarthritis (OA). The effect of arthroscopy. <b>2000</b> , 19, 76-7	1
1939	The Athlete with Early Knee Arthritis. <b>2000</b> , 11, 881-894	4
1938	Factors associated with functional impairment in symptomatic knee osteoarthritis. <b>2000</b> , 39, 490-6	277
1937	The induction of cell death in human osteoarthritis chondrocytes by nitric oxide is related to the production of prostaglandin E2 via the induction of cyclooxygenase-2. <b>2000</b> , 165, 3402-10	158
1936	Matrix metalloproteinases and tissue inhibitors of metalloproteinases in synovial fluids from patients with rheumatoid arthritis or osteoarthritis. <b>2000</b> , 59, 455-61	406
1935	Annexin I and dexamethasone effects on phospholipase and cyclooxygenase activity in human synoviocytes. <b>2000</b> , 9, 125-32	14
1934	The role of joint afferents in sensory processing in osteoarthritic knees. <b>2000</b> , 39, 850-6	18
1933	Distribution of distal femoral osteophytes in a human skeletal population. <b>2000</b> , 59, 513-20	6
1932	Serum uric acid and patterns of radiographic osteoarthritis--the Ulm Osteoarthritis Study. <b>2000</b> , 29, 380-6	25

1931	Assessment of Osteoarthritis Including Hand Osteoarthritis. 55-65	
1930	Detection of multiple viral DNA species in synovial tissue and fluid of patients with early arthritis. <b>2000</b> , 59, 342-6	67
1929	Angiotensin converting enzyme in human synovium: increased stromal [(125)I]351A binding in rheumatoid arthritis. <b>2000</b> , 59, 125-31	39
1928	The long-term effects of non-steroidal anti-inflammatory drugs in osteoarthritis of the knee: a randomized placebo-controlled trial. <b>2000</b> , 39, 1095-101	57
1927	High levels of IL-17 in rheumatoid arthritis patients: IL-15 triggers in vitro IL-17 production via cyclosporin A-sensitive mechanism. <b>2000</b> , 164, 2832-8	494
1926	Range of joint motion and disability in patients with osteoarthritis of the knee or hip. <b>2000</b> , 39, 955-61	204
1925	Synovial fluid chondroitin sulphate epitopes 3B3 and 7D4, and glycosaminoglycan in human knee osteoarthritis after exercise. <b>2000</b> , 59, 887-91	22
1924	Epidemiology of rheumatic diseases. <b>2000</b> , 39 Suppl 2, 3-12	267
1923	Expression of stromelysin and urokinase type plasminogen activator protein in resection specimens and biopsies at different stages of osteoarthritis of the knee. <b>2000</b> , 196, 219-26	7
1922	The relationship between ankle plantar flexor muscle moments and knee compressive forces in subjects with and without pain. <b>2000</b> , 15, 522-7	45
1921	Obesity, overweight and patterns of osteoarthritis: the Ulm Osteoarthritis Study. <b>2000</b> , 53, 307-13	258
1920	Imaging in osteoarthritis: a guide to requesting plain X-rays of the degenerate knee. <b>2000</b> , 7, 139-143	18
1919	Up-regulation of CD44-positive cells in medial meniscus of medial compartmental osteoarthritis of the knee. <b>2000</b> , 7, 3-9	2
1918	[Functional changes in the quadriceps femoris muscle in patients with varus gonarthrosis]. <b>2000</b> , 59, 380-7	9
1917	Novel strategies for the treatment of osteoarthritis. <b>2000</b> , 9, 1499-510	48
1916	Transcutaneous electrical nerve stimulation for knee osteoarthritis. <b>2000</b> , CD002823	102
1915	Celecoxib: a review of its use in osteoarthritis, rheumatoid arthritis and acute pain. <b>2000</b> , 59, 957-80	194
1914	Knee pain and osteoarthritis in older adults: a review of community burden and current use of primary health care. <b>2001</b> , 60, 91-7	842

1913	Mosaic chromosomal aberrations in synovial fibroblasts of patients with rheumatoid arthritis, osteoarthritis, and other inflammatory joint diseases. <b>2001</b> , 3, 319-30	30
1912	Significance of cathepsin B accumulation in synovial fluid of rheumatoid arthritis. <b>2001</b> , 283, 334-9	87
1911	Fractalkine: a novel angiogenic chemokine in rheumatoid arthritis. <b>2001</b> , 159, 1521-30	142
1910	Studies on YKL-40 in knee joints of patients with rheumatoid arthritis and osteoarthritis. Involvement of YKL-40 in the joint pathology. <b>2001</b> , 9, 203-14	143
1909	Does the preoperative radiographic degree of osteoarthritis correlate to results in primary total knee arthroplasty?. <b>2001</b> , 16, 13-6	24
1908	The efficacy of intra-articular analgesia after total knee arthroplasty in patients with rheumatoid arthritis and in patients with osteoarthritis. <b>2001</b> , 16, 306-11	49
1907	Comparison of once-daily and twice-daily administration of celecoxib for the treatment of osteoarthritis of the knee. <b>2001</b> , 23, 213-27	58
1906	Association among neuromuscular and anatomic measures for patients with knee osteoarthritis. <b>2001</b> , 82, 1115-8	34
1905	The validity of different definitions of radiographic worsening for longitudinal studies of knee osteoarthritis. <b>2001</b> , 54, 30-9	35
1904	Vertical ground reaction forces: objective measures of gait following hip arthroplasty. <b>2001</b> , 14, 104-9	138
1903	Cartilage and bone biological markers in the synovial fluid of osteoarthritic patients after hyaluronan injections in the knee. <b>2001</b> , 308, 107-15	19
1902	Aromatase in synovial cells from postmenopausal women. <b>2001</b> , 66, 749-57	35
1901	Long-term effects of glucosamine sulphate on osteoarthritis progression: a randomised, placebo-controlled clinical trial. <b>2001</b> , 357, 251-6	906
1900	The effect of flurbiprofen and tiaprofenic acid on serum cytokine levels of patients with osteoarthrosis. <b>2001</b> , 72, 499-502	7
1899	Symptoms modifying effect of avocado/soybean unsaponifiables (ASU) in knee osteoarthritis. A double blind, prospective, placebo-controlled study. <b>2001</b> , 30, 242-7	104
1898	Analysis of the levels of endotoxin and Dd-glucan in the synovial fluid of hemodialysis patients. <b>2001</b> , 11, 304-7	2
1897	Expression of membrane-type matrix metalloproteinases in synovial tissue from patients with rheumatoid arthritis or osteoarthritis. <b>2001</b> , 11, 34-9	
1896	The Richards type II patellofemoral arthroplasty: 26 cases followed for 1-20 years. <b>2001</b> , 72, 487-90	80

1895	Cross sectional evaluation of biochemical markers of bone, cartilage, and synovial tissue metabolism in patients with knee osteoarthritis: relations with disease activity and joint damage. <b>2001</b> , 60, 619-26	250
1894	Celecoxib versus diclofenac in the management of osteoarthritis of the knee. <b>2001</b> , 30, 11-8	154
1893	Articular cartilage and changes in arthritis. An introduction: cell biology of osteoarthritis. <b>2001</b> , 3, 107-13	602
1892	Efficacy and safety of intraarticular sodium hyaluronate in knee osteoarthritis. ORTHOVISC Study Group. <b>2001</b> , 130-43	109
1891	Weight loss and exercise walking reduce pain and improve physical functioning in overweight postmenopausal women with knee osteoarthritis. <b>2001</b> , 7, 219-23	21
1890	Differential roles of nitric oxide and oxygen radicals in chondrocytes affected by osteoarthritis and rheumatoid arthritis. <b>2001</b> , 101, 593	40
1889	Differential roles of nitric oxide and oxygen radicals in chondrocytes affected by osteoarthritis and rheumatoid arthritis. <b>2001</b> , 101, 593-599	69
1888	The association of bone marrow lesions with pain in knee osteoarthritis. <b>2001</b> , 134, 541-9	653
1887	COX-2 specific inhibitors in the management of osteoarthritis of the knee: a placebo-controlled, randomized, double-blind study. <b>2001</b> , 7, 151-9	35
1886	Immunohistological study of entheses in spondyloarthropathies: comparison in rheumatoid arthritis and osteoarthritis. <b>2001</b> , 60, 316-21	122
1885	Efficacy and safety of freeze-dried cat's claw in osteoarthritis of the knee: mechanisms of action of the species <i>Uncaria guianensis</i> . <b>2001</b> , 50, 442-8	90
1884	Local deposition of calcium pyrophosphate crystals in evolution of knee osteoarthritis. <b>2001</b> , 20, 428-31	28
1883	Involvement of interleukin-6 and prostaglandin E2 in periarticular osteoporosis of postmenopausal women with rheumatoid arthritis. <b>2001</b> , 19, 89-96	28
1882	Comparison of differentiated dendritic cell infiltration of autoimmune and osteoarthritis synovial tissue. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 105-10	28
1881	Hepatocyte growth factor induction of collagenase 3 production in human osteoarthritic cartilage: involvement of the stress-activated protein kinase/c-Jun N-terminal kinase pathway and a sensitive p38 mitogen-activated protein kinase inhibitor cascade. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 73-84	44
1880	Interferon-gamma-inducing activity of interleukin-18 in the joint with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 275-85	110
1879	Responsiveness of observational and self-report methods for assessing disability in mobility in patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 45, 56-61	27
1878	The motor dysfunction of patients with knee osteoarthritis in a Chinese population. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 45, 62-8	35



1877	Implication of cartilage intermediate layer protein in cartilage destruction in subsets of patients with osteoarthritis and rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 838-45	44
1876	The role of C-C chemokines and their receptors in osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 1056-70	113
1875	Problems in the development and validation of questionnaire-based screening instruments for ascertaining cases with symptomatic knee osteoarthritis: the Framingham Study. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 1105-13	35
1874	Apoptotic cell death is not a widespread phenomenon in normal aging and osteoarthritis human articular knee cartilage: a study of proliferation, programmed cell death (apoptosis), and viability of chondrocytes in normal and osteoarthritic human knee cartilage. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 1304-12	229
1873	Primary care-based physical activity programs: effectiveness in sedentary older patients with osteoarthritis symptoms. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 45, 228-34	52
1872	Anti-Fas-induced apoptosis in chondrocytes reduced by hyaluronan: evidence for CD44 and CD54 (intercellular adhesion molecule 1) involvement. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 1800-7	105
1871	Highly enhanced expression of the disintegrin metalloproteinase MDC15 (metargidin) in rheumatoid synovial tissue. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 2046-54	32
1870	Raised serum vascular endothelial growth factor levels are associated with destructive change in inflammatory arthritis. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 2055-64	208
1869	Specific presence of intracellular citrullinated proteins in rheumatoid arthritis synovium: relevance to antifilaggrin autoantibodies. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 2255-62	153
1868	Effects of a ginger extract on knee pain in patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 2531-8	320
1867	Preferential recognition of a fragment species of osteoarthritic synovial fluid fibronectin by antibodies to the alternatively spliced EIIIA segment. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 2572-85	10
1866	Endogenous prostaglandin E2 and insulin-like growth factor 1 can modulate the levels of parathyroid hormone receptor in human osteoarthritic osteoblasts. <b>2001</b> , 16, 713-21	53
1865	Noninvasive measurement of acceleration at the knee joint in patients with rheumatoid arthritis and spondyloarthropathy of the knee. <b>2001</b> , 29, 1106-11	21
1864	Rheumatic manifestations in danish women with silicone breast implants. <b>2001</b> , 20, 345-52	15
1863	Analysis of collagenase-cleavage of type II collagen using a neoepitope ELISA. <b>2001</b> , 247, 25-34	83
1862	An analysis of 14 molecular markers for monitoring osteoarthritis. Relationship of the markers to clinical end-points. <b>2001</b> , 9, 224-31	52
1861	Efficacy and safety of eltenac gel in the treatment of knee osteoarthritis. <b>2001</b> , 9, 273-80	37
1860	Morphological analysis of articular cartilage biopsies from a randomized, clinical study comparing the effects of 500-730 kDa sodium hyaluronate (Hyalgan) and methylprednisolone acetate on primary osteoarthritis of the knee. <b>2001</b> , 9, 371-81	99

1859	The experience of pain and emergent osteoarthritis of the knee. <b>2001</b> , 9, 527-32	45
1858	The small proteoglycans decorin and biglycan in human articular cartilage of late-stage osteoarthritis. <b>2001</b> , 9, 654-63	61
1857	Modern patient management in rheumatology: interventional musculoskeletal ultrasonography. <b>2001</b> , 9, 509-11	14
1856	Serum cartilage oligomeric matrix protein reflects the presence of clinically diagnosed synovitis in patients with knee osteoarthritis. <b>2001</b> , 9, 612-8	74
1855	Laterally elevated wedged insoles in the treatment of medial knee osteoarthritis: a prospective randomized controlled study. <b>2001</b> , 9, 738-45	102
1854	Cross-cultural adaptation and validation of Korean Western Ontario and McMaster Universities (WOMAC) and Lequesne osteoarthritis indices for clinical research. <b>2001</b> , 9, 746-50	119
1853	Clinical assessment of the osteoarthritis patient. <b>2001</b> , 15, 527-44	36
1852	Effect on osteoarthritis of spa therapy at Bourbonne-les-Bains. <b>2001</b> , 68, 499-503	41
1851	The burden of musculoskeletal diseases in the general population of Spain: results from a national survey. <b>2001</b> , 60, 1040-5	350
1850	Leg symptoms in peripheral arterial disease: associated clinical characteristics and functional impairment. <b>2001</b> , 286, 1599-606	581
1849	Rigorous new approach to constructing a gold standard for validating new diagnostic criteria, as exemplified by the eosinophilia-myalgia syndrome. <b>2001</b> , 161, 2301-6	9
1848	Muscle strength, pain and disability in patients with osteoarthritis. <b>2001</b> , 15, 331-41	103
1847	Widespread musculoskeletal pain and the progression of disability in older disabled women. <b>2001</b> , 135, 1038-46	136
1846	Morphological analysis of knee synovial membrane biopsies from a randomized controlled clinical study comparing the effects of sodium hyaluronate (Hyalgan) and methylprednisolone acetate (Depomedrol) in osteoarthritis. <b>2001</b> , 40, 158-69	78
1845	Outcome measures and classification criteria for the rheumatic diseases. A compilation of data from OMERACT (Outcome Measures for Arthritis Clinical Trials), ILAR (International League of Associations for Rheumatology), regional leagues and other groups. <b>2001</b> , 40, 896-906	43
1844	Lymphoid chemokine B cell-attracting chemokine-1 (CXCL13) is expressed in germinal center of ectopic lymphoid follicles within the synovium of chronic arthritis patients. <b>2001</b> , 166, 650-5	225
1843	High in vivo expression of interleukin-17 receptor in synovial endothelial cells and chondrocytes from arthritis patients. <b>2001</b> , 40, 522-7	83
1842	Prevalence of TTV DNA and GBV-C RNA in patients with systemic sclerosis, rheumatoid arthritis, and osteoarthritis does not differ from that in healthy blood donors. <b>2001</b> , 60, 806-9	11

1841	Knee bracing for medial compartment osteoarthritis: effects on proprioception and postural control. <b>2001</b> , 40, 285-9	75
1840	Increased soluble CD4 molecules and the role of soluble CD4 production in patients with rheumatoid arthritis. <b>2001</b> , 29, 488-96	3
1839	Human monoclonal rheumatoid synovial B lymphocyte hybridoma with a new disease-related specificity for cartilage oligomeric matrix protein. <b>2001</b> , 166, 4202-8	23
1838	Vitamin E is ineffective for symptomatic relief of knee osteoarthritis: a six month double blind, randomised, placebo controlled study. <b>2001</b> , 60, 946-9	56
1837	Effectiveness of exercise in patients with osteoarthritis of hip or knee: nine months' follow up. <b>2001</b> , 60, 1123-30	177
1836	A case-control study to investigate the relation between low and moderate levels of physical activity and osteoarthritis of the knee using data collected as part of the Allied Dunbar National Fitness Survey. <b>2001</b> , 60, 756-64	68
1835	Propensity for osteoarthritis and lower limb joint pain in retired professional soccer players. <b>2001</b> , 35, 402-8	234
1834	Relationships among bone mineral densities, static alignment and dynamic load in patients with medial compartment knee osteoarthritis. <b>2001</b> , 40, 499-505	153
1833	Urocortin expression in synovium of patients with rheumatoid arthritis and osteoarthritis: relation to inflammatory activity. <b>2001</b> , 86, 4344-52	79
1832	Postmenopausal estrogen and increased risk of clinical osteoarthritis at the hip, hand, and knee in older women. <b>2002</b> , 11, 511-8	38
1831	Expression and regulation of aggrecanase in arthritis: the role of TGF-beta. <b>2002</b> , 168, 1405-12	155
1830	Osteoarthritis (Abstracts Nos. 329-351). <b>2002</b> , 41, 119-125	
1829	Balance impairments in individuals with symptomatic knee osteoarthritis: a comparison with matched controls using clinical tests. <b>2002</b> , 41, 1388-94	133
1828	Pathophysiology and first-line treatment of osteoarthritis. <b>2002</b> , 36, 679-86	12
1827	Inhibition of ADAM-TS4 and ADAM-TS5 prevents aggrecan degradation in osteoarthritic cartilage. <b>2002</b> , 277, 22201-8	230
1826	Efficacy of rofecoxib, celecoxib, and acetaminophen in osteoarthritis of the knee: a randomized trial. <b>2002</b> , 287, 64-71	164
1825	Glucosamine sulfate use and delay of progression of knee osteoarthritis: a 3-year, randomized, placebo-controlled, double-blind study. <b>2002</b> , 162, 2113-23	476
1824	Receptor activator NF-kappaB ligand (RANKL) expression in synovial tissue from patients with rheumatoid arthritis, spondyloarthropathy, osteoarthritis, and from normal patients: semiquantitative and quantitative analysis. <b>2002</b> , 61, 1047-54	132

1823	Oxygen Radicals and Nitric Oxide Levels in Chondral or Meniscal Lesions or Both. <b>2002</b> , 403, 135-142	29
1822	Therapy with mud compresses for knee osteoarthritis: comparison of natural mud preparations with mineral-depleted mud. <b>2002</b> , 8, 197-203	43
1821	Relation between interleukin-18 and PGE2 in synovial fluid of osteoarthritis: a potential therapeutic target of cartilage degradation. <b>2002</b> , 25 Suppl 1, S61-4	52
1820	MRI and Body Fluid Analysis: New Means to Monitor Early Structural and Metabolic Changes in Joint Cartilage Disease. <b>2002</b> , 10, 214-219	
1819	Quadriceps muscle function after high tibial osteotomy for osteoarthritis of the knee. <b>2002</b> , 177-83	18
1818	The Validity and Heritability of Self-Report Osteoarthritis in an Australian Older Twin Sample. <b>2002</b> , 5, 98-106	10
1817	Ethnic differences in the perception of prayer and consideration of joint arthroplasty. <b>2002</b> , 40, 471-6	78
1816	Obese, older adults with knee osteoarthritis: Weight loss, exercise, and quality of life.. <b>2002</b> , 21, 419-426	152
1815	CLINICAL EVALUATION OF HYALURONIC ACID COMBINED WITH TOLMETIN IN THE TREATMENT OF OSTEOARTHRITIS OF THE KNEE. <b>2002</b> , 397-400	
1814	The ankle brachial index is associated with leg function and physical activity: the Walking and Leg Circulation Study. <b>2002</b> , 136, 873-83	368
1813	Meeting the therapeutic challenge of the patient with osteoarthritis. <b>2002</b> , 42, 74-82	10
1812	Temporal activity of vastus medialis obliquus and vastus lateralis in symptomatic knee osteoarthritis. <b>2002</b> , 81, 684-90	22
1811	Different chemokines are expressed in human arthritic bone biopsies: IFN-gamma and IL-6 differently modulate IL-8, MCP-1 and rantes production by arthritic osteoblasts. <b>2002</b> , 20, 231-8	65
1810	Retrospective study of outcomes in hyalgan <sup>®</sup> -treated patients with osteoarthritis of the knee. <b>2002</b> , 22, 87-97	17
1809	Differential expression of the angiogenic Tie receptor family in arthritic and normal synovial tissue. <b>2002</b> , 4, 201-8	98
1808	Biomechanics of Soft Tissue. <b>2002</b> , 228-253	5
1807	Kinetic and kinematic characteristics of gait in patients with medial knee arthrosis. <b>2002</b> , 73, 647-652	157
1806	Human autologous culture expanded bone marrow mesenchymal cell transplantation for repair of cartilage defects in osteoarthritic knees. <b>2002</b> , 10, 199-206	745

1805	Delayed onset of quadriceps activity and altered knee joint kinematics during stair stepping in individuals with knee osteoarthritis. <b>2002</b> , 83, 1080-6	81
1804	The effect of dynamic versus isometric resistance training on pain and functioning among adults with osteoarthritis of the knee. <b>2002</b> , 83, 1187-95	177
1803	Improvement of voluntary quadriceps muscle activation after total knee arthroplasty. <b>2002</b> , 83, 1432-6	114
1802	Comparison of hip and knee muscle moments in subjects with and without knee pain. <b>2002</b> , 16, 249-54	24
1801	Response of young, aged and osteoarthritic human articular chondrocytes to inflammatory cytokines: molecular and cellular aspects. <b>2002</b> , 21, 449-59	99
1800	Pseudoaccountability. <b>2002</b> , 136, 631	
1799	Appropriate antibiotic use for acute pharyngitis. <b>2002</b> , 136, 632-3; author reply 632-3	
1798	Long-Term Prediction of Coronary Heart Disease in Young Men. <b>2002</b> , 136, 631	
1797	William of Occam and Occam's razor. <b>2002</b> , 136, 634-5	18
1796	Correction: cost-effectiveness of statins in older patients with myocardial infarction. <b>2002</b> , 136, 635	3
1795	[Insight into the clinical epidemiology of arthrosis]. <b>2002</b> , 59, 501-7	0
1794	Cardiovascular Outcomes and Renal Disease. <b>2002</b> , 136, 634	4
1793	Efficacy and safety of the COX-2 specific inhibitor valdecoxib in the management of osteoarthritis of the hip: a randomized, double-blind, placebo-controlled comparison with naproxen. <b>2002</b> , 10, 290-6	87
1792	Ultrastructural localization of type VI collagen in normal adult and osteoarthritic human articular cartilage. <b>2002</b> , 10, 464-70	60
1791	A randomized controlled trial to evaluate the slow-acting symptom modifying effects of a regimen containing colchicine in a subset of patients with osteoarthritis of the knee. <b>2002</b> , 10, 247-52	41
1790	Can altered production of interleukin-1beta, interleukin-6, transforming growth factor-beta and prostaglandin E(2) by isolated human subchondral osteoblasts identify two subgroups of osteoarthritic patients. <b>2002</b> , 10, 491-500	137
1789	Algo-functional assessment of knee osteoarthritis: comparison of the test-retest reliability and construct validity of the WOMAC and Lequesne indexes. <b>2002</b> , 10, 602-10	89
1788	Serum cartilage oligomeric matrix protein and clinical signs and symptoms of potential pre-radiographic hip and knee pathology. <b>2002</b> , 10, 687-91	47

1787	Serum levels of cartilage oligomeric matrix protein (COMP) correlate with radiographic progression of knee osteoarthritis. <b>2002</b> , 10, 707-13	135
1786	Contribution of interleukin 17 to human cartilage degradation and synovial inflammation in osteoarthritis. <b>2002</b> , 10, 799-807	100
1785	15d-PGJ(2) is acting as a 'dual agent' on the regulation of COX-2 expression in human osteoarthritic chondrocytes. <b>2002</b> , 10, 845-8	43
1784	The natural history of emergent osteoarthritis of the knee in women. <b>2002</b> , 10, 849-54	50
1783	No loss of cartilage volume over three years in patients with knee osteoarthritis as assessed by magnetic resonance imaging. <b>2002</b> , 10, 929-37	100
1782	Comparison of outcome measures during treatment with the proprietary Harpagophytum extract doloteffin in patients with pain in the lower back, knee or hip. <b>2002</b> , 9, 181-94	51
1781	Effect of Interferential Current Stimulation in Management of Osteo-arthritic Knee Pain. <b>2002</b> , 88, 493-499	31
1780	Osteoarthritis of the peripheral joints. <b>2002</b> , 16, 741-60	62
1779	Tidal irrigation as treatment for knee osteoarthritis: a sham-controlled, randomized, double-blinded evaluation. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 100-8	90
1778	Nimesulide, a preferential cyclooxygenase 2 inhibitor, suppresses peroxisome proliferator-activated receptor induction of cyclooxygenase 2 gene expression in human synovial fibroblasts: evidence for receptor antagonism. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 494-506	27
1777	Stromal cell-derived factor 1 (CXCL12) induces monocyte migration into human synovium transplanted onto SCID Mice. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 824-36	98
1776	Comparison of cathepsins K and S expression within the rheumatoid and osteoarthritic synovium. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 663-74	150
1775	Study of the role of leukotriene B(4) in abnormal function of human subchondral osteoarthritis osteoblasts: effects of cyclooxygenase and/or 5-lipoxygenase inhibition. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 1804-12	58
1774	Avoidance of activity and disability in patients with osteoarthritis of the knee: the mediating role of muscle strength. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 1784-8	62
1773	Sites of collagenase cleavage and denaturation of type II collagen in aging and osteoarthritic articular cartilage and their relationship to the distribution of matrix metalloproteinase 1 and matrix metalloproteinase 13. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 2087-94	192
1772	A randomized controlled trial to evaluate the slow-acting symptom-modifying effects of colchicine in osteoarthritis of the knee: a preliminary report. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 47, 280-4	37
1771	The determinants of change in tibial cartilage volume in osteoarthritic knees. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 2065-72	214
1770	Epitope-specific recognition of type II collagen by rheumatoid arthritis antibodies is shared with recognition by antibodies that are arthritogenic in collagen-induced arthritis in the mouse. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 2339-48	125

1769	Uncoupling of type II collagen synthesis and degradation predicts progression of joint damage in patients with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 2613-24	231
1768	Kinesthesia at the knee: the effect of osteoarthritis and bandage application. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 47, 479-83	27
1767	Update: treatment of osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 47, 686-90	16
1766	Abstracts. <b>2002</b> , 13, s1-s160	
1765	Correlation of a novel matrix protein with the degree of cartilage degradation. <b>2002</b> , 22, 165-9	11
1764	Analysis of limb alignment in the pathogenesis of osteoarthritis: a comparison of Saudi Arabian and Canadian cases. <b>2002</b> , 22, 160-4	41
1763	Intra-articular treatment of osteoarthritis of the knee: an arthroscopic and clinical comparison between sodium hyaluronate (500-730 kDa) and methylprednisolone acetate. <b>2002</b> , 3, 89-96	28
1762	Musculoskeletal pain and risk for falls in older disabled women living in the community. <b>2002</b> , 50, 671-8	185
1761	Increased expression of pro-inflammatory cytokines and metalloproteinase-1 by TGF-beta1 in synovial fibroblasts from rheumatoid arthritis and normal individuals. <b>2002</b> , 127, 547-52	103
1760	The knee adduction moment during gait in subjects with knee osteoarthritis is more closely correlated with static alignment than radiographic disease severity, toe out angle and pain. <b>2002</b> , 20, 101-7	392
1759	Evaluation of quadriceps strength and voluntary activation after unicompartmental arthroplasty for medial osteoarthritis of the knee. <b>2002</b> , 20, 108-11	40
1758	Annexin VIII is differentially expressed by chondrocytes in the mammalian growth plate during endochondral ossification and in osteoarthritic cartilage. <b>2002</b> , 17, 1851-8	19
1757	Osteoarthritis III: Radiological and clinical definition. <b>2002</b> , 10, 53-78	8
1756	Osteoarthritis IV: Clinical therapeutic trials and treatment. <b>2002</b> , 10, 79-155	20
1755	Extensive plasma cell infiltration with crystal IgG inclusions and mutated IgV(H) gene in an osteoarthritis patient with lymphoplasmacellular synovitis. A case report. <b>2002</b> , 198, 45-50	7
1754	Grading of chronic synovitis--a histopathological grading system for molecular and diagnostic pathology. <b>2002</b> , 198, 317-25	185
1753	History and current status of osteoarthritis in the population. <b>2003</b> , 11, 301-16	10
1752	Human adult chondrocytes express hepatocyte growth factor (HGF) isoforms but not HGF: potential implication of osteoblasts on the presence of HGF in cartilage. <b>2003</b> , 18, 1073-81	55

1751	Clinical observation on treatment of 60 cases of osteoarthritis of knee joint by electroacupuncture. <b>2003</b> , 1, 38-40	4
1750	Efficacy of intra-articular sodium hyaluronate in the treatment of knee osteoarthritis. <b>2003</b> , 22, 112-7	47
1749	Magnetic resonance imaging and ultrasonographic evaluation of the patients with knee osteoarthritis: a comparative study. <b>2003</b> , 22, 181-8	90
1748	Synovial fluid nitric oxide levels in patients with knee osteoarthritis. <b>2003</b> , 22, 397-9	54
1747	The effect of hand osteoarthritis on grip and pinch strength and hand function in postmenopausal women. <b>2003</b> , 22, 420-4	88
1746	IL1-beta and TNF-alpha induce changes in the nuclear polyphosphoinositide signalling system in osteoblasts similar to that occurring in patients with rheumatoid arthritis: an immunochemical and immunocytochemical study. <b>2003</b> , 120, 243-50	20
1745	Arthroscopic evaluation of potential structure-modifying drug in osteoarthritis of the knee. A multicenter, randomized, double-blind comparison of tenidap sodium vs piroxicam. <b>2003</b> , 11, 198-207	15
1744	Localization of bone morphogenetic protein-2 in human osteoarthritic cartilage and osteophyte. <b>2003</b> , 11, 278-84	80
1743	Reliability of a quantification imaging system using magnetic resonance images to measure cartilage thickness and volume in human normal and osteoarthritic knees. <b>2003</b> , 11, 351-60	121
1742	Assessment of progression in knee osteoarthritis: results of a 1 year study comparing arthroscopy and MRI. <b>2003</b> , 11, 361-9	90
1741	Identification and differential expression of human collagenase-3 mRNA species derived from internal deletion, alternative splicing, and different polyadenylation and transcription initiation sites. <b>2003</b> , 11, 524-37	6
1740	Linking osteoarthritis-specific health-status measures to the International Classification of Functioning, Disability, and Health (ICF). <b>2003</b> , 11, 519-23	86
1739	Reliability and validity of the Western Ontario and McMaster Universities (WOMAC) Osteoarthritis Index in Italian patients with osteoarthritis of the knee. <b>2003</b> , 11, 551-60	155
1738	The association of cartilage volume with knee pain. <b>2003</b> , 11, 725-9	122
1737	Relief in mild-to-moderate pain is not a confounder in joint space narrowing assessment of full extension knee radiographs in recent osteoarthritis structure-modifying drug trials. <b>2003</b> , 11, 730-7	29
1736	The effects of Zintona EC (a ginger extract) on symptomatic gonarthrosis. <b>2003</b> , 11, 783-9	83
1735	Assessment of the test-retest reliability and construct validity of a modified Lequesne index in knee osteoarthritis. <b>2003</b> , 70, 521-5	39
1734	Correlation between radiographic severity of knee osteoarthritis and future disease progression. Results from a 3-year prospective, placebo-controlled study evaluating the effect of glucosamine sulfate. <b>2003</b> , 11, 1-5	69



1733	Synovial fluid features and their relations to osteoarthritis severity: new findings from sequential studies. <b>2003</b> , 11, 50-4	157
1732	Presence of pannus-like tissue on osteoarthritic cartilage and its histological character. <b>2003</b> , 11, 133-40	66
1731	Synovial fibroblasts and synovial macrophages from patients with rheumatoid arthritis and other inflammatory joint diseases show chromosomal aberrations. <b>2003</b> , 38, 53-67	15
1730	Expression of matrix metalloproteinase-9 (gelatinase B) in gouty arthritis and stimulation of MMP-9 by urate crystals in macrophages. <b>2003</b> , 89, 791-9	24
1729	Measurement of radiographic joint space width in the tibiofemoral compartment of the osteoarthritic knee: comparison of standing anteroposterior and Lyon schuss views. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 378-84	142
1728	Safety and efficacy of long-term intraarticular steroid injections in osteoarthritis of the knee: a randomized, double-blind, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 370-7	364
1727	beta1 integrin-mediated signaling induces intercellular adhesion molecule 1 and Fas on rheumatoid synovial cells and Fas-mediated apoptosis. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 1239-48	30
1726	Specific increase in enzymatic activity of adenosine deaminase 1 in rheumatoid synovial fibroblasts. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 668-74	49
1725	Asymmetric knee loading in advanced unilateral hip osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 1556-61	108
1724	Role of Crk-associated substrate lymphocyte type in the pathophysiology of rheumatoid arthritis in tax transgenic mice and in humans. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 1890-900	13
1723	Inflammation and angiogenesis in osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 2173-7	280
1722	Rheumatoid arthritis is a heterogeneous disease: evidence for differences in the activation of the STAT-1 pathway between rheumatoid tissues. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 2132-45	384
1721	Endothelin 1 promotes osteoarthritic cartilage degradation via matrix metalloprotease 1 and matrix metalloprotease 13 induction. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 2855-64	39
1720	Evidence for a key role of leptin in osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 3118-29	426
1719	Comparing the efficacy of cyclooxygenase 2-specific inhibitors in treating osteoarthritis: appropriate trial design considerations and results of a randomized, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 3102-11	53
1718	Turnover of type II collagen and aggrecan in cartilage matrix at the onset of inflammatory arthritis in humans: relationship to mediators of systemic and local inflammation. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 3085-95	95
1717	Bone morphogenetic proteins 2 and 6, expressed in arthritic synovium, are regulated by proinflammatory cytokines and differentially modulate fibroblast-like synoviocyte apoptosis. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 2807-18	134
1716	Factors contributing to possession and use of walking aids among persons with rheumatoid arthritis and osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 49, 838-42	55

1715	Biosensor analysis of the molecular interactions of pentosan polysulfate and of sulfated glycosaminoglycans with immobilized elastase, hyaluronidase and lysozyme using surface plasmon resonance (SPR) technology. <b>2003</b> , 31, 83-93	25
1714	Relationship of knee joint proprioception to pain and disability in individuals with knee osteoarthritis. <b>2003</b> , 21, 792-7	90
1713	Depressive symptoms and lower extremity functioning in men and women with peripheral arterial disease. <b>2003</b> , 18, 461-7	85
1712	Impact of an exercise and walking protocol on quality of life for elderly people with OA of the knee. <b>2003</b> , 8, 121-30	60
1711	Treatment of patients with arthrosis of hip or knee with an aqueous extract of devil's claw ( <i>Harpagophytum procumbens</i> DC.). <b>2003</b> , 17, 1165-72	56
1710	How does low back pain impact physical function in independent, well-functioning older adults? Evidence from the Health ABC Cohort and implications for the future. <b>2003</b> , 4, 311-20	161
1709	Évaluation de la reproductibilité et de la validité de construit d'une forme modifiée de l'indice algofonctionnel de Lequesne dans l'arthrose du genou. <b>2003</b> , 70, 1105-1111	
1708	Thermotherapy for treatment of osteoarthritis. <b>2003</b> , CD004522	85
1707	Detection of oncofetal h19 RNA in rheumatoid arthritis synovial tissue. <b>2003</b> , 163, 901-11	84
1706	Vascular endothelial growth factor isoforms and their receptors are expressed in human osteoarthritic cartilage. <b>2003</b> , 162, 171-81	170
1705	Management of knee osteoarthritis: knee lavage combined with hylan versus hylan alone. <b>2003</b> , 84, 634-7	22
1704	Effect of calcitonin gene-related peptide, neuropeptide Y, substance P, and vasoactive intestinal peptide on interleukin-1beta, interleukin-6 and tumor necrosis factor-alpha production by peripheral whole blood cells from rheumatoid arthritis and osteoarthritis patients. <b>2003</b> , 115, 19-24	53
1703	How reliable is structured clinical history-taking in older adults with knee problems? Inter- and intraobserver variability of the KNE-SCI. <b>2003</b> , 56, 1030-7	17
1702	Subchondral tibial bone mineral density predicts future joint space narrowing at the medial femoro-tibial compartment in patients with knee osteoarthritis. <b>2003</b> , 32, 541-5	66
1701	Arthritis and related diseases of the foot and ankle: rehabilitation and biomechanical considerations. <b>2003</b> , 20, 469-85, ix	7
1700	Radiographic assessment of osteoarthritis: analysis of disease progression. <b>2003</b> , 15, 391-404	23
1699	Higher susceptibility to Fas ligand induced apoptosis and altered modulation of cell death by tumor necrosis factor-alpha in periarticular tenocytes from patients with knee joint osteoarthritis. <b>2003</b> , 5, R253-61	29
1698	Autoantibodies to low-density-lipoprotein-receptor-related protein 2 (LRP2) in systemic autoimmune diseases. <b>2003</b> , 5, R174-80	11

1697	Impact of the joint space width measurement method on the design of knee osteoarthritis studies. <b>2003</b> , 15, 136-41	18
1696	Laboratory investigations in osteoarthritis. <b>2003</b> , 15, 373-9	4
1695	T-cell-derived interleukin-17 regulates the level and stability of cyclooxygenase-2 (COX-2) mRNA through restricted activation of the p38 mitogen-activated protein kinase cascade: role of distal sequences in the 3'-untranslated region of COX-2 mRNA. <b>2003</b> , 278, 26897-907	64
1694	Osteoarthritis as a complication of artificial environment: the Cavia (Guinea pig) story. <b>2003</b> , 62, 1022-3	9
1693	Statin use and leg functioning in patients with and without lower-extremity peripheral arterial disease. <b>2003</b> , 107, 757-61	179
1692	Clinical assessment of symptomatic osteoarthritis in older people. <b>2003</b> , 32, 359-60	1
1691	Development of radiographic changes of osteoarthritis in the "Chingford knee" reflects progression of disease or non-standardised positioning of the joint rather than incident disease. <b>2003</b> , 62, 1061-5	13
1690	HLA class II allele polymorphism in Hungarian patients with systemic lupus erythematosus. <b>2003</b> , 62, 1017-8	13
1689	Ultrasonographic study of painful shoulder. <b>2003</b> , 62, 1026-7	8
1688	Does the application of tape influence quadriceps sensorimotor function in knee osteoarthritis?. <b>2004</b> , 43, 331-6	17
1687	Anti-tissue transglutaminase antibodies in arthritic patients: a disease-specific finding?. <b>2003</b> , 49, 2091-4	31
1686	HLA-B27 in patients with a permanent pacemaker. <b>2003</b> , 62, 1018	2
1685	Novel autoantibodies to pituitary gland specific factor 1a in patients with rheumatoid arthritis. <b>2003</b> , 42, 353-6	10
1684	Synovial lymphocyte responses if tested fresh not frozen can incriminate microbial intrasynovial DNA and RNA. <b>2003</b> , 62, 1027-8	1
1683	An open-label study of a second course of hylan G-F 20 for the treatment of pain associated with knee osteoarthritis. <b>2003</b> , 19, 499-507	26
1682	Immediate effects of adhesive tape on pain and disability in individuals with knee osteoarthritis. <b>2003</b> , 42, 865-9	46
1681	Efficacy of knee tape in the management of osteoarthritis of the knee: blinded randomised controlled trial. <b>2003</b> , 327, 135	93
1680	Detection of antibodies against glucose 6-phosphate isomerase in synovial fluid of rheumatoid arthritis using surface plasmon resonance (BIAcore). <b>2003</b> , 35, 310-6	24

1679	Thoughts on temporomandibular joint pain. <b>2003</b> , 134, 1566, 1568; author reply 1568	
1678	Bone mineral density improvement in spondyloarthropathy after treatment with etanercept. <b>2003</b> , 62, 1020-1	29
1677	Is this a record?. <b>2003</b> , 62, 1028	
1676	Osteoprotegerin expression in synovial tissue from patients with rheumatoid arthritis, spondyloarthropathies and osteoarthritis and normal controls. <b>2003</b> , 42, 123-34	111
1675	Acid-induced conformational changes in phosphoglucose isomerase result in its increased cell surface association and deposition on fibronectin fibrils. <b>2003</b> , 278, 38935-41	5
1674	Effect of D-penicillamine on pulmonary fibrosis in patients with systemic sclerosis. <b>2003</b> , 62, 1019-20	7
1673	A randomized placebo-controlled trial of arthroscopic lavage versus lavage plus intra-articular corticosteroids in the management of symptomatic osteoarthritis of the knee. <b>2003</b> , 42, 1477-85	70
1672	Genetic contribution to cartilage volume in women: a classical twin study. <b>2003</b> , 42, 1495-500	32
1671	Definition of discontinuation of anti-tumour necrosis factor therapy in rheumatoid arthritis: a preliminary proposal. <b>2003</b> , 62, 1023-4	1
1670	Entrapment neuropathy of the inferior branch of the suprascapular nerve by a ganglion cyst mimicking cervical disk disease. <b>2003</b> , 62, 1025-6	3
1669	Acetaminophen for osteoarthritis. <b>2003</b> , CD004257	25
1668	American pain society pain questionnaire and other pain measures in the assessment of osteoarthritis pain: a pooled analysis of three celecoxib pivotal studies. <b>2003</b> , 10, 12-20	16
1667	Comparative evaluation of the effectiveness and tolerability of nimesulide versus rofecoxib taken once a day in the treatment of patients with knee osteoarthritis. <b>2003</b> , 10, 468-72	8
1666	Quantitative magnetic resonance imaging of articular cartilage in knee osteoarthritis. <b>2003</b> , 15, 647-50	28
1665	Osteoarthritis of the Hands, Hips and Knees in an Australian Twin Sample – Evidence of Association with the Aggrecan VNTR Polymorphism. <b>2003</b> , 6, 62-66	1
1664	Physical Therapist-Based Group Exercise/Education Program to Improve Functional Health in Older Health Maintenance Organization Members with Arthritis. <b>2003</b> , 26, 12-17	1
1663	Effectiveness of leech therapy in osteoarthritis of the knee: a randomized, controlled trial. <b>2003</b> , 139, 724-30	75
1662	Evaluation of acute knee pain in primary care. <b>2003</b> , 139, 575-88	132

1661	Proposed Study to Develop and Validate a Clinical Case Definition for the Fibromyalgia Syndrome Applicable to the Clinical Practice Setting. <b>2003</b> , 11, 109-111	1
1660	Running and the Development of Osteoarthritis, Part I: Animal Studies. <b>2003</b> , 8, 6-11	1
1659	Thrombophilia and thrombosis in systemic lupus erythematosus: a case-control study. <b>2003</b> , 62, 1016-7	5
1658	Development and clinical application in arthritis of a new immunoassay for serum type IIA procollagen NH2 propeptide. <b>2004</b> , 101, 25-37	29
1657	Assessment of the efficacy of joint lavage versus joint lavage plus corticoids in patients with osteoarthritis of the knee. <b>2004</b> , 20, 861-7	18
1656	Clinical hip tests and a functional squat test in patients with knee osteoarthritis: reliability, prevalence of positive test findings, and short-term response to hip mobilization. <b>2004</b> , 34, 676-85	49
1655	The early clinical diagnosis of osteoarthritis of the hip. <b>2004</b> , 34, 461-7	9
1654	Impact of two types of expectancy on recovery from total knee replacement surgery (TKR) in adults with osteoarthritis. <b>2004</b> , 30, 113-23	53
1653	Advancing the taxonomy of disability in older adults. <b>2004</b> , 59, 86-93	26
1652	Functional decline in peripheral arterial disease: associations with the ankle brachial index and leg symptoms. <b>2004</b> , 292, 453-61	446
1651	Rate of cartilage loss at two years predicts subsequent total knee arthroplasty: a prospective study. <b>2004</b> , 63, 1124-7	181
1650	Diagnostic discordance: we cannot agree when to call knee pain 'osteoarthritis'. <b>2005</b> , 22, 96-102	16
1649	Evidence for familial aggregation of hand, hip, and spine but not knee osteoarthritis in siblings with multiple joint involvement: the GARP study. <b>2005</b> , 64, 438-43	98
1648	Supplementing a home exercise programme with a class-based exercise programme is more effective than home exercise alone in the treatment of knee osteoarthritis. <b>2004</b> , 43, 880-6	87
1647	Galectin-3 is induced in rheumatoid arthritis synovial fibroblasts after adhesion to cartilage oligomeric matrix protein. <b>2005</b> , 64, 419-24	53
1646	Galectin-3 surface expression on human adult chondrocytes: a potential substrate for collagenase-3. <b>2004</b> , 63, 636-43	55
1645	The reliability, validity and responsiveness of an aggregated locomotor function (ALF) score in patients with osteoarthritis of the knee. <b>2004</b> , 43, 514-7	46
1644	Association between radiographic joint space narrowing, function, pain and muscle power in severe osteoarthritis of the knee. <b>2004</b> , 18, 793-800	98

1643	Classification criteria for systemic lupus erythematosus: a review. <b>2004</b> , 13, 829-37	43
1642	Characterization and recruitment of plasmacytoid dendritic cells in synovial fluid and tissue of patients with chronic inflammatory arthritis. <b>2004</b> , 173, 2815-24	120
1641	Lumiracoxib is effective in the treatment of osteoarthritis of the knee: a 13 week, randomised, double blind study versus placebo and celecoxib. <b>2004</b> , 63, 1419-26	65
1640	How does tibial cartilage volume relate to symptoms in subjects with knee osteoarthritis?. <b>2004</b> , 63, 264-8	115
1639	Longitudinal study of the relationship between knee angle and tibiofemoral cartilage volume in subjects with knee osteoarthritis. <b>2004</b> , 43, 321-4	171
1638	Acupuncture as a complementary therapy to the pharmacological treatment of osteoarthritis of the knee: randomised controlled trial. <b>2004</b> , 329, 1216	137
1637	Inpatient rehabilitation for hip or knee osteoarthritis: 2 year follow up study. <b>2004</b> , 63, 360-8	30
1636	Therapeutic arthritis research and gastrointestinal event trial of lumiracoxib - study design and patient demographics. <b>2004</b> , 20, 51-63	20
1635	Randomized double-blind clinical drug trials of meloxicam in rheumatoid arthritis and osteoarthritis knees: an Indian experience. <b>2004</b> , 7, 108-116	3
1634	Peripheral arterial disease in African Americans: clinical characteristics, leg symptoms, and lower extremity functioning. <b>2004</b> , 52, 922-30	35
1633	Strength and voluntary activation of the quadriceps femoris muscle at different severities of osteoarthritic knee joint damage. <b>2004</b> , 22, 96-103	52
1632	Characterization of cells from pannus-like tissue over articular cartilage of advanced osteoarthritis. <b>2004</b> , 12, 38-45	41
1631	Laterally elevated wedged insoles in the treatment of medial knee osteoarthritis. A two-year prospective randomized controlled study. <b>2004</b> , 12, 46-55	143
1630	Increased presence of cells with multiple elongated processes in osteoarthritic femoral head cartilage. <b>2004</b> , 12, 17-24	36
1629	Measurement of structure (disease) modification in osteoarthritis. <b>2004</b> , 12 Suppl A, S69-76	24
1628	Relative efficiency and validity properties of a visual analogue vs a categorical scaled version of the Western Ontario and McMaster Universities Osteoarthritis (WOMAC) Index: Spanish versions. <b>2004</b> , 12, 225-31	27
1627	Hyaluronic acid levels may have predictive value for the progression of knee osteoarthritis. <b>2004</b> , 12, 277-83	79
1626	Intermittent treatment of knee osteoarthritis with oral chondroitin sulfate: a one-year, randomized, double-blind, multicenter study versus placebo. <b>2004</b> , 12, 269-76	152

1625	OMERACT-OARSI initiative: Osteoarthritis Research Society International set of responder criteria for osteoarthritis clinical trials revisited. <b>2004</b> , 12, 389-99	572
1624	Serum levels of type IIA procollagen amino terminal propeptide (PIIANP) are decreased in patients with knee osteoarthritis and rheumatoid arthritis. <b>2004</b> , 12, 440-7	81
1623	Translation, adaptation and validation of the Western Ontario and McMaster Universities osteoarthritis index (WOMAC) for an Arab population: the Sfax modified WOMAC. <b>2004</b> , 12, 459-68	59
1622	Osteoarthritis of the knee--clinical assessments and inflammatory markers. <b>2004</b> , 12, 469-75	51
1621	Efficacy and safety of a single intra-articular injection of non-animal stabilized hyaluronic acid (NASHA) in patients with osteoarthritis of the knee. <b>2004</b> , 12, 642-9	114
1620	IL-17, IL-1beta and TNF-alpha stimulate VEGF production by dedifferentiated chondrocytes. <b>2004</b> , 12, 683-91	70
1619	Perlecan in late stages of osteoarthritis of the human knee joint. <b>2004</b> , 12, 852-62	48
1618	Risk factors for osteoarthritis. <b>2005</b> , 34, 29-34	21
1617	Laboratory findings in osteoarthritis. <b>2005</b> , 34, 58-61	5
1616	Physical and rehabilitative approaches in osteoarthritis. <b>2005</b> , 34, 62-9	6
1615	Assessment of the test-retest reliability and construct validity of a modified WOMAC index in knee osteoarthritis. <b>2004</b> , 71, 121-7	47
1614	Does parallel item content on WOMAC's pain and function subscales limit its ability to detect change in functional status?. <b>2004</b> , 5, 17	78
1613	Efficacy and safety of acupuncture for chronic pain caused by gonarthrosis: a study protocol of an ongoing multi-centre randomised controlled clinical trial [ISRCTN27450856]. <b>2004</b> , 4, 6	14
1612	Comparison of a generic and a disease specific quality of life scale to assess a comprehensive spa therapy program for knee osteoarthritis. <b>2004</b> , 71, 563-6	17
1611	IL1beta and TNFalpha differently modulate CXCL13 chemokine in stromal cells and osteoblasts isolated from osteoarthritis patients: evidence of changes associated to cell maturation. <b>2004</b> , 39, 659-65	37
1610	Soluble receptor activator of nuclear factor-kappaB Ligand (sRANKL)/osteoprotegerin balance in ageing and age-associated diseases. <b>2004</b> , 5, 119-27	23
1609	Osteoarthritis: symptoms, signs and source of pain. <b>2004</b> , 12, 3-31	85
1608	Immune response against gene therapy vectors: influence of synovial fluid on adeno-associated virus mediated gene transfer to chondrocytes. <b>2004</b> , 24, 162-9	48

1607	Social support and health-related quality of life in hip and knee osteoarthritis. <b>2004</b> , 13, 321-30	88
1606	Expression of collagen type I and type II in consecutive stages of human osteoarthritis. <b>2004</b> , 122, 229-36	97
1605	The significance of altered gelatinase expression in the synovium of patient with arthritic effusions. <b>2004</b> , 23, 21-6	20
1604	A comparison of muscle training methods in patients with knee osteoarthritis. <b>2004</b> , 23, 109-15	41
1603	Intra-articular steroids in knee osteoarthritis: a comparative study of triamcinolone hexacetonide and methylprednisolone acetate. <b>2004</b> , 23, 116-20	73
1602	Osteocalcin synthesis by human osteoblasts from normal and osteoarthritic bone after vitamin D3 stimulation. <b>2004</b> , 23, 490-5	28
1601	Comparaison de deux échelles de qualité de vie, l'une générale et l'autre spécifique, dans l'évaluation de l'efficacité d'un traitement thermal global dans l'arthrose du genou. <b>2004</b> , 71, 1175-1179	
1600	[Treatment of osteoarthritis of the knee joint. Efficacy and tolerance to acemetacin slow release in comparison to celecoxib]. <b>2004</b> , 33, 1032-41	5
1599	Development of diagnostic criteria for psoriatic arthritis: methods and process. <b>2004</b> , 6, 299-305	17
1598	Évaluation de la reproductibilité et de la validité de construit d'une forme modifiée de l'indice Womac dans l'arthrose du genou. <b>2004</b> , 71, 208-215	
1597	Factors regulating osteoclast formation in human tissues adjacent to peri-implant bone loss: expression of receptor activator NFkappaB, RANK ligand and osteoprotegerin. <b>2004</b> , 25, 565-73	128
1596	Longitudinal study of changes in tibial and femoral cartilage in knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 94-7	105
1595	Quantitative magnetic resonance imaging evaluation of knee osteoarthritis progression over two years and correlation with clinical symptoms and radiologic changes. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 476-87	199
1594	Inhibition of interleukin-1beta-stimulated production of matrix metalloproteinases by hyaluronan via CD44 in human articular cartilage. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 516-25	121
1593	Reliability of the knee examination in osteoarthritis: effect of standardization. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 458-68	118
1592	Osteoarthritis: is it a disease of cartilage or of bone?. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 341-4	176
1591	Quadriceps activation failure as a moderator of the relationship between quadriceps strength and physical function in individuals with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 51, 40-8	96
1590	Midkine, a heparin-binding growth factor, is fundamentally involved in the pathogenesis of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 1420-9	86



1589	Proteomic surveillance of autoimmunity in osteoarthritis: identification of triosephosphate isomerase as an autoantigen in patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 1511-21	91
1588	Structural progression is also driven by clinical symptoms in patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 1360-5	11
1587	Elevation of activated protein C in synovial joints in rheumatoid arthritis and its correlation with matrix metalloproteinase 2. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 2151-6	34
1586	Amplification of the synovial inflammatory response through activation of mitogen-activated protein kinases and nuclear factor kappaB using ligation of CD40 on CD14+ synovial cells from patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 2167-77	28
1585	Induction of RANKL expression and osteoclast maturation by the binding of fibroblast growth factor 2 to heparan sulfate proteoglycan on rheumatoid synovial fibroblasts. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 2450-8	57
1584	Effect of knee osteoarthritis on the perception of quality of life in Venezuelan patients. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 51, 377-82	12
1583	Up-regulation of microsomal prostaglandin E synthase 1 in osteoarthritic human cartilage: critical roles of the ERK-1/2 and p38 signaling pathways. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 2829-38	117
1582	Differential gene expression and regulation of the bone morphogenetic protein antagonists follistatin and gremlin in normal and osteoarthritic human chondrocytes and synovial fibroblasts. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 2521-30	77
1581	Rheumatoid arthritis synovial fluid fibroblasts express TRAIL-R2 (DR5) that is functionally active. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 2786-93	29
1580	Efficacy and safety of four doses of lumiracoxib versus diclofenac in patients with knee or hip primary osteoarthritis: a phase II, four-week, multicenter, randomized, double-blind, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 51, 549-57	41
1579	A six-month followup of a randomized trial comparing the efficacy of a lateral-wedge insole with subtalar strapping and an in-shoe lateral-wedge insole in patients with varus deformity osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 3129-36	59
1578	Lectin-like oxidized low-density lipoprotein receptor 1 mediates matrix metalloproteinase 3 synthesis enhanced by oxidized low-density lipoprotein in rheumatoid arthritis cartilage. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 3495-503	41
1577	The presence of citrullinated proteins is not specific for rheumatoid synovial tissue. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 3485-94	208
1576	The relationship of antiresorptive drug use to structural findings and symptoms of knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 3516-25	183
1575	Regulation of the expression of 5-lipoxygenase-activating protein/5-lipoxygenase and the synthesis of leukotriene B(4) in osteoarthritic chondrocytes: role of transforming growth factor beta and eicosanoids. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 3925-33	50
1574	Randomized, double-blind, placebo-controlled glucosamine discontinuation trial in knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 51, 738-45	109
1573	The effect of body weight on progression of knee osteoarthritis is dependent on alignment. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 3904-9	247
1572	Reports of joint instability in knee osteoarthritis: its prevalence and relationship to physical function. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 51, 941-6	168

1571	Subject retention and adherence in a randomized placebo-controlled trial of a disease-modifying osteoarthritis drug. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 51, 933-40	20
1570	Production of the chemokine eotaxin-1 in osteoarthritis and its role in cartilage degradation. <b>2004</b> , 93, 929-39	38
1569	Minimal clinically important changes in chronic musculoskeletal pain intensity measured on a numerical rating scale. <b>2004</b> , 8, 283-91	769
1568	[3H]PK11195 binding sites in human neutrophils: effect of fMLP stimulation and modulation in rheumatic diseases. <b>2004</b> , 37, 61-6	6
1567	A potential role of 15-deoxy-delta(12,14)-prostaglandin J2 for induction of human articular chondrocyte apoptosis in arthritis. <b>2004</b> , 279, 37939-50	67
1566	Wnt-7a causes loss of differentiated phenotype and inhibits apoptosis of articular chondrocytes via different mechanisms. <b>2004</b> , 279, 26597-604	88
1565	Differential stimulation of three forms of hyaluronan synthase by TGF-beta, IL-1beta, and TNF-alpha. <b>2004</b> , 45, 197-205	43
1564	A four-week, randomized, double-blind trial of the efficacy and safety of SKI306X: a herbal anti-arthritic agent versus diclofenac in osteoarthritis of the knee. <b>2004</b> , 32, 291-301	26
1563	Non-steroidal anti-inflammatory drugs, including cyclo-oxygenase-2 inhibitors, in osteoarthritic knee pain: meta-analysis of randomised placebo controlled trials. <b>2004</b> , 329, 1317	300
1562	Diagnóstico y tratamiento de la rodilla dolorosa. <b>2004</b> , 37, 1-27	
1561	Radiographic evaluation of osteoarthritis. <b>2004</b> , 42, 11-41, v	62
1560	[Clinical and histopathological improvement of psoriasis in patients with osteoarthritis treated with chondroitin sulfate: report of 3 cases]. <b>2004</b> , 123, 739-42	1
1559	Randomised, Double-Blind, Parallel, Placebo-Controlled Study of Oral Glucosamine, Methylsulfonylmethane and their Combination in Osteoarthritis. <b>2004</b> , 24, 353-63	93
1558	Impact of the fit and strong intervention on older adults with osteoarthritis. <b>2004</b> , 44, 217-28	167
1557	The IPSO study: ibuprofen, paracetamol study in osteoarthritis. A randomised comparative clinical study comparing the efficacy and safety of ibuprofen and paracetamol analgesic treatment of osteoarthritis of the knee or hip. <b>2004</b> , 63, 1028-34	57
1556	Obesity related measurements and joint space width in patients with knee osteoarthritis. <b>2004</b> , 109, 159-64	14
1555	Autoantibodies to glucose-6-phosphate isomerase are elevated in the synovial fluid of rheumatoid arthritis patients. <b>2004</b> , 33, 179-84	14
1554	Membrane-associated prostaglandin E synthase-1 is upregulated by proinflammatory cytokines in chondrocytes from patients with osteoarthritis. <b>2004</b> , 6, R355-65	112

1553	Leg strength in peripheral arterial disease: associations with disease severity and lower-extremity performance. <b>2004</b> , 39, 523-30	91
1552	Alterations in lower extremity movement and muscle activation patterns in individuals with knee osteoarthritis. <b>2004</b> , 19, 44-9	255
1551	MR imaging findings in early osteoarthritis of the knee. <b>2004</b> , 50, 225-30	41
1550	Stimulation of inducible nitric oxide synthase by monosodium urate crystals in macrophages and expression of iNOS in gouty arthritis. <b>2004</b> , 11, 228-36	29
1549	[Translation and construct validity of the Lequesne index for Arab speaking North African patients with osteoarthritis of the knee]. <b>2004</b> , 47, 195-203	6
1548	Get up and go test in patients with knee osteoarthritis. <b>2004</b> , 85, 284-9	93
1547	Comparison of lumiracoxib with naproxen and ibuprofen in the Therapeutic Arthritis Research and Gastrointestinal Event Trial (TARGET), reduction in ulcer complications: randomised controlled trial. <b>2004</b> , 364, 665-74	558
1546	Association of sensorimotor function with knee joint kinematics during locomotion in knee osteoarthritis. <b>2004</b> , 83, 455-63; quiz 464-6, 491	20
1545	Glucosamine sulfate reduces osteoarthritis progression in postmenopausal women with knee osteoarthritis: evidence from two 3-year studies. <b>2004</b> , 11, 138-43	92
1544	Effects of functional electrostimulation on pain, muscular strength, and functional capacity in patients with osteoarthritis of the knee. <b>2004</b> , 10, 246-9	27
1543	Can a nurse-directed intervention reduce the exposure of patients with knee osteoarthritis to nonsteroidal antiinflammatory drugs?. <b>2004</b> , 10, 315-22	15
1542	A 32-week randomized, placebo-controlled clinical evaluation of RA-11, an Ayurvedic drug, on osteoarthritis of the knees. <b>2004</b> , 10, 236-45	79
1541	The Early Clinical Diagnosis of Osteoarthritis of the Hip. <b>2004</b> , 34, 461-467	11
1540	Evaluation of osteoarthritis progression using polarization-sensitive optical coherence tomography. <b>2004</b> , 5318, 170	4
1539	Knee Osteoarthritis. <b>2004</b> , 16, 211-232	3
1538	The Influence of Pathology, Pain, Balance, and Self-efficacy on Function in Women With Osteoarthritis of the Knee. <b>2004</b> , 84, 822-831	79
1537	Viscosupplementation for the treatment of osteoarthritis of the knee. <b>2005</b> , CD005321	60
1536	Expectation and outlook: the impact of patient preference on arthritis care among African Americans. <b>2005</b> , 28, 41-8	40

1535 Occupational medicine forum. **2005**, 47, 967-71

1534 Aquatic exercise for the treatment of knee and hip osteoarthritis. **2005**, 5

1533 Fibrin deimination in synovial tissue is not specific for rheumatoid arthritis but commonly occurs during synovitides. **2005**, 174, 5057-64 107

1532 Absolute reduction in lower limb lean body mass in Japanese women with knee osteoarthritis. **2005**, 11, 245-9 8

1531 Intraarticular corticosteroid for treatment of osteoarthritis of the knee. **2005**, CD005328 38

1530 Effects of kinesthesia and balance exercises in knee osteoarthritis. **2005**, 11, 303-10 93

1529 Production of interleukin-6 and interleukin-8 by nurse-like cells from rheumatoid arthritis patients after stimulation with monocytes. **2005**, 15, 415-422 3

1528 Coexistence of venous insufficiency and knee osteoarthritis in postmenopausal women and its effect on pain and function. **2005**, 17, 101-105

1527 Effects of intra-articular hylan G-F 20 injections on clinical and biomechanical characteristics of the knee in osteoarthritis. **2005**, 28, 371-4 12

1526 Diacerein for osteoarthritis. **2005**, 2

1525 [Synovialitis score: histopathological grading system for chronic rheumatic and non-rheumatic synovialitis]. **2005**, 64, 334-42 22

1524 D-dimer and inflammatory markers as predictors of functional decline in men and women with and without peripheral arterial disease. **2005**, 53, 1688-96 43

1523 Risk factors of symptomatic osteoarthritis of the knee at a hospital in Indonesia. **2005**, 8, 106-113 8

1522 Randomized clinical trials of osteoarthritis: a review. **2005**, 8, 171-176 4

1521 Management of osteoarthritis. **2001**, 13, 495-501 8

1520 Cancellous bone differences between knees with early, definite and advanced joint space loss; a comparative quantitative macroradiographic study. **2005**, 13, 39-47 56

1519 Acceptability, reliability, validity and responsiveness of the Turkish version of WOMAC osteoarthritis index. **2005**, 13, 28-33 162

1518 Enhanced expression of insulin-like growth factor-binding proteins in human osteoarthritic cartilage detected by immunohistochemistry and in situ hybridization. **2005**, 13, 439-48 40

1517	Synovitis: a potential predictive factor of structural progression of medial tibiofemoral knee osteoarthritis -- results of a 1 year longitudinal arthroscopic study in 422 patients. <b>2005</b> , 13, 361-7	400
1516	Tibial cancellous bone changes in patients with knee osteoarthritis. A short-term longitudinal study using Fractal Signature Analysis. <b>2005</b> , 13, 463-70	60
1515	Ultrasonographic findings in knee osteoarthritis: a comparative study with clinical and radiographic assessment. <b>2005</b> , 13, 568-74	121
1514	Performance of the Norwegian version of AUSCAN--a disease-specific measure of hand osteoarthritis. <b>2005</b> , 13, 561-7	38
1513	Identification of an urinary metabolite profile associated with osteoarthritis. <b>2005</b> , 13, 762-8	73
1512	The role of subchondral bone resorption pits in osteoarthritis: MMP production by cells derived from bone marrow. <b>2005</b> , 13, 679-87	74
1511	Cancellous bone changes in hip osteoarthritis: a short-term longitudinal study using fractal signature analysis. <b>2005</b> , 13, 998-1003	15
1510	One-year increase of Coll 2-1, a new marker of type II collagen degradation, in urine is highly predictive of radiological OA progression. <b>2005</b> , 13, 1059-65	45
1509	Osteoarthritis: an overview of the disease and its treatment strategies. <b>2005</b> , 35, 1-10	245
1508	The characteristics of symptomatic osteoarthritis in general and specialist practice in Italy: design and methods of the AMICA Study. <b>2005</b> , 35, 11-6	5
1507	Clinical presentation of osteoarthritis in general practice: determinants of pain in Italian patients in the AMICA study. <b>2005</b> , 35, 17-23	46
1506	Comorbid conditions in the AMICA study patients: effects on the quality of life and drug prescriptions by general practitioners and specialists. <b>2005</b> , 35, 31-7	58
1505	Do physicians treat symptomatic osteoarthritis patients properly? Results of the AMICA experience. <b>2005</b> , 35, 38-42	30
1504	Validation of American College of Rheumatology classification criteria for knee osteoarthritis using arthroscopically defined cartilage damage scores. <b>2005</b> , 35, 197-201	77
1503	Quadriceps force generation in patients with osteoarthritis of the knee and asymptomatic participants during patellar tendon reflex reactions: an exploratory cross-sectional study. <b>2005</b> , 6, 46	16
1502	TOIB Study. Are topical or oral ibuprofen equally effective for the treatment of chronic knee pain presenting in primary care: a randomised controlled trial with patient preference study. [ISRCTN79353052]. <b>2005</b> , 6, 55	8
1501	Ethnic-, gender-, and age-related differences in femorotibial angle, femoral antetorsion, and tibiofibular torsion: cross-sectional study among healthy Japanese and Australian Caucasians. <b>2006</b> , 19, 59-67	40
1500	Inhibition of interleukin-1beta-induced cyclooxygenase 2 expression in human synovial fibroblasts by 15-deoxy-Delta12,14-prostaglandin J2 through a histone deacetylase-independent mechanism. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 94-104	46

1499	Role of interleukin-1 and tumor necrosis factor alpha in matrix degradation of human osteoarthritic cartilage. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 128-35	383
1498	Chondroitins 4 and 6 sulfate in osteoarthritis of the knee: a randomized, controlled trial. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 779-86	200
1497	Urinary type II collagen helical peptide (HELIX-II) as a new biochemical marker of cartilage degradation in patients with osteoarthritis and rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 1081-90	80
1496	Cruciate ligament integrity in osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 794-9	124
1495	Association of the risk of osteoarthritis with high innate production of interleukin-1beta and low innate production of interleukin-10 ex vivo, upon lipopolysaccharide stimulation. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 1443-50	47
1494	A comparative assessment of alignment angle of the knee by radiographic and physical examination methods. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 1730-5	252
1493	Effects of doxycycline on progression of osteoarthritis: results of a randomized, placebo-controlled, double-blind trial. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 2015-25	211
1492	Kappa and delta opioid receptors are expressed but down-regulated in fibroblast-like synoviocytes of patients with rheumatoid arthritis and osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 1402-10	27
1491	Association of cartilage defects with loss of knee cartilage in healthy, middle-age adults: a prospective study. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 2033-9	208
1490	Influence of various recruitment strategies on the study population and outcome of a randomized controlled trial involving patients with osteoarthritis of the hip or knee. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 53, 375-82	22
1489	The relationship between cartilage loss on magnetic resonance imaging and radiographic progression in men and women with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 3152-9	163
1488	Macroscopic and microscopic features of synovial membrane inflammation in the osteoarthritic knee: correlating magnetic resonance imaging findings with disease severity. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 3492-501	216
1487	Positive effects of moderate exercise on glycosaminoglycan content in knee cartilage: a four-month, randomized, controlled trial in patients at risk of osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 3507-14	338
1486	Comparison of the COX-inhibiting nitric oxide donator AZD3582 and rofecoxib in treating the signs and symptoms of Osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 53, 827-37	54
1485	Mud compress therapy for the hands of patients with rheumatoid arthritis. <b>2005</b> , 25, 49-54	44
1484	The prevalence of symptomatic knee and distal interphalangeal joint osteoarthritis in the urban population of Antalya, Turkey. <b>2005</b> , 25, 201-4	23
1483	The prevalence of autoantibodies against cartilage intermediate layer protein, YKL-39, osteopontin, and cyclic citrullinated peptide in patients with early-stage knee osteoarthritis: evidence of a variety of autoimmune processes. <b>2005</b> , 26, 35-41	35
1482	Quantitative immunodetection of key elements of polyphosphoinositide signal transduction in osteoblasts from arthritic patients shows a direct correlation with cell proliferation. <b>2005</b> , 124, 131-7	6

1481	Health-related quality of life in patients with hip or knee osteoarthritis: comparison of generic and disease-specific instruments. <b>2005</b> , 24, 29-37	116
1480	Hylan G-F 20 efficacy on articular cartilage quality in patients with knee osteoarthritis: clinical and MRI assessment. <b>2005</b> , 24, 336-41	56
1479	Effects of different hyaluronic acid products on synovial fluid NO levels in knee osteoarthritis. <b>2005</b> , 24, 497-501	18
1478	Cross-cultural adaptation and validation of the Korean version of the EQ-5D in patients with rheumatic diseases. <b>2005</b> , 14, 1401-6	216
1477	A pilot trial evaluating Meta050, a proprietary combination of reduced iso-alpha acids, rosemary extract and oleanolic acid in patients with arthritis and fibromyalgia. <b>2005</b> , 19, 864-9	45
1476	Chronically inflamed synovium from spondyloarthropathy and rheumatoid arthritis investigated by protein expression profiling followed by tandem mass spectrometry. <b>2005</b> , 5, 2247-57	72
1475	Blood-nourishing and hard-softening capsule costs less in the management of osteoarthritic knee pain: a randomized controlled trial. <b>2005</b> , 2, 363-8	12
1474	Comparison of self-management methods for osteoarthritis and rheumatoid arthritis. <b>2005</b> , 37, 58-60	18
1473	The Clinical Potential of Estrogen for the Prevention of Osteoarthritis: What is Known and What Needs to be Done?. <b>2005</b> , 1, 125-132	3
1472	The role of popliteal lymph nodes in differentiating rheumatoid arthritis from osteoarthritis by using CE 3D FSPGR MR imaging: relationship of the inflamed synovial volume. <b>2005</b> , 6, 117-24	13
1471	Reading radiographs in pairs or in chronological order influences radiological progression in osteoarthritis. <b>2005</b> , 44, 1452-5	26
1470	The validation of simple scoring methods for evaluating compartment-specific synovitis detected by MRI in knee osteoarthritis. <b>2005</b> , 44, 1569-73	55
1469	Evaluation and cultural adaptation of a German version of the AIMS2-SF questionnaire (German AIMS2-SF). <b>2005</b> , 44, 1190-5	32
1468	The regulation of human MMP-13 by licofelone, an inhibitor of cyclo-oxygenases and 5-lipoxygenase, in human osteoarthritic chondrocytes is mediated by the inhibition of the p38 MAP kinase signalling pathway. <b>2005</b> , 64, 891-8	40
1467	The clinical correlates of articular cartilage defects in symptomatic knee osteoarthritis: a prospective study. <b>2005</b> , 44, 1311-6	112
1466	Increased pentosidine, an advanced glycation end product, in serum and synovial fluid from patients with knee osteoarthritis and its relation with cartilage oligomeric matrix protein. <b>2005</b> , 64, 886-90	59
1465	Efficacy of physiotherapy management of knee joint osteoarthritis: a randomised, double blind, placebo controlled trial. <b>2005</b> , 64, 906-12	139
1464	Tibial plateau size is related to grade of joint space narrowing and osteophytes in healthy women and in women with osteoarthritis. <b>2005</b> , 64, 1033-7	56

1463	A second course of hylan G-F 20 for the treatment of osteoarthritic knee pain: 12-month patient follow-up. <b>2005</b> , 18, 7-15	23
1462	Three year joint space narrowing predicts long term incidence of knee surgery in patients with osteoarthritis: an eight year prospective follow up study. <b>2005</b> , 64, 1727-30	49
1461	Lumiracoxib, a highly selective COX-2 inhibitor. <b>2005</b> , 1, 37-45	6
1460	The clinical potential of estrogen for the prevention of osteoarthritis: what is known and what needs to be done?. <b>2005</b> , 1, 125-32	4
1459	Meniscal tear and extrusion are strongly associated with progression of symptomatic knee osteoarthritis as assessed by quantitative magnetic resonance imaging. <b>2005</b> , 64, 556-63	387
1458	Osteophytes and progression of knee osteoarthritis. <b>2005</b> , 44, 100-4	115
1457	New biochemical insights into the pathogenesis of osteoarthritis and the role of laboratory investigations in clinical assessment. <b>2005</b> , 42, 279-309	33
1456	EULAR report on the use of ultrasonography in painful knee osteoarthritis. Part 2: exploring decision rules for clinical utility. <b>2005</b> , 64, 1710-4	33
1455	EULAR report on the use of ultrasonography in painful knee osteoarthritis. Part 1: prevalence of inflammation in osteoarthritis. <b>2005</b> , 64, 1703-9	173
1454	A novel celecoxib derivative potently induces apoptosis of human synovial fibroblasts. <b>2005</b> , 314, 796-803	19
1453	First line treatment of knee osteoarthritis in outpatients in France: adherence to the EULAR 2000 recommendations and factors influencing adherence. <b>2005</b> , 64, 70-4	70
1452	Influenza vaccination and mortality in the United States. <b>2005</b> , 165, 2037-8; author reply 2039-40	4
1451	Efficacy of lumiracoxib in osteoarthritis: a review of nine studies. <b>2005</b> , 33, 21-41	26
1450	Evaluation of clinically relevant states in patient reported outcomes in knee and hip osteoarthritis: the patient acceptable symptom state. <b>2005</b> , 64, 34-7	330
1449	Implication of interleukin 18 in production of matrix metalloproteinases in articular chondrocytes in arthritis: direct effect on chondrocytes may not be pivotal. <b>2005</b> , 64, 735-42	33
1448	Evaluation of clinically relevant changes in patient reported outcomes in knee and hip osteoarthritis: the minimal clinically important improvement. <b>2005</b> , 64, 29-33	648
1447	Artrosis (2). Espondiloartrosis. Coxartrosis. Gonartrosis. Artrosis de manos. Otras localizaciones. <b>2005</b> , 9, 2108-2116	
1446	[Current therapeutic approach osteoarthritis]. <b>2005</b> , 1 Suppl 2, S8-S15	3



1445	Effects of laterally wedged insoles on knee and subtalar joint moments. <b>2005</b> , 86, 1465-71	134
1444	Patients with knee osteoarthritis have lower total hip bone mineral density in the symptomatic leg than in the contralateral hip. <b>2005</b> , 8, 484-7	13
1443	Upper gastrointestinal tract safety of daily oral risedronate in patients taking NSAIDs: a randomized, double-blind, placebo-controlled trial. <b>2005</b> , 80, 1278-85	8
1442	Iyengar yoga for treating symptoms of osteoarthritis of the knees: a pilot study. <b>2005</b> , 11, 689-93	120
1441	Structural joint changes, malalignment, and laxity in osteoarthritis of the knee. <b>2005</b> , 34, 298-301	39
1440	Efficacy and tolerability of lumiracoxib 100 mg once daily in knee osteoarthritis: a 13-week, randomized, double-blind study vs. placebo and celecoxib. <b>2005</b> , 21, 517-26	70
1439	Lumiracoxib in the treatment of osteoarthritis, rheumatoid arthritis and acute postoperative dental pain: results of three dose-response studies. <b>2005</b> , 21, 151-61	19
1438	Using patients' and rheumatologists' opinions to specify a short form of the WOMAC function subscale. <b>2005</b> , 64, 75-9	33
1437	OAKHQOL: a new instrument to measure quality of life in knee and hip osteoarthritis. <b>2005</b> , 58, 47-55	95
1436	Changes in knee moments with contralateral versus ipsilateral cane usage in females with knee osteoarthritis. <b>2005</b> , 20, 396-404	44
1435	Efficacy and tolerability of lumiracoxib in the treatment of osteoarthritis of the knee: a 13-week, randomized, double-blind comparison with celecoxib and placebo. <b>2005</b> , 27, 64-77	60
1434	The relationship between limited MRI section analyses and volumetric assessment of synovitis in knee osteoarthritis. <b>2005</b> , 60, 1295-9	4
1433	Effects of flurbiprofen and tiaprofenic Acid on oxidative stress markers in osteoarthritis: A prospective, randomized, open-label, active- and placebo-controlled trial. <b>2005</b> , 66, 335-44	8
1432	Bone morphogenetic protein signaling in joint homeostasis and disease. <b>2005</b> , 16, 287-98	84
1431	Altering asymmetric limb loading after hip arthroplasty using real-time dynamic feedback when walking. <b>2005</b> , 86, 1958-63	54
1430	Functional decline in lower-extremity peripheral arterial disease: associations with comorbidity, gender, and race. <b>2005</b> , 42, 1131-7	41
1429	Health-related quality of life in older adults with symptomatic hip and knee osteoarthritis: a comparison with matched healthy controls. <b>2005</b> , 17, 255-63	227
1428	A powder made from seeds and shells of a rose-hip subspecies ( <i>Rosa canina</i> ) reduces symptoms of knee and hip osteoarthritis: a randomized, double-blind, placebo-controlled clinical trial. <b>2005</b> , 34, 302-8	81

1427	Synovial tissue inflammation in early and late osteoarthritis. <b>2005</b> , 64, 1263-7	612
1426	Epidemiologic assessment of trauma-independent skeletal pathology in non-passerine birds from museum collections. <b>2005</b> , 34, 212-9	19
1425	Long term evaluation of disease progression through the quantitative magnetic resonance imaging of symptomatic knee osteoarthritis patients: correlation with clinical symptoms and radiographic changes. <b>2006</b> , 8, R21	179
1424	Expression of ADAM15 in rheumatoid synovium: up-regulation by vascular endothelial growth factor and possible implications for angiogenesis. <b>2005</b> , 7, R1158-73	34
1423	The determinants of change in tibial plateau bone area in osteoarthritic knees: a cohort study. <b>2005</b> , 7, R687-93	66
1422	Small GTP-binding protein Rho-mediated signaling promotes proliferation of rheumatoid synovial fibroblasts. <b>2005</b> , 7, R476-84	13
1421	Effect of risedronate on joint structure and symptoms of knee osteoarthritis: results of the BRISK randomized, controlled trial [ISRCTN01928173]. <b>2005</b> , 7, R625-33	176
1420	Repression of anti-proliferative factor Tob1 in osteoarthritic cartilage. <b>2005</b> , 7, R274-84	21
1419	Identification of novel citrullinated autoantigens of synovium in rheumatoid arthritis using a proteomic approach. <b>2006</b> , 8, R175	105
1418	Abnormal insulin-like growth factor 1 signaling in human osteoarthritic subchondral bone osteoblasts. <b>2006</b> , 8, R177	41
1417	The shunt from the cyclooxygenase to lipoxygenase pathway in human osteoarthritic subchondral osteoblasts is linked with a variable expression of the 5-lipoxygenase-activating protein. <b>2006</b> , 8, R181	32
1416	Knee cartilage loss in symptomatic knee osteoarthritis over 4.5 years. <b>2006</b> , 8, R90	45
1415	The S100A8/A9 heterodimer amplifies proinflammatory cytokine production by macrophages via activation of nuclear factor kappa B and p38 mitogen-activated protein kinase in rheumatoid arthritis. <b>2006</b> , 8, R69	204
1414	Osteogenic protein 1 in synovial fluid from patients with rheumatoid arthritis or osteoarthritis: relationship with disease and levels of hyaluronan and antigenic keratan sulfate. <b>2006</b> , 8, R73	21
1413	Cartilage oligomeric matrix protein is involved in human limb development and in the pathogenesis of osteoarthritis. <b>2006</b> , 8, R56	47
1412	First-dose analgesic effect of the cyclo-oxygenase-2 selective inhibitor lumiracoxib in osteoarthritis of the knee: a randomized, double-blind, placebo-controlled comparison with celecoxib [NCT00267215]. <b>2006</b> , 8, R35	21
1411	Degradation of small leucine-rich repeat proteoglycans by matrix metalloprotease-13: identification of a new biglycan cleavage site. <b>2006</b> , 8, R26	75
1410	Hip joint replacement surgery for idiopathic osteoarthritis aggregates in families. <b>2006</b> , 8, R25	11

1409	Intra-Articular Injection of Tenoxicam in the Treatment of Osteoarthritis of the Knee. <b>2006</b> , 14, 37-47	1
1408	Acetaminophen for osteoarthritis. <b>2006</b> , CD004257	218
1407	Association of matrilin-3 polymorphisms with spinal disc degeneration and osteoarthritis of the first carpometacarpal joint of the hand. <b>2006</b> , 65, 1060-6	47
1406	Transforming growth factor-beta2 suppresses collagen cleavage in cultured human osteoarthritic cartilage, reduces expression of genes associated with chondrocyte hypertrophy and degradation, and increases prostaglandin E(2) production. <b>2006</b> , 168, 131-40	56
1405	Effects of ginger on primary knee osteoarthritis. <b>2006</b> , 1, 3-7	11
1404	[ArtRoCad: health resources utilization and socioeconomic impact of knee and hip osteoarthritis. I. Methods and population characteristics]. <b>2006</b> , 2, 224-34	11
1403	Valoraci3n cl3nico-funcional tras tratamiento con 3ido hialur3nico y onda corta en pacientes con artrosis de rodilla. <b>2006</b> , 40, 241-247	2
1402	Active involvement and long-term goals influence long-term adherence to behavioural graded activity in patients with osteoarthritis: a qualitative study. <b>2006</b> , 52, 273-8	26
1401	Obesity, weight change, and functional decline in peripheral arterial disease. <b>2006</b> , 43, 1198-204	30
1400	Intraarticular corticosteroid for treatment of osteoarthritis of the knee. <b>2006</b> , CD005328	354
1399	Devil's Claw ( <i>Harpagophytum procumbens</i> ) as a treatment for osteoarthritis: a review of efficacy and safety. <b>2006</b> , 12, 981-93	55
1398	Gastrointestinal tolerability of lumiracoxib in patients with osteoarthritis and rheumatoid arthritis. <b>2006</b> , 4, 57-66	15
1397	Chemokine and chemokine receptor expression in paired peripheral blood mononuclear cells and synovial tissue of patients with rheumatoid arthritis, osteoarthritis, and reactive arthritis. <b>2006</b> , 65, 294-300	171
1396	Clinical practice. Osteoarthritis of the knee. <b>2006</b> , 354, 841-8	538
1395	Clinical outcomes following manual physical therapy and exercise for hip osteoarthritis: A case series. <b>2006</b> , 36, 588-99	68
1394	Viscosupplementation for the treatment of osteoarthritis of the knee. <b>2006</b> , CD005321	265
1393	Statin use and functional decline in patients with and without peripheral arterial disease. <b>2006</b> , 47, 998-1004	76
1392	Diacerein for osteoarthritis. <b>2006</b> , CD005117	55

1391	Long-term impact of Fit and Strong! on older adults with osteoarthritis. <b>2006</b> , 46, 801-14	133
1390	Role of knee kinematics and kinetics on performance and disability in people with medial compartment knee osteoarthritis. <b>2006</b> , 21, 1051-9	32
1389	Multicenter, randomized, double-blind, active-controlled, parallel-group trial of the long-term (6-12 months) safety of acetaminophen in adult patients with osteoarthritis. <b>2006</b> , 28, 222-35	67
1388	Evidence for a protective role for adiponectin in osteoarthritis. <b>2006</b> , 1762, 711-8	143
1387	Modulation of insulin-like growth factor 1 levels in human osteoarthritic subchondral bone osteoblasts. <b>2006</b> , 38, 333-41	46
1386	Bone mineral density in the proximal tibia varies as a function of static alignment and knee adduction angular momentum in individuals with medial knee osteoarthritis. <b>2006</b> , 39, 1116-1122	79
1385	A study of the noninstrumented physical examination of the knee found high observer variability. <b>2006</b> , 59, 512-20	24
1384	Osteoarthritis: an example of phenoptosis through autonomic dysfunction?. <b>2006</b> , 67, 1079-85	0
1383	Judgement and decision making in advanced orthopaedic nursing practice related to chronic knee pain. <b>2006</b> , 10, 206-216	4
1382	Nível de atividade física, dor e edema e suas relações com a disfunção muscular do joelho de idosos com osteoartrite. <b>2006</b> , 10, 279-284	16
1381	Associated risk factors of knee osteoarthritis: a population survey in Taiyuan, China. <b>2006</b> , 119, 1522-1527	32
1380	Classification, Pathology and Measures of Disease Assessment. 11-39	
1379	Acupuncture and knee osteoarthritis: a three-armed randomized trial. <b>2006</b> , 145, 12-20	282
1378	Factors associated with functional limitation in stair climbing in female Japanese patients with knee osteoarthritis. <b>2006</b> , 16, 21-9	11
1377	Mechanisms of musculoskeletal pain. <b>2006</b> , 28, 113-124	1
1376	Diagnostic et traitement d'un genou douloureux. <b>2006</b> , 1, 1-24	
1375	Low frequency of anticyclic citrullinated peptide antibodies in psoriatic arthritis but not in cutaneous psoriasis. <b>2006</b> , 12, 226-9	28
1374	The effects of heat on osteoarthritis of the knee. <b>2006</b> , 18, 67-75	6

1373	Autoimmune diseases co-occurring within individuals and within families: a systematic review. <b>2006</b> , 17, 202-17	121
1372	Functional decline in patients with and without peripheral arterial disease: predictive value of annual changes in levels of C-reactive protein and D-dimer. <b>2006</b> , 61, 374-9	33
1371	Objective measurement of stiffness in knee osteoarthritis. <b>2006</b> , 25, 244-50	3
1370	Epidemiology of osteoarthritis: an update. <b>2006</b> , 18, 147-56	193
1369	Can the blood pressure effects of COX-2 selective inhibitors be explained by changes in plasma aldosterone levels?. <b>2006</b> , 24, 1979-84	9
1368	Isokinetic Strength and Functional Status in Knee Osteoarthritis. <b>2006</b> , 18, 107-114	18
1367	The management of osteoarthritis in the obese patient: practical considerations and guidelines for therapy. <b>2006</b> , 7, 323-31	51
1366	Synovitis score: discrimination between chronic low-grade and high-grade synovitis. <b>2006</b> , 49, 358-64	342
1365	Développement et validation d'un questionnaire de qualité de vie spécifique de l'arthrose de hanche et de genou: l'AMIQUAL (Arthrose des Membres Inférieurs et Qualité de Vie). <b>2006</b> , 73, 1364-1372	1
1364	Reliability and validity of the Italian version of the Chronic Pain Grade questionnaire in patients with musculoskeletal disorders. <b>2006</b> , 25, 619-31	32
1363	Osteoarthritis is for the birds. <b>2006</b> , 25, 645-7	10
1362	Lumiracoxib is effective in the treatment of osteoarthritis of the knee: a prospective randomized 13-week study versus placebo and celecoxib. <b>2006</b> , 25, 42-53	37
1361	Comparison of intra-articular tenoxicam and oral tenoxicam for pain and physical functioning in osteoarthritis of the knee. <b>2006</b> , 25, 54-61	19
1360	[Low-grade-/high-grade-synovitis: synovitis-score as a gold standard?]. <b>2006</b> , 35, 853-9	4
1359	Suppressive effects of hyaluronan on MMP-1 and RANTES production from chondrocytes. <b>2006</b> , 26, 185-90	31
1358	In vivo expression of inflammatory cytokine receptors in the joint compartments of patients with arthritis. <b>2006</b> , 26, 360-8	14
1357	Intra-articular hyaluronic acid compared with progressive knee exercises in osteoarthritis of the knee: a prospective randomized trial with long-term follow-up. <b>2006</b> , 26, 277-84	26
1356	A prospective randomised controlled clinical trial comparing the efficacy of different molecular weight hyaluronan solutions in the treatment of knee osteoarthritis. <b>2006</b> , 26, 325-30	88

1355	Enhanced production of MMP-1, MMP-3, MMP-13, and RANTES by interaction of chondrocytes with autologous T cells. <b>2006</b> , 26, 984-90	20
1354	Balneotherapy and tap water therapy in the treatment of knee osteoarthritis. <b>2006</b> , 27, 19-27	51
1353	Occupational work and quality of life in osteoarthritis patients. <b>2006</b> , 27, 131-9	12
1352	Associations among knee adduction moment, frontal plane ground reaction force, and lever arm during walking in patients with knee osteoarthritis. <b>2006</b> , 39, 2213-20	189
1351	Comparison of the therapeutic efficacy of TENS versus intra-articular hyaluronic acid injection in patients with knee osteoarthritis: a prospective randomized study. <b>2006</b> , 23, 342-53	27
1350	Development and testing of a specific quality-of-life questionnaire for knee and hip osteoarthritis: OAKHQOL (OsteoArthritis of Knee Hip Quality Of Life). <b>2006</b> , 73, 697-704	45
1349	Do we need radiographs to diagnose osteoarthritis?. <b>2006</b> , 20, 27-38	31
1348	Increased joint loads during walking--a consequence of pain relief in knee osteoarthritis. <b>2006</b> , 13, 445-50	76
1347	Efficacy of methylsulfonylmethane (MSM) in osteoarthritis pain of the knee: a pilot clinical trial. <b>2006</b> , 14, 286-94	117
1346	Interleukin-17, a regulator of angiogenic factor release by synovial fibroblasts. <b>2006</b> , 14, 345-52	101
1345	Raised chondroitin sulfate epitopes and hyaluronan in serum from rheumatoid arthritis and osteoarthritis patients. <b>2006</b> , 14, 299-301	29
1344	Hyaluronate effects on synovium and synovial fluid. A prospective blinded study in patients with osteoarthritis of the knee. <b>2006</b> , 14, 501-3	5
1343	Clinical and ultrasonographic findings related to knee pain in osteoarthritis. <b>2006</b> , 14, 540-4	77
1342	Predictors for response to rehabilitation in patients with hip or knee osteoarthritis: a comparison of logistic regression models with three different definitions of responder. <b>2006</b> , 14, 641-51	37
1341	Differential distribution of adipokines between serum and synovial fluid in patients with osteoarthritis. Contribution of joint tissues to their articular production. <b>2006</b> , 14, 690-5	213
1340	Elevated serum levels of soluble interleukin-4 receptor in osteoarthritis. <b>2006</b> , 14, 717-9	24
1339	Assessment of joint space narrowing with conventional standing antero-posterior radiographs: relief in mild-to-moderate pain is not a confounder in recent osteoarthritis structure-modifying drug trials. <b>2006</b> , 14 Suppl A, A14-8	3
1338	Assessment of the radioanatomic positioning of the osteoarthritic knee in serial radiographs: comparison of three acquisition techniques. <b>2006</b> , 14 Suppl A, A37-43	56

1337	Classification of osteoarthritis biomarkers: a proposed approach. <b>2006</b> , 14, 723-7	289
1336	Activity limitations in the lower extremities in patients with osteoarthritis: the modifying effects of illness perceptions and mental health. <b>2006</b> , 14, 1104-10	48
1335	Static knee alignment and its association with radiographic knee osteoarthritis. <b>2006</b> , 14, 958-62	39
1334	Expression of proteinase-activated receptors (PAR)-2 in articular chondrocytes is modulated by IL-1beta, TNF-alpha and TGF-beta. <b>2006</b> , 14, 1163-73	62
1333	An analgesic model for assessment of acute pain response in osteoarthritis of the knee. <b>2006</b> , 14, 1111-8	6
1332	Cross-cultural adaptation and validation of Singapore English and Chinese versions of the Knee injury and Osteoarthritis Outcome Score (KOOS) in Asians with knee osteoarthritis in Singapore. <b>2006</b> , 14, 1098-103	68
1331	Factors affecting tibial plateau expansion in healthy women over 2.5 years: a longitudinal study. <b>2006</b> , 14, 1258-64	26
1330	Differences in trabecular structure between knees with and without osteoarthritis quantified by macro and standard radiography, respectively. <b>2006</b> , 14, 1302-5	31
1329	Comparison of AIMS2-SF, WOMAC, x-ray and a global physician assessment in order to approach quality of life in patients suffering from osteoarthritis. <b>2006</b> , 7, 6	13
1328	Can a disease-specific education program augment self-management skills and improve Health-Related Quality of Life in people with hip or knee osteoarthritis?. <b>2006</b> , 7, 90	20
1327	Robust computational reconstitution - a new method for the comparative analysis of gene expression in tissues and isolated cell fractions. <b>2006</b> , 7, 369	12
1326	Associations between pain, function, and radiographic features in osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 230-5	162
1325	Production of lipid peroxidation products in osteoarthritic tissues: new evidence linking 4-hydroxynonenal to cartilage degradation. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 271-81	59
1324	Hypermethylated promoter region of DR3, the death receptor 3 gene, in rheumatoid arthritis synovial cells. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 779-87	125
1323	Sphingosine 1-phosphate/sphingosine 1-phosphate receptor 1 signaling in rheumatoid synovium: regulation of synovial proliferation and inflammatory gene expression. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 742-53	145
1322	Expression of platelet-derived growth factors C and D in the synovial membrane of patients with rheumatoid arthritis and osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 788-94	33
1321	Determinants of self efficacy for physical tasks in people with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 55, 94-101	69
1320	The association of meniscal pathologic changes with cartilage loss in symptomatic knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 795-801	381

1319	High-resolution multipinhole single-photon-emission computed tomography in experimental and human arthritis. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 1096-104	29
1318	Increase in bone marrow lesions associated with cartilage loss: a longitudinal magnetic resonance imaging study of knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 1529-35	320
1317	Is there an alternative to the full-leg radiograph for determining knee joint alignment in osteoarthritis?. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 55, 306-13	186
1316	Transitions to mobility difficulty associated with lower extremity osteoarthritis in high functioning older women: longitudinal data from the Women's Health and Aging Study II. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 55, 256-63	23
1315	Transdermal fentanyl for improvement of pain and functioning in osteoarthritis: a randomized, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 1829-37	78
1314	Lack of association between chondrocalcinosis and increased risk of cartilage loss in knees with osteoarthritis: results of two prospective longitudinal magnetic resonance imaging studies. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 1822-8	70
1313	Identification in human osteoarthritic chondrocytes of proteins binding to the novel regulatory site AGRE in the human matrix metalloprotease 13 proximal promoter. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 2471-80	20
1312	Change in joint space width: hyaline articular cartilage loss or alteration in meniscus?. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 2488-95	218
1311	Feeling good rather than feeling better matters more to patients. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 55, 526-30	126
1310	Walking barefoot decreases loading on the lower extremity joints in knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 2923-7	97
1309	Tetraspanin CD151 is expressed in osteoarthritic cartilage and is involved in pericellular activation of pro-matrix metalloproteinase 7 in osteoarthritic chondrocytes. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 3233-43	32
1308	Risedronate decreases biochemical markers of cartilage degradation but does not decrease symptoms or slow radiographic progression in patients with medial compartment osteoarthritis of the knee: results of the two-year multinational knee osteoarthritis structural arthritis study. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 2494-507	287
1307	Course of functional status and pain in osteoarthritis of the hip or knee: a systematic review of the literature. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 55, 779-85	186
1306	Knee joint loading differs in individuals with mild compared with moderate medial knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 3842-9	208
1305	"What do you expect? You're just getting older": A comparison of perceived osteoarthritis-related and aging-related health experiences in middle- and older-age adults. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 55, 905-12	154
1304	Effectiveness of behavioral graded activity in patients with osteoarthritis of the hip and/or knee: A randomized clinical trial. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 55, 925-34	89
1303	Joint laxity and the relationship between muscle strength and functional ability in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 55, 953-9	53
1302	CXCL12 (SDF-1) and CXCL13 (BCA-1) chemokines significantly induce proliferation and collagen type I expression in osteoblasts from osteoarthritis patients. <b>2006</b> , 206, 78-85	67



1301	Ultrasonographic assessment of Baker's cysts after intra-articular corticosteroid injection in knee osteoarthritis. <b>2006</b> , 34, 113-7	48
1300	Novel method of using dynamic electrical impedance signals for noninvasive diagnosis of knee osteoarthritis. <b>2006</b> , 2006, 2207-10	7
1299	A 2 yr longitudinal radiographic study examining the effect of a bisphosphonate (risedronate) upon subchondral bone loss in osteoarthritic knee patients. <b>2007</b> , 46, 257-64	94
1298	The use of neuromuscular electrical stimulation to improve activation deficits in a patient with chronic quadriceps strength impairments following total knee arthroplasty. <b>2006</b> , 36, 678-85	54
1297	Cartilage Defects: Epidemiology and Natural History. <b>2006</b> , 14, 188-194	9
1296	A prospective randomised multicentre study comparing continuous and intermittent treatment with celecoxib in patients with osteoarthritis of the knee or hip. <b>2007</b> , 66, 99-106	20
1295	The effectiveness of self-adjustable custom and off-the-shelf bracing in the treatment of varus gonarthrosis. <b>2006</b> , 88, 2645-52	57
1294	Increased urinary type II collagen helical and C telopeptide levels are independently associated with a rapidly destructive hip osteoarthritis. <b>2006</b> , 65, 1639-44	47
1293	Association between an endoglin gene polymorphism and systemic sclerosis-related pulmonary arterial hypertension. <b>2007</b> , 46, 622-5	40
1292	The cost effectiveness of behavioural graded activity in patients with osteoarthritis of hip and/or knee. <b>2007</b> , 66, 215-21	37
1291	Fibulin-4 is a target of autoimmunity predominantly in patients with osteoarthritis. <b>2006</b> , 176, 3196-204	39
1290	Diurnal variation in serum levels of cartilage oligomeric matrix protein in patients with knee osteoarthritis or rheumatoid arthritis. <b>2006</b> , 65, 1490-4	45
1289	Cigarette smoking and the risk for cartilage loss and knee pain in men with knee osteoarthritis. <b>2007</b> , 66, 18-22	84
1288	Analgesic action of acetaminophen in symptomatic osteoarthritis of the knee. <b>2006</b> , 45, 765-70	25
1287	Physical performance in peripheral arterial disease: a slower rate of decline in patients who walk more. <b>2006</b> , 144, 10-20	103
1286	Prevalence of radiographic osteoarthritis--it all depends on your point of view. <b>2006</b> , 45, 757-60	195
1285	The ICF comprehensively covers the spectrum of health problems encountered by health professionals in patients with musculoskeletal conditions. <b>2006</b> , 45, 1247-54	17
1284	Greater reduction of knee than hip pain in osteoarthritis treated with naproxen, as evaluated by WOMAC and SF-36. <b>2006</b> , 65, 781-4	32

1283	Massage therapy for osteoarthritis of the knee: a randomized controlled trial. <b>2006</b> , 166, 2533-8	99
1282	Bromelain as an adjunctive treatment for moderate-to-severe osteoarthritis of the knee: a randomized placebo-controlled pilot study. <b>2006</b> , 99, 841-50	25
1281	Comparison of quantitative and semiquantitative indicators of joint space narrowing in subjects with knee osteoarthritis. <b>2006</b> , 65, 64-8	25
1280	Association of polymorphisms in the peroxisome proliferator-activated receptor gamma gene and osteoarthritis of the knee. <b>2006</b> , 65, 1394-7	6
1279	Expression of Jak3, STAT1, STAT4, and STAT6 in inflammatory arthritis: unique Jak3 and STAT4 expression in dendritic cells in seropositive rheumatoid arthritis. <b>2006</b> , 65, 149-56	86
1278	Urinary CTX-II levels are associated with radiographic subtypes of osteoarthritis in hip, knee, hand, and facet joints in subject with familial osteoarthritis at multiple sites: the GARP study. <b>2006</b> , 65, 360-5	82
1277	Lack of bone stiffness/strength contribution to osteoarthritis--evidence for primary role of cartilage damage. <b>2007</b> , 46, 246-9	7
1276	Do clinical presentation and pre-operative quality of life predict satisfaction with care after total hip or knee replacement?. <b>2006</b> , 88, 366-73	34
1275	Symptoms and radiographic osteoarthritis: not as discordant as they are made out to be?. <b>2007</b> , 66, 86-91	107
1274	Clinical classification criteria for knee osteoarthritis: performance in the general population and primary care. <b>2006</b> , 65, 1363-7	112
1273	Treatment of knee osteoarthritis with oral chondroitin sulfate. <b>2006</b> , 53, 523-39	11
1272	Matrix metalloproteases from chondrocytes generate an antiangiogenic 16 kDa prolactin. <b>2006</b> , 119, 1790-800	77
1271	Effect of chondroitin sulphate in symptomatic knee osteoarthritis: a multicentre, randomised, double-blind, placebo-controlled study. <b>2007</b> , 66, 639-45	70
1270	Adiponectin enhances IL-6 production in human synovial fibroblast via an AdipoR1 receptor, AMPK, p38, and NF-kappa B pathway. <b>2007</b> , 179, 5483-92	202
1269	Radiographic measures of knee alignment in patients with varus gonarthrosis: effect of weightbearing status and associations with dynamic joint load. <b>2007</b> , 35, 65-70	114
1268	Endothelial protein C receptor is overexpressed in rheumatoid arthritic (RA) synovium and mediates the anti-inflammatory effects of activated protein C in RA monocytes. <b>2007</b> , 66, 1574-80	31
1267	Detection of gene expression in synovium of patients with osteoarthritis using a random sequencing method. <b>2007</b> , 78, 687-92	13
1266	Personal experience of living with knee osteoarthritis among older adults. <b>2007</b> , 29, 1423-33	50

1265	Beta-endorphin, Met-enkephalin and corresponding opioid receptors within synovium of patients with joint trauma, osteoarthritis and rheumatoid arthritis. <b>2007</b> , 66, 871-9	92
1264	Electrical impedance signal analysis in assessing the possibility of non-invasive diagnosis of knee osteoarthritis. <b>2007</b> , 31, 288-99	7
1263	The expression of SOCS is altered in rheumatoid arthritis. <b>2007</b> , 46, 1538-46	70
1262	[Socioeconomic relevance of osteoarthritis in Germany]. <b>2007</b> , 145, 421-9	21
1261	Large-scale gene expression profiles, differentially represented in osteoarthritic synovium of the knee joint using cDNA microarray technology. <b>2007</b> , 12, 384-402	21
1260	Aktueller diagnostischer Stand der Rheumapathologie bei entzündlichen Gelenkerkrankungen. <b>2007</b> , 32, 40-48	1
1259	Age-related changes in strength, joint laxity, and walking patterns: are they related to knee osteoarthritis?. <b>2007</b> , 87, 1422-32	96
1258	VEGF production by osteoarthritic chondrocytes cultured in micromass and stimulated by IL-17 and TNF-alpha. <b>2007</b> , 48, 239-45	19
1257	The association between patellar alignment and patellofemoral joint osteoarthritis features--an MRI study. <b>2007</b> , 46, 1303-8	99
1256	Group and home-based tai chi in elderly subjects with knee osteoarthritis: a randomized controlled trial. <b>2007</b> , 21, 99-111	135
1255	Predominant activation of MAP kinases and pro-destructive/pro-inflammatory features by TNF alpha in early-passage synovial fibroblasts via TNF receptor-1: failure of p38 inhibition to suppress matrix metalloproteinase-1 in rheumatoid arthritis. <b>2007</b> , 66, 1043-51	29
1254	Content of quality-of-life instruments is affected by item-generation methods. <b>2007</b> , 19, 390-8	28
1253	Basic fibroblast growth factor stimulates matrix metalloproteinase-13 via the molecular cross-talk between the mitogen-activated protein kinases and protein kinase Cdelta pathways in human adult articular chondrocytes. <b>2007</b> , 282, 11110-21	141
1252	Risk factors for pes anserinus tendinitis/bursitis syndrome: a case control study. <b>2007</b> , 13, 63-5	33
1251	Artrosis y artritis reumatoide. <b>2007</b> , 671-685	
1250	Bone mineral density in patients with hand osteoarthritis compared to population controls and patients with rheumatoid arthritis. <b>2007</b> , 66, 1594-8	27
1249	B cell clonal expansion and somatic hypermutation of Ig variable heavy chain genes in the synovial membrane of patients with osteoarthritis. <b>2007</b> , 178, 557-65	41
1248	Redefining overweight and obesity in rheumatoid arthritis patients. <b>2007</b> , 66, 1316-21	117

1247	Research in hand osteoarthritis: time for reappraisal and demand for new strategies. An opinion paper. <b>2007</b> , 66, 1157-61	38
1246	Superiority of the Lyon schuss view over the standing anteroposterior view for detecting joint space narrowing, especially in the lateral tibiofemoral compartment, in early knee osteoarthritis. <b>2007</b> , 66, 747-53	35
1245	Neurovascular invasion at the osteochondral junction and in osteophytes in osteoarthritis. <b>2007</b> , 66, 1423-8	241
1244	Patellofemoral osteoarthritis: new insights into a neglected disease. <b>2007</b> , 2, 193-202	4
1243	Increased serum sialic acid levels in primary osteoarthritis and inactive rheumatoid arthritis. <b>2007</b> , 213, 241-8	19
1242	Persistent depressive symptoms and functional decline among patients with peripheral arterial disease. <b>2007</b> , 69, 415-24	32
1241	The cross-sectional relationship between fortnightly exercise and knee cartilage properties in healthy adult women in midlife. <b>2007</b> , 14, 830-4	26
1240	New emerging role of pitx1 transcription factor in osteoarthritis pathogenesis. <b>2007</b> , 462, 59-66	14
1239	Efficacy and safety of topical nimesulide in the treatment of knee osteoarthritis. <b>2007</b> , 13, 251-5	10
1238	September 2007 Errata. <b>2007</b> , 37, 573-573	
1237	Self-efficacy mediates walking performance in older adults with knee osteoarthritis. <b>2007</b> , 62, 1142-6	34
1236	Inconsistent knee varus moment reduction caused by a lateral wedge in knee osteoarthritis. <b>2007</b> , 86, 446-54	58
1235	To run or not to run: a post-meniscectomy qualitative risk analysis model for osteoarthritis when considering a return to recreational running. <b>2007</b> , 15, E1-E15	5
1234	Pycnogenol supplementation reduces pain and stiffness and improves physical function in adults with knee osteoarthritis. <b>2007</b> , 27, 692-697	43
1233	Efficacy and safety of hyaluronan treatment in combination therapy with home exercise for knee osteoarthritis pain. <b>2007</b> , 88, 135-41	28
1232	Strength and voluntary activation of quadriceps femoris muscle in total knee arthroplasty with midvastus and subvastus approaches. <b>2007</b> , 22, 83-8	46
1231	A possible role for TSLP in inflammatory arthritis. <b>2007</b> , 357, 99-104	54
1230	Expression of transient receptor potential vanilloid 1 (TRPV1) in synovial fibroblasts from patients with osteoarthritis and rheumatoid arthritis. <b>2007</b> , 359, 884-8	86

1229	The homeopathic antiarthritic preparation Zeel comp. N: a review of molecular and clinical data. <b>2007</b> , 3, 16-22	5
1228	Efficacy and tolerability of once-daily OROS hydromorphone and twice-daily extended-release oxycodone in patients with chronic, moderate to severe osteoarthritis pain: results of a 6-week, randomized, open-label, noninferiority analysis. <b>2007</b> , 29, 874-888	67
1227	A 2-week, multicenter, randomized, double-blind, double-dummy, add-on study of the effects of titration on tolerability of tramadol/acetaminophen combination tablet in Korean adults with knee osteoarthritis pain. <b>2007</b> , 29, 1381-9	21
1226	Evaluation of the effectiveness and tolerability of controlled-release diclofenac-potassium versus immediate-release diclofenac-potassium in the treatment of knee osteoarthritis. <b>2007</b> , 68, 82-93	4
1225	Differential regulation of matrix metalloproteinase 2 and matrix metalloproteinase 9 by activated protein C: relevance to inflammation in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 2864-74	53
1224	[Prevalence and risk factors in osteoarthritis]. <b>2007</b> , 3 Suppl 3, S6-S12	12
1223	Chondroitin and glucosamine sulfate in combination decrease the pro-resorptive properties of human osteoarthritis subchondral bone osteoblasts: a basic science study. <b>2007</b> , 9, R117	72
1222	Activation of proteinase-activated receptor 2 in human osteoarthritic cartilage upregulates catabolic and proinflammatory pathways capable of inducing cartilage degradation: a basic science study. <b>2007</b> , 9, R121	46
1221	Development of musculoskeletal toxicity without clear benefit after administration of PG-116800, a matrix metalloproteinase inhibitor, to patients with knee osteoarthritis: a randomized, 12-month, double-blind, placebo-controlled study. <b>2007</b> , 9, R109	124
1220	Differential expression of the FAK family kinases in rheumatoid arthritis and osteoarthritis synovial tissues. <b>2007</b> , 9, R112	58
1219	Effect of antioxidants on knee cartilage and bone in healthy, middle-aged subjects: a cross-sectional study. <b>2007</b> , 9, R66	56
1218	Prostaglandin PGE2 at very low concentrations suppresses collagen cleavage in cultured human osteoarthritic articular cartilage: this involves a decrease in expression of proinflammatory genes, collagenases and COL10A1, a gene linked to chondrocyte hypertrophy. <b>2007</b> , 9, R75	45
1217	The association between patellar alignment on magnetic resonance imaging and radiographic manifestations of knee osteoarthritis. <b>2007</b> , 9, R26	39
1216	Peroxisome proliferator-activated receptor gamma1 expression is diminished in human osteoarthritic cartilage and is downregulated by interleukin-1beta in articular chondrocytes. <b>2007</b> , 9, R31	52
1215	Forced mobilization accelerates pathogenesis: characterization of a preclinical surgical model of osteoarthritis. <b>2007</b> , 9, R13	98
1214	Extracellular localization of galectin-3 has a deleterious role in joint tissues. <b>2007</b> , 9, R20	26
1213	Aquatic exercise for the treatment of knee and hip osteoarthritis. <b>2007</b> , CD005523	123
1212	Correlation between bone lesion changes and cartilage volume loss in patients with osteoarthritis of the knee as assessed by quantitative magnetic resonance imaging over a 24-month period. <b>2008</b> , 67, 683-8	137

1211	Body composition and knee cartilage properties in healthy, community-based adults. <b>2007</b> , 66, 1244-8	57
1210	Aquatic physical therapy for hip and knee osteoarthritis: results of a single-blind randomized controlled trial. <b>2007</b> , 87, 32-43	211
1209	Autologous conditioned serum in the treatment of orthopedic diseases: the orthokine therapy. <b>2007</b> , 21, 323-32	108
1208	Thymic stromal lymphopoietin secretion of synovial fibroblasts is positively and negatively regulated by Toll-like receptors/nuclear factor- $\kappa$ B pathway and interferon- $\gamma$ /dexamethasone. <b>2007</b> , 17, 459-463	46
1207	Gender difference in varus-valgus laxity in osteoarthritis of the knee. <b>2007</b> , 36, 157-9	7
1206	Development of a clinical prediction rule to identify patients with knee pain and clinical evidence of knee osteoarthritis who demonstrate a favorable short-term response to hip mobilization. <b>2007</b> , 87, 1106-19	52
1205	Agreement between clinical and radiological methods of diagnosing knee osteoarthritis. <b>2007</b> , 36, 58-63	16
1204	Homeopathy for osteoarthritis. <b>2007</b> ,	
1203	Synovitis detected on magnetic resonance imaging and its relation to pain and cartilage loss in knee osteoarthritis. <b>2007</b> , 66, 1599-603	351
1202	Physical activity, walking exercise, and calf skeletal muscle characteristics in patients with peripheral arterial disease. <b>2007</b> , 46, 87-93	37
1201	Effect of knee sleeve on static and dynamic balance in patients with knee osteoarthritis. <b>2007</b> , 23, 405-11	39
1200	Updated Therapy in Elderly Patients with Knee Osteoarthritis. <b>2007</b> , 1, 31-39	9
1199	Elevated levels of inflammation, d-dimer, and homocysteine are associated with adverse calf muscle characteristics and reduced calf strength in peripheral arterial disease. <b>2007</b> , 50, 897-905	62
1198	Baseline functional performance predicts the rate of mobility loss in persons with peripheral arterial disease. <b>2007</b> , 50, 974-82	99
1197	The Prevalence and Risk Factors of Knee and Hand Osteoarthritis in Korea. <b>2007</b> , 14, 354	9
1196	Radiographic Imaging in Osteoarthritis of the Hip and Knee. <b>2007</b> , 131-142	
1195	Baixa dose de methotrexate comparado a placebo em osteoartrite de joelho. <b>2007</b> , 47, 334-340	8
1194	Viscosupplementation: managed care issues for osteoarthritis of the knee. <b>2007</b> , 13, S3-19; quiz S20-2	23

1193	Improved precision in quantifying knee alignment angle. <b>2007</b> , 458, 145-9	23
1192	Reproducibility of concentric isokinetic strength of the knee extensors and flexors in individuals with mild and moderate osteoarthritis of the knee. <b>2007</b> , 15, 151-164	2
1191	Low levels of vitamin D and worsening of knee osteoarthritis: results of two longitudinal studies. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 129-36	131
1190	The role of T cells in the pathogenesis of osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 409-24	111
1189	Glucosamine sulfate in the treatment of knee osteoarthritis symptoms: a randomized, double-blind, placebo-controlled study using acetaminophen as a side comparator. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 555-67	209
1188	Up-regulation of metastasis-promoting S100A4 (Mts-1) in rheumatoid arthritis: putative involvement in the pathogenesis of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 779-89	74
1187	Amelioration of collagen-induced arthritis in rats by nanogold. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 544-54	146
1186	Arthritic pain is processed in brain areas concerned with emotions and fear. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 1345-54	158
1185	Physical activity and knee osteoarthritis: answers and questions. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 1-2	4
1184	Effect of anatomic realignment on muscle function during gait in patients with medial compartment knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 389-97	57
1183	Physical activity for osteoarthritis management: a randomized controlled clinical trial evaluating hydrotherapy or Tai Chi classes. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 407-14	207
1182	Predictors of depression in a sample of 1,021 primary care patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 415-22	105
1181	Comprehensive investigation of disease-specific short peptides in sera from patients with systemic sclerosis: complement C3f-des-arginine, detected predominantly in systemic sclerosis sera, enhances proliferation of vascular endothelial cells. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 2018-30	30
1180	Inhibition of forkhead box class O family member transcription factors in rheumatoid synovial tissue. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 2180-91	52
1179	Influence of familial factors on radiologic disease progression over two years in siblings with osteoarthritis at multiple sites: a prospective longitudinal cohort study. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 626-32	26
1178	Validation of a short form of the Western Ontario and McMaster Universities Osteoarthritis Index function subscale in hip and knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 633-8	55
1177	Estimating the probability of radiographic osteoarthritis in the older patient with knee pain. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 794-802	36
1176	Test-retest reliability of the peak knee adduction moment during walking in patients with medial compartment knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 1012-7	115

1175	Transforming growth factor alpha suppression of articular chondrocyte phenotype and Sox9 expression in a rat model of osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 3693-705	55
1174	Peptidyl arginine deiminase type 2 (PAD-2) and PAD-4 but not PAD-1, PAD-3, and PAD-6 are expressed in rheumatoid arthritis synovium in close association with tissue inflammation. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 3541-53	282
1173	Relationship between pain and medial knee joint loading in mild radiographic knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 1254-60	147
1172	Long-term effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: a systematic review. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 1245-53	179
1171	Classification criteria in rheumatic diseases: a review of methodologic properties. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 1119-33	99
1170	Improving osteoarthritis detection in the community: pharmacist identification of new, diagnostically confirmed osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 1238-44	31
1169	The efficacy and safety of diacerein in the treatment of painful osteoarthritis of the knee: a randomized, multicenter, double-blind, placebo-controlled study with primary end points at two months after the end of a three-month treatment period. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 4055-64	52
1168	Health-related quality of life in women with symptomatic hand osteoarthritis: a comparison with rheumatoid arthritis patients, healthy controls, and normative data. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 1404-9	144
1167	Case management of arthritis patients in primary care: a cluster-randomized controlled trial. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 1390-7	57
1166	Hypoxia-inducible factor 1 alpha is involved in the prostaglandin metabolism of osteoarthritic cartilage through up-regulation of microsomal prostaglandin E synthase 1 in articular chondrocytes. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 4084-94	40
1165	Differential regulation of cyclooxygenase-2 and inducible nitric oxide synthase by 4-hydroxynonenal in human osteoarthritic chondrocytes through ATF-2/CREB-1 transactivation and concomitant inhibition of NF-kappaB signaling cascade. <b>2007</b> , 100, 1217-31	48
1164	Site-specific proteolysis of cyclooxygenase-2: a putative step in inflammatory prostaglandin E(2) biosynthesis. <b>2007</b> , 101, 425-41	20
1163	Short-term efficacy of pharmacotherapeutic interventions in osteoarthritic knee pain: A meta-analysis of randomised placebo-controlled trials. <b>2007</b> , 11, 125-38	190
1162	Impact of an Arthritis Self-Management Programme with an added exercise component for osteoarthritic knee sufferers on improving pain, functional outcomes, and use of health care services: An experimental study. <b>2007</b> , 65, 113-21	52
1161	Évaluation du handicap et de la douleur chez 299 patients souffrant d'une gonarthrose lors de la mise en place d'une prothèse totale de genou. Étude transversale. <b>2007</b> , 74, 1283-1288	
1160	Osteoarthritis: quality of life, comorbidities, medication and health service utilization assessed in a large sample of primary care patients. <b>2007</b> , 2, 12	53
1159	In pursuit of B-cell synovial autoantigens in rheumatoid arthritis: Confirmation of citrullinated fibrinogen, detection of vimentin, and introducing carbonic anhydrase as a possible new synovial autoantigen. <b>2007</b> , 1, 32-46	6
1158	Musculoskeletal findings in obese subjects before and after weight loss following bariatric surgery. <b>2007</b> , 31, 114-20	141



1157	Influence of knee osteoarthritis on exercise capacity and quality of life in obese adults. <b>2007</b> , 15, 2071-6	31
1156	Evaluation of a culturally adapted German version of the Patient Assessment of Chronic Illness Care (PACIC 5A) questionnaire in a sample of osteoarthritis patients. <b>2007</b> , 13, 806-13	67
1155	Effects of a self-management arthritis programme with an added exercise component for osteoarthritic knee: randomized controlled trial. <b>2007</b> , 59, 20-8	64
1154	Lower extremity ischemia, calf skeletal muscle characteristics, and functional impairment in peripheral arterial disease. <b>2007</b> , 55, 400-6	110
1153	The health status burden of people with fibromyalgia: a review of studies that assessed health status with the SF-36 or the SF-12. <b>2008</b> , 62, 115-26	175
1152	Expression of ADAMTS4 (aggrecanase-1) in human osteoarthritic cartilage. <b>2007</b> , 57, 703-11	89
1151	The effects of hip muscle strengthening on knee load, pain, and function in people with knee osteoarthritis: a protocol for a randomised, single-blind controlled trial. <b>2007</b> , 8, 121	40
1150	Validation of a screening questionnaire for hip and knee osteoarthritis in old people. <b>2007</b> , 8, 84	7
1149	Effects of laterally wedged insoles on symptoms and disease progression in medial knee osteoarthritis: a protocol for a randomised, double-blind, placebo controlled trial. <b>2007</b> , 8, 96	15
1148	Comparative frequency of osseous macroscopic pathology and first report of gout in captive and wild-caught ratites. <b>2007</b> , 54, 265-9	7
1147	Strategies for the prevention and management of osteoarthritis of the hip and knee. <b>2007</b> , 21, 59-76	106
1146	Cross-sectional study of pain and disability at knee replacement surgery for osteoarthritis in 299 patients. <b>2007</b> , 74, 612-6	12
1145	The initial effects of knee joint mobilization on osteoarthritic hyperalgesia. <b>2007</b> , 12, 109-18	196
1144	Activation of vastus medialis oblique is not delayed in patients with osteoarthritis of the knee compared to asymptomatic participants during open kinetic chain activities. <b>2007</b> , 12, 219-25	10
1143	Association of bone marrow lesions with knee structures and risk factors for bone marrow lesions in the knees of clinically healthy, community-based adults. <b>2007</b> , 37, 112-8	59
1142	Osteophytes, juxta-articular radiolucencies and cancellous bone changes in the proximal tibia of patients with knee osteoarthritis. <b>2007</b> , 15, 179-86	30
1141	Possible involvement of the oxidized low-density lipoprotein/lectin-like oxidized low-density lipoprotein receptor-1 system in pathogenesis and progression of human osteoarthritis. <b>2007</b> , 15, 281-90	33
1140	Evidence for two distinct pathways in TNFalpha-induced membrane and soluble forms of ICAM-1 in human osteoblast-like cells isolated from osteoarthritic patients. <b>2007</b> , 15, 300-8	12

1139	Comparison of characteristics of patients with and without calcium pyrophosphate dihydrate crystal deposition disease who underwent total knee replacement surgery for osteoarthritis. <b>2007</b> , 15, 232-5	39
1138	Clusters of biochemical markers are associated with radiographic subtypes of osteoarthritis (OA) in subject with familial OA at multiple sites. The GARP study. <b>2007</b> , 15, 379-85	54
1137	Three-month efficacy and safety of acetaminophen extended-release for osteoarthritis pain of the hip or knee: a randomized, double-blind, placebo-controlled study. <b>2007</b> , 15, 454-61	42
1136	Elevated high-sensitivity C-reactive protein levels are associated with local inflammatory findings in patients with osteoarthritis. <b>2007</b> , 15, 516-23	212
1135	Degenerative meniscus tears and mobility impairment in women with knee osteoarthritis. <b>2007</b> , 15, 701-8	52
1134	Knee osteoarthritis in community-dwelling older adults: are there characteristic patterns of pain location?. <b>2007</b> , 15, 615-23	38
1133	Positron emission tomography with 18F-FDG in osteoarthritic knee. <b>2007</b> , 15, 673-81	65
1132	Angiogenesis in the synovium and at the osteochondral junction in osteoarthritis. <b>2007</b> , 15, 743-51	179
1131	Efficacy and safety of opioids for osteoarthritis: a meta-analysis of randomized controlled trials. <b>2007</b> , 15, 957-65	129
1130	The efficacy, safety and carry-over effect of diacerein in the treatment of painful knee osteoarthritis: a randomised, double-blind, NSAID-controlled study. <b>2007</b> , 15, 605-14	38
1129	The relationship between the angle of the trochlear groove and patella cartilage and bone morphology--a cross-sectional study of healthy adults. <b>2007</b> , 15, 1158-62	16
1128	Cultural adaptation and validation of a German version of the Arthritis Impact Measurement Scales (AIMS2). <b>2007</b> , 15, 1128-33	11
1127	A study of the prevalence and associations of subchondral bone marrow lesions in the knees of healthy, middle-aged women. <b>2007</b> , 15, 1437-42	72
1126	The association between patella alignment and knee pain and function: an MRI study in persons with symptomatic knee osteoarthritis. <b>2007</b> , 15, 1235-40	40
1125	Glucosamine/chondroitin combined with exercise for the treatment of knee osteoarthritis: a preliminary study. <b>2007</b> , 15, 1256-66	48
1124	Differential bone metabolism between postmenopausal women with osteoarthritis and osteoporosis. <b>2008</b> , 23, 475-83	32
1123	Laser acupuncture in knee osteoarthritis: a double-blind, randomized controlled study. <b>2007</b> , 25, 14-20	57
1122	Quantifying peri-meniscal synovitis and its relationship to meniscal pathology in osteoarthritis of the knee. <b>2007</b> , 17, 119-24	15

1121	Digital X-ray radiogrammetry better identifies osteoarthritis patients with a low bone mineral density than quantitative ultrasound. <b>2007</b> , 17, 965-74	5
1120	[Imaging of osteoarthritis of the peripheral joints]. <b>2007</b> , 66, 257-8, 260-4, 266	2
1119	[Synovitis score: value of histopathological diagnostics in unclear arthritis. Case reports from rheumatological pathological practice]. <b>2007</b> , 66, 706-12	7
1118	Which patients with osteoarthritis of hip and/or knee benefit most from behavioral graded activity?. <b>2007</b> , 14, 86-91	24
1117	Therapeutic effect of spa therapy and short wave therapy in knee osteoarthritis: a randomized, single blind, controlled trial. <b>2007</b> , 27, 523-9	52
1116	The impact of concomitant depression on quality of life and health service utilisation in patients with osteoarthritis. <b>2007</b> , 27, 859-63	35
1115	Synovial fluid and peripheral blood immune complexes of patients with rheumatoid arthritis induce apoptosis in cytokine-activated chondrocytes. <b>2007</b> , 27, 901-9	6
1114	Factors associated with pain and functional limitation in Japanese male patients with knee osteoarthritis. <b>2007</b> , 27, 1135-42	10
1113	Evaluation of the suppressive actions of glucosamine on the interleukin-1beta-mediated activation of synoviocytes. <b>2007</b> , 56, 432-8	31
1112	Involvement of PDCD5 in the regulation of apoptosis in fibroblast-like synoviocytes of rheumatoid arthritis. <b>2007</b> , 12, 1433-41	31
1111	Cranial acetabular osteophytes limits the maximal amplitude of hip abduction. <b>2007</b> , 17, 61-65	1
1110	End-stage osteoarthritis of the knee presenting with foot drop. <b>2007</b> , 17, 399-402	1
1109	The effect of the thermal mineral water of Nagybaracska on patients with knee joint osteoarthritis--a double blind study. <b>2007</b> , 26, 890-4	52
1108	Distinct expression of mast cell tryptase and protease activated receptor-2 in synovia of rheumatoid arthritis and osteoarthritis. <b>2007</b> , 26, 1284-92	50
1107	Effects of hyaluronan on nitric oxide levels and superoxide dismutase activities in synovial fluid in knee osteoarthritis. <b>2007</b> , 26, 1306-11	24
1106	Validation of a modified Thai version of the Western Ontario and McMaster (WOMAC) osteoarthritis index for knee osteoarthritis. <b>2007</b> , 26, 1641-5	39
1105	Synovial proliferation differentially affects hypoxia in the joint cavities of rheumatoid arthritis and osteoarthritis patients. <b>2007</b> , 26, 2023-2029	48
1104	The utility of nutraceuticals in the treatment of osteoarthritis. <b>2007</b> , 9, 25-30	22

1103	Investigation of inflammatory and hemostatic parameters in female patients undergoing total knee arthroplasty surgery. <b>2008</b> , 31, 414-21	20
1102	Daily temporal self-care responses to osteoarthritis symptoms by older African Americans and whites. <b>2008</b> , 23, 319-37	19
1101	NHG-Standaard Niet-traumatische knieproblemen bij volwassenen. <b>2008</b> , 51, 229-240	23
1100	Do MRI features at baseline predict radiographic joint space narrowing in the medial compartment of the osteoarthritic knee 2 years later?. <b>2008</b> , 37, 805-11	31
1099	Translation and validation of Moroccan Western Ontario and McMaster Universities (WOMAC) osteoarthritis index in knee osteoarthritis. <b>2008</b> , 28, 677-83	32
1098	Early lymphocyte activation in the synovial microenvironment in patients with osteoarthritis: comparison with rheumatoid arthritis patients and healthy controls. <b>2008</b> , 28, 757-64	33
1097	Baker's cysts in knees with chronic osteoarthritic pain: a clinical, ultrasonographic, radiographic and scintigraphic evaluation. <b>2008</b> , 29, 141-6	29
1096	Additive effects of glucosamine or risedronate for the treatment of osteoarthritis of the knee combined with home exercise: a prospective randomized 18-month trial. <b>2008</b> , 26, 279-87	25
1095	Quality of life assessments with SF 36 in different musculoskeletal diseases. <b>2008</b> , 27, 327-32	33
1094	Transdermal fentanyl improves pain control and functionality in patients with osteoarthritis: an open-label Canadian trial. <b>2008</b> , 27, 587-95	15
1093	BDNF in RA: downregulated in plasma following anti-TNF treatment but no correlation with inflammatory parameters. <b>2008</b> , 27, 1289-97	40
1092	Effects of external qigong therapy on osteoarthritis of the knee. A randomized controlled trial. <b>2008</b> , 27, 1497-505	22
1091	Validity of the sonographic longitudinal sagittal image for assessment of the cartilage thickness in the knee osteoarthritis. <b>2008</b> , 27, 1507-16	66
1090	Cross-cultural adaptation and validation of the Portuguese version of the Knee Outcome Survey-Activities of Daily Living Scale (KOS-ADLS). <b>2008</b> , 27, 1445-9	17
1089	Collagen IX in weight-bearing areas of human articular cartilage in late stages of osteoarthritis. <b>2008</b> , 128, 1453-9	7
1088	Computer-assisted validation of the synovitis score. <b>2008</b> , 452, 667-73	3
1087	The MOBILIZE Boston Study: design and methods of a prospective cohort study of novel risk factors for falls in an older population. <b>2008</b> , 8, 16	106
1086	Proinflammatory role of amphiregulin, an epidermal growth factor family member whose expression is augmented in rheumatoid arthritis patients. <b>2008</b> , 5, 5	58

1085	A one-year survey on the use of a powder from <i>Rosa canina</i> lito in acute exacerbations of chronic pain. <b>2008</b> , 22, 1141-8	18
1084	PKC-zeta expression is lower in osteoblasts from arthritic patients: IL1-beta and TNF-alpha induce a similar decrease in non-arthritic human osteoblasts. <b>2008</b> , 103, 547-55	8
1083	Basic fibroblast growth factor accelerates matrix degradation via a neuro-endocrine pathway in human adult articular chondrocytes. <b>2008</b> , 215, 452-63	73
1082	Central bone marrow lesions in symptomatic knee osteoarthritis and their relationship to anterior cruciate ligament tears and cartilage loss. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 130-6	63
1081	Regional differences in chondrocyte metabolism in osteoarthritis: a detailed analysis by laser capture microdissection. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 154-63	62
1080	Reduced lower extremity vibratory perception in osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 117-21	78
1079	Patellar taping and bracing for the treatment of chronic knee pain: a systematic review and meta-analysis. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 73-83	127
1078	ADAM-12 (meltrin alpha) is involved in chondrocyte proliferation via cleavage of insulin-like growth factor binding protein 5 in osteoarthritic cartilage. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 778-89	66
1077	Mediation of the proinflammatory cytokine response in rheumatoid arthritis and spondylarthritis by interactions between fibroblast-like synoviocytes and natural killer cells. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 707-17	38
1076	Lateral wedges in knee osteoarthritis: what are their immediate clinical and biomechanical effects and can these predict a three-month clinical outcome?. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 408-15	118
1075	Crucial role of visfatin/pre-B cell colony-enhancing factor in matrix degradation and prostaglandin E2 synthesis in chondrocytes: possible influence on osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 1399-409	151
1074	Nidogen-1 and nidogen-2 in healthy human cartilage and in late-stage osteoarthritis cartilage. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 1422-32	24
1073	Prescribing pattern of drugs in the treatment of osteoarthritis in Italian general practice: the effect of rofecoxib withdrawal. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 568-74	34
1072	Effectiveness of medial-wedge insole treatment for valgus knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 603-8	54
1071	Reducing joint loading in medial knee osteoarthritis: shoes and canes. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 609-14	74
1070	Mitochondrial DNA haplogroups: role in the prevalence and severity of knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 2387-96	83
1069	Development and validation of a needs-based quality of life instrument for osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 841-8	46
1068	Tibial subchondral trabecular volumetric bone density in medial knee joint osteoarthritis using peripheral quantitative computed tomography technology. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 2776-85	34

1067	Varus malalignment and its association with impairments and functional limitations in medial knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 935-42	33
1066	Does knee malalignment mediate the effects of quadriceps strengthening on knee adduction moment, pain, and function in medial knee osteoarthritis? A randomized controlled trial. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 943-51	162
1065	Inhibition of interleukin-1beta-induced matrix metalloproteinases 1 and 13 production in human osteoarthritic chondrocytes by prostaglandin D2. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 3530-40	48
1064	Physical activity levels in patients with early knee osteoarthritis measured by accelerometry. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1229-36	129
1063	Effects of specialized footwear on joint loads in osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1214-20	74
1062	Lifetime risk of symptomatic knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1207-13	657
1061	Activation of the receptor EphB4 by its specific ligand ephrin B2 in human osteoarthritic subchondral bone osteoblasts. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 3820-30	47
1060	Zonal gene expression of chondrocytes in osteoarthritic cartilage. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 3843-53	45
1059	Incidence and risk factors of prosthetic joint infection after total hip or knee replacement in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1713-20	256
1058	A case-control study to assess sensitivity and specificity of a questionnaire for the detection of hip and knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 92-9	12
1057	Changes in outcome measures for impairment, activity limitation, and participation restriction over two years in osteoarthritis of the lower extremities. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1750-5	21
1056	Effects of activity strategy training on pain and physical activity in older adults with knee or hip osteoarthritis: a pilot study. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1480-7	43
1055	Impact of nervous system hyperalgesia on pain, disability, and quality of life in patients with knee osteoarthritis: a controlled analysis. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1424-31	215
1054	Active or passive pain coping strategies in hip and knee osteoarthritis? Results of a national survey of 4,719 patients in a primary care setting. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1555-62	39
1053	Inverse association of general joint hypermobility with hand and knee osteoarthritis and serum cartilage oligomeric matrix protein levels. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 3854-64	27
1052	Toe-out gait in patients with knee osteoarthritis partially transforms external knee adduction moment into flexion moment during early stance phase of gait: a tri-planar kinetic mechanism. <b>2008</b> , 41, 276-83	105
1051	Analyse protéomique du cartilage articulaire humain : expression différentielle de protéines dans le genou de patients arthrosiques. <b>2008</b> , 75, 619-624	
1050	Genome-wide association scan identifies a prostaglandin-endoperoxide synthase 2 variant involved in risk of knee osteoarthritis. <b>2008</b> , 82, 1231-40	93

1049	[Prevalence of musculoskeletal complaints and self-reported joint osteoarthritis in the population of Herne : a telephone survey]. <b>2008</b> , 67, 432-9	5
1048	The longitudinal relationship between body composition and patella cartilage in healthy adults. <b>2008</b> , 16, 421-7	28
1047	A study on indirect and intangible costs for patients with knee osteoarthritis in Singapore. <b>2008</b> , 11 Suppl 1, S84-90	30
1046	Pain and osteoarthritis in primary care: factors associated with pain perception in a sample of 1,021 patients. <b>2008</b> , 9, 903-10	38
1045	Associations between lower extremity ischemia, upper and lower extremity strength, and functional impairment with peripheral arterial disease. <b>2008</b> , 56, 724-9	52
1044	Circulating blood markers and functional impairment in peripheral arterial disease. <b>2008</b> , 56, 1504-10	48
1043	Clinical trial: comparison of the gastrointestinal safety of lumiracoxib with traditional nonselective nonsteroidal anti-inflammatory drugs early after the initiation of treatment--findings from the Therapeutic Arthritis Research and Gastrointestinal Event Trial. <b>2008</b> , 27, 838-45	7
1042	Expansion of a unique macrophage subset in rheumatoid arthritis synovial lining layer. <b>2008</b> , 154, 38-47	17
1041	Factors associated with physical activity of patients with osteoarthritis of the lower limb. <b>2008</b> , 14, 288-93	54
1040	Radiographic condylar findings and occlusal imbalance in old people. <b>2008</b> , 23, 856-859	
1039	The development of the Pain Management Inventory for patients with arthritis. <b>1996</b> , 24, 236-43	26
1038	Automatic classification of asymptomatic and osteoarthritis knee gait patterns using kinematic data features and the nearest neighbor classifier. <b>2008</b> , 55, 1230-2	38
1037	New accelerometric method to discriminate between asymptomatic subjects and patients with medial knee osteoarthritis during 3-d gait. <b>2008</b> , 55, 1415-22	44
1036	Tai Chi for treating knee osteoarthritis: designing a long-term follow up randomized controlled trial. <b>2008</b> , 9, 108	35
1035	The effectiveness of pulsed electrical stimulation (E-PES) in the management of osteoarthritis of the knee: a protocol for a randomised controlled trial. <b>2008</b> , 9, 18	8
1034	Epidemiology of rheumatic musculoskeletal disorders in the developing world. <b>2008</b> , 22, 583-604	140
1033	Imaging as a follow-up tool in clinical trials and clinical practice. <b>2008</b> , 22, 1109-26	19
1032	Proteomic analysis of human articular cartilage: identification of differentially expressed proteins in knee osteoarthritis. <b>2008</b> , 75, 439-44	35

1031	Clinical value of (99m)Tc-methylene diphosphonate (MDP) bone single photon emission computed tomography (SPECT) in patients with knee osteoarthritis. <b>2008</b> , 16, 212-8	36
1030	Knee Images Digital Analysis (KIDA): a novel method to quantify individual radiographic features of knee osteoarthritis in detail. <b>2008</b> , 16, 234-43	73
1029	Rates of medial tibiofemoral joint space narrowing in osteoarthritis studies consistent despite methodological differences. <b>2008</b> , 16, 330-6	4
1028	The natural history of cartilage defects in people with knee osteoarthritis. <b>2008</b> , 16, 337-42	178
1027	Effect of order of presentation of a generic and a specific health-related quality of life instrument in knee and hip osteoarthritis: a randomized study. <b>2008</b> , 16, 429-35	10
1026	Femoral sulcus angle and increased patella facet cartilage volume in an osteoarthritic population. <b>2008</b> , 16, 131-5	17
1025	Study of subchondral bone adaptations in a rodent surgical model of OA using in vivo micro-computed tomography. <b>2008</b> , 16, 458-69	58
1024	Cross-cultural adaptation and validation of the French version of the Knee injury and Osteoarthritis Outcome Score (KOOS) in knee osteoarthritis patients. <b>2008</b> , 16, 423-8	132
1023	Effect of fatty acids on bone marrow lesions and knee cartilage in healthy, middle-aged subjects without clinical knee osteoarthritis. <b>2008</b> , 16, 579-83	34
1022	Changes in biochemical markers and prediction of effectiveness of intra-articular hyaluronan in patients with knee osteoarthritis. <b>2008</b> , 16, 526-9	18
1021	Relationships between biochemical markers of bone and cartilage degradation with radiological progression in patients with knee osteoarthritis receiving risedronate: the Knee Osteoarthritis Structural Arthritis randomized clinical trial. <b>2008</b> , 16, 660-6	68
1020	Risk factors in familial osteoarthritis: the GARP sibling study. <b>2008</b> , 16, 654-9	23
1019	No additional benefit of shortwave diathermy over exercise program for knee osteoarthritis in peri-/post-menopausal women: an equivalence trial. <b>2008</b> , 16, 823-8	24
1018	Lateral trunk lean explains variation in dynamic knee joint load in patients with medial compartment knee osteoarthritis. <b>2008</b> , 16, 591-9	162
1017	Complete anterior cruciate ligament tear and the risk for cartilage loss and progression of symptoms in men and women with knee osteoarthritis. <b>2008</b> , 16, 897-902	80
1016	Identification of opticin, a member of the small leucine-rich repeat proteoglycan family, in human articular tissues: a novel target for MMP-13 in osteoarthritis. <b>2008</b> , 16, 749-55	36
1015	Foot progression angle and the knee adduction moment: a cross-sectional investigation in knee osteoarthritis. <b>2008</b> , 16, 883-9	74
1014	Physician diagnosed arthritis, reported arthritis and radiological non-axial osteoarthritis. <b>2008</b> , 16, 846-50	19



1013	Frontal plane knee alignment is associated with a longitudinal reduction in patella cartilage volume in people with knee osteoarthritis. <b>2008</b> , 16, 851-4	30
1012	Differential proteome of bone marrow mesenchymal stem cells from osteoarthritis patients. <b>2008</b> , 16, 929-35	20
1011	Does the hip powder of Rosa canina (rosehip) reduce pain in osteoarthritis patients?--a meta-analysis of randomized controlled trials. <b>2008</b> , 16, 965-72	61
1010	Patient reported outcomes and analgesia use in osteoarthritis of the knee. <b>2008</b> , 16, 1294-9	7
1009	A new non-invasive method to assess synovitis severity in relation to symptoms and cartilage volume loss in knee osteoarthritis patients using MRI. <b>2008</b> , 16 Suppl 3, S8-13	76
1008	Observations favouring the occurrence of local production and marked effects of bombesin/gastrin-releasing peptide in the synovial tissue of the human knee joint--comparisons with substance P and the NK-1 receptor. <b>2008</b> , 42, 133-45	11
1007	Management of mild-to-moderate osteoarthritis: Effective intervention by the nurse practitioner. <b>2008</b> , 4, 25-34	4
1006	Post-Hoc analysis of a head-to-head hyaluronic acid comparison in knee osteoarthritis using the 2004 OMERACT-OARSI responder criteria. <b>2008</b> , 28, 37-45	9
1005	Effects of AR7 Joint Complex on arthralgia for patients with osteoarthritis: results of a three-month study in Shanghai, China. <b>2008</b> , 7, 31	3
1004	Association between obesity, quality of life, physical activity and health service utilization in primary care patients with osteoarthritis. <b>2008</b> , 5, 4	50
1003	An evaluation of the effect of differing lengths of spa therapy upon patients with osteoarthritis (OA). <b>2008</b> , 14, 60-4	15
1002	A preliminary fMRI study of analgesic treatment in chronic back pain and knee osteoarthritis. <b>2008</b> , 4, 47	98
1001	4-Hydroxynonenal induces apoptosis in human osteoarthritic chondrocytes: the protective role of glutathione-S-transferase. <b>2008</b> , 10, R107	65
1000	Biochemical markers of bone turnover and their association with bone marrow lesions. <b>2008</b> , 10, R102	16
999	Identification of intra-group, inter-individual, and gene-specific variances in mRNA expression profiles in the rheumatoid arthritis synovial membrane. <b>2008</b> , 10, R98	55
998	DREAM is reduced in synovial fibroblasts of patients with chronic arthritic pain: is it a suitable target for peripheral pain management?. <b>2008</b> , 10, R60	12
997	Diacerein inhibits the synthesis of resorptive enzymes and reduces osteoclastic differentiation/survival in osteoarthritic subchondral bone: a possible mechanism for a protective effect against subchondral bone remodelling. <b>2008</b> , 10, R71	42
996	High sensitivity C-reactive protein is associated with lower tibial cartilage volume but not lower patella cartilage volume in healthy women at mid-life. <b>2008</b> , 10, R27	19

995	An update review of cellular mechanisms conferring the indirect and direct effects of estrogen on articular cartilage. <b>2008</b> , 11, 4-16	43
994	Clinical Trials in Rheumatoid Arthritis and Osteoarthritis. <b>2008</b> ,	1
993	[Changes in quality of life in patients with osteoarthritis treated with celecoxib: the Qualice study]. <b>2008</b> , 37, 571-8	1
992	Edaravone inhibits collagen-induced arthritis possibly through suppression of nuclear factor-kappa B. <b>2008</b> , 45, 463-9	24
991	Thrombin-induced IL-6 production in human synovial fibroblasts is mediated by PAR1, phospholipase C, protein kinase C alpha, c-Src, NF-kappa B and p300 pathway. <b>2008</b> , 45, 1587-99	45
990	Bradykinin-induced IL-6 expression through bradykinin B2 receptor, phospholipase C, protein kinase Cdelta and NF-kappaB pathway in human synovial fibroblasts. <b>2008</b> , 45, 3693-702	38
989	Unexpected finding of a marked non-neuronal cholinergic system in human knee joint synovial tissue. <b>2008</b> , 442, 128-33	31
988	Good reliability, questionable validity of 25 different classification criteria of knee osteoarthritis: a systematic appraisal. <b>2008</b> , 61, 1205-1215.e2	30
987	Test-retest reliability and minimal clinical change determination for 3-dimensional tibial and femoral accelerations during treadmill walking in knee osteoarthritis patients. <b>2008</b> , 89, 732-7	32
986	Effect of magnetic knee wrap on quadriceps strength in patients with symptomatic knee osteoarthritis. <b>2008</b> , 89, 2258-64	9
985	Arthritis self-efficacy and self-efficacy for resisting eating: relationships to pain, disability, and eating behavior in overweight and obese individuals with osteoarthritic knee pain. <b>2008</b> , 136, 340-347	45
984	Differential modulation of RANKL isoforms by human osteoarthritic subchondral bone osteoblasts: influence of osteotropic factors. <b>2008</b> , 43, 284-291	47
983	Measures of frontal plane lower limb alignment obtained from static radiographs and dynamic gait analysis. <b>2008</b> , 27, 635-40	48
982	Mechanical factors relate to pain in knee osteoarthritis. <b>2008</b> , 23, 796-805	57
981	Comparison of the effectiveness and tolerability of lidocaine patch 5% versus celecoxib for osteoarthritis-related knee pain: post hoc analysis of a 12 week, prospective, randomized, active-controlled, open-label, parallel-group trial in adults. <b>2008</b> , 30, 2366-77	37
980	The expression of IL-20 and IL-24 and their shared receptors are increased in rheumatoid arthritis and spondyloarthropathy. <b>2008</b> , 41, 16-23	81
979	Detection of parvovirus B19 in synovial fluids of patients with osteoarthritis. <b>2008</b> , 60, 381-5	5
978	The association of BMI and knee pain among persons with radiographic knee osteoarthritis: a cross-sectional study. <b>2008</b> , 9, 163	43

977	Topical diclofenac: clinical effectiveness and current uses in osteoarthritis of the knee and soft tissue injuries. <b>2008</b> , 9, 2921-9	33
976	Cleavage of type II collagen by cathepsin K in human osteoarthritic cartilage. <b>2008</b> , 173, 161-9	83
975	Rheumatoid arthritis synovium contains two subsets of CD83-DC-LAMP- dendritic cells with distinct cytokine profiles. <b>2008</b> , 172, 940-50	103
974	Domain specific self-efficacy mediates the impact of pain catastrophizing on pain and disability in overweight and obese osteoarthritis patients. <b>2008</b> , 9, 912-9	60
973	WHO-ILAR-COPCORD in the Asia-Pacific: the past, present and future. <b>2008</b> , 11, 4-10	14
972	Incidence of musculoskeletal pain and rheumatic disorders in a Bangladeshi rural community: a WHO-APLAR-COPCORD study. <b>2008</b> , 11, 216-223	11
971	Validity of the Developed Arabic Multidimensional Health Assessment Questionnaire for use in standard clinical care of patients with rheumatic diseases. <b>2008</b> , 11, 224-236	8
970	Predictors of disability among Filipinos with knee osteoarthritis. <b>2008</b> , 11, 251-256	5
969	The symptoms of osteoarthritis and the genesis of pain. <b>2008</b> , 34, 623-43	211
968	Imaging in osteoarthritis. <b>2008</b> , 34, 645-87	94
967	The management of osteoarthritis: an overview and call to appropriate conservative treatment. <b>2008</b> , 34, 689-712	45
966	One-year follow-up of Coll2-1, Coll2-1NO2 and myeloperoxidase serum levels in osteoarthritis patients after hip or knee replacement. <b>2008</b> , 67, 168-74	50
965	Baduanjin alleviates the symptoms of knee osteoarthritis. <b>2008</b> , 14, 167-74	77
964	Can sonography be used to predict the response to intra-articular corticosteroid injection in primary osteoarthritis of the knee?. <b>2008</b> , 37, 395-7	29
963	A 1-year follow-up of an experimental study of a self-management arthritis programme with an added exercise component of clients with osteoarthritis of the knee. <b>2008</b> , 13, 402-14	39
962	The reliability of a new scoring system for knee osteoarthritis MRI and the validity of bone marrow lesion assessment: BLOKS (Boston Leeds Osteoarthritis Knee Score). <b>2008</b> , 67, 206-11	376
961	Bone marrow lesions predict progression of cartilage defects and loss of cartilage volume in healthy middle-aged adults without knee pain over 2 yrs. <b>2008</b> , 47, 1392-6	67
960	Comparing hot pack, short-wave diathermy, ultrasound, and TENS on isokinetic strength, pain, and functional status of women with osteoarthritic knees: a single-blind, randomized, controlled trial. <b>2008</b> , 87, 443-51	95

959	A randomized trial of arthroscopic surgery for osteoarthritis of the knee. <b>2008</b> , 359, 1097-107	483
958	Asymptomatic peripheral arterial disease is associated with more adverse lower extremity characteristics than intermittent claudication. <b>2008</b> , 117, 2484-91	113
957	Identification of DIO2 as a new susceptibility locus for symptomatic osteoarthritis. <b>2008</b> , 17, 1867-75	164
956	The Chronic Care Model: congruency and predictors among primary care patients with osteoarthritis. <b>2008</b> , 17, 442-6	30
955	Variations in C-reactive protein, plasma free radicals and fibrinogen values in patients with osteoarthritis treated with Pycnogenol. <b>2008</b> , 13, 271-6	39
954	Advice to use topical or oral ibuprofen for chronic knee pain in older people: randomised controlled trial and patient preference study. <b>2008</b> , 336, 138-42	78
953	A meta-analysis of European and Asian cohorts reveals a global role of a functional SNP in the 5' UTR of GDF5 with osteoarthritis susceptibility. <b>2008</b> , 17, 1497-504	136
952	Effects of Tai Chi on gait kinematics, physical function, and pain in elderly with knee osteoarthritis--a pilot study. <b>2008</b> , 36, 219-32	42
951	Innate production of tumour necrosis factor alpha and interleukin 10 is associated with radiological progression of knee osteoarthritis. <b>2008</b> , 67, 1165-9	39
950	Knee osteoarthritis. Efficacy of a new method of contrast-enhanced musculoskeletal ultrasonography in detection of synovitis in patients with knee osteoarthritis in comparison with magnetic resonance imaging. <b>2008</b> , 67, 19-25	74
949	The impact on health services utilization in a replication study of two self-management programmes for osteoarthritis of the knee and hip. <b>2008</b> , 9,	1
948	Individualising the Western Ontario and McMaster Universities osteoarthritis index (WOMAC) function subscale: incorporating patient priorities for improvement to measure functional impairment in hip or knee osteoarthritis. <b>2008</b> , 67, 494-9	11
947	HIERARCHICAL ANALYSIS AND CLASSIFICATION OF ASYMPTOMATIC AND KNEE OSTEOARTHRITIS GAIT PATTERNS USING A WAVELET REPRESENTATION OF KINETIC DATA AND THE NEAREST NEIGHBOR CLASSIFIER. <b>2008</b> , 08, 45-54	8
946	Prevalence of knee and hip osteoarthritis and the appropriateness of joint replacement in an older population. <b>2008</b> , 168, 1576-84	188
945	A randomized controlled trial of aquatic and land-based exercise in patients with knee osteoarthritis. <b>2008</b> , 40, 137-44	119
944	Issues in conducting epidemiologic research among elders: lessons from the MOBILIZE Boston Study. <b>2008</b> , 168, 1444-51	63
943	Hydrotherapy versus conventional land-based exercise for the management of patients with osteoarthritis of the knee: a randomized clinical trial. <b>2008</b> , 88, 12-21	136
942	Synovial detection and autoantibody reactivity of processed citrullinated isoforms of vimentin in inflammatory arthritides. <b>2008</b> , 47, 597-604	63

941	Screening for hip and knee osteoarthritis in the general population: predictive value of a questionnaire and prevalence estimates. <b>2008</b> , 67, 1406-11	75
940	Investigation of clinical effects of high- and low-resistance training for patients with knee osteoarthritis: a randomized controlled trial. <b>2008</b> , 88, 427-36	177
939	Predicting the course of functional limitation among older adults with knee pain: do local signs, symptoms and radiographs add anything to general indicators?. <b>2008</b> , 67, 1390-8	52
938	Efficacy of a target-matching foot-stepping exercise on proprioception and function in patients with knee osteoarthritis. <b>2008</b> , 38, 19-25	33
937	Meniscal measurements of T1rho and T2 at MR imaging in healthy subjects and patients with osteoarthritis. <b>2008</b> , 249, 591-600	121
936	Intracellular localisation of galectin-3 has a protective role in chondrocyte survival. <b>2008</b> , 67, 175-81	30
935	The effects of sensorimotor training on knee proprioception and function for patients with knee osteoarthritis: a preliminary report. <b>2008</b> , 22, 448-57	51
934	Does mud pack treatment have any chemical effect? A randomized controlled clinical study. <b>2008</b> , 14, 559-65	60
933	Ghřalitř sur l'arthrose : ĩdmiologie et facteurs de risque. <b>2008</b> , 3, 1-5	
932	Effect of home exercise of quadriceps on knee osteoarthritis compared with nonsteroidal antiinflammatory drugs: a randomized controlled trial. <b>2008</b> , 87, 258-69	60
931	The effect of a 12-week supervised multicomponent exercise program on knee OA in Turkish women. <b>2008</b> , 21, 121-128	19
930	Associations between physical examination and self-reported physical function in older community-dwelling adults with knee pain. <b>2008</b> , 88, 33-42	26
929	Mechanisms underlying quadriceps weakness in knee osteoarthritis. <b>2008</b> , 40, 422-7	129
928	Evaluation of disability in patients with degenerative and inflammatory arthritis. <b>2008</b> , 31, 159-63	8
927	The action of resveratrol, a phytoestrogen found in grapes, on the intervertebral disc. <b>2008</b> , 33, 2586-95	54
926	Resistance training for medial compartment knee osteoarthritis and malalignment. <b>2008</b> , 40, 1376-84	50
925	Use of conventional and nonconventional treatments for osteoarthritis in the family medicine setting. <b>2008</b> , 101, 252-9	9
924	Avaliaņ do uso da hidroxicloroquina no tratamento da osteoartrite sintomřica de joelhos. <b>2008</b> , 48,	3

923	Energy expenditure during cane-assisted gait in patients with knee osteoarthritis. <b>2008</b> , 63, 197-200	15
922	Introduction and Diagnosis. 1-11	
921	Fatores associados à qualidade de vida em idosos com osteoartrite de joelho. <b>2008</b> , 15, 326-332	11
920	The Study of Risk Factors for Symptomatic Knee Osteoarthritis in Korea. <b>2008</b> , 15, 123	1
919	A suppressive effect of prostaglandin E on the expression of /plasminogen activator inhibitor-1 in human articular chondrocytes: An pilot study. <b>2009</b> , 1, 9-15	2
918	Inhibitory effects of zinc hyaluronate on synoviocyte growth and matrix metalloproteinase-9 activity. <b>2009</b> , 45	0
917	Effects of AIF on Knee Osteoarthritis Patients: Double-blind, Randomized Placebo-controlled Study. <b>2009</b> , 13, 33-7	15
916	Manifestações musculoesqueléticas no hiperparatireoidismo primário. <b>2009</b> , 49,	1
915	Spatial analysis of magnetic resonance T1rho and T2 relaxation times improves classification between subjects with and without osteoarthritis. <b>2009</b> , 36, 4059-67	64
914	The safety of flavocoxid, a medical food, in the dietary management of knee osteoarthritis. <b>2009</b> , 12, 1143-8	29
913	Delayed gadolinium-enhanced magnetic resonance imaging of cartilage: clinical associations in obese adults. <b>2009</b> , 36, 1056-62	22
912	Protective effects of licofelone, a 5-lipoxygenase and cyclo-oxygenase inhibitor, versus naproxen on cartilage loss in knee osteoarthritis: a first multicentre clinical trial using quantitative MRI. <b>2009</b> , 68, 938-47	128
911	The natural history of bone marrow lesions in community-based adults with no clinical knee osteoarthritis. <b>2009</b> , 68, 904-8	70
910	The effect of viscosupplementation on neuromuscular control of the knee in patients with osteoarthritis. <b>2009</b> , 22, 1-9	35
909	Cartilage defects are associated with physical disability in obese adults. <b>2009</b> , 48, 1290-3	30
908	Plasma adiponectin in patients with active, early, and chronic rheumatoid arthritis who are steroid- and disease-modifying antirheumatic drug-naive compared with patients with osteoarthritis and controls. <b>2009</b> , 36, 1885-91	87
907	Glucosamine binding to proteins in plasma and synovial fluid and blood cell/plasma partitioning in mouse and man in vitro. <b>2009</b> , 24, 211-27	1
906	Relationship between Investigative Biomarkers and Radiographic Grading in Patients with Knee Osteoarthritis. <b>2009</b> , 2009, 747432	26

905	High serum cartilage oligomeric matrix protein determines the subset of patients with early-stage rheumatoid arthritis with high serum C-reactive protein, matrix metalloproteinase-3, and MRI-proven bone erosion. <b>2009</b> , 36, 1126-9	24
904	In vitro study of the inhibition and induction of human cytochromes P450 by crystalline glucosamine sulfate. <b>2009</b> , 24, 195-209	6
903	Peptidoglycan enhances IL-6 production in human synovial fibroblasts via TLR2 receptor, focal adhesion kinase, Akt, and AP-1- dependent pathway. <b>2009</b> , 183, 2785-92	85
902	Disability in end-stage knee osteoarthritis. <b>2009</b> , 31, 370-80	66
901	Contrast-enhanced ultrasound in monitoring the efficacy of a bradykinin receptor 2 antagonist in painful knee osteoarthritis compared with MRI. <b>2009</b> , 68, 75-83	61
900	Obesity and adiposity are associated with the rate of patella cartilage volume loss over 2 years in adults without knee osteoarthritis. <b>2009</b> , 68, 909-13	27
899	Auswirkung eines Vibrations- und Krafttrainings auf die Beinmuskulatur bei Gonarthrosepatienten. <b>2009</b> , 34, 240-245	6
898	Hyaluronan inhibits expression of ADAMTS4 (aggrecanase-1) in human osteoarthritic chondrocytes. <b>2009</b> , 68, 1051-8	124
897	Efficacy of Local Pohorje Peat Compresses in Patients with Knee Osteoarthritis: Results from a Sham-controlled Trial. <b>2009</b> , 19, 213-217	
896	T2 measurements of cartilage in osteoarthritis patients with meniscal tears. <b>2009</b> , 193, W411-5	35
895	Intra-articular clodronate for the treatment of knee osteoarthritis: dose ranging study vs hyaluronic acid. <b>2009</b> , 48, 773-8	33
894	Limitations in activities in patients with osteoarthritis of the hip or knee: the relationship with body functions, comorbidity and cognitive functioning. <b>2009</b> , 31, 1685-91	43
893	Chronic musculoskeletal pain and the occurrence of falls in an older population. <b>2009</b> , 302, 2214-21	338
892	ACL & OA. <b>2009</b> , 37, 1279-81	3
891	Comparison of the effectiveness of six and two acupuncture point regimens in osteoarthritis of the knee: a randomised trial. <b>2009</b> , 27, 3-8	10
890	Acute monoarthritis: what is the cause of my patient's painful swollen joint?. <b>2009</b> , 180, 59-65	35
889	Health-related quality of life in patients with knee osteoarthritis attending two primary care clinics in Malaysia: a cross-sectional study. <b>2009</b> , 8, 10	19
888	Smoking is associated with increased cartilage loss and persistence of bone marrow lesions over 2 years in community-based individuals. <b>2009</b> , 48, 1227-31	31

887	Natural course of knee osteoarthritis in middle-aged subjects with knee pain: 12-year follow-up using clinical and radiographic criteria. <b>2009</b> , 68, 1890-3	77
886	Pathophysiological changes in calf muscle predict mobility loss at 2-year follow-up in men and women with peripheral arterial disease. <b>2009</b> , 120, 1048-55	63
885	Modulation of OPG, RANK and RANKL by human chondrocytes and their implication during osteoarthritis. <b>2009</b> , 48, 1482-90	80
884	Thrombin-cleaved osteopontin in synovial fluid of subjects with rheumatoid arthritis. <b>2009</b> , 36, 240-5	35
883	CHECK (Cohort Hip and Cohort Knee): similarities and differences with the Osteoarthritis Initiative. <b>2009</b> , 68, 1413-9	95
882	Raman spectroscopy of synovial fluid as a tool for diagnosing osteoarthritis. <b>2009</b> , 14, 034013	47
881	Synvisc-One for the treatment of knee osteoarthritis. <b>2009</b> , 4, 631-639	1
880	Hoffa's Fat Pad: Evaluation on Unenhanced MR Images as a Measure of Patellofemoral Synovitis in Osteoarthritis. <b>2009</b> , 192, 1696-700	80
879	Plain radiography and magnetic resonance imaging diagnostics in osteoarthritis: validated staging and scoring. <b>2009</b> , 91 Suppl 1, 54-62	47
878	High prevalence of arthropathy, according to the definitions of radiological and clinical osteoarthritis, in patients with long-term cure of acromegaly: a case-control study. <b>2009</b> , 160, 357-65	51
877	Knee osteoarthritis after anterior cruciate ligament injury: a systematic review. <b>2009</b> , 37, 1434-43	597
876	Duloxetine, a centrally acting analgesic, in the treatment of patients with osteoarthritis knee pain: a 13-week, randomized, placebo-controlled trial. <b>2009</b> , 146, 253-260	193
875	Clinical and endocrinological changes after electro-acupuncture treatment in patients with osteoarthritis of the knee. <b>2009</b> , 147, 60-6	79
874	Change in knee angle influences the rate of medial tibial cartilage volume loss in knee osteoarthritis. <b>2009</b> , 17, 8-11	40
873	A 4-week randomized study of acetaminophen extended-release vs rofecoxib in knee osteoarthritis. <b>2009</b> , 17, 1-7	9
872	Hyaline cartilage involvement in patients with gout and calcium pyrophosphate deposition disease. An ultrasound study. <b>2009</b> , 17, 178-81	150
871	Correlation between arthroscopic and histopathological grading systems of articular cartilage lesions in knee osteoarthritis. <b>2009</b> , 17, 205-12	22
870	The responsiveness of three-dimensional knee accelerations used as an estimation of knee instability and loading transmission during gait in osteoarthritis patient's follow-up. <b>2009</b> , 17, 213-9	19



869	Differential transcriptome analysis of intraarticular lesional vs intact cartilage reveals new candidate genes in osteoarthritis pathophysiology. <b>2009</b> , 17, 328-35	94
868	Evaluation of a Photographic Chondropathy Score (PCS) for pathological samples in a study of inflammation in tibiofemoral osteoarthritis. <b>2009</b> , 17, 304-12	27
867	The role of plasma cytokine levels, CRP and Selenoprotein S gene variation in OA. <b>2009</b> , 17, 621-6	15
866	Cross-cultural adaptation and validation of the Portuguese version of the Knee injury and Osteoarthritis Outcome Score (KOOS). <b>2009</b> , 17, 1156-62	52
865	Local cytokine profiles in knee osteoarthritis: elevated synovial fluid interleukin-15 differentiates early from end-stage disease. <b>2009</b> , 17, 1040-8	168
864	Magnetic resonance imaging in osteoarthritis: which method best reflects synovial membrane inflammation? Correlations with clinical, macroscopic and microscopic features. <b>2009</b> , 17, 1186-92	68
863	Subregional femorotibial cartilage morphology in women--comparison between healthy controls and participants with different grades of radiographic knee osteoarthritis. <b>2009</b> , 17, 1177-85	45
862	The prognostic value of the clinical ACR classification criteria of knee osteoarthritis for persisting knee complaints and increase of disability in general practice. <b>2009</b> , 17, 1288-92	17
861	Nitrated type III collagen as a biological marker of nitric oxide-mediated synovial tissue metabolism in osteoarthritis. <b>2009</b> , 17, 1362-7	11
860	Psychometric properties of the French translation of the reduced KOOS and HOOS (KOOS-PS and HOOS-PS). <b>2009</b> , 17, 1604-8	29
859	Differences in radiographic features of knee osteoarthritis in African-Americans and Caucasians: the Johnston county osteoarthritis project. <b>2009</b> , 17, 1554-61	55
858	A double-blind, randomized, saline-controlled study of the efficacy and safety of EUFLEXXA for treatment of painful osteoarthritis of the knee, with an open-label safety extension (the FLEXX trial). <b>2009</b> , 39, 1-9	97
857	Effect of whole body vibration exercise on muscle strength and proprioception in females with knee osteoarthritis. <b>2009</b> , 16, 256-61	122
856	Differences in gait patterns, pain, function and quality of life between males and females with knee osteoarthritis: a clinical trial. <b>2009</b> , 10, 127	51
855	Acupuncture for pain and osteoarthritis of the knee: a pilot study for an open parallel-arm randomised controlled trial. <b>2009</b> , 10, 130	14
854	Laterally wedged insoles in knee osteoarthritis: do biomechanical effects decline after one month of wear?. <b>2009</b> , 10, 146	46
853	Regulation of the IGFBP-5 and MMP-13 genes by the microRNAs miR-140 and miR-27a in human osteoarthritic chondrocytes. <b>2009</b> , 10, 148	185
852	Satisfaction with care after total hip or knee replacement predicts self-perceived health status after surgery. <b>2009</b> , 10, 150	37

851	Articular cartilage mineralization in osteoarthritis of the hip. <b>2009</b> , 10, 166	54
850	Exercise and manual physiotherapy arthritis research trial (EMPART): a multicentre randomised controlled trial. <b>2009</b> , 10, 9	12
849	Adapted Boolean network models for extracellular matrix formation. <b>2009</b> , 3, 77	14
848	Efficacy and safety of low-dose transdermal buprenorphine patches (5, 10, and 20 microg/h) versus prolonged-release tramadol tablets (75, 100, 150, and 200 mg) in patients with chronic osteoarthritis pain: a 12-week, randomized, open-label, controlled, parallel-group noninferiority trial. <b>2009</b> , 31, 500-10	70
847	Comparative clinical trial of S-adenosylmethionine versus nabumetone for the treatment of knee osteoarthritis: an 8-week, multicenter, randomized, double-blind, double-dummy, Phase IV study in Korean patients. <b>2009</b> , 31, 2860-72	26
846	Validation of the KOFUS (Knee Osteoarthritis Flare-Ups Score). <b>2009</b> , 76, 268-72	21
845	Chondrocytes from patients with osteoarthritis express typical extracellular matrix molecules once grown onto a three-dimensional hyaluronan-based scaffold. <b>2010</b> , 93, 86-95	36
844	Intraarticular injection of anakinra in osteoarthritis of the knee: a multicenter, randomized, double-blind, placebo-controlled study. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 344-52	339
843	Quadriceps strength and the risk of cartilage loss and symptom progression in knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 189-98	198
842	Economic burden of knee and hip osteoarthritis in Spain. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 158-65	89
841	Long-term effects of chondroitins 4 and 6 sulfate on knee osteoarthritis: the study on osteoarthritis progression prevention, a two-year, randomized, double-blind, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 524-33	188
840	The association of quadriceps strength with the knee adduction moment in medial knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 451-8	28
839	Expression of MicroRNA-146a in osteoarthritis cartilage. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 1035-41	385
838	Prognostic factors in adults with knee pain in general practice. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 143-51	27
837	Medial opening wedge high tibial osteotomy: a prospective cohort study of gait, radiographic, and patient-reported outcomes. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 648-57	119
836	MicroRNA-124a is a key regulator of proliferation and monocyte chemoattractant protein 1 secretion in fibroblast-like synoviocytes from patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 1294-304	252
835	Altered mineralization of human osteoarthritic osteoblasts is attributable to abnormal type I collagen production. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 1438-50	115
834	Comparison of two methods of conducting the Fit and Strong! program. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 876-84	23

833	Large-scale analysis of association between GDF5 and FRZB variants and osteoarthritis of the hip, knee, and hand. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 1710-21	150
832	Effect of thigh strength on incident radiographic and symptomatic knee osteoarthritis in a longitudinal cohort. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 1210-7	149
831	Ligands for retinoic acid receptors are elevated in osteoarthritis and may contribute to pathologic processes in the osteoarthritic joint. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 1722-32	25
830	Being careful: a grounded theory of emergent chronic knee problems. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 937-43	22
829	Effect of baseline quadriceps activation on changes in quadriceps strength after exercise therapy in subjects with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 951-7	31
828	Illness perceptions in patients with osteoarthritis: change over time and association with disability. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 1054-61	77
827	Regulation of plasminogen activator inhibitor 1 expression in human osteoarthritic chondrocytes by fluid shear stress: role of protein kinase Calpha. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 2350-61	26
826	Squatting, sitting on the floor, or cycling: are life-long daily activities risk factors for clinical knee osteoarthritis? Stage III results of a community-based study. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 1337-42	51
825	Vascular cell adhesion molecule 1 as a predictor of severe osteoarthritis of the hip and knee joints. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 2381-9	62
824	Tai Chi is effective in treating knee osteoarthritis: a randomized controlled trial. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 1545-53	203
823	Whole-body bone scintigraphy provides a measure of the total-body burden of osteoarthritis for the purpose of systemic biomarker validation. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 3366-73	31
822	Amelioration of experimental arthritis by a telomerase-dependent conditionally replicating adenovirus that targets synovial fibroblasts. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 3290-302	6
821	A critical role of Cyr61 in interleukin-17-dependent proliferation of fibroblast-like synoviocytes in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 3602-12	98
820	Trabecular morphometry by fractal signature analysis is a novel marker of osteoarthritis progression. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 3711-22	81
819	Therapeutic home exercise versus intraarticular hyaluronate injection for osteoarthritis of the knee: 6-month prospective randomized open-labeled trial. <b>2009</b> , 14, 182-91	34
818	Regulation of prostaglandin E(2) synthesis in cells derived from chondrocytes of patients with osteoarthritis. <b>2009</b> , 14, 611-7	15
817	Analyses of differential proteome of human synovial fibroblasts obtained from arthritis. <b>2009</b> , 28, 191-9	31
816	The effect of intra-articular injection of betamethasone acetate/betamethasone sodium phosphate on blood glucose levels in controlled diabetic patients with symptomatic osteoarthritis of the knee. <b>2009</b> , 28, 85-7	39

815	Association of complementary or alternative medicine use with quality of life, functional status or cumulated damage in chronic rheumatic diseases. <b>2009</b> , 28, 547-51	19
814	Short- and long-term therapeutic effects of thermal mineral waters in knee osteoarthritis: a systematic review of randomized controlled trials. <b>2009</b> , 28, 501-7	51
813	Knee vs hip single-joint intra-articular hyaluronic acid injection in patients with both hip and knee osteoarthritis: a pilot study. <b>2009</b> , 28, 1021-4	10
812	Efficacy and safety of diacerein in early knee osteoarthritis: a randomized placebo-controlled trial. <b>2009</b> , 28, 1193-8	29
811	Frontal knee alignment: three-dimensional marker positions and clinical assessment. <b>2009</b> , 467, 504-9	38
810	Quantification of the radiographic joint space width of the ankle. <b>2009</b> , 467, 2083-9	11
809	Clinical observation on treatment of knee osteoarthritis by warm needling method. <b>2009</b> , 7, 349-351	3
808	The effects of pulsed electromagnetic fields in the treatment of knee osteoarthritis: a randomized, placebo-controlled trial. <b>2009</b> , 29, 663-6	36
807	Characterization of synovial tissue from arthritis patients: a proton magnetic resonance spectroscopic investigation. <b>2009</b> , 29, 1205-11	27
806	The ubiquitin-proteasome pathway and viral infections in articular cartilage of patients with osteoarthritis. <b>2009</b> , 29, 969-72	7
805	Evidence of effectiveness of herbal medicinal products in the treatment of arthritis. Part I: Osteoarthritis. <b>2009</b> , 23, 1497-515	77
804	Resistive Exercise for Arthritic Cartilage Health (REACH): a randomized double-blind, sham-exercise controlled trial. <b>2009</b> , 9, 1	38
803	Exercise therapy, manual therapy, or both, for osteoarthritis of the hip or knee: a factorial randomised controlled trial protocol. <b>2009</b> , 10, 11	34
802	Effect of polymerized-type I collagen in knee osteoarthritis. II. In vivo study. <b>2009</b> , 39, 598-606	11
801	Effect of polymerized-type I collagen in knee osteoarthritis. I. In vitro study. <b>2009</b> , 39, 591-7	15
800	Satisfaction of osteoarthritis patients with provided care is not related to the disease-specific quality of life. <b>2009</b> , 15, 486-91	5
799	Influence of BMI on health-related quality of life: comparison between an obese adult cohort and age-matched population norms. <b>2009</b> , 17, 2114-8	59
798	Baseline lower extremity strength and subsequent decline in functional performance at 6-year follow-up in persons with lower extremity peripheral arterial disease. <b>2009</b> , 57, 2246-52	27

797	A double-blind trial of clinical effects of therapeutic ultrasound in knee osteoarthritis. <b>2009</b> , 35, 44-9	52
796	Validation dâ€™un score diagnostique (KOFUS: Knee Osteoarthritis Flare-Ups Score) de la poussêe congestive de lâ€™arthrose du genou. <b>2009</b> , 76, 433-438	
795	T1rho, T2 and focal knee cartilage abnormalities in physically active and sedentary healthy subjects versus early OA patients--a 3.0-Tesla MRI study. <b>2009</b> , 19, 132-43	165
794	Comparative performance analysis of 4 different anti-citrullinated protein assays in the diagnosis of rheumatoid arthritis. <b>2009</b> , 36, 491-500	45
793	Sex differences in biomechanics associated with knee osteoarthritis. <b>2009</b> , 21, 159-70	22
792	Hsp90{beta} and p130(cas): novel regulatory factors of MMP-13 expression in human osteoarthritic chondrocytes. <b>2009</b> , 68, 976-82	14
791	Comparative assessment of the effectiveness and tolerability of lornoxicam 8 mg BID and diclofenac 50 mg TID in adult indian patients with osteoarthritis of the hip or knee: A 4-week, double-blind, randomized, comparative, multicenter study. <b>2009</b> , 70, 56-68	5
790	Treatment of hip osteoarthritis with glucocorticoids. <b>2019</b> , 78, e100	2
789	Study protocol for a randomised controlled trial of ultrasound-guided pulsed radiofrequency of the genicular nerves in the treatment of patients with osteoarthritis knee pain. <b>2017</b> , 7, e016377	6
788	Elevated levels of anti-carbamylated protein antibody in patients with rheumatoid arthritis: association with disease activity and bone destruction. <b>2020</b> , 68, 1186-1192	3
787	A survey on vibration and sound analysis for disease detection of knee and hip joints. <b>2019</b> ,	1
786	Homomorphic Encryption for Machine Learning in Medicine and Bioinformatics. <b>2020</b> , 53, 1-35	20
785	Knockdown of nrf2 Exacerbates TNF--Induced Proliferation and Invasion of Rheumatoid Arthritis Fibroblast-Like Synoviocytes through Activating JNK Pathway. <b>2020</b> , 2020, 6670464	7
784	Production of a polyclonal antibody against osteogenic protein-1, and its role in the diagnosis of osteoarthritis. <b>2014</b> , 55, 388-91	1
783	Outpatient management of knee osteoarthritis. <b>2017</b> , 58, 580-584	5
782	Efficacy of intra-articular Hylan G-F 20 on osteoarthritis of the knee. <b>2003</b> , 15, 459-466	8
781	Effectiveness of two different physical therapy programmes in the treatment of knee osteoarthritis. <b>2004</b> , 16, 379-387	7
780	Cultured human synovial fibroblasts rapidly metabolize kinins and neuropeptides. <b>1992</b> , 90, 981-91	40

779	Coexpression of phosphotyrosine-containing proteins, platelet-derived growth factor-B, and fibroblast growth factor-1 in situ in synovial tissues of patients with rheumatoid arthritis and Lewis rats with adjuvant or streptococcal cell wall arthritis. <b>1993</b> , 91, 553-65	68
778	Macrophage inflammatory protein-1 alpha. A novel chemotactic cytokine for macrophages in rheumatoid arthritis. <b>1994</b> , 93, 921-8	241
777	Epithelial neutrophil activating peptide-78: a novel chemotactic cytokine for neutrophils in arthritis. <b>1994</b> , 94, 1012-8	165
776	The new collagenase, collagenase-3, is expressed and synthesized by human chondrocytes but not by synoviocytes. A role in osteoarthritis. <b>1996</b> , 97, 2011-9	360
775	Aggrecan is degraded by matrix metalloproteinases in human arthritis. Evidence that matrix metalloproteinase and aggrecanase activities can be independent. <b>1996</b> , 98, 2292-9	166
774	Enhanced cleavage of type II collagen by collagenases in osteoarthritic articular cartilage. <b>1997</b> , 99, 1534-45	752
773	Biomarkers in Osteoarthritis. <b>2011</b> , 39-54	2
772	Synovial Fluid Macrophage Migration Inhibitory Factor Levels Correlate with Severity of Self-Reported Pain in Knee Osteoarthritis Patients. <b>2016</b> , 22, 2182-6	11
771	Expression of MiR-140 and MiR-199 in Synovia and its Correlation with the Progression of Knee Osteoarthritis. <b>2020</b> , 26, e918174	4
770	Knee osteoarthritis related pain: a narrative review of diagnosis and treatment. <b>2014</b> , 8, 85-104	35
769	The Effect of Pharmacopuncture for Women with Knee Osteoarthritis. <b>2015</b> , 32, 163-173	7
768	Association between several clinical and radiological determinants with long-term clinical progression and good prognosis of lower limb osteoarthritis. <b>2011</b> , 6, e25426	20
767	Massage therapy for osteoarthritis of the knee: a randomized dose-finding trial. <b>2012</b> , 7, e30248	67
766	Xylosyltransferase-I regulates glycosaminoglycan synthesis during the pathogenic process of human osteoarthritis. <b>2012</b> , 7, e34020	19
765	Synovial fluid progenitors expressing CD90+ from normal but not osteoarthritic joints undergo chondrogenic differentiation without micro-mass culture. <b>2012</b> , 7, e43616	40
764	Acute-phase serum amyloid a in osteoarthritis: regulatory mechanism and proinflammatory properties. <b>2013</b> , 8, e66769	47
763	Comprehensive microRNA analysis identifies miR-24 and miR-125a-5p as plasma biomarkers for rheumatoid arthritis. <b>2013</b> , 8, e69118	122
762	Altered visual and feet proprioceptive feedbacks during quiet standing increase postural sway in patients with severe knee osteoarthritis. <b>2013</b> , 8, e71253	24

761	A potential role of myeloid DAP12-associating lectin (MDL)-1 in the regulation of inflammation in rheumatoid arthritis patients. <b>2014</b> , 9, e86105	14
760	Role of mtDNA haplogroups in the prevalence of osteoarthritis in different geographic populations: a meta-analysis. <b>2014</b> , 9, e108896	16
759	A Yoga Strengthening Program Designed to Minimize the Knee Adduction Moment for Women with Knee Osteoarthritis: A Proof-Of-Principle Cohort Study. <b>2015</b> , 10, e0136854	15
758	Spontaneous Differentiation of Human Mesenchymal Stem Cells on Poly-Lactic-Co-Glycolic Acid Nano-Fiber Scaffold. <b>2016</b> , 11, e0153231	39
757	Addition of transcranial direct current stimulation to quadriceps strengthening exercise in knee osteoarthritis: A pilot randomised controlled trial. <b>2017</b> , 12, e0180328	25
756	Correlation of serum cartilage oligomeric matrix protein (COMP) and interleukin-16 (IL-16) levels with disease severity in primary knee osteoarthritis: A pilot study in a Malaysian population. <b>2017</b> , 12, e0184802	10
755	Medial knee loading is altered in subjects with early osteoarthritis during gait but not during step-up-and-over task. <b>2017</b> , 12, e0187583	24
754	C5a and C5aR are elevated in joints of rheumatoid and psoriatic arthritis patients, and C5aR blockade attenuates leukocyte migration to synovial fluid. <b>2017</b> , 12, e0189017	17
753	Perceived facilitators and barriers among physical therapists and orthopedic surgeons to pre-operative home-based exercise with one exercise-only in patients eligible for knee replacement: A qualitative interview study nested in the QUADX-1 trial. <b>2020</b> , 15, e0241175	2
752	Osteoarthritis: epidemiology, classification, risk factors, and progression, clinical presentation, diagnosis, and treatment. <b>2019</b> , 13, 9-21	41
751	Serum Cartilage Oligomeric Matrix Protein (COMP) Estimation: A Tool to Assess Efficacy of Treatment in Knee Osteoarthritis. <b>2014</b> , 1,	1
750	Epistasis of polymorphisms related to the articular cartilage extracellular matrix in knee osteoarthritis: Analysis-based multifactor dimensionality reduction. <b>2020</b> , 43, e20180349	2
749	Impacto do grau de obesidade nos sintomas e na capacidade funcional de mulheres com osteoartrite de joelhos. <b>2008</b> , 15, 125-130	9
748	[Antiresorptive-cytokine effects of the chondroprotective therapy in patients with lower back pain]. <b>2020</b> , 120, 65-71	8
747	Effects of Ginger and Elaeagnus angustifolia Extracts in Symptomatic Knee Osteoarthritis. <b>2015</b> , 17,	4
746	IL1R1 gene polymorphisms are associated with knee osteoarthritis risk in the Chinese Han population. <b>2017</b> , 8, 4228-4233	14
745	Silibinin protects against osteoarthritis through inhibiting the inflammatory response and cartilage matrix degradation and. <b>2017</b> , 8, 99649-99665	22
744	Nucleus pulposus phenotypic markers to determine stem cell differentiation: fact or fiction?. <b>2016</b> , 7, 2189-200	42

743	Relationship between cartilage oligomeric matrix protein (COMP) and rheumatoid arthritis severity. <b>2017</b> , 9, 5940-5947	6
742	Improvement in cardiovascular fitness after total knee arthroplasty. <b>1996</b> , 78, 1696-701	69
741	The clinical importance of meniscal tears demonstrated by magnetic resonance imaging in osteoarthritis of the knee. <b>2003</b> , 85, 4-9	281
740	Effect of arthroscopic debridement for osteoarthritis of the knee on health-related quality of life. <b>2003</b> , 85, 10-9	97
739	THE EFFECTIVENESS OF SELF-ADJUSTABLE CUSTOM AND OFF-THE-SHELF BRACING IN THE TREATMENT OF VARUS GONARTHROSIS. <b>2006</b> , 88, 2645-2652	25
738	Comorbidity of Fibromyalgia in Primary Knee Osteoarthritis: Potential Impact on Functional Status and Quality of Life. <b>2020</b> , 12, 55-63	3
737	Symptom-modifying effect of chondroitin sulfate in knee osteoarthritis: a meta-analysis of randomized placebo-controlled trials performed with structum(®). <b>2012</b> , 6, 183-9	22
736	Comparative efficacy and safety study of two chondroitin sulfate preparations from different origin (avian and bovine) in symptomatic osteoarthritis of the knee. <b>2013</b> , 7, 1-12	15
735	Intra-articular hyaluronic Acid as treatment in elderly and middle-aged patients with knee osteoarthritis. <b>2013</b> , 7, 38-41	11
734	Perceived health status of women with knee osteoarthritis: a cross-sectional study of the relationships of age, body mass, pain and walking limitations. <b>2014</b> , 8, 255-63	7
733	Effects of Transcranial Direct Current Stimulation on Knee Osteoarthritis Pain in Elderly Subjects With Defective Endogenous Pain-Inhibitory Systems: Protocol for a Randomized Controlled Trial. <b>2018</b> , 7, e11660	11
732	Acute Flares of Knee Osteoarthritis (the ACT-FLARE Study): Protocol for a Web-Based Case-Crossover Study in Community-Dwelling Adults. <b>2019</b> , 8, e13428	1
731	Exploring the Characteristics and Preferences for Online Support Groups: Mixed Method Study. <b>2019</b> , 21, e15987	8
730	Effects of a 12-Week Multifaceted Wearable-Based Program for People With Knee Osteoarthritis: Randomized Controlled Trial. <b>2020</b> , 8, e19116	12
729	Relationship of Buckling and Knee Injury to Pain Exacerbation in Knee Osteoarthritis: A Web-Based Case-Crossover Study. <b>2016</b> , 5, e17	16
728	Effectiveness of a web-based physical activity intervention in patients with knee and/or hip osteoarthritis: randomized controlled trial. <b>2013</b> , 15, e257	95
727	Efficacy of a Community-Based Technology-Enabled Physical Activity Counseling Program for People With Knee Osteoarthritis: Proof-of-Concept Study. <b>2018</b> , 20, e159	21
726	A 6-Week Web-Based Osteoarthritis Treatment Program: Observational Quasi-Experimental Study. <b>2017</b> , 19, e422	18



725	Effects of a 12-Week Digital Care Program for Chronic Knee Pain on Pain, Mobility, and Surgery Risk: Randomized Controlled Trial. <b>2018</b> , 20, e156	21
724	A Community-Based Physical Activity Counselling Program for People With Knee Osteoarthritis: Feasibility and Preliminary Efficacy of the Track-OA Study. <b>2017</b> , 5, e86	41
723	Translating Comprehensive Conservative Care for Chronic Knee Pain Into a Digital Care Pathway: 12-Week and 6-Month Outcomes for the Hinge Health Program. <b>2017</b> , 4, e4	16
722	A Blended Intervention for Patients With Knee and Hip Osteoarthritis in the Physical Therapy Practice: Development and a Pilot Study. <b>2016</b> , 5, e32	18
721	Correlation between systemic markers of inflammation and local synovitis in knee osteoarthritis. <b>2019</b> , 10, 383-387	9
720	The burden of osteoarthritis:the societal and the patient perspective. <b>2010</b> , 7, 605-619	6
719	[Arthrosonography and biomarkers in the evaluation of destructive knee cartilage osteoarthrosis]. <b>2009</b> , 137, 653-8	2
718	Oxidative stress, hemoglobin content, superoxide dismutase and catalase activity influenced by sulphur baths and mud packs in patients with osteoarthritis. <b>2010</b> , 67, 573-8	24
717	Ultrasound-guided intra-articular injection: efficacy of hyaluronic acid compared to glucocorticoid in the treatment of knee osteoarthritis. <b>2019</b> , 110, 515-523	9
716	The impact of different rheumatic diseases on health-related quality of life: a comparison with a selected sample of healthy individuals using SF-36 questionnaire, EQ-5D and SF-6D utility values. <b>2019</b> , 89, 541-557	18
715	The synergic use of the High Power Laser Therapy and Glucosamine sulfate in Knee osteoarthritis: A Randomized Controlled Trial. <b>2021</b> , 92, e2021237	1
714	Cytokines and MMP-9 Levels in Rheumatoid Arthritis and Osteoarthritis Patients with Persistent Parvovirus B19, HHV-6 and HHV-7 Infection. <b>2019</b> , 73, 278-287	0
713	[The changes of bone mineral density on the risk of progression of osteoarthritis of the knee]. <b>2019</b> , 91, 61-67	2
712	Effectiveness of Home Exercise Program in Patientswith Knee Osteoarthritis. <b>2013</b> , 10,	2
711	The effect of non-steroidal anti-inflammatory drugs on matrix metalloproteinases levels in patients with osteoarthritis. <b>2017</b> , 28, 133-141	3
710	Genetic Association Between Growth Differentiation Factor 5 Single Nucleotide Polymorphism and Primary Knee Osteoarthritis in a Group of Egyptian Patients: A Pilot Study. <b>2019</b> , 30, 114-122	1
709	Clinical comparison of platelet-rich plasma injection and daily celecoxib administration in the treatment of early knee osteoarthritis: A randomized clinical trial.. <b>2020</b> , 18, 41-45	1
708	Comparing the effectiveness of ultrasound guided blind genicular nerve block on pain, muscle strength with isokinetic device, physical function and quality of life in chronic knee osteoarthritis: a prospective randomized controlled study. <b>2020</b> , 33, 258-266	4

707	TGFβ Suppressed Matrix Mineralization of Osteoblasts Differentiation by Regulating SMURF1-C/EBPδ/DKK1 Axis. <b>2020</b> , 21,	8
706	Effects of HPL-04 on Degenerative Osteoarthritis. <b>2014</b> , 43, 30-39	7
705	Soft Tissue Pathology Detected By Ultrasound Seem To Be Risk Factors for Painful Flare in Osteoarthritic Knee. <b>2018</b> , 6, 1599-1605	1
704	Telomere shortening is associated with poor physical performance in knee osteoarthritis. <b>2020</b> , 13, 27	3
703	MicroRNA-1 regulates the development of osteoarthritis in a Col2a1-Cre-ERT2/GFPfl/fl-RFP-miR-1 mouse model of osteoarthritis through the downregulation of Indian hedgehog expression. <b>2020</b> , 46, 360-370	5
702	Reduced miR-26a and miR-26b expression contributes to the pathogenesis of osteoarthritis via the promotion of p65 translocation. <b>2017</b> , 15, 551-558	31
701	A NEW RADIOGRAPHIC EVALUATION OF PRIMARY OSTEOARTHRITIS. <b>1994</b> , 17, 927-930	11
700	The Long Pentraxin 3 Contributes to Joint Inflammation in Gout by Facilitating the Phagocytosis of Monosodium Urate Crystals. <b>2019</b> , 202, 1807-1814	3
699	The Prevalence of Osteoarthritis and Risk Factors in the Korean Population: The Sixth Korea National Health and Nutrition Examination Survey (VI-1, 2013). <b>2019</b> , 40, 171-175	10
698	Assessment of changes in gait parameters and vertical ground reaction forces after total hip arthroplasty. <b>2007</b> , 41, 158-62	5
697	Test-retest reliability and correlates of 6-minute walk test in patients with primary osteoarthritis of knees. <b>2016</b> , 11, 192	6
696	Open-label use of Anakinra (Kineret) in the treatment of patients with osteoarthritis. <b>2017</b> , 12, 17	4
695	Effect of an integrated approach of yoga therapy on quality of life in osteoarthritis of the knee joint: A randomized control study. <b>2011</b> , 4, 55-63	37
694	Effect of integrated yoga therapy on pain, morning stiffness and anxiety in osteoarthritis of the knee joint: A randomized control study. <b>2012</b> , 5, 28-36	41
693	Efficacy of leech therapy in the management of osteoarthritis (Sandhivata). <b>2011</b> , 32, 213-7	14
692	Evaluating higher doses of Shunthi - Guduchi formulations for safety in treatment of osteoarthritis knees: A Government of India NMITLI arthritis project. <b>2012</b> , 3, 38-44	9
691	Relationship between serum 25-hydroxy vitamin D levels, knee pain, radiological osteoarthritis, and the Western Ontario and McMaster Universities Osteoarthritis Index in patients with primary osteoarthritis. <b>2014</b> , 41, 66-70	2
690	Low-dose intra-articular autologous conditioned serum in treatment of primary knee osteoarthritis. <b>2014</b> , 41, 98-102	6

689	Urinary C-terminal telopeptide of type II collagen, radiological severity, and functional assessment in knee osteoarthritis: are these related?. <b>2016</b> , 43, 73-77	2
688	Cross-cultural adaptation and validation of the Persian version of the Intermittent and Constant Osteoarthritis Pain Measure for the knee. <b>2016</b> , 21, 417-23	7
687	Effects of Taping on Pain and Functional Outcome of Patients with Knee Osteoarthritis: A Pilot Randomized Single-blind Clinical Trial. <b>2017</b> , 6, 139	9
686	Neuropathic pain among patients with primary knee osteoarthritis: Results of a cross-sectional study from a tertiary care center in Southern India. <b>2017</b> , 12, 132	4
685	Prevalence, risk factors, and health seeking behavior for knee osteoarthritis among adult population in rural Jammu - A Community based Cross Sectional Study. <b>2020</b> , 9, 5282-5287	2
684	Effectiveness of Therapeutic Ultrasound on Clinical Parameters and Ultrasonographic Cartilage Thickness in Knee Osteoarthritis: A Double-Blind Trial. <b>2018</b> , 26, 194-199	8
683	Comparison of efficacy of mulligan's mobilization with movement with maitland mobilization along with conventional therapy in the patients with knee osteoarthritis: A randomized clinical trial. <b>2018</b> , 3, 26	2
682	Effects of Adjuvant Hydrotherapy on Functional Status and Mental Relaxation in Patients with Knee Osteoarthritis: Preliminary Study. <b>2014</b> , 18, 153-161	2
681	Reliability and sensitivity to change of IW-TSE versus DESS magnetic resonance imaging sequences in the assessment of bone marrow lesions in knee osteoarthritis patients: Longitudinal data from the Osteoarthritis Initiative (OAI) cohort. <b>2013</b> , 06, 337-345	5
680	Prevalence and Incidence of Hand Osteoarthritis and Upper Limb Complaints in Patients with Knee Osteoarthritis. Correlations among Functionality, Grip Strength, Changes in Body Mass Index and Symptoms among Patients in an Educational Osteoarthritis Program. <b>2016</b> , 06, 1-9	3
679	Analysis of Anthropometric Measurements and Dietary Intake in Patients Undergoing a Multi-Professional Osteoarthritis Education Program (PARQVE-Project Arthritis Recovering Quality of Life by Means of Education). <b>2016</b> , 06, 32-45	1
678	Occupational Therapist-Delivered Cognitive-Behavioral Therapy for Knee Osteoarthritis: A Randomized Pilot Study. <b>2018</b> , 72, 7205205040p1-7205205040p9	5
677	T1 and T2 mapping of articular cartilage and menisci in early osteoarthritis of the knee using 3-Tesla magnetic resonance imaging. <b>2019</b> , 84, e549-e564	10
676	Clinical significance of Matrilin-3 gene polymorphism in Egyptian patients with primary knee osteoarthritis. <b>2017</b> , 4, 200-204	8
675	Efficacy of extracorporeal shockwave therapy and low-intensity pulsed ultrasound in a rat knee osteoarthritis model: A randomized controlled trial. <b>2017</b> , 4, 104-108	9
674	Correlations between ultrasonographic findings, clinical scores, and depression in patients with knee osteoarthritis. <b>2017</b> , 4, 205-209	10
673	Distinguishing erosive osteoarthritis and calcium pyrophosphate deposition disease. <b>2013</b> , 4, 29-31	2
672	Effect of Extracorporeal Shockwave Therapy Versus Intra-articular Injections of Hyaluronic Acid for the Treatment of Knee Osteoarthritis. <b>2017</b> , 41, 828-835	19

671	Effect of vitamin D levels on radiographic knee osteoarthritis and functional status. <b>2018</b> , 64, 1-7	6
670	Is there a relationship between venous insufficiency and knee osteoarthritis?. <b>2020</b> , 66, 40-46	2
669	Effects of sesame seed supplementation on lipid profile and oxidative stress biomarkers in patients with knee osteoarthritis. <b>2014</b> , 4, 90-7	9
668	Psychometric Properties of the Malay Language Version of Knee Injury and Osteoarthritis Outcome Score (KOOS) Questionnaire among Knee Osteoarthritis Patients: A Confirmatory Factor Analysis. <b>2017</b> , 11, 7-14	5
667	Serum levels of matrix metalloproteinase 3 (stromelysin 1) for monitoring synovitis in rheumatoid arthritis. <b>2007</b> , 131, 563-70	40
666	Viscosupplementation improves pain, function and muscle strength, but not proprioception, in patients with knee osteoarthritis: a prospective randomized trial. <b>2019</b> , 74, e1207	8
665	A Review of Non-Surgical Pain Management in Osteoarthritis. <b>2020</b> , 12, e10829	3
664	Ultrasound in Osteoarthritis. <b>2021</b> , 405-424	
663	Diagnosis and Differential Diagnosis. <b>2021</b> , 111-121	
662	Tapentadol effects on brain response to pain in sensitized patients with knee osteoarthritis. <b>2021</b> ,	0
661	Targeted phospholipidomic analysis of synovial fluid as a tool for osteoarthritis deep phenotyping. <b>2021</b> , 3, 100219	0
660	The effect of a multidisciplinary lifestyle program for patients with rheumatoid arthritis, an increased risk for rheumatoid arthritis or with metabolic syndrome-associated osteoarthritis: the "Plants for Joints" randomized controlled trial protocol. <b>2021</b> , 22, 715	0
659	Konservative Therapiemöglichkeiten bei Gonarthrose. <b>2021</b> , 24, 44-51	
658	Association of Low Physical Activity Levels With Gait Patterns Considered at Risk for Clinical Knee Osteoarthritis Progression. <b>2021</b> , 3, 753-763	0
657	Possible vertebral brucellosis infection in a Neanderthal. <b>2021</b> , 11, 19846	1
656	Assessment of the educational needs in patients with knee osteoarthritis in a latin american cohort.	
655	Multiple platelet-rich plasma injections are superior to single PRP injections or saline in osteoarthritis of the knee: the 2-year results of a randomized, double-blind, placebo-controlled clinical trial. <b>2021</b> , 1	4
654	Effects of Isometric Strengthening Exercises on Pain and Disability Among Patients With Knee Osteoarthritis. <b>2021</b> , 13, e18972	2

- 653 Proprioceptive Neuromuscular Facilitation Improves Symptoms among Older Adults with Knee Osteoarthritis during Stair Ascending-A Randomized Controlled Trial. **2021**, 1
- 652 Analgesic prescriptions received by patients before commencing the BOA model of care for osteoarthritis: a Swedish national registry study with matched reference and clinical guideline benchmarking. **2021**, 1-8
- 651 Comparative study between the effect of neural versus intra-articular dextrose prolotherapy on pain and disability in patients with knee osteoarthritis. **2021**, 48, 1
- 650 Definition of Early Osteoarthritis. **2022**, 3-15
- 649 Cross-cultural adaptation, validity and reliability of the Persian version of Fremantle Knee Awareness Questionnaire.. **2022**, 29, 257-263 0
- 648 Evaluaci3n de las necesidades educativas en pacientes con osteoartritis de rodilla en una cohorte latinoamericana.
- 647 Abnormal subchondral trabecular bone remodeling in knee osteoarthritis under the influence of knee alignment. **2021**, 4
- 646 Comparison of the Asymmetries in Foot Posture and Properties of Gastrocnemius Muscle and Achilles Tendon Between Patients With Unilateral and Bilateral Knee Osteoarthritis. **2021**, 9, 636571 1
- 645 Determinants of circulating 25-hydroxyvitamin D concentration and its association with musculoskeletal health in midlife: Findings from the Hertfordshire Cohort Study. **2021**, 12, 100143 2
- 644 Epidemiologic and Economic Aspects of Osteoarthrosis. **2000**, 1-8
- 643 Osteoarthritis and Other Musculoskeletal Diseases. **2000**, 1193-1202
- 642 Rheumatischer Schmerz. **2001**, 109-117
- 641 Clinical evaluation of markers for osteoarthritis. **2002**, 297-302
- 640 The long-term effect of intra-articular hyaluronic acid on pain and functional status in knee osteoarthritis (one year follow-up). **2002**, 14, 331-337
- 639 Relationship Between Pain and Disability in Osteoarthritis Patients: Is Pain a Predictor for Disability?. **2004**, 4, 115-119
- 638 Quantitative immunodetection of key elements of polyphosphoinositide signal transduction in osteoblasts from arthritic patients shows a direct correlation with cell proliferation. 1-7
- 637 Fysiotherapeutische begeleiding bij een jonge hardloper met gonartrose. **2006**, 146-152
- 636 Leesopdracht: beoordelen van diagnostische onderzoeken. **2006**, 155-160

- 635 Examination of the Musculoskeletal System. **2007**, 623-659
- 634 Osteoarthritis and Related Disorders. **2007**, 418-430
- 633 16 Het effect van gedragsmatige oefentherapie bij patiënten met artrose van heup of knie. **2008**, 235-248 1
- 632 Degenerative Disease: Cartilage Anatomy, Physiology, and Advanced Imaging. **2008**, 1085-1099
- 631 Efficiency of associated radonotherapy in rehabilitation of patients with posttraumatic osteoarthritis. **2008**, 7, 90-94 1
- 630 Oral or transdermal opioids for osteoarthritis of the knee or hip.
- 629 11a Addendum: diagnostiek bij artrose van heup en knie. **2009**, 95-100
- 628 NHG-Standaard Niet-traumatische knieproblemen bij volwassenen. **2009**, 1154-1172 1
- 627 [Application of magnetic resonance imaging in evaluating the effects of manipulation on knee osteoarthritis]. **2009**, 7, 110-5
- 626 [Detection of bone erosions in knee osteoarthrosis by serum biomarkers]. **2010**, 138, 62-6
- 625 Chapter 18 Arthritis and Other Musculoskeletal Diseases. **2010**, 1
- 624 [Osteoarthritis]. **2010**, 130, 2136-40 3
- 623 9 Operatieve behandeling van knieartrose. **2010**, 113-127
- 622 Addendum: diagnostiek bij artrose artrose, diagnostiek van heup en knie. **2010**, 635-637
- 621 De oude patiënt. **2010**, 331-345
- 620 M67 Niet-traumatische knieproblemen bij volwassenen. **2010**, 219-254
- 619 Bewegingsapparaat. **2010**, 199-266
- 618 De oude patiënt. **2010**, 331-345

617 Clinical Examination: Standard X-Rays. **2010**, 71-76

616 Meniscus and Osteoarthritis. **2010**, 61-65

2

615 The Knee. **2011**, 59-68

614 OTsENKA DINAMIKI ARTROSONOGRAFICHESKIKh POKAZATELEYPRI DLITEL'NOM LEChENII GONARTROZA TERAFLEKSOM(3-LETNEE NABLYu DENIE ). **2010**, 13, 35-38

613 Osteoarthritis in the Elderly Population. **2011**, 187-196

4

612 NHG-Standaard Niet-traumatische knieproblemen bij volwassenen. **2011**, 697-715

1

611 Clinical features of osteoarthritis. **2011**, 1723-1730.e1

610 Osteoarthritis and Related Disorders. **2011**, 384-395

609 Epidemiology, Risk Factors, and Aging of Osteoarthritis. **2011**, 173-185

608 MRI of Cartilage: Pathological Findings. **2011**, 67-91

607 Epidemiologic concepts and the classification of musculoskeletal conditions. **2011**, 3-10.e1

606 Ätiologie und Pathogenese der Sprunggelenksarthrose. **2011**, 9-21

605 An Overview on Rheumatologic Disorders. **2011**, 3-21

1

604 Inhibition of activity of collagen degradation in cartilage of patients with osteoarthrosis byactivation of glycolysis. **2011**, 14, 8-12

603 Advances in Prevention and Diagnosis of Osteoarthritis. **2012**, 1-28

602 Rheumatische Krankheiten. **2012**, 459-471

1

601 Arthropathies, Osteonecrosis, and Bursitis. **2012**, e9-1-e9-20

600 Association Between Plasma Beta-endorphin and WOMAC Score in Female Patients with Knee Osteoarthritis. **2012**, 4, 107

- 599 Treatment Satisfaction after Switching to Another Therapy in Spanish Orthopaedic Clinic Outpatients with Knee or Hip Osteoarthritis Previously Refractory to Paracetamol. **2012**, 1 1
- 598 Imaging Modalities in Rheumatic Diseases. **2013**, 830-869.e6
- 597 Changes in Lower Extremity Joint Angles after Total Knee Replacement. **2013**, 11, 39-44
- 596 Epidemiology, Pathogenesis, and Clinical Aspects of Knee and Hip Osteoarthritis. **2014**, 13-25
- 595 Imaging of Meniscus Pathology. **2014**, 21-29
- 594 Clinical Features and Diagnosis of Osteoarthritis. **2014**, 55-68
- 593 Osteoarthritis. **2014**, 1-9
- 592 Osteoarthritis of the Knee as One of the Major Musculoskeletal Diseases Responsible for Locomotive Syndrome: The Role of Synovitis in Pain. **2014**, 60, 300-311
- 591 Proteomic Analysis of Celecoxib on Chondrocytes from Patients with Osteoarthritis. **2014**, 03, 90-98
- 590 PRP in the Treatment of Cartilage Defects and Early Osteoarthritis of the Knee. **2014**, 1-12
- 589 Medical Practice Variations in Joint Replacement in Patients with Osteoarthritis. **2014**, 1-28
- 588 Knie. **2014**, 71-92
- 587 Evaluation of the effect of D-002, a mixture of beeswax alcohols, on osteoarthritis symptoms. **2014**, 29, 191-202 3
- 586 Evaluating the clinical relevance of codon 594 (g>a) polymorphism of estrogen receptor alpha in knee osteoarthritis. **2014**, 8, 37-40
- 585 Degenerative Gelenkerkrankungen (Arthrosen). **1988**, 450-480
- 584 Does Exercise Cause Arthritis? Long-Term Consequences of Exercise on the Musculoskeletal System. **1990**, 16, 827-836 12
- 583 In vitro effects of NSAIDs and corticosteroids on the synthesis and secretion of interleukin 1 by human osteoarthritic synovial membranes. **1993**, 39, 181-93 9
- 582 THE ROLE OF ARTHROSCOPY IN THE DIFFERENTIAL DIAGNOSIS OF OSTEOARTHRITIS OF THE KNEE. **1993**, 19, 673-696 13



- 581 DIAGNOSTIC ARTHROSCOPY IN THE ARTHRITIS PATIENT. **1994**, 20, 321-342 16
- 580 RADIOGRAPHIC INDICES FOR OSTEOARTHRITIS. **1995**, 21, 379-394 21
- 579 De behandeling van aandoeningen van het bewegingsapparaat. **1999**, 356-381
- 578 Effects of Calcium Citrate Isolated from Oyster Shell on Papain-induced Osteoarthritis in C57BL/6J Mice. **2014**, 43, 1510-1518
- 577 Distribution of Risk Factors in Male and Female Primary Health Care Patients with Osteoarthritis in Albania. **2015**, 69, 145-8 2
- 576 Gelenkerhaltende Maßnahmen. **2015**, 31-59
- 575 Clinical and Imaging Evaluation of Efficacy of Viscosupplementation in Degenerative Osteo-arthritis Knee – A Prospective Interventional Study. **2015**, 26, 6-10 0
- 574 The Knee. **2015**, 85-99
- 573 Demographic and Socioeconomic Characteristics Among Primary Health Care Users Diagnosed with Osteoarthritis in Albania. **2015**, 27, 163-6
- 572 Osteoarthritis: Epidemiology and classification. **2015**, 1433-1440 1
- 571 Clinical features of osteoarthritis. **2015**, 1447-1453
- 570 10 Bewegingsapparaat. **2015**, 199-273
- 569 Artrose. **2015**, 187-207
- 568 Osteoarthritis Biomarkers. **2015**, 171-189
- 567 Degenerative Knee Assessment: Physical Examination and Outcome. **2015**, 2405-2409
- 566 Epidemiologic concepts and classification of rheumatic and musculoskeletal conditions. **2015**, 1-8
- 565 Effects of Bujasasim-tang Ethanol Extract on Oxidative Stress, Inflammation and Osteoarthritic Rat Model. **2015**, 25, 15-35 2
- 564 Role of Urinary CTX I in Early Diagnosis of Osteoarthritis. **2015**, 3, 0

- 563 Acupuncture Treatment for Knee Osteoarthritis, an Experience from Egypt. **2015**, 3, 0
- 562 The Effect of Mechanical Traction on Pain and Physical Function in Patients With Knee Osteoarthritis. **2015**, 22, 23-32 2
- 561 Automated Image Registration for Knee Pain Prediction in Osteoarthritis: Data from the OAI. **2016**, 335-345
- 560 The Importance of the Biopsychosocial Model for Understanding the Adjustment to Arthritis. **2016**, 3-20 1
- 559 THE PROBLEM OF AGEING AND OSTEOARTHRITIS. **2016**, 3, 1270-1275
- 558 Evaluating the Effect of Valsalva Maneuver on Pain Occurring During Knee Injection. **2016**, 5, 2
- 557 Osteoarthritis. **2017**, 1515-1523
- 556 Serum and synovial matrix metalloproteinase-3 as markers of disease activity in early rheumatoid arthritis. **2016**, 43, 178-183 1
- 555 Rheumatology. **2017**, 227-242
- 554 Platelet aggregation and von Willebrand factor in patients with arterial hypertension combined with osteoarthritis. **2017**, 1, 34-41
- 553 Some Adipose Derived Hormones in Association with the Risk of Knee Osteoarthritis. **2017**, 4,
- 552 Dose Dependent Impact of Rose-Hip Powder in Patients Suffering From Osteoarthritis of the Hip And or Knee – A Double Blind, Randomized, Placebo Controlled, Parallel Group, Phase III Study. **2017**, 7, 2
- 551 Comparing the Lower Limb Strength after Total and Unicdylar Knee Arthroplasty. **2017**, 1,
- 550 [Lower extremity venous diseases in primary knee osteoarthritis]. **2017**, 89, 53-59 5
- 549 Synovial fluid anti-citrulline-containing peptide antibody and its role in the diagnosis of rheumatoid arthritis. **2017**, 44, 97-102
- 548 Videotape Instruction Vs Brochure On The Effectiveness Of Unsupervised Home Exercise Program In Patients With Knee Osteoarthritis. **2017**, 1, 43-56
- 547 Study of interleukin 33 in rheumatoid arthritis versus osteoarthritis patients. **2017**, 44, 159-163
- 546 Osteoarthritis as part of metabolic syndrome?. **2017**, 63, 707-711 2

545 Arthrose. **2018**, 345-387

544 Knie. **2018**, 71-92

543 Knee. **2018**, 69-90

542 Ayurvedic Management of Osteoarthritis Knee with Grade IV Severity and Obesity (Avaranajanya Janu-Sandhigatavata with Sthoulya). **2018**, 2, 240-246

1

541 Total Diz Artroplastisi Sonrası -Erken Dönemde Plantar Basınç Dağılımı -Nasırlı Değerlendirme? Pilot Çalışma. **2018**, 10, 100-105

540 The effectiveness of whirlpool for patients with neuropathic pain due to knee osteoarthritis.

539 Chromatin accessibility landscape of articular knee cartilage reveals aberrant enhancer regulation in osteoarthritis.

1

538 Tissue growth factor stimulates fibroblast-like synovial cells to produce extra domain A fibronectin in osteoarthritis.

537 The impact of intra-articular injection of diprosan at the knee joint on blood glucose levels in diabetic patients. **2018**, 5, 96-99

1

536 Health-related quality of life in Egyptian patients with knee osteoarthritis: correlation with performance-related measures. **2018**, 45, 94-99

1

535 MORPHOLOGICAL STUDY OF SYNOVIAL LESIONS IN CHRONIC JOINT DISEASE. **2018**, 7, 3119-3123

534 Gonartrozlu Hastalarda Eklem Laksitesi Değerlendirilmesi; Kesitsel bir Çalışma. **2018**, 1, 50-56

533 Functional Status in Knee Osteoarthritis and its Relation to Demographic and Clinical Features. **2018**, 29, 207-210

3

532 Imaging Diagnosis of Shoulder Arthropathy. **2019**, 211-245

531 High-Resolution ultrasound of knee osteoarthritis in a Southwest Nigerian Population: Our experience. **2019**, 3, 209

1


530 Comparison of seaweed pack and mudpack as treatment for knee osteoarthritis: a prospective randomized controlled study. **2019**, 8, 22-31

529 Assessment of clinical significance of ultrasonographic detection of hyperechogenic deposits in hyaline cartilage in patients with knee osteoarthritis. **2019**, 57, 33-37

0

528 Correlation Between Serum Cartilage Oligomeric Matrix Protein (COMP), 25-Hydroxy Vitamin D, and Disease Activity in Patients with Knee Osteoarthritis. **2019**, In Press,

- 527 Simultaneous Application of Proximal Fibular Osteotomy and Unicdylar Knee Arthroplasty. **2019**, 11, e4763 1
- 526 Dynamic thiol-disulphide homeostasis in grade 3-4 gonarthrosis.
- 525 Multimodal Impact of Acupuncture, Exercise Therapy, And Concurrent Functional Electrical Stimulation On Osteoarthritis of the Knee: a Case Report. **2019**, 44, 135-145 2
- 524 Efficacy of Theraflex Chondrocream Forte in the combination treatment of knee osteoarthritis. **2019**, 81-84
- 523 Clinical, Radiographic, and Ultrasound Findings Between Simple and Complicated Baker's Cysts. **2020**, 99, 7-12 0
- 522 Synovitis in Osteoarthritic Patients: Morphological and Virological Evidence of its Contribution to Development of the Disease. **2019**, 73, 317-324
- 521 Elevated frequencies of total and MAIT cell subsets in patients with knee osteoarthritis. **2019**, 7, e7443
- 520 Correlation of knee ultrasonography and Western Ontario and McMaster University (WOMAC) osteoarthritis index in primary knee osteoarthritis. **2019**, 50, 1
- 519 Osteoarthritis. **2020**, 51-75
- 518 Relation of interleukin-15 with the severity of primary knee osteoarthritis. **2019**, 46, 313-320 0
- 517 A Systematic Review of Herbal Medicine Treatment for Knee Osteoarthritis. **2019**, 29, 47-60 4
- 516 Radiographic and clinical risk factors of total knee arthroplasty in asymptomatic knees; a 15-year follow-up study.
- 515 Are aquatic exercises efficacious in postmenopausal women with knee osteoarthritis? A meta-analysis of randomized controlled trials. **2019**, 59, 1763-1770 1
- 514 D' İ OSTEOARTR' İ' TEDAV' İ' NDE KOMB' NE F' İ' TEDAV' İ' VE KAPLICA TEDAV' İ' N' N ETK' İL' İ' İ' İ' 340-346
- 513 Gonartrozda İ' tra-artikler Hyalöonik Asid Enjeksiyonunun K' sa D'nem Etkinli' İ' **2019**, 2, 101-107
- 512 Single Versus Multiple Monitoring Periods for Accelerometer-Measured Physical Activity in Medial Knee Osteoarthritis and Asymptomatic Controls. **2020**, 3, 29-38 1
- 511 The association between psychological characteristics and physical activity levels in people with knee osteoarthritis: a cross-sectional analysis.
- 510 PLATELETTEN ZENG' İ' PLAZMA UYGULAMA SIKLI' İNİN ERKEN EVRE D' İ OSTEOARTR' İ' İZER' NE ETK' İ' İ' **2020**, 3, 20-31

- 509 The association between psychological characteristics and physical activity levels in people with knee osteoarthritis: a cross-sectional analysis.
- 508 The gene expression of caspase 3, matrix metalloproteinase-9, tissue inhibitor of metalloproteinases-1, and cathepsins S and K in patients with osteoarthritis requiring large joint replacement. **2020**, 14, 52-56
- 507 The Influence of Patellofemoral Degenerative Changes on the Outcome of the Unicompartmental Knee Replacement: A Prospective Study. **2021**, 34, 1603-1608 0
- 506 Effectiveness of Mulligan joint mobilizations and trunk stabilization exercises versus isometric knee strengthening in the management of knee osteoarthritis: study protocol for a randomized controlled trial.
- 505 Signatures of knee osteoarthritis in women in the temporal and fractal dynamics of human gait. **2020**, 76, 105016 2
- 504 Magnetotherapy in patients with knee osteoarthrosis: thermographic efficacy indicators. **2018**, 17, 185-191 1
- 503 Uso intra-articular do plasma rico em plaquetas (PRP) versus corticosteroide: um ensaio cl nico em osteoartrite de joelhos - dados ultrassonogr ficos quantitativos. **2020**, 30-40
- 502 ISOKINETIC RESPONSE, VISCOSUPPLEMENTATION AND STRENGTH TRAINING IN GONARTHROSIS. **2020**, 26, 258-261
- 501 Comparative efficacy and safety of Verbascox - a proprietary herbal extract capable of inhibiting human cyclooxygenase-2 - and celecoxib for knee osteoarthritis. **2020**, 14, 129-134 3
- 500  **2020**, 24-33
- 499 Life course longitudinal growth and risk of knee osteoarthritis at age 53 years: evidence from the 1946 British birth cohort study. 1
- 498 Gonartrozlu Ya lı Hastada D Vitamininin Kas G c ne Fonksiyonel Durum  zerine Etkisi. **2020**, 3, 46-53 0
- 497 Synergistic upregulation of ADAMTS4 (aggrecanase-1) by cytokines and its suppression in knee osteoarthritic synovial fibroblasts. **2021**, 0
- 496 Quantitative analysis of the ACL and PCL using T1rho and T2 relaxation time mapping: an exploratory, cross-sectional comparison between OA and healthy control knees. **2021**, 22, 916 0
- 495 Proprioceptive Training for Knee Osteoarthritis: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. **2021**, 8, 699921
- 494 Could emotional and sensitization status affect postural sway in adults with knee osteoarthritis?. **2021**, e1928
- 493 Machine learning based texture analysis of patella from X-rays for detecting patellofemoral osteoarthritis. **2022**, 157, 104627 4
- 492 Proximal Fibular Osteotomy for Medial Joint Osteoarthritis of the Knee: A Prospective Cohort Study. **2021**, 13, e19180 0

- 491 Serum chemerin in a cohort of Colombian patients with primary osteoarthritis. **2020**, 17, 530-530 0
- 490 Increased trunk flexion may underlie elevated knee flexor activity in people with knee osteoarthritis. **2021**, 33, 216-225 0
- 489 [Functional improvement and thickening of quadriceps muscle and femoral intercondylar cartilage after a single intra-articular injection of a new bionic cross-linked hyaluronic acid Flexotron Cross in the treatment of knee joint osteoarthritis]. **2020**, 59-68 1
- 488 Osteoarthritis. **2020**, 1-10
- 487 RHEUMATISCHE ERKRANKUNGEN. **2020**, I-1-I8-7
- 486 Relationship between motion, using the GaitSmart™ system, and radiographic knee osteoarthritis: an explorative analysis in the IMI-APPROACH cohort. **2021**, 60, 3588-3597 1
- 485 Effects of dry cupping on pain, function and quality of life in women with knee osteoarthritis: a protocol for a sham-controlled randomised trial. **2020**, 10, e039857 0
- 484 Telerehabilitation for Knee Osteoarthritis in Brazil: A Feasibility Study. **2020**, 12, 137-148 1
- 483 Retrospective Study of Rehabilitation Exercise Combined with Extracorporeal Shock Wave Therapy for Knee Osteoarthritis. **2020**, 26, e927722
- 482 Reduced Muscle Strength Is Associated With Insulin Resistance in Type 2 Diabetes Patients With Osteoarthritis. **2021**, 106, 1062-1073 2
- 481 Mediation of the association between obesity and osteoarthritis by blood pressure, vessel wall stiffness and subclinical atherosclerosis. **2021**, 60, 3268-3277 1
- 480 Identification of New, Functionally Relevant Mutations in the Coding Regions of the Human Fos and Jun Proto-Oncogenes in Rheumatoid Arthritis Synovial Tissue. **2020**, 11, 0
- 479 Risk factors of pain, physical function, and health-related quality of life in elderly people with knee osteoarthritis: A cross-sectional study. **2020**, 6, e05723 3
- 478 Serum Biomarkers of Inflammation and Turnover of Joint Cartilage Can Help Differentiate Psoriatic Arthritis (PsA) Patients from Osteoarthritis (OA) Patients. **2020**, 11, 3
- 477 [Efficacy and safety of magnet therapy using portable device for knee osteoarthritis. 55-week double-blind study results]. **2021**, 98, 53-65 1
- 476 Comparison of cooled and conventional radiofrequency applications for the treatment of osteoarthritic knee pain. **2021**, 37, 464-468 0
- 475 Depression in patients of primary knee osteoarthritis: A cross-sectional study. **2020**, 15, 27
- 474 A 75-Year-Old Man with Chronic Shoulder Pain (Shoulder Arthritis). **2020**, 95-102

473	A 75-Year-Old Man with Chronic Knee Pain. <b>2020</b> , 215-220	
472	The association between psychological characteristics and physical activity levels in people with knee osteoarthritis: a cross-sectional analysis.	
471	Reliability and Validity of the Osteoarthritis Research Society International Minimal Core Set of Recommended Performance-Based Tests of Physical Function in Knee Osteoarthritis in Community-Dwelling Adults. <b>2020</b> , 27, 77-89	0
470	Articular Cartilage: Homeostasis, Aging and Degeneration. <b>2020</b> , 99-122	1
469	Study on the correlation between knee osteoarthritis and anxiety in patients aged over 55. <b>2020</b> , 95-104	2
468	Relationship of Pain, Function and Quality of Life with Disease Grading among Patients with Knee Osteoarthritis. <b>2020</b> , 13, 219-226	
467	Serum RANKL levels and bioelectric impedance assessments in knee osteoarthritis patients.	
466	Primer diz osteoartrit hastalar~ nda VEGFA ve HIF1-A gen ekspresyon seviyelerinin arařt~ r~ lmas~ -.97-106	
465	Characterisation of Growth Plate Dynamics in Murine Models of Osteoarthritis. <b>2021</b> , 12, 734988	1
464	Neuropathic pain in primary knee osteoarthritis patients: correlation with physical function, quality of life, disease severity, and serum beta nerve growth factor levels. <b>2021</b> , 48,	1
463	Arthritis Pain; Rheumatoid Arthritis, Osteoarthritis, and Fibromyalgia. <b>2021</b> , 483-515	0
462	DOES PREOPERATIVE TIBIAL TUBEROSITY âTTRÓCHLEAR GROOVE DISTANCE EFFECT ON POSTOPERATIVE PATELLAR INSTABILITY IN THE PATIENTS WITH KNEE ARTHROPLASTY DUE TO MEDIUM-ADVANCED KNEE OSTEOARTHRITIS?. <b>2020</b> , 15, 121	
461	Bildgebung bei der Arthrose peripherer Gelenke. <b>2007</b> , 203-218	
460	Diagnostische Kriterien. <b>2007</b> , 57-172	
459	Epidemiologie rheumatischer Erkrankungen. <b>2005</b> , 12-20	1
458	Arthrose. <b>2005</b> , 55-74	
457	Production of interleukin-6 and interleukin-8 by nurse-like cells from rheumatoid arthritis patients after stimulation with monocytes. <b>2005</b> , 15, 415-22	2
456	Effect of nonsteroidal anti-inflammatory drug plasters for knee osteoarthritis in Japanese: a randomized controlled trial. <b>2010</b> , 20, 24-33	4

455	Phonoarthrography, musculoskeletal ultrasonography, and biochemical biomarkers for the evaluation of knee cartilage in osteoarthritis. <b>2011</b> , 21, 500-8	4
454	Celecoxib does not affect the release of hyaluronic acid in end stage osteoarthritic joints. <b>2013</b> , 23, 934-8	
453	Characterisation of growth plate dynamics in murine models of osteoarthritis.	
452	Early osteoarthritis: development of diagnostic criteria. <b>2020</b> , 14, 140-145	
451	Comment to the Article "Assessment of the Patellofemoral Joint Condition and the Possibility of its Functional Improvement after the Closed Fractures of the Patella" <b>2020</b> , 26, 74-79	
450	Efficacy and safety of colchicine for the treatment of osteoarthritis: protocol for a systematic review and meta-analysis of intervention trials.	0
449	Efficacy and Safety of Phyllanthus Amarus Cream Treatment in Knee Osteoarthritis. <b>2020</b> , 13, 97-104	
448	Efficacy and safety of Boswellia containing formulations for the treatment of osteoarthritis: protocol for a systematic review and meta-analysis of randomised controlled trials.	
447	Cohort Profile Update: The Amirkola Health and Ageing Project (AHAP). <b>2017</b> , 8, 205-212	10
446	Problems and paradigms in joint pathology. <b>1994</b> , 184 ( Pt 3), 465-76	3
445	Articular cartilage and osteoarthrosis. The role of molecular markers to monitor breakdown, repair and disease. <b>1994</b> , 184 ( Pt 3), 477-92	30
444	Labelling chronic illness in primary care: a good or a bad thing?. <b>2004</b> , 54, 932-8	17
443	Constitutive transcription of the human interleukin-6 gene by rheumatoid synoviocytes: spontaneous activation of NF-kappaB and CBF1. <b>1998</b> , 152, 793-803	72
442	4A11, a monoclonal antibody recognizing a novel antigen expressed on aberrant vascular endothelium. Upregulation in an in vivo model of contact dermatitis. <b>1994</b> , 144, 244-59	25
441	Update on osteoarthritis. <b>1990</b> , 36, 539-614	2
440	The effect of a manual therapy knee protocol on osteoarthritic knee pain: a randomised controlled trial. <b>2008</b> , 52, 229-42	33
439	Evaluation of GW406381 for treatment of osteoarthritis of the knee: two randomized, controlled studies. <b>2008</b> , 10, 259	14
438	Validation of self-report of rheumatoid arthritis and systemic lupus erythematosus: The Women's Health Initiative. <b>2008</b> , 35, 811-8	56



437	Occupation-related squatting, kneeling, and heavy lifting and the knee joint: a magnetic resonance imaging-based study in men. <b>2008</b> , 35, 1645-9	44
436	The Research Diagnostic Criteria for Temporomandibular Disorders. V: methods used to establish and validate revised Axis I diagnostic algorithms. <b>2010</b> , 24, 63-78	114
435	Arthroscopic lavage and debridement for osteoarthritis of the knee: an evidence-based analysis. <b>2005</b> , 5, 1-37	8
434	The role of neuromuscular changes in aging and knee osteoarthritis on dynamic postural control. <b>2013</b> , 4, 84-99	11
433	Efficacy of home-based kinesthesia, balance & agility exercise training among persons with symptomatic knee osteoarthritis. <b>2012</b> , 11, 751-8	11
432	The effect of hydroxychloroquine on symptoms of knee osteoarthritis: a double-blind randomized controlled clinical trial. <b>2013</b> , 38, 221-6	7
431	A multi-station proprioceptive exercise program in patients with bilateral knee osteoarthritis: functional capacity, pain and sensorimotor function. A randomized controlled trial. <b>2005</b> , 4, 590-603	20
430	Investigation the efficacy of intra-articular prolotherapy with erythropoietin and dextrose and intra-articular pulsed radiofrequency on pain level reduction and range of motion improvement in primary osteoarthritis of knee. <b>2014</b> , 19, 696-702	30
429	Cross-cultural adaptation and validation of the persian version of the oxford knee score in patients with knee osteoarthritis. <b>2014</b> , 39, 529-35	17
428	Effects of a custom-made hinged knee brace with knee flexion support for patients with knee osteoarthritis:a preliminary study. <b>2015</b> , 77, 95-101	4
427	Influence of pain severity on health-related quality of life in Chinese knee osteoarthritis patients. <b>2015</b> , 8, 4472-9	16
426	Expression and correlation of matrix metalloproteinase-7 and interleukin-15 in human osteoarthritis. <b>2015</b> , 8, 9112-8	8
425	Treatment of knee osteoarthritis with platelet-rich plasma in comparison with transcutaneous electrical nerve stimulation plus exercise: a randomized clinical trial. <b>2015</b> , 29, 223	14
424	Altered function in cartilage derived mesenchymal stem cell leads to OA-related cartilage erosion. <b>2016</b> , 8, 433-46	12
423	Repeatability of knee impulsive loading measurements with skin-mounted accelerometers and lower limb surface electromyographic recordings during gait in knee osteoarthritic and asymptomatic individuals. <b>2016</b> , 16, 63-74	7
422	Antinuclear antibodies in primary osteoarthritis of the knee: a case-control study. <b>2012</b> , 11, 624-631	
421	The differential expression of osteoprotegerin (OPG) and receptor activator of nuclear factor kappaB ligand (RANKL) in human osteoarthritic subchondral bone osteoblasts is an indicator of the metabolic state of these disease cells. <b>2008</b> , 26, 295-304	61
420	A proposed minimal rheumatological screening history and examination. The joint answers back. <b>1991</b> , 25, 111-5	11

4 <sup>19</sup>	Combination of circulating miR-19b-3p, miR-122-5p and miR-486-5p expressions correlates with risk and disease severity of knee osteoarthritis. <b>2017</b> , 9, 2852-2864	35
4 <sup>18</sup>	Intertester and intratester reliability of a movement control test battery for patients with knee osteoarthritis and controls. <b>2017</b> , 17, 197-208	3
4 <sup>17</sup>	Plaque Characteristics in the Superficial Femoral Artery Correlate with Walking Impairment Questionnaire Scores in Peripheral Arterial Disease: The Walking and Leg Circulation Study (WALCS) III. <b>2012</b> , 3, 148-157	1
4 <sup>16</sup>	SHORT-TERM EFFECTS OF TRIGGER POINT DRY NEEDLING ON PAIN AND DISABILITY IN SUBJECTS WITH PATELLOFEMORAL PAIN SYNDROME. <b>2018</b> , 13, 462-473	5
4 <sup>15</sup>	Overuse of Magnetic Resonance Imaging in the Diagnosis and Treatment of Moderate to Severe Osteoarthritis. <b>2018</b> , 38, 33-37	7
4 <sup>14</sup>	3 Tesla Magnetic Resonance Imaging Role in Articular Degenerative Pathology. <b>2018</b> , 44, 299-303	
4 <sup>13</sup>	Effect of adding whole-body vibration training to squat training on physical function and muscle strength in individuals with knee osteoarthritis. <b>2019</b> , 19, 333-341	8
4 <sup>12</sup>	Relationship between serum and synovial fluid CCL20 concentrations with disease severity in primary knee osteoarthritis. <b>2019</b> , 19, 326-332	5
4 <sup>11</sup>	Effectiveness of continuous versus pulsed short-wave diathermy in the management of knee osteoarthritis: A randomized pilot study. <b>2019</b> , 10, 431-438	2
4 <sup>10</sup>	Effects of bariatric surgery on knee osteoarthritis, knee pain and quality of life in female patients. <b>2019</b> , 19, 465-471	1
4 <sup>09</sup>	Association of BTNL2 single nucleotide polymorphisms with knee osteoarthritis susceptibility. <b>2019</b> , 12, 3921-3927	3
4 <sup>08</sup>	The effect of a lateral wedge insole and a subtalar strap on gait parameters in knee osteoarthritis. <b>2019</b> , 33, 157	
4 <sup>07</sup>	Duloxetine combined with intra-articular injection versus intra-articular injection alone for pain relief in knee osteoarthritis: a study protocol for a randomised controlled trial. <b>2020</b> , 10, e036447	
4 <sup>06</sup>	Development of the Persian Version of Knee Outcome Survey Activities for Daily Living Scale. <b>2020</b> , 45, 434-443	
4 <sup>05</sup>	[Clinical application of Taylor spatial frame in adjustment of lower extremity force line of knee medial compartmental osteoarthritis]. <b>2020</b> , 34, 452-456	1
4 <sup>04</sup>	Correlation between serum pro inflammatory cytokines and clinical scores of knee osteoarthritic patients using resveratrol as a supplementary therapy with meloxicam. <b>2021</b> , 53, 270-277	1
4 <sup>03</sup>	Comparative Analysis of the Effectiveness of Intra-Articular Injection of Platelet-Rich Plasma versus Hyaluronic Acid for Knee Osteoarthritis: Results of an Open-Label Trial. <b>2021</b> , 9, 487-495	
4 <sup>02</sup>	Monitoring deterioration of knee osteoarthritis using vibration arthrography in daily activities. <b>2022</b> , 213, 106519	1

401	The effect of one dry needling session on pain, central pain processing, muscle co-contraction and gait characteristics in patients with knee osteoarthritis: a randomized controlled trial. <b>2021</b> ,	2
400	The biology of mesenchymal stem/stromal cells in the treatment of osteoarthritis. <b>2021</b> , 100035	
399	Elevated APE1/Ref-1 Levels of Synovial Fluids in Patients with Rheumatoid Arthritis: Reflection of Disease Activity. <b>2021</b> , 10,	1
398	Virtual Mind-Body Program for Obese Knee Osteoarthritis Patients with Comorbid Depression: Development and Feasibility Pilot (Preprint).	
397	LncRNA MIR31HG is induced by tocilizumab and ameliorates rheumatoid arthritis fibroblast-like synoviocyte-mediated inflammation via miR-214-PTEN-AKT signaling pathway. <b>2021</b> , 13, 24071-24085	1
396	The relationship between knee loading during gait and cartilage thickness in nontraumatic and posttraumatic knee osteoarthritis. <b>2021</b> ,	
395	Effect of (Saffron) Intake on Top of Standard Treatment, on Disease Outcomes and Comorbidities in Patients with Rheumatic Diseases: Synthesis without Meta-Analysis (SWiM) and Level of Adherence to the CONSORT Statement for Randomized Controlled Trials Delivering Herbal Medicine Interventions. <b>2021</b> , 13,	1
394	Improved Treatment Effect of Triamcinolone Acetonide Extended-Release in Patients with Concordant Baseline Pain Scores on the Average Daily Pain and Western Ontario and McMaster Universities Osteoarthritis Index Pain Scales. <b>2021</b> , 1	0
393	Efficacy and cost-effectiveness of Stem Cell injections for symptomatic relief and structural improvement in people with Tibiofemoral knee Osteoarthritis: protocol for a randomised placebo-controlled trial (the SCULPTOR trial). <b>2021</b> , 11, e056382	1
392	Do Weight-Bearing Knee Digital Radiographs Help to Track the Severity of OA?. <b>2022</b> , 56, 664-671	0
391	Factors Associated With Clinical and Radiographic Severity in People With Osteoarthritis: A Cross-Sectional Population-Based Study. <b>2021</b> , 8, 773417	2
390	Effect of Resveratrol on Serum Levels of Type II Collagen and Aggrecan in Patients with Knee Osteoarthritis: A Pilot Clinical Study. <b>2021</b> , 2021, 3668568	1
389	Effect of transcutaneous electrical nerve stimulation (TENS) on knee pain and physical function in patients with symptomatic knee osteoarthritis: the ETRELKA randomized clinical trial. <b>2021</b> ,	1
388	Factors Associated with Intermittent, Constant, and Mixed Pain in People with Knee Osteoarthritis.	0
387	Exercise and education versus saline injections for knee osteoarthritis: a randomised controlled equivalence trial. <b>2021</b> ,	1
386	Knee symptom but not radiographic knee osteoarthritis increases the risk of falls and fractures: results from the Osteoarthritis Initiative. <b>2021</b> ,	0
385	Osteophytes: The product of convergent evolution. <b>2021</b> ,	
384	Characteristics of persons with hand osteoarthritis visiting complementary and alternative medicine providers. <b>2021</b> , 3, 100220	

- 383 Detecting low blood concentrations in joints using T1 and T2 mapping at 1.5, 3, and 7 T: an in vitro study. **2021**, 5, 51 0
- 382 Observation and Analysis of Hypertonic Dextrose in the Treatment of Knee Osteoarthritis. **2021**, 11, 5207-5212
- 381 Psychological profiles in adults with knee OA-related pain: a replication study.. **2021**, 13, 1759720X211059614 1
- 380 Association between Rheumatoid Arthritis and other autoimmune diseases. **2020**, 18-23
- 379 Epidemiological characteristics and outcomes of SARS-CoV-2 infection in patients with rheumatic diseases: first report from the Argentine SAR-COVID registry. **2021**, 7-15
- 378 Incorporating patient preferences into osteoarthritis treatment.. **2021**, 36, 577-586
- 377 Utilization of validated criteria for diagnostic assessment in nonsynchronous, allopatric populations: Role in archeologic diagnosis of rheumatoid arthritis and differentially distinguishing it from mimics. 0
- 376 Osteoarthritis. **2022**, 1605-1613
- 375 The burden of the most common rheumatic disease in Colombia.. **2022**, 6, 7 0
- 374 Associations between the morphological parameters of proximal tibiofibular joint (PTFJ) and changes in tibiofemoral joint structures in patients with knee osteoarthritis.. **2022**, 24, 34 1
- 373 Muscle weakness is associated with non-contractile muscle tissue of the vastus medialis muscle in knee osteoarthritis.. **2022**, 23, 91 1
- 372 [Translated article] Osteoprotegerin changes in saliva and serum of patients with knee osteoarthritis.. **2022**, 66, T47-T51
- 371 Pathological, Morphometric and Correlation Analysis of the Modified Mankin Score, Tidemark Roughness and Calcified Cartilage Thickness in Rat Knee Osteoarthritis after Extracorporeal Shockwave Therapy.. **2022**, 19, 242-256
- 370 End-range Maitland mobilization decreasing pain sensitivity in knee osteoarthritis: randomised, controlled clinical trial.. **2022**, 0
- 369 A comparative study between rheumatoid arthritis and osteoarthritis regarding association of insomnia with disease status. **2022**, 49, 0
- 368 Overcoming barriers for intra-articular delivery of disease-modifying osteoarthritis drugs.. **2022**, 3
- 367 Seed Extract-Based Botanical Compositions Alleviate Knee Pain and Improve Joint Function in Mild-to-Moderate Osteoarthritis: A Randomized, Double-Blind, Placebo-Controlled Clinical Study.. **2022**, 2022, 2226139 0
- 366 Characteristics of patients with knee and/or hip osteoarthritis undergoing spa treatment: the prospective KHOALA cohort study.. **2022**, 66, 573

365	Radiographic Analysis of Knee Arthritis. <b>2022</b> , 111-122	
364	Hyaluronidase treatment of synovial fluid is required for accurate detection of inflammatory cells and soluble mediators.. <b>2022</b> , 24, 18	0
363	The Expression of Inflammasomes NLRP1 and NLRP3, Toll-Like Receptors, and Vitamin D Receptor in Synovial Fibroblasts From Patients With Different Types of Knee Arthritis.. <b>2021</b> , 12, 767512	1
362	Associations between Vitamin D, Omega 6:Omega 3 Ratio, and Biomarkers of Aging in Individuals Living with and without Chronic Pain.. <b>2022</b> , 14,	1
361	CD30-targeted therapy induces apoptosis of inflammatory cytokine-stimulated synovial fibroblasts and ameliorates collagen antibody-induced arthritis in mice.. <b>2022</b> , 71, 215	
360	Effect of Physical Therapy Treatment in Knee Osteoarthritis with and without Wedge Insole: Randomized Controlled Trial. <b>2021</b> , 5,	
359	Effectiveness of Ultrasound-Guided Canal Adductor Blockade for Chronic Pain and Functioning in Knee Osteoarthritis: A Prospective Longitudinal Observational Study.. <b>2022</b> , 2022, 5270662	
358	Development and validation of the Flare-OA questionnaire for measuring flare in knee and hip osteoarthritis.. <b>2022</b> ,	0
357	Effects of Golden Plaster on Knee Osteoarthritis: A Multicenter Randomized, Double-Blind, Placebo-Controlled Trial.. <b>2022</b> , 2022, 4205648	
356	Validation of knee osteoarthritis case identification algorithms in a large electronic health record database. <b>2022</b> , 4, 100229	
355	Duloxetine in OsteoArthritis (DOA) study: effects of duloxetine on pain and function in end-stage hip and knee OA - a pragmatic enriched randomized controlled trial.. <b>2022</b> , 23, 115	0
354	Associations of body mass index with pain and the mediating role of inflammatory biomarkers in hand osteoarthritis: Results from the Nor-Hand study.. <b>2022</b> ,	3
353	Demographics and significance of porotic hyperostosis as assessed by surface microscopy.. <b>2022</b> ,	
352	Rodent models of knee osteoarthritis for pain research.. <b>2022</b> ,	2
351	Development of radiographic classification criteria for hand osteoarthritis: a methodological report (Phase 2).. <b>2022</b> , 8,	0
350	Osteoarthritis. <b>2022</b> , 50, 116-124	
349	Health literacy and appropriateness of self-care and pain management in osteoarthritis: An understanding of the patient's perspective.. <b>2021</b> ,	2
348	Two or four injections of platelet-rich plasma for osteoarthritic knee did not change synovial biomarkers but similarly improved clinical outcomes. <b>2021</b> , 11, 23603	4

- 347 Towards Tailored Rehabilitation by Implementation of a Novel Musculoskeletal Finite Element Analysis Pipeline.. **2022**, PP, 0
- 346 InterCriteria Decision Making Approach for Osteoarthritis Disease Analysis. **2022**, 421-432
- 345 An EMG-assisted muscle-force driven finite element analysis pipeline to investigate joint- and tissue-level mechanical responses in functional activities: towards a rapid assessment toolbox.. **2022**, PP, 0
- 344 Study of Relationship between Bone Mineral Density in Ipsilateral Proximal Femur and Severity of Osteoarthritis of Knee.. **2022**, 11, 599-602 0
- 343 DIGICOD, cohorte prospective observationnelle hospitalière de patients souffrant d'arthrose digitale : méthodologie et caractéristiques de la population d'inclusion. **2022**,
- 342 Determining the Profile of People with Fall Risk in Community-Living Older People in Algarve Region: A Cross-Sectional, Population-Based Study.. **2022**, 19, 0
- 341 Hypoxia-Inducible Factor-2 Alpha Regulates the Migration of Fibroblast-like Synoviocytes via Oxidative Stress-Induced CD70 Expression in Patients with Rheumatoid Arthritis.. **2022**, 23, 1
- 340 Healthy Ageing and Intellectual Disability study: summary of findings and the protocol for the 10-year follow-up study.. **2022**, 12, e053499 0
- 339 Altered neural control of gait and its association with pain and joint impairment in adults with haemophilic arthropathy: Clinical and methodological implications.. **2022**, 0
- 338 Associations between pain catastrophizing and resting-state functional brain connectivity: Ethnic/race group differences in persons with chronic knee pain.. **2022**, 1
- 337 International Foot and Ankle Osteoarthritis Consortium review and research agenda for diagnosis, epidemiology, burden, outcome assessment and treatments.. **2022**, 3
- 336 The Concept of Early Osteoarthritis and Its Significance in Regenerative Medicine.. **2022**, 0
- 335 The real results of total knee arthroplasty in moderate-to-severe osteoarthritis: a 1-year cohort study. **2022**, 73,
- 334 Increased eEF2K Promotes Glycolysis and Aggressive Behaviors of Fibroblast-Like Synoviocytes in Rheumatoid Arthritis.. **2022**, 15, 1729-1744 0
- 333 Radial T2\* mapping reveals early meniscal abnormalities in patients with knee osteoarthritis.. **2022**, 1 0
- 332 Walking-related knee contact forces and associations with knee pain across people with mild, moderate and severe radiographic knee osteoarthritis: a cross-sectional study.. **2022**,
- 331 . **2022**, 194, E428-E436 1
- 330 GaitSmart motion analysis compared to commonly used function outcome measures in the IMI-APPROACH knee osteoarthritis cohort.. **2022**, 17, e0265883

- 329 Factors Influencing Pain Management of Patients with Osteoarthritis: A Cross-Sectional Study.. **2022**, 11, 0
- 328 Artificial intelligence in diagnosis of knee osteoarthritis and prediction of arthroplasty outcomes: a review.. **2022**, 4, 16 1
- 327 Association between primary osteoarthritis and ADAMTS14 single nucleotide polymorphism in Egyptian population: a case-control study. **2022**, 49,
- 326 3D Knee Kinematic Parameters Effectively Diagnose Knee Osteoarthritis and Assess Its Therapeutic Strategy. 2100161
- 325 Do corticosteroids injections increase the risk of knee osteoarthritis progression over 5 years?. **2022**, 0
- 324 Baricitinib is a potential treatment in inflammatory osteoarthritis: a proof of concept study.. **2022**,
- 323 Efficacy of Knee Taping in addition to a Supervised Exercise Protocol to Manage Pain and Functional Status in Individuals with Patellofemoral Osteoarthritis: A Randomized, Controlled Clinical Trial.. **2022**, 2022, 2856457
- 322 Natural History of Type II Autosomal Dominant Osteopetrosis: A Single Center Retrospective Study.. **2022**, 13, 819641 0
- 321 Associations between serum biomarkers of cartilage metabolism and serum hyaluronic acid, with risk factors, pain categories, and disease severity in knee osteoarthritis: a pilot study.. **2022**, 23, 195 1
- 320 The regional turnover of cartilage collagen matrix in late-stage human knee osteoarthritis.. **2022**, 0
- 319 Different changes in the biomarker C-terminal telopeptides of type II collagen (CTX-II) following intra-articular injection of high molecular weight hyaluronic acid and oral non-steroidal anti-inflammatory drugs in patients with knee osteoarthritis: A multi-center randomized controlled study.. **2022**, 0
- 318 Correlations between metabolites in the synovial fluid and serum: A mouse injury study.. **2022**, 0
- 317 Effectiveness and cost-effectiveness of a combined lifestyle intervention compared with usual care for patients with early-stage knee osteoarthritis who are overweight (LITE): protocol for a randomised controlled trial.. **2022**, 12, e059554
- 316 Investigating acute changes in osteoarthritic cartilage by integrating biomechanics and statistical shape models of bone: data from the osteoarthritis initiative.. **2022**, 1 0
- 315 Serum and Synovial Fluid Levels of Interleukin-17A in Primary Knee Osteoarthritis Patients: Correlations With Functional Status, Pain, and Disease Severity.
- 314 CD14+ monocytes and soluble CD14 of synovial fluid are associated with osteoarthritis progression. 1
- 313 Meniscal anterior and posterior horn heights are associated with MRI-defined knee structural abnormalities in middle-aged and elderly patients with symptomatic knee osteoarthritis.. **2022**, 23, 218 0
- 312 Predictors of resilience in older adults with lower limb osteoarthritis and persistent severe pain.. **2022**, 22, 246 1

311	Quality of Life in Osteoarthritis: Relationship with Demographic and Clinical Variables. <b>2022</b> , 28, 55-60	1
310	Risk factors of knee osteoarthritis in Bangladeshi adults: a national survey.. <b>2022</b> , 23, 333	1
309	Intra-articular injection with platelet-rich plasma compared to triamcinolone hexacetonide or saline solution in knee osteoarthritis: A double blinded randomized controlled trial with one year follow-up.. <b>2022</b> , 2692155221090407	0
308	A Pilot Randomized Trial of Different Weekly Applications of Kinesthesia, Balance, and Agility Exercise Program for Individuals with Knee Osteoarthritis. <b>2022</b> , In Press,	
307	Association between knee inflammation and knee pain in patients with knee osteoarthritis: a systematic review.. <b>2021</b> ,	1
306	Osteoarthritis Flares.. <b>2022</b> , 38, 239-257	0
305	The relationship between muscle capacity utilization during gait and pain in people with symptomatic knee osteoarthritis.. <b>2022</b> , 94, 58-66	
304	Live Video Mind-Body Program for Patients With Knee Osteoarthritis, Comorbid Depression, and Obesity: Development and Feasibility Pilot Study.. <b>2022</b> , 6, e34654	
303	One-Year Change in Walking Performance and Subsequent Mobility Loss and Mortality Rates in Peripheral Artery Disease: Longitudinal Data From the WALCS.. <b>2021</b> , 10, e021917	2
302	Effect of Intra-Articular Injection of Platelet-Rich Plasma on the Serum Levels of Osteoarthritic Biomarkers in Patients with Unilateral Knee Osteoarthritis.. <b>2021</b> , 10,	1
301	Val109Asp Polymorphism of the Omentin-1 Gene and Incidence of Knee Osteoarthritis in a Chinese Han Population: A Correlation Analysis.. <b>2021</b> , 15, 5075-5086	0
300	Vitamin D and its association with symptom severity in knee osteoarthritis: a cross sectional study at a national referral hospital in Uganda.. <b>2021</b> , 5, 56	
299	Effects of a periodized circuit training protocol delivered by telerehabilitation compared to face-to-face method for knee osteoarthritis: a protocol for a non-inferiority randomized controlled trial. <b>2021</b> , 22, 887	0
298	Neuropathic pain in the IMI-APPROACH knee osteoarthritis cohort: prevalence and phenotyping.. <b>2021</b> , 7,	0
297	Effects of Repeated Coinjections of Corticosteroids and Hyaluronic Acid on Knee Osteoarthritis: A Prospective, Double-Blind Randomized Controlled Trial: Repeated Coinjections for Knee Osteoarthritis.. <b>2021</b> ,	0
296	A mechanism-based proof of concept study on the effects of duloxetine in patients with painful knee osteoarthritis.. <b>2021</b> , 22, 958	0
295	A community-centric multi-disciplinary education program with the 8-section brocade Tai Chi therapy for patients with osteoarthritis of the knee - a pilot study.. <b>2021</b> , 21, 297	0
294	Construct validity of a clinically correlated knee osteoarthritis ultrasonographic scale: a cross-sectional observational study.. <b>2021</b> , 11, e048444	0



293	Intra-articular pressure characteristics of the knee joint: An exploratory study.. <b>2021,</b>	1
292	SYNOVIAL HYPERTROPHY DETECTED USING ULTRASONOGRAM IN PRIMARY OSTEOARTHRITIC KNEES: PREVALENCE AND CORRELATION WITH RADIOGRAPHIC STAGING. <b>2020,</b> 4, 33-40	
291	OUP accepted manuscript.	0
290	Sex, but not age and bone mass index positively impact on the development of osteochondral micro-defects and the accompanying cellular alterations during osteoarthritis progression. <b>2022,</b> 8, 41-50	0
289	Multicentre study to improve clinical interpretation of rheumatoid factor and anti-citrullinated protein/peptide antibodies test results.. <b>2022,</b> 8,	2
288	Effect of Physical Therapy Treatment in Knee Osteoarthritis with and without Wedge Insole: Randomized Controlled Trial.	
287	Validation and Cross-Cultural Adaptation of the Hindi Version of the Oxford Knee Score in Patients With Knee Osteoarthritis.. <b>2022,</b> 14, e23997	
286	Distinct molecular and immune hallmarks of inflammatory arthritis induced by immune checkpoint inhibitors for cancer therapy.. <b>2022,</b> 13, 1970	2
285	AcidoCEST-UTE MRI Reveals an Acidic Microenvironment in Knee Osteoarthritis.. <b>2022,</b> 23,	1
284	Efficacy and Safety of Tramadol Hydrochloride Twice-Daily Sustained-Release Bilayer Tablets with an Immediate-Release Component for Chronic Pain Associated with Knee Osteoarthritis: A Randomized, Double-Blind, Placebo-Controlled, Treatment-Withdrawal Study.. <b>2022,</b>	0
283	Effectiveness of aquatic exercise in lower limb osteoarthritis: a meta-analysis of randomized controlled trials.. <b>2022,</b> 45,	0
282	The effects of topical and oral Nigella Sativa oil on clinical findings in knee osteoarthritis: A double-blind, randomized controlled trial. <b>2022,</b> 100562	0
281	Efficacy of leg swing versus quadriceps strengthening exercise among patients with knee osteoarthritis: study protocol for a randomized controlled trial.. <b>2022,</b> 23, 323	
280	Comparison of the open kinetic chain and closed kinetic chain strengthening exercises on pain perception and lower limb biomechanics of patients with mild knee osteoarthritis: a randomized controlled trial protocol.. <b>2022,</b> 23, 315	0
279	PATHOLOGY OF SYNOVIA AND TENDONS. 939-964	
278	Data_Sheet_1.pdf. <b>2020,</b>	
277	image_1.tif. <b>2018,</b>	
276	image_2.tif. <b>2018,</b>	

275 image\_3.tif. **2018**,

274 image\_4.tif. **2018**,

273 image\_5.tif. **2018**,

272 table\_1.docx. **2018**,

271 table\_2.docx. **2018**,

270 Data\_Sheet\_1.docx. **2020**,

269 Image\_1.TIF. **2019**,

268 Image\_2.TIF. **2019**,

267 Image\_1.TIF. **2019**,

266 Image\_2.TIF. **2019**,

265 Image\_3.TIF. **2019**,

264 Image\_4.TIF. **2019**,

263 Data\_Sheet\_1.zip. **2020**,

262 Neuromuscular joint function in knee osteoarthritis: a systematic review and meta-analysis.. **2022**, 101662 1

261 Duloxetine combined with intra-articular injection versus intra-articular injection alone for pain relief in knee osteoarthritis: a study protocol for a randomised controlled trial. **2020**, 10, e036447 0

260 Predicted and actual 2-year structural and pain progression in the IMI-APPROACH knee osteoarthritis cohort.. **2022**, 0

259 The effects of challenging walking conditions on kinematic synergy and stability of gait in people with knee osteoarthritis: A study protocol. **2022**, 11, 35

258 The Use of Low-Dose Radiotherapy in Osteoarthritis: A Review.. **2022**, 0

- 257 Platelet Rich Plasma Versus Autologous Conditioned Serum in Osteoarthritis of the Knee: Clinical Results of a Five-Year Retrospective Study. **2022,**
- 256 Frontal plane biomechanics during single-leg squat and hip strength in patients with isolated patellofemoral osteoarthritis compared to matched controls: A cross-sectional study.. **2022, 17, e0267446** ○
- 255 Comparison of screw-home movement between patients with knee osteoarthritis and normal adults.. **2022,**
- 254 Is lower extremity vein pathology a risk factor for the development of osteoarthritis of the knee joint?. **2022, 21, 19-25**
- 253 Muscle Forces during Weightbearing Exercises in Medial Knee Osteoarthritis and Varus Malalignment: A Cross-sectional Study.. **2022,** 1
- 252 Pain management and strength gains compared between pneumatic partial weight support treadmill and underwater treadmill in overweight patients with knee osteoarthritis: A randomized controlled trial.. **2022, 2692155221097032**
- 251 RNA-seq and Network Analysis Reveal Unique Chemokine Activity Signatures in the Synovial Tissue of Patients With Rheumatoid Arthritis. **2022, 9,** ○
- 250 Evaluation of a single-shot of a high-density viscoelastic solution of hyaluronic acid in patients with symptomatic primary knee osteoarthritis: the no-dolor study.. **2022, 23, 442** ○
- 249 The Association Between Sex and Osteoarthritis in the Physically Active Population: A Systematic Review.. **2022, 30, 87-91** ○
- 248 Efficacy, General Safety, and Joint Safety of Tanezumab in Japanese Patients with Osteoarthritis: Subgroup Analyses from Two Randomized, Phase 3 Studies.. **2022, 1**
- 247 A comparison of psychological characteristics in people with knee osteoarthritis from Japan and Australia: A cross-sectional study.. **2022, 17, e0267877**
- 246 Association of X-linked TLR-7 gene polymorphism with the risk of knee osteoarthritis: a case-control study.. **2022, 12, 7243** 1
- 245 Hip abductor versus adductor strengthening for clinical outcomes in knee symptomatic osteoarthritis: A randomized controlled trial. **2022, 102575** ○
- 244 Feasibility of âBarkrunâ for people with knee osteoarthritis: A mixed methods pilot study. **2022, 100269**
- 243 The Influence of Athletes' Age in the Onset of Osteoarthritis: A Systematic Review.. **2022, 30, 97-101**
- 242 Knee-Spine Syndrome: Management Dilemma When Knee Osteoarthritis Coexists With Spine Degeneration. **2022,**
- 241 Vitamin D status is associated with inflammatory biomarkers and clinical symptoms in patients with knee osteoarthritis.. **2022, 36, 44-52** ○
- 240 Vastus medialis intramuscular fat is associated with reduced quadriceps strength, but not knee osteoarthritis severity. **2022, 105669** ○

- 239 Correlation of enthesial and synovial inflammation in patients with psoriatic arthritis: Data of clinical and ultrasonographic study. **2022**, 60, 174-180
- 238 Is interleukin-17 implicated in early knee osteoarthritis pathogenesis as in rheumatoid arthritis?. **2022**, 49, 1
- 237 Granulysin expression and granulysin-mediated apoptosis in the peripheral blood of osteoarthritis patients.. **2022**, 16, 44
- 236 An investigation of the relationship between the functional status of the individuals with knee osteoarthritis and their quality of life.. **2022**, 25, 576-581
- 235 The articular cartilage: biomechanics and damage in diabetes-induced Charcot neuroarthropathy. **2022**, 261-285
- 234 The association of the lipid profile with knee and hand osteoarthritis severity: the IMI-APPROACH cohort. **2022**, 0
- 233 Serum levels of interleukin-34 and RANKL as multivariable predictors of bone erosion seen by ultrasonography in patients with ankylosing spondylitis. **2022**, 16, 89-98
- 232 Prescription-grade crystalline glucosamine sulfate as an add-on therapy to conventional treatments in erosive osteoarthritis of the hand: results from a 6-month observational retrospective study. 1
- 231 Efficacy of Single Intra-articular Injection of Hyaluronic Acid for Osteoarthritis of the Knee Joint in South Indian Population. **2022**, 4, 61-65
- 230 Increased levels of sirtuin-1 in systemic lupus erythematosus.
- 229 Higher dietary phytochemical index is associated with lower odds of knee osteoarthritis. **2022**, 12, 1
- 228 Can metformin relieve tibiofemoral cartilage volume loss and knee symptoms in overweight knee osteoarthritis patients? Study protocol for a randomized, double-blind, and placebo-controlled trial. **2022**, 23, 0
- 227 The Effect of Duloxetine on Mechanistic Pain Profiles, Cognitive Factors, and Clinical Pain in Patients with Painful Knee Osteoarthritis – A Randomized, Double-Blind , Placebo-Controlled , Crossover Study. 1
- 226 Mitochondrial Acid-5 Inhibits Reactive Oxygen Species Production and Improves Human Chondrocyte Survival by Upregulating SIRT3-Mediated, Parkin-dependent Mitophagy. 13, 0
- 225 Effect of a valgus brace on medial tibiofemoral joint contact force in knee osteoarthritis with varus malalignment: A within-participant cross-over randomised study with an uncontrolled observational longitudinal follow-up. **2022**, 17, e0257171 0
- 224 Tibiofemoral contact force differences between flat flexible and stable supportive walking shoes in people with varus-malaligned medial knee osteoarthritis: A randomized cross-over study. **2022**, 17, e0269331 0
- 223  $\alpha$ -Adrenergic receptor expression in subchondral bone of patients with varus knee osteoarthritis. **2022**, 17, 1031-1044
- 222 The proportion of hand and knee osteoarthritis and its associated risk factors among an urban diabetic population. **2022**, 8, 102 0

221	Using squeeze-and-excitation blocks to improve an accuracy of automatically grading knee osteoarthritis severity using convolutional neural networks. <b>2022</b> , 46, 317-325	
220	Risk assessment for hip and knee osteoarthritis using polygenic risk scores.	0
219	Remotely Delivered Exercise to Rural Older Adults With Knee Osteoarthritis: A Pilot Study.	1
218	Inflammaging and Osteoarthritis.	1
217	Short- and Long-Term Effectiveness of Low-Level Laser Therapy Combined with Strength Training in Knee Osteoarthritis: A Randomized Placebo-Controlled Trial. <b>2022</b> , 11, 3446	1
216	Syndecan-4 is correlated with disease activity and serological characteristic of rheumatoid arthritis. <b>2022</b> , 62,	
215	SAFETY AND EFFICACY OF INTRA-ARTICULAR STEROID INJECTIONS IN OSTEOARTHRITIS OF THE KNEE – A PROSPECTIVE OBSERVATIONAL STUDY. 29-33	
214	Patients’ and clinicians’ experiences with stratified exercise therapy in knee osteoarthritis: a qualitative study. <b>2022</b> , 23,	0
213	Effect of zoledronic acid with or without methylprednisolone on 3D bone area and bone shape in patients with symptomatic knee osteoarthritis: a post-hoc analysis of the ZAP2 trial. <b>2022</b> , 152054	
212	Does Application of Lymphatic Drainage with Kinesiology Taping Have Any Effect on the Extent of Edema and Range of Motion in Early Postoperative Recovery following Primary Endoprosthetics of the Knee Joint?. <b>2022</b> , 11, 3456	
211	Stratified exercise therapy does not improve outcomes compared with usual exercise therapy in people with knee osteoarthritis (OCTOPuS study): a cluster randomised trial. <b>2022</b> ,	0
210	A Randomized Controlled Trial of Thai Medicinal Plant-4 Cream versus Diclofenac Gel in the Management of Symptomatic Osteoarthritis of the Knee. <b>2022</b> , 2022, 1-11	1
209	Assessment of serum and synovial fluid MMP-3 and MPO as biomarkers for psoriatic arthritis and their relation to disease activity indices.	1
208	Long non-coding RNA Gm37494 alleviates osteoarthritis chondrocyte injury via the microRNA-181a-5p/GABRA1 axis. <b>2022</b> , 17,	1
207	Self-administered transcranial direct current stimulation for pain in older adults with knee osteoarthritis: A randomized controlled study. <b>2022</b> , 15, 902-909	0
206	Knee braces and foot orthoses multimodal treatment of medial knee osteoarthritis. <b>2022</b> , 96, 251-256	
205	Uncontrolled manifold analysis of gait kinematic synergy during normal and narrow path walking in individuals with knee osteoarthritis compared to asymptomatic individuals. <b>2022</b> , 141, 111203	
204	Concentric or eccentric physical activity for patients with symptomatic osteoarthritis of the knee: a randomized prospective study. <b>2022</b> , 14, 1759720X2211028	

- 203 Bioinformatics Analyses of Regulatory Network of Biomarkers in Chondrocytes from Patients with Osteoarthritis. 65, 1
- 202 Assessing Knee Osteoarthritis Severity and Biomechanical Changes After Total Knee Arthroplasty Using Self-organizing Maps. **2022**, 65-75
- 201 A randomized comparative study between high-intensity laser vs low-intensity pulsed ultrasound both combined with exercises for the treatment of knee osteoarthritis. 1
- 200 Comprehensive comparative analysis of histopathology and gene expression in subchondral bone between kashin-beck disease and primary osteoarthritis. 13, 0
- 199 Static and local dynamic stability of subjects with knee joint osteoarthritis. 095441192211027
- 198 The effectiveness of group education in people over 50 years old with knee pain: A systematic review and meta-analysis of randomized control trials. **2022**, 102627
- 197 Can Slight Variations to Lateral Wedge Insoles Induce Significant Biomechanical Changes in Patients with Knee Osteoarthritis?. **2022**, 2, 342-351 0
- 196 Metabolic discrimination of synovial fluid between rheumatoid arthritis and osteoarthritis using gas chromatography/time-of-flight mass spectrometry. **2022**, 18,
- 195 Older Korean men with inadequate vitamin D status have lower odds of radiologic osteoarthritis. **2022**, 12,
- 194 Preoperative predictors of instrumental activities of daily living disability in older adults six months after knee arthroplasty.
- 193 Cohort profile: the Halland osteoarthritis (HALLOA) cohort from knee pain to osteoarthritis: a longitudinal observational study in Sweden. **2022**, 12, e057086 0
- 192 Efficacy of sCOMP and sCTX-I in Diagnosis of Knee Osteoarthritis. 0
- 191 IL-6 activates pathologic Th17 cell via STAT 3 phosphorylation in inflammatory joint of Ankylosing Spondylitis. **2022**, 620, 69-75 0
- 190 Synovial tissue metabolomic profiling reveal biomarkers of synovial inflammation in patients with osteoarthritis. **2022**, 4, 100295 0
- 189 Comparative study of serum and synovial fluid Oncostatin M level in rheumatoid arthritis and osteoarthritis patients 2022, 15, 91-95
- 188 Effectiveness of telehealth-based exercise interventions on pain, physical function and quality of life in patients with knee osteoarthritis: A meta-analysis. 1
- 187 The benefits of adding manual therapy to exercise therapy for improving pain and function in patients with knee or hip osteoarthritis - a systematic review with meta-analysis. 1-36 0
- 186 Combination of Enzymes and Rutin to Manage Osteoarthritis Symptoms: Lessons from a Narrative Review of the Literature. 0

- 185 How do non-surgical interventions improve pain and physical function in people with osteoarthritis? A scoping review of mediation analysis studies. ○
- 184 The association between diabetes mellitus and functionality in knee osteoarthritis: a cross-sectional study. **2022**, 5, 1114-1118 ○
- 183 Synovial Fluid Regulates the Gene Expression of a Pattern of microRNA via the NF- $\kappa$ B Pathway: An In Vitro Study on Human Osteoarthritic Chondrocytes. **2022**, 23, 8334
- 182 Comparative Effectiveness of Focused Extracorporeal versus Radial Extracorporeal Shockwave Therapy for Knee Osteoarthritis—Randomized Controlled Study. **2022**, 19, 9001 ○
- 181 CLINICAL RESULTS AND PATIENT SATISFACTION AFTER TOTAL KNEE ARTROPLASTY: WHO ARE MORE SATISFIED?.
- 180 Association between popliteal artery wall thickness and structural progression in patients with symptomatic knee osteoarthritis.
- 179 Efficacy of prolonged application of low-level laser therapy combined with exercise in knee osteoarthritis: A randomized controlled double-blind study. **2022**, 36, 1281-1291 1
- 178 Regulation of type I interferon signature by VGLL3 in the fibroblast-like synoviocytes of rheumatoid arthritis patients via targeting the Hippo pathway. **2022**, 24, ○
- 177 Systematic Review and Network Meta-analysis of Acupuncture Combined with Massage in Treating Knee Osteoarthritis. **2022**, 2022, 1-21
- 176 Feasibility and safety of combining repetitive transcranial magnetic stimulation and quadriceps strengthening exercise for chronic pain in knee osteoarthritis: a study protocol for a pilot randomised controlled trial. **2022**, 12, e062577
- 175 Effect of atorvastatin on skeletal muscles of patients with knee osteoarthritis: Post-hoc analysis of a randomised controlled trial. 9,
- 174 Elevated expression of TAM receptor tyrosine kinase in synovial fluid and synovial tissue of rheumatoid arthritis.
- 173 The relationship between knee biomechanics and pain in people with knee osteoarthritis: a systematic review and meta-analysis.
- 172 Isometric Quadriceps Exercises for Patients with Knee Osteoarthritis: A Randomized Controlled Trial Comparing Knee Joint Position Flexion versus Extension. **2022**, 2022, 1-8
- 171 STRATIFICATION OF KNEE OSTEOARTHRITIS: TO THE PROBLEM OF PHENOTYPES. **2022**, 35-50
- 170 A commentary on “Radiofrequency ablation reduces pain for knee osteoarthritis: A meta-analysis of randomized controlled trials” [Int. J. Surg. 91 (2021) 105951]. **2022**, 104, 106772
- 169 Single Injection of Cross-Linked Hyaluronate in Knee Osteoarthritis: A 52-Week Double-Blind Randomized Controlled Trial. **2022**, 14, 1783
- 168 A comprehensive health education plus monitoring support program for older adults with knee osteoarthritis coexisting with overweight and type 2 diabetes. **2022**,

- 167 Trajectories of physical function and quality of life in people with osteoarthritis: Results from a 10-year population-based cohort.
- 166 Biological Targets of Multimolecular Therapies in Middle-Age Osteoarthritis. **2022**, 30, 141-146
- 165 Conditioned pain modulation as a predictor of central sensitization in primary knee osteoarthritis patients. **2023**, 45, 1-5 ○
- 164 Association of primary knee osteoarthritis with DVWA SNP in a group of Egyptian population: a case-control study. **2022**, 23, ○
- 163 What impact does osteoarthritis have on ability to self-care and receipt of care in older adults? Findings from the Hertfordshire Cohort Study. **2022**, 4, 100310 ○
- 162 Diagnostic value of matrix metalloproteinases-1, 2 and 3 in patients with primary knee osteoarthritis: Relation to radiological severity. **2023**, 45, 17-20 ○
- 161 Health Related quality of life of knee osteoarthritis patients. **2022**, 19, 463 ○
- 160 Effects of Non-Face-to-Face and Noncontact Interventions on Knee Pain and Physical Activity in Older Adults With Knee Osteoarthritis: A Systematic Review and Meta-Analysis. **2022**, 1-11 ○
- 159 Relationships between Percentage of Body Weight Support and Individual Characteristics on a Lower Body Positive Pressure Treadmill for Participants with Knee Osteoarthritis. ○
- 158 A novel serological biomarker are associated with disease severity in patients with osteoarthritis. ○
- 157 Associations of Dietary Macroelements with Knee Joint Structures, Symptoms, Quality of Life, and Comorbid Conditions in People with Symptomatic Knee Osteoarthritis. **2022**, 14, 3576 ○
- 156 Comparison between pain intensity, functionality, central sensitization, and self-efficacy in individuals with unilateral or bilateral knee osteoarthritis: a cross-sectional study. **2022**, 68, 1048-1052 ○
- 155 Features of osseous regeneration and informative value of subchondral remodeling markers in early signs of primary gonarthrosis. **2022**, 67, 433-439 ○
- 154 Effect of single end-range and not end-range Maitland mobilization on pressure pain threshold and functional measures in knee osteoarthritis: randomised, controlled clinical trial. ○
- 153 Study protocol for a randomised controlled trial of diacerein versus placebo to treat knee osteoarthritis with effusion-synovitis (DICKENS). **2022**, 23, ○
- 152 Potential Protective Role of Galectin-3 in Patients with Gonarthrosis and Diabetes Mellitus: A Cross-Sectional Study. **2022**, 19, 11480 ○
- 151 Different Prevalence of Neuropathic Pain and Risk Factors in Patients with Knee Osteoarthritis at Stages of Outpatient, Awaiting and after Total Knee Arthroplasty. ○
- 150 Safety and efficacy of intra-articular infiltration of purified autologous adipose tissue for osteoarthritis treatment: a pre-post study. **2022**, 9, ○



- 149 Who are likely to benefit from the Good Life with osteoArthritis in Denmark (GLAD) exercise and education program? An effect modifier analysis of a randomised controlled trial. **2022**, ○
- 148 Asymmetries and relationships between muscle strength, proprioception, biomechanics, and postural stability in patients with unilateral knee osteoarthritis. 10, ○
- 147 Does kinesio taping plus exercise improve pain and function in patients with knee osteoarthritis?: A systematic review and meta-analysis of randomized controlled trials. 13, ○
- 146 Efficacy and safety of GLucocorticoid injections into InfrapaTellar faT pad in patients with knee ostEoarthRitiS: protocol for the GLITTERS randomized controlled trial. ○
- 145 FGF receptor inhibitor BGJ398 partially rescues osteoarthritis-like phenotype in older high molecular weight FGF2 transgenic mice via multiple mechanisms. **2022**, 12, ○
- 144 Ultrasound-guided dry needling versus traditional dry needling for patients with knee osteoarthritis: A double-blind randomized controlled trial. **2022**, 17, e0274990 ○
- 143 HECTD1 -mediated ubiquitination and degradation of Rubicon regulates autophagy and osteoarthritis pathogenesis. ○
- 142 Sarcopenia in knee osteoarthritis: the association with clinical and sonographic findings, physical function, and nutrition. 1
- 141 Knee osteoarthritis phenotypes based on synovial fluid immune cells correlate with clinical outcome trajectories. **2022**, 1
- 140 Approaches to osteoarthritis: a qualitative study among physical therapists in Maharashtra, India. 1-11 ○
- 139 Does early lifetime overweight modify the association between adult BMI and the risk of knee arthroplasty, as measures of severe knee osteoarthritis? A prospective Danish cohort study. ○
- 138 Efficacy of Home-Based Transcranial Direct Current Stimulation on Experimental Pain Sensitivity in Older Adults with Knee Osteoarthritis: A Randomized, Sham-Controlled Clinical Trial. **2022**, 11, 5209 ○
- 137 Effect of Lateral Wedge Orthosis in Footwear on Foot Pressure Parameters in Patients of Osteoarthritis Knee. **2022**, 9, 155-161 ○
- 136 A recommended exercise program appropriate for patients with knee osteoarthritis: A systematic review and meta-analysis. 13, ○
- 135 Biomechanical markers associations with pain, symptoms, and disability compared to radiographic severity in knee osteoarthritis patients: a secondary analysis from a cluster randomized controlled trial. **2022**, 23, ○
- 134 Analysis of rheumatoid- vs psoriatic arthritis synovial fluid reveals differential macrophage (CCR2) and T helper subsets (STAT3/4 and FOXP3) activation.. **2022**, 21, 103207 ○
- 133 Relationship between the ability to walk long distances and to climb up and down stairs with the health-related quality of life of older adults with symptomatic knee osteoarthritis. **2021**, 24, ○
- 132 Relaçã da capacidade para caminhar longas distâncias e para subir e descer escadas com a qualidade de vida relacionada à saúde de idosos com osteoartrite sintomática de joelhos. **2021**, 24, ○

- 131 Could Metabolic Risk Factors Affect the Severity of Knee Osteoarthritis in Type-2 Diabetes Mellitus Patients? A Cross-Sectional Study. **2022**, 12, 213-222 ○
- 130 The quality of physiotherapy and rehabilitation program and the effect of telerehabilitation on patients with knee osteoarthritis. ○
- 129 What personal and work-related characteristics of Dutch construction workers with knee osteoarthritis are associated with future work ability?. Publish Ahead of Print, ○
- 128 Epidemiological Study of Lumbar Spinal Stenosis Symptoms: 10-Year Follow-Up in the Community. **2022**, 11, 5911 ○
- 127 Potential value of serum brain-derived neurotrophic factor, vascular endothelial growth factor, and S100B for identifying major depressive disorder in knee osteoarthritis patients. 13, ○
- 126 Determining the Efficacy and Safety of Duloxetine and Gabapentin in Pain Reduction on Knee Osteoarthritis Patients –An Observational Study. **2022**, 15, 6154-6160 ○
- 125 Efficacy and safety of colchicine for the treatment of osteoarthritis: a systematic review and meta-analysis of intervention trials. ○
- 124 Correlation of Womac Index and Cytokine Values in Patients with OA Knee. **2022**, ○
- 123 Potential predictive and therapeutic applications of small extracellular vesicles-derived circPARD3B in osteoarthritis. 13, 1
- 122 Expression and regulation of recently discovered hyaluronidases, HYBID and TMEM2, in chondrocytes from knee osteoarthritic cartilage. **2022**, 12, ○
- 121 New smokeless moxibustion for knee osteoarthritis: A study protocol for a multicenter, single-blind, randomized controlled trial. **2022**, 101, e30700 ○
- 120 ß2-microglobulin in the blood plasma as a new biomarker for assessing the activity of rheumatoid arthritis. **2022**, 21, 59-66 ○
- 119 Boswellia for osteoarthritis. **2022**, 2022, ○
- 118 Antidepressants for hip and knee osteoarthritis. **2022**, 2022, ○
- 117 Serum vitamin D receptor and fibroblast growth factor-23 levels in postmenopausal primary knee osteoarthritis patients. **2022**, ○
- 116 Effects of computer-aided rowing exercise systems on improving muscle strength and function in older adults with mild knee osteoarthritis: a randomized controlled clinical trial. **2022**, 22, ○
- 115 The KNeE OsteoArthritis Prediction (KNOAP2020) challenge: An image analysis challenge to predict incident symptomatic radiographic knee osteoarthritis from MRI and X-ray images. **2022**, ○
- 114 Efficacy and safety of curcuminoids alone in alleviating pain and dysfunction for knee osteoarthritis: a systematic review and meta-analysis of randomized controlled trials. **2022**, 22, ○

113	Differences in Synovial Cytokine Profile Associated with Long-Term Clinical Outcomes in Patients with Knee Osteoarthritis Undergoing Corrective Osteotomy with Platelet-Rich Plasma or Stromal Vascular Fraction Post-Treatments. <b>2022</b> , 23, 12835	0
112	Test-retest precision and longitudinal cartilage thickness loss in the IMI-APPROACH cohort. <b>2022</b> ,	0
111	Self-reported walking difficulty influences gait characteristics in patients with medial compartment knee osteoarthritis. <b>2022</b> , 100, 105805	0
110	Do individuals with knee osteoarthritis walk with distinct knee biomechanics and muscle activation characteristics? An investigation of knee osteoarthritis, hip osteoarthritis, and asymptomatic groups. <b>2023</b> , 99, 14-19	0
109	Breakthrough of extracellular vesicles in pathogenesis, diagnosis and treatment of osteoarthritis. <b>2023</b> , 22, 423-452	2
108	Inter-reader consistency and exclusionary findings during radiographic screening for Phase 3 trials of tanezumab in patients with osteoarthritis. <b>2022</b> , 2, 100082	0
107	Knee osteoarthritis pre-screening questionnaire (KOPS): cross-cultural adaptation and measurement properties of the brazilian versionâKOPS Brazilian version. <b>2022</b> , 62,	0
106	Therapeutic Effect of Combined Therapy of Tui-na and Oral Chinese Medicine on Osteoarthritis of Knee â Randomized Controlled Trial.	0
105	Cross-Sectional Brain-Predicted Age Differences in Community-Dwelling Middle-Aged and Older Adults with High Impact Knee Pain. Volume 15, 3575-3587	0
104	Advances in osteoarthritis imaging. Publish Ahead of Print,	0
103	Accelerated menopausal changes as human disease model âOCUMâfor the development of osteoarthritis and other degenerative disorders: protocol for a prospective cohort study. <b>2022</b> , 12, e064779	0
102	The Institute of Physical Medicine and Rehabilitation, Hospital das Cl�nicas University of S� Paulo School of Medicine comprehensive rehabilitation program for elderly people with knee osteoarthritis. 9,	0
101	Distinctive alterations in the functional anatomy of the cerebral cortex in pain-sensitized osteoarthritis and fibromyalgia patients. <b>2022</b> , 24,	0
100	Nomogram model based on radiomics signatures and age to assist in the diagnosis of knee osteoarthritis. <b>2022</b> , 112031	0
99	OPTIKNEE 2022: consensus recommendations to optimise knee health after traumatic knee injury to prevent osteoarthritis. bjsports-2022-106299	0
98	Genicular Nerve Block for Pain Management in Patients With Knee Osteoarthritis: A Randomized Placebo-Controlled Trial.	0
97	Association between adherence to a home exercise program and central sensitization, pain intensity, and functionality in individuals with knee osteoarthritis. <b>2022</b> , 23,	0
96	Effect of compression by elastic bandages on pain and function in individuals with knee osteoarthritis: protocol of a randomised controlled clinical trial. <b>2022</b> , 12, e066542	0

- 95 Intra-articular injection of clioquinol ameliorates osteoarthritis in a rabbit model. 9, ○
- 94 Responsiveness and minimal important changes of the OARSI core set of performance-based measures in patients with knee osteoarthritis following physiotherapy intervention. 1-12 ○
- 93 Enhanced echo intensity in vastus medialis is associated with worsening of functional disabilities and symptoms in patients with knee osteoarthritis: a 3 years longitudinal study. ○
- 92 Prolonged morning stiffness is common in hand OA and does not preclude a diagnosis of hand osteoarthritis. 2022, ○
- 91 Association of synovial expression of growth and differentiation factor 5 (GDF5) with radiographic severity of knee osteoarthritis. 2022, e11798 ○
- 90 Could Osteopontin be a useful biomarker in the diagnosis and severity assessment of osteoarthritis? A systematic review and meta-analysis of recent evidence. 2023, 246, 109187 ○
- 89 The influence of meniscal pathology in the incidence of knee osteoarthritis: a review. ○
- 88 Sagittal spinal alignment and mobility and their relation to physical function in women with and without mild-to-moderate knee osteoarthritis. 2023, 146, 111412 ○
- 87 A randomized, double-blind placebo-controlled phase I clinical study on safety and efficacy of the G-Rup syrup (a mixture of ginger extract and honey) in symptomatic treatment of knee osteoarthritis. 2022, 47, 2295-2301 ○
- 86 Effect of 10.6µm CO2 laser moxibustion on the fastest walking time of 15 meters in patients with knee osteoarthritis. ○
- 85 Serum Collagen Triple Helix Repeat Containing-1 Levels are Related to Radiological Affection and Disease Activity in Rheumatoid Arthritis. Volume 14, 291-299 ○
- 84 Validity of the Osteoarthritis Research Society International (OARSI) recommended performance-based tests of physical function in individuals with symptomatic Kellgren and Lawrence grade 0-3 knee osteoarthritis. 2022, 23, ○
- 83 Knee Diameter and Cross-Sectional Area as Biomarkers for Cartilage Knee Degeneration on Magnetic Resonance Images. 2023, 59, 27 ○
- 82 The relationship between clinical phenotype and kallikrein-kinin bioregulation in different forms of arthritis. ○
- 81 Addition of tDCS and TENS to an education and exercise program in subjects with knee osteoarthritis: A study protocol. 2022, 1-9 ○
- 80 Phonophoresis through Nonsteroidal Anti-Inflammatory Drugs for Knee Osteoarthritis Treatment: Systematic Review and Meta-Analysis. 2022, 10, 3254 ○
- 79 Mapping knowledge landscapes and emerging trends of the links between osteoarthritis and osteoporosis: A bibliometric analysis. 10, ○
- 78 Effects of remote ischemic conditioning on conditioned pain modulation and cardiac autonomic modulation in women with knee osteoarthritis: placebo-controlled randomized clinical trial protocol. ○

77	Imaging of Rheumatic Diseases Affecting the Lower Limb. <b>2022,</b>	0
76	A machine learning approach reveals features related to cliniciansâ diagnosis of clinically relevant knee osteoarthritis.	0
75	Factors associated with subjective knee joint stiffness in people with knee osteoarthritis: A systematic review.	2
74	No evidence for stratified exercise therapy being cost-effective compared to usual exercise therapy in patients with knee osteoarthritis: Economic evaluation alongside cluster randomized controlled trial. <b>2022,</b> 100469	0
73	Efficacy of rectus femoris stretching on pain, range of motion and spatiotemporal gait parameters in patients with knee osteoarthritis: a randomised controlled trial. <b>2022,</b> 8, e001459	0
72	Exploring High-Throughput Immunoassays for Biomarker Validation in Rheumatic Diseases in the Context of the Human Proteome Project.	1
71	Changes and associations between gait biomechanics and knee inflammation after aspiration and corticosteroid injection for knee osteoarthritis.	0
70	Effects of Intra-articular Platelet Rich Plasma on Cartilage Thickness, Clinical and Functional Outcomes in Knee Osteoarthritis. <b>2022,</b>	0
69	Impact of soft tissue around the knee on the efficacy of extracorporeal shockwave therapy in knee osteoarthritis. <b>2022,</b> 101, e32334	0
68	Passive stiffness of the quadriceps predicts the incidence of clinical knee osteoarthritis in twelve months.	0
67	Association between DVWA gene polymorphisms and knee osteoarthritis in the North Chinese Han population.	0
66	Biological Functions of Selenoprotein Glutathione Peroxidases (GPXs) and their Expression in Osteoarthritis. Volume 16, 183-196	0
65	Efficacy and safety of GLucocorticoid injections into InfrapaTellar faT pad in patients with knee ostEoarthRitiS: protocol for the GLITTERS randomized controlled trial. <b>2023,</b> 24,	0
64	Exercise and education versus intra-articular saline for knee osteoarthritis: A 1-year follow-up of a randomized trial. <b>2023,</b>	0
63	A pH-responsive metal-organic framework for the co-delivery of HIF-2 $\beta$ iRNA and curcumin for enhanced therapy of osteoarthritis. <b>2023,</b> 21,	0
62	Neuropsychological manifestations in rheumatic patients with chronic pain. <b>2023,</b> 4-4	0
61	Potential surrogate outcomes in individuals at high risk for incident knee osteoarthritis. <b>2023,</b>	0
60	Reliability of foot posture index (FPI-6) for evaluating foot posture in patients with knee osteoarthritis. 11,	0

- 59 Development and Validation of a New Patient-Reported Outcome Measure in the Arabic Language for Patients with Knee Osteoarthritis in Saudi Arabia. Volume 17, 187-198 ○
- 58 Hybrid Therapeutic Device (CUHK-OA-M2) for Relieving Symptoms Induced by Knee Osteoarthritis. **2023**, 10, 95 ○
- 57 Epidemiology of rheumatic and musculoskeletal diseases in a Nigerian peri-urban community: results of a cross-sectional survey using the COPCORD stage 1 model. **2022**, 60, 366-375 ○
- 56 Magnetic resonance imaging as a structural refinement to the American College of Rheumatology clinical classification criteria for knee osteoarthritis. **2022**, 74, ○
- 55 Balneotherapy and Health-related Quality of Life in Adults with Knee Osteoarthritis: a Prospective Observational Study Into a Real Clinical Practice Condition. **2022**, 64, 507-516 ○
- 54 Tissue Reconstructive and Regenerative Medicine Approach as an Anti-Aging Intervention: Relevance to Age-Induced Osteoarthritis. **2023**, 311-329 ○
- 53 Introduction to OA, communication, and person-centered care. **2023**, 1-14 ○
- 52 Acute loading has minor influence on human articular cartilage gene expression and glycosaminoglycan composition in late-stage knee osteoarthritis: a randomised controlled trial. **2023**, ○
- 51 Diagnosis, risk factors for OA development and progression, OA prevention, and recognizing comorbidities. **2023**, 39-53 ○
- 50 The autonomic and nociceptive response to acute exercise is impaired in people with knee osteoarthritis. **2023**, 13, 100118 ○
- 49 Endothelin-1, a marker for systemic lupus erythematosus?. ○
- 48 Prevalence of and factors associated with unmanageable pain levels in people with knee or hip osteoarthritis: a cross-sectional population-based study. **2023**, 24, ○
- 47 Machine learning identification of thresholds to discriminate osteoarthritis and rheumatoid arthritis synovial inflammation. **2023**, 25, ○
- 46 Smartphone-assisted training with education for patients with hip and/or knee osteoarthritis (SmArt-E): study protocol for a multicentre pragmatic randomized controlled trial. **2023**, 24, ○
- 45 Gouty arthritis involves impairment of autophagic degradation via cathepsin D inactivation-mediated lysosomal dysfunction that promotes apoptosis in macrophages. **2023**, 166703 ○
- 44 MRI-based synthetic CT in the detection of knee osteoarthritis: Comparison with CT. ○
- 43 Determining the optimal gait modification strategy for patients with knee osteoarthritis: Trunk lean or medial thrust?. **2023**, 102, 1-9 ○
- 42 Activated intestinal microbiome-associated tryptophan metabolism upregulates aryl hydrocarbon receptor to promote osteoarthritis in a rat model. **2023**, 118, 110020 ○

41	The effect of pentosan polysulfate sodium for improving dyslipidaemia and knee pain in people with knee osteoarthritis: A pilot study. <b>2023</b> , 5, 100343	1
40	Patients with clinically diagnosed hand OA not fulfilling the ACR classification criteria are in an earlier disease phase and more often have thumb base OA. <b>2023</b> , 5, 100347	0
39	High serum levels of galectins 1 and 4 in osteoarthritis patients. <b>2023</b> , 116, 11-15	0
38	Hippo/YAP1 inhibition by verteporfin attenuates osteophyte formation in a mouse surgical osteoarthritis model. <b>2023</b> , 149, 213413	0
37	Possible immune mechanisms initiated by 7-ketocholesterol that contribute to synovial oxidative stress and inflammation. <b>2023</b> , 175, 111078	0
36	Association between baseline meniscal extrusion and long-term incident knee osteoarthritis in two different cohorts. <b>2023</b> , 59, 152170	0
35	Intergenic Interactions of SBNO1, NFAT5 and GLT8D1 Determine the Susceptibility to Knee Osteoarthritis among Europeans of Russia. <b>2023</b> , 13, 405	0
34	A clinician's perspective on the role of imaging in knee osteoarthritis in clinical practice.	0
33	Impact of Preoperative Quality of Life and Related Factors on the Development of Surgical Site Infections Following Primary Total Joint Arthroplasty: A Prospective Case-Control Study with a Five-Year Follow-Up. <b>2023</b> , 2023, 1-10	0
32	Postural stability and its relation to knee flexor/extensor strength ratio in women with mild to moderate unilateral knee osteoarthritis: a case-control study. 1-8	0
31	Metabolite asymmetric dimethylarginine (ADMA) functions as a destabilization enhancer of SOX9 mediated by DDAH1 in osteoarthritis. <b>2023</b> , 9,	0
30	The association of vitamin D status with oxidative stress biomarkers and matrix metalloproteinases in patients with knee osteoarthritis. 10,	0
29	Cartilage tissue turnover increases with high- compared to low-intensity resistance training in patients with knee OA. <b>2023</b> , 25,	0
28	The Value of the Monocyte to High-Density Lipoprotein Cholesterol Ratio in Assessing the Severity of Knee Osteoarthritis: A Retrospective Single Center Cohort Study. Volume 16, 595-604	0
27	MRI underestimates presence and size of knee osteophytes using CT as a reference standard. <b>2023</b> ,	0
26	Responders to Medial Opening Wedge High Tibial Osteotomy for Knee Osteoarthritis. jrheum.220956	0
25	Individuals with knee osteoarthritis demonstrate increased passive stiffness of the hip flexor muscles. <b>2023</b> , 41, 302-310	0
24	Prognostic Factors Related to Clinical Response in 210 Knees Treated by Platelet-Rich Plasma for Osteoarthritis. <b>2023</b> , 13, 760	0

- 23 Examining the Relationships Among Treatment, Pain, and Physical Function in Patients With Osteoarthritis. **2023**, 39, 159-165 ○
- 22 Protocol for a randomised, placebo-controlled, double-blinded clinical trial on the effect of oestrogen replacement on physical performance to muscle resistance exercise for older women with osteoarthritis of knee joint: the EPOK trial. **2023**, 23, ○
- 21 Genetic polymorphisms of interleukin-16 in Egyptian patients with primary knee osteoarthritis. **2023**, 50, ○
- 20 Rapid Biomarker-Based Diagnosis of Fibromyalgia Syndrome and Related Rheumatologic Disorders by Portable FT-IR Spectroscopic Techniques. **2023**, 11, 712 ○
- 19 Advances in animal models for bone and joint diseases. **2023**, 141-168 ○
- 18 The Role of Vitamin D in the Development and Progression of Osteoarthritis. **2023**, 126, 298-305 ○
- 17 Preoperative Predictors of Instrumental Activities of Daily Living Disability in Older Adults 6 Months After Knee Arthroplasty. **2023**, ○
- 16 Evaluation of the effect of intra-articular platelet-rich plasma and hyaluronic acid injections on femoral cartilage thickness in chronic knee osteoarthritis. **2022**, 88, 811-819 ○
- 15 Psychological factors associated with instrumental activities of daily living disability in older adults with moderate to severe knee osteoarthritis. **2023**, 1-10 ○
- 14 Defective chaperone-mediated autophagy is a hallmark of joint disease in patients with knee osteoarthritis. **2023**, ○
- 13 Patient-Reported Quality of Care for Osteoarthritis in General Practice in South Tyrol, Italy: Protocol for Translation, Validation and Assessment of the OsteoArthritis Quality Indicator Questionnaire (OA-QI). **2023**, 6, 28 ○
- 12 Efficacy of *Perilla frutescens* (L.) Britton var. *frutescens* extract on mild knee joint pain: A randomized controlled trial. 14, ○
- 11 Curcumin and omega-3 ameliorate experimental osteoarthritis progression in terms of joint pain and mitochondrial dysfunction. ○
- 10 14-3-3[γ] Cytokine as a New Biomarker to Assess Rheumatoid Arthritis Disease Activity. **2023**, 59, 141-153 ○
- 9 Myofascial Pain as an Unseen Comorbidity in Osteoarthritis. **2023**, 39, 188-201 ○
- 8 Effects of Protein Supplementation Combined with Resistance Exercise Training on Walking Speed Recovery in Older Adults with Knee Osteoarthritis and Sarcopenia. **2023**, 15, 1552 ○
- 7 Increased risk of osteoarthritis in patients with atopic disease. ar-2022-223640 ○
- 6 The prevalence of hip osteoarthritis: a systematic review and meta-analysis. **2023**, 25, ○



- 5 Exosomes derived from synovial fibroblasts from patients with rheumatoid arthritis promote macrophage migration that can be suppressed by miR-124-3p. **2023**, 9, e14986 ○
- 4 The OA Trial Bank: Update of individual patient data meta-analysis of intra-articular glucocorticoids in persons with knee and hip osteoarthritis. **2023**, 5, 100362 ○
- 3 Evaluation of S201086/GLPG1972, an ADAMTS-5 inhibitor, for the treatment of knee osteoarthritis in ROCCELLA: a phase 2 randomized clinical trial. **2023**, ○
- 2 Evaluation of the effectiveness of ketorolac or external use in the complex treatment of osteoarthritis of the knee joints. **2023**, 156-160 ○
- 1 Proximal tibia osteotomy with absorbable spacer combined with fibular osteotomy versus high tibial osteotomy for medial compartmental knee osteoarthritis. ○