CITATION REPORT List of articles citing



DOI: 10.1002/mrm.1910030602 Magnetic Resonance in Medicine, 1986, 3, 823-33.

Source: https://exaly.com/paper-pdf/18430852/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|---|-----|-----------|
| 1663 | Fat and water separation at 0.23 T using simultaneous shift selective imaging. <i>Magnetic Resonance in Medicine</i> , 1986 , 3, 844-8 | 4.4 | 13 |
| 1662 | Rapid FLASH NMR imaging. 1987 , 74, 415-22 | | 14 |
| 1661 | Fast three-dimensional imaging of cerebrospinal fluid. <i>Magnetic Resonance in Medicine</i> , 1987 , 5, 380-3 | 4.4 | 30 |
| 1660 | A comparison of fast spin echo and gradient field echo sequences. <i>Magnetic Resonance Imaging</i> , 1988 , 6, 373-89 | 3.3 | 49 |
| 1659 | Multiecho imaging sequences with low refocusing flip angles. 1988 , 78, 397-407 | | 81 |
| 1658 | Clinical applications and methodological developments of the RARE technique. <i>Magnetic Resonance Imaging</i> , 1988 , 6, 391-5 | 3.3 | 138 |
| 1657 | The importance of the voxel size in clinical 1H spectroscopy of the human brain. 1989 , 2, 216-24 | | 21 |
| 1656 | Natural abundance silicon-29 imaging incorporating polarization transfer and multiple-echo acquisition. 1989 , 83, 371-376 | | |
| 1655 | Approach to equilibrium in snapshot imaging. <i>Magnetic Resonance Imaging</i> , 1990 , 8, 797-803 | 3.3 | 13 |
| 1654 | Contrast manipulation and artifact assessment of 2D and 3D RARE sequences. <i>Magnetic Resonance Imaging</i> , 1990 , 8, 557-66 | 3.3 | 202 |
| 1653 | Snapshot FLASH MRI. Applications to T1, T2, and chemical-shift imaging. <i>Magnetic Resonance in Medicine</i> , 1990 , 13, 77-89 | 4.4 | 628 |
| 1652 | A simple method of generating variable T1 contrast images using temporally reordered phase encoding. <i>Magnetic Resonance in Medicine</i> , 1990 , 15, 483-90 | 4.4 | 36 |
| 1651 | Measurement of CSF flow using an interferrographic MR technique based on the rare-fast imaging sequence. <i>Magnetic Resonance Imaging</i> , 1990 , 8, 543-56 | 3.3 | 11 |
| 1650 | Correction Of T2 Distortion In Multi-excitation Rare Sequence. 1990 , | | |
| 1649 | Ultra-fast imaging. <i>Magnetic Resonance Imaging</i> , 1991 , 9, 1-37 | 3.3 | 192 |
| 1648 | Cystic diseases of the kidney in children: MRI, including RARE-MR-urography. 1991 , 1, 27-32 | | 6 |
| 1647 | Ten years of clinical magnetic resonance: today's state-of-the-art system. 1991 , 1, 95-107 | | 4 |

| 1646 | EchoesBow to generate, recognize, use or avoid them in MR-imaging sequences. Part II: Echoes in imaging sequences. 1991 , 3, 179-192 | | 71 |
|------|--|-----|-----|
| 1645 | Ultrafast low-angle RARE: U-FLARE. <i>Magnetic Resonance in Medicine</i> , 1991 , 17, 539-42 | 4.4 | 72 |
| 1644 | A magnetization transfer preparation scheme for snapshot FLASH imaging. <i>Magnetic Resonance in Medicine</i> , 1991 , 19, 483-8 | 4.4 | 17 |
| 1643 | Double-volume 1H spectroscopy with interleaved acquisitions using tilted gradients. <i>Magnetic Resonance in Medicine</i> , 1991 , 20, 27-35 | 4.4 | 22 |
| 1642 | Regional 1H transverse magnetization studies in perfused rabbit kidney. <i>Magnetic Resonance in Medicine</i> , 1991 , 20, 78-88 | 4.4 | 6 |
| 1641 | Snapshot imaging using a FLARE sequence. <i>Magnetic Resonance in Medicine</i> , 1991 , 21, 282-7 | 4.4 | 7 |
| 1640 | Equipment requirements to facilitate contrast-enhanced MR imaging. <i>Magnetic Resonance in Medicine</i> , 1991 , 22, 273-9; discussion 280-1 | 4.4 | 1 |
| 1639 | Comparing the FAISE method with conventional dual-echo sequences. 1991 , 1, 319-26 | | 170 |
| 1638 | TE interleaving: new multisection imaging technique. 1991 , 1, 531-8 | | 10 |
| 1637 | Motion artifact reduction with three-point ghost phase cancellation. 1991 , 1, 633-42 | | 27 |
| 1636 | Theoretical aspects of motion sensitivity and compensation in echo-planar imaging. 1991 , 1, 643-50 | | 65 |
| 1635 | T2-weighted thin-section imaging with the multislab three-dimensional RARE technique. 1991 , 1, 695-7 | 00 | 62 |
| 1634 | T2-weighted three-dimensional MP-RAGE MR imaging. 1991 , 1, 731-7 | | 33 |
| 1633 | 1D spectroscopic imaging with rf echo planar (SIRFEN) methods. <i>Magnetic Resonance Imaging</i> , 1991 , 9, 909-16 | 3.3 | 15 |
| 1632 | RARE-MR-urography in the diagnosis of upper urinary tract abnormalities in children. 1991 , 21, 416-20 | | 88 |
| 1631 | Echo-planar imaging: magnetic resonance imaging in a fraction of a second. 1991 , 254, 43-50 | | 448 |
| 1630 | Medical imaging. 1991 , 67, 334-46 | | 7 |
| 1629 | Correction of T2 distortion in multi-excitation RARE sequence. 1992 , 11, 123-8 | | 5 |

| 1628 | Breath-hold T2-weighted sequences of the liver: a comparison of four techniques at 1.0 and 1.5 T. <i>Magnetic Resonance Imaging</i> , 1992 , 10, 41-7 | 3.3 | 12 |
|------|--|-------------|-----|
| 1627 | Thermal responses in human subjects exposed to magnetic resonance imaging. 1992 , 649, 260-72 | | 23 |
| 1626 | Signal intensity correlation of MRI with pathological findings in spinal neurinomas. 1992 , 34, 98-102 | | 27 |
| 1625 | Practical choices of fast spin echo pulse sequence parameters: clinically useful proton density and T2-weighted contrasts. 1992 , 35, 38-41 | | 27 |
| 1624 | Factors influencing contrast in fast spin-echo MR imaging. <i>Magnetic Resonance Imaging</i> , 1992 , 10, 497-5 | 1313 | 235 |
| 1623 | Improving the contrast in rapid imaging sequences with pulsed magnetization transfer contrast. 1992 , 97, 171-176 | | 2 |
| 1622 | In-plane spatial encoding in MRI and its central role in determining contrast and artifact with RF echo planar techniques. 1992 , 4, 307-325 | | 7 |
| 1621 | Magnetization transfer effects in multislice RARE sequences. <i>Magnetic Resonance in Medicine</i> , 1992 , 24, 189-95 | 4.4 | 104 |
| 1620 | Analysis of hybrid imaging techniques. <i>Magnetic Resonance in Medicine</i> , 1992 , 26, 155-73 | 4.4 | 7 |
| 1619 | Partial RF echo planar imaging with the FAISE method. I. Experimental and theoretical assessment of artifact. <i>Magnetic Resonance in Medicine</i> , 1992 , 26, 328-41 | 4.4 | 49 |
| 1618 | Partial RF echo-planar imaging with the FAISE method. II. Contrast equivalence with spin-echo sequences. <i>Magnetic Resonance in Medicine</i> , 1992 , 26, 342-54 | 4.4 | 50 |
| 1617 | A novel method for fat suppression in RARE sequences. <i>Magnetic Resonance in Medicine</i> , 1992 , 27, 107-1 | 7 .4 | 9 |
| 1616 | On the application of ultra-fast RARE experiments. <i>Magnetic Resonance in Medicine</i> , 1992 , 27, 142-64 | 4.4 | 160 |
| 1615 | The loss of small objects in variable TE imaging: implications for FSE, RARE, and EPI. <i>Magnetic Resonance in Medicine</i> , 1992 , 28, 9-24 | 4.4 | 213 |
| 1614 | Use of fluid-attenuated inversion-recovery pulse sequences for imaging the spinal cord. <i>Magnetic Resonance in Medicine</i> , 1992 , 28, 153-62 | 4.4 | 64 |
| 1613 | MR imaging of the pelvis with an endorectal-external multicoil array. 1992 , 2, 229-32 | | 30 |
| 1612 | Fast spin-echo studies of contrast and small-lesion definition in a liver-metastasis phantom. 1992 , 2, 483 | 3-7 | 17 |
| 1611 | Monitoring of laser and freezing-induced ablation in the liver with T1-weighted MR imaging. 1992 , 2, 555-62 | | 158 |

| 1610 | MR imaging of the pericardial cyst. 1992 , 2, 593-6 | | 33 |
|------|---|-----|-----|
| 1609 | Rapid fat/water assessment in knee bone marrow with inner-volume RARE spectroscopic imaging. 1992 , 2, 601-4 | | 16 |
| 1608 | QUESTa quick echo split NMR imaging technique. <i>Magnetic Resonance in Medicine</i> , 1993 , 29, 280-3 | 4.4 | 23 |
| 1607 | High-field MR microscopy using fast spin-echoes. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 60-7 | 4.4 | 32 |
| 1606 | MRI and MRS studies on the time course of rat brain lesions and the effect of drug treatment: volume quantification and characterization of tissue heterogeneity by parameter selection. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 174-82 | 4.4 | 19 |
| 1605 | Stabilization of echo amplitudes in FSE sequences. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 183-90 | 4.4 | 69 |
| 1604 | Diffusion-weighted MR microscopy with fast spin-echo. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 201-6 | 4.4 | 46 |
| 1603 | Snapshot MRI with T2*-weighted magnetization preparation. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 399-402 | 4.4 | 13 |
| 1602 | Fast proton spectroscopic imaging of human brain using multiple spin-echoes. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 409-14 | 4.4 | 131 |
| 1601 | Generalized K-space analysis and correction of motion effects in MR imaging. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 438-46 | 4.4 | 27 |
| 1600 | Evaluation of a nitroxyl fatty acid as liver contrast agent for magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 592-9 | 4.4 | 28 |
| 1599 | Ultrafast interleaved gradient-echo-planar imaging on a standard scanner. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 609-16 | 4.4 | 247 |
| 1598 | T2-weighted MR imaging of focal hepatic lesions: comparison of various RARE and fat-suppressed spin-echo sequences. 1993 , 3, 323-7 | | 35 |
| 1597 | Conventional and fast spin-echo MR imaging: minimizing echo time. 1993 , 3, 501-7 | | 35 |
| 1596 | Coupled-spin fast spin-echo MR imaging. 1993 , 3, 547-52 | | 9 |
| 1595 | MR imaging of silicone gel-filled breast implants in vivo with a method that visualizes silicone selectively. 1993 , 3, 713-7 | | 14 |
| 1594 | Reduction of ringing and blurring artifacts in fast spin-echo imaging. 1993 , 3, 803-7 | | 43 |
| 1593 | Three-dimensional fast spin-echo imaging: pulse sequence and in vivo image evaluation. 1993 , 3, 894-9 | | 43 |

| 1592 | MRI measurements of the dependence on T1 of the echo amplitudes using a multiple spin-echo scheme. <i>Magnetic Resonance Imaging</i> , 1993 , 11, 1185-92 | 3.3 | 10 |
|------|--|-----|----|
| 1591 | Magnetization transfer effects in multislice MR imaging. <i>Magnetic Resonance Imaging</i> , 1993 , 11, 521-32 | 3.3 | 61 |
| 1590 | MRI of the brain stem using fluid attenuated inversion recivery pulse sequences. 1993 , 35, 327-31 | | 69 |
| 1589 | Fast spin echo MRI and bone scintigraphy in the detection of skeletal metastases. 1993 , 3, 316-320 | | 7 |
| 1588 | Low resolution spin echo: a simple timesaving technique for MRI liver exams. <i>Magnetic Resonance Imaging</i> , 1993 , 11, 27-33 | 3.3 | |
| 1587 | Fast spin echo - inversion recovery imaging. | | |
| 1586 | Le Sequenze Turbo Spin Echo. 1994 , 7, 71-80 | | 7 |
| 1585 | T2 restoration and noise suppression of hybrid MR images using Wiener and linear prediction techniques. 1994 , 13, 667-76 | | 4 |
| 1584 | Dynamic gadolinium-enhanced MRI in the detection of spinal arteriovenous malformations. 1994 , 36, 522-9 | | 23 |
| 1583 | The value of MRI in angiogram-negative intracranial haemorrhage. 1994 , 36, 422-5 | | 34 |
| 1582 | True proton density and T2-weighted turbo spin-echo sequences for routine MRI of the brain. 1994 , 36, 591-7 | | 11 |
| 1581 | A comparison between fast and conventional spin-echo in the detection of multiple sclerosis lesions. 1994 , 36, 388-92 | | 45 |
| 1580 | Techniques for high-resolution MR imaging of atherosclerotic plaque. 1994 , 4, 43-9 | | 66 |
| 1579 | Tissue temperature monitoring for thermal interventional therapy: comparison of T1-weighted MR sequences. 1994 , 4, 65-70 | | 95 |
| 1578 | Hybrid RARE: implementations for abdominal MR imaging. 1994 , 4, 109-17 | | 35 |
| 1577 | Comparison of T2-weighted spin-echo and fast spin-echo techniques in the evaluation of myelination. 1994 , 4, 179-84 | | 9 |
| 1576 | Dynamic contrast-enhanced MR imaging of the pituitary gland with fast spin-echo technique. 1994 , 4, 509-11 | | 20 |
| 1575 | Motion artifacts in fast spin-echo imaging. 1994 , 4, 577-84 | | 15 |

| 1574 | Fast spin-echo MR imaging of the abdomen: contrast optimization and artifact reduction. 1994 , 4, 637-4 | 1 5 | 23 |
|------|---|------------|-----|
| 1573 | Dynamic spin-echo imaging: theoretical assessment and implementation. 1994 , 4, 843-52 | | 8 |
| 1572 | Silicone-fat differentiation in the breast: exploiting the bright-fat phenomenon in fast spin-echo MR imaging. 1994 , 4, 868-71 | | 1 |
| 1571 | Optimization of parameter values for complex pulse sequences by simulated annealing: application to 3D MP-RAGE imaging of the brain. <i>Magnetic Resonance in Medicine</i> , 1994 , 31, 164-77 | 4.4 | 21 |
| 1570 | Variable-averaging RARE. <i>Magnetic Resonance in Medicine</i> , 1994 , 31, 323-7 | 4.4 | 2 |
| 1569 | Functional NMR imaging using fast spin echo at 1.5 T. Magnetic Resonance in Medicine, 1994 , 31, 686-90 | 4.4 | 74 |
| 1568 | Observation of a fast response in functional MR. <i>Magnetic Resonance in Medicine</i> , 1994 , 32, 146-9 | 4.4 | 198 |
| 1567 | Dynamically adaptive MRI with encoding by singular value decomposition. <i>Magnetic Resonance in Medicine</i> , 1994 , 32, 268-74 | 4.4 | 92 |
| 1566 | Modeling and observation of temperature changes in vivo using MRI. <i>Magnetic Resonance in Medicine</i> , 1994 , 32, 358-69 | 4.4 | 94 |
| 1565 | Radial turbo spin echo imaging. <i>Magnetic Resonance in Medicine</i> , 1994 , 32, 629-38 | 4.4 | 51 |
| 1564 | A new T2 preparation technique for ultrafast gradient-echo sequence. <i>Magnetic Resonance in Medicine</i> , 1994 , 32, 652-7 | 4.4 | 26 |
| 1563 | Gradient moment nulling in fast spin echo. <i>Magnetic Resonance in Medicine</i> , 1994 , 32, 698-706 | 4.4 | 63 |
| 1562 | Initial feasibility studies using single-shot EPI for the detection of focal liver lesions. <i>Magnetic Resonance in Medicine</i> , 1994 , 32, 733-7 | 4.4 | 14 |
| 1561 | Measurement of diffusion coefficients using a quick echo split NMR imaging technique. <i>Magnetic Resonance Imaging</i> , 1994 , 12, 1167-74 | 3.3 | 6 |
| 1560 | Short tau inversion recovery fast spin-echo (fast STIR) imaging of the spinal cord in multiple sclerosis. <i>Magnetic Resonance Imaging</i> , 1994 , 12, 983-9 | 3.3 | 25 |
| 1559 | A fast 3D-imaging technique for performing dynamic Gd-enhanced MRI of breast lesions. <i>Magnetic Resonance Imaging</i> , 1994 , 12, 545-51 | 3.3 | 22 |
| 1558 | Turbo spin-echo sequences in magnetic resonance imaging of the brain: Physics and applications. 1994 , 2, 51-59 | | 6 |
| 1557 | MR of cervical lymph nodes: comparison of fast spin-echo and conventional spin-echo T2W scans. 1994 , 49, 670-5 | | 13 |

| 1556 | Magnetic resonance evaluation of acquired benign uterine disorders. 1994 , 15, 18-26 | | 5 |
|------|--|-----------------|-----|
| 1555 | MRI and CT of tumors of the pharynx: comparison of the two imaging procedures including fast and ultrafast MR sequences. 1994 , 18, 81-91 | | 19 |
| 1554 | | | 2 |
| 1553 | Fast Spin Echo e Spin-Echo: A confronto in neuroradiologia pediatrica. 1994 , 7, 579-593 | | 1 |
| 1552 | . 1995 , 14, 621-638 | | 8 |
| 1551 | High-resolution MR imaging of human arteries. 1995 , 5, 93-100 | | 102 |
| 1550 | Unsuppressed fat in the right anterior diaphragmatic region on fat-suppressed T2-weighted fast spin-echo MR images. 1995 , 5, 145-9 | | 18 |
| 1549 | T2-weighted MR imaging of the chest: comparison of electrocardiograph-triggered conventional and turbo spin-echo and nontriggered turbo spin-echo sequences. 1995 , 5, 325-9 | | 23 |
| 1548 | Superparamagnetic iron oxide hepatic MR imaging: efficacy and safety using conventional and fast spin-echo pulse sequences. 1995 , 5, 566-70 | | 41 |
| 1547 | Fast spin-echo characteristics of visual stimulation-induced signal changes in the human brain. 1995 , 5, 709-14 | | 26 |
| 1546 | Breath-hold projection magnetic resonance-cholangio-pancreaticography (MRCP): a new method for the examination of the bile and pancreatic ducts. <i>Magnetic Resonance in Medicine</i> , 1995 , 33, 18-23 | 4.4 | 119 |
| 1545 | Echo-time reduction for submillimeter resolution imaging with a 3D phase encode time reduced acquisition method. <i>Magnetic Resonance in Medicine</i> , 1995 , 33, 82-7 | 4.4 | 23 |
| 1544 | Ultra-rapid gradient echo imaging. <i>Magnetic Resonance in Medicine</i> , 1995 , 33, 143-9 | 4.4 | 24 |
| 1543 | Dual-echo interleaved echo-planar imaging of the brain. <i>Magnetic Resonance in Medicine</i> , 1995 , 33, 264-7 | 7. 0.4 | 4 |
| 1542 | Optimized ultra-fast imaging sequence (OUFIS). <i>Magnetic Resonance in Medicine</i> , 1995 , 33, 377-95 | 4.4 | 30 |
| 1541 | Susceptibility insensitive single shot MRI combining BURST and multiple spin echoes. <i>Magnetic Resonance in Medicine</i> , 1995 , 33, 439-42 | 4.4 | 10 |
| 1540 | GRASE improves spatial resolution in single shot imaging. <i>Magnetic Resonance in Medicine</i> , 1995 , 33, 529 | ₂ да | 39 |
| 1539 | Increased flexibility in GRASE imaging by k space-banded phase encoding. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 149-55 | 4.4 | 18 |

(1995-1995)

| 1538 | A computer simulation of the static magnetic field distribution in the human head. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 268-75 | 4.4 | 43 |
|------|---|-----|-----|
| 1537 | Spiral imaging on a small-bore system at 4.7T. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 580-5 | 4.4 | 32 |
| 1536 | A time encoding method for single-shot imaging. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 618-22 | 4.4 | 15 |
| 1535 | Reduction of phase error ghosting artifacts in thin slice fast spin-echo imaging. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 632-8 | 4.4 | 19 |
| 1534 | A methodology for co-registering abdominal MR images over multiple breath-holds. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 770-4 | 4.4 | 5 |
| 1533 | Contrast optimization of fluid-attenuated inversion recovery (FLAIR) imaging. <i>Magnetic Resonance in Medicine</i> , 1995 , 34, 868-77 | 4.4 | 102 |
| 1532 | A fast method for in vivo lactate imaging. 1995 , 8, 225-31 | | 6 |
| 1531 | Interpretation of DW-NMR data: dependence on experimental conditions. 1995, 8, 280-8 | | 28 |
| 1530 | Acquisition and reconstruction of the principal components of an image: A novel MRI technique for reducing scanning time. 1995 , 6, 191-202 | | 2 |
| 1529 | Haemangiomatosis in children: value of MRI during therapy. 1995 , 25, 123-6 | | 8 |
| 1528 | Characterization of bone marrow after transplantation by means of magnetic resonance. 1995 , 70, 3-13 | 3 | 8 |
| 1527 | A matched filter echo summation technique for MRI. <i>Magnetic Resonance Imaging</i> , 1995 , 13, 241-9 | 3.3 | 5 |
| 1526 | Value of RARE-MRI sequences in the diagnosis of lymphangiomatosis in children. <i>Magnetic Resonance Imaging</i> , 1995 , 13, 481-8 | 3.3 | 7 |
| 1525 | Fast imaging MR assessment of ureterohydronephrosis during pregnancy. <i>Magnetic Resonance Imaging</i> , 1995 , 13, 767-72 | 3.3 | 52 |
| 1524 | New technical developments in magnetic resonance imaging of epilepsy. <i>Magnetic Resonance Imaging</i> , 1995 , 13, 1095-8 | 3.3 | 7 |
| 1523 | From NMR diffraction and zeugmatography to modern imaging and beyond. 1995 , 28, 87-135 | | 16 |
| 1522 | Dedicated low-field MRI: a promising low cost-technique. 1995 , 33, 735-9 | | 12 |
| 1521 | MR imaging of focal liver lesions: comparison between turbo spin-echo and conventional spin-echo pulse sequences. 1995 , 3, 143-50 | | 3 |

| 1520 Magnetic Resonance Imaging. 1995 , 145-186 | 4 |
|--|----|
| 1519 Artifact assessment of RARE sequence in brain with motion reduction techniques. | |
| Magnetic resonance imaging in partial epilepsy: additional abnormalities shown with the fluid attenuated inversion recovery (FLAIR) pulse sequence. 1995 , 58, 439-43 | 48 |
| 1517 . | |
| 1516 Fast Spin Echo Imaging of the Spine. 1995 , 8, 675-684 | 1 |
| High resolution magnetic resonance imaging of the anterior visual pathway in patients with optic neuropathies using fast spin echo and phased array local coils. 1995 , 58, 562-9 | 36 |
| 1514 Magnetic Resonance Microscopy. 1995 , 31, 31-80 | 2 |
| Contrast on T2-weighted images of the lumbar spine using fast spin-echo and gated conventional spin-echo sequences. 1995 , 37, 183-6 | 12 |
| 1512 . 1995 , 42, 1343-1347 | 1 |
| Magnetic resonance imaging: spinal cord imaging with the turbo-fluid attenuated inversion recovery (FLAIR) pulse sequence. 1995 , 50, 1-5 | 18 |
| 1510 MR imaging of the female pelvis. 1995 , 50, 667-76 | 7 |
| 1509 Fast spin-echo imaging of the temporomandibular joint. 1995 , 5, 293-6 | 13 |
| Evaluation of meniscal tears: fast spin-echo versus conventional spin-echo magnetic resonance imaging. 1995 , 2, 209-14 | 35 |
| Turbo gradient-spin-echo (GRASE): first clinical experiences with a fast T2-weighted sequence in MRI of the brain. 1995 , 19, 171-6 | 18 |
| Effect of magnetic resonance exposure combined with gadopentetate dimeglumine on chromosomes in animal specimens. 1995 , 2, 492-6 | 18 |
| Magnetic resonance imaging of NMDA-induced lesion of the medial preoptic area and changes in sleep, temperature and sex behaviour. 1996 , 24, 207-14 | 21 |
| Magnetic resonance imaging: a new diagnostic aid in the care of high-voltage electrical burns. 1996 , 22, 117-9 | 33 |
| 1503 Magnetic resonance imaging: present position and future prospects. 1996 , 32A, 589-92 | 1 |

| | 13 |
|---|----------|
| A comparison of fast and conventional T2 weighted spin-echo sequences in the detection of focal liver lesions at 1.0T. 1996 , 51, 769-74 | 2 |
| 1500 Magnetic resonance imaging of temporal changes of neurotoxic lesion in the rat. 1996 , 40, 273-7 | 17 |
| Lesion discrimination in optic neuritis using high-resolution fat-suppressed fast spin-echo MRI. 1499 1996 , 38, 317-21 | 58 |
| 1498 Theoretical comparison of Fourier and wavelet encoding in magnetic resonance imaging. 1996 , 15, 141-53 | 32 |
| 1497 Environmental NMR: Magnetic Resonance Imaging. 1996 , 575-586 | 4 |
| 1496 Short communication: MR imaging of fetal brain abnormalities using a HASTE sequence. 1996 , 69, 668-70 | 25 |
| 1495 Fast Spin Echo MR Imaging in Acute Spinal Trauma. 1996 , 9, 565-571 | 1 |
| 1494 MRI of the Female Pelvis. 1996 , | |
| Cerebrospinal fluid shunting in idiopathic normal-pressure hydrocephalus of the elderly: effect of periventricular and deep white matter lesions. 1996 , 39, 292-9; discussion 299-300 | 149 |
| 1492 Gas Hydrates Studied by MRI. 1996 , 1-10 | 1 |
| | · |
| 1491 Velocity Imaging of Transient Flows. 1996 , | |
| Velocity Imaging of Transient Flows. 1996, Proton chemical shift imaging, metabolic maps, and single voxel spectroscopy of glial brain tumors. 1490 1491 1491 1491 1491 1491 1491 | 33 |
| Proton chemical shift imaging, metabolic maps, and single voxel spectroscopy of glial brain tumors. | 33 23 |
| Proton chemical shift imaging, metabolic maps, and single voxel spectroscopy of glial brain tumors. 1490 1996, 4, 139-50 | |
| Proton chemical shift imaging, metabolic maps, and single voxel spectroscopy of glial brain tumors. 1996, 4, 139-50 Development of biocompatible implants of fusinite for in vivo EPR oximetry. 1996, 4, 71-5 | 23 |
| Proton chemical shift imaging, metabolic maps, and single voxel spectroscopy of glial brain tumors. 1996, 4, 139-50 Development of biocompatible implants of fusinite for in vivo EPR oximetry. 1996, 4, 71-5 Assessment of painful ureterohydronephrosis during pregnancy by MR urography. 1996, 6, 334-8 | 23 76 |

| 1484 | Liver MR imaging: comparison of respiratory triggered fast spin echo with T2-weighted spin-echo and inversion recovery. 1996 , 21, 433-9 | | 14 |
|------|---|-----|----|
| 1483 | The future technical development of MRI. 1996 , 6, 52-6 | | 2 |
| 1482 | Optimizing fast spin echo acquisitions for hepatic imaging in normal subjects. 1996 , 6, 128-35 | | 16 |
| 1481 | T1-weighted MR imaging of the brain using a fast inversion recovery pulse sequence. 1996 , 6, 356-62 | | 23 |
| 1480 | Adaptive filtering for high resolution magnetic resonance images. 1996 , 6, 367-77 | | 3 |
| 1479 | Determination of 1H relaxation times of water in human bone marrow by fat-suppressed turbo spin echo in comparison to MR spectroscopic methods. 1996 , 6, 541-8 | | 38 |
| 1478 | MRI in characterization of focal liver lesions: comparison of T2 weighting by conventional spin-echo and turbo spin-echo sequences. 1996 , 6, 589-95 | | 8 |
| 1477 | MR of focal liver lesions: comparison of breath-hold and non-breath-hold hybrid RARE and conventional spin-echo T2-weighted pulse sequences. 1996 , 6, 596-602 | | 21 |
| 1476 | Recent technical advances in MR imaging of the abdomen. 1996 , 6, 822-32 | | 24 |
| 1475 | Separation of water and fat MR images in a single scan at .35 T using "sandwich" echoes. 1996 , 6, 909-1 | 7 | 22 |
| 1474 | Single-shot GRASE imaging with short effective TEs. 1996 , 6, 944-7 | | 9 |
| 1473 | Coherence transfer by isotropic mixing in Carr-Purcell-Meiboom-Gill imaging: implications for the bright fat phenomenon in fast spin-echo imaging. <i>Magnetic Resonance in Medicine</i> , 1996 , 35, 506-13 | 4.4 | 22 |
| 1472 | A real-time reconstruction system for magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 1996 , 35, 734-40 | 4.4 | 21 |
| 1471 | Fast 3D large-angle spin-echo imaging (3D FLASE). <i>Magnetic Resonance in Medicine</i> , 1996 , 35, 903-10 | 4.4 | 92 |
| 1470 | A comparison of phase encoding ordering schemes in T2-weighted GRASE imaging. <i>Magnetic Resonance in Medicine</i> , 1996 , 36, 427-35 | 4.4 | 21 |
| 1469 | Multisection T1-weighted hybrid-RARE: a pulse sequence for MR imaging of the entire liver during suspended respiration. <i>Magnetic Resonance in Medicine</i> , 1996 , 36, 767-74 | 4.4 | 2 |
| 1468 | An alternative to GRASE: toward spin-echo-like contrast with independent reconstruction of gradient-echo images. <i>Magnetic Resonance in Medicine</i> , 1996 , 36, 804-8 | 4.4 | 1 |
| 1467 | Curved slice imaging. <i>Magnetic Resonance in Medicine</i> , 1996 , 36, 932-9 | 4.4 | 33 |

| 1466 | MRI of the intracerebral lesions at 0.5 Tesla: comparison of fast spin-echo and conventional spin-echo sequences. 1996 , 20, 105-13 | 1 |
|------|--|-----|
| 1465 | Simulation of MRI cluster plots and application to neurological segmentation. <i>Magnetic Resonance Imaging</i> , 1996 , 14, 73-92 | 59 |
| 1464 | Bone marrow NMR in vivo. 1996 , 29, 169-227 | 26 |
| 1463 | Detection of dilated subarachnoid space around the optic nerve in patients with papilloedema using T2 weighted fast spin echo imaging. 1996 , 60, 108-9 | 10 |
| 1462 | Comparison between conventional and fast spin-echo stir sequences. 1996 , 37, 943-9 | 10 |
| 1461 | Optimum conditions for iron colloid enhanced fast spin echo imaging in hepatocellular carcinoma. 1997 , 70, 791-7 | |
| 1460 | Temperature monitoring of ultrasonically heated muscle with RARE chemical shift imaging. <i>Medical Physics</i> , 1997 , 24, 1899-906 | 16 |
| 1459 | Dosimetrie ionisierender Strahlen mittels 1H-MRS leine neue Technik zur raschen lokalisierten Dosisbestimmung. 1997 , 7, 99-103 | 1 |
| 1458 | Magnetic resonance cholangiopancreatography. 1997 , 41, 135-7 | 22 |
| 1457 | Rapid Lumbar Spine MR Myelography: Imaging Findings Using a Single-Shot Technique. 1997 , 10, 181-187 | 1 |
| 1456 | Ectopic vaginal insertion of an upper pole ureter: demonstration by special sequences of magnetic resonance imaging. 1997 , 158, 1931-2 | 44 |
| 1455 | Anatomic localization and quantitative analysis of gradient refocused echo-planar fMRI susceptibility artifacts. 1997 , 6, 156-67 | 556 |
| 1454 | Value of magnetic resonance imaging in assessing efficacy in clinical trials of multiple sclerosis therapies. 1997 , 72, 1080-9 | 9 |
| 1453 | A review of MRI pulse sequences and techniques in neuroimaging. 1997 , 47, 185-99 | 36 |
| 1452 | Optimization of sequences for MRI of the abdomen and pelvis. 1997 , 52, 412-28 | 1 |
| 1451 | Non-invasive cholangio-pancreatography by breath-hold magnetic resonance imaging: preliminary results. 1997 , 52, 345-50 | 23 |
| 1450 | MR imaging of soft tissues adjacent to orthopaedic hardware: techniques to minimize susceptibility artefact. 1997 , 52, 589-94 | 49 |
| 1449 | Magnetic resonance imaging. 1997 , 14, 56-66 | 107 |

| 1448 | Signal changes in the spinal cord of the rat after injection of formalin into the hindpaw: characterization using functional magnetic resonance imaging. 1997 , 94, 5034-9 | | 36 |
|------|---|-----|-----|
| 1447 | Evaluation of Spatial Resolution on Fast Spin-Echo Images : Effect of Echo Train Length and Interecho Spacing. 1997 , 53, 590-594 | | О |
| 1446 | Multiecho approaches to spectroscopic imaging of the brain. 1997 , 820, 97-122 | | 12 |
| 1445 | Magnetic resonance imaging of the bile ducts. 1997 , 32, 188-201 | | 14 |
| 1444 | Imaging of oily formulations in the gastrointestinal tract. 1997 , 25, 91-101 | | 15 |
| 1443 | Regional proton nuclear magnetic resonance spectroscopy differentiates cortex and medulla in the isolated perfused rat kidney. 1997 , 5, 151-8 | | 10 |
| 1442 | Preliminary experience with a new double-echo half-Fourier single-shot turbo spin echo acquisition in the characterization of liver lesions. 1997 , 5, 79-84 | | 5 |
| 1441 | Contrast-modified gradient echo imaging using rotary echo preparatory pulses. 1997 , 5, 193-200 | | |
| 1440 | Comparison between magnetization transfer contrast and fast spin-echo MR imaging of degenerative disease of the cervical spine at 0.3 T. <i>Magnetic Resonance Imaging</i> , 1997 , 15, 37-45 | 3.3 | 4 |
| 1439 | In vivo bone marrow lipid characterization with line scan Carr-Purcell-Meiboom-Gill proton spectroscopic imaging. <i>Magnetic Resonance Imaging</i> , 1997 , 15, 823-37 | 3.3 | 22 |
| 1438 | Motion artifact in T2-weighted fast spin-echo images of the liver: effect on image contrast and reduction of artifact using respiratory triggering in normal volunteers. 1997 , 7, 298-302 | | 15 |
| 1437 | Implementation of a reduced field-of-view method for dynamic MR imaging using navigator echoes. 1997 , 7, 376-81 | | 12 |
| 1436 | Multi-echo 31P spectroscopic imaging of ATP: a scan time reduction strategy. 1997 , 7, 425-33 | | 17 |
| 1435 | Progression of a focal ischemic lesion in rat brain during treatment with a novel glycine/NMDA antagonist: an in vivo three-dimensional diffusion-weighted MR microscopy study. 1997 , 7, 739-44 | | 13 |
| 1434 | RARE imaging of PCr in human forearm muscles. 1997 , 7, 1048-55 | | 19 |
| 1433 | The sensitivity of low flip angle RARE imaging. <i>Magnetic Resonance in Medicine</i> , 1997 , 37, 176-84 | 4.4 | 130 |
| 1432 | RARE spiral T2-weighted imaging. <i>Magnetic Resonance in Medicine</i> , 1997 , 37, 582-90 | 4.4 | 15 |
| 1431 | An extended two-point Dixon algorithm for calculating separate water, fat, and B0 images. <i>Magnetic Resonance in Medicine</i> , 1997 , 37, 628-30 | 4.4 | 87 |

| 1430 | VET imaging: magnetic resonance imaging with variable encoding time. <i>Magnetic Resonance in Medicine</i> , 1997 , 38, 7-14 | 4.4 | 4 |
|------------------------------|---|-----|----------------|
| 1429 | Phase insensitive preparation of single-shot RARE: application to diffusion imaging in humans. <i>Magnetic Resonance in Medicine</i> , 1997 , 38, 527-33 | 4.4 | 148 |
| 1428 | Half-Fourier BURST imaging on a clinical scanner. <i>Magnetic Resonance in Medicine</i> , 1997 , 38, 534-40 | 4.4 | 9 |
| 1427 | Simultaneous acquisition of spatial harmonics (SMASH): fast imaging with radiofrequency coil arrays. <i>Magnetic Resonance in Medicine</i> , 1997 , 38, 591-603 | 4.4 | 1826 |
| 1426 | SPLICE: sub-second diffusion-sensitive MR imaging using a modified fast spin-echo acquisition mode. <i>Magnetic Resonance in Medicine</i> , 1997 , 38, 638-44 | 4.4 | 100 |
| 1425 | STEAM-Burst: a single-shot, multi-slice imaging sequence without rapid gradient switching. <i>Magnetic Resonance in Medicine</i> , 1997 , 38, 645-52 | 4.4 | 12 |
| 1424 | Non-Fourier encoding with multiple spin echoes. <i>Magnetic Resonance in Medicine</i> , 1997 , 38, 964-73 | 4.4 | 17 |
| 1423 | Theoretical evaluation and comparison of fast chemical shift imaging methods. 1997 , 129, 145-60 | | 143 |
| 1422 | High-resolution functional magnetic resonance imaging of the rat brain: mapping changes in cerebral blood volume using iron oxide contrast media. 1998 , 18, 1178-83 | | 73 |
| | | | |
| 1421 | MRI for physiology and function: technical advances in MRI of congenital heart disease. 1998 , 33, 293-3 | 301 | 12 |
| ' | MRI for physiology and function: technical advances in MRI of congenital heart disease. 1998 , 33, 293-3 SPARE: A robust method for magnetic resonance imaging in inhomogeneous fields. 1998 , 130, 58-62 | 301 | 7 |
| ' | | 301 | |
| 1420 | SPARE: A robust method for magnetic resonance imaging in inhomogeneous fields. 1998 , 130, 58-62 | 801 | 7 |
| 1420 1419 | SPARE: A robust method for magnetic resonance imaging in inhomogeneous fields. 1998 , 130, 58-62 Pulsed-field-gradient measurements of time-dependent gas diffusion. 1998 , 135, 478-86 Guidelines for using quantitative measures of brain magnetic resonance imaging abnormalities in | 801 | 7 73 |
| 1420 1419 1418 | SPARE: A robust method for magnetic resonance imaging in inhomogeneous fields. 1998, 130, 58-62 Pulsed-field-gradient measurements of time-dependent gas diffusion. 1998, 135, 478-86 Guidelines for using quantitative measures of brain magnetic resonance imaging abnormalities in monitoring the treatment of multiple sclerosis. 1998, 43, 499-506 Evaluation of noninvasive cerebrospinal fluid volume measurement method with 3D-FASE MRI. | 4.4 | 7 73 120 |
| 1420 1419 1418 | SPARE: A robust method for magnetic resonance imaging in inhomogeneous fields. 1998, 130, 58-62 Pulsed-field-gradient measurements of time-dependent gas diffusion. 1998, 135, 478-86 Guidelines for using quantitative measures of brain magnetic resonance imaging abnormalities in monitoring the treatment of multiple sclerosis. 1998, 43, 499-506 Evaluation of noninvasive cerebrospinal fluid volume measurement method with 3D-FASE MRI. 1998, 29, 41-49 | | 7 73 120 |
| 1420 1419 1418 1417 | SPARE: A robust method for magnetic resonance imaging in inhomogeneous fields. 1998, 130, 58-62 Pulsed-field-gradient measurements of time-dependent gas diffusion. 1998, 135, 478-86 Guidelines for using quantitative measures of brain magnetic resonance imaging abnormalities in monitoring the treatment of multiple sclerosis. 1998, 43, 499-506 Evaluation of noninvasive cerebrospinal fluid volume measurement method with 3D-FASE MRI. 1998, 29, 41-49 A fast spin echo technique with circular sampling. <i>Magnetic Resonance in Medicine</i> , 1998, 39, 23-7 Multiple-echo proton spectroscopic imaging using time domain parametric spectral analysis. | 4.4 | 7 73 120 3 18 |

| 1412 | BASE imaging: a new spin labeling technique for measuring absolute perfusion changes. <i>Magnetic Resonance in Medicine</i> , 1998 , 39, 717-22 | 4.4 | 12 |
|------|---|-----|----|
| 1411 | Fast imaging of phosphocreatine using a RARE pulse sequence. <i>Magnetic Resonance in Medicine</i> , 1998 , 39, 851-4 | 4.4 | 24 |
| 1410 | Small particles of fusinite and carbohydrate chars coated with aqueous soluble polymers: preparation and applications for in vivo EPR oximetry. <i>Magnetic Resonance in Medicine</i> , 1998 , 40, 152-9 | 4.4 | 34 |
| 1409 | 29Si imaging of silicone breast implants and intraocular silicone oil. <i>Magnetic Resonance in Medicine</i> , 1998 , 40, 170-4 | 4.4 | 2 |
| 1408 | A motion correction scheme by twin-echo navigation for diffusion-weighted magnetic resonance imaging with multiple RF echo acquisition. <i>Magnetic Resonance in Medicine</i> , 1998 , 40, 511-6 | 4.4 | 89 |
| 1407 | Artifacts induced by concomitant magnetic field in fast spin-echo imaging. <i>Magnetic Resonance in Medicine</i> , 1998 , 40, 582-91 | 4.4 | 37 |
| 1406 | Ultrafast T2-weighted imaging of the abdomen and pelvis: use of single shot fast spin-echo imaging. 1998 , 8, 384-90 | | 25 |
| 1405 | A novel MR angiography technique: SPEED acquisition using half-Fourier RARE. 1998 , 8, 505-7 | | 29 |
| 1404 | The value of respiratory triggered T2-weighted turbo spin-echo imaging of the liver using a phased array coil. 1998 , 8, 655-62 | | 10 |
| 1403 | Optimized outer volume suppression for single-shot fast spin-echo cardiac imaging. 1998 , 8, 1022-32 | | 87 |
| 1402 | Comparison of multishot turbo spin echo and HASTE sequences for T2-weighted MRI of liver lesions. 1998 , 8, 1079-84 | | 31 |
| 1401 | Comparison of ultrafast half-Fourier single-shot turbo spin-echo sequence with turbo spin-echo sequences for T2-weighted imaging of the female pelvis. 1998 , 8, 1207-12 | | 19 |
| 1400 | Single-shot diffusion-weighted RARE sequence: application for temperature monitoring during hyperthermia session. 1998 , 8, 1296-305 | | 26 |
| 1399 | Quantitative diffusion coefficient maps using fast spin-echo MRI. <i>Magnetic Resonance Imaging</i> , 1998 , 16, 877-86 | 3.3 | 29 |
| 1398 | Biomedical imaging using hyperpolarized noble gas MRI: pulse sequence considerations. 1998 , 402, 454 | -60 | 18 |
| 1397 | Changes in magnetic resonance imaging and sex behavior after 6-OHDA injection in the medial preoptic area. 1998 , 45, 333-9 | | 13 |
| 1396 | MRI: use of the inversion recovery pulse sequence. 1998 , 53, 159-76 | | 48 |
| 1395 | Hepatic metastases. 1998 , 36, 349-63 | | 36 |

| 1394 | Imaging orthopedic hardware with an emphasis on hip prostheses. 1998 , 29, 67-84 | 14 |
|------|---|----|
| 1393 | MR imaging techniques of the liver. 1998 , 36, 263-86 | 45 |
| 1392 | Magnetic resonance imaging examinations of congenital heart disease. 1998 , 9, 89-100 | 1 |
| 1391 | Fast Keyhole MR Imaging Using Optimized k-Space Data Acquisition. 1998 , 17, 307-321 | 3 |
| 1390 | High-resolution MRI of intact and transected rat spinal cord. 1998 , 153, 299-312 | 52 |
| 1389 | A longitudinal brain MRI study comparing the sensitivities of the conventional and a newer approach for detecting active lesions in multiple sclerosis. 1998 , 159, 94-101 | 9 |
| 1388 | Ultrafast magnetic resonance imaging. A new window on brain research. 1998, 279, 1965-6 | 4 |
| 1387 | Lumbar spine magnetic resonance imaging: comparison between fast spin echo proton density and spin echo T1 axial scans. 1998 , 71, 487-91 | 3 |
| 1386 | Acinar filling during secretin-stimulated MR pancreatography. 1998 , 171, 165-9 | 32 |
| 1385 | Spinal Extradural Tumours, Cysts and Tumour-Like Masses. 1998 , 11, 357-364 | 1 |
| 1384 | Comparison of Single-Echo T2-weighted Fast Spin-Echo and Conventional Spin-Echo MR Sequences: In the detection of Brain Lesions of Multiple Sclerosis. 1998 , 11, 471-476 | |
| 1383 | Postoperative sella: evaluation with fast spin echo T2-weighted high-resolution imaging. 1998 , 43, 440-6; discussion 446-7 | 11 |
| 1382 | Magnetic resonance imaging-compatible posterior cervical implant for occipitocervical stabilization. Technical note. 1998 , 89, 852-6 | 6 |
| 1381 | Cortical and medullary betaine-GPC modulated by osmolality independently of oxygen in the intact kidney. 1999 , 277, F338-46 | 2 |
| 1380 | The potential of MR for small bowel imaging. 1999 , 11, 161-169 | 8 |
| 1379 | Breath-hold MR cholangiopancreatography with three-dimensional, segmented, echo-planar imaging and volume rendering. 1999 , 210, 247-52 | 35 |
| 1378 | MR cholangiography: technical advances and clinical applications. 1999 , 19, 25-41; discussion 41-4 | 89 |
| 1377 | Subcallosal striations: early findings of multiple sclerosis on sagittal, thin-section, fast FLAIR MR images. 1999 , 210, 149-53 | 37 |

| 1376 | Simultaneous noninvasive determination of regional myocardial perfusion and oxygen content in rabbits: toward direct measurement of myocardial oxygen consumption at MR imaging. 1999 , 212, 739-47 | 22 |
|------|--|------|
| 1375 | Crossed cerebellar diaschisis: assessment with dynamic susceptibility contrast MR imaging. 1999 , 210, 558-62 | 25 |
| 1374 | MR imaging abbreviations, definitions, and descriptions: a review. 1999 , 213, 647-62 | 65 |
| 1373 | Lesion load measurements in multiple sclerosis: the effect of incorporating magnetization transfer contrast in fast-FLAIR sequence. <i>Magnetic Resonance Imaging</i> , 1999 , 17, 459-61 | 2 |
| 1372 | High signal-to-noise FLASH imaging at 8 Tesla. <i>Magnetic Resonance Imaging</i> , 1999 , 17, 1099-103 | 16 |
| 1371 | Experimental study on HASTE sequences: impacts of parameters on liver imaging. 1999 , 23, 227-34 | 1 |
| 1370 | Echo planar imaging's impact on modern diagnostic MR-imaging: general principles and historic facts. 1999 , 9, 125-33 | 2 |
| 1369 | Posters: Cardiac. 1999 , 8, 128-132 | 3 |
| 1368 | T2-weighted breathold imaging of the liver: a quantitative and qualitative comparison of fast spin echo and half Fourier single shot fast spin echo imaging. 1999 , 9, 42-51 | 19 |
| 1367 | Human rapid acquisition with relaxation enhancement imaging at 8 T without specific absorption rate violation. 1999 , 9, 81-4 | 19 |
| 1366 | T-1 weighted sequences for hepatic MRI: re-evaluation using a phased array coil. 1999 , 23, 26-31 | 2 |
| 1365 | Single-shot line scan imaging using stimulated echoes. 1999 , 137, 144-53 | 8 |
| 1364 | Density matrix simulations of the effects of J coupling in spin echo and fast spin echo imaging. 1999 , 140, 305-14 | 37 |
| 1363 | An "openable," high-strength gradient set for orthopedic MRI. 1999 , 139, 81-9 | 15 |
| 1362 | Three-dimensional tracking of axonal projections in the brain by magnetic resonance imaging. 1999 , 45, 265-9 | 2898 |
| 1361 | Contrast optimization for assessment of the colonic wall and lumen in MR colonography. 1999 , 9, 745-50 | 26 |
| 1360 | MRI techniques for cardiovascular imaging. 1999 , 10, 590-601 | 48 |
| 1359 | 19F-MRI of perfluorononane as a novel contrast modality for gastrointestinal imaging. <i>Magnetic</i> A-4 | 33 |

| 1358 | Multi-echo segmented k-space imaging: an optimized hybrid sequence for ultrafast cardiac imaging. <i>Magnetic Resonance in Medicine</i> , 1999 , 41, 375-85 | 4.4 | 60 |
|------|---|-----|-----|
| 1357 | Investigating the dependence of BOLD contrast on oxidative metabolism. <i>Magnetic Resonance in Medicine</i> , 1999 , 41, 537-43 | 4.4 | 48 |
| 1356 | A novel fast split-echo multi-shot diffusion-weighted MRI method using navigator echoes. <i>Magnetic Resonance in Medicine</i> , 1999 , 41, 734-42 | 4.4 | 24 |
| 1355 | 2D multislice and 3D MRI sequences are often equally sensitive. <i>Magnetic Resonance in Medicine</i> , 1999 , 41, 824-8 | 4.4 | 38 |
| 1354 | An echo-shifted gradient-echo MRI method for efficient diffusion weighting. <i>Magnetic Resonance in Medicine</i> , 1999 , 41, 1000-8 | 4.4 | 15 |
| 1353 | Improved visualization of the human lung in 1H MRI using multiple inversion recovery for simultaneous suppression of signal contributions from fat and muscle. <i>Magnetic Resonance in Medicine</i> , 1999 , 41, 866-70 | 4.4 | 45 |
| 1352 | On the application of susceptibility-weighted ultra-fast low-angle RARE experiments in functional MR imaging. <i>Magnetic Resonance in Medicine</i> , 1999 , 41, 1189-98 | 4.4 | 416 |
| 1351 | Resolution enhancement in single-shot imaging using simultaneous acquisition of spatial harmonics (SMASH). <i>Magnetic Resonance in Medicine</i> , 1999 , 41, 1236-45 | 4.4 | 131 |
| 1350 | High-resolution diffusion imaging with DIFRAD-FSE (diffusion-weighted radial acquisition of data with fast spin-echo) MRI. <i>Magnetic Resonance in Medicine</i> , 1999 , 42, 11-8 | 4.4 | 68 |
| 1349 | "Silent" MRI with soft gradient pulses. <i>Magnetic Resonance in Medicine</i> , 1999 , 42, 6-10 | 4.4 | 107 |
| 1348 | The effect of residual Nyquist ghost in quantitative echo-planar diffusion imaging. <i>Magnetic Resonance in Medicine</i> , 1999 , 42, 385-92 | 4.4 | 21 |
| 1347 | Rapid imaging of hyperpolarized gas using EPI. Magnetic Resonance in Medicine, 1999, 42, 507-14 | 4.4 | 93 |
| 1346 | High-resolution three-dimensional in vivo imaging of atherosclerotic plaque. <i>Magnetic Resonance in Medicine</i> , 1999 , 42, 762-71 | 4.4 | 66 |
| 1345 | Diffusion-weighted single-shot line scan imaging of the human brain. <i>Magnetic Resonance in Medicine</i> , 1999 , 42, 772-8 | 4.4 | 26 |
| 1344 | Emergency MR imaging of orthopedic trauma. Current and future directions. 1999 , 37, 975-94, vi | | 2 |
| 1343 | MR fluid-attenuated inversion recovery imaging as routine brain T2-weighted imaging. 1999 , 32, 136-4 | 3 | 15 |
| 1342 | Fast magnetic resonance imaging of liver. 1999 , 29, 186-210 | | 33 |
| 1341 | MR cholangiopancreatography techniques. 1999 , 20, 281-93 | | 2 |

| 1340 | MR pancreatography. 1999 , 20, 324-39 | | 8 |
|------|--|-----|-----|
| 1339 | Secretin-enhanced MR pancreatography. 1999 , 20, 340-51 | | 23 |
| 1338 | The diagnostic accuracy of magnetic resonance cholangiopancreatography and ultrasound compared with direct cholangiography in the detection of choledocholithiasis. 1999 , 54, 604-14 | | 65 |
| 1337 | A prospective comparison of magnetic resonance cholangiopancreatography with endoscopic retrograde cholangiopancreatography in the evaluation of patients with suspected biliary tract disease. 1999 , 54, 513-20 | | 89 |
| 1336 | Molecular aspects of magnetic resonance imaging and spectroscopy. 1999 , 20, 185-318 | | 23 |
| 1335 | Magnetic resonance imaging of the cochlea, spiral ganglia and eighth nerve of the guinea pig. 1999 , 10, 473-9 | | 37 |
| 1334 | Ultrafast pulse sequence techniques for cardiac magnetic resonance imaging. 2000 , 11, 312-30 | | 15 |
| 1333 | Image metric-based correction (autocorrection) of motion effects: analysis of image metrics. 2000 , 11, 174-81 | | 97 |
| 1332 | Turbo STIR magnetic resonance imaging as a whole-body screening tool for metastases in patients with breast carcinoma: preliminary clinical experience. 2000 , 11, 343-50 | | 132 |
| 1331 | Reduced power multislice MDEFT imaging. 2000 , 11, 445-51 | | 148 |
| 1330 | Field mapping without reference scan using asymmetric echo-planar techniques. <i>Magnetic Resonance in Medicine</i> , 2000 , 43, 319-23 | 4.4 | 439 |
| 1329 | TSE-sequences with spin-echo contrast. <i>Magnetic Resonance in Medicine</i> , 2000 , 43, 577-82 | 4.4 | 8 |
| 1328 | The effect of bulk susceptibility on murine snapshot imaging at 7.0 T: a comparison of snapshot imaging techniques. <i>Magnetic Resonance in Medicine</i> , 2000 , 43, 747-55 | 4.4 | 17 |
| 1327 | Regional brain activation by bicuculline visualized by functional magnetic resonance imaging. Time-resolved assessment of bicuculline-induced changes in local cerebral blood volume using an intravascular contrast agent. 2000 , 13, 43-9 | | 72 |
| 1326 | Magnetic resonance microscopy of mouse embryos in utero. 2000 , 260, 373-7 | | 41 |
| 1325 | Microscopic displacement imaging with pulsed field gradient turbo spin-echo NMR. 2000 , 142, 207-15 | | 53 |
| 1324 | Imaging of heterogeneous materials with a turbo spin echo single-point imaging technique. 2000 , 144, 255-65 | | 50 |
| 1323 | High-speed interlaced spin-echo magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2000 , 43, 905-8 | 4.4 | 1 |

(2000-2000)

| 1322 | Magnetic Resonance in Medicine, 2000 , 44, 301-8 | 4.4 | 212 |
|------|--|-----|-----|
| 1321 | Interactive fast spin-echo imaging. <i>Magnetic Resonance in Medicine</i> , 2000 , 44, 339-48 | 4.4 | 59 |
| 1320 | 1H magnetic resonance imaging of human lung using inversion recovery turbo spin echo. 2000 , 11, 616-2 | 21 | 17 |
| 1319 | Radiofrequency energy-induced heating during MR procedures: a review. 2000 , 12, 30-6 | | 247 |
| 1318 | Cytoprotection does not preserve brain functionality in rats during the acute post-stroke phase despite evidence of non-infarction provided by MRI. 2000 , 13, 361-70 | | 33 |
| 1317 | Quantitative assessment of rat kidney function by measuring the clearance of the contrast agent Gd(DOTA) using dynamic MRI. <i>Magnetic Resonance Imaging</i> , 2000 , 18, 587-95 | 3.3 | 86 |
| 1316 | An amplitude optimized single-shot hybrid QUEST technique. <i>Magnetic Resonance Imaging</i> , 2000 , 18, 23-32 | 3.3 | 4 |
| 1315 | Dual-echo breathhold T(2)-weighted fast spin echo MR imaging of liver lesions. <i>Magnetic Resonance Imaging</i> , 2000 , 18, 117-24 | 3.3 | 4 |
| 1314 | Spin-echo echo-planar MR imaging of hepatocellular carcinoma arising from chronic liver damage: comparison with turbo spin-echo imaging. 2000 , 24, 43-8 | | 2 |
| 1313 | Ultrafast fetal MR images of sacrococcygeal teratoma: a case report. 2000 , 24, 49-52 | | 5 |
| 1312 | Comparison of fast spin-echo and conventional spin-echo magnetic resonance spinal imaging techniques in four normal dogs. 2000 , 41, 308-12 | | 5 |
| 1311 | Usefulness of T1-weighted image with fast inversion recovery technique in intracranial lesions: comparison with T1-weighted spin echo image. 2000 , 24, 263-9 | | 11 |
| 1310 | Comparison of 2D and 3D MRI of the optic and oculomotor nerve anatomy. 2000 , 24, 337-43 | | 19 |
| 1309 | Current technical development of magnetic resonance imaging. 2000 , 19, 34-41 | | 9 |
| 1308 | MR CAT scan: a modular approach for hybrid imaging. 2000 , 10, 183-99 | | 13 |
| 1307 | New insights into the hemodynamic blood oxygenation level-dependent response through combination of functional magnetic resonance imaging and optical recording in gerbil barrel cortex. 2000 , 20, 3328-38 | | 88 |
| 1306 | Intraoperative Visualization. 2000 , 107-129 | | 1 |
| 1305 | Sialolithiasis: MR sialography of the submandibular ductan alternative to conventional sialography and US?. 2000 , 216, 665-71 | | 97 |

| 1304 | Ultrafast MR imaging of the fetus. 2000 , 174, 1599-606 | 100 |
|------|---|-----|
| 1303 | Single breath-hold T2-weighted MR imaging of the liver: value of single-shot fast spin-echo and multishot spin-echo echoplanar imaging. 2000 , 174, 1423-31 | 26 |
| 1302 | Three-dimensional static displacement, stimulated echo NMR elasticity imaging. 2000, 45, 1633-48 | 67 |
| 1301 | An assessment of eddy current sensitivity and correction in single-shot diffusion-weighted imaging. 2000 , 45, 3821-32 | 39 |
| 1300 | Optimized single-slab three-dimensional spin-echo MR imaging of the brain. 2000 , 216, 891-9 | 229 |
| 1299 | Inhalation of low concentrations of toluene induces persistent effects on a learning retention task, beam-walk performance, and cerebrocortical size in the rat. 2000 , 163, 1-8 | 55 |
| 1298 | Diagnostic accuracy of magnetic resonance cholangiopancreatography and ultrasound compared with direct cholangiography in the detection of choledocholithiasis. 2000 , 55, 25-35 | 131 |
| 1297 | MR cholangiopancreatography of pancreaticobiliary diseases: comparison of single-shot RARE and multislice HASTE sequences. 2000 , 55, 866-73 | 14 |
| 1296 | High resolution magnetic resonance imaging of the brain in the dy/dy mouse with merosin-deficient congenital muscular dystrophy. 2000 , 10, 292-8 | 14 |
| 1295 | Optimized MR imaging for polyacrylamide gel dosimetry. 2000 , 45, 847-58 | 30 |
| 1294 | [Value of MR myelography in the diagnosis of the spine disorders]. 2000 , 115, 366-9 | 6 |
| 1293 | The contribution of magnetic resonance imaging in the differential diagnosis of optic nerve damage. 2000 , 172 Suppl 1, S17-22 | 19 |
| 1292 | Imaging the cerebral hemispheres: technical issues. 2000 , 172 Suppl 1, S54-6 | 1 |
| 1291 | Real-time functional magnetic resonance imaging. 2001 , 25, 201-20 | 42 |
| 1290 | Comparison of 2-D turbo spin echo and 3-D gradient echo sequences for the detection of the trigeminal nerve and branches anatomy. 2001 , 37, 18-25 | 7 |
| 1289 | Comparison of two-dimensional gradient echo, turbo spin echo and two-dimensional turbo gradient spin echo sequences in MRI of the cervical spinal cord anatomy. 2001 , 38, 64-71 | 27 |
| 1288 | Noninvasive imaging approach to patients with suspected hepatobiliary disease. 2001 , 4, 132-40 | 7 |
| 1287 | MR imaging in epilepsy. 2001 , 19, 477-89 | 14 |

(2001-2001)

| 1286 | Magnetic resonance urography in children: evaluation of suspected ureteral ectopia in duplex systems. 2001 , 166, 2346-50 | | 31 |
|------|---|-----|-----|
| 1285 | Recent developments in real-time MRI techniques and applications. | | O |
| 1284 | Rotator Cuff Disease. 2001 , 3, A22.1.1 | | |
| 1283 | A spinal thecal sac constriction model supports the theory that induced pressure gradients in the cord cause edema and cyst formation. 2001 , 48, 636-45; discussion 645-6 | | 53 |
| 1282 | Multiple Sclerosis. 2001 , 00, A5.1.1 | | |
| 1281 | Magnetic resonance imaging and magnetization transfer. 2001 , 1-83 | | O |
| 1280 | Magnetic resonance imaging and spectroscopy (MRI, MRS) of seasonal patterns of body composition: A methodological pilot study in White Storks (Ciconia ciconia). 2001 , 142, 63-72 | | 8 |
| 1279 | MRI of Couette experiments in a newly developed shear device Buitable for pastes and concentrated suspensions?. 2001 , 98, 117-139 | | 14 |
| 1278 | Simultaneous observations of haemolymph flow and ventilation in marine spider crabs at different temperatures: a flow weighted MRI study. <i>Magnetic Resonance Imaging</i> , 2001 , 19, 1113-24 | 3.3 | 43 |
| 1277 | Implications of bulk motion for diffusion-weighted imaging experiments: effects, mechanisms, and solutions. 2001 , 13, 486-95 | | 82 |
| 1276 | Fast spin echo and fast gradient echo MRI with low acoustic noise. 2001 , 13, 960-6 | | 28 |
| 1275 | Temporal dynamics of blood flow effects in half-Fourier fast spin echo (1)H magnetic resonance imaging of the human lungs. 2001 , 14, 411-8 | | 18 |
| 1274 | Online motion correction for diffusion-weighted imaging using navigator echoes: Application to RARE imaging without sensitivity loss. <i>Magnetic Resonance in Medicine</i> , 2001 , 45, 729-33 | 4.4 | 40 |
| 1273 | Parahydrogen-induced polarization in imaging: subsecond (13)C angiography. <i>Magnetic Resonance in Medicine</i> , 2001 , 46, 1-5 | 4.4 | 295 |
| 1272 | Hyperechoes. Magnetic Resonance in Medicine, 2001 , 46, 6-12 | 4.4 | 182 |
| 1271 | Rapid three-dimensional diffusion MRI facilitates the study of acute stroke in mice. <i>Magnetic Resonance in Medicine</i> , 2001 , 46, 183-8 | 4.4 | 29 |
| 1270 | Bicuculline-induced brain activation in mice detected by functional magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2001 , 46, 292-8 | 4.4 | 53 |
| 1269 | Ischaemic preconditioning in the rat brain: a longitudinal magnetic resonance imaging (MRI) study. 2001 , 14, 204-9 | | 13 |

| 1268 | Peripheral somatosensory fMRI in mouse at 11.7 T. 2001 , 14, 318-24 | | 45 |
|------|---|-----|-----|
| 1267 | Improved target volume characterization in stereotactic treatment planning of brain lesions by using high-resolution BOLD MR-venography. 2001 , 14, 478-83 | | 27 |
| 1266 | Microscopic imaging of slow flow and diffusion: a pulsed field gradient stimulated echo sequence combined with turbo spin echo imaging. 2001 , 151, 94-100 | | 41 |
| 1265 | Shared k-space echo planar imaging with keyhole. <i>Magnetic Resonance in Medicine</i> , 2001 , 45, 109-17 | 4.4 | 38 |
| 1264 | Superresolution in MRI: application to human white matter fiber tract visualization by diffusion tensor imaging. <i>Magnetic Resonance in Medicine</i> , 2001 , 45, 29-35 | 4.4 | 161 |
| 1263 | Histomorphometry of the embryonic avian growth plate by proton nuclear magnetic resonance microscopy. 2001 , 16, 1092-100 | | 10 |
| 1262 | Real-time signal processing techniques in MRI. | | |
| 1261 | Pitfalls in MR cholangiopancreatographic interpretation. 2001 , 21, 23-37 | | 108 |
| 1260 | The effect of insulin on in vivo cerebral glucose concentrations and rates of glucose transport/metabolism in humans. 2001 , 50, 2203-9 | | 145 |
| 1259 | Free-breathing black-blood coronary MR angiography: initial results. 2001 , 219, 278-83 | | 65 |
| 1258 | Automatic delineation of Gd enhancements on magnetic resonance images in multiple sclerosis. <i>Medical Physics</i> , 2002 , 29, 1536-46 | 4.4 | 20 |
| 1257 | Repeated three-dimensional magnetic resonance imaging of atherosclerosis development in innominate arteries of low-density lipoprotein receptor-knockout mice. 2002 , 106, 1716-21 | | 51 |
| 1256 | Radial MRI techniques for obtaining motion-insensitive high-resolution images with variable contrast. | | |
| 1255 | Single-Shot Magnetic Resonance Imaging of a Moving Object Based on the High-Speed Spiral-Scan Echo Planner Technique at 4.7 T. 2002 , 19, 1385-1388 | | 3 |
| 1254 | Measurements of MTF and SNR(f) using a subtraction method in MRI. 2002, 47, 2961-72 | | 11 |
| 1253 | Delayed postischemic hypothermia improves long-term behavioral outcome after cerebral hypoxia-ischemia in neonatal rats. 2002 , 51, 354-60 | | 117 |
| 1252 | Availability of NMR microscopic observation of mouse embryo disorder: examination in malformations induced by maternal administration of retinoic acid. 2002 , 64, 427-33 | | 3 |
| 1251 | Clinical Validity of the MoSeSS RARE-Sequence at CSF Flow Disturbances. 2002 , 15, 661-678 | | |

| Parametric imaging of tumor perfusion with deuterium magnetic resonance imaging. 2002 , 64, 104-15 | 8 |
|---|-----|
| Syrinx size and duration of symptoms predict the pace of progressive myelopathy: retrospective analysis of 103 unoperated cases with craniocervical junction malformations and syringomyelia. 2002 , 104, 90-7 | 49 |
| Neuroanatomical Micromagnetic Resonance Imaging. 2002 , 399-426 | 3 |
| 1247 Stray field (STRAFI) and single point (SPI) magnetic resonance imaging. 2002 , 45, 151-187 | 7 |
| Dynamic MR pancreatography after secretin administration: image quality and diagnostic accuracy. 2002 , 179, 121-9 | 84 |
| 1245 Functional imaging of plants: a nuclear magnetic resonance study of a cucumber plant. 2002 , 82, 481-92 | 47 |
| An investigation of the value of spin-echo-based fMRI using a Stroop color-word matching task and EPI at 3 T. 2002 , 15, 719-26 | 108 |
| A novel evaluation of subcutaneous formulations by in vivo magnetic resonance imaging (MRI). 2002 , 45, 207-12 | 5 |
| Impact of magnetic resonance urography on preoperative diagnostic workup in children affected by hydronephrosis: should IVU be replaced?. 2002 , 37, 1441-5 | 14 |
| 1241 Magnetic resonance cholangiopancreatography. The fine art of bilio-pancreatic imaging. 2002 , 2, 499-50 | 2 3 |
| 1240 13C-angiography. 2002 , 9 Suppl 2, S507-10 | 33 |
| 1239 Compromised hemodynamic response in amyloid precursor protein transgenic mice. 2002 , 22, 7218-24 | 95 |
| 1238 Choline in the aging brain. 2002 , 951, 158-65 | 19 |
| 1237 Dynamic MRI visualization of two-phase flow in a ceramic monolith. 2002 , 48, 909-912 | 63 |
| Untersuchungen zur Mikrowellen-Vakuumtrocknung mittels bildgebender Magnetresonanz. 2002 , 74, 1636-1639 | |
| Is there a BOLD response of the visual cortex on stimulation of the vision-related acupoint GB 37?. 2002, 15, 227-32 | 65 |
| Fast imaging of phosphocreatine in the normal human myocardium using a three-dimensional RARE pulse sequence at 4 Tesla. 2002 , 15, 467-72 | 16 |
| 1233 Parametric imaging of tumor perfusion using flow- and permeability-limited tracers. 2002 , 16, 289-99 | 36 |

| 1232 | Abdominal imaging with a modular combination of spin and gradient echoes. <i>Magnetic Resonance in Medicine</i> , 2002 , 47, 425-32 | 4.4 | 10 |
|------|--|-----|-----|
| 1231 | Simulation-based investigation of partially parallel imaging with a linear array at high accelerations. <i>Magnetic Resonance in Medicine</i> , 2002 , 47, 777-86 | 4.4 | 14 |
| 1230 | Recovery of function in cytoprotected cerebral cortex in rat stroke model assessed by functional MRI. <i>Magnetic Resonance in Medicine</i> , 2002 , 47, 759-65 | 4.4 | 27 |
| 1229 | MRI of the lungs using hyperpolarized noble gases. <i>Magnetic Resonance in Medicine</i> , 2002 , 47, 1029-51 | 4.4 | 330 |
| 1228 | Gastrointestinal transit times in mice and humans measured with 27Al and 19F nuclear magnetic resonance. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 255-61 | 4.4 | 70 |
| 1227 | On the application of a non-CPMG single-shot fast spin-echo sequence to diffusion tensor MRI of the human brain. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 6-14 | 4.4 | 37 |
| 1226 | Pathway selection by pulsed field gradients. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 540-2 | 4.4 | 1 |
| 1225 | Reduction of flow-related signal loss in flow-compensated 3D TOF MR angiography, using variable echo time (3D TOF-VTE). <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 667-76 | 4.4 | 19 |
| 1224 | Method for efficient fast spin echo Dixon imaging. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 1021-7 | 4.4 | 53 |
| 1223 | Interleaved pulsed MAMBA: a new parallel slice imaging method. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 1043-50 | 4.4 | 6 |
| 1222 | Diffusion tensor imaging in spinal cord: methods and applications - a review. 2002 , 15, 578-86 | | 84 |
| 1221 | Spatiotemporal correlations in transport processes determined by multiple pulsed field gradient experiments. 2002 , 14, 172-211 | | 15 |
| 1220 | Endoscopie et IRM: une collaboration n\u00e4essaire. 2002 , 32, 797-804 | | 1 |
| 1219 | Novel MRI applications of laser-polarized noble gases. 2002 , 22, 159 | | 12 |
| 1218 | Magnetic resonance imaging of single- and two-phase flow in fixed-bed reactors. 2002 , 22, 201 | | 12 |
| 1217 | Pathophysiological changes after traumatic brain injury: comparison of two experimental animal models by means of MRI. 2002 , 14, 233-41 | | 41 |
| 1216 | In situ magnetic resonance visualisation of the spatial variation of catalytic conversion within a fixed-bed reactor. 2002 , 232, 29-38 | | 57 |
| 1215 | In vivo MR spectroscopy and MR imaging on non-anaesthetized marine fish: techniques and first results. <i>Magnetic Resonance Imaging</i> , 2002 , 20, 165-72 | 3.3 | 43 |

(2003-2002)

| 1214 | Fast two-dimensional MR imaging by multiple acquisition with micro B(0) array (MAMBA). <i>Magnetic Resonance Imaging</i> , 2002 , 20, 119-25 | 3.3 | 8 |
|------|---|-----|-----|
| 1213 | Impaired functionality of reperfused brain tissue following short transient focal ischemia in rats. <i>Magnetic Resonance Imaging</i> , 2002 , 20, 447-54 | 3.3 | 24 |
| 1212 | Motion artifact reduction technique for dual-contrast FSE imaging. <i>Magnetic Resonance Imaging</i> , 2002 , 20, 455-62 | 3.3 | 7 |
| 1211 | Quantitative MR renography using a calibrated internal signal (ERETIC). <i>Magnetic Resonance Imaging</i> , 2002 , 20, 587-92 | 3.3 | 23 |
| 1210 | Small animal neuroimaging using magnetic resonance microscopy. 2002 , 40, 275-306 | | 16 |
| 1209 | Technical parameters affecting image characteristics in in vivo MR microscopy of the mouse. 2002 , 43, 518-27 | | 5 |
| 1208 | A brief review of parallel magnetic resonance imaging. 2003 , 13, 2323-37 | | 138 |
| 1207 | Fast and high-resolution MRI on the basis of interleaved-spiral technique at 4.7 T and its application for imaging of ischemic rat brain. 2003 , 25, 313-321 | | 2 |
| 1206 | Diffusion-weighted MRI of the cervical spinal cord using a single-shot fast spin-echo technique: findings in normal subjects and in myelomalacia. 2003 , 45, 90-4 | | 60 |
| 1205 | High-resolution 3D T2-weighted fast spin echo: new applications in the orbit. 2003 , 45, 489-92 | | 11 |
| 1204 | Contrast-enhanced magnetic resonance angiography: development and optimization of techniques for paramagnetic and hyperpolarized contrast media. 2003 , 429, 1-30 | | 13 |
| 1203 | Second-opinion magnetic resonance imaging for suspected fetal central nervous system abnormalities. 2003 , 188, 492-6 | | 64 |
| 1202 | MR tagging of human lungs using hyperpolarized 3He gas. 2003 , 17, 142-6 | | 53 |
| 1201 | Calibrated magnetic resonance hydrometry: an in vitro study. 2003, 17, 472-7 | | 4 |
| 1200 | High field human imaging. 2003 , 18, 519-29 | | 152 |
| 1199 | Multiecho sequences with variable refocusing flip angles: optimization of signal behavior using smooth transitions between pseudo steady states (TRAPS). <i>Magnetic Resonance in Medicine</i> , 2003 , 49, 527-35 | 4.4 | 194 |
| 1198 | Comparison of new sequences for high-resolution cartilage imaging. <i>Magnetic Resonance in Medicine</i> , 2003 , 49, 700-9 | 4.4 | 101 |
| 1197 | Stereotaxic assembly and procedures for simultaneous electrophysiological and MRI study of conscious rat. <i>Magnetic Resonance in Medicine</i> , 2003 , 49, 962-7 | 4.4 | 27 |

| 1196 | Hyperpolarized 13C MR angiography using trueFISP. Magnetic Resonance in Medicine, 2003, 50, 256-62 | 4.4 | 108 |
|------|--|------|-----|
| 1195 | Fast proton spectroscopic imaging using steady-state free precession methods. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 453-60 | 4.4 | 20 |
| 1194 | Comments on ultrahigh field 31P ATP T2 values. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 654-5; author reply 656-8 | 4.4 | 1 |
| 1193 | Immature cortex lesions alter retinotopic maps and interhemispheric connections. 2003 , 54, 51-65 | | 25 |
| 1192 | Adiabatic RARE imaging. 2003 , 16, 29-35 | | 13 |
| 1191 | Investigation of the evaporation of embedded liquid droplets from porous surfaces using magnetic resonance imaging. 2003 , 46, 1279-1292 | | 37 |
| 1190 | Dynamic MRI in chemical process and reaction engineering. 2003 , 43, 3-60 | | 73 |
| 1189 | A template for spatial normalisation of MR images of the rat brain. 2003 , 129, 105-13 | | 175 |
| 1188 | In situ magnetic resonance measurement of conversion, hydrodynamics and mass transfer during single- and two-phase flow in fixed-bed reactors. <i>Magnetic Resonance Imaging</i> , 2003 , 21, 213-9 | 3.3 | 27 |
| 1187 | Quantitative 'real-time' imaging of multi-phase flow in ceramic monoliths. <i>Magnetic Resonance Imaging</i> , 2003 , 21, 359-61 | 3.3 | 13 |
| 1186 | MRI studies of the evaporation of a single liquid droplet from porous surfaces. <i>Magnetic Resonance Imaging</i> , 2003 , 21, 293-7 | 3.3 | 15 |
| 1185 | Comparison of TSE, TGSE, and CPMG measurement techniques for MR polymer gel dosimetry. <i>Magnetic Resonance Imaging</i> , 2003 , 21, 929-39 | 3.3 | 15 |
| 1184 | Single excitation multiple image RARE (SEMI-RARE): ultra-fast imaging of static and flowing systems. 2003 , 161, 15-24 | | 33 |
| 1183 | MRI visualisation of two-phase flow in structured supports and trickle-bed reactors. 2003 , 79-80, 203-27 | 10 | 71 |
| 1182 | The growth of cat cerebral cortex in postnatal life: a magnetic resonance imaging study. 2003 , 18, 1797 | -806 | 6 |
| 1181 | Noncontact mapping of ventricular tachycardia in a closed-chest animal model of chronic myocardial infarction. 2003 , 26, 2253-63 | | 10 |
| 1180 | Possible optimisation of pastes and the according apparatus in process engineering by MRI flow experiments. 2003 , 42, 517-534 | | 8 |
| 1179 | Correlations between local conversion and hydrodynamics in a 3-D fixed-bed esterification process: An MRI and lattice-Boltzmann study. 2003 , 58, 613-619 | | 32 |

| MRI and in situ hybridization reveal early disturbances in brain size and gene expression in the megencephalic (mceph/mceph) mouse. 2003 , 18, 3218-30 | 27 |
|--|-----|
| Numb rats walk - a behavioural and fMRI comparison of mild and moderate spinal cord injury. 2003 , 18, 3061-8 | 55 |
| 1176 MR techniques for renal imaging. 2003 , 41, 877-907 | 39 |
| Magnetic resonance imaging of changes elicited by status epilepticus in the rat brain: 1175 diffusion-weighted and T2-weighted images, regional blood volume maps, and direct correlation with tissue and cell damage. 2003 , 18, 375-89 | 111 |
| MRI Elexture Lanalysis of MR images of apples during ripening and storage. 2003, 36, 719-727 | 37 |
| 1173 Implications of SENSE MR in routine clinical practice. 2003 , 46, 3-27 | 132 |
| Resonancia magnEica fetal: tEinica, aplicaciones y anatomEl normal del feto. 2003 , 45, 133-144 | 1 |
| 1171 Magnetic resonance urography in pediatric urology. 2003 , 37, 16-21 | 25 |
| Dentate gyrus volume is reduced before onset of plaque formation in PDAPP mice: a magnetic resonance microscopy and stereologic analysis. 2003 , 100, 1381-6 | 164 |
| In vivo visualization of endolymphatic hydrops in guinea pigs: magnetic resonance imaging evaluation at 4.7 tesla. 2003 , 112, 1059-65 | 45 |
| 1168 Transgenic rat model of Huntington's disease. 2003 , 12, 617-24 | 286 |
| Combined MR data acquisition of multicontrast images using variable acquisition parameters and K-space data sharing. 2003 , 22, 806-23 | 3 |
| 1166 VALIDATION OF MRI-BASED MEASUREMENTS OF SUPRASPINATUS MORPHOLOGY. 2003 , 07, 15-23 | |
| 1165 High resolution MRI of the brain at 4.7 Tesla using fast spin echo imaging. 2003 , 76, 631-7 | 47 |
| 1164 Magnetic resonance: new approaches to imaging of the musculoskeletal system. 2003 , 24, R1-23 | 20 |
| Dual frequency coils and MRIS method for the characterization of ischemic injury in the intestinal wall. | |
| Ultrafast multiplanar determination of left ventricular hypertrophy in spontaneously hypertensive rats with single-shot spin-echo nuclear magnetic resonance imaging. 2003 , 21, 429-36 | 2 |
| 1161 Image reconstruction in MRI: regularized approach by markov random fields. | 2 |

| 1160 | High field magnetic resonance imaging evaluation of superparamagnetic iron oxide nanoparticles in a permanent rat myocardial infarction. 2003 , 38, 141-6 | | 23 |
|------|--|-----|-----|
| 1159 | [Comparison of noninvasive MRT procedures for temperature measuremnt for the application of medical heat therapies]. 2003 , 13, 183-7 | | 4 |
| 1158 | Magnetic Resonance Imaging. 2003, | | |
| 1157 | Age-dependent impairment of somatosensory response in the amyloid precursor protein 23 transgenic mouse model of Alzheimer's disease. 2003 , 23, 8231-6 | | 72 |
| 1156 | ECHO TRAIN PULSE SEQUENCES. 2004, 702-801 | | 38 |
| 1155 | MR imaging: its development and the recent Nobel Prize. 2004 , 231, 628-31 | | 9 |
| 1154 | Shear banding fluctuations and nematic order in wormlike micelles. 2004, 93, 268302 | | 101 |
| 1153 | Lack of microvessels in well-differentiated regions of human head and neck squamous cell carcinoma A253 associated with functional magnetic resonance imaging detectable hypoxia, limited drug delivery, and resistance to irinotecan therapy. 2004 , 10, 8005-17 | | 40 |
| 1152 | Simultaneous electrophysiology and functional magnetic resonance imaging studies in conscious rats. 2004 , 385, 63-84 | | 1 |
| 1151 | Quantitative body composition analysis in awake mice and rats by magnetic resonance relaxometry. 2004 , 12, 1604-15 | | 49 |
| 1150 | Sensitivity of T2-weighted FSE sequences towards physiological iron depositions in normal brains at 1.5 and 3.0 T. 2004 , 14, 1000-4 | | 26 |
| 1149 | Gadolinium-enhanced small-animal TOF magnetic resonance angiography. 2004 , 17, 348-52 | | 14 |
| 1148 | MRI characterisation of a novel rat model of focal astrocyte loss. 2004 , 17, 125-32 | | 12 |
| 1147 | Inhibition of FGF receptor activity in glioma implanted into the mouse brain using the tetracyclin-regulated expression system. 2004 , 7, 105-13 | | 17 |
| 1146 | Imaging droplet freezing using MRI. 2004 , 59, 2113-2122 | | 25 |
| 1145 | Resolution recovery in Turbo Spin Echo using segmented Half Fourier acquisition. <i>Magnetic Resonance Imaging</i> , 2004 , 22, 369-78 | 3.3 | 2 |
| 1144 | Is 'virtual histology' the next step after the 'virtual autopsy'? Magnetic resonance microscopy in forensic medicine. <i>Magnetic Resonance Imaging</i> , 2004 , 22, 1131-8 | 3.3 | 30 |
| 1143 | [Feasibilities and limitations of high field parallel MRI]. 2004 , 44, 49-55 | | 16 |

| 1142 | [Clinical high- and ultrahigh-field MR and its interaction with biological systems]. 2004 , 44, 19-30 | 16 | |
|------|--|----|--|
| 1141 | [Clinical MR at 3 Tesla: current status]. 2004, 44, 11-8 | 26 | |
| 1140 | Monitoring internal body heat using water proton chemical shift during a fast spin echo pulse sequence. 2004 , 35, 49-58 | | |
| 1139 | MR microscopy and microspectroscopy of the intact kidney. 2004 , 22A, 50-59 | 2 | |
| 1138 | K-space in the clinic. 2004 , 19, 145-59 | 64 | |
| 1137 | T2-weighted spine imaging with a fast three-point dixon technique: comparison with chemical shift selective fat suppression. 2004 , 20, 1025-9 | 42 | |
| 1136 | Time-optimal multidimensional gradient waveform design for rapid imaging. <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 81-92 | 53 | |
| 1135 | Reduced RF power without blurring: correcting for modulation of refocusing flip angle in FSE sequences. <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 1031-7 | 57 | |
| 1134 | Method for spatially interleaving two images to halve EPI readout times: two reduced acquisitions interleaved (TRAIL). <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 1212-22 | 9 | |
| 1133 | High-resolution fast spin echo imaging of the human brain at 4.7 T: implementation and sequence characteristics. <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 1254-64 | 50 | |
| 1132 | Fast spectroscopic imaging strategies for potential applications in fMRI. <i>Magnetic Resonance Imaging</i> , 2004 , 22, 1395-405 | 8 | |
| 1131 | Magnetization recovery for signal enhancement: a fast imaging DEFT-based technique. 2004 , 166, 28-34 | | |
| 1130 | Combined relaxation and displacement experiment: a fast method to acquire T2, diffusion and velocity maps. 2004 , 169, 60-7 | 11 | |
| 1129 | Development and application of rotationally compensated RARE. 2004, 171, 118-23 | 7 | |
| 1128 | Magnetic resonance imaging of single rice kernels during cooking. 2004 , 171, 157-62 | 38 | |
| 1127 | Quantitative magnetic resonance imaging of urea and lysozyme in protein chromatography. 2004 , 1033, 311-9 | 12 | |
| 1126 | Magnetic resonance imaging of a magnetic field-dependent chemical wave. 2004 , 397, 67-72 | 17 | |
| 1125 | Clinical and neuroimaging features of "idiopathic" syringomyelia. 2004 , 62, 791-4 | 51 | |

| 1124 | [MRI of the urinary tract: recent developments and future applications]. 2004, 85, 171-83 | | 2 |
|------|--|-----|----------------|
| 1123 | Advances in high-field magnetic resonance imaging. 2004 , 6, 157-84 | | 87 |
| 1122 | Partial recovery after treatment of chronic paraplegia in rat. 2004, 188, 33-42 | | 23 |
| 1121 | Detection of cannabinoid agonist evoked increase in BOLD contrast in rats using functional magnetic resonance imaging. 2004 , 46, 379-87 | | 37 |
| 1120 | Parallel imaging at high field strength: synergies and joint potential. 2004 , 15, 237-44 | | 114 |
| 1119 | Improved pretransplant assessment of renal quality by means of phosphorus-31 magnetic resonance spectroscopy using chemical shift imaging. 2004 , 77, 1041-5 | | 10 |
| 1118 | Age-dependent changes in MRI of motor brain stem nuclei in a mouse model of ALS. 2004 , 15, 2271-4 | | 33 |
| 1117 | Imaging of the guinea pig cochlea following round window gadolinium application. 2004 , 15, 1927-30 | | 26 |
| 1116 | Quantifying Physics and Chemistry at Multiple Length-scales using Magnetic Resonance Techniques. 2005 , 30, 63-135 | | 10 |
| 1115 | Visualizing flow vortices inside a single levitated drop. 2005 , 177, 74-85 | | 13 |
| 1114 | Gradient hysteresis in MRI and NMR experiments. 2005 , 177, 336-40 | | 1 |
| 1113 | Ultrafast velocity imaging of single- and two-phase flows in a ceramic monolith. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 387-9 | | 7.0 |
| | Resolitance initiging, 2003 , 23, 361-3 | 3.3 | 10 |
| 1112 | Magnetic resonance cholangiopancreatography using a free-breathing T2-weighted turbo spin-echo sequence with navigator-triggered prospective acquisition correction. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 939-45 | 3.3 | 49 |
| 1112 | Magnetic resonance cholangiopancreatography using a free-breathing T2-weighted turbo spin-echo sequence with navigator-triggered prospective acquisition correction. <i>Magnetic</i> | | |
| | Magnetic resonance cholangiopancreatography using a free-breathing T2-weighted turbo spin-echo sequence with navigator-triggered prospective acquisition correction. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 939-45 A comparative evaluation of a RARE-based single-shot pulse sequence for diffusion-weighted MRI | | 49 |
| 1111 | Magnetic resonance cholangiopancreatography using a free-breathing T2-weighted turbo spin-echo sequence with navigator-triggered prospective acquisition correction. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 939-45 A comparative evaluation of a RARE-based single-shot pulse sequence for diffusion-weighted MRI of musculoskeletal soft-tissue tumors. 2005 , 15, 772-83 Volumetric magnetic resonance imaging of functionally relevant structural alterations in chronic | | 49 |
| 1111 | Magnetic resonance cholangiopancreatography using a free-breathing T2-weighted turbo spin-echo sequence with navigator-triggered prospective acquisition correction. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 939-45 A comparative evaluation of a RARE-based single-shot pulse sequence for diffusion-weighted MRI of musculoskeletal soft-tissue tumors. 2005 , 15, 772-83 Volumetric magnetic resonance imaging of functionally relevant structural alterations in chronic epilepsy after pilocarpine-induced status epilepticus in rats. 2005 , 46, 1021-6 19F and 1H MRI detection of amyloid beta plaques in vivo. 2005 , 8, 527-33 | | 49 29 48 |

| 1106 | Technological advances in MRI measurement of brain perfusion. 2005 , 22, 751-3 | | 24 |
|------|---|-----|-----|
| 1105 | Brain glucose concentrations in healthy humans subjected to recurrent hypoglycemia. 2005 , 82, 525-30 | | 30 |
| 1104 | Time-resolved undersampled projection reconstruction magnetic resonance imaging of the peripheral vessels using multi-echo acquisition. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 730-4 | 4.4 | 5 |
| 1103 | Accelerating MRI by skipped phase encoding and edge deghosting (SPEED). <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 1112-7 | 4.4 | 17 |
| 1102 | Reduced field-of-view MRI with two-dimensional spatially-selective RF excitation and UNFOLD. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 1118-25 | 4.4 | 26 |
| 1101 | Evolution of the longitudinal magnetization for pulse sequences using a fast spin-echo readout: application to fluid-attenuated inversion-recovery and double inversion-recovery sequences. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 241-5 | 4.4 | 24 |
| 1100 | Simultaneous spin-echo refocusing. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 513-23 | 4.4 | 14 |
| 1099 | Fast spin-echo for multiple mouse magnetic resonance phenotyping. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 532-7 | 4-4 | 38 |
| 1098 | Ex vivo 3D diffusion tensor imaging and quantification of cardiac laminar structure. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 850-9 | 4.4 | 180 |
| 1097 | Field map estimation with a region growing scheme for iterative 3-point water-fat decomposition. <i>Magnetic Resonance in Medicine</i> , 2005 , 54, 1032-9 | 4.4 | 170 |
| 1096 | [MR urography: principles, examination techniques, indications]. 2005 , 45, 915-23 | | 7 |
| 1095 | Effect of Thunbergia laurifolia, a Thai natural product used to treat drug addiction, on cerebral activity detected by functional magnetic resonance imaging in the rat. 2005 , 180, 752-60 | | 15 |
| 1094 | Functional magnetic resonance imaging studies of opioid receptor-mediated modulation of noxious-evoked BOLD contrast in rats. 2005 , 180, 761-73 | | 43 |
| 1093 | Hydrodynamics in two-phase flow within porous media. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 291-4 | 3.3 | 8 |
| 1092 | Prenatal evaluation of kidney function in mice using dynamic contrast-enhanced magnetic resonance imaging. 2005 , 209, 263-7 | | 14 |
| 1091 | In Situ MRI Study of 1-octene Isomerisation and Hydrogenation within a Trickle-bed Reactor. 2005 , 103, 1-8 | | 53 |
| 1090 | Proton NMR spectroscopy shows lipids accumulate in skeletal muscle in response to burn trauma-induced apoptosis. 2005 , 19, 1431-40 | | 26 |
| 1089 | Microscopy in Magnetic Resonance Imaging. 2005 , 55, 259-297 | | 5 |

| 1088 | Monitoring disease progression in transgenic mouse models of Alzheimer's disease with proton magnetic resonance spectroscopy. 2005 , 102, 11906-10 | 176 |
|------|--|-----|
| 1087 | Functional MRI shows activation of the medial preoptic area during sleep. 2005 , 26, 29-35 | 19 |
| 1086 | Basic principles of magnetic resonance imaging. 2005 , 16, 1-64 | 16 |
| 1085 | Magnetic resonance imaging of flow-distributed oscillations. 2005 , 109, 8306-13 | 21 |
| 1084 | Brain glucose concentrations in poorly controlled diabetes mellitus as measured by high-field magnetic resonance spectroscopy. 2005 , 54, 1008-13 | 37 |
| 1083 | The pharmacological stimulation of NMDA receptors via co-agonist site: an fMRI study in the rat brain. 2005 , 380, 111-5 | 23 |
| 1082 | Left ventricular aneurysm: comprehensive assessment of morphology, structure and thrombus using cardiovascular magnetic resonance. 2005 , 60, 687-92 | 19 |
| 1081 | Techniques for diffusion-weighted imaging of bone marrow. 2005 , 55, 64-73 | 34 |
| 1080 | Effect of 3T MRI on the function of shunt valvesevaluation of Paedi GAV, Dual Switch and proGAV. 2005 , 56, 56-9 | 20 |
| 1079 | Dopamine antagonist modulation of amphetamine response as detected using pharmacological MRI. 2005 , 48, 236-45 | 69 |
| 1078 | Insights into the Mechanism of the Trickle-to-Pulse Transition in Trickle-Bed Reactors. 2005 , 44, 6320-6331 | 29 |
| 1077 | Rheo-NMR phenomena of wormlike micelles. 2006 , 2, 855-869 | 69 |
| 1076 | Magnetic resonance microscopy of the adult zebrafish. 2006 , 3, 431-9 | 44 |
| 1075 | Three-dimensional prepolarized magnetic resonance imaging using rapid acquisition with relaxation enhancement. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 1085-95 | 21 |
| 1074 | Magnetic resonance imaging of freely moving objects: prospective real-time motion correction using an external optical motion tracking system. 2006 , 31, 1038-50 | 288 |
| 1073 | Improving whole brain structural MRI at 4.7 Tesla using 4 irregularly shaped receiver coils. 2006 , 32, 1176-84 | 23 |
| 1072 | Perspectives and limitations of parallel MR imaging at high field strengths. 2006 , 16, 311-20, xi | 13 |
| 1071 | Advantages and limitations of prospective head motion compensation for MRI using an optical motion tracking device. 2006 , 13, 1093-103 | 26 |

| 1070 | Nuclear magnetic resonance studies of convection in the 1,4-cyclohexanedione-bromate-acid reaction. 2006 , 110, 5075-80 | 5 |
|------|---|----|
| 1069 | Magnetic Resonance Imaging of Catalysts and Catalytic Processes. 2006, 1-75 | 25 |
| 1068 | Spatial localization in nuclear magnetic resonance spectroscopy. 2006 , 51, R579-636 | 43 |
| 1067 | Spatial quantification of Mn2+ and Mn3+ concentrations in the Mn-catalyzed 1,4-cyclohexanedione/acid/bromate reaction using magnetic resonance imaging. 2006 , 110, 2579-82 | 11 |
| 1066 | Non-destructive studies of tissue-engineered phalanges by magnetic resonance microscopy and X-ray microtomography. 2006 , 38, 350-8 | 39 |
| 1065 | Capsaicin-evoked brain activation and central sensitization in anaesthetised rats: a functional magnetic resonance imaging study. 2006 , 126, 35-45 | 30 |
| 1064 | Magnetic Resonance Imaging. 2006, | |
| 1063 | Imagerie par rBonance magnEique du rein´: techniques et aspects normaux. 2006 , 1, 1-14 | |
| 1062 | Value of whole-body turbo short tau inversion recovery magnetic resonance imaging with panoramic table for detecting bone metastases: comparison with 99MTc-methylene diphosphonate scintigraphy. 2006 , 30, 151-6 | 22 |
| 1061 | Fast and quantitative high-resolution magnetic resonance imaging of the optic nerve at 3.0 tesla. 2006 , 41, 83-6 | 36 |
| 1060 | Magnetic Resonance Imaging, Functional. 2006 , | |
| 1059 | Resuscitative hypothermia protects the neonatal rat brain from hypoxic-ischemic injury. 2000 , 10, 61-71 | 48 |
| 1058 | Fast magnetic resonance imaging and velocimetry for liquids under high flow rates. 2006 , 181, 119-25 | 27 |
| 1057 | Centric-scan SPRITE magnetic resonance imaging with prepared magnetisation. 2006, 181, 271-9 | 10 |
| 1056 | A practical and flexible implementation of 3D MRI in the Earth's magnetic field. 2006 , 182, 75-83 | 51 |
| 1055 | Multiecho sequence for velocity imaging in inhomogeneous rf fields. 2006 , 182, 143-51 | 14 |
| 1054 | Droplet migration in emulsion systems measured using MR methods. 2006 , 296, 700-9 | 23 |
| 1053 | Robust prescan calibration for multiple spin-echo sequences: application to FSE and b-SSFP. Magnetic Resonance Imaging, 2006 , 24, 857-67 3-3 | 12 |

| 1052 | Basic investigations on the performance of a normoxic polymer gel with tetrakis-hydroxy-methyl-phosphonium chloride as an oxygen scavenger: reproducibility, accuracy, stability, and dose rate dependence. <i>Medical Physics</i> , 2006 , 33, 2506-18 | 1.4 | 31 |
|------|--|--------------|----|
| 1051 | [Sequences in MRI. Part II]. 2006 , 46, 803-17; quiz 818-9 | | 1 |
| 1050 | Guanfacine produces differential effects in frontal cortex compared with striatum: assessed by phMRI BOLD contrast. 2006 , 189, 369-85 | | 29 |
| 1049 | Minimization of diffusive attenuation in T2-weighted NMR images of porous solids using turboSPI. 2006 , 29, 267-71 | | 5 |
| 1048 | Fast imaging with the MMME sequence. 2006 , 180, 18-28 | | 10 |
| 1047 | Multimodal imaging of the sonic organ of Porichthys notatus, the singing midshipman fish. Magnetic Resonance Imaging, 2006 , 24, 321-31 | 3.3 | 5 |
| 1046 | Enhancing the acquisition efficiency of fast magnetic resonance imaging via broadband encoding of signal content. <i>Magnetic Resonance Imaging</i> , 2006 , 24, 1209-27 | 3.3 | 1 |
| 1045 | Targeting of lanthanide(III) chelates of DOTA-type glycoconjugates to the hepatic asyaloglycoprotein receptor: cell internalization and animal imaging studies. 2006 , 1, 246-58 | | 25 |
| 1044 | Comparison of Four Different Shields for Birdcage-Type Coils with Experiments and Numerical Calculations. 2006 , 29B, 176-184 | | 5 |
| 1043 | 2D axial moving table acquisitions with dynamic slice adaptation. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 423-30 | 1.4 | 18 |
| 1042 | Contrast behavior and relaxation effects of conventional and hyperecho-turbo spin echo sequences at 1.5 and 3 T. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 826-35 | 1.4 | 69 |
| 1041 | Combo acquisitions: balancing scan time reduction and image quality. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 1093-105 | 1.4 | 4 |
| 1040 | Magnetic resonance imaging with T1 dispersion contrast. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 1362 | <u>+.7</u> 1 | 39 |
| 1039 | Prepolarized magnetic resonance imaging around metal orthopedic implants. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 177-86 | 1.4 | 67 |
| 1038 | Fully balanced steady-state 3D-spin-echo (bSSSE) imaging at 3 Tesla. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 1033-40 | 1.4 | 27 |
| 1037 | Intrinsic fat suppression in TIDE balanced steady-state free precession imaging. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 1328-35 | 1.4 | 14 |
| 1036 | Toward rapid high resolution in vivo intravascular MRI: evaluation of vessel wall conspicuity in a porcine model using multiple imaging protocols. 2006 , 23, 135-44 | | 22 |
| 1035 | Longitudinal assessment of Alzheimer's beta-amyloid plaque development in transgenic mice monitored by in vivo magnetic resonance microimaging. 2006 , 24, 530-6 | | 71 |

| 1034 | Methods and applications of diffusion imaging of vertebral bone marrow. 2006 , 24, 1207-20 | 58 |
|------|---|-----|
| 1033 | In vivo MR imaging of pulmonary arteries of normal and experimental emboli in small animals. 2006 , 24, 1298-302 | 4 |
| 1032 | Mechanism of the trickle-to-pulse flow transition in fixed-bed reactors. 2006 , 52, 1522-1532 | 44 |
| 1031 | Cardiac MR imaging: state of the technology. 2006 , 241, 338-54 | 166 |
| 1030 | Characterization of intimal changes in coronary artery specimens with MR microscopy. 2006 , 241, 107-15 | 5 |
| 1029 | Three-dimensional fast-recovery fast spin-echo MRCP: comparison with two-dimensional single-shot fast spin-echo techniques. 2006 , 238, 549-59 | 110 |
| 1028 | AAPM/RSNA physics tutorial for residents: MR artifacts, safety, and quality control. 2006 , 26, 275-97 | 138 |
| 1027 | Time-efficient breath-hold abdominal MRI at 3.0 T. 2006 , 187, 649-57 | 10 |
| 1026 | Characterization of the susceptibility artifact around a prostate brachytherapy seed in MRI. <i>Medical Physics</i> , 2006 , 33, 4459-67 | 39 |
| 1025 | Magnetic resonance imaging of chemical waves in porous media. 2006 , 16, 037103 | 14 |
| 1024 | Highly accelerated MRI by skipped phase encoding and edge deghosting with array coil enhancement (SPEED-ACE). <i>Medical Physics</i> , 2006 , 33, 3758-66 | 13 |
| 1023 | High-field MRI of brain cortical substructure based on signal phase. 2007 , 104, 11796-801 | 541 |
| 1022 | In vivo MRI visualization of endolymphatic hydrops induced by keyhole limpet hemocyanin round window immunization. 2007 , 5, 182-187 | 10 |
| 1021 | Dark-blood MRI of the thoracic aorta with 3D diffusion-prepared steady-state free precession: initial clinical evaluation. 2007 , 189, 966-72 | 28 |
| 1020 | Diffusion-weighted imaging of the appendicular skeleton with a non-Carr-Purcell-Meiboom-Gill single-shot fast spin-echo sequence. 2007 , 189, 1494-501 | 16 |
| 1019 | Perfusional deficit and the dynamics of cerebral edemas in experimental traumatic brain injury using perfusion and diffusion-weighted magnetic resonance imaging. 2007 , 24, 1321-30 | 43 |
| 1018 | Echo-Planar Imaging. 2007 , | |
| 1017 | Selective Excitation Methods: Artifacts. 2007 , | |

| | xetine produces changes in cortico-basal thalamic loop circuits: assessed by phMRI BOLD st. 2007 , 52, 812-26 | 31 |
|----------------------|--|-----|
| | mapping of functional connectivity in neurotransmitter systems using pharmacological MRI. 4, 1627-36 | 105 |
| | aging of neuronal connections by magnetic resonance: Robust transport in the ampal-septal memory circuit in a mouse model of Down syndrome. 2007 , 37, 230-42 | 23 |
| | ncy-dependent activation pattern in the rat hippocampus, a simultaneous physiological and fMRI study. 2007 , 38, 150-63 | 36 |
| 1012 Validat | ion of NMR relaxation exchange time measurements in porous media. 2007 , 127, 234701 | 39 |
| 1011 . 2007 , | | |
| | ontrols the formation of midline commissures and the competency of tangential migration in telencephalic neurons. 2007 , 27, 3884-93 | 87 |
| | 112, a thiadiazolidinone compound, prevents inflammation and neurodegeneration under oxic conditions: potential therapeutic role in brain disorders. 2007 , 27, 5766-76 | 91 |
| | urography by magnetic resonance for the study of the urinary apparatus versus tional urography]. 2007 , 31, 253-61 | 2 |
| 1007 Develo | pment of NMR: From the Early Beginnings to the Early 1990s. 2007 , | 3 |
| 1006 Inversio | on R ecovery Pulse Sequence in MRI. 2007 , | |
| 1005 Whole I | Body MRI: Strategies for Improving Imaging Efficiency. 2007 , | |
| 1004 Bioeffe | cts and Safety of Radiofrequency Electromagnetic Fields. 2007, | 1 |
| 1003 Imaging | g of Heart Development in Embryos with Magnetic Resonance Microscopy. 2007 , 163-165 | |
| 1002 Multi E | cho Acquisition Techniques Using Inverting Radiofrequency Pulses in MRI. 2007, | |
| 1001 Spiral S | canning Imaging Techniques. 2007 , | |
| 1000 Whole I | Body MRI: Strategies Designed to Improve Patient Throughput. 2007 , | |
| | nent of cardiac NMR imaging in awake hamsters: proof of feasibility and characterization of nyopathy. 2007 , 20, 615-23 | 5 |

| 998 | Mouse MRI using phased-array coils. 2007 , 20, 326-34 | | 32 |
|-----|---|-----|-----|
| 997 | Multiple-modulation-multiple-echo magnetic resonance. 2007 , 30A, 358-377 | | 9 |
| 996 | High-resolution 3D arteriography of chronic total peripheral occlusions using a T1-W turbo spin-echo sequence with inner-volume imaging. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 40-9 | 4.4 | 9 |
| 995 | Single-shot ADC imaging for fMRI. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 417-22 | 4.4 | 8 |
| 994 | Inversion recovery prepared turbo spin echo sequences with reduced SAR using smooth transitions between pseudo steady states. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 631-7 | 4.4 | 18 |
| 993 | RF refocused echoes of J-coupled spin systems: effects on RARE-based spectroscopic imaging. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 967-71 | 4.4 | 6 |
| 992 | T2 measurement of the human myocardium using a T2-prepared transient-state TrueFISP sequence. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 960-6 | 4.4 | 94 |
| 991 | Intuitive design guidelines for fast spin echo imaging with variable flip angle echo trains. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 972-5 | 4.4 | 15 |
| 990 | Prepolarized fast spin-echo pulse sequence for low-field MRI. <i>Magnetic Resonance in Medicine</i> , 2007 , 57, 1180-4 | 4.4 | 11 |
| 989 | Fast spin-echo triple-echo dixon (fTED) technique for efficient T2-weighted water and fat imaging. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 103-9 | 4.4 | 44 |
| 988 | Combining spin echoes with gradient echoes in the context of the global coherent free precession pulse sequence. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 82-91 | 4.4 | |
| 987 | 2D arbitrary shape-selective excitation summed spectroscopy (ASSESS). <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 19-26 | 4.4 | 23 |
| 986 | Impact of incidental magnetization transfer effects on inversion-recovery sequences that use a fast spin-echo readout. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 825-9 | 4.4 | 7 |
| 985 | Selective parity RARE imaging. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 643-9 | 4.4 | 19 |
| 984 | Improved suppression of plaque-mimicking artifacts in black-blood carotid atherosclerosis imaging using a multislice motion-sensitized driven-equilibrium (MSDE) turbo spin-echo (TSE) sequence. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 973-81 | 4.4 | 169 |
| 983 | Optimized T1-weighted contrast for single-slab 3D turbo spin-echo imaging with long echo trains: application to whole-brain imaging. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 982-92 | 4.4 | 57 |
| 982 | Lung MRI using an MR-compatible active breathing control (MR-ABC). <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 1092-8 | 4.4 | 20 |
| 981 | Magnetic resonance imaging with ultrashort TE (UTE) PULSE sequences: technical considerations. 2007 , 25, 279-89 | | 164 |

| 980 | TSE with average-specific phase encoding ordering for motion detection and artifact suppression. 2007 , 25, 1271-82 | 5 |
|-----|--|----|
| 979 | Image quality and focal lesion detection on T2-weighted MR imaging of the liver: comparison of two high-resolution free-breathing imaging techniques with two breath-hold imaging techniques. 2007 , 26, 323-30 | 41 |
| 978 | MRI strategies for characterising two-phase flow in parallel channel ceramic monoliths. 2007, 128, 3-12 | 18 |
| 977 | Imaging of hyperalgesia in rats by functional MRI. 2007 , 11, 109-19 | 65 |
| 976 | SNR phase order k-space encoding (SPOKE). <i>Magnetic Resonance Imaging</i> , 2007 , 25, 1402-8 | 1 |
| 975 | Characterization of water distribution in bread during storage using magnetic resonance imaging. Magnetic Resonance Imaging, 2007 , 25, 1449-58 | 30 |
| 974 | Validation of an automated punctate mechanical stimuli delivery system designed for fMRI studies in rodents. 2007 , 163, 31-7 | 6 |
| 973 | Magnetic resonance imaging characterization of intact smoked cigarettes. 2007 , 78, 214-227 | 6 |
| 972 | Recovery from spinal cord injury differs between rat strains in a major histocompatibility complex-independent manner. 2007 , 26, 1118-27 | 13 |
| 971 | Vacuolization correlates with spin-spin relaxation time in motor brainstem nuclei and behavioural tests in the transgenic G93A-SOD1 mouse model of ALS. 2007 , 26, 1895-901 | 24 |
| 970 | Imaging features and decision making in retrobulbar neuroendocrine tumours in horsescase report and review of literature. 2007 , 54, 302-6 | 16 |
| 969 | Kv1.1 null mice have enlarged hippocampus and ventral cortex. 2007 , 8, 10 | 16 |
| 968 | Pulse sequences for contrast-enhanced magnetic resonance imaging. 2007 , 13, e20-e30 | 3 |
| 967 | Transfer of Parahydrogen-Induced Hyperpolarization to Heteronuclei. 2006 , 25-68 | 52 |
| 966 | Application of magnetic resonance imaging techniques to particulate systems. 2007, 18, 23-38 | 21 |
| 965 | Effects of G207, a conditionally replication-competent oncolytic herpes simplex virus, on the developing mammalian brain. 2007 , 13, 118-29 | 9 |
| 964 | Differential effects of the D- and L- isomers of amphetamine on pharmacological MRI BOLD contrast in the rat. 2007 , 193, 11-30 | 18 |
| 963 | Measurement of activation-related changes in cerebral blood volume: VASO with single-shot HASTE acquisition. 2007 , 20, 63-7 | 20 |

(2008-2008)

| 962 | imaging. 2008 , 190, 86-94 | | 17 |
|-----|---|-------------|-----|
| 961 | Pharmacological stimulation of NMDA receptors via co-agonist site suppresses fMRI response to phencyclidine in the rat. 2008 , 201, 273-84 | | 48 |
| 960 | Flow-induced permeation of non-occlusive blood clots: an MRI study and modelling. 2008, 37, 1229-33 | | 4 |
| 959 | Integrated physiological flow simulator and pulse sequence monitoring system for MRI. 2008, 46, 399-406 | 5 | 11 |
| 958 | Monitoring demyelination and remyelination by magnetization transfer imaging in the mouse brain at 9.4 T. 2008 , 21, 357-62 | | 54 |
| 957 | Pharmacological MRI in awake rats predicts selective binding of alpha4beta2 nicotinic receptors. 2008 , 62, 159-68 | | 20 |
| 956 | Pulse sequences and system interfaces for interventional and real-time MRI. 2008, 27, 267-75 | | 40 |
| 955 | 3D TrueFISP imaging of mouse brain at 4.7T and 9.4T. 2008 , 28, 497-503 | | 27 |
| 954 | ACUT2E TSE-SSFP: a hybrid method for T2-weighted imaging of edema in the heart. <i>Magnetic Resonance in Medicine</i> , 2008 , 59, 229-35 | ·4 | 507 |
| 953 | Editing through multiple bonds: threonine detection. Magnetic Resonance in Medicine, 2008 , 59, 245-51 $_4$ | ·4 | 9 |
| 952 | (1)H MRS in the rat brain under pentobarbital anesthesia: accurate quantification of in vivo spectra in the presence of propylene glycol. <i>Magnetic Resonance in Medicine</i> , 2008 , 59, 631-5 | ·4 | 6 |
| 951 | Multiresolution field map estimation using golden section search for water-fat separation. Magnetic Resonance in Medicine, 2008 , 60, 236-44 | -4 | 62 |
| 950 | Water-fat separation with bipolar multiecho sequences. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 198-2ֆ |). <u>9</u> | 63 |
| 949 | Performance of a 200-MHz cryogenic RF probe designed for MRI and MRS of the murine brain. Magnetic Resonance in Medicine, 2008 , 59, 1440-7 | ·4 | 63 |
| 948 | B1-insensitive fast spin echo using adiabatic square wave enabling of the echo train (SWEET) excitation. <i>Magnetic Resonance in Medicine</i> , 2008 , 59, 1386-93 | ·4 | 7 |
| 947 | Effects of refocusing flip angle modulation and view ordering in 3D fast spin echo. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 640-9 | ·4 | 202 |
| 946 | BOLD imaging in the mouse brain using a turboCRAZED sequence at high magnetic fields. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 850-9 | ·4 | 16 |
| 945 | Perturbation of mouse glioma MRS pattern by induced acute hyperglycemia. 2008 , 21, 251-64 | | 30 |

| 944 | Frequency-dependent tactile responses in rat brain measured by functional MRI. 2008, 21, 410-6 | | 39 |
|-----|--|-----|-----|
| 943 | Spatially resolved quantification of metal ion concentration in a biofilm-mediated ion exchanger. 2008 , 99, 821-9 | | 26 |
| 942 | Diffusion generated T1 and T2 contrast. 2008 , 192, 139-50 | | 9 |
| 941 | Cross-term-compensated pulsed-gradient stimulated echo MR with asymmetric gradient pulse lengths. 2008 , 193, 41-8 | | 8 |
| 940 | Robust spatially resolved pressure measurements using MRI with novel buoyant advection-free preparations of stable microbubbles in polysaccharide gels. 2008 , 193, 159-67 | | 17 |
| 939 | [Contrast optimisation of musculoskeletal tissues in the knee region using spinecho and spoiled gradientecho MR imaging]. 2008 , 18, 91-101 | | |
| 938 | Development and optimization of T2 weighted methods with reduced RF power deposition (Hyperecho-TSE) for magnetic resonance imaging. 2008 , 18, 151-61 | | 13 |
| 937 | Real-time mapping of moisture migration in cereal based food systems with Aw contrast by means of MRI. 2008 , 106, 1366-1374 | | 16 |
| 936 | Phase correction-based singularity function analysis for partial k-space reconstruction. <i>Magnetic Resonance Imaging</i> , 2008 , 26, 746-53 | 3.3 | 4 |
| 935 | Host strain-dependent difference in susceptibility in a rat model of herpes simplex type 1 encephalitis. 2008 , 14, 102-18 | | 12 |
| 934 | Reversal of pathological pain through specific spinal GABAA receptor subtypes. 2008 , 451, 330-4 | | 337 |
| 933 | Gabapentin evoked changes in functional activity in nociceptive regions in the brain of the anaesthetized rat: an fMRI study. 2008 , 153, 1558-67 | | 30 |
| 932 | Basics of Magnetic Resonance Imaging and Magnetic Resonance Spectroscopy. 2008 , 3-167 | | 11 |
| 931 | Abnormal axonal guidance and brain anatomy in mouse mutants for the cell recognition molecules close homolog of L1 and NgCAM-related cell adhesion molecule. 2008 , 155, 221-33 | | 37 |
| 930 | Comparison of magnetic resonance urography with ultrasound studies in detection of fetal urogenital anomalies. 2008 , 4, 32-9 | | 29 |
| 929 | Encyclopedia of Neuroscience. 2008, 2197-2526 | | 1 |
| 928 | Overexpression of human apolipoprotein B-100 induces severe neurodegeneration in transgenic mice. 2008 , 7, 2246-52 | | 33 |
| 927 | 2D thick-slab MR cholangiopancreatography: does parallel imaging with sensitivity encoding improve image quality and duct visualization?. 2008 , 190, W327-34 | | 7 |

(2009-2008)

| 926 | Growth/differentiation factor 3 signals through ALK7 and regulates accumulation of adipose tissue and diet-induced obesity. 2008 , 105, 7252-6 | 84 |
|-----|--|-----|
| 925 | Differential effects of antipsychotic and glutamatergic agents on the phMRI response to phencyclidine. 2008 , 33, 1690-703 | 103 |
| 924 | Durga: A heuristically-optimized data collection strategy for volumetric magnetic resonance imaging. 2008 , 40, 117-136 | 7 |
| 923 | Hyperecho-turbo spin-echo sequences at 3T: clinical application in neuroradiology. 2008 , 29, 956-61 | 13 |
| 922 | MR cholangiopancreatography with T2-weighted prospective acquisition correction turbo spin-echo sequence of the biliary anatomy of potential living liver transplant donors. 2008 , 190, 1527-33 | 245 |
| 921 | Magnetic Resonance Imaging. 2008 , 1784 | 1 |
| 920 | MRI of prostate brachytherapy seeds at high field: a study in phantom. <i>Medical Physics</i> , 2009 , 36, 5228-34.4 | 12 |
| 919 | Magnetic resonance imaging. 85-100 | |
| 918 | Techniques in MRI. 232-251 | |
| 917 | Combining Explicitly Mask Image with Voxel-Based Morphometry for Improving 0.35T Functional MRI Data Analysis. 2009 , | |
| 916 | Improving fat-suppressed T2-weighted imaging of the head and neck with 2 fast spin-echo dixon techniques: initial experiences. 2009 , 30, 42-5 | 30 |
| 915 | Effects of breath-hold and cardiac cycle on the MRI appearance of the aorta and inferior vena cava in t2 abdominal imaging. 2009 , 192, 1348-58 | 2 |
| 914 | Optimierung von EKG-getriggerten T2-gewichteten Turbo Spin Echo Sequenzen ffl Herzuntersuchungen mit und ohne Atemstillstand am 0,5T MR-Tomographen. 2009 , 194-195 | |
| 913 | The BOLD response in the rat hippocampus depends rather on local processing of signals than on the input or output activity. A combined functional MRI and electrophysiological study. 2009 , 29, 2428-39 | 51 |
| 912 | Voxel-based morphometry in the R6/2 transgenic mouse reveals differences between genotypes not seen with manual 2D morphometry. 2009 , 33, 20-7 | 125 |
| 911 | Use of magnetic resonance imaging for anatomical phenotyping of the R6/2 mouse model of Huntington's disease. 2009 , 33, 12-9 | 56 |
| 910 | In vivo 1H-magnetic resonance spectroscopy can detect metabolic changes in APP/PS1 mice after donepezil treatment. 2009 , 10, 33 | 24 |
| 909 | Acquisition Times in Magnetic Resonance Imaging: Optimization in Clinical Use. 2009 , 58, 3140-3148 | 24 |

| 908 | Investigation of alginate beads for gastro-intestinal functionality, Part 2: In vivo characterisation. 2009 , 23, 833-839 | | 46 |
|-----|--|------|-----|
| 907 | Geometrical and hydrodynamical study of gas jets in packed and fluidized beds using magnetic resonance. 2009 , 87, 517-525 | | 22 |
| 906 | Effects of radiation on the NMR relaxation effects of aqueous solutions of gadolinium contrast agents. 2009 , 4, 33-6 | | 5 |
| 905 | In vivo metabolite profile of adult zebrafish brain obtained by high-resolution localized magnetic resonance spectroscopy. 2009 , 29, 275-81 | | 25 |
| 904 | Pilot study of improved lesion characterization in breast MRI using a 3D radial balanced SSFP technique with isotropic resolution and efficient fat-water separation. 2009 , 30, 135-44 | | 5 |
| 903 | Validation of cerebral blood perfusion imaging as a modality for quantitative pharmacological MRI in rats. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 1451-8 | 4.4 | 48 |
| 902 | Efficient multiple acquisitions by Skipped Phase Encoding and Edge Deghosting (SPEED) using shared spatial information. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 229-33 | 4.4 | 4 |
| 901 | PARACEST MRI with improved temporal resolution. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 399-408 | 4.4 | 70 |
| 900 | Rigid-body motion correction with self-navigation MRI. Magnetic Resonance in Medicine, 2009, 61, 739-4 | 74.4 | 19 |
| 899 | Time-efficient fast spin echo imaging at 4.7 T with low refocusing angles. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 96-105 | 4.4 | 13 |
| 898 | Breathhold multiecho fast spin-echo pulse sequence for accurate R2 measurement in the heart and liver. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 300-6 | 4.4 | 35 |
| 897 | Sensitive J-coupled metabolite mapping using Sel-MQC with selective multi-spin-echo readout. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 880-7 | 4.4 | 7 |
| 896 | Ex situ endorectal MRI probe for prostate imaging. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 1585-96 | 4.4 | 7 |
| 895 | Non-invasive tracking of avian development in vivo by MRI. 2009 , 22, 365-73 | | 25 |
| 894 | Micro MRI of the mouse brain using a novel 400 MHz cryogenic quadrature RF probe. 2009 , 22, 834-42 | | 111 |
| 893 | Quantitative in vivo 1H spectroscopic imaging of metabolites in the early postnatal mouse brain at 17.6 T. 2009 , 22, 53-62 | | 16 |
| 892 | A 1H NMR study of water flow in Phaseolus vulgaris L. roots treated with nitrate or ammonium. 2009 , 319, 307-321 | | 7 |
| 891 | Image Reconstruction Scheme Based on Phase Correction and Singularity Function Analysis Model. 2009 , 54, 79-88 | | 1 |

(2010-2009)

| 890 | Magnetic resonance urography. 2009 , 34, 527-40 | 25 |
|-----|---|-----|
| 889 | Dose-dependent memory effects and cerebral volume changes after in utero exposure to valproate in the rat. 2009 , 50, 1432-41 | 31 |
| 888 | Functional repair of embolized vessels in maize roots after temporal drought stress, as demonstrated by magnetic resonance imaging. 2009 , 184, 245-256 | 56 |
| 887 | Reducing ghosting due to k-space discontinuities in fast spin echo (FSE) imaging by a new combination of k-space ordering and parallel imaging. 2009 , 200, 119-25 | 4 |
| 886 | Three-dimensional nuclear magnetic resonance microimaging of trabecular bone. 1995 , 10, 1452-61 | 77 |
| 885 | Identification of discrete sites of action of chronic treatment with desipramine in a model of neuropathic pain. 2009 , 56, 405-13 | 13 |
| 884 | Biofouling of spiral-wound nanofiltration and reverse osmosis membranes: a feed spacer problem. 2009 , 43, 583-94 | 248 |
| 883 | Hippocampal N-acetylaspartate levels before trauma predict the development of long-lasting posttraumatic stress disorder-like symptoms in mice. 2009 , 65, 258-62 | 26 |
| 882 | Bifurcation phenomena in the flow through a sudden expansion in a circular pipe. 2009 , 21, 014110 | 42 |
| 881 | Apoptosis of hippocampal pyramidal neurons is virus independent in a mouse model of acute neurovirulent picornavirus infection. 2009 , 175, 668-84 | 52 |
| 880 | Simultaneous magnetically directed drug convection and MR imaging. 2009, 20, 405101 | 6 |
| 879 | Pulse Sequences for Diffusion-weighted MRI. 2009 , 11-35 | 11 |
| 878 | Reward circuitry is perturbed in the absence of the serotonin transporter. 2009 , 46, 1091-104 | 43 |
| 877 | Neuronavigation: geneology, reality, and prospects. 2009 , 27, E11 | 56 |
| 876 | Human 7T MRI: First Clinical and Neuroscientific Applications. 2010 , 23, 535-46 | 3 |
| 875 | Combining functional magnetic resonance imaging with mouse genomics: new options in pain research. 2010 , 21, 29-33 | 13 |
| 874 | Hennig, Juergen: How RARE Came to China: Early Days of MRI. 2010 , | |
| 873 | How to Shorten MRI Sequences. 2010 , 19-32 | |

872 Henkelman, R. Mark: MRI: A Quantitative Measurement?. **2010**,

| 871 | Alternatives to gadolinium-based metal chelates for magnetic resonance imaging. 2010 , 110, 2960-3018 | 346 |
|-----|---|-----|
| 870 | Antagonism at serotonin 5-HT(2A) receptors modulates functional activity of frontohippocampal circuit. 2010 , 209, 37-50 | 26 |
| 869 | Application of mixed spin iMQCs for temperature and chemical-selective imaging. 2010 , 204, 208-18 | 9 |
| 868 | 'Snap-shot' velocity vector mapping using echo-planar imaging. 2010 , 204, 266-72 | 7 |
| 867 | Study of brain anatomy with high-field MRI: recent progress. <i>Magnetic Resonance Imaging</i> , 2010 , 28, 1219-5 | 36 |
| 866 | Synthetic magnetic resonance imaging revisited. 2010 , 29, 895-902 | 12 |
| 865 | Vascular response to acetazolamide decreases as a function of age in the arcA beta mouse model of cerebral amyloidosis. 2010 , 40, 284-92 | 26 |
| 864 | Magnetic resonance imaging and 3D simulation studies of biofilm accumulation and cleaning on reverse osmosis membranes. 2010 , 88, 401-408 | 38 |
| 863 | Real-time MRI at a resolution of 20 ms. 2010 , 23, 986-94 | 234 |
| 862 | Increased blood oxygen level-dependent (BOLD) sensitivity in the mouse somatosensory cortex during electrical forepaw stimulation using a cryogenic radiofrequency probe. 2011 , 24, 439-46 | 23 |
| 861 | Rapid multiphase flow dynamics mapped by single-shot MRI velocimetry. 2010 , 11, 2630-8 | 20 |
| 860 | Validation of 3D simulations of reverse osmosis membrane biofouling. 2010 , 106, 677-89 | 20 |
| 859 | Accelerating non-contrast-enhanced MR angiography with inflow inversion recovery imaging by skipped phase encoding and edge deghosting (SPEED). 2010 , 31, 757-65 | 6 |
| 858 | Accelerated slice encoding for metal artifact correction. 2010 , 31, 987-96 | 77 |
| 857 | Fat suppression with short inversion time inversion-recovery and chemical-shift selective saturation: a dual STIR-CHESS combination prepulse for turbo spin echo pulse sequences. 2010 , 31, 1277-81 | 7 |
| 856 | Fast-spin-echo imaging of inner fields-of-view with 2D-selective RF excitations. 2010 , 31, 1530-7 | 23 |
| 855 | Reduced field-of-view single-shot fast spin echo imaging using two-dimensional spatially selective radiofrequency pulses. 2010 , 32, 242-8 | 15 |

| 854 | T(2)-weighted 3D fast spin echo imaging with water-fat separation in a single acquisition. 2010 , 32, 745- | ·51 | 25 |
|-----|--|-------------------------------|-----|
| 853 | Combined off-resonance imaging and T2 relaxation in the rotating frame for positive contrast MR imaging of infection in a murine burn model. 2010 , 32, 1172-83 | | 9 |
| 852 | Quantitative ultra-fast MRI of HPMC swelling and dissolution. 2010 , 99, 3462-72 | | 60 |
| 851 | Fat-free MRI based on magnetization exchange. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 713-8 | 4.4 | 12 |
| 850 | 3D fast spin echo with out-of-slab cancellation: a technique for high-resolution structural imaging of trabecular bone at 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 719-27 | 4.4 | 20 |
| 849 | High-resolution spiral imaging on a whole-body 7T scanner with minimized image blurring. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 543-52 | 4.4 | 18 |
| 848 | Phase-sensitive, dual-acquisition, single-slab, 3D, turbo-spin-echo pulse sequence for simultaneous T2-weighted and fluid-attenuated whole-brain imaging. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 1422 | - 3 0 ⁺ | 6 |
| 847 | Multiplex RARE: a simultaneous multislice spin-echo sequence that fulfils CPMG conditions. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 299-305 | 4.4 | 1 |
| 846 | Shaping and timing gradient pulses to reduce MRI acoustic noise. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 546-53 | 4.4 | 23 |
| 845 | A simple low-SAR technique for chemical-shift selection with high-field spin-echo imaging. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 319-26 | 4.4 | 22 |
| 844 | Adaptive black blood fast spin echo for end-systolic rest cardiac imaging. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 1760-71 | 4.4 | 2 |
| 843 | MRI measurement of granular flows and fluid-particle flows. 2010 , 21, 235-241 | | 43 |
| 842 | Chemical cleaning of biofouling in reverse osmosis membranes evaluated using magnetic resonance imaging. 2010 , 362, 202-210 | | 97 |
| 841 | Enhanced sensitivity current density imaging. 2010 , 204, 219-24 | | 2 |
| 840 | Extended phase graphs with anisotropic diffusion. 2010 , 205, 276-85 | | 44 |
| 839 | Measurement of specific heat and specific absorption rate by nuclear magnetic resonance. 2010 , 503-504, 100-107 | | 6 |
| 838 | MRI: Operando measurements of temperature, hydrodynamics and local reaction rate in a heterogeneous catalytic reactor. 2010 , 155, 157-163 | | 32 |
| 837 | Cardiovascular magnetic resonance physics for clinicians: part I. 2010 , 12, 71 | | 120 |

836 Jolesz, Ferenc A.: The Development of Interventional MRI. 2010,

| 835 | Introduction to Medical Imaging: Physics, Engineering and Clinical Applications. 204-282 | |
|-----|---|-----|
| 834 | Basic Principles of Cardiovascular Magnetic Resonance * *Molarity of 1H can be estimated as approximately (2 moles hydrogen/mole H20) [](1mole H20/18 g tissue). 1000 g/L (density of the body) ~ 100 mole/L 2010 , 3-18 | 10 |
| 833 | Applications of chemical shift imaging to marine sciences. 2010 , 8, 2369-83 | 5 |
| 832 | Current and future trends in magnetic resonance imaging assessments of the response of breast tumors to neoadjuvant chemotherapy. 2010 , 2010, | 27 |
| 831 | In vivo magnetic resonance imaging to detect malignant melanoma in adult zebrafish. 2010 , 7, 143-8 | 13 |
| 830 | Noninvasive detection of presymptomatic and progressive neurodegeneration in a mouse model of spinocerebellar ataxia type 1. 2010 , 30, 3831-8 | 72 |
| 829 | Separate and overlapping metabolic functions of LXRalpha and LXRbeta in C57Bl/6 female mice. 2010 , 298, E167-78 | 41 |
| 828 | Windows on the human bodyin vivo high-field magnetic resonance research and applications in medicine and psychology. 2010 , 10, 5724-57 | 10 |
| 827 | The current functional state of local neuronal circuits controls the magnitude of a BOLD response to incoming stimuli. 2010 , 50, 1364-75 | 25 |
| 826 | Propofol allows precise quantitative arterial spin labelling functional magnetic resonance imaging in the rat. 2010 , 51, 1395-404 | 19 |
| 825 | Ventricular enlargement associated with the panneural ablation of the podocalyxin gene. 2010 , 43, 90-7 | 10 |
| 824 | A neural switch for active and passive fear. 2010 , 67, 656-66 | 155 |
| 823 | Magnetic resonance imaging of chemistry. 2010 , 39, 4036-43 | 52 |
| 822 | MR Angiography: Coronaries and Great Vessels. 2010 , 154-195 | |
| 821 | Towards MRI microarrays. 2010 , 46, 2420-2 | 5 |
| 820 | Imaging the effects of peptide bio-surfactants on droplet deformation in a TaylorCouette shear cell. 2011 , 7, 2961 | 9 |
| 819 | Using quantitative magnetic resonance methods to understand better the gel-layer formation on polymer-matrix tablets. 2011 , 8, 677-92 | 15 |

| 818 | Cation/anion associations in ionic liquids modulated by hydration and ionic medium. 2011, 115, 4576-82 | 81 |
|-----|---|----|
| 817 | Magnetic resonance imaging: the underlying principles. 2011 , 41, 806-19 | 15 |
| 816 | Measuring adsorption, diffusion and flow in chemical engineering: applications of magnetic resonance to porous media. 2011 , 13, 035001 | 60 |
| 815 | Fractal analysis of spontaneous fluctuations of the BOLD signal in rat brain. 2011 , 58, 1060-9 | 30 |
| 814 | Porous Media Studied by MRI. 2011 , | 3 |
| 813 | Multi-scale magnetic resonance measurements and validation of Discrete Element Model simulations. 2011 , 9, 330-341 | 10 |
| 812 | Decreased CCAAT/enhancer binding protein Expression inhibits the growth of glioblastoma cells. 2011 , 176, 110-9 | 26 |
| 811 | Understanding Anisotropy, Transport, and Ion Associations Inside Ionic Polymers. 2011 , 251-263 | 1 |
| 810 | Simultaneous acquisition of phosphocreatine and inorganic phosphate images for Pi:PCr ratio mapping using a RARE sequence with chemically selective interleaving. <i>Magnetic Resonance 19.3</i> Imaging, 2011 , 29, 1138-44 | 15 |
| 809 | Novel mineral contrast agent for magnetic resonance studies of bone implants grown on a chick chorioallantoic membrane. <i>Magnetic Resonance Imaging</i> , 2011 , 29, 1244-54 | 15 |
| 808 | Magnetic resonance electrical impedance tomography for monitoring electric field distribution during tissue electroporation. 2011 , 30, 1771-8 | 40 |
| 807 | Quantitative magnetic resonance micro-imaging methods for pharmaceutical research. 2011 , 417, 173-95 | 34 |
| 806 | In vivo monitoring of recovery from neurodegeneration in conditional transgenic SCA1 mice. 2011 , 232, 290-8 | 24 |
| 805 | Encapsulation of lipid by alginate beads reduces bio-accessibility: An in vivo 13C breath test and MRI study. 2011 , 25, 1190-1200 | 22 |
| 804 | Multifunctional Fe3O4 nanoparticles for targeted bi-modal imaging of pancreatic cancer. 2011 , 21, 12650 | 46 |
| 803 | Imaging of lumbar degenerative disk disease: history and current state. 2011 , 40, 1175-89 | 55 |
| 802 | Catalyst effectiveness factor distributions in isothermal packed bed reactors. 2011 , 66, 3003-3011 | 14 |
| 801 | Cardiovascular Magnetic Resonance Imaging for the Biomedical Engineer. 2011 , 2, 309-323 | 1 |

| 800 | Loss of fine structure and edge sharpness in fast-spin-echo carotid wall imaging: measurements and comparison with multiple-spin-echo in normal and atherosclerotic subjects. 2011 , 33, 1136-43 | | 12 |
|------------------|---|-----|-----|
| 799 | Implementation of multi-echo-based correlated spectroscopic imaging and pilot findings in human brain and calf muscle. 2011 , 34, 262-9 | | 5 |
| 798 | Model-based nonlinear inverse reconstruction for T2 mapping using highly undersampled spin-echo MRI. 2011 , 34, 420-8 | | 101 |
| 797 | Reduction of artifacts in T2 -weighted PROPELLER in high-field preclinical imaging. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 538-43 | 4.4 | 12 |
| 796 | Accelerated cardiac T2 mapping using breath-hold multiecho fast spin-echo pulse sequence with k-t FOCUSS. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 1661-9 | 4.4 | 60 |
| 795 | Head motion detection using FID navigators. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 135-43 | 4.4 | 40 |
| 794 | Sol and gel states in peptide hydrogels visualized by Gd(III)-enhanced magnetic resonance imaging. 2011 , 96, 734-43 | | 10 |
| 793 | Flow compensation for the fast spin echo triple-echo Dixon sequence. <i>Magnetic Resonance Imaging</i> , 2011 , 29, 293-9 | 3.3 | 1 |
| 79² | Continuous monitoring of dough fermentation and bread baking by magnetic resonance microscopy. <i>Magnetic Resonance Imaging</i> , 2011 , 29, 434-42 | 3.3 | 31 |
| 791 | Spatially and chemically resolved measurement of intra- and inter-particle molecular diffusion in a fixed-bed reactor. 2011 , 392, 192-198 | | 10 |
| 790 | A Bayesian approach to characterising multi-phase flows using magnetic resonance: application to bubble flows. 2011 , 209, 83-7 | | 24 |
| 789 | NMR spectroscopy in environmental research: from molecular interactions to global processes. 2011 , 58, 97-175 | | 213 |
| 788 | Feasibility study of a unilateral RF array coil for MR-scintimammography. 2011 , 56, 6809-22 | | 3 |
| 787 | Early microstructural and metabolic changes following controlled cortical impact injury in rat: a magnetic resonance imaging and spectroscopy study. 2011 , 28, 2091-102 | | 91 |
| 786 | Segregation in horizontal rotating cylinders using magnetic resonance imaging. 2011 , 84, 011304 | | 15 |
| 7 ⁸ 5 | Blockade of TNF-Hapidly inhibits pain responses in the central nervous system. 2011 , 108, 3731-6 | | 237 |
| 784 | The efficacy of sodium channel blockers to prevent phencyclidine-induced cognitive dysfunction in the rat: potential for novel treatments for schizophrenia. 2011 , 338, 100-13 | | 18 |
| 783 | Review. The Agfa Mayneord lecture: MRI of short and ultrashort Tland T哲 components of tissues, fluids and materials using clinical systems. 2011 , 84, 1067-82 | | 19 |

| 782 | Intravascular papillary endothelial hyperplasia: report of two cases. 2011 , 52, 499-502 | 4 |
|--------------------------|--|--------------------------------|
| 781 | The pathologic cascade of cerebrovascular lesions in SHRSP: is erythrocyte accumulation an early phase?. 2012 , 32, 278-90 | 58 |
| 780 | NMDA-dependent mechanisms only affect the BOLD response in the rat dentate gyrus by modifying local signal processing. 2012 , 32, 570-84 | 3 |
| 779 | Delayed administration of interleukin-1 receptor antagonist reduces ischemic brain damage and inflammation in comorbid rats. 2012 , 32, 1810-9 | 105 |
| 778 | Back seat driving: hindlimb corticospinal neurons assume forelimb control following ischaemic stroke. 2012 , 135, 3265-81 | 62 |
| 777 | Liver: segment-specific analysis of B1 field homogeneity at 3.0-T MR imaging with single-source versus dual-source parallel radiofrequency excitation. 2012 , 265, 591-9 | 8 |
| 776 | Quantitative Remaining Oil Interpretation Using Magnetic Resonance: From the Laboratory to the Pilot. 2012 , | 12 |
| 775 | A historical overview of magnetic resonance imaging, focusing on technological innovations. 2012 , 47, 725-41 | 43 |
| 774 | Imagerie par rBonance magnEique du rein et des voies excrErices´: techniques et aspects normaux. 2012 , 7, 1-14 | |
| 773 | Real-time MRI: recent advances using radial FLASH. 2012 , 4, 461-476 | 35 |
| 772 | | |
| | Sparse and optimal acquisition design for diffusion MRI and beyond. <i>Medical Physics</i> , 2012 , 39, 2499-511 $_{4.4}$ | 25 |
| 771 | Sparse and optimal acquisition design for diffusion MRI and beyond. <i>Medical Physics</i> , 2012 , 39, 2499-511 _{4.4} Multiparametric functional nuclear magnetic resonance imaging shows alterations associated with plasmid electrotransfer in mouse skeletal muscle. 2012 , 14, 598-608 | 255 |
| | Multiparametric functional nuclear magnetic resonance imaging shows alterations associated with | |
| 771 | Multiparametric functional nuclear magnetic resonance imaging shows alterations associated with plasmid electrotransfer in mouse skeletal muscle. 2012 , 14, 598-608 | 5 |
| 771 | Multiparametric functional nuclear magnetic resonance imaging shows alterations associated with plasmid electrotransfer in mouse skeletal muscle. 2012 , 14, 598-608 Bubble size measurement using Bayesian magnetic resonance. 2012 , 84, 735-745 Investigation of nanoparticle transport inside coarse-grained geological media using magnetic | 5 |
| 771 770 769 | Multiparametric functional nuclear magnetic resonance imaging shows alterations associated with plasmid electrotransfer in mouse skeletal muscle. 2012, 14, 598-608 Bubble size measurement using Bayesian magnetic resonance. 2012, 84, 735-745 Investigation of nanoparticle transport inside coarse-grained geological media using magnetic resonance imaging. 2012, 46, 360-6 | 5 17 15 |
| 771 770 769 768 | Multiparametric functional nuclear magnetic resonance imaging shows alterations associated with plasmid electrotransfer in mouse skeletal muscle. 2012, 14, 598-608 Bubble size measurement using Bayesian magnetic resonance. 2012, 84, 735-745 Investigation of nanoparticle transport inside coarse-grained geological media using magnetic resonance imaging. 2012, 46, 360-6 Quantitative in vivo imaging of embryonic development: opportunities and challenges. 2012, 84, 149-62 Clinical usefulness of free-breathing navigator-triggered 3D MRCP in non-cooperative patients: | 5 17 15 43 |

| 764 | Monitoring blood flow alterations in the Tg2576 mouse model of Alzheimer's disease by in vivo magnetic resonance angiography at 17.6 T. 2012 , 60, 958-66 | | 31 |
|-----------------|--|-----|-----|
| 763 | Deficits in axonal transport in hippocampal-based circuitry and the visual pathway in APP knock-out animals witnessed by manganese enhanced MRI. 2012 , 60, 1856-66 | | 29 |
| 762 | Point spread functions of the T2 decay in k-space trajectories with long echo train. <i>Magnetic Resonance Imaging</i> , 2012 , 30, 1134-42 | 3.3 | 41 |
| 761 | Biomimetic extracellular matrix-incorporated scaffold induces osteogenic gene expression in human marrow stromal cells. 2012 , 18, 295-309 | | 57 |
| 760 | Cryogenic and Superconducting Coils for MRI Corrections were made to this article on 31st May 2012 2012 , | | 4 |
| 759 | Contrasts, Mechanisms and Sequences. 2012 , 81-125 | | |
| 758 | Tumour size measurement in a mouse model using high resolution MRI. 2012 , 12, 12 | | 28 |
| 757 | MRI of the lung (1/3): methods. 2012 , 3, 345-53 | | 164 |
| 756 | Measurement and correction of microscopic head motion during magnetic resonance imaging of the brain. <i>PLoS ONE</i> , 2012 , 7, e48088 | 3.7 | 137 |
| 755 | Low frequency stimulation of the perforant pathway generates anesthesia-specific variations in neural activity and BOLD responses in the rat dentate gyrus. 2012 , 32, 291-305 | | 13 |
| 754 | MRI reconstruction from 2D truncated k-space. 2012 , 35, 1196-206 | | 7 |
| 753 | Dental MRI: imaging of soft and solid components without ionizing radiation. 2012 , 36, 841-6 | | 58 |
| 75 ² | Simultaneous estimation of T(2) and apparent diffusion coefficient in human articular cartilage in vivo with a modified three-dimensional double echo steady state (DESS) sequence at 3 T. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 1086-96 | 4.4 | 73 |
| 751 | QUIPSS II with window-sliding saturation sequence (Q2WISE). <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 1127-32 | 4.4 | 5 |
| 750 | Improved encoding strategy for CPMG-based Bloch-Siegert B(1)(+) mapping. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 507-15 | 4.4 | 3 |
| 749 | Resolution enhanced T1-insensitive steady-state imaging. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 421-9 | 4.4 | 4 |
| 748 | Null space imaging: nonlinear magnetic encoding fields designed complementary to receiver coil sensitivities for improved acceleration in parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1166-75 | 4.4 | 25 |
| 747 | Spatially resolved extended phase graphs: modeling and design of multipulse sequences with parallel transmission. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1481-94 | 4.4 | 20 |

(2013-2012)

| 746 | On the fluid-tissue contrast behavior of high-resolution steady-state sequences. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1586-92 | 4.4 | 11 | |
|-----|---|----------------|-----|--|
| 745 | Diffusion sensitivity of turbo spin echo sequences. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 1528-37 | 4.4 | 18 | |
| 744 | Fe3O4-PEI-RITC magnetic nanoparticles with imaging and gene transfer capability: development of a tool for neural cell transplantation therapies. 2012 , 29, 1328-43 | | 48 | |
| 743 | Possibilities and limitations for high resolution small animal MRI on a clinical whole-body 3T scanner. 2012 , 25, 233-44 | | 40 | |
| 742 | Brain reinforcement system function is ghrelin dependent: studies in the rat using pharmacological fMRI and intracranial self-stimulation. 2012 , 17, 908-19 | | 33 | |
| 741 | Investigation of the behaviour of chitosan microparticles as pH responsive hydrogels in the gastro-intestinal tract using magnetic resonance imaging. 2012 , 26, 187-196 | | 5 | |
| 740 | Quantification of superparamagnetic iron oxide with large dynamic range using TurboSPI. 2012 , 216, 152-60 | | 8 | |
| 739 | MRI technique for the snapshot imaging of quantitative velocity maps using RARE. 2012 , 216, 183-91 | | 10 | |
| 738 | Fast CPMG-based Bloch-Siegert B(1)+ mapping. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 405-18 | 4.4 | 9 | |
| 737 | Prospective motion correction with continuous gradient updates in diffusion weighted imaging. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 326-38 | 4.4 | 51 | |
| 736 | In vivo proton electron double resonance imaging of mice with fast spin echo pulse sequence. 2012 , 35, 471-5 | | 4 | |
| 735 | Effects of gadolinium chelate on the evolution of the nanoscale structure in peptide hydrogels. 2012 , 98, 50-8 | | 4 | |
| 734 | Spectrally selective 3D TSE imaging of phosphocreatine in the human calf muscle at 3 T. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 812-7 | 4.4 | 17 | |
| 733 | Prospective motion correction in brain imaging: a review. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 62 ⁻⁷ | 1- <u>,3.6</u> | 256 | |
| 732 | In vivo high-resolution localized (1) H MR spectroscopy in the awake rat brain at 7 T. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 937-43 | 4.4 | 24 | |
| 731 | Enhanced refocusing of fat signals using optimized multipulse echo sequences. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 1044-55 | 4.4 | 13 | |
| 730 | Nuclear magnetic resonance imaging of lipid in living plants. 2013 , 52, 465-87 | | 29 | |
| 729 | Combined acquisition technique (CAT) for high-field neuroimaging with reduced RF power. 2013 , 26, 411-8 | | 4 | |

| 728 | Quantitative MRI and ultrastructural examination of the cuprizone mouse model of demyelination. 2013 , 26, 1562-81 | | 106 |
|-----|---|----|-----|
| 727 | Image domain propeller fast spin echo. <i>Magnetic Resonance Imaging</i> , 2013 , 31, 385-95 | .3 | 2 |
| 726 | Spin echo magnetic resonance imaging. 2013 , 37, 805-17 | | 26 |
| 725 | Antinociceptive activity of crotoxin in the central nervous system: a functional Magnetic Resonance Imaging study. 2013 , 74, 44-55 | | 9 |
| 724 | Imagerie par rBonance magnEique du rein et des voies excrErices´: techniques et aspects normaux. 2013 , 53, 267-283 | | |
| 723 | NMR and MRI studies of drug delivery systems. 2013 , 18, 214-227 | | 26 |
| 722 | ANATOMICAL AND FUNCTIONAL MRI. 2013 , 91-124 | | |
| 721 | A MRI rotary phased array head coil. 2013 , 7, 548-56 | | 3 |
| 720 | Phase errors in FSE signals due to low frequency electromagnetic interference. <i>Magnetic Resonance Imaging</i> , 2013 , 31, 1384-9 | .3 | 2 |
| 719 | Magnetic resonance imaging of reaction-driven viscous fingering in a packed bed. 2013 , 178, 64-68 | | 10 |
| 718 | Recent advances in flow MRI. 2013 , 229, 2-11 | | 86 |
| 717 | Magnetic resonance imaging in laboratory petrophysical core analysis. 2013 , 526, 165-225 | | 111 |
| 716 | Perforant pathway stimulation as a conditioned stimulus for active avoidance learning triggers BOLD responses in various target regions of the hippocampus: a combined fMRI and electrophysiological study. 2013 , 75, 213-227 | | 12 |
| 715 | Faster imaging with a portable unilateral NMR device. 2013 , 231, 72-8 | | 15 |
| 714 | Synchronized electrical stimulation of the rat medial forebrain bundle and perforant pathway generates an additive BOLD response in the nucleus accumbens and prefrontal cortex. 2013 , 77, 14-25 | | 12 |
| 713 | Motion-compensation techniques in neonatal and fetal MR imaging. 2013 , 34, 1124-36 | | 82 |
| 712 | Variations in the temporal pattern of perforant pathway stimulation control the activity in the mesolimbic pathway. 2013 , 64, 43-60 | | 15 |
| 711 | Analysis of time and space invariance of BOLD responses in the rat visual system. 2013 , 23, 210-22 | | 19 |

| 710 | Mutation of the diamond-blackfan anemia gene Rps7 in mouse results in morphological and neuroanatomical phenotypes. 2013 , 9, e1003094 | | 36 |
|-----|---|-----|----|
| 709 | [18F]-FLT positron emission tomography can be used to image the response of sensitive tumors to PI3-kinase inhibition with the novel agent GDC-0941. 2013 , 12, 819-28 | | 12 |
| 708 | Dynamic three-dimensional imaging of phosphocreatine recovery kinetics in the human lower leg muscles at 3T and 7T: a preliminary study. 2013 , 26, 348-56 | | 43 |
| 707 | Rapid multi-echo measurement of brain metabolite Tivalues at 7 T using a single-shot spectroscopic Carr-Purcell-Meiboom-Gill sequence and prior information. 2013 , 26, 1291-8 | | 6 |
| 706 | Rapid hybrid encoding for high-resolution whole-brain fluid-attenuated imaging. 2013, 26, 1751-61 | | |
| 705 | Density weighted turbo spin echo imaging. 2013 , 37, 965-73 | | 3 |
| 704 | A simple auto prescan calibration method for multislice fast spin echo MRI. 2013 , 23, 289-293 | | 1 |
| 703 | Non-invasive detection of neurochemical changes prior to overt pathology in a mouse model of spinocerebellar ataxia type 1. 2013 , 127, 660-8 | | 19 |
| 702 | TF MRI tracer preserves in vitro and in vivo properties of hematopoietic stem cells. 2013, 22, 87-97 | | 22 |
| 701 | In vivo measurement of transverse relaxation time in the mouse brain at 17.6 T. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 985-93 | 4.4 | 8 |
| 700 | Accelerated MRI by SPEED with generalized sampling schemes. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 1674-81 | 4.4 | 1 |
| 699 | Prevalence of spinal meningeal cyst in the sacrum. 2013 , 53, 91-4 | | 10 |
| 698 | Impact of the Parameter Variation on the Image Blurring in 3 T Magnetic Resonance Imaging: A Phantom Study. 2013 , 68, 355 | | |
| 697 | Altered reward circuitry in the norepinephrine transporter knockout mouse. <i>PLoS ONE</i> , 2013 , 8, e57597 | 3.7 | 17 |
| 696 | Faster metabolite (1)H transverse relaxation in the elder human brain. <i>PLoS ONE</i> , 2013 , 8, e77572 | 3.7 | 32 |
| 695 | Magnetic Resonance Imaging: A Tool for Pork Pie Development. 2013 , 2, 393-400 | | 4 |
| 694 | Accelerated fast spin-echo magnetic resonance imaging of the heart using a self-calibrated split-echo approach. <i>PLoS ONE</i> , 2014 , 9, e94654 | 3.7 | 3 |
| 693 | Preserved modular network organization in the sedated rat brain. <i>PLoS ONE</i> , 2014 , 9, e106156 | 3.7 | 24 |

| 692 | Chronic immobilization stress occludes in vivo cortical activation in an animal model of panic induced by carbon dioxide inhalation. 2014 , 8, 311 | 5 |
|-----|--|----|
| 691 | Ultra-high field magnetic resonance imaging of the basal ganglia and related structures. 2014 , 8, 876 | 37 |
| 690 | Susceptibility Artifacts. 2014 , 91-105 | 3 |
| 689 | Magnetic Resonance Imaging. 2014 , 73-262 | 1 |
| 688 | Stem cell injection in the hindlimb skeletal muscle enhances neurorepair in mice with spinal cord injury. 2014 , 9, 579-91 | 6 |
| 687 | Cell tracking with caged xenon: using cryptophanes as MRI reporters upon cellular internalization. 2014 , 53, 493-6 | 64 |
| 686 | SPECT-imaging of activity-dependent changes in regional cerebral blood flow induced by electrical and optogenetic self-stimulation in mice. 2014 , 103, 171-180 | 28 |
| 685 | Pulse Sequences for Diffusion-Weighted MRI. 2014 , 11-34 | 3 |
| 684 | Application of PINS radiofrequency pulses to reduce power deposition in RARE/turbo spin echo imaging of the human head. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 44-9 | 36 |
| 683 | Accelerate data acquisition using Turbo Spin Echo and O-Space. 2014, | O |
| 682 | Contributed review: nuclear magnetic resonance core analysis at 0.3 T. 2014 , 85, 111502 | 42 |
| 681 | The history of MR imaging as seen through the pages of radiology. 2014 , 273, S181-200 | 64 |
| 680 | 3D T2-weighted spin echo imaging in the breast. 2014 , 39, 332-8 | 7 |
| 679 | Triple-echo steady-state T2 relaxometry of the human brain at high to ultra-high fields. 2014 , 27, 1037-45 | 17 |
| 678 | Optimization of rapid acquisition with relaxation enhancement (RARE) pulse sequence parameters for ITF-MRI studies. 2014 , 40, 162-70 | 17 |
| 677 | Simultaneous dual contrast weighting using double echo rapid acquisition with relaxation enhancement (RARE) imaging. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 1590-8 | 8 |
| 676 | Granulocyte-macrophage colony-stimulating factor is neuroprotective in experimental traumatic brain injury. 2014 , 31, 976-83 | 52 |
| 675 | Diffusion properties of conventional and calcium-sensitive MRI contrast agents in the rat cerebral cortex. 2014 , 9, 71-82 | 20 |

| 674 | Brain diabetic neurodegeneration segregates with low intrinsic aerobic capacity. 2014 , 1, 589-604 | 30 |
|-----|--|-----|
| 673 | Fabrication and characterization of a high-resolution neural probe for stereoelectroencephalography and single neuron recording. 2014 , 2014, 5244-7 | 7 |
| 672 | The effective phase of soft RF pulses. 2014 , 43, 127-137 | 6 |
| 671 | The actual intrinsic excitability of granular cells determines the ruling neurovascular coupling mechanism in the rat dentate gyrus. 2014 , 34, 8529-45 | 10 |
| 670 | GDNF is important for striatal organization and maintenance of dopamine neurons grown in the presence of the striatum. 2014 , 270, 1-11 | 11 |
| 669 | Rehydration kinetics of freeze-dried carrots. 2014 , 24, 40-47 | 19 |
| 668 | HCN2 channels account for mechanical (but not heat) hyperalgesia during long-standing inflammation. 2014 , 155, 1079-1090 | 41 |
| 667 | Distributed BOLD and CBV-weighted resting-state networks in the mouse brain. 2014 , 87, 403-15 | 144 |
| 666 | Visualization of the amygdalo-hippocampal border and its structural variability by 7T and 3T magnetic resonance imaging. 2014 , 35, 4316-29 | 18 |
| 665 | Magnetic resonance imaging of electrochemical cells containing bulk metal. 2014 , 15, 1731-6 | 31 |
| 664 | Rapid multi-field T(1) estimation algorithm for Fast Field-Cycling MRI. 2014 , 238, 44-51 | 6 |
| 663 | Low-field permanent magnets for industrial process and quality control. 2014 , 76, 1-60 | 182 |
| 662 | Toward biocompatible nuclear hyperpolarization using signal amplification by reversible exchange: quantitative in situ spectroscopy and high-field imaging. 2014 , 86, 1767-74 | 96 |
| 661 | Multidimensional MR spectroscopic imaging of prostate cancer in vivo. 2014 , 27, 53-66 | 24 |
| 660 | Design and Characterization of Two Bifunctional Cryptophane A-Based Host Molecules for Xenon Magnetic Resonance Imaging Applications. 2014 , 79, 1463-1471 | 15 |
| 659 | Diffusion of Drug Delivery Nanoparticles into Biogels Using Time-Resolved MicroMRI. 2014 , 5, 3825-30 | 14 |
| 658 | Effective Fat Quantification Using Improved Least-Square Fit at High-Field MRI. 2014, | |
| 657 | Phase-aligned multiple spin-echo averaging: a simple way to improve signal-to-noise ratio of in vivo mouse spinal cord diffusion tensor image. <i>Magnetic Resonance Imaging</i> , 2014 , 32, 1335-43 | 9 |

Transition into driven equilibrium of the balanced steady-state free precession as an ultrafast multisection T2-weighted imaging of the brain. **2014**, 35, 1137-44

| 655 | Multichannel MRI labeling of mammalian cells by switchable nanocarriers for hyperpolarized xenon. 2014 , 14, 5721-6 | | 47 |
|-----|---|-----|-----|
| 654 | New opportunities for quantitative and time efficient 3D MRI of liquid and solid electrochemical cell components: Sectoral Fast Spin Echo and SPRITE. 2014 , 248, 96-104 | | 30 |
| 653 | Interfacial tension measurements using MRI drop shape analysis. 2014 , 30, 1566-72 | | 9 |
| 652 | Manganese-enhanced magnetic resonance imaging reveals increased DOI-induced brain activity in a mouse model of schizophrenia. 2014 , 111, E2492-500 | | 41 |
| 651 | Sensory cortex lesion triggers compensatory neuronal plasticity. 2014 , 15, 57 | | 3 |
| 650 | Development of an antibody-based, modular biosensor for 129Xe NMR molecular imaging of cells at nanomolar concentrations. 2014 , 111, 11697-702 | | 86 |
| 649 | Optimized three-dimensional fast-spin-echo MRI. 2014 , 39, 745-67 | | 188 |
| 648 | Treatment effects in a transgenic mouse model of Alzheimer's disease: a magnetic resonance spectroscopy study after passive immunization. 2014 , 259, 94-100 | | 13 |
| 647 | 2D and 3D MALDI-imaging: conceptual strategies for visualization and data mining. 2014 , 1844, 117-37 | | 54 |
| 646 | Segmented Espace and Echo Planar Imaging. 2014 , 511-567 | | |
| 645 | Combination of single-photon emission computed tomography and magnetic resonance imaging to track 111in-oxine-labeled human mesenchymal stem cells in neuroblastoma-bearing mice. 2014 , 13, | | 10 |
| 644 | Reproduction of motion artifacts for performance analysis of prospective motion correction in MRI. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 182-90 | 4.4 | 33 |
| 643 | Reducing contrast contamination in radial turbo-spin-echo acquisitions by combining a narrow-band KWIC filter with parallel imaging. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 1680-6 | 4.4 | 8 |
| 642 | Magnetic resonance imaging of the middle and inner ear after intratympanic injection of a gadolinium-containing gel. 2014 , 35, 526-32 | | 2 |
| 641 | Multiecho acquisition of O-space data. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 1648-57 | 4.4 | 5 |
| 640 | Cell Tracking with Caged Xenon: Using Cryptophanes as MRI Reporters upon Cellular Internalization. 2014 , 126, 503-506 | | 22 |
| 639 | Gadofosveset-based biomarker of tissue albumin concentration: Technical validation in vitro and feasibility in vivo. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 244-53 | 4.4 | 11 |

| 638 | SENSE and simultaneous multislice imaging. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 1356-62 | 4.4 | 46 |
|-----|--|-----|----|
| 637 | Gallbladder and biliary system. 2015 , 395-459 | | |
| 636 | Inflection Points in Magnetic Resonance Imaging Technology-35 Years of Collaborative Research and Development. 2015 , 50, 645-56 | | 1 |
| 635 | Ultrafast 3D spin-echo acquisition improves Gadolinium-enhanced MRI signal contrast enhancement. 2014 , 4, 5061 | | 2 |
| 634 | Current density imaging sequence for monitoring current distribution during delivery of electric pulses in irreversible electroporation. 2015 , 14 Suppl 3, S6 | | 6 |
| 633 | Fast T2 mapping with multiple echo, Caesar cipher acquisition and model-based reconstruction. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1065-74 | 4.4 | 14 |
| 632 | Generating multiple contrasts using single-shot radial T1 sensitive and insensitive steady-state imaging. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 2129-41 | 4.4 | 3 |
| 631 | Gradient rotating outer volume excitation (GROOVE): A novel method for single-shot two-dimensional outer volume suppression. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 139-49 | 4.4 | 2 |
| 630 | Variable flip angle three-dimensional fast spin-echo sequence combined with outer volume suppression for imaging trabecular bone structure of the proximal femur. 2015 , 41, 1300-10 | | 24 |
| 629 | Nonrigid registration improves MRI T2 quantification in heart transplant patient follow-up. 2015 , 42, 168-74 | | 10 |
| 628 | Direct signal control of the steady-state response of 3D-FSE sequences. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 951-63 | 4.4 | 13 |
| 627 | Rapid field-cycling MRI using fast spin-echo. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1120-4 | 4.4 | 26 |
| 626 | Sensitive imaging of magnetic nanoparticles for cancer detection by active feedback MR. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 33-41 | 4.4 | 5 |
| 625 | Novel Magnetic Resonance Imaging Techniques in Brain Tumors. 2015 , 24, 137-46 | | 1 |
| 624 | Variable-flip-angle single-slab 3D GRASE imaging with phase-independent image reconstruction. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1041-52 | 4.4 | 6 |
| 623 | Diffusion-sensitized ophthalmic magnetic resonance imaging free of geometric distortion at 3.0 and 7.0 T: a feasibility study in healthy subjects and patients with intraocular masses. 2015 , 50, 309-21 | | 19 |
| 622 | Molecular Imaging of Tumors Using a Quantitative T 1 Mapping Technique via Magnetic Resonance Imaging. 2015 , 5, 318-32 | | 11 |
| 621 | Sub-millimeter T2 weighted fMRI at 7 T: comparison of 3D-GRASE and 2D SE-EPI. 2015 , 9, 163 | | 56 |

| 620 | In Vivo Detection of Perinatal Brain Metabolite Changes in a Rabbit Model of Intrauterine Growth Restriction (IUGR). <i>PLoS ONE</i> , 2015 , 10, e0131310 | 3.7 | 14 |
|-----|--|-----|-----|
| 619 | Sodium selenate reduces hyperphosphorylated tau and improves outcomes after traumatic brain injury. 2015 , 138, 1297-313 | | 105 |
| 618 | The hemodynamic response to somatosensory stimulation in mice depends on the anesthetic used: Implications on analysis of mouse fMRI data. 2015 , 116, 40-9 | | 53 |
| 617 | T2 quantification from only proton density and T2-weighted MRI by modelling actual refocusing angles. 2015 , 118, 642-50 | | 12 |
| 616 | Experimental Traumatic Brain Injury Results in Long-Term Recovery of Functional Responsiveness in Sensory Cortex but Persisting Structural Changes and Sensorimotor, Cognitive, and Emotional Deficits. 2015 , 32, 1333-46 | | 44 |
| 615 | Impact of orthodontic appliances on the quality of craniofacial anatomical magnetic resonance imaging and real-time speech imaging. 2015 , 37, 610-7 | | 18 |
| 614 | Magnetic resonance imaging in children: common problems and possible solutions for lung and airways imaging. 2015 , 45, 1901-15 | | 47 |
| 613 | Parallel-transmission-enabled three-dimensional T2 -weighted imaging of the human brain at 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 2195-203 | 4.4 | 25 |
| 612 | Effect of Carr-Purcell refocusing pulse trains on transverse relaxation times of metabolites in rat brain at 9.4 Tesla. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 13-20 | 4.4 | 17 |
| 611 | Correcting surface coil excitation inhomogeneities in single-shot SPEN MRI. 2015 , 259, 199-206 | | 3 |
| 610 | Pharmacology of basimglurant (RO4917523, RG7090), a unique metabotropic glutamate receptor 5 negative allosteric modulator in clinical development for depression. 2015 , 353, 213-33 | | 78 |
| 609 | MR microscopy for noninvasive detection of water distribution during soaking and cooking in the common bean. <i>Magnetic Resonance Imaging</i> , 2015 , 33, 336-45 | 3.3 | 15 |
| 608 | Magnetic resonance signal moment determination using the Earth's magnetic field. 2015 , 252, 145-50 | | 8 |
| 607 | Real-space imaging of macroscopic diffusion and slow flow by singlet tagging MRI. 2015 , 252, 130-4 | | 46 |
| 606 | Preclinical MR fingerprinting (MRF) at 7 T: effective quantitative imaging for rodent disease models. 2015 , 28, 384-94 | | 45 |
| 605 | Postsynaptic and spiking activity of pyramidal cells, the principal neurons in the rat hippocampal CA1 region, does not control the resultant BOLD response: a combined electrophysiologic and fMRI approach. 2015 , 35, 565-75 | | 8 |
| 604 | Imaging visceral adhesion to polymeric mesh using pneumoperitoneal-MRI in an experimental rat model. 2015 , 29, 1567-73 | | 4 |
| 603 | Improving the robustness of 3D turbo spin echo imaging to involuntary motion. 2015 , 28, 329-45 | | 16 |

(2015-2015)

| 602 | RARE/turbo spin echo imaging with Simultaneous Multislice Wave-CAIPI. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 929-938 | 4.4 | 51 |
|-----|---|-----|-----|
| 601 | Quantitative Versus Qualitative Methods in Evaluation of T2 Signal Intensity to Improve Accuracy in Diagnosis of Pheochromocytoma. 2015 , 205, 302-10 | | 9 |
| 600 | Image guided drug release from pH-sensitive Ion channel-functionalized stealth liposomes into an in vivo glioblastoma model. 2015 , 11, 1345-54 | | 36 |
| 599 | One step bioconversion of waste precious metals into Serratia biofilm-immobilized catalyst for Cr(VI) reduction. 2015 , 37, 2181-91 | | 18 |
| 598 | Functional connectivity hubs of the mouse brain. 2015 , 115, 281-91 | | 105 |
| 597 | Aquaporins and blood-brain barrier permeability in early edema development after traumatic brain injury. 2015 , 1611, 18-28 | | 45 |
| 596 | Quantification of plaque lipids in the aortic root of ApoE-deficient mice by 3D DIXON magnetic resonance imaging in an ex vivo model. 2015 , 25, 736-44 | | 1 |
| 595 | Gradient Spin Echo (GraSE) imaging for fast myocardial T2 mapping. 2015 , 17, 12 | | 79 |
| 594 | Motion artifacts in MRI: A complex problem with many partial solutions. 2015 , 42, 887-901 | | 264 |
| 593 | Longitudinal monitoring of metabolic alterations in cuprizone mouse model of multiple sclerosis using 1H-magnetic resonance spectroscopy. 2015 , 114, 128-35 | | 29 |
| 592 | Magnetic resonance imaging. 2015 , 109-133 | | 1 |
| 591 | In situ magnetic resonance imaging study of the impregnation of Ealumina pellets. 2015 , 503, 111-116 | | 4 |
| 590 | Investigating pyridazine and phthalazine exchange in a series of iridium complexes in order to define their role in the catalytic transfer of magnetisation from -hydrogen. 2015 , 6, 3981-3993 | | 36 |
| 589 | Advances and artefact suppression in RARE-velocimetry for flow with curved streamlines. 2015 , 259, 135-45 | | 7 |
| 588 | Echo-Planar Imaging with concomitant field compensation for porous media MRI. 2015, 260, 38-45 | | 9 |
| 587 | MRI measurement of blood-brain barrier transport with a rapid acquisition refocused echo (RARE) method. 2015 , 463, 479-82 | | 5 |
| 586 | Reducing acquisition time in clinical MRI by data undersampling and compressed sensing reconstruction. 2015 , 60, R297-322 | | 125 |
| 585 | MR-guided sclerotherapy of low-flow vascular malformations using T2 -weighted interrupted bSSFP (T2 W-iSSFP): comparison of pulse sequences for visualization and needle guidance. 2015 , 41, 525-35 | | 5 |

| 584 | Balanced SSFP Dixon imaging with banding-artifact reduction at 3 Tesla. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 706-15 | 4.4 | 9 |
|-----|--|-----|-----|
| 583 | Assessing recovery from neurodegeneration in spinocerebellar ataxia 1: Comparison of in vivo magnetic resonance spectroscopy with motor testing, gene expression and histology. 2015 , 74, 158-66 | | 19 |
| 582 | Magnetic Resonance Imaging. 2015 , 39-63 | | |
| 581 | Pseudo-random center placement O-space imaging for improved incoherence compressed sensing parallel MRI. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 2212-24 | 4.4 | 13 |
| 580 | Extended phase graphs: dephasing, RF pulses, and echoes - pure and simple. 2015 , 41, 266-95 | | 207 |
| 579 | Gd-Si Oxide Nanoparticles as Contrast Agents in Magnetic Resonance Imaging. 2016 , 6, | | 13 |
| 578 | Heteronuclear Micro-Helmholtz Coil Facilitates µm-Range Spatial and Sub-Hz Spectral Resolution NMR of nL-Volume Samples on Customisable Microfluidic Chips. <i>PLoS ONE</i> , 2016 , 11, e0146384 | 3.7 | 38 |
| 577 | Adult axolotls can regenerate original neuronal diversity in response to brain injury. 2016, 5, | | 43 |
| 576 | Quantitative, In Situ Visualization of Metal-Ion Dissolution and Transport Using 1H Magnetic Resonance Imaging. 2016 , 128, 9540-9543 | | 1 |
| 575 | Quantitative, In Situ Visualization of Metal-Ion Dissolution and Transport Using (1) H Magnetic Resonance Imaging. 2016 , 55, 9394-7 | | 25 |
| 574 | In vivo imaging of the spectral line broadening of the human lung in a single breathhold. 2016 , 44, 745-5 | 57 | 8 |
| 573 | Metabolite and macromolecule T1 and T2 relaxation times in the rat brain in vivo at 17.2T. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 503-14 | 4.4 | 31 |
| 572 | Experimental O-space turbo spin echo imaging. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 1654-61 | 4.4 | 11 |
| 571 | Variable flip angle 3D-GRASE for high resolution fMRI at 7 tesla. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 897-904 | 4.4 | 24 |
| 570 | Imaging of the lumbar plexus: Optimized refocusing flip angle train design for 3D TSE. 2016 , 43, 789-99 | | 11 |
| 569 | Magnetic Resonance Spectroscopy discriminates the response to microglial stimulation of wild type and Alzheimer's disease models. 2016 , 6, 19880 | | 22 |
| 568 | Early hippocampal volume loss as a marker of eventual memory deficits caused by repeated stress. 2016 , 6, 29127 | | 36 |
| 567 | 2-D MR Spectroscopy Combined with 2-D/3-D Spatial Encoding. 2016 , 1039-1060 | | 1 |

| 566 | Dental MRI using wireless intraoral coils. 2016 , 6, 23301 | | 52 |
|-----|---|-----|----|
| 565 | Technical Note: Compact three-tesla magnetic resonance imager with high-performance gradients passes ACR image quality and acoustic noise tests. <i>Medical Physics</i> , 2016 , 43, 1259-64 | 4.4 | 18 |
| 564 | Development of ultrafast UTE imaging for granular systems. 2016 , 273, 113-123 | | 9 |
| 563 | Modularized architecture of address generation units suitable for real-time processing MR data on an FPGA. 2016 , 87, 063705 | | 1 |
| 562 | Complex interplay between brain function and structure during cerebral amyloidosis in APP transgenic mouse strains revealed by multi-parametric MRI comparison. 2016 , 134, 1-11 | | 29 |
| 561 | Strategies to minimize sedation in pediatric body magnetic resonance imaging. 2016 , 46, 916-27 | | 80 |
| 560 | The effect of water suppression on the hepatic lipid quantification, as assessed by the LCModel, in a preclinical and clinical scenario. 2016 , 29, 29-37 | | 1 |
| 559 | Proton magnetic resonance imaging used to investigate dewatering of green sapwood by cycling carbon dioxide between supercritical fluid and gas phase. 2016 , 111, 36-42 | | 8 |
| 558 | Mapping three-dimensional oil distribution with EPI MRI measurements at low magnetic field. 2016 , 269, 13-23 | | 14 |
| 557 | MRI as Primary End Point for Pharmacologic Experiments of Liver Regeneration in a Murine Model of Partial Hepatectomy. 2016 , 23, 1446-1453 | | 2 |
| 556 | Accelerating flow propagator measurements for the investigation of reactive transport in porous media. 2016 , 272, 68-72 | | 12 |
| 555 | Design and implementation of a simple multinuclear MRI system for ultra high-field imaging of animals. 2016 , 273, 28-32 | | 13 |
| 554 | Chronic psychosocial stress in mice leads to changes in brain functional connectivity and metabolite levels comparable to human depression. 2016 , 142, 544-552 | | 55 |
| 553 | Spin echoes in the regime of weak dephasing. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 150-60 | 4.4 | 11 |
| 552 | Initial evaluation of hepatic T1 relaxation time as an imaging marker of liver disease associated with autosomal recessive polycystic kidney disease (ARPKD). 2016 , 29, 84-9 | | 6 |
| 551 | Fast imaging of laboratory core floods using 3D compressed sensing RARE MRI. 2016 , 270, 187-197 | | 18 |
| 550 | Neurological Outcomes after Human Umbilical Cord Patch for In Utero Spina Bifida Repair in a Sheep Model. 2016 , 6, e309-17 | | 19 |
| 549 | Electrostatic interactions are important for the distribution of Gd(DTPA)(2-) in articular cartilage. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 500-9 | 4.4 | 3 |

| 548 | A semi-automated measuring system of brain diffusion and perfusion magnetic resonance imaging abnormalities in patients with multiple sclerosis based on the integration of coregistration and tissue segmentation procedures. 2016 , 16, 4 | 3 |
|-----|--|----|
| 547 | Sodium selenate, a protein phosphatase 2A activator, mitigates hyperphosphorylated tau and improves repeated mild traumatic brain injury outcomes. 2016 , 108, 382-93 | 46 |
| 546 | Dynamic Quantitative T1 Mapping in Orthotopic Brain Tumor Xenografts. 2016 , 9, 147-154 | 8 |
| 545 | Molecular MRI in the Earth's Magnetic Field Using Continuous Hyperpolarization of a Biomolecule in Water. 2016 , 120, 5670-7 | 33 |
| 544 | Technical feasibility of integrating 7 T anatomical MRI in image-guided radiotherapy of glioblastoma: a preparatory study. 2016 , 29, 591-603 | 11 |
| 543 | Temporal resolution improvement of calibration-free dynamic contrast-enhanced MRI with compressed sensing optimized turbo spin echo: The effects of replacing turbo factor with compressed sensing accelerations. 2016 , 44, 138-47 | 4 |
| 542 | The role of the mesolimbic dopamine system in the formation of blood-oxygen-level dependent responses in the medial prefrontal/anterior cingulate cortex during high-frequency stimulation of the rat perforant pathway. 2016 , 36, 2177-2193 | 16 |
| 541 | Digital processing of images of extruded rubber profiles for process control MRI. 2016 , 82, 466-475 | 9 |
| 540 | Magnetic resonance imaging of (1)H long lived states derived from parahydrogen induced polarization in a clinical system. 2016 , 262, 68-72 | 17 |
| 539 | Continuous Magnetic Field Monitoring Using Rapid Re-Excitation of NMR Probe Sets. 2016 , 35, 1452-62 | 9 |
| 538 | Acoustic noise reduction in T 1- and proton-density-weighted turbo spin-echo imaging. 2016 , 29, 5-15 | 5 |
| 537 | Design of a 3T preamplifier which stability is insensitive to coil loading. 2016 , 265, 215-23 | 3 |
| 536 | Director orientations in lyotropic liquid crystals: diffusion MRI mapping of the Saupe order tensor. 2016 , 18, 8545-53 | 17 |
| 535 | Role of Diffusion Tensor MR Imaging in Degenerative Cervical Spine Disease: a Review of the Literature. 2016 , 26, 265-76 | 13 |
| 534 | Characterising gas behaviour during gas Ilquid co-current up-flow in packed beds using magnetic resonance imaging. 2017 , 157, 2-14 | 20 |
| 533 | Measurement of an oilwater flow using magnetic resonance imaging. 2017 , 53, 161-171 | 10 |
| 532 | From unspecific to adjusted, how the BOLD response in the rat hippocampus develops during consecutive stimulations. 2017 , 37, 590-604 | 8 |
| 531 | A flexible fast spin echo triple-echo Dixon technique. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 1049-10574 | 9 |

(2017-2017)

| 530 | Optimization of sparse phase encodings for variable repetition-delay turbo-spin echo (TSE) T measurements for preclinical applications. 2017 , 274, 57-64 | 6 |
|-----|--|----|
| 529 | Phase incremented echo train acquisition applied to magnetic resonance pore imaging. 2017 , 275, 90-97 | 5 |
| 528 | Adapted MR velocimetry of slow liquid flow in porous media. 2017 , 276, 103-112 | 12 |
| 527 | Fast T1 and T2 mapping methods: the zoomed U-FLARE sequence compared with EPI and snapshot-FLASH for abdominal imaging at 11.7 Tesla. 2017 , 30, 299-307 | 6 |
| 526 | T selective Œcho-Planar Imaging for porous media MRI. 2017 , 277, 52-58 | 3 |
| 525 | Late effect of dopamine D receptor activation on stimulus-induced BOLD responses in the hippocampus and its target regions depends on the history of previous stimulations. 2017 , 152, 119-129 | 5 |
| 524 | Image formation in diffusion MRI: A review of recent technical developments. 2017 , 46, 646-662 | 52 |
| 523 | The correction of time and temperature effects in MR-based 3D Fricke xylenol orange dosimetry. 2017 , 62, 3221-3236 | 3 |
| 522 | Optimal control design of preparation pulses for contrast optimization in MRI. 2017 , 279, 39-50 | 10 |
| 521 | Comparison of Turbo Spin Echo and Echo Planar Imaging for intravoxel incoherent motion and diffusion tensor imaging of the kidney at 3Tesla. 2017 , 27, 193-201 | 5 |
| 520 | Physics for clinicians: Fluid-attenuated inversion recovery (FLAIR) and double inversion recovery (DIR) Imaging. 2017 , 46, 1590-1600 | 11 |
| 519 | Operando determination of the liquid-solid mass transfer coefficient during 1-octene hydrogenation. 2017 , 171, 614-624 | 9 |
| 518 | Traumatic brain injury causes long-term behavioral changes related to region-specific increases of cerebral blood flow. 2017 , 222, 4005-4021 | 21 |
| 517 | MRI. 2017 , 227-324 | 2 |
| 516 | Magnetic resonance imaging of granular materials. 2017 , 88, 051806 | 28 |
| 515 | Quantitative in vivo T2 mapping using fast spin echo techniques - A linear correction procedure. 2017 , 157, 476-485 | 21 |
| 514 | Delivering strong H nuclear hyperpolarization levels and long magnetic lifetimes through signal amplification by reversible exchange. 2017 , 114, E3188-E3194 | 92 |
| 513 | Central Nervous System Changes Induced by Underbody Blast-Induced Hyperacceleration: An in Vivo Diffusion Tensor Imaging and Magnetic Resonance Spectroscopy Study. 2017 , 34, 1972-1980 | 8 |

| 512 | Activity and connectivity changes of central projection areas revealed by functional magnetic resonance imaging in Na1.8-deficient mice upon cold signaling. 2017 , 7, 543 | 1 |
|-----|---|-----|
| 511 | MRI of chemical reactions and processes. 2017 , 101, 51-70 | 21 |
| 510 | Liquid-state carbon-13 hyperpolarization generated in an MRI system for fast imaging. <i>Nature Communications</i> , 2017 , 8, 14535 | 51 |
| 509 | Pulse sequence considerations for simulation and postimplant dosimetry of prostate brachytherapy. 2017 , 16, 743-753 | 10 |
| 508 | Fast triple-spin-echo Dixon (FTSED) sequence for water and fat imaging. <i>Magnetic Resonance Imaging</i> , 2017 , 37, 164-170 | 2 |
| 507 | Compressed sensing for body MRI. 2017 , 45, 966-987 | 125 |
| 506 | BLIPPED (BLIpped Pure Phase EncoDing) high resolution MRI with low amplitude gradients. 2017 , 285, 61-67 | 1 |
| 505 | Prospective motion correction in 2D multishot MRI using EPI navigators and multislice-to-volume image registration. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 2127-2135 | 5 |
| 504 | Nanometer size silicon particles for hyperpolarized MRI. 2017 , 7, 7946 | 14 |
| 503 | Principles of Quantitative MR Imaging with Illustrated Review of Applicable Modular Pulse Diagrams. 2017 , 37, 2083-2105 | 8 |
| 502 | Paramagnetic F Relaxation Enhancement in Nickel(II) Complexes of N-Trifluoroethyl Cyclam Derivatives and Cell Labeling for F MRI. 2017 , 56, 13337-13348 | 23 |
| 501 | Dysprosium-Modified Tobacco Mosaic Virus Nanoparticles for Ultra-High-Field Magnetic Resonance and Near-Infrared Fluorescence Imaging of Prostate Cancer. 2017 , 11, 9249-9258 | 68 |
| 500 | Partitioning k-space for cylindrical three-dimensional rapid acquisition with relaxation enhancement imaging in the mouse brain. 2017 , 30, e3802 | 44 |
| 499 | CD90 Expression Controls Migration and Predicts Dasatinib Response in Glioblastoma. 2017 , 23, 7360-7374 | 23 |
| 498 | Solid-state P and H chemical MR micro-imaging of hard tissues and biomaterials with magic angle spinning at very high magnetic field. 2017 , 7, 8224 | 8 |
| 497 | Echo-Planar J-resolved Spectroscopic Imaging using Dual Read-outs: Implementation and Quantitation of Human Brain Metabolites. 2017 , 7, 3087 | 3 |
| 496 | Magnetic Resonance Imaging and Velocity Mapping in Chemical Engineering Applications. 2017 , 8, 227-247 | 17 |
| 495 | Analysis of the multi-echo spin-echo pulse sequence. 2017 , 46A, e21402 | 1 |

| 494 | MRI Study of Liesegang Patterns: Mass Transport and Banded Inorganic Phase Formation in Gel. 2017 , 48, 545-557 | 1 | |
|-----|---|-------------|--|
| 493 | Speed in Clinical Magnetic Resonance. 2017 , 52, 1-17 | 50 | |
| 492 | A cCPE-based xenon biosensor for magnetic resonance imaging of claudin-expressing cells. 2017 , 1397, 195-208 | 8 | |
| 491 | Priming increases the anti-tumor effect and therapeutic window of Lu-octreotate in nude mice bearing human small intestine neuroendocrine tumor GOT1. 2017 , 7, 6 | 12 | |
| 490 | Repetitive Model of Mild Traumatic Brain Injury Produces Cortical Abnormalities Detectable by Magnetic Resonance Diffusion Imaging, Histopathology, and Behavior. 2017 , 34, 1364-1381 | 49 | |
| 489 | Body Diffusion Weighted Imaging Using Non-CPMG Fast Spin Echo. 2017 , 36, 549-559 | 6 | |
| 488 | Hippocampal to basal forebrain transport of Mn is impaired by deletion of KLC1, a subunit of the conventional kinesin microtubule-based motor. 2017 , 145, 44-57 | 11 | |
| 487 | Optimal control design of turbo spin-echo sequences with applications to parallel-transmit systems. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 361-373 | 17 | |
| 486 | Preparation and Characterisation of Highly Stable Iron Oxide Nanoparticles for Magnetic Resonance Imaging. 2017 , 2017, 1-8 | 16 | |
| 485 | Hippocampal CA3 activation alleviates fMRI-BOLD responses in the rat prefrontal cortex induced by electrical VTA stimulation. <i>PLoS ONE</i> , 2017 , 12, e0172926 | 7 | |
| 484 | Solute transport within grape berries inferred from the paramagnetic properties of manganese. 2017 , 44, 969-977 | 1 | |
| 483 | Ferumoxytol enhanced black-blood cardiovascular magnetic resonance imaging. 2017, 19, 106 | 9 | |
| 482 | Birdcage volume coils and magnetic resonance imaging: a simple experiment for students. 2017 , 11, 41 | 6 | |
| 481 | MRI Acquisition Techniques. 2017 , 1-21 | O | |
| 480 | 2D ultra-fast MRI of granular dispersion by a liquid jet. 2017 , 140, 09015 | 1 | |
| 479 | Engineered contrast agents in a single structure for T-T dual magnetic resonance imaging. 2018 , 10, 6349-63 | 60 9 | |
| 478 | Simultaneous multislice triple-echo steady-state (SMS-TESS) T , T , PD, and off-resonance mapping in the human brain. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1088-1100 | 4 | |
| 477 | Vessel radius mapping in an extended model of transverse relaxation. 2018 , 31, 531-551 | 16 | |

| 476 | Fingolimod inhibits brain atrophy and promotes brain-derived neurotrophic factor in an animal model of multiple sclerosis. 2018 , 318, 103-113 | 22 |
|-----|--|-----|
| 475 | Smart-Dust-Nanorice for Enhancement of Endogenous Raman Signal, Contrast in Photoacoustic Imaging, and T2-Shortening in Magnetic Resonance Imaging. 2018 , 14, e1703683 | 6 |
| 474 | Increasing robustness of radial GRASE acquisition for SAR-reduced brain imaging. 2018, 28, 236-246 | 3 |
| 473 | Realistic modeling of deep brain stimulation implants for electromagnetic MRI safety studies. 2018 , 63, 095015 | 19 |
| 472 | Optimized phases for the acquisition of J-spectra in coupled spin systems for thermally and PHIP polarized molecules. 2018 , 289, 55-62 | 4 |
| 471 | DAGAN: Deep De-Aliasing Generative Adversarial Networks for Fast Compressed Sensing MRI Reconstruction. 2018 , 37, 1310-1321 | 444 |
| 470 | Basic Pulse Sequences in Magnetic Resonance Imaging. 2018 , 1718, 21-37 | 4 |
| 469 | Simultaneous multi-slice combined with PROPELLER. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 496-506 _{4.4} | 10 |
| 468 | Clinical application of Half Fourier Acquisition Single Shot Turbo Spin Echo (HASTE) imaging accelerated by simultaneous multi-slice acquisition. 2018 , 98, 200-206 | 5 |
| 467 | Characterisation of heterogeneity and spatial autocorrelation in phase separating mixtures using Moran's I. 2018 , 513, 180-187 | 24 |
| 466 | Brain region-specific enhancement of remyelination and prevention of demyelination by the CSF1R kinase inhibitor BLZ945. 2018 , 6, 9 | 68 |
| 465 | Simultaneous Recording of NMR Signals from Nuclei with Different Gyromagnetic Ratios Using Undersampling Technique. 2018 , 49, 523-532 | 2 |
| 464 | Quantitative magnetic resonance imaging assessments of autosomal recessive polycystic kidney disease progression and response to therapy in an animal model. 2018 , 83, 1067-1074 | 4 |
| 463 | TArgeted Motion Estimation and Reduction (TAMER): Data Consistency Based Motion Mitigation for MRI Using a Reduced Model Joint Optimization. 2018 , 37, 1253-1265 | 30 |
| 462 | A 2D spiral turbo-spin-echo technique. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1989-1996 4.4 | 10 |
| 461 | Diffusion MRI of the human brain at ultra-high field (UHF): A review. 2018 , 168, 172-180 | 14 |
| 460 | Ultrafast compartmentalized relaxation time mapping with linear algebraic modeling. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 286-297 | 4 |
| 459 | How to choose the right MR sequence for your research question at 7T and above?. 2018 , 168, 119-140 | 34 |

| 458 | Multispectral diffusion-weighted imaging near metal implants. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 987-993 | 4.4 | 10 |
|-----|--|-----|----|
| 457 | A single-shot T mapping protocol based on echo-split gradient-spin-echo acquisition and parametric multiplexed sensitivity encoding based on projection onto convex sets reconstruction. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 383-393 | 4.4 | 7 |
| 456 | The effect of concomitant fields in fast spin echo acquisition on asymmetric MRI gradient systems. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 1354-1364 | 4.4 | 7 |
| 455 | High-resolution in vivo imaging of human locus coeruleus by magnetization transfer MRI at 3T and 7T. 2018 , 168, 427-436 | | 65 |
| 454 | Hippocampal Deformations and Entorhinal Cortex Atrophy as an Anatomical Signature of Long-Term Cognitive Impairment: from the MCAO Rat Model to the Stroke Patient. 2018 , 9, 294-305 | | 11 |
| 453 | Body diffusion-weighted imaging using magnetization prepared single-shot fast spin echo and extended parallel imaging signal averaging. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 3032-3044 | 4.4 | 4 |
| 452 | Data-driven mapping of hypoxia-related tumor heterogeneity using DCE-MRI and OE-MRI. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 2236-2245 | 4.4 | 10 |
| 451 | NAD-biosynthetic enzyme NMNAT1 reduces early behavioral impairment in the htau mouse model of tauopathy. 2018 , 339, 140-152 | | 13 |
| 450 | Design of universal parallel-transmit refocusing k -point pulses and application to 3D T -weighted imaging at 7T. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 53-65 | 4.4 | 21 |
| 449 | Erythropoietin Attenuates the Brain Edema Response after Experimental Traumatic Brain Injury. 2018 , 35, 671-680 | | 20 |
| 448 | K-space trajectories in 3D-GRASE sequence for high resolution structural imaging. <i>Magnetic Resonance Imaging</i> , 2018 , 48, 10-19 | 3.3 | 4 |
| 447 | In Situ Chemically-Selective Monitoring of Multiphase Displacement Processes in a Carbonate Rock Using 3D Magnetic Resonance Imaging. 2018 , 121, 15-35 | | 14 |
| 446 | Single-Breath-Hold Whole-heart Unenhanced Coronary MRA Using Multi-shot Gradient Echo EPI at 3T: Comparison with Free-breathing Turbo-field-echo Coronary MRA on Healthy Volunteers. 2018 , 17, 161-167 | | 1 |
| 445 | Magnetic Resonance Imaging. 2018 , 211-252 | | |
| 444 | Magnetic Resonance Imaging in Situ Visualization of an Electrochemical Reaction under Forced Hydrodynamic Conditions. 2018 , 3, 18630-18638 | | 2 |
| 443 | In vivo 13C-MRI using SAMBADENA. <i>PLoS ONE</i> , 2018 , 13, e0200141 | 3.7 | 27 |
| 442 | Super Slice Interpolation For Generating Thin-Slice Images From Multichannel Multislice MRI Data. 2018 , 2018, 1351-1355 | | |
| 441 | Neurogliovascular dysfunction in a model of repeated traumatic brain injury. 2018 , 8, 4824-4836 | | 17 |

| 440 | Development and validation of a new MRI simulation technique that can reliably estimate optimal in vivo scanning parameters in a glioblastoma murine model. <i>PLoS ONE</i> , 2018 , 13, e0200611 | 2 |
|---------------------------------|---|---------------------|
| 439 | Parallel 2D FFT implementation on FPGA suitable for real-time MR image processing. 2018 , 89, 093706 | 8 |
| 438 | Light-enhanced VEGF/rGel: A tumor targeted modality with vascular and immune-mediated efficacy. 2018 , 288, 161-172 | 14 |
| 437 | Functional assessment of strains around a full-thickness and critical sized articular cartilage defect under compressive loading using MRI. 2018 , 26, 1710-1721 | 11 |
| 436 | Impact of Citric Acid on the Impregnation of CoMoP/EAl2O3 Catalysts: Time and Spatially Resolved MRI and Raman Imaging Study. 2018 , 61, 1474-1484 | 3 |
| 435 | Accelerating the estimation of 3D spatially resolved T distributions. 2018 , 296, 93-102 | 3 |
| 434 | Glutamate and GABA in autism spectrum disorder-a translational magnetic resonance spectroscopy study in man and rodent models. 2018 , 8, 106 | 111 |
| 433 | Assessment of in vivo degradation profiles of hyaluronic acid hydrogels using temporal evolution of chemical exchange saturation transfer (CEST) MRI. 2018 , 178, 326-338 | 12 |
| 432 | Efficient Pulse Sequences for NMR Microscopy. 2018 , 199-235 | 1 |
| | | |
| 431 | Effect of head motion on MRI B field distribution. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 2538-2548 4.4 | 20 |
| 431 | Effect of head motion on MRI B field distribution. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 2538-2548 4.4 Regulation of feeding by somatostatin neurons in the tuberal nucleus. 2018 , 361, 76-81 | 20 |
| | | |
| 430 | Regulation of feeding by somatostatin neurons in the tuberal nucleus. 2018 , 361, 76-81 Disentangling the role of TRPM4 in hippocampus-dependent plasticity and learning: an | 42 |
| 430 | Regulation of feeding by somatostatin neurons in the tuberal nucleus. 2018 , 361, 76-81 Disentangling the role of TRPM4 in hippocampus-dependent plasticity and learning: an electrophysiological, behavioral and FMRI approach. 2018 , 223, 3557-3576 Fast, free-breathing and motion-minimized techniques for pediatric body magnetic resonance | 42 12 |
| 430 429 428 | Regulation of feeding by somatostatin neurons in the tuberal nucleus. 2018, 361, 76-81 Disentangling the role of TRPM4 in hippocampus-dependent plasticity and learning: an electrophysiological, behavioral and FMRI approach. 2018, 223, 3557-3576 Fast, free-breathing and motion-minimized techniques for pediatric body magnetic resonance imaging. 2018, 48, 1197-1208 Experimental evidence of velocity profile inversion in developing laminar flow using magnetic | 42 12 29 |
| 430 429 428 427 | Regulation of feeding by somatostatin neurons in the tuberal nucleus. 2018, 361, 76-81 Disentangling the role of TRPM4 in hippocampus-dependent plasticity and learning: an electrophysiological, behavioral and FMRI approach. 2018, 223, 3557-3576 Fast, free-breathing and motion-minimized techniques for pediatric body magnetic resonance imaging. 2018, 48, 1197-1208 Experimental evidence of velocity profile inversion in developing laminar flow using magnetic resonance velocimetry. 2018, 851, 545-557 Differentiation of Normal and Radioresistant Prostate Cancer Xenografts Using Magnetization | 42 12 29 8 |
| 430 429 428 427 426 | Regulation of feeding by somatostatin neurons in the tuberal nucleus. 2018, 361, 76-81 Disentangling the role of TRPM4 in hippocampus-dependent plasticity and learning: an electrophysiological, behavioral and FMRI approach. 2018, 223, 3557-3576 Fast, free-breathing and motion-minimized techniques for pediatric body magnetic resonance imaging. 2018, 48, 1197-1208 Experimental evidence of velocity profile inversion in developing laminar flow using magnetic resonance velocimetry. 2018, 851, 545-557 Differentiation of Normal and Radioresistant Prostate Cancer Xenografts Using Magnetization Transfer-Prepared MRI. 2018, 8, 10447 Altered distribution of ATG9A and accumulation of axonal aggregates in neurons from a mouse | 42 12 29 8 |

| 422 | Cerebral blood perfusion deficits using dynamic susceptibility contrast MRI with gadolinium chelates in rats with post-ischemic reperfusion without significant dynamic contrast-enhanced MRI-derived vessel permeabilities: A cautionary note. <i>PLoS ONE</i> , 2018 , 13, e0201076 | 4 |
|-----|--|----|
| 421 | Acquisition of spatially-resolved displacement propagators using compressed sensing APGSTE-RARE MRI. 2018 , 295, 45-56 | 9 |
| 420 | Head motion measurement and correction using FID navigators. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 258-274 | 24 |
| 419 | Effective Fat Quantification Using Multiple Region Growing Scheme at High-Field MRI. 2019 , 7, 2118-2125 | 1 |
| 418 | An Ultra-Area-Efficient 1024-Point In-Memory FFT Processor. 2019 , 10, | 5 |
| 417 | Evaluating the effect of roasting on coffee lipids using a hybrid targeted-untargeted NMR approach in combination with MRI. 2019 , 299, 125039 | 6 |
| 416 | Cardiovascular Magnetic Resonance Angiography. 2019 , 236-281 | |
| 415 | Dynamic nuclear polarisation of liquids at one microtesla using circularly polarised RF with application to millimetre resolution MRI. 2019 , 305, 138-145 | 2 |
| 414 | Applications of magnetic resonance imaging in chemical engineering. 2019 , 4, | 1 |
| 413 | Degeneration of the Suprachiasmatic Nucleus in an Alzheimer's Disease Mouse Model Monitored by in vivo Magnetic Resonance Relaxation Measurements and Immunohistochemistry. 2019 , 69, 363-375 | 10 |
| 412 | Gradient- and spin-echo (GRASE) MR imaging: a long-existing technology that may find wide applications in modern era. 2019 , 9, 1477-1484 | 5 |
| 411 | Fast model-based T mapping using SAR-reduced simultaneous multislice excitation. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 2090-2103 | 6 |
| 410 | Identification of sampling patterns for high-resolution compressed sensing MRI of porous materials: 'learning' from X-ray microcomputed tomography data. 2019 , 276, 63-81 | 4 |
| 409 | Three-dimensional MRI in a homogenous 27 cm diameter bore Halbach array magnet. 2019 , 307, 106578 | 33 |
| 408 | The role of ongoing neuronal activity for baseline and stimulus-induced BOLD signals in the rat hippocampus. 2019 , 202, 116082 | 7 |
| 407 | MRI and localised NMR spectroscopy of sessile droplets on hydrophilic, hydrophobic and superhydrophobic surfaces - Examination of the chemical composition during evaporation. 2019 , 307, 106579 | 7 |
| 406 | Dephasing optimization through coherence order pathway selection (DOTCOPS) for improved crusher schemes in MR spectroscopy. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 2209-2222 | 15 |
| 405 | Applicability of Magnetic Resonance Imaging in the Assessment of Fetal Urinary Tract Malformations. 2019 , 70, 83-95 | 5 |

| 404 | Electrical Stimulation of the Lateral Entorhinal Cortex Causes a Frequency-Specific BOLD Response Pattern in the Rat Brain. 2019 , 13, 539 | 2 |
|-----|--|----|
| 403 | Increased cerebral vascularization and decreased water exchange across the blood-brain barrier in aquaporin-4 knockout mice. <i>PLoS ONE</i> , 2019 , 14, e0218415 3.7 | 13 |
| 402 | Functional MR Imaging. 2019 , 73-94 | 0 |
| 401 | Hybrid-state free precession in nuclear magnetic resonance. 2019 , 2, | 11 |
| 400 | Whole-body MRI of bone marrow: A review. 2019 , 50, 1687-1701 | 9 |
| 399 | Functional Connectivity and Metabolic Alterations in Medial Prefrontal Cortex in a Rat Model of Fetal Alcohol Spectrum Disorder: A Resting-State Functional Magnetic Resonance Imaging and in vivo Proton Magnetic Resonance Spectroscopy Study. 2019 , 41, 67-78 | 9 |
| 398 | A Brief Review on: MRI Images Reconstruction using GAN. 2019 , | 4 |
| 397 | Network Accelerated Motion Estimation and Reduction (NAMER): Convolutional neural network guided retrospective motion correction using a separable motion model. <i>Magnetic Resonance in 4.4 Medicine</i> , 2019 , 82, 1452-1461 | 34 |
| 396 | Magnetic Resonance Imaging. 2019 , 339-451 | |
| 395 | ENLIVE: An Efficient Nonlinear Method for Calibrationless and Robust Parallel Imaging. 2019, 9, 3034 | 10 |
| 394 | Myoinositol CEST signal in animals with increased Iba-1 levels in response to an inflammatory challenge-Preliminary findings. <i>PLoS ONE</i> , 2019 , 14, e0212002 | 5 |
| 393 | Dynamic Imaging of Glucose and Lactate Metabolism by C-MRS without Hyperpolarization. 2019 , 9, 3410 | 35 |
| 392 | Quantifying the contrast of the human locus coeruleus in vivo at 7 Tesla MRI. PLoS ONE, 2019 , 14, e0209 <u>8</u> . 9 2 | 9 |
| 391 | Basic Principles of Cardiovascular Magnetic Resonance. 2019 , 1-14.e2 | |
| 390 | Diffusion tensor distribution imaging. 2019 , 32, e4066 | 21 |
| 389 | In vivo prediction of temporomandibular joint disc thickness and position changes for different jaw positions. 2019 , 234, 718-727 | 7 |
| 388 | Impaired neural differentiation and glymphatic CSF flow in the rat model of neonatal hydrocephalus: genetic interaction with. 2019 , 12, | 9 |
| 387 | Controlling susceptibility mismatch effects, signal lifetimes, and SNR through variation of B in MRI of rock core plugs. 2019 , 307, 106575 | |

| 386 | Diffusion-weighted Renal MRI at 9.4 Tesla Using RARE to Improve Anatomical Integrity. 2019 , 9, 19723 | 1 |
|-----|--|----|
| 385 | Topics on quantitative liver magnetic resonance imaging. 2019 , 9, 1840-1890 | 19 |
| 384 | Intermolecular interactions play a role in the distribution and transport of charged contrast agents in a cartilage model. <i>PLoS ONE</i> , 2019 , 14, e0215047 | |
| 383 | Low frequency pulse stimulation of Schaffer collaterals in Trpm4 knockout rats differently affects baseline BOLD signals in target regions of the right hippocampus but not BOLD responses at the site of stimulation. 2019 , 188, 347-356 | 7 |
| 382 | In Vivo Preclinical Molecular Imaging of Repeated Exposure to an -methyl-d-aspartate Antagonist and a Glutaminase Inhibitor as Potential Glutamatergic Modulators. 2019 , 368, 382-390 | 4 |
| 381 | Comparison of fast field-cycling magnetic resonance imaging methods and future perspectives. 2019 , 117, 832-848 | 10 |
| 380 | Three-dimensional NMR microscopy of zebrafish specimens. 2019 , 32, e4031 | 6 |
| 379 | Robust visualization of middle cerebral artery main trunk by enhanced acceleration-selective arterial spin labeling (eAccASL) for intracranial MRA. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 3185-319 ⁴ 1 ⁴ | 2 |
| 378 | Diffusion-weighted MRI of the lung at 3T evaluated using echo-planar-based and single-shot turbo spin-echo-based acquisition techniques for radiotherapy applications. 2019 , 20, 284-292 | 6 |
| 377 | Under-sampling and compressed sensing of 3D spatially-resolved displacement propagators in porous media using APGSTE-RARE MRI. <i>Magnetic Resonance Imaging</i> , 2019 , 56, 24-31 | 6 |
| 376 | Magnetic Resonance Imaging of TMJ. 2019 , 155-204 | 1 |
| 375 | Compressive sensing MRI reconstruction using empirical wavelet transform and grey wolf optimizer. 2020 , 32, 2705-2724 | 6 |
| 374 | Magnetic Resonance Imaging of the Brain Using Compressed Sensing´- Quality Assessment in Daily Clinical Routine. 2020 , 30, 279-286 | 13 |
| 373 | Improving the image quality of 3D FLAIR with a spiral MRI technique. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 170-177 | 5 |
| 372 | Bone regeneration response in an experimental long bone defect orthotopically implanted with alginate-pullulan-glass-ceramic composite scaffolds. 2020 , 108, 1129-1140 | 8 |
| 371 | Pattern recognition analysis of dynamic susceptibility contrast (DSC)-MRI curves automatically segments tissue areas with intact blood-brain barrier in a rat stroke model: A feasibility and comparison study. 2020 , 51, 1369-1381 | 1 |
| 370 | Portable and platform-independent MR pulse sequence programs. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 1277-1290 | 3 |
| 369 | Autocalibrated parallel imaging reconstruction with sampling pattern optimization for GRASE: APIR4GRASE. <i>Magnetic Resonance Imaging</i> , 2020 , 66, 141-151 | 1 |

| 368 | Very rare right hepatic artery variant unnoticed before surgery. 2020 , 90, 1207-1208 | | O |
|------------|--|---|--------|
| 367 | Magnetic resonance imaging of the vocal fold oscillations with sub-millisecond temporal resolution. Magnetic Resonance in Medicine, 2020 , 83, 403-411 | 4 | 6 |
| 366 | Cuprizone-induced demyelination under physiological and post-stroke condition leads to decreased neurogenesis response in adult mouse brain. 2020 , 326, 113168 | | 7 |
| 365 | Portable NMR with Parallelism. 2020, 92, 2112-2120 | | 11 |
| 364 | Alterations in the whole brain network organization after prenatal ethanol exposure. 2020 , 51, 2110-2118 | } | 1 |
| 363 | Multispectral diffusion-weighted MRI of the instrumented cervical spinal cord: a preliminary study of 5 cases. 2020 , 29, 1071-1077 | | O |
| 362 | Making Magnets More Attractive: Physics and Engineering Contributions to Patient Comfort in MRI. 2020 , 29, 167-174 | | 7 |
| 361 | Contemporary approaches to high-field magnetic resonance imaging with large field inhomogeneity. 2020 , 120-121, 95-108 | | 4 |
| 360 | Mapping oscillating magnetic fields around rechargeable batteries. 2020, 319, 106811 | | 3 |
| 359 | Cardiac MRI: technical basis. 2020 , 125, 1040-1055 | | 7 |
| 358 | Rotated spiral RARE for high spatial and temporal resolution volumetric arterial spin labeling acquisition. 2020 , 223, 117371 | | 3 |
| 357 | Single-plate method for practical modulation transfer function measurement in magnetic | | / |
| | resonance imaging. 2020 , 13, 358-364 | | 1 |
| 356 | | | 2 |
| 356 355 | resonance imaging. 2020 , 13, 358-364 Choline Plus Working Memory Training Improves Prenatal Alcohol-Induced Deficits in Cognitive | | |
| | Choline Plus Working Memory Training Improves Prenatal Alcohol-Induced Deficits in Cognitive Flexibility and Functional Connectivity in Adulthood in Rats. 2020, 12, Ultrastructural and diffusion tensor imaging studies reveal axon abnormalities in Pompe disease | | 2 |
| 355 | Choline Plus Working Memory Training Improves Prenatal Alcohol-Induced Deficits in Cognitive Flexibility and Functional Connectivity in Adulthood in Rats. 2020, 12, Ultrastructural and diffusion tensor imaging studies reveal axon abnormalities in Pompe disease mice. 2020, 10, 20239 Tissue-Specific Ferritin- and GFP-Based Genetic Vectors Visualize Neurons by MRI in the Intact and | | 2 O |
| 355 354 | Choline Plus Working Memory Training Improves Prenatal Alcohol-Induced Deficits in Cognitive Flexibility and Functional Connectivity in Adulthood in Rats. 2020, 12, Ultrastructural and diffusion tensor imaging studies reveal axon abnormalities in Pompe disease mice. 2020, 10, 20239 Tissue-Specific Ferritin- and GFP-Based Genetic Vectors Visualize Neurons by MRI in the Intact and Post-Ischemic Rat Brain. 2020, 21, Glucose Loading Enhances the Value of F-FDG PET/CT for the Characterization and Delineation of | | 2 0 |

(2020-2020)

| 350 | Non-negative least squares computation for in vivo myelin mapping using simulated multi-echo spin-echo T decay data. 2020 , 33, e4277 | 5 |
|-----|--|----|
| 349 | An MRI-Derived Neuroanatomical Atlas of the Fischer 344 Rat Brain. 2020 , 10, 6952 | 10 |
| 348 | An Automated Segmentation Pipeline for Intratumoural Regions in Animal Xenografts Using Machine Learning and Saturation Transfer MRI. 2020 , 10, 8063 | 4 |
| 347 | Space Filling Curves for MRI Sampling. 2020 , | О |
| 346 | What scans we will read: imaging instrumentation trends in clinical oncology. 2020 , 20, 38 | 9 |
| 345 | A half-century of innovation in technology-preparing MRI for the 21st century. 2020 , 93, 20200113 | 6 |
| 344 | Transplantation of induced neural stem cells (iNSCs) into chronically demyelinated corpus callosum ameliorates motor deficits. 2020 , 8, 84 | 10 |
| 343 | Fast Quantitative Magnetic Resonance Imaging. 2020 , 15, i-124 | |
| 342 | Frequency-dependent electrical stimulation of fimbria-fornix preferentially affects the mesolimbic dopamine system or prefrontal cortex. 2020 , 13, 753-764 | 2 |
| 341 | Evaluation of F-IAM6067 as a sigma-1 receptor PET tracer for neurodegeneration in rodents and in human tissue. 2020 , 10, 7938-7955 | 3 |
| 340 | Towards a general framework for fast and feasible k-space trajectories for MRI based on projection methods. <i>Magnetic Resonance Imaging</i> , 2020 , 72, 122-134 | О |
| 339 | In Vivo Molecular Signatures of Cerebellar Pathology in Spinocerebellar Ataxia Type 3. 2020 , 35, 1774-1786 | 6 |
| 338 | Accelerating CEST MRI in the mouse brain at 9.4 T by exploiting sparsity in the Z-spectrum domain. 2020 , 33, e4360 | 1 |
| 337 | Whole-brain chemical exchange saturation transfer îmaging with optimized turbo spin echo readout. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 1161-1172 | 7 |
| 336 | Pattern recognition analysis of directional intravoxel incoherent motion MRI in ischemic rodent brains. 2020 , 33, e4268 | |
| 335 | Discovery of Balovaptan, a Vasopressin 1a Receptor Antagonist for the Treatment of Autism Spectrum Disorder. 2020 , 63, 1511-1525 | 14 |
| 334 | Nuclear magnetic resonance spectroscopy of human body fluids and in vivo magnetic resonance spectroscopy: Potential role in the diagnosis and management of prostate cancer. 2020 , 38, 150-173 | 12 |
| 333 | Computational MRI with Physics-based Constraints: Application to Multi-contrast and Quantitative Imaging. 2020 , 37, 94-104 | 4 |

The diagnostic value of magnetic resonance urography for detecting ureteric obstruction: a systematic review and meta-analysis. **2020**, 52, 275-282

| 331 | RARE two-point Dixon with dual bandwidths. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 2456-2468 | 4.4 | 1 |
|-----|--|-----|----|
| 330 | Super-resolved water/fat image reconstruction based on single-shot spatiotemporally encoded MRI. 2020 , 314, 106736 | | 0 |
| 329 | Cross correlation-based misregistration correction for super resolution T -weighted spin-echo images: application to prostate. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 1350-1363 | 4.4 | Ο |
| 328 | Accelerating in vivo fast spin echo high angular resolution diffusion imaging with an isotropic resolution in mice through compressed sensing. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 1397-1413 | 4.4 | 1 |
| 327 | Phase separation and collapse in almost density matched depletion induced colloidal gels in presence and absence of air bubbles: An MRI imaging study. 2021 , 582, 201-211 | | 1 |
| 326 | Mathematical modeling and Magnetic Resonance Imaging experimental study of the impregnation step: A new tool to optimize the preparation of heterogeneous catalysts. 2021 , 312, 110756 | | 3 |
| 325 | A portable scanner for magnetic resonance imaging of the brain. 2021 , 5, 229-239 | | 29 |
| 324 | Chemical shift encoding using asymmetric readout waveforms. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 1468-1480 | 4.4 | |
| 323 | Highly accelerated submillimeter resolution 3D GRASE with controlled blurring in -weighted functional MRI at 7 Tesla: A feasibility study. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 2490-2506 | 4.4 | 6 |
| 322 | Singulett-Kontrast-Magnetresonanztomographie: Freisetzung der Hyperpolarisation durch den Metabolismus**. 2021 , 133, 6866-6873 | | 3 |
| 321 | Singlet-Contrast Magnetic Resonance Imaging: Unlocking Hyperpolarization with Metabolism*. 2021 , 60, 6791-6798 | | 15 |
| 320 | Ex vivo gadoxetate relaxivities in rat liver tissue and blood at five magnetic field strengths from 1.41 to 7 T. 2021 , 34, e4401 | | 5 |
| 319 | Localized singlet-filtered MRS in vivo. 2021 , 34, e4400 | | 4 |
| 318 | Physical and technical aspects of human magnetic resonance imaging: present status and 50 years historical review. 2021 , 6, 1885310 | | 1 |
| 317 | Ratlas-LH: An MRI template of the Lister hooded rat brain with stereotaxic coordinates for neurosurgical implantations. 2021 , 5, 23982128211036332 | | |
| 316 | Tracking of Labelled Stem Cells Using Molecular MR Imaging in a Mouse Burn Model as an Approach to Regenerative Medicine. 2021 , 11, 1-15 | | |
| 315 | Functional Imaging Using Fluorine (F) MR Methods: Basic Concepts. 2021 , 2216, 279-299 | | 3 |

Carotid wall imaging with 3D_T2_FFE: sequence parameter optimization and comparison with 3D_T2_SPACE. **2021**, 11, 2255

| 313 | Fluorine (F) MRI for Assessing Inflammatory Cells in the Kidney: Experimental Protocol. 2021 , 2216, 49 | 95-507 | |
|-----|---|--------|----|
| 312 | Non-invasive delivery of levodopa-loaded nanoparticles to the brain via lymphatic vasculature to enhance treatment of Parkinson disease. 2021 , 14, 2749-2761 | | 2 |
| 311 | Three-dimensional spatially resolved phase graph framework. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 551-560 | 4.4 | 3 |
| 310 | Detection and Imaging of Damages and Defects in Fibre-Reinforced Composites by Magnetic Resonance Technique. 2021 , 14, | | О |
| 309 | Characterizing pore-scale structure-flow correlations in sedimentary rocks using magnetic resonance imaging. 2021 , 103, 023104 | | 3 |
| 308 | Rapid Musculoskeletal MRI in 2021: Value and Optimized Use of Widely Accessible Techniques. 2021 , 216, 704-717 | | 13 |
| 307 | Strategies to improve intratrain prospective motion correction for turbo spin-echo sequences with constant flip angles. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 852-865 | 4.4 | 2 |
| 306 | MRzero - Automated discovery of MRI sequences using supervised learning. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 709-724 | 4.4 | 6 |
| 305 | Genetic inactivation of SARM1 axon degeneration pathway improves outcome trajectory after experimental traumatic brain injury based on pathological, radiological, and functional measures. | | |
| 304 | A continuous time random walk method to predict dissolution in porous media based on validation of experimental NMR data. 2021 , 149, 103847 | | 1 |
| 303 | Evaluation of contrast and denoising effects related to imaging parameters of compressed sensitivity encoding in contrast-enhanced magnetic resonance imaging. 2021 , 14, 193-202 | | |
| 302 | Characterization of Open-Cell Sponges via Magnetic Resonance and X-ray Tomography. 2021 , 14, | | 1 |
| 301 | Pericyte hypoxia-inducible factor-1 (HIF-1) drives blood-brain barrier disruption and impacts acute ischemic stroke outcome. 2021 , 24, 823-842 | | 5 |
| 300 | Genetic inactivation of SARM1 axon degeneration pathway improves outcome trajectory after experimental traumatic brain injury based on pathological, radiological, and functional measures. 2021 , 9, 89 | | 4 |
| 299 | APIR4EMC: Autocalibrated parallel imaging reconstruction for extended multi-contrast imaging. <i>Magnetic Resonance Imaging</i> , 2021 , 78, 80-89 | 3.3 | О |
| 298 | Three-dimensional gradient and spin-echo readout for time-encoded pseudo-continuous arterial spin labeling: Influence of segmentation factor and flow compensation. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 1454-1462 | 4.4 | 1 |
| 297 | Copper(II) Pyridyl Aminophenolates: Hypoxia-Selective, Nucleus-Targeting Cytotoxins, and Magnetic Resonance Probes. 2021 , 27, 9839-9849 | | 1 |

| 296 | MR-compatible optical microscope for in-situ dual-mode MR-optical microscopy. <i>PLoS ONE</i> , 2021 , 16, e0250903 | 7 | 3 |
|-------------|---|------|-----|
| 295 | The Value of 3 Tesla Field Strength for Musculoskeletal Magnetic Resonance Imaging. 2021 , 56, 749-763 | | 4 |
| 294 | Phase Saturation Control on Mixing-Driven Reactions in 3D Porous Media. 2021 , 55, 8742-8752 | | 3 |
| 293 | 3D MRI: Technical Considerations and Practical Integration. 2021 , 25, 381-387 | | 1 |
| 292 | A history of lameness and low body condition score is associated with reduced digital cushion volume, measured by magnetic resonance imaging, in dairy cattle. 2021 , 104, 7026-7038 | | 4 |
| 291 | A novel model of ischemia in rats with middle cerebral artery occlusion using a microcatheter and zirconia ball under fluoroscopy. 2021 , 11, 12806 | | 1 |
| 290 | Comparative analysis of SINC-shaped and SLR pulses performance for contiguous multi-slice fast spin-echo imaging using metamaterial-based MRI. 2021 , 34, 929-938 | | 0 |
| 289 | ICA-based denoising strategies in breath-hold induced cerebrovascular reactivity mapping with multi echo BOLD fMRI. 2021 , 233, 117914 | | 6 |
| 288 | Effects of MR imaging time reduction on substitute CT generation for prostate MRI-only treatment planning. 2021 , 44, 799-807 | | |
| 287 | Bloch modelling enables robust T2 mapping using retrospective proton density and T2-weighted images from different vendors and sites. 2021 , 237, 118116 | | 1 |
| 286 | Olfactory Information Storage Engages Subcortical and Cortical Brain Regions That Support Valence Determination. 2021 , | | 1 |
| 285 | Design of an Intraoral Dipole Antenna for Dental Applications. 2021 , 68, 2563-2573 | | 2 |
| 284 | Mono-planar T-Hex: Speed and flexibility for high-resolution 3D imaging. <i>Magnetic Resonance in Medicine</i> , 2022 , 87, 272-280 | 4 | |
| 283 | External Dynamic InTerference Estimation and Removal (EDITER) for low field MRI. <i>Magnetic Resonance in Medicine</i> , 2022 , 87, 614-628 | 4 | 1 |
| 282 | Inductively Coupled Intraoral Flexible Coil for Increased Visibility of Dental Root Canals in Magnetic Resonance Imaging. 2021 , | | О |
| 281 | The cholinergic system modulates negative BOLD responses in the prefrontal cortex once electrical perforant pathway stimulation triggers neuronal afterdischarges in the hippocampus. 2021 , 271678X2110 |)498 | 320 |
| 2 80 | Neurite orientation dispersion and density imaging in a rodent model of acute mild traumatic brain injury. 2021 , 31, 879-892 | | 2 |
| 279 | Establishing an Octopus Ecosystem for Biomedical and Bioengineering Research. 2021, | | |

| 278 | Direct multi-elemental imaging of freshly impregnated catalyst by Laser-Induced Breakdown Spectroscopy. 2021 , 401, 183-187 | | 2 |
|-----|---|---|----|
| 277 | Protocols for multi-site trials using hyperpolarized Xe MRI for imaging of ventilation, alveolar-airspace size, and gas exchange: A position paper from the Xe MRI clinical trials 4. consortium. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 2966-2986 | 4 | 5 |
| 276 | Whole-body MRI: a practical guide for imaging patients with malignant bone disease. 2021 , 76, 715-727 | | О |
| 275 | detection of teriflunomide-derived fluorine signal during neuroinflammation using fluorine MR spectroscopy. 2021 , 11, 2490-2504 | | 5 |
| 274 | Clinical feasibility of 2D dynamic sagittal HASTE flexion-extension imaging of the cervical spine for the assessment of spondylolisthesis and cervical cord impingement. 2021 , 134, 109447 | | 0 |
| 273 | A Fast 0.5 T Prepolarizer Module for Preclinical Magnetic Resonance Imaging. 2021 , 1-1 | | |
| 272 | Auto-contouring FDG-PET/MR images for cervical cancer radiation therapy: An intelligent sequential approach using focally trained, shallow U-Nets. 2021 , 5, 100026 | | |
| 271 | B inhomogeneity correction of RARE MRI with transceive surface radiofrequency probes. <i>Magnetic A.</i> 4. | 4 | 3 |
| 270 | Magnetic Resonance Imaging and Spectroscopic Techniques. 2001, 1-55 | | 1 |
| 269 | Ultra High Field Magnetic Resonance Imaging: A Historical Perspective. 2006 , 1-17 | | 7 |
| 268 | Magnetic Resonance Imaging: Current Status and Strategies for Improving Multiple Sclerosis Clinical Trial Design. 1996 , 161-186 | | 5 |
| 267 | Faster MRI. 2000 , 227-276 | | 1 |
| 266 | Real-Time and Interactive MRI. 2014 , 193-209 | | 1 |
| 265 | Superparamagnetic Iron Oxide Particles as Marker Substances for Searching Tumor Specific Liposomes with Magnetic Resonance Imaging. 1997 , 561-568 | | 2 |
| 264 | New Imaging Techniques for Bone. 2010 , 51-76 | | 1 |
| 263 | Tactile and non-tactile sensory paradigms for fMRI and neurophysiologic studies in rodents. 2009 , 489, 213-42 | | 18 |
| 262 | Spatial encoding - basic imaging sequences. 2011 , 771, 23-43 | | 1 |
| 261 | Applications of hyperpolarized agents in solutions. 2011 , 771, 655-89 | | 4 |

| 260 | Fast Imaging. 2015 , 63-86 | 1 |
|-----|---|---|
| 259 | Modeling Fetal Cortical Expansion Using Graph-Regularized Gompertz Models. 2016 , 247-254 | 3 |
| 258 | Single-Shot Pulse Sequences. 2007 , 119-126 | 4 |
| 257 | MRI Methods for In-Vivo Cortical Parcellation. 2013 , 197-220 | 1 |
| 256 | Magnetic Resonance Imaging. 2001 , 15-26 | О |
| 255 | Physical Principles and Signal Behaviour in Magnetic Resonance Imaging. 1990 , 3-14 | 2 |
| 254 | Echo-Planar Imaging of the Abdomen. 1998 , 325-370 | 1 |
| 253 | Turbo Spin-Echo Imaging. 1998 , 583-604 | 2 |
| 252 | Echo-Planar Imaging Pulse Sequences. 1998 , 65-139 | 9 |
| 251 | Echo-Planar Image Reconstruction. 1998 , 141-178 | 3 |
| 250 | Imaging Methods with Advanced k -Space Trajectories. 1996 , 115-166 | 2 |
| 249 | Partitioning of the Magnetization into Configurations. 1999 , 409-456 | 1 |
| 248 | MRI Methods for In-Vivo Cortical Parcellation. 2013 , 197-220 | 3 |
| 247 | Stereotactic localization using fast spin-echo imaging in functional disorders. 1993 , 58, 59-60 | 1 |
| 246 | Magnetic Resonance Imaging Techniques to Monitor Phase III Treatment Trials. 1999 , 49-73 | 2 |
| 245 | Real-Time Cardiovascular MR Imaging. 1998 , 207-219 | 4 |
| 244 | Image Denoising Using Generative Adversarial Network. 2020 , 73-90 | 1 |
| 243 | MRI Techniques for the Identification of Neuronal Migration Disorders. 1999 , 19-27 | 3 |

(2000-2018)

| 242 | Direct hyperpolarization of micro- and nanodiamonds for bioimaging applications - Considerations on particle size, functionalization and polarization loss. 2018 , 286, 42-51 | 12 |
|-----|---|----|
| 241 | Diagnosis of Nerve Root Compression: Myelography, Computed Tomography, and MRI. 1992 , 23, 405-419 | 19 |
| 240 | WHOLE-BODY MR IMAGING. 1999 , 7, 209-236 | 23 |
| 239 | MR UROGRAPHY. 1997 , 5, 95-106 | 23 |
| 238 | RENAL MR ANGIOGRAPHY. 1998 , 6, 351-370 | 26 |
| 237 | OVERVIEW OF MR IMAGING PULSE SEQUENCES. 1999 , 7, 661-697 | 19 |
| 236 | Chapter 4:Magnetic Resonance Micro-imaging of Hydrogels. 2020 , 110-173 | 1 |
| 235 | Ultra-fast fMRI. 2001 , 93-108 | 1 |
| 234 | Atherosclerotic plaque components in human aortas contrasted by ex vivo imaging using fast spin-echo magnetic resonance imaging and spiral computed tomography. 1996 , 31, 724-8 | 11 |
| 233 | Contrast-enhanced magnetic resonance urography. First experimental results with a polymeric gadolinium bloodpool agent. 1997 , 32, 418-23 | 16 |
| 232 | Feasibility and utility of respiratory-gated, gadolinium-enhanced T1-weighted magnetic resonance urography in children. 2000 , 35, 504-12 | 18 |
| 231 | Brain imaging: reduced sensitivity of RARE-derived techniques to susceptibility effects. 1996 , 20, 201-5 | 15 |
| 230 | Technique for MRI of ocular motility. 1997 , 21, 442-6 | 2 |
| 229 | Combination of surface anatomy MRI and MR venography to demonstrate cerebral cortex and cortical veins on one image. 1998 , 22, 972-5 | 4 |
| 228 | Ultrafast fetal MR images of intracranial teratoma. 1999 , 23, 318-9 | 8 |
| 227 | Vascular suppression technique in MRI using Gd-DTPA: improving image quality of MR myelography. 1999 , 23, 346-50 | 1 |
| 226 | T1- and T2-weighted imaging at 8 Tesla. 1999 , 23, 875-8 | 17 |
| 225 | Comparison of cystourethrography and dynamic MRI in bladder neck descent. 2000 , 24, 382-8 | 26 |

| 224 | Flow void of cerebrospinal fluid in idiopathic normal pressure hydrocephalus of the elderly: can it predict outcome after shunting?. 1997 , 40, 67-73; discussion 73-4 | 39 |
|-------------|--|-----|
| 223 | White matter lesions in patients with idiopathic normal pressure hydrocephalus and in an age-matched control group: a comparative study. 1997 , 40, 491-5; discussion 495-6 | 31 |
| 222 | T2 heterogeneity provides a sensitive measure of early tumor response to radiotherapy. | 1 |
| 221 | ICA-based Denoising Strategies in Breath-Hold Induced Cerebrovascular Reactivity Mapping with Multi Echo BOLD fMRI. | 4 |
| 220 | PET by MRI: Glucose Imaging by 13C-MRS without Dynamic Nuclear Polarization by Noise Suppression through Tensor Decomposition Rank Reduction. | 1 |
| 219 | Mapping of Lithium-Ion Battery Electrolyte Transport Properties and Limiting Currents with In Situ MRI. 2020 , 167, 140518 | 14 |
| 218 | Late glial swelling after acute cerebral hypoxia-ischemia in the neonatal rat: a combined magnetic resonance and histochemical study. 1997 , 42, 54-9 | 68 |
| 217 | Biphasic edema after hypoxic-ischemic brain injury in neonatal rats reflects early neuronal and late glial damage. 1999 , 46, 297-304 | 59 |
| 216 | Magnetic Resonance Imaging at Low Magnetic Field Using Hyperpolarized3He Gas. 2005, 107, 491-506 | 4 |
| 215 | Conditional Creation and Rescue of Nipbl-Deficiency in Mice Reveals Multiple Determinants of Risk for Congenital Heart Defects. 2016 , 14, e2000197 | 19 |
| 214 | Altered neurocircuitry in the dopamine transporter knockout mouse brain. <i>PLoS ONE</i> , 2010 , 5, e11506 3.7 | 44 |
| 213 | Decreased fat storage by Lactobacillus paracasei is associated with increased levels of angiopoietin-like 4 protein (ANGPTL4). <i>PLoS ONE</i> , 2010 , 5, e13087 | 194 |
| 212 | Inhibition of glioblastoma growth by the thiadiazolidinone compound TDZD-8. <i>PLoS ONE</i> , 2010 , 5, e13879.7 | 18 |
| 211 | Preclinical models for neuroblastoma: establishing a baseline for treatment. <i>PLoS ONE</i> , 2011 , 6, e19133 3.7 | 63 |
| 21 0 | In vivo tracking of human neural stem cells with 19F magnetic resonance imaging. <i>PLoS ONE</i> , 2011 , 6, e29040 | 94 |
| 209 | Imaging Renal Urea Handling in Rats at Millimeter Resolution using Hyperpolarized Magnetic Resonance Relaxometry. 2016 , 2, 125-135 | 26 |
| 208 | Fluorine-19 fast recovery fast spin echo imaging for mapping 5-fluorouracil. 2007 , 6, 235-40 | 3 |
| 207 | Fetal magnetic resonance imaging. 2004 , 4, 214-227 | 2 |

| 206 | Real-time magnetic resonance imaging of cardiac function and flow-recent progress. 2014 , 4, 313-29 | 36 |
|-----|---|----|
| 205 | Medical Imaging. 634-712 | 2 |
| 204 | Role of magnetic resonance urography in diagnosis of duplex renal system: Our initial experience at a tertiary care institute. 2009 , 25, 52-5 | 3 |
| 203 | Optimization of nuclear magnetic resonance refocusing pulses to enhance signal intensity in gradient B0 field. 2013 , 62, 147602 | 3 |
| 202 | A high-throughput neurohistological pipeline for brain-wide mesoscale connectivity mapping of the common marmoset. 2019 , 8, | 26 |
| 201 | Imaging of glucose metabolism by 13C-MRI distinguishes pancreatic cancer subtypes in mice. 2019 , 8, | 12 |
| 200 | The history of magnetic resonance imaging and its reflections in. 2021 , 62, 1481-1498 | 2 |
| 199 | Advanced MR Imaging Techniques for the Pancreas, with Emphasis on MR Pancreatography. 2000 , 83-90 | |
| 198 | Endocrine Tumors of the Pancreas. 2000 , 109-116 | |
| 197 | Rapid MR Imaging. 2000 , 111-134 | |
| 196 | High Signal Intensity of Fat on Fast Spin Echo Imaging. 2000 , 56, 1269-1275 | |
| 195 | Biliary System. 2000 , 59-81 | |
| 194 | MR IMAGING OF INTRADURAL TUMORS OF THE CERVICAL SPINE. 2000 , 8, 529-540 | 18 |
| 193 | Principles of Magnetic Resonance Imaging and Magnetic Resonance Spectroscopy. 2001 , 30-61 | 2 |
| 192 | Relation between J-coupling, MT Effect, and Scanning Parameters on Fast Spin-echo Imaging. 2001 , 57, 933-938 | 0 |
| 191 | Magnetic Resonance Imaging. 2001 , 61-82 | 1 |
| 190 | Magnetic resonance microscopy for studying the development of chicken and mouse embryos. 2001 , 161-167 | |
| 189 | Collapse of syringomyelitic cavities as a compensatory mechanism of syringomyelia course. 2001 , XXXIII, 21-24 | |

| 188 | MAGNETIC RESONANCE UROGRAPHY IN CHILDREN:. 2001 , 2346-2350 | 0 |
|-----|--|---|
| 187 | Grundlagen der MRT und MRS. 2002 , 3-132 | 1 |
| 186 | Funktionelle Magnetresonanztomographie (fMRT). 2002 , 967-1000 | |
| 185 | Motion and Flow. 2003 , 321-422 | |
| 184 | [Description of the fast scan method in MRI]. 2003, 59, 1209-17 | 0 |
| 183 | Techniques for Liver MR Imaging. 2003 , 1-17 | |
| 182 | Conventional Imaging Methods. 2003 , 55-134 | |
| 181 | Techniques of Ureteral Imaging. 2003 , 1-20 | |
| 180 | [Fundamental explanation of MR pulse sequence table]. 2003, 59, 707-18 | |
| 179 | MagnetfeldstEken und MRT-Systeme. 2003 , 59-62 | |
| 178 | The Past, Present And Future Of Magnetic Resonance Imaging. 2003, 283-294 | 1 |
| 177 | Bildgebende Methoden mit erweiterten (vec k)-Raum-Trajektorien. 2004 , 147-207 | |
| 176 | Zerlegung der Magnetisierung in Konfigurationen. 2004 , 453-506 | |
| 175 | MRI Evaluation in Epilepsy and in the Epilepsy Presurgical Evaluation. 2005 , 313-335 | |
| 174 | 3 Magnetic Resonance Imaging Methods and Anatomy. 2006 , 95-112 | |
| 173 | Diagnostic Imaging for Nephron-Sparing Surgery. 2006 , 115-146 | |
| 172 | Magnetic Resonance Microscopy. 2006 , 15-1-15-14 | |
| 171 | [Magnetic resonance urography in the diagnosis of the ectopic ureters]. 2007 , 148, 105-9 | |

| 170 | Nuclear Magnetic Resonance Imaging. | |
|-----|--|---|
| 169 | Oxygen-enhanced Proton Magnetic Resonance Imaging of the Human Lung. 2008 , 267-279 | |
| 168 | Fast-spin Echo, Echo Planar, Inversion Recovery, and Short-T1 Inversion Recovery Imaging. 2008 , 75-91 | |
| 167 | Fast-Imaging Techniques. 2008 , 211-236 | |
| 166 | MR Urography: Improved Visualization of the Urinary Collecting System Using a Negative Oral Contrast Agent. 2008 , 20, 139-147 | |
| 165 | Gallenblasen- und Gallenwegskarzinom. 2008 , 121-142 | |
| 164 | The Basics of Functional Magnetic Resonance Imaging. 2009 , 39-62 | 0 |
| 163 | A Modified High Speed Hopfield Neural Model for Perfect Calculation of Magnetic Resonance Spectroscopy. 2010 , 158-177 | |
| 162 | MRI of the Gastrointestinal Tract: Coils, Sequences, Techniques. 2010 , 1-19 | |
| 161 | Requisiti hardware e software: preparazione del paziente. 2010 , 3-17 | |
| 160 | Imaging C-Fos Gene Expression in Burns Using Lipid Coated Spion Nanoparticles. 2012 , 2, 31-37 | |
| 159 | Bibliography. 2012 , | |
| 158 | Development of NMR: Magnetic Resonance Imaging During the Past Two Decades. | |
| 157 | Magnetic Resonance Microscopy. 2012 , 1-14 | |
| 156 | In vivo visualization of encephalitic lesions in herpes simplex virus type 1 (HSV-1) infected mice by magnetic resonance imaging (MRI). 2013 , 1064, 253-65 | |
| 155 | Effects of NEX on SNR and Artifacts in Parallel MR Images Acquired using Reference Scan. 2013 , 18, 422-427 | |
| 154 | Fundamentals of MR Imaging. 2014 , 1-19 | О |
| 153 | Image Contrast and Resolution in MRI. 2014 , 21-36 | |

| 152 | Le sequenze RM: tecniche fondamentali. 2014 , 89-128 | |
|-----|---|---|
| 151 | Combined acquisition technique (CAT) for neuroimaging of multiple sclerosis at low specific absorption rates (SAR). <i>PLoS ONE</i> , 2014 , 9, e91030 | 0 |
| 150 | Technical and Clinical Aspects of the RARE-Technique. 1987 , 81-89 | |
| 149 | Weiterentwicklungen der Kernspintomographie auf der Grundlage der FLASH-MR-Sequenz. 1988 , 643-651 | |
| 148 | RARE Hydrography as a New Diagnostic Tool with Special Respect to Its Value in Preoperative Examinations. 1988 , 174-178 | |
| 147 | Tumors of the Craniocervical Junction: Experiences with Conventional and Special MRI Techniques. 1989 , 97-100 | |
| 146 | Physical Principles and Techniques of MR Imaging. 1990 , 1-49 | |
| 145 | Grundlagen der MRT und MRS. 1992 , 3-96 | |
| 144 | RARE Magnetic Resonance Urography in the Diagnosis of Upper Urinary Tract Abnormalities in Children. 1993 , 145-152 | |
| 143 | IMAGING TECHNIQUES, NORMAL VARIATIONS, AND DIAGNOSTIC PITFALLS IN SHOULDER MAGNETIC RESONANCE IMAGING. 1993 , 1, 19-36 | |
| 142 | MAGNETIC RESONANCE IMAGING TECHNIQUES IN THE PELVIS. 1994 , 2, 161-188 | 9 |
| 141 | Kernspintomographie in der Schwangerschaft. 1995 , 392-404 | |
| 140 | Clinical role of fast-spin echo MRI of the temporal bone in inner ear dysfunction. 1995 , 399-401 | |
| 139 | Fortschritte bei der kernspintomographischen Darstellung des N. opticus. 1995 , 244-246 | |
| 138 | Leber, Gallenblase und Milz. 1995 , 124-130 | |
| 137 | Demonstration of multiple sclerosis brain lesions with rapid inversion-recovery fluid-attenuated MRI. 1995 , 235-237 | |
| 136 | RAPID ABDOMINAL MR IMAGING. 1995 , 3, 1-12 | 4 |
| 135 | Magnetic Resonance Imaging. 1997 , 51-87 | |

| 134 | High-Speed Echo-Planar Imaging and its Application to Neurology. 1997 , 213-239 | |
|-----|--|----|
| 133 | Flow Void of Cerebrospinal Fluid in Idiopathic Normal Pressure Hydrocephalus of the Elderly: Can It Predict Outcome after Shunting?. 1997 , 40, 67-74 | 46 |
| 132 | Visualization of the Knee Using MRI: Evaluation of Double-Echo Steady-State Sequence. 1997 , 53, 1537-1544 | |
| 131 | Magnetische Resonanzangiographie (MRA). 1997 , 143-164 | 1 |
| 130 | Funktionelle MRT (fMRT). 1997 , 797-827 | |
| 129 | White Matter Lesions in Patients with Idiopathic Normal Pressure Hydrocephalus and in an Age-matched Control Group: A Comparative Study. 1997 , 40, 491-496 | 47 |
| 128 | MR IMAGING OF THE SHOULDER. 1997 , 5, 683-704 | 5 |
| 127 | Gradient and Spin-Echo (GRASE) Imaging. 1998 , 605-631 | |
| 126 | Single Shot RARE. 1998 , 567-582 | |
| 125 | The Physics of Ultrafast MRI. 1998 , 1-51 | |
| 124 | Echo-Planar Imaging on Small-Bore Systems. 1998 , 545-566 | |
| 123 | Theory of Echo-Planar Imaging. 1998 , 11-30 | 2 |
| 122 | Practical Magnetic Resonance Imaging and Positron Emission Tomography Techniques and Their Artifacts. 1999 , 107-120 | |
| 121 | Magnetic Resonance Imaging: Physical Principles to Advanced Applications. 1999 , 17-45 | 1 |
| 120 | Imaging Methods with Advanced (vec k)-Space Trajectories. 1999 , 133-190 | |
| 119 | Ductal Adenocarcinoma. 1999 , 181-234 | |
| 118 | Magnetic Resonance Microscopy. 1999 , | |
| 117 | Basic Principles of Magnetic Resonance Imaging. 2015 , 153-169 | 1 |

| 116 | Pulse Sequences for fMRI. 2015, 131-162 | 1 |
|-----|---|---|
| 115 | CMR Pulse Sequences. 2015 , 25-40 | |
| 114 | EVALUATION OF PANCREATICO-BILIARY DISEASE BY MRCP. 2015 , 4, 16929-16934 | |
| 113 | Magnetresonanz-Tomographie. 2016 , 285-390 | |
| 112 | NON-CONTRAST MAGNETIC RESONANCE UROGRAPHY. 2016 , 3, 3056-3062 | |
| 111 | References. 2017 , 107-116 | |
| 110 | NON-CONTRAST MAGNETIC RESONANCE UROGRAPHY- A PROSPECTIVE STUDY. 2017 , 6, 5975-5980 | |
| 109 | Magnetresonanztomographie und -spektroskopie. 2018 , 205-283 | |
| 108 | Influence of Transversal Resolution on Reconstructing Atherosclerotic Plaque Components. 2019 , 501-508 | 1 |
| 107 | Distinguishing Closely Related Pancreatic Cancer Subtypes In Vivo by 13C Glucose MRI without Hyperpolarization. | |
| 106 | Intermolecular interactions play a role in the distribution and transport of charged contrast agents in a cartilage model. | |
| 105 | An MRI-Derived Neuroanatomical Atlas of the Fischer 344 Rat Brain. | 1 |
| 104 | Non-negative least squares computation for in vivo myelin mapping using simulated multi-echo spin-echo T2 decay data. | O |
| 103 | Magnetic Resonance Imaging: Historical Overview, Technical Developments, and Clinical Applications. 2020 , 31, 35-53 | |
| 102 | In vivo MR spectroscopy reflects synapse density in a Huntington disease mouse model. | Ο |
| 101 | Special considerations for acquisition of pediatric MRI of high spatial and temporal resolution. 2021 , 2, 3-18 | |
| 100 | Natural convection in phase change material: Experimental study. 2022 , 183, 122047 | 1 |
| 99 | CDF-Net: Cross-Domain Fusion Network for Accelerated MRI Reconstruction. 2020 , 421-430 | |

| 98 | Basics of Magnetic Resonance Imaging. 2020 , 95-121 | | |
|----|---|------|----|
| 97 | In vivo molecular signatures of cerebellar pathology in spinocerebellar ataxia type 3. | | 0 |
| 96 | Acquisition of Diffusion MRI Data. 2020, 1, 477-507 | | |
| 95 | An in vivo multimodal feasibility study in a rat brain tumour model using flexible multinuclear MR and PET systems. 2020 , 7, 50 | | |
| 94 | Real-Time Coronary MRI. 2002 , 236-241 | | |
| 93 | Functional MRI. 2008 , 1291-1321 | | |
| 92 | 3D MRI Acquisition: Technique. 2008 , 15-26 | | 1 |
| 91 | High-Resolution Imaging of the Biliary Tree and the Pancreas. 2007 , 233-246 | | |
| 90 | Herz. 2007 , 3-103 | | |
| 89 | CK2 alpha prime and alpha-synuclein pathogenic functional interaction mediates inflammation and transcriptional dysregulation in Huntington disease. | | 0 |
| 88 | Magnetic resonance imaging of the response of a mouse model of non-small cell lung cancer to tyrosine kinase inhibitor treatment. 2008 , 58, 276-81 | | 7 |
| 87 | Improving the Accuracy, Quality, and Signal-To-Noise Ratio of MRI Parametric Mapping Using Rician Bias Correction and Parametric-Contrast-Matched Principal Component Analysis (PCM-PCA). 2018 , 91, 207-214 | | 4 |
| 86 | Contrast enhancement of intracranial lesions: conventional T1-weighted spin-echo versus fast spin-echo MR imaging techniques. 1999 , 20, 1554-9 | | 11 |
| 85 | Trading spectral separation at 3T for acquisition speed in multi spin-echo spectroscopic imaging. 2006 , 27, 1441-6 | | 13 |
| 84 | Diffusion-weighted imaging of the spine with a non-carr-purcell-meiboom-gill single-shot fast spin-echo sequence: initial experience. 2007 , 28, 575-80 | | 10 |
| 83 | A method for T and T relaxation times validation and harmonization as a support to MRI mapping. 2021 , 334, 107110 | | 1 |
| 82 | Interferon-driven brain phenotype in a mouse model of RNaseT2 deficient leukoencephalopathy. <i>Nature Communications</i> , 2021 , 12, 6530 | 17.4 | 1 |
| 81 | from diffusion MRI reveals a correspondence between ventricular cerebrospinal fluid volume and flow in the ischemic rodent model. 2021 , 271678X211060741 | | |

Brief neuronal afterdischarges in the rat hippocampus lead to transient changes in oscillatory activity and to a very long-lasting decline in BOLD signals without inducing a hypoxic state. **2021**, 245, 118769

| | 245, 118769 | | |
|----------------|---|-----|---|
| 79 | [Effects of Image-based Noise Reduction Software on Magnetic Resonance Imaging] 2021 , 77, 1416-1 | 423 | |
| 78 | Comparison of Parallel Magnetic Resonance Imaging Algorithms: PILS and SENSE. 2020, | | |
| 77 | MR Spectroscopy of Metabolism in Prostate Cancer. 2022 , 1-18 | | |
| 76 | Acquisition Sequences and Reconstruction Methods for Fast Chemical Exchange Saturation Transfer MRI 2022 , e4699 | | О |
| 75 | Edge-enhanced dual discriminator generative adversarial network for fast MRI with parallel imaging using multi-view information. 1 | | 1 |
| 74 | Magneto-stimulation limits in medical imaging applications with rapid field dynamics 2022, | | О |
| 73 | T-independent exchange rate quantification using saturation- or phase sensitive-water exchange spectroscopy 2021 , 335, 107141 | | O |
| 7 ² | Generative Adversarial Network Powered Fast Magnetic Resonance Imaging Comparative Study and New Perspectives. 2022 , 305-339 | | 3 |
| 71 | Gradient echo sequences. 2022 , | | |
| 70 | Cardiac MR: From Theory to Practice 2022 , 9, 826283 | | 2 |
| 69 | [Low-field magnetic resonance imaging: Just less expensive or completely different?]. 2022, 62, 385 | | |
| 68 | Concentration gradients in evaporating binary droplets probed by spatially resolved Raman and NMR spectroscopy 2022 , 119, e2111989119 | | 1 |
| 67 | SPRING-RIO TSE: 2D T -Weighted Turbo Spin-Echo brain imaging using SPiral RINGs with retraced in/out trajectories <i>Magnetic Resonance in Medicine</i> , 2022 , | 4.4 | O |
| 66 | Mutual Diffusion Coefficients from NMR Imaging. 2022 , 117655 | | 0 |
| 65 | Application of F-FDG brain PET for survival prediction in a rat model of hanging-induced hypoxic brain injury <i>Annals of Nuclear Medicine</i> , 2022 , 1 | 2.5 | |
| 64 | Mapping intracellular pH in tumors using amide and guanidyl CEST-MRI at 9.4 T <i>Magnetic Resonance in Medicine</i> , 2021 , | 4.4 | О |
| 63 | T quantification in brain using 3D fast spin-echo imaging with long echo trains. <i>Magnetic Resonance in Medicine</i> , 2021 , | 4.4 | O |

| 62 | Single shot spiral TSE with annulated segmentation Magnetic Resonance in Medicine, 2022, | 4.4 | О |
|----------------------------|---|-------------|---|
| 61 | One-Step Preparation of Highly Stable Copper-Zinc Ferrite Nanoparticles in Water Suitable for MRI Thermometry <i>Chemistry of Materials</i> , 2022 , 34, 4001-4018 | 9.6 | 3 |
| 60 | Swin transformer for fast MRI. <i>Neurocomputing</i> , 2022 , 493, 281-304 | 5.4 | 3 |
| 59 | Ultrafast MR Techniques to Image Multi-phase Flows in Pipes and Reactors. 2022 , 173-191 | | |
| 58 | Practical Aspects of novel MRI Techniques in Neuroradiology: Part 1-3D Acquisitions, Dixon Techniques and Artefact Reduction <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2022 , | 2.3 | О |
| 57 | Synthetic MR: Physical principles, clinical implementation, and new developments <i>Medical Physics</i> , 2022 , | 4.4 | O |
| 56 | Magnetic resonance imaging. 2022 , 127-153 | | |
| 55 | Imaging the influence of peripheral TRPV1-signaling on cerebral nociceptive processing applying fMRI-based graph theory in a resiniferatoxin rat model <i>PLoS ONE</i> , 2022 , 17, e0266669 | 3.7 | |
| 54 | Percutaneous lumbar annular puncture: A rat model to study intervertebral disc degeneration and pain-related behavior. <i>JOR Spine</i> , | 3.7 | 0 |
| | | | |
| 53 | Magnetic resonance imaging of the pancreas. 7-24 | | 2 |
| 53 52 | Magnetic resonance imaging of the pancreas. 7-24 Establishment of mouse model of inherited PIGO deficiency and therapeutic potential of AAV-based gene therapy. <i>Nature Communications</i> , 2022 , 13, | 17.4 | 2 |
| | Establishment of mouse model of inherited PIGO deficiency and therapeutic potential of | 17.4 | |
| 52 | Establishment of mouse model of inherited PIGO deficiency and therapeutic potential of AAV-based gene therapy. <i>Nature Communications</i> , 2022 , 13, Hidden brain atrophy in ultra-high field MR images in a transgenic rat model of Huntington's | 17.4 2.6 | |
| 52 51 | Establishment of mouse model of inherited PIGO deficiency and therapeutic potential of AAV-based gene therapy. <i>Nature Communications</i> , 2022 , 13, Hidden brain atrophy in ultra-high field MR images in a transgenic rat model of Huntington's disease. <i>Brain Disorders</i> , 2022 , 6, 100039 3D structure of free-surface avalanche deposits from MRI: particle-size segregation in free-surface, | , , | |
| 52 51 50 | Establishment of mouse model of inherited PIGO deficiency and therapeutic potential of AAV-based gene therapy. <i>Nature Communications</i> , 2022 , 13, Hidden brain atrophy in ultra-high field MR images in a transgenic rat model of Huntington's disease. <i>Brain Disorders</i> , 2022 , 6, 100039 3D structure of free-surface avalanche deposits from MRI: particle-size segregation in free-surface, bi-disperse granular flows. <i>Granular Matter</i> , 2022 , 24, A novel algorithm for comprehensive quality assessment of clinical magnetic resonance images | 2.6 | |
| 52 51 50 49 | Establishment of mouse model of inherited PIGO deficiency and therapeutic potential of AAV-based gene therapy. <i>Nature Communications</i> , 2022 , 13, Hidden brain atrophy in ultra-high field MR images in a transgenic rat model of Huntington's disease. <i>Brain Disorders</i> , 2022 , 6, 100039 3D structure of free-surface avalanche deposits from MRI: particle-size segregation in free-surface, bi-disperse granular flows. <i>Granular Matter</i> , 2022 , 24, A novel algorithm for comprehensive quality assessment of clinical magnetic resonance images based on natural scene statistics in spatial domain. <i>Magnetic Resonance Imaging</i> , 2022 , | 2.6 | 0 |
| 52 51 50 49 48 | Establishment of mouse model of inherited PIGO deficiency and therapeutic potential of AAV-based gene therapy. <i>Nature Communications</i> , 2022 , 13, Hidden brain atrophy in ultra-high field MR images in a transgenic rat model of Huntington's disease. <i>Brain Disorders</i> , 2022 , 6, 100039 3D structure of free-surface avalanche deposits from MRI: particle-size segregation in free-surface, bi-disperse granular flows. <i>Granular Matter</i> , 2022 , 24, A novel algorithm for comprehensive quality assessment of clinical magnetic resonance images based on natural scene statistics in spatial domain. <i>Magnetic Resonance Imaging</i> , 2022 , MAGNETIC RESONANCE STAGING OF NEOPLASMS OF THE UTERUS. 1994 , 32, 109-131 RECENT ADVANCES IN MAGNETIC RESONANCE IMAGING OF THE MUSCULOSKELETAL SYSTEM. | 2.6 | 0 |

Resting-State Functional Connectivity Analyses: Brain Functional Reorganization in a Rat Model of 44 Postherpetic Neuralgia. 2022, 12, 1029 Parallel transmission 2D RARE imaging at 7T with transmit field inhomogeneity mitigation and local 43 SAR control. 2022, 93, 87-96 T2 and T2? mapping and weighted imaging in cardiac MRI. 2022, 93, 15-32 42 \circ Accelerating Abdominopelvic Imaging. 2022, 4, 1-12 41 Model-based image reconstruction with wavelet sparsity regularization for through-plane O 40 resolution restoration in T 2 -weighted spin-echo prostate MRI. Contrast Encoding. 2020, 41-76 39 38 MRI Detection of Hepatic N-Acetylcysteine Uptake in Mice. 2022, 10, 2138 O Neurochemical correlates of synapse density in a Huntington's disease mouse model. 37 Off-resonance artifact correction for magnetic resonance imaging: a review. 36 \circ Spatial characterization of redox processes and speciation of Ru(III) anticancer complexes by 19F 35 magnetic resonance imaging. Brief Introduction to MRI Physics. 2022, 3-36 34 O Artificial IntelligenceDriven Ultra-Fast Superresolution MRI. Publish Ahead of Print, Denoising of three-dimensional fast spin echo magnetic resonance images of knee joints using 32 O spatial-variant noise-relevant residual learning of convolution neural network. 2022, 106295 New challenges and opportunities for low-field MRI. 2023, 14-15, 100086 31 A coarse-to-fine and automatic algorithm for breast diagnosis on multi-series MRI images. 4, 30 \circ Personalized synthetic MR imaging with deep learning enhancements. 29 Signal-to-Noise Ratio Enhancement of Single-Voxel In Vivo 31P and 1H Magnetic Resonance 28 \circ

Spectroscopy in Mice Brain Data Using Low-Rank Denoising. 2022, 12, 1191

and application to diffusion-weighted imaging.

Optimized flip angle schemes for the split acquisition of fast spin-echo signals (SPLICE) sequence

| 26 | Ultra-high field MRI: parallel-transmit arrays and RF pulse design. | 0 |
|----|---|---|
| 25 | Scientific Advances and Technical Innovations in Musculoskeletal Radiology. 2023 , 58, 1-2 | O |
| 24 | MR image reconstruction from undersampled data for image-guided radiation therapy using a patient-specific deep manifold image prior. 12, | O |
| 23 | SNR Penalties from Loss of Stimulated Echoes when Using Slab Selective Excitation in 3D Fast Spin Echo Imaging with Long Echo Trains. | O |
| 22 | Deep learning-based motion quantification from k-space for fast model-based magnetic resonance imaging motion correction. | O |
| 21 | Maternal microbes and early brain development in mouse. | O |
| 20 | The effects of RF coils and SAR supervision strategies for \acute{c} linically applicable nonselective parallel-transmit pulses at 7 \acute{t} . | 0 |
| 19 | Fast spin-echo approach for accelerated B 1 gradientBased MRI. | O |
| 18 | Pulse Sequences and Reconstruction in Fast MR Imaging of the Liver. 2023, | 0 |
| 17 | Internal Auditory Canal (IAC) and Cerebellopontine Angle (CPA): Comparison between T2-weighted SPACE and 3D-CISS sequences at 1.5T. 2023 , 206, 110797 | O |
| 16 | SPICY: a method for single scan rotating frame relaxometry. | O |
| 15 | Genetic models of cleavage-reduced and soluble TREM2 reveal distinct effects on myelination and microglia function in the cuprizone model. 2023 , 20, | O |
| 14 | A Novel Rat Model of Embolic Cerebral Ischemia Using a Cell-Implantable Radiopaque. | 0 |
| 13 | Construction of an active humidity regulation setup for NMR/MRI-Observation and simulation of the controlled evaporation of sessile water droplets. 2023 , 348, 107389 | O |
| 12 | SynthSR: A public AI tool to turn heterogeneous clinical brain scans into high-resolution T1-weighted images for 3D morphometry. 2023 , 9, | О |
| 11 | Operando magnetic resonance imaging of product distributions within the pores of catalyst pellets during Fischer Tropsch synthesis. 2023 , 6, 185-195 | 1 |
| 10 | Calibrationless reconstruction of uniformly-undersampled multi-channel MR data with deep learning estimated ESPIRiT maps. | О |
| 9 | A Novel Rat Model of Embolic Cerebral Ischemia Using a Cell-Implantable Radiopaque Hydrogel Microfiber. | Ο |

| 8 | Evaluating the Stability of Cellulose Nanofiber Pickering Emulsions Using MRI and Relaxometry. 2023 , 39, 3905-3913 | 0 |
|---|---|---|
| 7 | Salvia miltiorrhiza Alleviates Memory Deficit Induced by Ischemic Brain Injury in a Transient MCAO Mouse Model by Inhibiting Ferroptosis. 2023 , 12, 785 | O |
| 6 | Modulation transfer function measurement of three-dimensional T1-weighted turbo spin echo sequence with low refocusing flip angles using single-plate method. | O |
| 5 | A Toolbox for Glutamine Use in Dissolution Dynamic Nuclear Polarization: from Enzymatic Reaction Monitoring to the Study of Cellular Metabolic Pathways and Imaging | O |
| 4 | Repeatability of brain phase-based magnetic resonance electric properties tomography methods and effect of compressed SENSE and RF shimming. | O |
| 3 | Concomitant magnetic-field compensation for 2D spiral-ring turbo spin-echo imaging at 0.55T and 1.5T. | O |
| 2 | Probing microstructural changes in muscles of leptin-deficient zebrafish by non-invasive ex-vivo magnetic resonance microimaging. 2023 , 18, e0284215 | 0 |
| 1 | The Basics of Functional Magnetic Resonance Imaging. 2022 , 49-77 | O |