

MUSCARINIC RECEPTOR SUBTYPES: A CRITIQUE OF THE PROPOSAL FOR A WORKING NOMENCLATURE

Autonomic and Autacoid Pharmacology

6, 323-346

DOI: [10.1111/j.1474-8673.1986.tb00661.x](https://doi.org/10.1111/j.1474-8673.1986.tb00661.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Antimuscarinic action of methoctramine, a new cardioselective M-2 muscarinic receptor antagonist, alone and in combination with atropine and gallamine. <i>European Journal of Pharmacology</i> , 1987, 144, 117-124.	1.7	105
2	Muscarinic M1-receptors mediate the negative inotropic effect of methacholine in chicken but not in guinea-pig atria. <i>European Journal of Pharmacology</i> , 1987, 139, 359-360.	1.7	6
3	Enhancement of the β -adrenergic inotropic component of noradrenaline by simultaneous stimulation of muscarinic acetylcholine receptors in rat myocardium. <i>European Journal of Pharmacology</i> , 1987, 142, 93-102.	1.7	7
4	Blockade of spatial learning by the M1 muscarinic antagonist pirenzepine. <i>Psychopharmacology</i> , 1987, 93, 470-6.	1.5	124
5	Cognition activators. <i>Medicinal Research Reviews</i> , 1988, 8, 353-391.	5.0	100
6	Differential effects of pertussis toxin on muscarinic responses in isolated atria and smooth muscle. <i>Autonomic and Autacoid Pharmacology</i> , 1988, 8, 29-38.	0.7	11
7	Comparison of the muscarinic receptors of the guinea-pig oesophageal muscularis mucosae and trachea in vitro. <i>Autonomic and Autacoid Pharmacology</i> , 1988, 8, 181-190.	0.7	43
8	Differences in antagonist affinities at muscarinic receptors in chick and guinea-pig. <i>Autonomic and Autacoid Pharmacology</i> , 1988, 8, 259-266.	0.7	16
9	Complex dose-response curves of atropine in man explained by different functions of M1- and M2-cholinoceptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1988, 338, 19-27.	1.4	81
10	Chiral muscarinic agonists possessing a 1,3-oxathiolane nucleus: enantio- and tissue-selectivity on isolated preparations of guinea-pig ileum and atria and of rat urinary bladder. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1988, 337, 241-5.	1.4	14
11	Facilitatory and inhibitory muscarine receptors on the rat phrenic nerve: effects of pirenzepine and dicyclomine. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1988, 338, 138-42.	1.4	21
12	Dose-response curves of pirenzepine in man in relation to M1- and M2-cholinoceptor occupancy. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1988, 338, 207-10.	1.4	29
13	Sialic acid is selectively involved in the interaction of agonists with M2 muscarinic acetylcholine receptors. <i>Biochemical and Biophysical Research Communications</i> , 1988, 150, 673-680.	1.0	29
14	Presynaptic muscarinic receptors mediating inhibition of neurogenic contractions in rabbit vas deferens are of the ganglionic M1-type. <i>European Journal of Pharmacology</i> , 1988, 158, 233-242.	1.7	56
15	Muscarinic receptor subtypes mediating vasodilation in the pulmonary artery. <i>European Journal of Pharmacology</i> , 1988, 158, 293-297.	1.7	60
16	Affinity and selectivity of biperiden enantiomers for muscarinic receptor subtypes. <i>European Journal of Pharmacology</i> , 1988, 158, 11-19.	1.7	76
17	Cholinergic regulation of thyrotropin secretion in male rats. <i>European Journal of Pharmacology</i> , 1988, 157, 117-124.	1.7	2
18	Methoctramine reveals heterogeneity of M2 muscarinic receptors in longitudinal ileal smooth muscle membranes. <i>European Journal of Pharmacology</i> , 1988, 145, 305-311.	1.7	81

#	ARTICLE	IF	CITATIONS
19	Muscarinic M2 receptors in bovine tracheal smooth muscle: discrepancies between binding and function. <i>European Journal of Pharmacology</i> , 1988, 153, 73-82.	1.7	147
20	An autoradiographic study of muscarinic cholinceptors in blood vessels: no localization on vascular endothelium. <i>European Journal of Pharmacology</i> , 1988, 153, 271-283.	1.7	25
21	o-Methoxy-sila-hexocyclium: a new quaternary M1-selective muscarinic antagonist. <i>European Journal of Pharmacology</i> , 1988, 151, 155-156.	1.7	22
22	Muscarinic M1- and M2-receptors mediating opposite effects on neuromuscular transmission in rabbit <i>vas deferens</i> . <i>European Journal of Pharmacology</i> , 1988, 151, 205-221.	1.7	170
23	Polymethylene tetramines: a new generation of selective muscarinic antagonists. <i>Trends in Pharmacological Sciences</i> , 1988, 9, 216-220.	4.0	61
24	VI. Identification, localization and classification of muscarinic receptor subtypes in the gut. <i>Life Sciences</i> , 1988, 43, 2209-2220.	2.0	52
25	Muscarinic receptor differentiation. , 1988, 37, 357-423.		147
26	Subtypes of muscarinic receptor on cholinergic nerves and atrial cells of chicken and guinea-pig hearts. <i>British Journal of Pharmacology</i> , 1988, 93, 357-366.	2.7	40
27	Relative affinities of drugs acting at cholinceptors in displacing agonist and antagonist radioligands: the NMS/Oxoâ€M ratio as an index of efficacy at cortical muscarinic receptors. <i>British Journal of Pharmacology</i> , 1988, 93, 437-445.	2.7	107
28	Quantitative effects of some muscarinic agonists on evoked surfaceâ€negative field potentials recorded from the guineaâ€pig olfactory cortex slice. <i>British Journal of Pharmacology</i> , 1988, 93, 846-854.	2.7	28
29	Effects of the muscarinic antagonists pirenzepine and gallamine on spontaneous and evoked responses of rat cerebral cortical neurones. <i>British Journal of Pharmacology</i> , 1988, 94, 192-198.	2.7	7
30	Pharmacological characterization of muscarinic receptors involved in McN-A-343-induced effects on intestinal motility and heart rate in conscious dogs. <i>British Journal of Pharmacology</i> , 1988, 94, 566-572.	2.7	20
31	Dicyclomine discriminates between M₁â€and M₂â€muscarinic receptors in the guineaâ€pig ileum. <i>British Journal of Pharmacology</i> , 1988, 94, 1270-1274.	2.7	21
32	Agonist and antagonist characterization of a putative adrenoceptor with distinct pharmacological properties from the Î±â€and Î²â€subtypes. <i>British Journal of Pharmacology</i> , 1988, 95, 723-734.	2.7	146
33	The interaction of methoctramine and himbacine at atrial, smooth muscle and endothelial muscarinic receptors <i>in vitro</i> . <i>British Journal of Pharmacology</i> , 1988, 95, 1031-1038.	2.7	50
34	POSTER COMMUNICATIONS. <i>British Journal of Pharmacology</i> , 1988, 93, 148P.	2.7	1
35	Modification of nicotinic ganglionic transmission by muscarinic slow postsynaptic potentials in the <i>in vitro</i> rabbit superior cervical ganglion. <i>Synapse</i> , 1988, 2, 174-182.	0.6	11
36	Muscarinic receptor subtypes insubtypes in Airways. <i>Trends in Pharmacological Sciences</i> , 1988, 9, 412-416.	4.0	79

#	ARTICLE	IF	CITATIONS
37	Chapter 9. Peripheral Actions of Selective Muscarinic Agonists and Antagonists. Annual Reports in Medicinal Chemistry, 1988, 23, 81-90.	0.5	2
38	Classification of muscarinic responses in hippocampus in terms of receptor subtypes and second-messenger systems: electrophysiological studies in vitro. Journal of Neuroscience, 1988, 8, 4214-4224.	1.7	241
39	Airway receptors. Postgraduate Medical Journal, 1989, 65, 532-542.	0.9	14
40	Muscarinic receptor subtypes: implications for lung disease.. Thorax, 1989, 44, 161-167.	2.7	104
41	Muscarinic Receptor Subtypes. New England Journal of Medicine, 1989, 321, 1022-1029.	13.9	249
42	Radioligand binding characteristics of the chicken cardiac muscarinic receptor. Naunyn-Schmiedeberg's Archives of Pharmacology, 1989, 340, 279-84.	1.4	5
43	Stimulation by McN-A-343 and blockade by telenzepine of acid secretion in the mouse isolated stomach at histamine-liberating cells. Naunyn-Schmiedeberg's Archives of Pharmacology, 1989, 340, 68-75.	1.4	8
44	Characterization of the muscarine receptors involved in the modulation of serotonin release from the vascularly perfused small intestine of guinea pig. Naunyn-Schmiedeberg's Archives of Pharmacology, 1989, 339, 263-7.	1.4	13
45	Different muscarine receptors mediate the prejunctional inhibition of [3H]-noradrenaline release in rat or guinea-pig iris and the contraction of the rabbit iris sphincter muscle. Naunyn-Schmiedeberg's Archives of Pharmacology, 1989, 340, 597-604.	1.4	23
46	Comparison of the muscarinic receptors in the coronary artery, cerebral artery and atrium of the pig. Naunyn-Schmiedeberg's Archives of Pharmacology, 1989, 339, 403-408.	1.4	43
47	Regional differences in the distribution of muscarinic cholinergic receptors in the macaque cerebral cortex. Journal of Comparative Neurology, 1989, 289, 247-259.	0.9	37
48	Darstellung und Eigenschaften der Enantiomere des selektiven Antimuscarinikums 1-Cyclohexyl-1-phenyl-4-piperidino-1-butanol (Hexahydro-Difenidol). Liebigs Annalen Der Chemie, 1989, 137-143.	0.8	8
49	Stereoselectivity at muscarinic receptor subtypes: observations with the enantiomers of phenglutaramide. Chirality, 1989, 1, 170-173.	1.3	10
50	A study of the muscarinic receptor subtype mediating mucus secretion in the cat trachea in vitro. Pulmonary Pharmacology, 1989, 2, 87-92.	0.5	28
51	Adrenocorticotrophic hormone (ACTH) and centrally-acting cholinomimetic drugs improve survival of rats with severe hemorrhagic shock through distinct central cholinergic mechanisms. Resuscitation, 1989, 18, 289-297.	1.3	6
52	Characterization of [3H]AF-DX 116 binding sites in the rat brain: Evidence for heterogeneity of muscarinic-M2 receptor sites. Synapse, 1989, 4, 106-114.	0.6	26
53	Quantitative autoradiographic distribution of [3H]AF-DX 116 muscarinic-M2 receptor binding sites in rat brain. Synapse, 1989, 4, 115-125.	0.6	46
54	MUSCARINIC RECEPTOR DIFFERENTIATION. Clinical and Experimental Pharmacology and Physiology, 1989, 16, 523-528.	0.9	8

#	ARTICLE	IF	CITATIONS
55	Methoctramine and hexahydrodifenidol antagonise two muscarinic responses on the rat superior cervical ganglion with opposite selectivity. <i>Neuroscience Letters</i> , 1989, 100, 254-258.	1.0	9
56	M2 muscarinic receptors on the iris sphincter muscle differ from those on iris noradrenergic nerves. <i>European Journal of Pharmacology</i> , 1989, 163, 263-274.	1.7	32
57	Methoctramine, a selective M2 \pm muscarinic receptor antagonist, does not inhibit carbachol-induced drinking in the rat. <i>European Journal of Pharmacology</i> , 1989, 163, 387-391.	1.7	12
58	Direct labeling of rat M3-muscarinic receptors by [3H]4DAMP. <i>European Journal of Pharmacology</i> , 1989, 166, 459-466.	1.7	103
59	Hexahydrodifenidol does not distinguish among M1 receptors in rat cerebral cortex, hippocampus and superior cervical ganglion. <i>European Journal of Pharmacology</i> , 1989, 167, 411-414.	1.7	4
60	Muscarinic receptor subtypes in human and guinea pig lung. <i>European Journal of Pharmacology</i> , 1989, 164, 223-230.	1.7	49
61	Affinity profiles of BTM-1086 and BTM-1041 at muscarinic receptor subtypes and at H1 \hat{v} and $\hat{\pm}1$ -receptors. <i>European Journal of Pharmacology</i> , 1989, 170, 225-234.	1.7	7
62	Affinity profiles of hexahydro-sila-difenidol analogues at muscarinic receptor subtypes. <i>European Journal of Pharmacology</i> , 1989, 168, 71-80.	1.7	101
63	Binding sites for [3H]AF-DX 116 and effect of AF-DX 116 on endogenous acetylcholine release from rat brain slices. <i>Brain Research</i> , 1989, 496, 285-294.	1.1	112
64	Structure-activity relationships of new analogues of arecaidine propargyl ester at muscarinic M ₁ and M ₂ receptor subtypes. <i>British Journal of Pharmacology</i> , 1989, 96, 319-324.	2.7	41
65	Affinity of muscarinic receptor antagonists for three putative muscarinic receptor binding sites. <i>British Journal of Pharmacology</i> , 1989, 96, 457-464.	2.7	62
66	Characterization of the muscarinic receptor subtype mediating contractions of the guinea-pig uterus. <i>British Journal of Pharmacology</i> , 1989, 96, 497-499.	2.7	61
67	Identification of M ₁ muscarinic receptors in pulmonary sympathetic nerves in the guinea-pig by use of pirenzepine. <i>British Journal of Pharmacology</i> , 1989, 97, 499-505.	2.7	40
68	Effect of pirenzepine and gallamine on cardiac and pulmonary muscarinic receptors in the rabbit. <i>British Journal of Pharmacology</i> , 1989, 97, 506-512.	2.7	32
69	Subclassification of atrial and intestinal muscarinic receptors of the rat—direct binding studies with agonists and antagonists. <i>British Journal of Pharmacology</i> , 1989, 97, 572-578.	2.7	4
70	The interaction of hexamethonium with muscarinic receptor subtypes <i>in vitro</i> . <i>British Journal of Pharmacology</i> , 1989, 98, 499-506.	2.7	18
71	Heterogeneity of presynaptic muscarinic receptors involved in modulation of transmitter release. <i>Neuroscience</i> , 1989, 31, 259-267.	1.1	74
72	Chapter 47 Achievements in cholinergic research, 1969—1989: drug development. <i>Progress in Brain Research</i> , 1990, 84, 479-486.	0.9	0

#	ARTICLE	IF	CITATIONS
73	Pharmacokinetics of glycopyrronium in parturients. <i>Anaesthesia</i> , 1990, 45, 634-637.	1.8	48
74	Heterogeneity of vascular muscarinic receptors. <i>Autonomic and Autacoid Pharmacology</i> , 1990, 10, 233-246.	0.7	84
75	Interaction of p-F-HHSiD (p-Fluoro-hexahydrosila-difenidol) at muscarinic receptors in guinea-pig trachea. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1990, 342, 394-9.	1.4	37
76	Characterization of the muscarine receptor type on paracrine cells activated by McN-A-343 in the mouse isolated stomach. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1990, 341, 165-70.	1.4	9
77	Characterization of porcine coronary muscarinic receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1990, 341, 432-8.	1.4	29
78	Brain M3 muscarinic receptors are involved in the ACTH-induced reversal of hemorrhagic shock. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1990, 342, 36-9.	1.4	9
79	Different muscarinic receptors mediate autoinhibition of acetylcholine release and vagally-induced vasoconstriction in the rat isolated perfused heart. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1990, 341, 279-87.	1.4	29
80	Muscarine receptor types mediating autoinhibition of acetylcholine release and sphincter contraction in the guinea-pig iris. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1990, 341-341, 22-9.	1.4	20
81	Relationship of the behavioral effects of aprophen, atropine and scopolamine to antagonism of the behavioral effects of physostigmine. <i>Pharmacology Biochemistry and Behavior</i> , 1990, 37, 117-122.	1.3	17
82	Polymethylene tetraamines: A novel class of cardioselective M2-antagonists. <i>Medicinal Research Reviews</i> , 1990, 10, 327-349.	5.0	27
83	Cholinergic Stimulation, through Muscarinic Receptors, of Oxytocin and Progesterone Secretion from Bovine Granulosa Cells Undergoing Spontaneous Luteinization in Serum-Free Culture*. <i>Endocrinology</i> , 1990, 126, 1256-1263.	1.4	42
84	Immunoprecipitation of bovine brain membranes enriched in M1 and M2 muscarinic receptors with monoclonal antibody 10C7. <i>Neuroscience Letters</i> , 1990, 113, 89-94.	1.0	0
85	Cutaneous nerve-evoked cholinergic inhibition of monosynaptic reflex in the neonatal rat spinal cord: Involvement of M2 receptors and tachykininergic primary afferents. <i>Neuroscience</i> , 1990, 38, 195-203.	1.1	22
86	Cholinergic-adrenergic balance: Part 1. Relationship between central and peripheral sensitivities. <i>Psychiatry Research</i> , 1990, 34, 259-270.	1.7	2
87	Cholinergic-adrenergic balance: Part 2. Relationship between drug sensitivity and personality. <i>Psychiatry Research</i> , 1990, 34, 271-279.	1.7	18
88	Muscarinic suppression of the evoked N-wave by oxotremorine-M-recorded in the guinea-pig olfactory cortex slice. <i>European Journal of Pharmacology</i> , 1990, 178, 91-96.	1.7	10
89	Effects of two new pirenzepine analogs on the contractile response of the guinea-pig oesophageal muscularis mucosa to acetylcholine, bethanechol, histamine and high potassium. <i>European Journal of Pharmacology</i> , 1990, 179, 89-96.	1.7	15
90	Selective antagonists provide evidence that M1 muscarinic receptors may mediate carbachol-induced drinking in the rat. <i>European Journal of Pharmacology</i> , 1990, 179, 159-165.	1.7	17

#	ARTICLE	IF	CITATIONS
91	An M3-like muscarinic autoreceptor regulates the in vivo release of acetylcholine in rat striatum. European Journal of Pharmacology, 1990, 179, 167-172.	1.7	41
92	A pharmacological study of the responses induced by muscarinic agonists on the isolated superior cervical ganglion of the guinea-pig. European Journal of Pharmacology, 1990, 186, 257-265.	1.7	6
93	Muscarinic receptor subtype mediating vasodilation in feline middle cerebral artery exhibits M3 pharmacology. European Journal of Pharmacology, 1990, 178, 203-213.	1.7	70
94	The binding of [3H]4-diphenylacetoxy-N-methylpiperidine methiodide to longitudinal ileal smooth muscle muscarinic receptors. European Journal of Pharmacology, 1990, 176, 197-205.	1.7	31
95	Telenzepine enantiomers block muscarinic M1-receptors with opposite kinetics. European Journal of Pharmacology, 1990, 180, 161-168.	1.7	7
96	Labeling of rat heart muscarinic receptors using the new M2 selective antagonist [3H]AF-DX 384. Biochemical Pharmacology, 1990, 40, 1674-1676.	2.0	25
97	The effect of M1 muscarinic blockade on behavior and physiological responses following traumatic brain injury in the rat. Brain Research, 1990, 511, 141-148.	1.1	36
98	Central muscarinic activities of an M1-selective agonist: preferential effect on reversal of amnesia. Brain Research, 1990, 507, 172-175.	1.1	23
99	Evidence for prejunctional M ₂ muscarinic receptors in pulmonary cholinergic nerves in the rat. British Journal of Pharmacology, 1990, 101, 73-76.	2.7	54
100	Stereoselective inhibition of muscarinic receptor subtypes by the enantiomers of hexahydro- ϵ -difenidol and acetylenic analogues. British Journal of Pharmacology, 1990, 99, 455-460.	2.7	25
101	The interaction of <i>para</i> -fluorohexahydrosiladifenidol at muscarinic receptors <i>in vitro</i> . British Journal of Pharmacology, 1990, 99, 637-642.	2.7	70
102	Rat hippocampal muscarinic autoreceptors are similar to the M ₂ (cardiac) subtype: comparison with hippocampal M ₁ , atrial M ₂ and ileal M ₃ receptors. British Journal of Pharmacology, 1990, 99, 753-761.	2.7	94
103	A novel series of non- ϵ -quaternary oxadiazoles acting as full agonists at muscarinic receptors. British Journal of Pharmacology, 1990, 101, 575-580.	2.7	28
104	Characterization of presynaptic vascular muscarinic receptors inhibiting endogenous noradrenaline overflow in the portal vein of the freely moving rat. British Journal of Pharmacology, 1990, 99, 223-226.	2.7	17
105	Role of acetylcholine, histamine and gastrin in the acid response to intracisternal injection of TRH analog, RX 77368, in the rat. Regulatory Peptides, 1990, 27, 161-170.	1.9	33
106	Reserpine-induced post-receptor reduction in muscarinic-mediated airway smooth muscle contraction. Life Sciences, 1991, 48, 1705-1713.	2.0	11
107	Evidence for facilitatory and inhibitory muscarinic receptors on postganglionic sympathetic nerves in mouse isolated atria. British Journal of Pharmacology, 1991, 102, 855-860.	2.7	24
108	Evidence for prejunctional inhibitory muscarinic receptors on sympathetic nerves innervating guinea-pig trachealis muscle. British Journal of Pharmacology, 1991, 103, 1165-1171.	2.7	14

#	ARTICLE	IF	CITATIONS
109	Desensitization and functional antagonism by β_2 -adrenoceptor and muscarinic receptor agonists, respectively: a comparison with receptor alkylation for calculation of apparent agonist affinity. <i>British Journal of Pharmacology</i> , 1991, 103, 1951-1957.	2.7	3
110	Characterization of the airway smooth muscle muscarinic receptor in vivo. <i>European Journal of Pharmacology</i> , 1991, 197, 109-112.	1.7	13
111	Natriuresis, kaliuresis and antidiuresis induced by central carbachol injection are mediated by muscarinic M1 receptors. <i>European Journal of Pharmacology</i> , 1991, 195, 139-143.	1.7	7
112	The release of atrial natriuretic factor induced by central carbachol injection may be mediated by muscarinic M1 receptors. <i>European Journal of Pharmacology</i> , 1991, 195, 245-250.	1.7	6
113	Muscarinic inhibition of excitatory neurotransmission in guinea-pig olfactory cortex slices: Weak antagonism by M3-muscarinic receptor antagonists. <i>European Journal of Pharmacology</i> , 1991, 198, 69-75.	1.7	10
114	Muscarinic receptor agonist-mediated modulation of neuronal activity in rat cerebral cortex. <i>European Journal of Pharmacology</i> , 1991, 200, 45-52.	1.7	4
115	Muscarinic receptor localization and function in rabbit carotid body. <i>Brain Research</i> , 1991, 562, 190-198.	1.1	25
116	Presynaptic M2-muscarinic receptors on noradrenergic nerve endings and endothelium-derived M3 receptor in cat cerebral arteries. <i>Brain Research</i> , 1991, 567, 76-82.	1.1	24
117	Presynaptic effects of methoctramine on release of acetylcholine. <i>Neuropharmacology</i> , 1991, 30, 293-298.	2.0	8
118	The nature of muscarinic receptor subtypes mediating pulmonary vasoconstriction in the rabbit. <i>Pulmonary Pharmacology</i> , 1991, 4, 8-19.	0.5	12
119	Studies on secretion of catecholamine evoked by caffeine from the isolated perfused rat adrenal gland. <i>Archives of Pharmacal Research</i> , 1991, 14, 55-67.	2.7	4
120	Characterization of muscarinic receptors mediating release of epithelial derived relaxant factor (EpDRF) in guinea-pig isolated trachea. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1991, 344, 29-35.	1.4	11
121	Telenzepine inhibits electrically-stimulated, acetylcholine plus histamine-mediated acid secretion in the mouse isolated stomach by blockade of M1 muscarinic receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1991, 343, 7-13.	1.4	10
122	Muscarinic Cholinergic Receptor-Mediated Phosphoinositide Metabolism in Peripheral Nerve. <i>Journal of Neurochemistry</i> , 1991, 56, 1905-1913.	2.1	34
123	Central muscarinic receptor subtypes and carrageenin-induced paw oedema in rats. <i>Research in Experimental Medicine</i> , 1991, 191, 65-76.	0.7	2
124	Heterogeneous binding of [3H]4-DAMP to muscarinic cholinergic sites in the rat brain: Evidence from membrane binding and autoradiographic studies. <i>Synapse</i> , 1991, 9, 165-176.	0.6	54
125	The Binding of [3H]af-dx 384 to Rat Ileal Smooth Muscle Muscarinic Receptors. <i>Journal of Receptors and Signal Transduction</i> , 1991, 11, 141-152.	1.2	12
126	Cholinergic Receptors in the Human vas Deferens. <i>Journal of Receptors and Signal Transduction</i> , 1992, 12, 101-115.	1.2	9

#	ARTICLE	IF	CITATIONS
127	Acetylcholine At Motor Nerves: Storage, Release, and Presynaptic Modulation By Autoreceptors and Adrenoceptors. <i>International Review of Neurobiology</i> , 1992, 34, 283-384.	0.9	56
128	Inhibition of endothelium-dependent vasorelaxation by arginine analogues: a pharmacological analysis of agonist and tissue dependence. <i>British Journal of Pharmacology</i> , 1992, 105, 643-652.	2.7	66
129	L-689,660, a novel cholinomimetic with functional selectivity for M ₁ and M ₃ muscarinic receptors. <i>British Journal of Pharmacology</i> , 1992, 107, 494-501.	2.7	21
130	Involvement of the muscarinic receptors in the postsynaptic potentiation of neurogenic twitch contraction in the mouse vas deferens. <i>Life Sciences</i> , 1992, 50, 799-806.	2.0	11
131	Characterization of muscarinic receptors mediating vasodilation in guinea-pig ileum submucosal arterioles by the use of computer-assisted videomicroscopy. <i>European Journal of Pharmacology</i> , 1992, 213, 53-61.	1.7	20
132	Affinity profiles of pizotifen, ketotifen and other tricyclic antimuscarinics at muscarinic receptor subtypes M ₁ , M ₂ and M ₃ . <i>European Journal of Pharmacology</i> , 1992, 211, 283-293.	1.7	19
133	The role of muscarinic M ₁ and M ₂ receptors in airway constriction in the cat. <i>European Journal of Pharmacology</i> , 1992, 210, 231-238.	1.7	6
134	Acute desensitization of muscarinic receptors in the isolated guinea-pig ileal longitudinal muscle. <i>Autonomic and Autacoid Pharmacology</i> , 1992, 12, 137-148.	0.7	13
135	A QSAR Approach to the Study of Structural Requirements of Muscarinic Receptor Ligands Part I: Agonists. <i>QSAR and Combinatorial Science</i> , 1992, 11, 1-17.	1.4	2
136	Presynaptic muscarinic receptor subtypes involved in the inhibition of acetylcholine and noradrenaline release in bovine cerebral arteries. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1992, 345, 619-626.	1.4	21
137	The action of (1/2)L-660,863 [(1/2)3-(3-amino-1,2,4-oxadiazole-5-yl)-quinuclidine] at muscarinic receptor subtypes in vitro. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1992, 345, 375-81.	1.4	9
138	Muscarinic receptor subtypes in carbachol-stimulated insulin and glucagon secretion in the mouse. <i>Autonomic and Autacoid Pharmacology</i> , 1993, 13, 439-446.	0.7	22
139	Pharmacological sensitivity of the articular capsule of the primary spines of <i>Eucidaris tribuloides</i> . <i>Comparative Biochemistry and Physiology Part C: Comparative Pharmacology</i> , 1993, 105, 25-30.	0.2	10
140	Muscarinic M ₃ receptors mediate total inositol phosphates accumulation in murine HSDM1C1 fibrosarcoma cells. <i>European Journal of Pharmacology</i> , 1993, 244, 49-55.	2.7	13
141	Glycopyrronium bromide blocks differentially responses mediated by muscarinic receptor subtypes. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1993, 347, 591-595.	1.4	7
142	Functional characterization of muscarinic receptors in murine airways. <i>British Journal of Pharmacology</i> , 1993, 109, 53-60.	2.7	38
143	Evidence that M ₁ muscarinic receptors enhance noradrenaline release in mouse atria by activating protein kinase C. <i>British Journal of Pharmacology</i> , 1993, 110, 910-916.	2.7	14
144	Different muscarinic receptor subtypes mediating the phasic activity and basal tone of pig isolated intravesical ureter. <i>British Journal of Pharmacology</i> , 1993, 110, 1413-1420.	2.7	41

#	ARTICLE	IF	CITATIONS
145	Regulation of hippocampal muscarinic receptor function by chronic nerve growth factor treatment in adult rats with fimbrial transections. <i>Neuroscience</i> , 1993, 53, 379-394.	1.1	21
146	Pharmacological Profiles of Muscarinic Receptors in the Longitudinal Smooth Muscle of Guinea Pig Ileum. <i>The Japanese Journal of Pharmacology</i> , 1993, 62, 257-261.	1.2	12
147	Chapter 7 Muscarinic acetylcholine receptors. <i>New Comprehensive Biochemistry</i> , 1993, 24, 199-220.	0.1	4
148	Assessment of neural inhibition of the lower esophageal sphincter in cats with esophagitis. <i>Gastroenterology</i> , 1993, 104, 810-818.	0.6	30
149	Absence of Effects of Class III Antiarrhythmic Agents on Cloned Cardiac K Channels. <i>The Japanese Journal of Pharmacology</i> , 1993, 62, 43-47.	1.2	19
150	Cholinergic agents structurally related to furtrethonium. 1. <i>European Journal of Medicinal Chemistry</i> , 1994, 29, 153-161.	2.6	8
151	Pre- and postjunctional muscarinic receptor subtypes in the vas deferens of rat. <i>General Pharmacology</i> , 1994, 25, 1643-1647.	0.7	12
152	Muscarinic M3 receptors mediate contractions in rabbit endothelium-denuded aorta in vitro. <i>Autonomic and Autacoid Pharmacology</i> , 1994, 14, 283-293.	0.7	6
153	The Involvement of Muscarinic Receptor Subtypes in the Mediation of Hypothermia, Tremor, and Salivation in Male Mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1994, 74, 35-39.	0.0	22
154	Functional comparison between nuzenzepine and pirenzepine on different guinea pig isolated smooth muscle preparations. <i>Pharmacological Research</i> , 1994, 30, 161-170.	3.1	5
155	Involvement of endothelium-derived NO in the basal tone and in the vasodilator responses to muscarinic agonists in the rat isolated mesenteric arterial bed. <i>Fundamental and Clinical Pharmacology</i> , 1994, 8, 54-63.	1.0	5
156	Muscarinic M1 and M3 receptor antagonist effects of a new pirenzepine analogue in isolated guinea-pig ileal longitudinal muscle-myenteric plexus. <i>European Journal of Pharmacology</i> , 1994, 254, 151-157.	1.7	7
157	Science of urinary incontinence. <i>Lancet</i> , The, 1994, 344, 311-315.	6.3	229
158	Antagonistic properties of McNeil's 4 and 3 receptors. <i>British Journal of Pharmacology</i> , 1994, 113, 711-716.	2.7	10
159	Muscarinic receptor subtypes in the bisected vas deferens of the rat. <i>General Pharmacology</i> , 1995, 26, 387-391.	0.7	16
160	Characterization of Muscarinic Receptor Subtypes That Mediate Antinociception in the Rat Spinal Cord. <i>Anesthesia and Analgesia</i> , 1997, 85, 847-853.	1.1	71
161	Characterization of Muscarinic Receptor Subtypes That Mediate Antinociception in the Rat Spinal Cord. <i>Anesthesia and Analgesia</i> , 1997, 85, 847-853.	1.1	127
162	Differential cholinceptor subtype-dependent activation of signal transduction pathways in neonatal versus adult rat atria. <i>Biochemical Pharmacology</i> , 1997, 53, 959-967.	2.0	15

#	ARTICLE	IF	CITATIONS
163	Functional characterization of peripheral muscarinic subtypes in anesthetized cats. <i>Life Sciences</i> , 1997, 61, 217-227.	2.0	6
164	Muscarinic Receptor Subtype Involvement in Brain Cholinergic Stimulation by Intracerebroventricular Neostigmine in Sinoaortic Denervated Rats. <i>General Pharmacology</i> , 1998, 31, 583-588.	0.7	3
165	Synthesis and functional characterization of novel derivatives related to oxotremorine and oxotremorine-M. <i>Bioorganic and Medicinal Chemistry</i> , 1999, 7, 1539-1547.	1.4	43
166	Muscarinic cholinceptor subtypes mediating tracheal smooth muscle contraction and inositol phosphate generation in guinea pig and rat. <i>European Journal of Pharmacology</i> , 1999, 372, 269-277.	1.7	9
167	Influence of cytisine on catecholamine release in isolated perfused rat adrenal glands. <i>Archives of Pharmacal Research</i> , 2002, 25, 932-939.	2.7	2
168	Characterization of muscarinic receptor subtypes in the rostral ventrolateral medulla and effects on morphine-induced antinociception in rats. <i>European Journal of Pharmacology</i> , 2003, 465, 237-249.	1.7	19
169	CCCP enhances catecholamine release from the perfused rat adrenal medulla. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2006, 128, 37-47.	1.4	6
170	M3-Muscarinic Receptor Mediates Prejunctional Inhibition of Noradrenaline Release and the Relaxation in Cat Femoral Artery. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 43, 644-649.	1.2	13
171	Muscarinic receptor subtypes involved in bethanechol-induced water intake in the rat. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 41, 71-72.	1.2	2
172	Blockade by 4-Aminopyridine of the Muscarinic-receptor-mediated Responses of Guinea-pig Atria and Trachea. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 43, 417-420.	1.2	6
173	Gintonin facilitates catecholamine secretion from the perfused adrenal medulla. <i>Korean Journal of Physiology and Pharmacology</i> , 2016, 20, 629.	0.6	0
175	Autoregulation of Cholinergic Neurotransmission in Airways Nerves. , 1994, , 261-278.		2
176	Muscarinic Cholinergic Receptors and their Interactions with Drugs. <i>Advances in Drug Research</i> , 1989, , 431-509.	0.8	24
177	Multidisciplinary analysis of muscarinic receptors in guinea-pig isolated ileum, atria and uterus in vitro. <i>Pharmacochimistry Library</i> , 1992, 18, 273-293.	0.1	2
178	A Functionalized Congener Approach to Muscarinic Ligands. <i>Advances in Behavioral Biology</i> , 1989, , 1-9.	0.2	1