

CITATION REPORT

List of articles citing

Bowel symptoms in an apparently well population

DOI: 10.1007/bf02553027

Diseases of the Colon and Rectum, 1986, 29, 243-7.

Source: <https://exaly.com/paper-pdf/18575203/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 82 | How important is rectal bleeding in the diagnosis of bowel cancer and polyps?. <i>Lancet, The</i> , 1986 , 2, 261-5 | 4.0 | 94 |
| 81 | The role of chronic constipation, diarrhea, and laxative use in the etiology of large-bowel cancer. Data from the Melbourne Colorectal Cancer Study. <i>Diseases of the Colon and Rectum</i> , 1988 , 31, 507-12 | 3.1 | 44 |
| 80 | Prospective comparison of double contrast barium enema plus flexible sigmoidoscopy v colonoscopy in rectal bleeding: barium enema v colonoscopy in rectal bleeding. <i>Gut</i> , 1988 , 29, 1188-93 | 19.2 | 65 |
| 79 | Rectal bleeding. Do other symptoms aid in diagnosis?. <i>Diseases of the Colon and Rectum</i> , 1989 , 32, 191-6 | 3.1 | 52 |
| 78 | INVESTIGATION OF RECTAL BLEEDING. <i>Lancet, The</i> , 1989 , 333, 195-197 | 4.0 | 3 |
| 77 | Herpes Simplex Virus Latency. <i>Lancet, The</i> , 1989 , 333, 194-195 | 4.0 | 0 |
| 76 | Colonoscopic diagnosis and treatment of lower gastrointestinal bleeding. <i>Surgical Clinics of North America</i> , 1989 , 69, 1309-25 | 4 | 29 |
| 75 | Rectal bleeding. Patient delay in presentation. <i>Diseases of the Colon and Rectum</i> , 1990 , 33, 851-7 | 3.1 | 32 |
| 74 | Irritable bowel syndrome complaints following the uprising of December 1989 in Romania. <i>Medicine and War</i> , 1991 , 7, 100-4 | | 6 |
| 73 | Presentation, duration of symptoms and staging of colorectal carcinoma. <i>ANZ Journal of Surgery</i> , 1991 , 61, 137-40 | 1 | 30 |
| 72 | Why patients delay seeking care for cancer symptoms. What you can do about it. <i>Postgraduate Medicine</i> , 1991 , 89, 151-2, 155-8 | 3.7 | 30 |
| 71 | Colectomy for constipation: physiologic investigation is the key to success. <i>Diseases of the Colon and Rectum</i> , 1991 , 34, 851-6 | 3.1 | 112 |
| 70 | Analysis of the colonoscopic findings in patients with rectal bleeding according to the pattern of their presenting symptoms. <i>Diseases of the Colon and Rectum</i> , 1991 , 34, 391-5 | 3.1 | 36 |
| 69 | Logical clinical decisions in the investigation and management of non-urgent rectal bleeding. <i>Gastroenterologia Japonica</i> , 1991 , 26 Suppl 3, 107-10 | | 2 |
| 68 | [Diagnosis and management of lower gastrointestinal hemorrhage. Retrospective analysis of 233 cases]. <i>Langenbecks Archiv Fur Chirurgie</i> , 1991 , 376, 152-7 | | 4 |
| 67 | Irritable bowel syndrome in the general population. <i>BMJ: British Medical Journal</i> , 1992 , 304, 87-90 | | 461 |
| 66 | Delay in consulting a medical practitioner about rectal bleeding. <i>Journal of Epidemiology and Community Health</i> , 1992 , 46, 241-4 | 5.1 | 40 |

| | | | |
|----|--|------|-----|
| 65 | Prevalence of gastrointestinal symptoms in the elderly: a population-based study. <i>Gastroenterology</i> , 1992 , 102, 895-901 | 13.3 | 430 |
| 64 | Quality of care for colorectal cancer in a fee-for-service and health maintenance organization practice. <i>Cancer</i> , 1992 , 69, 2418-25 | 6.4 | 24 |
| 63 | The epidemiology of abdominal symptoms: prevalence and demographic characteristics in a Swedish adult population. A report from the Abdominal Symptom Study. <i>Scandinavian Journal of Gastroenterology</i> , 1994 , 29, 102-9 | 2.4 | 119 |
| 62 | Screening for colorectal cancer using an immunochemical test for faecal occult blood: results of the first 2 years of a South Australian programme. <i>ANZ Journal of Surgery</i> , 1994 , 64, 464-9 | 1 | 12 |
| 61 | Constipation in the elderly: influence of dietary, psychological, and physiological factors. <i>Journal of the American Geriatrics Society</i> , 1994 , 42, 701-6 | 5.6 | 104 |
| 60 | Cancer Screening and Early Detection Among Ageing Women: Should Practice or Policy Change?. <i>Australian Journal on Ageing</i> , 1995 , 14, 51-55 | | 1 |
| 59 | Initial validation of a bowel symptom questionnaire and measurement of chronic gastrointestinal symptoms in Australians. <i>Australian and New Zealand Journal of Medicine</i> , 1995 , 25, 302-8 | | 101 |
| 58 | Constipation and fecal incontinence in the elderly population. <i>Mayo Clinic Proceedings</i> , 1996 , 71, 81-92 | 6.4 | 59 |
| 57 | Surgery for constipation: a review. <i>Diseases of the Colon and Rectum</i> , 1996 , 39, 444-60 | 3.1 | 85 |
| 56 | Colorectal diseases. <i>ANZ Journal of Surgery</i> , 1997 , 67, 457-67 | 1 | 2 |
| 55 | The outpatient evaluation of hematochezia. <i>American Journal of Gastroenterology</i> , 1998 , 93, 179-82 | 0.7 | 27 |
| 54 | An analysis of site-specific attributable pathologies for colorectal symptoms: diagnostic yield of colonoscopy. <i>Colorectal Disease</i> , 1999 , 1, 234-7 | 2.1 | 6 |
| 53 | Delay in the diagnosis and outcome of colorectal cancer: a prospective study. <i>European Journal of Surgical Oncology</i> , 1999 , 25, 173-8 | 3.6 | 73 |
| 52 | Bowel movement, use of laxatives and risk of colorectal adenomatous polyps among women (United States). <i>Cancer Causes and Control</i> , 2000 , 11, 907-14 | 2.8 | 19 |
| 51 | Anthranoid laxative use is not a risk factor for colorectal neoplasia: results of a prospective case control study. <i>Gut</i> , 2000 , 46, 651-5 | 19.2 | 74 |
| 50 | Defining the role of fiberoptic sigmoidoscopy in the investigation of patients presenting with bright red rectal bleeding. <i>American Journal of Gastroenterology</i> , 2000 , 95, 1184-7 | 0.7 | 10 |
| 49 | Constipation: evaluation and management. <i>Primary Care - Clinics in Office Practice</i> , 2001 , 28, 577-90, vi | 2.2 | 16 |
| 48 | Endoscopy for hematochezia in patients under 50 years of age. <i>Digestive Diseases and Sciences</i> , 2001 , 46, 2660-5 | 4 | 21 |

| | | | |
|----|---|-----|-----|
| 47 | The effectiveness of new criteria for colorectal fast track clinics. <i>Colorectal Disease</i> , 2002 , 4, 115-117 | 2.1 | 10 |
| 46 | Predictive factors by multivariate analysis for colorectal cancer in Malaysian patients undergoing colonoscopy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002 , 17, 281-4 | 4 | 14 |
| 45 | Rectocele: pathogenesis and surgical management. <i>International Journal of Colorectal Disease</i> , 2003 , 18, 369-84 | 3 | 99 |
| 44 | Association between physical activity, fiber intake, and other lifestyle variables and constipation in a study of women. <i>American Journal of Gastroenterology</i> , 2003 , 98, 1790-6 | 0.7 | 201 |
| 43 | Constipation, laxative use, and colon cancer in a North Carolina population. <i>American Journal of Gastroenterology</i> , 2003 , 98, 857-64 | 0.7 | 71 |
| 42 | Risk factors for chronic constipation based on a general practice sample. <i>American Journal of Gastroenterology</i> , 2003 , 98, 1107-11 | 0.7 | 135 |
| 41 | Factors associated with the frequency of stool examination. <i>European Journal of Gastroenterology and Hepatology</i> , 2003 , 15, 531-533 | 2.2 | 1 |
| 40 | Factors associated with the frequency of stool examination: effect on incidence of reported rectal bleeding. <i>European Journal of Gastroenterology and Hepatology</i> , 2003 , 15, 531-3 | 2.2 | 3 |
| 39 | An approach to haemorrhoids. <i>Colorectal Disease</i> , 2005 , 7, 143-7 | 2.1 | 4 |
| 38 | The Effective and Efficient Management of Patients with Rectal Bleeding to Identify the Few with Cancer. 2005 , 1-21 | | |
| 37 | Canadian consensus on medically acceptable wait times for digestive health care. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2006 , 20, 411-23 | | 96 |
| 36 | Delay of treatment is associated with advanced stage of rectal cancer but not of colon cancer. <i>Cancer Detection and Prevention</i> , 2006 , 30, 341-6 | | 57 |
| 35 | Diagnostic value of self-reported symptoms in Danish outpatients referred with symptoms consistent with colorectal cancer. <i>Colorectal Disease</i> , 2007 , 9, 443-51 | 2.1 | 13 |
| 34 | Lower gastrointestinal bleeding: a review. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2007 , 21, 514-20 | 5.2 | 55 |
| 33 | Surgical treatment concepts for acute lower gastrointestinal bleeding. <i>Journal of Gastrointestinal Surgery</i> , 2008 , 12, 2212-20 | 3.3 | 34 |
| 32 | Validation of the lower gastrointestinal electronic referral protocol. <i>British Journal of Surgery</i> , 2008 , 95, 506-14 | 5.3 | 7 |
| 31 | Delay of diagnosis and treatment of colorectal cancer--a population-based Danish study. <i>Cancer Detection and Prevention</i> , 2008 , 32, 45-51 | | 37 |
| 30 | Naturopathic Physical Medicine Approaches to General Health Enhancement and Specific Conditions. 2008 , 417-513 | | |

| | | | |
|----|---|-----|-----|
| 29 | Detection of colorectal cancer in symptomatic outpatients without visible rectal bleeding: Validity of the fecal occult blood test. <i>Clinical Epidemiology</i> , 2009 , 1, 119-24 | 5.9 | 5 |
| 28 | Implementation of a diagnostic tool for symptomatic colorectal cancer in primary care: a feasibility study. <i>Primary Health Care Research and Development</i> , 2009 , 10, 54 | 1.6 | 10 |
| 27 | Factors predicting the postoperative outcome of lower gastrointestinal hemorrhage. <i>International Journal of Colorectal Disease</i> , 2009 , 24, 983-8 | 3 | 8 |
| 26 | Rectal bleeding: epidemiology, associated risk factors, and health care seeking behaviour: a population-based study. <i>Colorectal Disease</i> , 2009 , 11, 921-6 | 2.1 | 16 |
| 25 | Hematochezia in the young patient: a review of health-seeking behavior, physician attitudes, and controversies in management. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 233-9 | 4 | 4 |
| 24 | Who needs colonoscopy to identify colorectal cancer? Bowel symptoms do not add substantially to age and other medical history. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 32, 270-81 | 6.1 | 20 |
| 23 | Most bowel cancer symptoms do not indicate colorectal cancer and polyps: a systematic review. <i>BMC Gastroenterology</i> , 2011 , 11, 65 | 3 | 88 |
| 22 | The role of endoscopy in the patient with lower GI bleeding. <i>Gastrointestinal Endoscopy</i> , 2014 , 79, 875-85.2 | 5.2 | 143 |
| 21 | Risks of colorectal advanced neoplasia in young adults versus those of screening colonoscopy in patients aged 50 to 54 years. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1825-1831 | 4 | 2 |
| 20 | Bowel Symptoms in Relation to Colorectal Cancer. 2018 , 21-38 | | 1 |
| 19 | A new defecographic parameter for assessing rectal emptying. <i>Journal of Coloproctology</i> , 2019 , 39, 095-100 | 1.0 | |
| 18 | Coloproctology procedure clinic: a novel service developed to reduce suffering of patients with bleeding per rectum. <i>Irish Journal of Medical Science</i> , 2019 , 188, 119-124 | 1.9 | 1 |
| 17 | Clinical Evaluation of Continence and Defecation. 2020 , 47-63 | | |
| 16 | Optimal diagnostic accuracy of quantitative faecal immunochemical test positivity thresholds for colorectal cancer detection in primary health care: A community-based cohort study. <i>United European Gastroenterology Journal</i> , 2021 , 9, 256-267 | 5.3 | 8 |
| 15 | Konservative Therapie. 1997 , 838-852 | | 1 |
| 14 | Proktologische Diagnostik bei unterer Gastrointestinalblutung. 2016 , 287-290 | | 0 |
| 13 | Colonoscopic evaluation of minimal rectal bleeding in average-risk patients for colorectal cancer. <i>World Journal of Gastroenterology</i> , 2008 , 14, 6536-40 | 5.6 | 25 |
| 12 | Colonoscopic evaluation of hematochezia in low and average risk patients for colorectal cancer: a prospective study. <i>World Journal of Gastroenterology</i> , 2006 , 12, 7304-8 | 5.6 | 13 |

| | | | |
|----|---|-----|----|
| 11 | High-risk symptoms and quantitative faecal immunochemical test accuracy: Systematic review and meta-analysis. <i>World Journal of Gastroenterology</i> , 2019 , 25, 2383-2401 | 5.6 | 26 |
| 10 | Significance of bowel symptoms. <i>Medical Journal of Australia</i> , 1987 , 146, 631-3 | 4 | 16 |
| 9 | Symptoms and the diagnosis of bowel cancer: a critical view. <i>Medical Journal of Australia</i> , 1988 , 148, 505-7 | 4 | 1 |
| 8 | Prospektive klinische Studie zur Sicherheit von Anthranoidlaxanzien. 1996 , 167-174 | | 1 |
| 7 | Bowel Habit (Constipation, Diarrhea and Laxative Use. 1996 , 179-190 | | |
| 6 | Pathophysiologie. 1997 , 826-833 | | 0 |
| 5 | Endoscopic Findings in Patients Under the Age of 40 Years with Hematochezia in Singapore. <i>Clinical Endoscopy</i> , 2020 , 53, 466-470 | 2.5 | 1 |
| 4 | Occurrence and clinical significance of overt blood loss per rectum in the general population and in medical practice. <i>British Journal of General Practice</i> , 1994 , 44, 320-5 | 1.6 | 28 |
| 3 | Predicting colorectal cancer risk in patients with rectal bleeding. <i>British Journal of General Practice</i> , 2006 , 56, 763-7 | 1.6 | 23 |
| 2 | One-stop rectal bleeding clinics without routine flexible sigmoidoscopy are unsafe. <i>Annals of the Royal College of Surgeons of England</i> , 1998 , 80, 131-3 | 1.4 | 15 |
| 1 | THE MANAGEMENT OF RECTAL BLEEDING. 1993 , 47, 155-158 | | 1 |