

CITATION REPORT

List of articles citing

Microvascular mechanisms involved in calcium antagonist edema formation

DOI: 10.1097/00005344-198710001-00023

Journal of Cardiovascular Pharmacology, 1987, 10
Suppl 1, S121-31.

Source: <https://exaly.com/paper-pdf/18774759/citation-report.pdf>

Version: 2024-04-18

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
78	Efficacy of felodipine in chronic congestive heart failure: a placebo controlled haemodynamic study at rest and during exercise and orthostatic stress. <i>Heart</i> , 1987 , 58, 505-11	5.1	23
77	Glucose tolerance in hypertensive patients during treatment with the calcium antagonist, felodipine. <i>British Journal of Clinical Pharmacology</i> , 1987 , 24, 145-9	3.8	8
76	Pharmacodynamic properties of felodipine. <i>Drugs</i> , 1987 , 34 Suppl 3, 7-15	12.1	17
75	Comparison of antihypertensive effect and pharmacokinetics of conventional and extended release felodipine tablets in patients with arterial hypertension. <i>Drugs</i> , 1987 , 34 Suppl 3, 125-31	12.1	19
74	Aspects on the benefit-risk balance of felodipine in hypertension. <i>Drugs</i> , 1987 , 34 Suppl 3, 132-5	12.1	9
73	Calcium channel antagonists. Part IV: Side effects and contraindications drug interactions and combinations. <i>Cardiovascular Drugs and Therapy</i> , 1988 , 2, 177-89	3.9	36
72	Felodipine. A review of its pharmacodynamic and pharmacokinetic properties, and therapeutic use in hypertension. <i>Drugs</i> , 1988 , 36, 387-428	12.1	80
71	Calcium antagonists in hypertension. <i>American Journal of Medicine</i> , 1989 , 86, 6-14	2.4	34
70	The efficacy and tolerability of long-term felodipine treatment in hypertension. The Scandinavian Multicenter Group. <i>Cardiovascular Drugs and Therapy</i> , 1990 , 4, 641-7	3.9	3
69	Felodipine in the treatment of patients with severe hypertension and impaired renal function. <i>Cardiovascular Drugs and Therapy</i> , 1990 , 4, 253-9	3.9	6
68	Effects of thiopental on resistance vessels in cat skeletal muscle. <i>Intensive Care Medicine</i> , 1990 , 16, 399-404	4.5	9
67	The haemodynamic effects of long term felodipine therapy in previously untreated essential hypertension. <i>European Journal of Clinical Pharmacology</i> , 1990 , 39, 539-43	2.8	2
66	Microvascular actions of calcium channel antagonists. <i>European Journal of Pharmacology</i> , 1991 , 198, 189-95	5.5	27
65	Acute haemodynamic effects of felodipine, verapamil and hydralazine in the anaesthetized dog. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1991 , 68, 310-5		5
64	Peripheral edema due to increased vascular permeability: a clinical appraisal. <i>International Journal of Clinical and Laboratory Research</i> , 1992 , 21, 241-6		9
63	Tolerability and Safety of Felodipine. <i>Cardiovascular Drug Reviews</i> , 1993 , 11, 126-147		7
62	Haemodynamics and tissue specificity with isradipine. <i>Acta Anaesthesiologica Scandinavica</i> , 1993 , 99, 33-7	1.9	17

61	A comparison of isradipine and felodipine in Australian patients with hypertension: focus on ankle oedema. The Physician ⁵ Study Group. <i>Blood Pressure</i> , 1993 , 2, 205-11	1.7	6
60	Modification of exercise performance by sharp reduction of blood pressure. A study in patients with uncomplicated hypertension. <i>Chest</i> , 1993 , 104, 1755-8	5.3	
59	Renal effects of a nonhypotensive i.v. dose of felodipine. <i>Journal of Clinical Pharmacology</i> , 1993 , 33, 732-7	2.9	2
58	Natriuretic and diuretic effects of felodipine and hydrochlorothiazide after single and repeated doses. <i>European Journal of Clinical Pharmacology</i> , 1995 , 47, 395-400	2.8	1
57	Massive verapamil overdose complicated by noncardiogenic pulmonary edema. <i>American Journal of Emergency Medicine</i> , 1996 , 14, 459-61	2.9	55
56	Calcium channel antagonists in the treatment of coronary artery disease: fundamental pharmacological properties relevant to clinical use. <i>Progress in Cardiovascular Diseases</i> , 1996 , 38, 273-90	8.5	43
55	Relation between symptoms and profiles of coronary artery blood flow velocities in patients with aortic valve stenosis: a study using transoesophageal Doppler echocardiography. <i>Heart</i> , 1996 , 75, 377-83	5.1	27
54	Pulmonary oedema and pleural effusion in two patients with primary pulmonary hypertension treated with calcium channel blockers. <i>Heart</i> , 1996 , 75, 383	5.1	5
53	Pharmacological differences between calcium antagonists. <i>European Heart Journal</i> , 1997 , 18 Suppl A, A71-9	9.5	42
52	Main results of the losartan versus amlodipine (LOA) study on drug tolerability and psychological general well-being. LOA Study Group. <i>Journal of Hypertension</i> , 1997 , 15, 1327-35	1.9	37
51	A Comparative Study of the Efficacy and Tolerability of Amlodipine and Lisinopril in the Treatment of Essential Hypertension. <i>Clinical Drug Investigation</i> , 1997 , 13, 92-96	3.2	
50	Comparison of diltiazem and verapamil on rat microvascular permeability. <i>Microvascular Research</i> , 1997 , 54, 206-13	3.7	7
49	Efficacy and safety of losartan in hypertensive patients with side effects induced by other antihypertensive agents. <i>Current Therapeutic Research</i> , 1997 , 58, 851-858	2.4	
48	Cardiac inotropes inhibit the oedema caused by nifedipine in rabbit skin. <i>British Journal of Pharmacology</i> , 1997 , 122, 1160-4	8.6	2
47	Different effects of calcium antagonists on fluid filtration of large arteries and albumin permeability in spontaneously hypertensive rats. <i>Journal of Hypertension</i> , 1998 , 16, 349-55	1.9	11
46	Clinical pharmacology of modern antihypertensive agents and their interaction with alpha-adrenoceptor antagonists. <i>British Journal of Urology</i> , 1998 , 81 Suppl 1, 6-16; discussion 64-6		5
45	Nifedipine increases microvascular permeability via a direct local effect on postcapillary venules. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1998 , 275, H1388-94	5.2	4
44	Comparative effect of lercanidipine and nifedipine gastrointestinal therapeutic system on ankle volume and subcutaneous interstitial pressure in hypertensive patients: a double-blind, randomized, parallel-group study. <i>Current Therapeutic Research</i> , 2000 , 61, 850-862	2.4	30

43	Approach to diagnosing lower extremity edema. <i>Comprehensive Therapy</i> , 2001 , 27, 242-52		15
42	Resistant hypertension: comparing hemodynamic management to specialist care. <i>Hypertension</i> , 2002 , 39, 982-8	8.5	212
41	Effect of benazepril addition to amlodipine on ankle oedema and subcutaneous tissue pressure in hypertensive patients. <i>Journal of Human Hypertension</i> , 2003 , 17, 207-12	2.6	32
40	Management of calcium channel antagonist overdose. <i>Drug Safety</i> , 2003 , 26, 65-79	5.1	93
39	Calcium channel blocker-related periperal edema: can it be resolved?. <i>Journal of Clinical Hypertension</i> , 2003 , 5, 291-4, 297	2.3	72
38	[Efficacy and acceptability of lercanidipine are not age dependent in patients with essential hypertension: the AGATE study]. <i>Annales De Cardiologie Et D'Angiologie</i> , 2004 , 53, 123-30	0.5	7
37	Foot volume increase on nifedipine is not prevented by pretreatment with diuretics. <i>Journal of Hypertension</i> , 2004 , 22, 425-30	1.9	6
36	Easily reversible hypoxemia and hypotension induced by nimodipine. <i>European Journal of Emergency Medicine</i> , 2004 , 11, 295-7	2.3	5
35	Treatment of resistant hypertension. <i>Current Hypertension Reports</i> , 2005 , 7, 323-9	4.7	23
34	Ankle oedema and sympathetic activation. <i>Drugs</i> , 2005 , 65 Suppl 2, 21-7	12.1	15
33	Telmisartan plus HCTZ vs. amlodipine plus HCTZ in older patients with systolic hypertension: results from a large ambulatory blood pressure monitoring study. <i>The American Journal of Geriatric Cardiology</i> , 2006 , 15, 151-60		32
32	Effect on the development of ankle edema of adding delapril to manidipine in patients with mild to moderate essential hypertension: a three-way crossover study. <i>Clinical Therapeutics</i> , 2007 , 29, 413-8	3.5	30
31	Effect of valsartan addition to amlodipine on ankle oedema and subcutaneous tissue pressure in hypertensive patients. <i>Journal of Human Hypertension</i> , 2007 , 21, 220-4	2.6	86
30	Nifedipine versus carvedilol in the treatment of de novo arterial hypertension after liver transplantation: results of a controlled clinical trial. <i>Liver Transplantation</i> , 2008 , 14, 1020-8	4.5	33
29	Efficacy and safety profiles of a new S(-)-amlodipine nicotinate formulation versus racemic amlodipine besylate in adult Korean patients with mild to moderate hypertension: an 8-week, multicenter, randomized, double-blind, double-dummy, parallel-group, phase III, noninferiority clinical trial. <i>Clinical Therapeutics</i> , 2008 , 30, 845-57	3.5	16
28	Mitigation of calcium channel blocker-related oedema in hypertension by antagonists of the renin-angiotensin system. <i>Journal of Human Hypertension</i> , 2009 , 23, 503-11	2.6	40
27	Optimization of hypertension management: the role of angiotensin receptor blocker-calcium channel blocker combinations. <i>Journal of Cardiovascular Pharmacology</i> , 2009 , 53, 352-8	3.1	5
26	Effect of valsartan or olmesartan addition to amlodipine on ankle edema in hypertensive patients. <i>Advances in Therapy</i> , 2010 , 27, 48-55	4.1	11

25	Disorders of Extracellular Volume. 2010 , 85-99		3
24	The role of fixed-dose combination therapy with drugs that target the renin-angiotensin system in the hypertension paradigm. <i>Clinical and Experimental Hypertension</i> , 2010 , 32, 35-42	2.2	14
23	Effect of telmisartan addition to amlodipine on ankle edema development in treating hypertensive patients. <i>Expert Opinion on Pharmacotherapy</i> , 2011 , 12, 2441-8	4	12
22	Inhibition of smooth muscle myosin as a novel therapeutic target for hypertension. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011 , 339, 307-12	4.7	7
21	Long-Term Tolerability and Efficacy of Single-Pill Combinations of Telmisartan 40-80 mg Plus Amlodipine 5 or 10 mg in Patients Whose Blood Pressure Was Not Initially Controlled by Amlodipine 5-10 mg: Open-Label, Long-Term Follow-Ups of the TEAMSTA-5 and TEAMSTA-10 Studies. <i>Current Therapeutic Research</i> , 2012 , 73, 65-84	2.4	7
20	Segmental bioimpedance for measuring amlodipine-induced pedal edema: a placebo-controlled study. <i>Clinical Therapeutics</i> , 2012 , 34, 580-92	3.5	10
19	Are the precapillary sphincters and metarterioles universal components of the microcirculation? An historical review. <i>Journal of Physiological Sciences</i> , 2013 , 63, 319-31	2.3	31
18	Individualizing antihypertensive combination therapies: clinical and hemodynamic considerations. <i>Current Hypertension Reports</i> , 2014 , 16, 451	4.7	8
17	Human lymphatic vessel contractile activity is inhibited in vitro but not in vivo by the calcium channel blocker nifedipine. <i>Journal of Physiology</i> , 2014 , 592, 4697-714	3.9	34
16	Calcium Channel Blocker and EBlocker Drug Overdose. 2015 , 407-414		
15	Treatment of Hypertensive Patients With Diabetes and Microalbuminuria With Combination Indapamide SR/Amlodipine: Retrospective Analysis of NESTOR. <i>American Journal of Hypertension</i> , 2015 , 28, 1064-71	2.3	5
14	A Randomized, Multicenter, Double-blind, Placebo-controlled Study to Evaluate the Efficacy and the Tolerability of a Triple Combination of Amlodipine/Losartan/Rosuvastatin in Patients With Comorbid Essential Hypertension and Hyperlipidemia. <i>Clinical Therapeutics</i> , 2017 , 39, 2366-2379	3.5	11
13	An evaluation of a potential calcium channel blocker-lower-extremity edema-loop diuretic prescribing cascade. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2018 , 58, 534-539.e4	1.7	15
12	Edward F. Adolph Distinguished Lecture. Contemporary model of muscle microcirculation: gateway to function and dysfunction. <i>Journal of Applied Physiology</i> , 2019 , 127, 1012-1033	3.7	16
11	Exercise training restores the myogenic response in skeletal muscle resistance arteries and corrects peripheral edema in rats with heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 317, H87-H96	5.2	5
10	Amlodipine-Induced Pedal Edema and Its Relation to Other Variables in Patients at a Tertiary Level Hospital of Kathmandu, Nepal. <i>Journal of Pharmacy Technology</i> , 2019 , 35, 51-55	0.6	2
9	Periorbital Edema Associated With Clozapine and Gabapentins: A Case Report. <i>Journal of Clinical Psychopharmacology</i> , 2020 , 40, 198-199	1.7	0
8	The unknown known: non-cardiogenic pulmonary edema in amlodipine poisoning, a cohort study. <i>Clinical Toxicology</i> , 2020 , 58, 1042-1049	2.9	5

7	Calcium Channel Antagonists. 2007 , 963-974		1
6	In vivo effects of prostacyclin on segmental vascular resistances, on myogenic reactivity, and on capillary fluid exchange in cat skeletal muscle. <i>Critical Care Medicine</i> , 1995 , 23, 523-31	1.4	19
5	Blood pressure control with a single-pill combination of indapamide sustained-release and amlodipine in patients with hypertension: the EFFICIENT study. <i>PLoS ONE</i> , 2014 , 9, e92955	3.7	15
4	Manidipine: A different dihydropyridine. <i>World Journal of Hypertension</i> , 2011 , 1, 3	0	6
3	Side Effects and Contraindications Drug Interactions and Combinations. 1989 , 193-218		
2	Calcium Channel Blocking Drugs as Antihypertensive Agents. 1989 , 89-113		
1	Comparative peripheral edema for dihydropyridines calcium channel blockers treatment: A systematic review and network meta-analysis.. <i>Journal of Clinical Hypertension</i> , 2022 ,	2.3	