CITATION REPORT List of articles citing

Clustering in real space and in redshift space

DOI: 10.1093/mnras/227.1.1 Monthly Notices of the Royal Astronomical Society, 1987, 227, 1-21.

Source: https://exaly.com/paper-pdf/18838217/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1931	Anisotropies in the local universe. 1989 , 161-177		
1930	The cosmological constant and cold dark matter. 1990 , 348, 705-707		337
1929	The density field of the local Universe. 1991 , 349, 32-38		183
1928	Large-scale structure in the Universe. 1991 , 349, 753-760		19
1927	The spectrum of cosmological density fluctuations and nature of dark matter. 1992 , 359, 396-399		108
1926	Galaxy formation and Hubble sequence. 1993 , 231, 293-365		35
1925	Galaxy Formation and Large-Scale Structurea. 1993 , 688, 297-310		2
1924	Galaxy clustering on large scales. 1993 , 90, 4859-66		2
1923	Simple model of large scale structure formation. 1994 , 49, 4990-5005		6
1922	Comparison of large-scale structures and velocities in the local universe. 1994 , 217, 243-260		1
1921	Cosmic structure formation. 1994 , 77, 354-379		7
1920	The case for an open Universe. 1994 , 370, 609-615		51
1919	Dynamics of Cosmic Flows. 1994 , 32, 371-418		187
1918	Interpreting New Data on Large-Scale Bulk Flows. 1995 , 453,		22
1917	Scaling in the Universe. 1995 , 251, 1-152		58
1916	The density and peculiar velocity fields of nearby galaxies. 1995 , 261, 271-431		407
1915	Reconstructing cosmic fields from redshift data: An explicit solution for the linear regime. 1995 , 43, 29	5-298	

1914 COMPARING LARGE-SCALE COSMOLOGICAL DENSITY FLUCTUATIONS. **1996**, 19, 315-323

Cosmological Redshift Distortion of Correlation Functions as a Probe of the Density Parameter and the Cosmological Constant. 1996 , 470, L1-L5	134
The Two-Dimensional Power Spectrum of the Las Campanas Redshift Survey: Detection of Excess Power on 100 [ITAL]h[/ITAL][TSUP]âll[/TSUP] Mpc Scales. 1996 , 456,	81
1911 High redshift structures and the geometry of the universe. 1996 , 240, 241-247	1
1910 The Bull's-Eye Effect: Are Galaxy Walls Observationally Enhanced?. 1997 , 479, L15-L18	25
1909 Cold + Hot and Cold Dark Matter Cosmologies: Analysis of Numerical Simulations. 1997 , 474, 533-552	31
1908 Large-Scale Power Spectrum from Peculiar Velocities. 1997 , 479, 592-605	45
Karhunen-Loeve Eigenvalue Problems in Cosmology: How Should We Tackle Large Data Sets?. 1997 , 480, 22-35	704
The Finite-Size Effect of Galaxies on the Cosmic Virial Theorem and the Pairwise Peculiar Velocity Dispersions. 1997 , 110, 167-175	11
1905 Gravity and Large-Scale Structure: Observational Evidencea. 1998 , 848, 62-74	3
1904 SIMULATIONS OF STRUCTURE FORMATION IN THE UNIVERSE. 1998 , 36, 599-654	208
1903 The Time Evolution of Bias. 1998 , 500, L79-L82	184
Cosmological Redshift Distortion: Deceleration, Bias, and Density Parameters from Future Redshift Surveys of Galaxies. 1998 , 494, 13-19	21
1901 Reconstructing Nonlinear Stochastic Bias from Velocity Space Distortions. 1998 , 504, 601-606	92
1900 Weak Lensing and Cosmology. 1998 , 498, 26-42	277
Effects of sampling on statistics of large-scale structure. <i>Monthly Notices of the Royal Astronomical</i> Society, 1998 , 296, 253-274 4-3	36
1898 IRASversus POTENT Density Fields on Large Scales: Biasing Parameter and []1998, 495, 516-532	74
1897 Nonlinear Evolution of the Bispectrum of Cosmological Perturbations. 1998 , 496, 586-604	202

1896	Skewed Exponential Pairwise Velocities from Gaussian Initial Conditions. 1998, 504, L1-L4		32
1895	Testing Cold Dark Matter Models at Moderate to High Redshift. 1998 , 509, 16-38		12
1894	The Bull's-Eye Effect as a Probe of [] 1998 , 496, L85-L88		11
1893	Nonlinear Constrained Realizations of the Large-Scale Structure. 1998 , 492, 439-451		30
1892	Using Cluster Abundances and Peculiar Velocities to Test the Gaussianity of the Cosmological Density Field. 1998 , 494, 479-490		56
1891	Determination of the Baryon Density from Large-Scale Galaxy Redshift Surveys. 1998 , 495, 29-43		32
1890	The Mass and Mass-to-Light Ratio for Clusters of Galaxies at Large Radii. 1998 , 501, 509-521		13
1889	Reconstruction Analysis of Galaxy Redshift Surveys: A Hybrid Reconstruction Method. 1998 , 508, 440-4	71	18
1888	Redshift-Space Distortions of the Correlation Function in Wide-Angle Galaxy Surveys. 1998 , 498, L1-L4		87
1887	Recovery of the Power Spectrum of Mass Fluctuations from Observations of the LyForest. 1998 , 495, 44-62		304
1886	The Pairwise Velocity Distribution of Galaxies in the Las Campanas Redshift Survey. 1998 , 494, L133-L1	36	29
1885	Determining D and D from Cosmological Redshift Distortion of Galaxies and Quasars. 1999 , 183, 235-24	0	
1884	Baryonic signatures in large-scale structure. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 304, 851-864	4.3	185
1883	The APM clustergalaxy cross-correlation function: constraints on ´and galaxy bias. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 305, 547-562	4.3	39
1882	Spherical harmonic analysis of the PSCz galaxy catalogue: redshift distortions and the real-space power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 305, 527-546	4.3	71
1881	Likelihood analysis of the Local Group acceleration. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 304, 893-905	4.3	34
1880	Cosmological constraints from the clustering properties of the X-ray Brightest Abell-type Cluster sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 305, 866-874	4.3	38
1879	The power spectrum of the Point Source Catalogue redshift survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 308, 289-301	4.3	31

(2000-1999)

1878	Towards breaking the ´-bias degeneracy in densityvelocity comparisons. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 308, 640-650	4.3	4
1877	Predictions for the clustering properties of the Lyman-alpha forest I. One-point statistics. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 309, 885-904	4.3	31
1876	The Durham/UKST Galaxy Redshift Survey VI. Power spectrum analysis of clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 309, 659-671	4.3	28
1875	Estimating #from redshift-space distortions in the 2dF galaxy survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 310, 1137-1146	4.3	30
1874	On the vorticity of flow in redshift space. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 309, L30-L32	4.3	5
1873	Large scale structure. 1999 , 53, 977-987		2
1872	Measuring the Cosmological Geometry from the LyForest along Parallel Lines of Sight. 1999 , 518, 24-3	1	66
1871	Geometric Distortion of the Correlation Function of Lyman-Break Galaxies. 1999 , 522, 569-578		7
1870	Recovery of the Shape of the Mass Power Spectrum from the LyForest. 1999 , 516, 519-526		40
1869	Two-Point Correlation Function of High-Redshift Objects: An Explicit Formulation on a Light-Cone Hypersurface. 1999 , 517, 1-12		32
1868	The Bispectrum as a Signature of Gravitational Instability in Redshift Space. 1999 , 517, 531-540		178
1867	The Power Spectrum of Clusters of Galaxies and the Press-Schechter Approximation. 1999 , 519, 433-44	10	11
1866	Stochastic Nonlinear Galaxy Biasing. 1999 , 520, 24-34		286
1865	Radial Redshift Space Distortions. 1999 , 516, 507-518		10
1864	The Correlation Function in Redshift Space: General Formula with Wide-Angle Effects and Cosmological Distortions. 2000 , 535, 1-23		66
1863	Measuring the Nonlinear Biasing Function from a Galaxy Redshift Survey. 2000 , 540, 62-73		36
1862	Radio Signatures of Hiat High Redshift: Mapping the End of the âDark Agesâ (12000, 528, 597-606		197
1861	Gravitational Clustering from documentclass{aastex} usepackage{amsbsy} usepackage{amsfonts} usepackage{amssymb} usepackage{bm} usepackage{mathrsfs} usepackage{pifont} usepackage{stmaryrd} usepackage{textcomp} usepackage{portland,xspace}		31

renewcommandrmdefault{wncyr} renewcommandsfdefault{wncyss} renewcommandencodingdefault{OT2} normalfont selectfont} DeclareTextFontCommand{textcyr}{cyr} pagestyle{empty} Declare. 2000

1860	The Infall Region of Abell 576: Independent Mass and Light Profiles. 2000 , 120, 2338-2354	49
1859	The Shapley Supercluster. III. Collapse Dynamics and Mass of the Central Concentration. 2000 , 120, 523-532	64
1858	Redshift-Space Distortions of the Power Spectrum of Cosmological Objects on a Light Cone: Explicit Formulations and Theoretical Implications. 2000 , 128, 1-16	2
1857	Weak-Lensing Surveys and the Intrinsic Correlation of Galaxy Ellipticities. 2000 , 545, 561-571	189
1856	On the least action principle in cosmology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000 , 313, 587-595	47
1855	The correlation function of X-ray galaxy clusters in the ROSAT All-Sky Survey 1 Bright Sample. Monthly Notices of the Royal Astronomical Society, 2000 , 314, 647-656 4-3	16
1854	The dependence of velocity and clustering statistics on galaxy properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000 , 316, 107-119	75
1853	Predicting the clustering of X-ray selected galaxy clusters in flux-limited surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000 , 316, 283-298	26
1852	Cold dark matter models with a step-like initial power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000 , 316, 631-636	5
1851	Comparing the redshift-space density field with the real-space velocity field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000 , 318, 375-380	1
1850	Statistical characteristics of simulated walls. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000 , 318, 665-680	5
1849	Two ways of biasing galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000 , 318, L39- <u>4</u> 44	41
1848	The cosmological matter density. 2000 , 333-334, 147-165	2
1847	The Bispectrum: From Theory to Observations. 2000 , 544, 597-615	115
1846	Reconstructing the IRAS Point Source Catalog Redshift Survey with a generalized PIZA. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000 , 319, L13-L17	12
1845	Cosmological Redshift-Space Distortion on Clustering of High-Redshift Objects: Correction for Nonlinear Effects in the Power Spectrum and Tests withN-Body Simulations. 2000 , 528, 30-50	50
1844	A Tunable Lyot Filter at Prime Focus: a Method for Tracing Supercluster Scales atz~ 1. 2001 , 563, 611-628	17
1843	Biased Galaxy Formation and Measurements of ₹2001 , 549, 688-701	21

1842	Isodensity Statistics on Clustering of High-zObjects in Cosmological Redshift Spaces. 2001 , 550, 528-54	6	2
1841	Breaking the Degeneracy of Cosmological Parameters in Galaxy Redshift Surveys. 2001 , 546, 85-99		4
1840	Clustering of Dark Matter Halos on the Light Cone: Scale, Time, and Mass Dependence of the Halo Biasing in the Hubble Volume Simulations. 2001 , 561, L143-L146		27
1839	Scaling Properties of the Redshift Power Spectrum: Theoretical Models. 2001 , 547, 545-554		10
1838	Evolution of the probability distribution function of galaxies in redshift space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 320, 139-152	4.3	11
1837	The redshift-space power spectrum in the halo model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 321, 1-3	4.3	93
1836	The Durham/UKST Galaxy Redshift Survey VII. Redshift-space distortions in the power spectrum. <i>Monthly Notices of the Royal Astronomical Society,</i> 2001 , 321, 497-501	4.3	8
1835	Angular momentum alignment of dark matter haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 322, 576-584	4.3	16
1834	The 2dF QSO Redshift Survey II. Structure and evolution at high redshift. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 325, 483-496	4.3	75
1833	Redshift-space bias and ´from the halo model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 325, 1359-1364	4.3	90
1832	The scaling of the redshift power spectrum: observations from the Las Campanas redshift survey. <i>Monthly Notices of the Royal Astronomical Society,</i> 2001 , 325, 1389-1396	4.3	14
1831	Large-scale power spectrum and structures from the ENEAR galaxy peculiar velocity catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 326, 375-386	4.3	32
1830	Constraining cosmological parameters with the clustering properties of galaxy clusters in optical and X-ray bands. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 327, 422-434	4.3	18
1829	Non-linear redshift distortions: the two-point correlation function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 327, 577-587	4.3	15
1828	Cluster abundance and large-scale structure. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 327, 629-638	4.3	6
1827	The 2dF Galaxy Redshift Survey: the power spectrum and the matter content of the Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 327, 1297-1306	4.3	616
1826	The 2dF QSO Redshift Survey - VI. Measuring and from redshift-space distortions in the power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 328, 174-184	4.3	16
1825	The real- and redshift-space density distribution functions for large-scale structure in the spherical collapse approximation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 328, 257-265	4.3	12

1824	Parameter information from non-linear cosmological fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 328, 1027-1038	4.3	27
1823	A measurement of the cosmological mass density from clustering in the 2dF Galaxy Redshift Survey. 2001 , 410, 169-73		496
1822	Nonlinear Stochastic Biasing of Peaks and Halos: Scale-Dependence, Time-Evolution, and Redshift-Space Distortion from CosmologicalN-body Simulations. 2001 , 53, 155-167		16
1821	Constraints on galaxy bias, matter density, and primordial non-Gaussianity from the PSCz galaxy redshift survey. 2001 , 86, 1434-7		97
1820	Probing the dark energy with quasar clustering. 2002 , 88, 091302		9
1819	GENERAL RELATIVISTIC RELATION BETWEEN DENSITY CONTRAST AND PECULIAR VELOCITY. 2002 , 11, 321-336		6
1818	Simulating the formation of cosmic structure. 2002 , 360, 1277-94		9
1817	The Halo Occupation Distribution: Toward an Empirical Determination of the Relation between Galaxies and Mass. 2002 , 575, 587-616		708
1816	Cosmological Parameters from Redshift-Space Correlations. 2002 , 574, 1-8		21
1815	Clustering of galaxy clusters in cold dark matter universes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 319, 209-214	4.3	111
1814	The 2dF QSO Redshift Survey â[IV. The QSO power spectrum from the 10k catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 329, 336-348	4.3	23
1813	Cluster correlations in redshift space. Monthly Notices of the Royal Astronomical Society, 2002, 329, 431	-44 13	21
1812	PTHALOS: a fast method for generating mock galaxy distributions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 329, 629-640	4.3	138
1811	The real-space power spectrum of the PSCzsurvey from 0.01 to 300 h Mpcâll. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 330, 506-530	4.3	62
1810	Topology of the Las Campanas Redshift Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 330, 531-539	4.3	8
1809	The 2dF QSO Redshift Survey - VII. Constraining cosmology from redshift-space distortions via (III) Monthly Notices of the Royal Astronomical Society, 2002, 332, 311-324	4.3	31
1808	The 2dF Galaxy Redshift Survey: the dependence of galaxy clustering on luminosity and spectral type. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 332, 827-838	4.3	402
1807	The 2dF Galaxy Redshift Survey: the amplitudes of fluctuations in the 2dFGRS and the CMB, and implications for galaxy biasing. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 333, 961-968	4.3	172

(2003-2002)

1806	Cosmological constraint from the 2dF QSO spatial power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 334, 958-962	4.3	7
1805	The 2dF Galaxy Redshift Survey: the bias of galaxies and the density of the Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 335, 432-440	4.3	477
1804	The power spectrum of galaxies in the 2dF 100k redshift survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 335, 887-908	4.3	133
1803	Predicting the clustering properties of galaxy clusters detectable by the Planck satellite. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 335, 984-992	4.3	11
1802	An analytical model for the non-linear redshift-space power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 336, 892-900	4.3	48
1801	Recent Advances in Large-Scale Structure and Galaxy Formation Studies. 2002 , 110, 115-127		
1800	Large-scale structure of the Universe and cosmological perturbation theory. 2002 , 367, 1-248		1146
1799	Current status of weak gravitational lensing. 2002 , 46, 767-781		51
1798	The cosmological constant and dark energy. 2003 , 75, 559-606		3170
1797	Large scale magnetic fields: Density power spectrum in redshift space. 2003 , 24, 51-67		16
1796	The 2dF Galaxy Redshift Survey: correlation functions, peculiar velocities and the matter density of the Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003 , 346, 78-96	4.3	624
1795	Linking early- and late-type galaxies to their dark matter haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003 , 340, 771-792	4.3	211
1794	Non-linear clustering during the cosmic Dark Ages and its effect on the 21-cm background from minihaloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003 , 341, 81-90	4.3	85
1793	Measuring cosmological parameters with the SDSS QSO spatial power spectrum analysis to test the cosmological principle. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003 , 341, 1199-1204	4.3	4
1792	The correlation of the Lyman #Forest in close pairs and groups of high-redshift quasars: clustering of matter on scales of 1aB Mpc. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003 , 341, 1279-1289	9 4.3	34
1791	Large-scale magnetic fields: galaxy two-point correlation function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003 , 342, 962-970	4.3	22
1790	Galaxy groups in the 2dF Galaxy Redshift Survey: large-scale structure with groups. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003 , 344, 247-256	4.3	26
1789	The 2dF Galaxy Redshift Survey: galaxy clustering per spectral type. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003 , 344, 847-856	4.3	161

1788	Correlation between the mean matter density and the width of the saturated Lybbsorption. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003 , 344, 935-941	4.3	2
1787	Towards cosmological concordance on galactic scales. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003 , 345, 923-938	4.3	108
1786	Redshifting rings of power. 2003 , 68,		174
1785	First-Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Parameter Estimation Methodology. 2003 , 148, 195-211		440
1784	Upper limits on neutrino masses from the 2dFGRS and WMAP: the role of priors. 2003 , 2003, 004-004		73
1783	Probing Dark Energy Using Baryonic Oscillations in the Galaxy Power Spectrum as a Cosmological Ruler. 2003 , 594, 665-673		388
1782	Probing Dark Energy with Baryonic Acoustic Oscillations from Future Large Galaxy Redshift Surveys. 2003 , 598, 720-740		578
1781	Inferring the Linear Power Spectrum from the Ly&Forest. 2003 , 590, 1-7		49
1780	Detection of Dark Matter Skewness in the VIRMOS-DESCART Survey: Implications for D . 2003 , 592, 664-673		73
1779	Lyman Break Galaxies and the LyForest. 2003 , 594, 75-96		47
1778	Optimal Weighting Scheme in Redshift-Space Power Spectrum Analysis and a Prospect for Measuring the Cosmic Equation of State. 2003 , 595, 577-588		23
1777	CAIRNS: The Cluster and Infall Region Nearby Survey. I. Redshifts and Mass Profiles. 2003 , 126, 2152-21	170	191
1776	Toward a Measurement of the Cosmological Geometry atz~ 2: Predicting LyForest Correlation in Three Dimensions and the Potential of Future Data Sets. 2003 , 585, 34-51		169
1775	Analyzing Large Data Sets in Cosmology. 2003 , 161-174		1
1774	Connecting cosmological simulations to the real world. 2003 , 208, 245-260		
1773	Las Campanas Loose Groups in the supercluster-void network. 2003 , 405, 821-831		24
1772	Pairwise Velocity Statistics of Dark Halos. 2004 , 4, 507-517		1
1771	Redshift-space distortions, pairwise velocities, and nonlinearities. 2004 , 70,		364

(2004-2004)

1770	Constraining the evolution of dark energy with a combination of galaxy cluster observables. 2004 , 70,		81
1769	Cosmological Density Distribution Function from the Ellipsoidal Collapse Model in Real Space. 2004 , 608, 647-662		41
1768	The Three-Dimensional Power Spectrum of Galaxies from the Sloan Digital Sky Survey. 2004 , 606, 702-7	'40	1306
1767	Observing the reionization epoch through 21-centimetre radiation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 347, 187-195	4.3	82
1766	The power spectrum of the flux distribution in the Lyman ´forest of a large sample of UVES QSO absorption spectra (LUQAS). <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 347, 355-366	4.3	105
1765	The 2dF QSO Redshift Survey - XIII. A measurement of Ifrom the quasi-stellar object power spectrum,PS(k ,k?). <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 348, 745-752	4.3	44
1764	Non-linear galaxy power spectrum and cosmological parameters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 348, 250-260	4.3	28
1763	Populating dark matter haloes with galaxies: comparing the 2dFGRS with mock galaxy redshift surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 350, 1153-1173	4.3	92
1762	Streaming motions of galaxy clusters within 12 000 km sâll- V. The peculiar velocity field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 352, 61-75	4.3	123
1761	The 2dF Galaxy Redshift Survey: the clustering of galaxy groups. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 352, 211-225	4.3	52
1760	The 2dF Galaxy Redshift Survey: spherical harmonics analysis of fluctuations in the final catalogue. <i>Monthly Notices of the Royal Astronomical Society,</i> 2004 , 353, 1201-1218	4.3	184
1759	Cosmic evolution of quasar clustering: implications for the host haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 355, 1010-1030	4.3	179
1758	Redshift distortions in one-dimensional power spectra. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 351, 1395-1400	4.3	5
1757	The cosmic microwave background radiation fluctuations from H i perturbations prior to reionization. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 352, 142-146	4.3	153
1756	The 2dF Galaxy Redshift Survey: Wiener reconstruction of the cosmic web. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 352, 939-960	4.3	58
1755	HI fluctuations at large redshifts: III âlīsimulating the signal expected at GMRT. 2004 , 25, 67-80		21
1754	Eigenmode Analysis of Galaxy Distributions in Redshift Space. 2004 , 606, 1-24		15
1753	CAIRNS: The Cluster and Infall Region Nearby Survey. II. Environmental Dependence of Infrared Mass-to-Light Ratios. 2004 , 128, 1078-1111		63

1752	Correlation Function in Deep Redshift Space as a Cosmological Probe. 2004 , 615, 573-585	128
1751	Quantifying the Bullâß-Eye Effect. 2004 , 601, 28-36	5
1750	The Asiago-ESO/RASS QSO Survey. III. Clustering Analysis and Theoretical Interpretation. 2004 , 127, 592-605	39
1749	Galaxy Clustering and Galaxy Bias in a IDM Universe. 2004 , 601, 1-21	101
1748	Three-Point Statistics from a New Perspective. 2004 , 605, L89-L92	29
1747	Wide-Angle Redshift Distortions Revisited. 2004 , 614, 51-55	67
1746	The Pairwise Velocity Dispersion of Galaxies: Luminosity Dependence and a New Test of Galaxy Formation Models. 2004 , 617, 782-793	29
1745	The DEEP2 Galaxy Redshift Survey: Clustering of Galaxies in Early Data. 2004 , 609, 525-538	141
1744	Local Group Velocity from the PSCz and BTP Surveys. 2004 , 21, 415-417	2
1743	Mock Catalogs for the DEEP2 redshift survey. 2004 , 607, 739-750	43
1742	Measuring our Universe from Galaxy Redshift Surveys. 2004 , 7, 8	30
1741	Caustic and Weak-Lensing Estimators of Galaxy Cluster Masses. 2005 , 628, L97-L100	56
1740	A Map of the Universe. 2005 , 624, 463-484	259
1739	The Luminosity and Color Dependence of the Galaxy Correlation Function. 2005 , 630, 1-27	603
1738	Detecting the Earliest Galaxies through Two New Sources of 21 Centimeter Fluctuations. 2005 , 626, 1-11	175
1737	A Method for Separating the Physics from the Astrophysics of High-Redshift 21 Centimeter Fluctuations. 2005 , 624, L65-L68	185
1736	The DEEP2 Galaxy Redshift Survey: The Evolution of Void Statistics fromz~ 1 toz~ 0. 2005 , 635, 990-1005	40
1735	The 2dF QSO Redshift Survey - XIV. Structure and evolution from the two-point correlation function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 356, 415-438	314

(2005-2005)

1734	Markov chain reconstruction of the 2dF Galaxy Redshift Survey real-space power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 356, 1168-1176	4.3	17
1733	Constraints on perfect fluid and scalar field dark energy models from future redshift surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 357, 429-439	4.3	76
1732	On using visibility correlations to probe the H i distribution from the dark ages to the present epoch - I. Formalism and the expected signal. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 356, 1519-1528	4.3	108
1731	The Gaussian cell two-point âllnergy-likeâlequation: application to large-scale galaxy redshift and peculiar motion surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 357, 527-534	4.3	6
1730	The two-point correlation of galaxy groups: probing the clustering of dark matter haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 357, 608-618	4.3	42
1729	The three-dimensional clustering of radio galaxies in the TexasOxford NVSS structure survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 357, 1231-1254	4.3	15
1728	Modelling non-linear effects in the redshift space two-point correlation function and its implications for the pairwise velocity dispersion. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 358, 939-948	4.3	4
1727	The 2dF QSO Redshift Survey- XV. Correlation analysis of redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 360, 1040-1054	4.3	37
1726	Conditional cumulants in a weakly non-linear regime. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 361, 357-361	4.3	11
1725	Constraining (t) and Omfrom redshift-space distortions inz~ 3 galaxy surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 361, 879-886	4.3	26
1724	The three-point function in large-scale structure: redshift distortions and galaxy bias. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 361, 824-836	4.3	65
1723	The 2dF Galaxy Redshift Survey: power-spectrum analysis of the final data set and cosmological implications. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 362, 505-534	4.3	1392
1722	The cross-correlation between galaxies and groups: probing the galaxy distribution in and around dark matter haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 362, 711-726	4.3	80
1721	Growth of linear perturbations before the era of the first galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 362, 1047-1053	4.3	77
1720	The monopole moment of the three-point correlation function of the two-degree Field Galaxy Redshift Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 362, 1363-1370	4.3	45
1719	What will anisotropies in the clustering pattern in redshifted 21-cm maps tell us?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 363, 251-258	4.3	23
1718	Statistical analysis of galaxy surveys âll. The three-point galaxy correlation function measured from the 2dFGRS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 364, 620-634	4.3	79
1717	The Alcock-Paczynski test in redshifted 21-cm maps. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 364, 743-750	4.3	41

1716	The 2dF Galaxy Redshift Survey: stochastic relative biasing between galaxy populations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 356, 247-269	4.3	65
1715	Constraints on the dark energy equation of state from the imprint of baryons on the power spectrum of clusters. 2005 , 362, L25-L29		43
1714	Probing the epoch of early baryonic infall through 21-cm fluctuations. 2005 , 363, L36-L40		52
1713	Baryon oscillations. 2005 , 24, 334-344		61
1712	On the Mass-to-Light Ratio of Large-Scale Structure. 2005 , 631, 41-58		293
1711	The Vimos VLT deep survey: compact structures in the CDFS. 2005 , 443, 805-818		30
1710	The VIMOS VLT deep survey. 2005 , 439, 887-900		28
1709	Is the cluster of galaxies âAbell 194âြsurrounded by an Einstein-Straus vacuole?. 2005 , 440, L41-L43		6
1708	Galaxy-Galaxy Lensing: Status & Applications. 2005, 201, 282-291		
1707	Large-Scale Structure from 2dFGRS. 2005 , 216, 77-94		1
1706	The Matter Power Spectrum. 2005 , 201, 145-157		
1705	Cosmological Parameters from the 2dF Galaxy Redshift Survey. 2005 , 201, 158-167		
1704	Cosmological Parameters from Eigenmode Analysis of Sloan Digital Sky Survey Galaxy Redshifts. 2005 , 216, 129-139		
1703	The VIMOS VLT Deep Survey. 2005 , 442, 801-825		69
1702	Large-Scale Clustering of Sloan Digital Sky Survey Quasars: Impact of the Baryon Density and the Cosmological Constant. 2005 , 57, 529-540		20
1701	Baryonic Acoustic Oscillations in Simulated Galaxy Redshift Surveys. 2005 , 633, 575-588		146
1700	Detection of the Baryon Acoustic Peak in the Large-Scale Correlation Function of SDSS Luminous Red Galaxies. 2005 , 633, 560-574		3090
1699	Scaling laws in the distribution of galaxies. 2005 , 76, 1211-1266		62

(2006-2005)

1698	Tracing cosmic evolution with clusters of galaxies. 2005 , 77, 207-258	579
1697	Weighing neutrinos with galaxy cluster surveys. 2005 , 95, 011302	62
1696	Dark energy reflections in the redshift-space quadrupole. 2005 , 94, 051301	21
1695	Cosmological constraints from the SDSS luminous red galaxies. 2006 , 74,	1045
1694	Cosmology with high-redshift galaxy survey: Neutrino mass and inflation. 2006 , 73,	86
1693	CIRS: Cluster Infall Regions in the Sloan Digital Sky Survey. I. Infall Patterns and Mass Profiles. 2006 , 132, 1275-1297	184
1692	Precision Measurements of Higher Order Angular Galaxy Correlations Using 11 Million SDSS Galaxies. 2006 , 649, 48-62	26
1691	From Galaxy-Galaxy Lensing to Cosmological Parameters. 2006 , 652, 26-42	62
1690	Exploring Large-Scale Structure with Billions of Galaxies. 2006 , 640, 8-17	20
1689	Redshift Space 21 cm Power Spectra from Reionization. 2006 , 643, 585-597	31
1688	Baryon Oscillations and Consistency Tests for Photometrically Determined Redshifts of Very Faint Galaxies. 2006 , 644, 663-670	41
1687	The Sensitivity of First-Generation Epoch of Reionization Observatories and Their Potential for Differentiating Theoretical Power Spectra. 2006 , 638, 20-26	115
1686	The Cosmic Reionization History as Revealed by the Cosmic Microwave Background Dopplerâ 2 1 cm Correlation. 2006 , 647, 840-852	42
1685	Angular Diameter Distance Measurement with Galaxy Clustering in the Multipole Space. 2006 , 651, L77-L80	2
1684	Spatial Correlation Function of the Chandra-selected Active Galactic Nuclei. 2006, 645, 68-82	46
1683	Weighing the Universe with Photometric Redshift Surveys and the Impact on Dark Energy Forecasts. 2006 , 652, 857-863	23
1682	Pairwise velocities in the halo model: luminosity and scale dependence. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006 , 366, 1455-1464	19
1681	Redshift-space distortions with the halo occupation distribution - I. Numerical simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006 , 368, 85-108	81

1680	The dependence of the pairwise velocity dispersion on galaxy properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006 , 368, 37-47	4.3	31
1679	The dipole anisotropy of the 2 Micron All-Sky Redshift Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006 , 368, 1515-1526	4.3	101
1678	The matter power spectrum from the LyForest: an optical depth estimate. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006 , 369, 734-750	4.3	24
1677	Transverse and longitudinal correlation functions in the intergalactic medium from 32 close pairs of high-redshift quasars?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006 , 370, 1804-1816	4.3	28
1676	Separating out the Alcock-Paczynski effect on 21-cm fluctuations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006 , 372, 259-264	4.3	30
1675	The environmental dependence of galaxy clustering in the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006 , 372, 1749-1754	4.3	46
1674	Enhanced mergers of galaxies in low-redshift clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006 , 373, 167-178	4.3	39
1673	The PSCz dipole revisited. Monthly Notices of the Royal Astronomical Society, 2006, 373, 1112-1116	4.3	17
1672	Scale-dependent bias and the halo model. 2006 , 25, 172-177		39
1671	Cosmology at low frequencies: The 21cm transition and the high-redshift Universe. 2006 , 433, 181-301		846
1670	A Measurement of the Quadrupole Power Spectrum in the Clustering of the 2dF QSO Survey. 2006 , 58, 93-102		103
,			103
1669	58, 93-102		
1669	The first stars in the universe and cosmic reionization. 2006, 313, 931-4 Cosmology and the bispectrum. 2006, 74,		20
1669 1668 1667	The first stars in the universe and cosmic reionization. 2006, 313, 931-4 Cosmology and the bispectrum. 2006, 74,		20 158
1669 1668 1667	The first stars in the universe and cosmic reionization. 2006, 313, 931-4 Cosmology and the bispectrum. 2006, 74, Can a galaxy redshift survey measure dark energy clustering?. 2006, 74,		20 158 47
1669 1668 1667 1666	The first stars in the universe and cosmic reionization. 2006, 313, 931-4 Cosmology and the bispectrum. 2006, 74, Can a galaxy redshift survey measure dark energy clustering?. 2006, 74, Effects of Smoothing Functions in Cosmological Counts-in-Cells Analysis. 2007, 59, 73-91 Improving Cosmological Distance Measurements by Reconstruction of the Baryon Acoustic Peak.		20 158 47

(2007-2007)

1662	Redshift-Space Distortion Effects. 2007 , 59, 1049-1060	7
1661	Note on Redshift Distortion in Fourier Space. 2007 , 7, 51-62	1
1660	Bispectrum of galaxies from high-redshift galaxy surveys: Primordial non-Gaussianity and nonlinear galaxy bias. 2007 , 76,	172
1659	Bispectrum and Nonlinear Biasing of Galaxies: Perturbation Analysis, Numerical Simulation, and SDSS Galaxy Clustering. 2007 , 59, 93-106	76
1658	The Neighborhood Function and Its Application to Identifying Large-Scale Structure in the Comoving Universe Frame. 2007 , 669, 692-713	О
1657	The Cross-Correlation of High-Redshift 21 cm and Galaxy Surveys. 2007 , 660, 1030-1038	40
1656	On the Robustness of the Acoustic Scale in the Low-Redshift Clustering of Matter. 2007 , 664, 660-674	294
1655	Simulations and Analytic Calculations of Bubble Growth during Hydrogen Reionization. 2007 , 654, 12-26	245
1654	Improved Forecasts for the Baryon Acoustic Oscillations and Cosmological Distance Scale. 2007 , 665, 14-24	229
1653	The Weak Clustering of Gas-rich Galaxies. 2007 , 654, 702-713	42
1652	Clustering of High-Redshift (zâl2.9) Quasars from the Sloan Digital Sky Survey. 2007 , 133, 2222-2241	292
1651	The DEEP2 Galaxy Redshift Survey: Clustering of Quasars and Galaxies atz= 1. 2007 , 654, 115-124	105
1650	On the Luminosity Dependence of the Galaxy Pairwise Velocity Dispersion. 2007 , 659, 877-889	50
1649	Breaking the Degeneracies between Cosmology and Galaxy Bias. 2007 , 659, 1-28	81
1648	The Shape of the Sloan Digital Sky Survey Data Release 5 Galaxy Power Spectrum. 2007 , 657, 645-663	206
164 7	Dark matter clustering: A simple renormalization group approach. 2007 , 75,	92
1646	Dark energy and curvature from a future baryonic acoustic oscillation survey using the Lyman-H forest. 2007 , 76,	105

1644	Probing dark energy with baryonic acoustic oscillations at high redshifts. 2007 , 462, 7-20		15
1643	Parameterized beyond-Einstein growth. 2007 , 28, 481-488		287
1642	Galaxy surveys, inhomogeneous re-ionization and dark energy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 374, 159-167	4.3	22
1641	Redshift-space distortions with the halo occupation distribution - II. Analytic model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 374, 477-492	4.3	86
1640	Cosmic velocity-gravity relation in redshift space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 375, 348-370	4.3	18
1639	Systematic effects in the sound horizon scale measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 375, 1329-1337	4.3	42
1638	The correlation between the distribution of galaxies and 21-cm emission at high redshifts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 375, 1034-1042	4.3	38
1637	Towards a concordant model of halo occupation statistics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 376, 841-860	4.3	227
1636	Luminosity dependence of the spatial and velocity distributions of galaxies: semi-analytic models versus the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 376, 984-9	9 f ·3	59
1635	Redshift-space limits of bound structures. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 376, 1577-1587	4.3	15
1634	The clustering of luminous red galaxies in the Sloan Digital Sky Survey imaging data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 378, 852-872	4.3	266
1633	Peaks in the cosmological density field: sensitivity to initial power spectrum, redshift distortions and galaxy halo occupation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 382, 1591-1600	4.3	3
1632	Determining neutrino properties using future galaxy redshift surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 381, 1313-1328	4.3	18
1631	The observed concentration-mass relation for galaxy clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 379, 190-200	4.3	131
1630	High-resolution imaging of the cosmic mass distribution from gravitational lensing of pre-galactic H i. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 381, 447-468	4.3	19
1629	The 2dF-SDSS LRG and QSO Survey: the LRG 2-point correlation function and redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 381, 573-588	4.3	164
1628	The imprint of cosmic reionization on galaxy clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 382, 921-936	4.3	11
1627	The 2dF-SDSS LRG and QSO survey: QSO clustering and the L-z degeneracy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 383, 565-580	4.3	179

(2008-2007)

1626	The detectability of baryonic acoustic oscillations in future galaxy surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 383, 755-776	4.3	145
1625	The DEEP2 Galaxy Redshift Survey: the role of galaxy environment in the cosmic star formation history. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 383, 1058-1078	4.3	204
1624	The space distribution of quasars. 2007 , 51, 820-829		6
1623	Cluster analysis of massive datasets in astronomy. 2007 , 17, 253-262		17
1622	Cosmology with galaxy correlations. 2008 , 40, 249-267		1
1621	Detecting early galaxies through their 21-cm signature. 2008 , 385, L63-L67		22
1620	A test of the nature of cosmic acceleration using galaxy redshift distortions. 2008, 451, 541-4		492
1619	Observational biases in Lagrangian reconstructions of cosmic velocity fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 383, 1292-1318	4.3	31
1618	Reionization and the large-scale 21-cm cosmic microwave background cross-correlation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 384, 291-304	4.3	26
1617	Recovering the topology of the intergalactic medium at zell 2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 386, 211-229	4.3	39
1616	Luminous red galaxies in hierarchical cosmologies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 386, 2145-2160	4.3	37
1615	Constraining quasar host halo masses with the strength of nearby Ly#forest absorption. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 387, 377-386	4.3	15
1614	Luminous red galaxy clustering atz? 0.7 - first results using AAOmega. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 387, 1323-1334	4.3	25
1613	The 2dF-SDSS LRG and QSO Survey: evolution of the clustering of luminous red galaxies sincez= 0.6. <i>Monthly Notices of the Royal Astronomical Society,</i> 2008 , 387, 1045-1062	4.3	109
1612	Bayesian reconstruction of the cosmological large-scale structure: methodology, inverse algorithms and numerical optimization. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 389, 497-544	4.3	94
1611	A new method of measuring the cluster peculiar velocity power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 388, 884-888	4.3	30
1610	A semi-empirical simulation of the extragalactic radio continuum sky for next generation radio telescopes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , ???-???	4.3	110
1609	Radiation-induced large-scale structure during the reionization epoch: the autocorrelation function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 388, 1501-1520	4.3	18

1608	A method to measure the mass of damped Lyabsorber host galaxies using fluctuations in 21-cm emission. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 388, 1889-1898	4.3	13
1607	Non-perturbative effects of geometry in wide-angle redshift distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 389, 292-296	4.3	67
1606	The cross-correlation of the CMB polarization and the 21-cm line fluctuations from cosmic reionization. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 389, 469-477	4.3	10
1605	Ellipsoidal collapse and the redshift-space probability distribution function of dark matter. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 389, 1249-1258	4.3	12
1604	Mass estimation in the outer non-equilibrium region of galaxy clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 390, 645-654	4.3	9
1603	What is the best way to measure baryonic acoustic oscillations?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 ,	4.3	28
1602	Fractal dimensions of a weakly clustered distribution and the scale of homogeneity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008 , 390, 829-838	4.3	28
1601	The Beginning and Evolution of the Universe. 2008 , 120, 235-265		72
1600	Analytic model for the bispectrum of galaxies in redshift space. 2008 , 78,		52
1599	Nonlinear redshift-space power spectra. 2008 , 78,		30
1598	Constraining anisotropic baryon oscillations. 2008 , 77,		82
1597	Nonlinear perturbation theory with halo bias and redshift-space distortions via the Lagrangian picture. 2008 , 78,		157
1596	Next generation redshift surveys and the origin of cosmic acceleration. 2008 , 78,		88
1595	Resumming cosmological perturbations via the Lagrangian picture: One-loop results in real space and in redshift space. 2008 , 77,		322
1594	Gaussian Fields and Constrained Simulations of the Large-Scale Structure. 2008, 565-583		3
1593	The Flux Auto- and Cross-Correlation of the LyForest. I. Spectroscopy of QSO Pairs with Arcminute Separations and Similar Redshifts. 2008 , 175, 29-47		7
1592	Galaxy Formation. 2008,		1
1591	Differentiating dark energy and modified gravity with galaxy redshift surveys. 2008, 2008, 021		106

1590	A general test of the Copernican principle. 2008 , 101, 011301	175
1589	Environmental Effects on Real-Space and Redshift-Space Galaxy Clustering. 2008 , 686, 41-52	34
1588	Creating synthetic universes in a computer. 2008 , 366, 4381-92	8
1587	The Flux Auto- and Cross-Correlation of the LyForest. II. Modeling Anisotropies with Cosmological Hydrodynamic Simulations. 2008 , 675, 946-959	4
1586	The DEEP2 Galaxy Redshift Survey: Color and Luminosity Dependence of Galaxy Clustering at documentclass{aastex} usepackage{amsbsy} usepackage{amsfonts} usepackage{amssymb} usepackage{bm} usepackage{mathrsfs} usepackage{pifont} usepackage{stmaryrd}	188
1585	usepackage{textcomp} usepackage{portland,xspace} usepackage{amsmath,amsxtra} Can_We Detect the Anisotropic Shapes of Quasar HilRegions during Reionization through the Small-Scale Redshifted 21 cm Power Spectrum?. 2008; 673,g1-133ult{OT2} normalfont selectfont} Decla. 2008, 672, 153-176	15
1584	Nonlinear Structure Formation and the Acoustic Scale. 2008 , 686, 13-24	99
1583	Large-Scale Anisotropic Correlation Function of SDSS Luminous Red Galaxies. 2008, 676, 889-898	157
1582	Measuring Baryon Acoustic Oscillations with Millions of Supernovae. 2008, 675, L1-L4	14
1581	Calibrating Redshift Distributions beyond Spectroscopic Limits with Cross-Correlations. 2008 , 684, 88-101	170
	Calibrating Redshift Distributions beyond Spectroscopic Limits with Cross-Correlations. 2008 , 684, 88-101 The VIMOS VLT Deep Survey. 2008 , 487, 7-17	170
1580		
1580	The VIMOS VLT Deep Survey. 2008 , 487, 7-17	13
1580 1579	The VIMOS VLT Deep Survey. 2008 , 487, 7-17 The cluster-galaxy cross spectrum. 2008 , 492, 355-365 HOST GALAXIES, CLUSTERING, EDDINGTON RATIOS, AND EVOLUTION OF RADIO, X-RAY, AND	13 7
1580 1579 1578	The VIMOS VLT Deep Survey. 2008, 487, 7-17 The cluster-galaxy cross spectrum. 2008, 492, 355-365 HOST GALAXIES, CLUSTERING, EDDINGTON RATIOS, AND EVOLUTION OF RADIO, X-RAY, AND INFRARED-SELECTED AGNs. 2009, 696, 891-919 FOREGROUND CONTAMINATION IN INTERFEROMETRIC MEASUREMENTS OF THE REDSHIFTED 21	13 7 352
1580 1579 1578	The VIMOS VLT Deep Survey. 2008, 487, 7-17 The cluster-galaxy cross spectrum. 2008, 492, 355-365 HOST GALAXIES, CLUSTERING, EDDINGTON RATIOS, AND EVOLUTION OF RADIO, X-RAY, AND INFRARED-SELECTED AGNs. 2009, 696, 891-919 FOREGROUND CONTAMINATION IN INTERFEROMETRIC MEASUREMENTS OF THE REDSHIFTED 21 cm POWER SPECTRUM. 2009, 695, 183-199 THE LARGE-SCALE ENVIRONMENTS OF TYPE Ia SUPERNOVAE: EVIDENCE FOR A METALLICITY BIAS	13 7 352 125
1580 1579 1578 1577	The VIMOS VLT Deep Survey. 2008, 487, 7-17 The cluster-galaxy cross spectrum. 2008, 492, 355-365 HOST GALAXIES, CLUSTERING, EDDINGTON RATIOS, AND EVOLUTION OF RADIO, X-RAY, AND INFRARED-SELECTED AGNS. 2009, 696, 891-919 FOREGROUND CONTAMINATION IN INTERFEROMETRIC MEASUREMENTS OF THE REDSHIFTED 21 cm POWER SPECTRUM. 2009, 695, 183-199 THE LARGE-SCALE ENVIRONMENTS OF TYPE Ia SUPERNOVAE: EVIDENCE FOR A METALLICITY BIAS IN THE RATE OR LUMINOSITY OF PROMPT Ia EVENTS. 2009, 704, 687-704 SPATIAL CLUSTERING FROMGALEX-SDSS SAMPLES: STAR FORMATION HISTORY AND	13 7 352 125 34

1572	CLUSTERING OF LOW-REDSHIFT (z? 2.2) QUASARS FROM THE SLOAN DIGITAL SKY SURVEY. 2009 , 697, 1634-1655	190
1571	THE SIZE, SHAPE, AND ORIENTATION OF COSMOLOGICAL VOIDS IN THE SLOAN DIGITAL SKY SURVEY. 2009 , 699, 1252-1260	29
1570	EXTRACTING ANGULAR DIAMETER DISTANCE AND EXPANSION RATE OF THE UNIVERSE FROM TWO-DIMENSIONAL GALAXY POWER SPECTRUM AT HIGH REDSHIFTS: BARYON ACOUSTIC OSCILLATION FITTING VERSUS FULL MODELING. 2009 , 693, 1404-1416	57
1569	Nonlinear evolution of baryon acoustic oscillations from improved perturbation theory in real and redshift spaces. 2009 , 80,	99
1568	Signatures of dark energy on LSS. 2009 , 36, 33-47	
1567	The origin of 'Great Walls'. 2009 , 2009, 031-031	13
1566	Photo-z optimization for measurements of the BAO radial scale. 2009 , 2009, 008-008	2
1565	How to evade the sample variance limit on measurements of redshift-space distortions. 2009 , 2009, 007-007	170
1564	The acoustic peak in the Lyman alpha forest. 2009 , 2009, 019-019	31
1563	Gravitational redshift and other redshift-space distortions of the imaginary part of the power spectrum. 2009 , 2009, 026-026	50
1562	Clustering ofK-band selected local galaxies. 2009 , 9, 979-992	2
1561	Cosmological constraints from 21cm surveys after reionization. 2009 , 2009, 030-030	33
1560	Consistency test of general relativity from large scale structure of the universe. 2009 , 2009, 048-048	67
1559	A step towards testing general relativity using weak gravitational lensing and redshift surveys. 2009 , 2009, 025-025	33
1558	Clustering of dark matter tracers: generalizing bias for the coming era of precision LSS. 2009 , 2009, 020-020	216
1557	Reconstructing the history of structure formation using redshift distortions. 2009 , 2009, 004-004	268
1556	Measurement of the baryonic acoustic oscillation scale in 21 cm intensity fluctuations during the reionization era. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 392, 1388-1396	4
1555	Metal absorption systems in spectra of pairs of QSOs: how absorbers cluster around QSOs and other absorbers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 392, 1539-1572	19

(2009-2009)

1554	MRC B0319â&54: probing the large-scale structure with a giant radio galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 393, 2-20	4.3	29
1553	Detection and extraction of signals from the epoch of reionization using higher-order one-point statistics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 393, 1449-1458	4.3	44
1552	Testing cosmological structure formation using redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 393, 297-308	4.3	191
1551	Galaxy Zoo: the dependence of morphology and colour on environment. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 393, 1324-1352	4.3	412
1550	Clustering of luminous red galaxies - I. Large-scale redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 393, 1183-1208	4.3	116
1549	Statistical analysis of galaxy surveys - I. Robust error estimation for two-point clustering statistics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 396, 19-38	4.3	238
1548	The WiggleZ Dark Energy Survey: small-scale clustering of Lyman-break galaxies atzMonthly Notices of the Royal Astronomical Society, 2009 , 395, 240-254	4.3	24
1547	QSO-LRG two-point cross-correlation function and redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 394, 2050-2064	4.3	35
1546	Forecasting the dark energy measurement with baryon acoustic oscillations: prospects for the LAMOST surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 394, 1775-1790	4.3	20
1545	Clustering of luminous red galaxies - II. Small-scale redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 396, 1119-1131	4.3	37
1544	The GMRT EoR experiment: limits on polarized sky brightness at 150 MHz. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 399, 181-194	4.3	64
1543	The 21-cm power spectrum after reionization. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 397, 1926-1934	4.3	37
1542	The clustering of galaxy clusters in cosmological models with non-Gaussian initial conditions: predictions for future surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 397, 1125-1137	4.3	34
1541	2PIGG group masses via 2dF galaxyz-space distortion. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 398, 971-984	4.3	2
1540	Tidal alignments as a contaminant of redshift space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 399, 1074-1087	4.3	39
1539	Clustering of luminous red galaxies - IV. Baryon acoustic peak in the line-of-sight direction and a direct measurement ofH(z). <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 399, 1663-1680	4.3	367
1538	Cosmic cartography of the large-scale structure with Sloan Digital Sky Survey data release 6. <i>Monthly Notices of the Royal Astronomical Society,</i> 2009 , 400, 183-203	4.3	58
1537	Forecasting cosmological constraints from redshift surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 397, 1348-1354	4.3	130

1536	Cosmological parameter constraints from SDSS luminous red galaxies: a new treatment of large-scale clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 400, 1643-1664	4.3	116
1535	Applying the Halo Model to Large Scale Structure Measurements of the Luminous Red Galaxies: SDSS DR7 Preliminary Results. 2009 , 194, 129-132		1
1534	Gravitational-wave detection using redshifted 21-cm observations. 2009 , 79,		3
1533	Is the misalignment of the Local Group velocity and the dipole generated by the 2MASS Redshift Survey typical in Leold dark matter and the halo model of galaxies?. 2009 , 80,		10
1532	Constraint on the growth factor of the cosmic structure from the damping of the baryon acoustic oscillation signature. 2009 , 80,		2
1531	New perspective on galaxy clustering as a cosmological probe: General relativistic effects. 2009 , 80,		204
1530	Complete treatment of galaxy two-point statistics: Gravitational lensing effects and redshift-space distortions. 2009 , 79,		32
1529	Information field theory for cosmological perturbation reconstruction and nonlinear signal analysis. 2009 , 80,		79
1528	Equivalence principle implications of modified gravity models. 2009, 80,		141
1527	MEASURING BARYON ACOUSTIC OSCILLATIONS ALONG THE LINE OF SIGHT WITH PHOTOMETRIC REDSHIFTS: THE PAU SURVEY. 2009 , 691, 241-260		107
1526	SIMULATIONS OF BARYON ACOUSTIC OSCILLATIONS. II. COVARIANCE MATRIX OF THE MATTER POWER SPECTRUM. 2009 , 700, 479-490		107
1525	Low redshift probes and coupled dark matter-dark energy models. 2010 , 259, 012084		
1524	PARTICLE MESH SIMULATIONS OF THE Ly#OREST AND THE SIGNATURE OF BARYON ACOUSTIC OSCILLATIONS IN THE INTERGALACTIC MEDIUM. 2010 , 713, 383-393		42
1523	A GROUND-BASED 21 cm BARYON ACOUSTIC OSCILLATION SURVEY. 2010 , 721, 164-173		83
1522	REGARDING THE LINE-OF-SIGHT BARYONIC ACOUSTIC FEATURE IN THE SLOAN DIGITAL SKY SURVEY AND BARYON OSCILLATION SPECTROSCOPIC SURVEY LUMINOUS RED GALAXY SAMPLES. 2010 , 719, 1032-1044		36
1521	GRAVITATIONAL POTENTIAL ENVIRONMENT OF GALAXIES. I. SIMULATION. 2010 , 714, 207-217		6
1520	WEAK-LENSING MASS MEASUREMENTS OF SUBSTRUCTURES IN COMA CLUSTER WITH SUBARU/SUPRIME-CAM. 2010 , 713, 291-303		40
1519	WHAT DOES CLUSTERING TELL US ABOUT THE BUILDUP OF THE RED SEQUENCE?. 2010 , 719, 88-103		86

1518 HIGH-PRECISION PREDICTIONS FOR THE ACOUSTIC SCALE IN THE NONLINEAR REGIME. 2010, 720, 1650-1667 97

1517	Quasar correlation function and redshift space distortion from SDSS DR5 data. 2010 , 26, 18-25		
1516	The dark Universe. 2010 , 82, 331-382		76
1515	Tests of general relativity on astrophysical scales. 2010 , 42, 2219-2246		33
1514	Cosmological tests of gravity. 2010 , 325, 1479-1516		209
1513	The potential of X-ray cluster surveys to constrain primordial non-Gaussianity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 407, 2339-2354	4.3	50
1512	Bayesian analysis of spatially distorted cosmic signals from Poissonian data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 409, 1393-1411	4.3	3
1511	A new model for the full shape of the large-scale power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 408, 2397-2412	4.3	16
1510	Bayesian non-linear large-scale structure inference of the Sloan Digital Sky Survey Data Release 7. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 409, 355-370	4.3	69
1509	Designing a space-based galaxy redshift survey to probe dark energy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 409, 737-749	4.3	73
1508	Understanding the shape of the galaxy two-point correlation function at z? 1 in the COSMOS field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 409, 867-872	4.3	24
1507	Simulating redshift-space distortions for galaxy pairs with wide angular separation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 409, 1525-1533	4.3	46
1506	Correlation function of quasars in real and redshift space from the Sloan Digital Sky Survey Data Release 7. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 409, 1691-1704	4.3	10
1505	Path integral marginalization for cosmology: scale-dependent galaxy bias and intrinsic alignments. Monthly Notices of the Royal Astronomical Society, 2010, no-no	4.3	3
1504	Effects of cosmological model assumptions on galaxy redshift survey measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , no-no	4.3	12
1503	Modelling redshift space distortions in hierarchical cosmologies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , no-no	4.3	43
1502	Neutrino masses, dark energy and the gravitational lensing of pre-galactic H i. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 401, 1999-2004	4.3	2
1501	First-year Sloan Digital Sky Survey-II supernova results: consistency and constraints with other intermediate-redshift data sets. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 401, 2331-234	2 ^{4.3}	89

1500	The non-linear redshift space probability distribution function in models with local primordial non-Gaussianity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 402, 2397-2402	4.3	8
1499	Empirical Hæmitter count predictions for dark energy surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 402, 1330-1338	4.3	56
1498	Galaxy assembly bias on the red sequence. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 402, 1942-1958	4.3	71
1497	Cluster mass estimation through fair galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 403, 838-847	4.3	3
1496	Photometric selection of emission-line galaxies, clustering analysis and a search for the integrated Sachs-Wolfe effect. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 403, 1261-1273	4.3	15
1495	The halo occupation distribution of H i from 21-cm intensity mapping at moderate redshifts. <i>Monthly Notices of the Royal Astronomical Society,</i> 2010 , 404, 876-884	4.3	10
1494	Probing dark energy with future redshift surveys: a comparison of emission line and broad-band selection in the near-infrared. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , no-no	4.3	21
1493	The evolution of luminous red galaxies in the Sloan Digital Sky Survey 7th data release. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , no-no	4.3	6
1492	The effect of redshift-space distortions on projected two-point clustering measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 407, 520-532	4.3	27
1491	H i as a probe of the large-scale structure in the post-reionization universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 407, 567-580	4.3	72
1490	Decomposition of spectra from redshift distortion maps. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 407, 1123-1127	4.3	15
1489	Reducing sample variance: halo biasing, non-linearity and stochasticity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 407, 772-790	4.3	29
1488	Testing standard cosmology with large-scale structure. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4.3	9
1487	Cosmological constraints from the clustering of the Sloan Digital Sky Survey DR7 luminous red galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 ,	4.3	186
1486	The UV-optical colour dependence of galaxy clustering in the local universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 407, 55-70	4.3	23
1485	A NEW STATISTIC FOR ANALYZING BARYON ACOUSTIC OSCILLATIONS. 2010 , 718, 1224-1234		24
1484	COSMOLOGICAL DENSITY FLUCTUATIONS ON 100 Mpc SCALES AND THEIR ISW EFFECT. 2010 , 725, 20	78-208	623
1483	Constraints on the Dark Side of the Universe and Observational Hubble Parameter Data. 2010 , 2010, 1-14		48

(2010-2010)

1482	THE SPATIAL CLUSTERING OFROSATALL-SKY SURVEY AGNS. I. THE CROSS-CORRELATION FUNCTION WITH SDSS LUMINOUS RED GALAXIES. 2010 , 713, 558-572	66
1481	Baryon acoustic oscillations. 246-278	33
1480	INFALL REGIONS AND SCALING RELATIONS OF X-RAY SELECTED GROUPS. 2010 , 139, 580-593	18
1479	Primordial Non-Gaussianity in the Large-Scale Structure of the Universe. 2010 , 2010, 1-23	36
1478	Linear growth rate of structure in parametrized post-Friedmannian universes. 2010, 81,	43
1477	Algorithm for the direct reconstruction of the dark matter correlation function from weak lensing and galaxy clustering. 2010 , 81,	85
1476	Tests of gravity from imaging and spectroscopic surveys. 2010 , 81,	41
1475	Redshift space correlations and scale-dependent stochastic biasing of density peaks. 2010, 81,	88
1474	DARK ENERGY IN PRACTICE. 2010 , 25, 5253-5331	38
1473	Cosmological data analysis off(R) gravity models. 2010 , 2010, 004-004	12
1472	How close can an inhomogeneous universe mimic the concordance model?. 2010 , 2010, 017-017	45
1471	Statistical determination of bulk flow motions. 2010 , 2010, 025-025	11
1470	Coupled dark matter-dark energy in light of near universe observations. 2010 , 2010, 029-029	77
1469	Gravitational lensing effects on the baryonic acoustic oscillation signature in the redshift-space correlation function. 2010 , 82,	5
1468	General relativistic description of the observed galaxy power spectrum: Do we understand what we measure?. 2010 , 82,	163
1467	Difficulties distinguishing dark energy from modified gravity via redshift distortions. 2010 , 81,	50
1466	Baryon acoustic oscillations in 2D: Modeling redshift-space power spectrum from perturbation theory. 2010 , 82,	259
1465	Constraint on the cosmological f(R) model from the multipole power spectrum of the SDSS luminous red galaxy sample and prospects for a future redshift survey. 2010 , 81,	38

1464	COSMIC FLOW FROM TWO MICRON ALL-SKY REDSHIFT SURVEY: THE ORIGIN OF COSMIC MICROWAVE BACKGROUND DIPOLE AND IMPLICATIONS FOR ©DM COSMOLOGY. 2010 , 709, 483-498	118
1463	Near-term measurements with 21 cm intensity mapping: Neutral hydrogen fraction and BAO at z. 2010 , 81,	26
1462	Origin of the cosmic network in IDM: Nature vs nurture. 2010 , 81,	14
1461	Large-scale velocities and primordial non-Gaussianity. 2010 , 82,	12
1460	Reionization and Cosmology with 21-cm Fluctuations. 2010 , 48, 127-171	285
1459	Primordial non-Gaussianity from the large-scale structure. 2010 , 27, 124011	116
1458	Forecasting the cosmological constraints with anisotropic baryon acoustic oscillations from multipole expansion. 2011 , 83,	41
1457	Nonlinear biasing and redshift-space distortions in Lagrangian resummation theory and N-body simulations. 2011 , 84,	41
1456	MAPPING THE UNIVERSE: THE 2010 RUSSELL LECTURE. 2011 , 142, 133	21
1455	Linear power spectrum of observed source number counts. 2011 , 84,	316
1454	Neutrino mass constraint from the Sloan Digital Sky Survey power spectrum of luminous red galaxies and perturbation theory. 2011 , 83,	50
1453	Large scale structure forecast constraints on particle production during inflation. 2011, 83,	6
1452	Dynamics of voids and their shapes in redshift space. 2011 , 2011, 026-026	5
1451	Impact of shell crossing and scope of perturbative approaches, in real and redshift space. 2011 , 526, A67	34
1450	. 2011,	24
1449	Probing the first galaxies with the Square Kilometer Array. 2011 , 527, A93	20
1448	Simulations of BAO reconstruction with a quasar Ly-Burvey. 2011 , 534, A135	16
1447	THE LARGE-SCALE THREE-POINT CORRELATION FUNCTION OF SLOAN DIGITAL SKY SURVEY LUMINOUS RED GALAXIES. 2011 , 737, 97	53

1446	SYSTEMATIC EFFECTS ON DETERMINATION OF THE GROWTH FACTOR FROM REDSHIFT-SPACE DISTORTIONS. 2011 , 726, 5		59	
1445	Redshift-space distortions. 2011 , 369, 5058-67		14	
1444	THREE-POINT CORRELATION FUNCTIONS OF SDSS GALAXIES: LUMINOSITY AND COLOR DEPENDENCE IN REDSHIFT AND PROJECTED SPACE. 2011 , 726, 13		50	
1443	RADIATIVE TRANSFER MODELING OF LyEMITTERS. II. NEW EFFECTS ON GALAXY CLUSTERING. 2011 , 726, 38		59	
1442	CONSTRAINING HALO OCCUPATION PROPERTIES OF X-RAY ACTIVE GALACTIC NUCLEI USING CLUSTERING OFCHANDRASOURCES IN THE BOTTES SURVEY REGION. 2011 , 741, 15		47	
1441	THE NONLINEAR BIASING OF THE zCOSMOS GALAXIES UP TOz~ 1 FROM THE 10k SAMPLE. 2011 , 731, 102		18	
1440	IS THE TWO MICRON ALL SKY SURVEY CLUSTERING DIPOLE CONVERGENT?. 2011 , 741, 31		45	
1439	INTENSITY MAPPING WITH CARBON MONOXIDE EMISSION LINES AND THE REDSHIFTED 21 cm LINE. 2011 , 741, 70		109	
1438	GALAXY CLUSTERING IN THE COMPLETED SDSS REDSHIFT SURVEY: THE DEPENDENCE ON COLOR AND LUMINOSITY. 2011 , 736, 59		536	
1437	REDSHIFT-SPACE ENHANCEMENT OF LINE-OF-SIGHT BARYON ACOUSTIC OSCILLATIONS IN THE SLOAN DIGITAL SKY SURVEY MAIN-GALAXY SAMPLE. 2011 , 728, 34		21	
1436	From Nearby Galaxy Clusters to Cosmological Distances. 2011 , 175-242			
1435	Tidal alignments as a contaminant of the galaxy bispectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 410, 2730-2740	4.3	17	
1434	21cmfast: a fast, seminumerical simulation of the high-redshift 21-cm signal. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 411, 955-972	4.3	389	
1433	Morphological properties of superclusters of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 411, 1716-1726	4.3	24	
1432	The angular power spectra of photometric Sloan Digital Sky Survey luminous red galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 412, 1669-1685	4.3	27	
1431	The REFLEX II galaxy cluster survey: power spectrum analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 413, 386-400	4.3	25	
1430	Kinetic Sunyaev-Zel'dovich tomography with spectroscopic redshift surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 413, 628-642	4.3	32	
1429	Connected structure in the Two-degree Field Galaxy Redshift Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 413, 2288-2296	4.3	20	

1428	Local gravity versus local velocity: solutions for 晦nd non-linear bias. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 413, 2906-2922	4.3	108
1427	The spatial distribution of cold gas in hierarchical galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 414, 2367-2385	4.3	33
1426	Expected properties of the two-point autocorrelation function of the intergalactic medium. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 414, 2970-2984	4.3	9
1425	Robustness to systematics for future dark energy probes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 143-152	4.3	30
1424	The signatures of large-scale temperature and intensity fluctuations in the Lyman Forest. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 977-992	4.3	40
1423	Measuring redshift-space distortions using photometric surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 2193-2204	4.3	33
1422	The WiggleZ Dark Energy Survey: the growth rate of cosmic structure since redshift z=0.9. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 2876-2891	4.3	368
1421	Non-gravitational contributions to the clustering of LyBelected galaxies: implications for cosmological surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 3929-3950	4.3	22
1420	Studying the dynamical properties of 20 nearby galaxy clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 2027-2040	4.3	13
1419	The dark matter haloes and host galaxies of Mg ii absorbers at z~ 1. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 417, 304-313	4.3	10
1418	The 2M++ galaxy redshift catalogue. Monthly Notices of the Royal Astronomical Society, 2011, 416, 2840-	24856	134
1417	The 6dF Galaxy Survey: baryon acoustic oscillations and the local Hubble constant. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 3017-3032	4.3	1499
1416	Angular correlation function of 1.5 million luminous red galaxies: clustering evolution and a search for baryon acoustic oscillations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 3033-3056	;4.3	40
1415	Massive, red galaxies in a hierarchical universe âll. Clustering of Extremely Red Objects. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 417, 517-531	4.3	15
1414	Towards an accurate model of the redshift-space clustering of haloes in the quasi-linear regime. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 417, 1913-1927	4.3	182
1413	Effects of massive neutrinos on the large-scale structure of the Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 418, 346-356	4.3	73
1412	The WiggleZ Dark Energy Survey: mapping the distance-redshift relation with baryon acoustic oscillations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 418, 1707-1724	4.3	679

1410	The VLT LBG Redshift Survey - I. Clustering and dynamics of âll000 galaxies at zâll?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 414, 2-27	4.3	33
1409	Modelling the angular correlation function and its full covariance in photometric galaxy surveys. Monthly Notices of the Royal Astronomical Society, 2011, 414, 329-349	4.3	55
1408	Likelihood reconstruction method of real-space density and velocity power spectra from a redshift galaxy survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 2291-2310	4.3	16
1407	Cosmology without cosmic variance. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 416, 3009-3	<u>3</u> 0316	39
1406	The WiggleZ Dark Energy Survey: measuring the cosmic expansion history using the Alcockâ B aczynski test and distant supernovae. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 418, 1725-1735	4.3	114
1405	The high-redshift neutral hydrogen signature of an anisotropic matter power spectrum. 2011 , 2011, 031	-031	2
1404	Next-to-leading resummation of cosmological perturbations via the Lagrangian picture: 2-loop correction in real and redshift spaces. 2011 , 2011, 012-012		42
1403	How to generate a significant effective temperature for cold dark matter, from first principles. 2011 , 2011, 032-032		18
1402	Testing the tidal alignment model of galaxy intrinsic alignment. 2011 , 2011, 010-010		78
1401	The Lyman-Forest in three dimensions: measurements of large scale flux correlations from BOSS 1st-year data. 2011 , 2011, 001-001		103
1400	Isocurvature modes and Baryon Acoustic Oscillations II: gains from combining CMB and Large Scale Structure. 2011 , 2011, 028-028		17
1399	Distribution function approach to redshift space distortions. 2011 , 2011, 039-039		77
1398	Neutrino constraints from future nearly all-sky spectroscopic galaxy surveys. 2011 , 2011, 030-030		67
1397	Cosmological structure formation with clustering quintessence. 2011 , 2011, 047-047		50
1396	Measuring coherent motions in the universe. 2011 , 2011, 020-020		16
1395	What galaxy surveys really measure. 2011 , 84,		283
1394	Nonlinear perturbation theory integrated with nonlocal bias, redshift-space distortions, and primordial non-Gaussianity. 2011 , 83,		116
1393	Baryon acoustic oscillations in 2D. II. Redshift-space halo clustering in N-body simulations. 2011 , 84,		48

1392	Anisotropic extinction distortion of the galaxy correlation function. 2011 , 84,	8
1391	ONLY THE LONELY: H I IMAGING OF VOID GALAXIES. 2011 , 141, 4	57
1390	On the fairness of the main galaxy sample of SDSS. 2011 , 11, 655-670	1
1389	THE CLUSTERING OF MASSIVE GALAXIES ATz~ 0.5 FROM THE FIRST SEMESTER OF BOSS DATA. 2011 , 728, 126	218
1388	COSMOLOGY FROM GALAXY SURVEYS. 2011 , 20, 2115-2119	1
1387	PROBING COSMIC ACCELERATION WITH GALAXY REDSHIFT SURVEYS. 2011 , 20, 2109-2113	1
1386	Fables of reconstruction: controlling bias in the dark energy equation of state. 2012 , 2012, 048-048	65
1385	Inclusive constraints on unified dark matter models from future large-scale surveys. 2012 , 2012, 039-039	8
1384	Bias, redshift space distortions and primordial nongaussianity of nonlinear transformations: application to Ly-Forest. 2012 , 2012, 004-004	39
1383	Scale dependence of the halo bias in general local-type non-Gaussian models I: analytical predictions and consistency relations. 2012 , 2012, 037-037	8
1382	Distribution function approach to redshift space distortions. Part III: halos and galaxies. 2012 , 2012, 014-014	52
1381	Distribution function approach to redshift space distortions. Part IV: perturbation theory applied to dark matter. 2012 , 2012, 009-009	45
1380	The effect of high column density systems on the measurement of the Lyman-Forest correlation function. 2012 , 2012, 028-028	28
1379	Measuring the neutrino mass from future wide galaxy cluster catalogues. 2012 , 2012, 023-023	35
1378	Beyond the plane-parallel and Newtonian approach: wide-angle redshift distortions and convergence in general relativity. 2012 , 2012, 025-025	83
1377	Distribution function approach to redshift space distortions. Part II:N-body simulations. 2012 , 2012, 010-010	50
1376	An updated analysis of two classes off(R) theories of gravity. 2012 , 2012, 030-030	12
1375	Constraining inflation with future galaxy redshift surveys. 2012 , 2012, 005-005	34

(2012-2012)

1374	The large-scale cross-correlation of Damped Lyman alpha systems with the Lyman alpha forest: first measurements from BOSS. 2012 , 2012, 059-059		109
1373	Optimal weighting in galaxy surveys: Application to redshift-space distortions. 2012 , 86,		28
1372	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: baryon acoustic oscillations in the Data Release 9 spectroscopic galaxy sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 3435-3467	4.3	670
1371	Going beyond the Kaiser redshift-space distortion formula: A full general relativistic account of the effects and their detectability in galaxy clustering. 2012 , 86,		100
1370	Discrimination between IDM, quintessence, and modified gravity models using wide area surveys. 2012 , 86,		12
1369	New method for the Alcock-Paczy®ki test. 2012 , 86,		31
1368	Future constraints on the Hu-Sawicki modified gravity scenario. 2012, 85,		11
1367	Large-scale clustering of galaxies in general relativity. 2012 , 85,		178
1366	Deriving an accurate formula of scale-dependent bias with primordial non-Gaussianity: An application of the integrated perturbation theory. 2012 , 86,		40
1365	Cosmic rulers. 2012 , 86,		68
1364	Perturbation theory approach for the power spectrum: from dark matter in real space to massive haloes in redshift space. 2012 , 2012, 029-029		31
1363	CHARACTERIZATION OF THE DISTRIBUTION OF THE LyEMITTERS IN THE 53W002 FIELD ATz= 2.4. 2012 , 759, 133		20
1362	A METHOD TO EXTRACT THE REDSHIFT DISTORTION PARAMETER IN CONFIGURATION SPACE FROM MINIMAL COSMOLOGICAL ASSUMPTIONS. 2012 , 757, 131		1
1361	NEUTRAL HYDROGEN OPTICAL DEPTH NEAR STAR-FORMING GALAXIES ATzâl A.4 IN THE KECK BARYONIC STRUCTURE SURVEY. 2012 , 751, 94		55
1360	THE IMPACT OF THE SUPERSONIC BARYON-DARK MATTER VELOCITY DIFFERENCE ON THEz~ 20 21 cm BACKGROUND. 2012 , 760, 3		78
1359	THE GASEOUS ENVIRONMENT OF HIGH-zGALAXIES: PRECISION MEASUREMENTS OF NEUTRAL HYDROGEN IN THE CIRCUMGALACTIC MEDIUM OF $z\sim 2-3$ GALAXIES IN THE KECK BARYONIC STRUCTURE SURVEY. 2012 , 750, 67		217
1358	INTERNAL KINEMATICS OF GROUPS OF GALAXIES IN THE SLOAN DIGITAL SKY SURVEY DATA RELEASE 7. 2012 , 758, 50		25
1357	FORECASTING COSMOLOGICAL PARAMETER CONSTRAINTS FROM NEAR-FUTURE SPACE-BASED GALAXY SURVEYS. 2012 , 760, 19		11

1356	THE GROWTH RATE OF COSMIC STRUCTURE FROM PECULIAR VELOCITIES AT LOW AND HIGH REDSHIFTS. 2012 , 751, L30		103
1355	Cosmic structure and dynamics of the local Universe. 2012 , no-no		17
1354	A model of the anisotropic correlation function [[rp,][in redshift space including redshift errors. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 425, 2099-2115	4.3	2
1353	The Arizona CDFS Environment Survey (ACES): A Magellan/IMACS Spectroscopic Survey of the Chandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 425, 2116-2127	4.3	78
1352	Measurements ofH(z) andDA(z) from the two-dimensional two-point correlation function of Sloan Digital Sky Survey luminous red galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 426, 226-236	4.3	113
1351	Redshift-space distortions in f(R) gravity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 425, 2128-2143	4.3	97
1350	Numerical simulations of the dark universe: State of the art and the next decade. 2012 , 1, 50-93		114
1349	Testing gravity on cosmological scales. 2012 , 53, 4.37-4.41		1
1348	Robust constraints on dark energy and gravity from galaxy clustering data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 3631-3637	4.3	15
1347	A 2 per cent distance toz= 0.35 by reconstructing baryon acoustic oscillations â[]I. Fitting techniques. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 2146-2167	4.3	87
1346	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: measurements of the growth of structure and expansion rate atz= 0.57 from anisotropic clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 426, 2719-2737	4.3	306
1345	Modelling non-linear redshift-space distortions in the galaxy clustering pattern: systematic errors on the growth rate parameter. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 327-342	4.3	53
1344	Cosmology with clustering anisotropies: disentangling dynamic and geometric distortions in galaxy redshift surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 426, 2566-2580	4.3	31
1343	A 2 per cent distance toz= 0.35 by reconstructing baryon acoustic oscillations â[]. Methods and application to the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 2132-2145	4.3	479
1342	Recovering 3D clustering information with angular correlations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 1891-1902	4.3	60
1341	Statistical and systematic errors in redshift-space distortion measurements from large surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 2420-2436	4.3	33
1340	An improved model for the non-linear velocity power spectrum. 2012, no-no		16
1339	Joint analysis of gravitational lensing, clustering, and abundance: Toward the unification of large-scale structure analysis. 2012 , 86,		26

1338	WiggleZ Dark Energy Survey: Cosmological neutrino mass constraint from blue high-redshift galaxies. 2012 , 85,		41	
1337	Observational evidence of the accelerated expansion of the universe. 2012 , 13, 521-538		32	
1336	Dark matter: The astrophysical case. 2012 , 13, 724-729		2	
1335	Constraining dark energy using observational growth rate data. 2012 , 717, 299-306		5	
1334	The next generation of the Canada-France-Hawaii Telescope: science requirements and survey strategies. 2012 ,			
1333	THE CORRELATION FUNCTION OF GALAXY CLUSTERS AND DETECTION OF BARYON ACOUSTIC OSCILLATIONS. 2012 , 749, 81		23	
1332	Comparison of the VIMOS-VLT Deep Survey with the Munich semi-analytical model. 2012 , 548, A108		14	
1331	Quantifying the coherent outflows of galaxies around voids in the SDSS DR7. 2012 , 541, L4		9	
1330	A NEW METHOD FOR THE DETERMINATION OF THE GROWTH RATE FROM GALAXY REDSHIFT SURVEYS. 2012 , 744, 193		19	
1329	DISENTANGLING THE ROLE OF ENVIRONMENTAL PROCESSES IN GALAXY CLUSTERS. 2012 , 751, 54		6	
1328	Probing cluster dynamics in RXC´J1504.1-0248 via radial and two-dimensional gas and galaxy properties. 2012 , 542, A106		7	
1327	Redshift-space correlation functions in large galaxy cluster surveys. 2012 , 547, A100		7	
1326	Growth factor and galaxy bias from future redshift surveys: a study on parametrizations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 985-997	4.3	39	
1325	Using galaxy-galaxy weak lensing measurements to correct the finger of God. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 3457-3481	4.3	30	
1324	Multiscale inference of matter fields and baryon acoustic oscillations from the Lyfforest. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 420, 61-74	4.3	32	
1323	Interpreting large-scale redshift-space distortion measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 420, 2102-2119	4.3	289	
1322	A cosmic speed-trap: a gravity-independent test of cosmic acceleration using baryon acoustic oscillations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 420, 3026-3034	4.3	2	
1321	Improving measurements of H(z) and DA (z) by analysing clustering anisotropies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 3223-3243	4.3	70	

1320	Simultaneous constraints on bias, normalization and growth index through power spectrum measurements. 2012 , 423, L97-L101		8
1319	Uncertainty in 2-point correlation function estimators and baryon acoustic oscillation detection in galaxy surveys. 2012 , 9, 85-100		7
1318	Redshift-space distortion of the 21-cm background from the epoch of reionization - I. Methodology re-examined. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 422, 926-954	4.3	80
1317	Clustering of Lytemitters around luminous quasars at z= 2âB: an alternative probe of reionization on galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 421, 2543-2552	4.3	11
1316	Lifting the degeneracy between geometric and dynamic distortions using the sound horizon from the cosmic microwave background. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 2-10	4.3	6
1315	A consistent comparison of bias models using observational data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 422, 106-116	4.3	13
1314	Constraining primordial non-Gaussianity with future galaxy surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 422, 2854-2877	4.3	114
1313	Cross-correlation of spectroscopic and photometric galaxy surveys: cosmology from lensing and redshift distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 422, 2904-2930	4.3	56
1312	Combining weak-lensing tomography and spectroscopic redshift surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 422, 1045-1056	4.3	40
1311	The complementarity of redshift-space distortions and the integrated Sachs-Wolfe effect: a 3D spherical analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 422, 2341-2350	4.3	15
1310	A robust distance measurement and dark energy constraints from the spherically averaged correlation function of Sloan Digital Sky Survey luminous red Galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 1474-1484	4.3	19
1309	Probing dark energy with the next generation X-ray surveys of galaxy clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 2503-2517	4.3	15
1308	Non-Gaussianity in large-scale structure and Minkowski functionals. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 3209-3226	4.3	25
1307	Measuring large-scale structure with quasars in narrow-band filter surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 3251-3267	4.3	15
1306	The 6dF Galaxy Survey: zâl measurements of the growth rate and B . <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 423, 3430-3444	4.3	332
1305	The COSMOS density field: a reconstruction using both weak lensing and galaxy distributions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 553-563	4.3	14
1304	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: analysis of potential systematics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 564-590	4.3	194
1303	The clustering of intermediate-redshift quasars as measured by the Baryon Oscillation Spectroscopic Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 424, 933-950	4.3	153

Second-order matter fluctuations via higher order galaxy correlators. <i>Monthly Notice Astronomical Society</i> , 2012 , 424, 971-992	es of the Royal 4-3	11
Probing deviations from general relativity with the Euclid spectroscopic survey. <i>Mon the Royal Astronomical Society</i> , 2012 , 424, 1392-1408	thly Notices of 4-3	34
The WiggleZ Dark Energy Survey: the transition to large-scale cosmic homogeneity. <i>I</i> of the Royal Astronomical Society, 2012 , 425, 116-134	Monthly Notices 4-3	129
The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: me 1299 structure growth using passive galaxies. <i>Monthly Notices of the Royal Astronomical Sc</i> 424, 2339-2344		81
The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: cost implications of the large-scale two-point correlation function. <i>Monthly Notices of the Astronomical Society</i> , 2012 , 425, 415-437	_	142
1297 Testing for dynamical dark energy models with redshift-space distortions. 2013 , 201	3, 030-030	22
1296 Quantum Gravity and Quantum Cosmology. 2013 ,		43
1295 The First Galaxies. 2013 ,		30
1294 Outskirts of Galaxy Clusters. 2013 , 177, 195-245		89
Statistical analysis of the large-scale structure of the Universe using observational dangles numerical modeling. 2013 , 57, 485-497	ata and	1
1292 Quintessence: a review. 2013 , 30, 214003		328
1291 Hubble flow variance and the cosmic rest frame. 2013 , 88,		37
Effects of linear redshift space distortions and perturbation theory on BAOs: a 3D sp	herical	~ 0
analysis. Monthly Notices of the Royal Astronomical Society, 2013 , 436, 3792-3808	4.3	13
analysis. Monthly Notices of the Royal Astronomical Society, 2013 , 436, 3792-3808 Cosmological constraints from baryon acoustic oscillations and clustering of large-sc Monthly Notices of the Royal Astronomical Society, 2013 , 436, 1674-1683	4.3	35
Cosmological constraints from baryon acoustic oscillations and clustering of large-sc	ale structure. 4-3	y .
Cosmological constraints from baryon acoustic oscillations and clustering of large-sc Monthly Notices of the Royal Astronomical Society, 2013, 436, 1674-1683 Semi-analytic galaxy formation in f(R)-gravity cosmologies. Monthly Notices of the Ro	ale structure. 4-3 4-3 4-3	35
Cosmological constraints from baryon acoustic oscillations and clustering of large-sc Monthly Notices of the Royal Astronomical Society, 2013, 436, 1674-1683 Semi-analytic galaxy formation in f(R)-gravity cosmologies. Monthly Notices of the Royal Astronomical Society, 2013, 436, 2672-2679 Peculiar velocity decomposition, redshift space distortion, and velocity reconstruction	ale structure. 4-3 4-3 4-3	35 25

1284	DBI Galileons in the Einstein frame: Local gravity and cosmology. 2013 , 87,		96
1283	Observational probes of cosmic acceleration. 2013 , 530, 87-255		757
1282	SOME ASPECTS OF GENERALIZED MODIFIED GRAVITY MODELS. 2013 , 22, 1330017		68
1281	Direct determination of expansion history using redshift distortions. 2013 , 87,		2
1280	All-sky analysis of the general relativistic galaxy power spectrum. 2013 , 88,		43
1279	Observational Status of Dark Matter. 2013 , 271-287		
1278	Virialisation-induced curvature as a physical explanation for dark energy. 2013 , 2013, 043-043		26
1277	Cosmological constraints from a combination of galaxy clustering and lensing âll. Application to SDSS data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 430, 767-786	4.3	121
1276	Non-Gaussian Minkowski functionals and extrema counts in redshift space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 531-564	4.3	32
1275	SIMULTANEOUS CONSTRAINTS ON THE NUMBER AND MASS OF RELATIVISTIC SPECIES. 2013 , 763, 89		37
1274	Measurement of baryon acoustic oscillations in the Lyman-Forest fluctuations in BOSS data release 9. 2013 , 2013, 026-026		157
1273	Fitting methods for baryon acoustic oscillations in the Lyman-Forest fluctuations in BOSS data release 9. 2013 , 2013, 024-024		44
1272	Science with the Murchison Widefield Array. 2013, 30,		233
1271	Putting the precision in precision cosmology: How accurate should your data covariance matrix be?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 432, 1928-1946	4.3	132
1270	Testing dark matter clustering with redshift space distortions. 2013, 2013, 031-031		10
1269	Impacts of satellite galaxies on the redshift-space distortions. 2013 , 2013, 019-019		19
1268	On the connection between the intergalactic medium and galaxies: the H iâgalaxy cross-correlation at z? 1?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 437, 2017-2075	4.3	36
1267	Constraining cosmic expansion and gravity with galaxy redshift surveys. 2013 , 2013, 007-007		14

1266	Beyond boundaries of redshift surveys: assessing mass fluctuations on ''super-survey" scales. 2013 , 2013, 027-027		4
1265	Where are the Luminous Red Galaxies (LRGs)? Using correlation measurements and lensing to relate LRGs to dark matter haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 2345-23	3 1 8	46
1264	The large-scale quasar-Lyman Forest cross-correlation from BOSS. 2013 , 2013, 018-018		61
1263	Principal component analysis of modified gravity using weak lensing and peculiar velocity measurements. 2013 , 2013, 029-029		35
1262	Power spectrum precision for redshift space distortions. 2013 , 2013, 025-025		6
1261	Cosmological information in the intrinsic alignments of luminous red galaxies. 2013 , 2013, 029-029		43
1260	The clustering of galaxies at z'âld.5 in the SDSS-III Data Release 9 BOSS-CMASS sample: a test for the LDM cosmology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 432, 743-760	4.3	85
1259	The clustering of galaxies in the SDSS-III DR9 Baryon Oscillation Spectroscopic Survey: constraints on primordial non-Gaussianity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 1116-1127	4.3	97
1258	Combining clustering and abundances of galaxy clusters to test cosmology and primordial non-Gaussianity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 684-695	4.3	40
1257	Precise measurement of the radial baryon acoustic oscillation scales in galaxy redshift surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 2008-2019	4.3	11
1256	Using multipoles of the correlation function to measure H(z), DA(z) and '(z) from Sloan Digital Sky Survey luminous red galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 431, 2634-2644	4.3	23
1255	CFHTLenS: testing the laws of gravity with tomographic weak lensing and redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 2249-2263	4.3	129
1254	The WiggleZ Dark Energy Survey: measuring the cosmic growth rate with the two-point galaxy correlation function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 430, 924-933	4.3	36
1253	The WiggleZ Dark Energy Survey: constraining galaxy bias and cosmic growth with three-point correlation functions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 432, 2654-2668	4.3	68
1252	Baryon acoustic oscillations with the cross-correlation of spectroscopic and photometric samples. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 730-739	4.3	4
1251	Galaxy And Mass Assembly (GAMA): improved cosmic growth measurements using multiple tracers of large-scale structure. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 436, 3089-3105	4.3	117
1250	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: single-probe measurements and the strong power of f(z) '8(z) on constraining dark energy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 3559-3571	4.3	87
1249	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: measuring H(z) and DA(z) at z´= 0.57 with clustering wedges. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 64-86	4.3	42

1248	Cosmological constraints from a combination of galaxy clustering and lensing âll. Theoretical framework. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 430, 725-746	4.3	136
1247	Cosmology and Fundamental Physics with the Euclid Satellite. 2013 , 16, 6		582
1246	Gravitational redshifts from large-scale structure. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 3008-3017	4.3	26
1245	Probing reionization with LOFAR using 21-cm redshift space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 460-474	4.3	56
1244	On using angular cross-correlations to determine source redshift distributions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 2857-2883	4.3	72
1243	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: weighing the neutrino mass using the galaxy power spectrum of the CMASS sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 436, 2038-2053	4.3	66
1242	The redshift-space clusterâgalaxy cross-correlation function â[]. Modelling galaxy infall on to Millennium simulation clusters and SDSS groups. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 431, 3319-3337	4.3	46
1241	The clustering of galaxies in the SDSS-III DR9 Baryon Oscillation Spectroscopic Survey: testing deviations from and general relativity using anisotropic clustering of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 1514-1528	4.3	164
1240	Clustering, bias and the accretion mode of X-ray-selected AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 1382-1394	4.3	51
1239	The impact of systematic uncertainties in N-body simulations on the precision cosmology from galaxy clustering: a halo model approach. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 2556-2571	4.3	13
1238	Towards more realistic forecasting of dark energy constraints from galaxy redshift surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 430, 2446-2453	4.3	23
1237	Modelling the anisotropic two-point galaxy correlation function on small scales and single-probe measurements of H(z), DA(z) and f(z) 8(z) from the Sloan Digital Sky Survey DR7 luminous red galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 255-262	4.3	162
1236	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: a large sample of mock galaxy catalogues. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 1036-1054	4.3	237
1235	Constraining primordial non-Gaussianity with CMBâI21 cm cross-correlations?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 431, 2017-2023	4.3	4
1234	Measuring DA and H at z=0.35 from the SDSS DR7 LRGs using baryon acoustic oscillations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 431, 2834-2860	4.3	144
1233	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: cosmological constraints from the full shape of the clustering wedges. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 1202-1222	4.3	83
1232	The effect of peculiar velocities on the epoch of reionization 21-cm signal. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 1978-1988	4.3	30
1231	On the anisotropic density distribution on large scales. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 1133-1138	4.3	5

1230	Convolution Lagrangian perturbation theory for biased tracers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 1674-1685	4.3	135
1229	Cosmic history of viable exponential gravity: equation of state oscillations and growth index from inflation to dark energy era. 2013 , 30, 015008		54
1228	THE CLUSTERING OF GALAXIES IN THE SDSS-III BARYON OSCILLATION SPECTROSCOPIC SURVEY: LUMINOSITY AND COLOR DEPENDENCE AND REDSHIFT EVOLUTION. 2013 , 767, 122		68
1227	MODERATE C IV ABSORBER SYSTEMS REQUIRE 1012M?DARK MATTER HALOS ATz~ 2.3: A CROSS-CORRELATION STUDY OF C IV ABSORBER SYSTEMS AND QUASARS IN SDSS-III BOSS DR9. 2013 , 768, 38		10
1226	THE BARYON ACOUSTIC OSCILLATION BROADBAND AND BROAD-BEAM ARRAY: DESIGN OVERVIEW AND SENSITIVITY FORECASTS. 2013 , 145, 65		89
1225	THE BARYON OSCILLATION SPECTROSCOPIC SURVEY OF SDSS-III. 2013 , 145, 10		1280
1224	THE DEEP2 GALAXY REDSHIFT SURVEY: CLUSTERING DEPENDENCE ON GALAXY STELLAR MASS AND STAR FORMATION RATE ATz~ 1. 2013 , 767, 89		48
1223	IDENTIFICATION OF MEMBERS IN THE CENTRAL AND OUTER REGIONS OF GALAXY CLUSTERS. 2013 , 768, 116		52
1222	MEASURING THE ULTIMATE HALO MASS OF GALAXY CLUSTERS: REDSHIFTS AND MASS PROFILES FROM THE HECTOSPEC CLUSTER SURVEY (HeCS). 2013 , 767, 15		138
1221	CROSS-CORRELATION OF SDSS DR7 QUASARS AND DR10 BOSS GALAXIES: THE WEAK LUMINOSITY DEPENDENCE OF QUASAR CLUSTERING ATz~ 0.5. 2013 , 778, 98		77
1220	Determining accurate measurements of the growth rate from the galaxy correlation function in simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 430, 934-945	4.3	4
1219	Cosmology from clustering of LyBalaxies: breaking non-gravitational LyBadiative transfer degeneracies using the bispectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 431, 1777-	1 1 94	13
1218	THE CONTRIBUTION OF HALOS WITH DIFFERENT MASS RATIOS TO THE OVERALL GROWTH OF CLUSTER-SIZED HALOS. 2013 , 776, 91		32
1217	The WiggleZ Dark Energy Survey: probing the epoch of radiation domination using large-scale structure. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 1902-1912	4.3	13
1216	Distortion of infall regions in redshift space-I. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 1989-2007	4.3	4
1215	How closely do baryons follow dark matter on large scales?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 1756-1764	4.3	36
1214	THE CLUSTERING OF GALAXIES AROUND RADIO-LOUD ACTIVE GALACTIC NUCLEI. 2013, 772, 64		15
1213	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: the low-redshift sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 98-112	4.3	78

1212	Distribution function approach to redshift space distortions. Part V: perturbation theory applied to dark matter halos. 2013 , 2013, 053-053		30
1211	Observables and unobservables in dark energy cosmologies. 2013 , 87,		98
1210	Simulations of Galileon modified gravity: Clustering statistics in real and redshift space. 2013 , 88,		23
1209	Peculiar velocity decomposition, redshift space distortion, and velocity reconstruction in redshift surveys: The methodology. 2013 , 87,		31
1208	Two-point correlation function of density perturbations in a large void universe. 2013, 88,		3
1207	Can dark energy viscosity be detected with the Euclid survey?. 2013 , 88,		20
1206	Relativistic effects in galaxy clustering in a parametrized post-Friedmann universe. 2013, 87,		48
1205	Precision modeling of redshift-space distortions from a multipoint propagator expansion. 2013 , 87,		48
1204	Lower growth rate from recent redshift space distortion measurements than expected from Planck. 2013 , 111, 161301		179
1203	Constraints on f(R) theory and Galileons from the latest data of galaxy redshift surveys. 2013 , 87,		38
1202	Growth of matter perturbations for realistic F(R) models. 2013 , 87,		3
1201	Probing dark energy through scale dependence. 2013 , 88,		37
1200	Chasing unbiased spectra of the Universe. 2013 , 87,		4
1199	Testing gravity using large-scale redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 436, 89-100	4.3	36
1198	THE CLUSTERING OF ALFALFA GALAXIES: DEPENDENCE ON H I MASS, RELATIONSHIP WITH OPTICAL SAMPLES, AND CLUES OF HOST HALO PROPERTIES. 2013 , 776, 43		46
1197	Cosmological parameter constraints from galaxyâgalaxy lensing and galaxy clustering with the SDSS DR7. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 432, 1544-1575	4.3	203
1196	Effects of Lyman-alpha scattering in the IGM on clustering statistics of Lyman-alpha emitters. 2013 , 556, A5		12
1195	MEASURING THE MASS DISTRIBUTION IN GALAXY CLUSTERS. 2013 , 764, 58		48

1194	The VIMOS Public Extragalactic Redshift Survey (VIPERS). 2013 , 557, A54		252
1193	The one-dimensional Ly£orest power spectrum from BOSS. 2013 , 559, A85		133
1192	Cosmological constraints from a combination of galaxy clustering and lensing âll. Fisher matrix analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 430, 747-766	4.3	45
1191	An optimized correlation function estimator for galaxy surveys. 2013 , 554, A131		16
1190	A ROBUST MEASURE OF COSMIC STRUCTURE BEYOND THE POWER SPECTRUM: COSMIC FILAMENTS AND THE TEMPERATURE OF DARK MATTER. 2013 , 762, 115		25
1189	Testing gravity on Large Scales. 2013 , 58, 02013		1
1188	The VIMOS Public Extragalactic Redshift Survey (VIPERS). 2014 , 563, A37		21
1187	Determination of the abundance of cosmic matter via the cell count moments of the galaxy distribution. 2014 , 563, A36		12
1186	Effects of the environment on galaxies in the Catalogue of Isolated Galaxies: physical satellites and large scale structure. 2014 , 564, A94		18
1185	The VIMOS Public Extragalactic Redshift Survey (VIPERS). 2014 , 566, A108		196
1184	What can the spatial distribution of galaxy clusters tell about their scaling relations?. 2014 , 563, A141		2
1183	The cosmic web: a selective history and outlook. 2014 , 11, 125-142		
1182	Measuring Large-Scale Structure at $z \sim 1$ with the VIPERS galaxy survey. 2014 , 11, 149-160		
1181	Redshift-Space Distortions and f(z) from Group-Galaxy Correlations. 2014 , 11, 342-343		
1180	Re-examination of Large Scale Structure & Cosmic Flows. 2014 , 11, 310-317		
1179	Dynamics of The Tranquil Cosmic Web. 2014 , 11, 77-86		
1178	Measuring the growth rate of structure around cosmic voids. 2014 , 11, 571-574		
1177	Testing cosmic geometry without dynamic distortions using voids. 2014 , 2014, 013-013		26

1176	Exploring the full parameter space for an interacting dark energy model with recent observations including redshift-space distortions: Application of the parametrized post-Friedmann approach. 2014 , 90,		47
1175	Isolating relativistic effects in large-scale structure. 2014 , 31, 234002		37
1174	OBSERVATIONAL REQUIREMENTS FOR Ly#OREST TOMOGRAPHIC MAPPING OF LARGE-SCALE STRUCTURE ATz~ 2. 2014 , 788, 49		48
1173	On the effect of the ionizing background on the LyForest autocorrelation function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 442, 187-195	4.3	35
1172	The cross-power spectrum between 21 cm emission and galaxies in hierarchical galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 438, 2474-2482	4.3	15
1171	Light-cone anisotropy in the 21 cm signal from the epoch of reionization. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 439, 1615-1627	4.3	27
1170	The large-scale distribution of cool gas around luminous red galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 439, 3139-3155	4.3	63
1169	A 2.5 per cent measurement of the growth rate from small-scale redshift space clustering of SDSS-III CMASS galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 444, 476-502	4.3	145
1168	The Very Large Telescope Lyman-Break Galaxy Redshift Survey $\hat{a}\Pi V$. Gas and galaxies at $z \sim 3$ in observations and simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 442, 2094-2115	4.3	15
1167	On the systematic errors of cosmological-scale gravity tests using redshift-space distortion: non-linear effects and the halo bias. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 443, 3359-	3 1 387	17
1166	Probing large-scale filaments with H i and 3He ii. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 444, 2236-2250	4.3	13
1165	Fast simulations for intensity mapping experiments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 444, 3183-3197	4.3	38
1164	Simultaneous constraints on the growth of structure and cosmic expansion from the multipole power spectra of the SDSS DR7 LRG sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 439, 2515-2530	4.3	100
1163	Measurement of H(z) and DA(z) from the two-dimensional power spectrum of Sloan Digital Sky Survey luminous red galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 445, 3737-3744	4.3	14
1162	The clustering of Galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: potential systematics in fitting of baryon acoustic feature. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 445, 2-28	4.3	21
1161	Mock galaxy catalogues using the quick particle mesh method. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 437, 2594-2606	4.3	132
1160	Simulating the anisotropic clustering of luminous red galaxies with subhaloes: a direct confrontation with observation and cosmological implications. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 444, 1400-1418	4.3	10
1159	The ALHAMBRA survey: evolution of galaxy clustering since z ~ 1. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 441, 1783-1801	4.3	22

1158	Efficient reconstruction of linear baryon acoustic oscillations in galaxy surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 445, 3152-3168	3	44
1157	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: measuring DA and H at z´= 0.57 from the baryon acoustic peak in the Data Release 9 spectroscopic Galaxy sample. **Authorite Company Services** **Authorite Company Servi	3	140
1156	Extragalactic science, cosmology, and Galactic archaeology with the Subaru Prime Focus Spectrograph. 2014 , 66, R1		319
1155	DESI and other Dark Energy experiments in the era of neutrino mass measurements. 2014 , 2014, 023-023		196
1154	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: testing gravity with redshift space distortions using the power spectrum multipoles. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 443, 1065-1089	3	210
1153	Geometric and dynamic distortions in anisotropic galaxy clustering. 2014 , 2014, 001-001		9
1152	Cosmological parameter estimation with large scale structure observations. 2014 , 2014, 042-042		51
1151	Cosmological tests using redshift space clustering in BOSS DR11. 2014 , 2014, 005-005		14
1150	Metal-line absorption around z´âl'2.4 star-forming galaxies in the Keck Baryonic Structure Survey?. Monthly Notices of the Royal Astronomical Society, 2014 , 445, 794-822	3	106
1149	Galaxy And Mass Assembly (GAMA): AUTOZ spectral redshift measurements, confidence and errors. Monthly Notices of the Royal Astronomical Society, 2014 , 441, 2440-2451	3	81
1148	Search for primordial non-Gaussianity in the quasars of SDSS-III BOSS DR9. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 441, 486-502	3	25
1147	Large-scale 3D galaxy correlation function and non-Gaussianity. 2014 , 2014, 022-022		46
1146	Intrinsic alignments of group and cluster galaxies in photometric surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 445, 726-748	3	31
1145	Quasar-Lyman Forest cross-correlation from BOSS DR11: Baryon Acoustic Oscillations. 2014 , 2014, 027-027		277
1144	Probing neutrinos from Planck and forthcoming galaxy redshift surveys. 2014 , 2014, 046-046		8
1143	Measuring the matter energy density and Hubble parameter from large scale structure. 2014 , 2014, 021-0	21	4
1142	Peculiar velocities in redshift space: formalism, N-body simulations and perturbation theory. 2014 , 2014, 003-003		38
1141	Cosmological constraints from the anisotropic clustering analysis using BOSS DR9. 2014 , 89,		13

1140	Broadband Alcock-Paczynski test exploiting redshift distortions. 2014 , 89,		14
1139	A fast route to modified gravitational growth. 2014 , 89,		30
1138	Regularized cosmological power spectrum and correlation function in modified gravity models. 2014 , 90,		30
1137	Integrated perturbation theory and one-loop power spectra of biased tracers. 2014 , 90,		26
1136	Detectability of torsion gravity via galaxy clustering and cosmic shear measurements. 2014 , 89,		31
1135	Scale-dependent bias in the baryonic-acoustic-oscillation-scale intergalactic neutral hydrogen. 2014 , 89,		41
1134	A study of selection methods for H⊞mitting galaxies atz~ 1.3 for the Subaru/FMOS galaxy redshift survey for cosmology (FastSound). 2014 , 66, 43		5
1133	Coupled dark energy with perturbed Hubble expansion rate. 2014 , 90,		41
1132	Asymmetric galaxy correlation functions. 2014 , 89,		61
1131	Unraveling the nature of gravity through our clumpy universe. 2014 , 23, 1442025		5
1130	Beyond consistency test of gravity with redshift-space distortions at quasilinear scales. 2014 , 89,		29
1129	Three-dimensional spherical analyses of cosmological spectroscopic surveys. 2014 , 90,		19
1128	A REDSHIFT SURVEY OF THE STRONG-LENSING CLUSTER ABELL 383. 2014 , 783, 52		29
1127	On the use of seminumerical simulations in predicting the 21-cm signal from the epoch of reionization. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 443, 2843-2861	4.3	51
1126	CLUSTERING OF ERAY-SELECTED 2LACFERMIBLAZARS. 2014 , 797, 96		13
1125	PRIMUS: GALAXY CLUSTERING AS A FUNCTION OF LUMINOSITY AND COLOR AT 0.2 . 2014 , 784, 128		48
1124	ALCOCK-PACZYBKI COSMOLOGICAL TEST. 2014 , 781, 96		32
1123	Redshift-space distortions from the cross-correlation of photometric populations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 445, 2825-2835	4.3	14

1122	Remapping simulated halo catalogues in redshift space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 445, 3453-3465	4.3	8
1121	Galaxy and Mass Assembly: the evolution of bias in the radio source population to z~1.5. <i>Monthly Notices of the Royal Astronomical Society,</i> 2014 , 440, 1527-1541	4.3	32
1120	Are peculiar velocity surveys competitive as a cosmological probe?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 445, 4267-4286	4.3	56
1119	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: measuring growth rate and geometry with anisotropic clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 439, 3504-3519	4.3	209
1118	More than just halo mass: modelling how the red galaxy fraction depends on multiscale density in an HOD framework. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 438, 2233-2252	4.3	3
1117	The Origin of the Galaxy and Local Group. 2014 ,		5
1116	CONSTRAINTS ON IONIZING PHOTON PRODUCTION FROM THE LARGE-SCALE LyFOREST. 2014 , 792, L34		12
1115	An improved measurement of baryon acoustic oscillations from the correlation function of galaxy clusters at $z \sim 0.3$. Monthly Notices of the Royal Astronomical Society, 2014 , 442, 3275-3283	4.3	20
1114	Remapping dark matter halo catalogues between cosmological simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 440, 1233-1247	4.3	22
1113	Modelling baryon acoustic oscillations with perturbation theory and stochastic halo biasing. 2014 , 439, L21-L25		108
1112	COMPARING DENSE GALAXY CLUSTER REDSHIFT SURVEYS WITH WEAK-LENSING MAPS. 2014 , 797, 106		23
1111	Stars and reionization: the cross-correlation of the 21 cm line and the near-infrared background. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 440, 298-306	4.3	15
1110	A comparison between observed and analytical velocity dispersion profiles of 20 nearby galaxy clusters. 2014 , 351, 289-297		
1109	Cosmological constraints on dark energy. 2014 , 46, 1		7
1108	The accelerating universe and dark energy. 2014 , 23, 1430012		2
1107	Using the topology of large-scale structure in the WiggleZ Dark Energy Survey as a cosmological standard ruler. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 437, 2488-2506	4.3	19
1106	Velocity and mass bias in the distribution of dark matter haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 446, 793-802	4.3	17
1105	Galaxy infall kinematics as a test of modified gravity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 445, 1885-1897	4.3	37

1104	ON THE RECOVERY OF THE LOCAL GROUP MOTION FROM GALAXY REDSHIFT SURVEYS. 2014 , 788, 157		19
1103	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: baryon acoustic oscillations in the Data Releases 10 and 11 Galaxy samples. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 441, 24-62	4.3	976
1102	KINEMATIC MORPHOLOGY OF LARGE-SCALE STRUCTURE: EVOLUTION FROM POTENTIAL TO ROTATIONAL FLOW. 2014 , 793, 58		19
1101	Extending the halo mass resolution of N-body simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 442, 3256-3265	4.3	13
1100	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: modelling of the luminosity and colour dependence in the Data Release 10. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 441, 2398-2413	4.3	66
1099	Detecting filamentary pattern in the cosmic web: a catalogue of filaments for the SDSS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 438, 3465-3482	4.3	151
1098	A new method to measure the mass of galaxy clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 442, 1887-1896	4.3	31
1097	The clustering of galaxies in the SDSS-III DR10 Baryon Oscillation Spectroscopic Survey: no detectable colour dependence of distance scale or growth rate measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 437, 1109-1126	4.3	43
1096	21cm Cosmology. 2014 , 10, 165-176		1
1095	Redshift-space clustering of SDSS galaxies âlluminosity dependence, halo occupation distribution, and velocity bias. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 453, 4369-4384	4.3	69
1094	Cosmological tests of modified gravity: Constraints on F(R) theories from the galaxy clustering ratio. 2015 , 91,		17
1093	Consistent modified gravity analysis of anisotropic galaxy clustering using BOSS DR11. 2015 , 92,		30
1092	Possibility of realizing weak gravity in redshift space distortion measurements. 2015 , 92,		39
1091	Edgeworth streaming model for redshift space distortions. 2015 , 92,		26
1090	Constraining ultralarge-scale cosmology with multiple tracers in optical and radio surveys. 2015 , 92,		82
1089	Kriging interpolating cosmic velocity field. 2015 , 92,		9
1088	Fast estimators for redshift-space clustering. 2015 , 92,		100
1087	Galaxy power spectrum in redshift space: Combining perturbation theory with the halo model. 2015 , 92,		30

1086	Velocity bias in the distribution of dark matter halos. 2015 , 92,		29
1085	Redshift-space equal-time angular-averaged consistency relations of the gravitational dynamics. 2015 , 92,		5
1084	Geometrical constraint on curvature with BAO experiments. 2015 , 92,		27
1083	Halo profile evolution and velocity bias. 2015 , 92,		6
1082	Growth Rate of Cosmological Perturbations at z~0.1 from a New Observational Test. 2015 , 115, 011301		60
1081	Investigation of Homogeneity and Matter Distribution on Large Scales Using Large Quasar Groups. 2015 , 64, 758-772		
1080	Dispersion Distance and the Matter Distribution of the Universe in Dispersion Space. 2015 , 115, 121301		37
1079	Galaxy Alignments: Theory, Modelling & Simulations. 2015 , 193, 67-136		85
1078	L-PICOLA: A parallel code for fast dark matter simulation. 2015 , 12, 109-126		78
1077	The clustering of the SDSS main galaxy sample âll. Mock galaxy catalogues and a measurement of the growth of structure from redshift space distortions at z´='0.15. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 848-866	4.3	146
1076	Combining spectroscopic and photometric surveys using angular cross-correlations â[]. Algorithm and modelling. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 452, 2149-2167	4.3	9
1075	The MICE grand challenge lightcone simulation âll. Dark matter clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 448, 2987-3000	4.3	115
1074	The anisotropic line correlation function as a probe of anisotropies in galaxy surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 453, 797-809	4.3	13
1073	Intrinsic alignments of galaxies in the Horizon-AGN cosmological hydrodynamical simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 454, 2736-2753	4.3	74
1072	Cosmic bulk flow and the local motion from Cosmicflows-2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 4494-4505	4.3	42
1071	Intrinsic alignments of SDSS-III BOSS LOWZ sample galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 450, 2195-2216	4.3	113
1070	The non-linear power spectrum of the Lyman alpha forest. 2015 , 2015, 017-017		38
1069	PATCHY BLAZAR HEATING: DIVERSIFYING THE THERMAL HISTORY OF THE INTERGALACTIC MEDIUM. 2015 , 811, 19		19

1068	Evolution of clustering length, large-scale bias, and host halo mass at 2 . 2015 , 583, A128		26
1067	WEIGHING NEUTRINOS WITH COSMIC NEUTRAL HYDROGEN. 2015 , 814, 146		50
1066	Constraints on f(R) gravity through the redshift space distortion. 2015 , 91,		19
1065	Velocity bias from the small-scale clustering of SDSS-III BOSS galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 446, 578-594	4.3	62
1064	THE WEAK LENSING SIGNAL AND THE CLUSTERING OF BOSS GALAXIES. II. ASTROPHYSICAL AND COSMOLOGICAL CONSTRAINTS. 2015 , 806, 2		97
1063	Improving the modelling of redshift-space distortions âll. A bivariate Gaussian description for the galaxy pairwise velocity distributions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 446, 75-	84 ^{.3}	36
1062	Observational signatures of the theories beyond Horndeski. 2015 , 2015, 058-058		31
1061	The dynamical origin of early-type dwarfs in galaxy clusters: a theoretical investigation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 3623-3638	4.3	13
1060	A prescription for galaxy biasing evolution as a nuisance parameter. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 448, 1389-1401	4.3	25
1059	The power spectrum and bispectrum of SDSS DR11 BOSS galaxies âll. Bias and gravity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 451, 539-580	4.3	117
1058	The information content of anisotropic Baryon Acoustic Oscillation scale measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 451, 1331-1340	4.3	27
1057	The cross-correlation of Mg ii absorption and galaxies in BOSS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 2784-2802	4.3	10
1056	Clustering of intermediate redshift quasars using the final SDSS III-BOSS sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 453, 2780-2799	4.3	92
1055	Nature or nurture? Clues from the distribution of specific star formation rates in SDSS galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 451, 888-903	4.3	20
1054	Intrinsic alignments of galaxies in the MassiveBlack-II simulation: analysis of two-point statistics. <i>Monthly Notices of the Royal Astronomical Society,</i> 2015 , 448, 3522-3544	4.3	57
1053	The Gigaparsec WiggleZ simulations: characterizing scale-dependant bias and associated systematics in growth of structure measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 1454-1469	4.3	20
1052	Non-linear stochastic growth rates and redshift space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 3407-3419	4.3	5
1051	Dark Energy, a Summary. 2015 , 267-269, 332-341		1

(2015-2015)

1050	New constraints on B from a joint analysis of stacked gravitational lensing and clustering of galaxy clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 449, 4147-4161	4.3	27
1049	An algorithm to build mock galaxy catalogues using MICE simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 646-670	4.3	84
1048	NONLINEAR BEHAVIOR OF BARYON ACOUSTIC OSCILLATIONS IN REDSHIFT SPACE FROM THE ZEL'DOVICH APPROXIMATION. 2015 , 798, 137		7
1047	Large-scale structure observables in general relativity. 2015 , 32, 044001		26
1046	On the signature of the baryonâdark matter relative velocity in the two- and three-point galaxy correlation functions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 448, 9-26	4.3	34
1045	Tomographic-spectral approach for dark matter detection in the cross-correlation between cosmic shear and diffuse Etay emission. 2015 , 2015, 029-029		33
1044	Blind foreground subtraction for intensity mapping experiments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 400-416	4.3	82
1043	Geometric biases in power-spectrum measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 452, 3704-3709	4.3	16
1042	Measuring line-of-sight-dependent Fourier-space clustering using FFTs. 2015 , 453, L11-L15		84
1041	Giant disc galaxies: where environment trumps mass in galaxy evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 448, 1767-1778	4.3	16
1040	Optimizing spectroscopic and photometric galaxy surveys: same-sky benefits for dark energy and modified gravity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 451, 4424-4444	4.3	5
1039	The effect of massive neutrinos on the BAO peak. 2015 , 2015, 001-001		16
1038	Reconstructing the nature of the first cosmic sources from the anisotropic 21-cm signal. 2015 , 114, 101	303	20
1037	Wide-angle effects in future galaxy surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 1789-1805	4.3	53
1036	Evidence for an environment-dependent shift in the baryon acoustic oscillation peak. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 448, 1660-1673	4.3	20
1035	LATE-TIME COSMOLOGY WITH 21 cm INTENSITY MAPPING EXPERIMENTS. 2015 , 803, 21		202
1034	Cosmological parameters from the comparison of peculiar velocities with predictions from the 2M++ density field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 450, 317-332	4.3	108
1033	On the perturbation of the luminosity distance by peculiar motions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 450, 883-895	4.3	16

1032	Organic chemistry. A rhodium catalyst for single-step styrene production from benzene and ethylene. 2015 , 348, 421-4		76	
1031	Galaxy evolution. Isolated compact elliptical galaxies: stellar systems that ran away. 2015 , 348, 418-21		25	
1030	Cross-correlation function of SDSS DR7 I-type AGNs and WiggleZ galaxies. 2015 , 31, 1-12		1	
1029	The impact of foregrounds on redshift space distortion measurements with the highly redshifted 21-cm line. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 1705-1712	4.3	25	
1028	SURVEYING GALAXY PROTO-CLUSTERS IN EMISSION: A LARGE-SCALE STRUCTURE ATz= 2.44 AND THE OUTLOOK FOR HETDEX. 2015 , 808, 37		42	
1027	Submegaparsec individual photometric redshift estimation from cosmic web constraints. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 454, 463-477	4.3	24	
1026	A new methodology to test galaxy formation models using the dependence of clustering on stellar mass. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 452, 852-871	4.3	22	
1025	Probing the nature of dark energy. 2015 , 30, 1545010		1	
1024	Tidal alignment of galaxies. 2015 , 2015, 015-015		80	
1023	The nature of the Diffuse Gamma-Ray Background. 2015 , 598, 1-58		73	
1022	DEMNUni: the clustering of large-scale structures in the presence of massive neutrinos. 2015 , 2015, 043	3-043	99	
1021	Galaxy and mass assembly (GAMA): projected galaxy clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 454, 2120-2145	4.3	40	
1020	Measuring the growth of matter fluctuations with third-order galaxy correlations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 1724-1745	4.3	42	
1019	IDENTIFICATION OF GALAXY CLUSTER SUBSTRUCTURES WITH THE CAUSTIC METHOD. 2015 , 810, 37		17	
1018	PROPERTIES OF QSO METAL-LINE ABSORPTION SYSTEMS AT HIGH REDSHIFTS: NATURE AND EVOLUTION OF THE ABSORBERS AND NEW EVIDENCE ON ESCAPE OF IONIZING RADIATION FROM GALAXIES. 2015 , 218, 7		30	
1017	Optimization of spectroscopic surveys for testing non-Gaussianity. 2015 , 2015, 034-034		17	
1016	Cosmology with anisotropic galaxy clustering from the combination of power spectrum and bispectrum. 2015 , 2015, 007-007		24	1

101	Testing general relativity with growth rate measurement from Sloan Digital Sky Survey â[III. Baryon Oscillations Spectroscopic Survey galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 453, 1754-1767	4.3	35	
101	Non-Gaussian shape discrimination with spectroscopic galaxy surveys. 2015 , 2015, 019-019		10	
101	Optimizing BAO measurements with non-linear transformations of the Lyman-Forest. 2015 , 2015, 009-0	09	4	
101	$_{f 1}$ Probing cosmology and gravity with redshift-space distortions around voids. 2015 , 2015, 036-036		59	
101	O Beyond the cosmological standard model. 2015 , 568, 1-98		657	
100	Tests of redshift-space distortions models in configuration space for the analysis of the BOSS final data release. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 447, 234-245	4.3	49	
100	8 Growth of cosmic structure: Probing dark energy beyond expansion. 2015 , 63, 23-41		76	
100	7 SPECTRAL LINE DE-CONFUSION IN AN INTENSITY MAPPING SURVEY. 2016 , 832, 165		42	
100	THECHANDRACOSMOS LEGACY SURVEY: CLUSTERING OF X-RAY-SELECTED AGNs AT 2.9 過過亿.5 USING PHOTOMETRIC REDSHIFT PROBABILITY DISTRIBUTION FUNCTIONS. 2016 , 832, 70		19	
100	SOMBI: Bayesian identification of parameter relations in unstructured cosmological data. 2016 , 595, A75		1	
100	MAPPING THE REAL-SPACE DISTRIBUTIONS OF GALAXIES IN SDSS DR7. I. TWO-POINT CORRELATION FUNCTIONS. 2016 , 833, 241		15	
100	MEASUREMENT OF A REDSHIFT-SPACE POWER SPECTRUM FOR BOSS GALAXIES AND THE GROWTH RATE AT REDSHIFT 0.57. 2016 , 833, 287		13	
100	Modelling the number density of Hamitters for future spectroscopic near-IR space missions. 2016 , 590, A3		53	
100	Lensing corrections to theEg(z) statistics from large scale structure. 2016 , 2016, 035-035		11	
100	O The Gaussian streaming model and convolution Lagrangian effective field theory. 2016 , 2016, 007-007		59	
999	Improving the modelling of redshift-space distortionsâll. A pairwise velocity model covering large and small scales. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 463, 3783-3798	4.3	28	
998	Nonlinear modulation of the HI power spectrum on ultra-large scales. I. 2016 , 2016, 061-061		16	
997	Cosmological measurements with general relativistic galaxy correlations. 2016 , 2016, 009-009		47	

996	Understanding redshift space distortions in density-weighted peculiar velocity. 2016 , 2016, 001-001		18
995	Towards physics responsible for large-scale Lyman-Forest bias parameters. 2016 , 2016, 016-016		13
994	ELUCIDâ E XPLORING THE LOCAL UNIVERSE WITH RECONSTRUCTED INITIAL DENSITY FIELD. III. CONSTRAINED SIMULATION IN THE SDSS VOLUME. 2016 , 831, 164		62
993	A 14hâBGpc3study of cosmic homogeneity using BOSS DR12 quasar sample. 2016 , 2016, 060-060		34
992	Sloan Great Wall as a complex of superclusters with collapsing cores. 2016 , 595, A70		19
991	Effective gravitational couplings for cosmological perturbations in generalized Proca theories. 2016 , 94,		84
990	Cosmological constraints on coupled dark energy. 2016 , 2016, 007-007		39
989	THE KINETIC SUNYAEVÅÆELÅÐOVICH EFFECT FROM REIONIZATION: SIMULATED FULL-SKY MAPS AT ARCMINUTE RESOLUTION. 2016 , 824, 118		29
988	Analytic study of the effect of dark energy-dark matter interaction on the growth of structures. 2016 , 2016, 009-009		28
987	SPT-GMOS: A GEMINI/GMOS-SOUTH SPECTROSCOPIC SURVEY OF GALAXY CLUSTERS IN THE SPT-SZ SURVEY. 2016 , 227, 3		29
986	The VIMOS Public Extragalactic Redshift Survey (VIPERS). 2016 , 594, A62		16
985	Beyond . 2016 , 12, 56-99		249
984	The extended Baryon Oscillation Spectroscopic Survey: a cosmological forecast. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 457, 2377-2390	4.3	75
983	Galaxy clustering, CMB and supernova data constraints on ? CDM model with massive neutrinos. 2016 , 752, 66-75		19
982	Probing high-redshift galaxies with Lyllntensity mapping. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 455, 725-738	4.3	18
981	An optical analysis of the merging cluster Abell 3888. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 458, 3083-3098	4.3	6
980	Large-scale clustering of Lyman Lemission intensity from SDSS/BOSS. Monthly Notices of the Royal Astronomical Society, 2016, 457, 3541-3572	4.3	40
979	The halo Boltzmann equation. 2016 , 2016, 040-040		4

(2016-2016)

978	Next generation cosmology: constraints from theEuclidgalaxy cluster survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 459, 1764-1780	4.3	80
977	ICE-COLA: towards fast and accurate synthetic galaxy catalogues optimizing a quasi-N-body method. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 459, 2327-2341	4.3	45
976	The Subaru FMOS galaxy redshift survey (FastSound). IV. New constraint on gravity theory from redshift space distortions atz~ 1.4. 2016 , 68, 38		116
975	Forecasts on neutrino mass constraints from the redshift-space two-point correlation function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 462, 4208-4219	4.3	8
974	The 2-degree Field Lensing Survey: design and clustering measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 462, 4240-4265	4.3	39
973	Response function of the large-scale structure of the universe to the small scale inhomogeneities. 2016 , 762, 247-252		25
972	The rise of the first stars: Supersonic streaming, radiative feedback, and 21-cm cosmology. 2016 , 645, 1-59		47
971	Optimal weights for measuring redshift space distortions in multitracer galaxy catalogues. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 463, 2708-2715	4.3	8
970	Dark matter and dark energy interactions: theoretical challenges, cosmological implications and observational signatures. 2016 , 79, 096901		278
969	Study on the mapping of dark matter clustering from real space to redshift space. 2016 , 2016, 050-050		16
968	Redshift-space distortions around voids. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 462, 2465-2477	4.3	51
967	Constraints on Cosmology and Gravity from the Dynamics of Voids. 2016 , 117, 091302		86
966	Optimising the measurement of relativistic distortions in large-scale structure. 2016 , 2016, 021-021		33
965	A perturbative approach to the redshift space power spectrum: beyond the Standard Model. 2016 , 2016, 032-032		41
964	The realm of the galaxy protoclusters. 2016 , 24, 1		119
963	COSMOLOGICAL CONSTRAINTS FROM THE REDSHIFT DEPENDENCE OF THE ALCOCKâ P ACZYNSKI EFFECT: APPLICATION TO THE SDSS-III BOSS DR12 GALAXIES. 2016 , 832, 103		28
962	Modelling Lyman Forest cross-correlations with LyMAS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 461, 4353-4373	4.3	6
961	Effect of relative velocity and density perturbations between baryons and dark matter on the clustering of galaxies. 2016 , 94,		40

960	Galaxy and mass assembly: Redshift space distortions from the clipped galaxy field. 2016 , 93,		30
959	Cosmology with a successful Vainshtein screening in theories beyond Horndeski. 2016 , 93,		20
958	Impacts of biasing schemes in the one-loop integrated perturbation theory. 2016 , 93,		12
957	ON REMOVING INTERLOPER CONTAMINATION FROM INTENSITY MAPPING POWER SPECTRUM MEASUREMENTS. 2016 , 825, 143		47
956	Redshift-space distortions in massive neutrino and evolving dark energy cosmologies. 2016 , 93,		21
955	Constructing perturbation theory kernels for large-scale structure in generalized cosmologies. 2016 , 94,		20
954	Validating estimates of the growth rate of structure with modified gravity simulations. 2016, 94,		40
953	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: single-probe measurements from CMASS anisotropic galaxy clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 461, 3781-3793	4.3	66
952	EXTENDING COSMOLOGICAL TESTS OF GENERAL RELATIVITY WITH THE SQUARE KILOMETRE ARRAY. 2016 , 817, 26		54
951	Probing primordial features with future galaxy surveys. 2016 , 2016, 041-041		43
950	The future of primordial features with large-scale structure surveys. 2016 , 2016, 014-014		40
949	On the clustering of faint red galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 460, 36	4 7. 365	598
948	PECULIAR VELOCITY CONSTRAINTS FROM FIVE-BAND SZ EFFECT MEASUREMENTS TOWARD RX J1347.5â¶145 WITH MUSIC AND BOLOCAM FROM THE CSO. 2016 , 820, 101		17
947	Building a better understanding of the massive high-redshift BOSS CMASS galaxies as tools for cosmology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 462, 2218-2236	4.3	9
946	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: RSD measurement from the LOS-dependent power spectrum of DR12 BOSS galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 460, 4188-4209	4.3	94
945	Redshift weights for baryon acoustic oscillations: application to mock galaxy catalogues. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 461, 2867-2878	4.3	11
944	Spatial curvature endgame: Reaching the limit of curvature determination. 2016 , 94,		19
943	PECULIAR TRANSVERSE VELOCITIES OF GALAXIES FROM QUASAR MICROLENSING. TENTATIVE ESTIMATE OF THE PECULIAR VELOCITY DISPERSION ATZ~ 0.5. 2016 , 832, 46		4

942	Gaussian streaming with the truncated Zelâdovich approximation. 2016 , 94,		6
941	REDSHIFT MEASUREMENT AND SPECTRAL CLASSIFICATION FOR eBOSS GALAXIES WITH THE REDMONSTER SOFTWARE. 2016 , 152, 205		22
940	Reducing the two-loop large-scale structure power spectrum to low-dimensional, radial integrals. 2016 , 94,		25
939	Galaxy bispectrum, primordial non-Gaussianity and redshift space distortions. 2016 , 2016, 014-014		58
938	The massive end of the luminosity and stellar mass functions and clustering from CMASS to SDSS: evidence for and against passive evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 455, 4122-4135	4.3	30
937	The BOSSâWiggleZ overlap region âll. Dependence of cosmic growth on galaxy type. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 455, 4046-4056	4.3	18
936	The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: modelling the clustering and halo occupation distribution of BOSS CMASS galaxies in the Final Data Release. Monthly Notices of the Royal Astronomical Society, 2016, 460, 1173-1187	4.3	98
935	Modeling the reconstructed BAO in Fourier space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 460, 2453-2471	4.3	39
934	Subhalo abundance matching and assembly bias in the EAGLE simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 460, 3100-3118	4.3	93
933	Constraining gravity at the largest scales through CMB lensing and galaxy velocities. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 460, 4098-4108	4.3	40
932	Accurate and efficient halo-based galaxy clustering modelling with simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 458, 4015-4024	4.3	36
931	On the connection between the metal-enriched intergalactic medium and galaxies: an O viâgalaxy cross-correlation study atzMonthly Notices of the Royal Astronomical Society, 2016 , 460, 590-616	4.3	14
930	The effect of baryons on redshift space distortions and cosmic density and velocity fields in the EAGLE simulation. 2016 , 461, L11-L15		60
929	Dark Energy Versus Modified Gravity. 2016 , 66, 95-122		199
928	Lensing and time-delay contributions to galaxy correlations. 2016 , 48, 1		22
927	Breaking CMB degeneracy in dark energy through LSS. 2016 , 76, 1		
926	The galaxy cluster concentrationamass scaling relation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 455, 892-919	4.3	20
925	SDSS-III Baryon Oscillation Spectroscopic Survey Data Release 12: galaxy target selection and large-scale structure catalogues. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 455, 1553-157.	3 1.3	231

924	Fourier analysis of multitracer cosmological surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 455, 3871-3889	4.3	22
923	Neutral hydrogen in galaxy clusters: impact of AGN feedback and implications for intensity mapping. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 456, 3553-3570	4.3	32
922	Disentangling redshift-space distortions and non-linear bias using the 2D power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 457, 1076-1088	4.3	13
921	The large-scale correlations of multicell densities and profiles: implications for cosmic variance estimates. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 460, 1598-1613	4.3	13
920	The 2QDES Pilot: the luminosity and redshift dependence of quasar clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 459, 1179-1200	4.3	19
919	Galaxy clustering with photometric surveys using PDF redshift information. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 459, 1293-1309	4.3	13
918	Fingers-of-God effect of infalling satellite galaxies. 2016 , 455, L77-L81		8
917	Fitting and forecasting coupled dark energy in the non-linear regime. 2016 , 2016, 045-045		15
916	Redshift-space distortions with wide angular separations. 2016 , 2016, 048-048		28
915	Galaxy clustering in 3D and modified gravity theories. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 456, 1627-1644	4.3	5
914	Testing deviations from IDM with growth rate measurements from six large-scale structure surveys at z= 0.06âI. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 456, 3743-3756	4.3	32
913	The foreground wedge and 21-cm BAO surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 456, 3142-3156	4.3	26
912	Groupâgalaxy correlations in redshift space as a probe of the growth of structure. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 458, 1948-1963	4.3	12
911	The Low Redshift survey at Calar Alto (LoRCA). <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 458, 2940-2952	4.3	3
910	CosmoBolognaLib: C++ libraries for cosmological calculations. 2016 , 14, 35-42		30
909	ANHST/COS SURVEY OF THE LOW-REDSHIFT INTERGALACTIC MEDIUM. I. SURVEY, METHODOLOGY, AND OVERALL RESULTS. 2016 , 817, 111		98
908	Constraints on deviations from IDM within Horndeski gravity. 2016 , 2016, 053-053		59
907	Parameter splitting in dark energy: is dark energy the same in the background and in the cosmic structures?. 2016 , 2016, 059-059		18

906	Gaussian covariance matrices for anisotropic galaxy clustering measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 457, 1577-1592	4.3	70
905	Interloper bias in future large-scale structure surveys. 2016 , 68, 12		19
904	THE SDSS-IV EXTENDED BARYON OSCILLATION SPECTROSCOPIC SURVEY: OVERVIEW AND EARLY DATA. 2016 , 151, 44		415
903	Intrinsic alignments of BOSS LOWZ galaxies âll. Impact of shape measurement methods. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 457, 2301-2317	4.3	30
902	RCSLenS: testing gravitational physics through the cross-correlation of weak lensing and large-scale structure. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 456, 2806-2828	4.3	50
901	Beating non-linearities: improving the baryon acoustic oscillations with the linear point. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 455, 2474-2483	4.3	16
900	The 6dF Galaxy Survey: bulk flows on 50-70h-1Mpc scales. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 455, 386-401	4.3	46
899	Accelerating the two-point and three-point galaxy correlation functions using Fourier transforms. 2016 , 455, L31-L35		35
898	Will kinematic Sunyaev-Zel'dovich measurements enhance the science return from galaxy redshift surveys?. 2017 , 2017, 057-057		12
897	Measurement of the dipole in the cross-correlation function of galaxies. 2017 , 2017, 032-032		37
896	The integrated bispectrum in modified gravity theories. 2017 , 2017, 049-049		10
895	FAST-PT II: an algorithm to calculate convolution integrals of general tensor quantities in cosmological perturbation theory. 2017 , 2017, 030-030		35
894	Void Profile from Planck Lensing Potential Map. 2017 , 836, 156		6
893	Polypolar spherical harmonic decomposition of galaxy correlators in redshift space: Toward testing cosmic rotational symmetry. 2017 , 95,		21
892	Galaxy and Mass Assembly (GAMA): Exploring the WISE Web in G12. 2017, 836, 182		53
891	Higher order relativistic galaxy number counts: dominating terms. 2017, 2017, 010-010		16
890	The Alcock Paczy'nski test with Baryon Acoustic Oscillations: systematic effects for future surveys. 2017 , 2017, 020-020		6
889	The Correlation between Halo Mass and Stellar Mass for the Most Massive Galaxies in the Universe. 2017 , 839, 121		42

888	The large-scale three-point correlation function of the SDSS BOSS DR12 CMASS galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 468, 1070-1083	4.3	42
887	A Redshift Survey of the Nearby Galaxy Cluster Abell 2199: Comparison of the Spatial and Kinematic Distributions of Galaxies with the Intracluster Medium. 2017 , 842, 88		5
886	Quantification of the multi-streaming effect in redshift space distortion. 2017, 2017, 030-030		2
885	Neutrino masses, scale-dependent growth, and redshift-space distortions. 2017 , 2017, 018-018		6
884	Exploring cosmic homogeneity with the BOSS DR12 galaxy sample. 2017 , 2017, 019-019		27
883	Properties and Origin of Galaxy Velocity Bias in the Illustris Simulation. 2017, 841, 45		20
882	The VIMOS Public Extragalactic Redshift Survey (VIPERS). 2017 , 602, A15		25
881	Towards a measurement of the spectral runnings. 2017 , 2017, 032-032		31
880	Testing gravity on large scales by combining weak lensing with galaxy clustering using CFHTLenS and BOSS CMASS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 465, 4853-4865	4.3	22
879	Measuring the 2D baryon acoustic oscillation signal of galaxies in WiggleZ: cosmological constraints. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 4807-4822	4.3	17
878	The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: baryon acoustic oscillations in the Fourier space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 3409-3430	4.3	121
877	Generating log-normal mock catalog of galaxies in redshift space. 2017 , 2017, 003-003		33
876	The VIMOS Public Extragalactic Redshift Survey (VIPERS). 2017 , 604, A33		93
875	Marginalized Fisher forecast for Horndeski dark energy models. 2017 , 26, 1750070		10
874	The Taipan Galaxy Survey: Scientific Goals and Observing Strategy. 2017, 34,		64
873	Redshift-space distortions of galaxies, clusters, and AGN. 2017 , 599, A106		11
872	Precision cosmology with redshift-space bispectrum: A perturbation theory based model at one-loop order. 2017 , 96,		32
871	Wandering in the Lyman-alpha forest: a study of dark matter-dark radiation interactions. 2017 , 2017, 003-003		18

870	Theoretical accuracy in cosmological growth estimation. 2017 , 96,		22
869	Relativistic distortions in the large-scale clustering of SDSS-III BOSS CMASS galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 470, 2822-2833	4.3	23
868	Tension and constraints on modified gravity parametrizations of Geff(z) from growth rate and Planck data. 2017 , 96,		106
867	The Galaxy Count Correlation Function in Redshift Space Revisited. 2017 , 845, 28		7
866	Using galaxy pairs to investigate the three-point correlation function in the squeezed limit. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 472, 577-590	4.3	9
865	Long gradient mode and large-scale structure observables. 2017 , 95,		2
864	Efficient simulations of large-scale structure in modified gravity cosmologies with comoving Lagrangian acceleration. 2017 , 95,		32
863	Anisotropy of the astrophysical gravitational wave background: Analytic expression of the angular power spectrum and correlation with cosmological observations. 2017 , 96,		50
862	Linear redshift space distortions for cosmic voids based on galaxies in redshift space. 2017, 95,		21
861	Imprint of DESI fiber assignment on the anisotropic power spectrum of emission line galaxies. 2017 , 2017, 008-008		14
860	Analyzing the cosmic variance limit of remote dipole measurements of the cosmic microwave background using the large-scale kinetic Sunyaev Zel'dovich effect. 2017 , 2017, 040-040		14
859	Consistency relations in effective field theory. 2017 , 2017, 042-042		6
858	Editorial note to: E. Lifshitz, On the gravitational stability of the expanding universe. 2017, 49, 1		3
857	Multipole analysis of redshift-space distortions around cosmic voids. 2017 , 2017, 014-014		37
856	The FMOS-COSMOS Survey of Star-forming Galaxies atZ~ 1.6. V: Properties of Dark Matter Halos Containing HEmitting Galaxies. 2017 , 843, 138		11
855	Testing isotropy in the Two Micron All-Sky redshift survey with information entropy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 468, 1953-1961	4.3	4
854	Holographic dark energy. 2017 , 696, 1-57		154
853	The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: towards a computationally efficient analysis without informative priors. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 468, 4116-4133	4.3	10

852	The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: single-probe measurements from DR12 galaxy clustering âltowards an accurate model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 2370-2390	4.3	24
851	The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: cosmological analysis of the DR12 galaxy sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 470, 2617-2652	4.3	1176
850	Fisher Matrix-based Predictions for Measuring the $z=3.35$ Binned 21-cm Power Spectrum using the Ooty Wide Field Array (OWFA). 2017 , 38, 1		8
849	Prospects of Detecting HI using Redshifted 21-cm Radiation at z~3. 2017 , 38, 1		3
848	The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: tomographic BAO analysis of DR12 combined sample in configuration space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 469, 3762-3774	4.3	74
847	Spherical collapse, formation hysteresis and the deeply non-linear cosmological power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 1282-1293	4.3	18
846	The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: Cosmological implications of the configuration-space clustering wedges. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 1640-1658	4.3	99
845	Cosmological forecasts for combined and next-generation peculiar velocity surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 2517-2544	4.3	32
844	Cross-correlatingPlanckCMB lensing with SDSS: lensingâlensing and galaxyâlensing cross-correlations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 2120-2138	4.3	38
843	Alcockâ₽aczy⊠ki test with model-independent BAO data. 2017 , 26, 1750055		18
843	AlcockâPaczyEki test with model-independent BAO data. 2017, 26, 1750055 N-body simulations of gravitational redshifts and other relativistic distortions of galaxy clustering. Monthly Notices of the Royal Astronomical Society, 2017, 471, 2345-2356	4.3	18
	N-body simulations of gravitational redshifts and other relativistic distortions of galaxy clustering.	4.3	
842	N-body simulations of gravitational redshifts and other relativistic distortions of galaxy clustering. Monthly Notices of the Royal Astronomical Society, 2017, 471, 2345-2356 The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: RSD measurement from the power spectrum and bispectrum of the DR12 BOSS galaxies. Monthly		10
842	N-body simulations of gravitational redshifts and other relativistic distortions of galaxy clustering. Monthly Notices of the Royal Astronomical Society, 2017, 471, 2345-2356 The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: RSD measurement from the power spectrum and bispectrum of the DR12 BOSS galaxies. Monthly Notices of the Royal Astronomical Society, 2017, 465, 1757-1788 The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: tomographic BAO analysis of DR12 combined sample in Fourier space. Monthly Notices of the Royal	4.3	10
842 841 840	N-body simulations of gravitational redshifts and other relativistic distortions of galaxy clustering. Monthly Notices of the Royal Astronomical Society, 2017, 471, 2345-2356 The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: RSD measurement from the power spectrum and bispectrum of the DR12 BOSS galaxies. Monthly Notices of the Royal Astronomical Society, 2017, 465, 1757-1788 The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: tomographic BAO analysis of DR12 combined sample in Fourier space. Monthly Notices of the Royal Astronomical Society, 2017, 466, 762-779 Beyond Kaiser bias: mildly non-linear two-point statistics of densities in distant spheres. Monthly	4-3	10 169 47
842 841 840 839	N-body simulations of gravitational redshifts and other relativistic distortions of galaxy clustering. Monthly Notices of the Royal Astronomical Society, 2017, 471, 2345-2356 The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: RSD measurement from the power spectrum and bispectrum of the DR12 BOSS galaxies. Monthly Notices of the Royal Astronomical Society, 2017, 465, 1757-1788 The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: tomographic BAO analysis of DR12 combined sample in Fourier space. Monthly Notices of the Royal Astronomical Society, 2017, 466, 762-779 Beyond Kaiser bias: mildly non-linear two-point statistics of densities in distant spheres. Monthly Notices of the Royal Astronomical Society, 2017, 466, 2067-2084 Baryonic acoustic oscillations from 21'cm intensity mapping: the Square Kilometre Array case.	4·3 4·3	10 169 47
842 841 840 839 838	N-body simulations of gravitational redshifts and other relativistic distortions of galaxy clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 2345-2356 The clustering of galaxies in the SDSS-III Baryon Oscillation Spectroscopic Survey: RSD measurement from the power spectrum and bispectrum of the DR12 BOSS galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 465, 1757-1788 The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: tomographic BAO analysis of DR12 combined sample in Fourier space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 466, 762-779 Beyond Kaiser bias: mildly non-linear two-point statistics of densities in distant spheres. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 466, 2067-2084 Baryonic acoustic oscillations from 21 cm intensity mapping: the Square Kilometre Array case. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 466, 2736-2751 The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: anisotropic galaxy clustering in Fourier space. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4·3 4·3 4·3	10 169 47 12

834	Optimized clustering estimators for BAO measurements accounting for significant redshift uncertainty. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 472, 4456-4468	4.3	15	
833	An optimal FFT-based anisotropic power spectrum estimator. 2017 , 2017, 002-002		32	
832	Clustering of quasars in SDSS-IV eBOSS: study of potential systematics and bias determination. 2017 , 2017, 017-017		53	
831	Large-scale tidal effect on redshift-space power spectrum in a finite-volume survey. 2017 , 95,		36	
830	Disentangling the effects of Doppler velocity and primordial non-Gaussianity in galaxy power spectra. 2017 , 96,		20	
829	Quasilinear observables in dark energy cosmologies. 2017 , 95,		1	
828	Kriging interpolating cosmic velocity field. II. Taking anistropies and multistreaming into account. 2017 , 95,		3	
827	Constraining the H iâ⊞alo Mass Relation from Galaxy Clustering. 2017 , 846, 61		35	
826	Constraining modified theories of gravity with the galaxy bispectrum. 2017, 96,		16	
825	Imprints of local lightcone projection effects on the galaxy bispectrum. Part II. 2017 , 2017, 040-040		16	
824	2MTF âlVI. Measuring the velocity power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 3135-3151	4.3	45	
823	Galaxyâgalaxy lensing estimators and their covariance properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 3827-3844	4.3	64	
822	Measuring cosmic velocities with 21 cm intensity mapping and galaxy redshift survey cross-correlation dipoles. 2017 , 95,		25	
821	Improving constraints on the growth rate of structure by modelling the densityaMelocity cross-correlation in the 6dF Galaxy Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 839-856	4.3	27	
820	Phenomenology of baryon acoustic oscillation evolution from Lagrangian to Eulerian space. 2017 , 95,		8	
819	Smoothing the redshift distributions of random samples for the baryon acoustic oscillations: applications to the SDSS-III BOSS DR12 and QPM mock samples. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 472, 2869-2876	4.3	3	
818	Measuring the Growth Rate of Structure with Type IA Supernovae from LSST. 2017, 847, 128		27	
817	liger: mock relativistic light cones from Newtonian simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 3899-3914	4.3	25	

816	Matched filtering with interferometric 21 cm experiments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 1167-1180	4.3	10
815	Dipolar modulation in the size of galaxies: the effect of Doppler magnification. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 472, 3936-3951	4.3	21
814	Modelling the large-scale redshift-space 3-point correlation function of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 469, 2059-2076	4.3	23
813	The matter power spectrum in redshift space using effective field theory. 2017 , 2017, 039-039		14
812	The effect of interstellar absorption on measurements of the baryon acoustic peak in the Lyman \oplus forest. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 472, 799-807	4.3	
811	Rapid modelling of the redshift-space power spectrum multipoles for a masked density field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 3121-3130	4.3	42
810	Response approach to the squeezed-limit bispectrum: application to the correlation of quasar and Lyman-Forest power spectrum. 2017 , 2017, 022-022		12
809	HIFLUGCS: X-ray luminosity-dynamical mass relation and its implications for mass calibrations with the SPIDERS and 4MOST surveys. 2017 , 599, A138		15
808	Probing the dynamical and X-ray mass proxies of the cluster of galaxies Abell S1101. 2017 , 597, A24		4
807	Can anisotropy in the galaxy distribution tell the bias?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 469, 1861-1868	4.3	1
806	An Evaluation of Cosmological Models from the Expansion and Growth of Structure Measurements. 2017 , 850, 183		42
805	Consistency of the growth rate in different environments with the 6-degree Field Galaxy Survey: Measurement of the void-galaxy and galaxy-galaxy correlation functions. 2017 , 95,		29
804	Reconstruction of halo power spectrum from redshift-space galaxy distribution: cylinder-grouping method and halo exclusion effect. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 469, 459-475	5 ^{4·3}	9
803	Evolution of the real-space correlation function from next generation cluster surveys. 2017 , 600, A32		4
802	The VLT LBG redshift survey âlVI. Mapping H i in the proximity of z´~´3 LBGs with X-Shooter. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 2174-2186	4.3	16
801	Baryon acoustic oscillations from the complete SDSS-III Ly \blacksquare quasar cross-correlation function at z = 2.4. 2017 , 608, A130		128
800	From voids to filaments: environmental transformations of galaxies in the SDSS. 2017, 600, L6		56
799	The VIMOS Public Extragalactic Redshift Survey. 2017 , 607, A54		50

798	The VIMOS Public Extragalactic Redshift Survey (VIPERS). 2017, 608, A44		54
797	The linear growth of structure in theRh=ctuniverse. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 1966-1976	4.3	33
796	Modelling galaxy clustering on small scales to tighten constraints on dark energy and modified gravity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 3005-3012	4.3	4
795	Optimal redshift weighting for redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 2698-2707	4.3	18
794	Large-scale stability and astronomical constraints for coupled dark-energy models. 2018, 97,		61
793	Modelling non-linear effects of dark energy. 2018 , 2018, 032-032		6
792	Cosmology with the Large Synoptic Survey Telescope: an overview. 2018 , 81, 066901		27
791	Lensing convergence in galaxy clustering in @DM and beyond. 2018 , 2018, 033-033		16
790	Probing primordial features with next-generation photometric and radio surveys. 2018 , 2018, 044-044		18
789	Peering beyond the horizon with standard sirens and redshift drift. 2018 , 2018, 002-002		7
789 788	Peering beyond the horizon with standard sirens and redshift drift. 2018, 2018, 002-002 Absorber Model: the Halo-like model for the Lyman-Forest. 2018, 2018, 026-026		7 9
		4-3	
788	Absorber Model: the Halo-like model for the Lyman-Forest. 2018, 2018, 026-026 The BAHAMAS project: the CMBâlarge-scale structure tension and the roles of massive neutrinos	4.3	9
788 787	Absorber Model: the Halo-like model for the Lyman-Forest. 2018, 2018, 026-026 The BAHAMAS project: the CMBâlarge-scale structure tension and the roles of massive neutrinos and galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 2999-3030 Impact of large-scale tides on cosmological distortions via redshift-space power spectrum. 2018,	4-3	9
788 787 786	Absorber Model: the Halo-like model for the Lyman-Forest. 2018, 2018, 026-026 The BAHAMAS project: the CMBâlarge-scale structure tension and the roles of massive neutrinos and galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 2999-3030 Impact of large-scale tides on cosmological distortions via redshift-space power spectrum. 2018, 97, A scale-dependent bias on linear scales: the case for H i intensity mapping at z´=´1. <i>Monthly Notices</i>		9 86 19
788 787 786 785	Absorber Model: the Halo-like model for the Lyman-Forest. 2018, 2018, 026-026 The BAHAMAS project: the CMBâlarge-scale structure tension and the roles of massive neutrinos and galaxy formation. Monthly Notices of the Royal Astronomical Society, 2018, 476, 2999-3030 Impact of large-scale tides on cosmological distortions via redshift-space power spectrum. 2018, 97, A scale-dependent bias on linear scales: the case for H i intensity mapping at z'='1. Monthly Notices of the Royal Astronomical Society, 2018, 473, 4297-4305		9 86 19
788 787 786 785 784	Absorber Model: the Halo-like model for the Lyman-Forest. 2018, 2018, 026-026 The BAHAMAS project: the CMBâlarge-scale structure tension and the roles of massive neutrinos and galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 2999-3030 Impact of large-scale tides on cosmological distortions via redshift-space power spectrum. 2018, 97, A scale-dependent bias on linear scales: the case for H i intensity mapping at z'='1. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 4297-4305 Redshift-space distortions from vector perturbations. 2018, 2018, 028-028 Reconstruction of real-space linear matter power spectrum from multipoles of BOSS DR12 results.		9 86 19 11 8

780	Characterising and identifying galaxy protoclusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 474, 4612-4628	4.3	20
779	Impact of relativistic effects on cosmological parameter estimation. 2018 , 97,		33
778	Nonlinear reconstruction of redshift space distortions. 2018 , 97,		10
777	Perturbed redshifts from N-body simulations. 2018 , 97,		4
776	Observed galaxy power spectrum in cubic Galileon model. 2018 , 2018, 045-045		8
775	Doppler term in the galaxy two-point correlation function: Wide-angle, velocity, Doppler lensing and cosmic acceleration effects. 2018 , 19, 109-123		22
774	Detecting higher spin fields through statistical anisotropy in the CMB and galaxy power spectra. 2018 , 97,		36
773	Fast and accurate computation of projected two-point functions. 2018 , 97,		19
772	KiDS-450 + 2dFLenS: Cosmological parameter constraints from weak gravitational lensing tomography and overlapping redshift-space galaxy clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 474, 4894-4924	4.3	164
771	Cosmology and fundamental physics with the Euclid satellite. 2018 , 21, 2		366
770	High-redshift post-reionization cosmology with 21cm intensity mapping. 2018, 2018, 004-004		38
769	Evolution of the f8 tension with the Planck15/IDM determination and implications for modified gravity theories. 2018 , 97,		87
768	New limits on coupled dark energy model after Planck 2015. 2018 , 20, 78-87		3
767	Large-scale galaxy bias. 2018 , 733, 1-193		300
766	Gravitational corrections to light propagation in a perturbed FLRW universe and corresponding weak-lensing spectra. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 741-754	4.3	3
765	Noise estimates for measurements of weak lensing from the Ly Forest. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 2841-2847	4.3	6
764	Cosmological Constraints from the Redshift Dependence of the AlcockâPaczynski Effect: Dynamical Dark Energy. 2018 , 856, 88		17
763	An analytical method to simulate the H i 21-cm visibility signal for intensity mapping experiments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 473, 261-270	4.3	5

(2018-2018)

762	A direct measure of free electron gas via the kinematic SunyaevâIel'dovich effect in Fourier-space analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 475, 3764-3785	4.3	12	
761	Understanding Large-scale Structure in the SSA22 Protocluster Region Using Cosmological Simulations. 2018 , 852, 134		11	
760	The full-sky relativistic correlation function and power spectrum of galaxy number counts. Part I: theoretical aspects. 2018 , 2018, 019-019		36	
759	ProtoDESI: First On-Sky Technology Demonstration for the Dark Energy Spectroscopic Instrument. 2018 , 130, 025005		3	
758	Dark energy two decades after: observables, probes, consistency tests. 2018 , 81, 016901		136	
757	On the streaming model for redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 479, 2256-2276	4.3	16	
756	Power spectrum multipoles on the curved sky: an application to the 6-degree Field Galaxy Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 479, 5168-5183	4.3	24	
755	Calibrating magnification bias for the EG statistic to test general relativity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 481, 1441-1454	4.3	3	
754	A Redshift Survey of the Nearby Galaxy Cluster A2107: Global Rotation of the Cluster and Its Connection to Large-scale Structures in the Universe. 2018 , 869, 124		4	
753	The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: a tomographic analysis of structure growth and expansion rate from anisotropic galaxy clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 481, 3160-3166	4.3	27	
75 ²	The cosmological bias factor of damped Lyman alpha systems: dependence on metal line strength. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 480, 4702-4709	4.3	11	
75 ¹	The XXL Survey. 2018 , 620, A1		14	
75°	Deconstructing the neutrino mass constraint from galaxy redshift surveys. 2018 , 2018, 035-035		37	
749	The VIMOS Public Extragalactic Redshift Survey (VIPERS). 2018 , 619, A17		14	
748	Detectability of 21 cm-signal during the Epoch of Reionization with 21 cm-Lyman-lemitter cross-correlation âll. Foreground contamination. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 479, 2767-2776	4.3	8	
747	Intensity mapping with SDSS/BOSS Lyman-Emission, quasars, and their Lyman-Forest. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 481, 1320-1336	4.3	29	
746	Combining spectroscopic and photometric surveys using angular cross-correlations âllII. Galaxy bias and stochasticity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 480, 5226-5241	4.3	2	
745	The kinematics of cluster galaxies via velocity dispersion profiles. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 481, 1507-1521	4.3	10	

744	Galaxy clusters in simulations of the local Universe: a matter of constraints. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 476, 4362-4371	4.3	7
743	Galaxy bispectrum from massive spinning particles. 2018 , 2018, 013-013		33
742	Correlations in the three-dimensional Lyman-alpha forest contaminated by high column density absorbers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 476, 3716-3728	4.3	11
741	Scale-dependent galaxy bias from massive particles with spin during inflation. 2018 , 2018, 010-010		20
740	21 cm angular power spectrum from minihalos as a probe of primordial spectral runnings. 2018 , 2018, 053-053		12
739	The galaxy power spectrum and bispectrum in redshift space. 2018 , 2018, 035-035		47
738	The triply-ionized carbon forest from eBOSS: cosmological correlations with quasars in SDSS-IV DR14. 2018 , 2018, 029-029		9
737	BAO from angular clustering: optimization and mitigation of theoretical systematics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 480, 3031-3051	4.3	9
736	Model-independent measures of gravity at large scales. 2018 , 33, 1844022		
735	Redshift-space distortions from vector perturbations. II. Anisotropic signal. 2018, 98,		5
734	A Detection of the Baryon Acoustic Oscillation features in the SDSS BOSS DR12 Galaxy Bispectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 478, 4500-4512	4.3	39
733	Low redshift baryon acoustic oscillation measurement from the reconstructed 6-degree field galaxy survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 481, 2371-2383	4.3	33
732	Infrared resummation for biased tracers in redshift space. 2018 , 2018, 053-053		40
731	Power spectrum in the presence of large-scale overdensity and tidal fields: breaking azimuthal symmetry. 2018 , 2018, 049-049		6
730	A practical computational method for the anisotropic redshift-space three-point correlation function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 478, 1468-1483	4.3	21
729	Weak lensing of the Lyman \$boldsymbol {alpha }\$ forest. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 1814-1821	4.3	7
728	A sodial management of the colony, kidal alicement managined with BOSS data. Manthly National		
728	A radial measurement of the galaxy tidal alignment magnitude with BOSS data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 478, 711-732	4.3	17

726	No evidence for modifications of gravity from galaxy motions on cosmological scales. 2018 , 2, 967-972		25
725	Pancakes and fingers in the sky. 2018 , 2, 942-943		
724	Hybrid modeling of redshift space distortions. 2018 , 2018, 018-018		7
723	Cosmological constraints from galaxy clustering in the presence of massive neutrinos. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 491-506	4.3	12
722	Cosmological Distance Indicators. 2018 , 214, 1		19
721	Gaussian processes reconstruction of dark energy from observational data. 2018 , 78, 1		30
720	Maximal compression of the redshift-space galaxy power spectrum and bispectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 476, 4045-4070	4.3	28
719	Internal robustness of growth rate data. 2018 , 98,		30
718	Ingredients for 21 cm Intensity Mapping. 2018 , 866, 135		88
717	Detectability of the 21-cm signal during the epoch of reionization with 21-cm Lyman æmitter cross-correlation â[]. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 479, 2754-2766	4.3	15
716	The Subaru FMOS galaxy redshift survey (FastSound). V. Intrinsic alignments of emission-line galaxies at $z \sim 1.4$. 2018 , 70,		10
715	COFFE: a code for the full-sky relativistic galaxy correlation function. 2018 , 2018, 032-032		18
714	Are redshift-space distortions actually a probe of growth of structure?. 2018 , 70,		6
713	Searching for light relics with large-scale structure. 2018 , 2018, 029-029		38
712	The clustering of the SDSS-IV extended Baryon Oscillation Spectroscopic Survey DR14 quasar sample: anisotropic clustering analysis in configuration space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 480, 2521-2534	4.3	44
711	Constraining primordial non-Gaussianity with bispectrum and power spectrum from upcoming optical and radio surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 478, 1341-1376	4.3	66
710	Bias due to neutrinos must not uncorrect'd go. 2018 , 2018, 001-001		48
709	The clustering of the SDSS-IV extended Baryon Oscillation Spectroscopic Survey DR14 quasar sample: measurement of the growth rate of structure from the anisotropic correlation function between redshift 0.8 and 2.2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 1639-1663	4.3	73

708	The effect of photometric redshift uncertainties on galaxy clustering and baryonic acoustic oscillations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 3892-3909	4.3	12
707	Large Scale Structure in Redshift Space. 2018 , 73, 504-515		
706	The integrated SachsâlWolfe effect in the bulk viscous dark energy model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 481, 1799-1808	4.3	7
705	Precise peculiar velocities from gravitational waves accompanied by electromagnetic signals and cosmological applications. 2018 , 98,		3
704	Gravitational redshift in the void-galaxy cross-correlation function in redshift space. 2018 , 98,		1
703	KiDS+2dFLenS+GAMA: testing the cosmological model with the EG statistic. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 479, 3422-3437	4.3	30
702	Limits on statistical anisotropy from BOSS DR12 galaxies using bipolar spherical harmonics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 473, 2737-2752	4.3	20
701	Cosmological constraints from multiple tracers in spectroscopic surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 473, 1444-1460	4.3	7
700	Bubble size statistics during reionization from 21-cm tomography. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 473, 2949-2964	4.3	32
699	Perturbative Gaussianizing transforms for cosmological fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 473, 3190-3203	4.3	4
698	Galaxy evolution in the metric of the cosmic web. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 474, 547-571	4.3	76
697	The SDSS-DR12 large-scale cross-correlation of damped Lyman alpha systems with the Lyman alpha forest. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 473, 3019-3038	4.3	38
696	Optimal galaxy survey for detecting the dipole in the cross-correlation with 21 cm Intensity Mapping. 2018 , 2018, 043-043		11
695	Testing the equivalence principle on cosmological scales. 2018 , 2018, 061-061		26
694	Hunting high and low: disentangling primordial and late-time non-Gaussianity with cosmic densities in spheres. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 474, 2853-2870	4.3	18
693	Extracting cosmological information from the angular power spectrum of the 2MASS Photometric Redshift catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 476, 1050-1070	4.3	15
692	Statistical inconsistencies in the KiDS-450 data set. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 476, 151-157	4.3	32
691	Low-amplitude clustering in low-redshift 21-cm intensity maps cross-correlated with 2dF galaxy densities. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 476, 3382-3392	4.3	67

690	GalWeight: A New and Effective Weighting Technique for Determining Galaxy Cluster and Group Membership. 2018 , 861, 22		10	
689	Empirical Modeling of the Redshift Evolution of the \$[{rm{N}},{rm{II}}]\$/Hæatio for Galaxy Redshift Surveys. 2018 , 855, 132		21	
688	Detection of z ~ 2.3 Cosmic Voids from 3D LyForest Tomography in the COSMOS Field. 2018 , 861, 60		23	
687	Accurate Determination of Halo Velocity Bias in Simulations and Its Cosmological Implications. 2018 , 861, 58		12	
686	Dark Energy Survey Year-1 results: galaxy mock catalogues for BAO. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 479, 94-110	4.3	19	
685	Approximation methods in modified gravity models. 2018 , 27, 1848004		2	
684	Probing cosmic velocityâdensity correlations with galaxy luminosity modulations. 2018, 480, L90-L94			
683	Effects of primordial black holes quantum gravity decay on galaxy clustering. 2018 , 2018, 003-003		8	
682	General relativistic corrections in density-shear correlations. 2018, 2018, 008-008		8	
681	Higher multipoles of the galaxy bispectrum in redshift space. 2018 , 2018, 038-038		7	
680	The clustering of the SDSS-IV extended Baryon Oscillation Spectroscopic Survey DR14 quasar sample: structure growth rate measurement from the anisotropic quasar power spectrum in the redshift range 0.8′. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 477, 1604-1638	4.3	88	
679	The clustering of theSDSS-IV extended Baryon Oscillation Spectroscopic Survey DR14 quasar sample: measuring the anisotropic baryon acoustic oscillations with redshift weights. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 480, 1096-1105	4.3	18	
678	Mapping the Real Space Distributions of Galaxies in SDSS DR7. II. Measuring the Growth Rate, Clustering Amplitude of Matter, and Biases of Galaxies at Redshift 0.1. 2018 , 861, 137		28	
677	Efficient computation of galaxy bias with neutrinos and other relics. 2018, 98,		24	
676	Quasar âlCIV forest cross-correlation with SDSS DR12. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 480, 610-622	4.3	2	
675	Predicting Hæmission-line galaxy counts for future galaxy redshift surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 474, 177-196	4.3	28	
674	Galaxy and Mass Assembly (GAMA): small-scale anisotropic galaxy clustering and the pairwise velocity dispersion of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 474, 3435-3450	4.3	7	
673	Modelling redshift space distortion in the post-reionization H i 21-cm power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 476, 96-108	4.3	13	

672	Imprint of thawing scalar fields on the large scale galaxy overdensity. 2018, 97,		5
671	Cosmology in the era of Euclid and the Square Kilometre Array. 2019 , 2019, 047-047		45
670	Baryon acoustic oscillation methods for generic curvature: application to the SDSS-III Baryon Oscillation Spectroscopic Survey. 2019 , 2019, 003-003		8
669	Interpreting measurements of the anisotropic galaxy power spectrum. 2019 , 2019, 040-040		30
668	The relativistic dipole and gravitational redshift on LSS. 2019 , 2019, 050-050		15
667	Probing primordial non-Gaussianity with 21 cm fluctuations from minihalos. 2019 , 2019, 033-033		5
666	Thermalisation of sterile neutrinos in the early universe in the 3+1 scheme with full mixing matrix. 2019 , 2019, 014-014		40
665	Synergies between radio, optical and microwave observations at high redshift. 2019 , 2019, 023-023		13
664	Probing redshift-space distortions with phase correlations. 2019 , 99,		4
			/
663	Can the homogeneity scale be used as a standard ruler?. 2019 , 99,		2
663 662	Can the homogeneity scale be used as a standard ruler?. 2019 , 99, The redshift-space momentum power spectrum âll. Optimal estimation from peculiar velocity surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 5209-5234	3	9
Ĵ	The redshift-space momentum power spectrum â[]. Optimal estimation from peculiar velocity		
662	The redshift-space momentum power spectrum âll. Optimal estimation from peculiar velocity surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 5209-5234 Redshift-space distortions of the H i 21-cm intensity mapping signal due to the internal motions		9
662	The redshift-space momentum power spectrum âll. Optimal estimation from peculiar velocity surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 5209-5234 Redshift-space distortions of the H i 21-cm intensity mapping signal due to the internal motions within galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 5666-5678 Beyond BAO: Improving cosmological constraints from BOSS data with measurement of the	3	9
662 661 660	The redshift-space momentum power spectrum âll. Optimal estimation from peculiar velocity surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 5209-5234 Redshift-space distortions of the H i 21-cm intensity mapping signal due to the internal motions within galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 5666-5678 Beyond BAO: Improving cosmological constraints from BOSS data with measurement of the void-galaxy cross-correlation. 2019 , 100, Clustering and redshift-space distortions in modified gravity models with massive neutrinos.	3	9 9 33
662 661 660	The redshift-space momentum power spectrum âll. Optimal estimation from peculiar velocity surveys. Monthly Notices of the Royal Astronomical Society, 2019, 487, 5209-5234 Redshift-space distortions of the H i 21-cm intensity mapping signal due to the internal motions within galaxies. Monthly Notices of the Royal Astronomical Society, 2019, 487, 5666-5678 Beyond BAO: Improving cosmological constraints from BOSS data with measurement of the void-galaxy cross-correlation. 2019, 100, Clustering and redshift-space distortions in modified gravity models with massive neutrinos. Monthly Notices of the Royal Astronomical Society, 2019, 488, 1987-2000 Dark Energy Survey Year 1 results: measurement of the baryon acoustic oscillation scale in the	3	9 9 33 8
662 661 660 659	The redshift-space momentum power spectrum âll. Optimal estimation from peculiar velocity surveys. Monthly Notices of the Royal Astronomical Society, 2019, 487, 5209-5234 Redshift-space distortions of the H i 21-cm intensity mapping signal due to the internal motions within galaxies. Monthly Notices of the Royal Astronomical Society, 2019, 487, 5666-5678 Beyond BAO: Improving cosmological constraints from BOSS data with measurement of the void-galaxy cross-correlation. 2019, 100, Clustering and redshift-space distortions in modified gravity models with massive neutrinos. Monthly Notices of the Royal Astronomical Society, 2019, 488, 1987-2000 Dark Energy Survey Year 1 results: measurement of the baryon acoustic oscillation scale in the distribution of galaxies to redshift 1. Monthly Notices of the Royal Astronomical Society, 2019, 483, 4866-48	3	9 9 33 8 63

654	Anisotropic halo assembly bias and redshift-space distortions. 2019 , 2019, 020-020		12
653	Detecting the neutral IGM in filaments with the SKA. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 490, 1415-1424	4.3	6
652	Halo concentration, galaxy red fraction, and gas properties of optically defined merging clustersâ 2019 , 71,		14
651	The reconstructed power spectrum in the Zeldovich approximation. 2019 , 2019, 017-017		11
650	Probing the Time Variation of the Effective Newtonâl Constant with Optimal Redshift Weights. 2019 , 877, 32		2
649	The Lyman-Forest as a diagnostic of the nature of the dark matter. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 489, 3456-3471	4.3	24
648	Estimating covariance matrices for two- and three-point correlation function moments in Arbitrary Survey Geometries. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 490, 5931-5951	4.3	12
647	Effects of long-wavelength fluctuations in large galaxy surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 489, 1684-1696	4.3	9
646	Forecasting cosmological bias due to local gravitational redshift. 2019 , 28, 1950150		
645	Estimating the galaxy two-point correlation function using a split random catalog. 2019 , 631, A73		7
644	Developing a unified pipeline for large-scale structure data analysis with angular power spectra âll. The importance of redshift-space distortions for galaxy number counts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 489, 3385-3402	4.3	11
643	Imaging the Thermal and Kinematic Sunyaevâllelâllovich Effect Signals in a Sample of 10 Massive Galaxy Clusters: Constraints on Internal Velocity Structures and Bulk Velocities. 2019 , 880, 45		18
642	Cosmology from the Chinese Space Station Optical Survey (CSS-OS). 2019 , 883, 203		35
641	Redshift-weighted constraints on primordial non-Gaussianity from the clustering of the eBOSS DR14 quasars in Fourier space. 2019 , 2019, 010-010		49
640	Intensity mapping with neutral hydrogen and the Hidden Valley simulations. 2019, 2019, 024-024		16
639	An accurate fitting function for scale-dependent growth rate in Hu-Sawicki f(R) gravity. 2019 , 2019, 066	-066	2
638	Modelling the post-reionization neutral hydrogen (H i) 21-cm bispectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 490, 2880-2889	4.3	8
637	Quintessential isocurvature in separate universe simulations. 2019 , 100,		5

636	Study on the mapping of halo clustering from real space to redshift space. 2019 , 2019, 013-013		3
635	Investigating the degeneracy between modified gravity and massive neutrinos with redshift-space distortions. 2019 , 2019, 040-040		13
634	Power spectrum modelling of galaxy and radio intensity maps including observational effects. <i>Monthly Notices of the Royal Astronomical Society,</i> 2019 , 489, 153-167	4.3	9
633	Bayesian cosmic density field inference from redshift space dark matter maps. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 488, 2573-2604	4.3	10
632	Radiative transfer distortions of Lyman Elemitters: a new Fingers-of-God damping in the clustering in redshift space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 489, 3472-3491	4.3	8
631	The biasing phenomenon. 2019 , 630, A62		5
630	The clustering of galaxies in the completed SDSS-III Baryon Oscillation Spectroscopic Survey: a tomographic measurement of structure growth and expansion rate from anisotropic galaxy clustering in Fourier space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 484, 442-450	4.3	12
629	BAM: bias assignment method to generate mock catalogues. 2019 , 483, L58-L63		10
628	The role of galaxies and AGNs in reionizing the IGM â[II. Metal-tracing the faint sources of reionization at 5 ?z? 6. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 483, 19-37	4.3	22
627	TightH0 constraint from galaxy redshift surveys: combining baryon acoustic oscillation measurements and AlcockâPaczynski test with a CMB prior. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 483, 1655-1662	4.3	11
626	Neutrino mass and dark energy constraints from redshift-space distortions. 2019, 2019, 041-041		15
625	Linear bias forecasts for emission line cosmological surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 486, 5737-5765	4.3	13
624	The Massively Accreting Cluster A2029. 2019 , 871, 129		8
623	The dipole of the galaxy bispectrum. 2019 , 486, L101-L104		22
622	Line Intensity Mapping with [C ii] and CO(1-0) as Probes of Primordial Non-Gaussianity. 2019 , 872, 126		29
621	The Aemulus Project. III. Emulation of the Galaxy Correlation Function. 2019 , 874, 95		48
620	Flatness without CMB: The Entanglement of Spatial Curvature and Dark Energy Equation of State. 2019 , 877, 107		7
619	The effects of galaxy assembly bias on the inference of growth rate from redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 2424-2440	4.3	11

618	Physical Properties of a Coma-analog Protocluster at $z = 6.5$. 2019 , 877, 51		10
617	Detecting baryon acoustic oscillations in dark matter from kinematic weak lensing surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 253-267	4.3	O
616	SDSS-IV MaNGA: signatures of halo assembly in kinematically misaligned galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 483, 172-188	4.3	8
615	Cosmological information in the redshift-space bispectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 483, 2078-2099	4.3	55
614	Optimizing primordial non-Gaussianity measurements from galaxy surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 485, 4160-4166	4.3	15
613	Structure and dynamics in low-density regions: galaxyâgalaxy correlations inside cosmic voids. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 483, 4070-4079	4.3	2
612	Estimates for the impact of ultraviolet background fluctuations on galaxy clustering measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 485, 5059-5072	4.3	6
611	An accurate linear model for redshift space distortions in the voidagalaxy correlation function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 483, 3472-3487	4.3	20
610	Evolution of Star-forming Galaxies from $z = 0.7$ to 1.2 with eBOSS Emission-line Galaxies. 2019 , 871, 147	7	21
609	Time-dependent fluctuations in the metagalactic photoionization background. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 482, 4777-4797	4.3	7
608	Application of the iterative reconstruction to simulated galaxy fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 482, 5685-5693	4.3	11
60 7	Imprints of relativistic effects on the asymmetry of the halo cross-correlation function: from linear to non-linear scales. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 483, 2671-2696	4.3	19
606	Large-scale redshift space distortions in modified gravity theories. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 485, 2194-2213	4.3	18
605	Dark energy in Horndeski theories after GW170817: A review. 2019 , 28, 1942005		82
604	Cosmological measurements from angular power spectra analysis of BOSS DR12 tomography. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 485, 326-355	4.3	23
603	Using the Modified Nearest Neighbor Method to Correct Fiber-collision Effects on Galaxy Clustering. 2019 , 872, 26		5
602	Accurate fitting functions for peculiar velocity spectra in standard and massive-neutrino cosmologies. 2019 , 622, A109		13
601	Lyman- [p ower spectrum as a probe of modified gravity. 2019 , 2019, 049-049		1

600	Biases from neutrino bias: to worry or not to worry?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 483, 734-743	29
599	Probing gravity with a joint analysis of galaxy and CMB lensing and SDSS spectroscopy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 482, 785-806	19
598	BAO reconstruction: a swift numerical action method for massive spectroscopic surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 484, 3818-3830	16
597	Redshift space distortion of 21 cm line at 1 Monthly Notices of the Royal Astronomical Society, 2019 , 484, 5389-5399	11
596	Testing gravity on cosmological scales with cosmic shear, cosmic microwave background anisotropies, and redshift-space distortions. 2019 , 99,	13
595	Cosmological Hydrodynamic Simulations with Suppressed Variance in the LyForest Power Spectrum. 2019 , 871, 144	7
594	Cosmological Tests of Gravity with the Latest Observations. 2019 , 871, 196	4
593	Exploring redshift-space distortions in large-scale structure. 2019 , 2019, 007-007	26
592	Cosmology of surviving Horndeski theory: The road ahead. 2019 , 99,	21
591	Comment on â⊞ubble flow variations as a test for inhomogeneous cosmologyâ □2019 , 624, A12	1
590	膨keleton analysis of the cosmic web. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 485, 5276-5384	8
589	Non-fiducial cosmological test from geometrical and dynamical distortions around voids. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 485, 5761-5772	9
588	The promising future of a robust cosmological neutrino mass measurement. 2019 , 2019, 059-059	53
587	The extended Baryon Oscillation Spectroscopic Survey: testing a new approach to measure the evolution of the structure growth. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 484, 4100-41 ⁴ 2	5
586	Hubble flow variations as a test for inhomogeneous cosmology. 2019 , 622, A83	4
585	Redshift space distortions in the presence of non-minimally coupled dark matter. 2019 , 2019, 049-049	3
584	Unbiased Cosmological Parameter Estimation from Emission-line Surveys with Interlopers. 2019 , 876, 32	11
583	The Impact of Line Misidentification on Cosmological Constraints from Euclid and Other Spectroscopic Galaxy Surveys. 2019 , 879, 15	10

(2020-2019)

582	Baryon acoustic oscillations from the cross-correlation of Lylabsorption and quasars in eBOSS DR14. 2019 , 629, A86		104
581	Cosmological information contents on the light-cone. 2019 , 2019, 015-015		5
580	The void size function in dynamical dark energy cosmologies. 2019 , 2019, 040-040		13
579	BE-HaPPY: bias emulator for halo power spectrum including massive neutrinos. 2019 , 2019, 057-057		10
578	Baryon acoustic oscillations at $z=2.34$ from the correlations of LyHabsorption in eBOSS DR14. 2019 , 629, A85		100
577	Super-sample tidal modes on the celestial sphere. 2019 , 100,		6
576	Cosmology with the kinematic Sunyaev-Zeldovich effect: Breaking the optical depth degeneracy with fast radio bursts. 2019 , 100,		21
575	New constraints on the linear growth rate using cosmic voids in the SDSS DR12 datasets. 2019 , 100,		8
574	Userâl guide to extracting cosmological information from line-intensity maps. 2019 , 100,		25
573	Velocity bias and the nonlinear perturbation theory of peaks. 2019 , 100,		1
57 ²	Intrinsic alignment statistics of density and velocity fields at large scales: Formulation, modeling, and baryon acoustic oscillation features. 2019 , 100,		10
571	Improving constraints on fundamental physics parameters with the clustering of Sunyaev-Zeldovich selected galaxy clusters. 2019 , 100,		1
570	Measuring neutrino masses with large-scale structure: Euclid forecast with controlled theoretical error. 2019 , 2019, 034-034		54
569	Testing general relativity in cosmology. 2019 , 22, 1		171
568	A Zeldovich reconstruction method for measuring redshift space distortions using cosmic voids. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 482, 2459-2470	4.3	16
567	Cosmological constraints from galaxyâlensing cross-correlations using BOSS galaxies with SDSS and CMB lensing. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 491, 51-68	4.3	21
566	Joint analysis of 6dFGS and SDSS peculiar velocities for the growth rate of cosmic structure and tests of gravity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 497, 1275-1293	4.3	17
565	A clustering-based self-calibration of the richness-to-mass relation of CAMIRA galaxy clusters out to z âll.1 in the Hyper Suprime-Cam survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 2030-2053	4.3	9

564	Cosmological parameter estimation from large-scale structure deep learning. 2020, 63, 1		6
563	Toward accurate measurement of property-dependent galaxy clustering: I. Comparison of the V max method and the â&huffledâ[method. 2020 , 20, 054		1
562	Impact of relativistic effects on the primordial non-Gaussianity signature in the large-scale clustering of quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 499, 2598-2607	4.3	10
561	The completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: measurement of the BAO and growth rate of structure of the luminous red galaxy sample from the anisotropic correlation function between redshifts 0.6 and 1. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	51
560	The completed SDSS-IV extended baryon oscillation spectroscopic survey: geometry and growth from the anisotropic voidagalaxy correlation function in the luminous red galaxy sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 499, 4140-4157	4.3	12
559	Improving galaxy clustering measurements with deep learning: analysis of the DECaLS DR7 data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 495, 1613-1640	4.3	12
558	Wide-angle effects for peculiar velocities. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 499, 893-905	4.3	3
557	The completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: BAO and RSD measurements from the anisotropic power spectrum of the quasar sample between redshift 0.8 and 2.2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 499, 210-229	4.3	41
556	The completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: N-body mock challenge for the quasar sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 499, 269-291	4.3	25
555	The Completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: Large-scale structure catalogues for cosmological analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 2354-	2 371	47
554	The Completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: measurement of the BAO and growth rate of structure of the luminous red galaxy sample from the anisotropic power spectrum between redshifts 0.6 and 1.0. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 ,	4.3	48
553	The completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: GLAM-QPM mock galaxy catalogues for the emission line galaxy sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 5251-5262	4.3	10
552	Voronoi volume function: a new probe of cosmology and galaxy evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 495, 3233-3251	4.3	14
551	Complementarity of peculiar velocity surveys and redshift space distortions for testing gravity. 2020 , 101,		6
550	Parity-odd galaxy bispectrum. 2020 , 102,		1
549	Intensity mapping as a probe of axion dark matter. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 3162-3177	4.3	13
548	Redshift-space streaming velocity effects on the Lyman-Forest baryon acoustic oscillation scale. 2020 , 102,		6
547	Assessing non-linear models for galaxy clustering â[]I. Model validation and forecasts for Stage IV surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 5301-5322	4.3	3

546	Early dark energy does not restore cosmological concordance. 2020 , 102,		91
545	Modeling relativistic contributions to the halo power spectrum dipole. 2020 , 2020, 048-048		14
544	Cosmological parameters and neutrino masses from the final Planck and full-shape BOSS data. 2020 , 101,		47
543	Multipole expansion for H i intensity mapping experiments: simulations and modelling. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 496, 415-433	4.3	12
542	Constraining the growth rate of structure with phase correlations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 497, 1765-1790	4.3	3
54 ¹	Iterative removal of redshift-space distortions from galaxy clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 497, 3451-3471	4.3	6
540	Towards a non-Gaussian model of redshift space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 1175-1193	4.3	7
539	Galaxy bias and B from counts in cells from the SDSS main sample. 2020 , 498, L125-L129		11
538	Exploring galaxy colour in different environments of the cosmic web with SDSS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 6069-6082	4.3	5
537	Perturbation theory approach to predict the covariance matrices of the galaxy power spectrum and bispectrum in redshift space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 497, 1684-1711	4.3	24
536	Modelling the asymmetry of the halo cross-correlation function with relativistic effects at quasi-linear scales. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 981-1001	4.3	2
535	The Completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: exploring the halo occupation distribution model for emission line galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 499, 5486-5507	4.3	19
534	Accurate emulator for the redshift-space power spectrum of dark matter halos and its application to galaxy power spectrum. 2020 , 102,		11
533	The clustering of the SDSS-IV extended baryon oscillation spectroscopic survey DR16 luminous red galaxy and emission-line galaxy samples: cosmic distance and structure growth measurements using multiple tracers in configuration space. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	15
532	An accurate perturbative approach to redshift space clustering of biased tracers in modified gravity. 2020 , 2020, 055-055		11
531	Lagrangian-space Gaussian ansatz for the matter redshift-space power spectrum and correlation function. 2020 , 102,		
530	HIR4: cosmology from a simulated neutral hydrogen full sky using Horizon Run 4. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 495, 1788-1806	4.3	10
529	The completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: BAO and RSD measurements from anisotropic clustering analysis of the quasar sample in configuration space between redshift 0.8 and 2.2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 1201-1221	4.3	41

528	Local Primordial Non-Gaussianities and super-sample variance. 2020 , 2020, 007-007		6
527	Constraining early dark energy with large-scale structure. 2020 , 102,		61
526	Arguments against using hâll Mpc units in observational cosmology. 2020 , 102,		15
525	Tension of the EG statistic and redshift space distortion data with the Planck-IDM model and implications for weakening gravity. 2020 , 101,		25
524	Nonlinear redshift-space distortions in the harmonic-space galaxy power spectrum. 2020 , 102,		4
523	Characterising filaments in the SDSS volume from the galaxy distribution. 2020 , 642, A19		12
522	Nonlinear contributions to angular power spectra. 2020 , 101,		11
521	Perturbation theory for the redshift-space matter power spectra after reconstruction. 2020, 101,		4
520	Quantifying the redshift space distortion of the bispectrum II: induced non-Gaussianity at second-order perturbation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 3975-3984	4.3	7
519	Removing imaging systematics from galaxy clustering measurements with Obiwan: application to the SDSS-IV extended Baryon Oscillation Spectroscopic Survey emission-line galaxy sample. Monthly Notices of the Royal Astronomical Society, 2020, 499, 3943-3960	4.3	6
518	The Keck Baryonic Structure Survey: using foreground/background galaxy pairs to trace the structure and kinematics of circumgalactic neutral hydrogen at z ~ 2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 499, 1721-1746	4.3	16
517	The Multi-Tracer Optimal Estimator applied to VIPERS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 5257-5272	4.3	5
516	Maximum cosmological information from type Ia supernova observations. 2020, 101,		1
515	Nonlinear perturbation theory extension of the Boltzmann code CLASS. 2020 , 102,		32
514	Combining full-shape and BAO analyses of galaxy power spectra: a 1.6% CMB-independent constraint on H0. 2020 , 2020, 032-032		74
513	Like a spider in its web: a study of the large-scale structure around the Coma cluster. 2020 , 634, A30		16
512	Cosmological parameters from the BOSS galaxy power spectrum. 2020 , 2020, 042-042		113
511	Tomographic analyses of the CMB lensing and galaxy clustering to probe the linear structure growth. 2020 , 2020, 052-052		4

510	Growth of structure in interacting vacuum cosmologies. 2020 , 101,		7
509	Fast calculation of the nonlinear redshift-space galaxy power spectrum including selection bias. 2020 , 101,		2
508	Testing tidal alignment models for anisotropic correlations of halo ellipticities with N-body simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 494, 694-702	4.3	4
507	On the amount of peculiar velocity field information in supernovae from LSST and beyond. 2020 , 29, 100519		6
506	The stellar-to-halo mass relation over the past 12 Gyr. 2020 , 634, A135		23
505	Constraints on the growth of structure around cosmic voids in eBOSS DR14. 2020 , 2020, 012-012		11
504	Probing delayed-end reionization histories with the 21-cm LAE cross-power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 494, 703-718	4.3	8
503	Cosmological Constraints from the Redshift Dependence of the Alcockâ P aczynski Effect: Possibility of Estimating the Nonlinear Systematics Using Fast Simulations. 2020 , 890, 92		1
502	Cosmology with Phase 1 of the Square Kilometre Array Red Book 2018: Technical specifications and performance forecasts. 2020 , 37,		101
501	Validating the methodology for constraining the linear growth rate from clustering anisotropies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 494, 1658-1674	4.3	1
500	Physical correlations of the scatter between galaxy mass, stellar content, and halo mass. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 337-350	4.3	12
499	Cosmological Information from the Small-scale Redshift-space Distortion. 2020 , 897, 17		3
498	Shot noise in multitracer constraints on fNL and relativistic projections: Power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 495, 932-942	4.3	4
497	Large scale structure reconstruction with short-wavelength modes. 2020 , 101,		5
496	Constraints on features in the inflationary potential from future Euclid data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 496, 3448-3468	4.3	6
495	Testing F(Q) gravity with redshift space distortions. 2020 , 30, 100616		30
494	The atomic hydrogen content of the post-reionization Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 5434-5455	4.3	25
493	The impact of the fiducial cosmology assumption on BAO distance scale measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 494, 2076-2089	4.3	21

492	Joint growth-rate measurements from redshift-space distortions and peculiar velocities in the 6dF Galaxy Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 494, 3275-3293	4.3	11
491	Perturbation level interacting dark energy model and its consequence on late-time cosmological parameters. 2020 , 101,		2
490	Modelling the matter bispectrum at small scales in modified gravity. 2020 , 2020, 025-025		9
489	Measuring Gravity at Cosmological Scales. 2020 , 6, 20		17
488	The clustering of the SDSS-IV extended Baryon Oscillation Spectroscopic Survey DR14 LRG sample: structure growth rate measurement from the anisotropic LRG correlation function in the redshift range 0.6 Monthly Notices of the Royal Astronomical Society, 2020 , 492, 4189-4215	4.3	22
487	A null test to probe the scale dependence of the growth of structure as a test of general relativity. 2020 , 492, L34-L39		8
486	GalWeight Application: A Publicly Available Catalog of Dynamical Parameters of 1800 Galaxy Clusters from SDSS-DR13, (GalWCat19). 2020 , 246, 2		6
485	Wide-angle redshift-space distortions at quasi-linear scales: cross-correlation functions from Zelâflovich approximation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 491, 4162-4179	4.3	9
484	Computing the small-scale galaxy power spectrum and bispectrum in configuration space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 492, 1214-1242	4.3	8
483	LyaCoLoRe: synthetic datasets for current and future Lyman-Forest BAO surveys. 2020 , 2020, 068-068		10
482	Towards determining the neutrino mass hierarchy: weak lensing and galaxy clustering forecasts with baryons and intrinsic alignments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 164	0 ¹ 1 ² 66	18
481	Beyond two-point statistics: using the minimum spanning tree as a tool for cosmology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 491, 1709-1726	4.3	10
480	Non-linear damping of superimposed primordial oscillations on the matter power spectrum in galaxy surveys. 2020 , 2020, 030-030		12
479	Anisotropies of galaxy ellipticity correlations in real and redshift space: angular dependence in linear tidal alignment model. 2020 , 493, L124-L128		8
478	Cosmology with galaxyâgalaxy lensing on non-perturbative scales: emulation method and application to BOSS LOWZ. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 492, 2872-2896	4.3	19
477	Quantifying the redshift space distortion of the bispectrum I: primordial non-Gaussianity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 594-602	4.3	15
476	The bias of dark matter tracers: assessing the accuracy of mapping techniques. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 586-593	4.3	6
475	barry and the BAO model comparison. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 493, 407	8 _{‡.4} 09	38

(2021-2021)

474	A faster Fourier transform? Computing small-scale power spectra and bispectra for cosmological simulations in ?(N2) time. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 501, 4004-4034	4.3	5
473	A hybrid Fast Multipole Method for cosmological N-body simulations. 2021 , 21, 003		4
472	Void Probability Function of Simulated Surveys of High-redshift Ly Emitters. 2021, 906, 58		Ο
471	Accurately weighing neutrinos with cosmological surveys. 2021 , 103,		6
470	Probing the existence of a rich galaxy overdensity at z´= 5.2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 502, 4558-4575	4.3	1
469	Finding eV-scale light relics with cosmological observables. 2021 , 103,		5
468	Probes of structure: tracers. 2021 , 295-323		
467	Bibliography. 2021 , 477-481		
466	Analyzing clustering of astrophysical gravitational-wave sources: luminosity-distance space distortions. 2021 , 2021, 036-036		2
465	The Fisher gAlaxy suRvey cOde (FARO). 2021 , 2021, 021-021		2
464	Constraining primordial non-Gaussianity with postreconstructed galaxy bispectrum in redshift space. 2021 , 103,		4
463	The Nonvelocity Cosmological Spectral Shift. 2021 , 11, 232-251		
462	Novel Probes Project: Tests of gravity on astrophysical scales. 2021 , 93,		18
461	The PAU Survey: Intrinsic alignments and clustering of narrow-band photometric galaxies. 2021 , 646, A147		3
460	Using GAMA to probe the impact of small-scale galaxy physics on nonlinear redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 503, 59-76	4.3	3
459	Fast analytical calculation of the random pair counts for realistic survey geometry. 2021 , 646, A40		3
458	Building a digital twin of a luminous red galaxy spectroscopic survey: galaxy properties and clustering covariance. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 503, 2318-2339	4.3	3
457	Extended fast action minimization method: application to SDSS-DR12 combined sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 503, 540-556	4.3	1

456	Optimizing large-scale structure data analysis with the theoretical error likelihood. 2021, 103,		9
455	Accurate precision cosmology with redshift unknown gravitational wave sources. 2021, 103,		25
454	The completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: 1000 multi-tracer mock catalogues with redshift evolution and systematics for galaxies and quasars of the final data release. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 503, 1149-1173	3	15
453	Two-point Statistics without Bins: A Continuous-function Generalization of the Correlation Function Estimator for Large-scale Structure. 2021 , 909, 220		2
452	Ray-tracing log-normal simulation for weak gravitational lensing: application to the cross-correlation with galaxies. 2021 , 2021, 095		2
451	The moment generating function of pairwise velocity in the context of redshift space distortion. 2021 , 21, 028		
450	Cosmic filaments in galaxy cluster outskirts: quantifying finding filaments in redshift space. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 503, 2065-2076	3	7
449	An ALMA survey of the SCUBA-2 Cosmology Legacy Survey UKIDSS/UDS field: halo masses for submillimetre galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 504, 172-184	3	5
448	Can we constrain the evolution of HI bias using configuration entropy?. 2021 , 21, 035		
447	Strategies to detect dark-matter decays with line-intensity mapping. 2021 , 103,		4
446	Minimum variance estimation of statistical anisotropy via galaxy survey. 2021 , 2021, 039		O
445	Redshift-space distortions in Lagrangian perturbation theory. 2021 , 2021, 100		15
444	Observing relativistic features in large-scale structure surveys âll. Doppler magnification in an ensemble of relativistic simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 504, 3534-35	43	3
443	Redshift space power spectrum beyond Einstein-de Sitter kernels. 2021 , 2021, 039		3
442	Local primordial non-Gaussianity in the relativistic galaxy bispectrum. 2021 , 2021, 013		5
441	The completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: N-body mock challenge for the eBOSS emission line galaxy sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 4.504, 4667-4686	3	4
440	Measuring ultralarge scale effects in the presence of 21 cm intensity mapping foregrounds. Monthly Notices of the Royal Astronomical Society, 2021 , 504, 267-279 4.	3	6
439	On the importance of lensing for galaxy clustering in photometric and spectroscopic surveys. 2021 , 2021, 055		10

438	Quintessential Hattractor inflation: forecasts for Stage IV galaxy surveys. 2021, 2021, 006		5
437	Completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: Cosmological implications from two decades of spectroscopic surveys at the Apache Point Observatory. 2021 , 103,		145
436	BAO angular scale at zeff = 0.11 with the SDSS blue galaxies. 2021 , 649, A20		6
435	The Ly#orest flux correlation function: a perturbation theory perspective. 2021, 2021, 053		2
434	Astrophysics & cosmology from line intensity mapping vs galaxy surveys. 2021 , 2021, 067		6
433	Probing primordial non-Gaussianity with the power spectrum and bispectrum of future 21 cm intensity maps. 2021 , 32, 100821		4
432	Probing gravity and growth of structure with gravitational waves and galaxiesâ[þeculiar velocity. 2021 , 103,		3
431	Growth of matter perturbations in the extended viscous dark energy models. 2021, 81, 1		6
430	Probing gravity with redshift-space distortions: Effects of tracer bias and sample selection. 2021 , 103,		1
429	Cosmological perturbations in the Tsallis holographic dark energy scenarios. 2021 , 136, 1		5
428	Cosmic Velocity Field Reconstruction Using AI. 2021 , 913, 2		3
427	The growth rate of cosmic structures in the local Universe with the ALFALFA survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 505, 3404-3413	4.3	2
426	Precise and accurate cosmology with CMBESS power spectra and bispectra. 2021, 2021, 030		5
425	Simulating Groups and the IntraGroup Medium: The Surprisingly Complex and Rich Middle Ground between Clusters and Galaxies. 2021 , 7, 209		11
424	Arbitrating the S8 discrepancy with growth rate measurements from redshift-space distortions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 505, 5427-5437	4.3	13
423	Finding protoclusters to trace galaxy evolution âll. The finder and its performance. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 505, 3892-3906	4.3	
422	Kinematics of Mg ii absorbers from the redshift-space distortion around massive quiescent galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 506, 115-127	4.3	1
421	Redshift-space distortions with split densities. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 505, 5731-5752	4.3	4

420	The imprint of cosmic web quenching on central galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 505, 4920-4934	4.3	1
419	Dynamics of tachyon dark energy on large scales and its imprint on the observed galaxy power spectrum. 2021 , 103,		
418	Differentiating dark interactions with perturbation. 2021 , 103,		2
417	Beyond the Yamamoto approximation: Anisotropic power spectra and correlation functions with pairwise lines of sight. 2021 , 103,		2
416	Reconstructing teleparallel gravity with cosmic structure growth and expansion rate data. 2021 , 2021, 015		10
415	The BINGO project. VI. Hi halo occupation distribution and mock building.		5
414	Evidence of dark energy in different cosmological observations. 2021 , 230, 2055-2066		2
413	Correcting correlation functions for redshift-dependent interloper contamination. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 507, 3187-3206	4.3	4
412	Statistical recovery of the BAO scale from multipoles of the beam-convolved 21 cm correlation function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 506, 2638-2658	4.3	4
411	Euclid preparation. XII. Optimizing the photometric sample of the Euclid survey for galaxy clustering and galaxy-galaxy lensing analyses.		2
410	Al-assisted superresolution cosmological simulations â[II. Halo substructures, velocities, and higher order statistics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 507, 1021-1033	4.3	4
409	Redshift-space distortions in simulations of the 21-cm signal from the cosmic dawn. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	3
408	The H i intensity mapping bispectrum including observational effects. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	6
407	Testing the equivalence principle on cosmological scales using the odd multipoles of galaxy cross-power spectrum and bispectrum. 2021 , 2021, 049		3
406	Expansion series of the pairwise velocity generating function and its implications on redshift space distortion modeling. 2021 , 21, 176		
405	Theoretical and numerical perspectives on cosmic distance averages.		O
404	Correlation functions in 2D and 3D as descriptors of the cosmic web. 2021 , 652, A152		3
403	Dark energy survey year 3 results: Covariance modelling and its impact on parameter estimation and quality of fit. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	9

402	Persistent homology of the cosmic web âll. Hierarchical topology in LIDM cosmologies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 507, 2968-2990	4.3	2
401	Geometry versus growth. Internal consistency of the flat LambdaCDM model with KiDS-1000.		3
400	The galaxy power spectrum take on spatial curvature and cosmic concordance. 2021, 33, 100851		25
399	Exploring the redshift-space peculiar velocity field and its power spectrum. 2021 , 2021, 018		1
398	Combined lensed estimator to probe the post-reionization H i power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 507, 5310-5319	4.3	
397	Laguerre reconstruction of the BAO feature in halo-based mock galaxy catalogues. 2021, 104,		О
396	Measuring anisotropic stress with relativistic effects. 2021 , 104,		О
395	Prospects for Constraining Interacting Dark Energy Models with 21 cm Intensity Mapping Experiments. 2021 , 918, 56		7
394	Fast generation of mock galaxy catalogues in modified gravity models with COLA. 2021 , 2021, 021		5
393	Improved Methods for Estimating Peculiar Velocity Correlation Functions Using Volume Weighting. 2021 , 918, 49		
393 392		6	1
	2021 , 918, 49	6	1
392	2021, 918, 49 The MUSE-Wide survey: Three-dimensional clustering analysis of Lyman-Æmitters at 3.3 2021, 653, A13	4-3	
392 391	The MUSE-Wide survey: Three-dimensional clustering analysis of Lyman-Emitters at 3.3 2021, 653, A13. Most constraining cosmological neutrino mass bounds. 2021, 104, Inferring the properties of the sources of reionization using the morphological spectra of the		10
392 391 390	The MUSE-Wide survey: Three-dimensional clustering analysis of Lyman-Emitters at 3.3 2021, 653, A13. Most constraining cosmological neutrino mass bounds. 2021, 104, Inferring the properties of the sources of reionization using the morphological spectra of the ionized regions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 502, 1816-1842 Power spectrum multipole expansion for H i intensity mapping experiments: unbiased parameter	4-3	10
392 391 390 389	The MUSE-Wide survey: Three-dimensional clustering analysis of Lyman-Emitters at 3.3 2021, 653, A13. Most constraining cosmological neutrino mass bounds. 2021, 104, Inferring the properties of the sources of reionization using the morphological spectra of the ionized regions. Monthly Notices of the Royal Astronomical Society, 2021, 502, 1816-1842 Power spectrum multipole expansion for H i intensity mapping experiments: unbiased parameter estimation. Monthly Notices of the Royal Astronomical Society, 2021, 502, 2549-2564	4-3	10 3 7
392 391 390 389 388	The MUSE-Wide survey: Three-dimensional clustering analysis of Lyman-Emitters at 3.3 2021, 653, A13. Most constraining cosmological neutrino mass bounds. 2021, 104, Inferring the properties of the sources of reionization using the morphological spectra of the ionized regions. Monthly Notices of the Royal Astronomical Society, 2021, 502, 1816-1842 Power spectrum multipole expansion for H i intensity mapping experiments: unbiased parameter estimation. Monthly Notices of the Royal Astronomical Society, 2021, 502, 2549-2564 Can conformally coupled modified gravity solve the Hubble tension?. 2021, 103,	4-3	10 3 7

384	Gravitational Optics Studies of Dark Matter Halos. 2002 , 96-123	2
383	The Quest for the Cosmological Parameters. 2002 , 147-207	2
382	Statistics of cosmological density fields. 1992 , 1-64	12
381	The Large-Scale Structure in the Universe: From Power Laws to Acoustic Peaks. 2008 , 269-289	3
380	Power Spectrum Estiamtion II. Linear Maximum Likelihood. 2008 , 433-456	1
379	Introduction to Higher Order Spatial Statistics in Cosmology. 2008 , 457-492	6
378	Cosmological Constraints from Galaxy Clustering. 2007 , 157-186	2
377	First Light. 2008 , 1-159	2
376	Observations of the High Redshift Universe. 2008 , 259-364	6
375	The Epoch of Reionization. 2013 , 45-101	54
374	Near Field Cosmology: The Origin of the Galaxy and the Local Group. 2014 , 1-144	3
373	LargeâBcale Structure from Galaxy and Cluster Surveys. 2002 , 3-15	1
372	The Large-Scale Structure of the Universe. 2013 , 387-421	10
371	The Center for Astrophysics Redshift Survey: Recent Results. 1989 , 3-18	4
370	Local Large Scale Structure vs Cold Dark Matter. 1989 , 197-213	2
369	Comments on the Reality of the Butcher-Oemler Effect. 1988 , 275-284	4
368	Superclusters and Large-Scale Structure. 1992 , 253-274	1
367	The Structure of Galaxy Clusters. 1992 , 17-28	8

(2005-1998)

366	Linear Redshift Distortions: A Review. 1998 , 185-275	178
365	Toward High-Precision Measures of Large-Scale Structure. 1998 , 395-418	7
364	Observed Densities in the Universe. 1998 , 15-30	2
363	Deep Slices and the Supercluster-Void Network. 2004 , 187-193	1
362	The zCOSMOS survey. The dependence of clustering on luminosity and stellar mass at \$z=0.2\$âll. 2009 , 505, 463-482	84
361	AGN and QSOs in the eROSITA All-Sky Survey. 2013 , 558, A90	14
360	The VIMOS Public Extragalactic Redshift Survey. 2015 , 583, A61	22
359	Probing the radio loud/quiet AGN dichotomy with quasar clustering. 2017 , 600, A97	24
358	The VIMOS Public Extragalactic Redshift Survey (VIPERS). 2017 , 604, A133	7
357	The VIMOS Public Extragalactic Redshift Survey (VIPERS). 2017 , 601, A144	12
356	The VIMOS Public Extragalactic Redshift Survey (VIPERS). 2018 , 610, A59	23
355	Correlation function: biasing and fractal properties of the cosmic web. 2020 , 640, A47	6
354	Euclid preparation. 2020 , 642, A191	73
353	Euclid: The importance of galaxy clustering and weak lensing cross-correlations within the photometric Euclid survey. 2020 , 643, A70	7
352	Two-point correlation functions on the light cone: Testing theoretical predictions against \$vec N\$-body simulations. 2001 , 367, 18-26	22
351	The ROSAT-ESO Flux-Limited X-Ray (REFLEX) galaxy cluster survey. 2001 , 368, 86-106	70
350	The velocity field of collapsing spherical structures. 2001 , 375, 338-343	2
349	Time evolution of the stochastic linear bias of interacting galaxies on linear scales. 2005 , 430, 827-842	8

348	Two viable quintessence models of the Universe: Confrontation of theoretical predictions with observational data. 2005 , 431, 27-43	36
347	Clustering of SZ clusters on a past light-cone: acoustic oscillations and constraints on dark energy. 2006 , 446, 43-60	14
346	The VIMOS VLT Deep Survey: the build-up of the colourâdensity relation. 2006 , 458, 39-52	136
345	GaBoDS: The Garching-Bonn Deep Survey. 2007 , 461, 861-879	37
344	The soft X-ray cluster-AGN spatial cross-correlation function in theROSAT-NEP survey. 2007, 465, 35-40	5
343	Constraining dark energy via baryon acoustic oscillations in the (an)isotropic light-cone power spectrum. 2008 , 487, 63-74	15
342	Southern Sky Redshift Survey: Clustering of Local Galaxies. 1998 , 115, 869-884	121
341	The Universality of the Fundamental Plane of E and S0 Galaxies: Sample Definition and [ITAL]I[/ITAL]-Band Photometric Data. 1998 , 116, 2728-2737	21
340	On Density and Velocity Fields and From the [ITAL]IRAS[/ITAL] PSC[CLC][ITAL]z[/ITAL][/CLC] Survey. 1999 , 118, 1146-1160	33
339	Kinematics and Mass Profile of AWM 7. 2000 , 119, 44-58	25
338	Dynamical Mass Estimates of Large-Scale Filaments in Redshift Surveys. 1997 , 475, 421-428	18
337	The Average Mass and Light Profiles of Galaxy Clusters. 1997 , 478, 462-475	432
336	Infall Regions of Galaxy Clusters. 1997 , 481, 633-643	213
335	Large-Scale Power Spectrum from Peculiar Velocities via Likelihood Analysis. 1997 , 486, 21-31	54
334	Maximum Likelihood Comparisons of Tully-Fisher and Redshift Data: Constraints on and Biasing. 1997 , 486, 629-664	102
333	Interstellar Filaments and the Statistics of Galactic Hi. 1997 , 491, 200-209	3
332	Reconstructing the Spectrum of the Pregalactic Density Field from Astronomical Data. 1998 , 492, 1-28	19
331	Power Spectrum of Velocity Fluctuations in the Universe. 1998 , 493, 28-38	8

(2000-1998)

330	On the Clustering of Ly-Clouds, High-Redshift Galaxies, and Underlying Mass. 1998 , 496, 577-585	28
329	Quasar Clustering and Spacetime Geometry. 1998 , 498, 11-25	28
328	Measuring the Galaxy Power Spectrum with Future Redshift Surveys. 1998 , 499, 555-576	153
327	The X-Ray Cluster Dipole. 1998 , 500, 1-7	32
326	Sensitivity of Redshift Distortion Measurements to Cosmological Parameters. 1998 , 501, 427-441	10
325	A Counts-in-Cells Analysis of Lyman-Break Galaxies at Redshiftz~ 3. 1998 , 505, 18-24	226
324	The Velocity Field Predicted by the Optical Redshift Survey. 1998 , 508, 6-16	27
323	Cosmology in the Next Millennium: Combining Microwave Anisotropy Probe and Sloan Digital Sky Survey Data to Constrain Inflationary Models. 1999 , 510, 20-31	68
322	Recovering the Primordial Density Fluctuations: A Comparison of Methods. 1999, 515, 471-486	20
321	Steps toward the Power Spectrum of Matter. I. The Mean Spectrum of Galaxies. 1999 , 519, 441-455	21
320	Biased Estimations of Variance and Skewness. 1999 , 519, 622-636	61
319	The Power Spectrum of Mass Fluctuations Measured from the LyForest at Redshiftz = 2.5. 1999 , 520, 1-23	177
318	Two-Point Correlation Function of High-Redshift Objects on a Light Cone: Effect of the Linear Redshift-Space Distortion. 1999 , 520, 426-436	10
317	Stochasticity of Bias and Nonlocality of Galaxy Formation: Linear Scales. 1999 , 525, 543-553	62
316	The Cosmological Light-Cone Effect on the Power Spectrum of Galaxies and Quasars in Wide-Field Redshift Surveys. 1999 , 527, 488-497	14
315	Topology from the Simulated Sloan Digital Sky Survey. 2000 , 529, 795-810	23
314	Two-Point Correlation Functions of X-Rayâ\elected Clusters of Galaxies: Theoretical Predictions for Flux-Limited Surveys. 2000 , 534, 551-558	12
313	Multiple Streaming and the Probability Distribution of Density in Redshift Space. 2000 , 537, 12-20	15

312	Velocity Modification of HiPower Spectrum. 2000 , 537, 720-748	282
311	Lyman-Alpha Forest Correlations Using Neighbor Counts. 1995 , 448,	11
310	The Weakness of C [CSC]iv[/CSC] Absorber Clustering in Keck HIRES Spectraof Adjacent Quasar Sight Lines. 1997 , 489, L7-L11	8
309	Joint Estimation of Cosmological Parameters fromCosmic Microwave Background and [ITAL]IRAS[/ITAL] Data. 1998 , 509, L65-L68	33
308	A Geometrical Test of the Cosmological Energy Contents Using the L[CLC]y[/CLC]Forest. 1999 , 511, L5-L8	67
307	The Mass Profile of the Coma Galaxy Cluster. 1999 , 517, L23-L26	100
306	The Gravitational Lensing in Redshift-Space Correlation Functions of Galaxies and Quasars. 2000 , 537, L77-L80	39
305	The Bispectrum ofIRASRedshift Catalogs. 2001 , 546, 652-664	119
304	Galaxy Groups at Intermediate Redshift. 2001 , 552, 427-444	83
303	Using Perturbative Least Action to Reconstruct Redshift-Space Distortions. 2001, 552, 413-426	4
303 302	Using Perturbative Least Action to Reconstruct Redshift-Space Distortions. 2001 , 552, 413-426 On the Trispectrum as a Gaussian Test for Cosmology. 2001 , 553, 14-24	35
302	On the Trispectrum as a Gaussian Test for Cosmology. 2001 , 553, 14-24	35
302	On the Trispectrum as a Gaussian Test for Cosmology. 2001 , 553, 14-24 X-RayâBmitting Groups in the Infall Region of Abell 2199. 2001 , 555, 558-562	35
302 301 300	On the Trispectrum as a Gaussian Test for Cosmology. 2001, 553, 14-24 X-RayâBmitting Groups in the Infall Region of Abell 2199. 2001, 555, 558-562 Reconstruction Analysis of theIRASPoint Source Catalog Redshift Survey. 2001, 136, 1-24 Measuring the Galaxy Power Spectrum with Multiresolution Decomposition. III. Velocity Field	35 30 3
302 301 300 299	On the Trispectrum as a Gaussian Test for Cosmology. 2001, 553, 14-24 X-RayâBmitting Groups in the Infall Region of Abell 2199. 2001, 555, 558-562 Reconstruction Analysis of theIRASPoint Source Catalog Redshift Survey. 2001, 136, 1-24 Measuring the Galaxy Power Spectrum with Multiresolution Decomposition. III. Velocity Field Analysis. 2001, 560, 549-565 Redshift-Space Distortions of Group and Galaxy Correlations in the Updated Zwicky Catalog. 2001,	35 30 3
302 301 300 299 298	On the Trispectrum as a Gaussian Test for Cosmology. 2001, 553, 14-24 X-RayâBmitting Groups in the Infall Region of Abell 2199. 2001, 555, 558-562 Reconstruction Analysis of theIRASPoint Source Catalog Redshift Survey. 2001, 136, 1-24 Measuring the Galaxy Power Spectrum with Multiresolution Decomposition. III. Velocity Field Analysis. 2001, 560, 549-565 Redshift-Space Distortions of Group and Galaxy Correlations in the Updated Zwicky Catalog. 2001, 554, 873-880	35 30 3 16

(2020-2002)

294	Multiple Merging Events in the Double Cluster A3128/A3125. 2002 , 123, 1216-1246	30
293	Galaxy Clustering in Early Sloan Digital Sky Survey Redshift Data. 2002 , 571, 172-190	480
292	Redshift-Distance Survey of Early-Type Galaxies. I. The ENEAR[CLC]c[/CLC] Cluster Sample. 2002 , 123, 2990-3017	74
291	On the Direct Detectability of the Cosmic Dark Ages: 21 Centimeter Emission from Minihalos. 2002 , 572, L123-L126	129
290	Weak Lensing Study of Galaxy Biasing. 2002 , 577, 604-614	95
289	Mass Profile of the Infall Region of the Abell 2199 Supercluster. 2002 , 124, 1266-1282	51
288	An Inversion Method for Measuring ¶n Large-Redshift Surveys. 2002 , 579, 76-82	2
287	High-Redshift Galaxies and the LyForest in a Cold Dark Matter Universe. 2002 , 580, 634-652	52
286	One-Point Statistics of the Cosmic Density Field in Real and Redshift Spaces with a Multiresolutional Decomposition. 2003 , 585, 12-33	4
285	Cosmological Parameters from Eigenmode Analysis of Sloan Digital Sky Survey Galaxy Redshifts. 2004 , 607, 655-660	203
284	MAPPING GROWTH AND GRAVITY WITH ROBUST REDSHIFT SPACE DISTORTIONS. 2012 , 748, 78	61
283	Relativistic effects in the large-scale structure with effective dark energy fluids. 2020 , 2020, 037-037	2
282	Beyond Limber: efficient computation of angular power spectra for galaxy clustering and weak lensing. 2020 , 2020, 010-010	18
281	Cosmological angular trispectra and non-Gaussian covariance. 2020 , 2020, 044-044	8
280	Galaxy redshift-space bispectrum: the importance of being anisotropic. 2020 , 2020, 041-041	23
279	Impact of bias and redshift-space modelling for the halo power spectrum: testing the effective field theory of large-scale structure. 2020 , 2020, 011-011	10
278	The n-point streaming model: how velocities shape correlation functions in redshift space. 2020 , 2020, 043-043	5
277	Compensated isocurvature perturbations in the galaxy power spectrum. 2020 , 2020, 049-049	7

276	New measures to test modified gravity cosmologies. 2020 , 2020, 059-059		1
275	Consistent modeling of velocity statistics and redshift-space distortions in one-loop perturbation theory. 2020 , 2020, 062-062		23
274	Hybrid Pâ(k): general, unified, non-linear matter power spectrum in redshift space. 2020, 2020, 001-001		4
273	Blind Observers of the Sky. 2020 , 2020, 052-052		5
272	The relativistic galaxy number counts in the weak field approximation. 2020, 2020, 058-058		2
271	Hybrid-basis inference for large-scale galaxy clustering: combining spherical and Cartesian Fourier analyses. 2020 , 2020, 022-022		4
270	Detection of anisotropic galaxy assembly bias in BOSS DR12. 2020 , 2020, 058-058		19
269	Perturbative description of biased tracers using consistency relations of LSS. 2020 , 2020, 059-059		9
268	Forecasts on primordial non-Gaussianity from 21 cm intensity mapping experiments. 2020 , 2020, 052-05	52	17
267	Galaxy power spectrum in general relativity. 2020 , 2020, 064-064		5
266	Precision cosmology with voids in the final BOSS data. 2020 , 2020, 023-023		12
265	A brief review on cosmological analysis of galaxy surveys with multiple tracers. 2020 , 20, 158		3
264	The degeneracy between primordial non-Gaussianity and foregrounds in 21 cm intensity mapping experiments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 499, 4054-4067	4.3	12
263	The completed SDSS-IV extended baryon oscillation spectroscopic survey: growth rate of structure measurement from anisotropic clustering analysis in configuration space between redshift 0.6 and 1.1 for the emission-line galaxy sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 ,	4.3	31
262	Reducing the variance of redshift space distortion measurements from mock galaxy catalogues with different lines of sight. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 259-271	4.3	5
261	Redshift-space effects in voids and their impact on cosmological tests. Part I: the void size function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 911-925	4.3	4
260	Determining the systemic redshift of Lyman lemitters with neural networks and improving the measured large-scale clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 603-626	4.3	4
259	BIRTH of the COSMOS field: primordial and evolved density reconstructions during cosmic high noon. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 3194-3212	4.3	6

258	The completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: large-scale structure catalogues and measurement of the isotropic BAO between redshift 0.6 and 1.1 for the Emission Line Galaxy Sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 3254-3274	4.3	20
257	Power spectrum of halo intrinsic alignments in simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 501, 833-852	4.3	9
256	Towards a self-consistent analysis of the anisotropic galaxy two- and three-point correlation functions on large scales: application to mock galaxy catalogues. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 501, 2862-2896	4.3	4
255	cosmic birth: efficient Bayesian inference of the evolving cosmic web from galaxy surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 502, 3456-3475	4.3	7
254	The PAU survey: Ly #Intensity mapping forecast. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 501, 3883-3899	4.3	2
253	Testing the effect of H0 on f8 tension using a Gaussian process method. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 501, 4452-4463	4.3	21
252	Clustering in the Simulated HEGalaxy Redshift Survey from Nancy Grace Roman Space Telescope. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	4
251	Density weighted angular redshift fluctuations: a new cosmological observable. 2021 , 503, L56-L61		1
250	Blinded challenge for precision cosmology with large-scale structure: Results from effective field theory for the redshift-space galaxy power spectrum. 2020 , 102,		32
249	Efficient Parallel Algorithm for Estimating Higher-order Polyspectra. 2019 , 158, 116		8
248	Cosmological Constraints from the Redshift Dependence of the Volume Effect Using the Galaxy 2-point Correlation Function across the Line of Sight. 2017 , 844, 91		5
247	A Partial Inventory of Observational Anisotropies in Single-dish Line-intensity Mapping. 2019 , 881, 149		6
246	Ensemble Average of Three-dimensional Minkowski Tensors of a Gaussian Random Field in Redshift Space. 2019 , 887, 128		2
245	Cosmological Constraints on Im and IB from Cluster Abundances Using the GalWCat19 Optical-spectroscopic SDSS Catalog. 2020 , 901, 90		12
244	Biasing Relation, Environmental Dependencies, and Estimation of the Growth Rate from Star-forming Galaxies. 2020 , 905, 47		2
243	Improving Geometric and Dynamical Constraints on Cosmology with Intrinsic Alignments of Galaxies. 2020 , 891, L42		12
242	Five-percent measurements of the growth rate from simulation-based modelling of redshift-space clustering in BOSS LOWZ. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	8
241	OUP accepted manuscript. Monthly Notices of the Royal Astronomical Society,	4.3	О

240	The large-scale monopole of the power spectrum in a Euclid-like survey: wide-angle effects, lensing, and the âfinger of the observerâ[]Monthly Notices of the Royal Astronomical Society, 2021, 509, 1626-1645	4.3	О
239	Intrinsic alignments of galaxies around cosmic voids. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	O
238	C3: Cluster Clustering Cosmology. ii. First Detection of the Baryon Acoustic Oscillations Peak in the Three-point Correlation Function of Galaxy Clusters. 2021 , 919, 144		O
237	Redshift-space effects in voids and their impact on cosmological tests. Part II: the void-galaxy cross-correlation function. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	2
236	Cosmology with the moving lens effect. 2021 , 104,		3
235	Testing large-scale structure measurements against Fisher matrix predictions. 2021 , 2021, 044		1
234	The growth of density perturbations in the last ~10 billion years from tomographic large-scale structure data. 2021 , 2021, 030		8
233	Multi-tasking the growth of cosmological structures. 2021 , 34, 100898		1
232	Clustering of Mass and Galaxies. 2001 , 305-340		
231	The cosmological constants. 2001 , 373-397		
231	The Cosmological constants. 2001, 373-397 The Global Cosmological Parameters. 2001, 93-130		
230	The Global Cosmological Parameters. 2001 , 93-130		
230	The Global Cosmological Parameters. 2001 , 93-130 Bibliography. 2003 , 426-434)	
230 229 228	The Global Cosmological Parameters. 2001 , 93-130 Bibliography. 2003 , 426-434 Cosmological constraints from clustering properties of galaxy clusters. 2005 , 432, 771-781)	
230 229 228	The Global Cosmological Parameters. 2001 , 93-130 Bibliography. 2003 , 426-434 Cosmological constraints from clustering properties of galaxy clusters. 2005 , 432, 771-781 The Anisotropic Redshift Space Galaxy Correlation Function: Detection on the BAO Ring. 2010 , 103-110		
230 229 228 227 226	The Global Cosmological Parameters. 2001, 93-130 Bibliography. 2003, 426-434 Cosmological constraints from clustering properties of galaxy clusters. 2005, 432, 771-781 The Anisotropic Redshift Space Galaxy Correlation Function: Detection on the BAO Ring. 2010, 103-110 References. 229-237		

222	The Large-Scale Distribution of Galaxies. 1989 , 83-103		1
221	The Power Spectrum of Galaxy Clustering. 1991 , 471-474		
220	Comparison of Large-Scale Structures and Velocities in The Local Universe. 1994 , 243-260		
219	The Muenster Redshift Project (MRSP). 1997 , 315-320		
218	Correlation Functions and the Spectrum of the Initial Fluctuations. 1998 , 308-330		
217	Exploring Redshift-Space Clustering with Cosmological N-Body Simulations. 1999 , 11-18		
216	Cosmic Velocity Fields. 1999 , 381-396		
215	Introduction. 2016 , 1-20		
214	Cosmological Distance Indicators. 2018 , 353-386		
213	Measuring the Universe with Galaxy Redshift Surveys. 2018 , 1-16		O
212	A predictive optical sky background model for DESI. 2018,		
211	Searching for Light Relics with LSS. 2019 , 135-160		
210	Cosmological Constraints from the Redshift Dependence of the Alcockâ P aczynski Effect: Fourier Space Analysis. 2019 , 887, 125		
209	The Parameter-free Finger-of-God Model and Its Application to 21 cm Intensity Mapping. 2020 , 895, 34		2
208	Using the Mark Weighted Correlation Functions to Improve the Constraints on Cosmological Parameters. 2020 , 900, 6		O
207	The homogeneity scale and the growth rate of cosmic structures. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	1
206	Unveiling the internal structure of the Hercules supercluster. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	1
205	Massive Neutrinos and How to Search for Them with Cosmological Observations. 2020 , 65-121		

204	A new way to test the Cosmological Principle: measuring our peculiar velocity and the large-scale anisotropy independently. 2021 , 2021, 009		7
203	Cosmological Vlasovâ B oisson equations for dark matter. 2021 , 5, 1		O
202	Anisotropic effective redshift and evolving clustering amplitude. 2021 , 2021, 006		1
201	Model independent measurement of the growth rate from the consistency relations of the LSS. 2020 , 2020, 054-054		1
200	Large scales âlLarge numbers âlLarge efforts: Historical annotations. 1988, 7-68		
199	Mixed cold-hot dark matter model with a falling initial perturbation spectrum. 1995 , 195-204		
198	The Frontier of Reionization: Theory and Forthcoming Observations. 2009 , 481-509		
197	Generalization of the Kaiser Rocket effect in general relativity in the wide-angle galaxy 2-point correlation function. 2020 , 29, 2050085		6
196	Analytic marginalization of N(z) uncertainties in tomographic galaxy surveys. 2020 , 2020, 056-056		4
195	Impact of cosmological signatures in two-point statistics beyond the linear regime. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 504, 3284-3297	4.3	1
194	Joint analyses of 2D CMB lensing and 3D galaxy clustering in the spherical Fourier-Bessel basis. 2021 , 104,		O
193	Mapping the cosmic mass distribution with stacked weak gravitational lensing and Doppler lensing. Monthly Notices of the Royal Astronomical Society,	4.3	О
192	H i IM correlation function from UNIT simulations: BAO and observationally induced anisotropy. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	2
191	Euclid: Forecasts from redshift-space distortions and the Alcock-Paczynski test with cosmic voids.		3
190	AbacusHOD: A highly efficient extended multi-tracer HOD framework and its application to BOSS and eBOSS data. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	1
189	Towards testing the theory of gravity with DESI: summary statistics, model predictions and future simulation requirements. 2021 , 2021, 050		6
188	Clustering in massive neutrino cosmologies via Eulerian Perturbation Theory. 2021 , 2021, 028		О
187	Constraints on f(R) and normal-branch Dvali-Gabadadze-Porrati modified gravity model parameters with cluster abundances and galaxy clustering. 2021 , 104,		O

186	The Kaiser-Rocket effect: three decades and counting. 2021, 2021, 027		O
185	How can gravitational-wave standard sirens and 21-cm intensity mapping jointly provide a precise late-universe cosmological probe?. 2021 , 104,		6
184	Anti-symmetric clustering signals in the observed power spectrum. 2021 , 2021, 003		1
183	Phenomenological Tests of Gravity on Cosmological Scales. 2021 , 425-450		
182	Constraining beyond IDM models with 21cm intensity mapping forecasted observations combined with latest CMB data. 2022 , 2022, 018		O
181	A multi-messenger view of cosmic dawn: Conquering the final frontier. 2021 , 30,		O
180	Density reconstruction from biased tracers and its application to primordial non-Gaussianity. 2021 , 104,		1
179	HERA Phase I Limits on the Cosmic 21 cm Signal: Constraints on Astrophysics and Cosmology during the Epoch of Reionization. 2022 , 924, 51		9
178	Mapping the cosmic expansion history from LIGO-Virgo-KAGRA in synergy with DESI and SPHEREx. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	2
177	Detectability of the gravitational redshift effect from the asymmetric galaxy clustering. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	O
176	Correlated orientations of the axes of large quasar groups on Gpc scales. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	О
175	Mock catalogues of emission-line galaxies based on the local mass density in dark-matter only simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022 , 511, 1131-1140	4.3	1
174	Constraining ultralight axions with galaxy surveys. 2022 , 2022, 049		4
173	Iterative reconstruction excursions for Baryon Acoustic Oscillations and beyond. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022 , 511, 1557-1573	4.3	1
172	The observed galaxy power spectrum in General Relativity. 2022 , 2022, 061		Ο
171	Prospects for measuring dark energy with 21 cm intensity mapping experiments. 2022 , 2022, 060		O
170	Clustering of Gravitational Wave and Supernovae events: a multitracer analysis in Luminosity Distance Space. 2022 , 2022, 003		1
169	A new analysis of galaxy 2-point functions in the BOSS survey, including full-shape information and post-reconstruction BAO. 2022 , 2022, 008		10

168	Clustering with general photo-z uncertainties: Application to Baryon Acoustic Oscillations. <i>Monthly Notices of the Royal Astronomical Society</i> , 4-3	1
167	Euclid preparation. XIX. Impact of magnification on photometric galaxy clustering.	2
166	Structure formation in an anisotropic universe: Eulerian perturbation theory. 2022, 2022, 018	0
165	Dark Energy Survey Year 3 results: A 2.7% measurement of baryon acoustic oscillation distance scale at redshift 0.835. 2022 , 105,	4
164	Cosmological simulations of number counts. 2021 , 2021, 021	1
163	Fabulous code for spherical Fourier-Bessel decomposition. 2021 , 104,	2
162	Neural Network Reconstructions for the Hubble Parameter, Growth Rate and Distance Modulus.	
161	The extended Local Supercluster. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022 , 511, 5093-510 β 3	Ο
160	Neural network reconstruction of late-time cosmology and null tests. 2022 , 2022, 023	2
159	A 3D Phase Space Analysis of Scalar Field Potentials. 2022 , 8, 145	O
158	Cosmological constraints without nonlinear redshift-space distortions. 2022 , 105,	0
157	Model-independent constraints on the and H(z) from the link between geometry and growth. Monthly Notices of the Royal Astronomical Society, 2022, 512, 1967-1984 4-3	О
156	Cosmology behind the mask: constraining the parameters of CDM with the unmasked galaxy density field from VIPERS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022 , 512, 2817-2826	1
155	Constructing the Emission-line Galaxyâ⊞ost Halo Connection through Auto and Cross Correlations. 2022 , 928, 10	O
154	Constraining the Cosmic Baryon Distribution with Fast Radio Burst Foreground Mapping. 2022 , 928, 9	2
153	The Seventeenth Data Release of the Sloan Digital Sky Surveys: Complete Release of MaNGA, MaStar, and APOGEE-2 Data. 2022 , 259, 35	24
152	Mapping the Three-dimensional LyForest Large-scale Structure in Real and Redshift Space*. 2022 , 927, 230	Ο
151	Precision analysis of the redshift-space galaxy bispectrum. 2022 , 105,	1

150	Removing interlopers from intensity mapping probes of primordial non-Gaussianity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022 , 512, 4262-4271	4.3	O
149	???????????. 2022,		
148	The 6 Tept method: supernova velocities meet multiple tracers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022 , 512, 2841-2853	4.3	1
147	Cosmological implications of the full shape of anisotropic clustering measurements in BOSS and eBOSS. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	1
146	Magrathea-Pathfinder: A 3D adaptive-mesh code for geodesic ray tracing in N-body simulations.		О
145	The Completed SDSS-IV Extended Baryon Oscillation Spectroscopic Survey: Growth rate of structure measurement from cosmic voids. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	2
144	Host Dark Matter Halos of SDSS Red and Blue Quasars: No Significant Difference in Large-scale Environment. 2022 , 927, 16		О
143	Streaming velocity effects on the post-reionization 21 cm baryon acoustic oscillation signal. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	O
142	Detecting the power spectrum turnover with Hî intensity mapping. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022 , 512, 2408-2425	4.3	1
141	The High Latitude Spectroscopic Survey on the Nancy Grace Roman Space Telescope. 2022 , 928, 1		3
140	Impact of lensing magnification on the analysis of galaxy clustering in redshift space.		О
139	Using peculiar velocity surveys to constrain neutrino masses. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	1
138	Redshift space distortions: Unmixing radial scales in projection. 2022 , 105,		O
137	Cosmological constraints from the density gradient weighted correlation function. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	
136	Constraining Brans-Dicke cosmology with the CSST galaxy clustering spectroscopic survey.		
135	Revisiting a non-parametric reconstruction of the deceleration parameter from combined background and the growth rate data. 2022 , 36, 100998		Ο
134	ShapeFit: extracting the power spectrum shape information in galaxy surveys beyond BAO and RSD. 2021 , 2021, 054		9
133	The large-scale environment of thermonuclear and core-collapse supernovae. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 510, 366-372	4.3	1

132	Model-independent versus model-dependent interpretation of the SDSS-III BOSS power spectrum: Bridging the divide. 2021 , 104,		3
131	Cosmological Tests of Gravity: A Future Perspective. 2021 , 7, 506		О
130	Covariant decomposition of the non-linear galaxy number counts and their monopole. 2021 , 2021, 031		О
129	H i constraints from the cross-correlation of eBOSS galaxies and Green Bank Telescope intensity maps. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022 , 510, 3495-3511	4.3	8
128	Full-shape cosmology analysis of the SDSS-III BOSS galaxy power spectrum using an emulator-based halo model: A 5% determination of B . 2022 , 105,		2
127	Model selection using baryon acoustic oscillations in the final SDSS-IV release.		Ο
126	Cosmology and neutrino mass with the Minimum Spanning Tree. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	1
125	Imprints of fermionic and bosonic mixed dark matter on the 21-cm signal at cosmic dawn. 2022 , 105,		1
124	A new consistency test for LCDM cosmology using galaxy surveys.		
123	Linear growth of structure in projected massive gravity. 2022 , 105,		Ο
122	CoLoRe: fast cosmological realisations over large volumes with multiple tracers. 2022 , 2022, 002		1
121	Ringing the universe with cosmic emptiness: void properties through a combined analysis of stacked weak gravitational and Doppler lensing. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	
120	Grid-based calculations of redshift-space matter fluctuations from perturbation theory: UV sensitivity and convergence at the field level. 2022 , 105,		O
119	Towards an accurate model of small-scale redshift-space distortions in modified gravity. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	
118	Effects of peculiar velocities on the morphological properties of large-scale structure. 2022, 105,		0
117	A galaxy-free phenomenological model for the 21-cm power spectrum during reionization. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	O
116	Analysis method for 3D power spectrum of projected tensor fields with fast estimator and window convolution modeling: An application to intrinsic alignments. 2022 , 105,		0
115	Observational constraints on Starobinsky f(R) cosmology from cosmic expansion and structure growth data. 2022 , 82,		O

The Influence of Redshift Space Distortion on the Cosmic Voids. **2022**, 46, 22-41

113	Evolution mapping: a new approach to describe matter clustering in the non-linear regime. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	1
112	Modelling galaxy clustering in redshift space with a Lagrangian bias formalism and N-body simulations. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	2
111	Dark Energy Survey Year 3 results: Cosmology from combined galaxy clustering and lensing validation on cosmological simulations. 2022 , 105,		O
110	Cosmological constraints on the gravitational constant. 2022 , 2022, 004		1
109	Improving the line of sight for the anisotropic 3-Point Correlation Function of Galaxies: Centroid and unit-vector-average methods scaling as O(N2). <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	О
108	Parameter inference with non-linear galaxy clustering: Accounting for theoretical uncertainties. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	
107	AMICO galaxy clusters in KiDS-DR3: Constraints on cosmological parameters and on the normalisation of the mass-richness relation from clustering.		2
106	COMAP Early Science. VII. Prospects for CO Intensity Mapping at Reionization. 2022, 933, 188		2
105	Stringent B constraints from small-scale galaxy clustering using a hybrid MCMC+emulator framework. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	2
104	COMAP Early Science. V. Constraints and Forecasts at z ~ 3. 2022 , 933, 186		2
103	Challenges for IIDM: An update. 2022 , 95, 101659		8
102	Inferring $\$\$S_8(z)\$\$$ and $\$\$gamma(z)\$\$$ with cosmic growth rate measurements using machine learning. 2022 , 82,		1
101	Updated neutrino mass constraints from galaxy clustering and CMB lensing-galaxy cross-correlation measurements. 2022 ,		O
100	Distinguishing between IDM and f(R) gravity models using halo ellipticity correlations in simulations. <i>Monthly Notices of the Royal Astronomical Society</i> ,	4.3	O
99	Structure formation in mimetic gravity. 2022 , 106,		O
98	Cosmological analysis of three-dimensional BOSS galaxy clustering and Planck CMB lensing cross correlations via Lagrangian perturbation theory. 2022 , 2022, 041		2
97	The completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: measurement of the growth rate of structure from the small-scale clustering of the luminous red galaxy sample.		2

96	The DESI N-body simulation project âll. Testing the robustness of simulations for the DESI dark time survey. 2022 , 515, 1854-1870	2
95	The effect of ionizing background fluctuations on the spatial correlations of high redshift Ly⊞mitting galaxies. 2022 , 516, 572-581	O
94	The galaxy power spectrum on the lightcone: deep, wide-angle redshift surveys and the turnover scale. 2022 , 2022, 019	
93	Model BOSS and eBOSS luminous red galaxies at 0.2 & amp;lt; z & amp;lt; 1.0 using SubHalo Abundance Matching with three parameters. 2022 , 516, 57-74	O
92	Clustering redshifts with the 21cm-galaxy cross-bispectrum.	
91	Analytic Gaussian covariance matrices for galaxy N -point correlation functions. 2022 , 106,	O
90	Non-Gaussianity in the squeezed three-point correlation from the relativistic effects. 2022 , 2022, 050	O
89	Analytical growth functions for cosmic structures in a CDM Universe.	O
88	Forecasting the cross-correlation of the CSST galaxy survey with the FAST H i Intensity Map. 2022 , 515, 5894-5904	1
87	Impact of intrinsic alignments on clustering constraints of the growth rate.	O
86	The Arecibo Galaxy Environment Survey (AGES). XI. The expanded Abell 1367 field: Data catalogue and Hi census over the surveyed volume.	
85	Unexpected Dancing Partners: Tracing the Coherence between the Spin and Motion of Dark Matter Halos. 2022 , 935, 71	1
84	Model-agnostic interpretation of 10 billion years of cosmic evolution traced by BOSS and eBOSS data. 2022 , 2022, 024	3
83	Testing general relativity with cosmological large scale structure. 2022 , 54,	O
82	Efficient computation of N -point correlation functions in D dimensions. 2022 , 119,	O
81	Tightening geometric and dynamical constraints on dark energy and gravity: Galaxy clustering, intrinsic alignment, and kinetic Sunyaev-Zelâflovich effect. 2022 , 106,	O
80	Cosmology with the redshift-space galaxy bispectrum monopole at one-loop order. 2022, 106,	1
79	C3 Cluster Clustering Cosmology I. New Constraints on the Cosmic Growth Rate at $z \sim 0.3$ from Redshift-space Clustering Anisotropies. 2021 , 920, 13	2

78	Biased tracers as a probe of beyond-LCDM cosmologies.	Ο
77	Galaxy and Mass Assembly (GAMA): Probing galaxy-group correlations in redshift space with the halo streaming model.	Ο
76	Fisher matrix for the angular power spectrum of multi-tracer galaxy surveys. 2022 , 2022, 073	Ο
75	Solving small-scale clustering problems in approximate light-cone mocks. 2022 , 516, 1062-1071	1
74	Anisotropies in cosmological 21´cm background by oscillons/I-balls of ultra-light axion-like particle. 2022 , 2022, 066	0
73	Probing the Diffuse LyŒmission on Cosmological Scales: LyŒmission Intensity Mapping Using the Complete SDSS-IV eBOSS. 2022 , 262, 38	O
72	Integrated trispectrum detection from BOSS DR12 NGC CMASS. 2022 , 2022, 050	0
71	A non-linear solution to the S8 tension?. 2022 , 516, 5355-5366	1
70	Primordial trispectrum from kinetic Sunyaev-Zelâdovich tomography. 2022 , 106,	0
69	Investigating the constraints on primordial features with future cosmic microwave background and galaxy surveys. 2022 , 2022, 024	Ο
68	Measurements of cosmic expansion and growth rate of structure from voids in the Sloan Digital Sky Survey between redshift 0.07 and 1.0. 2022 , 516, 4307-4323	2
67	Covariance of photometric and spectroscopic two-point statistics: Implications for cosmological parameter inference. 2022 , 106,	1
66	Second-order gauge-invariant formalism for the cosmological observables: complete verification of their gauge-invariance. 2022 , 2022, 071	0
65	Non-linearities in the Lyman-Horest and in its cross-correlation with dark matter halos. 2022, 2022, 070	O
64	Probing parity violation with the four-point correlation function of BOSS galaxies. 2022, 106,	0
63	Baryon acoustic oscillations from H i intensity mapping: The importance of cross-correlations in the monopole and quadrupole. 2022 , 516, 5454-5470	O
62	Line-intensity mapping: theory review with a focus on star-formation lines. 2022, 30,	2
61	A light-cone catalogue from the Millennium-XXL simulation: improved spatial interpolation and colour distributions for the DESI BGS. 2022 , 516, 4529-4542	O

60	Optical depth to reionization from perturbative 21 cm clustering. 2022 , 2022, 007	О
59	Observations of the Large-Scale Structure of the Universe. 2022 , 9-28	О
58	Velocity profiles of matter and biased tracers around voids. 2022, 517, 4458-4471	O
57	On the primordial origin of the smoothing excess in the Planck temperature power spectrum in light of LSS data. 2022 , 2022, 083	0
56	Overview of the Instrumentation for the Dark Energy Spectroscopic Instrument. 2022 , 164, 207	3
55	Cosmological inference from an emulator based halo model. I. Validation tests with HSC and SDSS mock catalogs. 2022 , 106,	1
54	Impact of the Universeâl expansion rate on constraints on modified growth of structure. 2022 , 106,	0
53	Correcting for small-displacement interlopers in BAO analyses. 2022 , 2022, 072	O
52	Rescuing constraints on modified gravity using gravitational redshift in large-scale structure. 2022 , 106,	O
51	H i intensity mapping with MeerKAT: Power spectrum detection in cross-correlation with WiggleZ galaxies.	2
50	Anomalies in physical cosmology. 2022 , 447, 169159	0
49	CosNAS: Enhancing estimation on cosmological parameters via neural architecture search. 2023 , 99, 101955	O
48	Galaxy and Mass Assembly (GAMA). Mid-infrared properties as tracers of galaxy environment.	0
47	A local measurement of the growth rate from peculiar velocities and galaxy clustering correlations in the 6dF Galaxy Survey.	O
46	Towards Optimal Foreground Mitigation Strategies for Interferometric H i Intensity Mapping in the Low-Redshift Universe.	O
45	Cosmological constraints from the power spectrum and bispectrum of 21cm intensity maps. 2022 , 2022, 003	O
44	The dipole of the astrophysical gravitational-wave background. 2022, 2022, 040	0
43	Forecasts for cosmological measurements based on the angular power spectra of AGN and clusters of galaxies in the SRG/eROSITA all-sky survey.	O

42	Relativistic distortions in galaxy densityâlllipticity correlations: gravitational redshift and peculiar velocity effects. 2022 , 518, 4976-4990	0
41	Studying large-scale structure probes of modified gravity with COLA. 2022 , 2022, 028	0
40	The maximum extent of the filaments and sheets in the cosmic web: an analysis of the SDSS DR17.	О
39	Cosmological constraint precision of photometric and spectroscopic multi-probe surveys of China Space Station Telescope (CSST). 2022 , 519, 1132-1148	1
38	Testing Bayesian reconstruction methods from peculiar velocities.	О
37	Unveiling the Universe with emerging cosmological probes. 2022 , 25,	3
36	Dark Energy Survey Year 3 results: Measurement of the baryon acoustic oscillations with three-dimensional clustering. 2022 , 106,	О
35	Distance Causes Departure: Characteristics of Galaxies Vulnerable to Photometric Redshift Measurements. 2022 , 2386, 012080	O
34	Clustering dependence on Lyalpha luminosity from MUSE surveys at 3 <z<6.< td=""><td>О</td></z<6.<>	О
33	Is there evidence for CIDER in the Universe?. 2023 , 2023, 013	O
32	Probing large scale ionizing background fluctuation with lyman #forest and galaxy cross-correlation at z=2.4.	0
31	Constraining Cosmic Inflation with Observations: Prospects for 2030.	О
30	Interferometric H i intensity mapping: perturbation theory predictions and foreground removal effects.	О
29	Combining cosmic shear data with correlated photo-z uncertainties: constraints from DESY1 and HSC-DR1. 2023 , 2023, 025	О
28	Colliders and ghosts: Constraining inflation with the parity-odd galaxy four-point function. 2023 , 107,	0
27	Minkowski Tensors in Redshift Spaceâ B eyond the Plane-parallel Approximation. 2023 , 942, 110	O
26	Quantifying the redshift space distortion of the bispectrum III: detection prospects of the multipole moments. 2023 , 520, 2534-2546	0
25	Artificial neural networks for galaxy clustering: Learning from the two-point correlation function of BOSS galaxies. 2023 , 42, 100692	O

24	Probing early Universe through redshifted 21-cm signal: Modeling and observational challenges. 2023 , 44,	Ο
23	Correlation Functions and the Spectrum of the Initial Fluctuations. 2023 , 433-472	Ο
22	Cosmology with the galaxy bispectrum multipoles: Optimal estimation and application to BOSS data. 2023 , 107,	0
21	Precision redshift-space galaxy power spectra using Zel'dovich control variates. 2023 , 2023, 008	O
20	The bacco simulation project: bacco hybrid Lagrangian bias expansion model in redshift space. 2023 , 520, 3725-3741	0
19	The halo bias for number counts on the light cone from relativistic N-body simulations. 2023 , 2023, 036	O
18	The VST ATLAS quasar survey I: Catalogue of photometrically selected quasar candidates. 2023 , 521, 3384-3404	0
17	New constraints on primordial features from the galaxy two-point correlation function. 2023 , 107,	Ο
16	Target Selection and Validation of DESI Emission Line Galaxies. 2023, 165, 126	1
15	Photometric Objects Around Cosmic Webs (PAC) Delineated in a Spectroscopic Survey. IV. High-precision Constraints on the Evolution of the StellarâHalo Mass Relation at Redshift z < 0.7. 2023 , 944, 200	O
14	Disentangling Modified Gravity and Massive Neutrinos with Intrinsic Shape Alignments of Massive Halos. 2023 , 945, 15	0
13	Multipole expansion for 21 cm intensity mapping power spectrum: Forecasted cosmological parameters estimation for the SKA observatory. 2023 , 521, 3221-3236	Ο
12	Model-independent test for gravity using intensity mapping and galaxy clustering. 2023, 107,	0
11	First Constraints on Growth Rate from Redshift-space Ellipticity Correlations of SDSS Galaxies at 0.16 < z < 0.70. 2023 , 945, L30	O
10	Disordered Heterogeneous Universe: Galaxy Distribution and Clustering across Length Scales. 2023 , 13,	0
9	The shape distribution of superclusters in SDSS DR12. 2023 , 521, 4712-4730	O
8	Gravitational wave fossils in nonlinear regime: Halo tidal bias and intrinsic alignments from gravitational wave separate universe simulations. 2023 , 107,	0
7	Beyond allIDM constraints from the full shape clustering measurements from BOSS and eBOSS. 2023 , 521, 5013-5025	0

CITATION REPORT

6	Subtracting the kinetic Sunyaev-Zeldovich effect from the cosmic microwave background with surveys of large-scale structure. 2023 , 107,	O
5	SimBIG: mock challenge for a forward modeling approach to galaxy clustering. 2023 , 2023, 010	O
4	Intrinsic alignment as an RSD contaminant in the DESI survey. 2023 , 522, 117-129	О
3	Detection of Cosmological 21 cm Emission with the Canadian Hydrogen Intensity Mapping Experiment. 2023 , 947, 16	0
2	Neural network reconstructions for the Hubble parameter, growth rate and distance modulus. 2023 , 83,	0
1	Large-scale density and velocity field reconstructions with neural networks. 2023 , 522, 5291-5307	O