

# CITATION REPORT

List of articles citing

Tissue renin-angiotensin system: sites of angiotensin format.

DOI: 10.1097/00005344-198706107-00002

Journal of Cardiovascular Pharmacology, 1987, 10  
Suppl 7, S1-8.

Source: <https://exaly.com/paper-pdf/19034077/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
111	T-1583 and forskolin are similar in their cardiac effects and dissimilar in their vascular effects. <b>1988</b> , 2, 245-53		1
110	Interference of ketanserin with baroreflex control of the circulation in the conscious spontaneously hypertensive rat. <b>1988</b> , 36 Suppl 1, 55-60		4
109	Combined action drugs in the treatment of hypertension. <b>1988</b> , 36 Suppl 6, 26-30		1
108	Ketanserin in the treatment of systemic hypertension during and following coronary artery bypass surgery. <b>1989</b> , 40, 1001-10		5
107	Nicorandil and cardiovascular performance in anaesthetized pigs with a concentric coronary artery stenosis. <b>1989</b> , 340, 733-9		2
106	Cardiohemodynamic effects of cromakalim and pinacidil, potassium-channel openers, in the dog, special reference to venous return. <b>1989</b> , 3, 507-15		13
105	Drugs interacting with alpha adrenoceptors. <b>1989</b> , 3, 121-33		11
104	Tissue renin-angiotensin systems in the heart and vasculature: possible involvement in the cardiovascular actions of converting enzyme inhibitors. <b>1990</b> , 65, 31-101		52
103	Intrarenal angiotensinogen: localization and regulation. <b>1990</b> , 4, 424-8		13
102	In vivo comparison of renal and femoral vascular sensitivity and local angiotensin generation. <b>1990</b> , 15, 204-9		12
101	Acute impairment of endothelium-dependent relaxations to aggregating platelets following reperfusion injury in canine coronary arteries. <b>1990</b> , 67, 385-93		127
100	Interrelation between pinacidil and intracellular ATP concentrations on activation of the ATP-sensitive K <sup>+</sup> current in guinea pig ventricular myocytes. <b>1990</b> , 67, 1124-33		49
99	Biochemistry and pharmacology of the renin-angiotensin system. <b>1990</b> , 39 Suppl 1, 21-31		105
98	The renin-angiotensin system in the pituitary gland. <b>1991</b> , 2, 104-7		15
97	From tissue angiotensin converting enzyme inhibition to antihypertensive effect. <b>1991</b> , 4, 263S-269S		5
96	Renin inhibitors. <b>1991</b> , 22, 207-50		17
95	Coronary vasodilation induced by captopril and zofenoprilat: evidence for a prostaglandin-independent mechanism. <b>1991</b> , 343, 491-5		8

94	Beta-adrenergic-induced local angiotensin generation in the rabbit hind limb is dependent on the kidney. <b>1991</b> , 17, 1010-7	13
93	Quinapril: a new second-generation ACE inhibitor. <b>1991</b> , 25, 499-504	6
92	Molecular biology of angiotensinogen. <b>1991</b> , 17, 263-9	101
91	Polymerase chain reaction analysis of renin in rat aortic smooth muscle. <b>1992</b> , 19, 697-701	16
90	Distribution and metabolism of angiotensin I and II in the blood vessel wall. <b>1992</b> , 20, 151-7	42
89	Regulatory role of brain angiotensins in the control of physiological and behavioral responses. <b>1992</b> , 17, 227-62	254
88	The myocardial renin-angiotensin system: existence, importance, and clinical implications. <b>1992</b> , 123, 1039-45	51
87	Determinants of the renal response to ACE inhibition in patients with congestive heart failure. <b>1992</b> , 124, 131-6	13
86	Circulating angiotensin II levels under repeated administration of lisinopril in normal subjects. <b>1992</b> , 19, 547-53	23
85	Urinary excretion of angiotensin I, II, arginine vasopressin and oxytocin in patients with anaphylactoid reactions. <b>1992</b> , 22, 845-53	14
84	ACE inhibitors in renal disease. <b>1992</b> , 42, 463-79	57
83	A new method to localize active renin in tissues by autoradiography: application to dog kidney. <b>1992</b> , 42, 639-46	8
82	Comparison of the development of tolerance to nitroglycerin in aortic preparations isolated from non-diabetic and diabetic rats. <b>1992</b> , 7, 1-7	5
81	Nicorandil as a nitrate, and cromakalim as a potassium channel opener, dilate isolated porcine large coronary arteries in an agonist-nonspecific manner. <b>1993</b> , 7, 691-9	11
80	Effect of perindopril on cardiovascular hypertrophy of the SHR: respective roles of reduced blood pressure and reduced angiotensin II levels. <b>1993</b> , 71, 17E-21E	4
79	Levels of angiotensin and molecular biology of the tissue renin angiotensin systems. <b>1993</b> , 43, 1-20	262
78	Influence of captopril on red cell velocity in the vasa recta of the renal medulla. <b>1993</b> , 98, 149-58	2
77	Human leukocytes contain angiotensin I, angiotensin II and angiotensin metabolites. <b>1994</b> , 103, 152-9	13

76	Angiotensin converting enzyme inhibition prevents the increase in aortic collagen in rats. <b>1994</b> , 23, 74-82	129
75	Alteration of response to neuropeptide Y in the nucleus tractus solitarius of spontaneously hypertensive rats. <b>1994</b> , 23, 193-6	7
74	Mechanism of the vasodilatory action of nicorandil on coronary circulation in dogs. <b>1994</b> , 8, 137-45	33
73	A further study of the vasodilator and negative inotropic mechanisms of action of nicorandil and its congeners in the canine heart. <b>1994</b> , 8, 227-34	1
72	Augmentation of angiotensin II release from isolated mesenteric arteries of Wistar-Kyoto and spontaneously hypertensive rats following nephrectomy. <b>1994</b> , 21, 767-73	3
71	Autoradiographic localization and characterization of angiotensin II receptor subtypes in the rat thymus. <b>1994</b> , 15, 821-4	4
70	Introduction. <b>1995</b> , 75, 1F-2F	
69	Double-blind comparison of the acute effects of two relevant doses of oral nicorandil on central hemodynamics, left ventricular function, and myocardial contractility. <b>1995</b> , 9 Suppl 2, 213-20	3
68	Kidney angiotensin II receptors and converting enzyme in neonatal and adult Wistar-Kyoto and spontaneously hypertensive rats. <b>1995</b> , 16, 19-24	33
67	Aortic collagen, aortic stiffness, and AT1 receptors in experimental and human hypertension. <b>1996</b> , 74, 862-866	20
66	A nucleotide substitution in the promoter of human angiotensinogen is associated with essential hypertension and affects basal transcription in vitro. <b>1997</b> , 99, 1786-97	416
65	Possible evaluation of hemodynamic effects of the potassium channel opener KRN2391 on induced hypotension in dogs. <b>1997</b> , 11, 136-40	1
64	Calcium channel blockers activate the interleukin-6 gene via the transcription factors NF-IL6 and NF-kappaB in primary human vascular smooth muscle cells. <i>Circulation</i> , <b>1999</b> , 99, 2276-82	16.7 53
63	Losartan-sensitive renal damage caused by chronic NOS inhibition does not involve increased renal angiotensin II concentrations. <b>1999</b> , 56, 222-31	28
62	Effects of enalaprilat on neointimal growth of cultured rabbit aorta following balloon injury. <b>1999</b> , 77, 763-769	2
61	Genetic polymorphisms in the renin-angiotensin system: relevance for susceptibility to cardiovascular disease. <b>2000</b> , 410, 289-302	116
60	Nicorandil affords cardioprotection in patients with acute myocardial infarction treated with primary percutaneous transluminal coronary angioplasty: assessment with thallium-201/iodine-123 BMIPP dual SPECT. <b>2000</b> , 7, 447-53	22
59	Secretory, endocrine and autocrine/paracrine function of the adipocyte. <b>2000</b> , 130, 3110S-3115S	163

58	Regulation of proximal tubule transport by endogenously produced angiotensin II. <b>2000</b> , 84, 103-10		14
57	Vasorelaxant properties of nicorandil on human radial artery. <b>2000</b> , 17, 319-24		22
56	Thromboxane-B2, prostaglandin-E2 and hypertension in the rat 2-kidney 1-clip model: a possible mechanism of the garlic induced hypotension. <b>2001</b> , 64, 5-10		26
55	Effects of administration of nicorandil or bimakalim prior to and during ischemia or reperfusion on survival rate, ischemia/reperfusion-induced arrhythmias and infarct size in anesthetized rabbits. <b>2001</b> , 364, 383-96		16
54	Review: Intrarenal angiotensin II levels in normal and hypertensive states. <b>2001</b> , 2, S176-S184		48
53	ACEH/ACE2 is a novel mammalian metallopeptidase and a homologue of angiotensin-converting enzyme insensitive to ACE inhibitors. <b>2002</b> , 80, 346-53		131
52	Molecular cloning and sequencing of the cDNA for rat mesenteric arterial bed elastase-2, an angiotensin II-forming enzyme. <i>Journal of Cardiovascular Pharmacology</i> , <b>2002</b> , 39, 628-35	3.1	21
51	The drive to identify genetic factors influencing left ventricular mass responses to antihypertensive treatment. <b>2002</b> , 20, 583-5		2
50	Infarct size limitation by nicorandil: roles of mitochondrial K(ATP) channels, sarcolemmal K(ATP) channels, and protein kinase C. <b>2002</b> , 40, 1523-30		58
49	Effect of nicorandil on coronary events in patients with stable angina: the Impact Of Nicorandil in Angina (IONA) randomised trial. <b>2002</b> , 359, 1269-75		514
48	Immunocytochemical and biochemical identification of angiotensin II in human nasal tissue. <b>2002</b> , 107, 15-21		1
47	Antagonistic oxytocin/alpha2-adrenoreceptor interactions in the nucleus tractus solitarii: relevance for central cardiovascular control. <b>2000</b> , 12, 1167-73		11
46	Mitochondrial K ATP channel activation is important in the antiarrhythmic and cardioprotective effects of non-hypotensive doses of nicorandil and cromakalim during ischemia/reperfusion: a study in an intact anesthetized rabbit model. <b>2003</b> , 47, 447-61		25
45	Nicorandil inhibits oxidative stress-induced apoptosis in cardiac myocytes through activation of mitochondrial ATP-sensitive potassium channels and a nitrate-like effect. <b>2003</b> , 35, 1505-12		47
44	Association of two angiotensinogen gene polymorphisms, M235T and G(-6)A, with chronic heart failure. <b>2003</b> , 89, 267-72		14
43	Maternal-fetal flow, negative events, and preeclampsia: role of ACE I/D polymorphism. <b>2003</b> , 41, 932-7		76
42	Regulation of the angiotensin-converting enzyme activity by a time-course hypoxia in the carotid body. <b>2004</b> , 96, 809-13		38
41	Nicorandil induces late preconditioning against myocardial infarction in conscious rabbits. <b>2004</b> , 286, H1273-80		18

40	Fos expression after mating in noradrenergic cells of the A1 and A2 areas of the medulla is altered by adrenalectomy. <b>2004</b> , 16, 750-7	9
39	Conversion of renin substrate tetradecapeptide to angiotensin II by rat MAB elastase-2. <b>2004</b> , 82, 1000-5	8
38	Relationship between left ventricular mass and the ACE D/I polymorphism varies according to sodium intake. <b>2004</b> , 22, 287-95	20
37	Role of elastase-2 as an angiotensin II-forming enzyme in rat carotid artery. <i>Journal of Cardiovascular Pharmacology</i> , <b>2005</b> , 46, 498-504	3.1 12
36	Membrane-associated zinc peptidase families: comparing ACE and ACE2. <b>2005</b> , 1751, 2-8	64
35	Is the sarcolemmal or mitochondrial K(ATP) channel activation important in the antiarrhythmic and cardioprotective effects during acute ischemia/reperfusion in the intact anesthetized rabbit model?. <b>2005</b> , 77, 1226-48	36
34	ACE2: A novel therapeutic target for cardiovascular diseases. <b>2006</b> , 91, 163-98	70
33	Urinary albumin excretion and the renin-angiotensin system in cardiovascular risk management. <b>2006</b> , 7, 2505-20	2
32	Multivessel coronary artery spasm refractory to intensive medical treatment. <b>2007</b> , 58, 636-9	5
31	Receptor-receptor interactions in central cardiovascular regulation. Focus on neuropeptide/alpha(2)-adrenoreceptor interactions in the nucleus tractus solitarius. <b>2007</b> , 114, 115-25	19
30	Intramembrane receptor-receptor interactions: a novel principle in molecular medicine. <b>2007</b> , 114, 49-75	100
29	Intracoronary pharmacotherapy in the management of coronary microvascular dysfunction. <b>2008</b> , 26, 234-42	20
28	Differential regulation of angiotensin-(1-12) in plasma and cardiac tissue in response to bilateral nephrectomy. <b>2009</b> , 296, H1184-92	63
27	The changing world of G protein-coupled receptors: from monomers to dimers and receptor mosaics with allosteric receptor-receptor interactions. <b>2010</b> , 30, 272-83	63
26	Loss of Coronary Dilation to N6-2-(4-Aminophenyl) Ethyladenosine in Isolated Hearts from Chronic Caffeine- and Nifedipine-Treated Rats. <b>2011</b> , 1, 49-57	1
25	Cyclosporin A treatment enhances angiotensin converting enzyme activity in lung and serum of rats. <b>1990</b> , 42, 525-7	12
24	The protective effect of mitochondrial ATP-sensitive K <sup>+</sup> channel opener, nicorandil, combined with Na <sup>+</sup> /Ca <sup>2+</sup> exchange blocker KB-R7943 on myocardial ischemia-reperfusion injury in rat. <b>2011</b> , 60, 219-24	19
23	The impact of Rho-kinase inhibitor, "Fasudil", intracoronary bolus administration to improve refractory coronary vasospasm. <b>2011</b> , 26, 281-5	5

22	Possible Mechanisms of Local Tissue Renin-Angiotensin System Activation in the Cardiorenal Metabolic Syndrome and Type 2 Diabetes Mellitus. <b>2011</b> , 1, 193-210	38
21	Nuclear organization of cholinergic, putative catecholaminergic, serotonergic and orexinergic systems in the brain of the African pygmy mouse ( <i>Mus minutoides</i> ): organizational complexity is preserved in small brains. <b>2012</b> , 44, 45-56	24
20	An unusual case of nicorandil-induced conjunctival erosions. <b>2012</b> , 37, 681-2	7
19	Proximal nephron. <b>2013</b> , 3, 1079-123	97
18	Activity of nicorandil, a nicotinamide derivative with a nitrate group, in the experimental model of pain induced by formaldehyde in mice. <b>2013</b> , 106, 85-90	11
17	[Pathophysiological hypothesis regarding the role of nicotinamide in the genesis of niacin-induced macular edema]. <b>2014</b> , 37, e49-51	
16	Is the renin-angiotensin system actually hypertensive?. <b>2014</b> , 29, 951-60	6
15	Dynamic regulation of the angiotensinogen gene by DNA methylation, which is influenced by various stimuli experienced in daily life. <b>2015</b> , 38, 519-27	14
14	Nicorandil, Gastrointestinal Adverse Drug Reactions and Ulcerations: A Systematic Review. <b>2016</b> , 33, 320-44	12
13	Adenosine Receptors as a Paradigm to Identify Dimer/Oligomers of G-Protein-Coupled Receptors and as Targets in Parkinson's Disease and Schizophrenia. <b>2018</b> , 239-258	
12	ACE2 as a Therapeutic Target for COVID-19; its Role in Infectious Processes and Regulation by Modulators of the RAAS System. <b>2020</b> , 9,	19
11	On the Relationship Between the Renin Receptor and the Vacuolar Proton-ATPase Membrane Sector-Associated Protein (M8-9). <b>2006</b> , 17-34	6
10	Tissue Angiotensin Converting Enzyme. <b>1996</b> , 205-239	3
9	Receptors for (3B) Angiotensin in Brain Cells. <i>Advances in Experimental Medicine and Biology</i> , <b>1996</b> , 253-268	1
8	Introduction. <i>Zoophysiology</i> , <b>1996</b> , 1-9	6
7	Converting Enzyme Inhibitors. <i>Handbook of Experimental Pharmacology</i> , <b>1990</b> , 377-481	3,2 21
6	Evidence that angiotensin II is present in human monocytes. <i>Circulation</i> , <b>1995</b> , 91, 1129-34	16.7 58
5	Newer Insights into the Biochemical Physiology of the Renin-Angiotensin System: Role of Angiotensin-(1-7), Angiotensin Converting Enzyme 2, and Angiotensin-(1-12). <b>2009</b> , 7-17	

- 4 Peptides and the circulation. *Developments in Cardiovascular Medicine*, **1991**, 135-143
- 3 Perivascular Peptides in the Coronary Circulation: Relation to Pathophysiology. **1993**, 367-397
- 2 Role of Local Renin-Angiotensin System in the Carotid Body and in Diseases. **2007**, 155-177
- 1 Losartan impairs HTR-8/SVneo trophoblast migration through inhibition of angiotensin II-induced pro-inflammatory profile in human endometrial stromal cells. **2023**, 461, 116383 ○