

# CITATION REPORT

List of articles citing

Evidence for a role of the NMDA receptor in the frequency dependent potentiation of deep rat dorsal horn nociceptive neurones following C fibre stimulation

DOI: 10.1016/0028-3908(87)90275-9  
Neuropharmacology, 1987, 26, 1235-8.

**Source:** <https://exaly.com/paper-pdf/19061106/citation-report.pdf>

**Version:** 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
748	Evidence for involvement of N-methylaspartate receptors in 'wind-up' of class 2 neurones in the dorsal horn of the rat. <b>1987</b> , 424, 402-6		57 <sup>8</sup>
747	The pharmacology of segmental transmission in the spinal cord. <b>1989</b> , 33, 255-79		49
746	Let afferents be afferents. <b>1990</b> , 13, 303-304		1
745	B-Afferents: A fundamental division of the nervous system mediating homeostasis?. <b>1990</b> , 13, 289-300		32
744	Classification of afferents by input not by output?. <b>1990</b> , 13, 300-301		
743	To classify or not to classify: That is the question. <b>1990</b> , 13, 301-301		1
742	How does the B-afferent classification apply to vagal afferent neurons?. <b>1990</b> , 13, 301-302		3
741	B-afferents: Is an anatomic definition sufficient to characterize the organization of neural function?. <b>1990</b> , 13, 302-303		
740	B-afferents: The basis for autonomic reflexes?. <b>1990</b> , 13, 304-304		
739	What's in a name? A case for redefining the autonomic nervous system. <b>1990</b> , 13, 304-305		
738	Convergence of autonomic afferents at brain stem neurons: Stomach reflex and food intake. <b>1990</b> , 13, 305-306		
737	B-afferents: A system of capsaicin-sensitive primary sensory neurons?. <b>1990</b> , 13, 306-307		2
736	Network-structure of the peripheral autonomic innervation apparatus should be thoroughly evaluated. <b>1990</b> , 13, 307-308		
735	Does form underlie function in the neural control of homeostasis?. <b>1990</b> , 13, 308-309		
734	Visceral, autonomic, or just plain small dark neurones?. <b>1990</b> , 13, 309-310		2
733	Classification of peripheral neurones. <b>1990</b> , 13, 310-311		4
732	Can capsaicin be used to discriminate between subpopulations of B-afferents?. <b>1990</b> , 13, 312-312		2

731	Somatic spikes of sensory neurons may provide a better sorting criterion than the autonomic/somatic subdivision. <b>1990</b> , 13, 312-313	
730	Dichotomic classification of sensory neurons: Elegant but problematic. <b>1990</b> , 13, 313-314	
729	B-afferents: An important afferent input to the autonomic reflexes. <b>1990</b> , 13, 314-314	
728	Neuromodulatory activity of peripherally administered substance P. <b>1990</b> , 13, 315-315	
727	Capsaicin-sensitivity and the sensory vagus: Do these exceptions prove or disprove the B-neuron rule for autonomic afferents?. <b>1990</b> , 13, 315-316	1
726	Capsaicin-sensitive chemoceptive B-afferents: A neural system with dual sensory-efferent function. <b>1990</b> , 13, 316-316	10
725	B-neurons mediating homeostasis and behavior?. <b>1990</b> , 13, 317-317	
724	What about B-afferents and homeostasis from a systemic point of view?. <b>1990</b> , 13, 318-318	
723	Ontogeny, form, function, and prediction. <b>1990</b> , 13, 318-331	
722	Against rigid classification. <b>1990</b> , 13, 317-317	
721	Activity-Dependent Changes in Rat Ventral Horn Neurons in vitro; Summation of Prolonged Afferent Evoked Postsynaptic Depolarizations Produce a d-2-Amino-5-Phosphonovaleric Acid Sensitive Windup. <b>1990</b> , 2, 638-49	245
720	Implications of nervous system plasticity for pain management. <b>1990</b> , 45, 101-2	76
719	Excitatory amino acid receptors and nociceptive neurotransmission in rat spinal cord. <b>1990</b> , 41, 309-321	201
718	Intrathecal N-methyl-D-aspartate induces hyperexcitability in rat dorsal horn convergent neurones. <b>1990</b> , 119, 199-202	54
717	Involvement of N-methyl-D-aspartate receptors in nociception and motor control in the spinal cord of the mouse: behavioral, pharmacological and electrophysiological evidence. <b>1990</b> , 36, 601-10	29
716	Excitatory amino acids and synaptic transmission: the evidence for a physiological function. <b>1990</b> , 11, 205-11	299
715	A cure for wind up: NMDA receptor antagonists as potential analgesics. <b>1990</b> , 11, 307-9	258
714	Spinal antinociceptive effects of excitatory amino acid antagonists: quisqualate modulates the action of N-methyl-D-aspartate. <b>1990</b> , 182, 37-47	25

713	Evidence for spinal N-methyl-D-aspartate receptor involvement in prolonged chemical nociception in the rat. <b>1990</b> , 518, 218-26	544
712	Differential effects of excitatory amino acid antagonists on dorsal horn nociceptive neurones in the rat. <b>1990</b> , 506, 31-9	295
711	N-methyl-D-aspartate receptors mediate responses of rat dorsal horn neurones to hindlimb ischemia. <b>1990</b> , 522, 55-62	60
710	Common patterns of plasticity contributing to nociceptive sensitization in mammals and Aplysia. <b>1991</b> , 14, 74-8	91
709	Preparative surgery enhances the direct spinal actions of three injectable anaesthetics in the anaesthetized rat. <b>1991</b> , 46, 75-80	24
708	Suppression of neuropathic pain behavior in rats by a non-psychotropic synthetic cannabinoid with NMDA receptor-blocking properties. <b>1991</b> , 47, 95-103	34
707	Participation of excitatory amino acid receptors in the slow excitatory synaptic transmission in rat spinal dorsal horn. <b>1991</b> , 561, 236-51	51
706	The induction and maintenance of central sensitization is dependent on N-methyl-D-aspartic acid receptor activation; implications for the treatment of post-injury pain hypersensitivity states. <b>1991</b> , 44, 293-299	1460
705	Central neural mediators of secondary hyperalgesia following heat injury in rats: neuropeptides and excitatory amino acids. <b>1991</b> , 131, 71-4	136
704	Modulation of neuropathic pain behavior in rats by spinal disinhibition and NMDA receptor blockade of injury discharge. <b>1991</b> , 45, 69-75	170
703	Recent advances in the physiology and pharmacology of pain: plasticity and its implications for clinical analgesia. <b>1991</b> , 5, 342-51	37
702	Contribution of protein kinase C to central sensitization and persistent pain following tissue injury. <b>1992</b> , 140, 181-4	160
701	Intrathecal co-administration of substance P and NMDA augments nociceptive responses in the formalin test. <b>1992</b> , 51, 195-198	44
700	Activity-dependent neuronal plasticity following tissue injury and inflammation. <b>1992</b> , 15, 96-103	848
699	Involvement of nitric oxide in spinally mediated hyperalgesia in the mouse. <b>1992</b> , 148, 1-5	272
698	Alterations in neuronal excitability and the potency of spinal mu, delta and kappa opioids after carrageenan-induced inflammation. <b>1992</b> , 50, 345-354	122
697	The effects of a non-competitive NMDA receptor antagonist, MK-801, on behavioral hyperalgesia and dorsal horn neuronal activity in rats with unilateral inflammation. <b>1992</b> , 50, 331-344	343
696	Evidence for the involvement of the mu but not delta opioid receptor subtype in the synergistic interaction between opioid and alpha 2 adrenergic antinociception in the rat spinal cord. <b>1992</b> , 139, 65-8	39

695	Sensory testing of pathophysiological mechanisms of pain in patients with reflex sympathetic dystrophy. <b>1992</b> , 49, 163-173		157
694	Synaptic activation of dorsal horn neurons by selective C-fibre excitation with capsaicin in the mouse spinal cord in vitro. <b>1992</b> , 47, 693-702		39
693	The NMDA-receptor antagonist CPP abolishes neurogenic 'wind-up pain' after intrathecal administration in humans. <b>1992</b> , 51, 249-253		227
692	Role of N-methyl-D-aspartate and opiate receptors in nociception during and after ischaemia in rats. <b>1992</b> , 49, 241-248		40
691	Spinal local anaesthetic actions on afferent evoked responses and wind-up of nociceptive neurones in the rat spinal cord: combination with morphine produces marked potentiation of antinociception. <b>1992</b> , 49, 33-41		54
690	Electrophysiological evidence for a role of nitric oxide in prolonged chemical nociception in the rat. <i>Neuropharmacology</i> , <b>1992</b> , 31, 251-8	5.5	261
689	Differential roles of NMDA and non-NMDA receptor activation in induction and maintenance of thermal hyperalgesia in rats with painful peripheral mononeuropathy. <b>1992</b> , 598, 271-8		251
688	N-methyl-D-aspartic acid (NMDA) receptor antagonist MK-801 blocks non-opioid stress-induced analgesia. II. Comparison across three swim-stress paradigms in selectively bred mice. <b>1992</b> , 578, 197-203		83
687	Intrathecal MK-801 and local nerve anesthesia synergistically reduce nociceptive behaviors in rats with experimental peripheral mononeuropathy. <b>1992</b> , 576, 254-62		307
686	Cyclic adenosine 3'5'-monophosphate potentiates excitatory amino acid and synaptic responses of rat spinal dorsal horn neurons. <b>1992</b> , 596, 111-23		48
685	Antinociceptive actions of different classes of excitatory amino acid receptor antagonists in mice. <b>1992</b> , 212, 21-9		140
684	The intrathecal administration of excitatory amino acid receptor antagonists selectively attenuated carrageenan-induced behavioral hyperalgesia in rats. <b>1992</b> , 219, 235-43		194
683	The antinociceptive actions of dexmedetomidine on dorsal horn neuronal responses in the anaesthetized rat. <b>1992</b> , 215, 127-33		74
682	The contribution of excitatory amino acids to central sensitization and persistent nociception after formalin-induced tissue injury. <b>1992</b> , 12, 3665-70		492
681	Potent analgesia induced in rats by combined action at PCP and polyamine recognition sites of the NMDA receptor complex. <b>1993</b> , 5, 390-3		23
680	Tissue distribution of two NMDA receptor antagonists, [3H]CGS 19755 and [3H]MK-801, after intrathecal injection in mice. <b>1993</b> , 44, 9-15		31
679	The role of excitatory amino acid receptors and intracellular messengers in persistent nociception after tissue injury in rats. <b>1993</b> , 7, 229-46		121
678	Reduction of NMDA-induced behaviour after acute and chronic administration of desipramine in mice. <i>Neuropharmacology</i> , <b>1993</b> , 32, 591-5	5.5	44

677	Regulation of sigma activity by the amino-terminus of substance P in the mouse spinal cord: involvement of phencyclidine (PCP) sites not linked to N-methyl-D-aspartate (NMDA) activity. <i>Neuropharmacology</i> , <b>1993</b> , 32, 909-17	5.5	12
676	Systemic or intracerebroventricular injection of NMDA receptor antagonists attenuates the antinociceptive activity of intrathecally administered NMDA receptor antagonists. <b>1993</b> , 623, 47-55		17
675	Contribution of NK1 and NK2 receptor activation to high threshold afferent fibre evoked ventral root responses in the rat spinal cord in vitro. <b>1993</b> , 625, 100-8		49
674	Cholecystokinin as a factor in the enhanced potency of spinal morphine following carrageenin inflammation. <b>1993</b> , 108, 967-73		72
673	The NMDA antagonist Memantine blocks pain behavior in a rat model of formalin-induced facial pain. <b>1993</b> , 54, 301-307		74
672	Modality-specific hypersensitivity of dorsal horn convergent neurones during reperfusion of their receptive fields on the rat's tail. <b>1993</b> , 55, 305-312		7
671	Effects of excitatory amino acid receptor antagonists on a capsaicin-evoked nociceptive reflex: a comparison with morphine, clonidine and baclofen. <b>1993</b> , 52, 341-349		29
670	Spinal cord morphology and antinociception after chronic intrathecal administration of excitatory amino acid antagonists in the rat. <b>1993</b> , 54, 309-316		38
669	Ketamine hydrochloride in the treatment of phantom limb pain. <b>1993</b> , 54, 227-230		103
668	The role of neurokinin and N-methyl-D-aspartate receptors in synaptic transmission from capsaicin-sensitive primary afferents in the rat spinal cord in vitro. <b>1993</b> , 52, 1029-37		97
667	Contribution of central neuroplasticity to pathological pain: review of clinical and experimental evidence. <b>1993</b> , 52, 259-285		1452
666	Central hyperexcitability triggered by noxious inputs. <b>1993</b> , 3, 602-10		301
665	Preemptive analgesia. <b>1993</b> , 2, 116-121		7
664	Mechanical allodynia. <b>1993</b> , 2, 23-30		23
663	Spinal mediators of nociceptive neurotransmission and hyperalgesia. <b>1993</b> , 2, 265-275		13
662	Injury-induced plasticity of spinal reflex activity: NK1 neurokinin receptor activation and enhanced A- and C-fiber mediated responses in the rat spinal cord in vitro. <b>1994</b> , 14, 3672-87		144
661	Differential ability of human cutaneous nociceptors to signal mechanical pain and to produce vasodilatation. <b>1994</b> , 14, 1756-65		181
660	Glutamate receptor gene expression in spinal cord of arthritic rats. <b>1994</b> , 14, 1576-83		42

659	Injury-related behavior and neuronal plasticity: an evolutionary perspective on sensitization, hyperalgesia, and analgesia. <b>1994</b> , 36, 325-427	138
658	Taxonomy and mechanisms of neuropathic pain. <b>1994</b> , 14, 195-205	25
657	Cobalt accumulation in neurons expressing ionotropic excitatory amino acid receptors in young rat spinal cord: morphology and distribution. <b>1994</b> , 344, 321-35	36
656	A computer-controlled system for post-stimulus time histogram and wind-up studies. <b>1994</b> , 51, 205-11	18
655	Evidence of a role for N-methyl-D-aspartate (NMDA) receptors in the facilitation of tail withdrawal after spinal transection. <b>1994</b> , 48, 175-81	23
654	NMDA receptors and activity-dependent tuning of the receptive fields of spinal cord neurons. <b>1994</b> , 369, 482-5	27
653	Intracellular messengers contributing to persistent nociception and hyperalgesia induced by L-glutamate and substance P in the rat formalin pain model. <b>1994</b> , 6, 1328-34	131
652	Short-term plasticity in turtle dorsal horn neurons mediated by L-type Ca <sup>2+</sup> channels. <b>1994</b> , 61, 191-7	97
651	Subcutaneous formalin produces centrifugal hyperalgesia at a non-injected site via the NMDA-nitric oxide cascade. <b>1994</b> , 649, 19-26	91
650	Inhibition of opiate tolerance by non-competitive N-methyl-D-aspartate receptor antagonists. <b>1994</b> , 633, 178-88	166
649	The effects of the clinically tested NMDA receptor antagonist memantine on carrageenan-induced thermal hyperalgesia in rats. <b>1994</b> , 255, 123-9	46
648	Modulation of neuropeptide FF release from rat spinal cord slices by glutamate. Involvement of NMDA receptors. <b>1994</b> , 271, 185-92	15
647	Noradrenaline but not dopamine involved in NMDA receptor-mediated hyperalgesia induced by theophylline in awake rats. <b>1994</b> , 252, 87-97	12
646	Modulation of spinal excitability: co-operation between neurokinin and excitatory amino acid neurotransmitters. <b>1994</b> , 17, 432-8	281
645	Relief of post-herpetic neuralgia with the N-methyl-D-aspartic acid receptor antagonist ketamine: a double-blind, cross-over comparison with morphine and placebo. <b>1994</b> , 58, 347-354	343
644	Postnatal changes in the role of NMDA in the isolated spinal cord of the hamster, <i>Mesocricetus auratus</i> . <b>1994</b> , 107, 205-13	4
643	The NMDA antagonist 3-(2-carboxypiperazin-4-yl)propyl-1-phosphonic acid (CPP) has antinociceptive effect after intrathecal injection in the rat. <b>1994</b> , 56, 59-67	50
642	Pre-emptive intrathecal administration of an NMDA receptor antagonist (AP-5) prevents hyper-reflexia in a model of persistent visceral pain. <b>1994</b> , 57, 335-340	43

641	Pre treatment with MK-801, a non-competitive NMDA antagonist, prevents development of mechanical hyperalgesia in a rat model of chronic neuropathy, but not in a model of chronic inflammation. <b>1994</b> , 165, 79-83		61
640	The N-methyl-D-aspartate receptor antagonist dextromethorphan selectively reduces temporal summation of second pain in man. <b>1994</b> , 59, 165-174		276
639	Wind-up and the NMDA receptor: from animal studies to humans. <b>1994</b> , 59, 157-158		61
638	Bi-directional effects of intrathecal NMDA and substance P on rat dorsal horn neuronal responses. <b>1994</b> , 178, 90-4		18
637	A new strategy for the treatment of inflammatory pain. Prevention or elimination of central sensitization. <b>1994</b> , 47 Suppl 5, 1-9; discussion 46-7		80
636	A segmental chronic pain syndrome in rats associated with intrathecal infusion of NMDA: evidence for selective action in the dorsal horn. <b>1994</b> , 21, 24-8		18
635	Evidence for presynaptic N-methyl-D-aspartate autoreceptors in the spinal cord dorsal horn. <b>1994</b> , 91, 8383-7		299
634	Excitability changes of somatic and viscerosomatic nociceptive reflexes in the decerebrate-spinal rabbit: role of NMDA receptors. <b>1995</b> , 489 ( Pt 2), 545-55		51
633	The opioid peptide dynorphin directly blocks NMDA receptor channels in the rat. <b>1995</b> , 482 ( Pt 3), 575-81		63
632	Peptidergic afferents: physiological aspects. <b>1995</b> , 104, 255-69		4
631	Central dysesthesia pain after traumatic spinal cord injury is dependent on N-methyl-D-aspartate receptor activation. <i>Neurosurgery</i> , <b>1995</b> , 37, 1080-7	3.2	190
630	8 The NMDA-antagonist ketamine for prevention and treatment of acute and chronic post-operative pain. <b>1995</b> , 9, 539-554		7
629	Recent advances in pain management. <b>1995</b> , 65, 674-85		5
628	Attenuation of morphine-induced antinociception by L-glutamic acid at the spinal site in rats. <b>1995</b> , 42, 541-6		5
627	Visualization of the NMDA recognition site in rat and mouse spinal cord by [(3)H]CGS 19755in vitro autoradiography. <b>1995</b> , 9, 247-63		2
626	Pain mechanisms and management: an update. <b>1995</b> , 22, 679-88		31
625	Selective antinociceptive effect of excitatory amino acid antagonists in intact and acute spinal rats. <b>1995</b> , 51, 855-60		28
624	An attempt to attenuate experimental pain in humans by dextromethorphan, an NMDA receptor antagonist. <b>1995</b> , 52, 641-4		43



623	Plasticity in spinal nociception after peripheral nerve section: reduced effectiveness of the NMDA receptor antagonist MK-801 in blocking wind-up and central sensitization of the flexor reflex. <b>1995</b> , 670, 342-6	34
622	Properties of peripherally induced persistent hindlimb flexion in rat: involvement of N-methyl-D-aspartate receptors and capsaicin-sensitive afferents. <b>1995</b> , 678, 140-50	14
621	Attenuation of NMDA-induced spinal hypersensitivity by adrenal medullary transplants. <b>1995</b> , 680, 88-98	35
620	Time-related roles of excitatory amino acid receptors during persistent noxiously evoked responses of rat dorsal horn neurones. <b>1995</b> , 703, 45-50	40
619	Reflex Sympathetic Dystrophy. <b>1995</b> , 13, 351-363	77
618	Noxious thermal and chemical stimulation induce increases in 3H-phorbol 12,13-dibutyrate binding in spinal cord dorsal horn as well as persistent pain and hyperalgesia, which is reduced by inhibition of protein kinase C. <b>1995</b> , 15, 3263-72	121
617	The mechanism of action for the block of NMDA receptor channels by the opioid peptide dynorphin. <b>1995</b> , 15, 4602-11	72
616	Involvement of neurokinin receptors in the induction but not the maintenance of mechanical allodynia in rat flexor motoneurons. <b>1995</b> , 486 ( Pt 3), 769-77	77
615	CSF and plasma pharmacokinetics of the NMDA receptor antagonist CPP after intrathecal, extradural and i.v. administration in anaesthetized pigs. <b>1995</b> , 74, 193-200	19
614	Long-term potentiation of C-fiber-evoked potentials in the rat spinal dorsal horn is prevented by spinal N-methyl-D-aspartic acid receptor blockage. <b>1995</b> , 191, 43-6	272
613	Peri-administration of clonidine or MK801 delays but does not prevent the development of mechanical hyperalgesia in a model of mononeuropathy in the rat. <b>1995</b> , 192, 33-6	11
612	Electrophysiological study on spinal antinociceptive interactions between adenosine and morphine in the dorsal horn of the rat. <b>1995</b> , 194, 81-4	12
611	L-NAME, an inhibitor of nitric oxide synthase, blocks the established allodynia induced by intrathecal administration of prostaglandin E2. <b>1995</b> , 201, 239-42	18
610	Continuous subcutaneous administration of the N-methyl-D-aspartic acid (NMDA) receptor antagonist ketamine in the treatment of post-herpetic neuralgia. <b>1995</b> , 61, 221-228	177
609	Noxious stimuli induce an N-methyl-D-aspartate receptor-dependent hypersensitivity of the flexion withdrawal reflex to touch: implications for the treatment of mechanical allodynia. <b>1995</b> , 61, 383-390	115
608	Changes in neuronal markers in a mononeuropathic rat model relationship between neuropeptide Y, pre-emptive drug treatment and long-term mechanical hyperalgesia. <b>1995</b> , 63, 21-31	48
607	Mechanisms of hyperalgesia and morphine tolerance: a current view of their possible interactions. <b>1995</b> , 62, 259-274	635
606	The roles of spinal adenosine receptors in the control of acute and more persistent nociceptive responses of dorsal horn neurones in the anaesthetized rat. <b>1995</b> , 116, 2221-8	106

605	Ketobemidone, methadone and pethidine are non-competitive N-methyl-D-aspartate (NMDA) antagonists in the rat cortex and spinal cord. <b>1995</b> , 187, 165-8	210
604	Activation of alpha 2-adrenergic receptors decreases nerve trauma-induced afferent barrage but not autotomy. <b>1995</b> , 36, 563-7	7
603	Tachykininergic tone in the spinal cord of the rabbit: dependence on nociceptive input arising from invasive surgery. <b>1995</b> , 69, 241-8	15
602	Neuropathic pain in rats is associated with altered nitric oxide synthase activity in neural tissue. <b>1996</b> , 138, 14-20	75
601	Quantitative experimental assessment of pain and hyperalgesia in animals and underlying neural mechanisms. <b>1996</b> , 110, 17-31	6
600	Effect of systemic N-methyl-D-aspartate receptor antagonist (ketamine) on primary and secondary hyperalgesia in humans. <b>1996</b> , 76, 829-34	99
599	Effects of a partial agonist and a full antagonist acting at the glycine site of the NMDA receptor on inflammation-induced mechanical hyperalgesia in rats. <b>1996</b> , 117, 1487-92	32
598	Supraspinal influences on the facilitation of rat nociceptive reflexes induced by carrageenan monoarthritis. <b>1996</b> , 209, 21-4	118
597	N-methyl-D-aspartate (NMDA) and non-NMDA glutamate receptor antagonists differentially suppress dorsal horn neuron responses to mechanical stimuli in rats with peripheral nerve injury. <b>1996</b> , 211, 37-40	49
596	The effects of isoflurane on repeated nociceptive stimuli (central temporal summation). <b>1996</b> , 64, 277-281	44
595	NMDA receptor blockade in chronic neuropathic pain: a comparison of ketamine and magnesium chloride. <b>1996</b> , 64, 283-291	204
594	The effect of Ketamine on stimulation of primary and secondary hyperalgesic areas induced by capsaicin—a double-blind, placebo-controlled, human experimental study. <b>1996</b> , 66, 51-62	98
593	Progressive tactile hypersensitivity: an inflammation-induced incremental increase in the excitability of the spinal cord. <b>1996</b> , 67, 97-106	138
592	Editorial. <b>1996</b> , 66, 105-108	37
591	The opioid ketobemidone has a NMDA blocking effect. <b>1996</b> , 67, 369-74	26
590	Spinal cord mechanisms of opioid tolerance and dependence: Fos-like immunoreactivity increases in subpopulations of spinal cord neurons during withdrawal [corrected]. <b>1996</b> , 72, 233-42	34
589	The burst-like firing of spinal neurons in rats with peripheral inflammation is reduced by an antagonist of N-methyl-D-aspartate. <b>1996</b> , 74, 1077-86	6
588	Thyrotropin-releasing hormone facilitates spinal nociceptive responses by potentiating NMDA receptor-mediated transmission. <b>1996</b> , 300, 183-9	15

587	The effect of 5-HT <sub>1A</sub> receptor stimulation on nociceptive dorsal horn neurones in rats. <b>1996</b> , 318, 315-21	62
586	NMDA-receptor contribution to spinal nociceptive reflexes: influence of stimulus parameters and of preparatory surgery. <i>Neuropharmacology</i> , <b>1996</b> , 35, 1567-72	55 8
585	Editorial. <b>1996</b> , 68, 1-3	2
584	Involvement of NMDA receptor mechanisms in jaw electromyographic activity and plasma extravasation induced by inflammatory irritant application to temporomandibular joint region of rats. <b>1996</b> , 68, 169-178	82
583	The contribution of metabotropic glutamate receptors (mGluRs) to formalin-induced nociception. <b>1996</b> , 68, 255-63	143
582	Involvement of increased excitatory amino acids and intracellular Ca <sup>2+</sup> concentration in the spinal dorsal horn in an animal model of neuropathic pain. <b>1996</b> , 68, 85-96	106
581	Single intrathecal injections of dynorphin A or des-Tyr-dynorphins produce long-lasting allodynia in rats: blockade by MK-801 but not naloxone. <b>1996</b> , 68, 275-81	183
580	The psychological behaviorism theory of pain. <b>1996</b> , 5, 194-207	26
579	Adjuvant analgesic agents. <b>1996</b> , 10, 103-19	22
578	Effect of racemic mixture and the (S <sup>+</sup> )-isomer of ketamine on temporal and spatial summation of pain. <b>1996</b> , 77, 625-31	97
577	Chapter 26. Slow synaptic transmission in the spinal dorsal horn. <b>1996</b> , 113, 443-462	31
576	Windup and central sensitization are not equivalent. <b>1996</b> , 66, 105-108	229
575	The antiepileptic agent gabapentin (Neurontin) possesses anxiolytic-like and antinociceptive actions that are reversed by D-serine. <b>1996</b> , 127, 1-9	195
574	The antinociceptive effects of branched-chain amino acids: evidence for their ability to potentiate morphine analgesia. <b>1996</b> , 53, 449-54	4
573	Role of substance P in the modulation of C-fiber-evoked responses of spinal dorsal horn neurons. <b>1996</b> , 710, 197-203	39
572	Changes in nociceptive reflex facilitation during carrageenan-induced arthritis. <b>1996</b> , 717, 62-8	71
571	Amplification of spinal nociceptive transmission depends on the generation of nitric oxide in normal and carrageenan rats. <b>1996</b> , 737, 92-8	49
570	On the mathematical modelling of pain. <b>1996</b> , 21, 1133-40	20

569	The role of N-methyl-D-aspartate (NMDA) receptors in wind-up: A mathematical model. <b>1996</b> , 13, 193-205		30
568	Somatosensory findings in patients with spinal cord injury and central dysaesthesia pain. <b>1996</b> , 60, 411-5		84
567	The role of excitatory amino acids in hypothermic injury to mammalian spinal cord neurons. <b>1996</b> , 13, 809-18		9
566	Animal Models of Analgesia. <b>1997</b> , 1-20		43
565	Differential effects of noxious conditioning stimulation of the cheek by capsaicin on human sensory and inhibitory masseter reflex responses evoked by tooth pulp stimulation. <b>1997</b> , 76, 1561-8		15
564	Spinal pain mechanisms. <b>1997</b> , 22, 98-104		96
563	Postoperative analgesic requirement after cesarean section: a comparison of anesthetic induction with ketamine or thiopental. <i>Anesthesia and Analgesia</i> , <b>1997</b> , 85, 1294-8	3.9	10
562	Postoperative Analgesic Requirement After Cesarean Section. <i>Anesthesia and Analgesia</i> , <b>1997</b> , 85, 1294-1298	3.9	44
561	Effect of systemic N-methyl-D-aspartate receptor antagonist (dextromethorphan) on primary and secondary hyperalgesia in humans. <b>1997</b> , 79, 600-5		80
560	Norketamine, the main metabolite of ketamine, is a non-competitive NMDA receptor antagonist in the rat cortex and spinal cord. <b>1997</b> , 333, 99-104		158
559	Central and peripheral actions of the NSAID ketoprofen on spinal cord nociceptive reflexes. <i>Neuropharmacology</i> , <b>1997</b> , 36, 1425-31	5.5	41
558	The pressor reflex evoked by static contraction: neurochemistry at the site of the first synapse. <b>1997</b> , 23, 196-209		49
557	Frequency-dependent expression of diaphorase staining and nNOS-immunoreactivity in rat dorsal horn neurones following C-fibre stimulation. <b>1997</b> , 227, 181-4		11
556	Effects of intrathecally administered nociceptin, an opioid receptor-like1 (ORL1) receptor agonist, on the thermal hyperalgesia induced by unilateral constriction injury to the sciatic nerve in the rat. <b>1997</b> , 224, 107-10		76
555	Peripheral alpha-adrenoreceptors are involved in the development of capsaicin induced ongoing and stimulus evoked pain in humans. <b>1997</b> , 69, 79-85		66
554	Myositis-induced functional reorganisation of the rat dorsal horn: effects of spinal superfusion with antagonists to neurokinin and glutamate receptors. <b>1997</b> , 69, 219-230		51
553	Ketamine, an NMDA receptor antagonist, suppresses spatial and temporal properties of burn-induced secondary hyperalgesia in man: a double-blind, cross-over comparison with morphine and placebo. <b>1997</b> , 72, 99-106		157
552	Comparable dose-dependent inhibition of AP-7 sensitive strychnine-induced allodynia and paw pinch-induced nociception by mexiletine in the rat. <b>1997</b> , 72, 299-308		20

551	Spinally administered dynorphin A produces long-lasting allodynia: involvement of NMDA but not opioid receptors. <b>1997</b> , 72, 253-60	154
550	Lamotrigine (lamictal) in refractory trigeminal neuralgia: results from a double-blind placebo controlled crossover trial. <b>1997</b> , 73, 223-230	267
549	Analgesic effect of intrathecally administered nociceptin, an opioid receptor-like1 receptor agonist, in the rat formalin test. <b>1997</b> , 81, 249-54	116
548	Altered receptive fields and sensory modalities of rat VPL thalamic neurons during spinal strychnine-induced allodynia. <b>1997</b> , 78, 2296-308	30
547	Characteristics of temporal summation of second pain sensations elicited by brief contact of glabrous skin by a preheated thermode. <b>1997</b> , 78, 992-1002	207
546	Temporal summation of C-fiber afferent inputs: competition between facilitatory and inhibitory effects on C-fiber reflex in the rat. <b>1997</b> , 78, 3165-79	78
545	Neurokinin 1 receptor internalization in spinal cord slices induced by dorsal root stimulation is mediated by NMDA receptors. <b>1997</b> , 17, 8129-36	159
544	NMDA receptor antagonists: interactions with opioids. <b>1997</b> , 41, 112-5	100
543	Mapping of punctuate hyperalgesia around a surgical incision demonstrates that ketamine is a powerful suppressor of central sensitization to pain following surgery. <b>1997</b> , 41, 1124-32	411
542	Activation of the cAMP transduction cascade contributes to the mechanical hyperalgesia and allodynia induced by intradermal injection of capsaicin. <b>1997</b> , 122, 1165-73	59
541	Physiology and pharmacology of the postinjury pain state. <b>1997</b> , 16, 79-91	
540	Effects of dextromethorphan in clinical doses on capsaicin-induced ongoing pain and mechanical hypersensitivity. <b>1997</b> , 14, 195-201	26
539	ACUTE HERPES ZOSTER AND POSTHERPETIC NEURALGIA. <i>Anesthesiology Clinics</i> , <b>1997</b> , 15, 371-405	7
538	Effects of intrathecally administered nociceptin, an opioid receptor-like1 (ORL1) receptor agonist, on the thermal hyperalgesia induced by carageenan injection into the rat paw. <b>1997</b> , 754, 329-32	67
537	Antinociceptive involvement of substance P in the spinal cord of mice: dose effects of substance P on the behavior elicited by intrathecally administered NMDA. <b>1997</b> , 759, 241-6	6
536	The N-methyl-D-aspartate (NMDA) receptor is postsynaptic to substance P-containing axon terminals in the rat superficial dorsal horn. <b>1997</b> , 772, 71-81	69
535	Pre-emptive analgesia with ketamine, morphine and epidural lidocaine prior to total knee replacement. <b>1997</b> , 44, 31-7	65
534	Contributions of glutamate receptors to the maintenance of mustard oil-induced hyperalgesia in spinalized rats. <b>1997</b> , 117, 379-88	14

533	NMDA and AMPA receptors evoke transmitter release from noradrenergic axon terminals in the rat spinal cord. <b>1998</b> , 23, 1501-7	9
532	Ketamine: From the racemate to the isomer KETANESTB. <b>1998</b> , 42, 211-219	12
531	Electrophysiological evidence for an antinociceptive effect of ketamine in the rat spinal cord. <b>1998</b> , 42, 435-41	13
530	The antinociceptive effect of combined systemic administration of morphine and the glycine/NMDA receptor antagonist, (+)-HA966 in a rat model of peripheral neuropathy. <b>1998</b> , 125, 1641-50	31
529	Ketobemidone plus (RS)-3-dimethylamino-1,1-diphenylbut-1-ene (A29) is more potent at NMDA receptors than ketobemidone alone: evidence for A29 as a non-competitive NMDA receptor antagonist. <b>1998</b> , 82, 157-60	1
528	Opioid analgesics as noncompetitive N-methyl-D-aspartate (NMDA) antagonists. <b>1998</b> , 56, 553-9	131
527	Stimulation-induced responses of the trigeminal caudal neurons in the brainstem preparation isolated from newborn rats. <b>1998</b> , 785, 66-74	13
526	Intraplantar injection of dextrorphan, ketamine or memantine attenuates formalin-induced behaviors. <b>1998</b> , 785, 136-42	118
525	Evidence for the interaction of glutamate and NK1 receptors in the periphery. <b>1998</b> , 790, 160-9	117
524	The tachykinin NK1 receptor antagonist GR205171 prevents vagal stimulation-induced retching but not neuronal transmission from emetic vagal afferents to solitary nucleus neurons in dogs. <b>1998</b> , 802, 221-31	27
523	Segmental effect of NMDA block in the dorsal horn on the pressor reflex. <b>1998</b> , 807, 222-7	15
522	Involvement of spinal NMDA receptors in capsaicin-induced nociception. <b>1998</b> , 59, 339-45	60
521	Dextropropoxyphene acts as a noncompetitive N-methyl-D-aspartate antagonist. <b>1998</b> , 15, 269-74	20
520	The NMDA (N-methyl-D-aspartate) receptor antagonist memantine in the treatment of postherpetic neuralgia: a double-blind, placebo-controlled study. <b>1998</b> , 2, 321-327	63
519	Lamotrigine in the treatment of painful diabetic neuropathy. <b>1998</b> , 5, 167-173	56
518	Correlation between autotomy-behavior and current theories of neuropathic pain. <b>1998</b> , 23, 111-29	83
517	Glutamate receptors in the mammalian central nervous system. <b>1998</b> , 54, 581-618	880
516	Secondary hyperalgesia and perceptual wind-up following intradermal injection of capsaicin in humans. <b>1998</b> , 74, 257-68	194

515	Can patients with chronic neuropathic pain be cured by acute administration of the NMDA receptor antagonist amantadine?. <b>1998</b> , 74, 337-9	41
514	The NMDA receptor antagonist amantadine reduces surgical neuropathic pain in cancer patients: a double blind, randomized, placebo controlled trial. <b>1998</b> , 75, 349-54	115
513	Correspondence. <b>1998</b> , 77, 103	
512	Correspondence. <b>1998</b> , 77, 103-104	
511	Morphine, the NMDA receptor antagonist MK801 and the tachykinin NK1 receptor antagonist RP67580 attenuate the development of inflammation-induced progressive tactile hypersensitivity. <b>1998</b> , 77, 49-57	29
510	Transgenic studies of pain. <b>1998</b> , 77, 107-128	85
509	The involvement of metabotropic glutamate receptors in sensory transmission in dorsal horn of the rat spinal cord. <b>1998</b> , 83, 571-80	48
508	Naltrexone, but not atropine or yohimbine, antagonizes suppression of formalin-induced spinal sensitization by intrathecal nociceptin. <b>1998</b> , 63, PL 167-73	8
507	Kainate GluR5 receptor subtype mediates the nociceptive response to formalin in the rat. <i>Neuropharmacology</i> , <b>1998</b> , 37, 25-36	5.5 162
506	Tolerance develops to the antinociceptive and motor impairing effects of ACEA-1416, a NMDA receptor antagonist, in the formalin and rotarod test in mice. <b>1998</b> , 37, 295-302	5
505	Effect of i.v. ketamine in combination with epidural bupivacaine or epidural morphine on postoperative pain and wound tenderness after renal surgery. <b>1998</b> , 81, 707-12	48
504	Effect of preoperative extradural bupivacaine and morphine on stump sensation in lower limb amputees. <b>1998</b> , 81, 348-54	43
503	Effect of continuous spinal remifentanyl infusion on behaviour and spinal glutamate release evoked by subcutaneous formalin in the rat. <b>1998</b> , 80, 348-53	20
502	The glutamate synapse as a therapeutical target: perspectives for the future. <b>1998</b> , 116, 441-58	24
501	The glutamate synapse: a target in the pharmacological management of hyperalgesic pain states. <b>1998</b> , 116, 407-20	25
500	Involvement of spinal substance P and excitatory amino acids in inflammatory hyperalgesia in rats. <i>The Japanese Journal of Pharmacology</i> , <b>1998</b> , 76, 15-22	32
499	C fiber responses of wide dynamic range neurons in the spinal dorsal horn. <b>1998</b> , 256-67	9
498	Instrumental learning within the spinal cord: I. Behavioral properties.. <b>1998</b> , 112, 1366-1386	84

497	Relief of trigeminal neuralgia after percutaneous retrogasserian glycerol rhizolysis is dependent on normalization of abnormal temporal summation of pain, without general impairment of sensory perception. <i>Neurosurgery</i> , <b>1998</b> , 43, 462-72; discussion 472-4	3.2	17
496	Spinal effects of bicuculline: modulation of an allodynia-like state by an A1-receptor agonist, morphine, and an NMDA-receptor antagonist. <b>1998</b> , 79, 1494-507		47
495	Pre-emptive Analgesia by Opioids. <b>1998</b> , 212-233		
494	Pressor reflex evoked by static muscle contraction: role of nitric oxide in the dorsal horn. <b>1999</b> , 276, R1639-46	9	
493	Intrathecal treatment with MK-801 suppresses thermal nociceptive responses and prevents c-fos immunoreactivity induced in rat lumbar spinal cord neurons. <b>1999</b> , 21, 593-8		10
492	Preincisional Dextromethorphan Treatment Decreases Postoperative Pain and Opioid Requirement After Laparoscopic Cholecystectomy. <i>Anesthesia and Analgesia</i> , <b>1999</b> , 88, 1331-1334	3.9	43
491	Src, a molecular switch governing gain control of synaptic transmission mediated by N-methyl-D-aspartate receptors. <b>1999</b> , 96, 7697-704		105
490	Nerve growth factor inducer, 4-methyl catechol, potentiates central sensitization associated with acceleration of spinal glutamate release after mustard oil paw injection in rats. <b>1999</b> , 19, 587-96		7
489	Les r�cepteurs des acides amin�s excitateurs: Aspects pharmacologiques et perspectives dans le traitement de la douleur. <b>1999</b> , 12, 175-194		
488	The controversy about spinal neuronal nitric oxide synthase: under which conditions is it up- or downregulated?. <b>1999</b> , 295, 183-94		44
487	The NSAID dexketoprofen trometamol is as potent as mu-opioids in the depression of wind-up and spinal cord nociceptive reflexes in normal rats. <b>1999</b> , 816, 512-7		41
486	Evidence for opiate-activated NMDA processes masking opiate analgesia in rats. <b>1999</b> , 847, 18-25		177
485	Intravenous lidocaine, amantadine, and placebo in the treatment of sciatica: a double-blind, randomized, controlled study. <b>1999</b> , 24, 534-40		14
484	Expression of long-term potentiation in single wide dynamic range neurons in the rat is sensitive to blockade of glutamate receptors. <b>1999</b> , 259, 25-8		35
483	Decreased expression of N-methyl-D-aspartate (NMDA) receptors in rat dorsal root ganglion following complete Freund's adjuvant-induced inflammation: an immunocytochemical study for NMDA NR1 subunit. <b>1999</b> , 265, 195-8		26
482	Ketamine suppresses c-fos expression in dorsal horn neurons after acute constrictive sciatic nerve injury in the rat. <b>1999</b> , 269, 165-8		11
481	Some physiological and pharmacological properties of slow depolarization of substantia gelatinosa neurons by repetitive stimulation of C-fibers of dorsal root in adult rat spinal cord slices with dorsal root attached. <b>1999</b> , 274, 49-52		4
480	Antinociceptive effects of metamizol (dipyrone) in rat single motor units. <b>1999</b> , 274, 179-82		16



479	Free radicals contribute to the reduction in peripheral vascular responses and the maintenance of thermal hyperalgesia in rats with chronic constriction injury. <b>1999</b> , 79, 31-37	104
478	Windup leads to characteristics of central sensitization. <b>1999</b> , 79, 75-82	244
477	Involvement of excitatory amino acid receptors and nitric oxide in the rostral ventromedial medulla in modulating secondary hyperalgesia produced by mustard oil. <b>1999</b> , 81, 45-55	68
476	Oral ketamine is antinociceptive in the rat formalin test: role of the metabolite, norketamine. <b>1999</b> , 81, 85-93	66
475	Natural noxious stimulation can induce long-term increase of spinal nociceptive responses. <b>1999</b> , 82, 305-310	61
474	Second messengers, the substantia gelatinosa and injury-induced persistent pain. <b>1999</b> , Suppl 6, S5-S12	21
473	Dorsal horn NMDA receptor function is changed after peripheral inflammation. <b>1999</b> , 83, 517-523	21
472	Inflammation-induced up-regulation of protein kinase Cgamma immunoreactivity in rat spinal cord correlates with enhanced nociceptive processing. <b>1999</b> , 88, 1267-74	111
471	The role of non-N-methyl-D-aspartate ionotropic glutamate receptors in the spinal transmission of nociception in normal animals and animals with carrageenan inflammation. <b>1999</b> , 93, 1391-8	49
470	Nociceptin/orphanin FQ: role in nociceptive information processing. <b>1999</b> , 57, 527-35	54
469	Group I metabotropic glutamate receptors: implications for brain diseases. <b>1999</b> , 59, 55-79	260
468	ACEA-1328, a NMDA receptor/glycine site antagonist, acutely potentiates antinociception and chronically attenuates tolerance induced by morphine. <b>1999</b> , 40, 435-42	25
467	Antinociceptive effect of (S)-N-desmethyl trimebutine against a mechanical stimulus in a rat model of peripheral neuropathy. <b>2000</b> , 66, 433-9	7
466	Acute pain mechanisms. <b>1999</b> , 79, 213-29	48
465	NMDA receptors and pain--hopes for novel analgesics. <b>1999</b> , 24, 506-8	2
464	Pre-emptive analgesia: how important is it in clinical reality?. <b>1999</b> , 31, 122-32	36
463	Antihyperalgesic effect of the N-methyl-D-aspartate receptor antagonist dextromethorphan in the oral surgery model. <b>1999</b> , 39, 139-46	10
462	Preincisional dextromethorphan treatment decreases postoperative pain and opioid requirement after laparoscopic cholecystectomy. <i>Anesthesia and Analgesia</i> , <b>1999</b> , 88, 1331-4	3.9 44

461	MK-801, an NMDA receptor antagonist, in the rostroventromedial medulla attenuates development of neuropathic symptoms in the rat. <b>1999</b> , 10, 2933-7		38
460	Some problems with wind-up and its calculation. <b>1999</b> , 83, 109-111		15
459	The Effects of Ketamine on the Temporal Summation (Wind-Up) of the RIII Nociceptive Flexion Reflex and Pain in Humans. <i>Anesthesia and Analgesia</i> , <b>2000</b> , 90, 408	3.9	41
458	Effect of Oral Ketamine on Secondary Hyperalgesia, Thermal and Mechanical Pain Thresholds, and Sedation in Humans. <b>2000</b> , 25, 452-458		7
457	Activation of NMDA receptors drives action potentials in superficial dorsal horn from neonatal rats. <b>2000</b> , 11, 1721-7		23
456	Reversing Tissue Injury-Induced Plastic Changes in the Spinal Cord. <b>2000</b> , 25, 441-444		
455	Knock down of spinal NMDA receptors reduces NMDA and formalin evoked behaviors in rat. <b>2000</b> , 11, 49-55		32
454	The effects of ketamine on the temporal summation (wind-up) of the R(III) nociceptive flexion reflex and pain in humans. <i>Anesthesia and Analgesia</i> , <b>2000</b> , 90, 408-14	3.9	100
453	Plateau potential-dependent windup of the response to primary afferent stimuli in rat dorsal horn neurons. <b>2000</b> , 12, 3087-95		55
452	Primary afferent synaptic responses recorded from trigeminal caudal neurons in a mandibular nerve-brainstem preparation of neonatal rats. <b>2000</b> , 524 Pt 2, 503-12		15
451	Intrathecal administration of an NMDA or a non-NMDA receptor antagonist reduces mechanical but not thermal allodynia in a rodent model of chronic central pain after spinal cord injury. <b>2000</b> , 859, 72-82		109
450	Wind-up and the NMDA receptor complex from a clinical perspective. <b>2000</b> , 4, 5-15		227
449	The anticonvulsant remacemide and its metabolite AR-R12495AA attenuate spinal synaptic transmission and carrageenan-induced inflammation in the young rat. <b>2000</b> , 4, 97-106		5
448	Intrathecaly administered endotoxin or cytokines produce allodynia, hyperalgesia and changes in spinal cord neuronal responses to nociceptive stimuli in the rat. <b>2000</b> , 4, 247-57		258
447	Premedication with dextromethorphan provides posthemorrhoidectomy pain relief. <b>2000</b> , 43, 507-10		17
446	Facilitation of the withdrawal reflex by repeated transcutaneous electrical stimulation: an experimental study on central integration in humans. <b>2000</b> , 81, 165-73		101
445	Enhanced phosphorylation of NMDA receptor 1 subunits in spinal cord dorsal horn and spinothalamic tract neurons after intradermal injection of capsaicin in rats. <b>2000</b> , 20, 6989-97		143
444	[Neuroplasticity and chronic pain]. <b>2000</b> , 35, 274-84		2

443	Wind-up of spinal cord neurones and pain sensation: much ado about something?. <b>2000</b> , 61, 169-203	536
442	Alleviation of mechanical and thermal allodynia by CGRP(8-37) in a rodent model of chronic central pain. <b>2000</b> , 86, 163-75	119
441	Extraterritorial neuropathic pain correlates with multisegmental elevation of spinal dynorphin in nerve-injured rats. <b>2000</b> , 86, 185-94	158
440	Preinjury treatment with morphine or ketamine inhibits the development of experimentally induced secondary hyperalgesia in man. <b>2000</b> , 86, 293-303	51
439	Periaqueductal gray matter metabotropic glutamate receptors modulate formalin-induced nociception. <b>2000</b> , 85, 183-9	66
438	Ketamine reduces muscle pain, temporal summation, and referred pain in fibromyalgia patients. <b>2000</b> , 85, 483-491	286
437	Intrathecally administered spermine produces the scratching, biting and licking behaviour in mice. <b>2000</b> , 86, 55-61	32
436	Localization of N-methyl-D-aspartate NR2B subunits on primary sensory neurons that give rise to small-caliber sciatic nerve fibers in rats. <b>2000</b> , 101, 699-707	77
435	Excitatory effects of galanin in the spinal cord of intact, anaesthetized rats. <b>2000</b> , 295, 25-8	29
434	Peripheral demyelination and neuropathic pain behavior in periaxin-deficient mice. <i>Neuron</i> , <b>2000</b> , 26, 523-31	13.9 174
433	Adenosine as a Potential Analgesic Target in Inflammatory and Neuropathic Pains. <b>2000</b> , 13, 77-85	45
432	Effect of oral ketamine on secondary hyperalgesia, thermal and mechanical pain thresholds, and sedation in humans. <b>2000</b> , 25, 452-8	8
431	Reversing tissue injury-induced plastic changes in the spinal cord: the search for the magic bullet. <b>2000</b> , 25, 441-4	9
430	Role of peripheral N-methyl-D-aspartate (NMDA) receptors in visceral nociception in rats. <b>2001</b> , 120, 1737-48	169
429	Blocking NMDA receptors in the hippocampal dentate gyrus with AP5 produces analgesia in the formalin pain test. <b>2001</b> , 172, 92-9	87
428	Supraspinal vs spinal sites of the antinociceptive action of the subtype-selective NMDA antagonist ifenprodil. <i>Neuropharmacology</i> , <b>2001</b> , 40, 212-20	5.5 52
427	Antiallodynic effect of intrathecally administered 5-HT(2) agonists in rats with nerve ligation. <b>2001</b> , 90, 173-9	71
426	Abnormal sensitization and temporal summation of second pain (wind-up) in patients with fibromyalgia syndrome. <b>2001</b> , 91, 165-75	549

425	Treatment of central post-stroke pain with oral ketamine. <b>2001</b> , 92, 311-3		41
424	Effects of spinally delivered N- and P-type voltage-dependent calcium channel antagonists on dorsal horn neuronal responses in a rat model of neuropathy. <b>2001</b> , 92, 235-46		148
423	Increased spinal N-methyl-D-aspartate receptor function after 20 h of carrageenan-induced inflammation. <b>2001</b> , 93, 15-21		19
422	Endogenous galanin potentiates spinal nociceptive processing following inflammation. <b>2001</b> , 93, 267-277		41
421	Differential effects of NMDA and group I mGluR antagonists on both nociception and spinal cord protein kinase C translocation in the formalin test and a model of neuropathic pain in rats. <b>2001</b> , 94, 17-29		83
420	Hyperalgesia induced by peripheral inflammation is mediated by protein kinase C beta11 isozyme in the rat spinal cord. <b>2001</b> , 104, 875-90		40
419	mGlu5 receptors and nociceptive function II. mGlu5 receptors functionally expressed on peripheral sensory neurones mediate inflammatory hyperalgesia. <i>Neuropharmacology</i> , <b>2001</b> , 40, 10-9	5.5	198
418	The in vivo relevance of the varied channel-blocking properties of uncompetitive NMDA antagonists: tests on spinal neurones. <i>Neuropharmacology</i> , <b>2001</b> , 41, 50-61	5.5	27
417	Central blockade of vasopressin V(1) receptors attenuates postexercise hypotension. <b>2001</b> , 281, R375-80		17
416	Analgesia preemptiva. <b>2001</b> , 51, 448-463		
415	Spinal NMDA receptors contribute to neuronal processing of acute noxious and nonnoxious colorectal stimulation in the rat. <b>2001</b> , 86, 1783-91		41
414	Systemic morphine reduces the wind-up of trigeminal nociceptive neurons. <b>2001</b> , 12, 2091-6		12
413	Amantadine, a N-methyl-D-aspartate receptor antagonist, does not enhance postoperative analgesia in women undergoing abdominal hysterectomy. <i>Anesthesia and Analgesia</i> , <b>2001</b> , 93, 192-6	3.9	30
412	Effect of the deficiency of spinal PSD-95/SAP90 on the minimum alveolar anesthetic concentration of isoflurane in rats. <b>2001</b> , 94, 1010-5		16
411	Pharmacologic pain treatment of musculoskeletal disorders: current perspectives and future prospects. <b>2001</b> , 17, 25-32		73
410	Effect of ketamine on spinal cord nociceptive transmission in normal and monoarthritic rats. <b>2001</b> , 12, 1551-4		29
409	Gene therapy for the management of pain: part II: molecular targets. <b>2001</b> , 95, 216-40		15
408	Interaction between metabotropic and NMDA glutamate receptors in the periaqueductal grey pain modulatory system. <b>2001</b> , 364, 437-43		43

407	Preemptive analgesia I: physiological pathways and pharmacological modalities. <b>2001</b> , 48, 1000-10	194
406	Adjuvant-induced joint inflammation causes very rapid transcription of beta-preprotachykinin and alpha-CGRP genes in innervating sensory ganglia. <b>2001</b> , 77, 372-82	57
405	Evidence for abnormal pain processing in fibromyalgia syndrome. <b>2001</b> , 2, 208-15	76
404	Interindividual differences in the analgesic response to ketamine in chronic orofacial pain. <b>2001</b> , 5, 233-40	16
403	Electrophysiological studies on the role of the NMDA receptor in nociception in the developing rat spinal cord. <b>2001</b> , 126, 81-9	16
402	Effect of neonatal capsaicin treatment on neural activity in the medullary dorsal horn of neonatal rats evoked by electrical stimulation to the trigeminal afferents: an optical, electrophysiological, and quantitative study. <b>2001</b> , 906, 1-12	7
401	The clinical picture of neuropathic pain. <b>2001</b> , 429, 1-11	243
400	Differential roles of spinal neurokinin 1/2 receptors in development of persistent spontaneous nociception and hyperalgesia induced by subcutaneous bee venom injection in the conscious rat. <b>2001</b> , 35, 32-44	26
399	Methadone analgesia in cancer pain patients on chronic methadone maintenance therapy. <b>2001</b> , 21, 169-74	42
398	Mechanisms of inflammatory pain. <b>2001</b> , 87, 3-11	348
397	Lamotrigine reduces painful diabetic neuropathy: a randomized, controlled study. <b>2001</b> , 57, 505-9	263
396	Anticonvulsants in central pain. <b>2002</b> , 3, 1411-20	55
395	Adjuvant ketamine analgesia for the management of cancer pain. <b>2002</b> , 36, 1614-9	19
394	Pharmacology of spinal glutamatergic receptors in post-thermal injury-evoked tactile allodynia and thermal hyperalgesia. <b>2002</b> , 96, 617-26	42
393	Co-localization of mu opioid receptor and N-methyl-D-aspartate receptor in the trigeminal dorsal horn. <b>2002</b> , 3, 203-10	4
392	Genetic evidence for the correlation of deep dorsal horn Fos protein immunoreactivity with tonic formalin pain behavior. <b>2002</b> , 3, 181-9	25
391	Prevention of severe phantom limb pain by perioperative administration of ketamine—observational study. <b>2002</b> , 4, 9-13	24
390	Intrathecal high-dose morphine induces spinally-mediated behavioral responses through NMDA receptors. <b>2002</b> , 98, 111-8	21

389	Effects of NMDA and non-NMDA ionotropic glutamate receptor antagonists on the development and maintenance of hyperalgesia induced by repeated intramuscular injection of acidic saline. <b>2002</b> , 98, 69-78	75
388	Interaction of a combination of morphine and ketamine on the nociceptive flexion reflex in human volunteers. <b>2002</b> , 98, 47-57	57
387	Altered central nervous system processing of noxious stimuli contributes to decreased nociceptive responding in individuals at risk for hypertension. <b>2002</b> , 98, 101-8	49
386	Gender differences in temporal summation of mechanically evoked pain. <b>2002</b> , 97, 163-9	124
385	Enhanced temporal summation of second pain and its central modulation in fibromyalgia patients. <b>2002</b> , 99, 49-59	275
384	Translational pain research: bridging the gap between basic and clinical research. <b>2002</b> , 97, 183-187	35
383	Interactions between cutaneous afferent inputs to a withdrawal reflex in the decerebrated rabbit and their control by descending and segmental systems. <b>2002</b> , 112, 555-71	32
382	Role of protein kinase A in phosphorylation of NMDA receptor 1 subunits in dorsal horn and spinothalamic tract neurons after intradermal injection of capsaicin in rats. <b>2002</b> , 115, 775-86	99
381	Increased nitric oxide release by transient peripheral noxious inputs to the spinal cord of rats: an in vivo voltammetric approach. <b>2002</b> , 320, 86-90	3
380	Regionalanästhesiologische Verfahren. <b>2002</b> ,	
379	Presurgical ketoprofen, but not morphine, dipyron, diclofenac or tenoxicam, preempts post-incisional mechanical allodynia in rats. <b>2002</b> , 35, 111-9	19
378	Effects of protein kinase a activation on the responses of primate spinothalamic tract neurons to mechanical stimuli. <b>2002</b> , 88, 214-21	43
377	O uso de opióides no tratamento da dor crónica nã oncológica: o papel da metadona. <b>2002</b> , 52, 644	1
376	Peripheral inflammation increases the functional coherency of spinal responses to tactile but not nociceptive stimulation. <b>2002</b> , 88, 2096-103	5
375	The antinociceptive effect of tramadol in the formalin test is mediated by the serotonergic component. <b>2002</b> , 445, 179-85	75
374	Group II mGluR receptor agonists are effective in persistent and neuropathic pain models in rats. <b>2002</b> , 73, 419-27	102
373	Combined systemic administration of morphine and magnesium sulfate attenuates pain-related behavior in mononeuropathic rats. <b>2002</b> , 943, 101-4	24
372	Two N-methyl-D-aspartate receptors in rat dorsal root ganglia with different subunit composition and localization. <b>2002</b> , 446, 325-41	104

371	Peripheral and central sensitization in fibromyalgia: pathogenetic role. <b>2002</b> , 6, 259-66	106
370	Evidence of involvement of central neural mechanisms in generating fibromyalgia pain. <b>2002</b> , 4, 299-305	151
369	Temporal summation of pain from skin, muscle and joint following nociceptive ultrasonic stimulation in humans. <b>2002</b> , 144, 475-82	35
368	An improved understanding of neuropathic pain. <b>2002</b> , 6 Suppl B, 3-11	10
367	Assessment of the effect of dextromethorphan and ketamine on the acute nociceptive threshold and wind-up of the second pain response in healthy male volunteers. <b>2002</b> , 53, 604-12	35
366	The pre-emptive effect of epidural ketamine on wound sensitivity in horses tested by using von Frey filaments. <b>2002</b> , 29, 200-206	45
365	Glutamatergic neural transmission in the nucleus tractus solitarius: N-methyl-D-aspartate receptors. <b>2002</b> , 29, 497-502	31
364	NCX-701 (nitroparacetamol) is an effective antinociceptive agent in rat withdrawal reflexes and wind-up. <b>2002</b> , 135, 1556-62	25
363	Involvement of N-methyl-D-aspartate receptors in nociception in the cyclophosphamide-induced vesical pain model in the conscious rat. <b>2002</b> , 6, 307-14	12
362	Effects of GCP-II inhibition on responses of dorsal horn neurones after inflammation and neuropathy: an electrophysiological study in the rat. <b>2003</b> , 37, 298-306	45
361	Low doses of nitroparacetamol or dexketoprofen trometamol enhance fentanyl antinociceptive activity. <b>2003</b> , 481, 181-8	11
360	Simultaneous recordings of wind-up of paired spinal dorsal horn nociceptive neuron and nociceptive flexion reflex in rats. <b>2003</b> , 960, 235-45	91
359	Heat nociception is severely reduced in a mutant mouse deficient for the L1 adhesion molecule. <b>2003</b> , 965, 75-82	11
358	Role of central NMDA versus non-NMDA receptor in spinal withdrawal reflex in spinal anesthetized rats under normal and hyperexcitable conditions. <b>2003</b> , 981, 12-22	19
357	Effect of intrathecal nocistatin on nociceptin/orphanin FQ analgesia in chronic constriction injury rat. <b>2003</b> , 988, 189-92	16
356	The effectiveness of intravenous ketamine and lidocaine on peripheral neuropathic pain. <b>2003</b> , 47, 868-77	63
355	Pharmacological modulation of experimental phasic and tonic muscle pain by morphine, alfentanil and ketamine in healthy volunteers. <b>2003</b> , 47, 1020-30	45
354	Pain sensitivity in pericranial and extracranial regions. <b>2003</b> , 23, 456-62	31

353	Lamotrigine for intractable sciatica: correlation between dose, plasma concentration and analgesia. <b>2003</b> , 7, 485-91	24
352	Nitric oxide synthase and soluble guanylate cyclase are involved in spinal cord wind-up activity of monoarthritic, but not of normal rats. <b>2003</b> , 352, 64-64	
351	Anatomy and physiology of chronic pain. <b>2003</b> , 14, 445-62, vii	14
350	Morphine sparing effect of low dose ketamine during patient controlled analgesia. <b>2003</b> , 9, 5-9	
349	Nitric oxide synthase and soluble guanylate cyclase are involved in spinal cord wind-up activity of monoarthritic, but not of normal rats. <b>2003</b> , 352, 64-6	13
348	Alterations in dorsal horn neurones in a rat model of cancer-induced bone pain. <b>2003</b> , 106, 347-356	107
347	Inflammatory effects of snake venom myotoxic phospholipases A2. <b>2003</b> , 42, 947-62	187
346	Diffuse noxious inhibitory controls (DNIC) attenuate temporal summation of second pain in normal males but not in normal females or fibromyalgia patients. <b>2003</b> , 101, 167-74	284
345	Temporal summation of pain from mechanical stimulation of muscle tissue in normal controls and subjects with fibromyalgia syndrome. <b>2003</b> , 102, 87-95	272
344	Efficacy of the NMDA-receptor antagonist memantine in patients with chronic phantom limb pain--results of a randomized double-blinded, placebo-controlled trial. <b>2003</b> , 103, 277-283	106
343	Spinal NMDA-receptor dependent amplification of nociceptive transmission to rat primary somatosensory cortex (SI). <b>2003</b> , 104, 195-200	12
342	Repeated noxious stimulation of the skin enhances cutaneous pain perception of migraine patients in-between attacks: clinical evidence for continuous sub-threshold increase in membrane excitability of central trigeminovascular neurons. <b>2003</b> , 104, 693-700	127
341	Ratings of experimental pain and pain-related negative affect predict clinical pain in patients with fibromyalgia syndrome. <b>2003</b> , 105, 215-22	110
340	N-methyl-D-aspartate-induced excitation and sensitization of normal and inflamed nociceptors. <b>2003</b> , 118, 547-62	108
339	In vivo single unit extracellular recordings from spinal cord neurones of rats. <b>2003</b> , 12, 26-34	60
338	The role of N-methyl-D-aspartate (NMDA) receptors in pain: a review. <i>Anesthesia and Analgesia</i> , <b>2003</b> , 97, 1108-1116	3-9 444
337	Repetitive afferent stimulation propagates excitation in the trigeminal caudalis. <b>2003</b> , 14, 1321-5	1
336	Modulation of remifentanyl-induced analgesia, hyperalgesia, and tolerance by small-dose ketamine in humans. <i>Anesthesia and Analgesia</i> , <b>2003</b> , 96, 726-732	3-9 104



335	Combinations of morphine with ketamine for patient-controlled analgesia: a new optimization method. <b>2003</b> , 98, 1195-205	74
334	Repetitive afferent stimulation propagates excitation in the trigeminal caudalis. <b>2003</b> , 14, 1321-1325	6
333	Transient up-regulation of spinal cyclooxygenase-2 and neuronal nitric oxide synthase following surgical inflammation. <b>2003</b> , 98, 170-80	29
332	Windup of flexion reflexes in chronic human spinal cord injury: a marker for neuronal plateau potentials?. <b>2003</b> , 89, 416-26	89
331	Chronic Pain After Whiplash Injury Evidence for Altered Central Sensory Processing. <b>2003</b> , 2, 5-16	1
330	Electrophysiological changes in adult rat dorsal horn neurons after neonatal peripheral inflammation. <b>2003</b> , 90, 73-80	37
329	Neuronal nitric oxide synthase modulation of dorsal horn neuronal responses in the rat: a developmental study. <b>2003</b> , 25, 301-7	5
328	Focal lysolecithin-induced demyelination of peripheral afferents results in neuropathic pain behavior that is attenuated by cannabinoids. <b>2003</b> , 23, 3221-33	109
327	[Ketamine and preemptive analgesia.]. <b>2004</b> , 54, 739-52	10
326	Abnormal Pain Processing in Patients with Fibromyalgia Syndrome. <b>2004</b> , 12, 71-77	1
325	Investigation of the facilitation of the nociceptive withdrawal reflex evoked by repeated transcutaneous electrical stimulations as a measure of temporal summation in conscious horses. <b>2004</b> , 65, 901-8	22
324	The analgesic effect of intravenous ketamine and lidocaine on pain after spinal cord injury. <b>2004</b> , 48, 498-506	96
323	Activity-dependent persisting modification of polysynaptic neural circuits involving layer V pyramidal neurons in rat auditory cortex in vitro. <b>2004</b> , 19, 356-64	4
322	Blockade of supraspinal 5-HT <sub>1A</sub> receptors potentiates the inhibitory effect of venlafaxine on wind-up activity in mononeuropathic rats. <b>2004</b> , 1008, 288-92	11
321	Electrophysiological characterization of facilitated spinal withdrawal reflex to repetitive electrical stimuli and its modulation by central glutamate receptor in spinal anesthetized rats. <b>2004</b> , 1009, 110-9	26
320	Effect of the synthetic polyamine N,N'-bis-(3-aminopropyl) cyclohexane-1,4-diamine (DCD) on rat spinal cord nociceptive transmission. <b>2004</b> , 1022, 257-60	2
319	A randomised, controlled study of peri-operative low dose s(+)-ketamine in combination with postoperative patient-controlled s(+)-ketamine and morphine after radical prostatectomy. <b>2004</b> , 59, 222-8	42
318	Predictors of clinical pain intensity in patients with fibromyalgia syndrome. <b>2004</b> , 6, 281-6	20

317	Comparison of hyperalgesia induced by capsaicin injection and controlled heat injury: effect on temporal summation. <b>2004</b> , 21, 15-24	6
316	Venlafaxine-induced depression of wind-up activity in mononeuropathic rats is potentiated by inhibition of brain 5-HT1A receptor expression in vivo. <b>2004</b> , 114, 229-42	7
315	Instrumental learning within the spinal cord: V. The NMDA receptor antagonist, AP5, disrupts the acquisition and maintenance of an acquired flexion response. <b>2004</b> ,	
314	The development and maintenance of human visceral pain hypersensitivity is dependent on the N-methyl-D-aspartate receptor. <b>2004</b> , 126, 683-92	162
313	Pharmacokinetics of dextromethorphan after single or multiple dosing in combination with quinidine in extensive and poor metabolizers. <b>2004</b> , 44, 1132-42	73
312	Pain Research. <b>2004</b> ,	2
311	Instrumental learning within the spinal cord: VI. The NMDA receptor antagonist, AP5, disrupts the acquisition and maintenance of an acquired flexion response. <b>2004</b> , 154, 431-8	42
310	Electrophysiological characterisations of rat lamina I dorsal horn neurones and the involvement of excitatory amino acid receptors. <b>2004</b> , 108, 76-87	50
309	Sex differences in temporal summation of pain and aftersensations following repetitive noxious mechanical stimulation. <b>2004</b> , 109, 115-23	93
308	Electrophysiological characterization of N-methyl-D-aspartate receptors in rat dorsal root ganglia neurons. <b>2004</b> , 109, 443-452	52
307	A new view on how AMPA receptors and their interacting proteins mediate neuropathic pain. <b>2004</b> , 109, 210-213	29
306	Maintenance of windup of second pain requires less frequent stimulation in fibromyalgia patients compared to normal controls. <b>2004</b> , 110, 689-696	107
305	Halothane depresses C-fiber-evoked windup of deep dorsal horn neurons in mice. <b>2004</b> , 363, 207-11	14
304	Biomechanics of musculoskeletal pain: dynamics of the neuromatrix. <b>2004</b> , 14, 109-20	21
303	Isoflurane depresses windup of C fiber-evoked limb withdrawal with variable effects on nociceptive lumbar spinal neurons in rats. <i>Anesthesia and Analgesia</i> , <b>2004</b> , 99, 1413-1419	3.9 11
302	Effects of perioperative oral amantadine on postoperative pain and morphine consumption in patients after radical prostatectomy: results of a preliminary study. <b>2004</b> , 100, 134-41	42
301	Evidence, mechanisms, and clinical implications of central hypersensitivity in chronic pain after whiplash injury. <b>2004</b> , 20, 469-76	98
300	In vivo electrophysiology of dorsal-horn neurons. <b>2004</b> , 99, 139-53	10

299	Involvement of N-methyl-D-aspartate-type glutamate receptor epsilon1 and epsilon4 subunits in tonic inflammatory pain and neuropathic pain. <b>2005</b> , 16, 1667-70	12
298	Differential effects of neuropathic analgesics on wind-up-like pain and somatosensory function in healthy volunteers. <b>2005</b> , 21, 127-32	32
297	Safety of mixture of morphine with ketamine for postoperative patient-controlled analgesia: an audit with 1026 patients. <b>2005</b> , 49, 870-5	31
296	Gene knockdown with intrathecal siRNA of NMDA receptor NR2B subunit reduces formalin-induced nociception in the rat. <b>2005</b> , 12, 59-66	199
295	The antinociceptive effects of the systemic adenosine A1 receptor agonist CPA in the absence and in the presence of spinal cord sensitization. <b>2005</b> , 82, 721-6	31
294	Pain: understanding and challenges for the rheumatologist. <b>2005</b> , 52, 3685-92	40
293	Behavioral assessment of temporal summation in the rat: sensitivity to sex, opioids and modulation by NMDA receptor antagonists. <b>2005</b> , 180, 84-94	11
292	Predictors of clinical pain intensity in patients with fibromyalgia syndrome. <b>2005</b> , 9, 316-21	16
291	A review of the use of methadone for the treatment of chronic noncancer pain. <b>2005</b> , 10, 133-44	45
290	An Update on Pharmacological Actions of Drugs for Neuropathic Pain Treatment. <b>2005</b> , 1, 19-34	
289	Application of nucleus pulposus to L5 dorsal root ganglion in rats enhances nociceptive dorsal horn neuronal windup. <b>2005</b> , 94, 35-48	27
288	Lamotrigine for neuropathic pain. <b>2005</b> , 5, 729-35	24
287	Why look in the brain for answers to temporomandibular disorder pain?. <b>2005</b> , 180, 69-75	114
286	Enhancement of wind-up by the combined administration of adenosine A1 receptor ligands on spinalized rats with carrageenan-induced inflammation. <b>2005</b> , 384, 177-82	7
285	Characteristics of rectal perception are altered in irritable bowel syndrome. <b>2005</b> , 113, 160-71	24
284	NMDA receptor antagonist treatment at the time of nerve injury prevents injury-induced changes in spinal NR1 and NR2B subunit expression and increases the sensitivity of residual pain behaviours to subsequently administered NMDA receptor antagonists. <b>2005</b> , 117, 421-432	56
283	Effects of pre-treatment with amantadine on morphine induced antinociception during second phase formalin responses in rats. <b>2005</b> , 119, 159-167	15
282	Central serotonin 3 receptors play an important role in the modulation of nociceptive neural activity of trigeminal subnucleus caudalis and nocifensive orofacial behavior in rats with persistent temporomandibular joint inflammation. <b>2005</b> , 135, 569-81	17

281	N-methyl-D-aspartate receptors and large conductance calcium-sensitive potassium channels inhibit the release of opioid peptides that induce mu-opioid receptor internalization in the rat spinal cord. <b>2005</b> , 136, 549-62		21
280	Differential effects of halothane and isoflurane on lumbar dorsal horn neuronal windup and excitability. <b>2005</b> , 94, 617-25		29
279	Biology and therapy of fibromyalgia: pain in fibromyalgia syndrome. <b>2006</b> , 8, 208		83
278	Mechanisms of disease: pain in fibromyalgia syndrome. <b>2006</b> , 2, 90-8		151
277	Pathophysiology of complex regional pain syndrome. <b>2006</b> , 6, 669-81		72
276	Central hypersensitivity in chronic pain: mechanisms and clinical implications. <b>2006</b> , 17, 287-302		123
275	Advanced continuous-contact heat pulse design for efficient temporal summation of second pain (windup). <b>2006</b> , 7, 575-82		44
274	Agents that act by different mechanisms modulate the activity of protein kinase Cbeta11 isozyme in the rat spinal cord during peripheral inflammation. <b>2006</b> , 138, 313-28		5
273	The differential effects of halothane and isoflurane on windup of dorsal horn neurons selected in unanesthetized decerebrated rats. <i>Anesthesia and Analgesia</i> , <b>2006</b> , 103, 753-60	3.9	21
272	Central neuroplasticity and pathological pain. <b>2001</b> , 933, 157-74		225
271	Antinociception and the new COX inhibitors: research approaches and clinical perspectives. <b>2003</b> , 9, 227-52		28
270	The influence of the time course of inflammation and spinalization on the antinociceptive activity of the alpha2-adrenoceptor agonist medetomidine. <b>2006</b> , 532, 50-60		15
269	Spinal ventral root after-discharges as a pain index: involvement of NK-1 and NMDA receptors. <b>2006</b> , 1082, 115-23		6
268	Immediate effects of spinal manipulation on thermal pain sensitivity: an experimental study. <b>2006</b> , 7, 68		111
267	Modulation of neurotrophic growth factors as a therapeutic strategy for neuropathic pain. <b>2006</b> , 67, 389-403		3
266	[Continuous interscalenic nerve block in a 3 year old child after amputation of upper extremity]. <b>2006</b> , 41, 47-50		3
265	Chapter 14 Descending excitatory systems. <b>2006</b> , 81, 193-210		9
264	Chapter 26 Clinical examination. <b>2006</b> , 81, 385-95		3

263	N-methyl-D-aspartate receptor (NMDA) antagonists as potential pain therapeutics. <b>2006</b> , 6, 749-70	30
262	Windup in dorsal horn neurons is modulated by endogenous spinal mu-opioid mechanisms. <b>2006</b> , 26, 4298-307	51
261	Neuropathic pain: multiple mechanisms at multiple sites. <b>2007</b> , 2, 661-671	5
260	Blocking sodium channels to treat neuropathic pain. <b>2007</b> , 11, 291-306	37
259	Are reviews based on sham acupuncture procedures in fibromyalgia syndrome (FMS) valid?. <b>2007</b> , 25, 100-6	30
258	Narrative review: the pathophysiology of fibromyalgia. <b>2007</b> , 146, 726-34	203
257	Primary and secondary hyperalgesia can be differentiated by postnatal age and ERK activation in the spinal dorsal horn of the rat pup. <b>2007</b> , 128, 157-68	39
256	Brain activity related to temporal summation of C-fiber evoked pain. <b>2007</b> , 129, 130-42	155
255	Reduced response to the formalin test and lowered spinal NMDA glutamate receptor binding in adenosine A2A receptor knockout mice. <b>2007</b> , 129, 287-294	39
254	The antinociceptive effect of 2-chloro-2'-C-methyl-N6-cyclopentyladenosine (2'-Me-CCPA), a highly selective adenosine A1 receptor agonist, in the rat. <b>2007</b> , 131, 281-292	39
253	Changes in function of NMDA receptor NR2B subunit in spinal cord of rats with neuropathy following chronic ethanol consumption. <b>2007</b> , 80, 852-9	21
252	Frequency-dependent ERK phosphorylation in spinal neurons by electric stimulation of the sciatic nerve and the role in electrophysiological activity. <b>2007</b> , 3, 18	27
251	N-methyl-D-aspartate antagonists and neuropathic pain: the search for relief. <b>2007</b> , 50, 2557-62	84
250	Sex and pain-related psychological variables are associated with thermal pain sensitivity for patients with chronic low back pain. <b>2007</b> , 8, 2-10	104
249	Pre-emptive ring-block with bupivacaine prevents the development of thermal hyperalgesia, but not sustained mechanical hyperalgesia, in rat tails exposed to ultraviolet A light. <b>2007</b> , 8, 208-14	3
248	Effect of early administration of the N-methyl-d-aspartate receptor antagonist amantadine on the development of postmastectomy pain syndrome: a prospective pilot study. <b>2007</b> , 8, 223-9	32
247	Temporal summation of second pain and its maintenance are useful for characterizing widespread central sensitization of fibromyalgia patients. <b>2007</b> , 8, 893-901	159
246	The antinociceptive effect of systemic gabapentin is related to the type of sensitization-induced hyperalgesia. <b>2007</b> , 4, 15	20

245	Encyclopedia of Pain. <b>2007</b> , 2667-2667	
244	Comparison of pre- versus post-incision administration of intraplantar indomethacin and MK886 in a rat model of postoperative pain. <b>2007</b> , 40, 1141-7	2
243	Spinal AMPA receptor inhibition attenuates mechanical allodynia and neuronal hyperexcitability following spinal cord injury in rats. <b>2007</b> , 85, 2352-9	31
242	Discovery of (-)-6-[2-[4-(3-fluorophenyl)-4-hydroxy-1-piperidinyl]-1-hydroxyethyl]-3,4-dihydro-2(1H)-quinolinone--a potent NR2B-selective N-methyl D-aspartate (NMDA) antagonist for the treatment of pain. <b>2007</b> , 17, 5558-62	12
241	Characterization of spinal alpha-adrenergic modulation of nociceptive transmission and hyperalgesia throughout postnatal development in rats. <b>2007</b> , 151, 1334-42	18
240	Nitroparacetamol (NCX-701) and pain: first in a series of novel analgesics. <b>2007</b> , 13, 279-95	12
239	Studies of the organization of the human nociceptive withdrawal reflex. Focus on sensory convergence and stimulation site dependency. <b>2007</b> , 189 Suppl 654, 1-35	52
238	Intrathecal substance P (1-7) prevents morphine-evoked spontaneous pain behavior via spinal NMDA-NO cascade. <b>2007</b> , 74, 758-67	6
237	Pro-nociceptive action of cholecystokinin in the periaqueductal grey: a role in neuropathic and anxiety-induced hyperalgesic states. <b>2008</b> , 32, 852-62	53
236	Spinal cord long-term potentiation is attenuated by the NMDA-2B receptor antagonist Ro 25-6981. <b>2008</b> , 192, 421-7	32
235	Post-operative oral surgery pain: a review. <b>2008</b> , 1, 167-177	5
234	NMDA receptor subtypes: Structure, function and therapeutics. <b>2008</b> , 19, 183-201	19
233	Addressing pain in burn injury. <b>2008</b> , 19, 287-292	14
232	Intrathecal high-dose histamine induces spinally-mediated nociceptive behavioral responses through a polyamine site of NMDA receptors. <b>2008</b> , 581, 54-63	16
231	Pain perception in schizophrenia: no changes in diffuse noxious inhibitory controls (DNIC) but a lack of pain sensitization. <b>2008</b> , 42, 1010-6	62
230	Dolor y estrategias terapéuticas en osteopatía (I). <b>2008</b> , 3, 139-141	3
229	Anatomy, Physiology, and Effects of Pain. <b>2008</b> , 3-25	1
228	Anatomical localization and expression pattern for the NMDA-2D receptor subunit in a rat model of neuropathic pain. <b>2008</b> , 155, 492-502	9

227	Antinociceptive effect and interaction of uncompetitive and competitive NMDA receptor antagonists upon capsaicin and paw pressure testing in normal and monoarthritic rats. <b>2008</b> , 134, 113-27	17
226	Processing noxious information at the subnucleus reticularis dorsalis (SRD) of anesthetized cats: wind-up mechanisms. <b>2008</b> , 140, 190-208	8
225	Adjunctive analgesic therapy in veterinary medicine. <b>2008</b> , 38, 1187-203, v	32
224	New concepts in rheumatic pain. <b>2008</b> , 34, 267-83	16
223	Phosphatidylinositol 3-kinase is a key mediator of central sensitization in painful inflammatory conditions. <b>2008</b> , 28, 4261-70	116
222	Spinal cord mechanisms of pain. <b>2008</b> , 101, 8-16	385
221	Spinal Cord Mechanisms of Hyperalgesia and Allodynia. <b>2008</b> , 339-380	1
220	Psychophysical and neurochemical abnormalities of pain processing in fibromyalgia. <b>2008</b> , 13, 12-7	69
219	Is the combination of morphine with ketamine better than morphine alone for postoperative intravenous patient-controlled analgesia?. <i>Anesthesia and Analgesia</i> , <b>2008</b> , 106, 287-93, table of contents <sup>3,9</sup>	40
218	Expression of adenosine A <sub>2A</sub> receptors in the rat lumbar spinal cord and implications in the modulation of N-methyl-d-aspartate receptor currents. <i>Anesthesia and Analgesia</i> , <b>2008</b> , 106, 1882-9	3-9 15
217	ANTIDEPRESSANTS. <b>2009</b> , 448-458	1
216	Physiology and Pathophysiology of Chronic Pain. <b>2009</b> , 287-302	1
215	Alterations in N-methyl-D-aspartate receptor subunits in primary sensory neurons following acid-induced esophagitis in cats. <b>2009</b> , 296, G66-77	17
214	The effectiveness of gabapentin on post-tonsillectomy pain control. <b>2009</b> , 266, 1605-9	27
213	Antinociceptive actions of honokiol and magnolol on glutamatergic and inflammatory pain. <b>2009</b> , 16, 94	45
212	Antinociceptive effects of NCX-701 (nitro-paracetamol) in neuropathic rats: enhancement of antinociception by co-administration with gabapentin. <b>2009</b> , 158, 601-9	14
211	Postherpetic neuralgia: from preclinical models to the clinic. <b>2009</b> , 6, 630-7	17
210	Synthesis, structural activity-relationships, and biological evaluation of novel amide-based allosteric binding site antagonists in NR1A/NR2B N-methyl-D-aspartate receptors. <b>2009</b> , 17, 6463-80	30

209	Sigma-1 receptors regulate activity-induced spinal sensitization and neuropathic pain after peripheral nerve injury. <b>2009</b> , 145, 294-303	123
208	Dolor y estrategias terapéuticas en osteopatía (II). <b>2009</b> , 4, 33-36	4
207	Dolor y estrategias terapéuticas en osteopatía (III). <b>2009</b> , 4, 65-69	1
206	Formalin-induced behavioural hypersensitivity and neuronal hyperexcitability are mediated by rapid protein synthesis at the spinal level. <b>2009</b> , 5, 27	64
205	Central sensitization: a generator of pain hypersensitivity by central neural plasticity. <b>2009</b> , 10, 895-926	2055
204	Glutamate and kynurenate in the rat central nervous system following treatments with tail ischaemia or diclofenac. <b>2000</b> , 52, 59-66	20
203	Activity-related summation of pain and functional disability in patients with whiplash injuries. <b>2010</b> , 151, 440-446	40
202	Wide-dynamic-range neurons are heterogeneous in windup responsiveness to changes in stimulus intensity and isoflurane anesthesia level in mice. <b>2010</b> , 88, 2272-83	2
201	Ion channel blockers for the treatment of neuropathic pain. <b>2010</b> , 2, 803-42	15
200	NMDA channels together with L-type calcium currents and calcium-activated nonspecific cationic currents are sufficient to generate windup in WDR neurons. <b>2010</b> , 104, 1155-66	18
199	Repeated nociceptive stimulation for detecting drug effects. <b>2010</b> , 1, 142	
198	Dolor y estrategias terapéuticas en osteopatía (IV). <b>2010</b> , 5, 25-29	1
197	Evaluation of the analgesic effect of dextromethorphan and its interaction with nitric oxide on sciatic nerve ligated rats. <b>2010</b> , 3, 38-42	9
196	Fascia: A missing link in our understanding of the pathology of fibromyalgia. <b>2010</b> , 14, 3-12	42
195	Pain relief during dressing changes of major adult burns: ideal analgesic combination with ketamine. <b>2010</b> , 36, 501-5	63
194	Central sensitization and Ca(V) <sub>2</sub> ligands in chronic pain syndromes: pathologic processes and pharmacologic effect. <b>2010</b> , 11, 1241-9	66
193	Peripheral N-methyl-D-aspartate receptors as possible targets for chronic pain treatment. <b>2010</b> , 14, 48-58	5
192	Chronic pain after hip and knee replacement. <b>2011</b> , 15, 110-115	14



191	Transient tactile allodynia following intrathecal puncture in mouse: contributions of Toll-like receptor signaling. <b>2011</b> , 504, 215-8	8
190	Peripheral administration of NR2 antagonists attenuates orofacial formalin-induced nociceptive behavior in rats. <b>2011</b> , 35, 982-6	7
189	Selective knockdown of NMDA receptors in primary afferent neurons decreases pain during phase 2 of the formalin test. <b>2011</b> , 172, 474-82	35
188	Etiopathogenetic mechanisms of fibromyalgia syndrome. <b>2011</b> , 60,	3
187	A translational study of the effects of ketamine and pregabalin on temporal summation of experimental pain. <b>2011</b> , 36, 585-91	26
186	Longitudinal study of wind-up responses after graded spinal cord injuries in the adult rat. <b>2011</b> , 29, 115-26	5
185	RNA interference-mediated gene silence of the NR1 subunit of the NMDA receptor by subcutaneous injection of vector-encoding short hairpin RNA reduces formalin-induced nociception in the rat. <b>2011</b> , 152, 573-581	5
184	The effect of target-controlled infusion of low-dose ketamine on heat pain and temporal summation threshold. <b>2011</b> , 25, 516-22	7
183	Evidence for shared pain mechanisms in osteoarthritis, low back pain, and fibromyalgia. <b>2011</b> , 13, 513-20	106
182	Intracisternal administration of NR2 subunit antagonists attenuates the nociceptive behavior and p-p38 MAPK expression produced by compression of the trigeminal nerve root. <b>2011</b> , 7, 46	17
181	Peripheral N-methyl-d-aspartate receptors contribute to mechanical hypersensitivity in a rat model of inflammatory temporomandibular joint pain. <b>2011</b> , 15, 179-85	23
180	Electroacupuncture analgesia, stress responses, and variations in sensitivity in rats anesthetized with different sub-MAC anesthetics. <b>2011</b> , 15, 600-7	8
179	Targeting N-methyl-D-aspartate receptors for treatment of neuropathic pain. <b>2011</b> , 4, 379-88	122
178	Dopamine D3 receptor specifically modulates motor and sensory symptoms in iron-deficient mice. <b>2011</b> , 31, 70-7	38
177	Computational functions of neurons and circuits signaling injury: relationship to pain behavior. <b>2011</b> , 108 Suppl 3, 15596-601	19
176	Perturbing PSD-95 interactions with NR2B-subtype receptors attenuates spinal nociceptive plasticity and neuropathic pain. <b>2011</b> , 19, 1780-92	63
175	Antinociceptive Activity of Methanol Extract of Muntingia calabura Leaves and the Mechanisms of Action Involved. <b>2012</b> , 2012, 890361	27
174	Impact of behavioral control on the processing of nociceptive stimulation. <b>2012</b> , 3, 262	32

173	Influence of memantine on nociceptive responses of the trigeminocervical complex after formalin injection. <b>2012</b> , 32, 308-16		10
172	Fibromyalgia syndrome: etiology, pathogenesis, diagnosis, and treatment. <b>2012</b> , 2012, 426130		149
171	Temporal summation of pain is not amplified in a large proportion of fibromyalgia patients. <b>2012</b> , 2012, 938595		20
170	Neuropathic pain: role of inflammation, immune response, and ion channel activity in central injury mechanisms. <b>2012</b> , 19, 125-32		44
169	Neurobiology of Temporomandibular Joint Pain: Therapeutic Implications. <b>2012</b> , 18, 63-72		1
168	Chronic pain: emerging evidence for the involvement of epigenetics. <i>Neuron</i> , <b>2012</b> , 73, 435-44	13.9	184
167	Pharmacological properties of S1RA, a new sigma-1 receptor antagonist that inhibits neuropathic pain and activity-induced spinal sensitization. <b>2012</b> , 166, 2289-306		133
166	Whiplash Associated Disorders (WAD): Responses to pharmacological challenges and psychometric tests. <b>2012</b> , 3, 151-163		3
165	Milnacipran inhibits glutamatergic N-methyl-D-aspartate receptor activity in spinal dorsal horn neurons. <b>2012</b> , 8, 45		9
164	Self-injurious behaviour in intellectual disability syndromes: evidence for aberrant pain signalling as a contributing factor. <b>2012</b> , 56, 441-52		33
163	Rapid ultrasonic stimulation of inflamed tissue with diagnostic intent. <b>2013</b> , 134, 1521-9		4
162	Mechanisms of chronic pain from whiplash injury. <b>2013</b> , 20, 74-85		24
161	Effect of low dose rate ketamine infusions on thermal and mechanical thresholds in conscious cats. <b>2013</b> , 40, e76-82		13
160	Neural coding of nociceptive stimuli-from rat spinal neurones to human perception. <b>2013</b> , 154, 1263-73		52
159	Sigma 1 receptor: a new therapeutic target for pain. <b>2013</b> , 716, 78-93		97
158	NMDA receptors and memory encoding. <i>Neuropharmacology</i> , <b>2013</b> , 74, 32-40	5.5	186
157	$\beta 2\beta 1$ gene deletion affects somatosensory neuron function and delays mechanical hypersensitivity in response to peripheral nerve damage. <b>2013</b> , 33, 16412-26		78
156	Effect of high-frequency alternating current on spinal afferent nociceptive transmission. <b>2013</b> , 16, 318-27; discussion 327		69

155	Chronic temporomandibular disorders are not necessarily associated with a compromised endogenous analgesic system. <i>Journal of Orofacial Pain</i> , <b>2013</b> , 27, 142-50		17
154	Glycogen synthase kinase-3 $\beta$ contributes to remifentanyl-induced postoperative hyperalgesia via regulating N-methyl-D-aspartate receptor trafficking. <i>Anesthesia and Analgesia</i> , <b>2013</b> , 116, 473-81	3.9	45
153	Ausência de efeito antinociceptivo decorrente da administração intravenosa de crotalina em comparação com morfina, U50-488H ou fenilbutazona em equinos submetidos à estimulação térmica da pele íntegra. <b>2013</b> , 43, 743-749		1
152	Functional MRI demonstrates pain perception in hand osteoarthritis has features of central pain processing. <b>2013</b> , 3,		17
151	Electrophysiological Study of the Antinociception Produced by the Coapplication of (–)-CPP and Propentofylline in Monoarthritic Rats. <b>2013</b> , 2013, 315626		
150	Metaplasticity and behavior: how training and inflammation affect plastic potential within the spinal cord and recovery after injury. <b>2014</b> , 8, 100		44
149	Herpes simplex virus-based nerve targeting gene therapy in pain management. <i>Journal of Pain Research</i> , <b>2014</b> , 7, 71-9	2.9	12
148	Inflammatory sensitization of nociceptors depends on activation of NMDA receptors in DRG satellite cells. <b>2014</b> , 111, 18363-8		43
147	NMDA receptor mediates chronic visceral pain induced by neonatal noxious somatic stimulation. <b>2014</b> , 744, 28-35		12
146	Central pain processing in osteoarthritis: implications for treatment. <b>2014</b> , 4, 45-56		10
145	The dynamics of pain: evidence for simultaneous site-specific habituation and site-nonspecific sensitization in thermal pain. <b>2014</b> , 15, 734-46		44
144	Pain pathways and pre-emptive and protective analgesia for oral surgery. <b>2014</b> , 7, 74-80		6
143	Constructing and deconstructing the gate theory of pain. <b>2014</b> , 155, 210-216		157
142	Learning from the spinal cord: how the study of spinal cord plasticity informs our view of learning. <b>2014</b> , 108, 155-71		38
141	Calcium-permeable ion channels in pain signaling. <b>2014</b> , 94, 81-140		183
140	Human psychophysics and rodent spinal neurones exhibit peripheral and central mechanisms of inflammatory pain in the UVB and UVB heat rekindling models. <b>2015</b> , 593, 4029-42		22
139	Dimethylarginine dimethylaminohydrolase 1 is involved in spinal nociceptive plasticity. <b>2015</b> , 156, 2052-2060		8
138	Peripheral NMDA Receptors Mediate Antidromic Nerve Stimulation-Induced Tactile Hypersensitivity in the Rat. <b>2015</b> , 2015, 793624		6

137	Circuitry and plasticity of the dorsal horn--toward a better understanding of neuropathic pain. <b>2015</b> , 300, 254-75	66
136	GABAA $\beta$ 5 subunit-containing receptors do not contribute to reversal of inflammatory-induced spinal sensitization as indicated by the unique selectivity profile of the GABAA receptor allosteric modulator NS16085. <b>2015</b> , 93, 370-9	30
135	Spinal cord injury induced neuropathic pain: Molecular targets and therapeutic approaches. <b>2015</b> , 30, 645-58	11
134	An introduction to pain pathways and pain "targets". <b>2015</b> , 131, 1-30	16
133	Interactions of pannexin 1 with NMDA and P2X7 receptors in central nervous system pathologies: Possible role on chronic pain. <b>2015</b> , 101, 86-93	40
132	[[18F]-fluorodeoxyglucose positron emission tomography of the cat brain: A feasibility study to investigate osteoarthritis-associated pain. <b>2015</b> , 204, 299-303	16
131	Is magnesium sulfate effective for pain in chronic postherpetic neuralgia patients comparing with ketamine infusion therapy?. <b>2015</b> , 27, 296-300	17
130	Central hypersensitivity in chronic musculoskeletal pain. <b>2015</b> , 26, 175-84	29
129	Gelsemium analgesia and the spinal glycine receptor/allopregnanolone pathway. <b>2015</b> , 100, 35-43	33
128	Ketamine Analgesia. <b>2016</b> , 541-550	2
127	. <b>2016</b> ,	1
126	The selective sigma-1 receptor antagonist E-52862 attenuates neuropathic pain of different aetiology in rats. <b>2016</b> , 6, 24591	41
125	Antinociception of petroleum ether fraction derived from crude methanol extract of <i>Melastoma malabathricum</i> leaves and its possible mechanisms of action in animal models. <b>2016</b> , 16, 488	5
124	Childhood Adversity and Pain Sensitization. <b>2016</b> , 78, 1084-1093	29
123	Melatonin as a potential counter-effect of hyperalgesia induced by neonatal morphine exposure. <b>2016</b> , 633, 77-81	9
122	Epigenetic regulation of G protein coupled receptor signaling and its implications in psychiatric disorders. <b>2016</b> , 77, 226-39	13
121	Modulation of temporal summation threshold of the nociceptive withdrawal reflex by transcutaneous spinal direct current stimulation in humans. <b>2016</b> , 127, 755-761	26
120	A novel substituted aminoquinoline selectively targets voltage-sensitive sodium channel isoforms and NMDA receptor subtypes and alleviates chronic inflammatory and neuropathic pain. <b>2016</b> , 784, 1-14	3

119	Antinociception by Sigma-1 Receptor Antagonists: Central and Peripheral Effects. <b>2016</b> , 75, 179-215	25
118	Spinal D1-like dopamine receptors modulate NMDA receptor-induced hyperexcitability and NR1 subunit phosphorylation at serine 889. <b>2016</b> , 618, 152-158	7
117	Spinal plasticity of the nociceptive system. <b>2016</b> , 35-87	1
116	Increased spinal pain sensitization in major depressive disorder: A pilot study. <b>2016</b> , 246, 756-761	4
115	The transition from naïve to primed nociceptive state: A novel wind-up protocol in mice. <b>2016</b> , 275 Pt 1, 133-42	2
114	Neurobiology of fibromyalgia and chronic widespread pain. <b>2016</b> , 338, 114-129	282
113	Practical Guide to Chronic Pain Syndromes. <b>2016</b> ,	2
112	Evidence for spinal N-methyl-d-aspartate receptor involvement in prolonged chemical nociception in the rat. <b>2016</b> , 1645, 58-60	8
111	Lentiviral vector-encoded microRNA-based shRNA-mediated gene knockdown of -methyl-D-aspartate receptors in skin reduces pain. <b>2017</b> , 7, e00587	6
110	Antinociceptive effect of methanol extract of Dalbergia sissoo leaves in mice. <b>2017</b> , 17, 72	12
109	Characterization of the Effects of L-4-Chlorokynurenine on Nociception in Rodents. <b>2017</b> , 18, 1184-1196	12
108	Fixed spaced stimulation restores adaptive plasticity within the spinal cord: Identifying the eliciting conditions. <b>2017</b> , 174, 1-9	3
107	Methodological Considerations for the Temporal Summation of Second Pain. <b>2017</b> , 18, 1488-1495	10
106	Effect of Pachybasin on General Toxicity and Developmental Toxicity in Vivo. <b>2017</b> , 65, 10489-10494	5
105	When Pain Hurts: Nociceptive Stimulation Induces a State of Maladaptive Plasticity and Impairs Recovery after Spinal Cord Injury. <b>2017</b> , 34, 1873-1890	24
104	Turtle Flexion Reflex Motor Patterns Show Windup, Mediated Partly by L-type Calcium Channels. <b>2017</b> , 11, 83	3
103	Critical role of sigma-1 receptors in central neuropathic pain-related behaviours after mild spinal cord injury in mice. <b>2018</b> , 8, 3873	31
102	Frequency-dependent top-down modulation of temporal summation by anodal transcranial direct-current stimulation of the primary motor cortex in healthy adults. <b>2018</b> , 22, 1494	7

101	Wind-up in lamina I spinoparabrachial neurons: a role for reverberatory circuits. <b>2018</b> , 159, 1484-1493	16
100	Extracellular Application of CRMP2 Increases Cytoplasmic Calcium through NMDA Receptors. <b>2018</b> , 376, 204-223	8
99	Chest Pain of Esophageal Origin and Reflux Hypersensitivity. <b>2018</b> , 39-53	
98	Assessment and manifestation of central sensitisation across different chronic pain conditions. <b>2018</b> , 22, 216-241	250
97	Reply. <b>2018</b> , 159, 1428-1429	
96	Sense and sensibility-logical approaches to profiling in animal models. <b>2018</b> , 159, 1426-1428	8
95	Evolution of the Spinal Delivery of Opiate Analgesics. <b>2018</b> , 803-817	
94	An Update on the Basic and Clinical Science of Ketamine Analgesia. <b>2018</b> , 34, 1077-1088	8
93	The neurobiology of acute pain. <b>2018</b> , 237, 55-62	20
92	Cellular Mechanisms for Antinociception Produced by Oxytocin and Orexins in the Rat Spinal Lamina II-Comparison with Those of Other Endogenous Pain Modulators. <b>2019</b> , 12,	3
91	Methadone vs. morphine SR for treatment of neuropathic pain: A randomized controlled trial and the challenges in recruitment.. <b>2019</b> , 3, 180-189	0
90	Modulation of TARP 8-Containing AMPA Receptors as a Novel Therapeutic Approach for Chronic Pain. <b>2019</b> , 369, 345-363	7
89	The Effects of Transcutaneous Spinal Direct Current Stimulation on Neuropathic Pain in Multiple Sclerosis: Clinical and Neurophysiological Assessment. <b>2019</b> , 13, 31	11
88	Pain Pathways and Nervous System Plasticity: Learning and Memory in Pain. <b>2019</b> , 20, 2421-2437	26
87	Effects of manipulating the interstimulus interval on heat-evoked temporal summation of second pain across the age span. <b>2019</b> , 160, 95-101	4
86	Phantom limb pain: peripheral neuromodulatory and neuroprosthetic approaches to treatment. <b>2019</b> , 59, 154-167	9
85	Primary Motor Cortex Transcranial Direct Current Stimulation Modulates Temporal Summation of the Nociceptive Withdrawal Reflex in Healthy Subjects. <b>2019</b> , 20, 1156-1165	7
84	Chemokine CXCL10/CXCR3 signaling contributes to neuropathic pain in spinal cord and dorsal root ganglia after chronic constriction injury in rats. <b>2019</b> , 694, 20-28	15

83	The 1980s: D-AP5, LTP and a Decade of NMDA Receptor Discoveries. <b>2019</b> , 44, 516-530		14
82	The development of pain circuits and unique effects of neonatal injury. <b>2020</b> , 127, 467-479		17
81	Detangling red hair from pain: phenotype-specific contributions from different genetic variants in melanocortin-1 receptor. <b>2020</b> , 161, 938-948		1
80	Biomarkers for predicting central neuropathic pain occurrence and severity after spinal cord injury: results of a long-term longitudinal study. <b>2020</b> , 161, 545-556		12
79	Multisensory Sensitivity is Related to Deep-Tissue but Not Cutaneous Pain Sensitivity in Healthy Individuals. <i>Journal of Pain Research</i> , <b>2020</b> , 13, 2493-2508	2.9	3
78	Modulation of H-reflex responses and frequency-dependent depression by repetitive spinal electromagnetic stimulation: From rats to humans and back to chronic spinal cord injured rats. <b>2020</b> , 52, 4875-4889		4
77	Translational issues in precision medicine in neuropathic pain. <b>2020</b> , 4, 30-38		8
76	NYX-2925, A NOVEL, NON-OPIOID, SMALL-MOLECULE MODULATOR OF THE N-METHYL-D-ASPARTATE RECEPTOR (NMDAR), DEMONSTRATES POTENTIAL TO TREAT CHRONIC, SUPRASPINAL CENTRALIZED PAIN CONDITIONS. <b>2021</b> , 9, 100067		0
75	Electrophysiological Assessments in Peripheral Nerves and Spinal Cord in Rodent Models of Chemotherapy-Induced Painful Peripheral Neuropathy. <b>2021</b> , 133-161		0
74	Low-Dose Dextromethorphan for the Treatment of Fibromyalgia Pain: Results from a Longitudinal, Single-Blind, Placebo-Controlled Pilot Trial. <i>Journal of Pain Research</i> , <b>2021</b> , 14, 189-200	2.9	2
73	Synthesis of the Mechanisms of Opioid Tolerance: Do We Still Say NO?. <b>2021</b> , 41, 927-948		2
72	The elucidation of risk factors for acute and chronic postsurgical pain. <i>Pain Research</i> , <b>2021</b> , 36, 24-34	0	1
71	Effect of intravenous low-dose S-ketamine on pain in patients with Complex Regional Pain Syndrome: A retrospective cohort study. <b>2021</b> , 21, 890-897		2
70	A novel computational technique for the quantification of temporal summation in healthy individuals. <b>2021</b> , 54, 102400		0
69	Involvement of ASIC1a channels in the spinal processing of pain information by deep projection neurons.		
68	Ketamine therapy for chronic pain in The Netherlands: a nationwide survey. <b>2021</b> ,		3
67	Effects of preoperative intravenous amantadine sulfate infusion on wake up test duration and postoperative opioid consumption in adolescents undergoing spine corrective surgery. <b>2021</b> , 24, 100166		
66	A new mechanistic approach for the treatment of chronic neuropathic pain with nitrous oxide integrated from a systems biology narrative review. <b>2021</b> , 11, 34-41		2

65	Modulation of Long-Term Potentiation of Excitatory Synaptic Transmission in the Spinal Cord Dorsal Horn. <b>2009</b> , 219-254	2
64	Subtypes of Glutamate Receptors. <b>1997</b> , 1-38	5
63	On the Influence of Anaesthesia, Stimulus Intensity and Drug Access in Pharmacological Tests of Sensory Processing in the Superficial Dorsal Horn. <b>1989</b> , 499-511	1
62	Pavlovian and Instrumental Conditioning Within the Spinal Cord: Methodological Issues. <b>2001</b> , 13-54	6
61	Mechanisms of Central Sensitization of Nociceptive Dorsal Horn Neurons. <b>2001</b> , 127-161	12
60	Pain management: pharmacological approaches. <b>1999</b> , 100, 1-29	9
59	The NMDA receptor, pain and central sensitization. <b>2002</b> , 83-103	1
58	Schmerzmessung und klinische Diagnostik. <b>2011</b> , 295-318	2
57	Fragile X mental retardation protein (FMRP) and the spinal sensory system. <b>2012</b> , 54, 41-59	10
56	Mechanisms of Central Hypersensitivity: Excitatory Amino Acid Mechanisms and Their Control. <b>1997</b> , 167-210	18
55	The Spinal Actions of Opioids. <b>1993</b> , 53-90	22
54	Multiple Opioid Systems and Chronic Pain. <b>1993</b> , 127-162	9
53	Plasticity and pain: role of the dorsal horn. <b>2006</b> , 91-105	36
52	Central pharmacology of nociceptive transmission. <b>2006</b> , 371-414	6
51	Pain-processing mechanisms in whiplash associated disorders. <b>2011</b> , 40-51	2
50	Emerging concepts on the use of ketamine for chronic pain. <b>2020</b> , 13, 135-146	12
49	Severe lightning pain after subarachnoid block in a patient with neuropathic pain of central origin: which drug is best to treat the pain?. <b>2000</b> , 16, 265-9	10
48	Central Dysesthesia Pain after Traumatic Spinal Cord Injury Is Dependent on N-Methyl-D-aspartate Receptor Activation. <i>Neurosurgery</i> , <b>1995</b> , 37, 1080-1087	3.2 6



47	Drug challenge test and drip infusion of ketamine for post-stroke pain . <i>Pain Research</i> , <b>2009</b> , 24, 191-199		8
46	Ketamine and remifentanyl interactions on the sevoflurane minimum alveolar concentration and acute opioid tolerance in the rat. <i>Anesthesia and Analgesia</i> , <b>2011</b> , 113, 505-12	3.9	16
45	Involvement of Spinal Substance P and Excitatory Amino Acids in Inflammatory Hyperalgesia in Rats. <i>The Japanese Journal of Pharmacology</i> , <b>1998</b> , 76, 15-22		7
44	Evaluation of anti-hyperalgesic and analgesic effects of two benzodiazepines in human experimental pain: a randomized placebo-controlled study. <i>PLoS ONE</i> , <b>2013</b> , 8, e43896	3.7	34
43	Evoked temporal summation in cats to highlight central sensitization related to osteoarthritis-associated chronic pain: a preliminary study. <i>PLoS ONE</i> , <b>2014</b> , 9, e97347	3.7	24
42	Response to vitamin B12 and folic acid in myalgic encephalomyelitis and fibromyalgia. <i>PLoS ONE</i> , <b>2015</b> , 10, e0124648	3.7	20
41	Current and Future Issues in the Development of Spinal Agents for the Management of Pain. <i>Current Neuropharmacology</i> , <b>2017</b> , 15, 232-259	7.6	38
40	Differential effects of glutamate receptor antagonists on dorsal horn neurons responding to colorectal distension in a neonatal colon irritation rat model. <i>World Journal of Gastroenterology</i> , <b>2005</b> , 11, 6495-502	5.6	18
39	Neuropharmacological basis for multimodal analgesia in chronic pain. <i>Postgraduate Medicine</i> , <b>2021</b> , 1-15	3.7	2
38	Interaction of NMDA and other neurotransmitter receptor systems in modulation of nociception. <b>2002</b> , 129-146		
37	Spinal nociceptive processing: NMDA receptors and modulation by neuropeptides. <b>2002</b> , 67-81		
36	N-Methyl-D-Aspartate (NMDA) Receptors as a Target for Pain Therapy. <b>2003</b> ,		1
35	Farmacología central de la transmisión nociceptiva. <b>2007</b> , 379-423		
34	Plasticidad y dolor: Papel del asta posterior. <b>2007</b> , 91-105		
33	Adjuvant Analgesics for Radicular Pain. <b>2008</b> , 129-136		1
32	The Effects of Epidural $\mu$ Agonist and NMDA Antagonist: Discussions and Hypotheses. <i>The Journal of Japan Society for Clinical Anesthesia</i> , <b>2008</b> , 28, 204-216		0
31	Anatomy and Physiology of Cancer Pain. <b>2009</b> , 1983-2017		
30	NMDA Receptor Activation Mediates Neuropathic Pain States Induced by Calcium Channel $\beta$ 2 Subunit. <i>The Korean Journal of Pain</i> , <b>2009</b> , 22, 210		

- 29 FIBROMYALGIA SYNDROME. **2009**, 233-240
- 28 Windup in the Spinal Cord. **2009**, 255-267
- 27 Douleur et brûlure. **2010**, 133-145
- 26 Analgesic Effect of Grape Seed Proanthocyanidin Extract in Fibromyalgia Animal Model. *Journal of Life Science*, **2010**, 20, 496-502 0
- 25 Physiologic Consequences of Tissue Injury and Acute Pain. *Anesthesiology Clinics*, **1992**, 10, 247-269
- 24 Hyperexcitability in the Spinal Dorsal Horn: Cooperation of Neuropeptides and Excitatory Amino Acids. **1994**, 379-399
- 23 Neurolytic Blocks Current Status in the Treatment of Cancer and Chronic Pain. *Developments in Critical Care Medicine and Anesthesiology*, **1994**, 333-342
- 22 SEVERE INTRACTABLE FACIAL PAIN ATTENUATED BY A COMBINATION OF 830 nm DIODE LOW REACTIVE-LEVEL LASER THERAPY AND STELLATE GANGLION BLOCK:. *Laser Therapy*, **1996**, 8, 155-158 0.8 4
- 21 References. **1997**, 129-152
- 20 Electrophysiology of Spinal Sensory Processing in the Absence and Presence of Surgery and Anesthesia. **1998**,
- 19 The roles of spinal receptors in nociceptive responses. **1999**, 23-38
- 18 Pain and Neuroplasticity. *Research and Perspectives in Neurosciences*, **1999**, 35-52
- 17 Schmerzmessung und klinische Diagnostik. **2017**, 215-238 1
- 16 Controlling the "Opioid Epidemic": A Novel Chemical Entity (NCE) to Reduce or Supplant Opiate Use for Chronic Pain. *Journal of Psychiatry and Brain Science*, **2020**, 5, 1.7
- 15 Neurobiologie der Schmerzchronifizierung nach HWS-Distorsionstrauma. 14-17
- 14 Preemptive analgesia: the prevention of neurogenous orofacial pain. *Anesthesia Progress*, **1995**, 42, 36-40.8 2
- 13 Profound swim stress-induced analgesia with ketamine. *The Malaysian Journal of Medical Sciences*, **2008**, 15, 13-22 1.3
- 12 Role of C-fibers in pain and morphine induced analgesia/hyperalgesia in rats. *Iranian Journal of Neurology*, **2014**, 13, 19-27 0.6 4

11	The role of nitric oxide on the oxytocin induce analgesia in mice. <i>Iranian Journal of Basic Medical Sciences</i> , <b>2016</b> , 19, 238-44	1.8	8
10	Temporal summation of pain characterizes women but not men with temporomandibular disorders. <i>Journal of Orofacial Pain</i> , <b>2007</b> , 21, 309-17		32
9	Serum interleukin-6, interleukin-8, and interleukin-1 receptor antagonist levels in South Indian fibromyalgia patients and its correlation with disease severity. <i>Indian Journal of Rheumatology</i> , <b>2021</b> ,	0.5	
8	Transcranial Direct Current Stimulation Alleviates the Chronic Pain of Osteoarthritis by Modulating NMDA Receptors in Midbrain Periaqueductal Gray in Rats.. <i>Journal of Pain Research</i> , <b>2022</b> , 15, 203-214	2.9	0
7	Spinal cord involvement in diabetic neuropathy and neuropathic pain. <b>2022</b> , 103-122		
6	The Path to Discovery of Windup and Central Sensitization.. <i>Frontiers in Pain Research</i> , <b>2022</b> , 3, 833104	1.4	0
5	NMDA receptor antagonist amantadine in treatment of neuropathic orofacial pain. <i>Medical Alphabet</i> , <b>2022</b> , 15-20	0.3	
4	Sodium-calcium exchanger-3 regulates pain "wind-up"From human psychophysics to spinal mechanisms. <i>Neuron</i> , <b>2022</b> ,	13.9	0
3	The differential in vivo contribution of spinal $\mu$ 2A- and $\mu$ 2C-adrenoceptors in tonic and acute evoked nociception in the rat. 13,		0
2	Dual contribution of ASIC1a channels in the spinal processing of pain information by deep projection neurons revealed by computational modeling. <b>2023</b> , 19, e1010993		0
1	Histochemical analysis of the biphasic properties of formalin pain-induced behavior. <b>2023</b> , 34, 101467		0