

Basic mathematical and electromagnetic concepts of th

Physics in Medicine and Biology

32, 11-22

DOI: 10.1088/0031-9155/32/1/004

Citation Report

#	ARTICLE	IF	CITATIONS
1	Paired MEG data set source localization using recursively applied and projected (RAP) MUSIC. , 0, , .		0
2	Dense electrical map reconstruction from ECG/MCG measurements using a priori myocardial fiber structure and activation sequence information. , 0, , .		1
3	DEMONSTRATIONS OF THE PROPERTIES OF SATURATED VAPORS. Uspekhi Fizicheskikh Nauk, 1962, 4, 835-836.	0.3	0
4	The inverse source problems of magnetostatics and electrostatics. Inverse Problems, 1987, 3, L87-L91.	1.0	10
5	Large-area low-noise seven-channel dc SQUID magnetometer for brain research. Review of Scientific Instruments, 1987, 58, 2145-2156.	0.6	109
6	An efficient magnetic flux integration method for bounded current sources. Journal of Applied Physics, 1987, 61, 4925-4927.	1.1	2
7	Spatial resolution of neuromagnetic records: theoretical calculations in a spherical model. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1988, 71, 64-72.	2.0	161
8	Magnetoencephalography - the Use of Multi-SQUID Systems for Noninvasive Brain Research. Physica Scripta, 1988, T23, 306-311.	1.2	1
9	New approaches to source localization in MEG. , 0, , .		0
10	The solution of the biomagnetic inverse problem by maximum statistical entropy. Inverse Problems, 1989, 5, 483-500.	1.0	49
11	On the effects on source localisation of volume currents in neuroelectric and neuromagnetic signals. Physics in Medicine and Biology, 1989, 34, 1073-1088.	1.6	3
12	Improved accuracy of MEG localization in the temporal region with inclusion of volume current effects. Brain Topography, 1989, 1, 175-181.	0.8	9
13	Realistic conductivity geometry model of the human head for interpretation of neuromagnetic data. IEEE Transactions on Biomedical Engineering, 1989, 36, 165-171.	2.5	894
14	In vivo detection of applied electric currents by magnetic resonance imaging. Magnetic Resonance Imaging, 1989, 7, 89-94.	1.0	252
15	Magnetic mu rhythm in man. Neuroscience, 1989, 32, 793-800.	1.1	130
16	Early deflections of cerebral magnetic responses to median nerve stimulation. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1989, 74, 290-296.	2.0	128
17	Subdural electrode as a dipole source for magnetoencephalography. Electroencephalography and Clinical Neurophysiology, 1989, 72, 86-90.	0.3	11
18	Random Dipoles as a Model for Spontaneous EEG- and MEG-Activity. , 1989, , 595-598.		2

#	ARTICLE	IF	CITATIONS
19	Neuromagnetic steady-state responses to auditory stimuli. Journal of the Acoustical Society of America, 1989, 86, 1033-1039.	0.5	178
20	Chapter 5: Multi-Squid Devices and Their Applications. Progress in Low Temperature Physics, 1989, 12, 271-339.	0.2	15
21	<title>Influence of volume currents to neuromagnetic images</title>. Proceedings of SPIE, 1990, , .	0.8	1
22	Volume currents in biomagnetic imaging. , 1990, , .		0
23	Localization of epileptic foci using a large-area magnetometer and functional brain anatomy. Annals of Neurology, 1990, 27, 283-290.	2.8	44
24	Continuous probabilistic solutions to the biomagnetic inverse problem. Inverse Problems, 1990, 6, 523-542.	1.0	271
25	Biomagnetic Fourier imaging (current density reconstruction). IEEE Transactions on Medical Imaging, 1990, 9, 299-304.	5.4	11
26	CARING FOR DISABLED PEOPLE'S HEALTH IN BRITAIN. Lancet, The, 1990, 335, 577-578.	6.3	1
27	Separate finger representations at the human second somatosensory cortex. Neuroscience, 1990, 37, 245-249.	1.1	124
28	MAGNETOENCEPHALOGRAPHY. Lancet, The, 1990, 335, 576-577.	6.3	2
29	Return current in encephalography. Variational principles. Biophysical Journal, 1990, 57, 601-606.	0.2	6
30	Linear estimation theory applied to the reconstruction of a 3-D vector current distribution. Applied Optics, 1990, 29, 658.	2.1	30
31	Subspace methods for identifying neural activity from electromagnetic measurements of the brain. , 0, , .		3
32	Filter functions for computing multipole moments from the magnetic field normal to a plane. IEEE Transactions on Medical Imaging, 1991, 10, 375-381.	5.4	10
33	Cerebral magnetic fields to lingual stimulation. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1991, 80, 459-468.	2.0	51
34	<title>Anatomical constraints for neuromagnetic source models</title>. , 1991, , .		19
35	Magnetoencephalographic Localization of Subdural Dipoles in a Patient with Temporal Lobe Epilepsy. Epilepsia, 1991, 32, 635-641.	2.6	23
36	Estimates of Neuronal Current Distributions. Acta Oto-Laryngologica, 1991, 111, 80-87.	0.3	23

#	ARTICLE	IF	CITATIONS
37	Brain activity associated with skilled finger movements: Multichannel magnetic recordings. Brain Topography, 1991, 3, 433-439.	0.8	15
38	Symmetry considerations in the quasi-static approximation of volume conductor theory. Physics in Medicine and Biology, 1991, 36, 521-529.	1.6	13
39	A comparison of normal and tangential magnetic field component measurements in biomagnetic investigations. Clinical Physics and Physiological Measurement: an Official Journal of the Hospital Physicists' Association, Deutsche Gesellschaft Fur Medizinische Physik and the European Federation of Organisations for Medical Physics, 1991, 12, 55-59.	0.5	10
40	Multichannel SQUID systems for brain research. IEEE Transactions on Magnetics, 1991, 27, 2786-2792.	1.2	59
41	Electromagnetic imaging of dynamic brain activity. , 0, , .		1
42	Human auditory evoked gamma-band magnetic fields.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 8996-9000.	3.3	381
43	Intracranial electric fields produced by magnetic stimulation in a spherical model. , 1992, , .		4
44	Error bounds for MEG and EEG source localization. , 0, , .		2
45	A theory of the magnetic field from current monopoles. Journal of Applied Physics, 1992, 71, 3107-3113.	1.1	6
46	<title>Overlay of neuromagnetic current-density images and morphological MR images</title>. , 1992, , .		4
47	Medical imaging: state of the art and future development. Inverse Problems, 1992, 8, 709-738.	1.0	63
48	Evoked magnetic responses of the human auditory cortex to minor pitch changes: localization of the mismatch field. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1992, 84, 538-548.	2.0	73
49	Brain stimulation using electromagnetic sources: theoretical aspects. Biophysical Journal, 1992, 63, 129-138.	0.2	164
50	Details of simulated annealing algorithm to estimate parameters of multiple current dipoles using biomagnetic data. IEEE Transactions on Medical Imaging, 1992, 11, 293-299.	5.4	27
51	Generator sites of spontaneous MEG activity during sleep. Electroencephalography and Clinical Neurophysiology, 1992, 82, 182-196.	0.3	61
52	Estimates of visually evoked cortical currents. Electroencephalography and Clinical Neurophysiology, 1992, 82, 225-236.	0.3	82
53	Magnetoencephalography: A tool for functional brain imaging. Brain Topography, 1992, 5, 95-102.	0.8	116
54	Effect of the signal-to-noise ratio on the quality of linear estimation reconstructions of distributed current sources. Brain Topography, 1992, 5, 189-194.	0.8	22

#	ARTICLE	IF	CITATIONS
55	Confidence limits for the parameter estimation in the dipole localization method on the basis of spatial correlation of background EEG. Brain Topography, 1992, 5, 195-198.	0.8	13
56	Multiple dipole modeling and localization from spatio-temporal MEG data. IEEE Transactions on Biomedical Engineering, 1992, 39, 541-557.	2.5	920
57	Magnetic source images determined by a lead-field analysis: the unique minimum-norm least-squares estimation. IEEE Transactions on Biomedical Engineering, 1992, 39, 665-675.	2.5	270
58	A random dipole model for spontaneous brain activity. IEEE Transactions on Biomedical Engineering, 1992, 39, 791-804.	2.5	113
59	Estimation of the spatio-temporal correlations of biological electrical sources from their magnetic fields. IEEE Transactions on Biomedical Engineering, 1992, 39, 997-1004.	2.5	17
60	Tonotopic auditory cortex and the magnetoencephalographic (MEG) equivalent of the mismatch negativity. Psychophysiology, 1993, 30, 537-540.	1.2	164
61	Minimum-norm least-squares estimation: magnetic source images for a spherical model head. IEEE Transactions on Biomedical Engineering, 1993, 40, 387-396.	2.5	32
62	Sampling theory for neuromagnetic detector arrays. IEEE Transactions on Biomedical Engineering, 1993, 40, 859-869.	2.5	101
63	An alternative to the biomagnetic forward problem in a realistically shaped head model, the "weighted vertices". IEEE Transactions on Biomedical Engineering, 1993, 40, 1048-1053.	2.5	4
64	Equivalent dipole source localization of EEG and evoked potentials: Sources of errors or sources with confidence?. Brain Topography, 1993, 5, 355-359.	0.8	3
65	Error bounds for EEG and MEG dipole source localization. Electroencephalography and Clinical Neurophysiology, 1993, 86, 303-321.	0.3	220
66	A 122-channel whole-cortex SQUID system for measuring the brain's magnetic fields. IEEE Transactions on Magnetics, 1993, 29, 3315-3320.	1.2	90
67	Magnetoencephalography—theory, instrumentation, and applications to noninvasive studies of the working human brain. Reviews of Modern Physics, 1993, 65, 413-497.	16.4	3,939
68	Current density reconstruction within a human heart from the magnetocardiogram and electrocardiogram - a computer simulation study. , 0, , .		0
69	Relationship of transient and steady-state auditory evoked fields. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1993, 88, 389-396.	2.0	118
70	Dynamical visualization of reconstructed distributed electrical current densities within a human heart from simulated magnetocardiograms - a computer animation study. , 0, , .		1
71	Theoretical and experimental verification of the properties of superconductor surface imaging. IEEE Transactions on Applied Superconductivity, 1993, 3, 1930-1933.	1.1	9
72	Genetic algorithms for minimal source reconstructions. , 0, , .		1

#	ARTICLE	IF	CITATIONS
73	Probabilistic reconstruction of multiple sources in the bioelectromagnetic inverse problem. <i>Inverse Problems</i> , 1993, 9, 271-284.	1.0	47
74	Estimates of current density distributions: I. Applying the principle of cross-entropy minimization to electrographic recordings. <i>Inverse Problems</i> , 1993, 9, 623-639.	1.0	9
75	Localization of current dipoles with multichannel SQUID systems. <i>Review of Scientific Instruments</i> , 1993, 64, 3053-3060.	0.6	4
76	MRVIEW: An interactive computational tool for investigation of brain structure and function. , 0, , .		12
77	A neuromagnetic source localization using 64 channel SQUID system and MRI. , 0, , .		1
78	122-channel squid instrument for investigating the magnetic signals from the human brain. <i>Physica Scripta</i> , 1993, T49A, 198-205.	1.2	300
79	<title>Use of noise and signal-source covariance matrices in reconstructing biocurrent distributions from biomagnetic measurements</title>. , 1993, , .		3
80	Biomagnetic localization from transient quasi-static events. , 1993, , .		4
81	Genetic algorithms for neuromagnetic source reconstruction. , 0, , .		2
82	Current density estimation within a human heart including a boundary-element-torso model. , 0, , .		1
83	Reduction of brain noise influence in evoked neuromagnetic source localization using noise spatial correlation. <i>Physics in Medicine and Biology</i> , 1994, 39, 937-946.	1.6	15
84	Intracerebral propagation of interictal activity in partial epilepsy: implications for source localisation.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1994, 57, 435-449.	0.9	287
85	Biomagnetic localization of electrical current sources in the human heart with realistic volume conductors using the single-current-dipole model. <i>Physics in Medicine and Biology</i> , 1994, 39, 655-668.	1.6	12
86	Magnetic field arising from current dipoles randomly distributed in a homogeneous spherical volume conductor. <i>Journal of Applied Physics</i> , 1994, 75, 7204-7210.	1.1	13
87	Factors which affect spatial resolving power in large array biomagnetic sensors. <i>Review of Scientific Instruments</i> , 1994, 65, 922-935.	0.6	13
88	Interpreting magnetic fields of the brain: minimum norm estimates. <i>Medical and Biological Engineering and Computing</i> , 1994, 32, 35-42.	1.6	1,692
89	Minimum-norm estimation in a boundary-element torso model. <i>Medical and Biological Engineering and Computing</i> , 1994, 32, 43-48.	1.6	40
90	Uniqueness of the generators of brain evoked potential maps. <i>IEEE Transactions on Biomedical Engineering</i> , 1994, 41, 1-11.	2.5	30

#	ARTICLE	IF	CITATIONS
91	MNLS inverse discriminates between neuronal activity on opposite walls of a simulated sulcus of the brain. IEEE Transactions on Biomedical Engineering, 1994, 41, 470-479.	2.5	26
92	Probability-based current dipole localization from biomagnetic fields. IEEE Transactions on Biomedical Engineering, 1994, 41, 735-742.	2.5	18
93	Multiple current dipole estimation using simulated annealing. IEEE Transactions on Biomedical Engineering, 1994, 41, 1004-1009.	2.5	30
94	Solving the inverse problem in magnetocardiography. IEEE Engineering in Medicine and Biology Magazine, 1994, 13, 487-496.	1.1	50
95	Magnetoencephalographic Evaluation of Children and Adolescents with Intractable Epilepsy. Epilepsia, 1994, 35, 275-284.	2.6	65
96	The influence of inhomogeneous volume conductor models on the ECG and the MCG. Physics in Medicine and Biology, 1994, 39, 1949-1968.	1.6	14
97	Intrasubject reliability and validity of somatosensory source localization using a large array biomagnetometer. Electroencephalography and Clinical Neurophysiology, 1994, 90, 145-156.	0.3	80
98	The auditory evoked sustained field: origin and frequency dependence. Electroencephalography and Clinical Neurophysiology, 1994, 90, 82-90.	0.3	91
99	Characteristics of the background fields in multichannel-recorded magnetic field responses. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1994, 92, 56-63.	2.0	14
100	Auditory M100 component 1: relationship to Heschl's gyri. Cognitive Brain Research, 1994, 2, 13-20.	3.3	117
101	Reconstructing current distributions from biomagnetic measurements under large external noise disturbances. IEEE Transactions on Medical Imaging, 1994, 13, 144-151.	5.4	4
102	Neuromagnetic source analysis with a 64-channel SQUID system and MR imaging. , 0, , .		9
103	Estimating and Testing the Sources of Evoked Potentials in the Brain. Multivariate Behavioral Research, 1994, 29, 237-262.	1.8	26
104	Average-intensity reconstruction and Wiener reconstruction of bioelectric current distribution based on its estimated covariance matrix. IEEE Transactions on Biomedical Engineering, 1995, 42, 149-157.	2.5	34
105	Selective minimum-norm solution of the biomagnetic inverse problem. IEEE Transactions on Biomedical Engineering, 1995, 42, 608-615.	2.5	205
106	An iterative approach on magnetic source imaging within the human cortex â€” a simulation study. International Journal of Bio-medical Computing, 1995, 40, 51-57.	0.5	2
107	Spatio-temporal cortical patterns evoked in man by a discrimination task. Mathematical and Computer Modelling, 1995, 21, 29-52.	2.0	6
108	The influence of a permanent magnetic field on the process of adult emergence in Tenebrio molitor. Journal of Insect Physiology, 1995, 41, 1113-1118.	0.9	22

#	ARTICLE	IF	CITATIONS
109	The separation of overlapping neuromagnetic sources in first and second somatosensory cortices. Brain Topography, 1995, 7, 275-282.	0.8	49
110	Evoked and induced gamma-band activity of the human cortex. Brain Topography, 1995, 7, 321-330.	0.8	166
111	Estimation of Electrical Source Localization Using the Temporal Correlation between Magnetic Field Measurements. Optical Review, 1995, 2, 115-119.	1.2	0
112	Magnetoencephalography and Magnetic Source Imaging. , 1995, , 369-417.		65
113	Superconductor imaging surface magnetometry. Review of Scientific Instruments, 1995, 66, 3777-3784.	0.6	17
114	Multichannel SQUID system detecting tangential components of the cardiac magnetic field. Review of Scientific Instruments, 1995, 66, 5085-5091.	0.6	66
115	Magnetic source imaging within the human heart from simulated and measured MCG data. , 0, , .		2
116	Optimizing an array of sensors for magnetoencephalography. , 0, , .		1
117	MEG-based imaging of focal neuronal current sources. , 0, , .		4
118	Non-Invasive Biomagnetic Functional Localization Within the Human Heart. Biomedizinische Technik, 1995, 40, 213-215.	0.9	0
119	A neuromagnetic source distribution estimation using MRI information. , 0, , .		0
120	An estimation algorithm for neuromagnetic source distribution using MRI information. , 0, , .		0
121	Matrix kernels for MEG and EEG source localization and imaging. , 0, , .		20
122	Somatosensory evoked magnetic fields after mechanical stimulation of the scalp in humans. Neuroscience Letters, 1995, 195, 29-32.	1.0	30
123	Specific tonotopic organizations of different areas of the human auditory cortex revealed by simultaneous magnetic and electric recordings. Electroencephalography and Clinical Neurophysiology, 1995, 94, 26-40.	0.3	410
124	Neuromagnetic source imaging with FOCUSS: a recursive weighted minimum norm algorithm. Electroencephalography and Clinical Neurophysiology, 1995, 95, 231-251.	0.3	465
125	Pain-related somatosensory evoked magnetic fields. Electroencephalography and Clinical Neurophysiology, 1995, 95, 463-474.	0.3	85
126	Magnetocardiographic computed tomography-a model study on minimum-norm current dipole estimation. , 0, , .		0

#	ARTICLE	IF	CITATIONS
127	Temporal dynamics of visual-evoked neuromagnetic sources: Effects of stimulus parameters and selective attention. <i>International Journal of Neuroscience</i> , 1995, 80, 79-104.	0.8	76
128	Neuromagnetic source reconstruction. , 0, , .		2
129	Intracerebral interactions caused by bilateral median nerve stimulation in man: a magnetoencephalographic study. <i>Neuroscience Research</i> , 1996, 24, 175-181.	1.0	26
130	Somatosensory evoked magnetic fields following stimulation of the lip in humans. <i>Electroencephalography and Clinical Neurophysiology - Evoked Potentials</i> , 1996, 100, 96-104.	2.0	56
131	Magnetoencephalographic analysis of cortical myoclonic jerks. <i>Electroencephalography and Clinical Neurophysiology</i> , 1996, 99, 141-148.	0.3	60
132	Tonotopic organization of the sources of human auditory steady-state responses. <i>Hearing Research</i> , 1996, 101, 62-74.	0.9	205
133	Electrophysiological aspects of interictal and ictal activity in human partial epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 1996, 5, 7-33.	0.9	20
134	Magnetoencephalographic study on the cerebral neural activities related to the processing of visually presented characters. <i>Cognitive Brain Research</i> , 1996, 4, 185-199.	3.3	41
135	Effects of sleep on somatosensory evoked responses in human: A magnetoencephalographic study. <i>Cognitive Brain Research</i> , 1996, 4, 275-279.	3.3	36
136	Neurophysiological Correlate of the Auditory After-image (â€ŽwickerToneâ€™). <i>Audiology and Neuro-Otology</i> , 1996, 1, 161-174.	0.6	21
137	The Auditory Evoked â€œOffâ€•Response: Sources and Comparison with the "On" and the â€œSustainedâ€• Responses. <i>Ear and Hearing</i> , 1996, 17, 255-265.	1.0	103
138	Magnetic stimulation of the nervous system: Induced electric field in unbounded, semi-infinite, spherical, and cylindrical media. <i>Annals of Biomedical Engineering</i> , 1996, 24, 606-616.	1.3	91
139	Suppression of background brain activity influence in localizing epileptic spike sources from biomagnetic measurements. <i>Brain Topography</i> , 1996, 8, 323-328.	0.8	9
140	Influence of head model in biomagnetic source localization. <i>Brain Topography</i> , 1996, 8, 337-340.	0.8	10
141	Evaluation of the non-invasive localization accuracy of cardiac arrhythmias attainable by multichannel magnetocardiography (MCG). <i>International Journal of Cardiovascular Imaging</i> , 1996, 12, 47-59.	0.2	37
142	Generalized Wiener estimation of three-dimensional current distribution from biomagnetic measurements. <i>IEEE Transactions on Biomedical Engineering</i> , 1996, 43, 281-291.	2.5	75
143	A modified boundary element method for the estimation of potential fields on the scalp. <i>IEEE Transactions on Biomedical Engineering</i> , 1996, 43, 650-653.	2.5	3
144	A volume-conduction analysis of magnetic stimulation of peripheral nerves. <i>IEEE Transactions on Biomedical Engineering</i> , 1996, 43, 669-678.	2.5	26

#	ARTICLE	IF	CITATIONS
145	Reproducibility of MEG auditory evoked field source localizations in normal human subjects using a seven-channel gradiometer. IEEE Transactions on Biomedical Engineering, 1996, 43, 967-969.	2.5	8
146	Current dipole localization with an ideal magnetometer system. IEEE Transactions on Biomedical Engineering, 1996, 43, 1049-1061.	2.5	23
147	Magnetometer spacing criterion for biomagnetic source current imaging. IEEE Transactions on Biomedical Engineering, 1996, 43, 1125-1127.	2.5	4
148	Neuromagnetic field computation using the multiple multipole method. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 1996, 9, 145-158.	1.2	9
149	Signal source localization from spatio-temporal biomagnetic data by signal subspace method. Systems and Computers in Japan, 1996, 27, 12-25.	0.2	1
150	Biomagnetisches Vorwärtsproblem für zeitabhängige Quellen. Biomedizinische Technik, 1996, 41, 288-289.	0.9	0
151	Comparison of the performance of distributed source estimation in the human brain using normal and vector magnetic field measurements. IEEE Transactions on Magnetics, 1996, 32, 5127-5129.	1.2	0
152	A magnetic source estimation in the cortical region. , 0, , .		0
153	Reconstruction of two-dimensional current distribution from tangential MCG measurement. Physics in Medicine and Biology, 1996, 41, 1705-1716.	1.6	20
154	Differentiation of receptive fields in the sensory cortex following stimulation of various nerves of the lower limb in humans: a magnetoencephalographic study. Journal of Neurosurgery, 1996, 85, 255-262.	0.9	31
155	Inversion method for magnetoencephalography. Inverse Problems, 1996, 12, L9-L11.	1.0	40
156	MEG-based imaging of focal neuronal current sources. IEEE Transactions on Medical Imaging, 1997, 16, 338-348.	5.4	160
157	Imaging flaws in magnetically permeable structures using the truncated generalized inverse on leakage fields. Journal of Applied Physics, 1997, 82, 5899-5906.	1.1	12
158	Magnetic Source Imaging Evidence of Sex Differences in Cerebral Lateralization in Schizophrenia. Archives of General Psychiatry, 1997, 54, 433.	13.8	101
159	Detecting a dipole source by MEG/EEG and generalized likelihood ratio tests. , 0, , .		6
160	Minimum L1 norm MEG reconstruction minimising signal deviation using a reduced lead field. , 0, , .		0
161	Baseline optimization for noise cancellation systems [of SQUID MEG]. , 0, , .		0
162	Estimation of neuromagnetic source location in the cortical region using MR images. , 0, , .		0

#	ARTICLE	IF	CITATIONS
163	A first estimate for EEG/MEG dipole reconstructions. , 0, , .		0
164	A new finite element formulation for the forward problem of electro-magnetic source imaging. , 0, , .		1
165	Human cortical area responding to stimuli in apparent motion. <i>NeuroReport</i> , 1997, 8, 677-682.	0.6	91
166	Estimation Of Neuromagnetic Source Location In The Cortical Region Using MR Images. , 0, , .		0
167	Neuromagnetic source location estimation in the cortical region using MR images. , 0, , .		0
168	Pain-related somatosensory evoked magnetic fields following lower limb stimulation. <i>Journal of the Neurological Sciences</i> , 1997, 145, 187-194.	0.3	39
169	A compact planar gradiometer system for measuring tangential components of biomagnetic fields. <i>IEEE Transactions on Applied Superconductivity</i> , 1997, 7, 2752-2755.	1.1	4
170	On the calculation of magnetic fields based on multipole modeling of focal biological current sources. <i>Biophysical Journal</i> , 1997, 73, 1253-1262.	0.2	44
171	Odorant evoked magnetic fields in humans. <i>Neuroscience Research</i> , 1997, 27, 115-122.	1.0	22
172	Magnetoencephalographic study of intracerebral interactions caused by bilateral posterior tibial nerve stimulation in man. <i>Neuroscience Research</i> , 1997, 28, 41-47.	1.0	8
173	Effects of movement and movement imagery on somatosensory evoked magnetic fields following posterior tibial nerve stimulation. <i>Cognitive Brain Research</i> , 1997, 5, 241-253.	3.3	35
174	Visual evoked cortical magnetic fields to pattern reversal stimulation. <i>Cognitive Brain Research</i> , 1997, 6, 9-22.	3.3	66
175	Somatosensory evoked magnetic fields following passive finger movement. <i>Cognitive Brain Research</i> , 1997, 6, 73-82.	3.3	58
176	Motor cortical reflex myoclonus: a case study with MEG. <i>Electroencephalography and Clinical Neurophysiology</i> , 1997, 102, 505-511.	0.3	27
177	Somatosensory evoked magnetic fields and potentials following passive toe movement in humans. <i>Electroencephalography and Clinical Neurophysiology - Evoked Potentials</i> , 1997, 104, 393-401.	2.0	18
178	Magnetic fields elicited by tones and vowel formants reveal tonotopy and nonlinear summation of cortical activation. <i>Psychophysiology</i> , 1997, 34, 501-510.	1.2	46
179	Magnetoencephalography. <i>Epilepsia</i> , 1997, 38, 52-57.	2.6	111
180	Magnetoencephalography with diversely oriented and multicomponent sensors. <i>IEEE Transactions on Biomedical Engineering</i> , 1997, 44, 40-50.	2.5	37

#	ARTICLE	IF	CITATIONS
181	Noise covariance incorporated MEG-MUSIC algorithm: a method for multiple-dipole estimation tolerant of the influence of background brain activity. IEEE Transactions on Biomedical Engineering, 1997, 44, 839-847.	2.5	65
182	An estimation algorithm for neuromagnetic source distribution using MRI information. IEEE Transactions on Nuclear Science, 1997, 44, 230-234.	1.2	4
183	Imaging neural activity using MEG and EEG. IEEE Engineering in Medicine and Biology Magazine, 1997, 16, 34-42.	1.1	55
184	Jerk-locked back averaging and dipole source localization of magnetoencephalographic transients in a patient with epilepsy partialis continua. Electroencephalography and Clinical Neurophysiology, 1997, 103, 440-444.	0.3	23
185	Magnetoencephalographic recording of steady-state visual evoked cortical activity. Brain Topography, 1997, 9, 163-168.	0.8	90
186	Confidence interval of single dipole locations based on EEG data. Brain Topography, 1997, 10, 31-39.	0.8	23
187	Identification of motor and sensory brain activities during unilateral finger movement: spatiotemporal source analysis of movement-associated magnetic fields. Experimental Brain Research, 1997, 115, 6-14.	0.7	72
188	Magnetic mismatch fields elicited by vowels and consonants. Experimental Brain Research, 1997, 116, 139-152.	0.7	31
189	A cryocooled 61-channel MEG system. Applied Superconductivity, 1997, 5, 385-392.	0.5	5
190	Linear inverse solutions with optimal resolution kernels applied to electromagnetic tomography. , 1997, 5, 454-467.		102
191	Pain processing traced by magnetoencephalography in the human brain. Brain Topography, 1998, 10, 255-264.	0.8	67
192	Comparison of covariance-based and waveform-based subtraction methods in removing the interference from button-pressing finger movements. Brain Topography, 1998, 11, 95-102.	0.8	3
193	Postoperative multichannel magnetoencephalography in patients with recurrent seizures after epilepsy surgery. Acta Neurologica Scandinavica, 1998, 98, 1-7.	1.0	63
194	Timing of motion representation in the human visual system. Brain Research, 1998, 790, 195-201.	1.1	10
195	Dipole source localization by means of maximum likelihood estimation. II. Experimental evaluation. Electroencephalography and Clinical Neurophysiology, 1998, 106, 322-329.	0.3	27
196	Localisation of epileptic foci with electric, magnetic and combined electromagnetic models. Electroencephalography and Clinical Neurophysiology, 1998, 106, 297-313.	0.3	65
197	Improving source reconstructions by combining bioelectric and biomagnetic data. Electroencephalography and Clinical Neurophysiology, 1998, 107, 93-111.	0.3	208
198	A study of dipole localization accuracy for MEG and EEG using a human skull phantom. Electroencephalography and Clinical Neurophysiology, 1998, 107, 159-173.	0.3	336

#	ARTICLE	IF	CITATIONS
199	Reading of Japanese Kanji (morphograms) and Kana (syllabograms): a magnetoencephalographic study. <i>Neuropsychologia</i> , 1998, 36, 83-98.	0.7	69
200	MEG covariance difference analysis: a method to extract target source activities by using task and control measurements. <i>IEEE Transactions on Biomedical Engineering</i> , 1998, 45, 87-97.	2.5	8
201	A critical analysis of linear inverse solutions to the neuroelectromagnetic inverse problem. <i>IEEE Transactions on Biomedical Engineering</i> , 1998, 45, 440-448.	2.5	158
202	Dipole separability in a neuromagnetic source analysis. <i>IEEE Transactions on Biomedical Engineering</i> , 1998, 45, 572-581.	2.5	23
203	On the realization of an analytic high-resolution EEG. <i>IEEE Transactions on Biomedical Engineering</i> , 1998, 45, 736-745.	2.5	56
204	Differential characterization of neural sources with the bimodal truncated SVD pseudo-inverse for EEG and MEG measurements. <i>IEEE Transactions on Biomedical Engineering</i> , 1998, 45, 827-838.	2.5	42
205	The accuracy of localizing equivalent dipoles and the spatio-temporal correlations of background EEG. <i>IEEE Transactions on Biomedical Engineering</i> , 1998, 45, 1114-1121.	2.5	9
206	Influence of skull anisotropy for the forward and inverse problem in EEG: Simulation studies using FEM on realistic head models. , 1998, 6, 250-269.		139
207	Information encoding in the temporal aspects of electromagnetic fields consequent to human cortical neuronal activation. <i>Bioelectrochemistry</i> , 1998, 47, 265-271.	1.0	2
208	Multi-start downhill simplex method for spatio-temporal source localization in magnetoencephalography. <i>Electroencephalography and Clinical Neurophysiology - Evoked Potentials</i> , 1998, 108, 32-44.	2.0	117
209	Replicability of MEG and EEG measures of the auditory N1/N1m-response. <i>Electroencephalography and Clinical Neurophysiology - Evoked Potentials</i> , 1998, 108, 291-298.	2.0	58
210	Magnetoencephalographic evaluation of anterior corpus callosotomy for intractable epilepsy in a patient with lennox-gastaut syndrome. <i>Journal of Epilepsy</i> , 1998, 11, 202-207.	0.4	7
211	Neural processing of words in the human extrastriate visual cortex. <i>Cognitive Brain Research</i> , 1998, 6, 193-203.	3.3	75
212	Three-dimensional localization of subclinical ictal activity by magnetoencephalography. <i>World Neurosurgery</i> , 1998, 50, 157-163.	1.3	49
213	Frequency series expansion of an explicit solution for a dipole inside a conducting sphere at low frequency. <i>IEEE Transactions on Biomedical Engineering</i> , 1998, 45, 1249-1258.	2.5	11
214	Anatomical Congruence of Metabolic and Electromagnetic Activation Signals during a Self-Paced Motor Task: A Combined PET-MEG Study. <i>NeuroImage</i> , 1998, 7, 337-351.	2.1	27
215	Magnetoencephalographie / Electroencephalographie et imagerie cérébrale fonctionnelle. <i>Annales De L'Institut Pasteur / Actualités</i> , 1998, 9, 215-226.	0.1	1
216	Estimating neural sources from each time-frequency component of magnetoencephalographic data. , 0, , .		2

#	ARTICLE	IF	CITATIONS
217	Visual evoked cortical magnetic responses to checkerboard pattern reversal stimulation: A study on the neural generators of N75, P100 and N145. Journal of the Neurological Sciences, 1998, 156, 186-194.	0.3	93
218	Somatosensory Homunculus as Drawn by MEG. NeuroImage, 1998, 7, 377-386.	2.1	304
219	Imaging the mechanical, electrical, and physiological properties of the heart. , 0, , .		0
220	Multi-source localization by genetic algorithm using MEG. IEEE Transactions on Magnetics, 1998, 34, 2976-2979.	1.2	13
221	Plasticity of plasticity? Changes in the pattern of perceptual correlates of reorganization after amputation. Brain, 1998, 121, 717-724.	3.7	131
222	<title>Information encoding in the temporal characteristics of auditory-evoked neuromagnetic fields</title>. , 1998, , .		0
223	Magnetoencephalographic mapping of the language-specific cortex. Neurosurgical Focus, 1998, 5, E2.	1.0	112
224	Random dots blinking. NeuroReport, 1998, 9, 3961-3965.	0.6	18
225	Auditory afterimage. NeuroReport, 1998, 9, 3065-3068.	0.6	17
226	Construction of tangential vectors from normal cardiac magnetic field components. , 0, , .		16
227	Peri-threshold encoding of stimulus frequency and intensity in the M100 latency. NeuroReport, 1998, 9, 91-94.	0.6	65
228	Sequential source of the M100 exhibits inter-hemispheric asymmetry. NeuroReport, 1998, 9, 2647-2652.	0.6	27
229	SOFIA: spatially optimal fast initial analysis of biomagnetic signals. Physics in Medicine and Biology, 1999, 44, 87-103.	1.6	17
230	Magnetoencephalographic mapping of the language-specific cortex. Journal of Neurosurgery, 1999, 90, 85-93.	0.9	169
231	Localization of language-specific cortex by using magnetic source imaging and electrical stimulation mapping. Journal of Neurosurgery, 1999, 91, 787-796.	0.9	157
232	A sensor-weighted overlapping-sphere head model and exhaustive head model comparison for MEG. Physics in Medicine and Biology, 1999, 44, 423-440.	1.6	535
233	Informed spatial basis functions in minimum norm solutions for the electromagnetic source localisation problem.. Biomedizinische Technik, 1999, 44, 87-90.	0.9	1
234	Words without Mind. Journal of Cognitive Neuroscience, 1999, 11, 650-656.	1.1	75

#	ARTICLE	IF	CITATIONS
235	Psychiatric and neurologic predictors of psychogenic pseudoseizure outcome. <i>Neurology</i> , 1999, 53, 933-933.	1.5	199
236	Generation of scalp discharges in temporal lobe epilepsy as suggested by intraoperative electrocorticographic recordings. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999, 67, 51-58.	0.9	51
237	MEG: Principles, methods, and applications. <i>Biomedizinische Technik</i> , 1999, 44, 11-23.	0.9	4
238	Perturbative analytical solutions of the electric forward problem for realistic volume conductors. <i>Journal of Applied Physics</i> , 1999, 86, 2800-2811.	1.1	12
239	A vector fetal magnetocardiogram system with high sensitivity. <i>Review of Scientific Instruments</i> , 1999, 70, 4702-4705.	0.6	23
240	Localization of a ventricular tachycardia-focus with multichannel magnetocardiography and three-dimensional current density reconstruction. <i>Journal of Medical Engineering and Technology</i> , 1999, 23, 108-115.	0.8	11
241	Velocity reconstruction in conducting fluids from magnetic field and electric potential measurements. <i>Inverse Problems</i> , 1999, 15, 771-786.	1.0	35
242	Magnetic Impedance Tomography. <i>Annals of the New York Academy of Sciences</i> , 1999, 873, 353-359.	1.8	20
243	EEG and MEG: forward solutions for inverse methods. <i>IEEE Transactions on Biomedical Engineering</i> , 1999, 46, 245-259.	2.5	697
244	The effect of artifact rejection by signal-space projection on source localization accuracy in MEG measurements. <i>IEEE Transactions on Biomedical Engineering</i> , 1999, 46, 400-408.	2.5	45
245	MEG spatio-temporal analysis using a covariance matrix calculated from nonaveraged multiple-epoch data. <i>IEEE Transactions on Biomedical Engineering</i> , 1999, 46, 515-521.	2.5	21
246	Noninvasive visualization of multiple simultaneously activated regions on torso magnetocardiographic maps during ventricular depolarization. <i>Journal of Electrocardiology</i> , 1999, 32, 305-313.	0.4	26
247	Bayesian inference applied to the electromagnetic inverse problem. <i>Human Brain Mapping</i> , 1999, 7, 195-212.	1.9	135
248	A magnetoencephalography study of cortical plasticity. <i>Neurocase</i> , 1999, 5, 277-284.	0.2	11
249	Human face perception traced by magneto- and electro-encephalography. <i>Cognitive Brain Research</i> , 1999, 8, 125-142.	3.3	93
250	Automatic activation in the human primary motor cortex synchronized with movement preparation. <i>Cognitive Brain Research</i> , 1999, 8, 229-239.	3.3	41
251	A new method for magnetoencephalography: a three-dimensional magnetometer-spatial filter system. <i>Neuroscience</i> , 1999, 91, 405-415.	1.1	12
252	Schizoaffective disorder: evidence for reversed cerebral asymmetry. <i>Biological Psychiatry</i> , 1999, 46, 133-136.	0.7	14

#	ARTICLE	IF	CITATIONS
253	Mathematical analysis of lead field expansions. IEEE Transactions on Medical Imaging, 1999, 18, 151-163.	5.4	66
254	Effects of visual and auditory stimulation on somatosensory evoked magnetic fields. Clinical Neurophysiology, 1999, 110, 295-304.	0.7	32
255	A ring-shaped distribution of dipoles as a source model of induced gamma-band activity. Clinical Neurophysiology, 1999, 110, 660-665.	0.7	44
256	Common spatial subspace decomposition applied to analysis of brain responses under multiple task conditions: a simulation study. Clinical Neurophysiology, 1999, 110, 604-614.	0.7	68
257	Neural source estimation from a time-frequency component of somatic evoked high-frequency magnetic oscillations to posterior tibial nerve stimulation. Clinical Neurophysiology, 1999, 110, 1585-1588.	0.7	25
258	Synthetic gradiometer systems for MEG. IEEE Transactions on Applied Superconductivity, 1999, 9, 4063-4068.	1.1	27
259	Time-frequency MEG-MUSIC algorithm. IEEE Transactions on Medical Imaging, 1999, 18, 92-97.	5.4	40
260	<title>Bayesian inference for neural electromagnetic source localization: analysis of MEG visual evoked activity</title>. , 1999, , .		1
262	An estimation algorithm of neuromagnetic sources in the cortical region using realistically-shaped head model. , 0, , .		0
263	Atypical temporal lobe language representation. NeuroReport, 1999, 10, 139-142.	0.6	70
264	Topography of the secondary somatosensory cortex in humans. NeuroReport, 1999, 10, 301-306.	0.6	50
265	High-frequency magnetic oscillations evoked by posterior tibial nerve stimulation. NeuroReport, 1999, 10, 227-230.	0.6	18
266	Brain mechanisms for reading. NeuroReport, 2000, 11, 2443-2446.	0.6	102
267	Imaging the electrical activity of the brain: ELECTRA. , 2000, 9, 1-12.		86
268	Human visual motion areas determined individually by magnetoencephalography and 3D magnetic resonance imaging. Human Brain Mapping, 2000, 11, 33-45.	1.9	61
269	Sources on the anterior and posterior banks of the central sulcus identified from magnetic somatosensory evoked responses using Multi-Start Spatio-Temporal localization. Human Brain Mapping, 2000, 11, 59-76.	1.9	61
270	Independence: a new criterion for the analysis of the electromagnetic fields in the global brain?. Neural Networks, 2000, 13, 891-907.	3.3	44
271	Linear inverse filtering improves spatial separation of nonlinear brain dynamics: a simulation study. Journal of Neuroscience Methods, 2000, 98, 49-56.	1.3	1

#	ARTICLE	IF	CITATIONS
272	Magnetostatic image current and its application to an analytic identification of a current dipole inside a conducting sphere. IEEE Transactions on Biomedical Engineering, 2000, 47, 183-191.	2.5	5
273	Estimating neural sources from each time-frequency component of magnetoencephalographic data. IEEE Transactions on Biomedical Engineering, 2000, 47, 642-653.	2.5	10
274	Paired MEG data set source localization using recursively applied and projected (RAP) MUSIC. IEEE Transactions on Biomedical Engineering, 2000, 47, 1248-1260.	2.5	33
275	Effects of check size on pattern reversal visual evoked magnetic field and potential. Brain Research, 2000, 872, 77-86.	1.1	56
276	An iso-integral mapping technique using magnetocardiogram, and its possible use for diagnosis of ischemic heart disease. International Journal of Cardiovascular Imaging, 2000, 16, 55-66.	0.2	55
277	Conductivities of three-layer human skull. Brain Topography, 2000, 13, 29-42.	0.8	39
278	Two dimensional inverse imaging (2DII) of current sources in magnetoencephalography. Brain Topography, 2000, 12, 201-217.	0.8	18
279	Moving mesh method for reconstructing some spread sources in the brain. Brain Topography, 2000, 12, 283-292.	0.8	2
280	Multiple equivalent current dipole source localization of visual event-related potentials during oddball paradigm with motor response. Brain Topography, 2000, 12, 159-175.	0.8	67
281	Estimating scalp MEG from whole-head MEG measurements. Brain Topography, 2000, 12, 219-227.	0.8	3
282	A contactless method for velocity reconstruction in electrically conducting fluids. Measurement Science and Technology, 2000, 11, 758-765.	1.4	51
283	Topographic and Temporal Indices of Vowel Spectral Envelope Extraction in the Human Auditory Cortex. Journal of Cognitive Neuroscience, 2000, 12, 878-893.	1.1	33
284	MEG multipolar modeling of distributed sources using RAP-MUSIC. , 0, , .		5
285	On the uniqueness of velocity reconstruction in conducting fluids from measurements of induced electromagnetic fields. Inverse Problems, 2000, 16, 1-9.	1.0	75
286	The localization of rhythmic brain activity in patients with brain tumors using magnetoencephalography. , 0, , .		0
287	A comparison of iterative minimum norm estimation and current dipole estimation for magnetic field measurements from small animals. IEEE Transactions on Magnetics, 2000, 36, 3724-3726.	1.2	4
288	Cerebral Mechanisms Involved in Word Reading in Dyslexic Children: a Magnetic Source Imaging Approach. Cerebral Cortex, 2000, 10, 809-816.	1.6	189
289	An approach to visualization of active position in brain by MEG. , 0, , .		0

#	ARTICLE	IF	CITATIONS
290	Magnetic response of human extrastriate cortex in the detection of coherent and incoherent motion. <i>Neuroscience</i> , 2000, 97, 1-10.	1.1	45
291	Cortical activity related to cue-invariant shape perception in humans. <i>Neuroscience</i> , 2000, 98, 615-624.	1.1	26
292	The somatosensory evoked magnetic fields. <i>Progress in Neurobiology</i> , 2000, 61, 495-523.	2.8	222
293	Brain activation profiles in dyslexic children during non-word reading: a magnetic source imaging study. <i>Neuroscience Letters</i> , 2000, 290, 61-65.	1.0	133
294	Hemispheric lateralization in an analysis of speech sounds. <i>Cognitive Brain Research</i> , 2000, 10, 119-124.	3.3	33
295	Effects of distraction on pain-related somatosensory evoked magnetic fields and potentials following painful electrical stimulation. <i>Cognitive Brain Research</i> , 2000, 9, 165-175.	3.3	73
296	Squid Magnetometers. , 2000, , 149-225.		7
297	Differential interaction of somatosensory inputs in the human primary sensory cortex: a magnetoencephalographic study. <i>Clinical Neurophysiology</i> , 2000, 111, 1095-1102.	0.7	57
298	Magnetoencephalographic analysis of periodic lateralized epileptiform discharges (PLEDs). <i>Clinical Neurophysiology</i> , 2000, 111, 122-127.	0.7	23
299	The effect of interstimulus intervals and between-block rests on the auditory evoked potential and magnetic field: is the auditory P50 in humans an overlapping potential?. <i>Clinical Neurophysiology</i> , 2000, 111, 237-245.	0.7	47
300	Dermatome versus homunculus; detailed topography of the primary somatosensory cortex following trunk stimulation. <i>Clinical Neurophysiology</i> , 2000, 111, 405-412.	0.7	29
301	After-effect of transcutaneous electrical nerve stimulation (TENS) on pain-related evoked potentials and magnetic fields in normal subjects. <i>Clinical Neurophysiology</i> , 2000, 111, 717-724.	0.7	38
302	Fine structure of the auditory M100 in schizophrenia and schizoaffective disorder. <i>Biological Psychiatry</i> , 2000, 48, 1109-1112.	0.7	21
303	Magnetoencephalography - a noninvasive brain imaging method with 1 ms time resolution. <i>Reports on Progress in Physics</i> , 2001, 64, 1759-1814.	8.1	107
304	Auditory response following vocalization: a magnetoencephalographic study. <i>Clinical Neurophysiology</i> , 2001, 112, 514-520.	0.7	27
305	Two evoked responses with different recovery functions in the primary somatosensory cortex in humans. <i>Clinical Neurophysiology</i> , 2001, 112, 1334-1342.	0.7	34
307	Electromagnetic brain mapping. <i>IEEE Signal Processing Magazine</i> , 2001, 18, 14-30.	4.6	1,373
308	Signal Processing in Magnetoencephalography. <i>Methods</i> , 2001, 25, 249-271.	1.9	620

#	ARTICLE	IF	CITATIONS
309	Occipitotemporal Activity Elicited by Viewing Eye Movements: A Magnetoencephalographic Study. <i>NeuroImage</i> , 2001, 13, 351-363.	2.1	54
310	Representation of the Ear in Human Primary Somatosensory Cortex. <i>NeuroImage</i> , 2001, 13, 295-304.	2.1	27
311	Spatiotemporal Brain Imaging of Visual-Evoked Activity Using Interleaved EEG and fMRI Recordings. <i>NeuroImage</i> , 2001, 13, 1035-1043.	2.1	140
312	The Effect of Stimulus Repetition on Cortical Magnetic Responses Evoked by Words and Nonwords. <i>NeuroImage</i> , 2001, 14, 118-128.	2.1	59
313	Detecting and Correcting for Head Movements in Neuromagnetic Measurements. <i>NeuroImage</i> , 2001, 14, 1424-1431.	2.1	106
314	Attention and visual interference stimulation affect somatosensory processing: a magnetoencephalographic study. <i>Neuroscience</i> , 2001, 104, 689-703.	1.1	22
315	Hearing the sound of silence: a magnetoencephalographic study. <i>NeuroReport</i> , 2001, 12, 1097-1102.	0.6	21
316	Auditory evoked magnetic fields in adults with fragile X syndrome. <i>NeuroReport</i> , 2001, 12, 2573-2576.	0.6	62
317	<title>High-precision magnetoencephalo field-source estimation using the head model</title>. , 2001, , .		0
318	<title>Neuronal current imaging using MRI: a feasibility study</title>. , 2001, 4321, 188.		0
319	Deconvolution of transcranial magnetic stimulation (TMS) maps. <i>Journal of Neural Transmission</i> , 2001, 108, 35-52.	1.4	34
320	Fast realistic modeling in bioelectromagnetism using lead-field interpolation. <i>Human Brain Mapping</i> , 2001, 14, 48-63.	1.9	23
321	Simultaneous MEG and EEG source analysis. <i>Physics in Medicine and Biology</i> , 2001, 46, 1737-1751.	1.6	38
322	A unique area of the homonculus: the topography of the primary somatosensory cortex in humans following posterior scalp and shoulder stimulation. <i>Brain Topography</i> , 2001, 14, 15-23.	0.8	11
323	MRI prior computation and parallel tempering algorithm: a probabilistic resolution of the MEG/EEG inverse problem. <i>Brain Topography</i> , 2001, 14, 57-68.	0.8	8
324	Spatial Filter Approach for Comparison of the Forward and Inverse Problems of Electroencephalography and Magnetoencephalography. <i>Annals of Biomedical Engineering</i> , 2001, 29, 214-226.	1.3	16
325	Organizing sound sequences in the human brain: the interplay of auditory streaming and temporal integration. <i>Brain Research</i> , 2001, 897, 222-227.	1.1	102
326	Correspondence between short-latency somatosensory evoked brain potentials and cortical magnetic fields following median nerve stimulation. <i>Brain Research</i> , 2001, 908, 140-148.	1.1	23

#	ARTICLE	IF	CITATIONS
327	Reconstructing spatio-temporal activities of neural sources using an MEG vector beamformer technique. IEEE Transactions on Biomedical Engineering, 2001, 48, 760-771.	2.5	345
328	The localization of spontaneous brain activity: an efficient way to analyze large data sets. IEEE Transactions on Biomedical Engineering, 2001, 48, 1221-1228.	2.5	30
329	A fast method to derive realistic BEM models for E/MEG source reconstruction. IEEE Transactions on Biomedical Engineering, 2001, 48, 1434-1443.	2.5	37
330	Neural activities during Wisconsin Card Sorting Test " MEG observation. Cognitive Brain Research, 2001, 12, 19-31.	3.3	40
331	Finite Element EEG and MEG Simulations for Realistic Head Models: Quadratic vs. Linear Approximations. Biomedizinische Technik, 2001, 46, 32-34.	0.9	12
332	The realistic versus the spherical head model in EEG dipole source analysis in the presence of noise. , 0, , .		2
333	Reconstruction of bio-conductivity distribution from tangential magnetic field measurements. , 0, , .		0
334	Focusing Inversion of Electroencephalography and Magnetoencephalography Data. Biomedizinische Technik, 2001, 46, 115-117.	0.9	6
335	Partial signal space projection for artefact removal in MEG measurements: a theoretical analysis. Physics in Medicine and Biology, 2001, 46, 2873-2887.	1.6	29
336	Language Dominance in Children as Determined by Magnetic Source Imaging and the Intracarotid Amobarbital Procedure: A Comparison. Journal of Child Neurology, 2001, 16, 124-130.	0.7	96
337	Brain Plasticity for Sensory and Linguistic Functions: A Functional Imaging Study Using Magnetoencephalography With Children and Young Adults. Journal of Child Neurology, 2001, 16, 241-252.	0.7	52
338	Evaluation of inverse methods and head models for EEG source localization using a human skull phantom. Physics in Medicine and Biology, 2001, 46, 77-96.	1.6	140
339	Rejuvenation in the random energy model. Europhysics Letters, 2001, 56, 181-186.	0.7	8
340	Perturbative analytical solutions of the magnetic forward problem for realistic volume conductors. Journal of Applied Physics, 2001, 89, 2360-2369.	1.1	20
341	Age-Related Changes in Regional Brain Activation During Phonological Decoding and Printed Word Recognition. Developmental Neuropsychology, 2001, 19, 191-210.	1.0	66
342	Uniqueness of Solution of the Inverse Electroencephalographic Problem. Lecture Notes in Computer Science, 2001, , 207-213.	1.0	1
343	The Hippocampus and Memory of Verbal and Pictorial Material. Learning and Memory, 2002, 9, 99-104.	0.5	79
344	Neural dipole localization by a hybrid nonlinear optimization algorithm. , 0, , .		0

#	ARTICLE	IF	CITATIONS
345	Feasibility and limitations of magnetoencephalographic detection of epileptic discharges: Simultaneous recording of magnetic fields and electrocorticography. <i>Neurological Research</i> , 2002, 24, 531-536.	0.6	76
346	Neuromagnetic source parameter estimation of MEG inverse problem by a synthetic nonlinear optimization method. , 0, , .		0
347	Fast accurate MEG source localization using a multilayer perceptron trained with real brain noise. <i>Physics in Medicine and Biology</i> , 2002, 47, 2547-2560.	1.6	14
348	Localization accuracy of single current dipoles from tangential components of auditory evoked fields. <i>Physics in Medicine and Biology</i> , 2002, 47, 4145-4154.	1.6	14
349	Sampling and reconstruction schemes for biomagnetic sensor arrays. <i>Physics in Medicine and Biology</i> , 2002, 47, N239-N248.	1.6	2
350	Determination of the sphere origin for MEG source modelling in temporal regions. <i>Physics in Medicine and Biology</i> , 2002, 47, 1161-1166.	1.6	8
351	Preoperative magnetic source imaging for brain tumor surgery: a quantitative comparison with intraoperative sensory and motor mapping. <i>Journal of Neurosurgery</i> , 2002, 97, 1333-1342.	0.9	107
352	Dyslexia-specific brain activation profile becomes normal following successful remedial training. <i>Neurology</i> , 2002, 58, 1203-1213.	1.5	400
354	SQUID sensor array configurations for magnetoencephalography applications. <i>Superconductor Science and Technology</i> , 2002, 15, R51-R89.	1.8	97
355	On MEG forward modelling using multipolar expansions. <i>Physics in Medicine and Biology</i> , 2002, 47, 523-555.	1.6	92
356	Residual cerebral activity and behavioural fragments can remain in the persistently vegetative brain. <i>Brain</i> , 2002, 125, 1210-1234.	3.7	303
357	Brain Mechanisms for Reading Words and Pseudowords: an Integrated Approach. <i>Cerebral Cortex</i> , 2002, 12, 297-305.	1.6	194
358	Development of Magnetoencephalography-Magnetic Resonance Imaging Integration Software. Technical Note.. <i>Neurologia Medico-Chirurgica</i> , 2002, 42, 455-457.	1.0	7
359	Changes of Neural Activity Correlate With the Severity of Cortical Ischemia in Patients With Unilateral Major Cerebral Artery Occlusion. <i>Stroke</i> , 2002, 33, 61-66.	1.0	46
360	Magnetic cortical responses evoked by visual linear forward acceleration. <i>NeuroReport</i> , 2002, 13, 1805-1808.	0.6	29
361	A Hole in the Skull Distorts Substantially the Distribution of Extracranial Electrical Fields in an in Vitro Model. <i>Journal of Clinical Neurophysiology</i> , 2002, 19, 163-171.	0.9	23
362	Magnetic Resonance Imaging in Pediatric Epilepsy. <i>Topics in Magnetic Resonance Imaging</i> , 2002, 13, 39-60.	0.7	11
363	Reconstruction of a current distribution from its magnetic field. <i>Inverse Problems</i> , 2002, 18, 1127-1146.	1.0	55

#	ARTICLE	IF	CITATIONS
364	Paradoxical lateralization of parasagittal spikes revealed by back averaging of EEG and MEG in a case with epilepsy partialis continua. <i>Journal of the Neurological Sciences</i> , 2002, 193, 151-155.	0.3	9
365	Alterations in tonotopy and auditory cerebral asymmetry in schizophrenia. <i>Biological Psychiatry</i> , 2002, 52, 32-39.	0.7	41
366	Pain-related magnetic fields evoked by intra-epidermal electrical stimulation in humans. <i>Clinical Neurophysiology</i> , 2002, 113, 298-304.	0.7	64
367	A standardized boundary element method volume conductor model. <i>Clinical Neurophysiology</i> , 2002, 113, 702-712.	0.7	869
368	Imaging of neural conduction block by neuromagnetic recording. <i>Clinical Neurophysiology</i> , 2002, 113, 1985-1992.	0.7	24
369	Estimating stationary dipoles from MEG/EEG data contaminated with spatially and temporally correlated background noise. <i>IEEE Transactions on Signal Processing</i> , 2002, 50, 1565-1572.	3.2	78
370	Towards virtual electrical breast biopsy: space-frequency MUSIC for trans-admittance data. <i>IEEE Transactions on Medical Imaging</i> , 2002, 21, 588-595.	5.4	54
371	Neuromagnetic signals associated with number comparison task. <i>IEEE Transactions on Magnetics</i> , 2002, 38, 3350-3352.	1.2	0
372	Performance of an MEG adaptive-beamformer technique in the presence of correlated neural activities: effects on signal intensity and time-course estimates. <i>IEEE Transactions on Biomedical Engineering</i> , 2002, 49, 1534-1546.	2.5	137
373	A Quantitative Assessment of the Sensitivity of Whole-Head MEG to Activity in the Adult Human Cortex. <i>NeuroImage</i> , 2002, 16, 638-650.	2.1	414
374	Anatomically Informed Basis Functions for EEG Source Localization: Combining Functional and Anatomical Constraints. <i>NeuroImage</i> , 2002, 16, 678-695.	2.1	171
375	An fMRI-Constrained MEG Source Analysis with Procedures for Dividing and Grouping Activation. <i>NeuroImage</i> , 2002, 17, 324-343.	2.1	64
376	Generators of Movement-Related Cortical Potentials: fMRI-Constrained EEG Dipole Source Analysis. <i>NeuroImage</i> , 2002, 17, 161-173.	2.1	87
377	Systematic Regularization of Linear Inverse Solutions of the EEG Source Localization Problem. <i>NeuroImage</i> , 2002, 17, 287-301.	2.1	162
378	Topographic Organization of the Human Primary and Secondary Somatosensory Cortices: Comparison of fMRI and MEG Findings. <i>NeuroImage</i> , 2002, 17, 1373-1383.	2.1	85
379	Time-Coherent Expansion of MEG/EEG Cortical Sources. <i>NeuroImage</i> , 2002, 17, 1277-1289.	2.1	21
380	Linking Physics with Physiology in TMS: A Sphere Field Model to Determine the Cortical Stimulation Site in TMS. <i>NeuroImage</i> , 2002, 17, 1117-1130.	2.1	216
381	Brain Activation Profiles During the Early Stages of Reading Acquisition. <i>Journal of Child Neurology</i> , 2002, 17, 159-163.	0.7	52

#	ARTICLE	IF	CITATIONS
382	Human cortical responses to coherent and incoherent motion as measured by magnetoencephalography. <i>Neuroscience Research</i> , 2002, 44, 195-205.	1.0	45
383	Cerebral activation by the signals ascending through unmyelinated C-fibers in humans: a magnetoencephalographic study. <i>Neuroscience</i> , 2002, 113, 375-386.	1.1	55
384	An Inverse Source Problem for Maxwell's Equations in Magnetoencephalography. <i>SIAM Journal on Applied Mathematics</i> , 2002, 62, 1369-1382.	0.8	111
385	Dense electrical map reconstruction from ECG/MCG measurements with known fiber structure and standard activation sequence. , 0, , .		1
386	Magnetometric Resistivity (MMR) Imaging of Subsurface Solute Flow: Inversion Framework and Laboratory Tests. <i>Journal of Environmental and Engineering Geophysics</i> , 2002, 7, 111-118.	1.0	11
387	Magnetoencephalographic Characterization of Dynamic Brain Activation: Basic Principles and Methods of Data Collection and Source Analysis. , 2002, , 227-253.		43
388	Data continuation for the explicit solution of an inverse biomagnetic problem. <i>IEEE Transactions on Magnetism</i> , 2002, 38, 3620-3632.	1.2	7
389	Estimation of neural dynamics from MEG/EEG cortical current density maps: application to the reconstruction of large-scale cortical synchrony. <i>IEEE Transactions on Biomedical Engineering</i> , 2002, 49, 975-987.	2.5	76
390	Application of an MEG eigenspace beamformer to reconstructing spatio-temporal activities of neural sources. <i>Human Brain Mapping</i> , 2002, 15, 199-215.	1.9	110
391	Visual detection of motion speed in humans: spatiotemporal analysis by fMRI and MEG. <i>Human Brain Mapping</i> , 2002, 16, 104-118.	1.9	75
392	Magnetoencephalography: the art of finding a needle in a haystack. <i>Physica C: Superconductivity and Its Applications</i> , 2002, 368, 1-9.	0.6	71
393	Comparison of performance of spherical and realistic head models in dipole localization from noisy EEG. <i>Medical Engineering and Physics</i> , 2002, 24, 403-418.	0.8	31
394	Visual information process in Williams syndrome: intact motion detection accompanied by typical visuospatial dysfunctions. <i>European Journal of Neuroscience</i> , 2002, 16, 1810-1818.	1.2	31
395	An identification method of electric current dipoles in spherically symmetric conductor. <i>Journal of Computational and Applied Mathematics</i> , 2002, 143, 189-200.	1.1	15
396	Magnetoencephalography in pediatric neuroimaging. <i>Developmental Science</i> , 2002, 5, 361-370.	1.3	16
397	Conductivities of three-layer live human skull. <i>Brain Topography</i> , 2002, 14, 151-167.	0.8	212
398	A model for frequency dependence of conductivities of the live human skull. <i>Brain Topography</i> , 2003, 16, 39-55.	0.8	18
399	Task relevance enhances early transient and late slow-wave activity of distributed cortical sources. <i>Journal of Computational Neuroscience</i> , 2003, 15, 203-221.	0.6	22

#	ARTICLE	IF	CITATIONS
400	Commonalities and Differences Among Vectorized Beamformers in Electromagnetic Source Imaging. <i>Brain Topography</i> , 2003, 16, 139-158.	0.8	126
401	Volume Currents in Forward and Inverse Magnetoencephalographic Simulations Using Realistic Head Models. <i>Annals of Biomedical Engineering</i> , 2003, 31, 21-31.	1.3	23
402	Effects of sleep on pain-related somatosensory evoked magnetic fields in humans. <i>Cognitive Brain Research</i> , 2003, 17, 388-399.	3.3	5
403	Cortical activities relating to modulation of sound frequency: how to vocalize?. <i>Cognitive Brain Research</i> , 2003, 17, 495-506.	3.3	6
404	In vivo measurement of the brain and skull resistivities using an eit-based method and realistic models for the head. <i>IEEE Transactions on Biomedical Engineering</i> , 2003, 50, 754-767.	2.5	184
405	A resampling method for estimating the signal subspace of spatio-temporal eeg/meg data. <i>IEEE Transactions on Biomedical Engineering</i> , 2003, 50, 935-949.	2.5	16
406	Magnetoencephalography and its Achilles' heel. <i>Journal of Physiology (Paris)</i> , 2003, 97, 641-658.	2.1	39
407	Error analysis of a Galerkin method to solve the forward problem in MEG using the boundary element method. <i>Computer Methods and Programs in Biomedicine</i> , 2003, 72, 209-222.	2.6	15
408	Ipsilateral representation of oral structures in human anterior parietal somatosensory cortex and integration of inputs across the midline. <i>Journal of Comparative Neurology</i> , 2003, 467, 487-495.	0.9	52
409	Reconstruction of extended cortical sources for EEG and MEG based on a Monte-Carlo-Markov-chain estimator. <i>Human Brain Mapping</i> , 2003, 18, 100-110.	1.9	22
410	Physiological evidence of interaction of first- and second-order motion processes in the human visual system: A magnetoencephalographic study. <i>Human Brain Mapping</i> , 2003, 20, 158-167.	1.9	15
411	On the convergence of the finite integration technique for the anisotropic boundary value problem of magnetic tomography. <i>Mathematical Methods in the Applied Sciences</i> , 2003, 26, 739-757.	1.2	14
412	Surface visualization of electromagnetic brain activity. <i>Journal of Neuroscience Methods</i> , 2003, 127, 137-147.	1.3	5
413	A reliable identification of electric current dipoles using harmonic functions. <i>Journal of Computational and Applied Mathematics</i> , 2003, 157, 107-123.	1.1	3
414	Review of electromagnetic source investigations of the fetal heart. <i>Medical Engineering and Physics</i> , 2003, 25, 801-810.	0.8	50
415	Hierarchical clustering and filtering in half-inverse space for MEG and/or EEG hypothesis-free analysis. <i>IEEE Transactions on Signal Processing</i> , 2003, 51, 350-361.	3.2	3
416	Non-supervised spatio-temporal analysis of interictal magnetic spikes: comparison with intracerebral recordings. <i>Clinical Neurophysiology</i> , 2003, 114, 438-449.	0.7	82
417	Predicting EEG responses using MEG sources in superior temporal gyrus reveals source asynchrony in patients with schizophrenia. <i>Clinical Neurophysiology</i> , 2003, 114, 835-850.	0.7	75

#	ARTICLE	IF	CITATIONS
418	Differential characteristics of the middle latency auditory evoked magnetic responses to interstimulus intervals. <i>Clinical Neurophysiology</i> , 2003, 114, 1513-1520.	0.7	12
419	Electrical-induced pain diminishes somatosensory evoked magnetic cortical fields. <i>Clinical Neurophysiology</i> , 2003, 114, 1704-1714.	0.7	15
420	Spike cluster analysis in neocortical localization related epilepsy yields clinically significant equivalent source localization results in magnetoencephalogram (MEG). <i>Clinical Neurophysiology</i> , 2003, 114, 1948-1962.	0.7	48
421	Differential brain activation patterns during perception of voice and tone onset time series: a MEG study. <i>NeuroImage</i> , 2003, 18, 448-459.	2.1	31
422	Cortical evidence of the perceptual backward masking effect on /l/ and /r/ sounds from a following vowel in Japanese speakers. <i>NeuroImage</i> , 2003, 18, 962-974.	2.1	11
423	A multitrial analysis for revealing significant corticocortical networks in magnetoencephalography and electroencephalography. <i>NeuroImage</i> , 2003, 20, 186-201.	2.1	40
424	Spatio-temporal brain activation profiles associated with line bisection judgments and double simultaneous visual stimulation. <i>Behavioural Brain Research</i> , 2003, 152, 97-107.	1.2	11
425	Auditory-evoked magnetic field codes place of articulation in timing and topography around 100 milliseconds post syllable onset. <i>NeuroImage</i> , 2003, 20, 1839-1847.	2.1	70
426	Reduced laterality of the source locations for generators of the auditory steady-state field in schizophrenia. <i>Biological Psychiatry</i> , 2003, 54, 1149-1153.	0.7	35
427	Magnetoencephalographic study of the cortical activity elicited by human voice. <i>Neuroscience Letters</i> , 2003, 348, 13-16.	1.0	28
428	Cerebral responses following stimulation of unmyelinated C-fibers in humans: electro- and magneto-encephalographic study. <i>Neuroscience Research</i> , 2003, 45, 255-275.	1.0	64
429	Brain responses for the subconscious recognition of faces. <i>Neuroscience Research</i> , 2003, 46, 435-442.	1.0	26
430	Spatiotemporal separability in the human cortical response to visual motion speed: a magnetoencephalography study. <i>Neuroscience Research</i> , 2003, 47, 109-116.	1.0	17
431	The spatiotemporal dynamics of the face inversion effect: A magneto- and electro-encephalographic study. <i>Neuroscience</i> , 2003, 116, 879-895.	1.1	143
432	Abnormal Activation of Temporoparietal Language Areas During Phonetic Analysis in Children With Dyslexia.. <i>Neuropsychology</i> , 2003, 17, 610-621.	1.0	58
433	Functional brain imaging of language: criteria for scientific merit and supporting data from magnetic source imaging. <i>Journal of Neurolinguistics</i> , 2003, 16, 255-275.	0.5	1
434	Sensory perception during sleep in humans: a magnetoencephalographic study. <i>Sleep Medicine</i> , 2003, 4, 493-507.	0.8	62
435	Magnetic flux fluctuations due to eddy currents and thermal noise in metallic disks. <i>IEEE Transactions on Magnetics</i> , 2003, 39, 2018-2023.	1.2	4

#	ARTICLE	IF	CITATIONS
436	Lateralization of Auditory Sensory Gating and Neuropsychological Dysfunction in Schizophrenia. American Journal of Psychiatry, 2003, 160, 1595-1605.	4.0	145
437	Biomagnetism: a new tool in sport and exercise science. Journal of Sports Sciences, 2003, 21, 793-802.	1.0	3
438	Invertibility of current density from near-field electromagnetic data. Journal of Applied Physics, 2003, 94, 5307.	1.1	3
439	A Comparative Study Of Global Optimization Approaches To Meg Source Localization. International Journal of Computer Mathematics, 2003, 80, 305-324.	1.0	16
440	Magnetoencephalography in ellipsoidal geometry. Journal of Mathematical Physics, 2003, 44, 220-241.	0.5	49
441	Theoretical ellipsoidal model of gastric electrical control activity propagation. Physical Review E, 2003, 68, 051905.	0.8	13
442	Do cognitive patterns of brain magnetic activity correlate with hippocampal atrophy in Alzheimer's disease?. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 208-212.	0.9	38
443	The magnetic lead field theorem in the quasi-static approximation and its use for magnetoencephalography forward calculation in realistic volume conductors. Physics in Medicine and Biology, 2003, 48, 3637-3652.	1.6	903
444	Symmetric BEM Formulation for the M/EEG Forward Problem. Lecture Notes in Computer Science, 2003, 18, 524-535.	1.0	20
445	Assessment criteria for MEG/EEG cortical patch tests. Physics in Medicine and Biology, 2003, 48, 2561-2573.	1.6	25
446	Non-stationary magnetoencephalography by Bayesian filtering of dipole models. Inverse Problems, 2003, 19, 1047-1063.	1.0	47
447	Preoperative magnetic source imaging for brain tumor surgery: a quantitative comparison with intraoperative sensory and motor mapping. Neurosurgical Focus, 2003, 15, 1-10.	1.0	40
448	Anomalous Somatosensory Cortical Localization in Schizophrenia. American Journal of Psychiatry, 2003, 160, 2148-2153.	4.0	30
449	On the Geselowitz formula in biomagnetics. Quarterly of Applied Mathematics, 2003, 61, 387-400.	0.5	8
450	Source space localization technique for Magnetoencephalography (MEG) source reconstruction. International Journal of Applied Electromagnetics and Mechanics, 2004, 20, 29-36.	0.3	0
451	On the exterior magnetic field and silent sources in magnetoencephalography. Abstract and Applied Analysis, 2004, 2004, 307-314.	0.3	10
452	A Superconducting Quantum Interference Device Detection Coil Design with Enhanced Sensitivity for Deep Brain Activation. Japanese Journal of Applied Physics, 2004, 43, 5632-5638.	0.8	0
453	Neuromagnetic field strength outside the human head due to impedance changes from neuronal depolarization. Physiological Measurement, 2004, 25, 365-378.	1.2	9

#	ARTICLE	IF	CITATIONS
454	The unique determination of neuronal currents in the brain via magnetoencephalography. Inverse Problems, 2004, 20, 1067-1082.	1.0	87
455	Bilateral cerebral activity for unilateral foot movement revealed by whole-head magnetoencephalography. Somatosensory & Motor Research, 2004, 21, 33-43.	0.4	6
456	Theoretical and computational methods for the noninvasive detection of gastric electrical source coupling. Physical Review E, 2004, 69, 051920.	0.8	2
457	Multiresolutive Reconstruction of Magnetoencephalography Source Distribution. IEEE Transactions on Magnetics, 2004, 40, 1100-1103.	1.2	3
458	Efficient computation of lead field bases and influence matrix for the FEM-based EEG and MEG inverse problem. Inverse Problems, 2004, 20, 1099-1116.	1.0	130
459	Line-source modeling and estimation with magnetoencephalography. , 0, , .		1
460	Magnetoencephalography: a noninvasive alternative to the Wada procedure. Journal of Neurosurgery, 2004, 100, 867-876.	0.9	227
461	Activation of the prefrontal cortex in the human visual aesthetic perception. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 6321-6325.	3.3	254
462	Realistic models of children heads from 3d-mri segmentation and tetrahedral mesh construction. , 0, , .		12
463	The Effect of Phonological Repetition on Cortical Magnetic Responses Evoked by Visually Presented Words. Journal of Cognitive Neuroscience, 2004, 16, 1250-1261.	1.1	17
464	Magnetic Brain Response Mirrors Extraction of Phonological Features from Spoken Vowels. Journal of Cognitive Neuroscience, 2004, 16, 31-39.	1.1	120
465	Gender differences in hemispheric asymmetry of syllable processing: Left-lateralized magnetic N100 varies with syllable categorization in females. Psychophysiology, 2004, 41, 783-788.	1.2	7
466	Modelling gastrointestinal bioelectric activity. Progress in Biophysics and Molecular Biology, 2004, 85, 523-550.	1.4	79
467	Performance of an MEG Adaptive-Beamformer Source Reconstruction Technique in the Presence of Additive Low-Rank Interference. IEEE Transactions on Biomedical Engineering, 2004, 51, 90-99.	2.5	42
468	Biomagnetic Source Detection by Maximum Entropy and Graphical Models. IEEE Transactions on Biomedical Engineering, 2004, 51, 427-442.	2.5	74
469	The Magnetic Field Inside Special Conducting Geometries Due to Internal Current. IEEE Transactions on Biomedical Engineering, 2004, 51, 1310-1318.	2.5	15
470	Asymptotic SNR of Scalar and Vector Minimum-Variance Beamformers for Neuromagnetic Source Reconstruction. IEEE Transactions on Biomedical Engineering, 2004, 51, 1726-1734.	2.5	170
471	A Comparison of Noninvasive Reconstruction of Epicardial Versus Transmembrane Potentials in Consideration of the Null Space. IEEE Transactions on Biomedical Engineering, 2004, 51, 1609-1618.	2.5	44

#	ARTICLE	IF	CITATIONS
472	A Recursive Algorithm for the Three-Dimensional Imaging of Brain Electric Activity: Shrinking LORETA-FOCUSS. IEEE Transactions on Biomedical Engineering, 2004, 51, 1794-1802.	2.5	40
473	Influence of Head Tissue Conductivity in Forward and Inverse Magnetoencephalographic Simulations Using Realistic Head Models. IEEE Transactions on Biomedical Engineering, 2004, 51, 2129-2137.	2.5	33
474	Attentional influences on functional mapping of speech sounds in human auditory cortex. BMC Neuroscience, 2004, 5, 24.	0.8	31
475	Task-specific sensory and motor preparatory activation revealed by contingent magnetic variation. Cognitive Brain Research, 2004, 21, 59-68.	3.3	55
476	Wiener Filter-Magnetoencephalography of Visual Cortical Activity. Brain Topography, 2004, 17, 13-25.	0.8	16
477	Theoretical and Computational Multiple Regression Study of Gastric Electrical Activity Using Dipole Tracing from Magnetic Field Measurements. Journal of Biological Physics, 2004, 30, 239-259.	0.7	0
478	Multifocal Magnetoencephalogram Applied to Objective Visual Field Analysis. Japanese Journal of Ophthalmology, 2004, 48, 115-122.	0.9	5
479	Temporal dynamics of ipsilateral and contralateral motor activity during voluntary finger movement. Human Brain Mapping, 2004, 23, 26-39.	1.9	65
480	Electroencephalography in ellipsoidal geometry. Journal of Mathematical Analysis and Applications, 2004, 290, 324-342.	0.5	41
481	Spatio-Temporal Cortical Dynamics of Phonemic and Semantic Fluency. Journal of Clinical and Experimental Neuropsychology, 2004, 26, 1031-1043.	0.8	24
482	Novel Multidipole Searching Technique for Magnetoencephalography Source Localization. IEEE Transactions on Magnetics, 2004, 40, 627-630.	1.2	3
483	Temporal and spatial congruence of components of motion-onset evoked responses investigated by whole-head magneto-electroencephalography. Vision Research, 2004, 44, 119-134.	0.7	31
484	Temporal structure of the apparent motion perception: a magnetoencephalographic study. Neuroscience Research, 2004, 48, 111-118.	1.0	12
485	Keep it simple: a case for using classical minimum norm estimation in the analysis of EEG and MEG data. NeuroImage, 2004, 21, 1612-1621.	2.1	260
486	EEG minimum-norm estimation compared with MEG dipole fitting in the localization of somatosensory sources at S1. Clinical Neurophysiology, 2004, 115, 534-542.	0.7	46
487	MEG response to median nerve stimulation correlates with recovery of sensory and motor function after stroke. Clinical Neurophysiology, 2004, 115, 820-833.	0.7	42
488	Confidence limits of dipole source reconstruction results. Clinical Neurophysiology, 2004, 115, 1442-1451.	0.7	56
489	Evaluation of L1 and L2 minimum norm performances on EEG localizations. Clinical Neurophysiology, 2004, 115, 1657-1668.	0.7	39

#	ARTICLE	IF	CITATIONS
490	Magnetoencephalographic study of occipitotemporal activity elicited by viewing mouth movements. <i>Clinical Neurophysiology</i> , 2004, 115, 1559-1574.	0.7	28
491	Electric field properties of two commercial figure-8 coils in TMS: calculation of focality and efficiency. <i>Clinical Neurophysiology</i> , 2004, 115, 1697-1708.	0.7	244
492	Visualization of incomplete conduction block by neuromagnetic recording. <i>Clinical Neurophysiology</i> , 2004, 115, 2113-2122.	0.7	20
493	Identifying true brain interaction from EEG data using the imaginary part of coherency. <i>Clinical Neurophysiology</i> , 2004, 115, 2292-2307.	0.7	1,529
494	Electrical neuroimaging based on biophysical constraints. <i>NeuroImage</i> , 2004, 21, 527-539.	2.1	348
495	Human fetal brain imaging by magnetoencephalography: verification of fetal brain signals by comparison with fetal brain models. <i>NeuroImage</i> , 2004, 21, 1009-1020.	2.1	42
496	Localization of realistic cortical activity in MEG using current multipoles. <i>NeuroImage</i> , 2004, 22, 779-793.	2.1	76
497	A general linear model for MEG beamformer imaging. <i>NeuroImage</i> , 2004, 23, 936-946.	2.1	48
498	Hierarchical Bayesian estimation for MEG inverse problem. <i>NeuroImage</i> , 2004, 23, 806-826.	2.1	242
499	Mapping human brain function with MEG and EEG: methods and validation. <i>NeuroImage</i> , 2004, 23, S289-S299.	2.1	275
500	Spatiotemporal patterns of language-specific brain activity in patients with chronic aphasia after stroke using magnetoencephalography. <i>NeuroImage</i> , 2004, 23, 1308-1316.	2.1	44
501	Stimulus Induced Desynchronization of Human Auditory 40-Hz Steady-State Responses. <i>Journal of Neurophysiology</i> , 2005, 94, 4082-4093.	0.9	105
502	Model Problems. , 2005, , 189-221.		0
503	Time may be compressed in sound representation as replicated in sensory memory. <i>NeuroReport</i> , 2005, 16, 95-98.	0.6	14
504	Early Development of Neurophysiological Processes Involved in Normal Reading and Reading Disability: A Magnetic Source Imaging Study.. <i>Neuropsychology</i> , 2005, 19, 787-798.	1.0	52
505	Prefrontal Brain Magnetic Activity: Effects of Memory Task Demands.. <i>Neuropsychology</i> , 2005, 19, 301-308.	1.0	6
506	Weak solutions of the forward problem in EEG for different conductivity values. <i>Mathematical and Computer Modelling</i> , 2005, 41, 1437-1443.	2.0	1
507	A new characterization of simple elements in a tetrahedral mesh. <i>Graphical Models</i> , 2005, 67, 260-284.	1.1	8

#	ARTICLE	IF	CITATIONS
508	Parallel optimization applied to magnetoencephalography. Journal of Computational and Applied Mathematics, 2005, 183, 177-190.	1.1	2
509	Stochastic maximum likelihood mean and cross-spectrum structure modelling in neuro-magnetic source estimation. , 2005, 15, 56-72.		5
510	Applications of the signal space separation method. IEEE Transactions on Signal Processing, 2005, 53, 3359-3372.	3.2	460
511	Cross-modal generality of the gating deficit. Psychophysiology, 2005, 42, 318-327.	1.2	32
512	Distinct M50 and M100 auditory gating deficits in schizophrenia. Psychophysiology, 2005, 42, 417-427.	1.2	69
513	Activity in human medial temporal lobe associated with encoding process in spatial working memory revealed by magnetoencephalography. European Journal of Neuroscience, 2005, 21, 1741-1748.	1.2	16
514	Atypical Language Representation in Patients with Chronic Seizure Disorder and Achievement Deficits with Magnetoencephalography. Epilepsia, 2005, 46, 540-548.	2.6	34
515	Temporal dynamics of age-related differences in auditory incidental verbal learning. Cognitive Brain Research, 2005, 24, 1-18.	3.3	30
516	Line-Source Modeling and Estimation With Magnetoencephalography. IEEE Transactions on Biomedical Engineering, 2005, 52, 839-851.	2.5	14
517	MEG Forward Problem Formulation Using Equivalent Surface Current Densities. IEEE Transactions on Biomedical Engineering, 2005, 52, 1210-1217.	2.5	8
518	Fast robust subject-independent magnetoencephalographic source localization using an artificial neural network. Human Brain Mapping, 2005, 24, 21-34.	1.9	6
519	Somatotopic blocking of sensation with navigated transcranial magnetic stimulation of the primary somatosensory cortex. Human Brain Mapping, 2005, 26, 100-109.	1.9	71
520	Segmentation of skull and scalp in 3-D human MRI using mathematical morphology. Human Brain Mapping, 2005, 26, 273-285.	1.9	125
521	Fully complex magnetoencephalography. Journal of Neuroscience Methods, 2005, 149, 64-73.	1.3	25
522	Inverse electroencephalography for cortical sources. Applied Numerical Mathematics, 2005, 55, 191-203.	1.2	8
523	Reduction of noise from magnetoencephalography data. Medical and Biological Engineering and Computing, 2005, 43, 630-637.	1.6	6
524	Dynamic Brain Activation Patterns for Face Recognition: A Magnetoencephalography Study. Brain Topography, 2005, 18, 19-26.	0.8	9
525	A comparative study of a theoretical neural net model with MEG data from epileptic patients and normal individuals. Theoretical Biology and Medical Modelling, 2005, 2, 37.	2.1	3

#	ARTICLE	IF	CITATIONS
526	Boundary Element formulation for Electrical Impedance Tomography. ESAIM: Proceedings and Surveys, 2005, 14, 63-71.	0.4	8
527	Beamformer Analysis of MEG Data. International Review of Neurobiology, 2005, 68, 149-171.	0.9	231
528	The direct MEG problem in the presence of an ellipsoidal shell inhomogeneity. Quarterly of Applied Mathematics, 2005, 63, 601-618.	0.5	10
529	Identifying Biomagnetic Sources in the Brain by the Maximum Entropy Approach. AIP Conference Proceedings, 2005, , .	0.3	0
530	Electric field and potential calculation for a bioelectric current dipole in an ellipsoid. Journal of Physics A, 2005, 38, 8123-8138.	1.6	18
531	Representation of bioelectric current sources using Whitney elements in the finite element method. Physics in Medicine and Biology, 2005, 50, 3023-3039.	1.6	23
532	Ellipsoidal head model for fetal magnetoencephalography: forward and inverse solutions. Physics in Medicine and Biology, 2005, 50, 2141-2157.	1.6	20
533	Presentation of electromagnetic multichannel data: The signal space separation method. Journal of Applied Physics, 2005, 97, 124905.	1.1	296
534	EEG source estimation method considering the shape of the cortical surface. , 2005, 2005, 1512-5.		0
535	Analytic expansion of the EEG lead field for realistic volume conductors. Physics in Medicine and Biology, 2005, 50, 3807-3823.	1.6	75
537	Tangential Cardiomagnetic Field Measurement System Based on Double Relaxation Oscillation SQUID Planar Gradiometers. IEEE Transactions on Applied Superconductivity, 2005, 15, 648-651.	1.1	7
538	On the non-uniqueness of the inverse MEG problem. Inverse Problems, 2005, 21, L1-L5.	1.0	48
539	Assessing interactions of linear and nonlinear neuronal sources using MEG beamformers: a proof of concept. Clinical Neurophysiology, 2005, 116, 1300-1313.	0.7	71
540	Testâ€“retest stability of the magnetic mismatch response (MMNm). Clinical Neurophysiology, 2005, 116, 1897-1905.	0.7	27
541	Scalp position and efficacy of transcranial magnetic stimulation. Clinical Neurophysiology, 2005, 116, 1988-1993.	0.7	38
542	Reproducibility of measures of neurophysiological activity in Wernicke's area: A magnetic source imaging study. Clinical Neurophysiology, 2005, 116, 2381-2391.	0.7	14
543	Is medial temporal lobe activation specific for encoding long-term memories?. NeuroImage, 2005, 25, 34-42.	2.1	23
544	EEG source analysis and fMRI reveal two electrical sources in the fronto-parietal operculum during subepidermal finger stimulation. NeuroImage, 2005, 25, 8-20.	2.1	30

#	ARTICLE	IF	CITATIONS
545	An empirical Bayesian solution to the source reconstruction problem in EEG. <i>NeuroImage</i> , 2005, 24, 997-1011.	2.1	171
546	Validation of SOBI components from high-density EEG. <i>NeuroImage</i> , 2005, 25, 539-553.	2.1	204
547	Localization bias and spatial resolution of adaptive and non-adaptive spatial filters for MEG source reconstruction. <i>NeuroImage</i> , 2005, 25, 1056-1067.	2.1	434
548	Cortical representation of dermatomes: MEG-derived maps after tactile stimulation. <i>NeuroImage</i> , 2005, 25, 727-733.	2.1	9
549	Differential generators for N20m and P35m responses to median nerve stimulation. <i>NeuroImage</i> , 2005, 25, 1090-1099.	2.1	27
550	Multivariate source prelocalization (MSP): Use of functionally informed basis functions for better conditioning the MEG inverse problem. <i>NeuroImage</i> , 2005, 26, 356-373.	2.1	49
551	Bayesian analysis of the neuromagnetic inverse problem with ℓ_p -norm priors. <i>NeuroImage</i> , 2005, 26, 870-884.	2.1	59
552	A parietal- α -frontal network studied by somatosensory oddball MEG responses, and its cross-modal consistency. <i>NeuroImage</i> , 2005, 28, 99-114.	2.1	81
553	Spatiotemporal Bayesian inference dipole analysis for MEG neuroimaging data. <i>NeuroImage</i> , 2005, 28, 84-98.	2.1	60
554	A common formalism for the Integral formulations of the forward EEG problem. <i>IEEE Transactions on Medical Imaging</i> , 2005, 24, 12-28.	5.4	355
555	Complex Valued Equivalent-Current Dipole Fits for MEG Responses. , 0, , .		0
556	Ellipsoidal electrogastrographic forward modelling. <i>Physics in Medicine and Biology</i> , 2005, 50, 4429-4444.	1.6	25
557	Observation of unaveraged giant MEG activity from language areas during speech tasks in patients harboring brain lesions very close to essential language areas: expression of brain plasticity in language processing networks?. <i>Neuroscience Letters</i> , 2005, 380, 143-148.	1.0	11
558	Conditional correlation as a measure of mediated interactivity in fMRI and MEG/EEG. <i>IEEE Transactions on Signal Processing</i> , 2005, 53, 3503-3516.	3.2	32
559	A finite difference method with reciprocity used to incorporate anisotropy in electroencephalogram dipole source localization. <i>Physics in Medicine and Biology</i> , 2005, 50, 3787-3806.	1.6	86
560	Superconducting quantum interference device instruments and applications. <i>Review of Scientific Instruments</i> , 2006, 77, 101101.	0.6	370
561	A Probabilistic Algorithm for Meg Source Reconstruction. , 0, , .		0
562	Reconstruction of Fetal Cardiac Vectors From Multichannel fMCG Data Using Recursively Applied and Projected Multiple Signal Classification. <i>IEEE Transactions on Biomedical Engineering</i> , 2006, 53, 2564-2576.	2.5	11

#	ARTICLE	IF	CITATIONS
563	Data-driven parcelling and entropic inference in MEG. <i>NeuroImage</i> , 2006, 30, 160-171.	2.1	29
564	Influence of tissue conductivity anisotropy on EEG/MEG field and return current computation in a realistic head model: A simulation and visualization study using high-resolution finite element modeling. <i>NeuroImage</i> , 2006, 30, 813-826.	2.1	401
565	MEG source localization under multiple constraints: An extended Bayesian framework. <i>NeuroImage</i> , 2006, 30, 753-767.	2.1	174
566	Vector-based spatial-temporal minimum L1-norm solution for MEG. <i>NeuroImage</i> , 2006, 31, 1025-1037.	2.1	104
567	Aging: Compensation or maturation?. <i>NeuroImage</i> , 2006, 32, 1891-1904.	2.1	51
568	Combining fMRI and MEG increases the reliability of presurgical language localization: A clinical study on the difference between and congruence of both modalities. <i>NeuroImage</i> , 2006, 32, 1793-1803.	2.1	88
569	Functional neuroimaging with MEG: Normative language profiles. <i>NeuroImage</i> , 2006, 33, 326-342.	2.1	65
570	Controlled Support MEG imaging. <i>NeuroImage</i> , 2006, 33, 878-885.	2.1	15
571	Reliable detection of bilateral activation in human primary somatosensory cortex by unilateral median nerve stimulation. <i>NeuroImage</i> , 2006, 33, 1042-1054.	2.1	85
572	Development of the 40Hz steady state auditory evoked magnetic field from ages 5 to 52. <i>Clinical Neurophysiology</i> , 2006, 117, 110-117.	0.7	67
573	Pediatric Magnetoencephalography and Magnetic Source Imaging. <i>Neuroimaging Clinics of North America</i> , 2006, 16, 193-210.	0.5	17
574	Neuroimaging methods in affective neuroscience: Selected methodological issues. <i>Progress in Brain Research</i> , 2006, 156, 123-143.	0.9	56
575	Muscle and eye movement artifact removal prior to EEG source localization. , 2006, 2006, 1002-5.		12
576	Magnetoencephalographic Studies of Language Reorganization After Cerebral Insult. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 77-83.	0.5	14
577	Reliability of language mapping with magnetic source imaging in epilepsy surgery candidates. <i>Epilepsy and Behavior</i> , 2006, 8, 742-749.	0.9	38
578	Magnetoencephalography: In search of neural processes for visual motion information. <i>Progress in Neurobiology</i> , 2006, 80, 219-240.	2.8	19
579	Task-Guided Selection of the Dual Neural Pathways for Reading. <i>Neuron</i> , 2006, 52, 557-564.	3.8	57
580	The complete ellipsoidal shell-model in EEG imaging. <i>Abstract and Applied Analysis</i> , 2006, 2006, 1-18.	0.3	17

#	ARTICLE	IF	CITATIONS
583	Modulation of Visual Stimulus Discrimination by Sustained Focal Attention: An MEG Study. , 2006, 47, 1225.		9
584	Neuromagnetism. , 0, , 210-267.		0
585	Pseudo current density maps of electrophysiological heart, nerve or brain function and their physical basis. Biomagnetic Research and Technology, 2006, 4, 5.	2.0	22
586	Separation and Localisation of P300 Sources and Their Subcomponents Using Constrained Blind Source Separation. Eurasip Journal on Advances in Signal Processing, 2006, 2007, 1.	1.0	11
587	The sound of actions as reflected by mismatch negativity: rapid activation of cortical sensory-motor networks by sounds associated with finger and tongue movements. European Journal of Neuroscience, 2006, 23, 811-821.	1.2	68
588	Contributions of principal neocortical neurons to magnetoencephalography and electroencephalography signals. Journal of Physiology, 2006, 575, 925-936.	1.3	315
589	Inverse problems in biomedical imaging: modeling and methods of solution. , 2006, , 1-33.		17
590	Spectral analysis and data classification in magnetoencephalography. Pattern Recognition and Image Analysis, 2006, 16, 497-505.	0.6	3
591	Visualization of three-dimensional cardiac electrical excitation using standard heart model and anterior and posterior magnetocardiogram. International Journal of Cardiovascular Imaging, 2006, 22, 581-593.	0.7	14
592	Human MT/V5 activity on viewing eye gaze changes in others: A magnetoencephalographic study. Brain Research, 2006, 1092, 152-160.	1.1	33
593	Effects of Geometric Head Model Perturbations on the EEG Forward and Inverse Problems. IEEE Transactions on Biomedical Engineering, 2006, 53, 421-429.	2.5	34
594	Bayesian Spatio-Temporal Approach for EEG Source Reconstruction: Conciliating ECD and Distributed Models. IEEE Transactions on Biomedical Engineering, 2006, 53, 503-516.	2.5	63
595	Modified Beamformers for Coherent Source Region Suppression. IEEE Transactions on Biomedical Engineering, 2006, 53, 1357-1363.	2.5	142
596	Concentration maximization and local basis expansions (LBEX) for linear inverse problems. IEEE Transactions on Biomedical Engineering, 2006, 53, 1775-1782.	2.5	12
597	Subspace Projection Filters for Real-Time Brain Electromagnetic Imaging. IEEE Transactions on Biomedical Engineering, 2006, 53, 1624-1634.	2.5	50
598	Maximum contrast beamformer for electromagnetic mapping of brain activity. IEEE Transactions on Biomedical Engineering, 2006, 53, 1765-1774.	2.5	31
599	A novel adaptive beamformer for MEG source reconstruction effective when large background brain activities exist. IEEE Transactions on Biomedical Engineering, 2006, 53, 1755-1764.	2.5	64
600	Estimating Parametric Line-Source Models With Electroencephalography. IEEE Transactions on Biomedical Engineering, 2006, 53, 2156-2165.	2.5	4

#	ARTICLE	IF	CITATIONS
601	Surface-Source Modeling and Estimation Using Biomagnetic Measurements. IEEE Transactions on Biomedical Engineering, 2006, 53, 1872-1882.	2.5	7
602	Criteria for the optimal design of magneto-encephalography measurement system. IEEE Transactions on Magnetics, 2006, 42, 1155-1158.	1.2	8
603	Spatiotemporal mapping of cortical activity accompanying voluntary movements using an event-related beamforming approach. Human Brain Mapping, 2006, 27, 213-229.	1.9	269
604	Differential priming effects of color-opponent subliminal stimulation on visual magnetic responses. Human Brain Mapping, 2006, 27, 811-818.	1.9	9
605	Reply: Periventricular leukomalacia disrupts brain connectivity. Annals of Neurology, 2006, 60, 269-270.	2.8	0
606	Magnetoencephalography is not a substitute for intracranial electroencephalography. Annals of Neurology, 2006, 60, 270-270.	2.8	2
607	Spatiotemporal noise covariance estimation from limited empirical magnetoencephalographic data. Physics in Medicine and Biology, 2006, 51, 5549-5564.	1.6	9
608	Diffuse photon propagation in multilayered geometries. Physics in Medicine and Biology, 2006, 51, 497-516.	1.6	56
609	Improving source detection and separation in a spatiotemporal Bayesian inference dipole analysis. Physics in Medicine and Biology, 2006, 51, 2395-2414.	1.6	18
610	The unique determination of the primary current by MEG and EEG. Physics in Medicine and Biology, 2006, 51, 5565-5580.	1.6	1
611	Generalized head models for MEG/EEG: boundary element method beyond nested volumes. Physics in Medicine and Biology, 2006, 51, 1333-1346.	1.6	63
612	Functional Imaging Before and After Constraint-Induced Language Therapy for Aphasia Using Magnetoencephalography. Neurocase, 2006, 12, 322-331.	0.2	44
613	Now You Hear It, Now You Don't: Transient Traces of Consonants and their Nonspeech Analogues in the Human Brain. Cerebral Cortex, 2006, 16, 1069-1076.	1.6	70
614	Influence of the geometric model of the brain on stability of the inverse electroencephalography problem. Inverse Problems in Science and Engineering, 2006, 14, 75-83.	1.2	1
615	Magnetic source imaging localizes epileptogenic zone in children with tuberous sclerosis complex. Neurology, 2006, 66, 1270-1272.	1.5	100
616	The sensitivity of cosmic ray air shower experiments for excited lepton and leptoquark detection. Journal of Physics G: Nuclear and Particle Physics, 2006, 32, 609-628.	1.4	1
617	Magnetoneurographic registration of propagating magnetic fields in the lumbar spine after stimulation of the posterior tibial nerve. Journal of Neural Engineering, 2006, 3, 125-131.	1.8	8
618	Parametric Surface-Source Modeling and Estimation With Electroencephalography. IEEE Transactions on Biomedical Engineering, 2006, 53, 2414-2424.	2.5	3

#	ARTICLE	IF	CITATIONS
619	Classifying Single-Trial ERPs from Visual and Frontal Cortex during Free Viewing. , 2006, , .		7
620	Super-resolution for MEG Inversion -Reconstruction from the Partial Boundary Measurement. , 2006, , .		0
621	Two Probabilistic Algorithms for MEG/EEG Source Reconstruction. , 0, , .		0
623	THE MATHEMATICS OF THE IMAGING TECHNIQUES OF MEG, CT, PET AND SPECT. International Journal of Bifurcation and Chaos in Applied Sciences and Engineering, 2006, 16, 1671-1687.	0.7	3
624	Classification of movement intention by spatially filtered electromagnetic inverse solutions. Physics in Medicine and Biology, 2006, 51, 1971-1989.	1.6	79
625	MEG analysis using ICA with spatial arrangement. , 2006, , .		0
626	Neural Correlates of Tactile Detection: A Combined Magnetoencephalography and Biophysically Based Computational Modeling Study. Journal of Neuroscience, 2007, 27, 10751-10764.	1.7	142
627	Acquisition of Fetal Magnetocardiograms in an Unshielded Hospital Setting. IEEE Transactions on Applied Superconductivity, 2007, 17, 823-826.	1.1	1
628	Physiological detection of interaural phase differences. Journal of the Acoustical Society of America, 2007, 121, 1017-1027.	0.5	59
629	Estimation and Location Tracking of the P300 Subcomponents from Single-Trial EEG. , 2007, , .		6
630	Grammar or Serial Order?: Discrete Combinatorial Brain Mechanisms Reflected by the Syntactic Mismatch Negativity. Journal of Cognitive Neuroscience, 2007, 19, 971-980.	1.1	65
631	Canonical Source Reconstruction for MEG. Computational Intelligence and Neuroscience, 2007, 2007, 1-10.	1.1	121
632	Probabilistic forward model for electroencephalography source analysis. Physics in Medicine and Biology, 2007, 52, 5309-5327.	1.6	23
633	Searching for the best model: ambiguity of inverse solutions and application to fetal magnetoencephalography. Physics in Medicine and Biology, 2007, 52, 757-776.	1.6	8
634	Two-Dimensional Gradiometer. Japanese Journal of Applied Physics, 2007, 46, 3397-3401.	0.8	12
635	swLORETA: a novel approach to robust source localization and synchronization tomography. Physics in Medicine and Biology, 2007, 52, 1783-1800.	1.6	145
636	Evaluation of smoothing in an iterative ℓ_1 -norm minimization algorithm for surface-based source localization of MEG. Physics in Medicine and Biology, 2007, 52, 4791-4803.	1.6	7
637	Source Inversion Technique using Bayesian Inference: Combined MEG/fMRI. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
638	Comparison of Magnetocardiograms Measured Using Different SQUID Pickup Coil Configuration. IEEE Transactions on Applied Superconductivity, 2007, 17, 835-838.	1.1	4
639	Modeling spatiotemporal covariance for magnetoencephalography or electroencephalography source analysis. Physical Review E, 2007, 75, 011928.	0.8	9
640	On the complementarity of electroencephalography and magnetoencephalography. Inverse Problems, 2007, 23, 2541-2549.	1.0	42
641	Intensive Instruction Affects Brain Magnetic Activity Associated with Oral Word Reading in Children with Persistent Reading Disabilities. Journal of Learning Disabilities, 2007, 40, 37-48.	1.5	54
642	Structure of Abelian-regular positive semirings. Russian Mathematical Surveys, 2007, 62, 199-201.	0.2	0
643	The exterior magnetic field for the multilayer ellipsoidal model of the brain. Quarterly Journal of Mechanics and Applied Mathematics, 2007, 60, 1-25.	0.5	16
644	Direct reconstruction algorithm of current dipoles for vector magnetoencephalography and electroencephalography. Physics in Medicine and Biology, 2007, 52, 3859-3879.	1.6	30
645	Unbiased large-scale coherence mapping for simultaneously acquired EEG and fMRI data. , 2007, , .		0
646	Time-Varying Cortical Activations Related to Visualâ€“Tactile Cross-Modal Links in Spatial Selective Attention. Journal of Neurophysiology, 2007, 97, 3585-3596.	0.9	59
647	Altering the brain circuits for reading through intervention: A magnetic source imaging study.. Neuropsychology, 2007, 21, 485-496.	1.0	97
648	Development of Volume Conductor and Source Models to Localize Epileptic Foci. Journal of Clinical Neurophysiology, 2007, 24, 101-119.	0.9	100
649	Neural mass model parameter identification for MEG/EEG. , 2007, , .		0
650	Adaptive brain imaging: A simulation study. International Congress Series, 2007, 1300, 141-144.	0.2	0
651	Comparison of animated spatial filtered MEG data for epileptic discharges. International Congress Series, 2007, 1300, 641-644.	0.2	0
652	Evaluation of Signal Space Separation via simulation. International Congress Series, 2007, 1300, 265-268.	0.2	2
653	Source analysis of cervical spinal cord evoked field detected by vector SQUID sensors. International Congress Series, 2007, 1300, 557-560.	0.2	0
654	Particle filters: A new method for reconstructing multiple current dipoles from MEG data. International Congress Series, 2007, 1300, 173-176.	0.2	12
655	Particle filters and RAP-MUSIC in MEG source modelling: A comparison. International Congress Series, 2007, 1300, 161-164.	0.2	3

#	ARTICLE	IF	CITATIONS
656	Combined EEG and MEG analysis of early somatosensory evoked activity in children and adolescents with focal epilepsies. <i>Clinical Neurophysiology</i> , 2007, 118, 1721-1735.	0.7	33
657	Localization of individual area neuronal activity. <i>NeuroImage</i> , 2007, 34, 1519-1534.	2.1	33
658	Beamformer reconstruction of correlated sources using a modified source model. <i>NeuroImage</i> , 2007, 34, 1454-1465.	2.1	148
659	The use of standardized infinity reference in EEG coherency studies. <i>NeuroImage</i> , 2007, 36, 48-63.	2.1	96
660	A probabilistic algorithm integrating source localization and noise suppression for MEG and EEG data. <i>NeuroImage</i> , 2007, 37, 102-115.	2.1	71
661	A novel integrated MEG and EEG analysis method for dipolar sources. <i>NeuroImage</i> , 2007, 37, 731-748.	2.1	100
662	Population-level inferences for distributed MEG source localization under multiple constraints: Application to face-evoked fields. <i>NeuroImage</i> , 2007, 38, 422-438.	2.1	54
663	<i>Biomagnetism</i> , 2007, , 203-226.		1
664	Detailed 3D models of the induced electric field of transcranial magnetic stimulation coils. <i>Physics in Medicine and Biology</i> , 2007, 52, 2879-2892.	1.6	109
665	EM Algorithms for Generalizing MCE and Focuss. , 2007, , .		0
666	Changes in Language-specific Brain Activation after Therapy for Aphasia using Magnetoencephalography: A Case Study. <i>Neurocase</i> , 2007, 13, 169-177.	0.2	48
667	Performance of prewhitening beamforming in MEG dual experimental conditions. , 2007, , .		1
668	Forward models for EEG. , 2007, , 352-366.		7
670	Bayesian inverse analysis of neuromagnetic data using cortically constrained multiple dipoles. <i>Human Brain Mapping</i> , 2007, 28, 979-994.	1.9	16
671	An algorithm to determine a dipole current in a sphere. <i>Mathematical Methods in the Applied Sciences</i> , 2007, 30, 1105-1119.	1.2	2
673	A direct identification method for current dipoles from electromagnetic fields. <i>Journal of Computational and Applied Mathematics</i> , 2007, 201, 164-174.	1.1	1
674	Characteristics of magnetocardiograms measured using various pickup coil structures. <i>Physica C: Superconductivity and Its Applications</i> , 2007, 463-465, 1017-1023.	0.6	1
675	A comparison of functional MRI and magnetoencephalography for receptive language mapping. <i>Journal of Neuroscience Methods</i> , 2007, 161, 306-313.	1.3	34

#	ARTICLE	IF	CITATIONS
676	Review on solving the forward problem in EEG source analysis. Journal of NeuroEngineering and Rehabilitation, 2007, 4, 46.	2.4	388
677	On a 1D inverse problem with interfaces in bioengineering. Proceedings in Applied Mathematics and Mechanics, 2007, 7, 2120019-2120020.	0.2	0
678	A Matlab library for solving quasi-static volume conduction problems using the boundary element method. Computer Methods and Programs in Biomedicine, 2007, 88, 256-263.	2.6	100
679	Atomic Vector Gradiometer System Using Cesium Vapor Cells for Magnetocardiography: Perspective on Practical Application. IEEE Transactions on Instrumentation and Measurement, 2007, 56, 458-462.	2.4	16
680	Estimation of Solution Accuracy From Leadfield Matrix in Magnetoencephalography. IEEE Transactions on Magnetics, 2007, 43, 1701-1704.	1.2	4
681	Geometry-Adapted Hexahedral Meshes Improve Accuracy of Finite-Element-Method-Based EEG Source Analysis. IEEE Transactions on Biomedical Engineering, 2007, 54, 1446-1453.	2.5	84
682	Tiny Signals from the Human Brain: Acquisition and Processing of Biomagnetic Fields in Magnetoencephalography. Journal of Low Temperature Physics, 2007, 146, 697-718.	0.6	5
683	Inverse electroencephalography for volumetric sources. Mathematics and Computers in Simulation, 2008, 78, 481-492.	2.4	4
684	Evaluation of signal space separation via simulation. Medical and Biological Engineering and Computing, 2008, 46, 923-932.	1.6	35
685	Calculation of the magnetic field due to a bioelectric current dipole in an ellipsoid. Applications of Mathematics, 2008, 53, 131-142.	0.9	2
686	Application of the equivalent multipole moment method with polar translations to forward calculation of neuromagnetic fields. Electronics and Communications in Japan, 2008, 91, 34-44.	0.3	0
687	Adaptive iterative thresholding algorithms for magnetoencephalography (MEG). Journal of Computational and Applied Mathematics, 2008, 221, 386-395.	1.1	28
688	A model of several dipoles in free space in the primary processing of magnetocardiographic data. Journal of Communications Technology and Electronics, 2008, 53, 1339-1344.	0.2	1
689	The method of ensembles of decision trees for the analysis of the electrical activity produced by the human brain. Moscow University Computational Mathematics and Cybernetics, 2008, 32, 167-176.	0.1	0
690	Spatio-temporal Reconstruction of Bilateral Auditory Steady-State Responses Using MEG Beamformers. IEEE Transactions on Biomedical Engineering, 2008, 55, 1092-1102.	2.5	50
691	Performance of Prewhitening Beamforming in MEG Dual Experimental Conditions. IEEE Transactions on Biomedical Engineering, 2008, 55, 1112-1121.	2.5	21
692	Decomposition of Magnetoencephalographic Data Into Components Corresponding to Deep and Superficial Sources. IEEE Transactions on Biomedical Engineering, 2008, 55, 1716-1727.	2.5	8
693	Source Localization of Event-Related Potentials Incorporating Spatial Notch Filters. IEEE Transactions on Biomedical Engineering, 2008, 55, 2232-2239.	2.5	31

#	ARTICLE	IF	CITATIONS
694	Inverse Analysis of the Current Dipoles Distribution in a Human Brain Applied With the Shifting-Aperture Method. IEEE Transactions on Magnetics, 2008, 44, 1426-1429.	1.2	2
695	Representation of the verb's argument-structure in the human brain. BMC Neuroscience, 2008, 9, 69.	0.8	11
696	MEG correlates of bimodal encoding of faces and persons' names. Brain Research, 2008, 1230, 192-201.	1.1	3
697	Theoretical analysis of the magnetocardiographic pattern for reentry wave propagation in a three-dimensional human heart model. Progress in Biophysics and Molecular Biology, 2008, 96, 339-356.	1.4	22
698	Auditory sensory gating to the human voice: A preliminary MEG study. Psychiatry Research - Neuroimaging, 2008, 163, 260-269.	0.9	4
699	Increased biomagnetic activity in the ventral pathway in mild cognitive impairment. Clinical Neurophysiology, 2008, 119, 1320-1327.	0.7	34
700	On the blind source separation of human electroencephalogram by approximate joint diagonalization of second order statistics. Clinical Neurophysiology, 2008, 119, 2677-2686.	0.7	111
701	Neural responses related to point-light walker perception: A magnetoencephalographic study. Clinical Neurophysiology, 2008, 119, 2775-2784.	0.7	10
702	Evidence for fast, low-level motor resonance to action observation: An MEG study. Social Neuroscience, 2008, 3, 213-228.	0.7	39
704	Somatosensory evoked magnetic fields following electric tongue stimulation using pin electrodes. Neuroscience Research, 2008, 62, 131-139.	1.0	23
705	Optimising experimental design for MEG beamformer imaging. NeuroImage, 2008, 39, 1788-1802.	2.1	213
706	Bayesian brain source imaging based on combined MEG/EEG and fMRI using MCMC. NeuroImage, 2008, 40, 1581-1594.	2.1	32
707	Probabilistic algorithms for MEG/EEG source reconstruction using temporal basis functions learned from data. NeuroImage, 2008, 41, 924-940.	2.1	50
708	Parallel Minimum ℓ_1 -Norm Solution of the Neuromagnetic Inverse Problem for Realistic Signals Using Exact Hessian-Vector Products. SIAM Journal of Scientific Computing, 2008, 30, 2905-2921.	1.3	8
709	Numerical Mathematics of the Subtraction Method for the Modeling of a Current Dipole in EEG Source Reconstruction Using Finite Element Head Models. SIAM Journal of Scientific Computing, 2008, 30, 24-45.	1.3	77
710	Recursive sLORETA-FOCUSS Algorithm for EEG Dipoles Localization. , 2008, , .		3
711	Absolute Temperature. , 2008, , 2-2.		1
712	Event-Related EEG Time-Frequency Analysis: An Overview of Measures and An Analysis of Early Gamma Band Phase Locking in Schizophrenia. Schizophrenia Bulletin, 2008, 34, 907-926.	2.3	494

#	ARTICLE	IF	CITATIONS
713	A Raoâ€“Blackwellized particle filter for magnetoencephalography. <i>Inverse Problems</i> , 2008, 24, 025023.	1.0	28
714	Neuronal currents and EEG-MEG fields. <i>Mathematical Medicine and Biology</i> , 2008, 25, 133-139.	0.8	6
715	Estimation Method on Multiple Sources of MEG Based on the Columnar Structure of the Cerebral Cortex. <i>IEEE Transactions on Magnetics</i> , 2008, 44, 4425-4431.	1.2	0
716	Algorithms for magnetic tomographyâ€“on the role of<i>a priori</i>knowledge and constraints. <i>Inverse Problems</i> , 2008, 24, 045008.	1.0	22
717	Hypofunction of Right Temporoparietal Cortex During Emotional Arousal in Depression. <i>Archives of General Psychiatry</i> , 2008, 65, 532.	13.8	117
718	Adaptive Spatial Filters for Electromagnetic Brain Imaging. , 2008, , .		32
719	Magnetoencephalography source localization using improved simplex method. <i>Inverse Problems in Science and Engineering</i> , 2008, 16, 499-510.	1.2	6
720	Novel Trends in Brain Science. , 2008, , .		1
721	A comparative analysis of algorithms for the magnetoencephalography inverse problem. <i>Journal of Physics: Conference Series</i> , 2008, 135, 012094.	0.3	2
722	Temporal dynamics of parietal activity during word-location binding.. <i>Neuropsychology</i> , 2008, 22, 85-99.	1.0	13
723	High Temporal Resolution Neuroimaging of Attentional and Somatosensory-Motor Processing in the Human Brain. <i>Current Medical Imaging</i> , 2008, 4, 144-162.	0.4	3
724	The role of neuroelectric and neuromagnetic recordings in assessing learning and rehabilitation effects. , 0, , 182-200.		2
725	The scalar magnetic potential in magnetoencephalography. <i>Journal of Physics: Conference Series</i> , 2008, 124, 012020.	0.3	1
726	Spatiotemporal Patterns of Brain Activation During an Action Naming Task Using Magnetoencephalography. <i>Journal of Clinical Neurophysiology</i> , 2008, 25, 7-12.	0.9	21
727	Non-Invasive Estimates of Local Field Potentials for Brain-Computer Interfaces: Theoretical Derivation and Comparison with Direct Intracranial Recordings. , 0, , .		2
728	Effect of anisotropy in estimation of brain sources and conductivities via coupled EEG and MEG. <i>International Journal of Applied Electromagnetics and Mechanics</i> , 2009, 30, 277-288.	0.3	2
729	Pragmatic features of the clinical use of MEG/MSI. , 0, , 47-56.		0
730	Alternative techniques for evoked magnetic field data â€“ future directions. , 0, , 157-170.		0

#	ARTICLE	IF	CITATIONS
731	Imaging the electric neuronal generators of EEG/MEG. , 0, , 49-78.		13
732	Dynamical activities of primary somatosensory cortices studied by magnetoencephalography. Physical Review E, 2009, 80, 051906.	0.8	6
733	The octapolic ellipsoidal term in magnetoencephalography. Journal of Mathematical Physics, 2009, 50, 013508.	0.5	7
734	Dipole estimation errors due to not incorporating anisotropic conductivities in realistic head models for EEG source analysis. Physics in Medicine and Biology, 2009, 54, 6079-6093.	1.6	23
735	MEG and fMRI for nonlinear estimation of neural activity. , 2009, , .		0
736	Demonstration of Unshielded Fetal Magnetocardiography System Using Two-Dimensional Gradiometers. IEEE Transactions on Applied Superconductivity, 2009, 19, 857-860.	1.1	4
737	Uniqueness of Current Reconstructions for Magnetic Tomography in Multilayer Devices. SIAM Journal on Applied Mathematics, 2009, 70, 563-578.	0.8	7
738	3D modeling of the total electric field induced by transcranial magnetic stimulation using the boundary element method. Physics in Medicine and Biology, 2009, 54, 3631-3647.	1.6	107
739	Volume conductor effects on simulated magnetogastrogams. , 2009, 2009, 4929-32.		0
740	Robust methods for reconstructing brain activity and functional connectivity between brain sourceswith MEG/EEG data. , 2009, , .		0
741	Inverse computation for cardiac sources using single current dipole and current multipole models. Chinese Physics B, 2009, 18, 5566-5574.	0.7	9
742	Modulation of medial temporal lobe activity in epilepsy patients with hippocampal sclerosis during verbal working memory. Journal of the International Neuropsychological Society, 2009, 15, 536-546.	1.2	15
743	A Connectionist Perspective on Attentional Effects in Neurodynamics Data. , 2009, , 145-162.		0
744	Source counting in MEG neuroimaging. , 2009, , .		0
745	The adjoint method for general EEG and MEG sensor-based lead field equations. Physics in Medicine and Biology, 2009, 54, 135-147.	1.6	29
746	Detection of a diabetic sural nerve from the magnetic field after electric stimulation. Journal of Applied Physics, 2009, 105, 07B315.	1.1	0
747	The localization of focal heart activity via body surface potential measurements: tests in a heterogeneous torso phantom. Physics in Medicine and Biology, 2009, 54, 5395-5409.	1.6	11
748	Electric and Magnetic Activity of the Brain in Spherical and Ellipsoidal Geometry. Lecture Notes in Mathematics, 2009, , 133-202.	0.1	33

#	ARTICLE	IF	CITATIONS
749	Electro-magneto-encephalography for a three-shell model: dipoles and beyond for the spherical geometry. <i>Inverse Problems</i> , 2009, 25, 035001.	1.0	32
750	Surface Current Density Mapping for Identification of Gastric Slow Wave Propagation. <i>IEEE Transactions on Biomedical Engineering</i> , 2009, 56, 2131-2139.	2.5	25
751	Diffusionâ€“Drift Modeling of a Growing Breast Cancerous Cell. <i>IEEE Transactions on Biomedical Engineering</i> , 2009, 56, 2370-2379.	2.5	9
752	Spatial Filtering of MEG Signals for User-Specified Spherical Regions. <i>IEEE Transactions on Biomedical Engineering</i> , 2009, 56, 2429-2438.	2.5	6
753	Functional Imaging of Spinal Cord Electrical Activity From Its Evoked Magnetic Field. <i>IEEE Transactions on Biomedical Engineering</i> , 2009, 56, 2452-2460.	2.5	19
754	Distinct processing of function verb categories in the human brain. <i>Brain Research</i> , 2009, 1249, 173-180.	1.1	11
755	Language and music: Differential hemispheric dominance in detecting unexpected errors in the lyrics and melody of memorized songs. <i>Human Brain Mapping</i> , 2009, 30, 588-601.	1.9	19
756	Automatic fMRIâ€“guided MEG multipole localization for visual responses. <i>Human Brain Mapping</i> , 2009, 30, 1087-1099.	1.9	24
757	Improved EEG source analysis using lowâ€“resolution conductivity estimation in a fourâ€“compartment finite element head model. <i>Human Brain Mapping</i> , 2009, 30, 2862-2878.	1.9	41
758	Contradiction in universal and particular reasoning. <i>Human Brain Mapping</i> , 2009, 30, 4187-4197.	1.9	18
759	Analytical formula of induced electric fields in a spherical conductor by an ELF dipole magnetic field source. <i>Electrical Engineering in Japan (English Translation of Denki Gakkai Ronbunshi)</i> , 2009, 166, 8-17.	0.2	1
760	Study of Magnetic Field of the Brain in Parkinsonâ€™s Disease. <i>Bulletin of Experimental Biology and Medicine</i> , 2009, 147, 375-377.	0.3	2
761	Location of Biomagnetic Activity Sources in the Brain during Acoustic Stimulation. <i>Bulletin of Experimental Biology and Medicine</i> , 2009, 147, 493-496.	0.3	0
762	Functional neuroimaging of language using magnetoencephalography. <i>Physics of Life Reviews</i> , 2009, 6, 1-10.	1.5	31
763	A FEM-BEM approach for electro-magnetostatics and time-harmonic eddy-current problems. <i>Applied Numerical Mathematics</i> , 2009, 59, 2036-2049.	1.2	8
764	Accuracy and run-time comparison for different potential approaches and iterative solvers in finite element method based EEG source analysis. <i>Applied Numerical Mathematics</i> , 2009, 59, 1970-1988.	1.2	77
765	MEG auditory evoked fields suggest altered structural/functional asymmetry in primary but not secondary auditory cortex in bipolar disorder. <i>Bipolar Disorders</i> , 2009, 11, 371-381.	1.1	64
766	Distributed analysis of simultaneous EEG-fMRI time-series: modeling and interpretation issues. <i>Magnetic Resonance Imaging</i> , 2009, 27, 1120-1130.	1.0	36

#	ARTICLE	IF	CITATIONS
767	Three-way matrix analysis, the MUSIC algorithm and the coupled dipole model. <i>Journal of Neuroscience Methods</i> , 2009, 183, 63-71.	1.3	6
768	Adaptive compression algorithm from projections: Application on medical greyscale images. <i>Computers in Biology and Medicine</i> , 2009, 39, 993-999.	3.9	19
769	Seizure source localization using a hybrid second order blind identification and extended rival penalized competitive learning algorithm. <i>Biomedical Signal Processing and Control</i> , 2009, 4, 108-117.	3.5	12
770	Source Localization of EEG/MEG Data by Correlating Columns of ICA and Lead Field Matrices. <i>IEEE Transactions on Biomedical Engineering</i> , 2009, 56, 2619-2626.	2.5	29
771	Can I have a quick word? Early electrophysiological manifestations of psycholinguistic processes revealed by event-related regression analysis of the EEG. <i>Biological Psychology</i> , 2009, 80, 64-74.	1.1	73
772	A clinical and magnetoencephalography study of MRI-negative startle epilepsy. <i>Epilepsy and Behavior</i> , 2009, 16, 166-171.	0.9	32
773	Cortical oscillatory activity associated with the perception of illusory and real visual contours. <i>International Journal of Psychophysiology</i> , 2009, 73, 265-272.	0.5	13
774	Retroactive interference in normal aging: A magnetoencephalography study. <i>Neuroscience Letters</i> , 2009, 456, 85-88.	1.0	11
775	Behavioral and Neurophysiologic Response to Therapy for Chronic Aphasia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 2026-2033.	0.5	71
776	An initial transient-state and reliable measures of corticospinal excitability in TMS studies. <i>Clinical Neurophysiology</i> , 2009, 120, 987-993.	0.7	85
777	MEG's ability to localise accurately weak transient neural sources. <i>Clinical Neurophysiology</i> , 2009, 120, 1958-1970.	0.7	60
778	Influence of white matter anisotropic conductivity on EEG source localization: Comparison to fMRI in human primary visual cortex. <i>Clinical Neurophysiology</i> , 2009, 120, 2071-2081.	0.7	43
779	Sex-related similarities and differences in the neural correlates of beauty. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 3847-3852.	3.3	157
781	Quantitative Analysis and Biophysically Realistic Neural Modeling of the MEG Mu Rhythm: Rhythmogenesis and Modulation of Sensory-Evoked Responses. <i>Journal of Neurophysiology</i> , 2009, 102, 3554-3572.	0.9	203
782	Conditionally Gaussian Hypermodels for Cerebral Source Localization. <i>SIAM Journal on Imaging Sciences</i> , 2009, 2, 879-909.	1.3	75
783	A unified Bayesian framework for MEG/EEG source imaging. <i>NeuroImage</i> , 2009, 44, 947-966.	2.1	295
784	EEG source analysis of epileptiform activity using a 1Åmm anisotropic hexahedra finite element head model. <i>NeuroImage</i> , 2009, 44, 399-410.	2.1	145
785	A hierarchical Bayesian method to resolve an inverse problem of MEG contaminated with eye movement artifacts. <i>NeuroImage</i> , 2009, 45, 393-409.	2.1	11

#	ARTICLE	IF	CITATIONS
786	Selecting forward models for MEG source-reconstruction using model-evidence. <i>NeuroImage</i> , 2009, 46, 168-176.	2.1	101
787	A full subtraction approach for finite element method based source analysis using constrained Delaunay tetrahedralisation. <i>NeuroImage</i> , 2009, 46, 1055-1065.	2.1	56
788	Source reconstruction of brain electromagnetic fields – Source iteration of minimum norm (SIMN). <i>NeuroImage</i> , 2009, 47, 1301-1311.	2.1	2
789	Determining the cortical target of transcranial magnetic stimulation. <i>NeuroImage</i> , 2009, 47, 1319-1330.	2.1	22
790	Non-independent BSS: A Model for Evoked MEG Signals with Controllable Dependencies. <i>Lecture Notes in Computer Science</i> , 2009, , 443-450.	1.0	4
791	Signal Space Separation Algorithm and Its Application on Suppressing Artifacts Caused by Vagus Nerve Stimulation for Magnetoencephalography Recordings. <i>Journal of Clinical Neurophysiology</i> , 2009, 26, 392-400.	0.9	32
792	Tackling magnetoencephalography with particle swarm optimization. <i>International Journal of Bio-Inspired Computation</i> , 2009, 1, 32.	0.6	47
793	MEG beamforming: magnetic source imaging. , 2009, , .		1
794	Neurovascular coupling in the human somatosensory cortex. <i>NeuroReport</i> , 2010, 21, 1106-1110.	0.6	7
795	Advances in electromagnetic brain imaging. <i>Proceedings of SPIE</i> , 2010, , .	0.8	0
796	Perturbation Theory Approach to Stellarator Coil Optimization. <i>Fusion Science and Technology</i> , 2010, 57, 152-161.	0.6	1
797	An inverse source problem for quasi-static Maxwell's equations. <i>Journal of Inverse and Ill-Posed Problems</i> , 2010, 18, .	0.5	2
798	Characterization of Gastric Electrical Activity Using Magnetic Field Measurements: A Simulation Study. <i>Annals of Biomedical Engineering</i> , 2010, 38, 177-186.	1.3	16
799	Particle Filters for Magnetoencephalography. <i>Archives of Computational Methods in Engineering</i> , 2010, 17, 213-251.	6.0	4
800	Comparative power spectral analysis of simultaneous electroencephalographic and magnetoencephalographic recordings in humans suggests non-resistive extracellular media. <i>Journal of Computational Neuroscience</i> , 2010, 29, 405-421.	0.6	114
801	Array-Gain Constraint Minimum-Norm Spatial Filter With Recursively Updated Gram Matrix For Biomagnetic Source Imaging. <i>IEEE Transactions on Biomedical Engineering</i> , 2010, 57, 1358-1365.	2.5	38
802	Magnetoencephalography Source Localization Using the Source Affine Image Reconstruction (SAFFIRE) Algorithm. <i>IEEE Transactions on Biomedical Engineering</i> , 2010, 57, 1652-1662.	2.5	12
803	Development of a Highly Sensitive Optically Pumped Atomic Magnetometer for Biomagnetic Field Measurements: A Phantom Study. <i>IEEE Transactions on Magnetics</i> , 2010, 46, 3635-3638.	1.2	45

#	ARTICLE	IF	CITATIONS
804	Alteration of Cortical Functional Connectivity as a Result of Traumatic Brain Injury Revealed by Graph Theory, ICA, and sLORETA Analyses of EEG Signals. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2010, 18, 11-19.	2.7	102
805	On the characterization of the spatio-temporal profiles of brain activity associated with face naming and the tip-of-the-tongue state: A magnetoencephalographic (MEG) study. <i>Neuropsychologia</i> , 2010, 48, 1757-1766.	0.7	12
806	Sensitivity of beamformer source analysis to deficiencies in forward modeling. <i>Human Brain Mapping</i> , 2010, 31, 1907-1927.	1.9	45
807	The brain in time: insights from neuromagnetic recordings. <i>Annals of the New York Academy of Sciences</i> , 2010, 1191, 89-109.	1.8	78
808	Sensitivity Analysis for the EEG Forward Problem. <i>Frontiers in Computational Neuroscience</i> , 2010, 4, 138.	1.2	3
809	MEG and fMRI Fusion for Non-Linear Estimation of Neural and BOLD Signal Changes. <i>Frontiers in Neuroinformatics</i> , 2010, 4, 114.	1.3	21
811	Recent advances in modeling and analysis of bioelectric and biomagnetic sources. <i>Biomedizinische Technik</i> , 2010, 55, 65-76.	0.9	16
812	Applications in Bioinformatics and Medical Informatics. <i>Advances in Computational Intelligence and Robotics Book Series</i> , 0, , 204-221.	0.4	0
813	Forward and inverse problem for cardiac magnetic field and electric potential using two boundary element methods. <i>Chinese Physics B</i> , 2010, 19, 120601.	0.7	4
814	The forward and inverse problem of cardiac magnetic fields based on concentric ellipsoid torso-heart model. <i>Chinese Physics B</i> , 2010, 19, 080601.	0.7	2
815	Monte Carlo Analysis of Base Transit Times of InP/GaNAs Heterojunction Bipolar Transistors with Ultrathin Graded Bases. <i>Japanese Journal of Applied Physics</i> , 2010, 49, 024302.	0.8	3
816	The Cortical Site of Visual Suppression by Transcranial Magnetic Stimulation. <i>Cerebral Cortex</i> , 2010, 20, 328-338.	1.6	63
817	Beamformer for simultaneous magnetoencephalography and electroencephalography analysis. <i>Journal of Applied Physics</i> , 2010, 107, 09B315.	1.1	7
818	Auditory sensitivity to formant ratios: Toward an account of vowel normalisation. <i>Language and Cognitive Processes</i> , 2010, 25, 808-839.	2.3	37
819	Effects of volume conductor and source configuration on simulated magnetogastrograms. <i>Physics in Medicine and Biology</i> , 2010, 55, 6881-6895.	1.6	9
820	The Influence of Age and Skull Conductivity on Surface and Subdermal Bipolar EEG Leads. <i>Computational Intelligence and Neuroscience</i> , 2010, 2010, 1-7.	1.1	56
821	Transformations in oscillatory activity and evoked responses in primary somatosensory cortex in middle age: A combined computational neural modeling and MEG study. <i>NeuroImage</i> , 2010, 52, 897-912.	2.1	44
822	Premotor cortex mediates perceptual performance. <i>NeuroImage</i> , 2010, 51, 844-858.	2.1	84

#	ARTICLE	IF	CITATIONS
823	OpenMEEG: opensource software for quasistatic bioelectromagnetics. BioMedical Engineering OnLine, 2010, 9, 45.	1.3	883
824	Shifted factor analysis for the separation of evoked dependent MEG signals. Physics in Medicine and Biology, 2010, 55, 4219-4230.	1.6	1
825	Robust Bayesian estimation of the location, orientation, and time course of multiple correlated neural sources using MEG. NeuroImage, 2010, 49, 641-655.	2.1	186
826	Investigating spatial specificity and data averaging in MEG. NeuroImage, 2010, 49, 525-538.	2.1	43
827	Increasing top-down suppression from prefrontal cortex facilitates tactile working memory. NeuroImage, 2010, 49, 1091-1098.	2.1	42
828	Independent component analysis of short-time Fourier transforms for spontaneous EEG/MEG analysis. NeuroImage, 2010, 49, 257-271.	2.1	146
829	Verification of fetal brain responses by coregistration of fetal ultrasound and fetal magnetoencephalography data. NeuroImage, 2010, 49, 1469-1478.	2.1	7
830	Eddy Current Approximation of Maxwell Equations. Modeling, Simulation and Applications, 2010, , .	1.3	93
831	Comparative power spectral analysis of simultaneous electroencephalographic and magnetoencephalographic recordings in humans suggests non-resistive extracellular media. Journal of Computational Neuroscience, 2010, , 1.	0.6	3
832	The central oscillatory network of essential tremor. , 2010, 2010, 154-7.		17
833	Multiple sensor sequential tracking of neural activity: Algorithm and FPGA implementation. , 2010, , .		8
834	Changes in maps of language activity activation following melodic intonation therapy using magnetoencephalography: Two case studies. Journal of Clinical and Experimental Neuropsychology, 2010, 32, 309-314.	0.8	43
835	Investigating the electrophysiological basis of resting state networks using magnetoencephalography. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 16783-16788.	3.3	847
836	Comparison of EEG Forward Solutions in Two Head Models. , 2011, , .		0
837	MEG-based brain functional connectivity analysis using eConnectome. , 2011, , .		3
838	Changes in maps of language function and the integrity of the arcuate fasciculus after therapy for chronic aphasia. Neurocase, 2011, 17, 506-517.	0.2	38
839	Influence of skull inhomogeneities on EEG source localization. , 2011, , .		2
840	Phase diagrams of a variational Bayesian approach with ARD prior in NIRS-DOT. , 2011, , .		4

#	ARTICLE	IF	CITATIONS
841	A novel cardiac equivalent moving dipole solution. , 2011, , .		2
842	Analysis of Multimodal Neuroimaging Data. IEEE Reviews in Biomedical Engineering, 2011, 4, 26-58.	13.1	122
843	Evaluation of multiple-sphere head models for MEG source localization. Physics in Medicine and Biology, 2011, 56, 5621-5635.	1.6	52
844	Spectral signal space projection algorithm for frequency domain MEG and EEG denoising, whitening, and source imaging. NeuroImage, 2011, 56, 78-92.	2.1	43
845	Measuring functional connectivity using MEG: Methodology and comparison with fMRI. NeuroImage, 2011, 56, 1082-1104.	2.1	452
846	Controlling false positive rates in mass-multivariate tests for electromagnetic responses. NeuroImage, 2011, 56, 1072-1081.	2.1	20
847	You had me at "Hello": Rapid extraction of dialect information from spoken words. NeuroImage, 2011, 56, 2329-2338.	2.1	21
848	The effect of hypercapnia on resting and stimulus induced MEG signals. NeuroImage, 2011, 58, 1034-1043.	2.1	57
849	Impact of the gyral geometry on the electric field induced by transcranial magnetic stimulation. NeuroImage, 2011, 54, 234-243.	2.1	351
850	Comparison of noise-normalized minimum norm estimates for MEG analysis using multiple resolution metrics. NeuroImage, 2011, 54, 1966-1974.	2.1	175
851	Changes in brain network activity during working memory tasks: A magnetoencephalography study. NeuroImage, 2011, 55, 1804-1815.	2.1	138
852	MEG/EEG Source Reconstruction, Statistical Evaluation, and Visualization with NUTMEG. Computational Intelligence and Neuroscience, 2011, 2011, 1-17.	1.1	104
853	Assessing interactions in the brain with exact low-resolution electromagnetic tomography. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2011, 369, 3768-3784.	1.6	578
854	Bayesian mixture models for source separation in MEG. Inverse Problems, 2011, 27, 115001.	1.0	4
855	Increased biomagnetic activity in healthy elderly with subjective memory complaints. Clinical Neurophysiology, 2011, 122, 499-505.	0.7	31
856	Neuromagnetic measures of word processing in bilinguals and monolinguals. Clinical Neurophysiology, 2011, 122, 1706-1717.	0.7	23
857	Effects of mindfulness meditation training on anticipatory alpha modulation in primary somatosensory cortex. Brain Research Bulletin, 2011, 85, 96-103.	1.4	99
858	The role of oscillatory brain activity in object processing and figure-ground segmentation in human vision. International Journal of Psychophysiology, 2011, 79, 392-400.	0.5	12

#	ARTICLE	IF	CITATIONS
859	Statistical Approaches to the Inverse Problem. , 0, , .		6
860	Dynamics of Within-, Inter-, and Cross-Modal Attentional Modulation. <i>Journal of Neurophysiology</i> , 2011, 105, 674-686.	0.9	7
861	Electromagnetic Brain Mapping Using MEG and EEG. , 2011, , .		5
862	The Timing and Strength of Regional Brain Activation Associated with Word Recognition in Children with Reading Difficulties. <i>Frontiers in Human Neuroscience</i> , 2011, 5, 45.	1.0	10
863	Examining the Effects of One- and Three-Dimensional Spatial Filtering Analyses in Magnetoencephalography. <i>PLoS ONE</i> , 2011, 6, e22251.	1.1	12
864	Realignment of Magnetoencephalographic Data for Group Analysis in the Sensor Domain. <i>Journal of Clinical Neurophysiology</i> , 2011, 28, 190-201.	0.9	9
865	Preoperative Functional Mapping for Rolandic Brain Tumor Surgery: Comparison of Navigated Transcranial Magnetic Stimulation to Direct Cortical Stimulation. <i>Neurosurgery</i> , 2011, 69, 581-589.	0.6	240
866	Brain Activity Patterns in Stable and Progressive Mild Cognitive Impairment During Working Memory as Evidenced by Magnetoencephalography. <i>Journal of Clinical Neurophysiology</i> , 2011, 28, 202-209.	0.9	20
867	Functional disruption of the brain mechanism for reading: Effects of comorbidity and task difficulty among children with developmental learning problems.. <i>Neuropsychology</i> , 2011, 25, 520-534.	1.0	29
868	The M100 component of evoked magnetic fields differs by scaling factors: Implications for signal averaging. <i>Psychophysiology</i> , 2011, 48, 1069-1082.	1.2	13
869	Conflict and cognitive control during sentence comprehension: Recruitment of a frontal network during the processing of Spanish object-first sentences. <i>Neuropsychologia</i> , 2011, 49, 382-391.	0.7	6
870	Lateralized abnormalities in auditory M50 sensory gating and cortical thickness of the superior temporal gyrus in post-traumatic stress disorder: Preliminary results. <i>Psychiatry Research - Neuroimaging</i> , 2011, 191, 138-144.	0.9	31
871	Reduced Conductivity Dependence Method for Increase of Dipole Localization Accuracy in the EEG Inverse Problem. <i>IEEE Transactions on Biomedical Engineering</i> , 2011, 58, 1430-1440.	2.5	13
872	Removal of Spurious Coherence in MEG Source-Space Coherence Analysis. <i>IEEE Transactions on Biomedical Engineering</i> , 2011, 58, 3121-3129.	2.5	80
873	Evaluation of an Isosceles-Triangle-Coil Phantom for Magnetoencephalography. <i>IEEE Transactions on Magnetics</i> , 2011, 47, 3853-3856.	1.2	6
874	Orbitofrontal dysfunction related to depressive symptomatology in subjects with borderline personality disorder. <i>Journal of Affective Disorders</i> , 2011, 134, 410-415.	2.0	14
875	General bounds for electrode mislocation on the EEG inverse problem. <i>Computer Methods and Programs in Biomedicine</i> , 2011, 103, 1-9.	2.6	26
876	Neuromagnetic evidence for a featural distinction of English consonants: Sensor- and source-space data. <i>Brain and Language</i> , 2011, 116, 71-82.	0.8	23

#	ARTICLE	IF	CITATIONS
877	Anatomically constrained minimum variance beamforming applied to EEG. <i>Experimental Brain Research</i> , 2011, 214, 515-528.	0.7	21
878	Face activated neurodynamic cortical networks. <i>Medical and Biological Engineering and Computing</i> , 2011, 49, 531-543.	1.6	8
879	Modeling of the human skull in EEG source analysis. <i>Human Brain Mapping</i> , 2011, 32, 1383-1399.	1.9	211
880	Corticospinal output and cortical excitation–inhibition balance in distal hand muscle representations in nonprimary motor area. <i>Human Brain Mapping</i> , 2011, 32, 1692-1703.	1.9	28
881	Transcranial magnetic stimulation of early visual cortex interferes with subjective visual awareness and objective forced-choice performance. <i>Consciousness and Cognition</i> , 2011, 20, 288-298.	0.8	35
882	Magnetic Field Mapping and Biaxial Vector Operation for Biomagnetic Applications Using High-Sensitivity Optically Pumped Atomic Magnetometers. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 116604.	0.8	8
883	Elucidation of Equivalent Current Dipole from Magnetocardiography (MCG) Measurements. , 2011, , .		0
884	A Comprehensive Three-dimensional Cortical Map of Vowel Space. <i>Journal of Cognitive Neuroscience</i> , 2011, 23, 3972-3982.	1.1	40
885	Investigating the measurement capability of densely-distributed subdermal EEG electrodes. , 2011, , .		4
886	Recording cortical EEG subcortically — Improved EEG monitoring from depth-stimulation electrodes. , 2011, , .		1
887	EEG/MEG source localization using source deflated matching pursuit. , 2011, 2011, 6572-5.		1
888	A comparison of two-dimensional techniques for converting magnetocardiogram maps into effective current source distributions. <i>Review of Scientific Instruments</i> , 2011, 82, 014302.	0.6	4
889	Modeling of cardiac electrical activity for characterizing vortex components. , 2011, , .		1
890	Real-time reconstruction of time-varying point sources in a three-dimensional scalar wave equation. <i>Inverse Problems</i> , 2011, 27, 115011.	1.0	12
891	An ultra-precision scanning tunneling microscope<i>Z</i>-scanner for surface profile measurement of large amplitude micro-structures. <i>Measurement Science and Technology</i> , 2011, 22, 085101.	1.4	21
892	Effectiveness of sparse Bayesian algorithm for MVAR coefficient estimation in MEG/EEG source-space causality analysis. , 2011, , .		1
893	Simultaneous measurements of somatosensory evoked AC and near-DC MEG signals. <i>Biomedizinische Technik</i> , 2011, 56, 91-97.	0.9	6
894	Recurrent Processing in V1/V2 Contributes to Categorization of Natural Scenes. <i>Journal of Neuroscience</i> , 2011, 31, 2488-2492.	1.7	92

#	ARTICLE	IF	CITATIONS
895	Head models and dynamic causal modeling of subcortical activity using magnetoencephalographic/electroencephalographic data. <i>Reviews in the Neurosciences</i> , 2012, 23, 85-95.	1.4	60
896	Scanning Reduction Strategy in MEG/EEG Beamformer Source Imaging. <i>Journal of Applied Mathematics</i> , 2012, 2012, 1-19.	0.4	6
897	Asymmetries in the Processing of Vowel Height. <i>Journal of Speech, Language, and Hearing Research</i> , 2012, 55, 903-918.	0.7	44
898	Inverse source problems for eddy current equations. <i>Inverse Problems</i> , 2012, 28, 015006.	1.0	10
899	Electro-magneto-encephalography for the three-shell model: numerical implementation via splines for distributed current in spherical geometry. <i>Inverse Problems</i> , 2012, 28, 035009.	1.0	21
900	Electro-magneto-encephalography for the three-shell model: minimal L^2 -norm in spherical geometry. <i>Inverse Problems</i> , 2012, 28, 035010.	1.0	5
902	Raviart-Thomas-type sources adapted to applied EEG and MEG: implementation and results. <i>Inverse Problems</i> , 2012, 28, 065013.	1.0	14
903	Magnetoencephalographic virtual recording: a novel diagnostic tool for concussion. <i>Neurosurgical Focus</i> , 2012, 33, E9.	1.0	12
904	Studying on Conductivity of Cardiac Tissues in Magnetocardiography. , 2012, , .		1
905	Source analysis of median nerve stimulated somatosensory evoked potentials and fields using simultaneously measured EEG and MEG signals. , 2012, 2012, 4903-6.		7
906	Toward ultra-low field multimodal MRI with atomic magnetometer. , 2012, , .		0
907	Bioelectromagnetic forward problem: isolated source approach revis(it)ed. <i>Physics in Medicine and Biology</i> , 2012, 57, 3517-3535.	1.6	84
908	Preoperative multimodal motor mapping: a comparison of magnetoencephalography imaging, navigated transcranial magnetic stimulation, and direct cortical stimulation. <i>Journal of Neurosurgery</i> , 2012, 117, 354-362.	0.9	195
909	Complete electrode model in EEG: relationship and differences to the point electrode model. <i>Physics in Medicine and Biology</i> , 2012, 57, 999-1017.	1.6	29
910	Source Activity Correlation Effects on LCMV Beamformers in a Realistic Measurement Environment. <i>Computational and Mathematical Methods in Medicine</i> , 2012, 2012, 1-8.	0.7	14
911	Inferring Functional Neural Connectivity with Phase Synchronization Analysis: A Review of Methodology. <i>Computational and Mathematical Methods in Medicine</i> , 2012, 2012, 1-13.	0.7	27
912	The effect of volume conductor modeling on the estimation of cardiac vectors in fetal magnetocardiography. <i>Physiological Measurement</i> , 2012, 33, 651-665.	1.2	3
913	ICA-Based EEG denoising: a comparative analysis of fifteen methods. <i>Bulletin of the Polish Academy of Sciences: Technical Sciences</i> , 2012, 60, 407-418.	0.8	71

#	ARTICLE	IF	CITATIONS
914	Escape to infinity in the presence of magnetic fields. Quarterly of Applied Mathematics, 2012, 70, 45-51.	0.5	0
915	EEG and MEG: forward modeling. , 2012, , 192-256.		37
916	MEG and EEG: source estimation. , 0, , 257-286.		7
917	A two-way regularization method for MEG source reconstruction. Annals of Applied Statistics, 2012, 6, .	0.5	17
918	Magnetoencephalography. , 2012, , 219-229.		0
919	Influence of body parameters on gastric bioelectric and biomagnetic fields in a realistic volume conductor. Physiological Measurement, 2012, 33, 545-556.	1.2	17
920	Auditory MEG mismatch responses modified by visual stimulation accompanying auditory stimulation. Neurophysiology, 2012, 44, 247-254.	0.2	0
921	Mixed-norm estimates for the M/EEG inverse problem using accelerated gradient methods. Physics in Medicine and Biology, 2012, 57, 1937-1961.	1.6	169
922	Structured sparsity regularization approach to the EEG inverse problem. , 2012, , .		1
923	Solving an electrostatics-like problem with a current dipole source by means of the duality method. Applied Mathematics Letters, 2012, 25, 1410-1414.	1.5	3
924	Effects of age and background noise on processing a mistuned harmonic in an otherwise periodic complex sound. Hearing Research, 2012, 283, 126-135.	0.9	62
925	Radial and tangential components of dipolar sources and their magnetic fields. Clinical Neurophysiology, 2012, 123, 1477-1478.	0.7	3
926	Removal of muscle artifact from EEG data: comparison between stochastic (ICA and CCA) and deterministic (EMD and wavelet-based) approaches. Eurasip Journal on Advances in Signal Processing, 2012, 2012, .	1.0	122
927	Superficial magnetic imaging by an xy-scanner of three magnetoresistive channels. Review of Scientific Instruments, 2012, 83, 033705.	0.6	3
928	Performance evaluation of the Champagne source reconstruction algorithm on simulated and real M/EEG data. NeuroImage, 2012, 60, 305-323.	2.1	69
929	Measuring functional connectivity in MEG: A multivariate approach insensitive to linear source leakage. NeuroImage, 2012, 63, 910-920.	2.1	333
930	Hierarchical Bayesian inference for the EEG inverse problem using realistic FE head models: Depth localization and source separation for focal primary currents. NeuroImage, 2012, 61, 1364-1382.	2.1	71
931	Influences of skull segmentation inaccuracies on EEG source analysis. NeuroImage, 2012, 62, 418-431.	2.1	98

#	ARTICLE	IF	CITATIONS
932	Task induced modulation of neural oscillations in electrophysiological brain networks. <i>NeuroImage</i> , 2012, 63, 1918-1930.	2.1	57
933	Real-Time Coil Position Monitoring System for Biomagnetic Measurements. <i>Physics Procedia</i> , 2012, 36, 280-285.	1.2	7
934	Abnormalities in gamma-band responses to language stimuli in first-degree relatives of children with autism spectrum disorder: an MEG study. <i>BMC Psychiatry</i> , 2012, 12, 213.	1.1	42
935	The Human Auditory Cortex. <i>Springer Handbook of Auditory Research</i> , 2012, , .	0.3	18
936	Non-Parametric Statistical Thresholding for Sparse Magnetoencephalography Source Reconstructions. <i>Frontiers in Neuroscience</i> , 2012, 6, 186.	1.4	7
937	A numerical meshless particle method in solving the magnetoencephalography forward problem. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2012, 25, 428-440.	1.2	21
938	Influence of orientation and area of the extended cortical current source on the magnetoencephalography (MEG) inverse problem. <i>Biomedical Engineering Letters</i> , 2012, 2, 124-128.	2.1	0
939	MEG-SIM: A Web Portal for Testing MEG Analysis Methods using Realistic Simulated and Empirical Data. <i>Neuroinformatics</i> , 2012, 10, 141-158.	1.5	31
940	Blind source separation with time series variational Bayes expectation maximization algorithm. , 2012, 22, 17-33.		12
941	Thermal noise calculation method for precise estimation of the signal-to-noise ratio of ultra-low-field MRI with an atomic magnetometer. <i>Journal of Magnetic Resonance</i> , 2012, 215, 100-108.	1.2	3
942	A novel approach for documenting naming errors induced by navigated transcranial magnetic stimulation. <i>Journal of Neuroscience Methods</i> , 2012, 204, 349-354.	1.3	128
943	Comparison and improvements of LCMV and MUSIC source localization techniques for use in real clinical environments. <i>Journal of Neuroscience Methods</i> , 2012, 205, 312-323.	1.3	2
944	Connectivity measures applied to human brain electrophysiological data. <i>Journal of Neuroscience Methods</i> , 2012, 207, 1-16.	1.3	183
945	Methods for high-resolution anisotropic finite element modeling of the human head: Automatic MR white matter anisotropy-adaptive mesh generation. <i>Medical Engineering and Physics</i> , 2012, 34, 85-98.	0.8	14
946	Neuronavigated transcranial magnetic stimulation suggests that area V2 is necessary for visual awareness. <i>Neuropsychologia</i> , 2012, 50, 1621-1627.	0.7	27
947	Dipole location using SQUID based measurements: Application to magnetocardiography. <i>Physica C: Superconductivity and Its Applications</i> , 2012, 477, 15-19.	0.6	14
948	Projection Versus Prewhitening for EEG Interference Suppression. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 1329-1338.	2.5	22
949	Efficient Dipole Parameter Estimation in EEG Systems With Near-ML Performance. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 1339-1348.	2.5	15

#	ARTICLE	IF	CITATIONS
950	Is selective primary visual cortex stimulation achievable with TMS?. <i>Human Brain Mapping</i> , 2012, 33, 652-665.	1.9	44
951	Localization of coherent sources by simultaneous MEG and EEG beamformer. <i>Medical and Biological Engineering and Computing</i> , 2013, 51, 1121-1135.	1.6	8
952	Development of a generative model of magnetoencephalography noise that enables brain signal extraction from single-epoch data. <i>Medical and Biological Engineering and Computing</i> , 2013, 51, 937-951.	1.6	2
953	Decreased inhibitory neuronal activity in patients with frontal lobe brain tumors with seizure presentation: Preliminary study using magnetoencephalography. <i>Acta Neurochirurgica</i> , 2013, 155, 1449-1457.	0.9	7
954	Increased brain responses during subjectively-matched mechanical pain stimulation in fibromyalgia patients as evidenced by MEG. <i>Clinical Neurophysiology</i> , 2013, 124, 752-760.	0.7	16
955	Electromagnetic tomography via source-space-ICA. , 2013, 2013, 37-40.		2
956	Language mapping with navigated repetitive TMS: Proof of technique and validation. <i>NeuroImage</i> , 2013, 82, 260-272.	2.1	183
957	Greater robustness of second order statistics than higher order statistics algorithms to distortions of the mixing matrix in blind source separation of human EEG: Implications for single-subject and group analyses. <i>NeuroImage</i> , 2013, 67, 137-152.	2.1	37
958	Comparison of spherical and realistically shaped boundary element head models for transcranial magnetic stimulation navigation. <i>Clinical Neurophysiology</i> , 2013, 124, 1995-2007.	0.7	86
959	Electroencephalography (EEG)-based neurofeedback training for brain-computer interface (BCI). <i>Experimental Brain Research</i> , 2013, 231, 351-365.	0.7	30
960	Facilitating Neuronal Connectivity Analysis of Evoked Responses by Exposing Local Activity with Principal Component Analysis Preprocessing: Simulation of Evoked MEG. <i>Brain Topography</i> , 2013, 26, 201-211.	0.8	4
961	Influence of a Silastic ECoG Grid on EEG/ECoG Based Source Analysis. <i>Brain Topography</i> , 2013, 26, 212-228.	0.8	16
962	Spatio-temporal Regularization in Linear Distributed Source Reconstruction from EEG/MEG: A Critical Evaluation. <i>Brain Topography</i> , 2013, 26, 229-246.	0.8	17
963	Matching Pursuit and Source Deflation for Sparse EEG/MEG Dipole Moment Estimation. <i>IEEE Transactions on Biomedical Engineering</i> , 2013, 60, 2280-2288.	2.5	23
964	Brain source localization: A new method based on Multiple Signal Classification algorithm and spatial sparsity of the field signal for electroencephalogram measurements. <i>Review of Scientific Instruments</i> , 2013, 84, 085117.	0.6	13
965	Synthetic event-related potentials: A computational bridge between neurolinguistic models and experiments. <i>Neural Networks</i> , 2013, 37, 66-92.	3.3	24
966	Prior knowledge on cortex organization in the reconstruction of source current densities from EEG. <i>NeuroImage</i> , 2013, 67, 7-24.	2.1	17
967	Using variance information in magnetoencephalography measures of functional connectivity. <i>NeuroImage</i> , 2013, 67, 203-212.	2.1	50

#	ARTICLE	IF	CITATIONS
968	Electrophysiological study of face inversion effects in Williams syndrome. Brain and Development, 2013, 35, 323-330.	0.6	7
969	Comprehensive Functional Mapping Scheme for Non-Invasive Primary Sensorimotor Cortex Mapping. Brain Topography, 2013, 26, 511-523.	0.8	29
970	MEG Delta Mapping Along the Healthy Aging-Alzheimer's Disease Continuum: Diagnostic Implications. Journal of Alzheimer's Disease, 2013, 35, 495-507.	1.2	48
971	The development of Ce ³⁺ -activated (Gd,Lu) ₃ Al ₅ O ₁₂ garnet solid solutions as efficient yellow-emitting phosphors. Science and Technology of Advanced Materials, 2013, 14, 054201.	2.8	53
972	MASSES AND DISTANCE OF THE YOUNG BINARY NTTs 045251+3016. Astrophysical Journal, 2013, 773, 28.	1.6	12
973	A new magneto-cardiogram study using a vector model with a virtual heart and the boundary element method. Chinese Physics B, 2013, 22, 090701.	0.7	5
974	Reducing the effect of correlated brain sources in MEG using a linearly constrained spatial filter based on Minimum Norm. , 2013, , .		0
975	Algebraic Reconstruction of Current Dipoles and Quadrupoles in Three-Dimensional Space. Mathematical Problems in Engineering, 2013, 2013, 1-15.	0.6	2
976	Effects of emotional music on visual processes in inferior temporal area. Cognitive Neuroscience, 2013, 4, 21-30.	0.6	12
977	Variance stabilization for computing and comparing grand mean waveforms in <scp>MEG</scp> and <scp>EEG</scp>. Psychophysiology, 2013, 50, 627-639.	1.2	6
978	Residual coherence and residual envelope correlation in MEG/EEG source-space connectivity analysis. , 2013, 2013, 4414-7.		3
979	Noninvasive diagnosis of coronary artery disease using two parameters extracted in an extrema circle of magnetocardiogram. , 2013, 2013, 1843-6.		1
980	Bayesian Preconditioned CGLS for Source Separation in MEG Time Series. SIAM Journal of Scientific Computing, 2013, 35, B778-B798.	1.3	5
981	Influence of isotropic skull models on EEG source localization. , 2013, 2013, 3295-8.		1
982	A new multimodal cortical source imaging algorithm for integrating simultaneously recorded EEG and MEG. Inverse Problems in Science and Engineering, 2013, 21, 1074-1089.	1.2	4
983	Middle- and long-latency auditory evoked potentials. Handbook of Clinical Neurophysiology, 2013, 10, 177-199.	0.0	16
984	Quantitative performance assessments for neuromagnetic imaging systems. , 2013, 2013, 4410-3.		1
985	The definite non-uniqueness results for deterministic EEG and MEG data. Inverse Problems, 2013, 29, 065012.	1.0	20

#	ARTICLE	IF	CITATIONS
986	Neurodynamics of somatosensory cortices studied by magnetoencephalography. <i>Journal of Integrative Neuroscience</i> , 2013, 12, 299-329.	0.8	5
988	Dynamic filtering of static dipoles in magnetoencephalography. <i>Annals of Applied Statistics</i> , 2013, 7, .	0.5	16
990	A MULTI-SPHERE PARTICLE NUMERICAL MODEL FOR NON-INVASIVE INVESTIGATIONS OF NEURONAL HUMAN BRAIN ACTIVITY. <i>Progress in Electromagnetics Research Letters</i> , 2013, 36, 143-153.	0.4	14
991	Spatiotemporal imaging of complexity. <i>Frontiers in Computational Neuroscience</i> , 2013, 6, 101.	1.2	16
992	The Virtual Brain: a simulator of primate brain network dynamics. <i>Frontiers in Neuroinformatics</i> , 2013, 7, 10.	1.3	338
993	Magnetoencephalography: Fundamentals and Established and Emerging Clinical Applications in Radiology. <i>ISRN Radiology</i> , 2013, 2013, 1-18.	1.2	24
994	Effects of Contralateral Noise on the 20-Hz Auditory Steady State Response - Magnetoencephalography Study. <i>PLoS ONE</i> , 2014, 9, e99457.	1.1	13
995	Fast transient networks in spontaneous human brain activity. <i>ELife</i> , 2014, 3, e01867.	2.8	467
996	Frequency-pattern functional tomography of magnetoencephalography data allows new approach to the study of human brain organization. <i>Frontiers in Neural Circuits</i> , 2014, 8, 43.	1.4	26
997	Somatosensory Evoked Field in Response to Visuotactile Stimulation in 3- to 4-Year-Old Children. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 170.	1.0	12
998	Assessment of hemispheric dominance for receptive language in pediatric patients under sedation using magnetoencephalography. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 657.	1.0	24
999	Magnetoencephalography Detection of High-Frequency Oscillations in the Developing Brain. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 969.	1.0	11
1000	Integrating neuroinformatics tools in TheVirtualBrain. <i>Frontiers in Neuroinformatics</i> , 2014, 8, 36.	1.3	26
1001	Accumulated source imaging of brain activity with both low and high-frequency neuromagnetic signals. <i>Frontiers in Neuroinformatics</i> , 2014, 8, 57.	1.3	63
1002	Mapping tonotopic organization in human temporal cortex: representational similarity analysis in EMEG source space. <i>Frontiers in Neuroscience</i> , 2014, 8, 368.	1.4	23
1003	Effects of age-related hearing loss and background noise on neuromagnetic activity from auditory cortex. <i>Frontiers in Systems Neuroscience</i> , 2014, 8, 8.	1.2	88
1004	Subjective Characteristics of TMS-Induced Phosphenes Originating in Human V1 and V2. <i>Cerebral Cortex</i> , 2014, 24, 2751-2760.	1.6	27
1005	Cardiac electrical activity imaging of patients with CRBBB or CLBBB in magnetocardiography. <i>Chinese Physics B</i> , 2014, 23, 048702.	0.7	6

#	ARTICLE	IF	CITATIONS
1006	Reconstruction of magnetic source images using the Wiener filter and a multichannel magnetic imaging system. <i>Review of Scientific Instruments</i> , 2014, 85, 074701.	0.6	6
1007	Intrinsic Coupling Modes in Source-Reconstructed Electroencephalography. <i>Brain Connectivity</i> , 2014, 4, 812-825.	0.8	35
1008	A brain-computer interfacing system using prefrontal EEG signals. , 2014, , .		0
1009	The Application of Electro- and Magneto-Encephalography in Tinnitus Research – Methods and Interpretations. <i>Frontiers in Neurology</i> , 2014, 5, 228.	1.1	51
1010	Head movement compensation in real-time magnetoencephalographic recordings. <i>MethodsX</i> , 2014, 1, 275-282.	0.7	8
1011	Estimation of neuromagnetic sources using a REweighted, STandardized, Recursively Iterated Cerebral Tomography Algorithm (RESTRICTA). , 2014, , .		0
1012	A modified Bitter-type electromagnet and control system for cold atom experiments. <i>Review of Scientific Instruments</i> , 2014, 85, 024701.	0.6	4
1013	Source localization with MEG data: A beamforming approach based on covariance thresholding. <i>Biometrics</i> , 2014, 70, 121-131.	0.8	5
1014	A framework for the design of flexible cross-talk functions for spatial filtering of EEG/MEG data: DeFleCT. <i>Human Brain Mapping</i> , 2014, 35, 1642-1653.	1.9	51
1015	Sequential Monte Carlo samplers for semi-linear inverse problems and application to magnetoencephalography. <i>Inverse Problems</i> , 2014, 30, 114020.	1.0	28
1016	Bayesian multi-dipole modelling of a single topography in MEG by adaptive sequential Monte Carlo samplers. <i>Inverse Problems</i> , 2014, 30, 045010.	1.0	23
1017	Investigations of sensitivity and resolution of ECG and MCG in a realistically shaped thorax model. <i>Physics in Medicine and Biology</i> , 2014, 59, 7141-7158.	1.6	16
1018	Electroencephalography-Based Real-Time Cortical Monitoring System That Uses Hierarchical Bayesian Estimations for the Brain-Machine Interface. <i>Journal of Clinical Neurophysiology</i> , 2014, 31, 218-228.	0.9	2
1019	Thalamocortical Impulse Propagation and Information Transfer in EEG and MEG. <i>Journal of Clinical Neurophysiology</i> , 2014, 31, 253-260.	0.9	21
1020	The use of magnetoencephalography in the study of psychopharmacology (pharmaco-MEG). <i>Journal of Psychopharmacology</i> , 2014, 28, 815-829.	2.0	34
1021	Neuroimaging, Neural Population Models for. , 2014, , 1-29.		3
1022	Impact of SQUIDS on functional imaging in neuroscience. <i>Superconductor Science and Technology</i> , 2014, 27, 044004.	1.8	4
1023	Highly cited articles in <i>Physics in Medicine and Biology</i> . <i>Physics in Medicine and Biology</i> , 2014, 59, 4461-4463.	1.6	1

#	ARTICLE	IF	CITATIONS
1024	Measuring temporal, spectral and spatial changes in electrophysiological brain network connectivity. <i>NeuroImage</i> , 2014, 91, 282-299.	2.1	130
1025	Influence of Skull Modeling Approaches on EEG Source Localization. <i>Brain Topography</i> , 2014, 27, 95-111.	0.8	88
1026	Toward a brain functional connectivity mapping modality by simultaneous imaging of coherent brainwaves. <i>NeuroImage</i> , 2014, 91, 63-69.	2.1	19
1027	Sparse Representation for Brain Signal Processing: A tutorial on methods and applications. <i>IEEE Signal Processing Magazine</i> , 2014, 31, 96-106.	4.6	63
1028	Transcranial Magnetic Stimulation. <i>NeuroMethods</i> , 2014, , .	0.2	52
1029	Intentional signal in prefrontal cortex generalizes across different sensory modalities. <i>Journal of Neurophysiology</i> , 2014, 112, 61-80.	0.9	9
1030	Multi-channel atomic magnetometer for magnetoencephalography: A configuration study. <i>NeuroImage</i> , 2014, 89, 143-151.	2.1	119
1031	Movement-related neuromagnetic fields in preschool age children. <i>Human Brain Mapping</i> , 2014, 35, 4858-4875.	1.9	40
1033	Wedge MUSIC: A novel approach to examine experimental differences of brain source connectivity patterns from EEG/MEG data. <i>NeuroImage</i> , 2014, 101, 610-624.	2.1	10
1034	Guide to Brain-Computer Music Interfacing. , 2014, , .		25
1035	Noninvasively diagnosing coronary artery disease with 61-channel MCG data. <i>Science Bulletin</i> , 2014, 59, 1123-1128.	1.7	4
1036	Comparison of blind source separation methods for removal of eye blink artifacts from EEG. , 2014, , .		7
1037	A finite-element reciprocity solution for EEG forward modeling with realistic individual head models. <i>NeuroImage</i> , 2014, 103, 542-551.	2.1	30
1038	Preoperative functional mapping for rolandic brain tumor surgery. <i>Neuroscience Letters</i> , 2014, 583, 136-141.	1.0	29
1039	Contralateral dominance of corticomuscular coherence for both sides of the tongue during human tongue protrusion: An MEG study. <i>NeuroImage</i> , 2014, 101, 245-255.	2.1	19
1040	A posteriori error estimates for the problem of electrostatics with a dipole source. <i>Computers and Mathematics With Applications</i> , 2014, 68, 464-485.	1.4	6
1041	Magnetoencephalography in the Diagnosis of Concussion. <i>Progress in Neurological Surgery</i> , 2014, 28, 94-111.	1.3	22
1042	Multi-trial evoked EEG and independent component analysis. <i>Journal of Neuroscience Methods</i> , 2014, 228, 15-26.	1.3	29

#	ARTICLE	IF	CITATIONS
1043	Source-space ICA for EEG source separation, localization, and time-course reconstruction. <i>NeuroImage</i> , 2014, 101, 720-737.	2.1	45
1044	Kinetic inductance magnetometer. <i>Nature Communications</i> , 2014, 5, 4872.	5.8	43
1045	Clustering strategies for optimal trial selection in multisensor environments. An eigenvector based approach. <i>Journal of Neuroscience Methods</i> , 2014, 222, 1-14.	1.3	3
1046	Overlapping activity periods in early visual cortex and posterior intraparietal area in conscious visual shape perception: A TMS study. <i>NeuroImage</i> , 2014, 84, 765-774.	2.1	12
1047	Comparison of three-shell and simplified volume conductor models in magnetoencephalography. <i>NeuroImage</i> , 2014, 94, 337-348.	2.1	93
1048	A statistical approach to the inverse problem in magnetoencephalography. <i>Annals of Applied Statistics</i> , 2014, 8, .	0.5	3
1049	Simplified spinal cord phantom for evaluation of SQUID magnetospinography. <i>Journal of Physics: Conference Series</i> , 2014, 507, 042001.	0.3	3
1050	Contributions of Magnetoencephalography to Characterizing Brain Function in Pediatric Epilepsy: Evidences of Validity and Added Value. <i>Journal of Pediatric Epilepsy</i> , 2015, 04, 207-215.	0.1	0
1051	Mapping of language brain areas in patients with brain tumors. , 2015, 2015, 626-9.		3
1052	Bayesian Inference on the Brain: Bayesian Solutions to Selected Problems in Neuroimaging. , 2015, , 1-36.		0
1053	Identification of piecewise constant sources in non-homogeneous media based on boundary measurements. <i>Applied Mathematical Modelling</i> , 2015, 39, 7697-7717.	2.2	4
1054	A geometric correction scheme for spatial leakage effects in <sc>MEG/EEG</sc> seedâ€based functional connectivity mapping. <i>Human Brain Mapping</i> , 2015, 36, 4604-4621.	1.9	98
1055	Cortical activation associated with determination of depth order during transparent motion perception: A normalized integrative f<sc>MRIâ€MEG</sc> study. <i>Human Brain Mapping</i> , 2015, 36, 3922-3934.	1.9	4
1056	Nonphysiological factors in navigated TMS studies; Confounding covariates and valid intracortical estimates. <i>Human Brain Mapping</i> , 2015, 36, 40-49.	1.9	59
1057	A hierarchical Krylovâ€Bayes iterative inverse solver for MEG with physiological preconditioning. <i>Inverse Problems</i> , 2015, 31, 125005.	1.0	32
1058	GALA: group analysis leads to accuracy, a novel approach for solving the inverse problem in exploratory analysis of group MEG recordings. <i>Frontiers in Neuroscience</i> , 2015, 9, 107.	1.4	5
1059	Reconstruction of human brain spontaneous activity based on frequency-pattern analysis of magnetoencephalography data. <i>Frontiers in Neuroscience</i> , 2015, 9, 373.	1.4	28
1060	Complexity Measures in Magnetoencephalography: Measuring "Disorder" in Schizophrenia. <i>PLoS ONE</i> , 2015, 10, e0120991.	1.1	28

#	ARTICLE	IF	CITATIONS
1061	Dry phantom for magnetoencephalography "Configuration, calibration, and contribution. Journal of Neuroscience Methods, 2015, 251, 24-36.	1.3	21
1062	A Segregated Neural Pathway for Prefrontal Top-Down Control of Tactile Discrimination. Cerebral Cortex, 2015, 25, 161-166.	1.6	12
1063	Magnetoencephalographic accuracy profiles for the detection of auditory pathway sources. Biomedizinische Technik, 2015, 60, 135-45.	0.9	2
1064	Beamformer-based spatiotemporal imaging of linearly-related source components using electromagnetic neural signals. NeuroImage, 2015, 114, 1-17.	2.1	5
1065	Temporal Autocorrelation-Based Beamforming With MEG Neuroimaging Data. Journal of the American Statistical Association, 2015, 110, 1375-1388.	1.8	3
1066	Imaging of cardiac electrical excitation conduction. , 2015, 2015, 4479-82.		0
1067	Multimodal based classification of schizophrenia patients. , 2015, 2015, 2629-32.		9
1068	Three-Dimensional Reconstruction of a Cardiac Outline by Magnetocardiography. IEEE Transactions on Biomedical Engineering, 2015, 62, 60-69.	2.5	9
1069	Epileptogenic focus localization in treatment-resistant post-traumatic epilepsy. Journal of Clinical Neuroscience, 2015, 22, 627-631.	0.8	37
1070	Minimum-energy Coils for Transcranial Magnetic Stimulation: Application to Focal Stimulation. Brain Stimulation, 2015, 8, 124-134.	0.7	65
1071	High- $f_{m c}$ SQUID vs. Low- $f_{m c}$ SQUID-Based Recordings on a Head Phantom: Benchmarking for Magnetoencephalography. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-5.	1.1	17
1072	Mathematical framework for large-scale brain network modeling in The Virtual Brain. NeuroImage, 2015, 111, 385-430.	2.1	274
1073	Denosing of multichannel MCG data by the combination of EEMD and ICA and its effect on the pseudo current density maps. Biomedical Signal Processing and Control, 2015, 18, 204-213.	3.5	19
1074	The effect of ageing on fMRI: Correction for the confounding effects of vascular reactivity evaluated by joint fMRI and MEG in 335 adults. Human Brain Mapping, 2015, 36, 2248-2269.	1.9	169
1075	High-resolution EEG (HR-EEG) and magnetoencephalography (MEG). Neurophysiologie Clinique, 2015, 45, 105-111.	1.0	24
1076	Disinhibitory shift of recovery curve of somatosensory-evoked response in elderly: A magnetoencephalographic study. Clinical Neurophysiology, 2015, 126, 1228-1233.	0.7	10
1077	A symmetric multivariate leakage correction for MEG connectomes. NeuroImage, 2015, 117, 439-448.	2.1	383
1078	Dynamic recruitment of resting state sub-networks. NeuroImage, 2015, 115, 85-95.	2.1	93

#	ARTICLE	IF	CITATIONS
1079	On nonparametric feature filters in electromagnetic imaging. <i>Journal of Statistical Planning and Inference</i> , 2015, 164, 39-53.	0.4	1
1080	Forward Models for EEG/MEG. , 2015, , 549-555.		2
1081	Electromagnetic Brain Imaging. , 2015, , .		41
1082	A Meshfree Solver for the MEG Forward Problem. <i>IEEE Transactions on Magnetics</i> , 2015, 51, 1-4.	1.2	21
1083	EEG artifact removalâ€”state-of-the-art and guidelines. <i>Journal of Neural Engineering</i> , 2015, 12, 031001.	1.8	629
1084	The Method of Fundamental Solutions in Solving Coupled Boundary Value Problems for M/EEG. <i>SIAM Journal of Scientific Computing</i> , 2015, 37, B570-B590.	1.3	22
1085	Averaging auditory evoked magnetoencephalographic and electroencephalographic responses: a critical discussion. <i>European Journal of Neuroscience</i> , 2015, 41, 631-640.	1.2	11
1086	A Predictive Modeling Approach to Analyze Data in EEGâ€”fMRI Experiments. <i>International Journal of Neural Systems</i> , 2015, 25, 1440008.	3.2	16
1087	Opportunities and methodological challenges in EEG and MEG resting state functional brain network research. <i>Clinical Neurophysiology</i> , 2015, 126, 1468-1481.	0.7	319
1088	Assessing Motor Function in Young Children With Transcranial Magnetic Stimulation. <i>Pediatric Neurology</i> , 2015, 52, 94-103.	1.0	26
1090	Volumetric imaging of brain activity with spatial-frequency decoding of neuromagnetic signals. <i>Journal of Neuroscience Methods</i> , 2015, 239, 114-128.	1.3	51
1091	Increased Inhibition in Non-Primary Motor Areas of String-Instrument Players: A Preliminary Study with Paired-Pulse Transcranial Magnetic Stimulation. <i>Brain Plasticity</i> , 2016, 1, 223-234.	1.9	6
1092	MEG Connectivity and Power Detections with Minimum Norm Estimates Require Different Regularization Parameters. <i>Computational Intelligence and Neuroscience</i> , 2016, 2016, 1-11.	1.1	24
1093	Multi-Dimensional Dynamics of Human Electromagnetic Brain Activity. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 713.	1.0	43
1094	The Brain Is Faster than the Hand in Split-Second Intentions to Respond to an Impending Hazard: A Simulation of Neuroadaptive Automation to Speed Recovery to Perturbation in Flight Attitude. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 187.	1.0	19
1095	Embedding Task-Based Neural Models into a Connectome-Based Model of the Cerebral Cortex. <i>Frontiers in Neuroinformatics</i> , 2016, 10, 32.	1.3	10
1096	Neural Biomarkers for Dyslexia, ADHD, and ADD in the Auditory Cortex of Children. <i>Frontiers in Neuroscience</i> , 2016, 10, 324.	1.4	69
1097	Multimodal Classification of Schizophrenia Patients with MEG and fMRI Data Using Static and Dynamic Connectivity Measures. <i>Frontiers in Neuroscience</i> , 2016, 10, 466.	1.4	68

#	ARTICLE	IF	CITATIONS
1098	s-SMOOTH: Sparsity and Smoothness Enhanced EEG Brain Tomography. <i>Frontiers in Neuroscience</i> , 2016, 10, 543.	1.4	15
1099	Combined EMD-sLORETA Analysis of EEG Data Collected during a Contour Integration Task. <i>PLoS ONE</i> , 2016, 11, e0167957.	1.1	13
1100	Inverse Modeling: Theory and Engineering Examples. , 2016, , .		0
1101	Dual signal subspace projection (DSSP): a novel algorithm for removing large interference in biomagnetic measurements. <i>Journal of Neural Engineering</i> , 2016, 13, 036007.	1.8	52
1102	Estimation of nonlinear neural source interactions via sliced bicoherence. <i>Biomedical Signal Processing and Control</i> , 2016, 30, 43-52.	3.5	7
1103	Modulation of post-movement beta rebound by contraction force and rate of force development. <i>Human Brain Mapping</i> , 2016, 37, 2493-2511.	1.9	65
1104	Estimation method of current density between laminated thin sheets by inverse analysis of magnetic field (Application to short circuit localization). <i>Mechanical Engineering Journal</i> , 2016, 3, 16-00046-16-00046.	0.2	3
1105	Electroencephalography (EEG) forward modeling via $\nabla \cdot \mathbf{H}$ finite element sources with focal interpolation. <i>Physics in Medicine and Biology</i> , 2016, 61, 8502-8520.	1.6	22
1106	The magnetic field inside a layered anisotropic spherical conductor due to internal sources. <i>Journal of Applied Physics</i> , 2016, 119, 023901.	1.1	1
1107	Microsleeps are Associated with Stage-2 Sleep Spindles from Hippocampal-Temporal Network. <i>International Journal of Neural Systems</i> , 2016, 26, 1650015.	3.2	16
1108	Electroencephalographic Motor Imagery Brain Connectivity Analysis for BCI: A Review. <i>Neural Computation</i> , 2016, 28, 999-1041.	1.3	165
1109	Inferior frontal gyrus links visual and motor cortices during a visuomotor precision grip force task. <i>Brain Research</i> , 2016, 1650, 252-266.	1.1	28
1110	On the handling of brain tissue anisotropy in the forward EEG problem with a conformingly discretized surface integral method. , 2016, , .		2
1111	Integrating cross-frequency and within band functional networks in resting-state MEG: A multi-layer network approach. <i>NeuroImage</i> , 2016, 142, 324-336.	2.1	104
1112	On the preconditioning of the symmetric formulation for the EEG forward problem by leveraging on calderon formulas. , 2016, , .		0
1113	Optical magnetic detection of single-neuron action potentials using quantum defects in diamond. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 14133-14138.	3.3	397
1114	Bayesian smoothing of dipoles in magneto-/electroencephalography. <i>Inverse Problems</i> , 2016, 32, 045007.	1.0	10
1115	Relationships between cortical myeloarchitecture and electrophysiological networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13510-13515.	3.3	96

#	ARTICLE	IF	CITATIONS
1116	Genetic algorithms for dipole location of fetal magnetocardiography. , 2016, 2016, 904-907.		3
1117	Comparison of Brain Networks During Interictal Oscillations and Spikes on Magnetoencephalography and Intracerebral EEG. Brain Topography, 2016, 29, 752-765.	0.8	20
1118	Recovery function of somatosensory evoked brain response in patients with carpal tunnel syndrome: A magnetoencephalographic study. Clinical Neurophysiology, 2016, 127, 2733-2738.	0.7	12
1119	The New York Headâ€”A precise standardized volume conductor model for EEG source localization and tES targeting. NeuroImage, 2016, 140, 150-162.	2.1	215
1120	Safety and tolerability of navigated TMS for preoperative mapping in neurosurgical patients. Clinical Neurophysiology, 2016, 127, 1895-1900.	0.7	86
1121	Abnormal salience signaling in schizophrenia: The role of integrative beta oscillations. Human Brain Mapping, 2016, 37, 1361-1374.	1.9	57
1122	Abnormal visuomotor processing in schizophrenia. NeuroImage: Clinical, 2016, 12, 869-878.	1.4	42
1123	Cortico-muscular synchronization by proprioceptive afferents from the tongue muscles during isometric tongue protrusion. NeuroImage, 2016, 128, 284-292.	2.1	16
1124	Source-space ICA for MEG source imaging. Journal of Neural Engineering, 2016, 13, 016005.	1.8	11
1125	Predicting haemodynamic networks using electrophysiology: The role of non-linear and cross-frequency interactions. NeuroImage, 2016, 130, 273-292.	2.1	64
1126	An Approach to the Inverse Problem of Brain Functional Mapping Under the Assumption of Gamma Distributed Myogram Noise Within Rest Intervals Using the Independent Component Analysis*. Journal of Mathematical Sciences, 2016, 214, 3-11.	0.1	4
1127	Clinical Applications of Magnetoencephalography. , 2016, , .		5
1128	A multi-layer network approach to MEG connectivity analysis. NeuroImage, 2016, 132, 425-438.	2.1	205
1129	Principles of Magnetoencephalography. , 2016, , 3-32.		7
1130	Safety and tolerability of navigated TMS in healthy volunteers. Clinical Neurophysiology, 2016, 127, 1916-1918.	0.7	20
1131	Bayesian Machine Learning: EEG/MEG signal processing measurements. IEEE Signal Processing Magazine, 2016, 33, 14-36.	4.6	100
1132	Characterization of Electrophysiological Propagation by Multichannel Sensors. IEEE Transactions on Biomedical Engineering, 2016, 63, 1751-1759.	2.5	15
1133	Estimating functional connectivity using 2D tangential components in MEG sensor space. Journal of Neuroscience Methods, 2016, 257, 64-75.	1.3	0

#	ARTICLE	IF	CITATIONS
1134	Functional Mapping of the Cerebral Cortex. , 2016, , .		4
1135	On the null space of a class of Fredholm integral equations of the first kind. Journal of Inverse and Ill-Posed Problems, 2016, 24, .	0.5	8
1136	Discriminating simple from double sources via EEG and MEG measurements. Mathematical Methods in the Applied Sciences, 2017, 40, 6187-6191.	1.2	2
1137	An augmented MFS approach for brain activity reconstruction. Mathematics and Computers in Simulation, 2017, 141, 3-15.	2.4	19
1138	Magnetoencephalography as a Tool in Psychiatric Research: Current Status and Perspective. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2017, 2, 235-244.	1.1	29
1139	Abnormal task driven neural oscillations in multiple sclerosis: A visuomotor MEG study. Human Brain Mapping, 2017, 38, 2441-2453.	1.9	24
1140	Prevalence and function of Heschl's gyrus morphotypes in musicians. Brain Structure and Function, 2017, 222, 3587-3603.	1.2	36
1141	By our bootstraps: Comparing methods for measuring auditory 40 Hz steady-state neural activity. Psychophysiology, 2017, 54, 1110-1127.	1.2	20
1142	The impact of MEG source reconstruction method on source-space connectivity estimation: A comparison between minimum-norm solution and beamforming. NeuroImage, 2017, 156, 29-42.	2.1	79
1143	Development of a bio-magnetic measurement system and sensor configuration analysis for rats. Review of Scientific Instruments, 2017, 88, 044704.	0.6	1
1144	Optimising experimental design for MEG resting state functional connectivity measurement. NeuroImage, 2017, 155, 565-576.	2.1	67
1145	Development of advanced signal processing and source imaging methods for superparamagnetic relaxometry. Physics in Medicine and Biology, 2017, 62, 734-757.	1.6	2
1146	Optimal use of EEG recordings to target active brain areas with transcranial electrical stimulation. NeuroImage, 2017, 157, 69-80.	2.1	64
1147	Localization of the Activity Source in the Inverse Problem of Magnetoencephalography. Computational Mathematics and Modeling, 2017, 28, 148-157.	0.2	7
1148	First order reversal curves and intrinsic parameter determination for magnetic materials; limitations of hysteron-based approaches in correlated systems. Scientific Reports, 2017, 7, 45218.	1.6	37
1149	The effect of physical fatigue on oscillatory dynamics of the sensorimotor cortex. Acta Physiologica, 2017, 220, 370-381.	1.8	11
1150	Induction effects of torus knots and unknots. Journal of Physics A: Mathematical and Theoretical, 2017, 50, 365501.	0.7	3
1151	Subspace-based interference removal methods for a multichannel biomagnetic sensor array. Journal of Neural Engineering, 2017, 14, 051001.	1.8	10

#	ARTICLE	IF	CITATIONS
1152	Minimum-Norm Estimation of Motor Representations in Navigated TMS Mappings. <i>Brain Topography</i> , 2017, 30, 711-722.	0.8	16
1153	An intra-neural microstimulation system for ultra-high field magnetic resonance imaging and magnetoencephalography. <i>Journal of Neuroscience Methods</i> , 2017, 290, 69-78.	1.3	7
1154	A mean field model for movement induced changes in the beta rhythm. <i>Journal of Computational Neuroscience</i> , 2017, 43, 143-158.	0.6	36
1155	The functional role of human right hippocampal/parahippocampal theta rhythm in environmental encoding during virtual spatial navigation. <i>Human Brain Mapping</i> , 2017, 38, 1347-1361.	1.9	32
1156	High-resolution retinotopic maps estimated with magnetoencephalography. <i>NeuroImage</i> , 2017, 145, 107-117.	2.1	30
1157	The Virtual Epileptic Patient: Individualized whole-brain models of epilepsy spread. <i>NeuroImage</i> , 2017, 145, 377-388.	2.1	315
1158	Magnetoencephalographic and functional MRI connectomics in schizophrenia via intra- and inter-network connectivity. <i>NeuroImage</i> , 2017, 145, 96-106.	2.1	42
1159	Altered cortical beta-band oscillations reflect motor system degeneration in amyotrophic lateral sclerosis. <i>Human Brain Mapping</i> , 2017, 38, 237-254.	1.9	58
1160	Measurement of dynamic task related functional networks using MEG. <i>NeuroImage</i> , 2017, 146, 667-678.	2.1	110
1161	Hierarchical multiscale Bayesian algorithms for biomagnetic brain imaging. , 2017, , .		0
1162	Evaluation Method of Magnetic Sensors Using the Calibrated Phantom for Magnetoencephalography. <i>Journal of the Magnetism Society of Japan</i> , 2017, 41, 70-74.	0.5	0
1163	Shared high value research resources: The CamCAN human lifespan neuroimaging dataset processed on the open science grid. , 2017, , .		1
1164	Current dipole estimation from magnetospinogram with 3-D planar sensor array. , 2017, , .		0
1165	Effects of Visual Speech on Early Auditory Evoked Fields - From the Viewpoint of Individual Variance. <i>PLoS ONE</i> , 2017, 12, e0170166.	1.1	1
1166	Review of Artifact Rejection Methods for Electroencephalographic Systems. , 0, , .		7
1167	Patient-Specific Cardiovascular Computational Modeling: Diversity of Personalization and Challenges. <i>Journal of Cardiovascular Translational Research</i> , 2018, 11, 80-88.	1.1	97
1168	A New fMRI Informed Mixed-Norm Constrained Algorithm for EEG Source Localization. <i>IEEE Access</i> , 2018, 6, 8258-8269.	2.6	13
1169	Subcortical sources dominate the neuroelectric auditory frequency-following response to speech. <i>NeuroImage</i> , 2018, 175, 56-69.	2.1	198

#	ARTICLE	IF	CITATIONS
1170	Identifying auditory cortex encoding abnormalities in schizophrenia: The utility of low-frequency versus 40 Hz steady-state measures. <i>Psychophysiology</i> , 2018, 55, e13074.	1.2	15
1171	An automatic pre-processing pipeline for EEG analysis (APP) based on robust statistics. <i>Clinical Neurophysiology</i> , 2018, 129, 1427-1437.	0.7	53
1172	The Influence of Surface Deformations on the Forward Magnetoencephalographic Problem. <i>SIAM Journal on Applied Mathematics</i> , 2018, 78, 963-976.	0.8	2
1173	Multi-locus transcranial magnetic stimulation theory and implementation. <i>Brain Stimulation</i> , 2018, 11, 849-855.	0.7	84
1174	Altered temporal stability in dynamic neural networks underlies connectivity changes in neurodevelopment. <i>NeuroImage</i> , 2018, 174, 563-575.	2.1	60
1175	A Quasi-Static Boundary Element Approach With Fast Multipole Acceleration for High-Resolution Bioelectromagnetic Models. <i>IEEE Transactions on Biomedical Engineering</i> , 2018, 65, 2675-2683.	2.5	67
1176	Moving magnetoencephalography towards real-world applications with a wearable system. <i>Nature</i> , 2018, 555, 657-661.	13.7	795
1177	Beamspace dual signal space projection (bDSSP): a method for selective detection of deep sources in MEG measurements. <i>Journal of Neural Engineering</i> , 2018, 15, 036026.	1.8	4
1178	How Does Sensor-Space Group Blind Source Separation Face Inter-individual Neuroanatomical Variability? Insights from a Simulation Study Based on the PALS-B12 Atlas. <i>Brain Topography</i> , 2018, 31, 62-75.	0.8	11
1179	Localized N20 Component of Somatosensory Evoked Magnetic Fields in Frontoparietal Brain Tumor Patients Using Noise-Normalized Approaches. <i>Clinical Neuroradiology</i> , 2018, 28, 267-281.	1.0	2
1180	An Integrated Maximum Current Density Approach for Noninvasive Detection of Myocardial Infarction. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2018, 22, 495-502.	3.9	7
1181	Estimation of effective connectivity using multi-layer perceptron artificial neural network. <i>Cognitive Neurodynamics</i> , 2018, 12, 21-42.	2.3	27
1182	Reducing Sensor Noise in MEG and EEG Recordings Using Oversampled Temporal Projection. <i>IEEE Transactions on Biomedical Engineering</i> , 2018, 65, 1002-1013.	2.5	43
1183	Vectorial Slepian Functions on the Ball. <i>Numerical Functional Analysis and Optimization</i> , 2018, 39, 1120-1152.	0.6	3
1184	Seamless Utilization of Heterogeneous X86 Resources to Accelerate Processing of a High Value Functional Neuroimaging Dataset. , 2018, , .		0
1185	Decoding Steady-State Visual Evoked Potentials From Electroencephalography. <i>Frontiers in Neuroinformatics</i> , 2018, 12, 65.	1.3	18
1186	Efficient determination of bespoke optically active nanoparticle distributions. <i>Journal of Optics (United Kingdom)</i> , 2018, 20, 085003.	1.0	2
1187	Estimating uterine source current during contractions using magnetomyography measurements. <i>PLoS ONE</i> , 2018, 13, e0202184.	1.1	18

#	ARTICLE	IF	CITATIONS
1188	SaaS Platform for Time Series Data Handling. EPJ Web of Conferences, 2018, 173, 05013.	0.1	3
1189	Development of human electrophysiological brain networks. Journal of Neurophysiology, 2018, 120, 3122-3130.	0.9	14
1191	Individual Activation Patterns After the Stimulation of Different Motor Areas: A Transcranial Magnetic Stimulationâ€“Electroencephalography Study. Brain Connectivity, 2018, 8, 420-428.	0.8	18
1192	EEG Dipole Source Localization in Hemispherical Harmonics Domain. , 2018, , .		8
1193	High-gamma activity in the human hippocampus and parahippocampus during inter-trial rest periods of a virtual navigation task. NeuroImage, 2018, 178, 92-103.	2.1	11
1194	Adaptive flexibility of the within-hand attentional gradient in touch: An MEG study. NeuroImage, 2018, 179, 373-384.	2.1	7
1195	Mapping the topological organisation of beta oscillations in motor cortex using MEG. NeuroImage, 2018, 181, 831-844.	2.1	27
1196	A Calderon regularized symmetric formulation for the electroencephalography forward problem. Journal of Computational Physics, 2018, 375, 291-306.	1.9	8
1197	Sensor Level Functional Connectivity Topography Comparison Between Different References Based EEG and MEG. Frontiers in Behavioral Neuroscience, 2018, 12, 96.	1.0	1
1198	The Discontinuous Galerkin Finite Element Method for Solving the MEG and the Combined MEG/EEG Forward Problem. Frontiers in Neuroscience, 2018, 12, 30.	1.4	36
1199	Non-invasive Investigation of Human Hippocampal Rhythms Using Magnetoencephalography: A Review. Frontiers in Neuroscience, 2018, 12, 273.	1.4	45
1200	Changes in electrophysiological markers of cognitive control after administration of galantamine. NeuroImage: Clinical, 2018, 20, 228-235.	1.4	7
1201	A bi-planar coil system for nulling background magnetic fields in scalp mounted magnetoencephalography. NeuroImage, 2018, 181, 760-774.	2.1	143
1202	Conforming discretizations of boundary element solutions to the electroencephalography forward problem. Comptes Rendus Physique, 2018, 19, 7-25.	0.3	14
1203	Brainstem-cortical functional connectivity for speech is differentially challenged by noise and reverberation. Hearing Research, 2018, 367, 149-160.	0.9	46
1204	Relationships Between Neuronal Oscillatory Amplitude and Dynamic Functional Connectivity. Cerebral Cortex, 2019, 29, 2668-2681.	1.6	85
1205	Wearable neuroimaging: Combining and contrasting magnetoencephalography and electroencephalography. NeuroImage, 2019, 201, 116099.	2.1	82
1206	Robust Bayesian algorithm for distributed source reconstructions MEG/EEG data. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
1207	Application of source localization algorithms in magnetoencephalography: test on a new generation of magnetometers. , 2019, , .		1
1208	The multipole approach for EEG forward modeling using the finite element method. NeuroImage, 2019, 201, 116039.	2.1	9
1209	A Pottsâ€mixture spatiotemporal joint model for combined magnetoencephalography and electroencephalography data. Canadian Journal of Statistics, 2019, 47, 688-711.	0.6	3
1210	Modeling the Switching Behavior of Functional Connectivity Microstates (FCÎ¼states) as a Novel Biomarker for Mild Cognitive Impairment. Frontiers in Neuroscience, 2019, 13, 542.	1.4	7
1211	Electric field simulations for transcranial brain stimulation using FEM: an efficient implementation and error analysis. Journal of Neural Engineering, 2019, 16, 066032.	1.8	95
1212	Comparison of DSSP and tSSS algorithms for removing artifacts from vagus nerve stimulators in magnetoencephalography data. Journal of Neural Engineering, 2019, 16, 066045.	1.8	12
1213	A tool for functional brain imaging with lifespan compliance. Nature Communications, 2019, 10, 4785.	5.8	96
1214	Dry Phantoms With Deep Signal Sources for Magnetoencephalography. IEEE Magnetics Letters, 2019, 10, 1-5.	0.6	0
1215	Magnetoencephalography inverse problem in the spheroid geometry. Journal of Inverse and Ill-Posed Problems, 2019, 27, 159-169.	0.5	4
1216	Boundary Influence on MCG Sparse Inverse Problem. Procedia Computer Science, 2019, 154, 226-231.	1.2	0
1217	Neural dynamics of semantic composition. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 21318-21327.	3.3	42
1218	Accurate signal-source localization in brain slices by means of high-density microelectrode arrays. Scientific Reports, 2019, 9, 788.	1.6	17
1219	Recent Developments in MEG Network Analysis. , 2019, , 1-15.		0
1220	EEG/MEG Source Estimation and Spatial Filtering: The Linear Toolkit. , 2019, , 1-37.		1
1221	Magnetoencephalography applied to the study of Alzheimer's disease. Progress in Molecular Biology and Translational Science, 2019, 165, 25-61.	0.9	13
1222	Towards OPM-MEG in a virtual reality environment. NeuroImage, 2019, 199, 408-417.	2.1	87
1223	Tracking dynamic brain networks using high temporal resolution MEG measures of functional connectivity. NeuroImage, 2019, 200, 38-50.	2.1	83
1224	Updating Dynamic Noise Models With Moving Magnetoencephalographic (MEG) Systems. IEEE Access, 2019, 7, 10093-10102.	2.6	5

#	ARTICLE	IF	CITATIONS
1226	Explaining event-related fields by a mechanistic model encapsulating the anatomical structure of auditory cortex. <i>Biological Cybernetics</i> , 2019, 113, 321-345.	0.6	10
1227	Magnetoencephalography Inverse Problem for Spherical and Spheroid Models. <i>Journal of Mathematical Sciences</i> , 2019, 237, 858-864.	0.1	0
1228	A Study of Imaging the Cardiac Activation Sequences in Electrocardiology. , 2019, , .		0
1229	Computational imaging of the cardiac activities using magnetocardiography. <i>Journal of Medical Engineering and Technology</i> , 2019, 43, 401-410.	0.8	1
1230	Transcranial magnetic stimulation-evoked potentials after the stimulation of the right-hemispheric homologue of Broca's area. <i>NeuroReport</i> , 2019, 30, 1110-1114.	0.6	1
1231	An Efficient and Robust Muscle Artifact Removal Method for Few-Channel EEG. <i>IEEE Access</i> , 2019, 7, 176036-176050.	2.6	13
1232	Handling anisotropic conductivities in the EEG forward problem with a symmetric formulation. <i>Physics in Medicine and Biology</i> , 2019, 64, 035022.	1.6	3
1233	First United Kingdom Experience of Navigated Transcranial Magnetic Stimulation in Preoperative Mapping of Brain Tumors. <i>World Neurosurgery</i> , 2019, 122, e1578-e1587.	0.7	36
1234	Comparative performance of the finite element method and the boundary element fast multipole method for problems mimicking transcranial magnetic stimulation (TMS). <i>Journal of Neural Engineering</i> , 2019, 16, 024001.	1.8	31
1235	Spatial and spectral trajectories in typical neurodevelopment from childhood to middle age. <i>Network Neuroscience</i> , 2019, 3, 497-520.	1.4	27
1236	A Finite-Difference Solution for the EEG Forward Problem in Inhomogeneous Anisotropic Media. <i>Brain Topography</i> , 2019, 32, 229-239.	0.8	24
1237	Modified Dominant Mode Rejection Beamformer for Localizing Brain Activities When Data Covariance Matrix Is Rank Deficient. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 2241-2252.	2.5	2
1238	Practical Current Distribution Measurement Systems for Lead Cells. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2019, 68, 3151-3165.	2.4	1
1239	A Simulation Framework for Benchmarking EEG-Based Brain Connectivity Estimation Methodologies. <i>Brain Topography</i> , 2019, 32, 625-642.	0.8	93
1240	Multiple sparse priors technique with optimized patches for brain source localization. <i>International Journal of Imaging Systems and Technology</i> , 2020, 30, 154-167.	2.7	3
1241	Epigenetic Markers of Aging Predict the Neural Oscillations Serving Selective Attention. <i>Cerebral Cortex</i> , 2020, 30, 1234-1243.	1.6	13
1242	Power Dissipation and Surface Charge in EEG: Application to Eigenvalue Structure of Integral Operators. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 1232-1242.	2.5	1
1243	Electro-magnetoencephalography for a spherical multiple-shell model: novel integral operators with singular-value decompositions. <i>Inverse Problems</i> , 2020, 36, 035003.	1.0	2

#	ARTICLE	IF	CITATIONS
1244	Fast Approximation of EEG Forward Problem and Application to Tissue Conductivity Estimation. IEEE Transactions on Medical Imaging, 2020, 39, 888-897.	5.4	5
1245	A novel method for extracting interictal epileptiform discharges in multi-channel MEG: Use of fractional type of blind source separation. Clinical Neurophysiology, 2020, 131, 425-436.	0.7	5
1246	Outlier-insensitive Bayesian inference for linear inverse problems (OutlBI) with applications to space geodetic data. Geophysical Journal International, 2020, 221, 334-350.	1.0	9
1247	Individual differences in motor development during early childhood: An MEG study. Developmental Science, 2020, 23, e12935.	1.3	7
1248	Individual head models for estimating the TMS-induced electric field in rat brain. Scientific Reports, 2020, 10, 17397.	1.6	11
1249	Prospects for Future Methodological Development and Application of Magnetoencephalography Devices in Psychiatry. Frontiers in Psychiatry, 2020, 11, 863.	1.3	12
1250	Is a Quantum Biosensing Revolution Approaching? Perspectives in NVa€Assisted Current and Thermal Biosensing in Living Cells. Advanced Quantum Technologies, 2020, 3, 2000066.	1.8	36
1251	Awake state-specific suppression of primary somatosensory evoked response correlated with duration of temporal lobe epilepsy. Scientific Reports, 2020, 10, 15895.	1.6	2
1252	Detection of tiny oscillatory magnetic fields using low-field MRI: A combined phantom and simulation study. Journal of Magnetic Resonance, 2020, 319, 106828.	1.2	5
1253	Magnetoencephalography Signal Processing, Forward Modeling, Inverse Source Imaging, and Coherence Analysis. Neuroimaging Clinics of North America, 2020, 30, 125-143.	0.5	6
1254	Construction of Dynamic Lead Fields from Vectorcardiography to Solve the Forward and the Inverse Problems in Magnetocardiography. Irbm, 2020, 42, 313-313.	3.7	0
1255	Event-related brain potentials in multilingual language processing: The N's and P's. Psychology of Learning and Motivation - Advances in Research and Theory, 2020, 72, 75-118.	0.5	1
1256	Neural source localization using particle filter with optimal proportional set resampling. ETRI Journal, 2020, 42, 932-942.	1.2	5
1257	Simulation-based Analysis of Magnetogastrography Sensor Configurations for Characterizing Gastric Slow Wave Dysrhythmias*. , 2020, 2020, 2512-2515.		1
1258	Negative Correlation Between Functional Connectivity and Small-Worldness in the Alpha Frequency Band of a Healthy Brain. Frontiers in Physiology, 2020, 11, 910.	1.3	7
1259	Non-Invasive Computational Modeling of Heart from Vectorcardiography in Myocardial Infarction using Magnetocardiography. , 2020, , .		0
1260	The Clinical Utility of Transcranial Magnetic Stimulation in Determining Hemispheric Dominance for Language: A Magnetoencephalography Comparison Study. Journal of Clinical Neurophysiology, 2020, 37, 90-103.	0.9	11
1261	The advancement of magnetoneurography. Clinical Neurophysiology, 2020, 131, 938-939.	0.7	1

#	ARTICLE	IF	CITATIONS
1262	Gender differences in navigation performance are associated with differential theta and high-gamma activities in the hippocampus and parahippocampus. <i>Behavioural Brain Research</i> , 2020, 391, 112664.	1.2	8
1263	Multi-channel whole-head OPM-MEG: Helmet design and a comparison with a conventional system. <i>NeuroImage</i> , 2020, 219, 116995.	2.1	164
1264	A Gaussian Process Model of Human Electroencephalographic Data. <i>Cerebral Cortex</i> , 2020, 30, 5333-5345.	1.6	13
1265	Interictal structural and functional connectivity in idiopathic generalized epilepsy: A systematic review of graph theoretical studies. <i>Epilepsy and Behavior</i> , 2020, 106, 107013.	0.9	33
1266	The biosensing with NV centers in diamond: Related challenges. <i>International Journal of Quantum Information</i> , 2020, 18, 1941023.	0.6	7
1267	Evaluation of neural activity by magnetospinography with 3D sensors. <i>Clinical Neurophysiology</i> , 2020, 131, 1252-1266.	0.7	9
1268	Neuro-current response functions: A unified approach to MEG source analysis under the continuous stimuli paradigm. <i>NeuroImage</i> , 2020, 211, 116528.	2.1	14
1269	The role of transient spectral "bursts" in functional connectivity: A magnetoencephalography study. <i>NeuroImage</i> , 2020, 209, 116537.	2.1	60
1270	Noninvasive muscle activity imaging using magnetography. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 4942-4947.	3.3	13
1271	Multiple dipole source localization of EEG measurements using particle filter with partial stratified resampling. <i>Biomedical Engineering Letters</i> , 2020, 10, 205-215.	2.1	7
1272	Electrical tomography for characterizing transport properties in cement-based materials: A review. <i>Construction and Building Materials</i> , 2020, 244, 118299.	3.2	29
1273	Somatosensory evoked magnetic fields of periodontal mechanoreceptors. <i>Heliyon</i> , 2020, 6, e03244.	1.4	8
1274	Digital Twin: Values, Challenges and Enablers From a Modeling Perspective. <i>IEEE Access</i> , 2020, 8, 21980-22012.	2.6	746
1275	Theta oscillations support the interface between language and memory. <i>NeuroImage</i> , 2020, 215, 116782.	2.1	28
1276	On the modeling of brain fibers in the EEG forward problem via a new family of wire integral equations. <i>Journal of Computational Physics: X</i> , 2020, 5, 100048.	1.1	0
1277	Boundary Element Fast Multipole Method for Enhanced Modeling of Neurophysiological Recordings. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 308-318.	2.5	21
1278	A comprehensive study on electroencephalography and magnetoencephalography sensitivity to cortical and subcortical sources. <i>Human Brain Mapping</i> , 2021, 42, 978-992.	1.9	61
1279	Unified Expression of the Quasi-Static Electromagnetic Field: Demonstration With MEG and EEG Signals. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 992-1004.	2.5	3

#	ARTICLE	IF	CITATIONS
1280	Effects of magnetogastrography sensor configurations in tracking slow wave propagation. <i>Computers in Biology and Medicine</i> , 2021, 129, 104169.	3.9	7
1281	Reconstruction of cardiac activities from Vectorcardiography and Magnetocardiography using Bayesian approach with coherence mapping. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 2021, 9, 78-91.	1.3	1
1282	Gating Patterns to Proprioceptive Stimulation in Various Cortical Areas: An MEG Study in Children and Adults using Spatial ICA. <i>Cerebral Cortex</i> , 2021, 31, 1523-1537.	1.6	5
1283	Brain Source Localization in Head Harmonics Domain. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, 70, 1-10.	2.4	12
1284	Application of Boundary Perturbations on Medical Monitoring and Imaging Techniques. <i>Springer Optimization and Its Applications</i> , 2021, , 101-130.	0.6	0
1285	Where Bayes tweaks Gauss: Conditionally Gaussian priors for stable multi-dipole estimation. <i>Inverse Problems and Imaging</i> , 2021, 15, 1099.	0.6	6
1286	Age-Related EEG Power Reductions Cannot Be Explained by Changes of the Conductivity Distribution in the Head Due to Brain Atrophy. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 632310.	1.7	5
1287	A mathematical model for bleb regulation in zebrafish primordial germ cells. <i>Mathematical Medicine and Biology</i> , 2021, 38, 218-254.	0.8	2
1288	Magnetoencephalography: physics, techniques, and applications in the basic and clinical neurosciences. <i>Journal of Neurophysiology</i> , 2021, 125, 938-956.	0.9	6
1289	Symptom-Dependent Changes in MEG-Derived Neuroelectric Brain Activity in Traumatic Brain Injury Patients with Chronic Symptoms. <i>Medical Sciences (Basel, Switzerland)</i> , 2021, 9, 20.	1.3	4
1290	Ant Colony System Optimization for Spatiotemporal Modelling of Combined EEG and MEG Data. <i>Entropy</i> , 2021, 23, 329.	1.1	2
1292	Sleep spindles comprise a subset of a broader class of electroencephalogram events. <i>Sleep</i> , 2021, 44, .	0.6	19
1294	Dynamics of task-related electrophysiological networks: a benchmarking study. <i>NeuroImage</i> , 2021, 231, 117829.	2.1	12
1295	Statistical power: Implications for planning MEG studies. <i>NeuroImage</i> , 2021, 233, 117894.	2.1	6
1296	Study of a computational model for a differential equation with empirical functions based on the integral equations Fredholm of the first kind. <i>Materials Today: Proceedings</i> , 2021, , .	0.9	0
1297	Research on improvement of hybrid particle swarm algorithm in underwater active electric field positioning technology. <i>Journal of Physics: Conference Series</i> , 2021, 1976, 012020.	0.3	0
1300	Theoretical advantages of a triaxial optically pumped magnetometer magnetoencephalography system. <i>NeuroImage</i> , 2021, 236, 118025.	2.1	73
1301	The developing relations between networks of cortical myelin and neurophysiological connectivity. <i>NeuroImage</i> , 2021, 237, 118142.	2.1	15

#	ARTICLE	IF	CITATIONS
1302	Recent Developments in Spatio-Temporal EEG Source Reconstruction Techniques. <i>Wireless Personal Communications</i> , 2022, 122, 1531-1558.	1.8	2
1303	Bayesian MEG time courses with fMRI priors. <i>Brain Imaging and Behavior</i> , 2022, 16, 781-791.	1.1	2
1304	Dichotic listening deficits in amblyaudia are characterized by aberrant neural oscillations in auditory cortex. <i>Clinical Neurophysiology</i> , 2021, 132, 2152-2162.	0.7	8
1305	A study of scalar optically-pumped magnetometers for use in magnetoencephalography without shielding. <i>Physics in Medicine and Biology</i> , 2021, 66, 175030.	1.6	16
1307	Testing covariance models for MEG source reconstruction of hippocampal activity. <i>Scientific Reports</i> , 2021, 11, 17615.	1.6	8
1308	An extended application "Brain Q"™ processing EEG and MEG data of finger stimulation extended from "Zeffiro"™ based on machine learning and signal processing. <i>Cognitive Systems Research</i> , 2021, 69, 50-66.	1.9	2
1309	Face-selective responses in combined EEG/MEG recordings with fast periodic visual stimulation (FPVS). <i>NeuroImage</i> , 2021, 242, 118460.	2.1	5
1310	Why do humans have unique auditory event-related fields? Evidence from computational modeling and MEG experiments. <i>Psychophysiology</i> , 2021, 58, e13769.	1.2	8
1311	Heightened amygdala responsiveness in s-carriers of 5-HTTLPR genetic polymorphism reflects enhanced cortical rather than subcortical inputs: An MEG study. <i>Human Brain Mapping</i> , 2017, 38, 4313-4321.	1.9	1
1312	Neuroelectromagnetic Source Imaging of Brain Dynamics. <i>Springer Optimization and Its Applications</i> , 2010, , 127-155.	0.6	10
1313	Searching for Independence in Electromagnetic Brain Waves. <i>Perspectives in Neural Computing</i> , 2000, , 183-199.	0.1	7
1314	An Introduction to EEG Source Analysis with an Illustration of a Study on Error-Related Potentials. , 2014, , 163-189.		2
1315	A Numerically Stable Approximation for the Magnetic Field of the Conducting Spheroid Close to the Symmetry Axis. , 2000, , 209-212.		1
1316	Some Statistical Aspects of Magnetoencephalography. <i>Lecture Notes in Statistics</i> , 2001, , 213-245.	0.1	2
1317	Volume Current Effects on MEG and Modeling. , 1989, , 533-538.		1
1318	Impact of Different Noise Sources on Dipole Localization in the Spherical Model: A Simulation. , 1989, , 539-542.		3
1319	Minimum Norm Estimation of Current Distributions in Realistic Geometries. , 1989, , 603-606.		14
1320	On the Spatial Locating Accuracy of Multichannel Magnetometers. , 1989, , 713-716.		5

#	ARTICLE	IF	CITATIONS
1321	Recording Event-Related Brain Potentials: Application to Study Auditory Perception. Springer Handbook of Auditory Research, 2012, , 69-96.	0.3	14
1322	Generators of the Movement-Related Cortical Potentials and Dipole Source Analysis. , 2003, , 113-130.		9
1323	The Physical Basis of Electrophysiological Brain Imaging: Exploratory Techniques for Source Localization and Waveshape Analysis of Functional Components of Electrical Brain Activity. , 1990, , 435-459.		3
1326	Magnetoencephalography (MEG). Methods in Molecular Biology, 2009, 489, 167-188.	0.4	4
1327	MEG as an Enabling Tool in Neuroscience: Transcending Boundaries with New Analysis Methods and Devices. , 2019, , 3-39.		2
1328	EEG/MEG Source Estimation and Spatial Filtering: The Linear Toolkit. , 2019, , 167-203.		8
1329	Transcranial Magnetic Stimulation: Principles and Applications. , 2020, , 245-270.		11
1331	Magnetic Measurements in Plant Electrophysiology. , 2006, , 187-218.		1
1332	Localization Estimation Algorithm (LEA): A Supervised Prior-Based Approach for Solving the EEG/MEG Inverse Problem. Lecture Notes in Computer Science, 2003, 18, 536-547.	1.0	9
1334	Functional Imaging of Brain Activity and Connectivity with MEG. Understanding Complex Systems, 2007, , 201-219.	0.3	9
1335	The Added Value of EEG&fMRI in Imaging Neuroscience. , 2009, , 97-112.		3
1336	MRVIEW: A Software Package for the Analysis and Visualization of Brain Imaging Data. , 2014, , 237-254.		2
1337	Forward Modeling and Tissue Conductivities. , 2014, , 107-127.		1
1338	Distributed Source Models: Standard Solutions and New Developments. Springer Series in Synergetics, 1999, , 176-201.	0.2	54
1339	Biomagnetic Sensors. , 1989, , 128-150.		5
1341	Magnetoencephalography: Basic Theory and Estimation Techniques of Working Brain Activity. , 2008, , 77-93.		1
1342	Multichannel SQUID Biomagnetic Systems. , 2000, , 61-138.		29
1343	Computer Simulation of Nerve Conduction Study of a Sural Nerve to Evaluate Human Peripheral Nervous System. IFMBE Proceedings, 2018, , 461-465.	0.2	3

#	ARTICLE	IF	CITATIONS
1344	Magnetic Source Imaging. , 1994, , 49-79.		4
1345	EEG Source Analysis. , 2011, , 25-433.		12
1346	Bayesian inversion of EEG models. , 2007, , 367-376.		5
1347	The Contingent Magnetic Variation in Migraine. Journal of Psychophysiology, 1999, 13, 215-223.	0.3	3
1348	The Frontal Generator of the Mismatch Negativity Revisited. Journal of Psychophysiology, 2007, 21, 188-203.	0.3	185
1349	A magnetoencephalographic study of longitudinal brain function alterations following carpal tunnel release. Scientific Reports, 2019, 9, 19776.	1.6	5
1351	When to include ECoG electrode properties in volume conduction models. Journal of Neural Engineering, 2020, 17, 056031.	1.8	5
1352	Effect of structural complexities in head modeling on the accuracy of EEG source localization in neonates. Journal of Neural Engineering, 2020, 17, 056004.	1.8	10
1353	Dynamic functional neuroimaging integrating multiple modalities. , 2001, , 354-383.		4
1354	3.7 Integration of Separately Recorded EEG/MEG and fMRI Data. , 2010, , 209-234.		4
1355	MEG Analysis with Spatial Filtered Reconstruction. IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences, 2006, E89-A, 1428-1436.	0.2	1
1356	EEG Source Localization and Imaging Using Multiple Signal Classification Approaches. Journal of Clinical Neurophysiology, 1999, 16, 225-238.	0.9	126
1357	Insights Into Brain Function and Neural Plasticity Using Magnetic Source Imaging. Journal of Clinical Neurophysiology, 2000, 17, 143-162.	0.9	34
1365	Referee consensus. , 2013, , .		5
1366	Bipolar Disorder: Anomalous Brain Asymmetry Associated With Psychosis. American Journal of Psychiatry, 1999, 156, 1159-1163.	4.0	23
1367	Multichannel Tomographic Neurofeedback. , 2007, , 85-107.		2
1368	Language dominance determined by magnetic source imaging. Neurology, 1999, 53, 938-938.	1.5	137
1369	Ketamine-Induced Oscillations in the Motor Circuit of the Rat Basal Ganglia. PLoS ONE, 2011, 6, e21814.	1.1	65

#	ARTICLE	IF	CITATIONS
1370	Lateral Orbitofrontal Cortex Involvement in Initial Negative Aesthetic Impression Formation. PLoS ONE, 2012, 7, e38152.	1.1	20
1371	MEG Source Localization Using Invariance of Noise Space. PLoS ONE, 2013, 8, e58408.	1.1	8
1372	Combined EEG/MEG Can Outperform Single Modality EEG or MEG Source Reconstruction in Presurgical Epilepsy Diagnosis. PLoS ONE, 2015, 10, e0118753.	1.1	79
1373	On the Potential of a New Generation of Magnetometers for MEG: A Beamformer Simulation Study. PLoS ONE, 2016, 11, e0157655.	1.1	138
1374	Incorporating and Compensating Cerebrospinal Fluid in Surface-Based Forward Models of Magneto- and Electroencephalography. PLoS ONE, 2016, 11, e0159595.	1.1	51
1375	Similarities and differences between on-scalp and conventional in-helmet magnetoencephalography recordings. PLoS ONE, 2017, 12, e0178602.	1.1	25
1376	Evaluating age-related change in lip somatosensation using somatosensory evoked magnetic fields. PLoS ONE, 2017, 12, e0179323.	1.1	4
1377	Dynamical Cortical Activations Associated with Saccade Execution: A Normalized Integrative fMRI-MEG Study. Advanced Biomedical Engineering, 2012, 1, 27-35.	0.4	5
1378	The neurophysiology of ketamine: an integrative review. Reviews in the Neurosciences, 2020, 31, 457-503.	1.4	24
1379	Non-dipolarity of Heart Potentials Estimated by Magnetocardiography in Normal Subjects.. International Heart Journal, 1998, 39, 731-742.	0.6	5
1380	Analytical Formula of Induced Electric Fields in a Spherical Conductor by an Arbitral ELF Dipole Magnetic Field Source. IEEJ Transactions on Fundamentals and Materials, 2006, 126, 725-726.	0.2	4
1381	Effect of Head Model and Dipole Source Parameters on EEG Fields. Open Biomedical Engineering Journal, 2015, 9, 10-16.	0.7	1
1382	Mapping of Cortical Function Related to Jaw Movements with MEG.. Nihon Hotetsu Shika Gakkai Zasshi, 1998, 42, 779-789.	0.3	1
1385	Particle filtering, beamforming and multiple signal classification for the analysis of magnetoencephalography time series: a comparison of algorithms. Inverse Problems and Imaging, 2010, 4, 169-190.	0.6	15
1387	Computing Resolution for Neuromagnetic Imaging Systems. Journal of Computer Engineering and Information Technology, 2016, 5, .	0.1	3
1388	A spatio-temporal solution for the EEG/MEG inverse problem using group penalization methods. Statistics and Its Interface, 2011, 4, 521-533.	0.2	16

#	ARTICLE	IF	CITATIONS
1389	Intracerebral Communication Studied by Magnetoencephalography. , 0, ,		2
1390	Distributed current source reconstruction of magnetocardiography and its accuracy analysis. Wuli Xuebao/Acta Physica Sinica, 2013, 62, 148703.	0.2	4
1391	Equivalent source reconstruction in inhomogeneous electromagnetic media. Wuli Xuebao/Acta Physica Sinica, 2014, 63, 078702.	0.2	2
1392	Human Neocortical Neurosolver (HNN), a new software tool for interpreting the cellular and network origin of human MEG/EEG data. ELife, 2020, 9, .	2.8	68
1393	Magnetic Field Mapping and Biaxial Vector Operation for Biomagnetic Applications Using High-Sensitivity Optically Pumped Atomic Magnetometers. Japanese Journal of Applied Physics, 2011, 50, 116604.	0.8	4
1394	Conservative Finite Element Modeling of EEG and MEG on Unstructured Grids. IEEE Transactions on Medical Imaging, 2022, 41, 647-656.	5.4	6
1396	Age-related trends in the cortical sources of transient beta bursts during a sensorimotor task and rest. NeuroImage, 2021, 245, 118670.	2.1	8
1398	Practical Fundamentals of Clinical MEG Interpretation in Epilepsy. Frontiers in Neurology, 2021, 12, 722986.	1.1	14
1399	Pre-stimulus brain oscillations predict insight versus analytic problem-solving in an anagram task. Neuropsychologia, 2021, 162, 108044.	0.7	5
1400	A New Approach to the Reconstructing Source Distribution. , 2000, , 270-273.		0
1401	Comparison of the Constant and Linear Boundary Element Method for EEG and MEG Forward Modeling. , 2000, , 306-309.		1
1402	Effects of Volume Current on Localization of Focal Epileptic Activity. , 2000, , 1102-1105.		0
1403	Current Dipole Localization Errors as a Function of the System Noise and the Number of Sensors. , 2000, , 79-82.		1
1404	Quantification of Deviations Between Spherical and Realistically Shaped Forward Models. , 2000, , 381-384.		0
1405	A 129-channel Vector Neuromagnetic Imaging System. , 2000, , 154-157.		3
1406	A Comparative Study of Minimum Norm Inverse Methods for MEG Imaging. , 2000, , 274-277.		4
1407	A Comparison of Vector and Radial Magnetometer Arrays for Whole-Head Magnetoencephalography. , 2000, , 51-54.		1
1408	A Method for Locating Regions Containing Neural Activation at a Given Confidence Level from MEG Data. , 2000, , 334-337.		1

#	ARTICLE	IF	CITATIONS
1409	Positioning of MCG Measurement Equipment. , 2000, , 11-14.		0
1410	Tangential (x- and y-) Component Measurement of Cardiac Magnetic Field and Comparison with Conventional z- Component Measurement. , 2000, , 565-568.		1
1411	A Weighting Matrix to Remove Depth Bias in the Linear Biomagnetic Inverse Problem with Application to Cardiology. , 2000, , 197-200.		3
1412	Quantitative Comparison of Motor Control Studied with MEG and fMRI. , 2000, , 1162-1165.		0
1414	A Four-Sensor Skeleton Configuration for Single Dipole Localization. , 2000, , 314-317.		1
1415	Algorithm for Magnetocardiography Analysis Based on Multi Channel SQUID and Thoracic MR Images. , 2000, , 261-264.		0
1416	MEG-Based Imaging of Focal Neuronal Current Sources. , 2000, , 310-313.		0
1417	Towards a Standardized Representation of Neuromagnetic Data. , 2000, , 286-289.		0
1418	Towards High-Resolution Imaging Of Subsurface Pollution: An Introduction To The Magneto-Electrical Resistivity Imaging Tool (Merit). , 2000, , .		1
1419	Off-line Processing to Reduce the Line-Frequency Noise in Biomagnetic Field Data Measured in a Moderately Shielded Environment.. Journal of the Magnetics Society of Japan, 2000, 24, 141-145.	0.4	0
1420	A New Approach to the MEG/EEG Inverse Problem for the Recovery of Cortical Phase-Synchrony. Lecture Notes in Computer Science, 2001, , 272-285.	1.0	3
1421	The Imaging of a Magnetic Source. Biological and Medical Physics Series, 2004, , 117-204.	0.3	2
1422	Neuromagnetic Source Reconstruction and Inverse Modeling. Bioelectric Engineering, 2004, , 213-250.	0.7	2
1423	THE EFFECT OF AN ELLIPSOIDAL SHELL ON THE DIRECT EEG PROBLEM. , 2004, , .		2
1424	Magnetoencephalography in Epilepsy. , 2005, , 413-431.		0
1425	Magnetoencephalography. , 2005, , 219-230.		0
1426	Analytical Formula of Induced Electric Fields in a Spherical Conductor by an ELF Dipole Magnetic Field Source. IEEJ Transactions on Fundamentals and Materials, 2007, 127, 346-354.	0.2	0
1427	A Probabilistic Algorithm Integrating Source Localization and Noise Suppression of MEG and EEG Data. , 2007, , 1625-1632.		0

#	ARTICLE	IF	CITATIONS
1450	Noninvasive Neurophysiological Imaging with Magnetoencephalography. Springer Protocols, 2014, , 293-311.	0.1	0
1451	Integrated Software MEGMRIAn for the Analysis and Modeling of the Magnetic Encephalography Data. Mathematical Biology and Bioinformatics, 2013, 8, 691-707.	0.1	3
1452	Inversion of Meg Data for a 2-D Current Distribution. Journal of Applied Mathematics and Physics, 2014, 02, 771-782.	0.2	1
1453	Magnetoencephalography in the study of brain dynamics. Functional Neurology, 0, , .	1.3	6
1454	Research and application of multi-chamber heart magnetic field model. Wuli Xuebao/Acta Physica Sinica, 2014, 63, 058703.	0.2	2
1455	Electric and Magnetic Fields of the Brain. , 2014, , 73-105.		0
1456	Speech Mapping with Transcranial Magnetic Stimulation. Neuromethods, 2014, , 361-379.	0.2	2
1457	Recent Developments in MEG Network Analysis. , 2014, , 263-277.		3
1458	Magnetoencephalography at the Helsinki University of Technology. Physica Scripta, 1989, T25, 243-246.	1.2	0
1459	Mathematical questions of a biomagnetic imaging problem. Lecture Notes in Mathematics, 1991, , 126-132.	0.1	1
1460	Signalverarbeitung und Quellrekonstruktion beim Biomagnetismus. , 1991, , 159-173.		0
1461	Biomagnetic Measurement by SQUID Magnetometer. 1. SQUID Magnetometer.. TEION KOGAKU (Journal of) Tj ETQg1 1 0.784314 rgBT	0.1	2
1462	A Method to Solve the Magnetocardiographic Inverse Problem Based on a Ventricular Excitation Model. IEEJ Transactions on Fundamentals and Materials, 1996, 116, 698-704.	0.2	0
1463	Neuromagnetism and Its Clinical Applications. , 1996, , 445-490.		9
1464	Effects of Volume Current on MEG. IEEJ Transactions on Electronics, Information and Systems, 1996, 116, 210-216.	0.1	2
1465	SQUID sensors for medical applications. , 1998, , 1249-1260.		0
1466	A MEG/EEG Hybrid Method for Source Localization of a Dipole with Radial Component. IEEJ Transactions on Fundamentals and Materials, 1999, 119, 1451-1458.	0.2	0
1467	Spatio-Temporal Dipole Analysis. Springer Series in Synergetics, 1999, , 150-175.	0.2	1

#	ARTICLE	IF	CITATIONS
1468	The Spatial Distribution of Spontaneous EEG and MEG. Springer Series in Synergetics, 1999, , 202-228.	0.2	4
1469	A Magnetoencephalography Study of Cortical Plasticity. Neurocase, 1999, 5, 277-284.	0.2	2
1470	Data Analysis in Cardiac Arrhythmias. Methods in Molecular Biology, 2015, 1246, 217-235.	0.4	0
1473	Optimal design for parameter estimation in EEG problems in a 3D multilayered domain. Mathematical Biosciences and Engineering, 2015, 12, 739-760.	1.0	3
1474	Detection of a Mismatch Field in Evoked Magnetoencephalographic Responses of Individual Subjects by Multivariate Analysis. Advanced Biomedical Engineering, 2015, 4, 126-134.	0.4	0
1475	Minimum-Norm-Based Source Imaging Algorithms. , 2015, , 9-28.		1
1476	On the Inverse MEG Problem with a 1-D Current Distribution. Applied Mathematics, 2015, 06, 95-105.	0.1	0
1477	Numerical Simulations of EEG Fields in Three Head Models. , 0, , .		0
1479	Cortical Mapping with Transcranial Magnetic Stimulation. , 2016, , 141-157.		0
1481	Compressed Sensing and Its Application in CT and EEG. Advances in Bioinformatics and Biomedical Engineering Book Series, 2016, , 123-146.	0.2	0
1482	Alzheimer's Electroencephalogram Event Scalp and Source Localization. Advances in Medical Diagnosis, Treatment, and Care, 2016, , 33-49.	0.1	0
1483	Estimation of Clinical Nerve Conduction Velocity using Boundary Element Method. IEEJ Transactions on Electronics, Information and Systems, 2016, 136, 1348-1349.	0.1	0
1485	nTMS, MEG, and fMRI: Comparing and Contrasting Three Functional Mapping Techniques. , 2017, , 31-49.		0
1486	Compressed Sensing and Its Application in CT and EEG. , 2017, , 1126-1149.		0
1489	Teaching Approach and Materials for Enhancing Student Learning Experience in Tomography Engineering: Soft-Field Tomography. Creative Education, 2018, 09, 2884-2897.	0.2	1
1490	The method of suppressing spatial filter output noise-power gain for cardiac electrical activity imaging. Wuli Xuebao/Acta Physica Sinica, 2018, 67, 158702.	0.2	1
1491	Localization of the spectral features of the encephalograms in psychic disorders. Keldysh Institute Preprints, 2018, , 1-20.	0.1	1
1494	Methods of localization of the spectral features of the encephalograms in psychic disorders. , 0, , .		0

#	ARTICLE	IF	CITATIONS
1495	Estimation of the Directions of Alpha Rhythm Elementary Sources Using the Method of Human Brain Functional Tomography Based On the Magnetic Encephalography Data. <i>Mathematical Biology and Bioinformatics</i> , 2018, 13, 426-436.	0.1	4
1496	Magnetic Stimulation on Human Blood Electromotive force analysis. <i>Revista De Chimie (discontinued)</i> , 2018, 69, 3037-3041.	0.2	0
1497	MRVIEW: A Software Package for the Analysis and Visualization of Brain Imaging Data. , 2019, , 1-18.		0
1498	Current source reconstructing and magnetic imaging of cardiac electrical activity during P-wave. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2019, 68, 138701.	0.2	0
1499	Study of the attention deficit and hyperactivity disorder using the method of functional tomography based on the magnetic encephalography data. <i>Keldysh Institute Preprints</i> , 2019, , 1-24.	0.1	0
1500	Optically Pumped Magnetometers for MEG. , 2019, , 1301-1312.		2
1501	Dual Signal Subspace Projection (DSSP): A Powerful Algorithm for Interference Removal and Selective Detection of Deep Sources. , 2019, , 325-351.		0
1502	Forward Modeling and Tissue Conductivities. , 2019, , 1-22.		0
1503	MEG as an Enabling Tool in Neuroscience: Transcending Boundaries with New Analysis Methods and Devices. , 2019, , 1-37.		1
1504	Dual Signal Subspace Projection (DSSP): A Powerful Algorithm for Interference Removal and Selective Detection of Deep Sources. , 2019, , 1-27.		0
1505	Forward Modeling and Tissue Conductivities. , 2019, , 145-165.		0
1506	Recent Developments in MEG Network Analysis. , 2019, , 631-645.		1
1507	MRVIEW: A Software Package for the Analysis and Visualization of Brain Imaging Data. , 2019, , 373-390.		0
1508	Electric and Magnetic Fields of the Brain. , 2019, , 111-143.		0
1509	Electric and Magnetic Fields of the Brain. , 2019, , 1-33.		0
1511	Simultaneous Smelling an Incense Outdoor and Putting the Hands Together Activate Specific Brain Areas. , 0, , .		0
1514	VirtEl - Software for Magnetic Encephalography Data Analysis by the Method of Virtual Electrodes. <i>Mathematical Biology and Bioinformatics</i> , 2019, 14, 340-354.	0.1	3
1515	Smelling "Zuko": incense rubbing into hands and smelling the hands activates specific brain areas. , 0, , .		0

#	ARTICLE	IF	CITATIONS
1517	Study of Attention Deficit and Hyperactivity Disorder Using the Method of Functional Tomography Based On Magnetic Encephalography Data. <i>Mathematical Biology and Bioinformatics</i> , 2019, 14, 517-532.	0.1	1
1520	Spectral and Spatial Characteristics of the Activity of Brain Structures, Participating in the Perception and Production of Speech. <i>Mathematical Biology and Bioinformatics</i> , 2019, 14, 705-719.	0.1	0
1521	Importance of the class of harmonic sources in the identification of sources in the inverse electroencephalographic problem. <i>Nova Scientia</i> , 2020, 12, .	0.0	0
1523	FEM-based Scalp-to-Cortex EEG data mapping via the solution of the Cauchy problem. <i>Journal of Inverse and Ill-Posed Problems</i> , 2020, 28, 517-532.	0.5	6
1524	Assessment of Directional Connectivity Between Neural Sources Using Effective Connectivity Measures and Particle Filters. <i>Journal of Circuits, Systems and Computers</i> , 2021, 30, 2150149.	1.0	0
1525	Correlation of the Brain Compartments in the Attention Deficit and Hyperactivity Disorder Calculated by the Method of Virtual Electrodes from Magnetic Encephalography Data. <i>Mathematical Biology and Bioinformatics</i> , 2020, 15, 471-486.	0.1	1
1526	A novel method for calibrating head models to account for variability in conductivity and its evaluation in a sphere model. <i>Physics in Medicine and Biology</i> , 2020, 65, 245043.	1.6	5
1528	Integrative fMRI-MEG Methods and Optically Pumped Atomic Magnetometers for Exploring Higher Brain Functions. , 0, , 9-17.		0
1529	Multimodality in Brain Imaging: Methodologic Aspects and Applications. , 2009, , 93-103.		0
1534	Bayesian inference applied to the neural electromagnetic inverse problem. , 0, , .		0
1536	Quantifying time-varying sources in magnetoencephalography—A discrete approach. <i>Annals of Applied Statistics</i> , 2020, 14, .	0.5	0
1537	FTViewer Application for Analysis and Visualization of Functional Tomograms of Complex Systems. <i>Pattern Recognition and Image Analysis</i> , 2020, 30, 716-725.	0.6	3
1538	NUTMEG: a neuromagnetic source reconstruction toolbox. <i>Neurology, Neurophysiology and Neuroscience</i> , 2004, 2004, 52.	0.0	50
1539	Magnetoencephalography in the study of brain dynamics. <i>Functional Neurology</i> , 2014, 29, 241-53.	1.3	15
1540	Association between changes in visual evoked magnetic fields and non-motor features in Parkinson's disease. <i>Nagoya Journal of Medical Science</i> , 2017, 79, 147-155.	0.6	3
1541	A layer potential approach to functional and clinical brain imaging. <i>Journal of Physics: Conference Series</i> , 2021, 2090, 012146.	0.3	0
1542	Spatial sampling of MEG and EEG based on generalized spatial-frequency analysis and optimal design. <i>NeuroImage</i> , 2021, 245, 118747.	2.1	21
1543	Functional cortical localization of tongue movements using corticokinematic coherence with a deep learning-assisted motion capture system. <i>Scientific Reports</i> , 2022, 12, 388.	1.6	4

#	ARTICLE	IF	CITATIONS
1545	A Software Package for the Modeling of Electrophysiological Activity Data. <i>Mathematical Biology and Bioinformatics</i> , 2022, 17, 1-9.	0.1	1
1546	Musical Performance in Adolescents with ADHD, ADD and Dyslexiaâ€”Behavioral and Neurophysiological Aspects. <i>Brain Sciences</i> , 2022, 12, 127.	1.1	9
1548	TMS with fast and accurate electronic control: Measuring the orientation sensitivity of corticomotor pathways. <i>Brain Stimulation</i> , 2022, 15, 306-315.	0.7	23
1549	Transforming and comparing data between standard SQUID and OPM-MEG systems. <i>PLoS ONE</i> , 2022, 17, e0262669.	1.1	16
1550	Cognitive Workload of Tugboat Captains in Realistic Scenarios: Adaptive Spatial Filtering for Transfer Between Conditions. <i>Frontiers in Human Neuroscience</i> , 2022, 16, 818770.	1.0	1
1551	The oscillatory effects of rhythmic median nerve stimulation. <i>NeuroImage</i> , 2022, 251, 118990.	2.1	6
1553	A Framework for Solving the Source Localization of the EEG Measurements with the Application of Particle Filtering with Branching Resampling. <i>Journal of Circuits, Systems and Computers</i> , 0, , .	1.0	0
1554	Predicting strain and stress fields in self-sensing nanocomposites using deep learned electrical tomography. <i>Smart Materials and Structures</i> , 2022, 31, 045024.	1.8	7
1555	Vector-valued spline method for the spherical multiple-shell electro-magnetoencephalography problem. <i>Inverse Problems</i> , 2022, 38, 085001.	1.0	1
1557	Interictal epileptiform discharges in focal epilepsy are preceded by increase in low-frequency oscillations. <i>Clinical Neurophysiology</i> , 2022, 136, 191-205.	0.7	7
1558	Towards an objective evaluation of EEG/MEG source estimation methods â€” The linear approach. <i>NeuroImage</i> , 2022, 255, 119177.	2.1	32
1559	Triaxial detection of the neuromagnetic field using optically-pumped magnetometry: feasibility and application in children. <i>NeuroImage</i> , 2022, 252, 119027.	2.1	76
1560	MEG-Derived Symptom-Sensitive Biomarkers with Long-Term Test-Retest Reliability. <i>Diagnostics</i> , 2022, 12, 84.	1.3	3
1561	Scalp attached tangential magnetoencephalography using tunnel magneto-resistive sensors. <i>Scientific Reports</i> , 2022, 12, 6106.	1.6	15
1562	Prominent gamma band activity during visual motion perception in early-stage Alzheimerâ€™s disease. <i>PLoS ONE</i> , 2022, 17, e0266693.	1.1	3
1563	Magnetoencephalography. , 2009, , 2225-2229.		0
1569	Tomography of Electrical Cerebral Activity in Magneto- and Electro-encephalography. , 0, , 393-409.		0
1571	Simulation Study of Different OPM-MEG Measurement Components. <i>Sensors</i> , 2022, 22, 3184.	2.1	9

#	ARTICLE	IF	CITATIONS
1572	On the Geometric Sensitivity of the EEG Inversion Algorithm. <i>La Matematica</i> , 0, , 1.	0.3	0
1573	Neuromorphological and Neurofunctional Correlates of ADHD and ADD in the Auditory Cortex of Adults. <i>Frontiers in Neuroscience</i> , 2022, 16, .	1.4	7
1574	On-scalp magnetocortigraphy with optically pumped magnetometers: Simulated performance in resolving simultaneous sources. <i>NeuroImage Reports</i> , 2022, 2, 100093.	0.5	12
1575	Visualization of Cardiac Excitatory Process by Magnetocardiogram Using the Newest 64-channel SQUID System. <i>Ika Kikaigaku</i> , 2000, 70, 26-31.	0.0	0
1576	Somatosensory evoked magnetic fields caused by mechanical stimulation of the periodontal ligaments. <i>Heliyon</i> , 2022, 8, e09464.	1.4	2
1577	Virtual epileptic patient brain modeling: Relationships with seizure onset and surgical outcome. <i>Epilepsia</i> , 2022, 63, 1942-1955.	2.6	28
1578	Analysis of Dipolar Sources in the Solution of the Electroencephalographic Inverse Problem. <i>Mathematics</i> , 2022, 10, 1926.	1.1	3
1580	Examining Individual Differences in Singing, Musical and Tone Language Ability in Adolescents and Young Adults with Dyslexia. <i>Brain Sciences</i> , 2022, 12, 744.	1.1	7
1581	Neuroimaging, Neural Population Models for. , 2022, , 2256-2281.		0
1582	Estimating the influence of stroke lesions on MEG source reconstruction. <i>NeuroImage</i> , 2022, 260, 119422.	2.1	4
1585	Electric scalar potential estimations for non-invasive brain activity detection through multinode Shepard method. , 2022, , .		7
1586	Stable Numerical Identification of Sources in Non-Homogeneous Media. <i>Mathematics</i> , 2022, 10, 2726.	1.1	0
1588	Splitting of the magnetic encephalogram into «brain» and «non-brain» physiological signals based on the joint analysis of frequency-pattern functional tomograms and magnetic resonance images. <i>Frontiers in Neural Circuits</i> , 0, 16, .	1.4	1
1589	Somatosensory evoked magnetic fields induced by electrical palate stimulation in patients with unilateral cleft lip and palate after palatoplasty. <i>Neuroscience Research</i> , 2022, 184, 30-37.	1.0	0
1590	NLGC: Network localized Granger causality with application to MEG directional functional connectivity analysis. <i>NeuroImage</i> , 2022, 260, 119496.	2.1	7
1591	Source localization using virtual magnetoencephalography helmets: A simulation study toward a prior-based tailored scheme. <i>Frontiers in Neuroscience</i> , 0, 16, .	1.4	0
1593	Person-Sized Magnetoencephalography Systems with Optically Pumped Magnetometers. , 2022, , 111-142.		0
1594	Forward Models. , 2022, , 135-228.		0

#	ARTICLE	IF	CITATIONS
1595	Magnetoencephalographic evaluation of repaired lip sensation in patients with cleft lip. PLoS ONE, 2022, 17, e0274405.	1.1	0
1596	Short-term plasticity of neuro-auditory processing induced by musical active listening training. Annals of the New York Academy of Sciences, 2022, 1517, 176-190.	1.8	7
1597	Optimising the sensing volume of OPM sensors for MEG source reconstruction. NeuroImage, 2022, 264, 119747.	2.1	6
1598	Can individually targeted and optimized multi-channel tDCS outperform standard bipolar tDCS in stimulating the primary somatosensory cortex?. Brain Stimulation, 2023, 16, 1-16.	0.7	12
1599	Localization of magnetocardiographic sources for myocardial infarction cases using deterministic and Bayesian approaches. Scientific Reports, 2022, 12, .	1.6	0
1600	Accuracy and precision of navigated transcranial magnetic stimulation. Journal of Neural Engineering, 2022, 19, 066037.	1.8	14
1601	ACR White Paper on Magnetoencephalography and Magnetic Source Imaging: A Report from the ACR Commission on Neuroradiology. American Journal of Neuroradiology, 0, , .	1.2	0
1602	HArtMuTâ€” modeling eye and muscle contributors in neuroelectric imaging. Journal of Neural Engineering, 2022, 19, 066041.	1.8	2
1603	Ear-EEG sensitivity modeling for neural sources and ocular artifacts. Frontiers in Neuroscience, 0, 16, .	1.4	4
1604	The Added Value of EEG-fMRI in Imaging Neuroscience. , 2022, , 119-138.		0
1605	Chronology of auditory processing and related co-activation in the orbitofrontal cortex depends on musical expertise. Frontiers in Neuroscience, 0, 16, .	1.4	1
1606	Fast computational E-field dosimetry for transcranial magnetic stimulation using adaptive cross approximation and auxiliary dipole method (ACA-ADM). NeuroImage, 2023, 267, 119850.	2.1	6
1608	Delineating epileptogenic networks using brain imaging data and personalized modeling in drug-resistant epilepsy. Science Translational Medicine, 2023, 15, .	5.8	26
1609	Mapping Brain Networks Using Multimodal Data. , 2023, , 2975-3025.		0
1610	Magnetoencephalographic spikes with small spikes on simultaneous electroencephalography have high spatial clustering in temporal lobe epilepsy. Epilepsy Research, 2023, 192, 107127.	0.8	0
1613	Noninvasive Studies of Human Visual Cortex Using Neuromagnetic Techniques. , 1991, , .		0
1614	TMS combined with EEG: Recommendations and open issues for data collection and analysis. Brain Stimulation, 2023, 16, 567-593.	0.7	33
1615	EEG-based source localization with enhanced virtual aperture using second order statistics. Journal of Neuroscience Methods, 2023, 389, 109835.	1.3	0

#	ARTICLE	IF	CITATIONS
1616	A Spherical Coil Array for the Calibration of Whole-Head Magnetoencephalograph Systems. IEEE Transactions on Instrumentation and Measurement, 2023, 72, 1-10.	2.4	0
1627	Meshless Methods to Noninvasively Calculate Neurocortical Potentials from Potentials Measured at the Scalp Surface. Springer Proceedings in Mathematics and Statistics, 2023, , 99-117.	0.1	2
1632	Dry-type phantom emulating quadrupole-like magnetic field distribution for evaluation of magnetoneurography. , 2023, , .		0
1644	MEG. Neuromethods, 2024, , 157-180.	0.2	0
1651	Magnetoencephalography for Epilepsy Presurgical Evaluation. Current Neurology and Neuroscience Reports, 2024, 24, 35-46.	2.0	0