## CITATION REPORT List of articles citing

The relationship between successful defibrillation and delivered energy in open-chest dogs: reappraisal of the "defibrillation threshold" concept

DOI: 10.1016/0002-8703(87)90012-3 American Heart Journal, 1987, 113, 77-84.

**Source:** https://exaly.com/paper-pdf/19126577/citation-report.pdf

Version: 2024-04-04

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
212	Effects of acute intravenous and chronic oral amiodarone on defibrillation energy requirements.  American Heart Journal, 1987, 114, 8-17	4.9	86
211	Internal cardiac defibrillation: histopathology and temporal stability of defibrillation energy requirements. <b>1987</b> , 9, 631-8		31
210	Influence of ventricular fibrillation duration on defibrillation energy in dogs using bidirectional pulse discharges. <b>1988</b> , 11, 1315-23		38
209	A model to evaluate alternative methods of defibrillation threshold determination. <b>1988</b> , 11, 2002-7		24
208	Relation of the intraoperative defibrillation threshold to successful postoperative defibrillation with an automatic implantable cardioverter defibrillator. <b>1988</b> , 62, 393-8		107
207	. <b>1988</b> , 76, 1176-1186		28
206	Lessons learned from the automatic implantable cardioverter-defibrillator: past, present and future. <b>1988</b> , 11, 1287-9		28
205	Comparative efficacy of monophasic and biphasic truncated exponential shocks for nonthoracotomy internal defibrillation in dogs. <b>1988</b> , 12, 739-45		80
204	Effect of recainam on the energy required for ventricular defibrillation in dogs as assessed with implanted electrodes. <b>1988</b> , 12, 746-52		19
203	Prediction of defibrillation success from a single defibrillation threshold measurement with sequential pulses and two current pathways in humans. <i>Circulation</i> , <b>1988</b> , 78, 1144-9	16.7	29
202	Evaluation of antiarrhythmic drugs on defibrillation energy requirements in dogs. Sodium channel block and action potential prolongation. <i>Circulation</i> , <b>1989</b> , 79, 1106-17	16.7	180
201	pH-dependent effects of lidocaine on defibrillation energy requirements in dogs. <i>Circulation</i> , <b>1989</b> , 80, 1003-9	16.7	22
200			
199	Implantable cardioverters and defibrillators. <b>1989</b> , 14, 673-843		45
198	The effect of chronic oral and acute intravenous amiodarone administration on ventricular defibrillation threshold using implanted electrodes in dogs. <b>1989</b> , 12, 339-46		44
197	Long-term internal cardiac defibrillation threshold stability. <b>1989</b> , 12, 443-50		33
196	Defibrillation threshold testing and other practices related to AICD implantation: do all roads lead to Rome?. <b>1989</b> , 12, 1530-7		36

195	Defibrillation Energy Requirements Differ Between Anesthetic Agents. <b>1989</b> , 3, 86-94		21
194	An Experimental Study of Transvenous Defibrillation Using a Coronary Sinus Catheter. <b>1989</b> , 3, 253-260	)	3
193	Success rate versus defibrillation energy: temporal profile and the most efficient defibrillation threshold. <i>American Heart Journal</i> , <b>1989</b> , 118, 451-8	4.9	13
192	Sequential pulse internal defibrillation: is there an advantage to "switched" current pathways?. <i>American Heart Journal</i> , <b>1989</b> , 118, 717-24	4.9	7
191	The defibrillation threshold: how many measurements are enough?. <i>American Heart Journal</i> , <b>1989</b> , 117, 977-9	4.9	12
190	Improved low energy defibrillation efficacy in man with the use of a biphasic truncated exponential waveform. <i>American Heart Journal</i> , <b>1989</b> , 117, 122-7	4.9	183
189	Improved internal defibrillation efficacy with a biphasic waveform. <i>American Heart Journal</i> , <b>1989</b> , 117, 358-64	4.9	92
188	The effect of an unsuccessful subthreshold shock on the energy requirement for the subsequent defibrillation. <i>American Heart Journal</i> , <b>1989</b> , 117, 1065-9	4.9	8
187	Effects of flecainide on defibrillation thresholds in the anesthetized dog. 1989, 14, 777-81		56
186	Ventricular defibrillation using biphasic waveforms: the importance of phasic duration. <b>1989</b> , 13, 207-1	4	160
186 185	Ventricular defibrillation using biphasic waveforms: the importance of phasic duration. <b>1989</b> , 13, 207-16.  The Electrical Thresholds of Ventricular Myocardium. <b>1990</b> , 1, 393-410	4	160 38
		4	
185	The Electrical Thresholds of Ventricular Myocardium. 1990, 1, 393-410  Genesis of sigmoidal dose-response curve during defibrillation by random shock: a theoretical model based on experimental evidence for a vulnerable window during ventricular fibrillation. 1990	4	38
185 184	The Electrical Thresholds of Ventricular Myocardium. 1990, 1, 393-410  Genesis of sigmoidal dose-response curve during defibrillation by random shock: a theoretical model based on experimental evidence for a vulnerable window during ventricular fibrillation. 1990, 13, 1326-42  The defibrillation success rate versus energy relationship: Part ICurve fitting and the most	4	38
185 184 183	The Electrical Thresholds of Ventricular Myocardium. 1990, 1, 393-410  Genesis of sigmoidal dose-response curve during defibrillation by random shock: a theoretical model based on experimental evidence for a vulnerable window during ventricular fibrillation. 1990, 13, 1326-42  The defibrillation success rate versus energy relationship: Part ICurve fitting and the most efficient defibrillation energy. 1990, 13, 326-38  Electrophysiological effects of monophasic and biphasic stimuli in normal and infarcted dogs. 1990,	4	38 12 35
185 184 183	The Electrical Thresholds of Ventricular Myocardium. 1990, 1, 393-410  Genesis of sigmoidal dose-response curve during defibrillation by random shock: a theoretical model based on experimental evidence for a vulnerable window during ventricular fibrillation. 1990, 13, 1326-42  The defibrillation success rate versus energy relationship: Part ICurve fitting and the most efficient defibrillation energy. 1990, 13, 326-38  Electrophysiological effects of monophasic and biphasic stimuli in normal and infarcted dogs. 1990, 13, 1158-72	4	38 12 35 48
185 184 183 182	The Electrical Thresholds of Ventricular Myocardium. 1990, 1, 393-410  Genesis of sigmoidal dose-response curve during defibrillation by random shock: a theoretical model based on experimental evidence for a vulnerable window during ventricular fibrillation. 1990, 13, 1326-42  The defibrillation success rate versus energy relationship: Part ICurve fitting and the most efficient defibrillation energy. 1990, 13, 326-38  Electrophysiological effects of monophasic and biphasic stimuli in normal and infarcted dogs. 1990, 13, 1158-72  The fundamental law of electrostimulation and its application to defibrillation. 1990, 13, 1433-47  Transthoracic defibrillation using sequential and simultaneous dual shock pathways: experimental	16.7	38 12 35 48 68

177	An effective and adaptable transvenous defibrillation system using the coronary sinus in humans. <b>1990</b> , 16, 887-95		68
176	The automatic implantable cardioverter-defibrillator: effect of patch polarity on defibrillation threshold. <b>1991</b> , 17, 707-11		43
175			
174	Acute effects of intravenous propafenone on the internal ventricular defibrillation threshold in the anesthetized dog. <i>American Heart Journal</i> , <b>1991</b> , 122, 1355-60	4.9	25
173	Patients with a high defibrillation threshold: clinical characteristics, management, and outcome. <i>American Heart Journal</i> , <b>1991</b> , 122, 89-95	4.9	70
172	Effects of pacing rate and timing of defibrillation shock on the relation between the defibrillation threshold and the upper limit of vulnerability in open chest dogs. <b>1991</b> , 18, 1555-63		67
171	Pericardial influence on internal defibrillation energy requirements. <b>1991</b> , 101, 839-842		11
170	Lignocaine and bretylium as adjuncts to electrical defibrillation. <b>1991</b> , 22, 153-7		11
169	Comparative efficacy of subcutaneous mesh and plate electrodes for nonthoracotomy canine defibrillation. <b>1991</b> , 14, 1402-10		8
168	Defibrillation with low voltage using a left ventricular catheter and four cutaneous patch electrodes in dogs. <b>1991</b> , 14, 443-51		11
167	Potential interactions between antiarrhythmic medication and the automatic implantable cardioverter defibrillator. <b>1991</b> , 14, 898-904		23
166	Defibrillation efficacy. Comparison of defibrillation threshold versus dose-response curve determination. <i>Circulation Research</i> , <b>1991</b> , 69, 45-51	15.7	58
165	Response of relatively refractory canine myocardium to monophasic and biphasic shocks. <i>Circulation</i> , <b>1991</b> , 84, 2522-38	16.7	66
164	Currently Known Mechanisms Underlying Direct Current External and Internal Cardiac Defibrillation. <b>1991</b> , 2, 562-572		10
163	Variability Of Defibrillation Energy In"Heartsim".		
162	Examination Of Dixon's Up And Down Method For Small Samples In The Estimation Of The ED50 For Defibrillation.		2
161	Oral clofilium produces sustained lowering of defibrillation energy requirements in a canine model. <i>Circulation</i> , <b>1991</b> , 83, 614-21	16.7	40
160	Effects of lidocaine on relation between defibrillation threshold and upper limit of vulnerability in open-chest dogs. <i>Circulation</i> , <b>1992</b> , 85, 1146-51	16.7	35

159	Cardiac potential and potential gradient fields generated by single, combined, and sequential shocks during ventricular defibrillation. <i>Circulation</i> , <b>1992</b> , 85, 1510-23	16.7	115
158			2
157	Low energy conversion of atrial fibrillation in the sheep. <b>1992</b> , 20, 707-11		76
156	Determination of patch electrode position for the internal cardioverter-defibrillator by cine computed tomography and its relation to the defibrillation threshold. <b>1992</b> , 20, 210-7		13
155	Defibrillation electrode configurations developed from cardiac mapping that combine biphasic shocks with sequential timing. <i>American Heart Journal</i> , <b>1992</b> , 124, 1491-500	4.9	13
154	Defibrillation threshold: clinical utility and therapeutic implications. <b>1992</b> , 15, 932-49		121
153	Assessment of the defibrillation threshold and appropriate sensing during cardioverter defibrillator implantation. <b>1992</b> , 15, 636-41		6
152	Implantable cardioverter defibrillators: current status and future directions. <b>1992</b> , 7, 36-57		9
151	Clinical evaluation of the safety of repetitive intraoperative defibrillation threshold testing. <b>1992</b> , 15, 870-7		52
150	Guidelines for advanced life support. <b>1992</b> , 24, 111-121		136
149	Defibrillation: methods and strategies. A statement for the Advanced Life Support Working Party of the European Resuscitation Council. <b>1992</b> , 24, 211-25		19
148	Drug treatment of arrhythmias during cardiopulmonary resuscitation. A statement for the Advanced Life Support Working Party of the European Resuscitation Council. <b>1992</b> , 24, 227-32		19
147	Effects of chronic amiodarone therapy on defibrillation threshold. <b>1992</b> , 70, 1023-7		124
146	Transepicardial defibrillation dose response: current versus energy. <b>1993</b> , 16, 193-7		4
145	Effective defibrillation in pigs using interleaved and common phase sequential biphasic shocks. <b>1993</b> , 16, 1719-34		10
144	The effect of phase separation on biphasic waveform defibrillation. <b>1993</b> , 16, 471-82		19
143	The defibrillation threshold: a comparison of anesthetics and measurement methods. <b>1993</b> , 16, 708-14		38
142	Estimating the 95% effective defibrillation dose. <b>1993</b> , 40, 256-65		25

141	Effect of sotalol on ventricular fibrillation and defibrillation in humans. <b>1993</b> , 72, 72A-79A		58
140	Effects of defibrillation shock energy and timing on 3-D computer model of heart. <b>1993</b> , 21, 19-31		8
139	Transthoracic defibrillation: effect of dual-pathway sequential pulse shocks and single-pathway biphasic pulse shocks in a canine model. <i>American Heart Journal</i> , <b>1993</b> , 125, 99-109	4.9	13
138	A high resolution method for comparin defibrillation efficacy of experimental treatments in pigs.		
137	Predictors of defibrillation efficacy in patients undergoing epicardial defibrillator implantation. The Multicenter Pacemaker-Cardioverter-Defibrillator (PCD) Investigators Group. <b>1993</b> , 21, 1632-7		28
136	Importance of electrode design, lead configuration and impedance for successful low energy transcatheter atrial defibrillation in dogs. <b>1993</b> , 22, 1199-206		32
135	A comparison of standard vs up/down methods for determining the deftbrillation probability curve.		2
134	Relation between upper limit of vulnerability and defibrillation threshold in humans. <i>Circulation</i> , <b>1993</b> , 88, 186-92	16.7	90
133	Optimization of biphasic waveforms for human nonthoracotomy defibrillation. <i>Circulation</i> , <b>1993</b> , 88, 2646-54	16.7	76
132	Reappraisal of effective refractory period testing. <b>1994</b> , 267, H406-10		
131	Rise in chronic defibrillation thresholds in nonthoracotomy implantable defibrillator. <i>Circulation</i> , <b>1994</b> , 89, 216-23	16.7	70
130	Ventricular fibrillation induced by low-energy shocks from programmable implantable cardioverter-defibrillators in patients with coronary artery disease. <b>1994</b> , 73, 559-63		27
129	Effects of procainamide and lidocaine on defibrillation energy requirements in patients receiving implantable cardioverter defibrillator devices. <b>1994</b> , 5, 752-60		41
129			
	implantable cardioverter defibrillator devices. <b>1994</b> , 5, 752-60		41
128	implantable cardioverter defibrillator devices. <b>1994</b> , 5, 752-60  The effects of lidocaine on the vulnerable period during ventricular fibrillation. <b>1994</b> , 5, 571-80  Why do some patients have high defibrillation thresholds at defibrillator implantation? Answers		41
128	implantable cardioverter defibrillator devices. <b>1994</b> , 5, 752-60  The effects of lidocaine on the vulnerable period during ventricular fibrillation. <b>1994</b> , 5, 571-80  Why do some patients have high defibrillation thresholds at defibrillator implantation? Answers from basic research. <b>1994</b> , 17, 222-39		41 6 33

123	Early postoperative increase in defibrillation threshold with nonthoracotomy system in humans. <b>1994</b> , 17, 1166-73	24
122	Comparison of simultaneous versus sequential defibrillation pulsing techniques using a nonthoracotomy system. <b>1994</b> , 17, 1222-30	7
121	Early changes in defibrillation threshold following implantation of a nonthoracotomy system in dogs. <b>1994</b> , 17, 1771-7	8
120	Integration of absolute ventricular fibrillation voltage correlates with successful defibrillation. <b>1994</b> , 41, 782-91	26
119	Comparison of biphasic and monophasic waveforms in epicardial atrial defibrillation. <b>1994</b> , 24, 171-6	23
118	Clinical predictors of successful implantable cardioverter defibrillator implantation. <i>American Heart Journal</i> , <b>1994</b> , 127, 1068-72	4
117	Options in managing the patient with high defibrillation thresholds. <b>1994</b> , 57, 1184-92	3
116	The effects of normothermic and hypothermic cardiopulmonary bypass on defibrillation energy requirements and transmyocardial impedance. Implications for implantable cardioverter-defibrillator implantation. <b>1995</b> , 109, 981-8	2
115	Increase in defibrillation threshold in non-thoracotomy implantable defibrillators using a biphasic waveform. <b>1995</b> , 76, 263-6	38
114	Characterization of shock-induced action potential extension during acute regional ischemia in rabbit hearts. <b>1995</b> , 6, 775-85	11
113	Choosing the optimal monophasic and biphasic waveforms for ventricular defibrillation. <b>1995</b> , 6, 737-50	96
112	Serial defibrillation threshold measures in man: a prospective controlled study. <b>1995</b> , 6, 19-25	29
111	A direct comparison of epicardial and nonthoracotomy defibrillation using monophasic and biphasic shocks. <b>1995</b> , 18, 70-4	3
110	Predictors of defibrillation energy requirements with nonepicardial lead systems. <b>1995</b> , 18, 253-60	22
109	Correlation among fibrillation, defibrillation, and cardiac pacing. <b>1995</b> , 18, 512-25	26
108	Defibrillation threshold using different electrode configurations.	
107	Comparison of defibrillation probability of success curves for an endocardial lead configuration with and without an inactive epicardial patch. <b>1995</b> , 25, 1373-9	12
106	Upper limit of vulnerability is a good estimator of shock strength associated with 90% probability of successful defibrillation in humans with transvenous implantable cardioverter-defibrillators. <b>1996</b> , 27, 1112-8	51

105	Comparative reproducibility of defibrillation threshold and upper limit of vulnerability. <b>1996</b> , 19, 2103-11	40
104	References / Subject Index. <b>1996</b> , 38, 145-168	
103	Estimating defibrillation efficacy using combined upper limit of vulnerability and defibrillation testing. <b>1996</b> , 43, 69-78	9
102	Safety margins: lessons from the Low Energy Endotak Trial (LEET). <b>1996</b> , 78, 26-32	9
101	Defibrillation success is associated with myocardial organization. Spatial coherence as a new method of quantifying the electrical organization of the heart. <b>1996</b> , 29 Suppl, 189-97	18
100	Improved nonthoracotomy defibrillation based on ventricular fibrillation waveform characteristics. <b>1996</b> , 19, 1537-47	3
99	Effects of polarity for monophasic and biphasic shocks on defibrillation efficacy with an endocardial system. <b>1996</b> , 19, 65-71	22
98	A critical period of ventricular fibrillation more susceptible to defibrillation: real-time waveform analysis using a single ECG lead. <b>1996</b> , 19, 418-30	14
97	d-Sotalol decreases defibrillation energy requirements in humans: a novel indication for drug therapy. <b>1996</b> , 7, 952-61	53
96	Myocardial vulnerability to T wave shocks: relation to shock strength, shock coupling interval, and dispersion of ventricular repolarization. <b>1996</b> , 7, 231-42	63
95	Early postoperative rise in defibrillation threshold in patients with nonthoracotomy defibrillation lead systems: attenuation with biphasic shock waveforms. <b>1996</b> , 7, 483-93	22
94	Effects of a class III antiarrhythmic drug and biphasic shocks on the postdefibrillation refractory period of relatively refractory myocardium. <b>1996</b> , 7, 603-11	8
93	The effect of biphasic waveform tilt in transvenous atrial defibrillation. 1997, 20, 1613-8	17
92	Derivation of a defibrillator implant criterion based on probability of successful defibrillation. <b>1997</b> , 20, 1924-35	17
91	On the mechanism of ventricular defibrillation. <b>1997</b> , 20, 422-31	25
90	Chemical cardiac sympathetic denervation hampers defibrillation in the dog. <b>1997</b> , 8, 62-7	6
89	The ventricular defibrillation and upper limit of vulnerability dose-response curves. 1997, 8, 895-903	12
88	The effects of ventricular fibrillation duration and a preceding unsuccessful shock on the probability of defibrillation success using biphasic waveforms in pigs. <b>1997</b> , 8, 1386-95	9

## (1999-1997)

87	Sensitivity of transvenous defibrillation models to adaptive mesh density and resolution: the potential for interactive solution times. <b>1997</b> , 45, 193-207	8
86	Randomized comparison of a 90 uF capacitor three-electrode defibrillation system with a 125 uF two-electrode defibrillation system. <b>1998</b> , 2, 41-5	2
85	[Mechanisms of electrical defibrillation]. <b>1997</b> , 8, 4-14	
84	Effects of left atrial dilatation on the endocardial atrial defibrillation threshold: a study in an ovine model of pacing induced dilated cardiomyopathy. <b>1998</b> , 21, 1595-600	8
83	A prospective evaluation of two defibrillation safety margin techniques in patients with low defibrillation energy requirements. <b>1998</b> , 9, 41-6	24
82	Effect of shock waveform on relationship between upper limit of vulnerability and defibrillation threshold. <b>1998</b> , 9, 339-49	18
81	Progressive depolarization: a unified hypothesis for defibrillation and fibrillation induction by shocks. <b>1998</b> , 9, 529-52	73
80	Current concepts of ventricular defibrillation. <b>1998</b> , 9, 553-62	47
79	Interactions between implantable cardioverter-defibrillators and class III agents. 1998, 82, 41I-48I	26
78	Ventricular fibrillation and defibrillation thresholds in sheep and dogs. <b>1998</b> , 121, 77-82	4
77	[Reproducibility of the effectiveness of defibrillation for terminating induced ventricular fibrillation using intraoperatively measured defibrillation threshold energy in patients with implanted cardioverter-defibrillator]. <b>1998</b> , 87, 971-7	4
76	Antiarrhythmic drugs in resuscitation. <b>1998</b> , 80, 408-11	1
75	Effect of a class III antiarrhythmic drug on the configuration of dose response curve for defibrillation. <b>1999</b> , 22, 479-86	7
74	Relationship between shock energy and postdefibrillation ventricular arrhythmias in patients with implantable defibrillators. <b>1999</b> , 10, 370-7	19
73	A four-shock Bayesian up-down estimator of the 80% effective defibrillation dose. <b>1999</b> , 10, 973-80	13
72	Energy levels for defibrillation: what is of real clinical importance?. <b>1999</b> , 83, 24D-33D	28
71	Safety and efficacy of implantable defibrillator therapy with programmed shock energy at twice the augmented step-down defibrillation threshold: results of the prospective, randomized, multicenter Low-Energy Endotak Trial. <b>1999</b> , 83, 34D-39D	25
70	Defibrillation and the upper limit of vulnerability to fibrillation in a transthoracic Guinea pig model. <b>1999</b> , 32, 159-166	4

69	Prediction of defibrillation outcome by epicardial activation patterns following shocks near the defibrillation threshold. <b>2000</b> , 11, 1014-21	38
68	Defibrillation efficacy comparing a subcutaneous array electrode versus an "active can" implantable cardioverter defibrillator and a subcutaneous array electrode in addition to an "active can" implantable cardioverter defibrillator: results from active can versus array trials I and II. <b>2001</b> , 12, 921-7	32
67	High Defibrillation Energy Requirements: Current Management. <b>2001</b> , 5, 62-65	
66	Determinants of first-shock success for atrial implantable cardioverter defibrillators. <b>2002</b> , 13, 347-54	22
65	Safety of a single successful conversion of ventricular fibrillation before the implantation of cardioverter defibrillators. <b>2003</b> , 26, 483-6	27
64	Dose-response relationship for successful internal atrial defibrillation. <b>2003</b> , 26, 1249-53	4
63	On the mechanism of the probabilistic nature of ventricular defibrillation threshold. 2003, 284, H249-55	15
62	Comparison of step-down and binary search algorithms for determination of defibrillation threshold in humans. <b>2004</b> , 27, 218-20	25
61	Minimum energy single-shock internal atrial defibrillation in sheep. <b>2004</b> , 10, 131-8	2
60	Is defibrillation testing required for defibrillator implantation?. <b>2004</b> , 44, 88-91	74
59	Improved defibrillation efficacy with an ascending ramp waveform in humans. 2005, 2, 388-94	18
58	Ventricular fibrillation and defibrillationwhat are the major unresolved issues?. <b>2005</b> , 2, 555-8	8
57	Predicting elevated defibrillation energy requirements in heart failure with reasonable probability. <b>2006</b> , 3, 1017-8	1
56	Can incremental innovation of implantable cardioverter-defibrillator systems become disruptive to patient care? Moore law gone awry. 2006, 17, 621-2	1
55	. 2007,	2
54	Ventricular Tachycardia. 255-286	
53	The dilemma of ICD implant testing. <b>2007</b> , 30, 675-700	117
52	Is defibrillation testing still necessary? A decision analysis and Markov model. 2008, 19, 400-5	38

51	Defibrillation threshold testing: is it necessary during implantable cardioverter-defibrillator implantation?. <b>2009</b> , 72, 147-9	4
50	Critical Points and the Upper Limit of Vulnerability for Defibrillation. <b>2009</b> , 165-187	
49	[Is intraoperative ICD-testing still necessary?]. <b>2010</b> , 21, 123-8	2
48	Estimating the parameter distributions of defibrillation shock efficacy curves in a large population. <b>2010</b> , 38, 1314-25	6
47	The effects of phase duration on defibrillation success of dual time constant biphasic waveforms. <b>2010</b> , 81, 236-41	9
46	Defibrillation Threshold: Testing, Upper Limit of Vulnerability, and Methods for Reduction. <b>2011</b> , 3, 473-492	1
45	Should You Use DFT or ULV to Assess Defibrillation Efficacy?. <b>2011</b> , 3, 565-576	1
44	Mechanisms of Defibrillation Failure. <b>2011</b> ,	
43	Impact of defibrillation test protocol and test repetition on the probability of meeting implant criteria. <b>2011</b> , 34, 1515-26	5
42	Impact of defibrillation testing on predicted ICD shock efficacy: implications for clinical practice. <b>2013</b> , 10, 709-17	11
41	Electrical features of eighteen automated external defibrillators: a systematic evaluation. 2013, 84, 1596-603	5
40	Defibrillation testing unplugged. <b>2013</b> , 10, 718-9	
39	Current is better than energy as predictor of success for biphasic defibrillatory shocks in a porcine model of ventricular fibrillation. <b>2013</b> , 84, 678-83	14
38	Anaesthesia, Pharmacology, Intensive Care and Emergency A.P.I.C.E <b>2014</b> ,	
37	Average current is better than peak current as therapeutic dosage for biphasic waveforms in a ventricular fibrillation pig model of cardiac arrest. <b>2014</b> , 85, 1399-404	6
36	A Grouped Up-and-Down Method Used for Efficacy Comparison Between Two Different Defibrillation Waveforms. <b>2016</b> , 63, 385-91	2
35	Prognostic Implications of Defibrillation Threshold Testing in Patients With Hypertrophic Cardiomyopathy. <b>2017</b> , 28, 103-108	14
34	Using Nanosecond Shocks for Cardiac Defibrillation. <b>2019</b> , 1, 240-246	5

33 Insights on arrhythmia termination and type 2 breaks after ICD therapy delivery. **2020**, 43, 1039-1047

32	Pacing and Defibrillation. <b>2021</b> , 1-38		
31	Electroporation safety factor of 300 nanosecond and 10 millisecond defibrillation in Langendorff-perfused rabbit hearts. <b>2021</b> , 16, e0257287		
30	The Upper Limit of Vulnerability and Critical Points for Defibrillation. 2021, 107-119		
29	Pacing and Defibrillation: Clinically Relevant Basics for Practice. 1-39		1
28	Optimal Design for Heart Defibrillators. <b>1995</b> , 278-292		7
27	Estimating the Ventricular Fibrillation Threshold. <b>1991</b> , 477-531		4
26	Basic Mechanisms of Ventricular Defibrillation. <b>1991</b> , 533-560		9
25	Device Testing and Programming at Implantation. 2002, 113-137		О
24	The Defibrillation Threshold. <b>1996</b> , 89-129		11
23	Safety Margin for Defibrillation. <b>1992</b> , 272-279		5
22	Implantable Cardioverter-Defibrillator Therapy. <b>2000</b> , 287-416		O
21	High-Resolution Magnetic Imaging: Cellular Action Currents and Other Applications. 1996, 307-360		10
20	Testing and Programming of Implantable Defibrillator Functions at Implantation. <b>2007</b> , 531-557		4
19	Reducing electrical defibrillation thresholds with glibenclamide in an isolated rabbit heart preparation. <b>1997</b> , 30, 576-82		7
18	Improved defibrillation threshold with a new epicardial carbon electrode compared with a standard epicardial titanium patch. <i>Circulation</i> , <b>1995</b> , 91, 445-50	16.7	6
17	Comparison of upper limit of vulnerability and defibrillation probability of success curves using a nonthoracotomy lead system. <i>Circulation</i> , <b>1995</b> , 91, 1247-52	16.7	23
16	Influence of epicardial patches on defibrillation threshold with nonthoracotomy lead configurations. <i>Circulation</i> , <b>1995</b> , 92, 3082-8	16.7	11

## CITATION REPORT

15	Effect of rapid pacing and T-wave scanning on the relation between the defibrillation and upper-limit-of-vulnerability dose-response curves. <i>Circulation</i> , <b>1995</b> , 92, 1291-9	16.7	38
14	Endocardial carbon-braid electrodes. A new concept for lower defibrillation thresholds. <i>Circulation</i> , <b>1995</b> , 92, 1627-33	16.7	9
13	Circadian variation in defibrillation energy requirements. Circulation, 1996, 94, 1607-12	16.7	44
12	Defibrillation efficacy of commercially available biphasic impulses in humans. Importance of negative-phase peak voltage. <i>Circulation</i> , <b>1997</b> , 95, 1822-6	16.7	18
11	A population-based method for the estimation of defibrillation energy requirements in humans. Assessment of time-dependent effects with a transvenous defibrillation system. <i>Circulation</i> , <b>1997</b> , 96, 267-73	16.7	4
10	Probability of successful defibrillation at multiples of the defibrillation energy requirement in patients with an implantable defibrillator. <i>Circulation</i> , <b>1997</b> , 96, 1217-23	16.7	46
9	Interaction between strong electrical stimulation and reentrant wavefronts in canine ventricular fibrillation. <i>Circulation Research</i> , <b>1995</b> , 77, 407-16	15.7	40
8	Shock-induced depolarization of refractory myocardium prevents wave-front propagation in defibrillation. <i>Circulation Research</i> , <b>1996</b> , 79, 957-73	15.7	73
7	Patient Management. <b>2001</b> , 121-183		
6	Device Operation. <b>2001</b> , 35-90		
5	Device Operation. 2001, 35-90  Defibrillation Testing, Implant Testing, and Relation to Empiric ICD Programming. 2011, 374-382		0
			0
5	Defibrillation Testing, Implant Testing, and Relation to Empiric ICD Programming. <b>2011</b> , 374-382	4.9	0
5	Defibrillation Testing, Implant Testing, and Relation to Empiric ICD Programming. 2011, 374-382  Fundamental Concepts in Defibrillation. 2012, 187-200  Non-monotonous dose response function of the termination of spiral wave chaos. Scientific Reports	4.9	