CITATION REPORT List of articles citing

Fibrinogen, cigarette smoking, and risk of cardiovascular disease: insights from the Framingham Study

DOI: 10.1016/0002-8703(87)90063-9 American Heart Journal, 1987, 113, 1006-10.

Source: https://exaly.com/paper-pdf/19126628/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
416	Cardiovascular risk factors and Ppreventive management P. 1987, 22, 147-53, 156-9, 162-4		1
415	Effects of changes in smoking and other characteristics on clotting factors and the risk of ischaemic heart disease. 1987 , 2, 986-8		298
414	FIBRINOLYSIS AND RECURRENCE OF MYOCARDIAL INFARCTION. 1987 , 330, 461-462		
413	Genetic and cultural inheritance of plasma fibrinogen concentration. 1987, 2, 988-91		134
412	Blood rheology in general medicine and surgery. 1987 , 1, 827-61		40
411	Relationship between sex hormones and haemostatic factors in healthy middle-aged men. 1988 , 71, 71-6		65
410	Physical exercise provokes platelet desensitization in men who smoke cigarettesinvolvement of sympathoadrenergic mechanismsa study of monozygotic twin pairs discordant for smoking. 1988 , 51, 145-55		19
409	The microcirculation: changes in diabetes mellitus. 1988 , 63, 517-20		17
408	Smoking and plasma fibrinogen. 1988 , 1, 307-8		27
407	Cigarette Smoking as a Risk Factor for Stroke. 1988 , 259, 1025		422
406	Blood rheology associated with cardiovascular risk factors and chronic cardiovascular diseases: results of an epidemiologic cross-sectional study. 1988 , 39, 986-95		21
405	Type A behavior and mortality from coronary heart disease. 1988, 319, 114-8		4
404	Cigarette Smoking. 1989 , 149, 2053		42
403	Decreased coronary heart disease in hypertensive smokers. Mortality results from the MAPHY study. 1989 , 13, 773-80		20
402	Risks of untreated hypertension. A discussion. 1989 , 13, I33-5		9
401	Viscoelasticity and red blood cell aggregation in patients with coronary heart disease. 1989 , 40, 914-20)	22
400	Cigarette smoking and non-fatal myocardial infarction in women: is the relation independent of coronary artery disease?. 1989 , 62, 273-80		4

(1990-1989)

399	Etiologic factors in renovascular fibromuscular dysplasia. A case-control study. 1989 , 14, 472-9	101
398	Atherosclerosis and the coagulation system. 1989 , 159, 97-106	92
397	Framingham study data and "established wisdom" about cigarette smoking and coronary heart disease. 1989 , 42, 743-50	41
396	Evaluation of the yield stress of normal blood as a function of fibrinogen concentration and hematocrit. 1989 , 37, 323-38	18
395	The normal and morbid biology of fibrinogen. 1989 , 87, 567-76	46
394	Elevation of factor VII activity and mass in young adults at risk of ischemic heart disease. 1989 , 14, 941-6	73
393	Stimulation of fibrinogen synthesis in cultured rat hepatocytes by fibrinogen degradation product fragment D. 1989 , 86, 8788-92	16
392	THE ATHEROSCLEROSIS RISK IN COMMUNIT (ARIC) STUDY: DESIGN AND OBJECTIVES. 1989 , 129, 687-702	2579
391	Social influences and cardiovascular risk factors as determinants of plasma fibrinogen concentration in a general population sample of middle aged men. 1990 , 300, 634-8	107
390	Haemophilia protects against ischaemic heart disease: a study of risk factors. 1990 , 75, 525-30	138
389	Plasma fibrinogenan independent cardiovascular risk factor. 1990 , 227, 365-72	155
388	Overview of the hypercoagulable states. 1990 , 16, 158-61	10
387	Plasma fibrinogen and coronary risk factors: the Scottish Heart Health Study. 1990 , 43, 913-9	188
386	Long-term diabeteslong straws, short straws, and very few big guns. 1990 , 4, 1-2	1
385	Fibrinogen and associations with risk factors for cardiovascular disease. 1990 , 4, 56-58	1
384	Disorders of the hemostatic system and the risk of the development of thrombotic and cardiovascular diseases: limitations of laboratory diagnosis. 1990 , 163, 305-12	22
383	Coronary angioplasty in patients with prior coronary artery bypass grafting. 1990 , 28, 333-9	5
382	Clinical aspects of the relationship between oral contraceptives and abnormalities of the hemostatic system: relation to the development of cardiovascular disease. 1990 , 163, 392-5	26

381	Mistakes in "established wisdom" about cigarette smoking?. 1991 , 44, 99-102		5
380	How soon after quitting smoking does risk of heart attack decline?. 1991 , 44, 1247-53		111
379	The natural anticoagulant protein S is decreased in male smokers. <i>American Heart Journal</i> , 1991 , 122, 76-80	4.9	15
378	Smoking and the risk of first acute myocardial infarction. <i>American Heart Journal</i> , 1991 , 122, 438-47	4.9	40
377	Does lipoprotein(a) (Lp(a)) complete with plasminogen in human atherosclerotic lesions and thrombi?. 1991 , 89, 127-36		35
376	Passive smoking and the risk of heart attack or coronary death. 1991 , 154, 793-7		51
375	Interactions of lipoproteins with vascular intima in atherosclerosis. 1991, 19, 235-41		6
374	Hemophilia treatment in historical perspective: a review of medical and social developments. 1991 , 62, 5-15		61
373	Silent myocardial ischaemia in preoperative patients: what does it mean, and what should be done about it?. 1991 , 67, 367-8		2
372	Plasma fibrinogen and ischemic heart disease risk factors. 1991 , 11, 344-50		103
371	Schlaganfallrehabilitation: Behinderungsgrad, Blutrheologie und Prognose. 1992 , 02, 43-46		
370	Environmental tobacco smoke: current assessment and future directions. 1992 , 20, 289-303; discussion 303-5		20
369	Determinants of plasma fibrinogen: relation to body weight, waist-to-hip ratio, smoking, alcohol, age, and sex. Results from the second MONICA Augsburg survey 1989-1990. 1992 , 12, 780-8		164
368	Predictors of early morbidity and mortality after thrombolytic therapy of acute myocardial infarction. Analyses of patient subgroups in the Thrombolysis in Myocardial Infarction (TIMI) trial, phase II. 1992 , 85, 1254-64		192
	•		
367	Lipids and other risk factors selected by discriminant analysis in symptomatic patients with supra-aortic and peripheral atherosclerosis. 1992 , 85, 2205-11		29
367 366	Lipids and other risk factors selected by discriminant analysis in symptomatic patients with		29
	Lipids and other risk factors selected by discriminant analysis in symptomatic patients with supra-aortic and peripheral atherosclerosis. 1992 , 85, 2205-11		

363	The health consequences of smoking. Cardiovascular diseases. 1992 , 76, 333-53		133
362	Augmented Valsalva maneuver for supraventricular tachycardia in the young. 1992 , 116, 523		6
361	Hyperprolactinemia, galactorrhea, and atenolol. 1992 , 116, 522		4
360	Association of coagulation factors and inhibitors with carotid artery atherosclerosis. Early results of the Atherosclerosis Risk in Communities (ARIC) Study. <i>Annals of Epidemiology</i> , 1992 , 2, 471-80	6.4	60
359	Hageman factor and risk of myocardial infarction in middle-aged men. 1992, 97, 67-73		27
358	The possible role of hemorheology in atherothrombogenesis. 1992 , 94, 93-107		166
357	Environmental influences on hemostasis and thrombosis. Diet and smoking. <i>Annals of Epidemiology</i> , 1992 , 2, 387-91	6.4	9
356	Voluntary dehydration and heat intolerance in cystic fibrosis. 1992 , 339, 696-9		76
355	Fibrinogen genotype and risk of peripheral atherosclerosis. 1992 , 339, 693-6		123
354	Update on fibrinogen as a cardiovascular risk factor. <i>Annals of Epidemiology</i> , 1992 , 2, 457-66	6.4	79
353	Effects of smoking on survival and morbidity in patients randomized to medical or surgical therapy in the Coronary Artery Surgery Study (CASS): 10-year follow-up. CASS Investigators. 1992 , 20, 287-94		157
352	Leukocytes as a coronary risk factor in a dyslipidemic male population. <i>American Heart Journal</i> , 1992 , 123, 873-7	4.9	31
351	Does cerebral toxoplasmosis therapy protect against pneumocystitis in AIDS?. 1992 , 116, 524		
350	Anemia of Chronic Disease: A Misnomer?. 1992 , 116, 520		
349	Itraconazole-digoxin interaction. 1992 , 116, 525		37
348	Regional Variations in Plasma Fibrinogen. 1992 , 116, 521		
347	Cefotetan-induced singultus. 1992 , 116, 522-3		6
346	Does low total creatine kinase rule out myocardial infarction?. 1992 , 116, 523-4		3

345 Does radiation increase survival in nonresectable lung cancer?. **1992**, 116, 524-5

344	Factor VIII and coronary heart disease. 1992 , 8 Suppl 1, 71-5	10
343	Plasma fibrinogen and factor VII as risk factors for cardiovascular disease. 1992 , 8 Suppl 1, 79-82	25
342	Changes in blood lipids and fibrinogen with a note on safety in a long term study on the effects of n-3 fatty acids in subjects receiving fish oil supplements and followed for seven years. 1992 , 27, 533-8	79
341	The effect of psychosocial stress and risk factors for ischaemic heart disease on the plasma fibrinogen concentration. 1993 , 234, 45-51	24
340	Cigarette smoking and age at first acute myocardial infarction, and influence of gender and extent of smoking. 1993 , 71, 1439-42	30
339	Fibrinogen as a cardiovascular risk factor in Spanish children and adolescents. The Ni Group. American Heart Journal, 1993, 126, 322-6 4-9	17
338	The role of fibrinogen as a cardiovascular risk factor. 1993 , 100, 1-12	103
337	Fibrinogen as a cardiovascular risk factor: a meta-analysis and review of the literature. 1993 , 118, 956-63	695
336	Smoking Cessation and Decreased Risk of Stroke in Women. 1993 , 269, 232	239
335	Plasma fibrinogen and physiological aging. 1993 , 5, 445-9	8
334	The health risks of smoking. The Framingham Study: 34 years of follow-up. <i>Annals of Epidemiology</i> , 6.4	122
333	Short- and long-term effects of smoking on arterial wall properties in habitual smokers. 1993 , 22, 1881-6	231
332	Fibrinogen and Fibrinogen Degradation Product Levels in Thromboangiitis Obliterans. 1993 , 27, 105-109	
331	Plasma fibrinogen level is not elevated in young adults from families with premature ischemic heart disease. 1993 , 13, 800-3	9
330	Plasma, serum and whole-blood viscosity variations with age, sex, and smoking habits. 1993 , 44, 384-91	23
329	The Epidemiology of Peripheral Arterial Disease. 1993 , vmr-4, 5-18	43
328	Hemostatic factors and blood lipids in young Buddhist vegetarians and omnivores. 1993 , 58, 354-9	50

327	Fibrinogen: its emerging role as a cardiovascular risk factor. 1994 , 45, 87-93		42
326	Fibrinogen and factor VII in the prediction of coronary risk. Results from the PROCAM study in healthy men. 1994 , 14, 54-9		456
325	Relation of smoking with carotid artery wall thickness and stenosis in older adults. The Cardiovascular Health Study. The Cardiovascular Health Study (CHS) Collaborative Research Group. 1994 , 90, 2905-8		125
324	Factor VII coagulant activity and cholesterol changes in premenopausal women consuming a long-term cholesterol-lowering diet. 1994 , 14, 1284-9		16
323	Lewis A. Conner Memorial Lecture. Mechanisms leading to myocardial infarction: insights from studies of vascular biology. 1994 , 90, 2126-46		689
322	The insulin resistance syndrome in smokers is related to smoking habits. 1994 , 14, 1946-50		125
321	Lipoprotein Lp(a) as predictor of myocardial infarction in comparison to fibrinogen, LDL cholesterol and other risk factors: results from the prospective GDtingen Risk Incidence and Prevalence Study (GRIPS). 1994 , 24, 444-53		209
320	Myocardial ischemia after orthotopic liver transplantation. 1994 , 74, 53-6		21
319	Rheologic, haemostatic, and coagulative variables in type II hyperlipoproteinemic subjects. 1994 , 3, 169-17	74	
318	Hematocrit and the risk of cardiovascular diseasethe Framingham study: a 34-year follow-up. <i>American Heart Journal</i> , 1994 , 127, 674-82	9	267
317	Do smoking and diabetes change the hemostatic parameters?a study in the Chinese people. 1994 , 76, 569-76		5
317		4	5
	76, 569-76 The Western Sydney Stroke Risk in the Elderly Study. A 5-year prospective study. <i>Annals of</i>		5437
316	The Western Sydney Stroke Risk in the Elderly Study. A 5-year prospective study. <i>Annals of Epidemiology</i> , 1994 , 4, 59-66 Association between fibrinogen and other risk factors for cardiovascular disease in men and		4
316 315	The Western Sydney Stroke Risk in the Elderly Study. A 5-year prospective study. <i>Annals of Epidemiology</i> , 1994 , 4, 59-66 Association between fibrinogen and other risk factors for cardiovascular disease in men and women. Results from the GEeborg MONICA survey 1985. <i>Annals of Epidemiology</i> , 1994 , 4, 369-74		37
316 315 314	The Western Sydney Stroke Risk in the Elderly Study. A 5-year prospective study. Annals of Epidemiology, 1994, 4, 59-66 Association between fibrinogen and other risk factors for cardiovascular disease in men and women. Results from the GEeborg MONICA survey 1985. Annals of Epidemiology, 1994, 4, 369-74 Fibrinogen: an important risk factor for atherothrombotic diseases. 1994, 26, 15-22		4 37 36
316 315 314 313	The Western Sydney Stroke Risk in the Elderly Study. A 5-year prospective study. Annals of Epidemiology, 1994, 4, 59-66 Association between fibrinogen and other risk factors for cardiovascular disease in men and women. Results from the GEeborg MONICA survey 1985. Annals of Epidemiology, 1994, 4, 369-74 Fibrinogen: an important risk factor for atherothrombotic diseases. 1994, 26, 15-22 Fibrinogen in the offspring of men with premature coronary artery disease. 1995, 16, 1814-8		4 37 36 8

309	Smoking elicits the insulin resistance syndrome: new aspects of the harmful effect of smoking. 1995 , 237, 435-7	19
308	Lipid intolerance in smokers. 1995 , 237, 449-55	81
307	Insulin resistance and autonomic function in traumatic lower limb amputees. 1995 , 5, 279-88	20
306	Hemorheological and hemodynamical effects of fish oil (Ameu) in patients with ischemic heart disease and hyperlipoproteinemia. 1995 , 15, 867-875	3
305	Increased level of hemoglobin A1c, but not impaired insulin sensitivity, found in hypertensive and normotensive smokers. 1995 , 44, 557-61	54
304	The influence of age and smoking on hemostatic parameters in the chinese people. 1995 , 78, 495-503	3
303	Effects of various fatty acids alone or combined with vitamin E on cell growth and fibrinogen concentration in the medium of HepG2 cells. 1995 , 80, 75-83	9
302	The next generation extracorporeal method for the management of atherosclerosis. 1995 , 19, 877-9	
301	Effects of different antihypertensive drugs on plasma fibrinogen in hypertensive patients. 1995 , 39, 471-6	30
300	Haemostatic and other cardiovascular risk factors, and socioeconomic status among middle-aged Finnish men and women. 1995 , 24, 1110-6	27
299	Hemostatic concomitants of syndrome X. 1995 , 44, 179-93	13
298	Hemostatic factors as triggers of cardiovascular events. 1996 , 14, 239-50	15
297	Influence of cigarette smoking on rate of reopening of the infarct-related coronary artery after myocardial infarction: a multivariate analysis. 1996 , 27, 1662-8	42
296	27th Bethesda Conference: matching the intensity of risk factor management with the hazard for coronary disease events. Task Force 4. Efficacy of risk factor management. 1996 , 27, 991-1006	43
295	Low-density lipoprotein removal methods by membranes and future perspectives. 1996 , 20, 346-54	12
294	Association of plasma fibrinogen levels with coronary artery disease, smoking and inflammatory markers. 1996 , 121, 185-91	106
293	Fibrinogen, coagulation factor VII, tissue plasminogen activator, plasminogen activator inhibitor-1, and lipid as cardiovascular risk factors in chronic hemodialysis and continuous ambulatory peritoneal dialysis patients. 1996 , 27, 848-54	77
292	Fish oil may be an antidote for the cardiovascular risk of smoking. 1996 , 46, 337-47	10

[1996-1996]

291	The localization of tissue factor and apolipoprotein(a) in atherosclerotic lesions of the human aorta and their relation to fibrinogen-fibrin transition. 1996 , 192, 224-32	11
290	The benefits of stopping smoking and the role of nicotine replacement therapy in older patients. 1996 , 9, 8-23	37
289	Fibrinogen levels and exercise. Is there a relationship?. 1996 , 21, 402-8	22
288	The acute rise in plasma fibrinogen concentration with exercise is influenced by the G-453-A polymorphism of the beta-fibrinogen gene. 1996 , 16, 386-91	103
287	A case-reference study on plasma fibrinogen concentrations and coronary atherosclerosis in Japanese. 1996 , 6, 81-6	6
286	The additive effects of smoking and hypertension. More reasons to help your patients kick the habit. 1996 , 100, 147-8, 151-4, 159-60	4
285	Thrombosis in Ischemic Heart Disease. 1996 , 156, 1382	58
284	Lipid profile, haemostatic variables and angiographically-defined coronary artery disease: a cross-sectional study in an Irish population. 1996 , 165, 129-32	
283	Haemostatic variables in phenylketonuric children under dietary treatment. 1996 , 19, 603-9	3
282	Altered properties of the fibrin gel structure in patients with IDDM. 1996 , 39, 1519-23	80
281	Fibrinogen levels in women having coronary angiography. 1996 , 78, 15-8	5
280	Long-term influence of fibrinogen on initial and recurrent cardiovascular events in men and women. 1996 , 78, 90-2	18
279	Fibrinogen, coronary heart disease and mortality from all causes in smokers and nonsmokers. The study of men born in 1933. 1996 , 239, 499-507	29
278	Genetic Modulation of Plasma Fibrinogen Concentrations: Possible Importance of Interleukin-6. 1996 , 3, 51-56	16
277	Smoking is independently associated with high plasma insulin levels in nondiabetic men. 1996 , 19, 1229-32	126
276	Smoking habit in female students of northwestern Greece: relation to other cardiovascular risk factors. 1996 , 116, 87-90	2
275	Inter-Relationships of Plasma Fibrinogen, Low-Density Lipoprotein Cholesterol, Cigarette Smoking and the Prevalence of Cardiovascular Disease. 1996 , 3, 307-312	
274	Plasma fibrinogen and its correlates in urban Japanese men. 1996 , 25, 521-7	14

273	A Prospective Study of Risk Factors for Pulmonary Embolism in Women. 1997 , 277, 642	313
272	Reduced Cardiovascular Mortality Risk in Male Smokers Who Are Physically Active. 1997 , 157, 893	20
271	Fibrinogen and cardiovascular risk. 1997 , 2, 115-25	71
270	Soluble-fibre concentrate lowers plasminogen activator inhibitor-1 in baboons (Papio ursinus). 1997 , 78, 625-37	5
269	Social network in relation to plasma fibrinogen. 1997 , 29, 129-39	13
268	Development of vascular complications in diabetes. 1997 , 2, 132-42	39
267	Ten-year follow-up results from the Goettingen Risk, Incidence and Prevalence Study (GRIPS). I. Risk factors for myocardial infarction in a cohort of 5790 men. 1997 , 129, 221-30	87
266	The secondary prevention of coronary artery disease. 1997 , 102, 572-81	33
265	Nonlipoprotein risk factors for coronary heart disease: evaluation and management. 1997 , 102, 7-14	34
264	Haemostatic changes and the oral contraceptive pill. 1997 , 11, 545-64	23
264	Haemostatic changes and the oral contraceptive pill. 1997 , 11, 545-64 Pharmacological approaches and strategies for therapeutic modulation of fibrinogen. 1997 , 87, 1-36	23 16
263	Pharmacological approaches and strategies for therapeutic modulation of fibrinogen. 1997 , 87, 1-36 Cigarette smoking is associated with increased human monocyte adhesion to endothelial cells:	16
263	Pharmacological approaches and strategies for therapeutic modulation of fibrinogen. 1997 , 87, 1-36 Cigarette smoking is associated with increased human monocyte adhesion to endothelial cells: reversibility with oral L-arginine but not vitamin C. 1997 , 29, 491-7	16 136
263 262 261	Pharmacological approaches and strategies for therapeutic modulation of fibrinogen. 1997, 87, 1-36 Cigarette smoking is associated with increased human monocyte adhesion to endothelial cells: reversibility with oral L-arginine but not vitamin C. 1997, 29, 491-7 Hyperfibrinogenemia and cardiovascular risk: possible strategies for intervention. 1997, 11, 41-46	16 136 1
263 262 261 260	Pharmacological approaches and strategies for therapeutic modulation of fibrinogen. 1997, 87, 1-36 Cigarette smoking is associated with increased human monocyte adhesion to endothelial cells: reversibility with oral L-arginine but not vitamin C. 1997, 29, 491-7 Hyperfibrinogenemia and cardiovascular risk: possible strategies for intervention. 1997, 11, 41-46 Increased Plasma Endothelin-1 After Nicotine Consumption in Nonsmokers. 1997, 43, 2440-2441	16 136 1
263 262 261 260	Pharmacological approaches and strategies for therapeutic modulation of fibrinogen. 1997, 87, 1-36 Cigarette smoking is associated with increased human monocyte adhesion to endothelial cells: reversibility with oral L-arginine but not vitamin C. 1997, 29, 491-7 Hyperfibrinogenemia and cardiovascular risk: possible strategies for intervention. 1997, 11, 41-46 Increased Plasma Endothelin-1 After Nicotine Consumption in Nonsmokers. 1997, 43, 2440-2441 Biological Variation of Free and Total Carnitine in Serum of Healthy Subjects. 1997, 43, 2441-2443	16 136 1 11 8

255	Fibrinogen and von Willebrand factor in IDDM: relationships to lipid vascular risk factors, blood pressure, glycaemic control and urinary albumin excretion rate: the EURODIAB IDDM Complications Study. 1997 , 40, 698-705	57
254	Smoking correlates with flow-mediated brachial artery vasoactivity but not cold pressor vasoactivity in men with coronary artery disease. 1998 , 14, 11-7	12
253	Beyond coagulation: fibrinogen as a cause of cardiovascular surgical disease. 1998 , 12, 261-5	2
252	Influence of smoking status on progression of endothelial dysfunction. TREND Investigators. Trial on Reversing Endothelial Dysfunction. 1998 , 21, 331-4	26
251	Diabetes Mellitus as a Risk Factor for Development of Vulnerable (Unstable) Coronary Plaque: A Review of Possible Mechanisms. 1998 , 11, 19-36	1
250	Fibrinogen is an independent marker for thoracic aortic atherosclerosis. 1998 , 81, 321-6	54
249	Fibrin gel structure in diabetic patients before and during treatment with acetylsalicylic acid: a pilot study. 1998 , 12, 360-365	7
248	Mortality and morbidity from smoking-induced cardiovascular diseases: the necessity of the cardiologist® involvement and commitment. 1998 , 67, 95-109	13
247	Biological and psychosocial risk factors in ischaemic heart disease: Empirical findings and a biopsychosocial model. 1998 , 26, 285-304	12
246	Pathophysiology of sudden coronary death in women. Implications for prevention. 1998 , 97, 2103-5	14
245	Primary prevention of coronary heart disease: guidance from Framingham: a statement for healthcare professionals from the AHA Task Force on Risk Reduction. American Heart Association. 1998 , 97, 1876-87	432
244	Atherosclerosis: coagulation and fibrinolysis. 1998 , 24, 255-60	27
243	Multiple Risk Factors in Cardiovascular Disease. Medical Science Symposia Series, 1998,	
242	Physical activity status and adverse age-related differences in coagulation and fibrinolytic factors in women. 1998 , 18, 362-8	78
241	Fibrinogen as a risk factor for coronary heart disease and mortality in middle-aged men and women. The Scottish Heart Health Study. 1998 , 19, 55-62	102
240	Comparison of the efficacy and safety of fenofibrate and lovastatin in patients with primary type IIa or IIb hyperlipidaemia. 1998 , 23, 213-21	7
239	Detection of a Complex That Associates With the BIFibrinogen GI 55-A Polymorphism. <i>Blood</i> , 1998, 92, 3286-3293	49
238	Cardiovascular ailments and associated common medical conditions in elderly patients. 1999 , 29, 158-170	

237	Relationship between smoking and cardiovascular risk factors in the development of peripheral arterial disease and coronary artery disease: Edinburgh Artery Study. 1999 , 20, 344-53		249
236	Systemic inflammatory parameters in patients with atherosclerosis of the coronary and peripheral arteries. 1999 , 19, 2355-63		247
235	Socioeconomic status and determinants of hemostatic function in healthy women. 1999 , 19, 485-92		49
234	Circadian interrelationships among levels of plasma fibrinogen, blood platelets, and serum interleukin-6. 1999 , 5, 37-42		39
233	Individual propensity for arterial thrombosis. 1999 , 19, 883-6		10
232	Influence of smoking status on angiotensin-converting enzyme inhibition-related improvement in coronary endothelial function. TREND Investigators. Trial on Reversing Endothelial Dysfunction. 1999 , 13, 201-9		8
231	Prevalence of coronary heart disease risk factors in a Cambridge, UK study. 1999 , 14, 31-46		
230	Interleukin-6 as a central mediator of cardiovascular risk associated with chronic inflammation, smoking, diabetes, and visceral obesity: down-regulation with essential fatty acids, ethanol and pentoxifylline. 1999 , 52, 465-77		187
229	Cigarette smoking, environmental tobacco smoke exposure and insulin sensitivity: the Insulin Resistance Atherosclerosis Study. <i>Annals of Epidemiology</i> , 1999 , 9, 290-6	6.4	55
228	Decreased blood flow but unaltered insulin sensitivity of glucose uptake in skeletal muscle of chronic smokers. 1999 , 48, 239-44		14
227	Risk factors and outcomes for atherothrombotic disease in French patients: the RIVAGE study. RIsque VAsculaire Group dÆtude. 1999 , 95, 163-76		15
226	[Ischemic cardiopathy: inflammation markers and the cardiovascular risk]. 1999 , 52, 990-1003		9
225	ACC/AHA/ACP-ASIM guidelines for the management of patients with chronic stable angina: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Management of Patients With Chronic Stable Angina). 1999 , 33, 2092-197		482
224	Effects of Fluvastatin and Bezafibrate Combination on Plasma Fibrinogen, t-plasminogen Activator Inhibitor and C Reactive Protein Levels in Coronary Artery Disease Patients with Mixed Hyperlipidaemia (FACT Study). 2000 , 83, 549-553		49
223	Effect of smoking on lipid and thrombogenic factors two months after acute myocardial infarction. 2000 , 86, 813-8		12
222	Transdermal nicotine mimics the smoking-induced endothelial dysfunction. 2000 , 68, 167-74		36
221	Lifestyle and hemostatic risk factors for ischemic heart disease : the Caerphilly Study. 2000, 20, 271-9		127
220	C-reactive protein in patients with chronic stable angina: differences in baseline serum concentration between women and men. 2000 , 21, 1598-606		42

(2002-2000)

219	Alterations of haemostatic and fibrinolytic markers in adult patients with growth hormone deficiency and with acromegaly. 2000 , 108, 486-92	31
218	Effect of smoking cessation on mortality after myocardial infarction: meta-analysis of cohort studies. 2000 , 160, 939-44	274
217	Factor analysis of risk for coronary heart disease: an independent replication. 2000 , 75, 233-8	10
216	Novel risk factors for atherosclerosis. 2000 , 75, 369-80	127
215	Haemostasis in ischaemic stroke and vascular dementia. 2001 , 12, 651-7	36
214	Effects of smoking and abstention from smoking on fibrinogen synthesis in humans. 2001 , 100, 459-465	46
213	COMMENTWhy do smokers have higher plasma fibrinogen levels than non-smokers?. 2001 , 101, 209-210	7
212	Effects of smoking and abstention from smoking on fibrinogen synthesis in humans. 2001 , 100, 459	19
211	Hyperfibrinogenemia and metabolic syndrome in type 2 diabetes: a population-based study. 2001 , 17, 124-30	17
210	Variables associated with fibrinogen in a population-based study: interaction between smoking and age on fibrinogen concentration. 2001 , 17, 953-8	17
209	Synergistic interaction of smoking and neuroticism as a risk factor in ischaemic heart disease: case-control study. 2001 , 30, 47-57	5
208	Nicotine: a review of its role in atherosclerosis. 2001 , 193, 538-46	52
207	Plasma fibrinogen as a predictor of total and cause-specific mortality in elderly Japanese-American men. 2001 , 21, 1065-70	51
206	Fibrinogen genotypes (alpha and beta) are associated with plasma fibrinogen levels in Chinese. 2001 , 38, E31	7
205	Smoking, low density lipoprotein cholesterol, fibrinogen and myocardial infarction before 41 years of age: a Danish case-control study. 2002 , 9, 171-8	8
204	Family studies: their role in the evaluation of genetic cardiovascular risk factors. 2002 , 40, 1085-96	13
203	Multifactorial determination of hypertensive nephroangiosclerosis. 2002 , 25, 341-53	13
202	Risk factors for coronary heart disease: implications of gender. 2002 , 53, 538-49	166

201	Relation of serum sialic acid to blood coagulation activity in type 2 diabetes. 2002 , 13, 691-6	8
200	. 2002 , 9, 171-178	10
199	Serum markers of inflammation and cardiovascular risk. 2002 , 345-354	
198	Role of inflammation in cardiovascular disease: how to use C-reactive protein in clinical practice. 2002 , 17, 174-85	15
197	Folic acid enhances endothelial function and reduces blood pressure in smokers: a randomized controlled trial. 2002 , 252, 497-503	97
196	[Fibrinogen and atherothrombosis: vulnerable plaque or vulnerable patient?]. 2003, 28, 530-8	12
195	Anemia as a risk factor for cardiovascular disease. 2003 , S32-9	49
194	Increased plasma fibrin gel porosity in patients with Type I diabetes during continuous subcutaneous insulin infusion. 2003 , 1, 1195-201	27
193	[Smoking cessation and risk of myocardial reinfarction in coronary patients: a nested case-control study]. 2003 , 56, 445-51	11
192	Efecto del fosinopril sobre los niveles plasmEicos de fibringeno en hipertensos esenciales. 2003 , 20, 300-304	
191	Independent association of various smoking characteristics with markers of systemic inflammation in men. Results from a representative sample of the general population (MONICA Augsburg Survey 1994/95). 2003 , 24, 1365-72	218
190	Elevated prothrombin results in clots with an altered fiber structure: a possible mechanism of the increased thrombotic risk. <i>Blood</i> , 2003 , 101, 3008-13	133
189	Fibrinogen: biochemistry, epidemiology and determinants. 2003 , 96, 711-29	174
188	Novel Biomedical Risk Markers for Cardiovascular Disease. 2003 , 10, 41-55	2
187	. 2003 , 10, 41-55	10
186	Novel cardiovascular risk factors. 2003 , 18, 131-8	11
185	The effect of vegetarian diet, plant foods, and phytochemicals on hemostasis and thrombosis. 2003 , 78, 552S-558S	56
184	Stroke and Substance Abuse. 2004 , 725-745	2

183	Tobacco or health 1602: an Elizabethan doctor speaks. 2005 , 20, 101-11	7
182	Tobacco. 2004 , 427-453	
181	Chapter 10 Risk Factor Modification for Secondary Prevention. 2004 , 29, 197-210	
180	Epidemiology of Stroke. 2004 , 13-34	9
179	Genetic risk factors for stroke and carotid atherosclerosis: insights into pathophysiology from candidate gene approaches. 2004 , 3, 227-35	179
178	Fibrinogen levels in hypercholesterolemic smokers and non-smokers in relation to age and gender. 2004 , 3, 231-5	4
177	Plasma fibrinogen and its association with cardiovascular risk factors in apparently healthy Japanese subjects. 2004 , 19, 144-8	8
176	El tabaco como factor de riesgo cardiovascular en las poblaciones mediterrfieas. 2004 , 16, 207-220	
175	The pathophysiology of cigarette smoking and cardiovascular disease: an update. 2004, 43, 1731-7	1421
174	Body fat is the main predictor of fibrinogen levels in healthy non-obese men. 2004 , 53, 984-8	18
173	Acute cigarette smoking-induced hemodynamic alterations in the common carotid arterya transcranial Doppler study <i>Circulation Journal</i> , 2004 , 68, 1127-31	30
172	Sustained plasma fibrinogen elevation in subtotal nephrectomized rats: effect of cilazapril, an angiotensin-converting enzyme inhibitor. 2004 , 94, 67-72	
171	Smoking and Smoking Cessation. 2005 , 39-52	
170	New risk factors for atherosclerosis in hypertension: focus on the prothrombotic state and lipoprotein(a). 2005 , 23, 1617-31	35
169	Serum antibodies to periodontal pathogens and markers of systemic inflammation. 2005 , 32, 1189-99	71
168	[Prevention of coronary heart disease: smoking]. 2005 , 94 Suppl 3, III/30-42	9
167	The smokerB paradox and the real risk of smoking. 2005 , 20, 161-7	13
166	Acute and Chronic Effects of Smoking on the Arterial Wall Properties and the Hemodynamics in Smokers with Hypertension. 2005 , 35, 493	8

165	Biochemical markers of cardiovascular damage from tobacco smoke. 2005 , 11, 2199-208	60
164	The Emergent Cardiovascular Risk Factors and Organ Damage in Arterial Hypertension. 2005 , 1, 189-200	
163	Fibrinogen and cigarette smoking in men and women in the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) population. 2005 , 12, 144-50	9
162	Plasma F2-isoprostanes and coronary artery calcification: the CARDIA Study. 2005 , 51, 125-31	114
161	Lower Extremity Arterial Disease. 2005,	1
160	What causes acute coronary syndromes? Applying Koch® postulates. 2005, 179, 1-15	24
159	Cigarette smoking and systemic lupus erythematosus: a smoking gun?. 2005 , 38, 541-7	39
158	Associations between cigarette smoking, pipe/cigar smoking, and smoking cessation, and haemostatic and inflammatory markers for cardiovascular disease. 2005 , 26, 1765-73	307
157	Smoking cessation in patients with coronary artery disease. <i>American Heart Journal</i> , 2005 , 149, 565-72 4.9	60
156	[Prospective study of the risk factors for the development of post-thrombotic syndrome after proximal deep venous thrombosis]. 2005 , 125, 1-4	4
155	The role of smoking in coagulation and thromboembolism in chronic obstructive pulmonary disease. 2005 , 2, 71-7	57
154	Aspirin resistance: possible roles of cardiovascular risk factors, previous disease history, concomitant medications and haemorrheological variables. 2006 , 23, 559-67	30
153	Plasma Proteins and Protein Catabolism. 2006 , 81-92	
152	Procoagulant properties of atherosclerotic aortas. 1995 , 748, 185-92; discussion 192-3	8
151	Smoking, smoking cessation, and risk of cardiovascular disease. 2006 , 8, 276-81	7
150	Low serum thyrotropin is associated with high plasma fibrinogen. 2006 , 91, 530-4	57
149	Preventive Cardiology. 2006 ,	
148	Smoking as a risk factor for renal injury in essential hypertension. 2006 , 103, c121-8	9

147	Cigarette smoking and autoimmune disease: what can we learn from epidemiology?. 2006, 15, 737-45		166
146	Systemic effects of smoking. 2007 , 131, 1557-66		667
145	Variation in blood levels of inflammatory markers related and unrelated to smoking cessation in women. 2007 , 10, 68-75		10
144	An active lifestyle improves outcome of primary angioplasty in elderly patients with acute myocardial infarction. <i>American Heart Journal</i> , 2007 , 154, 352-60	4.9	10
143	Acute effects of cigarette smoking on arterial stiffness and blood pressure in male smokers with hypertension. 2007 , 20, 637-41		72
142	Plasma leptin: associations with metabolic, inflammatory and haemostatic risk factors for cardiovascular disease. 2007 , 191, 418-26		160
141	The Rationale for Intervention to Reduce the Risk of Coronary Heart Disease. 2007 , 1, 10-19		5
140	Rheopheresis in vascular diseases. 2007 , 30, 923-9		11
139	Association between tobacco smoke exposure and levels of C-reactive protein in the Oslo II Study. 2007 , 22, 311-7		28
138	Microalbuminuria, von Willebrand factor and fibrinogen levels as markers of the severity in COPD exacerbation. 2008 , 26, 97-102		41
137	Care of the adult with congenital heart disease. 2008, 10, 505-15		4
136	Smoking increases the risk of venous thrombosis and acts synergistically with oral contraceptive use. 2008 , 83, 97-102		156
135	Minimal genetic influences on plasma fibrinogen level in adult males in the NHLBI twin study. 1994 , 45, 71-7		42
134	Smoking and its effects on mortality in adults with congenital heart disease. 2008 , 127, 93-7		27
133	Short-term follow-up results of drug-eluting stenting in premature coronary artery disease patients with multiple atherosclerotic risk factors. 2008 , 71, 342-6		4
132	Fibrinogen beta-chain tyrosine nitration is a prothrombotic risk factor. 2008 , 283, 33846-53		67
131	Acute Coronary Syndrome. 2008,		
130	Hyperfibrinogenemia and functional outcome from acute ischemic stroke. 2009 , 40, 1687-91		68

129	Smoking and atherosclerotic cardiovascular disease: Part I: atherosclerotic disease process. 2009 , 3, 411-28	15
128	Predictors of stroke in the elderly. 1988 , 224, 439-43	14
127	Cigarette smoking induces insulin resistance: Partly via ASPII5L2 pathway?. 2009 , 2, 267-269	1
126	Behavioural interventions for smoking cessation in patients hospitalised for a major cardiovascular event. 2009 , 137, 171-4	8
125	The effect of short-term aerobic training on coagulation and fibrinolytic factors in sedentary healthy postmenopausal women. 2009 , 64, 223-7	20
124	Rheumatoid arthritis and smoking: putting the pieces together. 2009 , 11, 238	99
123	Molecular and biochemical changes of the cardiovascular system due to smoking exposure. 2009 , 15, 1038-53	60
122	The Health Effect of Psychostimulants: A Literature Review. 2010 , 3, 2333-2361	30
121	Effects of cigarette smoke exposure on clot dynamics and fibrin structure: an ex vivo investigation. 2010 , 30, 75-9	91
120	[Comorbidity and health resources use in smokers. An analysis from a primary care setting]. 2010 , 210, 109-17	O
119	Smoking cessation program with exercise improves cardiovascular disease biomarkers in sedentary women. 2011 , 20, 1051-64	31
118	The association between cigarette smoking and multiple sclerosis. 2011 , 311, 78-85	25
117	Stroke and Substance Abuse. 2011 , 790-813	
116	Smoking and hypertension: effects on clinical, biochemical and pathological variables due to isolated or combined action on cardiovascular system. 2011 , 17, 2987-3001	17
115	Incidence and mortality of aneurysmal subarachnoid hemorrhage in two Norwegian cohorts, 1984-2007. 2011 , 77, 1833-9	73
114	Environmental risk factors for multiple sclerosis: a review with a focus on molecular mechanisms. 2012 , 13, 11718-52	123
113	Parental smoking and vascular damage in their 5-year-old children. 2012 , 129, 45-54	39
112	FaktĒVIII DĒleyi l ē Koroner Arter HastalĒArasēndaki līkli. 2012 , 50, 113-118	

(2014-2012)

111	patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association task force on practice guidelines, and the American	537
110	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American	1138
109	Novel and reversible mechanisms of smoking-induced insulin resistance in humans. 2012, 61, 3156-66	65
108	Smoking as a risk factor for autoimmune liver disease: what we can learn from primary biliary cirrhosis. 2012 , 11, 7-14	26
107	Predictors for neoatherosclerosis: a retrospective observational study from the optical coherence tomography registry. 2012 , 5, 660-6	109
106	Gene-smoking interactions in multiple Rho-GTPase pathway genes in an early-onset coronary artery disease cohort. 2013 , 132, 1371-82	10
105	Hair mercury level in smokers and its influence on blood pressure and lipid metabolism. 2013, 36, 103-7	24
104	Long-term outcome after angiographically proven coronary stent thrombosis. 2013, 111, 1289-94	15
103	Managing tobacco use: the neglected cardiovascular disease risk factor. 2013 , 34, 3259-67	88
102	Self-esteem variability predicts arterial stiffness trajectories in healthy adolescent females. 2013 , 32, 869-76	5
101	Cigarette smoking and DNA methylation. 2013 , 4, 132	250
100	Unravelling the smokersPparadox: cigarette smoking, high-risk coronary artery disease and enhanced clinical efficacy of oral P2YInhibitors. 2014 , 111, 1187-90	10
99	Dietary intake relative to cardiovascular disease risk factors in individuals with chronic spinal cord injury: a pilot study. 2014 , 20, 127-36	6
98	The evaluation of plasma viscosity and endothelial dysfunction in smoking individuals. 2014 , 58, 403-13	8
97	Effects of ethanol on red blood cell rheological behavior. 2014 , 56, 87-99	5
96	Effects of moderate aerobic exercise training on hemorheological and laboratory parameters in ischemic heart disease patients. 2014 , 9, e110751	24
95	Is smoking associated with favourable outcome in tPA-treated stroke patients?. 2014 , 130, 299-304	13
94	The role of hemorheological factors in cardiovascular medicine. 2014 , 56, 197-204	17

93	Biglycan expression in current cigarette smokers: a possible link between active smoking and atherogenesis. 2014 , 237, 471-9	13
92	Hemorheological parameters in coronary artery disease detected by multi-slice CT. 2014 , 26, 229-235	3
91	In vitro hemorheological effects of parenteral agents used in peripheral arterial disease. 2014 , 26, 243-247	
90	Smoking increases the risk of multiple sclerosis in Queensland, Australia. 2014 , 21, 1730-3	15
89	Is greater acculturation associated with an increased prevalence of cardiovascular risk factors among Latinos in South Florida?. 2015 , 53, 417-22	9
88	Markers of Atherosclerotic Disease: What do they Mean? Current Opinion and Future Trends. 2016 , 22, 7-17	5
87	Association between Fibrinogen and Carotid Atherosclerosis According to Smoking Status in a Korean Male Population. 2015 , 56, 921-7	9
86	Prospective evaluation of blood coagulability and effect of treatment in patients with stroke using rotational thromboelastometry. 2015 , 24, 304-11	8
85	Study of cardiovascular disease biomarkers among tobacco consumers, part 2: biomarkers of biological effect. 2015 , 27, 157-66	18
84	Central role of eNOS in the maintenance of endothelial homeostasis. 2015 , 22, 1230-42	97
83	The energy cost of erythrocyte aggregation propensity during normal blood flow. 2016 , 9, 791-796	
82	Declines and Plateaux in Smoking Prevalence Over Three Decades in Fiji. 2017 , 19, 1315-1321	8
81	Hemorheological alterations in carotid artery stenosis. 2016 , 64, 55-63	3
80	The effects of waterpipe tobacco smoking on health outcomes: an updated systematic review and meta-analysis. 2017 , 46, 32-43	149
79	Smoking and red blood cell phospholipid membrane fatty acids. 2016 , 112, 24-31	8
78	Modifiable Risk Factors and Determinants of Stroke. 2016 , 217-233	2
77	Stroke and Substance Abuse. 2016 , 648-657.e14	1
76	Fibrinogen and Fibrin in Hemostasis and Thrombosis. 2017 , 37, e13-e21	154

(2020-2017)

75	Smoking Increases the Rate of Reoperation for Infection within 90 Days After Primary Total Joint Arthroplasty. 2017 , 99, 295-304	47
74	Smoking Cessation Counseling Improves Quality of Care and Surgical Outcomes with Financial Gain for a Vascular Practice. 2017 , 42, 214-221	4
73	Evaluating the utility of serological testing in laryngotracheal stenosis. 2017, 127, 1408-1412	4
72	The relationship between hemorheological parameters and mortality in critically ill patients with and without sepsis. 2017 , 65, 119-129	11
71	The impact of passive and active smoking on inflammation, lipid profile and the risk of myocardial infarction. 2017 , 4, e000620	23
70	Fat deposition in the left ventricle: descriptive and observacional study in autopsy. 2017 , 16, 86	5
69	Tobacco smoking trends in Samoa over four decades: can continued globalization rectify that which it has wrought?. 2017 , 13, 31	7
68	Genetic and Environmental Biomarkers Associated with Triglyceride Levels in Two Groups of Slovak Women. 2017 , 21, 46-52	2
67	Comparison of hemorheological changes in patients after acute coronary events, intervention and ambulatory rehabilitation. 2016 , 64, 565-574	3
66	The association between smoking or passive smoking and cardiovascular diseases using a Bayesian hierarchical model: based on the 2008-2013 Korea Community Health Survey. 2017 , 39, e2017026	27
65	Atherosclerotic disease is the predominant aetiology of acute coronary syndrome in young adults. 2018 , 29, 36-42	5
64	Influence of Smoking on Interleukin-34 Levels in Gingival Crevicular Fluid and Plasma in Periodontal Health and Disease: A Clinico-biochemical Study. 2018 , 59, 247-255	7
63	Smoking and the Endothelium. 2018 , 537-554	
62	Viscometer validation studies for routine and experimental hemorheological measurements. 2018 , 69, 383-392	5
61	Lifestyle factors modulate postprandial hypertriglyceridemia: From the CORDIOPREV study. 2019 , 290, 118-124	6
60	Hyaluronic acid in tobacco-exposed rats. Inflammatory reaction, and duration of effect1. 2019 , 34, e2019002	202
59	Association of BAX hypermethylation with coronary heart disease is specific to individuals aged over 70. 2019 , 98, e14130	1
58	C-reactive protein as a biomarker of response to inhaled corticosteroids among patients with COPD. 2020 , 60, 101870	O

57	The mediating role of inflammation in the association between cigarette smoking and intima-media thickness: The Guangzhou biobank cohort study. 2020 , 99, e19207	3
56	Pathophysiological Mechanisms of Tobacco-Related CVD. 2012 , 7, 113-20	42
55	Prevalence of Anxiety in Smoking Cessation. 2021 , Publish Ahead of Print,	1
54	Biomarkers of Potential Harm among Adult Cigarette and Smokeless Tobacco Users in the PATH Study Wave 1 (2013-2014): A Cross-sectional Analysis. 2021 , 30, 1320-1327	O
53	Smoking Cessation after Diagnosis of New-Onset Atrial Fibrillation and the Risk of Stroke and Death. 2021 , 10,	3
52	Effects of Smoking on Short-Term and Long-Term Mortality after Aneurysmal Subarachnoid Hemorrhage. 2021 , 1-11	
51	Stroke and Substance Abuse. 2022 , 563-572.e15	
50	Role of Fibrinogen as a Vascular Risk Factor in Atherogenesis and Thrombogenesis. 2000 , 419-426	1
49	Smoking, platelet reactivity and fibrinogen. 1990 , 273, 129-34	4
48	Smoking as a predictor of atherosclerosis in the Honolulu Heart Program. 1990 , 273, 17-25	3
47	Human Fibrinogen Occurs as Over 1 Million Non-Identical Molecules. 1995 , 435-443	1
46	Insulin Resistance in Smokers and Other Long-Term Users of Nicotine. 1999 , 121-136	3
45	Anatomie und Pathologie der Koronararterien. 2000 , 209-553	2
44	Hemostatic risk factors for cardiovascular disease. Developments in Cardiovascular Medicine, 1996, 135-151	1
43	Fibrinogen, Factor VII, and Plasminogen Activator Inhibitor-1. <i>Developments in Cardiovascular Medicine</i> , 1994 , 125-138	1
42	Epidemiology of Stroke. 2011 , 198-218	1
41	Novel risk factors for coronary heart disease: emerging connections. 2000 , 14, 91-103	6
40	Rehabilitation results of patients with multiple injuries and multiple organ failure and long-term intensive care. 1997 , 42, 919-26	28

(2010-1997)

39	Gender-specific associations of the fibrinogen B beta 448 polymorphism, fibrinogen levels, and acute cerebrovascular disease. 1997 , 17, 589-94	55
38	Coronary plaque disruption. 1995 , 92, 657-71	2317
37	Cigarette smoking potentiates endothelial dysfunction of forearm resistance vessels in patients with hypercholesterolemia. Role of oxidized LDL. 1996 , 93, 1346-53	254
36	Fish intake may limit the increase in risk of coronary heart disease morbidity and mortality among heavy smokers. The Honolulu Heart Program. 1996 , 94, 952-6	82
35	Unfavorable effect of smoking on the elastic properties of the human aorta. 1997 , 95, 31-8	111
34	Risk factors for subarachnoid hemorrhage: a systematic review. 1996 , 27, 544-9	217
33	Associations between carotid atherosclerosis and high factor VIII activity, dyslipidemia, and hypertension. 1997 , 28, 88-94	26
32	Advances in understanding COPD. 2016 , 5,	10
31	Tobacco and Cardiovascular Disease: A Summary of Evidence. 2017 , 57-77	13
30	Cardiac risk factor management. Experience of an outpatient hypertension clinic. 1991 , 155, 691-2, 694, 698-700	5
29	Smoking and coronary changes in patients with documented coronary artery disease. 2000, 115-117	
28	Cardiovascular Disease, Disturbances of Blood Coagulation and Fibrinolysis. 2003 , 118-147	
27	Smoking, the Spine, and Spinal Fusion. 2005 , 1333-1344	
26	Epidemiology of coagulopathy. 2005 , 17-31	
25	Epidemiology of Cerebrovascular Disease * *This work was supported in part by the National Institute of Neurological Disorders and Stroke Grant No. 5R01 NS17950 and the National Heart, Lung, and Blood Instituteß Framingham Heart Study Contract No. N01-HC-25195 2006 , 411-432	
24	Tabac. 2007 , 519-550	
23	Smoking Cessation in the Cardiac Patient. 2008 , 295-301	
22	Cardiovascular Disease, Disturbances of Blood Coagulation and Fibrinolysis. 2010 , 119-148	

21	The Impact of Chronic Cigarette Smoking on Arterial Stiffness in Korea. 2011 , 15, 47-52		
20	Systemic Inflammation in Patients with Chronic Obstructive Pulmonary Disease: Results from the Cosmic Study. 2012 , 02, 63-72		1
19	Tobacco. 2013 , 167-186		
18	Individual Risk Factors for Cardiovascular Disease. <i>Medical Science Symposia Series</i> , 1992 , 1-12		
17	Arterial Calcifications in Thoracoabdominal Computer Tomography: Frequency, and Correlation with Risk Factors and Cardiovascular Diseases. 1993 , 149-175		
16	Plasma Coagulation Factors in Emergency Room Patients with Acute Chest Pain and Subsequent Hospitalization: Myocardial Infarction, Coronary Artery Disease, and Hypertension. 1995 , 291-298		
15	Epidemiology and risk factors of diseases of lower limb arteries. <i>Developments in Cardiovascular Medicine</i> , 1996 , 271-288		
14	Pathophysiology of Atherosclerosis. <i>Developments in Cardiovascular Medicine</i> , 1998 , 3-58		
13	Fibrinogen: Risk Factor or Risk Marker?. <i>Medical Science Symposia Series</i> , 1998 , 75-84		
12	Detection of a Complex That Associates With the BIFibrinogen GI 55-A Polymorphism. <i>Blood</i> , 1998 , 92, 3286-3293	2.2	
11	BidEniologie, environnement et gElEique dans la sclEose en plaques. 2019 , 31-105		
10	The association between smoking and unfavorable outcomes in acute ischemic stroke patients with mechanical thrombectomy. <i>Tobacco Induced Diseases</i> , 2020 , 18, 31	3.2	1
9	Tobacco as a Cardiovascular Risk Factor. 2006 , 179-195		
8	Herz-Kreislauf-Erkrankungen und Stflungen von Blutgerinnungs- und Fibrinolysevorgfigen. 2008 , 197-2	248	
7	Genetic and environmental sources of fibrinogen variability in Israeli families: the Kibbutzim Family Study. <i>American Journal of Human Genetics</i> , 1995 , 56, 1194-206	11	37
6	JCS 2018 Guideline on Revascularization of Stable Coronary Artery Disease <i>Circulation Journal</i> , 2022 , 86,	2.9	3
5	Association between electronic cigarette and combustible cigarette use with cardiometabolic risk biomarkers among U.S. adults <i>Annals of Epidemiology</i> , 2022 ,	6.4	О
4	Associations between fibrinogen levels and the risk of cardiovascular disease and all-cause death: a cohort study from the Chin-Shan community in Taiwan <i>BMJ Open</i> , 2022 , 12, e054638	3	

CITATION REPORT

3	Predictive value of factors of the hemostatic system in screening procedures for coronary artery disease. <i>Research in Clinic and Laboratory</i> , 1989 , 19, 333-8		4
2	Associations Between 25-Hydroxyvitamin D and Total and B Fibrinogen and Plasma Clot Properties and Gene Interactions in a Group of Healthy Black South African Women. <i>Frontiers in Cardiovascular Medicine</i> , 9,	5.4	
1	Methylation in the Promoter Region of the Dopamine Transporter DAT1 Gene in People Addicted to Nicotine. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 8602	4.6	2