

CITATION REPORT

List of articles citing

Assessment of diastolic function in normal and hypertrophied hearts: comparison of Doppler echocardiography and M-mode echocardiography

DOI: 10.1016/0002-8703(87)90657-0
American Heart Journal, 1987, 113, 1417-25.

Source: <https://exaly.com/paper-pdf/19126933/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
168	Noninvasive assessment of left ventricular structure and function in patients with end-stage renal disease. 1994 , 106, 13-25		1
167	Evaluation of left ventricular diastolic function: clinical relevance and recent Doppler echocardiographic insights. <i>American Heart Journal</i> , 1987 , 114, 836-51	4.9	273
166	Clinical utility of Doppler ultrasound in cardiac diseases. 1987 , 15, 599-634		2
165	Left ventricular systolic and diastolic flow abnormalities determined by Doppler echocardiography in obstructive hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , 1987 , 59, 925-31	3	82
164	Effect of aging on left ventricular diastolic filling in normal subjects. <i>American Journal of Cardiology</i> , 1987 , 59, 971-4	3	270
163	Comparison of pulsed Doppler echocardiography and radionuclide angiography in the assessment of left ventricular filling. <i>American Journal of Cardiology</i> , 1988 , 61, 446-54	3	57
162	Effect of coronary artery bypass grafting on left ventricular diastolic function. <i>American Journal of Cardiology</i> , 1988 , 61, 283-7	3	23
161	Doppler echocardiographic assessment of the effect of varying atrioventricular delay and pacemaker mode on left ventricular filling. <i>American Heart Journal</i> , 1988 , 115, 611-21	4.9	62
160	Diastolic abnormalities in young asymptomatic diabetic patients assessed by pulsed Doppler echocardiography. <i>Journal of the American College of Cardiology</i> , 1988 , 12, 114-20	15.1	203
159	Systolic and diastolic flow abnormalities in elderly patients with hypertensive hypertrophic cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 1988 , 12, 989-95	15.1	77
158	Bibliography of biomedical ultrasound. No. 74. 1988 , 14, 311-30		1
157	Influence of alteration in preload on the pattern of left ventricular diastolic filling as assessed by Doppler echocardiography in humans. <i>Circulation</i> , 1989 , 79, 1226-36	16.7	315
156	Usefulness of Doppler echocardiography in the diagnosis of congestive heart failure. <i>American Journal of Cardiology</i> , 1989 , 63, 1098-102	3	95
155	Mechanism of altered pattern of left ventricular filling with aging in subjects without cardiac disease. <i>American Journal of Cardiology</i> , 1989 , 64, 523-7	3	73
154	Left ventricular structure and function in professional basketball players. <i>American Journal of Cardiology</i> , 1989 , 64, 1072-4	3	9
153	The influence of heart rate and age on diastolic blood flow velocity in the left ventricular inflow tract. 1989 , 17, 339-44		2
152	Assessment of diastolic function of the heart: background and current applications of Doppler echocardiography. Part II. Clinical studies. 1989 , 64, 181-204		577

151	Noninvasive assessment of diastolic and systolic properties of ibopamine in patients with congestive heart failure. <i>American Heart Journal</i> , 1989 , 117, 395-402	4.9	10
150	Doppler characterization of left ventricular diastolic function in cardiac amyloidosis. <i>Journal of the American College of Cardiology</i> , 1989 , 13, 1017-26	15.1	281
149	Hemodynamic benefit of atrioventricular synchrony: prediction from baseline Doppler-echocardiographic variables. <i>Journal of the American College of Cardiology</i> , 1989 , 13, 1613-21	15.1	44
148	Immediate and short-term effects of aortic balloon valvuloplasty on left ventricular diastolic function and filling in humans. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 1218-28	15.1	16
147	Left ventricular diastolic function: comparison of pulsed Doppler echocardiographic and hemodynamic indexes in subjects with and without coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1989 , 13, 327-36	15.1	277
146	Pulsed Doppler evaluation of atrial mechanical function after electrical cardioversion of atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 1989 , 13, 617-23	15.1	323
145	Doppler evaluation of left ventricular filling: effect of verapamil on non-obstructive hypertrophic cardiomyopathy. <i>European Heart Journal</i> , 1990 , 11, 839-44	9.5	4
144	Effect of alteration in loading conditions on both normal and abnormal patterns of left ventricular filling in healthy individuals. <i>American Journal of Cardiology</i> , 1990 , 65, 377-82	3	58
143	Role of transmitral blood flow velocity by Doppler echocardiography in the evaluation of coronary artery disease. 1990 , 13, 108-14		5
142	Clinical evaluation of left ventricular diastolic performance. 1990 , 32, 273-90		167
141	Recognition and treatment of left ventricular diastolic dysfunction. 1990 , 32, 319-32		55
140	Effects of nifedipine on left ventricular diastolic function in hypertension; echo Doppler study. 1990 , 4 Suppl 5, 951-5		9
139	Different patterns of left ventricular filling in arterial hypertension. <i>European Heart Journal</i> , 1990 , 11, 302-10	9.5	6
138	Influence of Left Ventricular Preload Reduction by Hemodialysis on the Doppler-Derived Left Ventricular Filling Profile. 1990 , 4, 345-351		0
137	Antihypertensive therapy--going to the heart of the matter. <i>Circulation</i> , 1990 , 81, 1128-35	16.7	38
136	Tolerance of the hypertrophic heart to ischemia. Studies in compensated and failing dog hearts with pressure overload hypertrophy. <i>Circulation</i> , 1990 , 81, 1644-53	16.7	101
135	Cardiopulmonary receptor reflexes in normotensive athletes with cardiac hypertrophy. <i>Circulation</i> , 1990 , 82, 1222-9	16.7	29
134	Bibliography of biomedical ultrasound. 1987. 1990 , 16, 851-1018		1

133	Diastolic function in patients undergoing coronary angioplasty: influence of degree of revascularization. <i>Journal of the American College of Cardiology</i> , 1990 , 15, 1564-9	15.1	24
132	Left ventricular filling at elevated diastolic pressures: relationship between transmitral Doppler flow velocities and atrial contribution. <i>American Heart Journal</i> , 1990 , 119, 620-6	4.9	57
131	Return of atrial mechanical function following electrical conversion of atrial dysrhythmias. <i>American Heart Journal</i> , 1990 , 120, 353-9	4.9	63
130	Correlates of diastolic filling abnormalities in hypertension: a Doppler echocardiographic study. <i>American Heart Journal</i> , 1990 , 120, 386-91	4.9	34
129	Effect of age on diastolic left ventricular filling at rest and during inotropic stimulation and acute systemic hypertension: experimental studies in conscious beagles. <i>American Heart Journal</i> , 1990 , 120, 73-81	4.9	13
128	Influence of postural change on transmitral flow velocity profile assessed by pulsed Doppler echocardiography in normal individuals and in patients with myocardial infarction. <i>American Heart Journal</i> , 1990 , 120, 110-5	4.9	10
127	Changes in left ventricular diastolic filling during the development of left ventricular hypertrophy: observations using Doppler echocardiography in a unique canine model. <i>American Heart Journal</i> , 1991 , 121, 1759-67	4.9	12
126	Effects of aging on left ventricular structure and function. <i>American Heart Journal</i> , 1991 , 121, 871-5	4.9	66
125	Factors influencing transmitral flow velocity in normal and hypertensive subjects. <i>American Heart Journal</i> , 1991 , 122, 1101-6	4.9	11
124	Dependency of the pulsed Doppler-derived transmitral filling profile on the sampling site. <i>American Heart Journal</i> , 1991 , 122, 142-8	4.9	13
123	Normalization of Doppler indices of diastolic dysfunction during pacing is a sign of ischemic mitral regurgitation. <i>American Heart Journal</i> , 1991 , 121, 118-25	4.9	5
122	Left ventricular hypertrophy: diagnosis, prognosis, and management. <i>American Heart Journal</i> , 1991 , 121, 148-57	4.9	23
121	Left ventricular diastolic function in athletes and borderline hypertensives with mild cardiac hypertrophy. 1991 , 78, 278-81		6
120	Factors Influencing Doppler Echocardiographic Assessment of Left Ventricular Diastolic Function in Aortic Valve Stenosis. 1991 , 5, 20-25		
119	Left ventricular hypertrophy, compliance and ventricular filling. 1991 , 19, 103-11		3
118	Evaluation of left ventricular filling in dilated cardiomyopathy using digitized M-mode echocardiograms. <i>Echocardiography</i> , 1991 , 8, 163-72	1.5	1
117	Noninvasive assessment by pulsed Doppler ultrasound of left ventricular filling behavior in long distance runners during marathon race. <i>American Journal of Cardiology</i> , 1991 , 68, 1237-41	3	10
116	Correlation of quantitative angiographic parameters with changes in left ventricular diastolic function after angioplasty of the left anterior descending coronary artery. <i>American Journal of Cardiology</i> , 1991 , 67, 1061-6	3	9

115	Left ventricular filling behaviour in ultra endurance and amateur athletes: a stress Doppler-echo study. 1992 , 13, 600-4		4
114	Left atrial contribution to ventricular filling during the course of evolving heart failure. <i>Circulation</i> , 1992 , 86, 1317-22	16.7	116
113	Acromegalic cardiomyopathy. Left ventricular filling and hypertrophy in active and surgically treated disease. 1992 , 102, 1204-8		16
112	Impact of hemodialysis on left and right ventricular Doppler diastolic filling indices. 1992 , 304, 83-90		35
111	The role of Doppler echocardiography in the assessment of left ventricular diastolic function. <i>Echocardiography</i> , 1992 , 9, 387-406	1.5	14
110	Evaluation of cardiac performance in hypertension. <i>American Journal of Hypertension</i> , 1992 , 5, 190S-194S.	3	
109	Doppler Evaluation of Left Ventricular Compliance and Ventricular Filling Abnormalities. <i>Echocardiography</i> , 1992 , 9, 407-420	1.5	3
108	Doppler assessment of left ventricular diastolic function: a review. <i>Journal of the American Society of Echocardiography</i> , 1992 , 5, 603-12	5.8	37
107	Restrictive left ventricular diastolic filling identifies patients with heart failure after acute myocardial infarction. <i>Journal of the American Society of Echocardiography</i> , 1992 , 5, 497-503	5.8	138
106	Estimation of left ventricular end-diastolic pressure from Doppler transmitral flow velocity in cardiac patients independent of systolic performance. <i>Journal of the American College of Cardiology</i> , 1992 , 20, 112-9	15.1	195
105	The natural history of isolated left ventricular diastolic dysfunction. 1992 , 92, 627-30		93
104	Cardiomyopathy in Friedreich's ataxia: a Doppler-echocardiographic study. <i>European Heart Journal</i> , 1992 , 13, 1393-8	9.5	38
103	Determinants of left ventricular filling dynamics: alteration in the Doppler-derived transmitral filling profile with progressive impairment of cardiac function in a dog preparation. <i>European Heart Journal</i> , 1992 , 13, 832-9	9.5	6
102	Impairment of left ventricular diastolic function in systemic lupus erythematosus. <i>American Journal of Cardiology</i> , 1992 , 69, 1629-34	3	45
101	Determinants of Doppler indexes of left ventricular diastolic function in normal subjects (the Framingham Heart Study). <i>American Journal of Cardiology</i> , 1992 , 70, 508-15	3	277
100	Diastolic heart failure. <i>Current Problems in Cardiology</i> , 1992 , 17, 781-868	17.1	21
99	Diastolic function and creatine phosphate: An echocardiographic study. 1993 , 54, 562-571		3
98	Echocardiographic Doppler evaluation of left ventricular diastolic function in athletes' hypertrophied hearts. 1993 , 44, 341-6		7

97	Left Ventricular Diastolic Function: Clinical Relevance and Assessment by Doppler Echocardiography. 1993 , 9, 312-322		2
96	Endurance exercise training augments diastolic filling at rest and during exercise in healthy young and older men. <i>Circulation</i> , 1993 , 88, 116-26	16.7	207
95	Cardiac involvement in rheumatoid arthritis: an echocardiographic study. 1993 , 83, 234-9		23
94	Effects of exercise and therapy on ventricular emptying and filling in mildly hypertensive patients. <i>American Journal of Hypertension</i> , 1994 , 7, 695-702	2.3	9
93	Doppler diastolic transmitral flow patterns in severe heart failure: response to controlled changes in filling pressure using intravenous isosorbide dinitrate. 1994 , 85, 235-43		2
92	Echocardiographic findings in 104 professional cyclists with follow-up study. <i>American Heart Journal</i> , 1994 , 127, 898-905	4.9	28
91	[Left ventricular hypertrophy of hypertensive origin: classical concepts and recent data]. 1994 , 15, 30-6		2
90	Altered left ventricular diastolic function post-atrial pacing in coronary artery disease and left ventricular hypertrophy: further insights by pulmonary venous flow analysis. <i>European Heart Journal</i> , 1994 , 15, 1096-105	9.5	4
89	Left ventricular diastolic dysfunction. 1994 ,		
88	Acute effects of atrial natriuretic peptide on left ventricular diastolic function. a pulsed wave Doppler study in man. <i>European Heart Journal</i> , 1995 , 16, 1710-15	9.5	14
87	Adverse effects of hypoxaemia on diastolic filling in humans. 1995 , 89, 165-9		56
86	Left-Ventricular Diastolic Function and Hypertension. <i>Cardiology Clinics</i> , 1995 , 13, 559-567	2.5	7
85	Myocardial myotonia in myotonic muscular dystrophy. <i>American Heart Journal</i> , 1995 , 129, 982-90	4.9	21
84	Pulmonary venous flow as assessed by Doppler echocardiography: potential clinical applications. <i>Echocardiography</i> , 1995 , 12, 425-40	1.5	11
83	Influence of basal nitric oxide secretion on cardiac function in man. 1995 , 40, 299-305		14
82	Left ventricular hypertrophy. Prevalence in older patients and management. 1995 , 6, 301-11		3
81	Doppler diastolic filling indexes in relation to disease states. <i>American Heart Journal</i> , 1996 , 131, 519-24	4.9	15
80	Abnormal diastolic Doppler patterns in patients over age 65 with severe left ventricular systolic dysfunction. <i>International Journal of Cardiology</i> , 1996 , 55, 255-63	3.2	2

79	Echocardiography assessment of left ventricular function in the critically ill. 1996 , 24, 60-5		9
78	Diastolic spectrum of left-ventricular hypertrophy: the impact of etiology and coronary artery disease on Doppler transmitral velocity. 1996 , 87, 436-42		1
77	Newer Doppler measures of left ventricular diastolic function. 1996 , 19, 277-88		17
76	In vivo validation of a fluid dynamics model of mitral valve M-mode echocardiogram. 1996 , 34, 192-8		2
75	Comparison of the usefulness of doppler pressure half-time in mitral stenosis in patients . <i>American Journal of Cardiology</i> , 1996 , 78, 1390-1393	3	8
74	Congestive Heart Failure With Normal Left Ventricular Systolic Function. 1996 , 156, 146		76
73	Role of left ventricular hypertrophy in diastolic dysfunction in aged hypertensive patients. <i>Journal of Hypertension</i> , 1997 , 15, 1175-9	1.9	10
72	Influence of the angiotensin converting enzyme I/D gene polymorphisms on left ventricular diastolic filling in patients with essential hypertension. <i>Journal of Hypertension</i> , 1997 , 15, 995-1000	1.9	13
71	Pulmonary venous flow velocity patterns in 143 normal subjects aged 20 to 80 years old. An echo 2D colour Doppler cooperative study. <i>European Heart Journal</i> , 1997 , 18, 148-64	9.5	54
70	Spectrum of alcohol-induced myocardial damage detected by indium-111-labeled monoclonal antimyosin antibodies. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 160-7	15.1	30
69	An index of early left ventricular filling that combined with pulsed Doppler peak E velocity may estimate capillary wedge pressure. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 448-54	15.1	399
68	Disparity between diastolic mitral flow characteristics and left ventricular mass in essential hypertension. <i>American Journal of Cardiology</i> , 1997 , 79, 1255-8	3	11
67	Comparison of adaptations to a 12-month exercise program and late outcome in patients with healed myocardial infarction and ejection fraction 50%. <i>American Journal of Cardiology</i> , 1997 , 79, 1258-60	3	12
66	Echocardiographic evaluation of systolic and diastolic function in postoperative coarctation patients. <i>Pediatric Cardiology</i> , 1997 , 18, 96-100	2.1	4
65	Dynamic on-line quantification of biventricular function with acoustic quantification (AQ). Validation, reproducibility and normal values of a new echocardiographic approach. <i>International Journal of Cardiovascular Imaging</i> , 1997 , 13, 463-74		3
64	[Transesophageal echocardiography in anesthesia and intensive care. The diagnostic importance of transesophageal echocardiography]. <i>Der Anaesthetist</i> , 1997 , 46, 504-14	2.2	6
63	Right ventricular function in systemic hypertension. <i>Journal of Human Hypertension</i> , 1998 , 12, 149-55	2.6	29
62	Doppler echocardiographic study of left ventricular diastole in non-anaesthetized healthy cats. <i>Veterinary Journal</i> , 1998 , 156, 203-15	2.5	32

61	Left ventricular mass and diastolic function in normotensive young adults with autosomal dominant polycystic kidney disease. <i>American Journal of Kidney Diseases</i> , 1998 , 32, 970-5	7.4	60
60	Effect of sample volume location on Doppler-derived transmitral inflow velocity values in 288 normal subjects 20 to 80 years old: an echocardiographic, two-dimensional color Doppler cooperative study. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 280-8	5.8	16
59	Bilateral atrial function after chemical cardioversion of atrial fibrillation with amiodarone: an echo-Doppler study. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 365-71	5.8	10
58	Normotensive Offspring of Hypertensive Parents: No Evidence of Left Ventricular Diastolic Dysfunction in a Cross-sectional Study. <i>Blood Pressure</i> , 1998 , 7, 5-9	1.7	
57	How to diagnose diastolic heart failure. European Study Group on Diastolic Heart Failure. <i>European Heart Journal</i> , 1998 , 19, 990-1003	9.5	552
56	Isolated clinic hypertension. <i>Journal of Hypertension</i> , 1998 , 16, 713-4	1.9	
55	Isolated clinic hypertension. <i>Journal of Hypertension</i> , 1998 , 16, 714	1.9	
54	Hypertensive left ventricular hypertrophy is linked to an enhanced catecholamine response to submaximal exercise. <i>European Journal of Clinical Investigation</i> , 1999 , 29, 594-602	4.6	3
53	Color M-mode Doppler flow propagation velocity is a relatively preload-independent index of left ventricular filling. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 129-37	5.8	98
52	Clinical Assessment of Left Ventricular Relaxation. <i>Journal of Veterinary Internal Medicine</i> , 1999 , 13, 5-13 ^{3,1}		17
51	An integrated measure of left ventricular diastolic function based on relative rates of mitral E and A wave propagation. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 811-6	5.8	4
50	Assessment of global left ventricular function in normal children and in children with dilated cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 1058-64	5.8	77
49	Left ventricular function in patients with obstructive sleep apnoea syndrome before and after treatment with nasal continuous positive airway pressure. <i>Respiration</i> , 2000 , 67, 367-71	3.7	71
48	Physiologic assessment of left ventricular systolic and diastolic performance. <i>Current Problems in Cardiology</i> , 2000 , 25, 827-908	17.1	1
47	Relation of left ventricular diastolic properties to systolic function in arterial hypertension. <i>Circulation</i> , 2000 , 101, 152-7	16.7	110
46	Ventricular mass and diastolic function in patients infected by the human immunodeficiency virus. <i>British Heart Journal</i> , 2000 , 84, 620-4		22
45	Evaluation of diastolic dysfunction and repolarization dispersion in Behcet's disease. <i>International Journal of Cardiology</i> , 2000 , 73, 143-8	3.2	36
44	Color M-mode Doppler flow propagation velocity is a preload insensitive index of left ventricular relaxation: animal and human validation. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 201-8	15.1	695

43	Distribution of cardiac geometric patterns on echocardiography in essential hypertension. Impact of two criteria of stratification. <i>Arquivos Brasileiros De Cardiologia</i> , 2001 , 76, 355-68	1.2	1
42	Assessment of the left ventricular diastolic reserve in essential hypertension: the acute saline load test. <i>European Journal of Clinical Investigation</i> , 2001 , 31, 690-7	4.6	4
41	Four year follow up of aortic valve replacement for isolated aortic stenosis: a link between reduction in pressure overload, regression of left ventricular hypertrophy, and diastolic function. <i>British Heart Journal</i> , 2001 , 86, 309-16		44
40	Subclinical right ventricular dysfunction in cystic fibrosis. A study using tissue Doppler echocardiography. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001 , 163, 1212-8	10.2	68
39	Cardiac effects of low-dose growth hormone replacement therapy in growth hormone-deficient adults. An 18-month randomised, placebo-controlled, double-blind study. <i>Hormone Research in Paediatrics</i> , 2002 , 58, 21-9	3.3	11
38	Influence of left ventricular geometry on regional systolic and diastolic function in patients with essential hypertension. <i>Scandinavian Cardiovascular Journal</i> , 2002 , 36, 292-6	2	10
37	Left ventricular diastolic function in essential hypertensive patients: influence of age and left ventricular geometry. <i>Arquivos Brasileiros De Cardiologia</i> , 2002 , 78, 466-77	1.2	6
36	Ultrasonic tissue characterization and Doppler tissue imaging in the analysis of left ventricular function in essential arterial hypertension: a preliminary study. <i>Echocardiography</i> , 2002 , 19, 187-98	1.5	15
35	Echocardiographic parameters in adolescents with sleep-related breathing disorders. <i>Pediatric Pulmonology</i> , 2003 , 36, 27-33	3.5	19
34	Left ventricular hypertrophy and its regression in essential arterial hypertensionA tissue Doppler imaging study. <i>American Journal of Hypertension</i> , 2004 , 17, 882-890	2.3	21
33	Left ventricular hypertrophy and its regression in essential arterial hypertension. A tissue Doppler imaging study. <i>American Journal of Hypertension</i> , 2004 , 17, 882-90	2.3	15
32	Left ventricular filling abnormalities and obesity-associated hypertension: relationship with overproduction of circulating transforming growth factor beta1. <i>Journal of Human Hypertension</i> , 2005 , 19, 543-50	2.6	19
31	Modified TEI index: a promising parameter in essential hypertension?. <i>Echocardiography</i> , 2005 , 22, 296-304	3.4	24
30	Impairment of left ventricular function in systemic lupus erythematosus evaluated by measuring myocardial performance index with tissue Doppler echocardiography. <i>Echocardiography</i> , 2005 , 22, 315-9 ^{1.5}		20
29	Evaluation of left ventricular function in cardiomyopathic mice by tissue Doppler and color M-mode Doppler echocardiography. <i>Echocardiography</i> , 2005 , 22, 245-53	1.5	22
28	Left ventricular concentric geometry is associated with impaired relaxation in hypertension: the HyperGEN study. <i>European Heart Journal</i> , 2005 , 26, 1039-45	9.5	83
27	Regional diastolic dysfunction in individuals with left ventricular hypertrophy measured by tagged magnetic resonance imaging--the Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Heart Journal</i> , 2006 , 151, 109-14	4.9	110
26	Technical aspects of diastology: why mitral inflow and tissue Doppler imaging are the preferred parameters?. <i>Echocardiography</i> , 2006 , 23, 332-9	1.5	48

25	Right ventricular and pulmonary function in sickle cell disease patients with pulmonary hypertension. <i>Pediatric Cardiology</i> , 2006 , 27, 440-6	2.1	23
24	Coronary Heart Disease Syndromes: Pathophysiology and Clinical Recognition. 2007 , 667-698		1
23	New echocardiographic technologies in the clinical management of hypertensive heart disease. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 997-1006	1.9	9
22	E/Ea is the major determinant of pulmonary artery pressure in moderate to severe aortic stenosis. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 824-7	5.8	35
21	Dual ACE-inhibition and AT1 receptor antagonism improves ventricular lusitropy without affecting cardiac fibrosis in the congenic mRen2.Lewis rat. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2009 , 3, 245-57	3.4	7
20	Factors influencing left ventricular mass regression in patients with primary aldosteronism post adrenalectomy. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011 , 12, 48-53	3	25
19	Test of the usefulness of a paradigm to identify potential cardiovascular liabilities of four test articles with varying pharmacological properties in anesthetized guinea pigs. <i>Toxicological Sciences</i> , 2014 , 137, 458-68	4.4	7
18	Alterations in cardiac structure and function in hypertension. <i>Current Hypertension Reports</i> , 2014 , 16, 428	4.7	64
17	Coronary Heart Disease Syndromes: Pathophysiology and Clinical Recognition. <i>Cardiovascular Medicine</i> , 2015 , 365-407	0.1	3
16	Evaluation of Left Ventricular Diastolic Function. <i>Cardiology Clinics</i> , 1990 , 8, 315-332	2.5	26
15	Echocardiographic assessment of diastolic function. <i>European Journal of Anaesthesiology</i> , 1996 , 13, 436-444	1.5	2
14	Diminished forearm vasomotor response to central hypervolemic loading in aerobically fit individuals. <i>Medicine and Science in Sports and Exercise</i> , 1996 , 28, 1388-95	1.2	13
13	Exercise training improves left ventricular diastolic filling in patients with dilated cardiomyopathy. Clinical and prognostic implications. <i>Circulation</i> , 1995 , 91, 2775-84	16.7	114
12	Remodeling of the left ventricle in primary aldosteronism due to Conn's adenoma. <i>Circulation</i> , 1997 , 95, 1471-8	16.7	171
11	Changes in left ventricular anatomy and function in hypertension and primary aldosteronism. <i>Hypertension</i> , 1996 , 27, 1039-45	8.5	211
10	Lisinopril reverses left ventricular hypertrophy through improved aortic compliance. <i>Hypertension</i> , 1996 , 28, 457-63	8.5	26
9	Hypertension: Impact of Echocardiographic Data on the Mechanism of Hypertension, Treatment, Options, Prognosis, and Assessment of Therapy. 2007 , 816-847		
8	Doppler echocardiographic assessment of left ventricular function during PTCA. <i>Developments in Cardiovascular Medicine</i> , 1990 , 217-231		

- 7 Pathophysiologie, Klinik und Prognose des Hochdruckherzens. **1991**, 40-129
- 6 Welche Parameter der diastolischen LV-Funktion sollen in der Routinediagnostik erfaßt werden?. **1993**, 25-37
- 5 Is Rate-Adaptive Ventricular Pacing Already Obsolete?. **1993**, 225-234
- 4 Pulsed Doppler assessment of left ventricular diastolic function in atrial septal defect. *Texas Heart Institute Journal*, **1992**, 19, 258-64 0.8 2
- 3 Doppler echocardiographic analysis of the transmitral flow velocity profile in patients with ventricular septal defects. *Texas Heart Institute Journal*, **1989**, 16, 270-4 0.8
- 2 The interaction between pindolol and epinephrine contained in local anesthetic solution to the left ventricular diastolic filling velocity in normal subjects. *Anesthesia Progress*, **1996**, 43, 78-84 0.8 3
- 1 Myocardial performance index for detection of subclinical abnormalities in patients with sarcoidosis. *Journal of Thoracic Disease*, **2014**, 6, 429-37 2.6 4