

CITATION REPORT

List of articles citing

High-efficiency transformation of mammalian cells by plasmid DNA

DOI: 10.1128/mcb.7.8.2745

Molecular and Cellular Biology, 1987, 7, 2745-52.

Source: <https://exaly.com/paper-pdf/19140667/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2057	pH-Lemon, a Fluorescent Protein-Based pH Reporter for Acidic Compartments.		
2056	Five-Membered Ring Peroxide Selectively Initiates Ferroptosis in Cancer Cells.		
2055	Measurement of the pain threshold determined by electrical stimulation and its clinical application. II. Clinical application in neurological and neurosurgical patients. 1967 , 17, 58-73		14
2054	Melanoma Antigen and Transforming Gene. 1988 , 1, 192-200		
2053	Oncogenic potential of bcl-2 demonstrated by gene transfer. 1988 , 336, 259-61		145
2052	Retinoic acid and thyroid hormone induce gene expression through a common responsive element. 1988 , 336, 262-5		548
2051	Factors influencing efficiency and reproducibility of polybrene-assisted gene transfer. 1988 , 14, 155-67		28
2050	Colony hybridization to identify mammalian cells containing amplified, transfected, or expressed sequences. 1988 , 14, 321-8		3
2049	Replication of duck hepatitis B virus in two differentiated human hepatoma cell lines after transfection with cloned viral DNA. 1988 , 167, 136-42		43
2048	Expression of sodium pump activities in BALB/c 3T3 cells transfected with cDNA encoding alpha 3-subunits of rat brain Na ⁺ ,K ⁺ -ATPase. 1988 , 238, 27-30		43
2047	The striatum and cerebral cortex express different muscarinic receptor mRNAs. 1988 , 230, 90-4		76
2046	GAL4 activates gene expression in mammalian cells. 1988 , 52, 161-7		337
2045	Promoter sequence and cell type can dramatically affect the efficiency of transcriptional activation induced by herpes simplex virus type 1 and its immediate-early gene products Vmw175 and Vmw110. 1988 , 203, 739-51		34
2044	A tissue-specific transcription factor containing a homeodomain specifies a pituitary phenotype. 1988 , 55, 519-29		926
2043	Characterization of rat and human tyrosine hydroxylase genes: functional expression of both promoters in neuronal and non-neuronal cell types. 1988 , 157, 1341-7		46
2042	Cloning and expression of the human and rat m5 muscarinic acetylcholine receptor genes. 1988 , 1, 403-10		727
2041	Structure of a multihormonally regulated rat gene. 1988 , 71, 413-20		19

2040	The propeptide of von Willebrand factor independently mediates the assembly of von Willebrand multimers. 1988 , 52, 229-36		163
2039	The regions of the herpes simplex virus type 1 immediate early protein Vmw175 required for site specific DNA binding closely correspond to those involved in transcriptional regulation. 1988 , 16, 11005-25		74
2038	The introduction of biologically active foreign genes into human respiratory epithelial cells using electroporation. 1988 , 138, 965-8		18
2037	Complete nucleotide sequence of human glutamate dehydrogenase cDNA. 1988 , 16, 6237		23
2036	Stimulation of arachidonic acid release and inhibition of mitogenesis by cloned genes for muscarinic receptor subtypes stably expressed in A9 L cells. 1988 , 85, 8698-702		132
2035	Amplification and expression of heterologous ornithine decarboxylase in Chinese hamster cells. <i>Molecular and Cellular Biology</i> , 1988 , 8, 764-9	4.8	16
2034	Primary structure and unique expression of the 22-kilodalton light chain of human neutrophil cytochrome b. 1988 , 85, 3319-23		272
2033	B-cell-specific enhancer activity of conserved upstream elements of the class II major histocompatibility complex DQB gene. 1988 , 85, 6909-13		42
2032	Lineage-specific regulation of the vasoactive intestinal peptide gene in neuroblastoma cells is conferred by 5.2 kilobases of 5'-flanking sequence. 1988 , 85, 9547-51		34
2031	Method of genomic DNA cloning by the combination of cosmid shuttle vector and monoclonal antibody. 1988 , 32, 1073-8		1
2030	Structure and functional expression of cloned rat serotonin 5HT-2 receptor.. 1988 , 7, 4135-4140		297
2029	Genomic DNA with Transformation-Related Activity and Melanoma Antigen Expression. 1989 , 92, S284-S288		
2028	The C-terminal 79 amino acids of the herpes simplex virus regulatory protein, Vmw65, efficiently activate transcription in yeast and mammalian cells in chimeric DNA-binding proteins.. 1989 , 8, 2337-2342		84
2027	VPX mutants of HIV-2 are infectious in established cell lines but display a severe defect in peripheral blood lymphocytes.. 1989 , 8, 1169-1175		92
2026	Mapping of the Epstein-Barr virus and C3dg binding sites to a common domain on complement receptor type 2. 1989 , 170, 1931-46		141
2025	A pituitary POU domain protein, Pit-1, activates both growth hormone and prolactin promoters transcriptionally. 1989 , 3, 946-58		268
2024	Two remote glucocorticoid responsive units interact cooperatively to promote glucocorticoid induction of rat tyrosine aminotransferase gene expression. 1989 , 17, 8695-709		79
2023	Mutational analysis of the human HSP70 protein: distinct domains for nucleolar localization and adenosine triphosphate binding. 1989 , 109, 1947-62		163

2022	Efficient DNA-mediated gene transfer into primary cultures of adult rat hepatocytes. 1989 , 8, 535-41	34
2021	Developmental and tissue-specific expression of nuclear proteins that bind the regulatory element of the major histocompatibility complex class I gene. 1989 , 169, 1309-21	90
2020	The microtubule binding domain of microtubule-associated protein MAP1B contains a repeated sequence motif unrelated to that of MAP2 and tau. 1989 , 109, 3367-76	280
2019	Genomic DNA with transformation-related activity and melanoma antigen expression. 1989 , 92, 284S-288S	
2018	Enhanced transfection efficiency and improved cell survival after electroporation of G2/M-synchronized cells and treatment with sodium butyrate. 1989 , 17, 3959-71	63
2017	Aberrant expression of platelet-derived growth factor A-chain cDNAs due to cryptic splicing of RNA transcripts in COS-1 cells. 1989 , 17, 6591-601	16
2016	Amplification of bovine papillomavirus DNA by N-methyl-N'-nitro-N-nitrosoguanidine, ultraviolet irradiation, or infection with herpes simplex virus. 1989 , 172, 73-81	43
2015	The primary structure of major viral RNA in a rat cell line transfected with type 47 human papillomavirus DNA and the transforming activity of its cDNA and E6 gene. 1989 , 173, 551-65	25
2014	Identification of multiple isoforms of the low-affinity human IgG Fc receptor. 1989 , 30, 5-12	31
2013	Organization of the AKR Qa region: structure of a divergent class I sequence, Q5k. 1989 , 16, 283-90	7
2012	Studies of expression of the DQ beta promoter and its 5' deletion derivatives in normal and mutant human B cell lines. 1989 , 34, 64-77	11
2011	Transfection of hepatic genes into adult rat hepatocytes in primary culture and their tissue-specific expression. 1989 , 180, 289-94	36
2010	Purification of active human plasminogen activator inhibitor 1 from Escherichia coli. Comparison with natural and recombinant forms purified from eucaryotic cells. 1989 , 186, 523-33	86
2009	Somatic cell genetics approach to dissecting mammalian DNA repair. 1989 , 14, 264-81	43
2008	Gene transfer by lipofection in rabbit and human secretory epithelial cells. 1989 , 415, 198-203	22
2007	Prolonged activation of jun and collagenase genes by tumour necrosis factor-alpha. 1989 , 337, 661-3	687
2006	Importance of a novel GABAA receptor subunit for benzodiazepine pharmacology. 1989 , 338, 582-5	1203
2005	Glucocorticoid- and progesterone-specific effects are determined by differential expression of the respective hormone receptors. 1989 , 339, 629-32	101

2004	Single amino-acid changes in HIV envelope affect viral tropism and receptor binding. 1989 , 340, 571-4	247
2003	Alternative production of calcitonin and CGRP mRNA is regulated at the calcitonin-specific splice acceptor. 1989 , 341, 76-80	139
2002	Molecular cloning and expression of brain-derived neurotrophic factor. 1989 , 341, 149-52	1280
2001	Organization of microtubules in dendrites and axons is determined by a short hydrophobic zipper in microtubule-associated proteins MAP2 and tau. 1989 , 342, 498-505	268
2000	Sequence and expression of a frog brain complementary DNA encoding a kainate-binding protein. 1989 , 342, 684-9	171
1999	Multiple D2 dopamine receptors produced by alternative RNA splicing. 1989 , 342, 926-9	565
1998	Dissection of functional domains of the pituitary-specific transcription factor GHF-1. 1989 , 342, 945-8	243
1997	Transient expression of a transfected gene in cultured epidermal keratinocytes: implications for future studies. 1989 , 92, 267-71	19
1996	HIV-1 Gag mutants can dominantly interfere with the replication of the wild-type virus. 1989 , 59, 113-20	286
1995	A ras-related gene with transformation suppressor activity. 1989 , 56, 77-84	906
1994	Expression of antisense RNA fails to inhibit influenza virus replication. 1989 , 14, 141-59	15
1993	Plasminogen activator inhibitor type 2 cDNA transfected into Chinese hamster ovary cells is stably expressed but not secreted. 1989 , 3, 189-196	15
1992	Functional chloride channels by mammalian cell expression of rat glycine receptor subunit. 1989 , 2, 1491-7	161
1991	Topogenesis and sorting of synaptophysin: synthesis of a synaptic vesicle protein from a gene transfected into nonneuroendocrine cells. 1989 , 59, 433-46	86
1990	Transfer and expression of DNA constructs into cells by using retrovirus vectors: a new tool for pharmacological research. 1989 , 21 Suppl 2, 79-84	2
1989	Positive and negative regulation of gene transcription by a retinoic acid-thyroid hormone receptor heterodimer. 1989 , 59, 697-708	479
1988	Structure and expression of the human gene encoding plasminogen activator inhibitor, PAI-1. 1989 , 84, 447-53	19
1987	Expression vector system based on the chicken beta-actin promoter directs efficient production of interleukin-5. 1989 , 79, 269-77	383

1986	Is terminal deoxynucleotidyl transferase an intracellular mutagen?. 1989 , 165, 271-7		3
1985	Molecular cloning of a full-length cDNA for human alpha-N-acetylgalactosaminidase (alpha-galactosidase B). 1989 , 163, 1498-504		32
1984	Membrane attachment of recombinant G-protein alpha-subunits in excess of beta gamma subunits in a eukaryotic expression system. 1989 , 164, 46-53		22
1983	Methylation of human ornithine decarboxylase gene before transfection abolishes its transient expression in Chinese hamster ovary cells. 1989 , 162, 528-34		16
1982	Carcinoembryonic antigen gene family: molecular cloning of cDNA for a PS beta G/FL-NCA glycoprotein with a novel domain arrangement. 1989 , 161, 525-35		31
1981	Molecular cloning, sequence and functional expression of the cDNA for the human thyrotropin receptor. 1989 , 165, 1184-90		490
1980	Identification of a small intracellular region of the muscarinic m3 receptor as a determinant of selective coupling to PI turnover. 1989 , 258, 133-6		92
1979	Two novel GABAA receptor subunits exist in distinct neuronal subpopulations. 1989 , 3, 327-37		503
1978	8-Br-cAMP inhibits the transient expression of firefly luciferase. 1989 , 249, 183-185		2
1977	Expression of a multifunctional Ca ²⁺ /calmodulin-dependent protein kinase and mutational analysis of its autoregulation. 1989 , 3, 59-70		270
1976	Participation of multiple factors, including proliferin, in the inhibition of myogenic differentiation. <i>Molecular and Cellular Biology</i> , 1989 , 9, 430-41	4.8	31
1975	Individual protein-binding domains of the insulin gene enhancer positively activate beta-cell-specific transcription. <i>Molecular and Cellular Biology</i> , 1989 , 9, 823-7	4.8	98
1974	Hemin-induced transcriptional activation of the HSP70 gene during erythroid maturation in K562 cells is due to a heat shock factor-mediated stress response. <i>Molecular and Cellular Biology</i> , 1989 , 9, 3166-73	4.8	89
1973	At least two mutant alleles of ornithine delta-aminotransferase cause gyrate atrophy of the choroid and retina in Finns. 1989 , 86, 197-201		64
1972	Partial diversion of a mutant proinsulin (B10 aspartic acid) from the regulated to the constitutive secretory pathway in transfected AtT-20 cells. 1989 , 86, 4107-11		55
1971	Transfection of a human gene that corrects the Lec1 glycosylation defect: evidence for transfer of the structural gene for N-acetylglucosaminyltransferase I. <i>Molecular and Cellular Biology</i> , 1989 , 9, 5713-7	4.8	42
1970	Retroviral transfer of a human tyrosine hydroxylase cDNA in various cell lines: regulated release of dopamine in mouse anterior pituitary AtT-20 cells. 1989 , 86, 7233-7		87
1969	Molecular basis of human von Willebrand disease: analysis of platelet von Willebrand factor mRNA. 1989 , 86, 3723-7		103

1968	Efficient gene transfer into mammalian primary endocrine cells with lipopolyamine-coated DNA. 1989 , 86, 6982-6		669
1967	Avian proto-myc genes promoted by defective or nondefective retroviruses are single-hit transforming genes in primary cells. 1989 , 86, 7721-5		7
1966	A cell mutant that exhibits temperature-dependent sensitivity to transformation by various oncogenes. <i>Molecular and Cellular Biology</i> , 1989 , 9, 5669-75	4.8	14
1965	Detection of genes with a potential for suppressing the transformed phenotype associated with activated ras genes. 1989 , 86, 162-6		114
1964	Molecular cloning and characterization of a mammalian excision repair gene that partially restores UV resistance to xeroderma pigmentosum complementation group D cells. 1989 , 86, 6997-7001		20
1963	Differences in the negative allosteric modulation of gamma-aminobutyric acid receptors elicited by 4'-chlorodiazepam and by a beta-carboline-3-carboxylate ester: a study with natural and reconstituted receptors. 1989 , 86, 7275-9		43
1962	Molecular cloning and expression of cDNA for a carcinoembryonic antigen-related fetal liver glycoprotein. 1989 , 86, 3332-6		23
1961	Isolation and characterization of s-myc, a member of the rat myc gene family. 1989 , 86, 9144-8		53
1960	Expression of a cDNA for the catalytic subunit of skeletal-muscle phosphorylase kinase in transfected 3T3 cells. 1989 , 263, 223-9		10
1959	Myogenic regulation of dystrophin gene expression. 1989 , 45, 681-702		21
1958	Host range determinant in the late region of SV40 and RF virus affecting growth in human cells. 1990 , 31, 175-87		14
1957	Identification of tyrosine 706 in the kinase insert as the major colony-stimulating factor 1 (CSF-1)-stimulated autophosphorylation site in the CSF-1 receptor in a murine macrophage cell line. <i>Molecular and Cellular Biology</i> , 1990 , 10, 2991-3002	4.8	63
1956	Synthesis and processing of small B2 transcripts in mouse embryonal carcinoma cells. <i>Molecular and Cellular Biology</i> , 1990 , 10, 4058-67	4.8	31
1955	Complementation by BCL2 and C-HA-RAS oncogenes in malignant transformation of rat embryo fibroblasts. <i>Molecular and Cellular Biology</i> , 1990 , 10, 4370-4	4.8	40
1954	Molecular cloning of a second subunit of the receptor for human granulocyte-macrophage colony-stimulating factor (GM-CSF): reconstitution of a high-affinity GM-CSF receptor. 1990 , 87, 9655-9		558
1953	A dominant negative mutation of the alpha retinoic acid receptor gene in a retinoic acid-nonresponsive embryonal carcinoma cell. <i>Molecular and Cellular Biology</i> , 1990 , 10, 6445-53	4.8	124
1952	Nuclear receptors for retinoic acid and thyroid hormone regulate transcription of keratin genes. 1990 , 1, 965-73		93
1951	A nonerythroid GATA-binding protein is required for function of the human preendothelin-1 promoter in endothelial cells. <i>Molecular and Cellular Biology</i> , 1990 , 10, 4854-62	4.8	155

1950	Amplification by host cell factors of a sequence contained within the herpes simplex virus 1 genome. 1990 , 87, 9441-4		28
1949	Recognition by CD8 on cytotoxic T lymphocytes is ablated by several substitutions in the class I alpha 3 domain: CD8 and the T-cell receptor recognize the same class I molecule. 1990 , 87, 2137-41		130
1948	Cloning and expression of a mammalian peptide chain release factor with sequence similarity to tryptophanyl-tRNA synthetases. 1990 , 87, 3508-12		58
1947	Molecular analysis of human argininosuccinate lyase: mutant characterization and alternative splicing of the coding region. 1990 , 87, 9625-9		40
1946	DNA-mediated gene transfer into adult rat hepatocytes in primary culture. <i>Molecular and Cellular Biology</i> , 1990 , 10, 689-95	4.8	52
1945	Unusual features of integrated cDNAs generated by infection with genome-free retroviruses. <i>Molecular and Cellular Biology</i> , 1990 , 10, 1891-900	4.8	23
1944	trans activation of gene expression by v-myb. <i>Molecular and Cellular Biology</i> , 1990 , 10, 2285-93	4.8	109
1943	A regulatory element is characterized by purine-mediated and cell-type-specific gene transcription. <i>Molecular and Cellular Biology</i> , 1990 , 10, 4356-64	4.8	19
1942	Maximal stress-induced transcription from the human HSP70 promoter requires interactions with the basal promoter elements independent of rotational alignment. <i>Molecular and Cellular Biology</i> , 1990 , 10, 3125-36	4.8	122
1941	Molecular and functional analysis of the muscle-specific promoter region of the Duchenne muscular dystrophy gene. <i>Molecular and Cellular Biology</i> , 1990 , 10, 193-205	4.8	140
1940	Mouse phenylalanine hydroxylase. Homology and divergence from human phenylalanine hydroxylase. 1990 , 267, 399-405		33
1939	Primary structure and activity of mouse methylmalonyl-CoA mutase. 1990 , 271, 449-55		51
1938	Transcriptional activation and DNA binding by the erythroid factor GF-1/NF-E1/Eryf 1. 1990 , 4, 1886-98		364
1937	Exogeneous expression of L-dopa and dopamine in various cell lines following transfer of rat and human tyrosine hydroxylase cDNA: grafting in an animal model of Parkinson's disease. 1990 , 82, 23-32		21
1936	Glucocorticoid Hormones Negatively Regulate Nerve Growth Factor Expression In Vivo and in Cultured Rat Fibroblasts. 1990 , 2, 795-801		51
1935	Repressive effect of the nef cDNA of human immunodeficiency virus type 1 on the promoter activity of the viral long terminal repeat. 1990 , 81, 1124-31		6
1934	lck suppresses gene expression from various promoters including human T-cell leukemia virus type I promoter. 1990 , 81, 440-4		5
1933	Lipopolyamine-mediated transfection allows gene expression studies in primary neuronal cells. 1990 , 54, 1812-5		58

1932	Characterization of recombinant human aromatic L-amino acid decarboxylase expressed in COS cells. 1990 , 55, 1075-8	39
1931	Species and regional differences in the expression of cell-type specific elements at the human and rat tyrosine hydroxylase gene loci. 1990 , 55, 2149-52	36
1930	Identification and characterization of a novel member of the nerve growth factor/brain-derived neurotrophic factor family. 1990 , 344, 339-41	1042
1929	Genetic organization of a chimpanzee lentivirus related to HIV-1. 1990 , 345, 356-9	324
1928	Heteromultimeric channels formed by rat brain potassium-channel proteins. 1990 , 345, 535-7	377
1927	Structure of a cannabinoid receptor and functional expression of the cloned cDNA. 1990 , 346, 561-4	3994
1926	Autoregulation of pit-1 gene expression mediated by two cis-active promoter elements. 1990 , 346, 583-6	194
1925	Cloning and expression of human and rat D1 dopamine receptors. 1990 , 347, 76-80	539
1924	Analysis of a human DNA excision repair gene involved in group A xeroderma pigmentosum and containing a zinc-finger domain. 1990 , 348, 73-6	377
1923	Mitogens and hepatocyte growth control in vivo and in vitro. 1990 , 26, 1011-23	23
1922	Energy dependence of DNA-mediated gene transfer and expression. 1990 , 16, 305-10	9
1921	Cloned GABA receptors are maintained in a stable cell line: allosteric and channel properties. 1990 , 189, 77-88	54
1920	Particulate systems and polymers for in vitro and in vivo delivery of polynucleotides. 1990 , 5, 163-187	119
1919	Mapping of 10 epitopes on bovine herpesvirus type 1 glycoproteins gI and gIII. 1990 , 176, 145-57	35
1918	The N-terminal quarter of reovirus cell attachment protein sigma 1 possesses intrinsic virion-anchoring function. 1990 , 179, 95-103	38
1917	Reporter genes: application to the study of mammalian gene transcription. 1990 , 188, 245-54	436
1916	Polymorphisms in the coding and noncoding regions of murine Pgk-1 alleles. 1990 , 28, 299-308	94
1915	Functional expression of dihydropyridine-insensitive calcium channels during PC12 cell differentiation by nerve growth factor (NGF), oncogenic ras, or src tyrosine kinase. 1990 , 10, 237-55	22

1914	Expression and amplification of cloned rat liver tyrosine aminotransferase in nonhepatic cells. 1990 , 142, 194-200	5
1913	Overview of biological effects of addition of DNA molecules to cells. 1990 , 31, 13-7	30
1912	Transfection of Human Breast Epithelial Cells with Foreign Dna Using Different Transfecting Techniques. 1990 , 76, 455-460	2
1911	Structural features of the cytoplasmic region of CD4 required for internalization.. 1990 , 9, 425-434	84
1910	Transformation by v-myb correlates with trans-activation of gene expression. <i>Molecular and Cellular Biology</i> , 1990 , 10, 2591-8	4.8 64
1909	Transfection of transformed shiverer mouse glial cell lines. 1990 , 12, 340-8	8
1908	The inducible blood-brain barrier specific molecule HT7 is a novel immunoglobulin-like cell surface glycoprotein.. 1990 , 9, 2151-2158	119
1907	Functional cooperativity between two TPA responsive elements in undifferentiated F9 embryonic stem cells.. 1990 , 9, 1131-1135	73
1906	ERCC2: cDNA cloning and molecular characterization of a human nucleotide excision repair gene with high homology to yeast RAD3.. 1990 , 9, 1437-1447	180
1905	Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA for the type I TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor.. 1990 , 9, 3269-3278	213
1904	The mannose 6-phosphate receptor cytoplasmic domain is not sufficient to alter the cellular distribution of a chimeric EGF receptor.. 1990 , 9, 77-84	17
1903	Thyrotropin and adenosine 3',5'-monophosphate stimulate the activity of the ferritin-H promoter. 1990 , 4, 1117-24	16
1902	Generation of a biologically active, secreted form of human thyroid peroxidase by site-directed mutagenesis. 1990 , 4, 786-91	38
1901	Aberrant splicing of androgen receptor mRNA results in synthesis of a nonfunctional receptor protein in a patient with androgen insensitivity. 1990 , 87, 7866-70	87
1900	E1a-dependent expression of adenovirus genes in OTF963 embryonal carcinoma cells: role of E1a-induced differentiation. 1990 , 87, 8041-5	6
1899	Expression of human factor IX in rabbit hepatocytes by retrovirus-mediated gene transfer: potential for gene therapy of hemophilia B. 1990 , 87, 6141-5	80
1898	Isolation of the chicken middle-molecular weight neurofilament (NF-M) gene and characterization of its promoter. 1990 , 18, 521-9	47
1897	Lesion-induced increase in nerve growth factor mRNA is mediated by c-fos. 1990 , 87, 3899-903	268

1896	Genetic mechanisms that determine oxidative capacity of striated muscles. Control of gene transcription. 1990 , 82, 319-31		11
1895	Expression of human adenosine deaminase in mice transplanted with hemopoietic stem cells infected with amphotropic retroviruses. 1990 , 172, 729-36		42
1894	A two-base change in a POU factor-binding site switches pituitary-specific to lymphoid-specific gene expression. 1990 , 4, 43-51		60
1893	Unique organization of the human BCR gene promoter. 1990 , 18, 7119-25		31
1892	Drosophila homolog of the mammalian jun oncogene is expressed during embryonic development and activates transcription in mammalian cells. 1990 , 87, 6281-5		49
1891	Interferon gamma response region in the promoter of the human DPA gene. 1990 , 87, 9226-30		85
1890	Subunit selectivity and epitope characterization of mAbs directed against the GABAA/benzodiazepine receptor. 1990 , 110, 2043-8		149
1889	High-frequency transformation method and library transducing vectors for cloning mammalian cDNAs by trans-complementation of <i>Schizosaccharomyces pombe</i> . 1990 , 18, 6485-9		434
1888	Transcriptional activation by wild-type but not transforming mutants of the p53 anti-oncogene. 1990 , 249, 1049-51		588
1887	Chapter 14 S100 β s a neurotrophic factor. 1990 , 86, 169-181		119
1886	Molecular cloning of the human XRCC1 gene, which corrects defective DNA strand break repair and sister chromatid exchange. <i>Molecular and Cellular Biology</i> , 1990 , 10, 6160-71	4.8	357
1885	Genetic analysis of the Kirsten-ras-revertant 1 gene: potentiation of its tumor suppressor activity by specific point mutations. 1990 , 87, 4284-8		116
1884	Identification and characterization of a regulated promoter element in the epidermal growth factor receptor gene. 1990 , 87, 7536-40		45
1883	Transfection of beta-casein chimeric gene and hormonal induction of its expression in primary murine mammary epithelial cells. 1990 , 87, 3670-4		45
1882	Sequence of two alleles responsible for Gaucher disease. 1990 , 9, 233-41		76
1881	Neurotrophin-3: a neurotrophic factor related to NGF and BDNF. 1990 , 247, 1446-1451		1127
1880	Epithelial-specific keratin gene expression: identification of a 300 base-pair controlling segment. 1990 , 18, 247-53		37
1879	Differential effects on cell killing in metallothionein overexpressing CHO mutant cell lines. 1990 , 11, 1937-41		11

1878	Identification, characterization, and cell specificity of a human LINE-1 promoter. <i>Molecular and Cellular Biology</i> , 1990 , 10, 6718-29	4.8	360
1877	Use of shuttle vectors to study the molecular processing of defined carcinogen-induced DNA damage: mutagenicity of single O4-ethylthymine adducts in HeLa cells. 1990 , 18, 4131-7		73
1876	Multifunctional Ca ²⁺ /calmodulin-dependent protein kinase made Ca ²⁺ independent for functional studies. 1990 , 29, 1679-84		127
1875	Functional properties of recombinant rat GABAA receptors depend upon subunit composition. 1990 , 4, 919-28		504
1874	Insulin-degrading enzyme: stable expression of the human complementary DNA, characterization of its protein product, and chromosomal mapping of the human and mouse genes. 1990 , 4, 1125-35		63
1873	Structure of gene mts1, transcribed in metastatic mouse tumor cells. 1990 , 87, 219-23		22
1872	Expression of the cDNA for the beta subunit of human casein kinase II confers partial UV resistance on xeroderma pigmentosum cells. 1990 , 236, 85-97		53
1871	Functional and molecular distinction between recombinant rat GABAA receptor subtypes by Zn ²⁺ . 1990 , 5, 781-8		348
1870	Isolation by polymerase chain reaction of a cDNA whose product partially complements the ultraviolet sensitivity of xeroderma pigmentosum group C cells. 1990 , 87, 295-8		21
1869	Expression of CD44 confers a new adhesive phenotype on transfected cells. 1990 , 60, 45-52		134
1868	Glucocorticoid-inducible expression of a glutamine synthetase-CAT-encoding fusion plasmid after transfection of intact chicken retinal explant cultures. 1990 , 89, 259-63		42
1867	Transfection of PC12 cells with the human GAP-43 gene: effects on neurite outgrowth and regeneration. 1990 , 7, 39-44		122
1866	Gene transfer of rat mature oligodendrocytes and glial progenitor cells with the LacZ gene. 1990 , 605, 66-70		2
1865	Pancreatic polypeptide and peptide YY gene expression. 1990 , 611, 73-85		2
1864	Regulation of the human neuropeptide Y gene. 1990 , 611, 99-110		8
1863	High efficiency transformation of Escherichia coli with plasmids. 1990 , 96, 23-8		1589
1862	Methods for introducing DNA into mammalian cells. 1990 , 185, 527-37		80
1861	Introduction of stable high-copy-number DNA into Chinese hamster ovary cells by electroporation. 1990 , 9, 293-300		40

1860	The POU-specific domain of Pit-1 is essential for sequence-specific, high affinity DNA binding and DNA-dependent Pit-1-Pit-1 interactions. 1990 , 61, 1021-33	383
1859	Multiple cell type-specific proteins differentially regulate target sequence recognition by the alpha retinoic acid receptor. 1990 , 63, 729-38	207
1858	A single amino acid substitution within the matrix protein of a type D retrovirus converts its morphogenesis to that of a type C retrovirus. 1990 , 63, 77-86	152
1857	Primary structure and functional expression of rat and human stem cell factor DNAs. 1990 , 63, 203-11	578
1856	Stem cell factor is encoded at the Sl locus of the mouse and is the ligand for the c-kit tyrosine kinase receptor. 1990 , 63, 213-24	1201
1855	Ligand-activated thyroid hormone and retinoic acid receptors inhibit growth factor receptor promoter expression. 1990 , 62, 1165-75	125
1854	ELAM-1--dependent cell adhesion to vascular endothelium determined by a transfected human fucosyltransferase cDNA. 1990 , 63, 475-84	676
1853	Search of the 5' untranslated region of the human cardiac actin gene for segments controlling translation. 1990 , 1087, 39-48	
1852	Unusual specificity of the androgen receptor in the human prostate tumor cell line LNCaP: high affinity for progestagenic and estrogenic steroids. 1990 , 1052, 187-94	122
1851	Differentiation inhibiting activity is produced in matrix-associated and diffusible forms that are generated by alternate promoter usage. 1990 , 62, 1105-14	254
1850	Molecular interactions between the protein products of the neurogenic loci Notch and Delta, two EGF-homologous genes in Drosophila. 1990 , 61, 523-34	621
1849	Expressed cerebellar-type inositol 1,4,5-trisphosphate receptor, P400, has calcium release activity in a fibroblast L cell line. 1990 , 5, 11-8	152
1848	Transfection of human lamins A and C into mouse embryonal carcinoma cells possessing only lamin B. 1990 , 186, 182-7	17
1847	Increased susceptibility to SV40 transformation with development and in vitro aging. 1990 , 189, 222-6	9
1846	Isolation and functional expression of pituitary peptidylglycine alpha-amidating enzyme mRNA. A variant lacking the transmembrane domain. 1990 , 269, 319-23	19
1845	Two naturally-occurring isoforms and their expression of a glucocorticoid receptor gene from an androgen-dependent mouse tumor. 1990 , 274, 99-102	15
1844	Protein kinase C-gamma is present in adriamycin resistant HL-60 leukemia cells. 1990 , 166, 723-8	49
1843	Molecular cloning of two species of cDNAs for human alpha-N-acetylgalactosaminidase and expression in mammalian cells. 1990 , 170, 231-7	10

1842	Studies on the functional activity of the promoter for the human thyroid peroxidase gene. 1990 , 168, 281-7	15
1841	A mutation in the ligand binding domain of the androgen receptor of human LNCaP cells affects steroid binding characteristics and response to anti-androgens. 1990 , 173, 534-40	807
1840	Two enzymes concerned in peptide hormone alpha-amidation are synthesized from a single mRNA. 1990 , 172, 197-203	66
1839	Extracellular domain chimeras of the TSH and LH/CG receptors reveal the mid-region (amino acids 171-260) to play a vital role in high affinity TSH binding. 1990 , 173, 1150-6	57
1838	Neurosteroids act on recombinant human GABAA receptors. 1990 , 4, 759-65	484
1837	Growth inhibition by TGF-beta linked to suppression of retinoblastoma protein phosphorylation. 1990 , 62, 175-85	731
1836	Domains of the human androgen receptor involved in steroid binding, transcriptional activation, and subcellular localization. 1991 , 5, 1396-404	429
1835	Cloning and functional characterization of the rat glutamine synthetase gene. 1991 , 9, 197-207	40
1834	A novel method for generating stable high-level transfectants involving direct immunomagnetic selection for cell-surface epitopes: expression of HLA class-II genes in HeLa cells. 1991 , 108, 245-52	2
1833	High-frequency transformation of human repair-deficient cell lines by an Epstein-Barr virus-based cDNA expression vector. 1991 , 107, 279-84	53
1832	Method for identifying ligands that bind to cloned G(s)- or G(i)-coupled receptors. 1991 , 2, 331-7	24
1831	The recombinant human interferon-gamma receptor is fully functional in a human x murine hybrid containing human chromosome 21. 1991 , 142, 765-72	5
1830	Primary structure of the rat gene encoding an inhibitor of the insulin receptor tyrosine kinase. 1991 , 98, 209-16	34
1829	Overexpression of an immunologically-intact, secreted form of human thyroid peroxidase in eukaryotic cells. 1991 , 78, 107-14	35
1828	Inverse but not full benzodiazepine agonists modulate recombinant alpha 6 beta 2 gamma 2 GABAA receptors in transfected human embryonic kidney cells. 1991 , 130, 169-72	62
1827	Targeting of neuromodulin (GAP-43) fusion proteins to growth cones in cultured rat embryonic neurons. 1991 , 6, 411-20	60
1826	Murine retroviral vectors expressing the tax1 gene of human T-cell leukemia virus type 1. 1991 , 106, 255-9	10
1825	Liposomes for the transformation of eukaryotic cells. 1991 , 1097, 1-17	80

1824	Expression of two forms of human dopamine-beta-hydroxylase in COS cells. 1991 , 125, 25-8	20
1823	The rodent B2 sequence can affect expression when present in the transcribed region of a reporter gene. 1991 , 98, 259-63	16
1822	Structure-function relationships in human lecithin:cholesterol acyltransferase. Site-directed mutagenesis at serine residues 181 and 216. 1991 , 30, 10074-7	65
1821	Characterization of the promoter region of the human O6-methylguanine-DNA methyltransferase gene. 1991 , 19, 6163-7	133
1820	Expression cDNA cloning of fibroblast growth factor (FGF) receptor in mouse breast cancer cells: a variant form in FGF-responsive transformed cells. 1991 , 176, 31-7	12
1819	Molecular cloning of the human histamine H2 receptor. 1991 , 178, 1386-92	156
1818	Site-specific mutagenesis of human follistatin. 1991 , 179, 352-8	25
1817	A high phosphorylation state and increased activity of the TRE motif in the NIH3T3 cell transformant induced by retTPC. 1991 , 179, 1331-6	4
1816	Antipeptide antibodies differentiate between long and short isoforms of the D2 dopamine receptor. 1991 , 179, 824-9	15
1815	Conservation of binding sites for regulatory factors in the coordinately expressed alpha 1 (I) and alpha 2 (I) collagen promoters. 1991 , 177, 538-44	72
1814	NPC 15437 interacts with the C1 domain of protein kinase C. An analysis using mutant PKC constructs. 1991 , 285, 120-3	19
1813	Differences in induction of c-fos transcription by cholera toxin-derived cyclic AMP and Ca ²⁺ signals in astrocytes and 3T3 fibroblasts. 1991 , 194, 210-7	24
1812	Neurite extension and protein tyrosine phosphorylation elicited by inducible expression of the v-src oncogene in a PC12 cell line. 1991 , 195, 423-31	32
1811	Blasticidin S-resistance gene (bsr): a novel selectable marker for mammalian cells. 1991 , 197, 229-33	106
1810	Introduction of new genetic markers on human chromosomes. 1991 , 193, 5-11	1
1809	Expression cloning of the human IL-3 receptor cDNA reveals a shared beta subunit for the human IL-3 and GM-CSF receptors. 1991 , 66, 1165-74	573
1808	Expression cloning and characterization of the TGF-beta type III receptor. 1991 , 67, 797-805	576
1807	Sex-specific splicing and polyadenylation of dsx pre-mRNA requires a sequence that binds specifically to tra-2 protein in vitro. 1991 , 65, 579-86	239

1806	RXR beta: a coregulator that enhances binding of retinoic acid, thyroid hormone, and vitamin D receptors to their cognate response elements. 1991 , 67, 1251-66	1156
1805	Association of Myn, the murine homolog of max, with c-Myc stimulates methylation-sensitive DNA binding and ras cotransformation. 1991 , 65, 395-407	562
1804	Classes of autonomously replicating sequences are found among early-replicating monkey DNA. 1991 , 1088, 234-44	47
1803	Enhanced pyrimidine dimer removal in repair-proficient murine fibroblasts transformed with the denV gene of bacteriophage T4. 1991 , 255, 1-9	19
1802	Efficient selection for high-expression transfectants with a novel eukaryotic vector. 1991 , 108, 193-9	4536
1801	Human spermidine synthase gene: structure and chromosomal localization. 1991 , 10, 467-74	20
1800	Site-directed mutagenesis of hepatocyte nuclear factor (HNF) binding sites in the mouse transthyretin (TTR) promoter reveal synergistic interactions with its enhancer region. 1991 , 19, 4139-45	100
1799	POU-domain proteins Pit-1 and Oct-1 interact to form a heteromeric complex and can cooperate to induce expression of the prolactin promoter. 1991 , 5, 1309-20	165
1798	Genetic analysis of the K-rev-1 transformation-suppressor gene. 1991 , 93, 73-7	3
1797	Mutations of p34cdc2 phosphorylation sites induce premature mitotic events in HeLa cells: evidence for a double block to p34cdc2 kinase activation in vertebrates.. 1991 , 10, 3331-3341	212
1796	Molecular cloning and characterization of a rat brain cDNA encoding a 5-hydroxytryptamine1B receptor.. 1991 , 10, 4017-4023	157
1795	Neuroanatomical and functional studies of peptide precursor-processing enzymes. 1991 , 45, 285-300	17
1794	Targeted introduction of a diphtheria toxin-resistant point mutation into the chromosomal EF-2 locus by in vivo homologous recombination. 1991 , 16, 447-53	6
1793	Amino acid substitutions within the matrix protein of type D retroviruses affect assembly, transport and membrane association of a capsid.. 1991 , 10, 535-546	78
1792	Site-directed mutagenesis of the m3 muscarinic receptor: identification of a series of threonine and tyrosine residues involved in agonist but not antagonist binding.. 1991 , 10, 3729-3734	118
1791	Amino-terminal leucine-rich repeats in gonadotropin receptors determine hormone selectivity.. 1991 , 10, 1885-1890	237
1790	The pim-1 oncogene encodes two related protein-serine/threonine kinases by alternative initiation at AUG and CUG.. 1991 , 10, 655-664	217
1789	Sequence-independent RNA cleavages generate the primers for plus strand DNA synthesis in hepatitis B viruses: implications for other reverse transcribing elements.. 1991 , 10, 3533-3540	77

1788	Extinction of the HPV18 upstream regulatory region in cervical carcinoma cells after fusion with non-tumorigenic human keratinocytes under non-selective conditions.. 1991 , 10, 1337-1345		34
1787	Recombinant nidogen consists of three globular domains and mediates binding of laminin to collagen type IV.. 1991 , 10, 3137-3146		336
1786	Transcription of muscle-specific genes is repressed by reactivation of pp60v-src in postmitotic quail myotubes. <i>Molecular and Cellular Biology</i> , 1991 , 11, 3331-8	4.8	45
1785	Construction and expression of linker insertion and site-directed mutants of v-fps protein-tyrosine kinase. 1991 , 200, 673-92		10
1784	Silencer binding proteins function on multiple cis-elements in the glutathione transferase P gene. 1991 , 19, 5-10		90
1783	Control of junB and extracellular matrix protein expression by transforming growth factor-beta 1 is independent of simian virus 40 T antigen-sensitive growth-sensitive growth-inhibitory events. <i>Molecular and Cellular Biology</i> , 1991 , 11, 972-8	4.8	94
1782	Multiple CArG boxes in the human cardiac actin gene promoter required for expression in embryonic cardiac muscle cells developing in vitro from embryonal carcinoma cells. <i>Molecular and Cellular Biology</i> , 1991 , 11, 4796-803	4.8	85
1781	Human chromosome 16 encodes a factor involved in induction of class II major histocompatibility antigens by interferon gamma. 1991 , 88, 6077-81		11
1780	Determination of the c-MYC DNA-binding site. 1991 , 88, 6162-6		167
1779	Enhanced malignant transformation induced by expression of a distinct protein domain of ribonucleotide reductase large subunit from herpes simplex virus type 2. 1991 , 88, 8257-61		24
1778	Surface expression of alternative forms of the TCR/CD3 complex. 1991 , 88, 10619-23		53
1777	Thyrotropin-luteinizing hormone/chorionic gonadotropin receptor extracellular domain chimeras as probes for thyrotropin receptor function. 1991 , 88, 902-5		169
1776	Suppression of the chemically transformed phenotype of BHK cells by a human cDNA. <i>Molecular and Cellular Biology</i> , 1991 , 11, 5321-9	4.8	16
1775	A conserved 28-base-pair element (HF-1) in the rat cardiac myosin light-chain-2 gene confers cardiac-specific and alpha-adrenergic-inducible expression in cultured neonatal rat myocardial cells. <i>Molecular and Cellular Biology</i> , 1991 , 11, 2273-81	4.8	149
1774	Cell cycle regulation of thymidine kinase: residues near the carboxyl terminus are essential for the specific degradation of the enzyme at mitosis. <i>Molecular and Cellular Biology</i> , 1991 , 11, 2538-46	4.8	117
1773	The N-terminal transactivation domain of rat estrogen receptor is localized in a hydrophobic domain of eighty amino acids. 1991 , 109, 684-9		12
1772	Protein truncation is required for the activation of the c-myc proto-oncogene. <i>Molecular and Cellular Biology</i> , 1991 , 11, 3987-96	4.8	98
1771	c-myc reverses neu-induced transformed morphology by transcriptional repression. <i>Molecular and Cellular Biology</i> , 1991 , 11, 354-62	4.8	58

1770	Poly(ADP-ribose) polymerase inhibitors suppress UV-induced human immunodeficiency virus type 1 gene expression at the posttranscriptional level. <i>Molecular and Cellular Biology</i> , 1991 , 11, 3522-7	4.8	30
1769	Effects of site-directed mutagenesis at residues cysteine-31 and cysteine-184 on lecithin-cholesterol acyltransferase activity. 1991 , 88, 1716-20		67
1768	A GC-rich element confers epidermal growth factor responsiveness to transcription from the gastrin promoter. <i>Molecular and Cellular Biology</i> , 1991 , 11, 2686-96	4.8	75
1767	Structure-function relationships of the mouse inositol 1,4,5-trisphosphate receptor. 1991 , 88, 4911-5		150
1766	Molecular cloning of a gene encoding the histamine H2 receptor. 1991 , 88, 429-33		230
1765	Heat shock proteins can regulate expression of the Tla region-encoded class Ib molecule Qa-1. 1991 , 88, 10475-9		90
1764	Activation of the erythropoietin receptor promoter by transcription factor GATA-1. 1991 , 88, 10638-41		192
1763	A herpesvirus maturational proteinase, assemblin: identification of its gene, putative active site domain, and cleavage site. 1991 , 88, 10792-6		162
1762	Analysis of p53 mutants for transcriptional activity. <i>Molecular and Cellular Biology</i> , 1991 , 11, 6067-74	4.8	104
1761	Molecular cloning and deduced amino acid sequence of nonspecific lipid transfer protein (sterol carrier protein 2) of rat liver: a higher molecular mass (60 kDa) protein contains the primary sequence of nonspecific lipid transfer protein as its C-terminal part. 1991 , 88, 4338-42		68
1760	Identification of a human gamma-glutamyl cleaving enzyme related to, but distinct from, gamma-glutamyl transpeptidase. 1991 , 88, 6303-7		66
1759	Delineation of a previously unrecognized cis-acting element required for HLA class II gene expression. 1991 , 88, 10347-51		18
1758	Signals for retention of transmembrane proteins in the endoplasmic reticulum studied with CD4 truncation mutants. 1991 , 88, 1918-22		110
1757	Splice site choice in a complex transcription unit containing multiple inefficient polyadenylation signals. <i>Molecular and Cellular Biology</i> , 1991 , 11, 5291-300	4.8	21
1756	Tyrosine 706 and 807 phosphorylation site mutants in the murine colony-stimulating factor-1 receptor are unaffected in their ability to bind or phosphorylate phosphatidylinositol-3 kinase but show differential defects in their ability to induce early response gene transcription. <i>Molecular and Cellular Biology</i> , 1991 , 11, 4698-709	4.8	50
1755	Reversible conversion of cells between cancerous and normal states.. 1991 , 67, 11-15		4
1754	Transcription factors nuclear factor I and Sp1 interact with the murine collagen alpha 1 (I) promoter. <i>Molecular and Cellular Biology</i> , 1991 , 11, 4065-73	4.8	124
1753	Construction and expression of chimeric cell surface receptors. 1991 , 198, 225-32		4

1752	Cell-shape regulation and matrix protein p52 content in phenotypic variants of ras-transformed rat kidney fibroblasts. Functional analysis and biochemical comparison of p52 with proteins implicated in cell-shape determination. 1991 , 273 (Pt 3), 651-8	25
1751	The mouse androgen receptor. Functional analysis of the protein and characterization of the gene. 1991 , 278 (Pt 1), 269-78	48
1750	Processing and secretion of human carboxypeptidase E by C6 glioma cells. 1991 , 280 (Pt 3), 695-701	13
1749	Expression of human immunodeficiency virus-1 in human colonic cells. 1991 , 10, 452-5	4
1748	Cellular and viral components that mediate glucocorticoid-regulated processing of retroviral envelope proteins. 1991 , 19, 93-108	
1747	Genetic structure of the pol-env region of the caprine arthritis-encephalitis lentivirus genome. 1991 , 180, 389-94	13
1746	A murine cell line producing HTLV-I pseudotype virions carrying a selectable marker gene. 1991 , 180, 420-4	24
1745	The amino terminus of the adenovirus fiber protein encodes the nuclear localization signal. 1991 , 185, 758-67	72
1744	Transfection of wild-type and 'Fanconi anemia-like' mouse lymphoma mutant cells by electroporation. 1991 , 263, 165-71	1
1743	The incorporation of reovirus cell attachment protein sigma 1 into virions requires the N-terminal hydrophobic tail and the adjacent heptad repeat region. 1991 , 182, 346-50	36
1742	Mutagenesis of conserved region I in the DNA polymerase from human adenovirus serotype 2. 1991 , 184, 235-41	30
1741	Reactivation of psoralen-reacted plasmid DNA in Fanconi anemia, xeroderma pigmentosum, and normal human fibroblast cells. 1991 , 17, 229-38	22
1740	High-efficiency stable gene transfection using chloroquine-treated Chinese hamster ovary cells. 1991 , 17, 513-7	15
1739	Restoration by a 35K membrane protein of peroxisome assembly in a peroxisome-deficient mammalian cell mutant. 1991 , 350, 77-81	239
1738	Cloning of the gene for a human dopamine D4 receptor with high affinity for the antipsychotic clozapine. 1991 , 350, 610-4	1800
1737	Cloning of the gene for a human dopamine D5 receptor with higher affinity for dopamine than D1. 1991 , 350, 614-9	997
1736	Cloning of a putative high-affinity kainate receptor expressed predominantly in hippocampal CA3 cells. 1991 , 351, 742-4	425
1735	Acceleration of activation and inactivation by the beta subunit of the skeletal muscle calcium channel. 1991 , 352, 159-62	281

1734	Wee1(+)-like gene in human cells. 1991 , 353, 80-3	204
1733	Differential responses of expressed recombinant human gamma-aminobutyric acidA receptors to neurosteroids. 1991 , 57, 1818-21	86
1732	Tumorigenic transformation of primary rat embryonal fibroblasts by human papillomavirus type 8 E7 gene in collaboration with the activated H-ras gene. 1991 , 82, 1340-3	14
1731	Complete sequence and expression of a cDNA encoding a chicken 115-kDa melanosomal matrix protein. 1991 , 4, 41-7	55
1730	Functional comparison of the upstream regulatory DNA sequences of four human epidermal keratin genes. 1991 , 96, 162-7	36
1729	Comparison of methods for transfection of human epidermal keratinocytes. 1991 , 97, 969-73	83
1728	Recombinant expression and properties of the human calcium-binding extracellular matrix protein BM-40. 1991 , 200, 529-36	86
1727	Influence of dexamethasone on the vitamin D-mediated regulation of osteocalcin gene expression. 1991 , 47, 184-96	44
1726	Persistence of hepatitis B viral DNA after serological recovery from hepatitis B virus infection. 1991 , 14, 56-63	97
1725	Functional expression of the endogenous Thy-1 gene and the transfected murine Thy-1.2 gene in rat basophilic leukemia cells. 1991 , 21, 1583-90	31
1724	The epstein-Barr-virus-encoded membrane protein LMP but not the nuclear antigen EBNA-1 induces rejection of transfected murine mammary carcinoma cells. 1991 , 48, 794-800	36
1723	Tissue-specific expression of p53 in transgenic mice is regulated by intron sequences. 1991 , 4, 3-9	68
1722	Expression of mouse cytochrome P450IA1 cDNA in repair-deficient and repair-proficient CHO cells. 1991 , 4, 510-8	12
1721	Some neural intermediate filaments contain both peripherin and the neurofilament proteins. 1991 , 30, 80-91	63
1720	Identification of human genes involved in repair and tolerance of DNA damage. 1991 , 30, 1-19	7
1719	Culture and differentiation of embryonic stem cells. 1991 , 13, 89-94	188
1718	A rapid microscale procedure for the simultaneous preparation of cytoplasmic RNA, nuclear DNA binding proteins and enzymatically active luciferase extracts. 1991 , 19, 5080	64
1717	The ste4+ gene, essential for sexual differentiation of Schizosaccharomyces pombe, encodes a protein with a leucine zipper motif. 1991 , 19, 7043-7	35

1716	Splice site requirement for the efficient accumulation of polyoma virus late mRNAs. 1991 , 19, 3011-7	13
1715	Induction of chromosome abnormalities in mouse and human epidermal keratinocytes by the human papillomavirus type 16 E7 oncogene. 1991 , 72 (Pt 7), 1569-77	89
1714	p lambda Zd39: a new type of cDNA expression vector for low background, high efficiency directional cloning. 1991 , 19, 3403-8	8
1713	Identification and expression of the cDNA of KIN17, a zinc-finger gene located on mouse chromosome 2, encoding a new DNA-binding protein. 1991 , 19, 5117-23	37
1712	Membrane-anchored form of v-sis/PDGF-B induces mitogenesis without detectable PDGF receptor autophosphorylation. 1991 , 113, 361-70	17
1711	Mutagenesis of the 43-kD postsynaptic protein defines domains involved in plasma membrane targeting and AChR clustering. 1991 , 115, 1713-23	84
1710	An intron binding protein is required for transformation ability of p53. 1991 , 19, 4747-52	39
1709	Multiple human D5 dopamine receptor genes: a functional receptor and two pseudogenes. 1991 , 88, 9175-9	161
1708	Evangelical Theology in Latin America: The Development of a Missiological Christology. 1991 , 19, 315-332	4
1707	A tumor necrosis factor (TNF) receptor-IgG heavy chain chimeric protein as a bivalent antagonist of TNF activity. 1991 , 174, 1483-9	286
1706	Nonfunctional mutants of the retinoblastoma protein are characterized by defects in phosphorylation, viral oncoprotein association, and nuclear tethering. 1991 , 88, 3033-7	180
1705	Relative enhancer activity and transforming potential of authentic human papillomavirus type 6 genomes from benign and malignant lesions. 1991 , 72 (Pt 3), 519-26	22
1704	Intracellular targeting of the insulin-regulatable glucose transporter (GLUT4) is isoform specific and independent of cell type. 1991 , 114, 689-99	125
1703	gamma-Aminobutyric acid type A receptor point mutation increases the affinity of compounds for the benzodiazepine site. 1991 , 88, 1421-5	119
1702	Hematopoietic cells express two forms of lyn kinase differing by 21 amino acids in the amino terminus. <i>Molecular and Cellular Biology</i> , 1991 , 11, 2391-8	4.8 138
1701	Regulation of the alpha inhibin gene by cyclic adenosine 3',5'-monophosphate after transfection into rat granulosa cells. 1991 , 5, 521-34	106
1700	Cloning, functional expression and role in cell growth regulation of a hamster 5-HT2 receptor subtype. 1991 , 5, 881-9	39
1699	Cloning and functional expression of a vascular smooth muscle endothelin 1 receptor. 1991 , 88, 3185-9	343

1698	The promoter of the prostate-specific antigen gene contains a functional androgen responsive element. 1991 , 5, 1921-30	361
1697	Influence of chromosomal integration on glucocorticoid-regulated transcription of growth-stimulating papillomavirus genes E6 and E7 in cervical carcinoma cells. 1991 , 88, 1411-5	119
1696	The retinoblastoma gene functions as a growth and tumor suppressor in human bladder carcinoma cells. 1991 , 88, 5257-61	142
1695	Human catechol-O-methyltransferase: cloning and expression of the membrane-associated form. 1991 , 88, 1416-20	167
1694	Identification of a point mutation in type IIB von Willebrand disease illustrating the regulation of von Willebrand factor affinity for the platelet membrane glycoprotein Ib-IX receptor. 1991 , 88, 2946-50	60
1693	Functional analysis and in vivo footprinting implicate the erythroid transcription factor GATA-1 as a positive regulator of its own promoter. 1991 , 5, 919-31	288
1692	Preferential integration of marker DNA into the chromosomal fragile site at 3p14: an approach to cloning fragile sites. 1991 , 88, 6657-61	98
1691	Effect of growth factors on collagen metabolism in cultured human heart fibroblasts. 1991 , 26, 271-81	98
1690	The mouse P _{gk} -1 gene promoter contains an upstream activator sequence. 1991 , 19, 5755-61	189
1689	An alternative spliced form of FosB is a negative regulator of transcriptional activation and transformation by Fos proteins. 1991 , 88, 5077-81	140
1688	The ectopic expression of myelin basic protein isoforms in Shiverer oligodendrocytes: implications for myelinogenesis. 1991 , 113, 393-403	61
1687	A novel BK virus-based episomal vector for expression of foreign genes in mammalian cells. 1991 , 19, 1925-31	24
1686	TEF, a transcription factor expressed specifically in the anterior pituitary during embryogenesis, defines a new class of leucine zipper proteins. 1991 , 5, 1739-53	199
1685	Cellular and Molecular Biology of Myelination. 1991 , 155-169	
1684	Cloning and characterization of the rat complementary deoxyribonucleic acid and gene encoding the neuroendocrine peptide 7B2. 1991 , 128, 3228-36	39
1683	Multiple luteinizing hormone/chorionic gonadotropin receptor messenger ribonucleic acid transcripts. 1991 , 129, 133-8	52
1682	Recombinant expression of human follistatin with 315 and 288 amino acids: chemical and biological comparison with native porcine follistatin. 1991 , 129, 815-22	135
1681	Substitution of aspartic acid-686 by histidine or asparagine in the human androgen receptor leads to a functionally inactive protein with altered hormone-binding characteristics. 1991 , 5, 1562-9	70

1680	Heterogeneity of expression and secretion of native and mutant [AspB10]insulin in AtT20 cells. 1991 , 5, 319-26	17
1679	Expression of human luteinizing hormone (LH) receptor: interaction with LH and chorionic gonadotropin from human but not equine, rat, and ovine species. 1991 , 5, 759-68	122
1678	The early response gene NGFI-C encodes a zinc finger transcriptional activator and is a member of the GCGGGGGCG (GSG) element-binding protein family. <i>Molecular and Cellular Biology</i> , 1991 , 11, 3835-44.8	191
1677	Positive and negative elements regulate a melanocyte-specific promoter. <i>Molecular and Cellular Biology</i> , 1992 , 12, 3653-62	4.8 122
1676	MAZ, a zinc finger protein, binds to c-MYC and C2 gene sequences regulating transcriptional initiation and termination. 1992 , 89, 7452-6	251
1675	Strategies for gene therapy in the liver. 1992 , 12, 332-9	15
1674	Repair and replication of plasmids with site-specific 8-oxodG and 8-AAFdG residues in normal and repair-deficient human cells. 1992 , 20, 4437-43	83
1673	Functional characterization of the promoter of pp63, a gene encoding a natural inhibitor of the insulin receptor tyrosine kinase. 1992 , 20, 1983-90	19
1672	Isolation and characterization of cDNA and genomic sequences for mouse O6-methylguanine-DNA methyltransferase. 1992 , 13, 289-96	39
1671	Biphasic effect of Max on Myc cotransformation activity and dependence on amino- and carboxy-terminal Max functions. 1992 , 6, 2429-39	53
1670	Specific amino acid sequences required for O6-methylguanine-DNA methyltransferase activity: analyses of three residues at or near the methyl acceptor site. 1992 , 13, 837-43	55
1669	The regulation of the murine Hox-2.5 gene expression during cell differentiation. 1992 , 20, 5729-35	17
1668	Overexpression of human DNA repair protein N-methylpurine-DNA glycosylase results in the increased removal of N-methylpurines in DNA without a concomitant increase in resistance to alkylating agents in Chinese hamster ovary cells. 1992 , 13, 1989-95	52
1667	Characterization of a retinoic acid responsive element isolated by whole genome PCR. 1992 , 20, 3223-32	19
1666	Nerve growth factor transcriptional control of c-fos promoter transfected in cultured spinal sensory neurons. 1992 , 118, 131-8	26
1665	Genetic transfer of non-P-glycoprotein-mediated multidrug resistance (MDR) in somatic cell fusion: dissection of a compound MDR phenotype. 1992 , 89, 3498-502	34
1664	The dyad palindromic glutathione transferase P enhancer binds multiple factors including AP1. 1992 , 20, 5153-8	44
1663	Molecular cloning and functional expression of mouse connexin40, a second gap junction gene preferentially expressed in lung. 1992 , 117, 1299-310	168

1662	Imaging of luciferase secretion from transformed Chinese hamster ovary cells. 1992 , 89, 9584-7	51
1661	Phosphorylation sites in the amino-terminal region of mouse p53. 1992 , 89, 4231-5	73
1660	Human non-hepatocytes support hepadnaviral replication and virion production. 1992 , 73 (Pt 1), 173-8	12
1659	Replication of a mutant hepatitis B virus with a fused X-C reading frame in hepatoma cells. 1992 , 73 (Pt 9), 2421-4	24
1658	NF-kappa B-like factors mediate interleukin 1 induction of c-myc gene transcription in fibroblasts. 1992 , 176, 787-92	93
1657	Expression of the human cystic fibrosis transmembrane conductance regulator gene in the mouse lung after in vivo intratracheal plasmid-mediated gene transfer. 1992 , 20, 3233-40	158
1656	A viral protease-mediated cleavage of the transmembrane glycoprotein of Mason-Pfizer monkey virus can be suppressed by mutations within the matrix protein. 1992 , 89, 3443-7	62
1655	Presence of distinct transcriptional regulatory elements in the 5'-flanking region shared by the chicken H3 histone gene homopair. 1992 , 20, 3037-41	9
1654	A novel microtubule-binding motif identified in a high molecular weight microtubule-associated protein from <i>Trypanosoma brucei</i> . 1992 , 117, 95-103	48
1653	Intracellular retention of membrane-anchored v-sis protein abrogates autocrine signal transduction. 1992 , 118, 1057-70	21
1652	Cytoplasmic domain of P-selectin (CD62) contains the signal for sorting into the regulated secretory pathway. 1992 , 3, 309-21	144
1651	Antagonism of ligand-gated ion channel receptors: two domains of the glycine receptor alpha subunit form the strychnine-binding site. 1992 , 89, 1765-9	97
1650	Cyclin B2 undergoes cell cycle-dependent nuclear translocation and, when expressed as a non-destructible mutant, causes mitotic arrest in HeLa cells. 1992 , 117, 213-24	272
1649	Retinoic acid-dependent transactivation of major histocompatibility complex class I promoters by the nuclear hormone receptor H-2RIIBP in undifferentiated embryonal carcinoma cells. 1992 , 89, 937-41	59
1648	Molecular mechanisms of the partial allosteric modulatory effects of bretazenil at gamma-aminobutyric acid type A receptor. 1992 , 89, 3620-4	67
1647	Carboxy-terminal elements of c-Myb negatively regulate transcriptional activation in cis and in trans. 1992 , 6, 2524-35	94
1646	s-cyclophilin is retained intracellularly via a unique COOH-terminal sequence and colocalizes with the calcium storage protein calreticulin. 1992 , 116, 113-25	113
1645	Gene transfer of a reserpine-sensitive mechanism of resistance to N-methyl-4-phenylpyridinium. 1992 , 89, 9074-8	107

1644	Gene transfer to tumor-infiltrating lymphocytes and other mammalian somatic cells by microprojectile bombardment. 1992 , 10, 1036-40		16
1643	Rapid complementation assay for anti-HIV-1 drug screening and analysis of envelope protein function. 1992 , 8, 1723-31		2
1642	Functional analysis of the human vascular cell adhesion molecule 1 promoter. 1992 , 176, 1583-93		398
1641	Molecular cloning and characterization of an adenosine receptor: the A3 adenosine receptor. 1992 , 89, 7432-6		573
1640	Effect of lengthening lymphocyte function-associated antigen 3 on adhesion to CD2. 1992 , 3, 157-66		22
1639	A human serotonin 1D receptor variant (5HT1D beta) encoded by an intronless gene on chromosome 6. 1992 , 89, 5522-6		93
1638	Repression of the beta-amyloid gene in a Hox-3.1-producing cell line. 1992 , 89, 3805-9		31
1637	Ability of adenovirus 5 E1A proteins to suppress differentiation of BC3H1 myoblasts correlates with their binding to a 300 kDa cellular protein. 1992 , 3, 1107-15		65
1636	Activation of human papillomavirus type 18 E6-E7 oncogene expression by transcription factor Sp1. 1992 , 20, 6701-6		47
1635	The E2 binding sites determine the efficiency of replication for the origin of human papillomavirus type 18. 1992 , 20, 6015-21		65
1634	Alteration of the level of protein phosphatase 2C (IA) mRNA during the course of differentiation of skeletal muscle cells. 1992 , 168, 279-82		1
1633	Cloning and expression of a Ca(2+)-inhibitable adenylyl cyclase from NCB-20 cells. 1992 , 89, 6716-20		251
1632	Molecular cloning and functional expression of a brain-specific somatostatin receptor. 1992 , 89, 11151-5		243
1631	Interaction of phosphatidylinositol 3-kinase-associated p85 with epidermal growth factor and platelet-derived growth factor receptors. <i>Molecular and Cellular Biology</i> , 1992 , 12, 981-90	4.8	335
1630	Expression of the CD4 gene requires a Myb transcription factor. <i>Molecular and Cellular Biology</i> , 1992 , 12, 1592-604	4.8	129
1629	Housekeeping Na,K-ATPase alpha 1 subunit gene promoter is composed of multiple cis elements to which common and cell type-specific factors bind. <i>Molecular and Cellular Biology</i> , 1992 , 12, 4046-55	4.8	64
1628	Examination of the DNA-binding ability of estrogen receptor in whole cells: implications for hormone-independent transactivation and the actions of antiestrogens. <i>Molecular and Cellular Biology</i> , 1992 , 12, 4531-8	4.8	111
1627	E1A-responsive elements for repression of rat fibronectin gene transcription. <i>Molecular and Cellular Biology</i> , 1992 , 12, 2837-46	4.8	47

1626	cDNA cloning and functional activity of a glucocorticoid-regulated inflammatory cyclooxygenase. 1992 , 89, 4888-92		712
1625	Trypsin treatment may impair the interfacial activation action of lipoprotein lipase. 1992 , 111, 509-14		4
1624	Hepatocyte nuclear factor 3 beta contains two transcriptional activation domains, one of which is novel and conserved with the Drosophila fork head protein. <i>Molecular and Cellular Biology</i> , 1992 , 12, 3723-32	4.8	185
1623	Efficient transfer and sustained high expression of the human glucocerebrosidase gene in mice and their functional macrophages following transplantation of bone marrow transduced by a retroviral vector. 1992 , 89, 11332-6		166
1622	The restricted promoter activity of the liver transcription factor hepatocyte nuclear factor 3 beta involves a cell-specific factor and positive autoactivation. <i>Molecular and Cellular Biology</i> , 1992 , 12, 552-62	4.8	104
1621	Negative autoregulation of the neu gene is mediated by a novel enhancer. <i>Molecular and Cellular Biology</i> , 1992 , 12, 2739-48	4.8	26
1620	Constitutive activity of the tumor necrosis factor promoter is canceled by the 3' untranslated region in nonmacrophage cell lines; a trans-dominant factor overcomes this suppressive effect. 1992 , 89, 673-7		62
1619	The third gamma subunit of the gamma-aminobutyric acid type A receptor family. 1992 , 89, 1433-7		102
1618	The human cytokine I-309 is a monocyte chemoattractant. 1992 , 89, 2950-4		120
1617	Biological function of the retinoblastoma protein requires distinct domains for hyperphosphorylation and transcription factor binding. <i>Molecular and Cellular Biology</i> , 1992 , 12, 5363-72	4.8	147
1616	Negative regulation of catalase gene expression in hepatoma cells. <i>Molecular and Cellular Biology</i> , 1992 , 12, 2525-33	4.8	118
1615	The RxxRxRxxC motif conserved in all Rel/kappa B proteins is essential for the DNA-binding activity and redox regulation of the v-Rel oncoprotein. <i>Molecular and Cellular Biology</i> , 1992 , 12, 3094-106	4.8	168
1614	Biphasic increase in c-jun mRNA is required for induction of AP-1-mediated gene transcription: differential effects of muscarinic and thrombin receptor activation. <i>Molecular and Cellular Biology</i> , 1992 , 12, 4742-50	4.8	70
1613	Alteration of a cyclic AMP-dependent protein kinase phosphorylation site in the c-Fos protein augments its transforming potential. <i>Molecular and Cellular Biology</i> , 1992 , 12, 998-1006	4.8	54
1612	A ubiquitous factor (HF-1a) and a distinct muscle factor (HF-1b/MEF-2) form an E-box-independent pathway for cardiac muscle gene expression. <i>Molecular and Cellular Biology</i> , 1992 , 12, 1469-79	4.8	148
1611	Induction of c-jun protooncogene expression and transcription factor AP-1 activity by the polyoma virus middle-sized tumor antigen. 1992 , 89, 4972-6		33
1610	Raf-1 protein kinase is an integral component of the oncogenic signal cascade shared by epidermal growth factor and platelet-derived growth factor. <i>Molecular and Cellular Biology</i> , 1992 , 12, 5078-86	4.8	37
1609	Heteromeric NMDA receptors: molecular and functional distinction of subtypes. 1992 , 256, 1217-21		2250

1608	Increased efficiency of gene transfection in primary cultures of adult rat hepatocytes stimulated to proliferate: a comparative study using the lipofection and the calcium phosphate precipitate methods. 1992 , 16, 653-62	9
1607	Organization and expression of the gene encoding chick kainate binding protein, a member of the glutamate receptor family. 1992 , 16, 179-86	20
1606	Functional modulation of brain sodium channels by cAMP-dependent phosphorylation. 1992 , 8, 1151-9	202
1605	Molecular characterization of a human brain adenosine A2 receptor. 1992 , 15, 62-6	132
1604	Interferon-gamma response region in the promoter of the class II MHC gene, DPA. 1992 , 35, 157-64	7
1603	Anti-androgens and the mutated androgen receptor of LNCaP cells: differential effects on binding affinity, heat-shock protein interaction, and transcription activation. 1992 , 31, 2393-9	243
1602	Protocols of Electroporation and Electrofusion for Producing Human Hybridomas. 1992 , 507-522	
1601	Characterization of mouse inhibin alpha gene and its promoter. 1992 , 186, 293-300	41
1600	Molecular cloning and expression of an adenosine A2b receptor from human brain. 1992 , 187, 86-93	172
1599	Cell cycle progression in denV-transfected murine fibroblasts exposed to ultraviolet radiation. 1992 , 274, 163-76	8
1598	Distinct agonist- and antagonist-binding sites on the glycine receptor. 1992 , 9, 491-6	121
1597	The KA-2 subunit of excitatory amino acid receptors shows widespread expression in brain and forms ion channels with distantly related subunits. 1992 , 8, 775-85	492
1596	Production and secretion of high levels of recombinant human acetylcholinesterase in cultured cell lines: microheterogeneity of the catalytic subunit. 1992 , 121, 295-304	89
1595	Molecular biology of the 5-HT1A receptor: low-stringency cloning and eukaryotic expression. 1992 , 5, 283-8	7
1594	Host range analysis of a chimeric simian virus 40 genome containing the BKV capsid genes. 1992 , 25, 169-87	9
1593	Increased sensitivity of a Chinese hamster ovary cell line to alkylating agents after overexpression of the human metallothionein II-A gene. 1992 , 274, 177-85	10
1592	Divalent ion permeability of AMPA receptor channels is dominated by the edited form of a single subunit. 1992 , 8, 189-98	927
1591	Different pathways for chromosomal integration of transfected circular pSVneo plasmids in normal and established rodent cells. 1992 , 116, 215-22	13

1590	Insulin increases transcription of rat gene 33 through cis-acting elements in 5'-flanking DNA. 1992 , 118, 223-9	8
1589	Differential and coordinate responses of the human genes encoding the heat stable alkaline phosphatases to cAMP and sodium butyrate in the choriocarcinoma line JEG-3. 1992 , 1115, 243-51	6
1588	HT7, Neurothelin, Basigin, gp42 and OX-47--many names for one developmentally regulated immuno-globulin-like surface glycoprotein on blood-brain barrier endothelium, epithelial tissue barriers and neurons. 1992 , 140, 93-7	85
1587	Differential regulation of TIMP-1 and TIMP-2 mRNA expression in normal and Ha-ras-transformed murine fibroblasts. 1992 , 117, 209-17	90
1586	Transcriptional regulation of androgen receptor gene expression in Sertoli cells and other cell types. 1992 , 88, 153-64	71
1585	The role of erbB-2 and its ligands in growth control of malignant breast epithelium. 1992 , 43, 229-36	21
1584	Efficient expression of rat brain type IIA Na ⁺ channel alpha subunits in a somatic cell line. 1992 , 8, 59-70	117
1583	Molecular and electrophysiological characterization of a allelic variant of the rat alpha 6 GABAA receptor subunit. 1992 , 16, 173-8	14
1582	Molecular cloning and characterisation of a human brain A1 adenosine receptor cDNA. 1992 , 16, 365-70	87
1581	Cloning of a member of the arrestin family from a human thyroid cDNA library. 1992 , 84, R39-43	39
1580	Loss of androgen dependency with preservation of functional androgen receptors in androgen-dependent mouse tumor (Shionogi Carcinoma 115). 1992 , 42, 569-74	11
1579	Overexpression of the glucocorticoid receptor represses transcription from hormone responsive and non-responsive promoters. 1992 , 41, 283-9	21
1578	Pharmacological characterization of regulation of phosphoinositide metabolism by recombinant 5-HT ₂ receptors of the rat. 1992 , 31, 1-8	21
1577	A new pathway for vitamin A. Understanding the pleiotropic effects of retinoids. 1992 , 669, 70-85; discussion 85-6	9
1576	Plasmid-associated effects on test gene expression and Marek's disease virus plaque formation during recombination trials. 1992 , 40, 195-204	2
1575	Rapid efficient production of baculovirus expression vectors. 1992 , 38, 61-70	12
1574	A CHO strain producing high-level human IL-6 with the 3' deletion construct. 1992 , 22, 283-9	10
1573	The SH2 and SH3 domain-containing protein GRB2 links receptor tyrosine kinases to ras signaling. 1992 , 70, 431-42	1490

1572	Twin of I-POU: a two amino acid difference in the I-POU homeodomain distinguishes an activator from an inhibitor of transcription. 1992 , 68, 491-505	112
1571	Regulation of retinoblastoma protein functions by ectopic expression of human cyclins. 1992 , 70, 993-1006	928
1570	The ts41 mutation in Chinese hamster cells leads to successive S phases in the absence of intervening G2, M, and G1. 1992 , 71, 599-611	83
1569	Protease inhibitors generate cytotoxic fragments from Alzheimer amyloid protein precursor in cDNA-transfected glioma cells. 1992 , 187, 1249-55	37
1568	Cloning and characterization of two forms of C-type natriuretic peptide receptor in rat brain. 1992 , 183, 743-9	51
1567	Site-directed mutagenesis of an apolipoprotein E mutant, apo E5(Glu3----Lys) and its binding to low density lipoprotein receptors. 1992 , 187, 1180-6	7
1566	Stable expression of natriuretic peptide receptors: effects of HS-142-1, a non-peptide ANP antagonist. 1992 , 189, 336-42	43
1565	Thrombospondin sequence motif (CSVTCG) is responsible for CD36 binding. 1992 , 182, 1208-17	168
1564	Constitutive expression of c-fos gene inhibits type 1 collagen synthesis in transfected osteoblasts. 1992 , 182, 1389-94	30
1563	Discordant estimates of heterologous promoter activity as determined by reporter gene mRNA levels and enzyme activity. 1992 , 189, 912-8	8
1562	A prominent epitope on GABAA receptors is recognized by two different monoclonal antibodies. 1992 , 569, 57-62	81
1561	Escherichia coli RecA protein modified with a nuclear location signal binds to chromosomes in living mammalian cells. 1992 , 198, 107-14	4
1560	Matrix assembly of recombinant fibronectin polypeptide consisting of amino-terminal 70 kDa and carboxyl-terminal 37 kDa regions. 1992 , 299, 155-8	18
1559	The A2 isoform of rat Na ⁺ ,K ⁽⁺⁾ -adenosine triphosphatase is active and exhibits high ouabain affinity when expressed in transfected fibroblasts. 1992 , 303, 147-53	10
1558	Retinoic acid-induced changes in differentiation-defective embryonal carcinoma RAC65 cells. 1992 , 311, 102-6	3
1557	The murine NPY-1 receptor gene. Structure and delineation of tissue-specific expression. 1992 , 314, 285-8	80
1556	Inhibition of the mutant p53 gene in transformation assays. 1992 , 52, 401-5	
1555	Expression of the Na-Ca exchanger in diverse tissues: a study using the cloned human cardiac Na-Ca exchanger. 1992 , 263, C1241-9	125

1554	Characterization of H2 histamine receptor: linkage to both adenylate cyclase and [Ca ²⁺] _i signaling systems. 1992 , 263, G967-72	18
1553	Retinoic acid-mediated repression of human papillomavirus 18 transcription and different ligand regulation of the retinoic acid receptor beta gene in non-tumorigenic and tumorigenic HeLa hybrid cells.. 1992 , 11, 2283-2291	88
1552	Identification of a negative regulatory domain in the human papillomavirus type 18 promoter: interaction with the transcriptional repressor YY1.. 1992 , 11, 4607-4617	108
1551	Identification of two promoters within human cytomegalovirus morphologic transforming region II. 1992 , 34, 146-53	8
1550	The upstream region of the human homeobox gene HOX3D is a target for regulation by retinoic acid and HOX homeoproteins.. 1992 , 11, 265-277	64
1549	A glutamate receptor channel with high affinity for domoate and kainate.. 1992 , 11, 1651-1656	236
1548	Mouse rRNA gene transcription factor mUBF requires both HMG-box1 and an acidic tail for nucleolar accumulation: molecular analysis of the nucleolar targeting mechanism.. 1992 , 11, 3695-3704	67
1547	The atypical M2 segment of the beta subunit confers picrotoxinin resistance to inhibitory glycine receptor channels.. 1992 , 11, 4305-4311	273
1546	Expression of a constitutive form of calcium/calmodulin dependent protein kinase II leads to arrest of the cell cycle in G2.. 1992 , 11, 507-517	72
1545	Brain 4: a novel mammalian POU domain transcription factor exhibiting restricted brain-specific expression.. 1992 , 11, 2551-2561	109
1544	The Xmrk receptor tyrosine kinase is activated in Xiphophorus malignant melanoma.. 1992 , 11, 4239-4246	53
1543	Promoter organization and activity of human monoamine oxidase (MAO) A and B genes. 1992 , 12, 4437-46	121
1542	The KKRKK sequence is involved in heat shock-induced nuclear translocation of the 18-kDa actin-binding protein, cofilin. 1992 , 17, 39-46	90
1541	Parvoviruses are inefficient in inducing interferon-beta, tumor necrosis factor-alpha, or interleukin-6 in mammalian cells. 1992 , 181, 153-64	18
1540	Expression, glycosylation and secretion of yeast acid phosphatase in hamster BHK cells. 1992 , 9, 39-44	2
1539	Nuclear proteins involved in transcription of the human K5 keratin gene. 1992 , 99, 206-15	38
1538	Pharmacological and Electrophysiological Properties of Recombinant GABA _A Receptors Comprising the alpha3, beta1 and gamma2 Subunits. 1992 , 4, 1-9	46
1537	9-cis retinoic acid stereoisomer binds and activates the nuclear receptor RXR alpha. 1992 , 355, 359-61	1121

1536	Tyrosine phosphorylation of vav proto-oncogene product containing SH2 domain and transcription factor motifs. 1992 , 356, 71-4	350
1535	Molecular cloning and expression of a rat V1a arginine vasopressin receptor. 1992 , 356, 523-6	437
1534	Cloning and characterization of a vasopressin V2 receptor and possible link to nephrogenic diabetes insipidus. 1992 , 357, 336-9	462
1533	Point mutation in FGF receptor eliminates phosphatidylinositol hydrolysis without affecting mitogenesis. 1992 , 358, 681-4	411
1532	Expression cloning of a human DNA repair gene involved in xeroderma pigmentosum group C. 1992 , 359, 70-3	208
1531	Elongation factor-1 alpha gene determines susceptibility to transformation. 1992 , 359, 333-6	156
1530	Expression of functional membrane-bound and soluble catechol-O-methyltransferase in Escherichia coli and a mammalian cell line. 1992 , 58, 1782-9	35
1529	Characterization of gene organization and promoter region of the rat dopamine D1 receptor gene. 1992 , 59, 1875-83	64
1528	The rat neurotensin receptor expressed in Chinese hamster ovary cells mediates the release of inositol phosphates. 1992 , 59, 1967-70	40
1527	Soluble interleukin-2 receptors inhibit interleukin 2-dependent proliferation and cytotoxicity: explanation for diminished natural killer cell activity in cutaneous T-cell lymphomas in vivo?. 1992 , 98, 50-4	38
1526	Regulation of G418 selection efficiency by cell-cell interaction in transfection. 1992 , 18, 517-27	5
1525	Reconstitution of enzymatic activity in hepatocytes of phenylalanine hydroxylase-deficient mice. 1992 , 18, 89-96	31
1524	Effects of a synthetic polypeptide encoded by the p14B, a cDNA clone with antioncogene activity, on malignant transformed DT cells. 1992 , 4, 1-5	
1523	Expression of a gene encoding a rabbit sperm membrane protein in mammalian cells. 1992 , 31, 9-13	4
1522	Site-directed mutagenesis of the human dopamine D2 receptor. 1992 , 227, 205-14	156
1521	Transfection with gamma-glutamyl transpeptidase enhances recovery from glutathione depletion using extracellular glutathione. 1992 , 114, 56-62	52
1520	Involvement of AP1 and PEA3 binding sites in the regulation of murine tissue inhibitor of metalloproteinases-1 (TIMP-1) transcription. 1992 , 1171, 41-55	96
1519	Enhancement of DNA transfection efficiency by heat treatment of cultured mammalian cells. 1992 , 1129, 161-5	13

1518	Determination of the functional difference between human papillomavirus type 6 and 16 E7 proteins by their 30 N-terminal amino acid residues. 1992 , 186, 489-95	11
1517	Differences in transforming activity and coded amino acid sequence among E6 genes of several papillomaviruses associated with epidermodysplasia verruciformis. 1992 , 186, 628-39	29
1516	Properties of bovine papillomavirus E1 mutants. 1992 , 191, 964-7	12
1515	V3 loop region of the HIV-1 gp120 envelope protein is essential for virus infectivity. 1992 , 187, 423-32	85
1514	Expression of mumps virus glycoproteins in mammalian cells from cloned cDNAs: both F and HN proteins are required for cell fusion. 1992 , 187, 801-4	49
1513	An isoform variant of the cytomegalovirus immediate-early auto repressor functions as a transcriptional activator. 1992 , 188, 518-29	44
1512	Absence of selection of HIV-1 variants in vivo based on transcription/transactivation during progression to AIDS. 1992 , 188, 811-8	19
1511	Rat cellular mutants for expression of mRNA from the long terminal repeat of murine retrovirus. 1992 , 189, 141-9	1
1510	Mapping of 5' ends of virion-derived HBV DNA. 1992 , 188, 358-61	4
1509	Association of recombinant soluble IL-6-signal transducer, gp130, with a complex of IL 6 and soluble IL-6 receptor, and establishment of an ELISA for soluble gp130. 1992 , 31, 123-30	64
1508	Electroporation-mediated gene transfer into hepatocytes: preservation of a growth hormone response. 1992 , 204, 147-51	29
1507	Coxsackievirus B3 from an infectious cDNA copy of the genome is cardiovirulent in mice. 1992 , 122, 399-409	66
1506	Accelerated secretion of human lysozyme with a disulfide bond mutation. 1992 , 205, 551-9	12
1505	Stable expression of chicken type-VI collagen alpha 1, alpha 2 and alpha 3 cDNAs in murine NIH/3T3 cells. 1992 , 209, 785-92	10
1504	A point mutation of low-density-lipoprotein receptor causing rapid degradation of the receptor. 1992 , 210, 1-7	10
1503	Non-lysosomal degradation of misfolded human lysozymes with and without an asparagine-linked glycosylation site. 1992 , 210, 591-9	11
1502	Monitoring gene expression in Chinese hamster ovary cells using secreted apoaequorin. 1992 , 201, 114-8	20
1501	Glucocorticoid and retinoid regulation of alpha-2 type I procollagen promoter activity. 1992 , 50, 26-34	34

1500	Restoration of the LFA-3 adhesion pathway in Burkitt's lymphoma cells using an LFA-3 recombinant vaccinia virus: consequences for T cell recognition. 1992 , 22, 1741-8	3
1499	Replication of hepatitis B virus in differentiated adult rat hepatocytes transfected with cloned viral DNA. 1992 , 36, 93-100	11
1498	Cold-induced alterations in the binding of adrenomedullary nuclear proteins to the promoter region of the tyrosine hydroxylase gene. 1992 , 33, 10-8	32
1497	Gene structure and expression of the mouse 5-HT ₂ receptor. 1992 , 33, 196-204	30
1496	Antisense suppression of transferrin receptor gene expression in a human hepatoma cell (HuH-7) line. 1993 , 42, 74-80	15
1495	An in vitro model of intra-epithelial expansion of transformed urothelial cells. 1993 , 54, 846-50	6
1494	DNA repair and repair fidelity in metastatic variants of the B16 murine melanoma. 1993 , 51, 336-44	6
1493	CDw50 and ICAM-3: two names for the same molecule. 1993 , 23, 1508-12	33
1492	Expression of the rat brain creatine kinase gene in C6 glioma cells. 1993 , 35, 92-102	11
1491	Cell type- and differentiation-dependent expression from the mouse acetylcholine receptor epsilon-subunit promoter. 1993 , 36, 224-34	26
1490	An adult-type metachromatic leukodystrophy caused by substitution of serine for glycine-122 in arylsulfatase A. 1993 , 92, 451-6	10
1489	Correction of enzyme deficiency in metachromatic leukodystrophy fibroblasts by retroviral-mediated transfer of the human arylsulphatase A gene. 1993 , 16, 881-5	9
1488	Microtubule-associated protein 2 and the organization of cellular microtubules. 1993 , 22, 727-34	30
1487	The E. coli envY gene encodes a high affinity opioid binding site. 1993 , 18, 795-800	7
1486	Retinoic acid receptor isoform RAR gamma 1: an antagonist of the transactivation of the RAR beta RARE in epithelial cell lines and normal human keratinocytes. 1992 , 17, 35-45	12
1485	Benzodiazepine-induced motor impairment linked to point mutation in cerebellar GABAA receptor. 1993 , 361, 356-9	220
1484	Heterodimerization of the Drosophila ecdysone receptor with retinoid X receptor and ultraspiracle. 1993 , 362, 471-5	463
1483	Cytopathic effect in human papillomavirus type 1-induced inclusion warts: in vitro analysis of the contribution of two forms of the viral E4 protein. 1993 , 101, 843-51	23

1482	Anandamide, a brain endogenous compound, interacts specifically with cannabinoid receptors and inhibits adenylate cyclase. 1993 , 61, 352-5	255
1481	Human Caco-2 cells transfected with c-Ha-Ras as a model for endocrine differentiation in the large intestine. 1993 , 53, 51-60	18
1480	Retinoic acid fails to induce expression of Hox genes in differentiation-defective murine embryonal carcinoma cells carrying a mutant gene for alpha retinoic acid receptor. 1993 , 53, 105-13	22
1479	Molecular cloning of a cDNA encoding an inducible calmodulin-dependent nitric-oxide synthase from rat liver and its expression in COS 1 cells. 1993 , 217, 37-43	54
1478	Anomalous interaction of Sp1 and specific binding of an E-box-binding protein with the regulatory elements of the Na,K-ATPase alpha 2 subunit gene promoter. 1993 , 218, 195-204	29
1477	Plasminogen-activator inhibitor type 2 (PAI-2) is a spontaneously polymerising SERPIN. Biochemical characterisation of the recombinant intracellular and extracellular forms. 1993 , 218, 1071-82	58
1476	Gene transfer in situ and in cells for intracerebral transplantation. 1993 , 5, 453-459	2
1475	Insulin-like growth factor binding protein-3 is overexpressed in senescent and quiescent human fibroblasts. 1993 , 28, 361-70	29
1474	Structures and functions of the K rev-1 transformation suppressor gene and its relatives. 1993 , 1155, 97-109	20
1473	Triazolam is more efficacious than diazepam in a broad spectrum of recombinant GABAA receptors. 1993 , 244, 29-35	49
1472	Natural mutation of GABAA receptor alpha 6 subunit alters benzodiazepine affinity but not allosteric GABA effects. 1993 , 247, 23-7	46
1471	Characterization of pro-opiomelanocortin processing in heterologous neuronal cells that express PC2 mRNA. 1993 , 24, 253-62	9
1470	Structure and functional expression of a complementary DNA for porcine growth hormone-releasing hormone receptor. 1993 , 25, 1-10	53
1469	DNA transfection in SK-N-BE(2)C human neuroblastoma cells. 1993 , 16, 155-157	
1468	Stable transfection of rat angiotensin II receptor subtypes in mouse adrenocortical Y1 cells. 1993 , 15, 87-92	2
1467	Reconstitution of functional muscarinic receptors by co-expression of amino- and carboxyl-terminal receptor fragments. 1993 , 319, 195-200	105
1466	Expression and characterization of human D4 dopamine receptors in baculovirus-infected insect cells. 1993 , 320, 130-4	47
1465	Distribution and second messenger coupling of four somatostatin receptor subtypes expressed in brain. 1993 , 331, 53-9	97

1464	Importance of Arg-219 for correct biogenesis of alpha 1 homooligomeric glycine receptors. 1993 , 336, 540-4	34
1463	Characterization of beta subunit modulation of a rabbit cardiac L-type Ca ²⁺ channel alpha 1 subunit as expressed in mouse L cells. 1993 , 315, 167-72	54
1462	A D1/D2 chimeric dopamine receptor mediates a D1 response to a D2-selective agonist. 1993 , 323, 59-62	22
1461	A brain-specific transcript from the 3'-terminal region of the skeletal muscle ryanodine receptor gene. 1993 , 322, 105-10	48
1460	Widespread expression of gephyrin, a putative glycine receptor-tubulin linker protein, in rat brain. 1993 , 621, 301-10	143
1459	Protective effect of nerve growth factor against glutamate-induced neurotoxicity in cultured cortical neurons. 1993 , 632, 296-302	57
1458	Freeze-fracture immunocytochemical study of the expression of native and recombinant GABA _A receptors. 1993 , 603, 234-42	18
1457	Kinetic characterization of a stably expressed novel Na ⁺ /H ⁺ exchanger (NHE-2). 1993 , 1150, 199-202	21
1456	Lecithin-cholesterol acyltransferase: effects of mutagenesis at N-linked oligosaccharide attachment sites on acyl acceptor specificity. 1993 , 1166, 301-4	33
1455	Transient transfection of chick-embryo hepatocytes. 1993 , 4, 431-439	24
1454	Organization and expression of the human gene for O ⁶ -methylguanine-DNA methyltransferase. 1993 , 293, 119-32	40
1453	Establishment and characterisation of murine cells constitutively expressing the fusion, nucleoprotein and matrix proteins of measles virus. 1993 , 44, 199-210	20
1452	High affinity VEGF binding and developmental expression suggest Flk-1 as a major regulator of vasculogenesis and angiogenesis. 1993 , 72, 835-46	1726
1451	Multiple binding sites for nuclear factors in the 5'-upstream region of two alpha 2u-globulin genes: implications for hormone-regulated and tissue-specific control. 1993 , 45, 353-66	4
1450	Abnormal tau phosphorylation at Ser396 in Alzheimer's disease recapitulates development and contributes to reduced microtubule binding. 1993 , 10, 1089-99	765
1449	Chromatin structure modulates transcription factor binding to the mouse mammary tumor virus (MMTV) promoter. 1993 , 47, 1-10	26
1448	Promoter elements and transcriptional regulation of the acetylcholinesterase gene. 1993 , 12, 63-72	33
1447	Phorbol ester stimulation of the type I and type III adenylyl cyclases in whole cells. 1993 , 32, 1891-4	174

1446	Purification and functional characterization of the ligand-binding domain from the retinoic acid receptor alpha: evidence that sulfhydryl groups are involved in ligand-receptor interactions. 1993 , 32, 12428-36	10
1445	Substitution of transmembrane residues with hydrogen-bonding potential in the alpha subunit of Na,K-ATPase reveals alterations in ouabain sensitivity. 1993 , 32, 544-50	64
1444	Site-directed mutagenesis of the Na,K-ATPase: consequences of substitutions of negatively-charged amino acids localized in the transmembrane domains. 1993 , 32, 13523-30	123
1443	A novel strategy for the immunological tagging of cDNA constructs. 1993 , 137, 139-43	51
1442	Expression of rat renal gamma-glutamyltranspeptidase in LLC-PK1 cells as a model for apical targeting. 1993 , 32, 3822-8	7
1441	Selective modulation of desensitization at AMPA versus kainate receptors by cyclothiazide and concanavalin A. 1993 , 11, 1069-82	521
1440	Determinants of Ca ²⁺ permeability in both TM1 and TM2 of high affinity kainate receptor channels: diversity by RNA editing. 1993 , 10, 491-500	392
1439	Interaction of the 43 kd postsynaptic protein with all subunits of the muscle nicotinic acetylcholine receptor. 1993 , 11, 53-66	98
1438	Stable expression of cloned rat GABA _A receptor subunits in a human kidney cell line. 1993 , 153, 206-9	41
1437	Functional evidence for a L-AP3-sensitive metabotropic receptor different from glutamate metabotropic receptor mGluR1. 1993 , 155, 73-6	5
1436	Identification in the sera from patients with advanced cancer of a factor which stimulates gene expression from human immunodeficiency virus type 1. 1993 , 29, 255-65	
1435	Dicistronic selection for nuclear proteins in living animal cells. 1993 , 137, 145-9	15
1434	Use of the hemagglutinating virus of Japan (HVJ)-liposome method for analysis of infiltrating lymphocytes induced by hepatitis B virus gene expression in liver tissue. 1993 , 1182, 283-90	6
1433	Identification of a polymorphism in the human neurotensin receptor gene. 1993 , 68, 1043-8	44
1432	The low molecular weight form of microtubule-associated protein 2 is transported into both axons and dendrites. 1993 , 54, 873-80	34
1431	A new luciferase promoter insertion vector for the analysis of weak transcriptional activities. 1993 , 124, 137-8	24
1430	Cloning and pharmacological characterization of a rat mu opioid receptor. 1993 , 11, 903-13	390
1429	Presence of particular transcription regulatory elements in the 5'-intergenic region shared by the chicken H2A-III and H2B-V pair. 1993 , 131, 193-9	7

1428	Specific interaction between adenoviral 55-kDa E1B protein and in vivo produced p53 fusion proteins. 1993 , 131, 231-6	4
1427	Molecular cloning of rat growth inhibitory factor cDNA and the expression in the central nervous system. 1993 , 19, 188-94	89
1426	Retroviral-mediated gene transfer of the porcine choline acetyltransferase: a model to study the synthesis and secretion of acetylcholine in mammalian cells. 1993 , 22, 511-6	3
1425	Heat-shock promoter-driven synthesis of secreted bovine herpesvirus glycoproteins in transfected cells. 1993 , 11, 1100-7	38
1424	Nuclear export of proteins: the role of nuclear retention. 1993 , 74, 493-504	205
1423	Molecular cloning, functional expression, and signaling characteristics of a C-C chemokine receptor. 1993 , 72, 415-25	694
1422	Physical interaction of the retinoblastoma protein with human D cyclins. 1993 , 73, 499-511	720
1421	The Xenopus IP3 receptor: structure, function, and localization in oocytes and eggs. 1993 , 73, 555-70	211
1420	The p21 Cdk-interacting protein Cip1 is a potent inhibitor of G1 cyclin-dependent kinases. 1993 , 75, 805-16	5067
1419	High levels of c-rel expression are associated with programmed cell death in the developing avian embryo and in bone marrow cells in vitro. 1993 , 75, 899-912	221
1418	Pigmentation phenotypes of variant extension locus alleles result from point mutations that alter MSH receptor function. 1993 , 72, 827-34	763
1417	Transfected c-Ha-ras oncogene enhances karyotypic instability and integrates predominantly in aberrant chromosomes. 1993 , 67, 35-43	15
1416	Cloning and functional characterization of a family of receptors for the melanotropic peptides. 1993 , 680, 342-63	114
1415	Induction of cellular p53 activity by DNA-damaging agents and growth arrest. <i>Molecular and Cellular Biology</i> , 1993 , 13, 4242-50	4.8 401
1414	Clustering and immobilization of acetylcholine receptors by the 43-kD protein: a possible role for dystrophin-related protein. 1993 , 123, 729-40	101
1413	Characterization of a mouse beta 1-adrenergic receptor genomic clone. 1993 , 12, 537-47	19
1412	Overexpression of mouse D-type cyclins accelerates G1 phase in rodent fibroblasts. 1993 , 7, 1559-71	843
1411	High-affinity binding of thyrotropin to the extracellular domain of its receptor transfected in Chinese hamster ovary cells. 1993 , 3, 129-33	26

1410	Retrovirus-mediated gene transfer into rhesus monkey hematopoietic stem cells: the effect of viral titers on transduction efficiency. 1993 , 4, 239-47		33
1409	Analysis of the rat hepatocyte nuclear factor (HNF) 1 gene promoter: synergistic activation by HNF4 and HNF1 proteins. 1993 , 21, 3731-6		72
1408	Incorporation of the catalytic domain of a hammerhead ribozyme into antisense RNA enhances its inhibitory effect on the replication of human immunodeficiency virus type 1. 1993 , 21, 2809-14		89
1407	Mouse GATA-4: a retinoic acid-inducible GATA-binding transcription factor expressed in endodermally derived tissues and heart. <i>Molecular and Cellular Biology</i> , 1993 , 13, 2235-46	4.8	635
1406	Determination of diabetogenicity attributable to a single amino acid, Ala776, on the polyprotein of encephalomyocarditis virus. 1993 , 42, 435-43		43
1405	Expression of a minimal K ⁺ channel protein in mammalian cells and immunolocalization in guinea pig heart. 1993 , 73, 968-73		65
1404	Development of a recombinant RNA technique for the construction of chimeric RNA with a long poly(C) tract. 1993 , 21, 2703-8		7
1403	Pleiotrophin transforms NIH 3T3 cells and induces tumors in nude mice. 1993 , 90, 679-82		124
1402	In vitro selection of fast-hybridizing and effective antisense RNAs directed against the human immunodeficiency virus type 1. 1993 , 21, 1381-7		82
1401	p53 domains: identification and characterization of two autonomous DNA-binding regions. 1993 , 7, 2575-86		203
1400	Stable constitutive expression of glycoprotein B (gpUL55) of human cytomegalovirus in permissive astrocytoma cells. 1993 , 74 (Pt 7), 1371-9		18
1399	Hormonal regulation of expression of the angiotensinogen gene in cultured mouse hepatoma cells. 1993 , 6, 141-8		10
1398	Liposome Mediated Gene Transfer into Vascular Cells. 1993 , 3, 179-199		4
1397	Expression of the protooncogene c-jun is maintained during myogenic differentiation in rat L6 myoblasts. 1993 , 71, 260-9		3
1396	Regulatory elements of the human proopiomelanocortin gene promoter. 1993 , 12, 527-36		19
1395	Molecular cloning, sequencing, tissue distribution, and functional expression of a Na ⁺ /H ⁺ exchanger (NHE-2). 1993 , 90, 3938-42		123
1394	Genomic structure and promoter activity of the human testis lactate dehydrogenase gene. 1993 , 48, 1309-19		35
1393	The first membrane spanning region of the lamin B receptor is sufficient for sorting to the inner nuclear membrane. 1993 , 120, 631-7		124

1392	Multiple negative elements in a gene that codes for an extracellular matrix protein, collagen X, restrict expression to hypertrophic chondrocytes. 1993 , 121, 1173-9	58
1391	Expression and functional analysis of a cytoplasmic domain variant of the beta 1 integrin subunit. 1993 , 121, 171-8	90
1390	Cloning of the rat progesterone receptor gene 5'-region and identification of two functionally distinct promoters. 1993 , 7, 1603-16	140
1389	Phosphorylation-site mutagenesis of the growth-associated protein GAP-43 modulates its effects on cell spreading and morphology. 1993 , 120, 503-12	97
1388	Tissue-specific RNA splicing generates an ankyrin-like domain that affects the dimerization and DNA-binding properties of a bHLH protein. 1993 , 7, 55-71	68
1387	Non-conservation of a catalytic residue in a dipeptidyl aminopeptidase IV-related protein encoded by a gene on human chromosome 7. 1993 , 2, 1037-9	36
1386	Luminescence luteinizing hormone/choriogonadotropin (LH/CG) bioassay: measurement of serum bioactive LH/CG during early pregnancy in human and macaque. 1993 , 49, 1310-6	26
1385	Gene delivery systems in surgery. 1993 , 128, 1197-206	29
1384	Ezrin contains cytoskeleton and membrane binding domains accounting for its proposed role as a membrane-cytoskeletal linker. 1993 , 120, 129-39	365
1383	Potential role of helix-loop-helix proteins in cardiac gene expression. 1993 , 73, 569-78	21
1382	Extinction of the tumor necrosis factor locus, and of genes encoding the lipopolysaccharide signaling pathway. 1993 , 177, 1383-90	47
1381	Dominant negative mutation in cell surface beta 1,4-galactosyltransferase inhibits cell-cell and cell-matrix interactions. 1993 , 120, 1045-57	69
1380	The v-sis protein retains biological activity as a type II membrane protein when anchored by various signal-anchor domains, including the hydrophobic domain of the bovine papilloma virus E5 oncoprotein. 1993 , 123, 549-60	11
1379	Autonomous replication of human chromosomal DNA fragments in human cells. 1993 , 4, 1121-32	30
1378	Identification of a receptor for gamma melanotropin and other proopiomelanocortin peptides in the hypothalamus and limbic system. 1993 , 90, 8856-60	622
1377	Introduction of plasmid DNA and nuclear protein into cells by using erythrocyte ghosts, liposomes, and Sendai virus. 1993 , 221, 317-27	6
1376	Agonist activation of transfected human M1 muscarinic acetylcholine receptors in CHO cells results in down-regulation of both the receptor and the alpha subunit of the G-protein Gq. 1993 , 289 (Pt 1), 125-31	73
1375	Structural analysis of the human insulin-like growth factor-II P3 promoter. 1993 , 289 (Pt 1), 133-9	21

1374	Nuclear import of the human androgen receptor. 1993 , 293 (Pt 3), 761-8		222
1373	Recombinant Ionotropic Glutamate Receptors: Functional Distinctions Imparted by Different Subunits. 1993 , 3, 318-331		41
1372	Tissue-Specific Alternative RNA Processing in Calcitonin/ Calcitonin Gene-Related Peptide Gene Expression. 1993 , 3, 181-196		3
1371	Molecular Genetic Approaches to the Analysis of Neuropeptide Receptors. 1993 , 3, 213-230		
1370	Computer-aided search for effective antisense RNA target sequences of the human immunodeficiency virus type 1. 1993 , 3, 45-52		73
1369	Molecular cloning of a human cDNA encoding a novel protein, DAD1, whose defect causes apoptotic cell death in hamster BHK21 cells. <i>Molecular and Cellular Biology</i> , 1993 , 13, 6367-74	4.8	194
1368	The responsiveness of embryonic stem cells to alpha and beta interferons provides the basis of an inducible expression system for analysis of developmental control genes. <i>Molecular and Cellular Biology</i> , 1993 , 13, 7971-6	4.8	27
1367	Wnt-1-inducing factor-1: a novel G/C box-binding transcription factor regulating the expression of Wnt-1 during neuroectodermal differentiation. <i>Molecular and Cellular Biology</i> , 1993 , 13, 1590-8	4.8	30
1366	Two cis-DNA elements involved in myeloid-cell-specific expression and gamma interferon (IFN-gamma) activation of the human high-affinity Fc gamma receptor gene: a novel IFN regulatory mechanism. <i>Molecular and Cellular Biology</i> , 1993 , 13, 2182-92	4.8	74
1365	PEBP2/PEA2 represents a family of transcription factors homologous to the products of the <i>Drosophila runt</i> gene and the human AML1 gene. 1993 , 90, 6859-63		561
1364	Coexpression studies with mutant muscarinic/adrenergic receptors provide evidence for intermolecular "cross-talk" between G-protein-linked receptors. 1993 , 90, 3103-7		296
1363	Liver-specific expression of human insulin-like growth factor binding protein 1: functional role of transcription factor HNF1 in vivo. 1993 , 90, 272-6		29
1362	Human ERCC5 cDNA-cosmid complementation for excision repair and bipartite amino acid domains conserved with RAD proteins of <i>Saccharomyces cerevisiae</i> and <i>Schizosaccharomyces pombe</i> . <i>Molecular and Cellular Biology</i> , 1993 , 13, 6393-402	4.8	51
1361	Oncogenic truncation of the first repeat of c-Myb decreases DNA binding in vitro and in vivo. <i>Molecular and Cellular Biology</i> , 1993 , 13, 7334-48	4.8	62
1360	The tumor suppressor p53 regulates its own transcription. <i>Molecular and Cellular Biology</i> , 1993 , 13, 3415-23	4.8	109
1359	The cardiac troponin T alternative exon contains a novel purine-rich positive splicing element. <i>Molecular and Cellular Biology</i> , 1993 , 13, 3660-74	4.8	195
1358	Proliferative activation of quiescent Rat-1A cells by delta FosB. <i>Molecular and Cellular Biology</i> , 1993 , 13, 4157-66	4.8	88
1357	The serum response element can mediate induction of c-fos by growth hormone. 1993 , 90, 6721-5		59

1356	Activation of glucose transport by a natural mutation in the human insulin receptor. 1993 , 90, 60-4		37
1355	Regulation of endothelin 1 gene by fluid shear stress is transcriptionally mediated and independent of protein kinase C and cAMP. 1993 , 90, 5999-6003		175
1354	Functional interaction of the v-Rel and c-Rel oncoproteins with the TATA-binding protein and association with transcription factor IIB. <i>Molecular and Cellular Biology</i> , 1993 , 13, 6733-41	4.8	109
1353	Molecular cloning and adhesive properties of murine platelet/endothelial cell adhesion molecule 1. 1993 , 90, 5569-73		74
1352	Selective amplification of additional members of the ADP-ribosylation factor (ARF) family: cloning of additional human and Drosophila ARF-like genes. 1993 , 90, 8952-6		123
1351	Translation of the human LINE-1 element, L1Hs. 1993 , 90, 11533-7		61
1350	UVB-induced DNA breaks interfere with transcriptional induction of c-fos. <i>Molecular and Cellular Biology</i> , 1993 , 13, 6992-9	4.8	39
1349	Cloning of a novel, ubiquitously expressed human phosphatidylinositol 3-kinase and identification of its binding site on p85. <i>Molecular and Cellular Biology</i> , 1993 , 13, 7677-88	4.8	238
1348	Transcriptional activation by simian virus 40 large T antigen: interactions with multiple components of the transcription complex. <i>Molecular and Cellular Biology</i> , 1993 , 13, 961-9	4.8	125
1347	A mitogen-responsive promoter region that is synergistically activated through multiple signalling pathways. <i>Molecular and Cellular Biology</i> , 1993 , 13, 1796-804	4.8	33
1346	Differential transcriptional activation by v-myc and c-myc in animal cells and <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1993 , 13, 4423-31	4.8	31
1345	Assembly of GABAA receptor subunits: analysis of transient single-cell expression utilizing a fluorescent substrate/marker gene technique. 1993 , 13, 1418-28		106
1344	Phosphatidylinositol 3?-kinase associates with p145c-kit as part of a cell type characteristic multimeric signalling complex.. 1993 , 12, 3817-3826		20
1343	I kappa B alpha-mediated inhibition of v-Rel DNA binding requires direct interaction with the RXXRXRXXC Rel/kappa B DNA-binding motif. 1993 , 90, 8962-6		26
1342	Overlapping positive and negative regulatory elements determine lens-specific activity of the delta 1-crystallin enhancer. <i>Molecular and Cellular Biology</i> , 1993 , 13, 5206-15	4.8	113
1341	Nonpolarized surface distribution and delivery of human CD7 in polarized MDCK cells. 1993 , 265, C1069-79		14
1340	RapV12 antagonizes Ras-dependent activation of ERK1 and ERK2 by LPA and EGF in Rat-1 fibroblasts.. 1993 , 12, 3475-3485		276
1339	Residues within transmembrane segment M2 determine chloride conductance of glycine receptor homo- and hetero-oligomers.. 1993 , 12, 3729-3737		197

1338	Adenovirus E1A negatively and positively modulates transcription of AP-1 dependent genes by dimer-specific regulation of the DNA binding and transactivation activities of Jun.. 1993 , 12, 3559-3572	72
1337	Transcriptional regulators of expression of K#16, the disease-associated keratin. 1993 , 12, 911-23	35
1336	Quality control of ER synthesized proteins: an exposed thiol group as a three-way switch mediating assembly, retention and degradation.. 1993 , 12, 4755-4761	106
1335	Functional role of proline and tryptophan residues highly conserved among G protein-coupled receptors studied by mutational analysis of the m3 muscarinic receptor.. 1993 , 12, 331-338	128
1334	Cross-coupling of the NF-kappa B p65 and Fos/Jun transcription factors produces potentiated biological function.. 1993 , 12, 3879-3891	488
1333	Mammalian ribonucleotide reductase R1 mRNA stability under normal and phorbol ester stimulating conditions: involvement of a cis-trans interaction at the 3' untranslated region.. 1993 , 12, 3977-3986	48
1332	Gtx: a novel murine homeobox-containing gene, expressed specifically in glial cells of the brain and germ cells of testis, has a transcriptional repressor activity in vitro for a serum-inducible promoter.. 1993 , 12, 1387-1401	71
1331	Primary structure and functional expression of a Drosophila cyclic nucleotide-gated channel present in eyes and antennae.. 1994 , 13, 5040-5050	153
1330	Cdc25A is a novel phosphatase functioning early in the cell cycle.. 1994 , 13, 1549-1556	333
1329	A zinc finger protein controls the onset of premeiotic DNA synthesis of fission yeast in a Mei2-independent cascade.. 1994 , 13, 1881-1887	41
1328	Rat argininosuccinate lyase promoter: the dyad-symmetric CCAAT box sequence CCAATTGG in the promoter is recognized by NF-Y. 1994 , 116, 1044-55	13
1327	An in vitro model for the effects of estrogen on neurons employing estrogen receptor-transfected PC12 cells. 1994 , 14, 3945-57	32
1326	c-Myc represses transcription in vivo by a novel mechanism dependent on the initiator element and Myc box II.. 1994 , 13, 4070-4079	236
1325	Decreased agonist affinity and chloride conductance of mutant glycine receptors associated with human hereditary hyperekplexia.. 1994 , 13, 4223-4228	136
1324	The delayed glucocorticoid-responsive and hepatoma cell-selective enhancer of the rat arginase gene is located around intron 7. 1994 , 115, 778-88	27
1323	Cellular aggregation enhances MyoD-directed skeletal myogenesis in embryonal carcinoma cells. <i>Molecular and Cellular Biology</i> , 1994 , 14, 8451-9	4.8 69
1322	Activation of the DNA-binding ability of human heat shock transcription factor 1 may involve the transition from an intramolecular to an intermolecular triple-stranded coiled-coil structure. <i>Molecular and Cellular Biology</i> , 1994 , 14, 7557-68	4.8 168
1321	Identification of a novel vertebrate cyclin: cyclin B3 shares properties with both A- and B-type cyclins.. 1994 , 13, 595-605	79

1320	Suppression of ras oncogene-mediated transformation. 1994 , 124, 29-92	6
1319	Assembly of GABAA receptor subunits: role of the delta subunit. 1994 , 14, 7077-86	293
1318	Lipopolysaccharide Signals Activation of Tumor Necrosis Factor Biosynthesis Through the Ras/Raf-1/MEK/MAPK Pathway. 1994 , 1, 93-103	204
1317	A B-type cyclin negatively regulates conjugation via interacting with cell cycle $\text{E}2\text{f}4$ genes in fission yeast.. 1994 , 13, 1863-1872	66
1316	Neuronal differentiation signals are controlled by nerve growth factor receptor/Trk binding sites for SHC and PLC gamma.. 1994 , 13, 1585-1590	241
1315	Mutations in the carboxy terminus of adeno-associated virus 2 capsid proteins affect viral infectivity: lack of an RGD integrin-binding motif. 1994 , 75 (Pt 12), 3385-92	32
1314	An analysis of the in vitro and in vivo phenotypes of mutants of herpes simplex virus type 1 lacking glycoproteins gG, gE, gI or the putative gJ. 1994 , 75 (Pt 6), 1245-58	206
1313	Functional differences between L- and T-plastin isoforms. 1994 , 127, 1995-2008	83
1312	Mitogenic and in vitro angiogenic activity of human recombinant heparin affin regulatory peptide. 1994 , 10, 89-98	84
1311	Stable expression of heterologous microtubule-associated proteins (MAPs) in Chinese hamster ovary cells: evidence for differing roles of MAPs in microtubule organization. 1994 , 126, 1017-29	72
1310	Bundling of microtubules in transfected cells does not involve an autonomous dimerization site on the MAP2 molecule. 1994 , 5, 511-7	26
1309	Direct association of p110 beta phosphatidylinositol 3-kinase with p85 is mediated by an N-terminal fragment of p110 beta. <i>Molecular and Cellular Biology</i> , 1994 , 14, 2577-83	4.8 54
1308	Stimulation of polyomavirus DNA replication by wild-type p53 through the DNA-binding site. <i>Molecular and Cellular Biology</i> , 1994 , 14, 2651-63	4.8 27
1307	Transcription factor GATA-4 regulates cardiac muscle-specific expression of the alpha-myosin heavy-chain gene. <i>Molecular and Cellular Biology</i> , 1994 , 14, 4947-57	4.8 281
1306	Expression of heterologous integrin genes in cultured eukaryotic cells. 1994 , 245, 297-316	5
1305	Cooperation between mutant p53 and the ras, raf, erbb-2 and fgf-3 oncogenes for transformation of mammary epithelial-cells. 1994 , 5, 1141-50	
1304	An in vitro differentiation system for the examination of transgene activation in mouse macrophages. 1994 , 13, 901-7	17
1303	Bacterial expression and in vitro folding of the beta-subunit of human chorionic gonadotropin (hCG beta) and functional assembly of recombinant hCG beta with hCG alpha. 1994 , 135, 911-8	22

1302	Disruption of mesoderm and axis formation in fish by ectopic expression of activin variants: the role of maternal activin. 1994 , 8, 1448-62		90
1301	The delta-crystallin enhancer-binding protein delta EF1 is a repressor of E2-box-mediated gene activation. <i>Molecular and Cellular Biology</i> , 1994 , 14, 5692-700	4.8	201
1300	An unstable beta 2-microglobulin: major histocompatibility complex class I heavy chain intermediate dissociates from calnexin and then is stabilized by binding peptide. 1994 , 180, 2163-71		85
1299	In vivo and in vitro analysis of electrical activity-dependent expression of muscle acetylcholine receptor genes using adenovirus. 1994 , 91, 1304-8		70
1298	Manipulation of Chicken Primordial Germ Cells for Transgenic Chicken. 1994 , 317-324		
1297	Cell transformation by c-fos requires an extended period of expression and is independent of the cell cycle. <i>Molecular and Cellular Biology</i> , 1994 , 14, 4295-310	4.8	95
1296	p53 domains: structure, oligomerization, and transformation. <i>Molecular and Cellular Biology</i> , 1994 , 14, 5182-91	4.8	137
1295	Analysis of cellular adhesion in cultured cells. 1994 , 44, 683-96		9
1294	Polyadenylation and transcription termination in gene constructs containing multiple tandem polyadenylation signals. 1994 , 22, 2811-6		24
1293	Expression from the tyrosine aminotransferase promoter (nt -350 to +1) is liver-specific and dependent on the binding of both liver-enriched and ubiquitous trans-acting factors. 1994 , 22, 1583-92		13
1292	Function of a human cyclin gene as an oncogene. 1994 , 91, 709-13		391
1291	The v-sis oncoprotein loses transforming activity when targeted to the early Golgi complex. 1994 , 127, 1843-57		6
1290	Sequence-specific interaction of alpha-beta-anomeric double-stranded DNA with the p50 subunit of NF kappa B: application to the decoy approach. 1994 , 22, 3069-74		30
1289	Alternative splicing introduces a nuclear localization signal that targets multifunctional CaM kinase to the nucleus. 1994 , 126, 839-52		227
1288	Overexpression of the short form of the growth hormone receptor in 3T3-L1 mouse preadipocytes. 1994 , 206, 185-9		2
1287	Transcription of the E2F-1 gene is rendered cell cycle dependent by E2F DNA-binding sites within its promoter. <i>Molecular and Cellular Biology</i> , 1994 , 14, 6607-15	4.8	235
1286	Approaches to gene transfer in keratinocytes. 1994 , 103, 70S-75S		16
1285	Regulation of the progesterone receptor gene by gonadotropins and cyclic adenosine 3',5'-monophosphate in rat granulosa cells. 1994 , 134, 709-18		124

1284	Introduction of double-strand breaks into the genome of mouse cells by expression of a rare-cutting endonuclease. <i>Molecular and Cellular Biology</i> , 1994 , 14, 8096-106	4.8	605
1283	Construction and characterization of retroviral vectors expressing biologically active human interleukin-12. 1994 , 5, 1493-506		117
1282	Optimization of experimental variables influencing reporter gene expression in hepatoma cells following calcium phosphate transfection. 1994 , 13, 1227-32		85
1281	Sequence variation of human papillomavirus type 16 E7 in preinvasive and invasive cervical neoplasias. 1994 , 9, 85-92		33
1280	A 79 amino acid oncogene is responsible for human cytomegalovirus mtrII induced malignant transformation. 1994 , 136, 161-72		13
1279	Molecular analysis of vasopressin receptors in the rat nephron. Evidence for alternative splicing of the V2 receptor. 1994 , 429, 79-89		58
1278	src-specific immunity in inbred chickens bearing v-src DNA- and RSV-induced tumors. 1994 , 40, 257-65		23
1277	Hypoxanthine-guanine phosphoribosyltransferase (HPRT) deficiency: identification of point mutations in Japanese patients with Lesch-Nyhan syndrome and hereditary gout and their permanent expression in an HPRT-deficient mouse cell line. 1994 , 93, 175-81		4
1276	Expression of human factor X with normal biological activity in human embryonic kidney cells. 1994 , 16, 549-554		7
1275	Anti-inflammatory prednisolone derivatives inhibit collagen synthesis and pro-alpha(1) (I) collagen promoter activity in rat skin fibroblasts. 1994 , 2, 292-6		6
1274	Modification of ataxia telangiectasia cellular radiation sensitivity and resistant dna synthesis by transformation with episomally maintained vectors. 1994 , 2, 257-263		
1273	Functional role of the cis-acting elements in human monocyte chemotactic protein-1 gene in the regulation of its expression by phorbol ester in human glioblastoma cells. 1994 , 141, 121-8		22
1272	p53Val135 temperature sensitive mutant suppresses growth of human breast cancer cells. 1994 , 30, 167-77		6
1271	Restoration of peroxisome biogenesis in a peroxisome-deficient mammalian cell line by expression of either the 35 kDa or the 70 kDa peroxisomal membrane proteins. 1994 , 17, 327-9		12
1270	Type C Niemann-Pick disease fibroblasts and their transformed cell lines are hypersensitive to HMG-CoA reductase inhibitors. 1994 , 17, 718-23		2
1269	Molecular cloning and expression of a delta-opioid receptor from rat brain. 1994 , 37, 714-9		46
1268	Monoclonal antibody PHF-1 recognizes tau protein phosphorylated at serine residues 396 and 404. 1994 , 39, 669-73		407
1267	Infrequent loss of heterozygosity and mutation of the p53 gene in immortal and transformed mouse embryo fibroblasts. 1994 , 10, 52-7		9

1266	A connexin 43 antisense vector reduces the ability of normal cells to inhibit the foci formation of transformed cells. 1994 , 11, 106-14	56
1265	Neuronal differentiation of PC12 cells as a result of prevention of cell death by bcl-2. 1994 , 25, 1227-34	62
1264	Altered growth and phenotype in clonal mycN transfectants of the SK-N-SH neuroblastoma cell line. 1994 , 59, 141-8	16
1263	Non-viral gene therapy. 1994 , 5, 626-36	78
1262	Gene therapy utilizing drug resistance genes: a review. 1994 , 12, 378-85	29
1261	Jun and Fos related gene products bind to and modulate the GPE I, a strong enhancer element of the rat glutathione transferase P gene. 1994 , 1219, 499-504	12
1260	Gene structure and cell type-specific expression of the human ATP synthase alpha subunit. 1994 , 1219, 129-40	20
1259	Ligand affinities at recombinant N-methyl-D-aspartate receptors depend on subunit composition. 1994 , 268, 335-45	353
1258	Binding profile of the selective muscarinic receptor antagonist tripitramine. 1994 , 268, 459-62	44
1257	Characterization of the human dopamine D3 receptor expressed in transfected cell lines. 1994 , 266, 79-85	98
1256	Sequencing data of the antiglioma antibody MUC 2-63 and strategy for construction of chimeric antibodies. 1994 , 24-25, 331-9	0
1255	Nuclear antisense RNA. An efficient new method to inhibit gene expression. 1994 , 2, 107-18	13
1254	Intragenic regions of the murine Pgk-1 locus enhance integration of transfected DNAs into genomes of embryonal carcinoma cells. 1994 , 20, 515-28	24
1253	Unstable integration of transfected DNAs into embryonal carcinoma cells. 1994 , 20, 529-40	11
1252	Adenylosuccinate synthetase: a dominant amplifiable genetic marker in mammalian cells. 1994 , 20, 381-9	4
1251	High-level expression of human lipocortin I in the fission yeast <i>Schizosaccharomyces pombe</i> using a novel expression vector. 1994 , 12, 400-4	43
1250	Efficient expression of drug-selectable genes in retroviral vectors under control of an internal ribosome entry site. 1994 , 12, 694-8	50
1249	Glioblastoma growth inhibited in vivo by a dominant-negative Flk-1 mutant. 1994 , 367, 576-9	1100

1248	Cloning and functional expression of a cyclic-nucleotide-gated channel from mammalian sperm. 1994 , 368, 859-63	337
1247	Gene transfer of metalloproteinase transin induces aberrant behavior of cultured mesangial cells. 1994 , 45, 1580-6	16
1246	Isoproterenol and 8-bromo-cyclic adenosine monophosphate stimulate the expression of the angiotensinogen gene in opossum kidney cells. 1994 , 46, 703-10	17
1245	Expression of the Retinal Pigmented Epithelial Cell-Specific pP344 Gene during Development of the Chicken Eye and Identification of Its Product. 1994 , 36, 155-164	18
1244	Complex Cell Type-Specific Transcriptional Regulation by the Promoter and an Intron of the Mouse P-Cadherin Gene. 1994 , 36, 509-519	8
1243	Mitotic activation of c-Src is suppressed by Csk. 1994 , 85, 1023-8	4
1242	Facilitation of autonomous phenotype acquisition in androgen-dependent Shionogi carcinoma 115 cells by transfection of androgen-induced growth factor expression vector. 1994 , 85, 1117-23	5
1241	PC12 cells overexpressing the insulin receptor undergo insulin-dependent neuronal differentiation. 1994 , 4, 702-8	202
1240	Efficient gene transfer into human umbilical vein endothelial cells allows functional analysis of the human tissue factor gene promoter. 1994 , 88, 122-8	31
1239	The interferon-stimulated gene 54 K promoter contains two adjacent functional interferon-stimulated response elements of different strength, which act synergistically for maximal interferon-alpha inducibility. 1994 , 220, 395-402	32
1238	Expression, purification and crystallization of human phosphotyrosine phosphatase 1B. 1994 , 223, 1069-77	16
1237	Measurement of neutrophil and eosinophil adhesion to E-selectin, VCAM-1, and ICAM-1 by the use of transfected fibroblast cell lines. 1994 , 176, 53-66	20
1236	Heparin-induced oligomerization of FGF molecules is responsible for FGF receptor dimerization, activation, and cell proliferation. 1994 , 79, 1015-24	605
1235	The retinoblastoma protein and BRG1 form a complex and cooperate to induce cell cycle arrest. 1994 , 79, 119-30	577
1234	ECE-1: a membrane-bound metalloprotease that catalyzes the proteolytic activation of big endothelin-1. 1994 , 78, 473-85	822
1233	Protein kinase C enhances recombinant bovine alpha 1 beta 1 gamma 2L GABAA receptor whole-cell currents expressed in L929 fibroblasts. 1994 , 13, 1421-31	60
1232	Molecular basis for dynorphin A selectivity: A chimeric study. 1994 , 54, 191-192	3
1231	Identification and characterization of delta B-CaM kinase and delta C-CaM kinase from rat heart, two new multifunctional Ca ²⁺ /calmodulin-dependent protein kinase isoforms. 1994 , 1221, 89-101	143

1230	The identification of NP25: a novel protein that is differentially expressed by neuronal subpopulations. 1994 , 22, 173-85	38
1229	Low single channel conductance of the major skeletal muscle chloride channel, CLC-1. 1994 , 66, 149-52	130
1228	Immunochemical evidence for a fibroblast growth factor receptor in adult retinal optic fiber and synaptic layers. 1994 , 60, 969-81	7
1227	Selective effects of dieldrin on the GABAA receptor-channel subunits expressed in human embryonic kidney cells. 1994 , 645, 19-26	32
1226	Molecular cloning and tissue distribution of a putative member of the rat opioid receptor gene family that is not a mu, delta or kappa opioid receptor type. 1994 , 347, 284-8	497
1225	Molecular cloning of a novel candidate G protein-coupled receptor from rat brain. 1994 , 351, 375-9	17
1224	The sevenmaker gain-of-function mutation in p42 MAP kinase leads to enhanced signalling and reduced sensitivity to dual specificity phosphatase action. 1994 , 352, 201-5	90
1223	Cloning and functional characterization of the human 5-HT2B serotonin receptor. 1994 , 342, 85-90	120
1222	Characterization of hUCRBP (YY1, NF-E1, delta): a transcription factor that binds the regulatory regions of many viral and cellular genes. 1994 , 150, 259-66	56
1221	A copy-number-controlled expression vector for the fission yeast <i>Schizosaccharomyces pombe</i> . 1994 , 150, 275-80	24
1220	Nucleic acid transfer through cell membranes: towards the underlying mechanisms. 1994 , 62, 119-52	14
1219	Identification of a distal regulatory sequence of the human IGFBP-1 gene promoter and regulation by the progesterone receptor in a human endometrial adenocarcinoma cell line. 1994 , 13, 829-37	22
1218	Activation of the human IGFBP-1 gene promoter by progestin and relaxin in primary culture of human endometrial stromal cells. 1994 , 104, 39-46	40
1217	Developmental and regional expression in the rat brain and functional properties of four NMDA receptors. 1994 , 12, 529-40	2902
1216	POSTER COMMUNICATIONS. 1994 , 112, 158P-436P	1
1215	Identification of functional domains of the aryl hydrocarbon receptor nuclear translocator protein (ARNT). <i>Molecular and Cellular Biology</i> , 1994 , 14, 6075-86	4.8 212
1214	Conformational behaviour of the active and inactive forms of the nucleocapsid NCp7 of HIV-1 studied by 1H NMR. 1994 , 235, 287-301	133
1213	Selective RNA editing and subunit assembly of native glutamate receptors. 1994 , 13, 131-47	153

1212	Stable expression in rat glioma cells of sense and antisense nucleic acids to a human multifunctional DNA repair enzyme, APEX nuclease. 1994 , 315, 55-63	93
1211	Gene transfer into <i>Xenopus</i> hepatocytes: transcriptional regulation by members of the nuclear receptor superfamily. 1994 , 101, 227-36	6
1210	Selective expression of one Ca(2+)-inhibitable adenylyl cyclase in dopaminergically innervated rat brain regions. 1994 , 22, 236-44	90
1209	Persistence of the SV40 early region without expression in permissive simian cells. 1994 , 34, 237-63	2
1208	Down-regulation of the human c-fos and c-myc proto-oncogene promoters by adeno-associated virus Rep78. 1994 , 81, 129-36	69
1207	An ERCC5 gene with homology to yeast RAD2 is involved in group G xeroderma pigmentosum. 1994 , 314, 167-75	33
1206	Transactivation of the 'promoterless' luciferase-encoding vectors pXP1 and pXP2 by C/EBP alpha. 1994 , 138, 257-8	15
1205	Quantitative increases in DNA binding affinity and positional effects determine 9-cis retinoic acid induced activation of the retinoid X receptor beta homodimer. 1994 , 105, 27-35	17
1204	Developmental alteration in GABAA receptor structure and physiological properties in cultured cerebellar granule neurons. 1994 , 13, 149-58	76
1203	A negative cis-acting G-fer element participates in the regulation of expression of the human H-ferritin-encoding gene (FERH). 1994 , 140, 195-201	15
1202	Intracellular localization and function of DNA repair methyltransferase in human cells. 1994 , 315, 199-212	23
1201	Genetic analysis of the N-terminal end of the glucocorticoid receptor hormone binding domain. 1994 , 51, 11-9	16
1200	Identification of a liver-specific promoter for the ovine growth hormone receptor. 1994 , 101, 129-39	44
1199	Glial cells of the oligodendrocyte lineage express both kainate- and AMPA-preferring subtypes of glutamate receptor. 1994 , 12, 357-71	291
1198	Regulation of GABAA receptor function by protein kinase C phosphorylation. 1994 , 12, 1081-95	280
1197	The human melanocyte stimulating hormone receptor has evolved to become "super-sensitive" to melanocortin peptides. 1994 , 102, R7-11	69
1196	Gi assays in transfected cells. 1994 , 238, 81-94	54
1195	Primary sequence and functional analysis of the bovine galanin gene promoter in human neuroblastoma cells. 1994 , 13, 845-55	24

1194	Induction of 18A2/mts1 gene expression and its effects on metastasis and cell cycle control. 1994 , 13, 1021-8	45
1193	The anion-binding exosite is critical for the high affinity binding of thrombin to the human thrombin receptor. 1994 , 11, 17-28	8
1192	Transformation techniques for Drosophila cell lines. 1994 , 44, 161-79	58
1191	Analysis of amino acid residues in the H5-H6 transmembrane and extracellular domains of Na,K-ATPase alpha subunit identifies threonine 797 as a determinant of ouabain sensitivity. 1994 , 33, 4218-24	70
1190	Mutations to amino acids located in predicted transmembrane segment 6 (TM6) modulate the activity and substrate specificity of human P-glycoprotein. 1994 , 33, 14049-57	122
1189	A novel mechanism for coupling of m4 muscarinic acetylcholine receptors to calmodulin-sensitive adenylyl cyclases: crossover from G protein-coupled inhibition to stimulation. 1994 , 33, 943-51	167
1188	Changes in the abundance of androgen receptor isoforms: effects of ligand treatment, glutamine-stretch variation, and mutation of putative phosphorylation sites. 1994 , 33, 14064-72	92
1187	¹ H NMR structure and biological studies of the His23-->Cys mutant nucleocapsid protein of HIV-1 indicate that the conformation of the first zinc finger is critical for virus infectivity. 1994 , 33, 11707-16	97
1186	Modification of the Radiosensitivity of Human Testicular Cancer Cells by Simian Virus 40 Sequences. 1994 , 140, 186	6
1185	Cell type-dependence for Vpu function. 1994 , 23, 146-50	42
1184	Structure and function of mannan-binding proteins isolated from human liver and serum. 1994 , 115, 1148-54	36
1183	Targeting of the immunoglobulin-binding domain of protein A to the extracellular matrix using a minifibronectin expression vector. 1994 , 116, 898-904	6
1182	Cloning and functional expression of human inducible nitric oxide synthase (NOS) cDNA from a glioblastoma cell line A-172. 1994 , 116, 575-81	45
1181	Capacitative Ca ²⁺ entry regulates Ca(2+)-sensitive adenylyl cyclases. 1994 , 297 (Pt 3), 437-40	78
1180	Annexin II contains two types of Ca(2+)-binding sites. 1994 , 298 Pt 3, 553-9	62
1179	Isolation of a novel inducible rat heat-shock protein (HSP70) gene and its expression during ischaemia/hypoxia and heat shock. 1994 , 298 Pt 3, 561-9	103
1178	Regulation of mammalian ribonucleotide reductase R1 mRNA stability is mediated by a ribonucleotide reductase R1 mRNA 3'-untranslated region cis-trans interaction through a protein kinase C-controlled pathway. 1994 , 302 (Pt 1), 125-32	22
1177	Rescue of the complex temperature-sensitive phenotype of Chinese hamster ovary E36ts20 cells by expression of the human ubiquitin-activating enzyme cDNA. 1994 , 304 (Pt 3), 1015-20	23

1176	The molecular lesion in the alpha-N-acetylgalactosaminidase gene that causes angiokeratoma corporis diffusum with glycopeptiduria. 1994 , 94, 839-45		24
1175	Biological assays for cellular transformation. 1994 , 238, 277-94		83
1174	Transient transfection assay of the herpesvirus maturational proteinase, assemblin. 1994 , 244, 399-411		8
1173	Assays for studying functional properties of in vitro translated Gs alpha subunit. 1994 , 237, 239-54		3
1172	Different regulation and expression of the human CYP2E1 gene due to the RsaI polymorphism in the 5'-flanking region. 1994 , 116, 321-6		183
1171	Cyanotriphenylborate: subtype-specific blocker of glycine receptor chloride channels. 1994 , 91, 8950-4		88
1170	Intron sequence directs RNA editing of the glutamate receptor subunit GluR2 coding sequence. 1994 , 91, 10270-4		70
1169	Transcriptional regulation of the phosphoenolpyruvate carboxykinase gene by cooperation between hepatic nuclear factors. <i>Molecular and Cellular Biology</i> , 1994 , 14, 7124-33	4.8	45
1168	Developmental stage-specific regulation of atrial natriuretic factor gene transcription in cardiac cells. <i>Molecular and Cellular Biology</i> , 1994 , 14, 777-90	4.8	101
1167	Type I adenylyl cyclase functions as a coincidence detector for control of cyclic AMP response element-mediated transcription: synergistic regulation of transcription by Ca ²⁺ and isoproterenol. <i>Molecular and Cellular Biology</i> , 1994 , 14, 8272-81	4.8	62
1166	Reactivation of apolipoprotein II gene transcription by cycloheximide reveals two steps in the deactivation of estrogen receptor-mediated transcription. <i>Molecular and Cellular Biology</i> , 1994 , 14, 1733-42	4.8	26
1165	c-Krox, a transcriptional regulator of type I collagen gene expression, is preferentially expressed in skin. 1994 , 91, 9372-6		86
1164	A composite intragenic silencer domain exhibits negative and positive transcriptional control of the bone-specific osteocalcin gene: promoter and cell type requirements. 1994 , 91, 10923-7		30
1163	Mapping of the ligand binding domain of the transforming growth factor beta receptor type III by deletion mutagenesis. 1994 , 91, 6997-7001		35
1162	PML, a growth suppressor disrupted in acute promyelocytic leukemia. <i>Molecular and Cellular Biology</i> , 1994 , 14, 6858-67	4.8	266
1161	Light and electron microscope distribution of the NMDA receptor subunit NMDAR1 in the rat nervous system using a selective anti-peptide antibody. 1994 , 14, 667-96		813
1160	Src kinase associates with a member of a distinct subfamily of protein-tyrosine phosphatases containing an ezrin-like domain. 1994 , 91, 7477-81		77
1159	Cloning of the cellular receptor for amphotropic murine retroviruses reveals homology to that for gibbon ape leukemia virus. 1994 , 91, 78-82		335

1158	Cell-specific expression of the macrophage scavenger receptor gene is dependent on PU.1 and a composite AP-1/ets motif. <i>Molecular and Cellular Biology</i> , 1994 , 14, 4408-18	4.8	153
1157	Targeted nuclear antisense RNA mimics natural antisense-induced degradation of polyoma virus early RNA. 1994 , 91, 4258-62		47
1156	SRY protein enhances transcription of Fos-related antigen 1 promoter constructs. 1994 , 91, 4372-6		63
1155	Characterization of the PP2A alpha gene mutation in okadaic acid-resistant variants of CHO-K1 cells. 1994 , 91, 9267-71		43
1154	E1 protein of human papillomavirus type 1a is sufficient for initiation of viral DNA replication. 1994 , 91, 9597-601		55
1153	A variant epidermal growth factor receptor exhibits altered type alpha transforming growth factor binding and transmembrane signaling. 1994 , 91, 10217-21		110
1152	A Rev-inducible mutant gag gene stably transferred into T lymphocytes: an approach to gene therapy against human immunodeficiency virus type 1 infection. 1994 , 91, 3657-61		36
1151	Growth factor-mediated induction of the delayed early gene T1 depends on a 12-O-tetradecanoylphorbol 13-acetate-responsive element located 3.6 kb upstream of the transcription initiation site. 1994 , 91, 3896-900		13
1150	Dominant negative retinoid X receptor beta inhibits retinoic acid-responsive gene regulation in embryonal carcinoma cells. <i>Molecular and Cellular Biology</i> , 1994 , 14, 360-72	4.8	66
1149	Combinatorial interactions between AP-1 and ets domain proteins contribute to the developmental regulation of the macrophage scavenger receptor gene. <i>Molecular and Cellular Biology</i> , 1994 , 14, 2129-39	4.8	122
1148	Binding of TFIID and MEF2 to the TATA element activates transcription of the Xenopus MyoDa promoter. <i>Molecular and Cellular Biology</i> , 1994 , 14, 686-99	4.8	65
1147	The basic helix-loop-helix protein upstream stimulating factor regulates the cardiac ventricular myosin light-chain 2 gene via independent cis regulatory elements. <i>Molecular and Cellular Biology</i> , 1994 , 14, 7331-9	4.8	75
1146	Melanocyte-specific expression of the human tyrosinase promoter: activation by the microphthalmia gene product and role of the initiator. <i>Molecular and Cellular Biology</i> , 1994 , 14, 7996-8006	4.8	373
1145	PEBP2 alpha B/mouse AML1 consists of multiple isoforms that possess differential transactivation potentials. <i>Molecular and Cellular Biology</i> , 1994 , 14, 3242-52	4.8	198
1144	Expression of a site-specific endonuclease stimulates homologous recombination in mammalian cells. 1994 , 91, 6064-8		466
1143	Superoxide dismutase 1 with mutations linked to familial amyotrophic lateral sclerosis possesses significant activity. 1994 , 91, 8292-6		498
1142	Polyomavirus middle-sized tumor antigen modulates c-Jun phosphorylation and transcriptional activity. 1994 , 91, 10064-8		31
1141	Long-term production and delivery of human growth hormone in vivo. 1994 , 91, 10967-71		46

1140	A factor that regulates the class II major histocompatibility complex gene DPA is a member of a subfamily of zinc finger proteins that includes a Drosophila developmental control protein. <i>Molecular and Cellular Biology</i> , 1994 , 14, 8438-50	4.8	17
1139	Two closely linked but separable promoters for human neuronal nitric oxide synthase gene transcription. 1995 , 92, 1242-6		73
1138	Evidence that farnesyltransferase inhibitors suppress Ras transformation by interfering with Rho activity. <i>Molecular and Cellular Biology</i> , 1995 , 15, 6613-22	4.8	190
1137	Hormone-independent repression of AP-1-inducible collagenase promoter activity by glucocorticoid receptors. <i>Molecular and Cellular Biology</i> , 1995 , 15, 1005-13	4.8	49
1136	Association between GRB2/Sos and insulin receptor substrate 1 is not sufficient for activation of extracellular signal-regulated kinases by interleukin-4: implications for Ras activation by insulin. <i>Molecular and Cellular Biology</i> , 1995 , 15, 1778-85	4.8	64
1135	Inhibitory cross-talk between steroid hormone receptors: differential targeting of estrogen receptor in the repression of its transcriptional activity by agonist- and antagonist-occupied progesterin receptors. <i>Molecular and Cellular Biology</i> , 1995 , 15, 1847-57	4.8	174
1134	Mutations in XPA that prevent association with ERCC1 are defective in nucleotide excision repair. <i>Molecular and Cellular Biology</i> , 1995 , 15, 1993-8	4.8	114
1133	Retinoic acid receptor alpha suppresses transformation by v-myb. <i>Molecular and Cellular Biology</i> , 1995 , 15, 2474-81	4.8	29
1132	The G1/S boundary-specific enhancer of the rat cdc2 promoter. <i>Molecular and Cellular Biology</i> , 1995 , 15, 2882-92	4.8	31
1131	Phosphotyrosine-independent binding of a 62-kDa protein to the src homology 2 (SH2) domain of p56lck and its regulation by phosphorylation of Ser-59 in the lck unique N-terminal region. 1995 , 92, 12338-42		87
1130	Chimeric tumor necrosis factor receptors with constitutive signaling activity. 1995 , 92, 5376-80		35
1129	Rescue of defective mitogenic signaling by D-type cyclins. 1995 , 92, 6837-41		109
1128	The leukemic core binding factor beta-smooth muscle myosin heavy chain (CBF beta-SMMHC) chimeric protein requires both CBF beta and myosin heavy chain domains for transformation of NIH 3T3 cells. 1995 , 92, 1926-30		30
1127	Nuclear localization of v-Abl leads to complex formation with cyclic AMP response element (CRE)-binding protein and transactivation through CRE motifs. <i>Molecular and Cellular Biology</i> , 1995 , 15, 6088-99	4.8	18
1126	Cyclin E restores p53 activity in contact-inhibited cells. <i>Molecular and Cellular Biology</i> , 1995 , 15, 3926-33	4.8	28
1125	Tissue-specific distribution of a novel C-terminal truncation retinoic acid receptor mutant which acts as a negative repressor in a promoter- and cell-type-specific manner. <i>Molecular and Cellular Biology</i> , 1995 , 15, 1961-7	4.8	15
1124	Functional interaction between the POU domain protein Tst-1/Oct-6 and the high-mobility-group protein HMG-I/Y. <i>Molecular and Cellular Biology</i> , 1995 , 15, 3738-47	4.8	96
1123	Overexpression of core-binding factor alpha (CBF alpha) reverses cellular transformation by the CBF beta-smooth muscle myosin heavy chain chimeric oncoprotein. <i>Molecular and Cellular Biology</i> , 1995 , 15, 4980-9	4.8	16

1122	Combinatorial association and abundance of components of interferon-stimulated gene factor 3 dictate the selectivity of interferon responses. 1995 , 92, 5645-9		128
1121	Asbestos induces nuclear factor kappa B (NF-kappa B) DNA-binding activity and NF-kappa B-dependent gene expression in tracheal epithelial cells. 1995 , 92, 8458-62		154
1120	A potent transrepression domain in the retinoblastoma protein induces a cell cycle arrest when bound to E2F sites. 1995 , 92, 11544-8		227
1119	Genetic heterogeneity of constitutively activating mutations of the human luteinizing hormone receptor in familial male-limited precocious puberty. 1995 , 92, 1906-10		210
1118	Exit from G0 and entry into the cell cycle of cells expressing p21Sdi1 antisense RNA. 1995 , 92, 4352-6		123
1117	v-rel Induces ectopic expression of an adhesion molecule, DM-GRASP, during B-lymphoma development. <i>Molecular and Cellular Biology</i> , 1995 , 15, 1806-16	4.8	26
1116	Functional synergy and physical interactions of the erythroid transcription factor GATA-1 with the Krüppel family proteins Sp1 and EKLF. <i>Molecular and Cellular Biology</i> , 1995 , 15, 2437-47	4.8	450
1115	E2A-HLF-mediated cell transformation requires both the trans-activation domains of E2A and the leucine zipper dimerization domain of HLF. <i>Molecular and Cellular Biology</i> , 1995 , 15, 3247-55	4.8	48
1114	A 32-nucleotide exon-splicing enhancer regulates usage of competing 5' splice sites in a differential internal exon. <i>Molecular and Cellular Biology</i> , 1995 , 15, 3979-88	4.8	93
1113	FER-1, an enhancer of the ferritin H gene and a target of E1A-mediated transcriptional repression. <i>Molecular and Cellular Biology</i> , 1995 , 15, 5152-64	4.8	51
1112	Transfection of human melanoma cells with type I interleukin-1 (IL-1) receptor cDNA rendered them IL-1-responsive and revealed the importance of ODC activity down-regulation in IL-1-induced growth inhibition. 1995 , 118, 802-9		3
1111	Activation of smooth muscle alpha-actin promoter in ras-transformed cells by treatments with antimetabolic agents: correlation with stimulation of SRF:SRE mediated gene transcription. 1995 , 118, 1285-92		10
1110	Isolation and expression of a chicken DNA methyltransferase cDNA. 1995 , 117, 1050-7		34
1109	Characterization of the rat vasoactive intestinal polypeptide receptor gene 5' region. 1995 , 308 (Pt 3), 719-23		24
1108	Regulation of J6 gene expression by transcription factor GATA-4. 1995 , 307 (Pt 1), 183-9		22
1107	Expression of phosphatidylethanolamine N-methyltransferase-2 in McArdle-RH7777 hepatoma cells inhibits the CDP-choline pathway for phosphatidylcholine biosynthesis via decreased gene expression of CTP:phosphocholine cytidyltransferase. 1995 , 312 (Pt 3), 939-45		41
1106	Selective cytotoxicity of mycophenolic acid against transformed cells. 1995 , 48, 1182-4		1
1105	Anguinomycins C and D, new antitumor antibiotics with selective cytotoxicity against transformed cells. 1995 , 48, 954-61		35

1104	Analysis of the tyrosinase gene of the Japanese pond frog, <i>Rana nigromaculata</i> : cloning and nucleotide sequence of the genomic DNA containing the tyrosinase gene and its flanking regions. 1995 , 70, 79-92		11
1103	Avian hematopoietic cell culture: in vitro model systems to study oncogenic transformation of hematopoietic cells. 1995 , 254, 41-76		26
1102	CTG triplet repeat in mouse growth inhibitory factor/metallothionein III gene promoter represses the transcriptional activity of the heterologous promoters. 1995 , 270, 20898-900		28
1101	AFAP-120. 1995 , 270, 3894-3899		11
1100	An antisense promoter within the hepatitis B virus X gene. 1995 , 38, 127-33		5
1099	[19] Expression cloning: PCR versus episomal vectors for rescue of transfected genes. 1995 , 26, 277-289		
1098	[12] Quantitation of virus stocks produced from cloned human immunodeficiency virus DNA. 1995 , 7, 195-208		2
1097	Sphingosylphosphocholine, a signaling molecule which accumulates in Niemann-Pick disease type A, stimulates DNA-binding activity of the transcription activator protein AP-1. 1995 , 92, 5885-9		42
1096	Generation of targeted retroviral vectors by using single-chain variable fragment: an approach to in vivo gene delivery. 1995 , 92, 7570-4		184
1095	Construction, purification, and functional incorporation on tumor cells of glycolipid-anchored human B7-1 (CD80). 1995 , 92, 8059-63		82
1094	Mice deficient in the orphan receptor steroidogenic factor 1 lack adrenal glands and gonads but express P450 side-chain-cleavage enzyme in the placenta and have normal embryonic serum levels of corticosteroids. 1995 , 92, 10939-43		390
1093	Casein kinase II phosphorylation site mutations in c-Myb affect DNA binding and transcriptional cooperativity with NF-M. <i>Molecular and Cellular Biology</i> , 1995 , 15, 5966-74	4.8	75
1092	Multiple layers of regulation of human heat shock transcription factor 1. <i>Molecular and Cellular Biology</i> , 1995 , 15, 4319-30	4.8	219
1091	Warfarin causes the degradation of protein C precursor in the endoplasmic reticulum. 1995 , 34, 1163-70		38
1090	Antisense RNA-mediated inhibition of mouse hepatitis virus replication in L2 cells. 1995 , 5, 289-94		2
1089	Modification of Ser59 in the unique N-terminal region of tyrosine kinase p56lck regulates specificity of its Src homology 2 domain. 1995 , 92, 5778-82		49
1088	Regulation of microfilament organization and anchorage-independent growth by tropomyosin 1. 1995 , 92, 11534-8		80
1087	G10BP, an E1A-inducible negative regulator of Sp1, represses transcription of the rat fibronectin gene. <i>Molecular and Cellular Biology</i> , 1995 , 15, 5423-33	4.8	32

1086	Abrogation of retinoblastoma protein function by c-Abl through tyrosine kinase-dependent and -independent mechanisms. <i>Molecular and Cellular Biology</i> , 1995 , 15, 5542-51	4.8	82
1085	Subcellular localization of the alpha and beta subunits of the acute myeloid leukemia-linked transcription factor PEBP2/CBF. <i>Molecular and Cellular Biology</i> , 1995 , 15, 1651-61	4.8	104
1084	EFIA/YB-1 is a component of cardiac HF-1A binding activity and positively regulates transcription of the myosin light-chain 2v gene. <i>Molecular and Cellular Biology</i> , 1995 , 15, 2972-82	4.8	66
1083	Characterization of the Epstein-Barr virus Fp promoter. 1995 , 206, 183-95		26
1082	Cellular actin-binding ezrin-radixin-moesin (ERM) family proteins are incorporated into the rabies virion and closely associated with viral envelope proteins in the cell. 1995 , 206, 485-94		48
1081	Multiple determinants for growth of human immunodeficiency virus type 1 in monocyte-macrophages. 1995 , 206, 646-50		23
1080	Processing of fusion proteins with immobilized factor Xa. 1995 , 11, 45-9		8
1079	Liver fructose-1,6-bisphosphatase cDNA: trans-complementation of fission yeast and characterization of two human transcripts. 1995 , 59, 51-60		4
1078	Limb-patterning activity and restricted posterior localization of the amino-terminal product of Sonic hedgehog cleavage. 1995 , 5, 791-6		170
1077	Effects of ethanol on recombinant rat GABAA receptors: [35S]t-butylbicyclophosphorothionate ([35S]TBPS) binding study. 1995 , 77, 87-90		2
1076	Isolation of a novel cDNA that encodes a protein localized to the pre-acrosome region of spermatids. 1995 , 234, 8-15		13
1075	Expression of heat-stable antigen on tumor cells provides co-stimulation for tumor-specific T cell proliferation and cytotoxicity in mice. 1995 , 25, 1163-7		24
1074	Thy-1-mediated activation of rat basophilic leukemia cells does not require co-expression of the high-affinity IgE receptor. 1995 , 25, 2428-32		17
1073	Transfected mutant p53 gene increases X-ray-induced cell killing and mutation in human fibroblasts immortalized with 4-nitroquinoline 1-oxide but does not induce neoplastic transformation of the cells. 1995 , 61, 76-9		23
1072	Suppression of human melanoma cell growth and metastasis by the melanoma-associated antigen CD63 (ME491). 1995 , 62, 631-5		90
1071	Activation of the c-fos promoter by increased internal pH. 1995 , 57, 630-40		6
1070	Glucocorticoids coordinately regulate type I collagen pro alpha 1 promoter activity through both the glucocorticoid and transforming growth factor beta response elements: a novel mechanism of glucocorticoid regulation of eukaryotic genes. 1995 , 59, 376-88		46
1069	Expression of matrix metalloproteinase matrilysin (MMP-7) was induced by activated Ki-ras via AP-1 activation in SW1417 colon cancer cells. 1995 , 9, 297-301		41

1068	Phenotypic features of breast cancer cells overexpressing ornithine-decarboxylase. 1995 , 163, 129-36	19
1067	Overexpression of an epitope-tagged beta-tubulin in Chinese hamster ovary cells causes an increase in endogenous alpha-tubulin synthesis. 1995 , 31, 259-72	35
1066	Biologic activity of human papillomavirus type 16 E6/E7 cDNA clones isolated from SiHa cervical carcinoma cell line. 1995 , 10, 15-25	8
1065	Antioxidant defence mechanism of the skin against UV irradiation: study of the role of catalase using acatalasaemia fibroblasts. 1995 , 287, 747-53	16
1064	Expression of phospholamban in C2C12 cells and regulation of endogenous SERCA1 activity. 1995 , 146, 13-21	13
1063	Highly efficient establishment of immortalized cells from adult human liver. 1995 , 17, 83-89	13
1062	MCF-7 breast cancer cells overexpressing transfected c-erbB-2 have an in vitro growth advantage in estrogen-depleted conditions and reduced estrogen-dependence and tamoxifen-sensitivity in vivo. 1995 , 34, 97-117	130
1061	Polyamine profiles and growth properties of ornithine decarboxylase overexpressing MCF-7 breast cancer cells in culture. 1995 , 34, 45-53	10
1060	Subtype specificity of gamma-aminobutyric acid type A receptor antagonism by clozapine. 1995 , 352, 365-73	38
1059	Analysis of the protein kinase activity of moss phytochrome expressed in fibroblast cell culture. 1995 , 197, 592-6	11
1058	Characterization of the 5'-flanking region and chromosomal assignment of the human brain natriuretic peptide gene. 1995 , 73, 457-63	18
1057	RanBP1, a Ras-like nuclear G protein binding to Ran/TC4, inhibits RCC1 via Ran/TC4. 1995 , 247, 661-9	26
1056	Physiological and molecular characterization of an IRK-type inward rectifier K ⁺ channel in a tumour mast cell line. 1995 , 429, 809-19	47
1055	Identification of gene(s) involved in carcinogenic progression of ataxia telangiectasia cells. 1995 , 3, 272-278	
1054	Uptake and nuclear transport of Neisseria IgA1 protease-associated alpha-proteins in human cells. 1995 , 17, 1073-83	42
1053	Transfer of a mutated gene encoding active transforming growth factor-beta 1 suppresses mitogenesis and IL-1 response in the glomerulus. 1995 , 48, 1747-57	43
1052	Male pseudohermaphroditism due to a homozygous missense mutation of the luteinizing hormone receptor gene. 1995 , 9, 160-4	301
1051	Gene transfer through the blood-nerve barrier: NGF-engineered neurotogenic T lymphocytes attenuate experimental autoimmune neuritis. 1995 , 1, 1162-6	65

1050	Requirement for tyrosine phosphorylation of Cdk4 in G1 arrest induced by ultraviolet irradiation. 1995 , 376, 358-62	166
1049	Growth-dependent translation of IGF-II mRNA by a rapamycin-sensitive pathway. 1995 , 377, 358-62	154
1048	Melanosome formation in cultured amelanotic melanophores of <i>Rana brevipoda</i> by a frog tyrosinase cDNA Transfection. 1995 , 8, 187-93	2
1047	Human cDNA clones that modify radiomimetic sensitivity of ataxia-telangiectasia (group A) cells. 1995 , 21, 99-111	16
1046	Differences in desensitization between human beta 1- and beta 2-adrenergic receptors stably expressed in transfected hamster cells. 1995 , 7, 207-17	25
1045	Carbachol-induced desensitization of rat basophilic leukemia (RBL-2H3) cells transfected with human m3 muscarinic acetylcholine receptors. 1995 , 26, 1125-31	5
1044	Regulation of exocytosis by the small GTP-binding protein Rho in rat basophilic leukemia (RBL-2H3) cells. 1995 , 26, 1583-9	11
1043	5-Azacytidine enhances transient expression of a transfected gene in cultured mammalian cells. 1995 , 79, 617-619	
1042	Stereoselective inhibition of muscarinic receptor subtypes by the eight stereoisomers related to rociverine. 1995 , 290, 125-32	15
1041	Modulation of recombinant alpha 6 beta 2 gamma 2 GABAA receptors by neuroactive steroids. 1995 , 289, 249-57	26
1040	The functional role of the binding site aspartate in muscarinic acetylcholine receptors, probed by site-directed mutagenesis. 1995 , 289, 429-37	48
1039	Electroporation-mediated transfection of mammalian cells with crude plasmid DNA preparations. 1995 , 12, 113-7	2
1038	Herpes simplex type 1:lacZ recombinant viruses. I. Characterization and application to defining the mechanisms of action of known antiherpes agents. 1995 , 28, 191-212	3
1037	Possible involvement of a ubiquitous and several distinct elements in the transcription regulation of the chicken H3 histone gene family. 1995 , 1264, 29-34	2
1036	The human insulin-like growth factor II leader 1 contains an internal ribosomal entry site. 1995 , 1264, 403-8	51
1035	Ligand binding profile of the rat metabotropic glutamate receptor mGluR3 expressed in a transfected cell line. 1995 , 351, 565-8	16
1034	Delivery of DNA into mammalian cells by receptor-mediated endocytosis and gene therapy. 1995 , 3, 237-48	88
1033	The cloned mu, delta and kappa receptors and their endogenous ligands: evidence for two opioid peptide recognition cores. 1995 , 700, 89-98	221

1032	Selective effects of 8-Br-cAMP on agonists and antagonists of the glucocorticoid receptor. 1995 , 3, 5-12	15
1031	Thyrotropin internalization is directed by a highly conserved motif in the seventh transmembrane region of its receptor. 1995 , 3, 409-14	8
1030	Human MCAF gene transfer enhances the metastatic capacity of a mouse cachectic adenocarcinoma cell line in vivo. 1995 , 12, 1598-604	52
1029	Nonviral gene therapy: the promise of genes as pharmaceutical products. 1995 , 6, 1129-44	399
1028	Multiple Functions of the TR2-11 Orphan Receptor in Modulating Activation of Two Key Cis-acting Elements Involved in the Retinoic Acid Signal Transduction System. 1995 , 270, 30121-30128	45
1027	ATF-2 is preferentially activated by stress-activated protein kinases to mediate c-jun induction in response to genotoxic agents.. 1995 , 14, 1798-1811	458
1026	Heregulin-dependent regulation of HER2/neu oncogenic signaling by heterodimerization with HER3.. 1995 , 14, 4267-4275	279
1025	dad-1, an endogenous programmed cell death suppressor in Caenorhabditis elegans and vertebrates.. 1995 , 14, 4434-4441	78
1024	Mad3 and Mad4: novel Max-interacting transcriptional repressors that suppress c-myc dependent transformation and are expressed during neural and epidermal differentiation.. 1995 , 14, 5646-5659	215
1023	Identification of the active region of the DNA synthesis inhibitory gene p21Sdi1/CIP1/WAF1.. 1995 , 14, 555-563	122
1022	Glutamic acid 327 in the sheep alpha 1 isoform of Na ⁺ ,K ⁽⁺⁾ -ATPase stabilizes a K ⁽⁺⁾ -induced conformational change. 1995 , 270, 2993-3000	32
1021	An alternative splicing site modifies the carboxyl-terminal trans-membrane domains of the Na ⁺ /Ca ²⁺ exchanger. 1995 , 270, 6917-24	29
1020	A variety of environmentally persistent chemicals, including some phthalate plasticizers, are weakly estrogenic. 1995 , 103, 582-7	926
1019	Altered cholesterol trafficking in herpesvirus-infected arterial cells. Evidence for viral protein kinase-mediated cholesterol accumulation. 1995 , 270, 19630-7	16
1018	Cloning and characterization of chi-1: a developmentally regulated member of a novel class of the ionotropic glutamate receptor family. 1995 , 15, 6498-508	338
1017	Human RPB5, a subunit shared by eukaryotic nuclear RNA polymerases, binds human hepatitis B virus X protein and may play a role in X transactivation.. 1995 , 14, 143-150	197
1016	Superoxide dismutase 1 subunits with mutations linked to familial amyotrophic lateral sclerosis do not affect wild-type subunit function. 1995 , 270, 3234-8	124
1015	Distribution of an APP homolog, APLP2, in the mouse olfactory system: a potential role for APLP2 in axogenesis. 1995 , 15, 6314-26	80

1014	Long-range RNA interaction of two sequence elements required for endonucleolytic cleavage of human insulin-like growth factor II mRNAs. <i>Molecular and Cellular Biology</i> , 1995 , 15, 235-45	4.8	49
1013	A chimeric study of the molecular basis of affinity and selectivity of the kappa and the delta opioid receptors. Potential role of extracellular domains. 1995 , 270, 12730-6		78
1012	The unique extracellular disulfide loop of the glycine receptor is a principal ligand binding element.. 1995 , 14, 2987-2998		68
1011	Tyrosine O-sulfation promotes proteolytic processing of progastatin.. 1995 , 14, 3073-3079		52
1010	Adenylylcyclase supersensitization in mu-opioid receptor-transfected Chinese hamster ovary cells following chronic opioid treatment. 1995 , 270, 29732-8		131
1009	Mutational analysis of the relative orientation of transmembrane helices I and VII in G protein-coupled receptors. 1995 , 270, 19532-9		63
1008	An epidermal growth factor receptor-leukocyte tyrosine kinase chimeric receptor generates ligand-dependent growth signals through the Ras signaling pathway. 1995 , 270, 20135-42		30
1007	Insulin receptor signaling is augmented by antisense inhibition of the protein tyrosine phosphatase LAR. 1995 , 270, 2435-8		125
1006	Heterotetrameric complex formation of inositol 1,4,5-trisphosphate receptor subunits. 1995 , 270, 14700-4		182
1005	The soluble exoplasmic domain of the type II transforming growth factor (TGF)-beta receptor. A heterogeneously glycosylated protein with high affinity and selectivity for TGF-beta ligands. 1995 , 270, 2747-54		95
1004	Role of N-linked glycosylation in human osteonectin. Effect of carbohydrate removal by N-glycanase and site-directed mutagenesis on structure and binding of type V collagen. 1995 , 270, 23212-7		21
1003	The mouse APLP2 gene. Chromosomal localization and promoter characterization. 1995 , 270, 25475-80		17
1002	A cis-acting element in Rous sarcoma virus long terminal repeat required for promoter repression by HeLa nuclear protein p21. 1995 , 270, 15815-20		7
1001	Mapping of network-forming, heparin-binding, and alpha 1 beta 1 integrin-recognition sites within the alpha-chain short arm of laminin-1. 1995 , 270, 9398-406		101
1000	Amino acid replacement of Asp369 in the sheep alpha 1 isoform eliminates ATP and phosphate stimulation of [3H]ouabain binding to the Na+, K(+)-ATPase without altering the cation binding properties of the enzyme. 1995 , 270, 16206-12		34
999	Mutations affecting the glycine receptor agonist transduction mechanism convert the competitive antagonist, picrotoxin, into an allosteric potentiator. 1995 , 270, 13799-806		98
998	Expression and functional analyses of the DxpA gene, the Drosophila homolog of the human excision repair gene XPA. 1995 , 270, 22452-9		16
997	Endothelin-induced endocytosis of cell surface ETA receptors. Endothelin remains intact and bound to the ETA receptor. 1995 , 270, 10855-60		76

996	Rod photoreceptor-specific gene expression in human retinoblastoma cells. 1995 , 92, 4016-20	45
995	Distinct mechanisms regulate 5-HT ₂ and thrombin receptor desensitization. 1995 , 270, 4813-21	48
994	A nonsense mutation of the human luteinizing hormone receptor gene in Leydig cell hypoplasia. 1995 , 4, 1429-33	115
993	Localization of multiple functional domains on human PECAM-1 (CD31) by monoclonal antibody epitope mapping. 1995 , 3, 45-66	59
992	Lactoferrin down-modulates the activity of the granulocyte macrophage colony-stimulating factor promoter in interleukin-1 beta-stimulated cells. 1995 , 270, 12263-8	36
991	Neoplastic transformation of normal rat embryo fibroblasts by a mutated p53 and an activated ras oncogene induces parathyroid hormone-related peptide gene expression and causes hypercalcemia in nude mice. 1995 , 270, 30857-61	13
990	Use of a new rat chondrosarcoma cell line to delineate a 119-base pair chondrocyte-specific enhancer element and to define active promoter segments in the mouse pro-alpha 1(II) collagen gene. 1995 , 270, 27711-9	127
989	Selective down-regulation of the insulin receptor signal by protein-tyrosine phosphatases alpha and epsilon. 1995 , 270, 23126-31	124
988	Identification of a Ca ²⁺ /calmodulin-dependent protein kinase II regulatory phosphorylation site in non-N-methyl-D-aspartate glutamate receptors. 1995 , 92, 1376-80	86
987	A PEBP2 alpha/AML-1-related factor increases osteocalcin promoter activity through its binding to an osteoblast-specific cis-acting element. 1995 , 270, 30973-9	149
986	Involvement of the carboxyl-terminal region of the alpha 1 subunit in voltage-dependent inactivation of cardiac calcium channels. 1995 , 270, 17306-10	54
985	Human hepatic and lipoprotein lipase: the loop covering the catalytic site mediates lipase substrate specificity. 1995 , 270, 25396-401	95
984	Identification of functional domains of the aryl hydrocarbon receptor. 1995 , 270, 29270-8	225
983	Binding of biotinylated thrombin receptor peptide to cloned human thrombin receptor overexpressed in baby hamster kidney cells. 1995 , 15, 103-15	
982	Insulin receptor transmembrane signaling: evidence for an intermolecular oligomerization mechanism of activation. 1995 , 15, 887-904	6
981	Pit-1 binding to specific DNA sites as a monomer or dimer determines gene-specific use of a tyrosine-dependent synergy domain. 1995 , 9, 1992-2006	80
980	The characterization of a novel human adenylyl cyclase which is present in brain and other tissues. 1995 , 270, 11581-9	65
979	Endocytosis and lysosomal targeting of epidermal growth factor receptors are mediated by distinct sequences independent of the tyrosine kinase domain. 1995 , 270, 4325-33	122

978	Dominant negative effect of cytoplasmic actin isoproteins on cardiomyocyte cytoarchitecture and function. 1995 , 131, 1759-73	85
977	Coordinate regulation of the human TAP1 and LMP2 genes from a shared bidirectional promoter. 1995 , 181, 1459-71	212
976	Selectable insertion and deletion mutagenesis of the human cytomegalovirus genome using the Escherichia coli guanosine phosphoribosyl transferase (gpt) gene. 1995 , 76 (Pt 9), 2151-60	58
975	Structure of synaptogyrin (p29) defines novel synaptic vesicle protein. 1995 , 131, 1801-9	73
974	Studies on transcription activation by the multimeric CCAAT-binding factor CBF. 1995 , 270, 468-75	76
973	Role of intron I in expression of the human factor IX gene. 1995 , 270, 5276-81	58
972	The gastrin-releasing peptide receptor is rapidly phosphorylated by a kinase other than protein kinase C after exposure to agonist. 1995 , 270, 8217-24	42
971	Identification of three tyrosine residues of glycoprotein Ib alpha with distinct roles in von Willebrand factor and alpha-thrombin binding. 1995 , 270, 9571-8	106
970	The groove between the alpha- and beta-subunits of hormones with lutropin (LH) activity appears to contact the LH receptor, and its conformation is changed during hormone binding. 1995 , 270, 20011-9	95
969	Thrombin induces the activation of progelatinase A in vascular endothelial cells. Physiologic regulation of angiogenesis. 1995 , 270, 23730-8	156
968	Identification of essential GATA and Ets binding motifs within the promoter of the platelet glycoprotein Ib alpha gene. 1995 , 270, 24532-9	82
967	Protein-tyrosine phosphatase 1D modulates its own state of tyrosine phosphorylation. 1995 , 270, 24635-7	39
966	Effects of 12-O-tetradecanoylphorbol-13-acetate on estrogen receptor activity in MCF-7 cells. 1995 , 270, 25244-51	28
965	Stable inducible expression of a functional rat liver organic anion transport protein in HeLa cells. 1995 , 270, 25591-5	76
964	Furin, PC1/3, and/or PC6A process rabbit, but not human, pro-lactase-phlorizin hydrolase to the 180-kDa intermediate. 1995 , 270, 25722-8	8
963	Transcription factor TFIIB and the vitamin D receptor cooperatively activate ligand-dependent transcription. 1995 , 92, 1535-9	180
962	Hormone stimulation of type III adenylyl cyclase induces Ca ²⁺ oscillations in HEK-293 cells. 1995 , 270, 24108-15	43
961	Construction of a herpes simplex virus/varicella-zoster virus (HSV/VZV) thymidine kinase recombinant with the pathogenic potential of HSV and a drug sensitivity profile resembling that of VZV. 1995 , 76 (Pt 8), 1927-35	10

960	Ca ²⁺ inhibition of type III adenylyl cyclase in vivo. 1995 , 270, 21480-6		111
959	Substitutions of serine 775 in the alpha subunit of the Na,K-ATPase selectively disrupt K ⁺ high affinity activation without affecting Na ⁺ interaction. 1995 , 270, 22764-71		63
958	Activation functions of transcription factor Sp1 at U2 snRNA and TATA box promoters. 1995 , 376, 661-9		7
957	[5] Cloning of G protein-coupled opioid receptors using degenerate PCR and low-stringency homology screening. 1995 , 90-104		4
956	Identification of a new component of the agonist binding site of the nicotinic alpha 7 homooligomeric receptor. 1995 , 270, 11749-52		120
955	Novel INK4 proteins, p19 and p18, are specific inhibitors of the cyclin D-dependent kinases CDK4 and CDK6. <i>Molecular and Cellular Biology</i> , 1995 , 15, 2672-81	4.8	560
954	Association of the invariant chain with major histocompatibility complex class I molecules directs trafficking to endocytic compartments. 1995 , 270, 1443-8		79
953	Two distinct osteoblast-specific cis-acting elements control expression of a mouse osteocalcin gene. <i>Molecular and Cellular Biology</i> , 1995 , 15, 1858-69	4.8	520
952	Expression cloning of oncogenes by retroviral transfer of cDNA libraries. <i>Molecular and Cellular Biology</i> , 1995 , 15, 704-10	4.8	166
951	Prospects of therapy of liver diseases with foreign genes. 1995 , 15, 257-67		7
950	Targeting of the 67-kDa isoform of glutamic acid decarboxylase to intracellular organelles is mediated by its interaction with the NH ₂ -terminal region of the 65-kDa isoform of glutamic acid decarboxylase. 1995 , 270, 2241-6		67
949	Human complement protein C2. Alternative splicing generates templates for secreted and intracellular C2 proteins. 1995 , 270, 2674-8		5
948	Constitutive expression of human cytomegalovirus glycoprotein B (gpUL55) with mutagenized carboxy-terminal hydrophobic domains. 1995 , 76 (Pt 1), 113-22		22
947	Double-strand breaks at the target locus stimulate gene targeting in embryonic stem cells. 1995 , 23, 5012-9		191
946	Activation of protein kinase C alpha inhibits signaling by members of the insulin receptor family. 1995 , 270, 21600-5		59
945	Expression of phosphatidylethanolamine N-methyltransferase-2 cannot compensate for an impaired CDP-choline pathway in mutant Chinese hamster ovary cells. 1995 , 270, 16277-82		38
944	Cooperativity between the J and S elements of class II major histocompatibility complex genes as enhancers in normal and class II-negative patient and mutant B cell lines. 1995 , 182, 175-84		6
943	High affinity binding sites for the Wilms' tumour suppressor protein WT1. 1995 , 23, 277-84		64

942	Intermolecular autolytic cleavage can contribute to the activation of progelatinase A by cell membranes. 1995 , 270, 30479-85	189
941	Abl-interactor-1, a novel SH3 protein binding to the carboxy-terminal portion of the Abl protein, suppresses v-abl transforming activity. 1995 , 9, 2583-97	203
940	Multiple promoters in rat acyl-CoA synthetase gene mediate differential expression of multiple transcripts with 5'-end heterogeneity. 1995 , 270, 9676-82	46
939	Identification of human TR2 orphan receptor response element in the transcriptional initiation site of the simian virus 40 major late promoter. 1995 , 270, 5434-40	51
938	Identification of amino acid residues essential for von Willebrand factor binding to platelet glycoprotein Ib. Charged-to-alanine scanning mutagenesis of the A1 domain of human von Willebrand factor. 1995 , 270, 13406-14	118
937	Identification of plakoglobin domains required for association with N-cadherin and alpha-catenin. 1995 , 270, 20201-6	117
936	Specific permeability and selective formation of gap junction channels in connexin-transfected HeLa cells. 1995 , 129, 805-17	738
935	Identification of Rlk, a novel protein tyrosine kinase with predominant expression in the T cell lineage. 1995 , 270, 1928-34	69
934	Thyroid hormone receptors bind to the promoter of the mouse histone H10 gene and modulate its transcription. 1995 , 23, 5034-40	6
933	Conservation of ligand specificity between the mammalian and amphibian fibroblast growth factor receptors. 1995 , 270, 29018-24	10
932	p53-dependent and p53-independent activation of apoptosis in mammary epithelial cells reveals a survival function of EGF and insulin. 1995 , 128, 1185-96	153
931	A signal for endoplasmic reticulum retention located at the carboxyl terminus of the plasma membrane Ca(2+)-ATPase isoform 4Cl. 1995 , 270, 2679-88	20
930	Functional evidence that transmembrane 12 and the loop between transmembrane 11 and 12 form part of the drug-binding domain in P-glycoprotein encoded by MDR1. 1995 , 270, 5441-8	83
929	Function of RNH-1/14-3-3 beta gene in cellular differentiation and proliferation. 1995 , 118, 1045-53	9
928	p53-dependent repression of CDK4 translation in TGF-beta-induced G1 cell-cycle arrest. 1995 , 9, 204-17	133
927	Disruption of retinoblastoma protein function by coexpression of its C pocket fragment. 1995 , 9, 31-46	79
926	Regions of the JAK2 tyrosine kinase required for coupling to the growth hormone receptor. 1995 , 270, 14776-85	127
925	Identification of dynorphins as endogenous ligands for an opioid receptor-like orphan receptor. 1995 , 270, 22772-6	41

924	Rapid and long-term effects on protein kinase C on receptor tyrosine kinase phosphorylation and degradation. 1995 , 270, 18953-60	51
923	Activating and inhibitory mutations in adjacent tyrosines in the kinase domain of ZAP-70. 1995 , 270, 18730-3	147
922	The C-terminal region of p21SDI1/WAF1/CIP1 is involved in proliferating cell nuclear antigen binding but does not appear to be required for growth inhibition. 1995 , 270, 17060-3	80
921	Novel regulation of chondroitin sulfate glycosaminoglycan modification of amyloid precursor protein and its homologue, APLP2. 1995 , 270, 16522-5	33
920	Point mutation of adenosine triphosphate-binding motif generated rigor kinesin that selectively blocks anterograde lysosome membrane transport. 1995 , 131, 1039-53	182
919	Missense mutation (G480C) in the CFTR gene associated with protein mislocalization but normal chloride channel activity. 1995 , 4, 269-73	33
918	The sequence and context of the 5' splice site govern the nuclear stability of polyoma virus late RNAs. 1995 , 23, 4812-7	8
917	Ligand binding and phagocytosis by CD16 (Fc gamma receptor III) isoforms. Phagocytic signaling by associated zeta and gamma subunits in Chinese hamster ovary cells. 1995 , 270, 25762-70	69
916	Secretion and matrix assembly of recombinant type VI collagen. 1995 , 270, 13105-11	46
915	Metabolism of the amyloid precursor-like protein 2 in MDCK cells. Polarized trafficking occurs independent of the chondroitin sulfate glycosaminoglycan chain. 1995 , 270, 12641-5	28
914	Shc binding to nerve growth factor receptor is mediated by the phosphotyrosine interaction domain. 1995 , 270, 15125-9	106
913	Cells differentiating into neuroectoderm undergo apoptosis in the absence of functional retinoblastoma family proteins. 1995 , 129, 779-88	75
912	Formation of signal transfer complexes between stem cell and platelet-derived growth factor receptors and SH2 domain proteins in vitro. 1995 , 34, 5971-9	28
911	Heterogeneity of antidepressant binding sites on the recombinant rat serotonin transporter SERT1. 1995 , 34, 12590-5	36
910	Cyclic lactam alpha-melanotropin analogues of Ac-Nle4-cyclo[Asp5, D-Phe7,Lys10] alpha-melanocyte-stimulating hormone-(4-10)-NH2 with bulky aromatic amino acids at position 7 show high antagonist potency and selectivity at specific melanocortin receptors. 1995 , 38, 3454-61	333
909	Heterologous expression of photoreceptor peripherin/rds and Rom-1 in COS-1 cells: assembly, interactions, and localization of multisubunit complexes. 1995 , 34, 14213-9	93
908	Inward rectification of both AMPA and kainate subtype glutamate receptors generated by polyamine-mediated ion channel block. 1995 , 15, 453-62	482
907	Rapsyn may function as a link between the acetylcholine receptor and the agrin-binding dystrophin-associated glycoprotein complex. 1995 , 15, 115-26	191

906	Glycine-independent and subunit-specific potentiation of NMDA responses by extracellular Mg ²⁺ . 1995 , 15, 1109-20	107
905	A 240 kDa protein represents the complete beta subunit of the cyclic nucleotide-gated channel from rod photoreceptor. 1995 , 15, 627-36	223
904	Structural determinants of allosteric regulation in alternatively spliced AMPA receptors. 1995 , 14, 833-43	144
903	Mutation of an arginine residue in the human glycine receptor transforms beta-alanine and taurine from agonists into competitive antagonists. 1995 , 14, 169-75	151
902	Plexin: a novel neuronal cell surface molecule that mediates cell adhesion via a homophilic binding mechanism in the presence of calcium ions. 1995 , 14, 1189-99	122
901	Stable and functional expression of the ClC-3 chloride channel in somatic cell lines. 1995 , 14, 1285-91	76
900	The jellyfish green fluorescent protein: a new tool for studying ion channel expression and function. 1995 , 14, 211-5	234
899	Regulation of the acetylcholine receptor epsilon subunit gene by recombinant ARIA: an in vitro model for transynaptic gene regulation. 1995 , 14, 329-39	123
898	Xeroderma pigmentosum variant cells are resistant to immortalization. 1995 , 337, 111-7	13
897	Residual expression of reporter genes in constructs mimicking HIV genome organization. 1995 , 146, 171-8	3
896	Roles of p53 mutation in cell line establishment and identification of the minimum transactivation and transform suppression domains. 1995 , 31B, 129-35	3
895	Isolation of two new members of the NF-AT gene family and functional characterization of the NF-AT proteins. 1995 , 2, 461-72	351
894	Processing of human factor I in COS-1 cells co-transfected with factor I and paired basic amino acid cleaving enzyme (PACE) cDNA. 1995 , 32, 379-87	23
893	Determination of transcription initiation sites and promoter activity of the human 5-HT _{2A} receptor gene. 1996 , 73, 59-62	17
892	Neuroblastoma Neuro2A cells stably expressing a cloned mu-opioid receptor: a specific cellular model to study acute and chronic effects of morphine. 1995 , 30, 269-78	49
891	The role of HLA-DP beta residue 69 in the definition of antibody-binding epitopes. 1995 , 43, 219-26	14
890	Analysis of cytochrome P-450 side-chain cleavage gene promoter activation during trophoblast cell differentiation. 1995 , 113, 183-94	35
889	Calpain inhibitor I decreases beta A4 secretion from human embryonal kidney cells expressing beta-amyloid precursor protein carrying the APP670/671 double mutation. 1995 , 201, 29-32	31

888	Isolation, properties and chromosomal localization of four closely linked hamster interferon-alpha-encoding genes. 1995 , 158, 295-300	3
887	Isolation of an ubiquitously expressed cDNA encoding human dynamin II, a member of the large GTP-binding protein family. 1995 , 163, 301-6	28
886	Identification of three transcriptional regulatory elements in the rat mitochondrial benzodiazepine receptor-encoding gene. 1995 , 167, 255-60	8
885	MSX1 inhibits myoD expression in fibroblast x 10T1/2 cell hybrids. 1995 , 82, 611-20	133
884	Alternative reading frames of the INK4a tumor suppressor gene encode two unrelated proteins capable of inducing cell cycle arrest. 1995 , 83, 993-1000	1272
883	Evidence for a NIMA-like mitotic pathway in vertebrate cells. 1995 , 81, 413-24	165
882	In vitro guidance of retinal ganglion cell axons by RAGS, a 25 kDa tectal protein related to ligands for Eph receptor tyrosine kinases. 1995 , 82, 359-70	761
881	Parameters influencing the introduction of plasmid DNA into cells by the use of synthetic amphiphiles as a carrier system. 1995 , 1240, 34-40	60
880	Role of N-linked glycosylation of lecithin:cholesterol acyltransferase in lipoprotein substrate specificity. 1995 , 1254, 193-7	13
879	Adenovirus as a System for Delivering and Expressing Tumor Suppressor Genes in Tumor Cells. 1995 , 8, 198-214	2
878	Particulate forms of APP in the extracellular milieu of cultured cells. 1995 , 132, 42-53	6
877	Regulation of the human spermidine synthase mRNA translation by its 5'-untranslated region. 1995 , 365, 61-5	7
876	A distal Sp1-element is necessary for maximal activity of the human gastrin gene promoter. 1995 , 369, 225-8	11
875	The recombinant GABA transporter GAT1 is downregulated upon activation of protein kinase C. 1995 , 375, 99-102	39
874	Mutagenesis analysis of the membrane-proximal ligand binding site of the TGF-beta receptor type III extracellular domain. 1995 , 377, 368-72	18
873	Dimensions of the narrow portion of a recombinant NMDA receptor channel. 1995 , 68, 866-75	107
872	Virion-like structures in HeLa G cells transfected with the full-length sequence of the hepatitis C virus genome. 1995 , 109, 1933-40	42
871	Estrogenic activity of RU 486 (mifepristone) in rat uterus and cultured uterine myocytes. 1995 , 173, 134-40	18

870	Pharmacological and physiological properties of a putative ganglionic nicotinic receptor, alpha 3 beta 4, expressed in transfected eucaryotic cells. 1995 , 28, 101-9	56
869	Immortalization and characterization of bovine peritoneal macrophages transfected with SV40 plasmid DNA. 1995 , 45, 211-20	100
868	Retroviral coexpression of a multidrug resistance gene (MDR1) and human alpha-galactosidase A for gene therapy of Fabry disease. 1995 , 6, 905-15	81
867	Transcription of the human neuronal nitric oxide synthase gene in the central nervous system is mediated by multiple promoters. 1995 , 34, 91-112	11
866	Identification of a cAMP-response element on the human proopiomelanocortin gene upstream promoter. 1995 , 14, 103-10	19
865	Multiple liver-enriched trans-acting factors interact with the glucocorticoid- (GRU) and cAMP-(CRU) responsive units within the h-IGFBP-1 promoter. 1995 , 6, 103-17	6
864	COOH-terminal sequence motifs target the T cell protein tyrosine phosphatase to the ER and nucleus. 1995 , 131, 631-43	115
863	Construction of a novel bovine papillomavirus vector without detectable transforming activity suitable for gene transfer. 1995 , 6, 325-33	31
862	Coordinate expression of vascular endothelial growth factor receptor-1 (flt-1) and its ligand suggests a paracrine regulation of murine vascular development. 1995 , 204, 228-39	233
861	The density and distribution of six GABAA receptor subunits in primary cultures of rat cerebellar granule cells. 1995 , 67, 583-93	33
860	Synergism between androgens and protein kinase-C on androgen-regulated gene expression. 1995 , 110, R1-6	68
859	Early expression of the nerve growth factor receptor ctrkA in chick sympathetic and sensory ganglia. 1995 , 6, 544-66	42
858	Characterization of the promoter of the gene for a mouse vas deferens protein related to the aldo-keto reductase superfamily: effect of steroid hormones and phorbol esters. 1995 , 55, 315-25	8
857	The human mineralocorticoid receptor gene promoter: its structure and expression. 1996 , 58, 495-506	15
856	The beta subunit increases Ca ²⁺ currents and gating charge movements of human cardiac L-type Ca ²⁺ channels. 1996 , 70, 1285-93	79
855	Pharmacological profile of benzodiazepine site ligands with recombinant GABAA receptor subtypes. 1996 , 6, 119-25	34
854	The receptor tyrosine kinase, Cck8, is transiently expressed on subtypes of motoneurons in the spinal cord during development. 1996 , 54, 59-69	93
853	Exclusive expression of the receptor tyrosine kinase MDK4 in skeletal muscle and the decidua. 1996 , 59, 41-52	4

852	Effects of antidepressants on intracellular Ca ²⁺ mobilization in CHO cells transfected with the human 5-HT _{2C} receptors. 1996 , 39, 1000-8	29
851	Phytol metabolites are circulating dietary factors that activate the nuclear receptor RXR. 1996 , 7, 1153-66	167
850	Identification of an active acidic residue in the catalytic site of beta-hexosaminidase. 1996 , 35, 7599-607	22
849	Affinity for dopamine D ₂ , D ₃ , and D ₄ receptors of 2-aminotetralins. Relevance of D ₂ agonist binding for determination of receptor subtype selectivity. 1996 , 39, 4233-7	58
848	APMA (4-aminophenylmercuric acetate) activation of stromelysin-1 involves protein interactions in addition to those with cysteine-75 in the propeptide. 1996 , 35, 11221-7	62
847	Alterations to the primer grip of p66 HIV-1 reverse transcriptase and their consequences for template-primer utilization. 1996 , 35, 8553-62	93
846	Gene therapy for adult T cell leukemia using human immunodeficiency virus vector carrying the thymidine kinase gene of herpes simplex virus type 1. 1996 , 7, 2203-8	12
845	Novel biotinylated plasmid expression vectors retain biological function and can bind streptavidin. 1996 , 7, 545-51	16
844	Expression and functional characterization of isoforms 4 of the plasma membrane calcium pump. 1996 , 35, 7946-53	39
843	Effects of memantine on recombinant rat NMDA receptors expressed in HEK 293 cells. 1996 , 119, 195-204	80
842	Communications. 1996 , 119, 1P-289P	
841	Immunohistochemical localization of the cloned kappa 1 receptor in the rat CNS and pituitary. 1996 , 71, 671-90	133
840	Differential addressing of 5-HT _{1A} and 5-HT _{1B} receptors in transfected LLC-PK1 epithelial cells: a model of receptor targeting in neurons. 1996 , 74, 297-302	18
839	A 28-bp negative element with multiple factor-binding activity controls expression of the vimentin-encoding gene. 1996 , 168, 261-6	26
838	Application of novel vectors for GFP-tagging of proteins to study microtubule-associated proteins. 1996 , 173, 107-11	64
837	Disruption of DNA-PK in Ku80 mutant xrs-6 and the implications in DNA double-strand break repair. 1996 , 362, 9-19	59
836	Transfection of wild-type TP53 induces differentiation in human gingival carcinoma cells. 1996 , 32A, 533-9	4
835	Regeneration and luminescence of aequorin in Chinese hamster ovary cells transformed with cDNA for apoaequorin. 1996 , 28, 1045-9	2

834	Retroviral pseudo-virus carrying the envelope proteins of neurotropic Friend murine leukemia virus effectively transferred retroviral vector into glial cells. 1996 , 42, 97-106	2
833	The human glycine receptor β subunit: primary structure, functional characterisation and chromosomal localisation of the human and murine genes. 1996 , 35, 211-219	70
832	Production and characterization of site-directed antibodies against dermorphin and dermorphin-related peptides. 1996 , 17, 973-82	12
831	Physiological comparison of alpha-ethyl-alpha-methyl-gamma-thiobutyrolactone with benzodiazepine and barbiturate modulators of GABAA receptors. 1996 , 35, 123-36	14
830	His381 of the rat CCKB receptor is essential for CCKB versus CCKA receptor antagonist selectivity. 1996 , 296, 97-106	30
829	Mapping the receptor domains critical for the binding selectivity of delta-opioid receptor ligands. 1996 , 311, 285-92	49
828	Pharmacological characterization of the cloned human 5-hydroxytryptamine transporter. 1996 , 51, 1145-51	17
827	Retrovirus-mediated transfer of the human O6-methylguanine-DNA methyltransferase gene into a murine hematopoietic stem cell line and resistance to the toxic effects of certain alkylating agents. 1996 , 51, 1221-8	24
826	Isolation of a novel gene down-regulated by v-src. 1996 , 383, 21-5	28
825	DNA affinity to biological membranes is enhanced due to complexation with hydrophobized polycation. 1996 , 384, 177-80	25
824	Molecular cloning and functional expression of a novel rat heart P2X purinoceptor. 1996 , 388, 123-7	103
823	Critical effects on catalytic function produced by amino acid substitutions at Asp804 and Asp808 of the alpha1 isoform of Na,K-ATPase. 1996 , 389, 179-85	15
822	Immunohistochemical localisation of the serotonin 5-HT2B receptor in mouse gut, cardiovascular system, and brain. 1996 , 391, 45-51	96
821	Molecular cloning, functional expression and chromosomal localization of a human homolog of the cyclic nucleotide-gated ion channel of retinal cone photoreceptors. 1996 , 393, 211-5	52
820	Replacement of Gln280 by His in TM6 of the human ORL1 receptor increases affinity but reduces intrinsic activity of opioids. 1996 , 395, 17-21	35
819	Formation of nuclear bodies in cells overexpressing the nuclear pore protein POM121. 1996 , 225, 75-84	17
818	Microtubule-associated protein 2 expressing COS7 cells are resistant to argyrophilia under oxygen- and glucose-free condition. 1996 , 137, 350-6	4
817	Generation of DOPA-producing astrocytes by retroviral transduction of the human tyrosine hydroxylase gene: in vitro characterization and in vivo effects in the rat Parkinson model. 1996 , 139, 39-53	120

816	Fibrillin-1: organization in microfibrils and structural properties. 1996 , 258, 104-16	221
815	A chimeric analysis of the opioid receptor domains critical for the binding selectivity of mu opioid ligands. 1996 , 3, 87-96	24
814	Differential regulation of mouse Ah receptor gene expression in cell lines of different tissue origins. 1996 , 333, 170-8	54
813	Isolation of a genomic DNA fragment having negative vitamin D response element. 1996 , 219, 31-5	8
812	Scanning-deletion analysis of the extracellular domain of the TGF-beta receptor type II. 1996 , 220, 289-93	14
811	Androgen regulation of the rat keratinocyte growth factor (KGF/FGF7) promoter. 1996 , 220, 858-63	34
810	Functional properties of Drosophila dopamine D1-receptors are not altered by the size of the N-terminus. 1996 , 222, 121-6	14
809	The utility of fluorescent in vivo reporter genes in molecular cardiology. 1996 , 222, 352-8	12
808	Molecular cloning of the rat inducible nitric oxide synthase gene promoter. 1996 , 223, 752-6	117
807	Is receptor cleavage into two subunits necessary for thyrotropin action?. 1996 , 225, 479-84	26
806	The aldolase A promoter in proliferating rat thymocytes is regulated by a cluster of SP1 sites and a distal modulator. 1996 , 225, 997-1005	13
805	Developmentally regulated expression of a cell surface protein, neuropilin, in the mouse nervous system. 1996 , 29, 1-17	249
804	Stable expression in HEK-293 cells of the rat alpha3/beta4 subtype of neuronal nicotinic acetylcholine receptor. 1996 , 397, 39-44	22
803	ATF site of human RB gene promoter is a responsive element of myogenic differentiation. 1996 , 397, 219-24	13
802	The alpha1 and alpha2 isoforms of the AMP-activated protein kinase have similar activities in rat liver but exhibit differences in substrate specificity in vitro. 1996 , 397, 347-51	219
801	Adenoviral delivery of low-density lipoprotein receptors to hyperlipidemic rabbits: receptor expression modulates high-density lipoproteins. 1996 , 45, 1447-57	13
800	Distinct deactivation and desensitization kinetics of recombinant GABAA receptors. 1996 , 35, 1375-82	104
799	Effects of neurosteroid and benz[e]indene enantiomers on GABAA receptors in cultured hippocampal neurons and transfected HEK-293 cells. 1996 , 35, 1161-8	21

798	Loreclezole enhances apparent desensitization of recombinant GABAA receptor currents. 1996 , 35, 1233-41	22
797	Blunted furosemide action on cerebellar GABAA receptors in ANT rats selectively bred for high alcohol sensitivity. 1996 , 35, 1493-502	11
796	Direct evidence for diazepam modulation of GABAA receptor microscopic affinity. 1996 , 35, 1383-92	101
795	Wild-type and insecticide-resistant homo-oligomeric GABA receptors of <i>Drosophila melanogaster</i> stably expressed in a <i>Drosophila</i> cell line. 1996 , 35, 1393-401	45
794	Chimeric GABAA/glycine receptors: expression and barbiturate pharmacology. 1996 , 35, 1445-56	30
793	Protein kinase C pathway potentiates androgen-mediated gene expression of the mouse vas deferens specific aldose reductase-like protein (MVDP). 1996 , 124, 79-86	11
792	Structure and regulation of the porcine skeletal alpha-actin-encoding gene. 1996 , 180, 23-8	8
791	Genomic targeting with an MBP-Cre fusion protein. 1996 , 183, 53-60	26
790	Characterization of calcium phosphate as a gene carrier (II): Zeta potential and DNA transfection. 1996 , 3, 181-6	2
789	Organization and expression of the mouse gene for DNA repair methyltransferase. 1996 , 15, 863-72	11
788	Regulation of LMP2 and TAP1 genes by IRF-1 explains the paucity of CD8+ T cells in IRF-1 ^{-/-} mice. 1996 , 5, 365-76	135
787	A motif within the T cell receptor alpha chain constant region connecting peptide domain controls antigen responsiveness. 1996 , 5, 437-47	91
786	Rapsyn clusters and activates the synapse-specific receptor tyrosine kinase MuSK. 1996 , 16, 953-62	100
785	DAMB, a novel dopamine receptor expressed specifically in <i>Drosophila</i> mushroom bodies. 1996 , 16, 1127-35	231
784	Mutations in a cyclic nucleotide-gated channel lead to abnormal thermosensation and chemosensation in <i>C. elegans</i> . 1996 , 17, 707-18	341
783	Protein topology of presenilin 1. 1996 , 17, 1023-30	358
782	The Eph kinase ligand AL-1 is expressed by rostral muscles and inhibits outgrowth from caudal neurons. 1996 , 8, 185-98	78
781	High glucose induces antioxidant enzymes in human endothelial cells in culture. Evidence linking hyperglycemia and oxidative stress. 1996 , 45, 471-7	287

780	Transfecting mammalian cells: optimization of critical parameters affecting calcium-phosphate precipitate formation. 1996 , 24, 596-601	740
779	Mutation of conserved residues in transmembrane domains 4,6 and 8 causes loss of Ca ²⁺ transport by the plasma membrane Ca ²⁺ pump. 1996 , 35, 3290-6	34
778	A cellular homolog of hepatitis delta antigen: implications for viral replication and evolution. 1996 , 274, 90-4	148
777	The synapse-associated protein rapsyn regulates tyrosine phosphorylation of proteins colocalized at nicotinic acetylcholine receptor clusters. 1996 , 8, 171-84	31
776	A significant decrease of the transcriptional activity of p53 mutants deriving from human functional adrenal tumors. 1996 , 15, 793-803	6
775	Stable MLV-VL30 dicistronic retroviral vectors with a VL30 or MoMLV sequence promoting both packaging of genomic RNA and expression of the 3' cistron. 1996 , 7, 603-12	15
774	Characterization of calcium phosphate as a gene carrier (I): Electrochemical properties. 1996 , 3, 173-9	1
773	Molecular cloning and characterization of a murine pre-B-cell growth-stimulating factor/stromal cell-derived factor 1 receptor, a murine homolog of the human immunodeficiency virus 1 entry coreceptor fusin. 1996 , 93, 14726-9	279
772	Transient gene transfer into myotubes following differentiation in culture. 1996 , 20, 40-2	12
771	Plastic Surgery Research. 1996 , 23, 173-182	
770	Relationship between Enzymatic Activity and Oligomerization State of Tyrosine Hydroxylase. 1996 , 3, 332-337	
769	Delta subunit inhibits neurosteroid modulation of GABA _A receptors. 1996 , 16, 6648-56	137
768	Creation of drug-specific herpes simplex virus type 1 thymidine kinase mutants for gene therapy. 1996 , 93, 3525-9	250
767	Structure and function in rhodopsin: high level expression of a synthetic bovine opsin gene and its mutants in stable mammalian cell lines. 1996 , 93, 11487-92	95
766	Halothane acts as a partial agonist of the alpha6 beta2 gamma2S GABA(A)receptor. 1996 , 10, 1539-45	11
765	Protein kinase cross-talk: membrane targeting of the beta-adrenergic receptor kinase by protein kinase C. 1996 , 93, 2105-9	149
764	Protein kinase C-zeta reverts v-raf transformation of NIH-3T3 cells. 1996 , 10, 1455-66	32
763	Identification of an extracellular motif involved in the binding of guanine nucleotides by a glutamate receptor.. 1996 , 15, 1548-1556	42

762	A splice variant of the neurotrophin receptor trkB with increased specificity for brain-derived neurotrophic factor.. 1996 , 15, 3332-3337	96
761	Modulation of pump function by mutations in the first transmembrane region of Na(+)-K(+)-ATPase alpha 1-subunit. 1996 , 270, C457-64	8
760	Uncoupling of stem cell inhibition from monocyte chemoattraction in MIP-1alpha by mutagenesis of the proteoglycan binding site.. 1996 , 15, 6506-6515	68
759	Efficient infection of a human T-cell line and of human primary peripheral blood leukocytes with a pseudotyped retrovirus vector. 1996 , 93, 11842-7	46
758	CrkII signals from epidermal growth factor receptor to Ras. 1996 , 93, 12177-82	31
757	Interaction of the co-activator CBP with Myb proteins: effects on Myb-specific transactivation and on the cooperativity with NF-M.. 1996 , 15, 2771-2780	175
756	Involvement of Asn-293 in stereospecific agonist recognition and in activation of the beta 2-adrenergic receptor. 1996 , 93, 9276-81	171
755	Transient transfection of primary cultured hepatocytes using CaPO4/DNA precipitation. 1996 , 20, 826-30, 832	11
754	Overexpression of APOBEC-1 results in mooring sequence-dependent promiscuous RNA editing. 1996 , 271, 3011-7	73
753	Requirement for c-Src catalytic activity and the SH3 domain in platelet-derived growth factor BB and epidermal growth factor mitogenic signaling. 1996 , 271, 16798-806	107
752	Efficient long-PCR site-specific mutagenesis of a high GC template. 1996 , 21, 472-4, 476-8, 480	9
751	Antiviral and resistance studies of AG1343, an orally bioavailable inhibitor of human immunodeficiency virus protease. 1996 , 40, 292-7	188
750	Immunocytochemical localization of the GABA _A receptor rho subunits in the mammalian retina. 1996 , 16, 4479-90	224
749	Preparation of electrocompetent E. coli using salt-free growth medium. 1996 , 20, 42-4	110
748	Expression of a bifunctional chimeric protein A-Vargula hilgendorffii luciferase in mammalian cells. 1996 , 20, 116-21	13
747	Constitutive activation of fibroblast growth factor receptor 3 by the transmembrane domain point mutation found in achondroplasia.. 1996 , 15, 520-527	217
746	Net (ERP/SAP2) one of the Ras-inducible TCFs, has a novel inhibitory domain with resemblance to the helix-loop-helix motif.. 1996 , 15, 5849-5865	67
745	Regulation of type I adenylyl cyclase by calmodulin kinase IV in vivo. <i>Molecular and Cellular Biology</i> , 1996 , 16, 6075-82	4.8 76

744	The phosphotyrosine interaction domains of X11 and FE65 bind to distinct sites on the YENPTY motif of amyloid precursor protein. <i>Molecular and Cellular Biology</i> , 1996 , 16, 6229-41	4.8	429
743	Identification of a cyclin-cdk2 recognition motif present in substrates and p21-like cyclin-dependent kinase inhibitors. <i>Molecular and Cellular Biology</i> , 1996 , 16, 6623-33	4.8	332
742	Functional interactions between the hBRM/hBRG1 transcriptional activators and the pRB family of proteins. <i>Molecular and Cellular Biology</i> , 1996 , 16, 1576-83	4.8	234
741	Transcriptional repression and growth suppression by the p107 pocket protein. <i>Molecular and Cellular Biology</i> , 1996 , 16, 3606-14	4.8	55
740	Profound ligand-independent kinase activation of fibroblast growth factor receptor 3 by the activation loop mutation responsible for a lethal skeletal dysplasia, thanatophoric dysplasia type II. <i>Molecular and Cellular Biology</i> , 1996 , 16, 4081-7	4.8	158
739	Inhibition of p53-mediated growth arrest by overexpression of cyclin-dependent kinases. <i>Molecular and Cellular Biology</i> , 1996 , 16, 4445-55	4.8	31
738	Interaction of D-type cyclins with a novel myb-like transcription factor, DMP1. <i>Molecular and Cellular Biology</i> , 1996 , 16, 6457-67	4.8	122
737	Inhibition of cell proliferation by the Mad1 transcriptional repressor. <i>Molecular and Cellular Biology</i> , 1996 , 16, 2796-801	4.8	119
736	C/EBP, c-Myb, and PU.1 cooperate to regulate the neutrophil elastase promoter. <i>Molecular and Cellular Biology</i> , 1996 , 16, 4717-25	4.8	220
735	Cellular basis for protein C deficiency caused by a single amino acid substitution at Arg15 in the gamma-carboxyglutamic acid domain. 1996 , 120, 360-8		15
734	Amino acid substitutions in the rat Na ⁺ , K(+) -ATPase alpha 2-subunit alter the cation regulation of pump current expressed in HeLa cells. 1996 , 495 (Pt 3), 733-42		21
733	Cell cycle-regulated association of E2F1 and Sp1 is related to their functional interaction. <i>Molecular and Cellular Biology</i> , 1996 , 16, 1668-75	4.8	249
732	Identification of a binding site in c-Ab1 tyrosine kinase for the C-terminal repeated domain of RNA polymerase II. <i>Molecular and Cellular Biology</i> , 1996 , 16, 3361-9	4.8	59
731	Differences between MyoD DNA binding and activation site requirements revealed by functional random sequence selection. <i>Molecular and Cellular Biology</i> , 1996 , 16, 3893-900	4.8	39
730	Functional domains of the transcription factor USF2: atypical nuclear localization signals and context-dependent transcriptional activation domains. <i>Molecular and Cellular Biology</i> , 1996 , 16, 1367-75	4.8	121
729	Distinct regulatory elements control muscle-specific, fiber-type-selective, and axially graded expression of a myosin light-chain gene in transgenic mice. <i>Molecular and Cellular Biology</i> , 1996 , 16, 3909-22	4.8	56
728	Molecular cloning of mesothelin, a differentiation antigen present on mesothelium, mesotheliomas, and ovarian cancers. 1996 , 93, 136-40		536
727	The glycine binding site of the N-methyl-D-aspartate receptor subunit NR1: identification of novel determinants of co-agonist potentiation in the extracellular M3-M4 loop region. 1996 , 93, 6031-6		194

726	Efficient transfer, integration, and sustained long-term expression of the transgene in adult rat brains injected with a lentiviral vector. 1996 , 93, 11382-8	1258
725	Deletions of portions of the extracellular loops of the lutropin/choriogonadotropin receptor decrease the binding affinity for ovine luteinizing hormone, but not human chorogonadotropin, by preventing the formation of mature cell surface receptor. 1996 , 271, 4518-27	21
724	[3] Site-directed mutagenesis of G protein β subunits: Analysis of β phosphorylation and fatty acid acylation. 1996 , 34-49	
723	Identification and characterization of truncated forms of apolipoprotein B in hypobetalipoproteinemia. 1996 , 263, 120-45	5
722	CNI-1493 inhibits monocyte/macrophage tumor necrosis factor by suppression of translation efficiency. 1996 , 93, 3967-71	96
721	Expression studies of delta-globin gene alleles associated with reduced hemoglobin A2 levels in Greek Cypriots. 1996 , 271, 26931-8	4
720	C-myc is required for the G0/G1-S transition of primary hepatocytes stimulated with a deleted form of hepatocyte growth factor. 1996 , 316 (Pt 3), 879-86	15
719	Growth-condition-dependent regulation of insulin-like growth factor II mRNA stability. 1996 , 318 (Pt 1), 195-201	15
718	Overexpression of phosphatidylethanolamine N-methyltransferase 2 in CHO-K1 cells does not attenuate the activity of the CDP-choline pathway for phosphatidylcholine biosynthesis. 1996 , 320 (Pt 3), 905-10	6
717	Studies on new antitumor antibiotics, leptofuranins A, B, C and D.I. Taxonomy, fermentation, isolation and biological activities. 1996 , 49, 974-9	15
716	New antitumor substances, FR901463, FR901464 and FR901465. I. Taxonomy, fermentation, isolation, physico-chemical properties and biological activities. 1996 , 49, 1196-203	130
715	Phosphorylation and activation of a cAMP-specific phosphodiesterase by the cAMP-dependent protein kinase. Involvement of serine 54 in the enzyme activation. 1996 , 271, 16526-34	341
714	Visualization of glucocorticoid receptor translocation and intranuclear organization in living cells with a green fluorescent protein chimera. 1996 , 93, 4845-50	322
713	Wild-type and mutant p53 differentially regulate transcription of the insulin-like growth factor I receptor gene. 1996 , 93, 8318-23	326
712	Chromosomal double-strand break repair in Ku80-deficient cells. 1996 , 93, 8929-33	161
711	A mutation that alters magnesium block of N-methyl-D-aspartate receptor channels. 1996 , 93, 9259-63	19
710	Elevation of intracellular calcium by muscarinic receptor activation induces a block of voltage-activated rat ether- γ -go channels in a stably transfected cell line. 1996 , 93, 9910-4	74
709	Expression and characterization of glycogen synthase kinase-3 mutants and their effect on glycogen synthase activity in intact cells. 1996 , 93, 10228-33	128

708	Q/R site editing in kainate receptor GluR5 and GluR6 pre-mRNAs requires distant intronic sequences. 1996 , 93, 1875-80	145
707	Cloning, expression, and properties of the microtubule-stabilizing protein STOP. 1996 , 93, 2125-30	86
706	AMPA receptor flip/flop mutants affecting deactivation, desensitization, and modulation by cyclothiazide, aniracetam, and thiocyanate. 1996 , 16, 6634-47	309
705	Relationship between Enzymatic Activity and Oligomerization State of Tyrosine Hydroxylase. 1996 , 3, 332-337	7
704	Genes transfected into embryonal carcinoma stem cells are both lost and inactivated at high frequency. 1996 , 22, 383-92	7
703	Ontogeny of NMDA R1 subunit protein expression in five regions of rat brain. 1996 , 92, 10-7	49
702	Isolation of gE gene deleted pseudorabies virus by using a gE specific monoclonal antibody. 1996 , 60, 19-28	
701	Structure and functional expression of a complementary DNA for porcine parathyroid hormone/parathyroid hormone-related peptide receptor. 1996 , 1307, 339-47	29
700	Expression of the major inner capsid protein, VP6, of avian rotavirus in mammalian cells. 1996 , 49, 257-65	4
699	Transfection of a manganese-containing superoxide dismutase gene into hamster tracheal epithelial cells ameliorates asbestos-mediated cytotoxicity. 1996 , 21, 125-31	29
698	A candidate for cancer gene therapy: MIP-1 alpha gene transfer to an adenocarcinoma cell line reduced tumorigenicity and induced protective immunity in immunocompetent mice. 1996 , 13, 1896-901	56
697	Vpx association with mature core structures of HIV-2. 1996 , 218, 159-68	46
696	Identification of the human cytomegalovirus G protein-coupled receptor homologue encoded by UL33 in infected cells and enveloped virus particles. 1996 , 225, 111-25	139
695	Bead transfection of adherent cells. Gene transfer into adherent mammalian cells using glass beads. 1996 , 5, 259-61	41
694	Effect of alkalizing agents on the processing of the beta-amyloid precursor protein. 1996 , 716, 91-100	67
693	Differential effects of hexachlorocyclohexane isomers on the GABA receptor subunits expressed in human embryonic kidney cell line. 1996 , 738, 131-7	15
692	Kinetic components of the gating currents of human cardiac L-type Ca ²⁺ channels. 1997 , 433, 321-9	11
691	Mediation of cardiac glycoside insensitivity in the monarch butterfly (<i>Danaus plexippus</i>): Role of an amino acid substitution in the ouabain binding site of Na ⁽⁺⁾ ,K ⁽⁺⁾ -ATPase. 1996 , 22, 1921-37	102

690	Expression and characterization of equine herpesvirus 1 glycoprotein D in mammalian cell lines. 1996 , 141, 1785-93	17
689	Monoamine oxidase gene transcription in human cell lines: treatment with psychoactive drugs and ethanol. 1996 , 103, 681-92	10
688	The RAG cell line defines a new complementation group of MHC class II deficiency. 1996 , 43, 352-9	7
687	De novo chromosome formations by large-scale amplification of the centromeric region of mouse chromosomes. 1996 , 4, 226-39	45
686	CCAAT/enhancer-binding protein beta (C/EBP beta) binds and activates while hepatocyte nuclear factor-4 (HNF-4) does not bind but represses the liver-type arginase promoter. 1996 , 236, 500-9	29
685	Bradykinin induces tyrosine phosphorylation in human foreskin fibroblasts and 293 cells transfected with rat B2 kinin receptor. 1996 , 236, 953-9	7
684	Human N-acetylglucosaminyltransferase III gene is transcribed from multiple promoters. 1996 , 238, 853-61	16
683	Expression of an active Na ⁺ /Ca ²⁺ exchanger isoform lacking the six C-terminal transmembrane segments. 1996 , 239, 897-904	20
682	The Leydig insulin-like peptide. 1996 , 113, 229-235	4
681	Cellular localisation of metabotropic glutamate receptors in the mammalian optic nerve: a mechanism for axon-glia communication. 1996 , 741, 75-81	21
680	Alpha-parvalbumin reduces depolarization-induced elevations of cytosolic free calcium in human neuroblastoma cells. 1996 , 19, 527-33	12
679	Molecular cloning and functional characterization of the oxytocin receptor from a rat pancreatic cell line (RINm5F). 1996 , 30, 557-65	27
678	Development of intestinal cell culture models for drug transport and metabolism studies. 1996 , 22, 3-52	51
677	Expression and immune response to hepatitis C virus core DNA-based vaccine constructs. 1996 , 24, 14-20	83
676	Efficient and sustained transgene expression in mature rat oligodendrocytes in primary culture. 1996 , 43, 32-41	29
675	Isolated recombinant domain of von Willebrand factor displaying increased sensitivity to ristocetin. 1996 , 52, 248-53	2
674	Characterization of three novel monoclonal antibodies against hepatitis C virus core protein. 1996 , 48, 234-41	47
673	Interleukin 1 (IL-1) production is not essential for acquired resistance of human A375 melanoma cells to anti-proliferative effect of IL-1. 1996 , 65, 805-11	2

672	Different ligand responsiveness of human retinoic-acid-receptor beta-gene transcription in tumorigenic and non-tumorigenic cervical-carcinoma-derived cell lines is mediated through a large retinoic-acid-response domain. 1996 , 67, 409-16	8
671	Amyloid precursor protein truncated at any of the gamma-secretase sites is not cleaved to beta-amyloid. 1996 , 46, 283-93	30
670	Homologous recombination in variants of the B16 murine melanoma with reference to their metastatic potential. 1996 , 61, 1-8	4
669	Selenium-regulated translation control of heterologous gene expression: normal function of selenocysteine-substituted gene products. 1996 , 61, 410-9	16
668	Dominant negative mutants of Myc inhibit cooperation of both Myc and adenovirus serotype-5 E1a with Ras. 1996 , 167, 95-105	20
667	Parameters affecting the use of the lac repressor system in eukaryotic cells and transgenic animals. 1996 , 28, 447-58	11
666	Electrophoretic separation of betaA4 peptides (1-40) and (1-42). 1996 , 237, 24-9	100
665	Expression and characterization of a divalent chimeric anti-human CD3 single chain antibody. 1996 , 43, 134-9	10
664	A common frameshift mutation in von Willebrand factor does not alter mRNA stability but interferes with normal propeptide processing. 1996 , 95, 184-91	24
663	Phosphorylation of Ser-3 of cofilin regulates its essential function on actin. 1996 , 1, 73-86	321
662	A hamster temperature-sensitive G1 mutant, tsBN250 has a single point mutation in histidyl-tRNA synthetase that inhibits an accumulation of cyclin D1. 1996 , 1, 1101-12	15
661	Super-CHO-A cell line capable of autocrine growth under fully defined protein-free conditions. 1996 , 22, 139-46	26
660	An in vivo system for analysis of stable complex formation between Src and AFAP-110. 1996 , 18, 55-65	7
659	Enhancement of HSV-DNA infectivity, in Vero and RS cells, by a modified calcium-phosphate transfection technique. 1996 , 12, 193-7	7
658	Oncogenic collaboration of the cyclin D1 (PRAD1, bcl-1) gene with a mutated p53 and an activated ras oncogene in neoplastic transformation. 1996 , 87, 459-65	14
657	BIN1 is a novel MYC-interacting protein with features of a tumour suppressor. 1996 , 14, 69-77	308
656	Alternatively spliced mdm2 transcripts with loss of p53 binding domain sequences: transforming ability and frequent detection in human cancer. 1996 , 2, 912-7	242
655	Post-transcriptional transactivation of human retroviral envelope glycoprotein expression by herpes simplex virus Us11 protein. 1996 , 379, 273-7	75

654	A non-enzymatic p21 protein inhibitor of stress-activated protein kinases. 1996 , 381, 804-6	237
653	Cooperation of Stat2 and p300/CBP in signalling induced by interferon-alpha. 1996 , 383, 344-7	443
652	Immortalized hypothalamic neurons express metabotropic glutamate receptors positively coupled to cyclic AMP formation. 1996 , 8, 2407-15	19
651	Identification of a determinant of acetylcholine receptor gating kinetics in the extracellular portion of the gamma subunit. 1996 , 8, 2564-70	20
650	Primary structure and expression of the human beta-subunit and related proteins of the rod photoreceptor cGMP-gated channel. 1996 , 271, 32968-74	54
649	Nectinepsin: a new extracellular matrix protein of the pexin family. Characterization of a novel cDNA encoding a protein with an RGD cell binding motif. 1996 , 271, 26220-6	5
648	Connexin 32 mutations from X-linked Charcot-Marie-Tooth disease patients: functional defects and dominant negative effects. 1996 , 7, 907-16	149
647	Moving from the orphanin FQ receptor to an opioid receptor using four point mutations. 1996 , 271, 32016-20	69
646	Differential effects of cdk2 and cdk3 on the control of pRb and E2F function during G1 exit. 1996 , 10, 851-61	89
645	B-Myb expression in vascular smooth muscle cells occurs in a cell cycle-dependent fashion and down-regulates promoter activity of type I collagen genes. 1996 , 271, 3359-65	33
644	Structural requirements for RNA editing in glutamate receptor pre-mRNAs by recombinant double-stranded RNA adenosine deaminase. 1996 , 271, 12221-6	127
643	Insulin-like growth factor-I regulates transcription of the elastin gene through a putative retinoblastoma control element. A role for Sp3 acting as a repressor of elastin gene transcription. 1996 , 271, 28853-60	66
642	Functional role of the third cytoplasmic loop in muscarinic receptor dimerization. 1996 , 271, 31055-60	80
641	Differential regulation of retinoblastoma protein function by specific Cdk phosphorylation sites. 1996 , 271, 8313-20	238
640	Ptx1, a bicoid-related homeo box transcription factor involved in transcription of the pro-opiomelanocortin gene. 1996 , 10, 1284-95	325
639	Functional characterization of the human factor VII 5'-flanking region. 1996 , 271, 1738-47	97
638	The carboxyl termini of beta-amyloid peptides 1-40 and 1-42 are generated by distinct gamma-secretase activities. 1996 , 271, 28655-9	135
637	CCAAT displacement protein competes with multiple transcriptional activators for binding to four sites in the proximal gp91phox promoter. 1996 , 271, 18203-10	96

636	Genomic organization and glucocorticoid transcriptional activation of the rat Na ⁺ /H ⁺ exchanger Nhe3 gene. 1996 , 271, 10551-9	72
635	Expression of the gene for the POU domain transcription factor Tst-1/Oct6 is regulated by an estrogen-dependent enhancer. 1996 , 24, 4552-7	22
634	Receptor-associated protein is a folding chaperone for low density lipoprotein receptor-related protein. 1996 , 271, 22218-24	125
633	The functional expression of sodium-dependent bile acid transport in Madin-Darby canine kidney cells transfected with the cDNA for microsomal epoxide hydrolase. 1996 , 271, 18176-80	59
632	Phosphorylation of insulin receptor substrate-1 on multiple serine residues, 612, 632, 662, and 731, modulates insulin action. 1996 , 271, 11222-7	199
631	Novel regulation of keratin gene expression by thyroid hormone and retinoid receptors. 1996 , 271, 1416-23	63
630	Cloning and characterization of GRB14, a novel member of the GRB7 gene family. 1996 , 271, 12502-10	102
629	Fusion of insulin receptor ectodomains to immunoglobulin constant domains reproduces high-affinity insulin binding in vitro. 1996 , 271, 19367-75	37
628	Transforming growth factor-beta1 stimulates multiple protein interactions at a unique cis-element in the 3'-untranslated region of the hyaluronan receptor RHAMM mRNA. 1996 , 271, 15279-84	33
627	Ventricular zone gene-1 (vzg-1) encodes a lysophosphatidic acid receptor expressed in neurogenic regions of the developing cerebral cortex. 1996 , 135, 1071-83	649
626	Disease-associated mutations in the fourth cytoplasmic loop of cystic fibrosis transmembrane conductance regulator compromise biosynthetic processing and chloride channel activity. 1996 , 271, 15139-45	93
625	Identification of a transcriptional enhancer within muscle intron 1 of the human dystrophin gene. 1996 , 5, 1599-606	25
624	Cytoplasmic loop three of cystic fibrosis transmembrane conductance regulator contributes to regulation of chloride channel activity. 1996 , 271, 27493-9	80
623	Repression by a differentiation-specific factor of the human cytomegalovirus enhancer. 1996 , 24, 1695-701	76
622	Relationship between N-methyl-D-aspartate receptor NR1 splice variants and NR2 subunits. 1996 , 271, 15669-74	125
621	Identification and functional separation of retinoic acid receptor neutral antagonists and inverse agonists. 1996 , 271, 22692-6	84
620	The hepatocyte growth factor receptor kinase-mediated phosphorylation of lipocortin-1 transduces the proliferating signal of the hepatocyte growth factor. 1996 , 271, 27266-73	58
619	Neuroglial-mediated cell adhesion induces assembly of the membrane skeleton at cell contact sites. 1996 , 133, 647-55	115

618	Transmembrane regions V and VI of the human luteinizing hormone receptor are required for constitutive activation by a mutation in the third intracellular loop. 1996 , 271, 22470-8	91
617	Specificity of LIM domain interactions with receptor tyrosine kinases. 1996 , 271, 15934-41	78
616	Delineation of transmembrane domains of the Na ⁺ /H ⁺ exchanger that confer sensitivity to pharmacological antagonists. 1996 , 271, 19922-7	80
615	A splice variant of the ITF-2 transcript encodes a transcription factor that inhibits MyoD activity. 1996 , 271, 3555-61	56
614	Two androgen response regions cooperate in steroid hormone regulated activity of the prostate-specific antigen promoter. 1996 , 271, 6379-88	288
613	Human apolipoprotein E receptor 2. A novel lipoprotein receptor of the low density lipoprotein receptor family predominantly expressed in brain. 1996 , 271, 8373-80	291
612	Metabolism of the "Swedish" amyloid precursor protein variant in neuro2a (N2a) cells. Evidence that cleavage at the "beta-secretase" site occurs in the golgi apparatus. 1996 , 271, 9390-7	245
611	Intracellular polymerization of the serpin plasminogen activator inhibitor type 2. 1996 , 271, 10048-53	32
610	Negative regulatory element involved in the hormonal regulation of GlcNAc-1-P transferase gene in mouse mammary gland. 1996 , 271, 11197-203	12
609	Structural and electron microscopic analysis of neurocan and recombinant neurocan fragments. 1996 , 271, 17107-13	30
608	The AF-2 region of the retinoic acid receptor alpha mediates retinoic acid inhibition of estrogen receptor function in breast cancer cells. 1996 , 271, 20346-52	16
607	Identification of residues within the SHC phosphotyrosine binding/phosphotyrosine interaction domain crucial for phosphopeptide interaction. 1996 , 271, 1813-6	35
606	Mutation of phosphoserine 389 affects p53 function in vivo. 1996 , 271, 29380-5	84
605	Direct binding of the proline-rich region of protein tyrosine phosphatase 1B to the Src homology 3 domain of p130(Cas). 1996 , 271, 31290-5	224
604	Characterization of functional domains in the human coronavirus HCV 229E receptor. 1996 , 77 (Pt 10), 2515-21	36
603	Characterization of herpes simplex virus type 1 recombinants with mutations in the cytoplasmic tail of glycoprotein H. 1996 , 77 (Pt 10), 2569-73	29
602	Promoter activity of sequences located upstream of the human papillomavirus types of 16 and 18 late regions. 1996 , 77 (Pt 9), 2193-200	11
601	Neither type of mannose 6-phosphate receptor is sufficient for targeting of lysosomal enzymes along intracellular routes. 1996 , 134, 615-23	111

600	p53 levels, functional domains, and DNA damage determine the extent of the apoptotic response of tumor cells. 1996 , 10, 2438-51	542
599	Growth and survival signals transmitted via two distinct NPXY motifs within leukocyte tyrosine kinase, an insulin receptor-related tyrosine kinase. 1996 , 271, 27707-14	18
598	Characterization of human lysosomal neuraminidase defines the molecular basis of the metabolic storage disorder sialidosis. 1996 , 10, 3156-69	227
597	Evidence for three major transcription activation elements in the proximal mouse proalpha2(I) collagen promoter. 1996 , 24, 3253-60	28
596	Interleukin 6 induces the expression of vascular endothelial growth factor. 1996 , 271, 736-41	776
595	Interaction of CD31 with a heterophilic counterreceptor involved in downregulation of human T cell responses. 1996 , 184, 41-50	69
594	The major catalytic subunit isoforms of cAMP-dependent protein kinase have distinct biochemical properties in vitro and in vivo. 1996 , 271, 15736-42	65
593	Cytochrome P450 17 alpha-hydroxylase gene expression in differentiating rat trophoblast cells. 1996 , 150, 161-8	36
592	Differential regulation of type I and type VIII Ca ²⁺ -stimulated adenylyl cyclases by Gi-coupled receptors in vivo. 1996 , 271, 33308-16	68
591	Incompatibility of connexin 40 and 43 Hemichannels in gap junctions between mammalian cells is determined by intracellular domains. 1996 , 7, 1995-2006	91
590	Study of osteoblast-specific expression of one mouse osteocalcin gene: characterization of the factor binding to OSE2. 1996 , 35, 7-14	30
589	Ultrasound-mediated transfection of mammalian cells. 1996 , 7, 1339-46	291
588	Design, synthesis, and resistance patterns of MP-134 and MP-167, two novel inhibitors of HIV type 1 protease. 1996 , 12, 55-61	6
587	DNA viruses: DNA extraction, purification and characterization. 1996 , 191-230	4
586	An efficient cellular system for mutational analysis of prohormone processing. 1996 , 15, 147-57	10
585	Functional characterization of mouse syndecan-1 promoter. 1996 , 271, 12532-41	36
584	The adaptor protein Nck links receptor tyrosine kinases with the serine-threonine kinase Pak1. 1996 , 271, 20997-1000	231
583	c-Krox binds to several sites in the promoter of both mouse type I collagen genes. Structure/function study and developmental expression analysis. 1996 , 271, 21331-9	57

582	Identification of a novel domain in the aryl hydrocarbon receptor required for DNA binding. 1996 , 271, 3743-9	66
581	A novel family of Cys-Cys, His-Cys zinc finger transcription factors expressed in developing nervous system and pituitary gland. 1996 , 271, 10723-30	52
580	Functional co-localization of transfected Ca(2+)-stimulable adenylyl cyclases with capacitative Ca2+ entry sites. 1996 , 271, 12438-44	138
579	In vivo localization of DNA sequences and visualization of large-scale chromatin organization using lac operator/repressor recognition. 1996 , 135, 1685-700	596
578	The transcriptional activity of the CCAAT-binding factor CBF is mediated by two distinct activation domains, one in the CBF-B subunit and the other in the CBF-C subunit. 1996 , 271, 14485-91	63
577	Identification of vascular endothelial growth factor determinants for binding KDR and FLT-1 receptors. Generation of receptor-selective VEGF variants by site-directed mutagenesis. 1996 , 271, 5638-46	374
576	p53 is a mediator for radiation-repressed human TR2 orphan receptor expression in MCF-7 cells, a new pathway from tumor suppressor to member of the steroid receptor superfamily. 1996 , 271, 14649-52	39
575	Mutational analysis of the nucleotide binding site of the epidermal growth factor receptor and v-Src protein-tyrosine kinases. 1996 , 271, 22619-23	7
574	Human hepatic lipase subunit structure determination. 1996 , 271, 22931-6	32
573	Molecular and biochemical analysis of protective protein/cathepsin A mutations: correlation with clinical severity in galactosialidosis. 1996 , 5, 1977-87	43
572	The retinoblastoma gene product protects E2F-1 from degradation by the ubiquitin-proteasome pathway. 1996 , 10, 2949-59	192
571	Herpes simplex virus thymidine kinase gene therapy for rat malignant brain tumors. 1996 , 7, 197-205	67
570	Substitution of glutamic 779 with alanine in the Na,K-ATPase alpha subunit removes voltage dependence of ion transport. 1996 , 271, 24610-6	32
569	Carboxyl-terminal targeting and novel post-translational processing of JAW1, a lymphoid protein of the endoplasmic reticulum. 1996 , 271, 23528-34	26
568	alpha-Tubulin limits its own synthesis: evidence for a mechanism involving translational repression. 1996 , 135, 1525-34	57
567	Involvement of Trp-284, Val-296, and Val-297 of the human delta-opioid receptor in binding of delta-selective ligands. 1996 , 271, 18789-96	83
566	Cardiotrophin-1 activates a distinct form of cardiac muscle cell hypertrophy. Assembly of sarcomeric units in series VIA gp130/leukemia inhibitory factor receptor-dependent pathways. 1996 , 271, 9535-45	278
565	Exposed thiols confer localization in the endoplasmic reticulum by retention rather than retrieval. 1996 , 271, 26138-42	38

564	Specific induction of cell motility on laminin by alpha 7 integrin. 1996 , 271, 2071-5	68
563	Structurally diverse N-terminal peptides of parathyroid hormone (PTH) and PTH-related peptide (PTHrP) inhibit the Na ⁺ /H ⁺ exchanger NHE3 isoform by binding to the PTH/PTHrP receptor type I and activating distinct signaling pathways. 1996 , 271, 14931-6	57
562	Endocytic properties of the M-type 180-kDa receptor for secretory phospholipases A2. 1996 , 271, 250-7	99
561	Asp804 and Asp808 in the transmembrane domain of the Na,K-ATPase alpha subunit are cation coordinating residues. 1996 , 271, 29682-7	79
560	The tetratricopeptide repeat domain of protein phosphatase 5 mediates binding to glucocorticoid receptor heterocomplexes and acts as a dominant negative mutant. 1996 , 271, 32315-20	179
559	Activation of glutathione transferase P gene by lead requires glutathione transferase P enhancer I. 1996 , 271, 1626-32	24
558	Distinct structural domains confer cAMP sensitivity and ATP dependence to the Na ⁺ /H ⁺ exchanger NHE3 isoform. 1996 , 271, 3590-9	68
557	Production of infectious hepatitis delta virus in vitro and neutralization with antibodies directed against hepatitis B virus pre-S antigens. 1992 , 66, 1241-5	53
556	Naturally occurring point mutation in the C terminus of the polymerase gene prevents duck hepatitis B virus RNA packaging. 1992 , 66, 1282-7	21
555	Human papillomavirus type 1 E4 proteins differing by their N-terminal ends have distinct cellular localizations when transiently expressed in vitro. 1992 , 66, 816-23	23
554	gag as well as myc sequences contribute to the transforming phenotype of the avian retrovirus FH3. 1992 , 66, 946-55	19
553	Simian virus 40 large T antigen stably complexes with a 185-kilodalton host protein. 1992 , 66, 1752-60	51
552	Processing of avian retroviral gag polyprotein precursors is blocked by a mutation at the NC-PR cleavage site. 1992 , 66, 1781-5	23
551	Detection of replication-competent and pseudotyped human immunodeficiency virus with a sensitive cell line on the basis of activation of an integrated beta-galactosidase gene. 1992 , 66, 2232-9	818
550	Nucleotide 880 splice donor site required for efficient transformation and RNA accumulation by human papillomavirus type 16 E7 gene. 1992 , 66, 2724-30	9
549	Spleen necrosis virus, an avian immunosuppressive retrovirus, shares a receptor with the type D simian retroviruses. 1992 , 66, 3026-31	51
548	Mutations within the env gene of Mason-Pfizer monkey virus: effects on protein transport and SU-TM association. 1992 , 66, 3466-75	29
547	Localization of cis-acting sequence requirements in the promoter of the latency-associated transcript of herpes simplex virus type 1 required for cell-type-specific activity. 1992 , 66, 3573-82	47

546	A new retrovirus packaging cell for gene transfer constructed from amplified long terminal repeat-free chimeric proviral genes. 1992 , 66, 3725-32	23
545	Effect of retroviral proteinase inhibitors on Mason-Pfizer monkey virus maturation and transmembrane glycoprotein cleavage. 1992 , 66, 4220-7	40
544	Mutational analysis of the N-linked glycosylation sites of the SU envelope protein of Moloney murine leukemia virus. 1992 , 66, 4258-64	55
543	Epstein-Barr virus BZLF1 transactivator is a negative regulator of Jun. 1992 , 66, 4732-6	12
542	Mutations in the leucine zipper of the human immunodeficiency virus type 1 transmembrane glycoprotein affect fusion and infectivity. 1992 , 66, 4748-56	176
541	Inhibition of viral and cellular promoters by human wild-type p53. 1992 , 66, 4757-62	149
540	trans-acting requirements for replication of Epstein-Barr virus ori-Lyt. 1992 , 66, 5030-9	199
539	Effect of reciprocal complementation of two defective human immunodeficiency virus type 1 (HIV-1) molecular clones on HIV-1 cell tropism and virulence. 1992 , 66, 5553-60	31
538	Avian retroviral RNA encapsidation: reexamination of functional 5' RNA sequences and the role of nucleocapsid Cys-His motifs. 1993 , 67, 178-88	83
537	Role of the large hepatitis B virus envelope protein in infectivity of the hepatitis delta virion. 1993 , 67, 366-72	104
536	Binding of nuclear factors to functional domains of the duck hepatitis B virus enhancer. 1993 , 67, 6192-200	15
535	Transcriptional control of human papillomavirus (HPV) oncogene expression: composition of the HPV type 18 upstream regulatory region. 1993 , 67, 6476-86	94
534	Incorporation of human immunodeficiency virus type 1 Gag proteins into murine leukemia virus virions. 1993 , 67, 6499-506	34
533	Analysis of the role of the bel and bet open reading frames of human foamy virus by using a new quantitative assay. 1993 , 67, 6618-24	105
532	Transcriptional activation by simian virus 40 large T antigen: requirements for simple promoter structures containing either TATA or initiator elements with variable upstream factor binding sites. 1993 , 67, 6682-8	40
531	Eleven loci encoding trans-acting factors are required for transient complementation of human cytomegalovirus oriLyt-dependent DNA replication. 1993 , 67, 6979-88	210
530	Mutually exclusive binding of two cellular factors within a critical promoter region of the gene for the IE110k protein of herpes simplex virus. 1993 , 67, 7201-14	16
529	Individual repeats of Drosophila Myb can function in transformation by v-Myb. 1993 , 67, 7332-9	2

528	Herpesvirus proteinase: site-directed mutagenesis used to study maturational, release, and inactivation cleavage sites of precursor and to identify a possible catalytic site serine and histidine. 1993 , 67, 7360-72	101
527	Interconnection between thyroid hormone signalling pathways and parvovirus cytotoxic functions. 1993 , 67, 7668-72	25
526	NF-IL6 represses early gene expression of human papillomavirus type 16 through binding to the noncoding region. 1993 , 67, 1058-66	47
525	Regulation of the human papillomavirus type 11 E6 promoter by viral and host transcription factors in primary human keratinocytes. 1993 , 67, 1721-6	42
524	Mutation of a cysteine residue in polyomavirus middle T antigen abolishes interactions with protein phosphatase 2A, pp60c-src, and phosphatidylinositol-3 kinase, activation of c-fos expression, and cellular transformation. 1993 , 67, 1945-52	30
523	Truncation of the carboxy-terminal 28 amino acids of glycoprotein B specified by herpes simplex virus type 1 mutant amb1511-7 causes extensive cell fusion. 1993 , 67, 2396-401	61
522	Localization of the c-ets-2 transactivation domain. 1993 , 67, 2421-5	21
521	Open reading frames UL44, IRS1/TRS1, and UL36-38 are required for transient complementation of human cytomegalovirus oriLyt-dependent DNA synthesis. 1993 , 67, 2575-82	120
520	Adenovirus precursor to terminal protein interacts with the nuclear matrix in vivo and in vitro. 1993 , 67, 3384-95	58
519	Genetic definition of a new bovine papillomavirus type 1 open reading frame, E5B, that encodes a hydrophobic protein involved in altering host-cell protein processing. 1993 , 67, 3427-34	12
518	Precore-mediated inhibition of hepatitis B virus progeny DNA synthesis. 1993 , 67, 3756-62	83
517	A model system for nonhomologous recombination between retroviral and cellular RNA. 1993 , 67, 3845-53	32
516	Characterization of a naturally occurring ecotropic receptor that does not facilitate entry of all ecotropic murine retroviruses. 1993 , 67, 4056-61	58
515	Two distinct proteinase activities required for the processing of a putative nonstructural precursor protein of hepatitis C virus. 1993 , 67, 4665-75	370
514	Expression and characterization of glycopospholipid-anchored human immunodeficiency virus type 1 envelope glycoproteins. 1993 , 67, 5279-88	63
513	Gibbon ape leukemia virus and the amphotropic murine leukemia virus 4070A exhibit an unusual interference pattern on E36 Chinese hamster cells. 1993 , 67, 5472-7	22
512	v-rel induces expression of three avian immunoregulatory surface receptors more efficiently than c-rel. 1994 , 68, 308-19	41
511	Replication of human papillomavirus (HPV) DNAs supported by the HPV type 18 E1 and E2 proteins. 1994 , 68, 505-9	58

510	Efficient particle formation can occur if the matrix domain of human immunodeficiency virus type 1 Gag is substituted by a myristylation signal. 1994 , 68, 6644-54	77
509	The transcriptional regulator YY1 binds to the 5'-terminal region of B19 parvovirus and regulates P6 promoter activity. 1994 , 68, 7159-68	32
508	Cell lines inducibly expressing the adeno-associated virus (AAV) rep gene: requirements for productive replication of rep-negative AAV mutants. 1994 , 68, 7169-77	38
507	Analysis of the contributions of herpes simplex virus type 1 membrane proteins to the induction of cell-cell fusion. 1994 , 68, 7586-90	85
506	Structure and function of the murine cytomegalovirus sgg1 gene: a determinant of viral growth in salivary gland acinar cells. 1994 , 68, 7717-27	48
505	Enhanced responsiveness to nuclear factor kappa B contributes to the unique phenotype of simian immunodeficiency virus variant SIVsmmPBj14. 1994 , 68, 7800-9	20
504	A family of retroviruses that utilize related phosphate transporters for cell entry. 1994 , 68, 8270-6	142
503	A putative nucleoside triphosphate-binding domain in the nonstructural protein of B19 parvovirus is required for cytotoxicity. 1994 , 68, 8443-6	70
502	Adeno-associated virus type 2 rep gene-mediated inhibition of basal gene expression of human immunodeficiency virus type 1 involves its negative regulatory functions. 1994 , 68, 1229-33	29
501	A small and efficient dimerization/packaging signal of rat VL30 RNA and its use in murine leukemia virus-VL30-derived vectors for gene transfer. 1994 , 68, 661-7	44
500	Evolution of the oncogenic potential of v-rel: rel-induced expression of immunoregulatory receptors correlates with tumor development and in vitro transformation. 1994 , 68, 2039-50	28
499	In vivo evolution of c-rel oncogenic potential. 1994 , 68, 2371-82	39
498	Transformation of myelomonocytic cells by the avian myeloblastosis virus is determined by the v-myb oncogene, not by the unique long terminal repeats of the virus. 1994 , 68, 2752-5	4
497	Cooperativity among herpes simplex virus type 1 immediate-early regulatory proteins: ICP4 and ICP27 affect the intracellular localization of ICP0. 1994 , 68, 3027-40	60
496	A nonstructural gag-encoded glycoprotein precursor is necessary for efficient spreading and pathogenesis of murine leukemia viruses. 1994 , 68, 3857-67	55
495	Functional exchange of an oncoretrovirus and a lentivirus matrix protein. 1994 , 68, 4442-9	28
494	Postassembly cleavage of a retroviral glycoprotein cytoplasmic domain removes a necessary incorporation signal and activates fusion activity. 1994 , 68, 4620-7	73
493	Human immunodeficiency virus type 1 Nef-induced down-modulation of CD4 is due to rapid internalization and degradation of surface CD4. 1994 , 68, 5156-63	152

492	Transcriptional activation by the human cytomegalovirus immediate-early proteins: requirements for simple promoter structures and interactions with multiple components of the transcription complex. 1994 , 68, 5184-93	102
491	Selected mutations of the duck hepatitis B virus P gene RNase H domain affect both RNA packaging and priming of minus-strand DNA synthesis. 1994 , 68, 5232-8	46
490	A switch region determines the cell type-specific positive or negative action of YY1 on the activity of the human papillomavirus type 18 promoter. 1995 , 69, 1-12	57
489	Cytomegalovirus protein substrates are not cleaved by the herpes simplex virus type 1 proteinase. 1995 , 69, 341-7	20
488	The relocalization of v-Rel from the nucleus to the cytoplasm coincides with induction of expression of Ikba and nfkb1 and stabilization of I kappa B-alpha. 1995 , 69, 403-13	23
487	Intracellular localization of the herpes simplex virus type 1 major transcriptional regulatory protein, ICP4, is affected by ICP27. 1995 , 69, 49-59	35
486	Sequential activation of cyclin E and cyclin A gene expression by human papillomavirus type 16 E7 through sequences necessary for transformation. 1995 , 69, 6389-99	133
485	An internal ribosomal entry signal in the rat VL30 region of the Harvey murine sarcoma virus leader and its use in dicistronic retroviral vectors. 1995 , 69, 6400-7	37
484	Human immunodeficiency virus type 1 viral protein R (Vpr) arrests cells in the G2 phase of the cell cycle by inhibiting p34cdc2 activity. 1995 , 69, 6705-11	738
483	High-level expression of adeno-associated virus (AAV) Rep78 or Rep68 protein is sufficient for infectious-particle formation by a rep-negative AAV mutant. 1995 , 69, 6880-5	28
482	Transfer of the minus strand of DNA during hepadnavirus replication is not invariable but prefers a specific location. 1995 , 69, 6886-91	33
481	Interaction of the 72-kilodalton human cytomegalovirus IE1 gene product with E2F1 coincides with E2F-dependent activation of dihydrofolate reductase transcription. 1995 , 69, 7759-67	73
480	Suppression of cellular proliferation by the papillomavirus E2 protein. 1995 , 69, 7791-9	157
479	Mutational analysis of cell cycle arrest, nuclear localization and virion packaging of human immunodeficiency virus type 1 Vpr. 1995 , 69, 7909-16	228
478	Two E2 binding sites alone are sufficient to function as the minimal origin of replication of human papillomavirus type 18 DNA. 1995 , 69, 1319-23	45
477	Selection and analysis of human immunodeficiency virus type 1 variants with increased resistance to ABT-538, a novel protease inhibitor. 1995 , 69, 701-6	191
476	The human immunodeficiency virus type 1 vpr gene prevents cell proliferation during chronic infection. 1995 , 69, 882-8	331
475	The central globular domain of the nucleocapsid protein of human immunodeficiency virus type 1 is critical for virion structure and infectivity. 1995 , 69, 1778-84	89

474	Mutations within a putative cysteine loop of the transmembrane protein of an attenuated immunodeficiency-inducing feline leukemia virus variant inhibit envelope protein processing. 1995 , 69, 2126-32	6
473	An internal ribosomal entry mechanism promotes translation of murine leukemia virus gag polyprotein precursors. 1995 , 69, 2214-22	114
472	Mutations in the DNA-binding and transcriptional activation domains of v-Myb cooperate in transformation. 1995 , 69, 2515-24	36
471	DNA vaccination against persistent viral infection. 1995 , 69, 2574-82	108
470	Zinc-binding and protein-protein interactions mediated by the polyomavirus large T antigen zinc finger. 1995 , 69, 2842-9	21
469	Molecular cloning and characterization of a cellular protein that interacts with the human immunodeficiency virus type 1 Tat transactivator and encodes a strong transcriptional activation domain. 1995 , 69, 3007-16	67
468	Mutations in the epsilon sequences of human hepatitis B virus affect both RNA encapsidation and reverse transcription. 1995 , 69, 3067-73	78
467	Transactivation activity of Meq, a Marek's disease herpesvirus bZIP protein persistently expressed in latently infected transformed T cells. 1995 , 69, 4037-44	87
466	Human herpesvirus 6A ts suppresses both transformation by H-ras and transcription by the H-ras and human immunodeficiency virus type 1 promoters. 1995 , 69, 4933-40	28
465	Mutational analysis of adeno-associated virus Rep protein-mediated inhibition of heterologous and homologous promoters. 1995 , 69, 5485-96	109
464	Regulation of human papillomavirus transcription by the differentiation-dependent epithelial factor Epoc-1/skn-1a. 1996 , 70, 10-6	49
463	Generation and role of defective proviruses in cytopathic feline leukemia virus (FeLV-FAIDS) infections. 1996 , 70, 359-67	3
462	Four of eleven loci required for transient complementation of human cytomegalovirus DNA replication cooperate to activate expression of replication genes. 1996 , 70, 383-92	89
461	A host factor that binds near the termini of hepatitis B virus pregenomic RNA. 1996 , 70, 6803-9	18
460	Novel DNA binding specificities of a putative herpesvirus bZIP oncoprotein. 1996 , 70, 7161-70	56
459	Transcriptional activation function is not required for stimulation of DNA replication by bovine papillomavirus type 1 E2. 1996 , 70, 7264-9	35
458	A novel C/EBP beta-YY1 complex controls the cell-type-specific activity of the human papillomavirus type 18 upstream regulatory region. 1996 , 70, 7695-705	64
457	Previously unsuspected cis-acting sequences for DNA replication revealed by characterization of a chimeric heron/duck hepatitis B virus. 1996 , 70, 8310-7	15

456	A dual role of the putative RNA dimerization initiation site of human immunodeficiency virus type 1 in genomic RNA packaging and proviral DNA synthesis. 1996 , 70, 8348-54	164
455	Mutations within DR2 independently reduce the amount of both minus- and plus-strand DNA synthesized during duck hepatitis B virus replication. 1996 , 70, 8684-90	14
454	Imbalanced expression of glutamate-glutamine cycle enzymes induced by human T-cell lymphotropic virus type 1 Tax protein in cultivated astrocytes. 1996 , 70, 8727-36	9
453	Functional comparison of PML-type and archetype strains of JC virus. 1996 , 70, 1512-20	31
452	Transactivation of a cellular promoter by the NS1 protein of the parvovirus minute virus of mice through a putative hormone-responsive element. 1996 , 70, 2369-77	20
451	Adenovirus E1A activates cyclin A gene transcription in the absence of growth factors through interaction with p107. 1996 , 70, 2637-42	22
450	In vitro infection of primary and retrovirus-infected human leukocytes by human foamy virus. 1996 , 70, 2774-80	31
449	Nucleoplasmic and nucleolar distribution of the adenovirus IVa2 gene product. 1996 , 70, 3449-60	38
448	An endoplasmic reticulum-retained herpes simplex virus glycoprotein H is absent from secreted virions: evidence for reenvelopment during egress. 1996 , 70, 4311-6	109
447	The variable 3' ends of a human cytomegalovirus oriLyt transcript (SRT) overlap an essential, conserved replicator element. 1996 , 70, 5272-81	23
446	Characterization of the functional properties of env genes from long-term survivors of human immunodeficiency virus type 1 infection. 1996 , 70, 5306-11	53
445	Cytomegalovirus assemblin: the amino and carboxyl domains of the proteinase form active enzyme when separately cloned and coexpressed in eukaryotic cells. 1996 , 70, 5395-404	14
444	FAETL motif required for leukemic transformation by v-Myb. 1996 , 70, 5600-10	29
443	The zinc finger of nucleocapsid protein of Friend murine leukemia virus is critical for proviral DNA synthesis in vivo. 1996 , 70, 5791-8	27
442	Amino acids essential for RNase H activity of hepadnaviruses are also required for efficient elongation of minus-strand viral DNA. 1996 , 70, 6151-6	37
441	Sequence analysis of the human DNA flanking sites of human immunodeficiency virus type 1 integration. 1996 , 70, 6459-62	73
440	Control of adeno-associated virus type 2 cap gene expression: relative influence of helper virus, terminal repeats, and Rep proteins. 1997 , 71, 8437-47	48
439	Effects of mutations within and adjacent to the terminal repeats of hepatitis B virus pregenomic RNA on viral DNA synthesis. 1997 , 71, 8448-55	8

438	The human T-cell leukemia virus type 1 Rex regulatory protein exhibits an impaired functionality in human lymphoblastoid Jurkat T cells. 1997 , 71, 8514-21	10
437	The DnaJ domain of polyomavirus large T antigen is required to regulate Rb family tumor suppressor function. 1997 , 71, 9410-6	74
436	Gain or loss of diabetogenicity resulting from a single point mutation in recombinant encephalomyocarditis virus. 1997 , 71, 9782-5	26
435	Hepatitis C virus core protein interacts with the cytoplasmic tail of lymphotoxin-beta receptor. 1997 , 71, 1301-9	182
434	Subcellular compartmentalization of adeno-associated virus type 2 assembly. 1997 , 71, 1341-52	158
433	Identification and characterization of a G protein-coupled receptor homolog encoded by murine cytomegalovirus. 1997 , 71, 1521-9	175
432	The presence of host-derived HLA-DR1 on human immunodeficiency virus type 1 increases viral infectivity. 1997 , 71, 1922-30	112
431	Site-directed and linker insertion mutagenesis of herpes simplex virus type 1 glycoprotein H. 1997 , 71, 2163-70	66
430	Adeno-associated virus Rep78 protein and terminal repeats enhance integration of DNA sequences into the cellular genome. 1997 , 71, 3299-306	117
429	Host-derived ICAM-1 glycoproteins incorporated on human immunodeficiency virus type 1 are biologically active and enhance viral infectivity. 1997 , 71, 3588-96	228
428	Cells transformed by a v-Myb-estrogen receptor fusion differentiate into multinucleated giant cells. 1997 , 71, 3760-6	11
427	Herpes simplex virus type 1 glycoprotein K is not essential for infectious virus production in actively replicating cells but is required for efficient envelopment and translocation of infectious virions from the cytoplasm to the extracellular space. 1997 , 71, 5012-24	80
426	The product of the adenovirus intermediate gene IX is a transcriptional activator. 1997 , 71, 5102-9	52
425	Plasma membrane targeting of chimeric intracisternal A-type particle polyproteins leads to particle release and specific activation of the viral proteinase. 1997 , 71, 5209-17	26
424	cis-Acting sequences in addition to donor and acceptor sites are required for template switching during synthesis of plus-strand DNA for duck hepatitis B virus. 1997 , 71, 5336-44	35
423	Phosphorylation sites in polyomavirus large T antigen that regulate its function in viral, but not cellular, DNA synthesis. 1997 , 71, 6472-8	11
422	Highly efficient and sustained gene transfer in adult neurons with a lentivirus vector. 1997 , 71, 6641-9	556
421	Mutations in the N-terminal domain of human immunodeficiency virus type 1 nucleocapsid protein affect virion core structure and proviral DNA synthesis. 1997 , 71, 6973-81	61

420	Cell and viral regulatory elements enhance the expression and function of a human immunodeficiency virus inhibitory gene. 1997 , 71, 7020-9	9
419	The tripartite leader sequence of subgroup C adenovirus major late mRNAs can increase the efficiency of mRNA export. 1998 , 72, 225-35	43
418	Defective growth correlates with reduced accumulation of a viral DNA replication protein after low-multiplicity infection by a human cytomegalovirus ie1 mutant. 1998 , 72, 366-79	194
417	Serine 257 phosphorylation regulates association of polyomavirus middle T antigen with 14-3-3 proteins. 1998 , 72, 558-63	35
416	Proviral structure, chromosomal location, and expression of HERV-K-T47D, a novel human endogenous retrovirus derived from T47D particles. 1998 , 72, 8384-91	66
415	Mta has properties of an RNA export protein and increases cytoplasmic accumulation of Epstein-Barr virus replication gene mRNA. 1998 , 72, 9526-34	62
414	Functional interaction of the bovine papillomavirus E2 transactivation domain with TFIIB. 1998 , 72, 1013-9	46
413	A new system for stringent, high-titer vesicular stomatitis virus G protein-pseudotyped retrovirus vector induction by introduction of Cre recombinase into stable prepackaging cell lines. 1998 , 72, 1115-21	53
412	Overexpression of nonconvertible PrPc delta114-121 in scrapie-infected mouse neuroblastoma cells leads to trans-dominant inhibition of wild-type PrP(Sc) accumulation. 1998 , 72, 1153-9	109
411	Overexpression of C/EBPbeta represses human papillomavirus type 18 upstream regulatory region activity in HeLa cells by interfering with the binding of TATA-binding protein. 1998 , 72, 2113-24	25
410	Sequential steps in human immunodeficiency virus particle maturation revealed by alterations of individual Gag polyprotein cleavage sites. 1998 , 72, 2846-54	268
409	Cleavage of human immunodeficiency virus type 1 proteinase from the N-terminally adjacent p6* protein is essential for efficient Gag polyprotein processing and viral infectivity. 1998 , 72, 3459-63	56
408	Cellular transcription factors enhance herpes simplex virus type 1 oriS-dependent DNA replication. 1998 , 72, 3635-45	27
407	Transactivation-competent bovine papillomavirus E2 protein is specifically required for efficient repression of human papillomavirus oncogene expression and for acute growth inhibition of cervical carcinoma cell lines. 1998 , 72, 3925-34	92
406	A proline-rich motif (PPPY) in the Gag polyprotein of Mason-Pfizer monkey virus plays a maturation-independent role in virion release. 1998 , 72, 4095-103	135
405	Identification of kaposin (open reading frame K12) as a human herpesvirus 8 (Kaposi's sarcoma-associated herpesvirus) transforming gene. 1998 , 72, 4980-8	188
404	Human cytomegalovirus oriLyt sequence requirements. 1998 , 72, 4989-96	30
403	Exclusive and persistent use of the entry coreceptor CXCR4 by human immunodeficiency virus type 1 from a subject homozygous for CCR5 delta32. 1998 , 72, 6040-7	139

402	The native form and maturation process of hepatitis C virus core protein. 1998 , 72, 6048-55	188
401	Overexpression of an alternatively spliced form of c-Myb results in increases in transactivation and transforms avian myelomonoblasts. 1998 , 72, 6813-21	19
400	Retention of the human immunodeficiency virus type 1 envelope glycoprotein in the endoplasmic reticulum does not redirect virus assembly from the plasma membrane. 1998 , 72, 7523-31	22
399	An Mpsi-containing heterologous RNA, but not env mRNA, is efficiently packaged into avian retroviral particles. 1999 , 73, 8926-33	26
398	Adeno-associated virus type 2 protein interactions: formation of pre-encapsidation complexes. 1999 , 73, 8989-98	68
397	Phosphorylation of simian cytomegalovirus assembly protein precursor (pAPNG.5) and proteinase precursor (pAPNG1): multiple attachment sites identified, including two adjacent serines in a casein kinase II consensus sequence. 1999 , 73, 9053-62	8
396	Human cytomegalovirus 86-kilodalton IE2 protein blocks cell cycle progression in G(1). 1999 , 73, 9274-83	90
395	Effects of targeting herpes simplex virus type 1 gD to the endoplasmic reticulum and trans-Golgi network. 1999 , 73, 9515-20	78
394	Induction of transformation and p53-dependent apoptosis by adenovirus type 5 E4orf6/7 cDNA. 1999 , 73, 10095-103	28
393	A conserved tryptophan-rich motif in the membrane-proximal region of the human immunodeficiency virus type 1 gp41 ectodomain is important for Env-mediated fusion and virus infectivity. 1999 , 73, 2469-80	345
392	Properties of monoclonal antibodies directed against hepatitis B virus polymerase protein. 1999 , 73, 4188-96	24
391	Combinatorial screening and intracellular antiviral activity of hairpin ribozymes directed against hepatitis B virus. 1999 , 73, 5381-7	63
390	Identification of a cytoplasmic targeting/retention signal in a retroviral Gag polyprotein. 1999 , 73, 5431-7	50
389	Functional analysis of carboxy-terminal deletion mutants of c-Myb. 1999 , 73, 5875-86	4
388	The gag domains required for avian retroviral RNA encapsidation determined by using two independent assays. 1999 , 73, 6282-92	26
387	The murine cytomegalovirus chemokine homolog, m131/129, is a determinant of viral pathogenicity. 1999 , 73, 6800-9	106
386	Multiple functions of human papillomavirus type 16 E6 contribute to the immortalization of mammary epithelial cells. 1999 , 73, 7297-307	154
385	Molecular cloning of the human XRCC1 gene, which corrects defective DNA strand break repair and sister chromatid exchange. <i>Molecular and Cellular Biology</i> , 1990 , 10, 6160-6171	4.8 118

384	A dominant negative mutation of the alpha retinoic acid receptor gene in a retinoic acid-nonresponsive embryonal carcinoma cell. <i>Molecular and Cellular Biology</i> , 1990 , 10, 6445-6453	4.8	40
383	Identification, characterization, and cell specificity of a human LINE-1 promoter. <i>Molecular and Cellular Biology</i> , 1990 , 10, 6718-6729	4.8	199
382	DNA-mediated gene transfer into adult rat hepatocytes in primary culture. <i>Molecular and Cellular Biology</i> , 1990 , 10, 689-695	4.8	20
381	trans activation of gene expression by v-myb. <i>Molecular and Cellular Biology</i> , 1990 , 10, 2285-2293	4.8	63
380	Transformation by v-myb correlates with trans-activation of gene expression. <i>Molecular and Cellular Biology</i> , 1990 , 10, 2591-2598	4.8	29
379	Identification of tyrosine 706 in the kinase insert as the major colony-stimulating factor 1 (CSF-1)-stimulated autophosphorylation site in the CSF-1 receptor in a murine macrophage cell line. <i>Molecular and Cellular Biology</i> , 1990 , 10, 2991-3002	4.8	28
378	A nonerythroid GATA-binding protein is required for function of the human preproendothelin-1 promoter in endothelial cells. <i>Molecular and Cellular Biology</i> , 1990 , 10, 4854-4862	4.8	60
377	c-myc reverses neu-induced transformed morphology by transcriptional repression. <i>Molecular and Cellular Biology</i> , 1991 , 11, 354-362	4.8	19
376	Analysis of p53 mutants for transcriptional activity. <i>Molecular and Cellular Biology</i> , 1991 , 11, 6067-6074	4.8	56
375	Hematopoietic cells express two forms of lyn kinase differing by 21 amino acids in the amino terminus. <i>Molecular and Cellular Biology</i> , 1991 , 11, 2391-2398	4.8	64
374	Cell cycle regulation of thymidine kinase: residues near the carboxyl terminus are essential for the specific degradation of the enzyme at mitosis. <i>Molecular and Cellular Biology</i> , 1991 , 11, 2538-2546	4.8	43
373	A GC-rich element confers epidermal growth factor responsiveness to transcription from the gastrin promoter. <i>Molecular and Cellular Biology</i> , 1991 , 11, 2686-2696	4.8	24
372	Transcription of muscle-specific genes is repressed by reactivation of pp60v-src in postmitotic quail myotubes. <i>Molecular and Cellular Biology</i> , 1991 , 11, 3331-3338	4.8	18
371	The early response gene NGFI-C encodes a zinc finger transcriptional activator and is a member of the GCGGGGGCG (GSG) element-binding protein family. <i>Molecular and Cellular Biology</i> , 1991 , 11, 3835-3841	4.8	74
370	Protein truncation is required for the activation of the c-myb proto-oncogene. <i>Molecular and Cellular Biology</i> , 1991 , 11, 3987-3996	4.8	43
369	Transcription factors nuclear factor I and Sp1 interact with the murine collagen alpha 1 (I) promoter. <i>Molecular and Cellular Biology</i> , 1991 , 11, 4065-4073	4.8	31
368	Tyrosine 706 and 807 phosphorylation site mutants in the murine colony-stimulating factor-1 receptor are unaffected in their ability to bind or phosphorylate phosphatidylinositol-3 kinase but show differential defects in their ability to induce early response gene transcription. <i>Molecular and Cellular Biology</i> , 1991 , 11, 4698-4709	4.8	21
367	Examination of the DNA-binding ability of estrogen receptor in whole cells: implications for hormone-independent transactivation and the actions of antiestrogens. <i>Molecular and Cellular Biology</i> , 1992 , 12, 4531-4538	4.8	22

366	Raf-1 protein kinase is an integral component of the oncogenic signal cascade shared by epidermal growth factor and platelet-derived growth factor. <i>Molecular and Cellular Biology</i> , 1992 , 12, 5078-5086	4.8	13
365	Biological function of the retinoblastoma protein requires distinct domains for hyperphosphorylation and transcription factor binding. <i>Molecular and Cellular Biology</i> , 1992 , 12, 5363-5372	4.8	74
364	The restricted promoter activity of the liver transcription factor hepatocyte nuclear factor 3 beta involves a cell-specific factor and positive autoactivation. <i>Molecular and Cellular Biology</i> , 1992 , 12, 552-562	4.8	44
363	Interaction of phosphatidylinositol 3-kinase-associated p85 with epidermal growth factor and platelet-derived growth factor receptors. <i>Molecular and Cellular Biology</i> , 1992 , 12, 981-990	4.8	161
362	Expression of the CD4 gene requires a Myb transcription factor. <i>Molecular and Cellular Biology</i> , 1992 , 12, 1592-1604	4.8	60
361	E1A-responsive elements for repression of rat fibronectin gene transcription. <i>Molecular and Cellular Biology</i> , 1992 , 12, 2837-2846	4.8	19
360	The RxxRxRxxC motif conserved in all Rel/kappa B proteins is essential for the DNA-binding activity and redox regulation of the v-Rel oncoprotein. <i>Molecular and Cellular Biology</i> , 1992 , 12, 3094-3106	4.8	72
359	Positive and negative elements regulate a melanocyte-specific promoter. <i>Molecular and Cellular Biology</i> , 1992 , 12, 3653-3662	4.8	43
358	Hepatocyte nuclear factor 3 beta contains two transcriptional activation domains, one of which is novel and conserved with the Drosophila fork head protein. <i>Molecular and Cellular Biology</i> , 1992 , 12, 3723-3732	4.8	75
357	Housekeeping Na,K-ATPase alpha 1 subunit gene promoter is composed of multiple cis elements to which common and cell type-specific factors bind. <i>Molecular and Cellular Biology</i> , 1992 , 12, 4046-4055	4.8	22
356	Molecular cloning of a human cDNA encoding a novel protein, DAD1, whose defect causes apoptotic cell death in hamster BHK21 cells. <i>Molecular and Cellular Biology</i> , 1993 , 13, 6367-6374	4.8	62
355	Human ERCC5 cDNA-cosmid complementation for excision repair and bipartite amino acid domains conserved with RAD proteins of <i>Saccharomyces cerevisiae</i> and <i>Schizosaccharomyces pombe</i> . <i>Molecular and Cellular Biology</i> , 1993 , 13, 6393-6402	4.8	22
354	Functional interaction of the v-Rel and c-Rel oncoproteins with the TATA-binding protein and association with transcription factor IIB. <i>Molecular and Cellular Biology</i> , 1993 , 13, 6733-6741	4.8	59
353	Cloning of a novel, ubiquitously expressed human phosphatidylinositol 3-kinase and identification of its binding site on p85. <i>Molecular and Cellular Biology</i> , 1993 , 13, 7677-7688	4.8	84
352	Transcriptional activation by simian virus 40 large T antigen: interactions with multiple components of the transcription complex. <i>Molecular and Cellular Biology</i> , 1993 , 13, 961-969	4.8	71
351	Wnt-1-inducing factor-1: a novel G/C box-binding transcription factor regulating the expression of Wnt-1 during neuroectodermal differentiation. <i>Molecular and Cellular Biology</i> , 1993 , 13, 1590-1598	4.8	17
350	A mitogen-responsive promoter region that is synergistically activated through multiple signalling pathways. <i>Molecular and Cellular Biology</i> , 1993 , 13, 1796-1804	4.8	10
349	Mouse GATA-4: a retinoic acid-inducible GATA-binding transcription factor expressed in endodermally derived tissues and heart. <i>Molecular and Cellular Biology</i> , 1993 , 13, 2235-2246	4.8	216

- 348 The tumor suppressor p53 regulates its own transcription. *Molecular and Cellular Biology*, **1993**, 13, 3415-3423 4.8 43
- 347 The cardiac troponin T alternative exon contains a novel purine-rich positive splicing element. *Molecular and Cellular Biology*, **1993**, 13, 3660-3674 4.8 126
- 346 Proliferative activation of quiescent Rat-1A cells by delta FosB. *Molecular and Cellular Biology*, **1993**, 13, 4157-4166 4.8 30
- 345 Induction of cellular p53 activity by DNA-damaging agents and growth arrest. *Molecular and Cellular Biology*, **1993**, 13, 4242-4250 4.8 115
- 344 Overlapping positive and negative regulatory elements determine lens-specific activity of the delta 1-crystallin enhancer. *Molecular and Cellular Biology*, **1993**, 13, 5206-5215 4.8 33
- 343 Dominant negative retinoid X receptor beta inhibits retinoic acid-responsive gene regulation in embryonal carcinoma cells. *Molecular and Cellular Biology*, **1994**, 14, 360-372 4.8 21
- 342 Developmental stage-specific regulation of atrial natriuretic factor gene transcription in cardiac cells. *Molecular and Cellular Biology*, **1994**, 14, 777-790 4.8 31
- 341 Transcription of the E2F-1 gene is rendered cell cycle dependent by E2F DNA-binding sites within its promoter. *Molecular and Cellular Biology*, **1994**, 14, 6607-6615 4.8 108
- 340 PML, a growth suppressor disrupted in acute promyelocytic leukemia. *Molecular and Cellular Biology*, **1994**, 14, 6858-6867 4.8 79
- 339 Transcriptional regulation of the phosphoenolpyruvate carboxykinase gene by cooperation between hepatic nuclear factors. *Molecular and Cellular Biology*, **1994**, 14, 7124-7133 4.8 11
- 338 The basic helix-loop-helix protein upstream stimulating factor regulates the cardiac ventricular myosin light-chain 2 gene via independent cis regulatory elements. *Molecular and Cellular Biology*, **1994**, 14, 7331-7339 4.8 25
- 337 Activation of the DNA-binding ability of human heat shock transcription factor 1 may involve the transition from an intramolecular to an intermolecular triple-stranded coiled-coil structure. *Molecular and Cellular Biology*, **1994**, 14, 7557-7568 4.8 71
- 336 Melanocyte-specific expression of the human tyrosinase promoter: activation by the microphthalmia gene product and role of the initiator. *Molecular and Cellular Biology*, **1994**, 14, 7996-8006 4.8 125
- 335 Introduction of double-strand breaks into the genome of mouse cells by expression of a rare-cutting endonuclease. *Molecular and Cellular Biology*, **1994**, 14, 8096-8106 4.8 325
- 334 Type I adenylyl cyclase functions as a coincidence detector for control of cyclic AMP response element-mediated transcription: synergistic regulation of transcription by Ca²⁺ and isoproterenol. *Molecular and Cellular Biology*, **1994**, 14, 8272-8281 4.8 18
- 333 A factor that regulates the class II major histocompatibility complex gene DPA is a member of a subfamily of zinc finger proteins that includes a Drosophila developmental control protein. *Molecular and Cellular Biology*, **1994**, 14, 8438-8450 4.8 8
- 332 Cellular aggregation enhances MyoD-directed skeletal myogenesis in embryonal carcinoma cells. *Molecular and Cellular Biology*, **1994**, 14, 8451-8459 4.8 25
- 331 Reactivation of apolipoprotein II gene transcription by cycloheximide reveals two steps in the deactivation of estrogen receptor-mediated transcription. *Molecular and Cellular Biology*, **1994**, 14, 1733-1742 4.8 8

330	Combinatorial interactions between AP-1 and ets domain proteins contribute to the developmental regulation of the macrophage scavenger receptor gene. <i>Molecular and Cellular Biology</i> , 1994 , 14, 2129-2139	4.8	45
329	Direct association of p110 beta phosphatidylinositol 3-kinase with p85 is mediated by an N-terminal fragment of p110 beta. <i>Molecular and Cellular Biology</i> , 1994 , 14, 2577-2583	4.8	21
328	Stimulation of polyomavirus DNA replication by wild-type p53 through the DNA-binding site. <i>Molecular and Cellular Biology</i> , 1994 , 14, 2651-2663	4.8	14
327	PEBP2 alpha B/mouse AML1 consists of multiple isoforms that possess differential transactivation potentials. <i>Molecular and Cellular Biology</i> , 1994 , 14, 3242-3252	4.8	82
326	Cell transformation by c-fos requires an extended period of expression and is independent of the cell cycle. <i>Molecular and Cellular Biology</i> , 1994 , 14, 4295-4310	4.8	40
325	Cell-specific expression of the macrophage scavenger receptor gene is dependent on PU.1 and a composite AP-1/ets motif. <i>Molecular and Cellular Biology</i> , 1994 , 14, 4408-4418	4.8	44
324	Transcription factor GATA-4 regulates cardiac muscle-specific expression of the alpha-myosin heavy-chain gene. <i>Molecular and Cellular Biology</i> , 1994 , 14, 4947-4957	4.8	110
323	p53 domains: structure, oligomerization, and transformation. <i>Molecular and Cellular Biology</i> , 1994 , 14, 5182-5191	4.8	55
322	The delta-crystallin enhancer-binding protein delta EF1 is a repressor of E2-box-mediated gene activation. <i>Molecular and Cellular Biology</i> , 1994 , 14, 5692-5700	4.8	79
321	Identification of functional domains of the aryl hydrocarbon receptor nuclear translocator protein (ARNT). <i>Molecular and Cellular Biology</i> , 1994 , 14, 6075-6086	4.8	78
320	Individual protein-binding domains of the insulin gene enhancer positively activate beta-cell-specific transcription. <i>Molecular and Cellular Biology</i> , 1989 , 9, 823-827	4.8	48
319	Hemin-induced transcriptional activation of the HSP70 gene during erythroid maturation in K562 cells is due to a heat shock factor-mediated stress response. <i>Molecular and Cellular Biology</i> , 1989 , 9, 3166-3173 ³²	4.8	32
318	Glucocorticoids induce angiotensin-converting enzyme expression in vascular smooth muscle. 1995 , 25, 343-9		61
317	Structure and characterization of the 5'-flanking region of the mouse smooth muscle myosin heavy chain (SM1/2) gene. 1996 , 78, 978-89		23
316	Characterization of the endothelium-specific murine vascular endothelial growth factor receptor-2 (Flk-1) promoter. 1996 , 79, 277-85		53
315	Molecular cloning and characterization of human cardiac homeobox gene CSX1. 1996 , 79, 920-9		61
314	Generation of recombinant, enzymatically active human thyroid peroxidase and its recognition by antibodies in the sera of patients with Hashimoto's thyroiditis. 1989 , 84, 394-403		49
313	Schindler disease: the molecular lesion in the alpha-N-acetylgalactosaminidase gene that causes an infantile neuroaxonal dystrophy. 1990 , 86, 1752-6		51

312	A CAT reporter construct allows ultrasensitive estimation of TNF synthesis, and suggests that the TNF gene has been silenced in non-macrophage cell lines. 1991 , 87, 1336-44	56
311	A variant insulin promoter in non-insulin-dependent diabetes mellitus. 1992 , 89, 1596-602	34
310	Targeted transfection and expression of hepatitis B viral DNA in human hepatoma cells. 1993 , 91, 1241-6	17
309	The thrombin receptor extracellular domain contains sites crucial for peptide ligand-induced activation. 1993 , 91, 1405-13	83
308	Expression of the phenotypic abnormality of platelet-type von Willebrand disease in a recombinant glycoprotein Ib alpha fragment. 1993 , 91, 2133-7	28
307	von Willebrand factor mutation enhancing interaction with platelets in patients with normal multimeric structure. 1993 , 91, 2169-77	62
306	Point mutation in a leucine-rich repeat of platelet glycoprotein Ib alpha resulting in the Bernard-Soulier syndrome. 1993 , 92, 1213-20	84
305	Regulation of Na,K-adenosine triphosphatase gene expression by sodium ions in cultured neonatal rat cardiocytes. 1993 , 92, 1889-95	47
304	Analysis of tumor necrosis factor promoter responses to ultraviolet light. 1994 , 93, 56-62	38
303	Expression of inducible stress protein 70 in rat heart myogenic cells confers protection against simulated ischemia-induced injury. 1994 , 93, 759-67	234
302	Entamoeba histolytica trophozoites induce an inflammatory cytokine response by cultured human cells through the paracrine action of cytolytically released interleukin-1 alpha. 1995 , 96, 1269-79	110
301	Apolipoprotein E deficiency in mice: gene replacement and prevention of atherosclerosis using adenovirus vectors. 1995 , 96, 1612-20	111
300	Expression of a constitutive NF-kappa B-like activity is essential for proliferation of cultured bovine vascular smooth muscle cells. 1995 , 96, 2521-7	138
299	Hepatic lipase gene therapy in hepatic lipase-deficient mice. Adenovirus-mediated replacement of a lipolytic enzyme to the vascular endothelium. 1996 , 97, 799-805	61
298	Aberrant nuclear factor-kappaB/Rel expression and the pathogenesis of breast cancer. 1997 , 100, 2952-60	545
297	Incorporation of adenovirus in calcium phosphate precipitates enhances gene transfer to airway epithelia in vitro and in vivo. 1998 , 102, 184-93	120
296	A novel therapy for colitis utilizing PPAR-gamma ligands to inhibit the epithelial inflammatory response. 1999 , 104, 383-9	602
295	Osteoclast-Derived Zinc Finger (OCZF) Protein With POZ Domain, a Possible Transcriptional Repressor, Is Involved in Osteoclastogenesis. 1999 , 94, 1987-1997	5

294	Correction by gene expression of biochemical abnormalities in fibroblasts from Zellweger patients. 1996 , 39, 812-5	9
293	Clinical and molecular spectrum of somatic mosaicism in androgen insensitivity syndrome. 1999 , 46, 684-90	34
292	Drosophila PS2 integrin mediates RGD-dependent cell-matrix interactions. 1992 , 116, 239-247	69
291	Reorganisation of the microtubular cytoskeleton by embryonic microtubule-associated protein 2 (MAP2c). 1992 , 116, 1151-1161	85
290	MK: a pluripotential embryonic stem-cell-derived neuroregulatory factor. 1992 , 116, 1175-1183	47
289	Actin depolymerisation induces process formation on MAP2-transfected non-neuronal cells. 1993 , 117, 689-700	95
288	Delta-crystallin enhancer binding protein delta EF1 is a zinc finger-homeodomain protein implicated in postgastrulation embryogenesis. 1993 , 119, 433-446	164
287	Expression and binding characteristics of the BDNF receptor chick trkB. 1993 , 119, 545-558	74
286	Products, genetic linkage and limb patterning activity of a murine hedgehog gene. 1994 , 120, 3339-3353	226
285	A zebrafish retinoic acid receptor expressed in the regenerating caudal fin. 1994 , 120, 1861-1872	98
284	Analysis of function and expression of the chick GPA receptor (GPAR alpha) suggests multiple roles in neuronal development. 1995 , 121, 2681-2693	33
283	CARP, a cardiac ankyrin repeat protein, is downstream in the Nkx2-5 homeobox gene pathway. 1997 , 124, 793-804	199
282	Transcription factor GATA-4 is expressed in a sexually dimorphic pattern during mouse gonadal development and is a potent activator of the Mullerian inhibiting substance promoter. 1998 , 125, 2665-2675	246
281	Vertebrate tinman homologues XNkx2-3 and XNkx2-5 are required for heart formation in a functionally redundant manner. 1998 , 125, 4439-4449	104
280	Expression of chicken fibroblast growth factor homologous factor (FHF)-1 and of differentially spliced isoforms of FHF-2 during development and involvement of FHF-2 in chicken limb development. 1999 , 126, 409-421	34
279	Generation of neurons by transient expression of neural bHLH proteins in mammalian cells. 2000 , 127, 693-702	348
278	The tight association of the tyrosine kinase substrate annexin II with the submembranous cytoskeleton depends on intact p11- and Ca(2+)-binding sites. 1992 , 103, 733-742	131
277	Use of a general purpose mammalian expression vector for studying intracellular protein targeting: identification of critical residues in the nuclear lamin A/C nuclear localization signal. 1993 , 105, 481-488	34

276	Protein localization to the nucleolus: a search for targeting domains in nucleolin. 1993 , 105, 799-806	154
275	Carboxyl terminus structural requirements for glycosyl-phosphatidylinositol anchor addition to cell surface proteins. 1993 , 105, 831-840	8
274	Nuclear localization of vertebrate cyclin A correlates with its ability to form complexes with cdk catalytic subunits. 1993 , 106, 535-544	66
273	An isoform of microtubule-associated protein 2 (MAP2) containing four repeats of the tubulin-binding motif. 1993 , 106, 633-639	70
272	Sequence analysis of MAP2 function in living cells. 1994 , 107, 3115-3125	57
271	Identification of a novel microtubule-binding domain in microtubule-associated protein 1A (MAP1A). 1994 , 107, 661-672	35
270	The role of isoprenylation in membrane attachment of nuclear lamins. A single point mutation prevents proteolytic cleavage of the lamin A precursor and confers membrane binding properties. 1994 , 107, 1019-1029	125
269	The DNA binding domain of retinoic acid receptor beta is required for ligand-dependent suppression of proliferation. Application of general purpose mammalian coexpression vectors. 1994 , 107, 827-838	21
268	Role of the carboxyl-terminal Fib2 domain in fibronectin matrix assembly. 1995 , 108, 907-915	15
267	pS2 transfection of murine adenocarcinoma cell line 410.4 enhances dispersed growth pattern in a 3-D collagen gel. 1996 , 109, 63-71	33
266	Conditional differentiation of heart- and smooth muscle-derived cells transformed by a temperature-sensitive mutant of SV40 T antigen. 1996 , 109, 397-407	23
265	Vimentin in a cold-water fish, the rainbow trout: highly conserved primary structure but unique assembly properties. 1996 , 109, 569-578	33
264	Plakoglobin domains that define its association with the desmosomal cadherins and the classical cadherins: identification of unique and shared domains. 1996 , 109, 1143-1154	79
263	ERD2 proteins mediate ER retention of the HNEL signal of LRP's receptor-associated protein (RAP). 1997 , 110, 65-73	33
262	Identification and characterization of a novel type of annexin-membrane interaction: Ca ²⁺ is not required for the association of annexin II with early endosomes. 1997 , 110, 221-228	83
261	AND-1, a natural chimeric DNA-binding protein, combines an HMG-box with regulatory WD-repeats. 1997 , 110, 1051-1062	24
260	A rod end deletion in the intermediate filament protein nestin alters its subcellular localization in neuroepithelial cells of transgenic mice. 1998 , 111, 1951-1961	70
259	Suppression of tubulin tyrosine ligase during tumor growth. 1998 , 111, 171-181	76

258	Coexpression of both types of desmosomal cadherin and plakoglobin confers strong intercellular adhesion. 1998 , 111, 495-509	93
257	Dual-color visualization of trans-Golgi network to plasma membrane traffic along microtubules in living cells. 1999 , 112, 21-33	204
256	A dominant mutant of occludin disrupts tight junction structure and function. 1999 , 112, 1879-1888	107
255	mAKAP: an A-kinase anchoring protein targeted to the nuclear membrane of differentiated myocytes. 1999 , 112, 2725-2736	134
254	Characterization of a focal adhesion protein, Hic-5, that shares extensive homology with paxillin. 1999 , 112, 181-190	121
253	Nonmuscle tropomyosin-4 requires coexpression with other low molecular weight isoforms for binding to thin filaments in cardiomyocytes. 1999 , 112, 371-380	25
252	Coupled transport of p24 family members. 2000 , 113, 2507-2516	61
251	Formation of glycine receptor clusters and their accumulation at synapses. 2000 , 113, 2783-2795	58
250	Novel generation of human satellite DNA-based artificial chromosomes in mammalian cells. 2000 , 113, 3207-3216	41
249	The transmembrane protein p23 contributes to the organization of the Golgi apparatus. 2000 , 113, 1043-1057	58
248	A functional knock-out of titin results in defective myofibril assembly. 2000 , 113, 1405-1414	65
247	Extensive degradation of mutant-type D123 protein is responsible for temperature-sensitive proliferation inhibition in 3Y1tsD123 cells. 1999 , 24, 443-9	4
246	Evidence of a novel dipeptidyl aminopeptidase in mammalian GH(3) cells: new insights into the processing of peptide hormone precursors. 2002 , 27, 145-55	3
245	Adenovirus Fiber can Distribute Itself to the Cell Surface without Membrane Damage. 2019 , 2, 113-118	0
244	A conserved role for the ESCRT membrane budding complex in LINE retrotransposition. 2017 , 13, e1006837	7
243	No evidence for mutations of CTCFL/BORIS in Silver-Russell syndrome patients with IGF2/H19 imprinting control region 1 hypomethylation. 2009 , 4, e6631	3
242	Targeting hypoxia in cancer cells by restoring homeodomain interacting protein-kinase 2 and p53 activity and suppressing HIF-1alpha. 2009 , 4, e6819	41
241	Modular insulators: genome wide search for composite CTCF/thyroid hormone receptor binding sites. 2010 , 5, e10119	19

240	Zinc downregulates HIF-1 α and inhibits its activity in tumor cells in vitro and in vivo. 2010 , 5, e15048	76
239	UV-sensitive photoreceptor protein OPN5 in humans and mice. 2011 , 6, e26388	118
238	Influence of GABA(A) receptor β subunit isoforms on the benzodiazepine binding site. 2012 , 7, e42101	12
237	Molecular and pharmacological characterization of serotonin 5-HT $_2$ and 5-HT $_7$ receptors in the salivary glands of the blowfly <i>Calliphora vicina</i> . 2012 , 7, e49459	32
236	Tubulin tyrosine ligase like 12, a TTL family member with SET- and TTL-like domains and roles in histone and tubulin modifications and mitosis. 2012 , 7, e51258	17
235	Inhibition of nuclear factor-kappa B activation decreases survival of <i>Mycobacterium tuberculosis</i> in human macrophages. 2013 , 8, e61925	62
234	HIV-1 replication fitness of HLA-B*57/58:01 CTL escape variants is restored by the accumulation of compensatory mutations in gag. 2013 , 8, e81235	12
233	Function and distribution of 5-HT $_2$ receptors in the honeybee (<i>Apis mellifera</i>). 2013 , 8, e82407	27
232	Extended Synaptotagmin (ESyt) Triple Knock-Out Mice Are Viable and Fertile without Obvious Endoplasmic Reticulum Dysfunction. 2016 , 11, e0158295	44
231	Somatodendritic surface expression of epitope-tagged and KChIP binding-deficient Kv4.2 channels in hippocampal neurons. 2018 , 13, e0191911	4
230	Hsp72 expression enhances survival in adenosine triphosphate-depleted renal epithelial cells. 2002 , 7, 137-45	21
229	Development in Somatic Gene Therapy. 1994 , 3, 913-921	6
228	Single-channel properties of recombinant AMPA receptors depend on RNA editing, splice variation, and subunit composition. 1997 , 17, 58-69	383
227	AP-1 proteins mediate hyperglycemia-induced activation of the human TGF-beta1 promoter in mesangial cells. 2000 , 11, 2007-2016	129
226	Vascular expression of polycystin-2. 2001 , 12, 1-9	92
225	HIF-1 α antagonizes p53-mediated apoptosis by triggering HIPK2 degradation. 2011 , 3, 33-43	42
224	Novel adherent CD11b Gr-1 tumor-infiltrating cells initiate an immunosuppressive tumor microenvironment. 2018 , 9, 11209-11226	6
223	Inhibition of hepatitis B virus DNA replicative intermediate forms by recombinant interferon-gamma. 2006 , 12, 3006-14	21

222	Characteristics and application of established luciferase hepatoma cell line that responds to dioxin-like chemicals. 2003 , 9, 1460-4	2
221	In vitro uncoating of HIV-1 cores. 2011 ,	37
220	The effects of midazolam and sevoflurane on the GABA(A) receptors with alternatively spliced variants of the α subunit. 2011 , 60, 109-18	8
219	Topmouth culter melanocortin-3 receptor: regulation by two isoforms of melanocortin-2 receptor accessory protein 2. 2021 , 10, 1489-1501	1
218	Tumor necrosis factor-alpha represses androgen sensitivity in the LNCaP prostate cancer cell line. 2000 , 164, 800-5	37
217	A G-to-A mutation in IVS-3 of the human gamma fibrinogen gene causing afibrinogenemia due to abnormal RNA splicing. 2000 , 96, 2501-2505	
216	Nonviral Gene Transfer into the Skin. 2001 , 53-65	
215	Gene Transfer Strategies in Tissue Repair. 2001 , 117-137	
214	Non-Viral Vectors for Gene Therapy. 2001 , 427-441	
213	Genetic Engineering of Animal Cells. 2001 , 662-744	
212	Genetic Engineering: Animal Cell Technology.	
211	Methoden der Genübertragung. 2003 , 542-590	
210	Construction and Expression of Ryanodine Receptor Serial Deletion Clones in Chinese Hamster Ovary Cells. 2003 , 15, 37-46	2
209	A Novel Role for the Amino Terminus of the Ryanodine Receptor, a Ca Release Channel, as the Retention Signal to the Endoplasmic Reticulum. 2004 , 16, 311-317	1
208	A method for gene transfer, single isolation and in vitro assay for neural stem cells. 2005 , 25, 50-54	
207	Methods for Studying Calcium Pumps. 2005 , 335-385	3
206	Transcriptional and Epigenetic Regulation. 2006 , 1-30	
205	Antigens. 2006 , 7-25	

204 Non-Viral Vectors for Gene Therapy. 427-441

203 Genetic Engineering of Animal Cells. 662-744

202 Reconstitution of the Myeloid and Lymphoid Compartments after the Transplantation of Autologous and Genetically Modified CD34+ Bone Marrow Cells, Following Gamma Irradiation in Cynomolgus Macaques. **2011**, 133-159

201 Transfektion von S gerzellen. **2012**, 351-383

200 Improved Production Efficiencies of Various Adeno-Associated Virus (AAV) Serotypes and a Novel Universal AAV Titration Method. **2012**, 22, 703-712

199 Cell Fractionation and Quantitative Analysis of HIV-1 Reverse Transcription in Target Cells. **2013**, 3, 0

198 Antigens and Adjuvants. **2013**, 7-32

197 Pharmacological Effects on Gastric Function. **2014**, 1-87 1

196 Negative control elements within and near the murine c-myc gene. **1988**, 141, 253-63 3

195 Human DNA Repair and Recombination Genes. **1989**, 547-561 1

194 Generating Immortalized Immunoglobulin-secreting Human Lymphocytes by Recombinant DNA Technology. **1989**, 71-88

193 Characterisation of Chinese Hamster Ovary Cell Mutants Hypersensitive to DNA Damaging Agents. **1989**, 585-596

192 Processing of Photoinduced Cross-Links and Monoadducts in Human Cell DNA: Genetic and Molecular Features. **1989**, 471-482 1

191 Gene Transfer of Rat Mature Oligodendrocytes and O-2A Progenitor Cells with the  Galactosidase Gene. **1990**, 311-316

190 Molecular and functional analysis of the muscle-specific promoter region of the Duchenne muscular dystrophy gene. *Molecular and Cellular Biology*, **1990**, 10, 193-205 4.8 40

189 Neurotrophin-3: a neurotrophic factor related to NGF and BDNF. **1990**, 247, 1446-51 231

188 Unusual features of integrated cDNAs generated by infection with genome-free retroviruses. *Molecular and Cellular Biology*, **1990**, 10, 1891-1900 4.8 18

187 Maximal stress-induced transcription from the human HSP70 promoter requires interactions with the basal promoter elements independent of rotational alignment. *Molecular and Cellular Biology*, **1990**, 10, 3125-3136 4.8 43

186	A regulatory element is characterized by purine-mediated and cell-type-specific gene transcription. <i>Molecular and Cellular Biology</i> , 1990 , 10, 4356-4364	4.8	2
185	Complementation by BCL2 and C-HA-RAS oncogenes in malignant transformation of rat embryo fibroblasts. <i>Molecular and Cellular Biology</i> , 1990 , 10, 4370-4374	4.8	10
184	Synthesis and processing of small B2 transcripts in mouse embryonal carcinoma cells. <i>Molecular and Cellular Biology</i> , 1990 , 10, 4058-4067	4.8	9
183	Molecular Biology of Glutamate-Gated Channels: Focus on AMPA and Kainate. 1991 , 17-41		
182	Control of junB and extracellular matrix protein expression by transforming growth factor-beta 1 is independent of simian virus 40 T antigen-sensitive growth-sensitive growth-inhibitory events. <i>Molecular and Cellular Biology</i> , 1991 , 11, 972-978	4.8	31
181	A conserved 28-base-pair element (HF-1) in the rat cardiac myosin light-chain-2 gene confers cardiac-specific and alpha-adrenergic-inducible expression in cultured neonatal rat myocardial cells. <i>Molecular and Cellular Biology</i> , 1991 , 11, 2273-2281	4.8	66
180	Poly(ADP-ribose) polymerase inhibitors suppress UV-induced human immunodeficiency virus type 1 gene expression at the posttranscriptional level. <i>Molecular and Cellular Biology</i> , 1991 , 11, 3522-3527	4.8	5
179	Multiple CArG boxes in the human cardiac actin gene promoter required for expression in embryonic cardiac muscle cells developing in vitro from embryonal carcinoma cells. <i>Molecular and Cellular Biology</i> , 1991 , 11, 4796-4803	4.8	24
178	Suppression of the chemically transformed phenotype of BHK cells by a human cDNA. <i>Molecular and Cellular Biology</i> , 1991 , 11, 5321-5329	4.8	4
177	Splice site choice in a complex transcription unit containing multiple inefficient polyadenylation signals. <i>Molecular and Cellular Biology</i> , 1991 , 11, 5291-5300	4.8	18
176	Glycoprotein Hormone Receptors: A Particular Class of G-Protein-Coupled Receptors. 1992 , 129-141		1
175	Analysis in vitro of Mutations in the Cloned Precursor to the Terminal Protein (pTP) and the Adenovirus DNA Polymerase (Ad Pol) Genes. 1992 , 321-330		
174	Protocols of Electroporation and Electrofusion for Producing Human Hybridomas. 1992 , 507-522		
173	Regulation of Ovarian Inhibin and Activin Gene Expression by Gonadotropins. 1992 , 167-177		
172	Expression of Human Neuropeptide Y Gene in Neuronal Cell Lines. 1992 , 9, 135-150		
171	RECENT PROGRESS IN CHARACTERIZING HUMAN DNA REPAIR GENES CLONED USING RODENT CELL LINES. 1992 , 251-256		
170	Alteration of a cyclic AMP-dependent protein kinase phosphorylation site in the c-Fos protein augments its transforming potential. <i>Molecular and Cellular Biology</i> , 1992 , 12, 998-1006	4.8	19
169	A ubiquitous factor (HF-1a) and a distinct muscle factor (HF-1b/MEF-2) form an E-box-independent pathway for cardiac muscle gene expression. <i>Molecular and Cellular Biology</i> , 1992 , 12, 1469-1479	4.8	64

168	Negative regulation of catalase gene expression in hepatoma cells. <i>Molecular and Cellular Biology</i> , 1992 , 12, 2525-2533	4.8	28
167	Negative autoregulation of the neu gene is mediated by a novel enhancer. <i>Molecular and Cellular Biology</i> , 1992 , 12, 2739-2748	4.8	6
166	Biphasic increase in c-jun mRNA is required for induction of AP-1-mediated gene transcription: differential effects of muscarinic and thrombin receptor activation. <i>Molecular and Cellular Biology</i> , 1992 , 12, 4742-4750	4.8	20
165	Bovine Mammary Epithelial Cells: Morphology, Protein Synthesis and Gene Transfection. 1993 , 25-31		
164	The β Subunit of the Glycoprotein Hormones: Evolution of a Combinatorial Code for Placenta-Specific Expression. 1993 , 253-263		
163	Two cis-DNA elements involved in myeloid-cell-specific expression and gamma interferon (IFN-gamma) activation of the human high-affinity Fc gamma receptor gene: a novel IFN regulatory mechanism. <i>Molecular and Cellular Biology</i> , 1993 , 13, 2182-2192	4.8	26
162	Differential transcriptional activation by v-myb and c-myb in animal cells and <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1993 , 13, 4423-4431	4.8	18
161	UVB-induced DNA breaks interfere with transcriptional induction of c-fos. <i>Molecular and Cellular Biology</i> , 1993 , 13, 6992-6999	4.8	11
160	The responsiveness of embryonic stem cells to alpha and beta interferons provides the basis of an inducible expression system for analysis of developmental control genes. <i>Molecular and Cellular Biology</i> , 1993 , 13, 7971-7976	4.8	12
159	Oncogenic truncation of the first repeat of c-Myb decreases DNA binding in vitro and in vivo. <i>Molecular and Cellular Biology</i> , 1993 , 13, 7334-7348	4.8	24
158	Binding of TFIID and MEF2 to the TATA element activates transcription of the <i>Xenopus</i> MyoDa promoter. <i>Molecular and Cellular Biology</i> , 1994 , 14, 686-699	4.8	27
157	Delivery of Polynucleotides to Hepatocytes. 1994 , 511-537		
156	8-Br-cAMP does not convert antagonists of the glucocorticoid receptor into agonists. 1995 , 50, 429-35		4
155	RAS Oncogene Enhances the Various Recombinant Protein Productivities of BHK-21 Cells Regulated by the CMV Promoter. 1995 , 91-95		1
154	Oncogene Activated Production System to Enhance Cellular Recombinant Protein Productivity. 1995 , 79-84		
153	Analysis of the tyrosinase gene of the Japanese pond frog, <i>Rana nigromaculata</i> : Cloning and nucleotide sequence of the genomic DNA containing the tyrosinase gene and its flanking regions. 1995 , 70, 79-92		
152	Gene therapy for the genetic dyslipoproteinaemias. 1995 , 67-80		1
151	Lactoferrin as a Possible Transcriptional Regulator. 1997 , 359-373		

- 150 Development of Constitutive Expression Vector for the Highest Production Level of Heterologous Proteins in Fission Yeast *Schizosaccharomyces Pombe*. **1997**, 57-76
- 149 Methoden der Genübertragung. **1997**, 197-241
- 148 Expression and Functional Characterization of an Abnormal Platelet Membrane Glycoprotein Ib β (Met239 -> Val) Reported in Patients With Platelet-Type von Willebrand Disease. **1997**, 90, 698-705 1
- 147 Enhancement of Transfection Efficiency Using Ligand-Modified Lipid Vesicles. **1998**, 241-245
- 146 Hepatic gene therapy. **1998**, 608-626
- 145 CCR5 gene expression in fulminant hepatitis and DTH in mice. **1998**, 4, 14-18 3
- 144 The Structure and Function of Murine Factor V and Its Inactivation by Protein C. **1998**, 91, 4593-4599 3
- 143 Identification of Mutations and Polymorphisms in the Factor XI Genes of an African American Family by Dideoxyfingerprinting. **1998**, 92, 3309-3317
- 142 Ventricular Expression of the Atrial Regulatory Myosin Light Chain Gene. **1999**, 99-116
- 141 Factor XII Tenri, a Novel Cross-Reacting Material Negative Factor XII Deficiency, Occurs Through a Proteasome-Mediated Degradation. **1999**, 93, 4300-4308
- 140 Gene Therapy. **1999**,
- 139 Band β Adrenoceptor Binding. **2015**, 1-51
- 138 Characterization of resistance to rhabdovirus and retrovirus infection in a human myeloid cell line. **2015**, 10, e0121455
- 137 Band β Adrenoreceptor Binding. **2016**, 429-472
- 136 Pharmacological Effects on Gastric Function. **2016**, 2341-2413
- 135 Timing AMPA Receptor Activation with Laser-Pulse Photolysis. **2016**, 241-255
- 134 Activation of the Androgen Receptor gene by BORIS/CTCF in prostate cancer cells.
- 133 New human chromosomal safe harbor sites for genome engineering with CRISPR/Cas9, TAL effector and homing endonucleases. 2

132	A protein-RNA interaction atlas of the ribosome biogenesis factor AATF.		
131	Regulatory mechanisms for the axonal localization of tau in neurons.		
130	Nanomaterials in Gene Therapy Technology. 63-107		
129	Modeling and treating GRIN2A developmental and epileptic encephalopathy in mice.		
128	Repository-based plasmid design Cost-optimal Gibson Assembly with repository DNA selection and primer generation.		
127	Q-SNARE Syntaxin 7 confers actin-dependent rapidly replenishing synaptic vesicles upon high activity.		
126	A Regulatable Selective System Facilitating Isolation of High Expression Mammalian Cells. 1999 , 63-65		
125	Transfection of GABAA Receptor with GFP-Tagged Subunits in Neurons and HEK 293 Cells. 2001 , 53-66		
124	Cross-Platform Validation of Neurotransmitter Release Impairments in Schizophrenia Patient-Derived NRXN1-Mutant Neurons.		
123	Amplification and expression of heterologous ornithine decarboxylase in Chinese hamster cells. <i>Molecular and Cellular Biology</i> , 1988 , 8, 764-769	4.8	3
122	Multiple domains in the polyomavirus B enhancer are required for productive infection of F9 embryonal carcinoma cells. 1988 , 62, 2890-5		14
121	A cell mutant that exhibits temperature-dependent sensitivity to transformation by various oncogenes. <i>Molecular and Cellular Biology</i> , 1989 , 9, 5669-5675	4.8	5
120	Transfection of a human gene that corrects the Lec1 glycosylation defect: evidence for transfer of the structural gene for N-acetylglucosaminyltransferase I. <i>Molecular and Cellular Biology</i> , 1989 , 9, 5713-5717	4.8	16
119	Participation of multiple factors, including proliferin, in the inhibition of myogenic differentiation. <i>Molecular and Cellular Biology</i> , 1989 , 9, 430-441	4.8	7
118	The unique extracellular disulfide loop of the glycine receptor is a principal ligand binding element. 1995 , 14, 2987-98		30
117	Tyrosine O-sulfation promotes proteolytic processing of progastatin. 1995 , 14, 3073-9		11
116	Heregulin-dependent regulation of HER2/neu oncogenic signaling by heterodimerization with HER3. 1995 , 14, 4267-75		138
115	dad-1, an endogenous programmed cell death suppressor in <i>Caenorhabditis elegans</i> and vertebrates. 1995 , 14, 4434-41		29

114	Mad3 and Mad4: novel Max-interacting transcriptional repressors that suppress c-myc dependent transformation and are expressed during neural and epidermal differentiation. 1995 , 14, 5646-59	86
113	Identification of a novel vertebrate cyclin: cyclin B3 shares properties with both A- and B-type cyclins. 1994 , 13, 595-605	49
112	Multimeric structure of CLC-1 chloride channel revealed by mutations in dominant myotonia congenita (Thomsen). 1994 , 13, 737-43	46
111	Cdc25A is a novel phosphatase functioning early in the cell cycle. 1994 , 13, 1549-56	125
110	Neuronal differentiation signals are controlled by nerve growth factor receptor/Trk binding sites for SHC and PLC gamma. 1994 , 13, 1585-90	73
109	A B-type cyclin negatively regulates conjugation via interacting with cell cycle 'start' genes in fission yeast. 1994 , 13, 1863-72	43
108	A zinc finger protein controls the onset of premeiotic DNA synthesis of fission yeast in a Mei2-independent cascade. 1994 , 13, 1881-7	39
107	c-Myc represses transcription in vivo by a novel mechanism dependent on the initiator element and Myc box II. 1994 , 13, 4070-9	95
106	Decreased agonist affinity and chloride conductance of mutant glycine receptors associated with human hereditary hyperekplexia. 1994 , 13, 4223-8	64
105	Primary structure and functional expression of a Drosophila cyclic nucleotide-gated channel present in eyes and antennae. 1994 , 13, 5040-50	45
104	Human RPB5, a subunit shared by eukaryotic nuclear RNA polymerases, binds human hepatitis B virus X protein and may play a role in X transactivation. 1995 , 14, 143-50	100
103	Identification of the active region of the DNA synthesis inhibitory gene p21Sdi1/CIP1/WAF1. 1995 , 14, 555-63	40
102	ATF-2 is preferentially activated by stress-activated protein kinases to mediate c-jun induction in response to genotoxic agents. 1995 , 14, 1798-811	205
101	VPX mutants of HIV-2 are infectious in established cell lines but display a severe defect in peripheral blood lymphocytes. 1989 , 8, 1169-75	61
100	The C-terminal 79 amino acids of the herpes simplex virus regulatory protein, Vmw65, efficiently activate transcription in yeast and mammalian cells in chimeric DNA-binding proteins. 1989 , 8, 2337-42	65
99	Functional role of proline and tryptophan residues highly conserved among G protein-coupled receptors studied by mutational analysis of the m3 muscarinic receptor. 1993 , 12, 331-8	40
98	Tyrosine 785 is a major determinant of Trk--substrate interaction. 1993 , 12, 933-41	35
97	Gtx: a novel murine homeobox-containing gene, expressed specifically in glial cells of the brain and germ cells of testis, has a transcriptional repressor activity in vitro for a serum-inducible promoter. 1993 , 12, 1387-401	23

96	RapV12 antagonizes Ras-dependent activation of ERK1 and ERK2 by LPA and EGF in Rat-1 fibroblasts. 1993 , 12, 3475-85	102
95	Adenovirus E1A negatively and positively modulates transcription of AP-1 dependent genes by dimer-specific regulation of the DNA binding and transactivation activities of Jun. 1993 , 12, 3559-72	29
94	Residues within transmembrane segment M2 determine chloride conductance of glycine receptor homo- and hetero-oligomers. 1993 , 12, 3729-37	99
93	Phosphatidylinositol 3'-kinase associates with p145c-kit as part of a cell type characteristic multimeric signalling complex. 1993 , 12, 3817-26	5
92	Cross-coupling of the NF-kappa B p65 and Fos/Jun transcription factors produces potentiated biological function. 1993 , 12, 3879-91	163
91	Mammalian ribonucleotide reductase R1 mRNA stability under normal and phorbol ester stimulating conditions: involvement of a cis-trans interaction at the 3' untranslated region. 1993 , 12, 3977-86	20
90	Hybrid cell extinction and re-expression of Oct-3 function correlates with differentiation potential. 1993 , 12, 4489-98	21
89	Quality control of ER synthesized proteins: an exposed thiol group as a three-way switch mediating assembly, retention and degradation. 1993 , 12, 4755-61	39
88	Constitutive activation of fibroblast growth factor receptor 3 by the transmembrane domain point mutation found in achondroplasia. 1996 , 15, 520-7	91
87	Identification of an extracellular motif involved in the binding of guanine nucleotides by a glutamate receptor. 1996 , 15, 1548-56	18
86	Interaction of the co-activator CBP with Myb proteins: effects on Myb-specific transactivation and on the cooperativity with NF-M. 1996 , 15, 2771-80	65
85	A splice variant of the neurotrophin receptor trkB with increased specificity for brain-derived neurotrophic factor. 1996 , 15, 3332-7	30
84	Net (ERP/SAP2) one of the Ras-inducible TCFs, has a novel inhibitory domain with resemblance to the helix-loop-helix motif. 1996 , 15, 5849-65	37
83	Uncoupling of stem cell inhibition from monocyte chemoattraction in MIP-1alpha by mutagenesis of the proteoglycan binding site. 1996 , 15, 6506-15	15
82	Amino acid substitutions within the matrix protein of type D retroviruses affect assembly, transport and membrane association of a capsid. 1991 , 10, 535-46	52
81	The pim-1 oncogene encodes two related protein-serine/threonine kinases by alternative initiation at AUG and CUG. 1991 , 10, 655-64	96
80	Extinction of the HPV18 upstream regulatory region in cervical carcinoma cells after fusion with non-tumorigenic human keratinocytes under non-selective conditions. 1991 , 10, 1337-45	11
79	Amino-terminal leucine-rich repeats in gonadotropin receptors determine hormone selectivity. 1991 , 10, 1885-90	56

78	Recombinant nidogen consists of three globular domains and mediates binding of laminin to collagen type IV. 1991 , 10, 3137-46	138
77	Mutations of p34cdc2 phosphorylation sites induce premature mitotic events in HeLa cells: evidence for a double block to p34cdc2 kinase activation in vertebrates. 1991 , 10, 3331-41	110
76	Sequence-independent RNA cleavages generate the primers for plus strand DNA synthesis in hepatitis B viruses: implications for other reverse transcribing elements. 1991 , 10, 3533-40	56
75	Site-directed mutagenesis of the m3 muscarinic receptor: identification of a series of threonine and tyrosine residues involved in agonist but not antagonist binding. 1991 , 10, 3729-34	27
74	Molecular cloning and characterization of a rat brain cDNA encoding a 5-hydroxytryptamine1B receptor. 1991 , 10, 4017-23	58
73	Structure and functional expression of cloned rat serotonin 5HT-2 receptor. 1988 , 7, 4135-40	73
72	The mannose 6-phosphate receptor cytoplasmic domain is not sufficient to alter the cellular distribution of a chimeric EGF receptor. 1990 , 9, 77-84	7
71	Structural features of the cytoplasmic region of CD4 required for internalization. 1990 , 9, 425-34	35
70	Functional cooperativity between two TPA responsive elements in undifferentiated F9 embryonic stem cells. 1990 , 9, 1131-5	23
69	ERCC2: cDNA cloning and molecular characterization of a human nucleotide excision repair gene with high homology to yeast RAD3. 1990 , 9, 1437-47	92
68	The inducible blood-brain barrier specific molecule HT7 is a novel immunoglobulin-like cell surface glycoprotein. 1990 , 9, 2151-8	29
67	Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA for the type I TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor. 1990 , 9, 3269-78	55
66	A human cell factor is essential for HIV-1 Rev action. 1990 , 9, 4155-60	57
65	The upstream region of the human homeobox gene HOX3D is a target for regulation by retinoic acid and HOX homeoproteins. 1992 , 11, 265-77	32
64	Expression of a constitutive form of calcium/calmodulin dependent protein kinase II leads to arrest of the cell cycle in G2. 1992 , 11, 507-17	29
63	A glutamate receptor channel with high affinity for domoate and kainate. 1992 , 11, 1651-6	75
62	Retinoic acid-mediated repression of human papillomavirus 18 transcription and different ligand regulation of the retinoic acid receptor beta gene in non-tumorigenic and tumorigenic HeLa hybrid cells. 1992 , 11, 2283-91	25
61	Brain 4: a novel mammalian POU domain transcription factor exhibiting restricted brain-specific expression. 1992 , 11, 2551-61	41

60	Mouse rRNA gene transcription factor mUBF requires both HMG-box1 and an acidic tail for nucleolar accumulation: molecular analysis of the nucleolar targeting mechanism. 1992 , 11, 3695-704	32
59	Transcriptional repression of band 3 and CAII in v-erbA transformed erythroblasts accounts for an important part of the leukaemic phenotype. 1992 , 11, 3355-65	11
58	The Xmrk receptor tyrosine kinase is activated in Xiphophorus malignant melanoma. 1992 , 11, 4239-46	13
57	The atypical M2 segment of the beta subunit confers picrotoxinin resistance to inhibitory glycine receptor channels. 1992 , 11, 4305-11	108
56	Identification of a negative regulatory domain in the human papillomavirus type 18 promoter: interaction with the transcriptional repressor YY1. 1992 , 11, 4607-17	66
55	Structure and promoter organization of the human monoamine oxidase A and B genes. 1993 , 18, 25-32	26
54	Tyrosine phosphatase SHP-2 dephosphorylates the platelet-derived growth factor receptor but enhances its downstream signalling. 1999 , 338 (Pt 1), 35-9	6
53	Cell-cycle-regulated phosphorylation of cAMP response element-binding protein: identification of novel phosphorylation sites. 1999 , 338 (Pt 1), 49-54	10
52	Phosphorylation of arylsulphatase A occurs through multiple interactions with the UDP-N-acetylglucosamine-1-phosphotransferase proximal and distal to its retrieval site by the KDEL receptor. 1999 , 340 (Pt 3), 729-36	1
51	Cloning and expression of murine liver phosphatidylserine synthase (PSS)-2: differential regulation of phospholipid metabolism by PSS1 and PSS2. 1999 , 342 (Pt 1), 57-64	22
50	Expression, DNA-binding specificity and transcriptional regulation of nuclear factor 1 family proteins from rat. 1999 , 342 (Pt 1), 189-98	11
49	Cloning and expression of a cDNA encoding a hepatic microsomal lipase that mobilizes stored triacylglycerol. 1999 , 343 Pt 1, 1-10	38
48	HEK-293 cells possess a carbachol- and thapsigargin-sensitive intracellular Ca ²⁺ store that is responsive to stop-flow medium changes and insensitive to caffeine and ryanodine. 1999 , 343 Pt 1, 39-44	23
47	Aberrant expression of cAMP-response-element-binding protein ('CREB') induces apoptosis. 1999 , 343 Pt 1, 249-55	10
46	Synthesis of 8-epi-prostaglandin F2alpha by human endothelial cells: role of prostaglandin H2 synthase. 1999 , 344 Pt 3, 747-54	18
45	The regulation of AMP-activated protein kinase by phosphorylation. 2000 , 345 Pt 3, 437-43	197
44	LKB1, a novel serine/threonine protein kinase and potential tumour suppressor, is phosphorylated by cAMP-dependent protein kinase (PKA) and prenylated in vivo. 2000 , 345 Pt 3, 673-80	73
43	The beta-subunit of the hepatocyte growth factor/scatter factor (HGF/SF) receptor phosphorylates and associates with CrkII: expression of CrkII enhances HGF/SF-induced mitogenesis. 2000 , 350 Pt 3, 925-32	2

42	Insulin-induced phospholipase D1 and phospholipase D2 activity in human embryonic kidney-293 cells mediated by the phospholipase C gamma and protein kinase C alpha signalling cascade. 2000 , 351 Pt 3, 613-9	7
41	Interaction between DNA-damage protein GADD34 and a new member of the Hsp40 family of heat shock proteins that is induced by a DNA-damaging reagent. 2000 , 352 Pt 3, 795-800	11
40	Molecular analysis of the inhibition of interleukin-8 production by dexamethasone in a human fibrosarcoma cell line. 1992 , 75, 674-9	56
39	beta-Hexosaminidase isozymes from cells cotransfected with alpha and beta cDNA constructs: analysis of the alpha-subunit missense mutation associated with the adult form of Tay-Sachs disease. 1993 , 53, 497-508	37
38	Increased genetic instability of the common fragile site at 3p14 after integration of exogenous DNA. 1992 , 50, 1243-51	14
37	Identification of a mutation in the arylsulfatase A gene of a patient with adult-type metachromatic leukodystrophy. 1991 , 48, 971-8	25
36	Creating animal models of genetic disease. 1988 , 43, 582-6	5
35	Pyridoxine-responsive gyrate atrophy of the choroid and retina: clinical and biochemical correlates of the mutation A226V. 1995 , 56, 616-22	20
34	Gain-of-function mutations of the p53 gene induce lymphohematopoietic metastatic potential and tissue invasiveness. 1994 , 145, 702-14	83
33	Differential splicing of human androgen receptor pre-mRNA in X-linked Reifenstein syndrome, because of a deletion involving a putative branch site. 1994 , 54, 609-17	31
32	Cytokine secretion by genetically modified nonimmunogenic murine fibrosarcoma. Tumor inhibition by IL-2 but not tumor necrosis factor. 1993 , 150, 896-908	64
31	Lipopolysaccharide signals activation of tumor necrosis factor biosynthesis through the ras/raf-1/MEK/MAPK pathway. 1994 , 1, 93-103	50
30	Lasp-1, a novel type of actin-binding protein accumulating in cell membrane extensions. 1998 , 4, 675-87	33
29	Calcium phosphate coprecipitation greatly enhances transduction of cardiac myocytes and vascular smooth muscle cells by lentivirus vectors. 2007 , 12, 133-8	5
28	The loss of transcriptional inhibition by the photoreceptor-cell specific nuclear receptor (NR2E3) is not a necessary cause of enhanced S-cone syndrome. 2007 , 13, 594-601	3
27	Non-viral transfection methods optimized for gene delivery to a lung cancer cell line. 2013 , 5, 68-77	6
26	Expression of the carcinoma-associated keratin K6 and the role of AP-1 proto-oncoproteins. 1993 , 3, 187-99	38
25	A cluster of five nuclear proteins regulates keratin gene transcription. 1993 , 3, 201-13	27

- 24 An upstream activator sequence regulates the murine Pkg-1 promoter and binds multiple nuclear proteins. **1995**, 4, 265-79 6
- 23 Systems medicine dissection of chromosome 1q amplification reveals oncogenic regulatory circuits and informs targeted therapy in cancer.
- 22 Pax5 mediates the transcriptional activation of the CD81 gene. **2021**, 11, 22919
- 21 Quantitative Analysis of Presynaptic Vesicle Luminal pH in Cultured Neurons.. **2022**, 2417, 45-58
- 20 PaOct α R: Identification and Functional Characterization of an Octopamine Receptor Activating Adenylyl Cyclase Activity in the American Cockroach .. **2022**, 23, 0
- 19 Synergistic Effects of Combined Nurr1 Overexpression and Natural Inducers on the More Efficient Production of Dopaminergic Neuron-Like Cells From Stem Cells.. **2021**, 15, 803272 1
- 18 A pyridinium-type fullerene derivative suppresses primary effusion lymphoma cell viability via the downregulation of the Wnt signaling pathway through the destabilization of Ectenin.. **2022**, 47, 1
- 17 Regulation of Melanocortin-3 and -4 Receptors by Isoforms of Melanocortin-2 Receptor Accessory Protein 1 and 2.. **2022**, 12, 0
- 16 Sequestosome 1 Is Part of the Interaction Network of VAPB.. **2021**, 22, 1
- 15 Development of a Therapeutic Peptide for Cachexia Suggests a Platform Approach for Drug-like Peptides.. **2022**, 5, 344-361 0
- 14 Data_Sheet_1.docx. **2019**,
- 13 Presentation_1.PPTX. **2020**,
- 12 Table_1.DOCX. **2020**,
- 11 The RAG cell line defines a new complementation group of MHC class II deficiency. **1996**, 43, 352-359
- 10 Chromatin-modifying enzymes as modulators of nuclear size during lineage differentiation.
- 9 Single cell transcriptomic profiling of human brain organoids reveals developmental timing- and cell-type-specific vulnerabilities induced by NRXN1 CNVs in schizophrenia.
- 8 Differential Role of Transcription-Coupled Repair in UVB-Induced Response of Human Fibroblasts and Keratinocytes. **2005**, 65, 432-438 16
- 7 Repression of Memo1, a Novel Target of Human Papillomavirus Type 16 E7, Increases Cell Proliferation in Cervical Cancer Cells. 0

6	Participation of OCRL1, and APPL1, in the expression, proteolysis, phosphorylation and endosomal trafficking of megalin: Implications for Lowe Syndrome. 10,	0
5	The Role of Enhancer A in the Locus-Specific Transactivation of Classical and Nonclassical HLA Class I Genes by Nuclear Factor B. 1998 , 161, 2276-2283	28
4	Molecular and Functional Analysis of a Conserved CTL Epitope in HIV-1 p24 Recognized from a Long-Term Nonprogressor: Constraints on Immune Escape Associated with Targeting a Sequence Essential for Viral Replication. 1999 , 162, 3727-3734	11
3	Transactivation of Classical and Nonclassical HLA Class I Genes Through the IFN-Stimulated Response Element. 1999 , 163, 1428-1434	25
2	Protein-Protein and DNA-Protein Interactions Affect the Activity of Lymphoid-Specific IFN Regulatory Factors. 1999 , 163, 6468-6478	36
1	Skeletal diseases caused by mutations in PTH1R show aberrant differentiation of skeletal progenitors due to dysregulation of DEPTOR. 10,	0