

CITATION REPORT

List of articles citing

Functions of angiotensin in the central nervous system

DOI: 10.1146/annurev.ph.49.030187.002213
Annual Review of Physiology, 1987, 49, 413-35.

Source: <https://exaly.com/paper-pdf/19141606/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
652	Specific angiotensin II binding sites in the rat stellate and superior cervical ganglia. 1987 , 422, 347-51		34
651	Regulation of angiotensin II binding sites in the subfornical organ and other rat brain nuclei after water deprivation. 1987 , 7, 447-55		24
650	Regulation of atrial natriuretic peptide receptors in the rat brain. 1987 , 7, 151-73		48
649	Vasopressin release induced by intracranial injection of eledoisin is mediated by central angiotensin II. 1988 , 20, 811-26		16
648	Differences in mortality rate between abrupt and progressive carotid ligation in the gerbil: role of endogenous angiotensin II. 1988 , 8, 149-54		30
647	Actions of centrally administered neuropeptides on rat intestinal transport: enhancement of ileal absorption by angiotensin II. 1988 , 148, 411-8		14
646	Effect of chronic administration of the converting enzyme inhibitor enalapril (MK 421) on brain atrial natriuretic peptide receptors in Wistar-Kyoto and spontaneously hypertensive rats. 1988 , 475, 134-40		5
645	Angiotensin II binding sites in the superior cervical ganglia of spontaneously hypertensive and Wistar-Kyoto rats after preganglionic denervation. 1988 , 475, 146-50		4
644	Development of angiotensin II-sensitive OVLT neurons in SHR and WKY rats. 1988 , 467, 105-10		2
643	Decreased angiotensin II binding affinity and binding capacity in the anterior pituitary gland of adult spontaneously hypertensive rats. 1988 , 43, 445-51		1
642	Pre- and postsynaptic features of the central angiotensin systems. Indications for a role of angiotensin peptides in volume transmission and for interactions with central monoamine neurons. 1988 , 10 Suppl 1, 143-68		23
641	Angiotensin II receptor binding and the baroreflex pathway. 1988 , 10 Suppl 1, 63-78		21
640	Converting enzyme activity and angiotensin metabolism in the dog brainstem. <i>Hypertension</i> , 1988 , 11, 1153-7	8.5	107
639	Atrial natriuretic factor in specific brain areas of spontaneously hypertensive rats. <i>Hypertension</i> , 1988 , 12, 519-24	8.5	18
638	Adenosine in renin-dependent renovascular hypertension. <i>Hypertension</i> , 1988 , 12, 152-61	8.5	28
637	Expression of the renin gene in extra-renal tissues of the rat. 1988 , 253, 907-10		95
636	Renal tubular vasopressin receptors downregulated by dehydration. 1988 , 254, C404-10		31

- 635 Release of immunoreactive angiotensin II from neuronal cultures: adrenergic influences. **1989**, 257, C588-95 29
- 634 Modulation of angiotensin II binding sites in neuronal cultures by mineralocorticoids. **1989**, 256, C121-9 34
- 633 Vasopressin reduces food intake in goats. **1989**, 74, 465-73 41
- 632 Selective local action of angiotensin II on dopaminergic neurons in the rat hypothalamus in vivo. **1989**, 340, 31-5 6
- 631 Centrally administered endothelin-1 produces lesions in the brain of the male rat. **1989**, 137, 155-6 34
- 630 Central effects of angiotensin II in conscious hamsters: drinking, pressor response, and release of vasopressin. **1989**, 158, 703-9 13
- 629 Central angiotensin II stimulates arteriolar vasomotion in conscious hamsters. **1989**, 159, 577-82 3
- 628 Lack of alpha-1-adrenergic receptor-mediated downregulation of angiotensin II receptors in neuronal cultures from spontaneously hypertensive rat brain. **1989**, 91, 111-5 5
- 627 Metabolism of angiotensin peptides by neuronal and glial cultures from rat brain. **1989**, 52, 863-8 16
- 626 The brain Renin-Angiotensin system and the regulation of prolactin secretion in female rats: influence of ovarian hormones. **1989**, 1, 299-303 14
- 625 Cochlear blood flow autoregulation in Wistar-Kyoto rats. **1989**, 41, 53-60 37
- 624 The importance of thirst in maintenance of fluid balance. **1989**, 3, 371-91 20
- 623 Centrally administered atrial natriuretic factor inhibits central angiotensin-induced natriuresis. **1989**, 502, 198-203 10
- 622 Atrial natriuretic polypeptide attenuates central angiotensin II-induced catecholamine and ACTH secretion. **1989**, 501, 84-9 12
- 621 Glucocorticoids potentiate the dipsogenic action of angiotensin II. **1989**, 499, 121-30 31
- 620 Natriuretic action of central angiotensin II in conscious rats. **1989**, 486, 33-8 40
- 619 Effects of drinking and central angiotensin II stimulation on organ blood flow in conscious rats. **1989**, 505, 251-6 6
- 618 A possible role for angiotensin II in the regulation of male sexual behavior in rats. **1989**, 45, 221-4 28

617	Captopril treatment of major depression with serial measurements of blood cortisol concentrations. 1989 , 25, 489-93		42
616	Angiotensin II receptors in paraventricular nucleus, subfornical organ, and pituitary gland of hypophysectomized, adrenalectomized, and vasopressin-deficient rats. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 725-9	11.5	65
615	Role of the hypothalamus in the control of atrial natriuretic peptide release. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 9621-5	11.5	46
614	Water intake in rats subjected to hypothalamic immunoneutralization of angiotensin II, atrial natriuretic peptide, vasopressin, or oxytocin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 2952-6	11.5	37
613	Regulation of brain atrial natriuretic peptide and angiotensin receptors: quantitative autoradiographic studies. 1989 , 31, 257-96		18
612	Angiotensin II receptor binding in the rat hypothalamus and circumventricular organs during dietary sodium deprivation. 1989 , 50, 469-75		18
611	Mechanism of the haemotensive action of porcine relaxin in anaesthetized rats. 1990 , 2, 53-8		34
610	Angiotensin receptors in an Australian marsupial, the brushtail possum <i>Trichosurus vulpecula</i> . 1990 , 77, 116-26		2
609	Physiological response in rats to protein conjugates of angiotensin II during long-term immunization. 1990 , 110, 1593-1596		1
608	Angiotensin converting enzyme in the human basal forebrain and midbrain visualized by in vitro autoradiography. 1990 , 291, 179-94		52
607	Immunoreactive atrial natriuretic peptide in neuronal and glial cells of spontaneously hypertensive rat brain. 1990 , 258, C109-14		18
606	Opposite effects of central immunoneutralization of angiotensin II or atrial natriuretic peptide on luteinizing hormone release in ovariectomized rats. 1990 , 51, 683-7		17
605	Intracerebroventricular atrial natriuretic peptide infusion augments the adrenocorticotropin and angiotensin II responses to hemorrhage in sheep. 1990 , 52, 589-94		8
604	Effects of angiotensin II and bilateral nephrectomy on norepinephrine catabolism in central nervous system. 1990 , 98, 307-13		4
603	Angiotensin II as a modulator of baroreceptor reflexes in the brainstem of conscious rats. <i>Hypertension</i> , 1990 , 15, 145-50	8.5	45
602	Nonpeptide angiotensin II receptor antagonists. Studies with EXP9270 and DuP 753. <i>Hypertension</i> , 1990 , 15, 823-34	8.5	137
601	Central and peripheral actions of a nonpeptidic angiotensin II receptor antagonist. <i>Hypertension</i> , 1990 , 15, 841-7	8.5	44
600	Mechanisms of chemosensory transduction in taste cells. 1990 , 32, 241-79		12

599	Baroreceptor reflex enhancement by chronic intracerebroventricular infusion of enalapril in normotensive rats. <i>Hypertension</i> , 1990 , 15, 284-90	8.5	12
598	Tonic cardiovascular effects of angiotensin II in the ventrolateral medulla. <i>Hypertension</i> , 1990 , 15, 274-83	3.5	134
597	Biochemistry and pharmacology of the renin-angiotensin system. 1990 , 39 Suppl 1, 21-31		105
596	Evidence for the presence of angiotensin II-type 1 receptors in brain. 1990 , 25, 397-400		39
595	Hypovolaemia can potentiate hypoglycaemic stress-induced adrenaline release in the anaesthetized rat. 1990 , 112, 269-75		4
594	The brain angiotensin system: insights from mapping its components. 1990 , 1, 189-98		34
593	Angiotensin II modulation of glutamate excitation of locus coeruleus neurons. 1990 , 118, 261-4		18
592	Focal metabolic effects of angiotensin and captopril on subregions of the rat subfornical organ. 1990 , 11, 557-63		8
591	Distribution of angiotensin II receptors in the brain of nonhuman primates. 1990 , 11, 243-53		14
590	Further studies on the noradrenergic and the renin-angiotensin systems in the brain of the rat. 1990 , 12, 631-45		
589	Stimulation of growth hormone and corticotropin release by angiotensin II in man. 1990 , 39, 1063-7		9
588	Novel angiotensin II binding sites in the mesopontine area of the rat brain. 1990 , 534, 129-34		11
587	Sensitivity to angiotensin II of neurons in the circumventricular organs of polydipsic inbred mice. 1990 , 524, 181-6		17
586	Comparison of angiotensin metabolism by brain membranes from SHR and WKY rats. 1990 , 529, 320-3		6
585	Down-regulation of angiotensin II receptors in subfornical organ of young male rats by chronic dietary sodium depletion. 1990 , 510, 303-8		18
584	Mn ²⁺ -activated aspartate aminopeptidase activity, subcellular localization in young and adult rat brain. 1990 , 522, 165-7		18
583	Role of central angiotensinergic mechanism in shaking stress-induced ACTH and catecholamine secretion. 1990 , 533, 1-5		14
582	Atrial natriuretic peptide (ANP) as a neuropeptide: interaction with angiotensin II on volume control and renal sodium handling. 1990 , 30 Suppl 1, 83S-88S		9

581	Pertussis toxin blocks the dipsogenic actions of carbachol, but does not block the dipsogenic and pressor actions of angiotensin II. 1991 , 32, 121-8	5
580	An immunocytochemical comparison of the angiotensin and vasopressin hypothalamo-neurohypophysial systems in normotensive rats. 1991 , 36, 197-218	25
579	Chronic ICV infusion of neuropeptides alters lymphocyte populations in experimental rodents. 1991 , 34, 189-95	2
578	Amino acid and NaCl appetite, and LHA neuron responses of lysine-deficient rat. 1991 , 49, 951-64	50
577	Angiotensin II blocks hippocampal long-term potentiation. 1991 , 567, 321-4	72
576	Distribution of angiotensin II receptor subtypes in rat brain nuclei. 1991 , 132, 11-5	95
575	Discrimination of angiotensin II receptor subtype distribution in the rat brain using non-peptidic receptor antagonists. 1991 , 33, 45-53	78
574	The influence of intra-arterial infusion of arginine vasopressin on cochlear blood flow in the rat. 1991 , 55, 1-8	10
573	Neurophysiology and neuropharmacology of hypothalamic magnocellular neurons secreting vasopressin and oxytocin. 1991 , 36, 131-69	305
572	Atrial natriuretic peptide and endothelin: Interactions in the central nervous system and the periphery. 1991 , 2, 189-201	9
571	The effect of Ca ²⁺ channel antagonists (cadmium, omega-conotoxin GIVA, and nitrendipine) on the release of angiotensin II from fetal rat brain in vitro. 1991 , 123, 91-4	4
570	Angiotensin converting enzyme in the monkey (<i>Macaca fascicularis</i>) brain visualized by in vitro autoradiography. 1991 , 42, 483-95	16
569	Angiotensin-like immunoreactive cells in the chicken retina. 1991 , 53, 157-65	28
568	Potentiation of angiotensin II-induced drinking by glucocorticoids is a specific glucocorticoid type II receptor (GR)-mediated event. 1991 , 552, 283-90	26
567	Responses of cardiovascular neurons in the rostral ventrolateral medulla of the normotensive Wistar Kyoto and spontaneously hypertensive rats to iontophoretic application of angiotensin II. 1991 , 556, 145-50	51
566	Efferent metabolic effects of area postrema stimulation in renal hypertensive rats. 1991 , 558, 325-9	1
565	Angiotensin II receptor subtypes in rat brain: dithiothreitol inhibits ligand binding to All-1 and enhances binding to All-2. 1991 , 546, 161-5	33
564	Non-peptide angiotensin II receptor antagonist and angiotensin-converting enzyme inhibitor: effect on a renin-induced deficit of a passive avoidance response in rats. 1991 , 561, 230-5	45

563	Effects of centrally administered angiotensin on sympathetic nerve activity and blood flow to the kidney in conscious rats. 1991 , 34, 201-10		25
562	Developmental changes in brain angiotensin II receptors in the rat. 1991 , 12, 723-37		32
561	Characterization of opioid-sensitive neurons in the anteroventral third ventricle region of polydipsic inbred mice in vitro. 1991 , 538, 283-8		13
560	Autoradiographic localization of subtypes of angiotensin II antagonist binding in the rat brain. 1991 , 44, 501-14		160
559	Measurement of Brain Peptides: Angiotensin and Atrial Natriuretic Peptide in Tissue and Cell Culture. <i>Methods in Neurosciences</i> , 1991 , 6, 177-206		11
558	Angiotensin II decreases cGMP levels in neuronal cultures from rat brain. 1991 , 260, C79-87		48
557	Effects of intravenous infusions of angiotensin II on muscle sympathetic nerve activity in humans. 1991 , 261, R690-6		43
556	Captopril improves neurologic outcome from incomplete cerebral ischemia in rats. <i>Stroke</i> , 1991 , 22, 910-4		63
555	Differential distribution of AT1 and AT2 angiotensin II receptor subtypes in the rat brain during development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991 , 88, 11440-4	11.5	182
554	Angiotensin II induces secretion of plasminogen activator inhibitor 1 and a tissue metalloprotease inhibitor-related protein from rat brain astrocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991 , 88, 1928-32	11.5	55
553	Angiotensin II Stimulates Cutaneous Drinking in the Toad <i>Bufo punctatus</i> . 1991 , 64, 1165-1172		38
552	Angiotensin II AT1 receptors in rat superior cervical ganglia: characterization and stimulation of phosphoinositide hydrolysis. 1991 , 208, 331-6		28
551	Isolation of a cDNA encoding the vascular type-1 angiotensin II receptor. 1991 , 351, 233-6		1122
550	Quantitative autoradiography reveals different angiotensin II receptor subtypes in selected rat brain nuclei. 1991 , 56, 348-51		130
549	Changes in the central ANF-system of renovascular hypertensive rats. 1991 , 39, 33-8		9
548	Role of peripherally infused angiotensin II on the human hypothalamic-pituitary-adrenal axis. 1991 , 34, 183-6		9
547	Localization and characterization of angiotensin II receptor binding sites in the human basal ganglia, thalamus, midbrain pons, and cerebellum. 1991 , 312, 291-8		49
546	Lesions of the hypothalamus and pituitary inhibit volume-expansion-induced release of atrial natriuretic peptide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991 , 88, 2956-60	11.5	64

545	Angiotensin-II receptor subtypes and coupling to signaling systems in cultured fetal fibroblasts. 1991 , 129, 1266-74		60
544	Autoradiographic localization of relaxin binding sites in rat brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991 , 88, 6413-7	11.5	125
543	Brain and liver angiotensinogen messenger RNA in genetic hypertensive and normotensive rats. <i>Hypertension</i> , 1991 , 17, 485-91	8.5	52
542	Central angiotensin partially mediates the pressor action of relaxin in anesthetized rats. 1991 , 129, 47-52		24
541	Angiotensin II receptors and functional correlates. 1992 , 5, 221S-235S		105
540	Angiotensin II receptors in the solitary-vagal area of hypertensive rats. <i>Hypertension</i> , 1992 , 19, 355-61	8.5	14
539	Monophasic and biphasic effects of angiotensin II and III on norepinephrine uptake and release in rat adrenal medulla. 1992 , 70, 821-5		14
538	Effect of central administration of angiotensin II on cerebrospinal fluid formation in rabbits. 1992 , 91, 19-22		1
537	Carotid-aortic and renal baroreceptors mediate the atrial natriuretic peptide release induced by blood volume expansion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992 , 89, 6828-31	11.5	54
536	Characterization of a high affinity, guanine nucleotide sensitive angiotensin receptor on differentiated neuroblastoma-glioma hybrid cells (NG108-15). 1992 , 135, 45-8		5
535	Effect of nonpeptide angiotensin receptor antagonists on water intake and salt appetite in rats. 1992 , 29, 389-93		75
534	POSTER COMMUNICATIONS. 1992 , 106, 72P-142P		
533	Endothelin mechanisms in the central nervous system: A target for drug development. 1992 , 26, 361-387		49
532	Angiotensin II receptor subtypes play opposite roles in regulating phosphatidylinositol hydrolysis in rat skin slices. 1992 , 186, 285-92		36
531	Regulatory role of brain angiotensins in the control of physiological and behavioral responses. 1992 , 17, 227-62		254
530	Effects of atrial natriuretic factor on norepinephrine release in the rat hypothalamus. 1992 , 41, 171-81		20
529	Effects of angiotensin analogues and angiotensin receptor antagonists on paraventricular neurones. 1992 , 38, 111-20		58
528	Effects of angiotensin II and its selective antagonists on inferior olivary neurones. 1992 , 41, 19-26		31

527	Discovery of a distinct binding site for angiotensin II (3-8), a putative angiotensin IV receptor. 1992 , 40, 409-19	225
526	Release of angiotensin in response to ionic stimulation: a possible role for calmodulin in the secretory event. 1992 , 28, 551-5	2
525	The role of brain angiotensin II in the regulation of Luteinizing Hormone and Prolactin secretion. 1992 , 3, 295-301	23
524	Effect of drinking on angiotensin-II-induced shifts in regional cerebral blood flow in the rat. 1992 , 28, 529-35	3
523	Brain and pituitary angiotensin. 1992 , 13, 329-80	389
522	Neurons in the rat medulla oblongata containing neuropeptide Y-, angiotensin II-, or galanin-like immunoreactivity project to the parabrachial nucleus. 1992 , 47, 175-84	46
521	Regulated expression of vasopressin gene by cAMP and phorbol ester in primary rat fetal hypothalamic cultures. 1992 , 86, 29-36	31
520	Chronic central administration of enalaprilat lowers blood pressure in stroke-prone spontaneously hypertensive rats. 1992 , 39, 119-26	8
519	The mas proto-oncogene is developmentally regulated in the rat central nervous system. 1992 , 68, 75-82	39
518	Changes in skin angiotensin II receptors in rats during wound healing. 1992 , 187, 1083-90	78
517	Angiotensin II evokes noradrenaline release from the paraventricular nucleus in conscious rats. 1992 , 569, 117-22	86
516	The role of angiotensin II in regulation of cerebrospinal fluid formation in rabbits. 1992 , 594, 40-6	11
515	Characterization and distribution of angiotensin II binding sites in fetal and neonatal astrocytes from different rat brain regions. 1992 , 585, 372-6	23
514	Effect of angiotensin II and atrial natriuretic factor on neurons in the subfornical organ of ducks and rats in vitro. 1992 , 588, 324-8	30
513	The role of angiotensin, AT1 and AT2 receptors in the pressor, drinking and vasopressin responses to central angiotensin. 1992 , 586, 289-94	145
512	Drinking induced by subcutaneous injection of angiotensin II in the rat is blocked by the selective AT1 receptor antagonist DuP 753 but not by the selective AT2 receptor antagonist WL 19. 1992 , 211, 113-6	34
511	The antihypertensive effect of acute intracerebroventricular administration of captopril in Dahl salt-sensitive rats. 1992 , 222, 33-7	13
510	Losartan potassium, a nonpeptide antagonist of angiotensin II, chronically administered p.o. does not readily cross the blood-brain barrier. 1992 , 219, 147-51	57

509	Identification of two subtypes in the rat type I angiotensin II receptor. 1992 , 298, 257-60	315
508	The angiotensin AT2 receptor modulates T-type calcium current in non-differentiated NG108-15 cells. 1992 , 309, 161-4	111
507	Involvement of neurotransmitters in the nucleus tractus solitarii in cardiovascular regulation. 1992 , 72, 789-824	231
506	Pressor effect of posterior hypothalamic stimulation is enhanced in pregnant rats. 1992 , 262, R604-9	2
505	Daily rhythm of aspartate aminopeptidase activity in the retina, pineal gland and occipital cortex of the rat. 1992 , 56, 926-9	11
504	Angiotensin II and acetylcholine differentially activate mobilization of inositol phosphates in <i>Xenopus laevis</i> ovarian follicles. 1992 , 420, 127-35	4
503	AT1 angiotensin receptors mobilize intracellular calcium in a subclone of NG108-15 neuroblastoma cells. 1992 , 58, 1883-8	10
502	Angiotensin-induced cyclic GMP production is mediated by multiple receptor subtypes and nitric oxide in N1E-115 neuroblastoma cells. 1992 , 58, 1960-3	49
501	Angiotensin peptides in brain and pituitary of rat and sheep. 1992 , 4, 237-44	12
500	Brain Angiotensin II Receptor Subtypes and the Control of Luteinizing Hormone and Prolactin Secretion in Female Rats. 1992 , 4, 441-7	17
499	Attenuated development of ischemic brain edema in vasopressin-deficient rats. 1992 , 12, 681-90	62
498	Neuroendocrine regulatory mechanisms in the choroid plexus-cerebrospinal fluid system. 1992 , 17, 109-38	186
497	Induction of the angiotensin AT2 receptor subtype expression by differentiation of the neuroblastoma x glioma hybrid, NG-108-15. 1992 , 225, 119-27	16
496	Characterization of biochemical responses of angiotensin II (AT2) binding sites in the rat pheochromocytoma PC12W cells. 1992 , 227, 63-70	44
495	Effects of angiotensin II on behavioral responses of defensive burying paradigm in rats. 1992 , 43, 729-32	20
494	Mapping of angiotensin II receptor subtype heterogeneity in rat brain. 1992 , 316, 467-84	264
493	Angiotensin II receptor binding associated with nigrostriatal dopaminergic neurons in human basal ganglia. 1992 , 32, 339-44	77
492	Nonpeptide angiotensin AT1 and AT2 receptor ligands modulate the upper limit of cerebral blood flow autoregulation in rats. 1993 , 13, 298-303	46

491	Intrarenal localization of angiotensin II type 1 receptor mRNA in the rat. 1993 , 43, 1229-35	58
490	Abnormal hemodynamics and elevated angiotensin II plasma levels in polydipsic patients on regular hemodialysis treatment. 1993 , 44, 107-14	34
489	Sheep hypothalamus contains a non-angiotensin ligand for type 1 and type 2 angiotensin II receptors. 1993 , 20, 555-62	4
488	Down-regulation of angiotensin II receptor subtypes and desensitization of cyclic GMP production in neuroblastoma N1E-115 cells. 1993 , 60, 24-31	34
487	Effect of nonpeptide angiotensin AT-1 and AT-2 antagonists on isoproterenol-induced renin release. 1993 , 44, 623-6	7
486	Strategies for investigation of CNS mechanisms of phenotypic variation in blood pressure and salt appetite in genetic hypertensive rats. 1993 , 58, 594-604	1
485	Effects of angiotensin II on dopamine and serotonin turnover in the striatum of conscious rats. 1993 , 613, 221-9	127
484	Localization of immunoreactive glutamyl aminopeptidase in rat brain. I. Association with cerebral microvessels. 1993 , 606, 286-94	35
483	Localization of immunoreactive glutamyl aminopeptidase in rat brain. II. Distribution and correlation with angiotensin II. 1993 , 606, 295-303	69
482	Reduction of voluntary alcohol consumption in the rat by transplantation of hypothalamic grafts. 1993 , 632, 287-95	4
481	Functional role of brain AT1 and AT2 receptors in the central angiotensin II pressor response. 1993 , 603, 57-63	60
480	Angiotensin II receptor subtypes and angiotensin-converting enzyme in the fetal rat brain. 1993 , 631, 212-20	19
479	Angiotensin II decreases the rate of production of cerebrospinal fluid. 1993 , 606, 44-9	15
478	Binding of angiotensin antagonists to rat liver and brain membranes measured ex vivo. 1993 , 109, 760-4	13
477	Pharmacological characterization of the novel nonpeptide angiotensin II receptor antagonist, BIBR 277. 1993 , 110, 245-52	150
476	Atrial natriuretic factor inhibits noradrenaline release in the presence of angiotensin II and III in the rat hypothalamus. 1993 , 106, 545-8	4
475	Angiotensin II(3-8) (ANG IV) hippocampal binding: potential role in the facilitation of memory. 1993 , 32, 497-502	183
474	Participation of nucleus reticularis gigantocellularis in the antinociceptive effect of angiotensin III in the rat. 1993 , 159, 9-12	16

473	Angiotensin II responsiveness of rat paraventricular and subfornical organ neurons in vitro. 1993 , 55, 197-207		80
472	Expression of the mas proto-oncogene in the rat hippocampal formation is regulated by neuronal activity. 1993 , 19, 303-9		14
471	Functional evidence that the angiotensin antagonist losartan crosses the blood-brain barrier in the rat. 1993 , 30, 33-9		101
470	Hypothalamic angiotensin release in response to All or glutamic acid stimulation of the SFO in rats. 1993 , 31, 649-54		34
469	Relaxin: more than just a hormone of pregnancy. 1993 , 14, 4-6		10
468	Immunohistochemical mapping of angiotensin AT1 receptors in the brain. 1993 , 44, 95-107		126
467	Immunohistochemical demonstration of angiotensin II receptors in rat brain by use of an anti-idiotypic antibody. 1993 , 44, 109-17		14
466	Distribution of angiotensin II receptor subtypes in the rabbit brain. 1993 , 44, 119-30		66
465	Expression of AT2 receptors in rat fetal subdermal cells. 1993 , 44, 171-80		9
464	The renin-angiotensin system in the brain: an update 1993. 1993 , 46, 487-509		86
463	Levels of angiotensin and molecular biology of the tissue renin angiotensin systems. 1993 , 43, 1-20		262
462	Antisense inhibition of AT1 receptor mRNA and angiotensinogen mRNA in the brain of spontaneously hypertensive rats reduces hypertension of neurogenic origin. 1993 , 49, 167-74		189
461	Renal and central vasopressin receptors: immunocytochemical localization. 1993 , 689, 194-206		20
460	Prevention of genetic hypertension by early treatment of spontaneously hypertensive rats with the angiotensin converting enzyme inhibitor captopril. <i>Hypertension</i> , 1993 , 22, 139-46	8.5	126
459	Mandatory neuropeptide-steroid signaling for the preovulatory luteinizing hormone-releasing hormone discharge. 1993 , 14, 507-38		252
458	Angiotensin II receptors in the rat urinary bladder smooth muscle: type 1 subtype receptors mediate contractile responses. 1993 , 150, 1056-9		37
457	Development of polyclonal antibodies against angiotensin type 2 receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993 , 90, 7956-60	11.5	21
456	Angiotensin II receptor blockade: an innovative approach to cardiovascular pharmacotherapy. 1993 , 33, 1023-38		62

455	Angiotensin II type 1 receptor-mediated stimulation of c-fos gene expression in astroglial cultures. 1993 , 265, C1046-9		24
454	Central administration of PD 123319 or EXP-3174 inhibits effects of angiotensin II. 1993 , 264, H117-25		8
453	Effects of arterial pressure on drinking and urinary responses to intracerebroventricular angiotensin II. 1993 , 264, R211-7		16
452	Nonpeptide Angiotensin II Receptor Antagonist: Losartan. <i>Methods in Neurosciences</i> , 1993 , 13, 258-280		14
451	Neuropeptides I: classification, synthesis and colocalization with classical neurotransmitters. 1994 , 221-265		
450	Angiotensin II type 2 receptor stimulation of neuronal K ⁺ currents involves an inhibitory GTP binding protein. 1994 , 267, C1389-97		114
449	Tissular expression and regulation of type 1 angiotensin II receptor subtypes by quantitative reverse transcriptase-polymerase chain reaction analysis. <i>Hypertension</i> , 1994 , 24, 538-48	8.5	152
448	Systemic hemodynamics during sleep in young or middle-aged and elderly patients with essential hypertension. <i>Hypertension</i> , 1994 , 23, 167-73	8.5	20
447	The physicochemistry of [H ⁺] and respiratory control: roles of PCO ₂ , strong ions, and their hormonal regulators. 1994 , 72, 1499-512		28
446	Inhibition of angiotensin-converting enzyme modulates the autoregulation of regional cerebral blood flow in hypertensive rats. <i>Hypertension</i> , 1994 , 23, 781-5	8.5	17
445	Regulation of angiotensin II receptors in rat brain during dietary sodium changes. <i>Hypertension</i> , 1994 , 23, 1137-41	8.5	53
444	Beta-adrenergic neuroeffector mechanisms in cardiac hypertrophy of renin transgenic rats. <i>Hypertension</i> , 1994 , 24, 653-62	8.5	49
443	Comparative analysis of effects from prolonged peripheral and intracerebral administrations of angiotensin II in rats. 1994 , 118, 1053-1055		
442	Spatially and temporally differentiated patterns of c-fos expression in brainstem catecholaminergic cell groups induced by cardiovascular challenges in the rat. 1994 , 348, 433-60		273
441	Human angiotensinogen is highly expressed in astrocytes in human cortical grafts. 1994 , 10, 186-92		9
440	Peptide receptors in astroglia: focus on angiotensin II and atrial natriuretic peptide. 1994 , 11, 110-6		41
439	Brain angiotensin receptor subtypes in the control of physiological and behavioral responses. 1994 , 18, 21-53		235
438	Stress-induced regulation of the renal peripheral benzodiazepine receptor: possible role of the renin-angiotensin system. 1994 , 19, 43-54		11

437	The reduction in alcohol drinking by peripherally injected angiotensin II is selectively mediated by the AT1 receptor subtype. 1994 , 47, 385-92	14
436	Trandolapril® protective effects in stroke-prone spontaneously hypertensive rats persist long after treatment withdrawal. 1994 , 73, 26C-35C	24
435	On the plasticity of the cerebellar renin-angiotensin system: localization of components and effects of mechanical perturbation. 1994 , 668, 144-59	20
434	Immunohistochemical mapping of angiotensin type 2 (AT2) receptors in rat brain. 1994 , 662, 45-59	59
433	Ontogenesis of the angiotensin II (ANGII) receptor system in the duck brain. 1994 , 78, 10-6	2
432	Modulation by angiotensin III of nociception-related and arterial pressure-related neuronal responsiveness in the nucleus reticularis gigantocellularis of the rat. 1994 , 50, 247-57	8
431	Quantitative modifications induced by angiotensin II on rat bile secretion. 1994 , 54, 429-37	3
430	Antisense oligonucleotide to AT1 receptor mRNA inhibits central angiotensin induced thirst and vasopressin. 1994 , 54, 543-51	56
429	AT1 receptor subtype mediates the inhibitory effect of central angiotensin II on cerebrospinal fluid formation in the rat. 1994 , 53, 123-9	15
428	Angiotensin II receptor antagonists: a new approach to blockade of the renin-angiotensin system. 1994 , 127, 1388-401	90
427	Differential neuronal responses to angiotensin III from the subfornical organ of normotensive and spontaneously hypertensive rats. 1994 , 638, 169-74	9
426	Release of angiotensin in the paraventricular nucleus in response to hyperosmotic stimulation in conscious rats: a microdialysis study. 1994 , 637, 45-9	45
425	Effects of angiotensin II AT1- or AT2-receptor antagonists on drinking evoked by angiotensin II or water deprivation in rats. 1994 , 648, 46-52	19
424	Reduction of responses to angiotensin II by antidepressant drugs. 1994 , 264, 295-300	17
423	Role of angiotensin AT1 receptor in the cardiovascular response to footshock. 1994 , 251, 103-6	17
422	Evidence for an antagonistic angiotensin II/alpha 2-adrenoceptor interaction in the nucleus tractus solitarii. 1994 , 262, 271-82	23
421	Effects of the angiotensin-converting enzyme inhibitor alacepril on cerebral blood flow in hypertensive stroke patients: A pilot study. 1994 , 55, 1446-1454	7
420	Angiotensin II depresses glutamate depolarizations and excitatory postsynaptic potentials in locus coeruleus through angiotensin II subtype 2 receptors. 1994 , 62, 163-75	41

419	Effects of [Sar1, Ile8]-angiotensin II on rostral ventrolateral medulla neurons and blood pressure in spontaneously hypertensive rats. 1994 , 63, 267-77	21
418	Properties of angiotensin II receptors in glial cells from the adult corpus callosum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 3774-8	11.5 28
417	Ischemic basis for essential hypertension?. 1995 , 83, 943-4	
416	Transient outward current in adult rat supraoptic neurones with slice patch-clamp technique: inhibition by angiotensin II. 1995 , 485 (Pt 1), 87-96	75
415	Excitatory action of the bird antidiuretic hormone vasotocin on neurons in the subfornical organ. 1995 , 176, 653-660	10
414	Excitatory action of the bird antidiuretic hormone vasotocin on neurons in the subfornical organ. 1995 , 176, 653-60	4
413	Inhibition of acetylcholinesterase modulates the autoregulation of cerebral blood flow and attenuates ischemic brain metabolism in hypertensive rats. 1995 , 15, 845-51	34
412	The response of tumour vasculature to angiotensin II revealed by its systemic and local administration to tissue-isolated tumours. 1995 , 72, 595-600	7
411	Angiotensin II receptor subtypes in the human central nervous system. 1995 , 675, 231-40	83
410	Evidence for a differential modulation of the alpha-2 adrenoceptors by angiotensin II in the nucleus tractus solitarii of the spontaneously hypertensive and the Wistar-Kyoto normotensive rats. 1995 , 679, 168-77	14
409	Autoradiographic identification of brain angiotensin IV binding sites and differential c-Fos expression following intracerebroventricular injection of angiotensin II and IV in rats. 1995 , 682, 13-21	94
408	Modulation of the delayed rectifier K ⁺ current in neurons by an angiotensin II type 2 receptor fragment. 1995 , 268, C278-82	111
407	Angiotensin II increases glucose uptake and glucose transporter-1 mRNA levels in astroglia. 1995 , 268, E384-90	10
406	Hormonal effect on the osmotic, electrolyte and nitrogen balance in terrestrial Amphibia. 1995 , 12, 1-11	23
405	Interactions of angiotensin II with central catecholamines. 1995 , 17, 267-80	21
404	The brain renin-angiotensin system: molecular mechanisms of cell to cell interactions. 1995 , 17, 251-66	50
403	Brain angiotensin receptor subtypes AT1, AT2, and AT4 and their functions. 1995 , 59, 269-95	134
402	A decrease in angiotensin receptor binding in rat brain nuclei by antisense oligonucleotides to the angiotensin AT1 receptor. 1995 , 59, 171-82	52

401	In vivo applications of antisense oligonucleotides for peptide research. 1995 , 59, 131-41	19
400	Comparative expression of vasopressin and angiotensin type-1 receptor mRNA in rat hypothalamic nuclei: a double in situ hybridization study. 1995 , 34, 135-42	46
399	Characterization of a rat type 2 angiotensin II receptor stably expressed in 293 cells. 1995 , 112, 61-8	23
398	Postnatal MSG treatment attenuates angiotensin II (All) induced drinking in rats. 1995 , 58, 25-9	6
397	RS-45041-190: a selective, high-affinity ligand for I2 imidazoline receptors. 1995 , 116, 1737-44	28
396	In vitro pharmacological characterization of UP 269-6, a novel nonpeptide angiotensin II receptor antagonist. 1995 , 9, 119-28	11
395	The selective angiotensin AT1 receptor antagonist LR-B/081 potently inhibits drinking induced by central injection of angiotensin II in rats. 1995 , 277, 223-8	3
394	Expression of the mouse and rat mas proto-oncogene in the brain and peripheral tissues. 1995 , 357, 27-32	113
393	The renin angiotensin system and the stress response. 1995 , 771, 173-86	54
392	Location and secretion of brain angiotensinogen. 1995 , 57, 1-18	54
391	Opposite effects of angiotensin II and nitric oxide on neurons in the duck subfornical organ. 1995 , 187, 149-52	12
390	Immunocytochemical localization of angiotensinogen in the fetal and neonatal rat brain. 1995 , 67, 505-24	36
389	Angiotensin II induces the expression of c-fos mRNA in the central nervous system of the rat. 1995 , 17, 877-93	18
388	The role of angiotensin II in the regulation of blood flow to choroid plexuses and cerebrospinal fluid formation in the rat. 1995 , 15, 143-51	22
387	Pharmacology of LR-B/081, a new highly potent, selective and orally active, nonpeptide angiotensin II AT1 receptor antagonist. 1995 , 114, 1117-24	22
386	The hypothalamic-pituitary-adrenal axis and immune-mediated inflammation. 1995 , 332, 1351-62	2082
385	Differential effects of angiotensin II on the activities of suprachiasmatic neurons in rat brain slices. 1995 , 37, 529-32	9
384	Angiotensin II induces a complex activation of transcription factors in the rat brain: expression of Fos, Jun and Krox proteins. 1995 , 65, 93-9	60

383	Angiotensin-converting enzyme inhibitors may cause renal dysfunction in patients on long-term lithium treatment. 1995 , 25, 82-7		30
382	Potential of purinergic transmission by angiotensin in prostatic rat vas deferens. 1996 , 118, 1523-9		7
381	Complex activation of inducible transcription factors in the brain of normotensive and spontaneously hypertensive rats following central angiotensin II administration. 1996 , 66, 19-23		16
380	Effect of brain angiotensin II AT1, AT2, and cholinergic receptor antagonism on drinking in water-deprived rats. 1996 , 66, 41-6		21
379	The developmental increase of the AT1A, but not the AT1B, receptor mRNA level at the preoptic area in spontaneously hypertensive rats. 1996 , 58, 1109-21		12
378	Alterations in angiotensin AT1 and AT2 receptor subtype levels in brain regions from patients with neurodegenerative disorders. 1996 , 297, 299-306		75
377	Intracisternally applied angiotensin II does not excite reticulospinal vasomotor neurons in anesthetized rats. 1996 , 304, 63-71		2
376	Functional evidence for the ability of angiotensin AT1 receptor antagonists to cross the blood-brain barrier in rats. 1996 , 307, 259-67		47
375	Comparison of changes in blood pressure and dipsogenic responsiveness to angiotensin II in male and female rats chronically exposed to cold. 1996 , 60, 1543-9		20
374	Effects of chronic central administration of losartan on the cardiovascular and hormonal responses to hemorrhage in conscious rats. 1996 , 67, 107-13		14
373	Brain angiotensin II tonically modulates sympathetic baroreflex in rabbit ventrolateral medulla. 1996 , 271, H1015-21		25
372	Angiotensin II type 1 receptor modulation of neuronal K ⁺ and Ca ²⁺ currents: intracellular mechanisms. 1996 , 271, C154-63		83
371	Identification of metabolic pathways of brain angiotensin II and III using specific aminopeptidase inhibitors: predominant role of angiotensin III in the control of vasopressin release. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 11968-73	11.5	278
370	Effect of central acute administration of cadmium on drinking behavior. 1996 , 53, 687-93		23
369	Angiotensin II receptor subtypes in the duck subfornical organ: an electrophysiological and receptor autoradiographic investigation. 1996 , 711, 118-24		7
368	Contribution of chorda tympani and glossopharyngeal nerves to taste preferences of rat for amino acids and NaCl. 1996 , 739, 139-55		7
367	Enhanced psychophysiological signs of attention after angiotensin-converting enzyme inhibition by captopril. 1996 , 33, 295-301		6
366	Role of AT1 receptors in the central control of sympathetic vasomotor function. 1996 , 23 Suppl 3, S93-8		60

- 365 The renin-angiotensin-aldosterone system and cardiac ischaemia. **1996**, 76, 60-7 7
- 364 Type 2 angiotensin II receptor is expressed in human myometrium and uterine leiomyoma and is down-regulated during pregnancy. **1996**, 81, 4366-72 24
- 363 Chronic ACE inhibition by quinapril modulates central vasopressinergic system. **1997**, 34, 575-81 11
- 362 Central administration of glucagon-like peptide-1 activates hypothalamic neuroendocrine neurons in the rat. **1997**, 138, 4445-55 251
- 361 Localization of angiotensin II receptor subtypes AT1 and AT2 in the pancreas of rodents. **1997**, 153, 269-74 59
- 360 In vivo vestibular blood flow in the Mongolian gerbil: angiotensin III-provoked changes in systemic and local factors. **1997**, 117, 559-63 2
- 359 Actions of angiotensin and lisinopril on thalamic somatosensory neurons in normotensive, non-transgenic and hypertensive, transgenic rats. **1997**, 15, 1151-7 6
- 358 Effects of angiotensin II and IV on geniculate activity in nontransgenic and transgenic rats. **1997**, 332, 53-63 23
- 357 Pharmacological profile of YM358, a novel nonpeptide angiotensin AT1 receptor antagonist. **1997**, 335, 167-73 8
- 356 Angiotensin II stimulates the proliferation of osteoblast-rich populations of cells from rat calvariae. **1997**, 230, 176-8 58
- 355 Differential action of AGCF2 upon cell type-dependent expression of human angiotensinogen gene. **1997**, 412, 285-9 6
- 354 Important role for angiotensin III and IV in the brain renin-angiotensin system. **1997**, 25, 96-124 210
- 353 Immunohistochemical localization of type-II (AT2) angiotensin receptors with a polyclonal antibody against a peptide from the C-terminal tail. **1997**, 70, 15-21 14
- 352 Excitatory action of angiotensins II and IV on hippocampal neuronal activity in urethane anesthetized rats. **1997**, 70, 105-9 32
- 351 Angiotensin II type-2 (AT2) receptor-mediated inhibition of NMDA receptor signalling in neuronal cells. **1997**, 48, 197-205 32
- 350 Differential regulation of angiotensinogen and natriuretic peptide mRNAs in rat brain by osmotic stimulation: focus on anterior hypothalamus and supraoptic nucleus. **1997**, 18, 1365-75 14
- 349 Modulation of cerebral calcium homeostasis in rats by angiotensin II in vivo. **1997**, 223, 149-52 2
- 348 Distribution of glucagon-like peptide-1 and other preproglucagon-derived peptides in the rat hypothalamus and brainstem. **1997**, 77, 257-70 481

347	Angiotensin II interacts with nitric oxide-cyclic GMP pathway in the central control of drinking behaviour: mapping with c-fos and NADPH-diaphorase. 1997 , 79, 543-53	34
346	Localization of angiotensin II AT1 receptor-like immunoreactivity in catecholaminergic neurons of the rat medulla oblongata. 1997 , 81, 503-15	41
345	Mechanisms underlying the chronotropic effect of angiotensin II on cultured neurons from rat hypothalamus and brain stem. 1997 , 78, 1013-20	35
344	Electrophysiological and immunocytochemical evidence for a cGMP-mediated inhibition of subfornical organ neurons by nitric oxide. 1997 , 17, 363-71	39
343	Neuroendocrine regulation of salt and water metabolism. 1997 , 30, 427-41	20
342	Long-term sympatho-excitatory effect of angiotensin II: a mechanism of spontaneous and renovascular hypertension. 1997 , 24, 91-5	85
341	Brain angiotensins in the cardiovascular regulation: usefulness of transgenic animals. 1997 , 11, 53s-57s	
340	The neuroendocrine control of atrial natriuretic peptide release. 1997 , 2, 359-67	10
339	Intracellular staining of angiotensin receptors in the PVN and SON of the rat. 1997 , 754, 307-10	24
338	Calcium channels mediate angiotensin II-induced drinking behaviour and c-fos expression in the brain. 1997 , 778, 206-14	18
337	Dose-dependent inhibitory effects of angiotensin II on visual responses of the rat superior colliculus: AT1 and AT2 receptor contributions. 1997 , 31, 469-81	12
336	Expression of angiotensin type-1 (AT1) and type-2 (AT2) receptor mRNAs in the adult rat brain: a functional neuroanatomical review. 1997 , 18, 383-439	326
335	Possible dual effect of endogenous ANP on water and sodium intake and role of AII. 1997 , 21, 525-9	4
334	The increase in angiotensin type-2 receptor mRNA level by glutamate stimulation in cultured rat cortical cells. 1998 , 804, 296-305	16
333	Evaluation of the ability of irbesartan to cross the blood-brain barrier following acute intragastric treatment. 1998 , 352, 15-21	31
332	Action of AT1 subtype angiotensin II receptors of the medial preoptic area on gonadotropins and prolactin release. 1998 , 32, 51-5	13
331	Modulation of motor functions involving the dopaminergic system by AT1 receptor antagonist, losartan. 1998 , 32, 275-80	16
330	Involvement of cholinergic system in losartan-induced facilitation of spatial and short-term working memory. 1998 , 32, 417-21	42

329	Neuronal ion channel signalling pathways: modulation by angiotensin II. 1998 , 10, 303-11		35
328	Pituitary-dependent expression of the testicular angiotensin II receptor and its subtypes in rats. 1998 , 21, 177-85		5
327	Effects of growth factors on cell proliferation and angiotensin II type 2 receptor number and mRNA in PC12W and R3T3 cells. 1998 , 139, 61-9		13
326	Stimulation of ACTH and GH release by angiotensin II in normal men is mediated by the AT1 receptor subtype. 1998 , 74, 27-30		6
325	Angiotensin II in central nervous system physiology. 1998 , 78, 1-11		197
324	Angiotensin II inhibits long-term potentiation within the lateral nucleus of the amygdala through AT1 receptors. 1998 , 19, 1031-6		54
323	Receptor-mediated angiotensin II transcytosis by brain microvessel endothelial cells. 1998 , 19, 1023-30		25
322	Opposite effects of angiotensin II and IV in the lateral nucleus of the amygdala. 1998 , 47, 311-5		19
321	Arginine vasopressin and oxytocin responses to angiotensin II are mediated by AT1 receptor subtype in normal men. 1998 , 47, 893-6		12
320	Regulation of cell proliferation and angiotensin II type 2 receptors in R3T3 cells. 1998 , 24, 297-305		4
319	Reduction of cold-induced hypertension by antisense oligodeoxynucleotides to angiotensinogen mRNA and AT1-receptor mRNA in brain and blood. <i>Hypertension</i> , 1998 , 31, 1317-23	8.5	58
318	The brain renin-angiotensin system contributes to the hypertension in mice containing both the human renin and human angiotensinogen transgenes. <i>Circulation Research</i> , 1998 , 83, 1047-58	15.7	131
317	Deceleration by angiotensin II of the differentiation and bone formation of rat calvarial osteoblastic cells. 1998 , 156, 543-50		75
316	Reduced growth, abnormal kidney structure, and type 2 (AT2) angiotensin receptor-mediated blood pressure regulation in mice lacking both AT1A and AT1B receptors for angiotensin II. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 15496-501	11.5	279
315	Catecholamines in rabbit nodose ganglion following exposure to an acute emotional stressor. 1998 , 2, 231-6		2
314	Pathophysiology of the Renin-Angiotensin System in Heart Failure. 1998 , 305-322		
313	Prevention of renovascular and cardiac pathophysiological changes in hypertension by angiotensin II type 1 receptor antisense gene therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 2664-9	11.5	55
312	Mapping tissue angiotensin-converting enzyme and angiotensin AT1, AT2 and AT4 receptors. 1998 , 16, 2027-37		89

311	ANG II AT1 receptors induce depolarization and inward current in rat median preoptic neurons in vitro. 1998 , 275, R632-9		21
310	Hypothalamic angiotensin receptor subtypes in normotensive and hypertensive rats. 1998 , 275, H703-9		13
309	Fos expression in rat brain during depletion-induced thirst and salt appetite. 1998 , 274, R1807-14		22
308	Endogenous ANG II supports lumbar sympathetic activity in conscious sodium-deprived rats: role of area postrema. 1998 , 275, R46-55		9
307	Mineralocorticoids and glucocorticoids cooperatively increase salt intake and angiotensin II receptor binding in rat brain. 1999 , 69, 339-51		50
306	VLG K M-i [native]. 1999 , 657-702		
305	Transcriptional and translational regulation of angiotensin II type 2 receptor by angiotensin II and growth factors. 1999 , 140, 4988-94		23
304	Identification of endocrine cell populations expressing the AT1B subtype of angiotensin II receptors in the anterior pituitary. 1999 , 140, 472-7		23
303	Increased central angiotensin and osmotic responses in the Ren-2 transgenic rat. <i>Hypertension</i> , 1999 , 33, 385-8	8.5	11
302	Angiotensin converting enzyme and endothelial nitric oxide synthase DNA polymorphisms and late onset Alzheimer's disease. 1999 , 67, 733-6		66
301	Blood pressure reduction and diabetes insipidus in transgenic rats deficient in brain angiotensinogen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 3975-80	11.5	149
300	Neuroendocrine effects of dehydration in mice lacking the angiotensin AT1a receptor. <i>Hypertension</i> , 1999 , 33, 482-6	8.5	45
299	Angiotensin II type 1 receptor-mediated inhibition of K ⁺ channel subunit kv2.2 in brain stem and hypothalamic neurons. <i>Circulation Research</i> , 1999 , 84, 352-9	15.7	32
298	Aminopeptidase A inhibitors as potential central antihypertensive agents. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 13415-20	11.5	158
297	Angiotensin II receptor subtype gene expression and cellular localization in the retina and non-neuronal ocular tissues of the rat. 1999 , 11, 3387-94		42
296	Brain atrial natriuretic peptide family abolishes cardiovascular haemodynamic alterations caused by hypertonic saline in rats. 1999 , 26, 684-90		2
295	Larger anastomoses in angiotensinogen-knockout mice attenuate early metabolic disturbances after middle cerebral artery occlusion. 1999 , 19, 1092-8		63
294	Angiotensin and cerebral blood flow. 1999 , 19, 553-73		48

293	Angiotensin II type 1 receptor-modulated signaling pathways in neurons. 1999 , 19, 25-41	36
292	Facilitation of sympathetic neurotransmission contributes to angiotensin regulation of body weight. 1999 , 106, 631-44	32
291	Different role of angiotensin II type 1 and type 2 receptors in renin release by interaction of angiotensin II and renal sympathetic nerve. 1999 , 3, 89-95	1
290	Antisense inhibition of angiotensinogen attenuates vasopressin release in the paraventricular hypothalamic nucleus of spontaneously hypertensive rats. 1999 , 829, 120-4	12
289	Co-localization of estrogen and angiotensin receptors within subfornical organ neurons. 1999 , 837, 254-62	46
288	Interactions of the systemic and brain renin-angiotensin systems in the control of drinking and the central mediation of pressor responses. 1999 , 842, 55-61	15
287	Effects of peptide and non-peptide antagonists of angiotensin II receptors on drinking behavior in rats. 1999 , 93, 219-24	9
286	Increased production of vascular endothelial growth factor (VEGF) by angiotensin II in neuro-2A cells. 1999 , 25, 79-88	11
285	Reduction of depressive-like behavior in mice lacking angiotensinogen. 1999 , 261, 167-70	38
284	Involvement of central angiotensin receptors in stress adaptation. 1999 , 93, 877-84	37
283	Renal effects of angiotensin II receptor subtype 1 and 2-selective ligands injected into the paraventricular nucleus of conscious rats. 1999 , 84, 91-6	19
282	Mechanisms underlying pressor response of subfornical organ to angiotensin II. 1999 , 20, 171-6	27
281	Brain renin angiotensin system (RAS) in stress-induced analgesia and impaired retention. 1999 , 20, 335-42	56
280	Hippocampal 5-HT and NE release in the transgenic rat TGR(mREN2)27 related to behavior on the elevated plus maze. 1999 , 9, 279-85	31
279	Inhibition of the angiotensin II Type 1 receptor by TCV-116: quantitation by in vitro autoradiography. 1999 , 79, 131-9	7
278	Role of brain vasopressin in regulation of blood pressure. 1998 , 119, 337-49	14
277	Angiotensin II modulates the activity of Na ⁺ ,K ⁺ -ATPase in cultured rat astrocytes via the AT1 receptor and protein kinase C-delta activation. 2000 , 74, 1325-31	19
276	Brain versus peripheral angiotensin II receptors in hypovolaemia: behavioural and cardiovascular implications. 2000 , 27, 437-42	12

275	Role of bradykinins and nitric oxide in the AT2 receptor-mediated hypotension. 2000 , 14 Suppl 1, S40-6	28
274	Local circuitry regulates the excitability of rat neurohypophysial neurones. 2000 , 85 Spec No, 153S-161S	30
273	The effects of highly selective opioid receptor antagonists on the release of arginine vasotocin induced by hyperosmotic stimulation and angiotensin II injection. 2000 , 118, 365-72	2
272	Interaction between Mas and the angiotensin AT1 receptor in the amygdala. 2000 , 83, 2012-21	65
271	Abnormal water metabolism in mice lacking the type 1A receptor for ANG II. 2000 , 278, F75-82	77
270	Various effects of angiotensin II on amygdaloid neuronal activity in normotensive control and hypertensive transgenic [TGR(mREN-2)27] rats. 2000 , 14, 925-31	30
269	From genotype to phenotype--behavior of the transgenic rat TGR(mRen2)27 as an example. 2000 , 11, 37-45	3
268	Cocaine, HIV, and their cardiovascular effects: is there a role for ACE-inhibitor therapy?. 2000 , 61, 35-45	22
267	Brain AT(2) receptor mediate vasodepressor response to footshocks: role of kinins and nitric oxide. 2000 , 51, 339-43	7
266	Insights into the functions of type 1 (AT1) angiotensin II receptors provided by gene targeting. 2000 , 11, 263-9	25
265	Potent and selective inhibition of zinc aminopeptidase A (EC 3.4.11.7, APA) by glutamyl aminophosphinic peptides: importance of glutamyl aminophosphinic residue in the P1 position. 2000 , 39, 1152-5	23
264	Angiotensina II e hipertensi3n arterial: consecuencias del antagonismo de sus receptores. 2000 , 17, 22-29	
263	Increased brain angiotensin receptor in rats with chronic high-output heart failure. 2000 , 6, 66-72	44
262	Estrogen decreases the responsiveness of subfornical organ neurons to angiotensinergic neural inputs from the lateral hypothalamic area in the female rat. 2001 , 171, 301-7	4
261	Central inhibition of AT1receptors by eprosartan--in vitro autoradiography in the brain. 2001 , 43, 251-5	16
260	Estrogen attenuates the drinking response induced by activation of angiotensinergic pathways from the lateral hypothalamic area to the subfornical organ in female rats. 2001 , 122, 33-41	18
259	Opposite regulation of brain angiotensin type 1 and type 2 receptors in cold-induced hypertension. 2001 , 97, 91-102	38
258	A new angiotensinergic system in the CNS of the rat. 2001 , 99, 93-101	9

- 257 Angiotensin III: a central regulator of vasopressin release and blood pressure. **2001**, 12, 157-62 114
- 256 Stressor specificity of central neuroendocrine responses: implications for stress-related disorders. **2001**, 22, 502-48 657
- 255 Transgenic mice as a tool to study the renin-angiotensin system. **2001**, 135, 72-91 15
- 254 The hypothalamus and hypertension. **2001**, 81, 1599-658 163
- 253 Glucocorticoid modulation of cardiovascular and autonomic function in preterm lambs: role of ANG II. **2001**, 280, R646-54 26
- 252 ANG II-mediated inhibition of neuronal delayed rectifier K⁺ current: role of protein kinase C- α . **2001**, 281, C17-23 23
- 251 Brain angiotensin receptors and sympathoadrenal regulation during insulin-induced hypoglycemia. **2001**, 280, R1162-8 3
- 250 Glial angiotensinogen regulates brain angiotensin II receptors in transgenic rats TGR(ASrAOGEN). **2001**, 280, R233-40 39
- 249 A novel effect of angiotensin on renal sympathetic nerve activity in mice. **2001**, 19, 609-18 37
- 248 Renin-angiotensin-sympathetic crosstalks in hypertension: reappraising the relevance of peripheral interactions. **2001**, 19, 1713-6 63
- 247 Hormonal and neurotransmitter roles for angiotensin in the regulation of central autonomic function. **2001**, 226, 85-96 105
- 246 Central imidazoline and angiotensin II receptors in cardiovascular responses to chronic cold exposure in rats. **2001**, 26, 513-518 12
- 245 Physiological role of a novel neuropeptide, apelin, and its receptor in the rat brain. **2001**, 77, 1085-96 293
- 244 Strain differences in the anxiolytic effects of losartan in the mouse. **2001**, 69, 35-40 24
- 243 Comparative studies on the memory-enhancing actions of captopril and losartan in mice using inhibitory shock avoidance paradigm. **2001**, 35, 65-9 51
- 242 Upregulation of immunoreactive angiotensin II release and angiotensinogen mRNA expression by high-frequency preganglionic stimulation at the canine cardiac sympathetic ganglia. *Circulation Research*, **2001**, 88, 110-6 15.7 13
- 241 Review: AT1-receptors in the central nervous system. **2001**, 2, S95-S101 12
- 240 Responses of fetal ovine systemic and umbilical arteries to angiotensin II. **2001**, 49, 826-33 18

239	Organisation and functional role of the brain angiotensin system. 2002 , 3 Suppl 1, S39-48	38
238	Ventrolateral medulla AT1 receptors support blood pressure in hypertensive rats. <i>Hypertension</i> , 2002 , 40, 552-9	8.5 92
237	Electrophysiological and Molecular Properties of the Oxytocin- and Vasopressin-Secreting Systems in Mammals. 2002 , 1-49	1
236	Angiotensin AT(1)-receptors depolarize neonatal spinal motoneurons and other ventral horn neurons via two different conductances. 2002 , 88, 2857-63	15
235	Hyponatremic-hypertensive syndrome associated with renovascular hypertension: a case report. 2002 , 66, 297-301	10
234	Angiotensin II evokes calcium-mediated signaling events in isolated dog pancreatic epithelial cells. 2002 , 25, 290-5	11
233	Oxytocin, vasopressin and atrial natriuretic peptide control body fluid homeostasis by action on their receptors in brain, cardiovascular system and kidney. 2002 , 139, 309-28	25
232	Prostaglandins contribute to impaired angiotensin II-induced cerebral vasodilation after brain injury. 2002 , 19, 1457-66	7
231	Hypothalamic-pituitary-adrenal axis, neuroendocrine factors and stress. 2002 , 53, 865-71	1722
230	Role of central angiotensin II receptors in cold-induced hypertension. 2002 , 15, 85-92	63
229	Effects of mutations in the highly conserved DRY motif on binding affinity, expression, and G-protein recruitment of the human angiotensin II type-2 receptor. 2002 , 109, 161-7	11
228	Ethanol modifies differently aspartyl- and glutamyl-aminopeptidase activities in mouse frontal cortex synaptosomes. 2002 , 57, 195-203	11
227	The predominant role of brain angiotensinogen and angiotensin in environmentally induced hypertension. 2002 , 110, 25-32	14
226	Angiotensin and baroreflex control of the circulation. 2002 , 35, 1047-59	32
225	Dissociation between the circulating renin-angiotensin system and angiotensin II receptors in central losartan-induced hypertension. 2002 , 35, 1069-74	4
224	Interaction between paraventricular nucleus and septal area in the control of physiological responses induced by angiotensin II. 2002 , 35, 1017-23	8
223	The role of angiotensin II in cognition and behaviour. 2002 , 438, 1-14	142
222	Angiotensin II-induced drinking and pressor responses to central or systemic irbesartan and losartan. 2002 , 71, 139-46	9

221	Neural plasticity and the brain renin-angiotensin system. 2002 , 26, 529-52	65	
220	Atrial natriuretic factor (ANF) effects on L-, N-, and P/Q-type voltage-operated calcium channels. 2002 , 22, 771-81	4	
219	Lactic acid bacteria: inhibition of angiotensin converting enzyme in vitro and in vivo. 2003 , 83, 27-34	99	
218	Effects of alpha(1)-adrenoceptors and muscarinic cholinceptors on water intake in rats. 2003 , 477, 123-7	5	
217	Subcellular identification of angiotensin I/II- and angiotensin II (AT1)-receptor-immunoreactivity in the central nervous system of rats. 2003 , 962, 92-104	11	
216	Microinjection of renin-angiotensin system peptides in discrete sites within the rat periaqueductal gray matter elicits antinociception. 2003 , 972, 207-15	30	
215	Modulation of delayed rectifier potassium current by angiotensin II in CATH.a cells. 2003 , 310, 710-4	20	
214	Effects of V1 and angiotensin receptor subtypes of the paraventricular nucleus on the water intake induced by vasopressin injected into the lateral septal area. 2003 , 61, 481-7	12	
213	Expression of angiotensin type 1 and 2 receptors in brain after transient middle cerebral artery occlusion in rats. 2003 , 110, 241-7	47	
212	Elevation of sympathetic activity by eprosartan in young male subjects. 2003 , 16, 658-64	22	
211	The rostral ventrolateral medulla mediates sympathetic baroreflex responses to intraventricular angiotensin II in rabbits. 2003 , 107, 20-31	6	
210	Angiotensin II receptor types 1A, 1B, and 2 in murine neuroblastoma Neuro-2a cells. 2003 , 23, 111-21	11	
209	The angiotensin type 2 receptor of angiotensin II and neuronal differentiation: from observations to mechanisms. 2003 , 31, 359-72	78	
208	Development of Function in the Metanephric Kidney. 2003 , 267-325	7	
207	Delayed maturation of catecholamine phenotype in nucleus tractus solitarius of rats with glial angiotensinogen depletion. <i>Hypertension</i> , 2003 , 42, 978-84	8.5	6
206	Neuropsychiatric effects of cardiovascular drug therapy. <i>Cardiology in Review</i> , 2003 , 11, 73-93	3.2	57
205	Physiological genomic analysis of the brain renin-angiotensin system. 2003 , 285, R498-511	69	
204	Neuroendocrine control of body fluid homeostasis. 2003 , 36, 165-81	29	

203	Influence of angiotensin II receptor subtypes of the paraventricular nucleus on the physiological responses induced by angiotensin II injection into the medial septal area. 2003 , 80, 396-405		3
202	Angiotensin potentiates excitatory sensory synaptic transmission to medial solitary tract nucleus neurons. 2003 , 284, R1340-53		40
201	A Cre-loxP solution for defining the brain renin-angiotensin system. Focus on "Targeted viral delivery of Cre recombinase induces conditional gene deletion in cardiovascular circuits of the mouse brain". 2004 , 18, 1-3		4
200	Localization of renin expressing cells in the brain, by use of a REN-eGFP transgenic model. 2004 , 16, 240-6		63
199	Prevention of sympathetic and cardiac dysfunction after myocardial infarction in transgenic rats deficient in brain angiotensinogen. <i>Circulation Research</i> , 2004 , 94, 843	15.7	79
198	A novel angiotensin II type 1 receptor-associated protein induces cellular hypertrophy in rat vascular smooth muscle and renal proximal tubular cells. <i>Journal of Biological Chemistry</i> , 2004 , 279, 21109-20	5.4	25
197	Neuroendocrine control of body fluid metabolism. 2004 , 84, 169-208		339
196	Mineralocorticoid treatment upregulates the hypothalamic vasopressinergic system of spontaneously hypertensive rats. 2004 , 80, 100-10		37
195	Vasopressin mechanism-mediated pressor responses caused by central angiotensin II in the ovine fetus. 2004 , 56, 756-62		20
194	Brain renin-angiotensin system blockade by systemically active aminopeptidase A inhibitors: a potential treatment of salt-dependent hypertension. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 7775-80	11.5	108
193	Exploring type I angiotensin (AT1) receptor functions through gene targeting. 2004 , 181, 561-70		42
192	Potentiation by angiotensin II of spontaneous excitatory postsynaptic currents in rat supraoptic magnocellular neurones. 2004 , 16, 871-9		18
191	Brain angiotensin II, an important stress hormone: regulatory sites and therapeutic opportunities. 2004 , 1018, 76-84		58
190	AT4 receptor binding in the developing rabbit. 2004 , 281, 1276-85		1
189	Emerging targets for the pharmacology of learning and memory. 2004 , 50, 111-22		23
188	The brain angiotensin system and extracellular matrix molecules in neural plasticity, learning, and memory. 2004 , 72, 263-93		131
187	Human angiotensin II type-2 receptor inhibition of insulin-mediated ERK-2 activity via a G-protein coupled signaling pathway. 2004 , 124, 62-9		6
186	Estrogen modulates the action of nitric oxide in the medial preoptic area on luteinizing hormone and prolactin secretion. 2004 , 74, 2049-59		9

185	Hypotensive peptides from milk proteins. 2004 , 134, 980S-8S	507
184	Contribution of baroreflex sensitivity and vascular reactivity to variable haemodynamic responses to cocaine in conscious rats. 2005 , 32, 911-8	2
183	Nitric oxide contributes to AT2 but not AT1 angiotensin II receptor-mediated vasodilatation of porcine pial arteries and arterioles. 2005 , 525, 112-6	17
182	Brain angiotensin and anxiety-related behavior: the transgenic rat TGR(ASrAOGEN)680. 2005 , 1046, 145-56	40
181	Effects of intracerebroventricular losartan on angiotensin II-mediated pressor responses and c-fos expression in near-term ovine fetus. 2005 , 493, 571-9	14
180	The brain renin-angiotensin system: a target for novel antidepressants and anxiolytics. 2005 , 65, 270-277	5
179	Role of angiotensin III in hypertension. 2005 , 7, 128-34	35
178	The renin-angiotensin system in the mammalian central nervous system. 2005 , 6, 355-71	35
177	Nuclear localization of angiotensinogen in astrocytes. 2005 , 288, R539-46	52
176	Persistent sympathetic activation during chronic antihypertensive therapy: a potential mechanism for long term morbidity?. <i>Hypertension</i> , 2005 , 45, 513-21	8,5 63
175	Attenuation of diet-induced weight gain and adiposity through increased energy expenditure in mice lacking angiotensin II type 1a receptor. 2005 , 146, 3481-9	127
174	The role of the brain renin-angiotensin system in neurodegenerative disorders. 2005 , 2, 29-35	67
173	HistoGreen: a new alternative to 3,3'-diaminobenzidine-tetrahydrochloride-dihydrate (DAB) as a peroxidase substrate in immunohistochemistry?. 2005 , 14, 107-18	17
172	A new role for the renin-angiotensin system in the rat periaqueductal gray matter: angiotensin receptor-mediated modulation of nociception. 2005 , 132, 453-63	52
171	Role of angiotensin II and corticotropin-releasing hormone in hemodynamic responses to cocaine and stress. 2005 , 127, 1-10	9
170	Protective effect of the inhibition of the renin-angiotensin system on aging. 2005 , 128, 247-52	114
169	Enhanced osmotic responsiveness in angiotensin AT1a receptor deficient mice: evidence for a role for AT1b receptors. 2005 , 90, 739-46	8
168	Neuromodulators: Sections 4.1 [4.18. 143-254	

167	Time course analysis of tyrosine hydroxylase and angiotensinogen mRNA expression in central nervous system of rats submitted to experimental hypertension. 2006 , 55, 292-9	8
166	Salt consumption increases blood pressure and abolishes the light/dark rhythm in angiotensin AT1a receptor deficient mice. 2006 , 88, 95-100	10
165	Comparison of inhibitory action of candesartan and enalapril on brain ischemia through inhibition of oxidative stress. 2006 , 51, 822-8	44
164	Angiotensin-sympathetic system interactions in cardiovascular and metabolic disease. 2006 , 24, S51-6	46
163	Central angiotensin and baroreceptor control of circulation. 2001 , 940, 361-79	39
162	The CNS renin-angiotensin system. 2006 , 326, 599-616	193
161	Neonatal handling reduces angiotensin II receptor density in the medial preoptic area and paraventricular nucleus but not in arcuate nucleus and locus coeruleus of female rats. 2006 , 1067, 177-80	3
160	Galphaq-dependent signaling cascades stimulate water-seeking behavior. 2006 , 291, F781-9	2
159	Central angiotensin II receptors mediate hemodynamic response variability to stressors. 2006 , 291, R719-27	7
158	Dietary salt and flavor: mechanisms of taste perception and physiological controls. 2007 , 77-98	10
157	Pressor response induced by central angiotensin II is mediated by activation of Rho/Rho-kinase pathway via AT1 receptors. 2007 , 25, 399-406	31
156	Renin-angiotensin-system gene polymorphisms and depression. 2007 , 31, 1113-8	58
155	Glucocorticoid modulation of atrial natriuretic peptide, oxytocin, vasopressin and Fos expression in response to osmotic, angiotensinergic and cholinergic stimulation. 2007 , 147, 247-57	42
154	Angiotensin II protects against alpha-synuclein toxicity and reduces protein aggregation in vitro. 2007 , 363, 846-51	23
153	Angiotensin type 1 receptor antagonist losartan, reduces MPTP-induced degeneration of dopaminergic neurons in substantia nigra. 2007 , 2, 1	98
152	Endogenous kappa opioids mediate the action of brain angiotensin II to increase blood pressure. 2007 , 41, 411-9	8
151	Response of substances co-expressed in hypothalamic magnocellular neurons to osmotic challenges in normal and Brattleboro rats. 2008 , 28, 1033-47	33
150	Involvement of insulin-regulated aminopeptidase in the effects of the renin-angiotensin fragment angiotensin IV: a review. 2008 , 13, 321-37	79

149	New insights into the importance of aminopeptidase A in hypertension. 2008 , 13, 273-84		33
148	Aminopeptidase A inhibitors as centrally acting antihypertensive agents. 2008 , 13, 311-9		24
147	Brain renin angiotensin in disease. 2008 , 86, 715-22		145
146	Regulation of angiotensin II type 1 receptor mRNA in neuronal cultures of normotensive and spontaneously hypertensive rat brains by phorbol esters and forskolin. 1994 , 62, 2079-84		15
145	Human brain aminopeptidase A: biochemical properties and distribution in brain nuclei. 2008 , 106, 416-28		24
144	Angiotensin-converting enzyme 2 in the brain: properties and future directions. 2008 , 107, 1482-94		222
143	Jacques Benoit lecture: the neuroendocrine view of the angiotensin and apelin systems. 2008 , 20, 279-89		16
142	Angiotensin receptor subtype mediated physiologies and behaviors: new discoveries and clinical targets. 2008 , 84, 157-81		102
141	Orally active aminopeptidase A inhibitors reduce blood pressure: a new strategy for treating hypertension. <i>Hypertension</i> , 2008 , 51, 1318-25	8.5	76
140	Gait, aging and dementia. 2008 , 18, 39-52		8
139	Does infusion of ANG II increase muscle sympathetic nerve activity in patients with primary aldosteronism?. 2008 , 294, R1873-9		8
138	The Renin-Angiotensin System and the Aging Process. 2008 , 209-230		
137	Chronic administration of an angiotensin II receptor antagonist resets the hypothalamic-pituitary-adrenal (HPA) axis and improves the affect of patients with diabetes mellitus type 2: preliminary results. 2008 , 11, 62-72		50
136	Aegis against stroke and dementia by angiotensin type 1 receptor blockers: new beneficial aspects. 2008 , 31, 1-3		2
135	Protective mechanisms of the angiotensin II type 1 receptor blocker candesartan against cerebral ischemia: in-vivo and in-vitro studies. 2008 , 26, 1435-45		30
134	Central neural regulation of cardiovascular function by angiotensin: a focus on the rostral ventrolateral medulla. 2009 , 89, 361-9		25
133	Microinjection of angiotensin II in the caudal ventrolateral medulla induces hyperalgesia. 2009 , 158, 1301-10		28
132	NADPH oxidases and angiotensin II receptor signaling. 2009 , 302, 148-58		272

131	Effect of peptide and nonpeptide antagonists of angiotensin II receptors on noradrenaline release in hypothalamus of rats with angiotensin II-induced increase of water intake. 2009 , 61, 1206-10	2
130	Involvement of central angiotensin II type 1 receptors in LPS-induced systemic vasopressin release and blood pressure regulation in rats. 2009 , 106, 1943-8	5
129	Influence of up-regulated renin-angiotensin system on the exploration, anxiety-related behavior and object recognition. 2009 , 60, 369-83	6
128	Endogenous Vasoactive Peptides. 2010 , 515-566	
127	The hyperalgesic effects induced by the injection of angiotensin II into the caudal ventrolateral medulla are mediated by the pontine A5 noradrenergic cell group. 2010 , 1325, 41-52	17
126	Plasma and brain angiotensin concentrations associated with water response behavior in the desert anuran, <i>Scaphiopus couchii</i> under natural conditions in the field. 2010 , 157, 377-81	5
125	Angiotensin receptor type 1 antagonists protect against neuronal injury induced by oxygen-glucose depletion. 2010 , 161, 33-50	22
124	Expression of (pro)renin receptor in the human brain and pituitary, and co-localisation with arginine vasopressin and oxytocin in the hypothalamus. 2010 , 22, 453-9	44
123	Blockade of 5-HT ₃ receptors at septal area increase blood pressure in unanaesthetized rats. 2011 , 159, 51-61	8
122	The role of the brain renin-angiotensin system in hypertension: implications for new treatment. 2011 , 95, 89-103	75
121	Brain renin-angiotensin--a new look at an old system. 2011 , 95, 49-67	162
120	Functional sympatholysis is impaired in hypertensive humans. 2011 , 589, 1209-20	83
119	Side chain-oxidized oxysterols regulate the brain renin-angiotensin system through a liver X receptor-dependent mechanism. <i>Journal of Biological Chemistry</i> , 2011 , 286, 25574-85	5-4 41
118	The Angiotensin II Type 2 Receptor in Brain Functions: An Update. 2012 , 2012, 351758	53
117	Focus on Brain Angiotensin III and Aminopeptidase A in the Control of Hypertension. 2012 , 2012, 124758	15
116	Cortical response to somatosensory stimulation in medication overuse headache patients is influenced by angiotensin converting enzyme (ACE) I/D genetic polymorphism. 2012 , 32, 1189-97	34
115	Central antihypertensive effects of orally active aminopeptidase A inhibitors in spontaneously hypertensive rats. <i>Hypertension</i> , 2012 , 60, 411-8	8.5 53
114	The brain renin-angiotensin system and cardiovascular responses to stress: insights from transgenic rats with low brain angiotensinogen. 2012 , 113, 1929-36	15

113	Involvement of brain ANG II in acute sodium depletion induced salty taste changes. 2012 , 179, 15-22	4
112	Tannic acid down-regulates the angiotensin type 1 receptor through a MAPK-dependent mechanism. 2012 , 26, 458-70	6
111	Cardiovascular Neuroendocrinology. 2012 , 307-327	2
110	Importance of the brain Angiotensin system in Parkinson's disease. 2012 , 2012, 860923	18
109	Renin-Angiotensin. 2012 , 113-116	
108	The brain renin-angiotensin system: a diversity of functions and implications for CNS diseases. 2013 , 465, 133-51	144
107	Essential hypertension as a result of neurochemical changes at the rostral ventrolateral medulla. 2013 , 20, 1682-7	2
106	Angiotensin receptor blockers for bipolar disorder. 2013 , 80, 259-63	13
105	The (pro)renin receptor and body fluid homeostasis. 2013 , 305, R104-6	11
104	Diverse Roles of Angiotensin Receptor Intracellular Signaling Pathways in the Control of Water and Salt Intake. 2013 , 53-66	2
103	Renin Angiotensin System in Cognitive Function and Dementia. 2013 , 2013, 1-18	25
102	A new strategy for treating hypertension by blocking the activity of the brain renin-angiotensin system with aminopeptidase A inhibitors. 2014 , 127, 135-48	55
101	Disorders of the posterior pituitary. 2014 , 405-443.e1	3
100	Sensitization of sodium appetite: evidence for sustained molecular changes in the lamina terminalis. 2014 , 307, R1405-12	15
99	Food-Originating ACE Inhibitors, Including Antihypertensive Peptides, as Preventive Food Components in Blood Pressure Reduction. 2014 , 13, 114-134	183
98	Neuropeptides as neuroprotective agents: Oxytocin a forefront developmental player in the mammalian brain. 2014 , 123, 37-78	35
97	[Orally active aminopeptidase A inhibitors reduce blood pressure: a new strategy for treating hypertension]. 2014 , 208, 217-24	1
96	The biopsychology of salt hunger and sodium deficiency. 2015 , 467, 445-56	57

95	Association of angiotensin-converting enzyme gene polymorphism with schizophrenia and depressive symptom severity in a Chinese population. 2015 , 30, 100-7	10
94	PhenoPredict: A disease phenome-wide drug repositioning approach towards schizophrenia drug discovery. 2015 , 56, 348-55	25
93	Psychiatry and Neuroscience Update. 2015 ,	0
92	Angiotensin II and Water Balance in Amphibians. 2015 , 73-90	5
91	The development of small molecule angiotensin IV analogs to treat Alzheimer [®] and Parkinson [®] diseases. 2015 , 125, 26-46	34
90	Establishing Natural Nootropics: Recent Molecular Enhancement Influenced by Natural Nootropic. 2016 , 2016, 4391375	26
89	MRI/DTI of the Brain Stem Reveals Reversible and Irreversible Disruption of the Baroreflex Neural Circuits: Clinical Implications. 2016 , 6, 837-48	10
88	Regulation of angiotensinogen expression by angiotensin II in spontaneously hypertensive rat primary astrocyte cultures. 2016 , 1643, 51-8	12
87	Differential responses of the vasotocin 1a receptor (V1aR) and osmoreceptors to immobilization and osmotic stress in sensory circumventricular organs of the chicken (<i>Gallus gallus</i>) brain. 2016 , 1649, 67-78	13
86	Overdrinking, swallowing inhibition, and regional brain responses prior to swallowing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 12274-12279	11.5 14
85	Medication-overuse headache: risk factors, pathophysiology and management. 2016 , 12, 575-83	139
84	Angiotensin II centrally induces frequent detrusor contractility of the bladder by acting on brain angiotensin II type 1 receptors in rats. 2016 , 6, 22213	6
83	Influence of ACE gene on differential response to sertraline versus fluoxetine in patients with major depression: a randomized controlled trial. 2016 , 72, 1059-64	10
82	Glucagon increase after chronic AT blockade is more likely related to an indirect leptin-dependent than to a pancreatic β -cell-dependent mechanism. 2017 , 390, 505-518	3
81	Angiotensin-III is Increased in Alzheimer [®] Disease in Association with Amyloid- β and Tau Pathology. 2017 , 58, 203-214	26
80	Brain renin-angiotensin system in the pathophysiology of cardiovascular diseases. 2017 , 125, 72-90	40
79	Genetic advances in post-traumatic stress disorder. 2018 , 47, 108-118	1
78	Genetic Advances in Post-traumatic Stress Disorder. 2018 , 47, 108-118	2

77	Central antihypertensive effects of chronic treatment with RB150: an orally active aminopeptidase A inhibitor in deoxycorticosterone acetate-salt rats. 2018 , 36, 641-650	25
76	Divergent profile between hypothalamic and plasmatic aminopeptidase activities in WKY and SHR. Influence of beta-adrenergic blockade. 2018 , 192, 9-17	15
75	Candesartan, angiotensin II type 1 receptor blocker is able to relieve age-related cognitive impairment. 2018 , 70, 87-92	10
74	Further Reading. 2018 , 455-508	
73	[Behavioral and Molecular Pharmacological Study of the Role of Angiotensin II in Spinal Pain Transmission]. 2018 , 138, 1235-1240	0
72	Astrocytes and the Renin Angiotensin System: Relevance in Disease Pathogenesis. 2018 , 43, 1297-1307	7
71	Novel Therapeutic Approaches Targeting the Renin-Angiotensin System and Associated Peptides in Hypertension and Heart Failure. 2019 , 71, 539-570	146
70	Long-term treatment with kefir probiotics ameliorates cardiac function in spontaneously hypertensive rats. 2019 , 66, 79-85	20
69	Dietary salt and flavour: mechanisms of taste perception and physiological controls. 2019 , 45-70	0
68	Orally Active Aminopeptidase A Inhibitor Prodrugs: Current State and Future Directions. 2019 , 21, 50	4
67	Herbicide Paraquat provokes the stress responses of HPA axis of laboratory mouse, <i>Mus musculus</i> . 2019 , 153, 106-115	7
66	Evolution of a New Class of Antihypertensive Drugs: Targeting the Brain Renin-Angiotensin System. <i>Hypertension</i> , 2020 , 75, 6-15	8.5 27
65	Targeting Brain Aminopeptidase A: A New Strategy for the Treatment of Hypertension and Heart Failure. 2020 , 36, 721-731	7
64	Effect of renin-angiotensin system on senescence. 2020 , 20, 520-525	15
63	Disorders of the Posterior Pituitary. 2021 , 357-394	1
62	Firibastat: A Novel Brain Aminopeptidase Inhibitor - A New Era of Antihypertensive therapy. 2021 , 100859	2
61	Bioactive Peptides and Proteins from Fish Muscle and Collagen. 203-223	5
60	Angiotensins in Brain Function. 2006 , 627-653	2

59	Aminopeptidase Inhibitors as Anti-Hypertensive Drugs. 2004 , 229-250		4
58	Thirst and Water Balance. 1990 , 353-386		6
57	Second Messengers for Brain Angiotensin Receptor Subtypes. 1994 , 177-191		2
56	Expression and Function of Neurotransmitter Receptors in Glial Cells of the Central Nervous System. 1998 , 167-183		1
55	The Brain Renin-Angiotensin System And Salt-Sensitive Hypertension. 1998 , 15-32		1
54	Interaction of Angiotensin II with Catecholamines in the Brain. 1991 , 85-94		2
53	Actions of Angiotensin II in the Ventrolateral Medulla Oblongata. 1991 , 95-103		2
52	Interactions between the circulating hormones angiotensin and atrial natriuretic peptide and their receptors in brain. <i>Advances in Experimental Medicine and Biology</i> , 1990 , 274, 191-210	3.6	6
51	Brain angiotensin and the female reproductive cycle. <i>Advances in Experimental Medicine and Biology</i> , 1995 , 377, 357-70	3.6	8
50	Characterization of a cis-regulatory element and trans-acting protein that regulates transcription of the angiotensin II type 1a receptor gene. <i>Advances in Experimental Medicine and Biology</i> , 1996 , 396, 1-10	3.6	1
49	Interactions of angiotensin II with central dopamine. <i>Advances in Experimental Medicine and Biology</i> , 1996 , 396, 93-103	3.6	38
48	Human AT1 receptor gene regulation. <i>Advances in Experimental Medicine and Biology</i> , 1996 , 396, 11-21	3.6	5
47	Antisense oligonucleotides for in vivo studies of angiotensin receptors. <i>Advances in Experimental Medicine and Biology</i> , 1996 , 396, 79-92	3.6	3
46	Drinking in marine, euryhaline and freshwater teleost fish. 1997 , 135-149		9
45	Central Control of Water and Salt Metabolism. 1996 , 1625-1648		2
44	A Role of the Angiotensin-Renin System for Retinal Neurotransmission?. 1989 , 375-387		2
43	Converting Enzyme Inhibitors. <i>Handbook of Experimental Pharmacology</i> , 1990 , 377-481	3.2	21
42	Use of Transgenic Animals in the Study of Neuropeptide Genes. <i>Current Topics in Neuroendocrinology</i> , 1993 , 145-167		4

41	Measurement of Immune System in Response to Peptides in Central Nervous System. <i>Methods in Neurosciences</i> , 1991 , 147-157		2
40	Angiotensin II Receptors in the Human Central Nervous System. 1991 , 123-142		2
39	Neuropeptide Expression in Astrocytes. 1993 , 229-242		5
38	Disorders of the Posterior Pituitary. 2008 , 335-373		2
37	Molecular cloning of porcine soluble angiotensin-binding protein.. <i>Journal of Biological Chemistry</i> , 1992 , 267, 18067-18072	5.4	36
36	Structure and expression of the human angiotensinogen gene. Identification of a unique and highly active promoter.. <i>Journal of Biological Chemistry</i> , 1990 , 265, 7576-7582	5.4	106
35	Chronic control of high blood pressure in the spontaneously hypertensive rat by delivery of angiotensin type 1 receptor antisense. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 9960-5	11.5	81
34	AT1 receptors mediate angiotensin II uptake and transport by bovine brain microvessel endothelial cells in primary culture. <i>Journal of Cardiovascular Pharmacology</i> , 1999 , 33, 30-5	3.1	25
33	Antisense inhibition of hypertension in the spontaneously hypertensive rat. <i>Hypertension</i> , 1995 , 25, 314-9.5		61
32	Differential gene expression of renin and angiotensinogen in the TGR(mREN-2)27 transgenic rat. <i>Hypertension</i> , 1995 , 25, 570-80	8.5	46
31	Salt-sensitive hypertension in (mREN-2)27 transgenic rats. <i>Hypertension</i> , 1996 , 27, 573-7	8.5	15
30	Subcellular localization of angiotensin II immunoreactivity in the rat cerebellar cortex. <i>Hypertension</i> , 1996 , 28, 818-24	8.5	62
29	Brain "ouabain" and angiotensin II in salt-sensitive hypertension in spontaneously hypertensive rats. <i>Hypertension</i> , 1996 , 28, 1005-12	8.5	59
28	Increased brain transcription factor expression by angiotensin in genetic hypertension. <i>Hypertension</i> , 1997 , 29, 592-8	8.5	22
27	Losartan versus gene therapy: chronic control of high blood pressure in spontaneously hypertensive rats. <i>Hypertension</i> , 1997 , 30, 363-70	8.5	32
26	Angiotensin II type 2 receptor-mediated regulation of rat neuronal K ⁺ channels. <i>Circulation Research</i> , 1996 , 79, 302-9	15.7	27
25	Angiotensin II contributes to cerebral vasodilatation during hypoxia in the rabbit. <i>Stroke</i> , 1995 , 26, 1871-6.7		11
24	Divergent functions of angiotensin II receptor isoforms in the brain. <i>Journal of Clinical Investigation</i> , 2000 , 106, 103-6	15.9	149

- 23 Expression of AT2 receptors in the developing rat fetus. *Journal of Clinical Investigation*, **1991**, 88, 921-335.9 438
- 22 Prejunctional angiotensin II receptors. Facilitation of norepinephrine release in the human forearm. *Journal of Clinical Investigation*, **1994**, 93, 684-91 15.9 63
- 21 Peptide-Mediated Regulation of CSF Formation and Blood Flow to the Choroid Plexus. **2005**, 101-117 4
- 20 ACE Inhibitory Peptides. *Nutraceutical Science and Technology*, **2005**, 269-315 9
- 19 Chronic Stress and Diabetes Mellitus: Interwoven Pathologies. *Current Diabetes Reviews*, **2020**, 16, 546-556 18
- 18 Brain Angiotensinergic Regulation of the Immune System: Implications for Cardiovascular and Neuroendocrine Responses. *Endocrine, Metabolic and Immune Disorders - Drug Targets*, **2020**, 20, 15-24 2.2 4
- 17 Role of the renin-angiotensin system on the central and peripheral autonomic nervous system. **2001**, 145-153
- 16 Immunohistochemistry of Angiotensin. *Handbook of Experimental Pharmacology*, **2004**, 111-128 3.2
- 15 Angiotensin Pathways and Brain Function. *Handbook of Experimental Pharmacology*, **2004**, 81-100 3.2
- 14 Principles of Hormone/Behavior Relations - Pages 295-322. **2004**, 295-322
- 13 Involvement of the Renin Angiotensin System in the Regulation of the Hypothalamic Pituitary Adrenal Axis. *Handbook of Experimental Pharmacology*, **2004**, 101-114 3.2
- 12 Hypothalamic-Pituitary-Adrenal Axis Effects on Innate and Adaptive Immunity. **2004**, 51-63
- 11 Disorders of Water Balance. 343-373
- 10 Bibliography. **1990**, 217-277
- 9 Angiotensin-Converting Enzyme in the Human Brain. **1991**, 143-164
- 8 Vasopressin and the Heart. **1999**, 103-113
- 7 Brain Renin-Angiotensin System: A Novel Therapeutic Target for Psychostimulant and Alcohol Related Disorders?. **2015**, 79-88
- 6 Medication Overuse Headache.

5	Angiotensin converting enzyme inhibitors as potential cognitive enhancing agents. <i>Journal of Psychiatry and Neuroscience</i> , 1994 , 19, 46-50	4.5	9
4	Cardiovascular therapeutics: A new potential for anxiety treatment?. <i>Medicinal Research Reviews</i> , 2022 ,	14.4	0
3	Firibastat: An Oral First-in-Class Brain Aminopeptidase A Inhibitor for Systemic Hypertension. <i>Cardiology in Review</i> , 2022 , 30, 50-55	3.2	1
2	Renin Angiotensin System in Aging and Regeneration. 2023 , 275-289		0
1	Medication overuse headache. 2023 , 9,		1