The TEAM Study: Personal exposures to toxic substance of 400 residents of New Jersey, North Carolina, and Nor

Environmental Research 43, 290-307

DOI: 10.1016/s0013-9351(87)80030-0

Citation Report

#	Article	IF	Citations
1	Results from the Total Exposure Assessment Methodology (TEAM) study in selected communities in Northern and Southern California. Atmospheric Environment, 1987, 21, 1995-2004.	1.0	33
2	The California TEAM study: Breath concentrations and personal exposures to 26 volatile compounds in air and drinking water of 188 residents of Los Angeles, Antioch, and Pittsburg, CA. Atmospheric Environment, 1988, 22, 2141-2163.	1.0	77
3	The analysis of the contribution of ETS to Indoor air. Environmental Technology Letters, 1988, 9, 553-562.	0.4	7
4	Perspectives on Comparing Risks of Environmental Carcinogens. Journal of the National Cancer Institute, 1988, 80, 1282-1293.	6.3	27
5	Major sources of benzene exposure Environmental Health Perspectives, 1989, 82, 165-169.	6.0	245
6	The Total Exposure Assessment Methodology (TEAM) Study: An Analysis of Exposures, Sources, and Risks Associated with Four Volatile Organic Chemicals. Journal of the American College of Toxicology, 1989, 8, 883-895.	0.2	41
7	Public Health Aspects of Toxic Chemical Disposal Sites. Annual Review of Public Health, 1989, 10, 1-25.	17.4	42
8	The exposure of the general population to benzene. Cell Biology and Toxicology, 1989, 5, 297-314.	5.3	79
9	Building-related illness and antibodies to albumin conjugates of formaldehyde, toluene diisocyanate, and trimellitic anhydride. American Journal of Industrial Medicine, 1989, 15, 187-195.	2.1	21
10	The influence of personal activities on exposure to volatile organic compounds. Environmental Research, 1989, 50, 37-55.	7.5	140
11	Measurements of environmental tobacco smoke in an airâ€conditioned office building. Environmental Technology Letters, 1989, 10, 1003-1018.	0.4	19
12	Chloroform Exposure and the Health Risk Associated with Multiple Uses of Chlorinated Tap Water. Risk Analysis, 1990, 10, 581-585.	2.7	103
13	Major Sources of Exposure to Benzene and Other Volatile Organic Chemicals 1,2. Risk Analysis, 1990, 10, 59-64.	2.7	99
14	Volatile Halogenated Hydrocarbons in Urban Atmosphere and in Human Blood. Archives of Environmental Health, 1990, 45, 101-106.	0.4	23
15	Total Human Exposure: Basic Concepts, EPA Field Studies, and Future Research Needs. Journal of the Air and Waste Management Association, 1990, 40, 966-975.	0.1	48
16	The origins and properties of environmental tobacco smoke. Environment International, 1990, 16, 231-245.	10.0	100
17	Factors influencing indoor air quality in Hong Kong: Measurements in offices and shops. Environmental Technology (United Kingdom), 1991, 12, 737-745.	2.2	19
18	Use of laboratory tests for immune biomarkers in environmental health studies concerned with exposure to indoor air pollutants Environmental Health Perspectives, 1991, 95, 85-91.	6.0	13

#	Article	IF	CITATIONS
19	Comparison of risks from outdoor and indoor exposure to toxic chemicals Environmental Health Perspectives, 1991, 95, 7-13.	6.0	111
20	VHH Atmospheric concentration in urban/rural areas and biological monitoring. Toxicological and Environmental Chemistry, 1991, 31, 39-48.	1.2	1
21	Toxicology of Maternally Ingested Trichloroethylene (TCE) on Embryonal and Fetal Development in Mice and of TCE Metabolites on in Vitro Fertilization. Toxicological Sciences, 1992, 19, 268-274.	3.1	1
22	Exposure of Humans to a Volatile Organic Mixture. I. Behavioral Assessment. Archives of Environmental Health, 1992, 47, 23-30.	0.4	113
23	Exposure of Humans to a Volatile Organic Mixture. III. Inflammatory Response. Archives of Environmental Health, 1992, 47, 39-44.	0.4	136
24	Styrene in adipose tissue of nonoccupationally exposed persons. Environmental Research, 1992, 58, 230-235.	7.5	7
25	Human Upper Respiratory Tract Responses to Inhaled Pollutants with Emphasis on Nasal Lavage. Annals of the New York Academy of Sciences, 1992, 641, 215-224.	3.8	36
26	Differential Responsiveness to Irritant Mixtures: Possible Mechanisms. Annals of the New York Academy of Sciences, 1992, 641, 225-247.	3.8	21
27	Determining volatile organic compounds in human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. Analytical Chemistry, 1992, 64, 1021-1029.	6.5	171
28	Toxicology of maternally ingested trichloroethylene (TCE) on embryonal and fetal development in mice and of TCE metabolites on in vitro fertilization*1. Fundamental and Applied Toxicology, 1992, 19, 268-274.	1.8	27
29	Multiple Chemical Sensitivities and the Immune System. Toxicology and Industrial Health, 1992, 8, 203-214.	1.4	22
30	Importance of enhanced mass resolution in removing interferences when measuring volatile organic compounds in human blood by using purge-and-trap gas chromatography/mass spectrometry. Journal of the American Society for Mass Spectrometry, 1992, 3, 831-841.	2.8	18
31	Assessment of exposure to trichloroethylene and tetrachloroethylene in the population of Zagreb, Croatia. International Archives of Occupational and Environmental Health, 1993, 65, S163-S165.	2.3	5
32	A Decade of Studies of Human Exposure: What Have We Learned?1. Risk Analysis, 1993, 13, 135-139.	2.7	64
33	Biomarkers of human exposure to benzene. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1993, 40, 377-386.	2.3	41
34	Enhanced mortality and liver damage in virusâ€infected mice exposed to pâ€xylene. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1993, 40, 129-144.	2.3	8
35	Measurement issues in environmental epidemiology Environmental Health Perspectives, 1993, 101, 49-57.	6.0	27
36	Xylenes: Evaluation of risks to health from environmental exposure in Canada. Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews, 1994, 12, 545-556.	2.9	4

3

#	ARTICLE	IF	Citations
37	Styrene Impairs Serial Spatial Reversal Learning in Rats. Journal of the American College of Toxicology, 1994, 13, 279-300.	0.2	3
38	Benzene, toluene and xylenes in air, geographical distribution in the Piedmont region (Italy) and personal exposure. Science of the Total Environment, 1994, 148, 49-56.	8.0	24
39	A training program directors' committee report: Topics related to controversial practices that should be taught in an allergy and immunology training program. Journal of Allergy and Clinical Immunology, 1994, 93, 955-966.	2.9	7
40	Volatile Organic Compounds Sources, Measurements, Emissions, and the Impact on Indoor Air Quality. Indoor Air, 1995, 5, 5-73.	4.3	107
41	Measurement of volatile organic compounds in exhaled breath as collected in evacuated electropolished canisters. Biomedical Applications, 1995, 665, 271-279.	1.7	78
42	Passive sampling for volatile organic compounds (VOCs) in air at environmentally relevant concentration levels. Fresenius' Journal of Analytical Chemistry, 1995, 351, 549-554.	1.5	35
43	The priority toxicant reference range study: interim report Environmental Health Perspectives, 1995, 103, 89-94.	6.0	10
44	Evaluation of a possible association of urban air toxics and asthma Environmental Health Perspectives, 1995, 103, 253-271.	6.0	7 5
45	Recent advances in measuring exhaled breath and estimating exposure and body burden for volatile organic compounds (VOCs) Environmental Health Perspectives, 1995, 103, 95-98.	6.0	23
46	p-Dichlorobenzene Exposure among 1000 Adults in the United States. Archives of Environmental Health, $1995, 50, 277-280$.	0.4	65
47	Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. Environmental Pollution, 1995, 87, 313-318.	7.5	1
48	Case studies of the use of biomarkers to assess exposures. Toxicology Letters, 1995, 82-83, 373-378.	0.8	19
49	The Priority Toxicant Reference Range Study: Interim Report. Environmental Health Perspectives, 1995, 103, 89.	6.0	6
50	Environmental Exposure to Benzene: An Update. Environmental Health Perspectives, 1996, 104, 1129.	6.0	48
51	Measurement of Volatile Organic Compounds in Human Blood. Environmental Health Perspectives, 1996, 104, 871.	6.0	15
52	Geographical Distribution of Benzene in Air in Northwestern Italy and Personal Exposure. Environmental Health Perspectives, 1996, 104, 1137.	6.0	3
53	Scientific Challenges in Environmental Carcinogenesis. Preventive Medicine, 1996, 25, 14-22.	3.4	15
54	Environmental factors and respiratory hyper sensitivity: the Americas. Toxicology Letters, 1996, 86, 115-130.	0.8	33

#	Article	IF	Citations
55	Environmental exposure to benzene: an update Environmental Health Perspectives, 1996, 104, 1129-1136.	6.0	213
56	Geographical distribution of benzene in air in northwestern Italy and personal exposure Environmental Health Perspectives, 1996, 104, 1137-1140.	6.0	7
57	Measurement of volatile organic compounds in human blood Environmental Health Perspectives, 1996, 104, 871-877.	6.0	60
58	Breath measurements as volatile organic compound biomarkers Environmental Health Perspectives, 1996, 104, 861-869.	6.0	78
59	Assessment of environmental exposure to trichloroethylene and tetrachloroethylene. Management of Environmental Quality, 1996, 7, 14-16.	0.4	0
60	Using the blood concentration of 2,5-dimethylfuran as a marker for smoking. International Archives of Occupational and Environmental Health, 1996, 68, 183-187.	2.3	31
61	Human Exposure and Body Burden for Chloroform and Other Trihalomethanes. Critical Reviews in Environmental Science and Technology, 1997, 27, 113-194.	12.8	38
63	Ambient Air Levels and the Exposure of Children to Benzene, Toluene, and Xylenes in Denmark. Environmental Research, 1997, 75, 149-159.	7.5	35
64	Volatile Organic Compounds: Distribution in Offices and Restaurants in the Cities of Rio de Janeiro and SÃ ϕ 0 Paulo (Brazil). Indoor and Built Environment, 1997, 6, 168-173.	2.8	5
65	Carbon in α-Platinum Dioxide. Journal of Physical Chemistry B, 1998, 102, 1951-1955.	2.6	18
66	ATSDR Evaluation of Health Effects of Chemicals. V. Xylenes: Health Effects, Toxicokinetics, Human Exposure, and Environmental Fate. Toxicology and Industrial Health, 1998, 14, 571-766.	1.4	9
67	Exposure estimates to disinfection by-products of chlorinated drinking water Environmental Health Perspectives, 1999, 107, 103-110.	6.0	140
68	EXPOSURE ANALYSIS AND ASSESSMENT IN THE 21ST CENTURY. Inhalation Toxicology, 1999, 11, 623-636.	1.6	5
69	Method for liquid–liquid extraction of blood surrogates for assessing human exposure to jet fuel. Biomedical Applications, 1999, 728, 193-207.	1.7	9
70	The 1998 ISEA Wesolowski Award Lecture Exposure analysis: reflections on its growth and aspirations for its future. Journal of Exposure Science and Environmental Epidemiology, 1999, 9, 273-281.	3.9	18
71	Evaluation of a Passive Sampler for Volatile Organic Compounds at ppb Concentrations, Varying Temperatures, and Humidities with 24-h Exposures. 1. Description and Characterization of Exposure Chamber System. Environmental Science & Environmental	10.0	32
72	Indoor Air Effects after Building Renovation and in Manufactured Homes. American Journal of the Medical Sciences, 2000, 320, 249-254.	1.1	26
73	Assessment through Environmental and Biological Measurements of Total Daily Exposure to Volatile Organic Compounds of Office Workers in Milan, Italy. Indoor Air, 2000, 10, 258-268.	4.3	32

#	Article	IF	Citations
74	The German Environmental Survey 1990/1992 (GerES II): a representative population study. Journal of Exposure Science and Environmental Epidemiology, 2000, 10, 103-114.	3.9	56
75	The Respiratory Effects of Volatile Organic Compounds. International Journal of Occupational and Environmental Health, 2000, 6, 1-8.	1.2	107
76	THE PRACTICE OF EXPOSURE ASSESSMENT: A STATE-OF-THE-ART REVIEW. Journal of Toxicology and Environmental Health - Part B: Critical Reviews, 2000, 3, 179-291.	6.5	232
77	Importance of human environmental exposure to hazardous air pollutants from gas flares. Environmental Reviews, 2000, 8, 41-62.	4.5	24
78	Predicting Particulate (PM ₁₀) Personal Exposure Distributions Using a Random Component Superposition Statistical Model. Journal of the Air and Waste Management Association, 2000, 50, 1390-1406.	1.9	86
79	Analysis of Indoor Concentrations of Benzene Using an Air-Quality Model. Archives of Environmental Health, 2000, 55, 201-209.	0.4	6
80	Exposure to volatile organic compounds for individuals with occupations associated with potential exposure to motor vehicle exhaust and/or gasoline vapor emissions. Science of the Total Environment, 2001, 269, 25-37.	8.0	74
81	Evaluation of VOC measurements in the EXPOLIS study. Journal of Environmental Monitoring, 2001, 3, 159-165.	2.1	40
82	Optimized determination of trace jet fuel volatile organic compounds in human blood using in-field liquid–liquid extraction with subsequent laboratory gas chromatographic–mass spectrometric analysis and on-column large-volume injection. Biomedical Applications, 2001, 752, 159-171.	1.7	19
83	An assessment of the data quality for NHEXAS - Part I: exposure to metals and volatile organic chemicals in Region 5. Journal of Exposure Science and Environmental Epidemiology, 2001, 11, 140-154.	3.9	14
84	Use of global positioning system technology to track subject's location during environmental exposure sampling. Journal of Exposure Science and Environmental Epidemiology, 2001, 11, 207-215.	3.9	90
85	VOC concentrations measured in personal samples and residential indoor, outdoor and workplace microenvironments in EXPOLIS-Helsinki, Finland. Atmospheric Environment, 2001, 35, 4531-4543.	4.1	172
86	Exposure to benzene in urban workers: environmental and biological monitoring of traffic police in Rome. Occupational and Environmental Medicine, 2001, 58, 165-171.	2.8	111
87	A review of the USEPA's single breath canister (SBC) method for exhaled volatile organic biomarkers. Biomarkers, 2002, 7, 189-208.	1.9	45
88	Volatile organic compounds as breath biomarkers for active and passive smoking Environmental Health Perspectives, 2002, 110, 689-698.	6.0	125
89	CANCER RISK ASSOCIATED WITH HOUSEHOLD EXPOSURE TO CHLOROFORM. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2002, 65, 489-502.	2.3	37
90	Chemicals in the Environment: An Overview. ACS Symposium Series, 2002, , 1-24.	0.5	1
91	Addressing community concerns about asthma and air toxics Environmental Health Perspectives, 2002, 110, 561-564.	6.0	11

#	Article	IF	Citations
92	Assessing exposure to air toxics relative to asthma Environmental Health Perspectives, 2002, 110, 527-537.	6.0	87
93	Dust: a metric for use in residential and building exposure assessment and source characterization Environmental Health Perspectives, 2002, 110, 969-983.	6.0	239
94	Hazardous air pollutants and asthma Environmental Health Perspectives, 2002, 110, 505-526.	6.0	176
95	Human Exposure Assessment in Air Pollution Systems. Scientific World Journal, The, 2002, 2, 497-513.	2.1	16
96	Inhalation toxicokinetics of p -dichlorobenzene and daily absorption and internal accumulation in chronic low-level exposure to humans. Archives of Toxicology, 2002, 76, 306-315.	4.2	17
97	Particulate air pollution and hospital admissions in Christchurch, New Zealand. Australian and New Zealand Journal of Public Health, 2002, 26, 23-29.	1.8	92
98	Time-location analysis for exposure assessment studies of children using a novel global positioning system instrument Environmental Health Perspectives, 2003, 111, 115-122.	6.0	136
99	Assessment of data quality for the NHEXAS â€" Part II: Minnesota children's pesticide exposure study (MNCPES). Journal of Exposure Science and Environmental Epidemiology, 2003, 13, 465-479.	3.9	8
100	A Framework and Case Study for Exposure Assessment in the Voluntary Children's Chemical Evaluation Program. Risk Analysis, 2003, 23, 1069-1084.	2.7	5
101	Styrene Exposure and Ischemic Heart Disease: A Case-Cohort Study. American Journal of Epidemiology, 2003, 158, 988-995.	3.4	22
102	The Mobile Source Effect on Curbside 1,3-Butadiene, Benzene, and Particle-Bound Polycyclic Aromatic Hydrocarbons Assessed at a Tollbooth. Journal of the Air and Waste Management Association, 2003, 53, 740-748.	1.9	32
104	Biological Monitoring of Exposure to Pesticides in the General Population (Non Occupationally) Tj ETQq1 1 0	.784314 rgBT	/Qverlock 10
105	Case–control study of multiple chemical sensitivity, comparing haematology, biochemistry, vitamins and serum volatile organic compound measures. Occupational Medicine, 2004, 54, 408-418.	1.4	28
106	Using the Behavioral Risk Factor Surveillance System (BRFSS) for Exposure Tracking: Experiences from Washington State. Environmental Health Perspectives, 2004, 112, 1428-1433.	6.0	16
107	Personal, Indoor, and Outdoor VOC Exposures in a Probability Sample of Children. Journal of Exposure Science and Environmental Epidemiology, 2004, 14, S4-S13.	3.9	93
108	Seasonal cycle of indoor-VOCs: comparison of apartments and cities. Atmospheric Environment, 2004, 38, 1181-1190.	4.1	137
109	Background concentrations of individual and total volatile organic compounds in residential indoor air of Schleswig-Holstein, Germany. Journal of Environmental Monitoring, 2004, 6, 745.	2.1	57
110	Temporal dynamics of emergency department and hospital admissions of pediatric asthmatics. Environmental Research, 2004, 94, 7-17.	7.5	42

#	ARTICLE	IF	CITATIONS
111	A comparison of indoor air pollutants in Japan and Sweden: formaldehyde, nitrogen dioxide, and chlorinated volatile organic compounds. Environmental Research, 2004, 94, 75-85.	7.5	137
112	The EXPOLIS study: implications for exposure research and environmental policy in Europe. Journal of Exposure Science and Environmental Epidemiology, 2004, 14, 440-456.	3.9	62
113	Residential (Non-Dietary) Post-Application Exposure Assessment. , 2005, , 129-170.		1
114	Determinants of exposure to volatile organic compounds in four Oklahoma cities. Journal of Exposure Science and Environmental Epidemiology, 2005, 15, 35-46.	3.9	20
115	Relationship of Indoor, Outdoor and Personal Air (RIOPA) study: study design, methods and quality assurance/control results. Journal of Exposure Science and Environmental Epidemiology, 2005, 15, 123-137.	3.9	134
117	Single Photon Ionization Time-of-Flight Mass Spectrometry with a Pulsed Electron Beam Pumped Excimer VUV Lamp for On-Line Gas Analysis:Â Setup and First Results on Cigarette Smoke and Human Breath. Analytical Chemistry, 2005, 77, 7408-7414.	6.5	116
118	Measured Concentrations of VOCs in Several Non-Residential Microenvironments in the United States. Environmental Science & Technology, 2006, 40, 6903-6911.	10.0	61
119	Statistical Issues in Farmworker Studies. Environmental Health Perspectives, 2006, 114, A688-9; author reply A689-90.	6.0	0
120	Basic Concepts and Definitions of Exposure and Dose. , 2006, , 33-63.		5
121	Blood Concentrations of Selected Volatile Organic Compounds and Neurobehavioral Performance in a Population-Based Sample. Archives of Environmental and Occupational Health, 2006, 61, 17-25.	1.4	6
122	Volatile Organic Compounds and Pulmonary Function in the Third NationalHealth and Nutrition Examination Survey, 1988–1994. Environmental Health Perspectives, 2006, 114, 1210-1214.	6.0	58
123	Trichloroethylene Exposure during Cardiac Valvuloseptal Morphogenesis Alters Cushion Formation and Cardiac Hemodynamics in the Avian Embryo. Environmental Health Perspectives, 2006, 114, 842-847.	6.0	46
124	Interior Air Pollution in Automotive Cabins by Volatile Organic Compounds Diffusing from Interior Materials: I. Survey of 101 Types of Japanese Domestically Produced Cars for Private Use. Indoor and Built Environment, 2006, 15, 425-444.	2.8	50
125	A Comparative Human Health Risk Assessment ofp-Dichlorobenzene-Based Toilet Rimblock Products Versus Fragrance/Surfactant-Based Alternatives. Journal of Toxicology and Environmental Health - Part B: Critical Reviews, 2007, 10, 467-526.	6.5	8
126	Managing Critical Infrastructure Risks. NATO Science for Peace and Security Series C: Environmental Security, 2007, , .	0.2	9
128	Comparison of global positioning system (GPS) tracking and parent-report diaries to characterize children's time–location patterns. Journal of Exposure Science and Environmental Epidemiology, 2007, 17, 196-206.	3.9	100
129	Integrated Exposure Assessment Survey (INES). International Journal of Hygiene and Environmental Health, 2007, 210, 345-349.	4.3	40
130	A critique of benzene exposure in the general population. Science of the Total Environment, 2007, 374, 183-198.	8.0	84

#	Article	IF	CITATIONS
131	Association between personal exposure to volatile organic compounds and asthma among US adult population. International Archives of Occupational and Environmental Health, 2007, 80, 711-719.	2.3	133
132	Effects of dichlorobenzene on acetylcholine receptors in human neuroblastoma SH-SY5Y cells. Toxicology, 2008, 253, 28-35.	4.2	9
133	Relationships between levels of volatile organic compounds in air and blood from the general population. Journal of Exposure Science and Environmental Epidemiology, 2008, 18, 421-429.	3.9	56
134	Role of Exhaled Breath Biomarkers in Environmental Health Science. Journal of Toxicology and Environmental Health - Part B: Critical Reviews, 2008, 11, 613-629.	6.5	59
135	Indoor Air VOC Concentrations in Suburban and Rural New Jersey. Environmental Science & Emp; Technology, 2008, 42, 8231-8238.	10.0	61
137	Final Report on the Safety Assessment of Trichloroethane. International Journal of Toxicology, 2008, 27, 107-138.	1.2	3
138	Final Report on the Safety Assessment of Trichloroethane. International Journal of Toxicology, 2008, 27, 107-138.	1.2	6
139	Demographic, Residential, and Behavioral Determinants of Elevated Exposures to Benzene, Toluene, Ethylbenzene, and Xylenes Among the U.S. Population: Results from 1999–2000 NHANES. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2009, 72, 903-912.	2.3	36
140	Quantile regression of indoor air concentrations of volatile organic compounds (VOC). Science of the Total Environment, 2010, 408, 3840-3851.	8.0	76
141	Residential Exposure Assessment. , 2010, , 1091-1098.		1
142	The Possibilities Will Take Your Breath Away: Breath Analysis for Assessing Environmental Exposure. Environmental Science & Environmental Exposure.	10.0	32
143	Exposure Science: Inhalation. , 2011, , 666-674.		0
145	Measurements of volatile organic compounds in car showrooms in the province of Varese (Northern) Tj ETQq0 0	0 rgBT /O	verlock 10 Tf
146	Determinants of residential indoor and transportation activity times in Korea. Journal of Exposure Science and Environmental Epidemiology, 2011, 21, 310-316.	3.9	70
147	Health Risk Assessment and Vapor Intrusion: A Review and Australian Perspective. Human and Ecological Risk Assessment (HERA), 2012, 18, 984-1013.	3.4	9
148	Breath analysisâ€"past, present and future: a special issue in honour of Michael Phillips' 70th birthday. Journal of Breath Research, 2013, 7, 010201.	3.0	9
149	Potential Applications of Volatile Organic Compounds in Safety and Security., 2013, , 514-558.		6
150	Socioeconomic disparities in indoor air, breath, and blood perchloroethylene level among adult and child residents of buildings with or without a dry cleaner. Environmental Research, 2013, 122, 88-97.	7.5	7

#	Article	IF	CITATIONS
151	Mutants of human $\hat{l}\pm B$ -crystallin cause enhanced protein aggregation and apoptosis in mammalian cells: Influence of co-expression of HspB1. Biochemical and Biophysical Research Communications, 2013, 430, 107-112.	2.1	29
152	An extended baseline examination of indoor VOCs in a city of low ambient pollution: Perth, Western Australia. Atmospheric Environment, 2013, 81, 546-553.	4.1	26
153	Exposure Routes and Types of Exposure. , 2014, , 27-40.		0
155	Exposure Science Research Design. , 2014, , 51-69.		1
156	Head Spaceâ€"Solid Phase Micro Extraction Profile of Volatile Organic Compounds Emitted from Parquet Samples. Journal of Wood Chemistry and Technology, 2014, 34, 211-224.	1.7	9
158	Risk assessments for chronic exposure of children and prospective parents to ethylbenzene (CAS No.) Tj ETQq $1\ 1$	0,784314	1 rgBT /Over
159	Breath analysis: technical developments and challenges in the monitoring of human exposure to volatile organic compounds. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1002, 285-299.	2.3	26
160	Occurrence of volatile organic compounds in foods from the Belgian market and dietary exposure assessment. Food Control, 2015, 52, 1-8.	5.5	20
161	Breath biomarkers in toxicology. Archives of Toxicology, 2016, 90, 2669-2682.	4.2	30
162	A framework to interpret passively sampled indoor-air VOC concentrations in health studies. Building and Environment, 2016, 105, 198-209.	6.9	24
163	Childhood Leukemia and Primary Prevention. Current Problems in Pediatric and Adolescent Health Care, 2016, 46, 317-352.	1.7	89
164	Erfassung der Humanexposition mit organischen Verbindungen in Innenraumumgebungen. Angewandte Chemie, 2018, 130, 12406-12443.	2.0	10
165	Predictors of blood volatile organic compound levels in Gulf coast residents. Journal of Exposure Science and Environmental Epidemiology, 2018, 28, 358-370.	3.9	10
166	Assessing Human Exposure to Organic Pollutants in the Indoor Environment. Angewandte Chemie - International Edition, 2018, 57, 12228-12263.	13.8	149
167	Managing In-home Environments through Sensing, Annotating, and Visualizing Air Quality Data., 2018, 2, 1-28.		32
168	Environmental styrene exposure and neurologic symptoms in U.S. Gulf coast residents. Environment International, 2018, 121, 480-490.	10.0	14
169	New approach methodologies for exposure science. Current Opinion in Toxicology, 2019, 15, 76-92.	5.0	46
170	Evaluation of potential health effects associated with occupational and environmental exposure to styrene – an update. Journal of Toxicology and Environmental Health - Part B: Critical Reviews, 2019, 22, 1-130.	6.5	49

#	ARTICLE	IF	CITATIONS
171	The Next Generation Blueprint of Computational Toxicology at the U.S. Environmental Protection Agency. Toxicological Sciences, 2019, 169, 317-332.	3.1	225
172	Determinants of environmental styrene exposure in Gulf coast residents. Journal of Exposure Science and Environmental Epidemiology, 2019, 29, 831-841.	3.9	5
173	Positive matrix factorization: A data preprocessing strategy for direct mass spectrometry-based breath analysis. Talanta, 2019, 192, 32-39.	5.5	4
174	Toxicity testing in the 21st century: progress in the past decade and future perspectives. Archives of Toxicology, 2020, 94, 1-58.	4.2	209
175	National secular trends in ambient air volatile organic compound levels and biomarkers of exposure in the United States. Environmental Research, 2020, 182, 108991.	7.5	26
176	Integrating Electrochemical and Colorimetric Sensors with a Webcam Readout for Multiple Gas Detection. Analytical Chemistry, 2020, 92, 799-805.	6.5	4
177	A Paper Based Milli-Cantilever Sensor for Detecting Hydrocarbon Gases via Smartphone Camera. Analytical Chemistry, 2020, 92, 8480-8486.	6.5	12
178	How Do Indoor Environments Affect Air Pollution Exposure?. Environmental Science & Emp; Technology, 2021, 55, 100-108.	10.0	48
179	Exposure Routes and Types of Exposure. , 2021, , 1-24.		3
180	Using the US EPA CompTox Chemicals Dashboard to interpret targeted and non-targeted GC–MS analyses from human breath and other biological media. Journal of Breath Research, 2021, 15, 025001.	3.0	5
181	Total Exposure. , 2000, , 161-197.		1
182	VOCs and the environment and public health—exposure. , 1993, , 1-24.		6
183	Indoor Air Effects after Building Renovation and in Manufactured Homes. American Journal of the Medical Sciences, 2000, 320, 249-254.	1.1	29
184	Importance of human environmental exposure to hazardous air pollutants from gas flares. Environmental Reviews, 2000, 8, 41-62.	4.5	19
185	Exposure Analysis., 2006,, 3-32.		10
186	Health Effects of Indoor Air Pollution. , 2000, , 195-212.		2
187	Inhalation Exposures in Residences. , 2000, , 35-100.		0
188	Residential Exposure Assessment: An Overview. , 2001, , 435-441.		1

#	Article	IF	Citations
190	Exposure to Volatile Organic Compounds. , 2006, , 147-179.		0
191	Chemical Analysis of Water and Wastewater. , 2010, , 286-311.		2
192	History and Foundations of Exposure Science. , 2014, , 1-16.		1
193	Strategy for Future ETS Exposure Measurements Relative to Its Transient Nature and Other Indoor Air Pollutants. International Archives of Occupational and Environmental Health Supplement, 1990, , 105-111.	0.0	0
194	Use of Questionnaires for Assessment of Exposure to Airborne Pollutants., 1993,, 285-293.		0
195	17.Âlndoor and Outdoor Air Quality. , 2018, , .		0
196	Exposure Science: Routes of Exposureâ€"Inhalation. , 2019, , 851-858.		0
199	A pilot study characterizing tetrachloroethylene exposure with exhaled breath in an impacted community. Environmental Pollution, 2022, 297, 118756.	7.5	4
200	Using the blood concentration of 2,5-dimethylfuran as a marker for smoking. International Archives of Occupational and Environmental Health, 1996, 68, 183-187.	2.3	1
202	Thinking on your feet: Beauty and auto small businesses maneuver the risks of the COVID-19 pandemic. Frontiers in Public Health, 0, 10 , .	2.7	2
203	Indoor exposure levels and risk assessment of volatile organic compounds in residences, schools, and offices in China from 2000 to 2021: A systematic review. Indoor Air, 2022, 32, .	4.3	13
204	Unanticipated Hydrophobicity Increases of Squalene and Human Skin Oil Films Upon Ozone Exposure. Journal of Physical Chemistry B, 2022, 126, 9417-9423.	2.6	0
205	History and Perspective on Indoor Air Quality Research. , 2022, , 3-33.		0
206	Exposure Routes and Types of Exposure. , 2022, , 1003-1026.		0
208	Integrating the social environment with an equity perspective into the exposome paradigm: A new conceptual framework of the Social Exposome. Environmental Research, 2023, 233, 116485.	7.5	5
209	Effects of Corsi-Rosenthal boxes on indoor air contaminants: non-targeted analysis using high resolution mass spectrometry. Journal of Exposure Science and Environmental Epidemiology, 0, , .	3.9	0
210	Application of metal-organic frameworks for sensing of VOCs and other volatile biomarkers. Coordination Chemistry Reviews, 2024, 501, 215558.	18.8	2