

CITATION REPORT

List of articles citing

A questionnaire to assess premonitory symptoms of myocardial infarction

DOI: 10.1016/0167-5273(87)90029-5

International Journal of Cardiology, 1987, 17, 15-24.

Source: <https://exaly.com/paper-pdf/19179566/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
325	sleep complaints, behavioral characteristics and vital exhaustion in myocardial infarction cases. <i>Psychology and Health</i> , 1988 , 2, 231-258	2.9	20
324	Validity of the type A construct: a reprise. 1988 , 104, 381-384		73
323	The relation of type A behavior and vital exhaustion with physiological reactions to real life stress. <i>Journal of Psychosomatic Research</i> , 1989 , 33, 715-25	4.1	24
322	Subjective sleep characteristics as coronary risk factors, their association with Type A behaviour and vital exhaustion. <i>Journal of Psychosomatic Research</i> , 1990 , 34, 415-26	4.1	50
321	Success and failure of exercise training after myocardial infarction: is the outcome predictable?. 1990 , 15, 974-82		25
320	Vital exhaustion and depression: a conceptual study. <i>Journal of Psychosomatic Research</i> , 1991 , 35, 535-44	4.1	75
319	Burnout as a risk factor for coronary heart disease. 1991 , 17, 53-9		72
318	Occurrence of current post traumatic stress disorder among Dutch world war II resistance veterans according to the SCID. 1992 , 6, 147-157		24
317	Vital exhaustion and perception of sleep. <i>Journal of Psychosomatic Research</i> , 1992 , 36, 449-58	4.1	12
316	Exhaustion, psychological stressors in the work environment, and acute myocardial infarction in adult men. <i>Journal of Psychosomatic Research</i> , 1992 , 36, 777-86	4.1	77
315	Vital exhaustion as risk indicator for myocardial infarction in women. <i>Journal of Psychosomatic Research</i> , 1993 , 37, 881-90	4.1	101
314	The effect of successful coronary angioplasty on feelings of exhaustion. <i>International Journal of Cardiology</i> , 1993 , 42, 269-76	3.2	9
313	Effects of a post-hospitalization group health education programme for patients with coronary heart disease. <i>Psychology and Health</i> , 1994 , 9, 317-330	2.9	18
312	Hostility and myocardial infarction in men. <i>Journal of Psychosomatic Research</i> , 1994 , 38, 727-34	4.1	27
311	Sleep physiological characteristics of exhausted men. 1994 , 56, 28-35		34
310	Vital exhaustion predicts new cardiac events after successful coronary angioplasty. 1994 , 56, 281-7		163
309	Vital exhaustion, extent of atherosclerosis, and the clinical course after successful percutaneous transluminal coronary angioplasty. 1995 , 16, 1880-5		47

308	Psychophysiological reactivity, depression, neuroticism and type a behaviour: An interactive effect?. 1995 , 11, 123-129		4
307	Psychosocial risk factors for cardiovascular disease in women: the role of social support. 1995 , 2, 219-32		7
306	Prodromal symptoms in subsets of patients hospitalized for suspected acute myocardial infarction. 1995 , 24, 3-10		39
305	Are multiple roles a risk factor for myocardial infarction in women?. <i>Journal of Psychosomatic Research</i> , 1996 , 40, 271-9	4.1	14
304	Psychosocial characteristics and recurrent events after percutaneous transluminal coronary angioplasty. 1996 , 77, 252-5		70
303	Type A behavior and vital exhaustion as related to the metabolic hormonal variables of the hypothalamic-pituitary-adrenal axis. 1996 , 22, 15-22		8
302	An interview to measure vital exhaustion. II. reliability and validity of the interview and correlations of vital exhaustion with personality characteristics. <i>Psychology and Health</i> , 1996 , 11, 573-581	2.9	28
301	An interview to measure vital exhaustion. I. development and comparison with the maastricht questionnaire. <i>Psychology and Health</i> , 1996 , 11, 557-571	2.9	32
300	Depressive symptoms, social support, and lipid profile in healthy middle-aged women. 1997 , 59, 521-8		82
299	The effect of a psychological intervention program on the risk of a new coronary event after angioplasty: a feasibility study. <i>Journal of Psychosomatic Research</i> , 1997 , 43, 209-17	4.1	45
298	PSYCHOPHYSIOLOGICAL EFFECTS OF MENTAL IMAGING TRAINING FOR POLICE TRAINEES. 1997 , 13, 43-48		18
297	Attenuated cortisol response to a standardized stress test in Lithuanian versus Swedish men: the LiVicordia study. 1998 , 5, 17-30		53
296	Role of different determinants of psychological distress in acute coronary syndromes. 1998 , 32, 613-9		43
295	Increased psychosocial strain in Lithuanian versus Swedish men: the LiVicordia study. 1998 , 60, 277-82		69
294	Relationship of blood coagulation and fibrinolysis to vital exhaustion. 1998 , 60, 352-8		65
293	Correlates of cognitive function in middle-aged adults. Atherosclerosis Risk in Communities (ARIC) Study Investigators. 1998 , 44, 95-105		200
292	Cardioprotective effect of moderate drinking: possible mediation by vital exhaustion. 1998 , 33, 528-32		8
291	Association of nonsteroidal anti-inflammatory drugs and aspirin with cognitive performance in middle-aged adults. 1999 , 18, 134-43		11

290	Intensive rehabilitation of emotionally distressed patients after coronary by-pass grafting. 1999 , 246, 253-63		24
289	Overcommitment predicts restenosis after coronary angioplasty in cardiac patients. 1999 , 6, 356-69		23
288	Sense of exhaustion and coronary heart disease among college alumni. 1999 , 84, 1401-5		50
287	Chronic burnout, somatic arousal and elevated salivary cortisol levels. <i>Journal of Psychosomatic Research</i> , 1999 , 46, 591-8	4.1	310
286	Insomnia and heart disease: a review of epidemiologic studies. <i>Journal of Psychosomatic Research</i> , 1999 , 47, 313-33	4.1	233
285	Impact of psychological factors on the pathogenesis of cardiovascular disease and implications for therapy. 1999 , 99, 2192-217		1972
284	Association between burnout at work and leukocyte adhesiveness/aggregation. 1999 , 61, 828-33		50
283	Dietary antioxidant intake and cognitive performance in middle-aged adults. The Atherosclerosis Risk in Communities (ARIC) Study investigators. 2000 , 3, 337-43		24
282	Salivary cortisol patterns in vital exhaustion. <i>Journal of Psychosomatic Research</i> , 2000 , 49, 335-42	4.1	102
281	Increased vital exhaustion among type-D patients with ischemic heart disease. <i>Journal of Psychosomatic Research</i> , 2001 , 51, 443-9	4.1	75
280	Hopelessness predicts mortality in older Mexican and European Americans. 2001 , 63, 344-51		67
279	Associations between financial strain and the diurnal salivary cortisol secretion of long-term unemployed individuals. 2001 , 36, 205-19		53
278	Psychological status and the role of coping style after coronary artery bypass graft surgery. Results of a prospective study. 2001 , 10, 37-47		46
277	Gender differences in psychological impairment after a coronary incident. 2001 , 30, 127-135		5
276	Prospective assessment of estrogen replacement therapy and cognitive functioning: atherosclerosis risk in communities study. 2001 , 154, 733-9		22
275	Risk factors for coronary heart disease in different socioeconomic groups of Lithuania and Sweden [the LiVicordia study. 2001 , 29, 140-150		25
274	Vital exhaustion and recurrence of CHD in women with acute myocardial infarction. 2002 , 7, 117-126		15
273	Diurnal Variations in Coagulation and Fibrinolysis in Vital Exhaustion. 2002 , 64, 787-792		

272	The relationship between temporal changes in blood pressure and changes in cognitive function: atherosclerosis risk in communities (ARIC) study. 2002 , 35, 258-63	35
271	Women's hearts need special treatment. 2002 , 9, 228-42	72
270	Cortisol and vital exhaustion in relation to significant coronary artery stenosis in middle-aged women with acute coronary syndrome. 2002 , 27, 893-906	54
269	Assessment of exhaustion and related risk factors in employees in the manufacturing industry--a cross-sectional study. 2002 , 75, 535-40	38
268	[Psychosocial screening in coronary heart disease: 5 decisive questions]. 2002 , 91, 458-65	2
267	Evaluating mental fatigue in patients with obstructive sleep apnea syndrome by the Maastricht Questionnaire. 2002 , 56, 313-4	0
266	Effects of vital exhaustion on cardiac autonomic nervous functions assessed by heart rate variability at rest in middle-aged male workers. 2002 , 9, 68-75	31
265	Vital exhaustion in relation to lifestyle and lipid profile in healthy women. 2003 , 10, 44-55	23
264	Group cohesion and working alliance: prediction of treatment outcome in cardiac patients receiving cognitive behavioral group psychotherapy. 2003 , 72, 141-9	33
263	Poor sleep increases the prospective risk for recurrent events in middle-aged women with coronary disease. The Stockholm Female Coronary Risk Study. <i>Journal of Psychosomatic Research</i> , 2003 , 54, 121-7 4.1	95
262	Physiological correlates of burnout among women. <i>Journal of Psychosomatic Research</i> , 2003 , 55, 309-16 4.1	243
261	Endocrine measures of stress and self-rated health: a longitudinal study. <i>Journal of Psychosomatic Research</i> , 2003 , 55, 317-20 4.1	53
260	Behavioral medicine in the prevention and treatment of cardiovascular disease. 2003 , 27, 3-25	29
259	Relation between cognitive function and mortality in middle-aged adults: the atherosclerosis risk in communities study. 2003 , 157, 327-34	67
258	Salivary gland scintigraphy in Sjögren's syndrome and patients with sicca symptoms but without Sjögren's syndrome: the psychological profiles and predictors for salivary gland dysfunction. 2003 , 62, 964-8	16
257	Cognitive functioning as a predictor of ischemic stroke incidence. 2003 , 14, 673-9	21
256	[The Luebeck Interview for Psychosocial Screening (LIPS)--a validation study with patients suffering from coronary artery disease]. 2003 , 53, 267-74	2
255	High plasma levels of N-terminal pro-atrial natriuretic peptide associated with low anxiety in severe heart failure. 2003 , 65, 517-22	43

254	Risk factors for myocardial infarction during vacation travel. 2003 , 65, 396-401		29
253	Herpes viruses, cytokines, and altered hemostasis in vital exhaustion. 2003 , 65, 194-200		29
252	Depressive symptoms and the risk of type 2 diabetes: the Atherosclerosis Risk in Communities study. 2004 , 27, 429-35		178
251	Exhaustion and coronary heart disease: the history of a scientific quest. 2004 , 55, 223-9		61
250	Synergism between smoking and vital exhaustion in the risk of ischemic stroke: evidence from the ARIC study. 2004 , 14, 416-24		31
249	The relationship between vital exhaustion, depression and comorbid illnesses in patients following first myocardial infarction. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 183-8	4.1	67
248	Vital exhaustion, temperament, and cardiac reactivity in task-induced stress. 2004 , 65, 121-35		31
247	Does insomnia kill?. 2005 , 28, 965-71		79
246	Effects of treating exhaustion in angioplasty patients on new coronary events: results of the randomized Exhaustion Intervention Trial (EXIT). 2005 , 67, 217-23		50
245	Women's hearts--stress management for women with ischemic heart disease: explanatory analyses of a randomized controlled trial. 2005 , 25, 93-102		48
244	Psychophysiological mediators of caregiver stress and differential cognitive decline. 2005 , 20, 402-11		91
243	Good self-rated health is related to psychosocial resources and a strong cortisol response to acute stress: the LiVicordia study of middle-aged men. 2005 , 12, 153-60		39
242	Negative affect states and cardiovascular disorders: a review and the proposal of a unifying biopsychosocial concept. 2005 , 27, 180-8		18
241	Vital exhaustion and risk for cancer: a prospective cohort study on the association between depressive feelings, fatigue, and risk of cancer. 2005 , 104, 1288-95		12
240	Job strain and autonomic indices of cardiovascular disease risk. 2005 , 48, 182-93		117
239	Overcommitment to work is associated with vital exhaustion. 2005 , 78, 117-22		58
238	. 2005 ,		3
237	Correlates of Sleep Complaints in Adults: The ARIC Study. <i>Journal of Clinical Sleep Medicine</i> , 2005 , 01, 277-283	3.1	57

236	Inflammatory markers predict late cardiac events in patients who are exhausted after percutaneous coronary intervention. 2005 , 182, 341-8		28
235	Vital exhaustion, temperament, and the circumplex model of affect during laboratory-induced stress. 2005 , 19, 879-897		7
234	Who is at risk of post-MI depressive symptoms?. <i>Journal of Psychosomatic Research</i> , 2005 , 58, 425-32; discussion 433-4	4.1	49
233	The morning salivary cortisol response in burnout. <i>Journal of Psychosomatic Research</i> , 2005 , 59, 103-11	4.1	115
232	Depression and vital exhaustion before and after myocardial infarction. <i>Journal of Psychosomatic Research</i> , 2005 , 58, 391-2	4.1	4
231	Self-rated health and vital exhaustion, but not depression, is related to inflammation in women with coronary heart disease. 2005 , 19, 555-63		117
230	Health related quality of life assessment instruments: a prospective study on preference and acceptability among cancer patients referred for radiotherapy. 2005 , 41, 2250-6		11
229	Physical activity and feelings of energy and fatigue: epidemiological evidence. 2006 , 36, 767-80		117
228	Stress management: a randomized study of cognitive behavioural therapy and yoga. 2006 , 35, 3-10		188
227	The relationship of biological and psychological risk factors of cardiovascular disorders in a large-scale national representative community survey. 2006 , 31, 133-9		16
226	The effect of cardiac rehabilitation exercise programs on feelings of energy and fatigue: a meta-analysis of research from 1945 to 2005. 2006 , 13, 886-93		36
225	Fatigue in patients with cardiovascular disease. 2006 , 49, 309-19, 392-402		10
224	Fatigue in patients with cardiovascular disease. 2006 , 49, 392-402		14
223	Interleukin-6 levels in relation to psychosocial factors: studies on serum, saliva, and in vitro production by blood mononuclear cells. 2006 , 20, 270-8		96
222	Exhaustion is associated with reduced habituation of free cortisol responses to repeated acute psychosocial stress. 2006 , 72, 147-53		89
221	Effects of a behavioural intervention on quality of life and related variables in angioplasty patients: results of the EXhaustion Intervention Trial. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 1-7; discussion 9-10	4.1	42
220	Burnout and risk of cardiovascular disease: evidence, possible causal paths, and promising research directions. 2006 , 132, 327-53		545
219	Differential effects of faith-based coping on physical and mental fatigue in middle-aged and older cardiac patients. 2006 , 36, 351-65		6

218	Associations between depression, fatigue, and life orientation in myocardial infarction patients. 2006 , 21, 407-11		11
217	Psychophysiologic and affective parameters associated with pain intensity of cardiac cardioverter defibrillator shock discharges. 2006 , 68, 591-7		13
216	Burnout and Health Review: Current Knowledge and Future Research Directions. 2006 , 269-308		27
215	Diurnal saliva cortisol levels and relations to psychosocial factors in a population sample of middle-aged Swedish men and women. 2006 , 13, 193-200		100
214	Relation of depressive mood to plasminogen activator inhibitor, tissue plasminogen activator, and fibrinogen levels in patients with versus without coronary heart disease. 2006 , 97, 1287-91		69
213	The Four-Dimensional Symptom Questionnaire (4DSQ): a validation study of a multidimensional self-report questionnaire to assess distress, depression, anxiety and somatization. 2006 , 6, 34		293
212	Exhaustion is differentiable from depression and anxiety: evidence provided by the SF-36 vitality scale. 2006 , 9, 117-23		13
211	Childbearing History and Self-Reported Well-Being in Later Life: Contrasting Older African American and White Women. 2006 , 28, 599-621		22
210	Psychosocial factors and progression from prehypertension to hypertension or coronary heart disease. 2007 , 5, 403-11		55
209	Circadian cortisol profiles and psychological self-reports in shift workers with and without recent change in the shift rotation system. 2007 , 74, 92-103		84
208	Type-D personality exerts a stable, adverse effect on vital exhaustion in PCI patients treated with paclitaxel-eluting stents. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 447-53	4.1	23
207	Fatigue, depressive symptoms, and hopelessness as predictors of adverse clinical events following percutaneous coronary intervention with paclitaxel-eluting stents. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 455-61	4.1	73
206	Poor health-related quality of life is a predictor of early, but not late, cardiac events after percutaneous coronary intervention. 2007 , 48, 331-7		34
205	Assessment of fatigue in chronic disease: a bibliographic study of fatigue measurement scales. 2007 , 5, 12		124
204	Challenges in reducing depression-related mortality in cardiac populations: cognition, emotion, fatigue or personality?. 2007 , 1, 137-172		16
203	Plasma n-3 fatty acids and the risk of cognitive decline in older adults: the Atherosclerosis Risk in Communities Study. 2007 , 85, 1103-11		198
202	Do Insomnia Complaints Cause Hypertension or Cardiovascular Disease?. <i>Journal of Clinical Sleep Medicine</i> , 2007 , 03, 489-494	3.1	130
201	Psychosocial factors during the first year after a coronary heart disease event in cases and referents. Secondary Prevention in Uppsala Primary Health Care Project (SUPRIM). 2007 , 7, 36		17

200	Effort-reward-imbalance, overcommitment and self-reported health: Is it the interaction that matters?. 2007 , 80, 91-107	42
199	Is burnout related to allostatic load?. 2007 , 14, 213-21	48
198	A Cognitive Psychophysiological Model to Predict Functional Decline in Chronically Stressed Older Adults. 2007 , 14, 177-190	22
197	Burnout among women: associations with demographic/socio-economic, work, life-style and health factors. 2007 , 10, 61-71	73
196	Relation of morning serum cortisol to prothrombotic activity in women with stable coronary artery disease. 2008 , 25, 165-72	24
195	Inflammation a possible link between economical stress and coronary heart disease. 2008 , 23, 95-103	28
194	Income and recurrent events after a coronary event in women. 2008 , 23, 669-80	14
193	Effects of a stress management program on vital exhaustion and depression in women with coronary heart disease: a randomized controlled intervention study. 2008 , 263, 281-93	36
192	Exhaustion measured by the SF-36 vitality scale is associated with a flattened diurnal cortisol profile. 2008 , 33, 471-7	25
191	Cortisol dysregulation in school teachers in relation to burnout, vital exhaustion, and effort-reward-imbalance. 2008 , 78, 104-13	125
190	Symptoms of fatigue and depression in ischemic heart disease are driven by personality characteristics rather than disease stage: a comparison of CAD and CHF patients. 2008 , 15, 583-8	20
189	Circulating fibrinogen but not D-dimer level is associated with vital exhaustion in school teachers. 2008 , 11, 250-8	16
188	Course of anxiety symptoms over an 18-month period in exhausted patients post percutaneous coronary intervention. 2008 , 70, 349-55	22
187	Quasi-experimental evaluation of a stress management programme for female county and municipal employees on long-term sick leave due to work-related psychological complaints. 2009 , 41, 632-8	22
186	Chronic stress and the development of early atherosclerosis: moderating effect of endothelial dysfunction and impaired arterial elasticity. 2009 , 6, 2934-49	6
185	Gender differences in cardiac rehabilitation outcomes: do women benefit equally in psychological health?. 2009 , 18, 2033-9	23
184	Vitality and recurrent event risk in acute myocardial infarction survivors. 2009 , 16, 499-505	2
183	Independent association of sleep quality, fatigue, and vital exhaustion with platelet count in patients with a previous venous thromboembolic event. 2009 , 20, 566-74	6

182	Psychosocial status and health related quality of life in relation to the metabolic syndrome in a Swedish middle-aged population. 2009 , 8, 207-15		31
181	Poststroke fatigue--a review. 2009 , 38, 928-49		165
180	Elevated diurnal salivary cortisol in nurses is associated with burnout but not with vital exhaustion. 2009 , 34, 1144-51		31
179	Heart rate recovery after exercise in chronic heart failure: role of vital exhaustion and type D personality. 2009 , 53, 248-56		30
178	A newly proposed disease condition produced by light exposure during night: asynchronization. 2009 , 31, 255-73		45
177	Co-occurrence of diabetes and hopelessness predicts adverse prognosis following percutaneous coronary intervention. 2009 , 32, 294-301		1
176	Vital exhaustion in chronic heart failure: symptom profiles and clinical outcome. <i>Journal of Psychosomatic Research</i> , 2009 , 66, 195-201	4.1	37
175	Association of vital exhaustion and depressive symptoms with changes in fibrin D-dimer to acute psychosocial stress. <i>Journal of Psychosomatic Research</i> , 2009 , 67, 93-101	4.1	24
174	Financial strain predicts recurrent events among women with coronary artery disease. <i>International Journal of Cardiology</i> , 2009 , 135, 175-83	3.2	51
173	Interactive effect of long-term mental stress and cardiac stress reactivity on carotid intima-media thickness: the Cardiovascular Risk in Young Finns study. 2009 , 12, 283-93		13
172	Chronic stress in women with localised provoked vulvodynia. 2009 , 30, 73-9		37
171	Chronic work stress and exhaustion is associated with higher allostatic load in female school teachers. 2009 , 12, 37-48		124
170	Rationale and trial design of a randomized, controlled study on short-term psychotherapy after acute myocardial infarction: the STEP-IN-AMI trial (Short Term Psychotherapy in Acute Myocardial Infarction). 2009 , 10, 947-452		16
169	Plasma levels of matrix metalloproteinase-9 are independently associated with psychosocial factors in a middle-aged normal population. 2009 , 71, 292-300		33
168	Mental-stress-induced platelet activation among patients with coronary artery disease. 2009 , 71, 438-45		15
167	The impact of Type D personality on health-related quality of life in tinnitus patients is mainly mediated by anxiety and depression. 2010 , 31, 11-8		49
166	Sex differences in the combined effect of chronic stress with impaired vascular endothelium functioning and the development of early atherosclerosis: the Cardiovascular Risk in Young Finns study. 2010 , 10, 34		6
165	Vital exhaustion as a risk factor for adverse cardiac events (from the Atherosclerosis Risk In Communities [ARIC] study). 2010 , 105, 1661-5		61

164	Association between exposure to combat-related stress and psychological health in aging men: the Atherosclerosis Risk in Communities (ARIC) Study. 2010 , 23, 358-66		4
163	Family support and vital exhaustion in patients with chronic obstructive pulmonary disease. 2010 , 9,		78
162	A history of stressful life events, prolonged mental stress and arrhythmic events in inherited long QT syndrome. 2010 , 96, 1281-6		15
161	Self-rated health, life-style, and psychoendocrine measures of stress in healthy adult women. 2010 , 115, 266-74		13
160	Measures of stress in epidemiological research. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 211-25	4.1	51
159	A cohort study of leisure time physical activity and depression. 2010 , 51, 471-5		64
158	Elevated Serum Levels of Interleukin-10 and Tumor Necrosis Factor Are Both Associated With Vital Exhaustion in Patients With Cardiovascular Risk Factors. 2010 , 51, 248-256		14
157	What predicts depression in cardiac patients: sociodemographic factors, disease severity or theoretical vulnerabilities?. <i>Psychology and Health</i> , 2011 , 26, 619-34	2.9	26
156	Maastricht Vital Exhaustion Questionnaire (MQ). 2011 , 215-217		1
155	Psychological interventions for coronary heart disease. 2011 , CD002902		99
154	Serum levels of interleukin-6 and interleukin-10 in relation to depression scores in patients with cardiovascular risk factors. 2011 , 37, 105-12		16
153	Association between birthweight and cognitive function in middle age: the atherosclerosis risk in communities study. 2011 , 21, 851-6		6
152	Improvements in physical and mental health following a rehabilitation programme for breast cancer patients. 2011 , 15, 12-5		7
151	The puzzle of depression and acute coronary syndrome: reviewing the role of acute inflammation. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 61-8	4.1	79
150	Association of general fatigue with cellular immune indicators among healthy white-collar employees. 2011 , 53, 1078-86		3
149	Associations between job strain and the cortisol/DHEA-S ratio among management and nonmanagement personnel. 2011 , 73, 44-52		14
148	Association of lung function with cognitive decline and dementia: the Atherosclerosis Risk in Communities (ARIC) Study. 2011 , 18, 888-98		63
147	Predictors of readmission and health related quality of life in patients with chronic heart failure: a comparison of different psychosocial aspects. 2011 , 34, 13-22		101

146	Psychological symptom patterns and vital exhaustion in outpatients with chronic obstructive pulmonary disease. 2011 , 10, 32		20
145	Causes and clinical implications of premature discontinuation of dual antiplatelet therapy. 2011 , 26 Suppl 1, S15-21		8
144	Vital exhaustion and cardiovascular prognosis in myocardial infarction and heart failure: predictive power of different trajectories. 2011 , 41, 731-8		27
143	Randomized controlled trial of cognitive behavioral therapy vs standard treatment to prevent recurrent cardiovascular events in patients with coronary heart disease: Secondary Prevention in Uppsala Primary Health Care project (SUPRIM). 2011 , 171, 134-40		226
142	Major life events and the risk of ischaemic heart disease: does accumulation increase the risk?. 2011 , 40, 904-13		21
141	A randomized double-blind crossover study of phase-shift sound therapy for tinnitus. 2012 , 147, 308-15		10
140	Social isolation, vital exhaustion, and incident heart failure: findings from the Atherosclerosis Risk in Communities Study. 2012 , 14, 748-53		33
139	Longitudinal impact of frequent geographic relocation from adolescence to adulthood on psychosocial stress and vital exhaustion at ages 32 and 42 years: the Amsterdam growth and health longitudinal study. 2012 , 22, 469-76		5
138	Somatic depressive symptoms, vital exhaustion, and fatigue: divergent validity of overlapping constructs. 2012 , 74, 442-5		27
137	Vital exhaustion and somatic depression: the same underlying construct in patients with myocardial infarction?. 2012 , 74, 446-51		20
136	Exhaustion predicts coronary heart disease independently of symptoms of depression and anxiety in men but not in women. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 17-21	4.1	9
135	The Role of Stress in a Pathogenesis of CHD. 2012 ,		1
134	Psychosocial risk factors, weight changes and risk of obesity: the Copenhagen City Heart Study. 2012 , 27, 119-30		25
133	Design of the DIScovery project: tailored work-oriented interventions to improve employee health, well-being, and performance-related outcomes in hospital care. 2013 , 13, 66		10
132	Psychodynamic Motivation and Training program (PMT) for the secondary prevention in patients with stable coronary heart disease: study protocol for a randomized controlled trial of feasibility and effects. 2013 , 14, 314		7
131	Assessment of a prevention program for work-related stress among urban police officers. 2013 , 86, 79-88		75
130	One-year results of the randomized, controlled, short-term psychotherapy in acute myocardial infarction (STEP-IN-AMI) trial. <i>International Journal of Cardiology</i> , 2013 , 170, 132-9	3.2	28
129	Change in positive affect during outpatient cardiac rehabilitation predicts vital exhaustion in patients with coronary heart disease. 2013 , 39, 122-8		5

128	Women's exhaustion and coronary artery atherosclerosis progression: The Stockholm Female Coronary Angiography Study. 2013 , 75, 478-85		12
127	Vital exhaustion and markers of low-grade inflammation in healthy adults: the Amsterdam Growth and Health Longitudinal Study. 2013 , 29, 392-400		11
126	Psychosocial risk factors, pre-motor symptoms and first-time hospitalization with Parkinson's disease: a prospective cohort study. 2013 , 20, 1113-20		23
125	At the sources of one's well-being: early rehabilitation for employees with symptoms of distress. 2013 , 55, 817-23		8
124	Self-reported job characteristics and negative spillover from work to private life as mediators between expert-rated job characteristics and vital exhaustion. 2014 , 23, 177-189		13
123	Anger proneness, gender, and the risk of heart failure. 2014 , 20, 1020-6		9
122	Feelings of depression in people with ARM: the role of critical incidents and perceived difficulties in close and sexual relationships. 2014 , 30, 823-8		15
121	Interleukin-6 gene polymorphism, chronic stress and atherosclerosis: interleukin-6-174G>C polymorphism, chronic stress and risk of early atherosclerosis in the Cardiovascular Risk in Young Finns Study. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 333-8	4.1	14
120	Psychometric analysis of the Multidimensional Fatigue Inventory in a sample of persons treated for myocardial infarction. 2015 , 23, 154-67		6
119	Stress-related exhaustion disorder--clinical manifestation of burnout? A review of assessment methods, sleep impairments, cognitive disturbances, and neuro-biological and physiological changes in clinical burnout. 2015 , 56, 626-36		116
118	Somatic, but not cognitive-affective, symptoms are associated with reduced heart rate variability in individuals with dysphoria. <i>Frontiers in Psychology</i> , 2015 , 6, 599	3-4	10
117	Ranking of psychosocial and traditional risk factors by importance for coronary heart disease: the Copenhagen City Heart Study. 2015 , 36, 1385-93		51
116	Psychosocial Stress and Cardiovascular Disease in Women. 2015 ,		1
115	Psychosocial risk factors for hospitalisation and death from chronic obstructive pulmonary disease: a prospective cohort study. 2015 , 12, 190-8		7
114	Cognitive behaviour therapy in women with fibromyalgia: A randomized clinical trial. <i>Scandinavian Journal of Pain</i> , 2015 , 9, 11-21	1.9	12
113	Energy, fatigue, or both? A bifactor modeling approach to the conceptualization and measurement of vitality. 2015 , 24, 81-93		31
112	Treatment of depression and anxiety with internet-based cognitive behavior therapy in patients with a recent myocardial infarction (U-CARE Heart): study protocol for a randomized controlled trial. 2015 , 16, 154		24
111	Association of Dietary Protein Consumption With Incident Silent Cerebral Infarcts and Stroke: The Atherosclerosis Risk in Communities (ARIC) Study. 2015 , 46, 3443-50		38

110	Psychological resources are associated with reduced incidence of coronary heart disease. An 8-year follow-up of a community-based Swedish sample. 2015 , 22, 77-84	33
109	Psychotherapy for Ischemic Heart Disease. 2016 ,	0
108	Psychosocial Risk Factors and Cardiovascular Disease: Epidemiology, Screening, and Treatment Considerations. 2016 , 1, 417-431	7
107	Psychological Resources Are Independently Associated with Markers of Inflammation in a Middle-Aged Community Sample. 2016 , 23, 611-20	13
106	Influence of sleep disturbances on age at onset and long-term incidence of major cardiovascular events: the MONICA-Brianza and PAMELA cohort studies. 2016 , 21, 126-32	14
105	Meta-Analysis of Relation of Vital Exhaustion to Cardiovascular Disease Events. 2017 , 119, 1211-1216	25
104	The level of anxiety, depression and quality of life among patients with heart failure in Greece. 2017 , 34, 52-56	33
103	Psychological mediators related to clinical outcome in cognitive behavioural therapy for coronary heart disease: A sub-analysis from the SUPRIM trial. 2017 , 24, 917-925	5
102	Vital Exhaustion and Coronary Heart Disease Risk: A Systematic Review and Meta-Analysis. 2017 , 79, 260-272	40
101	From Vitality to Vital Exhaustion and Other States of "Tense Tiredness": A New Biopsychosocial Risk Domain. 2017 , 79, 256-259	4
100	On the overlap of vital exhaustion and depression. 2017 , 44, 161-163	9
99	Psychological interventions for coronary heart disease. 2017 , 4, CD002902	87
98	Manual of Gynecardiology. 2017 ,	0
97	Le surinvestissement : une nouvelle maladie?. 2017 , 78, 402-411	
96	Biological Pathways to Stress-Related Disease Vulnerability in Educators. 2017 , 77-100	1
95	Vital Exhaustion, Burnout, and Other Avatars of Depression. 2017 , 79, 835-836	5
94	Emotions and Steroid Secretion in Aging Men: A Multi-Study Report. <i>Frontiers in Psychology</i> , 2017 , 8, 1722	3-4 4
93	Gene-by-Psychosocial Factor Interactions Influence Diastolic Blood Pressure in European and African Ancestry Populations: Meta-Analysis of Four Cohort Studies. 2017 , 14,	3

92	Diurnal cortisol and alpha-amylase in the daily lives of older adults with vital exhaustion. 2018 , 185, 39-45		1
91	Psychobiological stress in vital exhaustion. Findings from the Men Stress 40+ study. <i>Journal of Psychosomatic Research</i> , 2018 , 105, 14-20	4.1	9
90	Socioeconomic factors in coronary artery disease - Results from the SPIRR-CAD study. <i>Journal of Psychosomatic Research</i> , 2018 , 105, 125-131	4.1	5
89	Association of Exercise Capacity with Physical Functionality and Various Aspects of Fatigue in Patients with Coronary Artery Disease. 2018 , 44, 28-35		4
88	Impact of metoprolol treatment on cardiac function and exercise tolerance in heart failure patients with neuropsychiatric disorders. 2018 , 34, 141-148		4
87	Vital exhaustion and sudden cardiac death in the Atherosclerosis Risk in Communities Study. 2018 , 104, 423-429		1
86	[Negative emotions associated with cardiovascular diseases]. 2018 , 159, 2005-2010		1
85	Take a Mental Break! Study: Role of mental aspects in running-related injuries using a randomised controlled trial. 2018 , 4, e000427		4
84	Vital exhaustion and risk of alcohol use disorders: A prospective cohort study. <i>Journal of Psychosomatic Research</i> , 2018 , 114, 25-30	4.1	4
83	Short-Term and Long-Term Effects of Off-Job Activities on Recovery and Sleep: A Two-Wave Panel Study among Health Care Employees. 2018 , 15,		46
82	Lack of Association of a Functional Polymorphism in the Serotonin Receptor Gene With Body Mass Index and Depressive Symptoms in a Large Meta-Analysis of Population Based Studies. 2018 , 9, 423		4
81	The impact of occupational psychological hazards and metabolic syndrome on the 8-year risk of cardiovascular diseases-A longitudinal study. 2018 , 13, e0202977		7
80	Gender differences in psychosocial outcomes of psychotherapy trial in patients with depression and coronary artery disease. <i>Journal of Psychosomatic Research</i> , 2018 , 113, 89-99	4.1	6
79	Associations of NT-proBNP and parameters of mental health in depressed coronary artery disease patients. 2018 , 96, 188-194		9
78	Short-Term Psychotherapy IN Acute Myocardial Infarction (STEP-IN-AMI) Trial: Final Results. 2019 , 132, 639-646.e5		3
77	Vital Exhaustion and Incidence of Dementia: Results from the Copenhagen City Heart Study. 2019 , 67, 369-379		13
76	Association of Antidepressant Medication Type With the Incidence of Cardiovascular Disease in the ARIC Study. 2019 , 8, e012503		12
75	Searching for the optimal number of response alternatives for the distress scale of the four-dimensional symptom questionnaire. 2019 , 19, 103		1

74	Decline of substance P levels after stress management with cognitive behaviour therapy in women with the fibromyalgia syndrome. <i>Scandinavian Journal of Pain</i> , 2019 , 19, 473-482	1.9	4
73	The association between depressive and sleep symptoms for predicting incident disease onset after 6-year follow-up: findings from the English Longitudinal Study of Ageing. 2019 , 49, 607-616		11
72	What makes a good work break? Off-job and on-job recovery as predictors of employee health. 2020 , 58, 142-152		3
71	The Feasibility and Effectiveness of a New Practical Multidisciplinary Treatment for Low-Back Pain: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2019 , 9,	5.1	11
70	Ermüdung und Arbeitsfähigkeit. 2020 ,		
69	We should address residential relocation to improve patient care. 2020 , 56, 1496-1499		
68	The effects of acute work stress and appraisal on psychobiological stress responses in a group office environment. 2020 , 121, 104837		5
67	Bidirectional pathways between psychosocial risk factors and paranoid ideation in a general nonclinical population. 2020 , 1-10		1
66	Self-Reported Fatigue Predicts Incident Stroke in a General Population: EPIC-Norfolk Prospective Population-Based Study. 2020 , 51, 1077-1084		2
65	Stress and Self-Efficacy as Long-Term Predictors for Chronic Low Back Pain: A Prospective Longitudinal Study. 2020 , 13, 613-621		10
64	Associations of Psychosocial Factors with Multiple Health Behaviors: A Population-Based Study of Middle-Aged Men and Women. 2020 , 17,		11
63	Associations of anger, vital exhaustion, anti-depressant use, and poor social ties with incident atrial fibrillation: The Atherosclerosis Risk in Communities Study. 2021 , 28, 633-640		11
62	Association of Psychosocial Factors With Short-Term Resting Heart Rate Variability: The Atherosclerosis Risk in Communities Study. 2021 , 10, e017172		4
61	Compassion protects against vital exhaustion and negative emotionality. 2021 , 45, 506-517		0
60	Changes in vitality in response to acute stress: an investigation of the role of anxiety and physiological reactivity. 2021 , 1-14		1
59	Fatigue and the prediction of negative health outcomes: A systematic review with meta-analysis. 2021 , 67, 101261		13
58	Association of psychosocial stress with the social environment, lifestyle and risk factors for cardiovascular diseases in middle-aged male Muscovites. 2021 , 26, 4335		2
57	Psychosocial Moderators and Mediators of Sensorimotor Exercise in Low Back Pain: A Randomized Multicenter Controlled Trial. 2021 , 12, 629474		0

56	The Association of Burnout and Vital Exhaustion With Type 2 Diabetes: A Systematic Review and Meta-Analysis. 2021 , 83, 1013-1030	1
55	Sustainability of a Motor Control Exercise Intervention: Analysis of Long-Term Effects in a Low Back Pain Study. 2021 , 3, 659982	
54	Psychosocial factors and subsequent risk of hospitalizations with peripheral artery disease: The Atherosclerosis Risk in Communities (ARIC) Study. 2021 , 329, 36-43	1
53	Association of Vital Exhaustion with Risk Factors for Cardiovascular Diseases, Quality of Life and Lifestyle in 41-44-Year-Old Muscovite Men. 2021 , 18,	1
52	Posttraumatic Stress Disorder in Dutch Resistance Veterans from World War II. 1993 , 219-230	25
51	Depression and Cardiovascular Disease in Women: Behavioral and Biological Mechanisms Involved in this Association. 2015 , 41-61	1
50	Eine Untersuchung der Zusammenhänge zwischen koronarer Herzkrankheit und Depression. 1999 , 319-333	3
49	Different Patterns of Psychosocial Strain; A Possible Explanation for the Differences in Ischemic Heart Disease Mortality Between Sweden and Lithuania?. 1996 , 187-194	2
48	Psychological status of patients before and after coronary bypass surgery. 1992 , 169-176	4
47	Kriteriumsbezogene Cut-Off-Werte für Tätigkeitsspielraum und Arbeitsintensität 2019 , 65, 179-190	2
46	Erleben von Tätigkeitsspielraum. 2019 , 63, 59-70	1
45	Subject-related risk factors for sports injuries: a 1-yr prospective study in young adults. 1996 , 28, 1171-9	109
44	Gender differences in psychosocial profile at entry into cardiac rehabilitation. 1998 , 18, 445-9	50
43	Psychosocial distress and impaired quality of life--targets neglected in the secondary prevention in women with ischaemic heart disease. 2003 , 10, 258-66	24
42	Screening for psychosocial risk factors in patients with coronary heart disease-recommendations for clinical practice. 2004 , 11, 75-9	71
41	Vital exhaustion in women with chest pain and no obstructive coronary artery disease: the iPOWER study. 2021 , 24, 49-55	2
40	Vital exhaustion, anger expression, and pituitary and adrenocortical hormones. Implications for the insulin resistance syndrome. 1996 , 16, 275-80	44
39	Examination of the quality of life of migraineurs and tension headache patients in connection with impulsivity, empathy, depression, and vital exhaustion. 2011 , 12, 173-189	2

38	A short form of the General Self-Efficacy Scale (GSE-6): Development, psychometric properties and validity in an intercultural non-clinical sample and a sample of patients at risk for heart failure. 2013 , 10, Doc01	40
37	Effects of Banhahubak-Tang Extract (BHTe) on Sociopsychological Stress. 2014 , 25, 297-310	1
36	An Examination of the Linkage Between Ischemic Heart Disease and Depression. 2001 , 1307-1315	
35	Cardiovascular Disease. 2014 , 495-525	
34	Der Zusammenhang zwischen vitaler Erschöpfung, instabiler Angina pectoris und zukünftigem Herzinfarkt. 1989 , 56-64	
33	The association between vital exhaustion, unstable angina, and future myocardial infarction. 1989 , 51-58	
32	Longitudinal health-related quality of life assessment in five years after coronary artery bypass surgery Does benefit continue with advancing age?. 1995 , 179-194	
31	Psychotherapy for Cardiac Patients: Selection of Clinical Cases. Part I. 2016 , 255-269	
30	Tendencies in cardiovascular morbidity and mortality in the population of Siberia. 2016 , 94, 601-608	1
29	Cardiac Rehabilitation and Secondary Prevention in Women. 2017 , 167-181	
28	The relationship of risk factors for chronic non-communicable diseases and social status to the level of family material well-being in a sample of middle-aged males. 2019 , 22, 63	
27	Status and Issues of Fatigue in Heart Failure Patients: A Narrative Review. 2019 , 14, 23-38	
26	SMOKING AND VITAL EXHAUSTION IN INDUSTRIAL WORKERS IN SOUTHERN URAL. 2019 , 59-64	1
25	Depression, anxiety, and vital exhaustion are associated with pro-coagulant markers in depressed patients with coronary artery disease - A cross sectional and prospective secondary analysis of the SPIRR-CAD trial. <i>Journal of Psychosomatic Research</i> , 2021 , 151, 110659	4.1 0
24	Wenn Belastungen zum Dauerzustand werden: Erschöpfung. 2020 , 91-108	
23	Association of Self-Perceived Health with Social and Psychological Environment, the Mode of Life and Cardiovascular Risk Markers in Middle-Aged Men (Residents of Moscow. <i>Rational Pharmacotherapy in Cardiology</i> , 2020 , 15, 768-778	0.5 1
22	Measuring psychosocial factors in health surveys using fewer items. <i>Health Psychology Open</i> , 2020 , 7, 2055102920975983	1.9 1
21	Do insomnia complaints cause hypertension or cardiovascular disease?. <i>Journal of Clinical Sleep Medicine</i> , 2007 , 3, 489-94	3.1 85

20	Adverse psychological outcome in women with coronary artery disease. <i>Netherlands Heart Journal</i> , 2001 , 9, 365-371	2.2	1
19	Psychological profiles of individuals with type 2 diabetes and their association with physical and psychological outcomes: a cluster analysis. <i>Psychology and Health</i> , 2021 , 1-18	2.9	
18	Neurobiological correlates of burnout. <i>Telangana Journal of Psychiatry</i> , 2021 , 7, 87	1.3	0
17	Cortisol Awakening Reaction and Anxiety in Depressed Coronary Artery Disease Patients.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	1
16	Can the Concepts of Energy and Psychological Energy Enrich Our Understanding of Psychosocial Adaptation to Traumatic Experiences, Chronic Illnesses and Disabilities?. <i>Frontiers in Psychology</i> , 2022 , 13, 768664	3.4	0
15	The burden of overweight: Higher body mass index, but not vital exhaustion, is associated with higher DNA damage and lower DNA repair capacity.. <i>DNA Repair</i> , 2022 , 114, 103323	4.3	1
14	Sex differences in the association of vital exhaustion with regional fat deposition and subclinical cardiovascular disease risk.. <i>Journal of Psychosomatic Research</i> , 2022 , 157, 110785	4.1	0
13	2022 Prevention of chronic non-communicable diseases in Of the Russian Federation. National guidelines. <i>Cardiovascular Therapy and Prevention (Russian Federation)</i> , 2022 , 21, 3235	0.9	11
12	Stress and Pain. Predictive (Neuro)Pattern Identification for Chronic Back Pain: A Longitudinal Observational Study. <i>Frontiers in Medicine</i> , 2022 , 9,	4.9	
11	Neuropeptide Y and measures of stress in a longitudinal study of women with the fibromyalgia syndrome. <i>Scandinavian Journal of Pain</i> , 2022 ,	1.9	
10	Stress Management in Pre- and Postoperative Care Amongst Practitioners and Patients in Cardiac Catheterization Laboratory: A Study Protocol. <i>Frontiers in Cardiovascular Medicine</i> , 9,	5.4	
9	Longitudinal Associations Between Core Self-Evaluation, Vital Exhaustion and Hair Cortisol in Teachers and the Mediating Effects of Resignation Tendency. <i>Frontiers in Psychology</i> , 13,	3.4	0
8	Training intervention effects on cognitive performance and neuronal plasticityA pilot study. 13,		
7	Fatigue. 1990 , 25, 967-976		10
6	Psychoemotional risk factors for non-communicable diseases in outpatient practice. Guidelines for internists. 2022 , 21, 3438		14
5	Shift-Work Schedule Intervention for Extending Restart Breaks after Consecutive Night Shifts: A Non-randomized Controlled Cross-Over Study. 2022 , 19, 15042		0
4	The Effects and Differences of Social Support, Depression, and Vital Exhaustion during the COVID-19 Pandemic among International and Domestic University Students. 2023 , 20, 1502		0
3	Stress-Related Exhaustion, Polygenic Cognitive Potential, and Cognitive Test Performance [A General Population Study.		0

2 Long-Term Consequences of COVID-19: A 1-Year Analysis. **2023**, 12, 2673

o

1 Teachers' perception of aggressive student behavior through the lens of chronic worry and resignation, and its association with psychophysiological stress: An observational study.

o