

CITATION REPORT

List of articles citing

Formation of dispersed phase in incompatible polymer blends: Interfacial and rheological effects

DOI: 10.1002/pen.760270506

Polymer Engineering and Science, 1987, 27, 335-343.

Source: <https://exaly.com/paper-pdf/19327140/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
922	Renewable and Supertoughened Polylactide-Based Composites: Morphology, Interfacial Compatibilization, and Toughening Mechanism.		
921	The effect of viscosity ratio on the morphology of polypropylene/polycarbonate blends during processing. <i>Polymer Engineering and Science</i> , 1987 , 27, 1591-1600	2.3	285
920	Interfacial agents for multiphase polymer systems: Recent advances. <i>Polymer Engineering and Science</i> , 1988 , 28, 1392-1400	2.3	283
919	Emulsifying effects of block copolymers in incompatible polymer blends. 1988 , 16, 1-17		218
918	Structured polymer blends. 1988 , 16, 113-135		42
917	Impact behaviour of nylon-rubber blends: 4. Effect of the coupling agent, maleic anhydride. 1989 , 30, 63-70		153
916	Impact behaviour of nylon-rubber blends: 5. Influence of the mechanical properties of the elastomer. 1989 , 30, 71-77		169
915	Polymer Blends. 1989 , 135-154		5
914	Structuring of polymer blends in simple shear flow. 1990 , 38, 43-60		13
913	Binary blends of nylons with ethylene vinyl alcohol copolymers: Morphological, thermal, rheological, and mechanical behavior. <i>Polymer Engineering and Science</i> , 1990 , 30, 341-349	2.3	22
912	Polypropylene/polyethylene terephthalate blends compatibilized through functionalization. <i>Polymer Engineering and Science</i> , 1990 , 30, 355-365	2.3	105
911	Mechanical fracture behavior of polyacetal and thermoplastic polyurethane elastomer toughened polyacetal. <i>Polymer Engineering and Science</i> , 1990 , 30, 543-552	2.3	63
910	Morphology-processing relationships in polyethylene-polyamide blends. <i>Polymer Engineering and Science</i> , 1990 , 30, 553-565	2.3	217
909	The interface in binary mixtures of polymers containing a corresponding block copolymer: Effects of industrial mixing processes and of coalescence. <i>Polymer Engineering and Science</i> , 1990 , 30, 741-752	2.3	136
908	Poly(Phenylene oxide)/polyamide blends via reactive extrusion. <i>Polymer Engineering and Science</i> , 1990 , 30, 1056-1062	2.3	63
907	Morphological, thermal and rheological properties of the blends polypropylene/nylon-6, polypropylene/nylon-6/(maleic anhydride-g-polypropylene) and (maleic anhydride-g-polypropylene)/nylon-6. 1990 , 26, 131-136		85
906	Toughening of Nylon 6 by Modified Polyethylenes. 1990 , 29, 289-295		8

905	Molecular design of multicomponent polymer systems. XVIII: Emulsification of high-impact polystyrene and low density polyethylene blends into high-impact alloys. <i>Polymer Engineering and Science</i> , 1990 , 30, 937-943	2.3	35
904	Blend composites based on liquid crystal thermoplast. Review. 1991 , 33, 1-37		14
903	Dynamic mechanical analysis of compatibilized polymer blends. 1991 , 10, 279-290		14
902	Blends of polycarbonate and polyacetal. 1991 , 32, 1394-1400		25
901	Morphology of polyethylene blends: 1. From spheres to fibrils and extended co-continuous phases in blends of polyethylene with styrene-isoprene-styrene triblock copolymers. 1991 , 32, 510-515		21
900	Polymer alloys and blends: Recent advances. 1991 , 69, 619-625		71
899	Morphological, thermal and rheological properties of blends: Polyethylene/nylon-6, polyethylene/nylon-6/(maleic anhydride-g-polyethylene) and (maleic anhydride-g-polyethylene)/nylon-6. 1991 , 27, 349-354		60
898	Polymereaktionen im Schmelzzustand. 1991 , 63, 1137-1140		2
897	Toughened thermoplastics: 1. The synthesis and use of maleate-modified poly(butylene terephthalate) in polyester/rubber blends. 1991 , 32, 1140-1145		21
896	Block copolymers at interfaces. 1991 , 172, 258-268		55
895	Spin-label study of immiscible polymers. Interfacial tension between polystyrene and polyisoprene. 1991 , 27, 773-774		5
894	Compatibilization of polymer blends by reactive processing. <i>Polymer Engineering and Science</i> , 1991 , 31, 929-935	2.3	289
893	Ultralow density polyethylene blends with polypropylene. <i>Polymer Engineering and Science</i> , 1991 , 31, 944-953	2.3	30
892	Phase morphology characterization and ultimate mechanical properties of 60/40 PC/SAN blend: Influence of the acrylonitrile content of SAN. <i>Polymer Engineering and Science</i> , 1991 , 31, 1215-1221	2.3	30
891	Styrene maleic anhydride and styrene glycidyl methacrylate copolymers as in situ reactive compatibilizers of polystyrene/nylon 6,6 blends. <i>Polymer Engineering and Science</i> , 1991 , 31, 1509-1519	2.3	81
890	Processing-morphology relationships of compatibilized polyolefin/polyamide blends. 1991 , 26, 4742-4750		90
889	MORPHOLOGY OF MALEIC ANHYDRIDE GRAFTED POLYPROPYLENE AND POLYAMIDE ALLOY PRODUCED BY REACTIVE PROCESSING. 1991 , 10,		33
888	Polycarbonate Blends with Maleic Anhydride-G-Polypropylene. 1991 , 10,		3

887	Nearly monodisperse spherical domain morphology in polycarbonate/poly(methylmethacrylate) blends following spinodal decomposition coupled with an interchange reaction. 1992 , 97, 4505-4511		34
886	Processing/morphology/rheology relationships in polymer blends. 1992 , 56, 143-150		18
885	Polyolefin blends. 1992 , 53, 173-189		12
884	Chemical contrast in X-ray microscopy and spatially resolved XANES spectroscopy of organic specimens. 1992 , 258, 972-5		314
883	Compatibility of high polymers probed by interfacial tension. 1992 , 31, 554-564		22
882	Morphology of polyethylene blends. II: Formation of a range of morphologies in blends of polyethylene with increasing content of styrene-isoprene-styrene triblock copolymers during extrusion-blowing. <i>Polymer Engineering and Science</i> , 1992 , 32, 6-13	2.3	18
881	Effects of compatibilizers on the properties of polyamide/polypropylene blends. <i>Polymer Engineering and Science</i> , 1992 , 32, 868-877	2.3	117
880	Compatibilized blends of polyamide-6 and polyethylene. <i>Polymer Engineering and Science</i> , 1992 , 32, 1703-1710	2.3	58
879	Morphology development in polymer blends. <i>Polymer Engineering and Science</i> , 1992 , 32, 1814-1823	2.3	183
878	Development of polymer blend morphology during compounding in a twin-screw extruder. Part I: Droplet dispersion and coalescence—review. <i>Polymer Engineering and Science</i> , 1992 , 32, 1824-1833	2.3	328
877	Development of polymer blend morphology during compounding in a twin-screw extruder. Part II: Theoretical derivations. <i>Polymer Engineering and Science</i> , 1992 , 32, 1834-1845	2.3	61
876	Development of polymer blend morphology during compounding in a twin-screw extruder. Part III: Experimental procedure and preliminary results. <i>Polymer Engineering and Science</i> , 1992 , 32, 1846-1856	2.3	54
875	Dynamic mechanical analysis of the interpenetration of polypropylene and trans-polyoctenylene in isotactic polypropylene-trans-polyoctenylene. 1992 , 11, 1525-1526		3
874	Co-ionomers as compatibilizers for polymer alloys. 1992 , 11, 1441-1442		1
873	Effect of polyamide functionality on the morphology and toughness of blends with a functionalized block copolymer. 1992 , 33, 3173-3181		57
872	Compatibilizing effect of block copolymers in heterogeneous polystyrene/poly(methyl methacrylate) blends. 1992 , 33, 4260-4268		91
871	Phase morphology of injection-moulded polycarbonate/acrylonitrile-butadiene-styrene blends. 1992 , 33, 685-697		41
870	Toughening styrene maleic anhydride copolymers with functionalized ethylene propylene rubbers. 1992 , 33, 3848-3857		11

869	The effect of physical interactions on melt-phase homogenization of mixtures of poly(m-xylylene adipamide) with aliphatic polyamides induced by interchange reactions. 1992 , 33, 3899-3907		21
868	Rubber toughening of polyamides with functionalized block copolymers: 1. Nylon-6. 1992 , 33, 268-283		250
867	Rubber toughening of polyamides with functionalized block copolymers: 2. Nylon-6,6. 1992 , 33, 284-293		137
866	Property and morphology relationships for ternary blends of polycarbonate, brittle polymers and an impact modifier. 1992 , 33, 1606-1619		70
865	Toughening of phase-homogenized mixtures of nylon-6 and poly(m-xylylene adipamide) with a functionalized block copolymer. 1992 , 33, 3394-3407		15
864	Maleic anhydride grafting on EPDM rubber in the melt. 1992 , 33, 3086-3088		53
863	Morphology of poly(p-phenylene sulfide)polyethylene blends. 1993 , 34, 4826-4831		37
862	Morphological origin of toughness in polyethylene-nylon-6 blends. 1993 , 34, 977-985		43
861	Polycarbonate-SAN copolymer interaction. 1993 , 34, 3796-3808		81
860	Physical properties of ABS/SMA/nylon-6 ternary blends: effect of blending sequence. 1993 , 34, 2075-2080		56
859	A study on compatibilization of AES/PA6 blends. 1993 , 28, 4119-4128		7
858	Blending of modified polyphenylene ether with a liquid crystalline copolyester. 1993 , 28, 3228-3234		1
857	The effect of mixing history on the morphology of immiscible polymer blends. <i>Polymer Engineering and Science</i> , 1993 , 33, 227-239	2.3	19
856	Percolation behavior in morphology and modulus of polymer blends. <i>Polymer Engineering and Science</i> , 1993 , 33, 293-302	2.3	63
855	Impact toughened blends of styrene-maleic anhydride copolymer, polyethylene, and ethylene-propylene copolymer. <i>Polymer Engineering and Science</i> , 1993 , 33, 721-735	2.3	13
854	Factors influencing the formation of elongated morphologies in immiscible polymer blends during melt processing. <i>Polymer Engineering and Science</i> , 1993 , 33, 851-859	2.3	82
853	Morphology and permeability in extruded polypropylene/ethylene vinyl-alcohol copolymer blends. <i>Polymer Engineering and Science</i> , 1993 , 33, 1404-1420	2.3	58
852	Interactions between the components in isotactic polypropylene blended with EPDM. 1993 , 271, 824-833		7

851	Transient phenomena in dispersive mixing. 1993 , 48, 267-276		71
850	Reactive blending of polymers by interfacial free-radical grafting. 1993 , 69, 99-123		16
849	Rheology of polymer blends. 1993 , 75-102		5
848	Melt blends of san with phenoxy. 1994 , 33, 317-332		5
847	Toughening agents for engineering polymers. 1994 , 136-164		9
846	Toughened polyamides. 1994 , 210-242		4
845	Interfacial behaviour of compatibilizers in polymer blends. 1994 , 35, 281-285		94
844	Design of polymer blend rheology. 1994 , 33, 221-228		12
843	Effect of the nature of the polyamide on the properties and morphology of compatibilized nylon/acrylonitrile-butadiene-styrene blends. 1994 , 35, 5468-5477		63
842	The compatibility of linear low density polyethylene-polypropylene blends: Viscosity ratio plots. <i>Polymer Engineering and Science</i> , 1994 , 34, 1260-1268	2.3	20
841	Effects of component addition protocol on the reactive compatibilization of HDPE/PET blends. <i>Polymer Engineering and Science</i> , 1994 , 34, 1709-1719	2.3	68
840	Kinetic studies and process analysis of the reactive compatibilization of nylon 6/polypropylene blends. <i>Polymer Engineering and Science</i> , 1994 , 34, 1720-1730	2.3	36
839	Interfacial tension in polymer melts. I: An improved pendant drop apparatus. <i>Polymer Engineering and Science</i> , 1994 , 34, 1823-1833	2.3	64
838	San blends with a phenoxy polymer: morphology and properties. 1994 , 30, 993-998		6
837	Synthesis and application of polyarylate-poly(methyl methacrylate) block copolymer as compatibilizer for polyarylate/poly(vinylidene fluoride) blend. 1994 , 30, 353-360		6
836	Control of the morphology of polyamide/styrene-acrylonitrile copolymer blends via reactive compatibilizers. 1994 , 35, 4263-4279		78
835	Effect of compatibilization on the properties of polyamide 66/polypropylene (75/25wt/wt) blends. 1994 , 35, 3948-3957		51
834	Morphology development in toughened aliphatic polyamides. 1994 , 35, 1386-1398		104

833	Morphology of polyethylene blends: 3. Blend films of polyethylene with styrene-butadiene or styrene-isoprene copolymers obtained by extrusion-blowing. 1994 , 35, 2542-2548		15
832	Basic functionalization of polypropylene and the role of interfacial chemical bonding in its toughening. 1994 , 35, 988-994		59
831	Morphology development during reactive and non-reactive blending of an ethylene-propylene rubber with two thermoplastic matrices. 1994 , 35, 5422-5433		79
830	Mechanical properties and morphology of nylon-6/acrylonitrile-butadiene-styrene blends compatibilized with imidized acrylic polymers. 1994 , 35, 5453-5467		96
829	Effect of Rubber Content in Acrylonitrile-Butadiene-Styrene and Additional Rubber on The Polymer Blends of Polycarbonate and Acrylonitrile-Butadiene-Styrene. 1994 , 26, 33-42		13
828	New polyamide - based blends. 1994 , 78, 299-311		4
827	Effects of polymer-polymer interactions in multiphase blends or alloys. 1994 , 78, 83-93		9
826	Melt blends of polyethylene with a phenoxy. 1995 , 31, 705-708		7
825	Sheet formation in immiscible polymer blends: model experiments on initial blend morphology. 1995 , 36, 1957-1968		102
824	Study of morphological and mechanical properties of PP/PBT blends. 1995 , 34, 117-123		5
823	The effects of transesterification on structure development in PC-PBT blends. 1995 , 35, 751-757		27
822	The development of laminar morphology during extrusion of polymer blends. <i>Polymer Engineering and Science</i> , 1995 , 35, 41-51	2.3	67
821	The flow-induced phase morphology of fluoroelastomer and polycarbonate blends during extrusion. <i>Polymer Engineering and Science</i> , 1995 , 35, 619-636	2.3	3
820	Morphologies of mechanically mixed amorphous blends before and after annealing. <i>Polymer Engineering and Science</i> , 1995 , 35, 693-702	2.3	27
819	Processing and morphology of polystyrene/ethylene-propylene rubber reactive and nonreactive blends. <i>Polymer Engineering and Science</i> , 1995 , 35, 1938-1948	2.3	24
818	Influence of emulsifier on the formation of alkyd emulsions. 1995 , 94, 161-171		32
817	Toughened thermoplastics: 3. Blends of poly(butylene terephthalate) with (butadiene-co-acrylonitrile) rubbers. 1995 , 36, 3051-3054		32
816	Compatibilized polymer blends of isotactic polypropylene and styrene-maleic anhydride copolymer. 1995 , 36, 3849-3861		20

815	Compatibilizing A/B blends with AB diblock copolymers: Effect of copolymer molecular weight. 1995 , 102, 8149-8157	74
814	A study on polyamide4,6/AES alloy. 1995 , 3, 185-208	1
813	Morphology of ternary immiscible polymer blends. 1995 , 34, 459-475	56
812	Compatibilizers for Melt Blending: Premade Block Copolymers 1996 , 29, 5590-5598	357
811	Modification of Polyolefins: An Overview. 1996 , 36, 433-455	30
810	The Distribution of SIS Compatibilizer in Melt-Mixed Polystyrene-Polyethylene Homopolymer Blends. 1996 , 461, 141	
809	Coalescence measurements for PS (polystyrene) matrix blends using the spinning drop apparatus. 1996 , 112, 107-114	2
808	Analysis of the Phase Structure Development during the Melt Mixing of Polymer Blends. 1996 , 28, 106-139	23
807	The role of matrix molecular weight in rubber toughened nylon 6 blends: 1. Morphology. 1996 , 37, 4891-4907	118
806	Coalescence in an interface-modified polymer blend as studied by light scattering measurements. 1996 , 37, 509-517	26
805	Morphology control and interfacial reinforcement in reactive polystyrene/amorphous polyamide blends. 1996 , 37, 3509-3519	100
804	The role of matrix molecular weight in rubber toughened nylon 6 blends: 2. Room temperature Izod impact toughness. 1996 , 37, 4909-4918	100
803	Intermolecular interactions in poly(vinylidene fluoride) and γ -caprolactam mixtures. 1996 , 37, 5317-5320	11
802	Preparation of functionalized polystyrene by reactive extrusion and its blend with polyamide 6. 1996 , 37, 1709-1714	50
801	Time dependent morphologies of immiscible polymer blends. 1996 , 15, 610-612	9
800	Compatibilizing PPE and PA6 with nitro-phthalimide derivatives. 1996 , 31, 95-101	13
799	The imbedded disk retraction method for measurement of interfacial tension between polymer melts. 1996 , 35, 458-469	14
798	A rheological and morphological study of a copolyester liquid crystal/polypropylene blend system. 1996 , 34, 2433-2445	17

797	Compatibilizing effect of natural rubber-g-poly(methyl methacrylate) in heterogeneous natural rubber/poly(methyl methacrylate) blends. <i>Polymer Engineering and Science</i> , 1996 , 36, 151-160	2.3	36
796	Melt blends of SAN with a phenoxy. <i>Polymer Engineering and Science</i> , 1996 , 36, 1495-1501	2.3	5
795	Morphology development in immiscible polymer blends. <i>Polymer Engineering and Science</i> , 1996 , 36, 1619-1626	2.3	27
794	Prediction of dispersed phase drop diameter in polymer blends: The effect of elasticity. <i>Polymer Engineering and Science</i> , 1996 , 36, 1656-1665	2.3	70
793	Computation of the morphological changes of a polymer blend along a twin-screw extruder. <i>Polymer Engineering and Science</i> , 1996 , 36, 1685-1693	2.3	50
792	ABS ternary blends: Morphology, surface gloss, and mechanical properties. 1996 , 35, 829-841		5
791	Processing-morphology-property relationships in polyethylene/acrylonitrile copolymer/compatibilizer blends. 1996 , 2, 240-247		1
790	Investigation of the morphology of polymer blends by nonconventional techniques. 1996 , 35, 579-590		2
789	Experimental methods for In Situ studies of morphology development during flow: The case of instability of thin films studied by light scattering. 1996 , 35, 357-373		7
788	Designing Compatibilizers To Reduce Interfacial Tension in Polymer Blends. 1996 , 100, 1449-1458		111
787	Polyethylene blends with a phenoxy. 1996 , 35, 129-146		3
786	The influence of the nature of the chemical reaction on the structure and properties of blends in the reactive blending of polymers. 1997 , 66, 877-888		11
785	Interfaces between highly incompatible polymers of different stiffness: Monte Carlo simulations and self-consistent field calculations. 1997 , 107, 10764-10776		33
784	Blends of polyamides and maleic-anhydride-containing polymers: interfacial chemistry and properties. 1997 , 133-162		14
783	Physical and Reactive Blending of Linear Low Density Polyethylene with Copolyamide 6/6.9. 1997 , 17,		
782	Morphology and Rheological Behavior of Amorphous Polyamide/(Styrene-Acrylonitrile/Styrene Maleic Anhydride) Reactive Blends. 1997 , 29, 987-991		12
781	COMPATIBILIZATION CRITERIA AND PROCEDURES FOR BINARY BLENDS: A REVIEW. 1997 , 17,		54
780	Natural rubber blends with epoxidized natural rubber. 1997 , 36, 579-594		7

779	Effects of coalescence and breakup on the steady-state morphology of an immiscible polymer blend in shear flow. 1997 , 36, 406-415		112
778	Comparaõ entre o modo da gota pendente e o modo da gota girante para medida da tensõ interfacial entre polmeros. 1997 , 7, 63-70		7
777	Mechanical properties of polypropylene/polyamide 6 blends: Effect of manufacturing processes and compatibilization. 1997 , 18, 757-764		14
776	The effect of temperature on the interfacial tension of polycarbonate/polyethylene blends. <i>Polymer Engineering and Science</i> , 1997 , 37, 636-639	2.3	14
775	Evaluation of thermodynamic theories to predict interfacial tension between polystyrene and polypropylene melts. <i>Polymer Engineering and Science</i> , 1997 , 37, 813-825	2.3	14
774	Miscibility behaviour of blends of poly(vinyl chloride) with poly(methyl methacrylate-co-styrene) copolymers. 1997 , 38, 421-429		18
773	Evolution of morphology in compatibilized vs uncompatibilized polyamide blends. 1997 , 38, 1787-1808		79
772	Evaluation of the fracture behaviour of nylon 6/SEBS-g-MA blends. 1997 , 38, 1885-1902		54
771	Compatibilization mechanism of polymer blends with an in-situ compatibilizer. 1997 , 38, 2155-2164		61
770	Toughening PET by blending with a functionalized SEBS block copolymer. 1997 , 38, 2191-2200		81
769	Effect of acrylic acid content in poly(ethylene-ran-acrylic acid) on the morphology and mechanical properties of poly(ethylene-ran-acrylic acid)/polystyrene blends compatibilized by poly(styrene-ran-glycidyl methacrylate). 1997 , 38, 2113-2119		9
768	Impact modification of poly(butylene terephthalate) by ABS materials. 1997 , 38, 3237-3250		104
767	Design of polymer blend rheology: 4. Effect of polymethacrylic ionomers on the melt viscosity of polyamide m D,6. 1997 , 38, 3861-3867		7
766	Co-phase continuity in immiscible binary polymer blends. 1997 , 38, 6347-6353		32
765	Liquid crystalline polymer as a processing agent in blends of poly(ether-ketone)/LCP70. 1997 , 33, 949-955		4
764	Morphology development in shear flows of straight and folded molten fibers. 1998 , 44, 442-451		13
763	Defoamer selection in waterborne coatings. 1998 , 70, 157-160		3
762	Localizing compatibilizers in immiscible blends by SEM. 1998 , 17, 247-255		10

761	Blends of poly(vinylidene fluoride) with polyamide 6: interfacial adhesion, morphology and mechanical properties. 1998 , 39, 1779-1785	53
760	Compatibilization effect of graft copolymer on immiscible polymer blends: 1. LLDPE/SBS/LLDPE-g-PS systems. 1998 , 39, 1787-1792	20
759	Effect of morphology on the brittle ductile transition of polymer blends: 5. The role of CaCO ₃ particle size distribution in high density polyethylene/CaCO ₃ composites. 1998 , 39, 1863-1868	26
758	Coalescence and interfacial tension measurements for polymer melts: experiments on a PS-PE model system. 1998 , 39, 765-772	21
757	Compatibilizing effects of block copolymers in low-density polyethylene/polystyrene blends. 1998 , 39, 2495-2505	35
756	Fracture behaviour of some rubber-toughened nylon 6 blends. 1998 , 39, 2835-2845	56
755	Reactive compatibilisation of A/(B/C) polymer blends. Part 2. Analysis of the phase inversion region and the co-continuous phase morphology. 1998 , 39, 4993-5000	70
754	Influence of particle dispersion on the matrix ligament thickness of polymer blends. 1. The configuration of well-dispersed particles versus simple cubic lattice. 1998 , 39, 4433-4436	24
753	Co-continuous morphologies in polymer blends: a new model. 1998 , 39, 5879-5887	156
752	Melt reactivity of carboxylic acid functional polysulfone in polyamide/polysulfone blends: phase morphology and mechanical properties aspects. 1998 , 39, 5655-5662	6
751	Rheo-optical investigation of immiscible polymer blends. 1998 , 39, 5731-5737	44
750	Effect of morphology on the brittle ductile transition of polymer blends: 2. Analysis on poly(vinyl chloride)/nitrile rubber blends. 1998 , 39, 5019-5025	52
749	Viscosity difference as distributing factor in selective absorption of aluminium borate whiskers in immiscible polymer blends. 1998 , 39, 5633-5642	52
748	In situ compatibilization of polypropylene/polyethylene blends: a thermomechanical and spectroscopic study. 1998 , 39, 6807-6817	54
747	On-line morphology measurement during the extrusion of polymer blends. 1998 , 39, 6665-6667	7
746	Transition of phase continuity induced by crosslinking and interfacial reaction during reactive processing of compatibilized PVC/SBR blends. 1998 , 39, 7023-7032	11
745	Radiation grafting functionalization of poly (vinylidene fluoride) to compatibilize its blends with polyolefin ionomers. <i>Polymer Engineering and Science</i> , 1998 , 38, 452-460	2.3 7
744	Phase inversion during compounding with a low melting major component: Polycaprolactone/polyethylene blends. <i>Polymer Engineering and Science</i> , 1998 , 38, 1751-1762	2.3 16

743	Fibrillar morphology development of PE/PBT blends: Rheology and solvent permeability. <i>Polymer Engineering and Science</i> , 1998 , 38, 1882-1889	2.3	68
742	Effects of the compatibilizer PP-g-GMA on morphology and mechanical properties of PP/PC blends. 1998 , 39, 547-551		42
741	Morphological Development in Solvent-Cast Polystyrene-Polybutadiene-Polystyrene (SBS) Triblock Copolymer Thin Films. 1998 , 31, 2569-2577		402
740	Influence of Exothermic Interaction on the Morphology and Droplet Coalescence of Melt-Mixed Immiscible Polymer Blends Containing a Block Copolymer. 1998 , 31, 5383-5390		25
739	Improved Compatibility of Styrene-Maleic Anhydride Copolymer/Polyethylene Blends Through Reactive Mixing. 1998 , 35, 1763-1779		6
738	Influence of elastic properties on drop deformation and breakup in shear flow. <i>Journal of Rheology</i> , 1998 , 42, 1477-1490	4.1	128
737	Self-consistent-field theories for complex fluids. 1998 , 10, 8105-8138		177
736	Viscoelastic and Morphological Study of Polyamide-6/Polyethylene/SEBS-g-DEM Ternary Blends. 1998 , 35, 1187-1205		3
735	Thermoplastic Polymer Blends Containing Conductive Polyaniline. 1998 , 51-60		
734	Morphology of Silicone/Organic Blends. 1998 , 4, 832-833		
733	Use of the pendant drop method to measure interfacial tension between molten polymers. 1999 , 2, 23-32		112
732	A New On-Line Technique for Morphology Analysis and Residence Time Measurement in a Twin-Screw Extruder. 1999 , 273-281		1
731	Monte Carlo simulations of copolymers at homopolymer interfaces: Interfacial structure as a function of the copolymer density. 1999 , 110, 5370-5379		29
730	Blends of thermoplastic polyurethane and maleic-anhydride grafted polyethylene. I: Morphology and mechanical properties. <i>Polymer Engineering and Science</i> , 1999 , 39, 1035-1048	2.3	35
729	Effects of viscosity ratio and compatibilizers on the morphology and mechanical properties of polycarbonate/acrylonitrile-butadiene-styrene blends. <i>Polymer Engineering and Science</i> , 1999 , 39, 1667-1677	2.3	47
728	Effect of viscosity variation with temperature on the compounding behavior of immiscible blends. <i>Polymer Engineering and Science</i> , 1999 , 39, 1823-1835	2.3	13
727	Reactive blending by in situ polymerization of the dispersed phase. 1999 , 40, 131-138		26
726	Co-continuous morphologies in polymer blends: the influence of the interfacial tension. 1999 , 40, 827-834		124

725	Reactive blending of polysulfone with polyamide: a potential for solvent-free preparation of the block copolymer. 1999 , 40, 647-653	48
724	Relationship between surface and bulk morphologies for immiscible polymer blends. 1999 , 40, 2929-2938	9
723	Effect of rubber functionality on microstructures and fracture toughness of impact-modified nylon 6,6/polypropylene blends: 1. Structure-property relationships. 1999 , 40, 1553-1566	78
722	Effect and mechanism in compatibilization of poly(styrene-b-2-ethyl-2-oxazoline) diblock copolymer in poly(2,6-dimethyl-1,4-phenylene oxide)/poly(ethylene-ran-acrylic acid) blends. 1999 , 40, 1537-1545	9
721	Compatibilization of blends of polystyrene and zinc salt of sulfonated polystyrene by poly(styrene-b-4-vinylpyridine) diblock copolymer. 1999 , 40, 2239-2247	8
720	Composition effect on the core-shell morphology and mechanical properties of ternary polystyrene/styrene-butadiene rubber/polyethylene blends. 1999 , 40, 2511-2520	99
719	Syndiotactic polystyrene/thermoplastic polyurethane blends using poly(styrene-b-4-vinylpyridine) diblock copolymer as a compatibilizer. 1999 , 40, 3399-3406	27
718	Effect of PBT melt viscosity on the morphology and mechanical properties of compatibilized and uncompatibilized blends with ABS. 1999 , 40, 3621-3629	91
717	Compatibilization of immiscible polymer blends (PC/PVDF) by the addition of a third polymer (PMMA): analysis of phase morphology and mechanical properties. 1999 , 40, 3919-3932	65
716	Effect of adding an imidized acrylic polymer to super tough nylon 6 on stiffness and toughness. 1999 , 40, 3957-3969	16
715	Rheological behaviour of thermoplastic elastomers from polypropylene/acrylonitrile-butadiene rubber blends: effect of blend ratio, reactive compatibilization and dynamic vulcanization. 1999 , 40, 4325-4344	99
714	Coalescence in PC/SAN blends: effect of reactive compatibilization and matrix phase viscosity. 1999 , 40, 5609-5621	49
713	Reactive compatibilisation of heterogeneous ethylene propylene rubber (EPM)/nylon 6 blends by the addition of compatibiliser precursor EPM-g-MA. 1999 , 40, 5799-5819	93
712	Reactive blending of polysulfone with polyamide: a difference in interfacial behavior between in situ formed block and graft copolymers. 1999 , 40, 6803-6810	61
711	Morphology development in immiscible polymer blends: initial blend morphology and phase dimensions. 1999 , 40, 6651-6659	74
710	Phase morphology development in immiscible PP/(PS/PPE) blends influence of the melt-viscosity ratio and blend composition. 1999 , 40, 6627-6644	111
709	Thermal and mechanical characterisation of films from Nylon 6/EVOH blends. 1999 , 35, 1261-1268	41
708	Barrier property by controlled laminar morphology of LLDPE/EVOH blends. 1999 , 16, 511-517	24

707	A modified rheological model of viscosities for BR&BBS blends. <i>Journal of Applied Polymer Science</i> , 1999 , 71, 39-46	2.9	6
706	Nylon 6/ethylene propylene rubber (EPM) blends: Phase morphology development during processing and comparison with literature data. <i>Journal of Applied Polymer Science</i> , 1999 , 71, 1405-1429 ^{2.9}	2.9	60
705	Preparation of the HIPS/MA graft copolymer and its compatibilization in HIPS/PA1010 blends. <i>Journal of Applied Polymer Science</i> , 1999 , 71, 2017-2025	2.9	10
704	Phase behavior and physical properties of injection-molded polyamide 6/phenoxy blends. <i>Journal of Applied Polymer Science</i> , 1999 , 72, 1113-1124	2.9	18
703	Impact modification of polypropylene by ethylene propylene copolymer-grafted maleic anhydride. <i>Journal of Applied Polymer Science</i> , 1999 , 72, 1257-1265	2.9	28
702	Morphology and physical properties of SAN/NBR blends: The effect of AN content and melt viscosity of SAN. 1999 , 73, 935-941		5
701	Dispersivity of rubbers in thermoplastic polymers. <i>Journal of Applied Polymer Science</i> , 1999 , 73, 1563-1567	2.9	4
700	Synthesis and characterization of UV-curable waterborne polyurethane&acrylate ionomers for coatings. <i>Journal of Applied Polymer Science</i> , 1999 , 73, 2869-2876	2.9	32
699	Hygrothermal aging and fracture behavior of styrene-acrylonitrile/acrylate based core&hell rubber toughened poly(butylene terephthalate). <i>Journal of Applied Polymer Science</i> , 1999 , 74, 2470-2481	2.9	22
698	Reactive compatibilization and fracture behavior in nylon 6/VLDPE blends. <i>Journal of Applied Polymer Science</i> , 1999 , 74, 3455-3468	2.9	15
697	A novel gas-barrier elastomer composed of butyl rubber and polyamide. <i>Journal of Applied Polymer Science</i> , 1999 , 74, 3548-3552	2.9	12
696	The development of laminar morphology in a co-rotating twin screw extruder. 1999 , 18, 89-108		5
695	Morphology of PC/SAN blends: effect of reactive compatibilization, SAN concentration, processing, and viscosity ratio. 1999 , 37, 71-82		30
694	The role of interfacial modifier in toughening of nylon 6 with a core-shell toughener. 1999 , 37, 2664-2672		30
693	Compounding Procedure, Processing Behaviour and Property Profiles of Polymeric Blends Based on Thermoplastic Poly(ester-urethanes) and Destructurized Starch. 1999 , 51, 93-102		11
692	Morphology Development during Melt Processing of Immiscible Polymer Blends. 1999 , 301-318		
691	Viscosity and morphology of the two-phase system PDMS/P(DMS-ran-MPS). <i>Journal of Rheology</i> , 1999 , 43, 1033-1045	4.1	24
690	Rheology of Reactively Compatibilized Polymer Blends with Varying Extent of Interfacial Reaction. 1999 , 32, 3412-3419		63

689	Phase Behavior under Shear Flow in PMMA/SAN Blends: Effects of Molecular Weight and Viscosity. 1999 , 32, 5631-5636		30
688	Encapsulation in Polysulfone/Polycarbonate/Impact Modifier Blends. 1999 , 31, 418-422		1
687	Polypropylene-phenol formaldehyde-based compatibilizers. I. Preparation and characterization. <i>Journal of Applied Polymer Science</i> , 2000 , 75, 347-354	2.9	2
686	Carbon black-reinforced dynamically cured EPDM/PP thermoplastic elastomers. I. Morphology, rheology, and dynamic mechanical properties. <i>Journal of Applied Polymer Science</i> , 2000 , 75, 1127-1137	2.9	82
685	Emulsion polymerization of an epoxy-acrylate emulsion stabilized with polyacrylate. II. Using the results of statistically designed experiments to deduce a possible polymerization mechanism. <i>Journal of Applied Polymer Science</i> , 2000 , 76, 368-381	2.9	5
684	Impact fracture morphology of nylon 6 toughened with a maleated polyethylene-butene elastomer. <i>Journal of Applied Polymer Science</i> , 2000 , 76, 1285-1295	2.9	55
683	Toughening PA1010 with a functionalized saturated polyolefin elastomer. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 928-933	2.9	29
682	Semicrystalline blends of polyethylene and isotactic polypropylene: Improving mechanical performance by enhancing the interfacial structure. 2000 , 38, 108-121		41
681	Phase separation in semicrystalline blends of poly(phenylene sulfide) and poly(ethylene terephthalate). II. Effect of poly(phenylene sulfide) homopolymer solubilization of PPS-graft-PET copolymer on morphology and crystallization behavior. 2000 , 38, 599-610		8
680	Dynamic mechanical properties of polypropylene-g-maleic anhydride and ethylene-propylene-butene terpolymer blends: Effect of blend preparation methods. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 2777-2784	2.9	14
679	Compatibility of poly(vinylidene fluoride) (PVDF)/polyamide 12 (PA12) blends. <i>Journal of Applied Polymer Science</i> , 2000 , 78, 1374-1380	2.9	18
678	Morphology and physical properties of SAN/NBR blends: The effect of AN content in NBR. <i>Journal of Applied Polymer Science</i> , 2000 , 78, 1861-1868	2.9	9
677	A coalescence mechanism for the coarsening behavior of polymer blends during a quiescent annealing process. II. Polydispersed particle system. 2000 , 38, 2390-2399		12
676	Toughening of a copolyester with a maleated core-shell toughener. 2000 , 38, 2801-2809		17
675	Influence of viscosity ratio on the morphology of PVC/PE blends. 2000 , 36, 2309-2311		8
674	Dynamic thermal decomposition of blends of polyamide 6 with functionalized and non-functionalized PP. 2000 , 68, 9-19		17
673	Thermoplastic polyurethane toughened polyacetal blends. 2000 , 19, 75-83		46
672	Effect of moisture level on the morphology and melt flow behavior of thermoplastic starch/poly(hydroxy ester ether) blends. 2000 , 41, 8083-8093		51

671	Fracture toughness of nylon 6 blends with maleated ethylene/propylene rubbers. 2000 , 41, 8061-8074		59
670	Comparison of compatibilizer effectiveness for PET/PP blends: their mechanical, thermal and morphology characterization. 2000 , 41, 2543-2555		119
669	Dependence of phase morphology and mechanical properties of PS/SBR/PE ternary blends on composition: transition from core-shell to triple-phase continuity structures. 2000 , 41, 3381-3389		55
668	Processing and characterization of reactive polystyrene/hyperbranched polyester blends. 2000 , 41, 3193-3203	60	
667	Interfacial behavior of block copolymers in situ-formed in reactive blending of dissimilar polymers. 2000 , 41, 4483-4490		52
666	In situ compatibilization of polyamide 6/natural rubber blends with maleic anhydride. 2000 , 41, 5929-5935		92
665	Compatibilization of PP/Vectra B in situ composites by means of an ionomer. 2000 , 41, 6311-6321		24
664	Interface modification and characterization in three-component polymer blends. 2000 , 21, 476-491		15
663	Morphology and mechanical properties of direct injection molded polypropylene/thermotropic copolyester blends. 2000 , 21, 864-871		7
662	Blending of immiscible polymers in a mixing zone of a twin screw extruder—effects of compatibilization. <i>Polymer Engineering and Science</i> , 2000 , 40, 1143-1156	2.3	14
661	Morphology of injection molded modified poly(phenylene oxide)/polyamide-6 blends. <i>Polymer Engineering and Science</i> , 2000 , 40, 1376-1384	2.3	27
660	Efficient mixing of polymer blends of extreme viscosity ratio: Elimination of phase inversion via solid-state shear pulverization. <i>Polymer Engineering and Science</i> , 2000 , 40, 1447-1457	2.3	32
659	Influence of low molecular weight ABS species on properties of PC/ABS systems. <i>Polymer Engineering and Science</i> , 2000 , 40, 1701-1715	2.3	21
658	Effects of SBS on phase morphology of iPP/aPS blends. <i>Polymer Engineering and Science</i> , 2000 , 40, 2144-2160		22
657	Polymer blend de-mixing and morphology development of immiscible polymer blends during tube flow. <i>Polymer Engineering and Science</i> , 2000 , 40, 2342-2355	2.3	12
656	Reactive compatibilization of nylon 6/styrene-acrylonitrile copolymer blends. Part 2. Dispersed phase particle size. 2000 , 41, 8053-8060		43
655	A constitutive model for the prediction of ellipsoidal droplet shapes and stresses in immiscible blends. <i>Journal of Rheology</i> , 2000 , 44, 1055-1083	4.1	96
654	IMPROVEMENT OF COMPATIBILITY IN GLASS-REINFORCED PA6/PP BLENDS. 2000 , 39, 513-528		7

653	The Improvement of Compatibility in Glass Fiber Reinforced PA6/PP Blends. 2000 , 46, 641-654		3
652	Interfacial Tension Measurement of a Reactive Polymer Blend by the Neumann Triangle Method. 2000 , 33, 9161-9165		20
651	Effect of Reaction Rate on Morphological Change of Reactive Blends. 2000 , 33, 8200-8210		25
650	Dispersion visualization of model fluids in a transparent Couette flow cell. <i>Journal of Rheology</i> , 2001 , 45, 783-797	4.1	39
649	Phase Inversion of Polybutadiene/Polyisoprene Blends under Quiescent and Shear Conditions. 2001 , 17, 3087-3095		29
648	Comportamento Viscoelástico Linear e Morfologia de Blendas PP/HDPE. 2001 , 11, 201-212		
647	Poly(oxypropylene)-amide grafted polypropylene as novel compatibilizer for PP and PA6 blends. 2001 , 42, 713-725		92
646	Compatibilization of poly(ether imide)/Rodrun blends by means of a polyarylate. 2001 , 42, 1157-1165		11
645	Morphologies and interfacial tensions of immiscible polypropylene/polystyrene blends modified with triblock copolymers. 2001 , 42, 2543-2554		148
644	In situ copolymerization and compatibilization of polyester and polystyrene blends. I. Synthesis of functionalized polystyrenes and the reactions with polyester. 2001 , 42, 5107-5119		8
643	In situ copolymerization and compatibilization of polyester and polystyrene blends. II. Thermally and chemically induced reaction and mechanical properties. 2001 , 42, 5121-5134		8
642	Measurement of contact angles and interfacial tensions of a reactive polymer blend using the Neumann Triangle method. 2001 , 42, 4423-4432		14
641	Influence of a low molecular weight anhydride on the morphology of PSU/PA-alloys. 2001 , 42, 7073-7079		5
640	Optical and dielectric properties of polyvinylchloride/polymethylmethacrylate blends. 2001 , 20, 919-923		13
639	Confocal microscopy studies of shear-induced coalescence in blends of poly(butyl methacrylate) and poly(2-ethylhexyl methacrylate). 2001 , 39, 2317-2332		7
638	Improving polymer blend dispersion in mini-mixers. <i>Polymer Engineering and Science</i> , 2001 , 41, 118-130	2.3	96
637	The morphology of hyperbranched polymer compatibilized polypropylene/polyamide 6 blends. <i>Polymer Engineering and Science</i> , 2001 , 41, 293-300	2.3	10
636	Disprsn in high viscosity ratio polyolefin blends. <i>Polymer Engineering and Science</i> , 2001 , 41, 672-683	2.3	15

635	Transparency of polymer blends. <i>Polymer Engineering and Science</i> , 2001 , 41, 1987-1995	2.3	36
634	Effect of supercritical carbon dioxide on PMMA/rubber and polystyrene/rubber blending: Viscosity ratio and phase inversion. <i>Polymer Engineering and Science</i> , 2001 , 41, 2108-2125	2.3	40
633	Compatibilizing effect of poly(styrene)-block-poly(isoprene) copolymers in heterogeneous poly(styrene)/natural rubber blends. 2001 , 50, 67-75		6
632	Transesterification reaction kinetics of poly(ethylene terephthalate)/poly(ethylene 2,6-naphthalate) blends. <i>Journal of Applied Polymer Science</i> , 2001 , 80, 2422-2436	2.9	38
631	Macromolecular modification of EPDM: Wettability, miscibility, and morphology study. <i>Journal of Applied Polymer Science</i> , 2001 , 80, 2647-2661	2.9	10
630	Study of compatibilization of HDPEâPET blends by adding grafted or statistical copolymers. <i>Journal of Applied Polymer Science</i> , 2001 , 81, 2377-2386	2.9	38
629	Study on morphology of ternary polymer blends. I. Effects of melt viscosity and interfacial interaction. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 1129-1137	2.9	86
628	Influence of temperature, molecular weight, and molecular weight dispersity on the surface tension of PS, PP, and PE. I. Experimental. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 1907-1920	2.9	44
627	Investigation of the melting behavior and morphology development of polymer blends in the melting zone of twin-screw extruders. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 1986-2002	2.9	23
626	Morphology monitoring of PE/PBT blends by reactive processing. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 3568-3577	2.9	15
625	Rheological, morphological, mechanical, and barrier properties of PP/EVOH blends. 2001 , 20, 191-201		53
624	Mixing of viscous immiscible liquids. Part 1: Computational models for strongâweak and continuous flow systems. 2001 , 56, 5511-5529		36
623	Effects of interfacial adhesion on the rubber toughening of poly(vinyl chloride) Part 1. Impact tests. 2001 , 42, 737-746		83
622	Isotactic polypropylene/ethylene- co -propylene blends: effects of composition on rheology, morphology and properties of injection moulded samples. 2001 , 42, 2675-2684		28
621	Compatibilizing Effect of Poly(Styrene-co-Glycidyl Methacrylate) in MPPO/PBT Blend: The Effect of Blending Sequence. 2001 , 21,		
620	STRUCTURE DEVELOPMENT OF PP/PA6 BLENDS. INTERFACIAL MODIFICATIONS AND PRELIMINARY MODELING OF MACROSCOPIC PROPERTIES. 2001 , 40, 387-404		9
619	Adhesives in the leather industry - perspectives for changing needs. 2002 , 16, 543-563		3
618	Role of Block Copolymers on Suppression of Droplet Coalescence. 2002 , 35, 7845-7855		163

617	Compatibilization effect of poly(epsilon-caprolactone)-b-poly(ethylene glycol) block copolymers and phase morphology analysis in immiscible poly(lactide)/poly(epsilon-caprolactone) blends. 2002 , 3, 1179-86		188
616	The rheological behavior of immiscible polymer blends. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 917-924	2.9	7
615	Dynamic mingling of magma and liquefied sediments. 2002 , 114, 37-44		41
614	Molecular and Morphological Characterization of Immiscible SAN/EPDM Blends Filled by Nano Filler. 2002 , 287, 684-692		27
613	Phase morphology development and melt rheological behavior in nylon 6/polystyrene blends. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 3537-3555	2.9	19
612	Fibrillar morphology of elastomer-modified polypropylene: Effect of interface adhesion and processing conditions. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 2085-2092	2.9	7
611	Relationship between interfacial tension and dispersed-phase particle size in polymer blends. I. PP/EPDM. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 3148-3159	2.9	38
610	Tensile elongation of high-fluid polypropylene/ethylene-propylene rubber blends: Dependence on molecular weight of the components and propylene content of the rubber. <i>Journal of Applied Polymer Science</i> , 2002 , 83, 46-56	2.9	17
609	Drop Deformation and Breakup Mechanisms in Viscoelastic Model Fluid Systems and Polymer Blends. 2002 , 80, 1028-1035		19
608	Quantitative rheological evaluation of phase inversion in two-phase polymer blends with cocontinuous morphology. 2002 , 41, 77-86		71
607	Synthesis of siloxane-crosslinked polysilylenemethylenes by chlorodephenylation. 2002 , 40, 416-422		4
606	Self-reinforced polypropylene/LCP prepregs and laminates. 2002 , 23, 702-722		5
605	Influence of elasticity on dispersed-phase droplet size in immiscible polymer blends in simple shearing flow. <i>Polymer Engineering and Science</i> , 2002 , 42, 798-809	2.3	31
604	Melt processed microporous films from compatibilized immiscible blends with potential as membranes. <i>Polymer Engineering and Science</i> , 2002 , 42, 810-825	2.3	20
603	From polymer blends to in situ polymer/polymer composites: Morphology control and mechanical properties. <i>Polymer Engineering and Science</i> , 2002 , 42, 1990-2004	2.3	39
602	Block copolymer compatibilizers for polystyrene/poly(dimethylsiloxane) blends. 2002 , 40, 346-357		42
601	Polyetherether ketone/polyarylethersulfone blends: Thermal and compatibility aspects. 2002 , 40, 1407-1424		14
600	Effect of blend ratio on bulk properties and matrix-fibril morphology of polypropylene/nylon 6 polyblend fibers. 2002 , 43, 1331-1341		68

599	Influence of composition on the linear viscoelastic behavior and morphology of PP/HDPE blends. 2002 , 43, 1313-1321		53
598	Influence of coalescence and interfacial tension on the morphology of PP/HDPE compatibilized blends. 2002 , 43, 3959-3967		105
597	Influence of selective filling on rheological properties and phase inversion of two-phase polymer blends. 2002 , 43, 4467-4477		72
596	Compatibiliser activity and morphology stability during twin-screw extrusion and injection moulding of compatibilised blends. 2002 , 43, 4791-4801		8
595	Modification of fiber-forming polymers by additives. 2002 , 27, 853-913		70
594	Morphological studies of uncompatibilized and compatibilized polystyrene/polypropylene blend. 2002 , 21, 263-267		70
593	Morphology development by reactive compatibilisation and dynamic vulcanisation of nylon6/EPDM blends with a high rubber fraction. 2002 , 43, 2219-2228		63
592	Surface tension, interfacial tension, and morphology in blends of thermoplastic polyurethanes and polyolefins. Part I. Surface tension of melts of TPU model substances and polyolefins. 2002 , 43, 6965-6972		47
591	Effect of composition and comonomer type on the rheology, morphology and properties of ethylene-olefin copolymer/polypropylene blends. 2003 , 44, 7495-7504		95
590	Barrier property and morphology of polypropylene/polyamide blend film. 2003 , 20, 776-782		20
589	Relationship between interfacial tension and dispersed-phase particle size in polymer blends. II. PP/PA6. <i>Journal of Applied Polymer Science</i> , 2003 , 88, 54-63	2.9	10
588	Study on PET/PP microfibrillar composites. I. Morphological development in melt extrusion. <i>Journal of Applied Polymer Science</i> , 2003 , 88, 3100-3109	2.9	46
587	Cocontinuous morphologies in polystyrene/ethylene vinyl acetate blends: The influence of the processing temperature. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 386-398	2.9	14
586	Study of poly(ethylene terephthalate)/polypropylene microfibrillar composites. I. Morphological development in melt extrusion. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 1743-1752	2.9	11
585	Effect of the composition on the phase size in immiscible blends with the viscosity ratio close to unity. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 1791-1799	2.9	3
584	Relationship among phase morphology, oil resistance, and thermal aging properties in CPE/NR blends: effect of blending conditions. <i>Journal of Applied Polymer Science</i> , 2003 , 90, 4038-4046	2.9	12
583	Morphology, morphology development and mechanical properties of polystyrene/polybutadiene blends. 2003 , 39, 115-125		52
582	Mechanical and morphological properties of PP/NR/LLDPE ternary blend—effect of HVA-2. 2003 , 22, 281-290		70

581	Three-dimensional phase morphologies in HDPE/EVA blends obtained via dynamic injection packing molding. 2003 , 44, 5737-5747		24
580	Functionalization of an ethylene-propylene copolymer with allyl(3-isocyanate-4-tolyl) carbamate. 2003 , 41, 387-402		9
579	Poly(silylenemethylene)-based polymer blends. III. Synthesis and properties of polymer blends containing siloxane-crosslinked poly(silylenemethylene)s. 2003 , 41, 257-263		1
578	Morphology and properties of ternary polyamide 6/polyamide 66/elastomer blends. 2003 , 14, 19-26		16
577	Processability, morphology and mechanical properties of glass fiber reinforced poly(ether sulfone) modified by a liquid crystalline copolyester. 2003 , 24, 686-696		17
576	Erosion and breakup of polymer drops under simple shear in high viscosity ratio systems. <i>Polymer Engineering and Science</i> , 2003 , 43, 891-904	2.3	36
575	Reactive melt modification of polypropylene with a crosslinkable polyester. <i>Polymer Engineering and Science</i> , 2003 , 43, 1276-1288	2.3	9
574	Morphology and properties of PBT/nylon 6/EVA-g-MAH ternary blends prepared by reactive extrusion. <i>Polymer Engineering and Science</i> , 2003 , 43, 1298-1311	2.3	23
573	Blends of nylon/acrylonitrile butadiene rubber: Effects of blend ratio, dynamic vulcanization and reactive compatibilization on rheology and extrudate morphology. <i>Polymer Engineering and Science</i> , 2003 , 43, 1555-1565	2.3	39
572	Rubber toughened semicrystalline PET: influence of the matrix properties and test temperature. 2003 , 44, 123-136		50
571	Thermotropic liquid crystalline polymer (Rodrun LC5000)/polypropylene in situ composite films: rheology, morphology, molecular orientation and tensile properties. 2003 , 44, 3407-3415		50
570	The Rheology of Polymer Alloys and Blends. 2003 , 449-546		6
569	Properties and Performance of Polymer Blends. 2003 , 861-950		2
568	Dispersed Phase Particle Size in Polymer Blends: Interfacial and Rheological Effects. 2003 , 35, 115-131		8
567	Study on Uniaxial Elongational Viscosity and Vacuum Molding Processability of the PP/PE Blends. 2003 , 31, 321-327		2
566	Rheological Behaviour of PP/PET and Modified PP/PET Blends. I. Steady State Flow Properties. 2003 , 11, 487-503		4
565	Influência da temperatura, da massa molar e da distribuição de massa molar na tensão superficial de PS, PP e PE: experimento e teoria. 2003 , 13, 45-53		0
564	Phase Morphology Development in Uncompatibilized and Reactively Compatibilized Nylon-6/Ethylene Propylene Rubber (EPR) Blends: Effect of Mixer Type on Morphology. 2004 , 43, 1025-1043		3

563	Visualization of poly(ether imide) and polycarbonate blending in an internal mixer. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 1165-1175	2.9	10
562	Thermal and dynamic mechanical properties of PES/PPS blends. 2004 , 77, 935-945		10
561	Dynamics of vorticity stretching and breakup of isolated viscoelastic droplets in an immiscible viscoelastic matrix. 2004 , 43, 246-256		16
560	Morphology development in polystyrene/polyethylene blends during uniaxial elongational flow. 2004 , 44, 55-70		29
559	Coalescence suppression in model immiscible polymer blends by nano-sized colloidal particles. 2004 , 43, 529-538		140
558	Postconsumer polyethylene terephthalate (PET)/polyolefin blends through reactive processing. 2004 , 6, 13-19		21
557	Compatibilization of immiscible poly(l-lactide) and low density polyethylene blends. 2004 , 5, 270-274		89
556	Phase morphology development and stabilization in polycyclohexylmethacrylate/polypropylene blends: uncompatibilized and reactively compatibilized blends using two reactive precursors. 2004 , 45, 8115-8126		19
555	A study on the effects of chaotic mixer design and operating conditions on morphology development in immiscible polymer systems. <i>Polymer Engineering and Science</i> , 2004 , 44, 407-422	2.3	31
554	The study of morphology, thermal and thermo-mechanical properties of compatibilized TPU/SAN blends. <i>Polymer Engineering and Science</i> , 2004 , 44, 838-852	2.3	5
553	Impact strength and elongation-to-break of compatibilized ternary blends of polypropylene, nylon 66, and polystyrene. <i>Polymer Engineering and Science</i> , 2004 , 44, 1800-1809	2.3	16
552	Fracture toughness of nylon-6 blends with maleated rubbers. 2004 , 42, 1739-1758		24
551	Morphology evolution of immiscible LDPE/PVC blends in the presence of compatibilizer and phase dispersant. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 763-772	2.9	6
550	Complex processing-morphology interrelationships during the reactive compatibilization of blends of poly(butylene terephthalate) with epoxide-containing rubber. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 703-718	2.9	16
549	Effects of the viscosity ratio on polyolefin ternary blends. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 4027-4036	2.9	16
548	Reactive blends of polyamide 6 with polyester elastomer using coupling agents. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 3966-3973	2.9	6
547	Thermoplastic olefin/clay nanocomposites: Morphology and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 928-936	2.9	95
546	Silica-reinforced dynamically vulcanized ethylene-propylene diene monomer/polypropylene thermoplastic elastomers: Morphology, rheology, and dynamic mechanical properties. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 2000-2007	2.9	41

545	Phase morphology and compatibilization mechanism in ternary polymer blend systems of polyethylene terephthalate, polyolefin rubber, and ionomer. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 1567-1576	2.9	20
544	Ethyleneâ€propyleneâ€rubber (EPR)/polydimethylsiloxane (PDMS) binary polymer blends: Morphology and viscoelastic properties. <i>Journal of Applied Polymer Science</i> , 2004 , 94, 2240-2249	2.9	7
543	Phase morphology, crystallisation behaviour and mechanical properties of isotactic polypropylene/high density polyethylene blends. 2004 , 40, 2105-2115		127
542	Degradation effects on the rheological and mechanical properties of multi-extruded blends of impact-modified polypropylene and poly(ethylene-co-vinyl acetate). 2004 , 86, 301-307		39
541	Effects of viscosity ratio and composition on development of morphology in chaotic mixing of polymers. 2004 , 45, 1665-1678		69
540	Polymerization of a thermoset system into a thermoplastic matrix. Effect of the shear. 2004 , 45, 1867-1877		23
539	Phase morphology and stability of co-continuous (PPE/PS)/PA6 and PS/PA6 blends: effect of rheology and reactive compatibilization. 2004 , 45, 2587-2601		101
538	Effects of AN-contents and shear flow on the miscibility of PC/SAN blends. 2004 , 45, 6879-6887		22
537	Sheet formation during drop deformation and breakup in polyethylene/polycarbonate systems sheared between parallel plates. 2004 , 45, 7605-7613		13
536	Novel morphologies of poly(phenylene oxide) (PPO)/polyamide 6 (PA6) blend nanocomposites. 2004 , 45, 7381-7388		192
535	Hierarchical structure of thermotropic liquid crystalline polymer formed in blends jointly by dynamic and thermodynamic driving forces. 2004 , 45, 8051-8058		22
534	Thermoplastic copolyether ester elastomer toughened polycarbonate blends. 2004 , 23, 645-649		15
533	Toughening of poly(2,6-dimethyl-1,4-phenylene oxide)/nylon 6 alloys with functionalized elastomers via reactive compatibilization: morphology, mechanical properties, and rheology. 2004 , 40, 1223-1232		53
532	A polymer network based on thermoplastic polyurethane and ethyleneâ€propyleneâ€diene elastomer via melt blending: morphology, mechanical properties, and rheology. 2004 , 40, 2391-2399		45
531	The influence of coreâ€shell structured modifiers on the toughness of poly (vinyl chloride). 2004 , 40, 2451-2456		44
530	Morphologies and droplet sizes of alkydâ€acrylic hybrids with high solids content. 2004 , 245, 115-125		22
529	Shear Effect on Morphology of Poly(Butylene Terephthalate)/Poly(Styrene-co-Acrylonitrile) Blends. 2004 , 43, 711-724		1
528	Influence of dispersed-phase elasticity on steady-state deformation and breakup of droplets in simple shearing flow of immiscible polymer blends. <i>Journal of Rheology</i> , 2004 , 48, 843-862	4.1	37

527	Blends of PS with SBR Devulcanized by Ultrasound: Rheology and Morphology. 2004 , 36, 45-75		31
526	Effect of shear history on the morphology and coarsening behaviour of polycarbonate/poly(styrene-co-acrylonitrile) blend. 2005 , 46, 705-712		19
525	Reactively compatibilised polyamide6/ethylene-co-vinyl acetate blends: mechanical properties and morphology. 2005 , 46, 1661-1674		65
524	Compatibilising action of random and triblock copolymers of poly(styrene- β -butadiene) in polystyrene/polybutadiene blends: A study by electron microscopy, solid state NMR spectroscopy and mechanical measurements. 2005 , 46, 9385-9395		29
523	Co-continuous and encapsulated three phase morphologies in uncompatibilized and reactively compatibilized polyamide 6/polypropylene/polystyrene ternary blends using two reactive precursors. 2005 , 46, 12322-12336		68
522	Study on blends of thermoplastic polyurethane and aliphatic polyester: morphology, rheology, and properties as moisture vapor permeable films. 2005 , 24, 18-24		41
521	Effect of ionomers on mechanical properties, morphology, and rheology of polyoxymethylene and its blends with methyl methacrylate- β -styrene- β -butadiene copolymer. 2005 , 41, 871-880		28
520	Moisture barrier of Al x O y coating on poly(ethylene terephthalate), poly(ethylene naphthalate) and poly(carbonate) substrates. 2005 , 250, 135-145		15
519	Effect of compatibilization on the oxygen-barrier properties of poly(ethylene terephthalate)/poly(m-xylylene adipamide) blends. <i>Journal of Applied Polymer Science</i> , 2005 , 97, 1361-1370	2.9	51
518	Study on morphology development for in situ fiber-reinforced composites by blending polyolefin and polycaprolactone. <i>Journal of Applied Polymer Science</i> , 2005 , 98, 500-508	2.9	6
517	Interfacial modification of high density polyethylene/glass fiber reinforced and non reinforced polyamide 66 blends. <i>Journal of Applied Polymer Science</i> , 2005 , 98, 1748-1760	2.9	12
516	Coarsening of immiscible co-continuous blends during quiescent annealing. 2005 , 51, 271-280		80
515	Reactive processing of polymers: effect of in situ compatibilisation on characteristics of blends of polyethylene terephthalate and ethylene-propylene rubber. 2005 , 46, 209-228		46
514	Improving gas barrier of PET by blending with aromatic polyamides. 2005 , 46, 2685-2698		93
513	In situ gradient nano-scale fibril formation during polypropylene (PP)/polystyrene (PS) composite fine fiber processing. 2005 , 46, 5406-5416		37
512	Compatibilization of PS and PA6 Blends by Means of Poly(oxyalkylene)amine Modified Styrene-Maleic Anhydride Copolymer. <i>Journal of Polymer Research</i> , 2005 , 12, 439-447	2.7	10
511	Impact-Modified Poly(ethylene terephthalate)/Polyethylene-Octene Elastomer Blends. <i>Journal of Polymer Research</i> , 2005 , 12, 355-359	2.7	24
510	Structure formation in polyaniline-based polymer blends. 2005 , 40, 6571-6579		3

509	Toughening of nylon-6 with epoxy-functionalized acrylonitrile-butadiene-styrene copolymer. 2005 , 43, 2170-2180		37
508	Porod scattering study of coarsening in immiscible polymer blends. 2005 , 43, 3413-3420		13
507	Thermoplastic Elastomers by Dynamic Vulcanization. 2005 , 21, 1-26		18
506	WHY COMPOSITES ARE IN? A GLIMPSE INTO POLYMER BASED NANOCOMPOSITES. 2005 , 21,		2
505	Bicomponent Fibers Derived from Immiscible Polymer Blends. 2005 , 75, 50-56		7
504	Compatibilization. 2005 , 531-586		
503	Formation of Nanostructured PVDF/PA11 Blends Using High-Shear Processing. 2005 , 38, 7880-7883		73
502	Compatibilizing Effect of Poly(Styrene-block-2-Vinylpyridine) Copolymer on Polystyrene/Ethylene-Based Ionomer Resin Blends. 2005 , 54, 199-211		1
501	Morphological Development at the Interface of Polymer/Polymer Bilayer with an in-Situ Compatibilizer under Electric Field. 2005 , 38, 3820-3827		14
500	Recycling of Polyethylene/Poly(ethylene terephthalate) Post-Consumer Oil Pouches using Compatibiliser. 2006 , 14, 635-646		7
499	Sizes of Particulate Dispersed Phase in Incompatible Binary Polymer Blends Prepared by Melt Blending. 2006 , 63, 103-112		4
498	Morphology and Particle Sizes of Dispersed Phases in Incompatible Ternary Polymer Blends Prepared by Melt-blending. 2006 , 63, 248-256		3
497	MULTICRITERIA OPTIMIZATION OF NANOSTRUCTURED POLYAMIDE BLENDS. 2006 , 39, 459-465		
496	Effect of mixing protocol on compatibilized polymer blend morphology. <i>Polymer Engineering and Science</i> , 2006 , 46, 691-702	2.3	13
495	Compatibilized poly(ether imide)/amorphous polyamide blends by means of poly(ethylene terephthalate) addition. <i>Polymer Engineering and Science</i> , 2006 , 46, 1292-1298	2.3	1
494	Independence of the brittle-ductile transition from the rubber particle size for impact-modified poly(vinyl chloride). 2006 , 44, 696-702		17
493	Influence of the degree of grafting on the morphology and mechanical properties of blends of poly(butylene terephthalate) and glycidyl methacrylate grafted poly(ethylene-co-propylene) (EPR). 2006 , 55, 834-842		26
492	Melt rheological properties of polypropylene-polyamide6 blends compatibilized with maleic anhydride-grafted polypropylene. 2006 , 55, 701-707		12

491	Morphology control of polyoxy-methylene/thermoplastic polyurethane blends by adjusting their viscosity ratio. 2006 , 55, 1075-1080		19
490	Rubber-toughened polyamide 6/clay nanocomposites. 2006 , 66, 1833-1843		99
489	Morphology evolution of a liquid crystalline polymer in polycarbonate matrix enhanced by the addition of glass beads. 2006 , 66, 1564-1574		12
488	One-step functionalization and reactive blending of polyolefin/polyamide mixtures (EPM/PA6). 2006 , 47, 85-97		19
487	Inhibited transesterification and enhanced fibrillation of TLCP by nano-SiO ₂ in polycarbonate matrix. 2006 , 47, 448-456		36
486	Compatibilisation of PPE/SAN blends by triblock terpolymers: Correlation between block terpolymer composition, morphology and properties. 2006 , 47, 2772-2790		47
485	Morphology and mechanical properties of polyamide 12/polypropylene blends in presence and absence of reactive compatibiliser. 2006 , 47, 3874-3888		35
484	The role of organically modified layered silicate in the breakup and coalescence of droplets in PBT/PE blends. 2006 , 47, 3967-3975		227
483	Achievement of quasi-nanostructured polymer blends by solid-state shear pulverization and compatibilization by gradient copolymer addition. 2006 , 47, 6773-6781		81
482	Rubber toughening of nylon 6 nanocomposites. 2006 , 47, 2830-2838		121
481	Synchronous toughening and reinforcing of polypropylene with ultrahigh-molecular-weight polyethylene via melt blending: Mechanical properties, morphology, and rheology. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 3498-3509	2.9	11
480	Correlation between the morphology and dynamic mechanical properties of ethylene vinyl acetate/linear low-density polyethylene blends: Effects of the blend ratio and compatibilization. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 4526-4538	2.9	21
479	In situ visualization of drop deformation, erosion, and breakup in high viscosity ratio polymeric systems under high shearing stress conditions. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 2582-2591	2.9	18
478	Effect of nylon 6 on fracture behavior and morphology of tough blends of poly(2,6-dimethyl-1,4-phenylene oxide) and maleated styrene-ethylene-butadiene-styrene block copolymer. <i>Journal of Applied Polymer Science</i> , 2006 , 99, 3336-3343	2.9	16
477	Effect of reactive compatibilisation on the phase morphology and tensile properties of PA12/PP blends. <i>Journal of Applied Polymer Science</i> , 2006 , 99, 2640-2660	2.9	21
476	Morphology and mechanical properties of blends of thermoplastic polyurethane and polyolefins. <i>Journal of Applied Polymer Science</i> , 2006 , 99, 875-883	2.9	16
475	Compatibilized iPP/aPS blends: The effect of the viscosity ratio of the components on the blends morphology. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 2236-2249	2.9	14
474	Reactive blending of modified polypropylene and polyamide 12: Effects of compatibilizer content on crystallization and blend morphology. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 3187-3192	2.9	12

473	Preparation, morphology, and properties of multilamellar barrier materials based on blends of high-density polyethylene and copolyester. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 3791-3799	2.9	5
472	Development of dispersed phase size and its dependence on processing parameters. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 3201-3211	2.9	12
471	Effects of the molecular structure of impact modifier and compatibilizer on the toughening of PBT/SBS/PS-GMA blends. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 5795-5807	2.9	23
470	Influence of processing conditions on dual-phase continuous blend system of thermoplastic polyurethane with ethylene-propylene-diene monomer elastomer. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 5472-5482	2.9	11
469	Morphology and Properties of Novel Blends Prepared from Simultaneous In Situ Polymerization and Compatibilization of Macrocyclic Carbonates and Maleated Poly(propylene). 2006 , 207, 1233-1243		13
468	Erosion of polymer pellets during blending in a twin-screw extruder. 2006 , 52, 1267-1270		7
467	The Effect of Post-extrusion Conditions in Ribbon Extrusion of Polymer Blends. 2006 , 21, 121-131		4
466	Mechanical Properties of Nylon 6,6/Polyvinyl Butyral Blends. 2006 , 45, 421-428		11
465	Study on the Mechanism of the Formation and Evolution of Phase Structure in PP/PcBR Blends. 2006 , 45, 1039-1052		5
464	Study on Blends of Ethylene Propylene Diene Rubber and Thermoplastic Polyurethanes. 2007 , 46, 163-168		9
463	Role of Styrene-Ethylene/Propylene Block Copolymer in Controlling Morphology Development of PP/PS Blends during Mixing. 2007 , 46, 487-502		5
462	Micromorphology and Miscibility of Dynamically Vulcanized TPV under Vibration Force Field. 2007 , 39, 269-283		
461	Processing Methods Applicable to Thermoplastic Elastomers. 2007 , 29-160		1
460	Co-continuous Morphology in Incompatible Binary Polymer Blends Prepared by Melt-blending. 2007 , 64, 791-799		
459	Design of Blends with an Extremely Low Viscosity Ratio between the Dispersed and Continuous Phases. Dependence of the Dispersed Phase Size on the Processing Parameters. 2007 , 259, 85-93		3
458	Silicone-Based Polymer Blends: An Overview of the Materials and Processes. 2007 , 111-147		11
457	Surface and Interfacial Properties. 2007 , 1011-1020		8
456	Compatibilizing Poly(vinylidene fluoride)/Nylon-6 Blends with Nanoclay. 2007 , 40, 8271-8276		138

455	Compatibilization of styrene- <i>butadiene</i> -styrene block copolymer in polypropylene/polystyrene blends by analysis of phase morphology. <i>Journal of Applied Polymer Science</i> , 2007 , 103, 365-370	2.9	14
454	Online study of the formation of PA6 droplets in PP matrix under shear flow. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 2690-2695	2.9	6
453	Morphology development in polypropylene/polystyrene blends during coalescence under shear. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 666-671	2.9	10
452	Influence of organophilic montmorillonite and polypropylene on the rheological behaviors and mechanical properties of ultrahigh molecular weight polyethylene. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 1200-1209	2.9	12
451	Effect of molecular relaxation of acrylic elastomers on impact toughening of polybutylene terephthalate. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 2831-2839	2.9	4
450	Recyclability of In Situ Microfibrillar Poly(ethylene terephthalate)/High-Density Polyethylene Blends. 2007 , 292, 362-372		19
449	A High-Throughput, Controllable, and Environmentally Benign Fabrication Process of Thermoplastic Nanofibers. 2007 , 292, 407-414		126
448	Evolution of phase dimensions and interfacial morphology of polypropylene/polystyrene compatibilized blends during mixing. 2007 , 43, 561-572		31
447	Blends of poly(2,6-dimethyl-1,4-phenylene oxide) (PPO) with polystyrene-based thermoplastic rubbers: A comparative study. 2007 , 48, 590-597		32
446	Microstructural evolutions of LDPE/PA6 blends by rheological and rheo-optical analyses: Influence of flow and compatibilizer on break-up and coalescence processes. 2007 , 48, 564-573		37
445	Fibrillation of liquid crystalline polymer in polysulfone promoted by increased system elasticity via adding nano-silica. 2007 , 48, 4242-4251		22
444	Phase continuity detection and phase inversion phenomena in immiscible polypropylene/polystyrene blends with different viscosity ratios. 2007 , 48, 5917-5927		94
443	Effect of reactive compatibilization on droplet coalescence in shear flow. 2007 , 145, 139-149		24
442	Microstructure-properties correlations in dynamically vulcanized nanocomposite thermoplastic elastomers based on PP/EPDM. <i>Polymer Engineering and Science</i> , 2007 , 47, 207-217	2.3	90
441	Novel in situ coordination copper sulfate/ acrylonitrile- <i>butadiene</i> rubber composite. 2007 , 45, 571-576		15
440	Phase morphology development of polypropylene/ethylene-octene copolymer blends: effects of blend composition and processing conditions. 2007 , 58, 465-478		32
439	Melt rheology and extrudate morphology studies of polystyrene/polybutadiene blends in the presence and absence of compatibilisers. 2007 , 42, 2054-2063		4
438	Interfacial tension reduction in PBT/PE/clay nanocomposite. 2007 , 46, 469-478		146

437	Effect of reactive group types on the properties of core-shell modifiers toughened PA6. 2008 , 61, 443-452	19
436	Reactive compatibilization of nylon copolymer/EPDM blends: experimental aspects and their comparison with theory. 2008 , 19, 351-360	15
435	Influence of phase modifiers on morphology and properties of thermoplastic elastomers prepared from ethylene propylene diene rubber and isotactic polypropylene. <i>Polymer Engineering and Science</i> , 2008 , 48, 477-489	2.3 20
434	Fiber-particle morphological transition and its effect on impact strength of PS/HDPE blends. <i>Polymer Engineering and Science</i> , 2008 , 48, 1600-1607	2.3 5
433	Effect of Perpendicular Shear Force on the Interfacial Morphology of Reactive Polymer Bilayer. 2008 , 209, 746-753	5
432	Fabrication of Tunable Submicro- or Nano-Structured Polyethylene Materials from Immiscible Blends with Cellulose Acetate Butyrate. 2008 , 293, 657-665	26
431	Effect of Impact Modifier Types on Mechanical Properties of Rubber-Toughened Glass-Fibre-Reinforced Nylon 66. 2008 , 84, 693-703	6
430	Preparation of multinuclear microparticles using a polymerization in emulsion process. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 2444-2452	2.9 18
429	Shear-induced migration of nanoclay during morphology evolution of PBT/PS blend. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 565-575	2.9 40
428	Stress-relaxation behavior of natural rubber/polystyrene and natural rubber/polystyrene/natural rubber-graft-polystyrene blends. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 904-913	2.9 21
427	Mechanical characterization of toughened polyamide-6 blends with metallocene copolymers. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 3099-3110	2.9 5
426	Effect of the melt viscoelastic behavior of components on the morphology development of polymer blends in a twin-screw extruder. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 2558-2563	2.9 6
425	Conducting polymer blends prepared from polyaniline with n-dodecylbenzenesulfonic acid zinc salt as the secondary dopant. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 3516-3522	2.9 9
424	Melt rheological properties of reactive compatibilized HDPE/PET blends. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 3559-3564	2.9 9
423	Compatibilization of poly(vinyl chloride) and polystyrene blends with poly(styrene-co-n-methylolacrylamide). <i>Journal of Applied Polymer Science</i> , 2008 , 110, 297-303	2.9 2
422	Mixed morphology by the extrusion of phase-separated blends of a melt-processed polymer and polymer solution. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 2841-2848	2.9 1
421	Macroscopically Aligned Ionic Self-Assembled Perylene-Surfactant Complexes within a Polymer Matrix. 2008 , 18, 1890-1897	23
420	Melt preparation and investigation of properties of toughened Polyamide 66 with SEBS-g-MA and their nanocomposites. 2008 , 29, 105-111	28

419	Structure and properties for biomass-based polyester blends of PLA and PBS. 2008 , 44, 677-685	319
418	Optical transparency in a polymer blend induced by clay nanofillers. 2008 , 44, 3941-3945	18
417	Mechanical behaviour modelling of a nanostructured polyamide blends obtained by reactive extrusion process. 2008 , 63, 3843-3857	6
416	Thermal conductivity of polymers filled with dispersed particles: A model. 2008 , 50, 471-479	4
415	Does drop size affect the mechanism of viscoelastic drop breakup?. 2008 , 20, 053101	12
414	In situ formation of poly(ethylene naphthalate) microfibrils in polyethylene and polypropylene during extrusion. 2008 , 39, 662-676	19
413	Compatibilizing Effects of In Situ Formed Block Copolymers in Binary Blends. 2008 , 47, 745-751	2
412	Properties of Polypropylene (PP)/Ethylene-Propylene Diene Terpolymer (EPDM)/Natural Rubber (NR) Vulcanized Blends: The Effect of N,N-m-Phenylenebismaleimide (HVA-2) Addition. 2008 , 48, 25-33	3
411	Effects of Malienated Ethylene Propylene Diene Monomer (EPDM) Rubber on Dynamic-Mechanical and Rheological Properties of Polyamide 66 (PA 66) Composites. 2008 , 48, 42-47	6
410	Rheology, Morphology, and Mechanical and Thermal Properties of Blends of Propylene Based Plastomer and Ethylene/1-Octene Copolymer. 2008 , 40, 61-76	5
409	Binary Polymer Blends. 2008 , 157-180	
408	Interfacial tension of PBT/SAN blends by the drop retraction method. 2008 , 11, 165-169	11
407	Compatibilizers for Impact-Modified Syndiotactic Polystyrene. 371-393	
406	Lamellar Structure of a Reactive Blend of 1,2-Polybutadiene and Nylon 11. 2009 , 22, 353-364	3
405	Predicting physico-mechanical properties of LLDPE and PDMS rubber blends using ANFIS-based model. 2009 , 38, 173-182	6
404	Study on the Effects of Temperature and Compatibilizer on the Interfacial Tension of PP/PA6 and PP/PET Pairs. 2009 , 24, 2-8	1
403	Oscillatory shear induced droplet deformation and breakup in immiscible polymer blends. 2009 , 21, 063102	6
402	Morphology of poly(ethylene terephthalate) blends: An analysis under real processing conditions by rheology and microscopy. 2009 , 28, 173-184	3

401	Morphology Development of Polymer Blends in Extruder: The Effects of Compatibilization and Rotation Rate. 2009 , 210, 852-863		20
400	PET/EVA/PP ternary blends: An investigation of extended morphological properties. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 1716-1728	2.9	18
399	Thermodynamic study of surfaces of liquid polybutadienes and their interfaces with poly(dimethylsiloxane). <i>Journal of Applied Polymer Science</i> , 2009 , 113, 169-180	2.9	1
398	Optimized processing conditions for the preparation of dynamically vulcanized EPDM/PP thermoplastic elastomers containing PP resins of various melt indexes. <i>Journal of Applied Polymer Science</i> , 2009 , 114, 2806-2815	2.9	10
397	Elaboration of PEG/PA66 blends in a twin-screw batch-type mini-extruder: Process study and modelling. 2009 , 64, 1918-1926		7
396	Taguchi analysis of extrusion variables and composition effects on the morphology and mechanical properties of EPR-g-MA toughened polyamide 6 and its composite with short glass fiber. 2009 , 506, 45-57		10
395	A review on ternary immiscible polymer blends: morphology and effective parameters. 2009 , 20, 433-447		53
394	Investigation on the multiwalled carbon nanotubes reinforced polyamide 6/polypropylene composites. <i>Polymer Engineering and Science</i> , 2009 , 49, 1909-1917	2.3	44
393	Effect of rubber types on synthesis, morphology, and properties of ABS resins. <i>Polymer Engineering and Science</i> , 2009 , 49, 2249-2256	2.3	12
392	Toughening effects of ethylene-vinyl acetate copolymers with different vinyl acetate content and viscosity on nylon 1010 blends. <i>Polymer Engineering and Science</i> , 2009 , 49, 2393-2399	2.3	2
391	Double yielding in PA6/TPV-MAH blends: Effect of crosslinking degree of the dispersed phase. 2009 , 47, 912-922		6
390	Morphologies and properties of plasticized starch/polyamide compatibilized blends. 2009 , 45, 2609-2618		39
389	Thermal degradation of poly(lactic acid) (PLA) and poly(butylene adipate-co-terephthalate) (PBAT) and their blends upon melt processing. 2009 , 94, 74-82		304
388	Crystalline crosslinked microparticles from immiscible blends of polyethylene and polystyrene. 2009 , 50, 4917-4925		4
387	New polypropylene blends toughened by polypropylene/poly(ethylene-co-propylene) in-reactor alloy: Compositional and morphological influence on mechanical properties. 2009 , 50, 5124-5133		46
386	Phase inversion in polylactide/soybean oil blends compatibilized by poly(isoprene-b-lactide) block copolymers. <i>ACS Applied Materials & Interfaces</i> , 2009 , 1, 2390-9	9.5	40
385	PP/EPDM Blends and their Developments up to Nanocomposites. 2009 , 28, 613-639		16
384	Rheological, morphological and structural properties of PE/PA/nanoclay ternary blends: Effect of clay weight fraction. <i>Journal of Rheology</i> , 2009 , 53, 1101-1119	4.1	79

383	Deformation of dispersed PA66 phase in drawn PA66/SAN blend. 2010 , 64, 483-495		5
382	Thermoplastic polyurethane elastomer/thermoplastic polyolefin elastomer blends compatibilized with a polyolefinic segment in TPU. 2010 , 18, 177-184		15
381	One-step compatibilization of polyamide 6/ poly (ethylene-1-octene) blends with maleic anhydride and peroxide. <i>Journal of Polymer Research</i> , 2010 , 17, 821-826	2.7	18
380	In-Situ Composites Based on Thermoplastic and Thermotropic Liquid Crystalline Polymers. 2010 , 99, 1031-1044		12
379	Toughened nylon66/nylon6 ternary nanocomposites by elastomers. <i>Journal of Applied Polymer Science</i> , 2010 , 115, 588-598	2.9	8
378	Modification of recycled polycarbonate with core-shell structured latexes for enhancement of impact resistance and flame retardancy. <i>Journal of Applied Polymer Science</i> , 2010 , 116, NA-NA	2.9	2
377	Effect of the shape of dispersed particles on the thermal and mechanical properties of biomass polymer blends composed of poly(L-lactide) and poly(butylene succinate). <i>Journal of Applied Polymer Science</i> , 2010 , 117, 2226-2232	2.9	40
376	Effect of the viscosity ratio on the morphology and properties of PET/HDPE blends with and without compatibilization. <i>Journal of Applied Polymer Science</i> , 2010 , 117, NA-NA	2.9	7
375	Morphology development and non-isothermal crystallization behavior of polyamide 11/ethylene-vinyl alcohol blends. <i>Journal of Applied Polymer Science</i> , 2010 , 118, n/a-n/a	2.9	1
374	Thermoplastic Vulcanizates Based on Highly Compatible Blends of Isotactic Poly(propylene) and Copolymers of Atactic Poly(propylene) and 5-Ethylidene-2-norbornene. 2010 , 211, 334-344		4
373	The effect of free radical reactions on structure and properties of poly(lactic acid) (PLA) based blends. 2010 , 95, 332-341		90
372	Stabilization and control of phase morphology of PA/SAN blends via incorporation of exfoliated clay. 2010 , 51, 4231-4237		30
371	A facile route for preparing stable co-continuous morphology of LLDPE/PA6 blends with low PA6 content. 2010 , 51, 4958-4968		24
370	Effect of dispersed phase composition on morphological and mechanical properties of PET/EVA/PP ternary blends. 2010 , 48, 251-259		22
369	Morphology evolution of polypropylene in immiscible polymer blends for fabrication of nanofibers. 2010 , 48, 921-931		14
368	Effect of PBT molecular weight and reactive compatibilization on the dispersed-phase coalescence of PBT/SAN blends. 2010 , 48, 2274-2287		10
367	Effects of addition of functionalized SEBS on rheological, mechanical, and tribological properties of polyamide 6 nanocomposites. <i>Polymer Engineering and Science</i> , 2010 , 50, 100-112	2.3	15
366	Morphological, mechanical properties, and fracture behavior of bulk-made ABS resins toughened by high-cis polybutadiene rubber. <i>Polymer Engineering and Science</i> , 2010 , 50, 961-969	2.3	10

- 365 Rheology and morphology of polytrimethylene terephthalate/ethylene propylene diene monomer blends in the presence and absence of a reactive compatibilizer. *Polymer Engineering and Science*, **2010**, 50, 1945-1955 2.3 13
- 364 Morphology and Properties of Injection-Moulded Recycled Poly(Ethylene Terephthalate)/Poly(Ethylene Octene) Blends. **2010**, 26, 167-182
- 363 Compatibilizing Action of a Poly(styrene-*butadiene*) Triblock Co-polymer in ABS/PET-G Blends. **2010**, 17, 175-196 3
- 362 Toughening of Polylactide with Polymerized Soybean Oil. **2010**, 43, 1807-1814 137
- 361 Production of XNBR/PMMA through in Situ Polymerization. **2011**, 299-300, 241-245
- 360 Rheological properties of polymer composites with flexible fine fibers. *Journal of Rheology*, **2011**, 55, 1205-1218 4.1 56
- 359 Mechanical Properties and Phase Morphology of Poly(Lactic Acid)/Polyamide 12. **2011**, 60, 8-13
- 358 Morphology development of polytetrafluoroethylene in a polypropylene melt (IUPAC Technical Report). **2011**, 83, 1819-1830 25
- 357 Macro, Micro and Nanostructured Morphologies of Multiphase Polymer Systems. **2011**, 161-249 8
- 356 Rheology and Viscoelasticity of Multiphase Polymer Systems: Blends and Block Copolymers. **2011**, 311-357 4
- 355 Polypropylene-elastomer (TPO) nanocomposites: 2. Room temperature Izod impact strength and tensile properties. **2011**, 52, 5595-5605 33
- 354 Structure and properties of polylactide/natural rubber blends. **2011**, 129, 823-831 202
- 353 Reactive compatibilization of PA12/plasticized starch blends: Towards improved mechanical properties. **2011**, 47, 2361-2371 21
- 352 Preparation of dynamically vulcanized thermoplastic elastomer nanocomposites based on LLDPE/reclaimed rubber. *Journal of Applied Polymer Science*, **2011**, 124, n/a-n/a 2.9 5
- 351 Effect of blending sequence on the morphology and properties of polyamide 6/EPDM-g-MA/epoxy blends. *Journal of Applied Polymer Science*, **2011**, 124, n/a-n/a 2.9 1
- 350 Effects of particle plasticity characteristics on local interface stress in particle reinforced composite during uniaxial tension. **2011**, 46, 6140-6147 3
- 349 Morphological development of polypropylene in immiscible blends with cellulose acetate butyrate. *Journal of Polymer Research*, **2011**, 18, 1947-1953 2.7 8
- 348 Study on the structure and properties of nanocomposites based on high-density polyethylene/starch blends. *Journal of Polymer Research*, **2011**, 18, 1955-1969 2.7 29

347	Non-isothermal crystallization kinetics and thermal stability of the in situ reinforcing composite films based on thermotropic liquid crystalline polymer and polypropylene. 2011 , 103, 1017-1026		13
346	Viscoelastic, thermal, and morphological analysis of HDPE/EVA/CaCO ₃ ternary blends. 2011 , 67, 1961-1978		26
345	Off-line and in-line analysis of phase morphology and evolution during solidification process of PP/PEOc blend in an internal mixer. <i>Polymer Engineering and Science</i> , 2011 , 51, 609-616	2.3	3
344	Preparation of thermoplastic elastomer nanocomposites based on polyamide-6/polyepichlorohydrin-co-ethylene oxide. <i>Polymer Engineering and Science</i> , 2011 , 51, 278-284 ^{2,3}		25
343	Fabrication of nanostructured polycarbonate/poly(methyl methacrylate) blends with improved optical and mechanical properties by high-shear processing. <i>Polymer Engineering and Science</i> , 2011 , 51, 1437-1445	2.3	42
342	Formation and morphology development of poly(butylene terephthalate) nanofibers from poly(butylene terephthalate)/cellulose acetate butyrate immiscible blends. <i>Polymer Engineering and Science</i> , 2011 , 51, 835-842	2.3	26
341	Morphology and mechanical properties of binary blends of polypropylene with statistical and block ethylene-octene copolymers. <i>Journal of Applied Polymer Science</i> , 2011 , 119, 3591-3597	2.9	29
340	Mechanical properties and morphological changes of poly(lactic acid)/polycarbonate/poly(butylene adipate-co-terephthalate) blend through reactive processing. <i>Journal of Applied Polymer Science</i> , 2011 , 121, 2908-2918	2.9	53
339	The effect of dispersed elastomer particle size on heterogeneous nucleation of TPO with N ₂ foaming. 2011 , 66, 3675-3686		31
338	Morphology, thermal behavior and mechanical properties of binary blends of compatible biosourced polymers: Polylactide/polyamide11. 2011 , 52, 1417-1425		121
337	High-shear melt processing of polymer-carbon nanotube composites. 2011 , 133-154		1
336	Study on Compatibilized Polyethersulfone and Polycarbonate Blends. 2011 , 50, 1890-1904		1
335	Drop deformation and breakup in polystyrene/high-density polyethylene blends under oscillatory shear flow. 2011 , 23, 013104		2
334	Effect of acrylate rubber on thermal and crystallization behavior of nylon 6. 2012 , 44, 79-88		3
333	Development and industrialization of a biaxially stretched nano-alloyed film. 2012 , 44, 1170-1178		4
332	Thermoplastic vulcanizates based on compatibilized polyurethane and silicone rubber blend. 2012 , 44, 563-574		13
331	Development of novel melt-compounded starch-grafted polypropylene/polypropylene-grafted maleic anhydride/organoclay ternary hybrids. 2012 , 6, 937-952		27
330	Environmental Compound Technology for Tires. 2012 , 85, 187-192		1

329	Cellulose ester-polyolefine binary blend: Morphological, rheological and mechanical properties. 2012 , 48, 981-989		8
328	Rheological and Morphological Properties of Carboxymethylcellulose/Starch Blends with or without ZnO and Their Applications as Inoculant Carrier. 2012 , 319, 222-229		2
327	Compatibilization of starch-zein melt processed blends by an ionic liquid used as plasticizer. 2012 , 89, 955-63		77
326	PLLA microalloys versus PLLA nanoalloys: preparation, morphologies, and properties. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 3667-75	9.5	61
325	Thermal and rheological behavior of reactive blends from metallocene olefin elastomers and polypropylene. 2012 , 22, 213-219		2
324	Rheological behaviors of glass bead- and wollastonite-filled polypropylene composites modified with thermoplastic elastomers. 2012 , 33, 1162-1187		8
323	Nanostructured Poly(styrene-b-butadiene-b-styrene) (SBS) Membranes for the Separation of Nitrogen from Natural Gas. 2012 , 22, 1759-1767		46
322	Correlation of miscibility and mechanical properties of polypropylene/olefin block copolymers: Effect of chain composition. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 666-675	2.9	31
321	Properties of melt processable PTFE/PEEK blends: The effect of reactive compatibilization using electron beam irradiated melt processable PTFE. <i>Journal of Applied Polymer Science</i> , 2012 , 128, n/a-n/a	2.9	0
320	Reactive extrusion of polypropylene/polystyrene blends with supercritical carbon dioxide. 2012 , 20, 559-567		11
319	Mechanisms of heat transfer on polyvinylchloride and poly(vinyl butyral). 2012 , 85, 446-454		2
318	Morphology and mechanical properties of PA12/plasticized starch blends prepared by high-shear extrusion. 2012 , 133, 913-923		23
317	Compatibilization of recycled poly(ethylene terephthalate) and polypropylene blends: Effect of polypropylene molecular weight on homogeneity and compatibility. <i>Journal of Applied Polymer Science</i> , 2012 , 124, 3947-3955	2.9	25
316	Effect of molecular weight and content of PDMS on morphology and properties of silicone-modified epoxy resin. <i>Journal of Applied Polymer Science</i> , 2012 , 123, 162-178	2.9	28
315	Compatibilization of polypropylene/ poly(3-hydroxybutyrate) blends. <i>Journal of Applied Polymer Science</i> , 2012 , 123, 3511-3519	2.9	21
314	Morphology evolution of miscible blends between crystalline PA6 and amorphous PA6IcoT. <i>Journal of Applied Polymer Science</i> , 2012 , 124, 1447-1455	2.9	3
313	Grafting of maleic anhydride onto polypropylene, in the presence and absence of styrene, for compatibilization of poly(ethylene terephthalate)/(ethyleneâpropylene) blends. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 1001-1009	2.9	15
312	Thermoplastics reinforced by self-welded glass fibers: Effect of interfacial affinity on preferential segregation. 2013 , 54, 2440-2449		14

311	Dispersion control of immiscible polymer blend using selective heating by infrared laser irradiation. <i>Journal of Applied Polymer Science</i> , 2013 , 129, 3606-3612	2.9	3
310	The role of polycarbonate molecular weight in the poly(L-lactide) blends compatibilized with poly(butylene succinate-co-L-lactate). <i>Polymer Engineering and Science</i> , 2013 , 53, 1171-1180	2.3	9
309	Novel dynamic elongational flow procedure for reinforcing strong, tough, thermally stable polypropylene/thermoplastic polyurethane blends. 2013 , 29, 13509-17		24
308	Ultra-tough polylactide-based materials synergistically designed in the presence of rubbery ϵ -caprolactone-based copolyester and silica nanoparticles. 2013 , 84, 86-91		51
307	Role of Phase Morphology on the Damage Initiated Self-healing Behavior of Ionomer Blends. 2013 , 298, 1350-1364		26
306	Effect of phase inversion on the physical and mechanical properties of low density polyethylene/thermoplastic starch. 2013 , 32, 482-491		33
305	Compatibilization. 2013 , 373-409		3
304	Effect of EPDM-g-MAH on the morphology and properties of PA6/EPDM/HDPE ternary blends. <i>Polymer Engineering and Science</i> , 2013 , 53, 1845-1855	2.3	26
303	Improving transparency of incompatible polymer blends by reactive compatibilization. 2013 , 92, 68-70		15
302	Crystallization of Polymer Blends. 2013 , 287-326		10
301	Compatibilization of Immiscible Polymer Blends by Organoclay: Effect of Nanofiller or Organo-Modifier?. 2013 , 298, 757-770		25
300	Phase behavior of UCST blends: Effects of pristine nanoclay as an effective or ineffective compatibilizer. 2013 , 7, 996-1011		26
299	The surface energy as an indicator of miscibility of SAN/EDPM polymer blends. 2013 , 27, 2615-2628		14
298	Improving the Barrier Properties of Poly(Lactic Acid) by Blending with Poly(Ethylene-Co-Vinyl Alcohol). 2013 , 52, 685-700		11
297	Effects of blending time and catalyst on the properties of nylon 1010/acrylate rubber blends. <i>Journal of Applied Polymer Science</i> , 2013 , 130, n/a-n/a	2.9	
296	Environmental Compound Technology for Tyres. 2013 , 40, 45-51		
295	Effects of shear during the cooling on the rheology and morphology of immiscible polymer blends. 2014 , 64, 012056		1
294	Co-Rotating Twin-Screw Extrusion. 2014 , 109-210		2

293	Mechanical Properties of Polymer Blends. 2014 , 1203-1297		16
292	Phase Structure of Polyamide 6/Poly(styrene-co-acrylonitrile) and Poly(styrene-b-(ethylene-co-butylene)-b-styrene) or Poly(maleated Styrene/Ethylene-co-Butylene/Styrene) Ternary Blends. 2014 , 53, 1377-1393		7
291	Rheology and morphology of polyester/thermoplastic flour blends. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	5
290	PMMA/SAN and SAN/PBT nanoblends obtained by blending extrusion using thermodynamics and microrheology basis. 2014 , 8, 164-176		14
289	Polypropylene/ethylene-propylene rubber (PP/EPR) blends for the automotive industry: Basic correlations between EPR-design and shrinkage. 2014 , 8, 282-292		20
288	Simultaneously enhancing strength and toughness for impact polypropylene copolymers by regulating the dispersed phase with high density polyethylene. 2014 , 4, 58999-59008		10
287	Polymer Blends Containing Nanoparticles 2014 , 1485-1557		2
286	Reactive Compatibilization. 2014 , 517-675		4
285	Processing Methods Applicable to Thermoplastic Elastomers. 2014 , 33-173		8
284	Advances in reactive polymeric surfactants for interface modification. 2014 , 19, 95-121		15
283	In situ biaxial stretching for the platelet formation of an ethylene vinyl alcohol copolymer through multistage stretching extrusion and its effect on the gas-barrier properties of polyethylene. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	4
282	Compatibilization of polypropylene/polyamide 6 blends using new synthetic nanosized talc fillers: Morphology, thermal, and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	22
281	Influence of acrylonitrile content in styrene-acrylonitrile copolymer on the phase morphology and interfacial tension in blends of polycarbonate/styrene-acrylonitrile copolymer. 2014 , 22, 146-153		10
280	In situ reactive compatibilized polypropylene/nitrile butadiene rubber blends by zinc dimethacrylate: Preparation, structure, and properties. <i>Polymer Engineering and Science</i> , 2014 , 54, 2321-2331	2.3	10
279	Structuration, selective dispersion and compatibilizing effect of (nano)fillers in polymer blends. 2014 , 39, 1526-1563		347
278	Mechanical properties of compatibilized nylon 6/polypropylene blends; studies of the interfacial behavior through an emulsion model. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	14
277	New understanding of microstructure formation of the rubber phase in thermoplastic vulcanizates (TPV). 2014 , 10, 1816-22		66
276	Dispersive mixing efficiency of an elongational flow mixer on PP/EPDM blends: Morphological analysis and correlation with viscoelastic properties. <i>Polymer Engineering and Science</i> , 2014 , 54, 1444-1457	2.3	26

275	Evaluation of rheological properties of non-Newtonian fluids in micro rheology compounder: Experimental procedures for a reliable polymer melt viscosity measurement. 2014 , 40, 207-217		29
274	Morphology and dynamic-mechanical properties of PVC/NBR blends reinforced with two types of nanoparticles. 2014 , 48, 131-141		22
273	Tricontinuous Morphology of Ternary Polymer Blends Driven by Photopolymerization: Reaction and Phase Separation Kinetics. 2014 , 47, 4380-4386		27
272	Rheology of multiphase polymer blends with and without reactive compatibiliser: evaluation of interfacial tension using theoretical predictions. 2014 , 18, 223-240		3
271	Dispersed polypropylene fibrils improve the foaming ability of a polyethylene matrix. 2014 , 55, 4199-4205		70
270	Crosslinked bicontinuous biobased polylactide/natural rubber materials: Super toughness, "bet-like" structure of NR phase and excellent interfacial adhesion. 2014 , 38, 73-80		58
269	Compatibilization and property enhancement of poly(lactic acid)/polycarbonate blends through triacetin-mediated interchange reactions in the melt. 2014 , 55, 4498-4513		61
268	Crosslinked bicontinuous biobased PLA/NR blends via dynamic vulcanization using different curing systems. 2014 , 113, 438-45		46
267	Dynamically vulcanized biobased polylactide/natural rubber blend material with continuous cross-linked rubber phase. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 3811-6	9.5	168
266	Contribution of High-shear Processing to the Compatibilization of (PP/EPR)/PE Ternary Blends. 2014 , 299, 674-688		22
265	Fluoropolymer processing aids in linear-low density polyethylene extrusion: How to improve their efficiency?. 2014 , 208-209, 42-52		8
264	Physical blend of PLA/NR with co-continuous phase structure: Preparation, rheology property, mechanical properties and morphology. 2014 , 37, 94-101		48
263	On the coarsening of the phase morphology of PP/EVA blends during compounding in a twin screw extruder. 2014 , 34, 175-182		21
262	Effect of interfacial tension on the cell structure of poly(methyl methacrylate)/bisphenol A polycarbonate blends foamed with CO ₂ . <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	8
261	Manipulation of multiphase morphology in the reactive blending system OBC/PLA/EGMA. 2015 , 5, 96353-96359		
260	Heat resistance of new biobased polymeric materials, focusing on starch, cellulose, PLA, and PHA. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	44
259	Additive Manufacturing Technologies for Polymers and Composites. 2015 , 19-64		1
258	A rheological method for the determination of "super toughness point" of polymer blends: A blend system of nylon1212 with maleated poly(ethylene-octene). <i>Journal of Rheology</i> , 2015 , 59, 1431-1447	4.1	9

257	Melt processed PLA/PCL blends: Effect of processing method on phase structure, morphology, and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	81
256	Study on Dye Uptake-Blend Ratio Relation of Melt Spun Polypropylene / Polybutylene-terephthalate Blend Fibers. 2015 , 19, 34-41		
255	Reinforcement of polyolefins-based nanocomposites: combination of compatibilizer with high shear extrusion process. <i>Polymer Engineering and Science</i> , 2015 , 55, 2328-2338	2.3	7
254	Phase morphology and interfacial characteristics of polycarbonate/acrylonitrile-ethylene-propylene-diene-styrene blends compatibilized by styrene-maleic anhydride copolymers. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	6
253	Plasticization and Morphology Development in Dynamically Vulcanized Thermoplastic Elastomers. 2015 ,		
252	High shear dispersion of tracers in polyolefins for improving their detection. 2015 , 25, 466-476		4
251	Numerical Evaluation of the Optical Properties of Encapsulated Phase Change Particles for Thermotropic Materials. 2015 , 7,		2
250	Selective dispersion of carbon fillers into dynamically vulcanized rubber/plastic blends: a thermodynamic approach to evaluate polymer reinforcement and conductivity enhancement. 2015 , 5, 31886-31900		29
249	Optical properties of polycarbonate/styrene-co-acrylonitrile blends: effects of molecular weight of the matrix. 2015 , 54, 10000-8		6
248	Study of masterbatch effect on miscibility and morphology in PET/HDPE blends. 2015 , 29, 74-93		4
247	Dynamic vulcanization of novel nanostructured polyamide 6/ fluoroelastomer thermoplastic elastomeric blends with special reference to morphology, physical properties and degree of vulcanization. 2015 , 57, 105-116		43
246	New Understanding of Morphology Evolution of Thermoplastic Vulcanizate (TPV) during Dynamic Vulcanization. 2015 , 3, 26-32		58
245	Effect of nanofiller on fibril formation in melt-drawn HDPE/PA6 microfibrillar composite. <i>Polymer Engineering and Science</i> , 2015 , 55, 2133-2139	2.3	18
244	Correlation between impact properties and phase structure in impact polypropylene copolymer. 2015 , 69, 56-63		20
243	Polymer Powder Production for Laser Melting Through Immiscible Blends. 2015 , 102, 1918-1925		18
242	Tailored Nanostructured Thermoplastic Elastomers from Polypropylene and Fluoroelastomer: Morphology and Functional Properties. 2015 , 54, 8137-8146		35
241	Preparation and characterization of nanocomposites with polyphenylene oxide. 2015 , 199-224		0
240	Effect of processing parameters on phase morphology and mechanical properties of thermoplastic polyurethane and polydimethylsiloxane rubber blends. 2015 , 19, 288-308		6

239	Properties of immiscible and ethylene-butyl acrylate-glycidyl methacrylate terpolymer compatibilized poly (lactic acid) and polypropylene blends. 2015 , 43, 173-181		33
238	In situ micro and nano fibrillar reinforced elastomer composites based on polypropylene (PP)/olefinic block copolymer (OBC). 2015 , 115, 34-42		21
237	Contribution of thermal fluctuations to thermophysical properties of modified poly(vinyl chloride). 2015 , 57, 139-146		3
236	In situ formation of polypropylene (PP) fibrils in the olefinic block copolymer (OBC): effect of viscosity ratio and OBC block architecture. 2015 , 5, 85442-85445		6
235	Prediction of the morphology of polymer-clay nanocomposites. 2015 , 41, 149-156		8
234	Fabrication and properties of poly(l-lactide) nanofibers via blend sea-island melt spinning. <i>Journal of Applied Polymer Science</i> , 2015 , 132,	2.9	8
233	The simultaneous addition of styrene maleic anhydride copolymer and multiwall carbon nanotubes during melt-mixing on the morphology of binary blends of polyamide6 and acrylonitrile butadiene styrene copolymer. <i>Polymer Engineering and Science</i> , 2015 , 55, 457-465	2.3	12
232	Evolution of phase morphology and "network-like" structure of multiwall carbon nanotubes in binary polymer blends during melt-mixing. <i>Polymer Engineering and Science</i> , 2015 , 55, 429-442	2.3	11
231	Effect of structure and viscosity of the components on some properties of starch-rich hybrid blends. 2015 , 117, 988-995		12
230	Morphology and properties of bio-based poly (lactic acid)/high-density polyethylene blends and their glass fiber reinforced composites. 2016 , 54, 90-97		45
229	Foamed Plastics. 2016 , 1-54		2
228	Double percolation of multiwalled carbon nanotubes in polystyrene/polylactic acid blends. 2016 , 99, 193-203		45
227	Crystallization and Melting Behavior in Polymer Blends. 2016 , 135-190		3
226	Effects of processing parameters on the properties of microwave-devulcanized ground tire rubber/polyethylene dynamically vulcanized blends. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	14
225	Development of an Immiscible Polymer/Polymer/Nanoparticle System to Assess the Location of Nanoparticles by Quantitative Optical Microscopy. 2016 , 31, 607-617		3
224	Mixing of polar and nonpolar molten olefinic copolymer with polar liquids in conditions of very low viscosity ratio: Shear dominated flows. <i>Journal of Rheology</i> , 2016 , 60, 1121-1135	4.1	2
223	Selective dispersion of nanoplatelets of MDH in a HDPE/PBT binary blend: Effect on flame retardancy. 2016 , 126, 107-116		1
222	Micro-scale morphologies of EPDM/EOC/PP ternary blends: Relating experiments to predictive theories of dispersion in melt mixing. 2016 , 100, 19-29		24

221	Fluorine-Enriched Melt-Blown Fibers from Polymer Blends of Poly(butylene terephthalate) and a Fluorinated Multiblock Copolyester. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 754-61	9.5	25
220	Perspective on Polylactic Acid (PLA) based Sustainable Materials for Durable Applications: Focus on Toughness and Heat Resistance. 2016 , 4, 2899-2916		446
219	An effective strategy to develop nanostructured morphology and enhanced physico-mechanical properties of PP/EPDM thermoplastic elastomers. 2016 , 51, 6722-6734		31
218	Influence of Processing Parameters and Composition on the Effective Compatibilization of Polypropylene-Poly(ethylene terephthalate) Blends. 2016 , 31, 179-187		26
217	Effect of rubber interparticle distance distribution on toughening behavior of thermoplastic polyolefin elastomer toughened polypropylene. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	28
216	Phase morphology control and the selective localization of MWCNT for suppressing dielectric loss and enhancing the dielectric constant of HDPE/PA11/MWCNT composites. 2016 , 6, 73056-73062		5
215	Thermoplastic Vulcanizate Based on Poly(lactic acid) and Acrylic Rubber Blended with Ethylene Ionomer. 2016 , 55, 1068-1085		14
214	Renewable and Supertoughened Polylactide-Based Composites: Morphology, Interfacial Compatibilization, and Toughening Mechanism. 2016 , 55, 9195-9204		24
213	Crystallization of poly(ϵ -caprolactone) in its immiscible blend with polylactide: insight into the role of annealing histories. 2016 , 6, 37721-37730		31
212	Toughened Isotactic Polypropylene: Phase Behavior and Mechanical Properties of Blends with Strategically Designed Random Copolymer Modifiers. 2016 , 49, 6497-6506		31
211	Controlling micro- and nanofibrillar morphology of polymer blends in low-speed melt spinning process. Part II: Influences of extrusion rate on morphological changes of a PLA/PVA blend through a capillary die. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	2
210	Nanofibers from water-extractable melt-blown immiscible polymer blends. 2016 , 101, 269-273		19
209	Features on the Development and Stability of Phase Morphology in Complex Multicomponent Polymeric Systems: Main Focus on Processing Aspects. 2016 , 418-438		1
208	Dynamics of migration and phase selective localization of nanoclay in HNBR/ENR blends. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	5
207	Manufacturing of Polymer Blends Using Polymeric and Low Molecular Weight Reactive Compatibilizers. 2016 , 263-314		
206	Chemical and Engineering Aspects of Morphology Development and Processing of Multiphase Polymer Blend Nanocomposites. 2016 , 357-394		
205	Deformation behavior and mechanical properties of polystyrene/organoclay/SEBS. 2016 , 103, 11-17		4
204	Reactive compatibilization of poly(methyl acrylate-ran-acrylonitrile)/poly(ethylene) blends through amine-amine coupling. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	

203	Design and properties of high-performance polyamide 6/fluoroelastomer blends by electron-induced reactive processing. 2016 , 85, 508-518		10
202	Morphology and properties of super-toughened bio-based poly(lactic acid)/poly(ethylene-co-vinyl acetate) blends by peroxide-induced dynamic vulcanization and interfacial compatibilization. 2016 , 56, 354-363		28
201	Application of supercritical CO ₂ as the processing medium to tune impact fracture behavior of polypropylene/poly(ethylene-co-octene) blends. 2016 , 6, 106347-106354		4
200	Polymer Foams Made of Immiscible Polymer Blends Compatibilized by Janus Particles—Effect of Compatibilization on Foam Morphology . 2016 , 18, 814-825		27
199	Critical insights into the effect of shear on in situ reduction of graphene oxide in PVDF: assessing by rheo-dielectric measurements. 2016 , 3, 065301		2
198	Rubber—Plastic Blends: Structure—Property Relationship. 2016 , 229-298		4
197	Sustainable biobased blends from the reactive extrusion of polylactide and acrylonitrile butadiene styrene. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	21
196	Immiscible Polymer Blends Stabilized with Nanophase. 2016 , 215-237		2
195	Hydrophobic/Hydrophilic Nanostructured Polymer Blends. 2016 , 385-411		5
194	Morphology Controlled PA11 Bio-Alloys with Excellent Impact Strength. 2016 , 4, 2158-2164		9
193	The role of hydrophilic organoclay in morphology development of poly(butylene terephthalate)/polypropylene blends. 2016 , 28, 85-95		3
192	Morphology and rheological behavior of poly(butylene terephthalate)/polypropylene blends filled by two types of organoclays. 2017 , 30, 646-661		3
191	Additives. 2017 , 77-112		
190	Polymer Blends and Composites. 2017 , 113-151		
189	Mechanical properties and state of miscibility in poly(racD,L-lactide-co-glycolide)/(L-lactide-co-ε-caprolactone) blends. 2017 , 71, 372-382		9
188	Prediction of average droplet size in flowing immiscible polymer blends. <i>Journal of Applied Polymer Science</i> , 2017 , 134, 45250	2.9	3
187	Morphological explanation of high tear resistance of EPDM/NR rubber blends. 2017 , 13, 4241-4251		3
186	Morphology and properties of biodegradable poly (lactic acid)/poly (butylene adipate-co-terephthalate) blends with different viscosity ratio. 2017 , 60, 58-67		47

185	Biodegradable blends of urea plasticized thermoplastic starch (UTPS) and poly(ϵ -caprolactone) (PCL): Morphological, rheological, thermal and mechanical properties. 2017 , 167, 177-184		37
184	Super-tough Poly(lactide) Thermoplastic Vulcanizates Based on Modified Natural Rubber. 2017 , 5, 78-84		59
183	Synergistic effects of Janus particles and triblock terpolymers on toughness of immiscible polymer blends. 2017 , 109, 229-237		27
182	Nano-structuring of Polymer Blends by in situ Polymerization and in situ Compatibilization Processes. 2017 , 245-270		
181	Theoretical and Experimental Insights into the Phase Transition of Rubber/Plastic Blends during Dynamic Vulcanization. 2017 , 56, 13911-13918		4
180	Long chain branching as an innovative up-cycling process of polypropylene post-consumer waste - Possibilities and limitations. 2017 , 68, 32-37		14
179	Twin-Screw Extrusion and Applications. 2017 , 433-519		3
178	Interfacial tension of reactive, liquid interfaces and its consequences. 2017 , 247, 185-197		12
177	Novel Supramolecular Block Copolymer of Isotactic Polypropylene and Ethylene-co-propylene Connected by Complementary Quadruple Hydrogen Bonding System. 2017 , 50, 5687-5694		10
176	Thermoplastic Starch-Based Blends. 2017 , 153-186		4
175	Super impact absorbing bio-alloys from inedible plants. 2017 , 19, 4503-4508		6
174	Toward a Long-Chain Perfluoroalkyl Replacement: Water and Oil Repellency of Polyethylene Terephthalate (PET) Films Modified with Perfluoropolyether-Based Polyesters. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 24318-24330	9.5	15
173	Blends and Alloys. 2017 , 155-184		4
172	. 2017 ,		10
171	Analysis of Models Predicting Morphology Transitions in Reactive Twin-Screw Extrusion of Bio-Based Polyester/Polyamide Blends. 2017 , 32, 363-377		5
170	Investigations on Blending and Foaming Behavior of Styrene-Ethylene-Butylene-Styrene/Polystyrene Blends. 2017 , 32, 434-445		8
169	Rheological behavior of cellulose nanocrystal suspensions in polyethylene glycol. <i>Journal of Rheology</i> , 2018 , 62, 607-618	4.1	18
168	Super toughened poly(trimethylene terephthalate) composite using flowable crosslink elastomer blend. <i>Polymer Engineering and Science</i> , 2018 , 58, 2039-2046	2.3	0

167	Understanding the morphology formation and properties of polyamide 6 and bio-based poly(trimethylene terephthalate) blends. <i>Polymer Engineering and Science</i> , 2018 , 58, 2210-2218	2-3	1
166	Effects of chain-extending stabilizer on bioplastic poly(lactic acid)/polyamide blends compatibilized by reactive extrusion. 2018 , 153, 118-129		16
165	Influence of vinyl bonds from PDMS on the pore structure of polymer derived ceramics. 2018 , 209, 217-226		6
164	Electron-induced reactive processing of polyamide 6/polypropylene blends: Morphology and properties. 2018 , 98, 295-301		11
163	AOTEMPO-mediated dynamic vulcanization: Synthesis of impact-modified polypropylene. <i>Polymer Engineering and Science</i> , 2018 , 58, 1999-2007	2-3	2
162	The relationship between rheological behavior and microstructure of nanocomposite based on PA6/NBR/clay. 2018 , 39, 2403-2410		3
161	Effect of the partially hydrolyzed EVA-h content on the morphology, rheology, and mechanical properties of PA12/EVA blends. <i>Polymer Engineering and Science</i> , 2018 , 58, 335-344	2-3	4
160	Role of In situ thermal-reduced graphene oxide on the morphology and properties of biodegradable poly(Lactic acid)/poly(butylene succinate) blends. 2018 , 39, 3057-3065		11
159	Development of biodegradable PLA/PBT nanoblends. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 4595-4601		9
158	Manipulating morphology in thermoplastic protein/polyester blends for improved impact strength. 2018 , 37, 2354-2366		2
157	Preparation, microstructure, and microstructure-properties relationship of thermoplastic vulcanizates (TPVs): A review. 2018 , 79, 61-97		92
156	Validation of rheological responses for morphological evaluation of incompatible polyamide 12/thermoplastic elastomer blends filled with nanoclay. 2018 , 65, 78-89		12
155	Preparation and Assessment of Phase Morphology, Rheological Properties, and Thermal Behavior of Low-Density Polyethylene/Polyhexene-1 Blends. 2018 , 57, 757-765		9
154	Effects of Polyethylene Molecular Weight Distribution on Phase Morphology Development in Poly(p-phenylene ether) and Polyethylene Blends. 2018 , 51, 9165-9176		8
153	New Approach to Optimize Mechanical Properties of the Immiscible Polypropylene/Poly (Ethylene Terephthalate) Blend: Effect of Shish-Kebab and Core-Shell Structure. <i>Polymers</i> , 2018 , 10,	4-5	6
152	Biodegradable Composites Developed from PBAT/PLA Binary Blends and Silk Powder: Compatibilization and Performance Evaluation. 2018 , 3, 12412-12421		31
151	Thermodynamically and kinetically favored locations of rice husk ash particles in the phase structure, and the properties of epoxidized natural rubber/thermoplastic polyurethane blends. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46681	2-9	1
150	Morphology and improved impact strength of cellulose acetate butyrate blended with polyethylene copolymer. 2018 , 12, 856-866		5

149	Morphological, thermal and mechanical behavior of sepiolite-based poly(ethylene terephthalate)/polyamide 66 blend nanocomposites. 2018 , 72, 298-307		7
148	Extrusion and Ionic Liquids: A Promising Combination To Develop High Performance Polymer Materials. 2018 , 189-208		
147	2D and 3D imaging of the deformation behavior of partially devulcanized rubber/polypropylene blends. 2018 , 12, 1047-1060		10
146	Cost-effective way to improve the optical properties of poly(methyl methacrylate)/poly(ethylene terephthalate) light scattering materials: drop coalescence. 2018 , 57, 2107-2114		7
145	A comparison study of high shear force and compatibilizer on the phase morphologies and properties of polypropylene/polylactide (PP/PLA) blends. 2018 , 154, 119-127		32
144	Compatibilization. 2018 , 497-546		1
143	Microscopic theory of heterogeneous phase inversion in rubber/plastic blends. 2018 , 150, 177-183		1
142	Effect of Compatibilization on Biobased Rubber-Toughened Poly(trimethylene terephthalate): Miscibility, Morphology, and Mechanical Properties. 2018 , 3, 7300-7309		8
141	Influence of thermal and morphological characteristics on mechanical responses of polypropylene/irradiated elastomer blends. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46597	2.9	5
140	Influence of rheology and surface properties on morphology of nanofibers derived from islands-in-the-sea meltblown nonwovens. 2018 , 145, 21-30		29
139	Simultaneously improving stiffness, toughness, and heat deflection resistance of polylactide using the strategy of orientation crystallization amplified by interfacial interactions. 2018 , 1, e10004		6
138	Understanding the role of MAM molecular weight in the production of PMMA/MAM nanocellular polymers. 2018 , 153, 262-270		20
137	Study of the partial wetting morphology in polylactide/poly[(butylene adipate)-co-terephthalate]/polyamide ternary blends: case of composite droplets. 2018 , 67, 1378-1385		5
136	Development of nanofibrillar morphologies in poly(L-lactide)/poly(amide) blends: role of the matrix elasticity and identification of the critical shear rate for the nodular/fibrillar transition.. 2018 , 8, 22023-22041		17
135	Crystallization Behavior of Semicrystalline Immiscible Polymer Blends. 2018 , 181-212		8
134	Effect of Polyethylene Molecular Architecture on the Dynamic Viscoelastic Behavior of Polyethylene/Polyhexene-1 Blends and Its Correlation with Morphology. 2019 , 58, 560-572		2
133	Improvement of mechanical toughness of poly(lactic acid) by addition of ethylene-vinyl acetate copolymer. 2019 , 80, 106021		7
132	Controlling Processing, Morphology, and Mechanical Performance in Blends of Polylactide and Thermotropic Polyesters. 2019 , 52, 6005-6017		11

131	Reactive blending of bisphenol-A polycarbonate with isosorbide-based polycarbonates: Effect of chain flexibility and compatibility. 2019 , 143, 104328		4
130	Compatibilising action of multiwalled carbon nanotubes in polycarbonate/polypropylene (PC/PP) blends: phase morphology, viscoelastic phase separation, rheology and percolation. <i>Journal of Polymer Research</i> , 2019 , 26, 1	2.7	15
129	Characterization of the Effect of Clay on Morphological Evaluations of PLA/Biodegradable Polymer Blends by FT-Rheology. 2019 , 52, 7904-7919		21
128	Toughening Biosourced Poly(lactic acid) and Poly(3-hydroxybutyrate--4-hydroxybutyrate) Blends by a Renewable Poly(epichlorohydrin--ethylene oxide) Elastomer. 2019 , 4, 19777-19786		8
127	Effects and mechanism of cellulose acetate butyrate on the crystallization of polylactic acid. 2019 , 121, 109286		6
126	Super-tough poly(lactic acid) thermoplastic vulcanizates with heat triggered shape memory behaviors based on modified natural <i>Eucommia ulmoides</i> gum. 2019 , 80, 106077		11
125	Effects of blending sequences and molecular structures of the compatibilizers on the morphology and properties of PLLA/ABS blends.. 2019 , 9, 2189-2198		9
124	The Microstructure of GNR and the Mechanical Properties of Biobased PLA/GNR Thermoplastic Vulcanizates with Excellent Toughness. 2019 , 12,		3
123	Effect of Mold Temperature on the Impact Behavior and Morphology of Injection Molded Foams Based on Polypropylene Polyethylene?Octene Copolymer Blends. <i>Polymers</i> , 2019 , 11,	4.5	9
122	A Novel Method for Mixing Nanomaterials with Soil. 2019 , 25, 46-68		3
121	Preparation of spherical polymer powders for selective laser sintering from immiscible PA12/PEO blends with high viscosity ratios. 2019 , 172, 58-65		9
120	Effect of Processing Conditions on the Mechanical and Morphological Properties of Elastomeric Poly (Methyl Methacrylate)/Polycarbonate Blends. 2019 , 383, 1800049		6
119	Experimental Investigations of Interfacial and Binary Coalescence of Multilayered Drops. 2019 , 58, 7620-7632		1
118	Investigation of the mechanical properties of friction stir welded PA6-based polymer nanocomposite and optimizing experimental conditions. 2019 , 6, 065018		6
117	A review on protective polymeric coatings for marine applications. 2019 , 16, 307-338		20
116	Fully Biobased Shape Memory Thermoplastic Vulcanizates from Poly(Lactic Acid) and Modified Natural Gum with Co-Continuous Structure and Super Toughness. <i>Polymers</i> , 2019 , 11,	4.5	5
115	The influence of viscosity and composition of ABS on the ABS/SBS blend morphology and properties. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47075	2.9	5
114	Dynamically vulcanized polylactide/nitrile butadiene rubber blends with continuous cross-linked rubber phase. <i>Journal of Polymer Research</i> , 2019 , 26, 1	2.7	12

113	Reactive compatibilization of plant polysaccharides and biobased polymers: Review on current strategies, expectations and reality. 2019 , 209, 20-37		48
112	Aspects regarding the efficiency of nanosilica as an interfacial compatibilizer of a polypropylene/ethylene vinyl-acetate immiscible blend. 2019 , 73, 135-142		10
111	Weathering properties and hydrolysis of poly(butylene terephthalate)/poly(acrylonitrile-co-styrene-co-acrylate) blend with reactive compatibilizer. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47197	2.9	3
110	The effect of processing conditions on the rheological properties of blends of ultra high molecular weight polyethylene with high-density polyethylene. <i>Polymer Engineering and Science</i> , 2019 , 59, 821-829 ^{2,3}		8
109	Introduction: Polymer blends, thermodynamics, miscibility, phase separation, and compatibilization. 2020 , 1-29		7
108	Carbon nanotube localization at interface in cocontinuous blends of polyethylene and polycarbonate. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48676	2.9	5
107	Bimodal Nanofiber and Microfiber Nonwovens by Melt-Blowing Immiscible Ternary Polymer Blends. 2020 , 59, 5238-5246		9
106	Modeling and optimizing toughness and rigidity of PA6/SBR: Using compatibilizer and response surface methodology. 2020 , 83, 106346		4
105	Tailoring the toughness of sustainable polymer blends from biodegradable plastics via morphology transition observed by atomic force microscopy. 2020 , 173, 109066		17
104	Coupling effect of molecular weight and crosslinking kinetics on the formation of rubber nanoparticles and their agglomerates in EPDM/PP TPVs during dynamic vulcanization. 2020 , 16, 2185-2198		11
103	Highly expanded, highly insulating polypropylene/polybutylene-terephthalate composite foams manufactured by nano-fibrillation technology. 2020 , 188, 108450		26
102	Toughness improvement of novel biobased aromatic polyamide/SEBS/organoclay ternary hybrids. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48888	2.9	7
101	Influence of silica materials on synthesis of elastomer nanocomposites: A review. 2020 , 52, 747-771		8
100	Effect of structure development on the rheological properties of PVDF/HNBR-based thermoplastic elastomer and its vulcanizates. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48758	2.9	3
99	Rheological rationalization of in situ nanofibrillar structure development: Tailoring of nanohybrid shish-kebab superstructures of poly (lactic acid) crystalline phase. 2020 , 211, 123040		3
98	Local Orientation of Polystyrene at the Interface with Poly(methyl methacrylate) in Block Copolymer. 2020 , 9, 1576-1581		6
97	Relationship between the Processing, Structure, and Properties of Microfibrillar Composites. 2020 , 32, e2003938		11
96	High-performance and functional PBT/EVMG/CNTs nanocomposites from recycled sources by in situ multistep reaction-induced interfacial control. 2020 , 190, 108043		13

95	Rheology-morphology interrelationship in high-density polyethylene/polyamide-6 microfibrillar composites. 2020 , 78, 6675		0
94	Evolution of morphology and morphology stability in PP/PA6/EPDM-g-MA reactive ternary blends using viscoelastic measurements. 2020 , 59, 399-414		3
93	Effect of morphology on shear viscosity for binary blends of polycarbonate and polystyrene. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 49516	2.9	4
92	Localization behavior of multiwalled carbon nanotubes in ternary blends of PC, SAN, and PMMA. 2020 , 32, 145-152		1
91	Toughening Effect of Clay Particles on Poly(Lactic Acid)/Natural Rubber Blend. 2020 , 48, 101-107		
90	Control of the particle microstructure during the synthesis of bulk-polymerized transparent methacrylate-acrylonitrile-butadiene-styrene resin. <i>Polymer Engineering and Science</i> , 2020 , 60, 1194-1207 ^{2,3}		2
89	Circumventing Macroscopic Phase Separation in Immiscible Polymer Mixtures by Bottom-up Deposition. 2020 , 53, 5740-5746		4
88	Morphology, optical properties, and curing behavior of UV-curable acrylate-siloxane polymer blends. 2020 , 85, 106412		9
87	Investigation of the rheological and mechanical behavior of Polypropylene/ultra-high molecular weight polyethylene compounds related to new online process control. 2020 , 86, 106442		5
86	A model for the prediction of the morphology of immiscible blends of polymers. 2020 , 193, 122334		4
85	Influence of the morphology and viscoelasticity on the thermomechanical properties of poly(lactic acid)/thermoplastic polyurethane blends compatibilized with ethylene-ester copolymer. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48926	2.9	9
84	Mechanisms and conditions that affect phase inversion processes: A review. 2021 , 99, 178-208		8
83	Dependence of microstructure and properties of polypropylene/bromo-isobutylene-isoprene rubber thermoplastic vulcanizates on the molding process. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 49659	2.9	0
82	Thin wall injection-overmoulding of polyamide 6/polypropylene multilayer parts: PA6/PP-g-ma interfacial adhesion investigations. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50294	2.9	2
81	Synergistic toughening effect of hybrid clay particles on poly(lactic acid)/natural rubber blend. 2021 , 42, 1021-1033		2
80	Synergetic toughening of poly(phenylene sulfide) by poly(phenylsulfone) and poly(ethylene-ran-methacrylate-ran-glycidyl methacrylate). <i>Journal of Applied Polymer Science</i> , 2021 , 138, 49994	2.9	4
79	Structure-property correlation of an impact- modified random polypropylene copolymer. 2021 , 53, 450-468		2
78	Effect on the Impact Properties of Adding Long-Chain Branched Polypropylene in Polypropylene-Polyolefin Elastomer Cellular Polymers Produced by Core-Back Injection Molding. 2021 , 306, 2000728		3

77	Effect of mixing protocol on the morphology development of multi-walled carbon nanotubes incorporated ternary blends of polycarbonate, styrene-acrylonitrile, and poly(methyl methacrylate) in a twin screw extruder. 2021 , 33, 143-150		0
76	Silicone rubber reinforced by self-welded short glass fibers: Effect of resin viscosity on preferential segregation. 2021 , 209, 108789		0
75	Morphology Development and Flow Characteristics during High Moisture Extrusion of a Plant-Based Meat Analogue. 2021 , 10,		6
74	Spatial distribution of silica fillers in phase-separated rubber blends investigated by three-dimensional elemental mapping. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 51443	2.9	3
73	Low-temperature synthesis method for the fabrication of efficient polymer-blend systems. 2021 , 13, 1098-1102		2
72	Influence of the Crystalline Structure of Components and the Boundary Layer between Them on Mechanical Properties of Polypropylene-High Density Polyethylene Composites. 2021 , 63, 533-541		
71	Effect of the Molecular Structure of TPU on the Cellular Structure of Nanocellular Polymers Based on PMMA/TPU Blends. <i>Polymers</i> , 2021 , 13,	4.5	2
70	The effect of electrically conducting carbon materials on the conductivity and morphology of poly(vinyl butyral) and chitosan blend composite for application in anti-corrosive coatings. 2021 , 281, 116914		
69	Foamability of thermoplastics. 2022 , 79-175		
68	Viscosity decrease by interfacial slippage between immiscible polymers. <i>Polymer Engineering and Science</i> , 2021 , 61, 1096-1103	2.3	1
67	Introduction to polymer blends. 2021 , 17-96		
66	Surface and Interfacial Tensions of Polymers, Oligomers, Plasticizers, and Organic Pigments. 1999 ,		8
65	Rheology of Multiphase Systems. 1990 , 390-409		4
64	Degradation, Stabilization, and Flammability of Polymer Blends. 2014 , 1395-1430		1
63	Subinclusion Morphology in Compatibilised Polymer Blends. 1989 , 117-122		2
62	The Rheology of Two-Phase Flows. 1993 , 479-594		2
61	Chapter 9 Polycarbonate toughening by ABS. 1996 , 469-526		4
60	SEM, ToF-SIMS and LFM morphological study of an heterogeneous polymeric surface. 1994 , 5, 373-380		14

59	Micro- and Nanostructured Polymer Blends. 2005 , 1-42	3
58	Comportamento mecânico e termo-mecânico de blendas poliméricas PBT/ABS. 1997 , 7, 67-72	12
57	Measurement of Interfacial Tension between Polymer Melts : Improved Imbedded Fiber Retraction, Breaking Thread and Dynamic Viscoelasticity Methods. 1999 , 27, 109-115	14
56	Construction of Simulation Systems for Viscoelastic Properties of Polydisperse Polymer Melts, Interfacial Interaction Strength and Izod Strength of Polymers.. 2000 , 28, 159-165	2
55	INFLUENCE OF NANO SILICA ON THE CO-CONTINUITY INTERVAL OF PMMA/PS BLENDS. 2009 , 009, 553-559	4
54	Compatibilization of Linear PPS/PET Blends with SEBS Copolymers. 2013 , 37, 405-410	1
53	Selective localization of carbon nanotubes and its effect on the structure and properties of polymer blends. 2021 , 123, 101471	9
52	Mixing Design for Foam Extrusion. 2000 ,	
51	Study on Viscoelasticity and Morphology of PP/PE Blends under Shear Flow. 2004 , 16, 391-396	
50	?????????????????. 2004 , 16, 744-748	
49	Phase Morphology of Dynamically Vulcanized Thermoplastic Vulcanizates. 2005 , 295-330	
48	Phase Morphology Development in Polymer Blends. 2005 , 133-164	
47	Reactive Processing of Polymer Blends: Polymer-Polymer Interface Aspects.	
46	?????????????. 2008 , 20, 544-549	
45	MORPHOLOGY AND PROPERTIES OF PBT/POE-g-MAH/PP TERNARY BLENDS. 2010 , 006, 1062-1068	
44	Mechanical Properties and Morphological Changes of Poly(lactic acid)/Polycarbonate/Poly(butylene adipate-co-terephthalate) Blend Through Reactive Processing-Effects of Fabrication Processes-2011, 23, 733-742	
43	The Rheology of Rubber Compounds with Rubber Flour. 2011 , 38, 1-5	
42	Effect of Primary Structures of the Poly (Lactic Acid) Reactive Blends on Mechanical and Meltdown Properties. 2012 , 24, 408-413	

41	Blend Characteristics of PBT, Nylon6,12 and Preparation of PBT/Nylon6,12 Micro Fiber with Core/shell Structure and their Extrusion Conditions. 2012 , 50, 1068-1075		
40	Effect of Compatibilizer Types on the Properties of Linear PPS/PET Blends. 2013 , 37, 500-506		
39	Properties and Performance of Polymer Blends. 2014 , 1031-1201		
38	Compounding Polymer Blends. 2014 , 919-1028		
37	Alkyd Emulsions for High Gloss Paint Systems; Old Properties in New Particles. 1991 , 129-144		1
36	Chapter 7 Blends polyamide 6/functionalized rubber. 1996 , 335-437		
35	Molecular Design of Reactive Compatibilizers for Polypropylene ãNitrile Butadiene Rubber Blends. 1997 , 219-239		
34	Morphological Studies of Metallocene Plastomer Modified Polypropylenes. 1998 , 149-156		
33	Rheology of Multiphase Systems. 1999 , 390-409		
32	Gas Impermeable Material Technology for Tires. 2015 , 27, 54-56		
31	Effect of Low Molecular Weight Species on the Interfacial Tension of PC/SAN Blend. 2015 , 39, 388-393		
30	Polymer Blends and Alloys. 2018 , 30, 345-349		
29	Effect of the elastomer viscosity on the morphology and impact behavior of injection molded foams based on blends of polypropylene and polyolefin elastomers. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50425	2.9	3
28	Interfacial tension. 2021 , 231-261		
27	Time-Resolved SAXS/WAXD under Tensile Deformation: Role of Segmental EthyleneãPropylene Copolymers in Impact-Resistant Polypropylene Copolymers.		0
26	Surface tension and interfacial tension of polyolefins and polyolefin blends. <i>Journal of Applied Polymer Science</i> , 2022 , 139, 51885	2.9	0
25	Phase behavior and interfacial tension of ternary polymer mixtures with block copolymers.. 2021 , 11, 38316-38324		2
24	Fabrication and characterization of low-density nanocellular foam based on PMMA/TPU blends. 2022 , 240, 124493		0

23	Lipase-catalyzed acylation of levoglucosan in continuous flow: antibacterial and biosurfactant studies.. 2022 , 12, 3027-3035		1
22	Macromolecular Insights into the Altered Mechanical Deformation Mechanisms of Non-Polyolefin Contaminated Polyolefins.. <i>Polymers</i> , 2022 , 14,	4.5	0
21	Fly ash-reinforced polyester composites. 2022 , 357-372		
20	Secondary polymer-induced particle aggregation and its rheological, electrical, and mechanical effects on PLA-based ternary composites. <i>Journal of Rheology</i> , 2022 , 66, 275-291	4.1	1
19	Rheological Considerations in Processing Self-Reinforced Thermoplastic Polymer Nanocomposites: A Review.. <i>Polymers</i> , 2022 , 14,	4.5	0
18	Improving thermal conductivity of polyethylene/polypropylene by styrene-ethylene-propylene-styrene wrapping hexagonal boron nitride at the phase interface. <i>Advanced Composites and Hybrid Materials</i> , 1	8.7	9
17	Brittle-ductile transition of elastomer toughened HDPE: effect of elastomer modulus. <i>Journal of Polymer Research</i> , 2022 , 29,	2.7	
16	Mechanically enhanced poly(lactic acid)/polyurethane blend with interfacial-localized clay particles. <i>Journal of Applied Polymer Science</i> ,	2.9	
15	Toward Mechanical Recycling of Polystyrene/Polypropylene Blends with Bottlebrush-Modified Graphene Oxide as a Compatibilizer. <i>ACS Applied Materials & Interfaces</i> ,	9.5	0
14	Influence of the structure of sub-micrometer core-shell rubber particles and matrix composition on the mechanical properties, morphological structure and deformation mechanism of rubber-modified polyphenylene oxide/polystyrene blends.		
13	Poly(lactic acid)/polycaprolactone bionanocomposites containing zinc oxide nanoparticles: Structure, characterization and cytotoxicity assay. 089270572211188		0
12	Impact of Ionic Liquids on the (bio)degradability of Poly(butylene succinate)/Poly(lactic acid) blends. 9,		0
11	Introduction. 2022 , 1-99		0
10	Fractal structures of PA6/POE blend nanocomposites and their dynamic properties. 2023 , 67, 183-196		0
9	Mechanical Properties and Deformation Mechanism of Bimodal-Rubber-Particle-Toughened Polyphenylene Ether/Polystyrene Blends.		0
8	Understanding the Rheology of Polymer-Polymer Interfaces Covered with Janus Nanoparticles: Polymer Blends versus Particle Sandwiched Multilayers.		0
7	Physical, mechanical, viscoelastic, and morphological properties of poly(lactic acid)/ethylene-co-vinyl acetate blend reinforced with silicon carbide nanoparticles.		0
6	The Effect of Mixer Type and Processing Conditions on the Morphology of Polyamide/Polypropylene Blend. 1993 , 1, 147823919300100		0

- 5 Blends and Composites Based on Polypropylene and a Thermotropic Liquid Crystalline Polymer. **1993**, 1, 147823919300100 ○
- 4 Toughening of linear low-density polyethylene/brominated polystyrene blend by styrene-ethylene/butylene-styrene elastomer. **2023**, 272, 125859 ○
- 3 Achieving outstanding toughness of PMMA while retaining its strength, stiffness, and transparency using in situ developed TPEE nanofibrils. **2023**, 236, 109994 ○
- 2 Formation of nanoparticle aggregates and agglomerates in polymer nanocomposites and their distinct impacts on the mechanical properties. **2023**, 63, 1303-1313 ○
- 1 Phase Behavior of NR/PMMA Semi-IPNs and Development of Porous Structures. **2023**, 15, 1353 ○