

CITATION REPORT

List of articles citing

Quantitative determination of glutamate mediated cortical neuronal injury in cell culture by lactate dehydrogenase efflux assay

DOI: 10.1016/0165-0270(87)90041-0

Journal of Neuroscience Methods, 1987, 20, 83-90.

Source: <https://exaly.com/paper-pdf/19375584/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1228	Observations on a granule associated with chromatin in the nuclei of cells of rat and mouse. 1962 , 13, 162-7		103
1227	Dextrorphan and dextromethorphan attenuate hypoxic injury in neuronal culture. 1987 , 80, 11-5		90
1226	High concentrations of naloxone attenuate N-methyl-D-aspartate receptor-mediated neurotoxicity. 1987 , 138, 133-6		26
1225	L-homocysteate is a potent neurotoxin on cultured cortical neurons. 1987 , 437, 103-10		89
1224	Quinolate neurotoxicity in cortical cell culture. 1987 , 23, 423-32		121
1223	Tetrahydroaminoacridine selectively attenuates NMDA receptor-mediated neurotoxicity. 1988 , 154, 73-8		33
1222	Opioids and non-opioid enantiomers selectively attenuate N-methyl-D-aspartate neurotoxicity on cortical neurons. 1988 , 155, 27-35		50
1221	Glucocorticoid toxicity in the hippocampus: in vitro demonstration. 1988 , 453, 367-71		189
1220	Morphinans attenuate cortical neuronal injury induced by glucose deprivation in vitro. 1988 , 446, 144-8		39
1219	Hypoxic neuronal injury in vitro depends on extracellular glutamine. 1988 , 94, 52-7		50
1218	Adenosine reduces cortical neuronal injury induced by oxygen or glucose deprivation in vitro. 1988 , 89, 323-7		112
1217	Beta-N-methylamino-L-alanine neurotoxicity: requirement for bicarbonate as a cofactor. 1988 , 241, 973-5		180
1216	Vulnerability of cultured cortical neurons to damage by excitotoxins: differential susceptibility of neurons containing NADPH-diaphorase. 1988 , 8, 2153-63		290
1215	Pharmacology of glutamate neurotoxicity in cortical cell culture: attenuation by NMDA antagonists. 1988 , 8, 185-96		871
1214	Aspartate neurotoxicity on cultured cortical neurons. 1989 , 23, 116-21		41
1213	Bicarbonate dependence of glutamate receptor activation by beta-N-methylamino-L-alanine: channel recording and study with related compounds. 1989 , 3, 321-6		77
1212	Calcium dependency of N-methyl-D-aspartate toxicity in slices from the immature rat hippocampus. 1989 , 32, 371-9		43

1211	Glucose deprivation neuronal injury in cortical culture. 1989 , 483, 347-54		95
1210	Neurotoxicity of beta-N-methylamino-L-alanine (BMAA) and beta-N-oxalylamino-L-alanine (BOAA) on cultured cortical neurons. 1989 , 497, 64-71		181
1209	Quantitative assessment of neuroprotection against NMDA-induced brain injury. 1989 , 106, 289-96		89
1208	7-Chlorokynurenate Blocks NMDA Receptor-Mediated Neurotoxicity in Murine Cortical Culture. 1990 , 2, 291-295		22
1207	6,7-Dinitroquinoxaline-2,3-dione blocks the cytotoxicity of N-methyl-D-aspartate and kainate, but not quisqualate, in cortical cultures. 1990 , 55, 114-21		18
1206	Glucose deprivation neuronal injury in vitro is modified by withdrawal of extracellular glutamine. 1990 , 10, 337-42		20
1205	Mechanistic distinctions between excitotoxic and acidotic hippocampal damage in an in vitro model of ischemia. 1990 , 10, 527-35		73
1204	Rapid, sensitive, and simple method for quantification of both neurotoxic and neurotrophic effects of NMDA on cultured cerebellar granule cells. 1990 , 27, 25-35		47
1203	Automated determination of excitatory amino acid neurotoxicity in cortical culture. <i>Journal of Neuroscience Methods</i> , 1990 , 31, 47-51	3	8
1202	Non-NMDA receptor-mediated neurotoxicity in cortical culture. 1990 , 10, 693-705		276
1201	Dual effect of glycine on NMDA-induced neurotoxicity in rat cortical cultures. 1990 , 10, 3970-6		49
1200	The calcium channel blocker nifedipine attenuates slow excitatory amino acid neurotoxicity. 1990 , 247, 1474-1477		251
1199	Magnesium removal induces paroxysmal neuronal firing and NMDA receptor-mediated neuronal degeneration in cortical cultures. 1990 , 115, 313-7		31
1198	5,7-Dichlorokynurenic acid, a potent and selective competitive antagonist of the glycine site on NMDA receptors. 1990 , 120, 17-20		37
1197	21-Aminosteroids attenuate excitotoxic neuronal injury in cortical cell cultures. 1990 , 5, 121-6		228
1196	GABA accumulating neurons are relatively resistant to chronic hypoxia in vitro: an autoradiographic study. 1990 , 25, 697-701		6
1195	Protection by ethanol of cortical neurons from N-methyl-D-aspartate-induced neurotoxicity is associated with blocking calcium influx. 1990 , 537, 109-14		62
1194	Treatment with conotoxin, an 'N-type' calcium channel blocker, in neuronal hypoxic-ischemic injury. 1990 , 537, 256-62		32

1193	Selective vulnerability of cultured cortical glia to injury by extracellular acidosis. 1990 , 530, 138-41	88
1192	Acidosis reduces NMDA receptor activation, glutamate neurotoxicity, and oxygen-glucose deprivation neuronal injury in cortical cultures. 1990 , 506, 339-42	347
1191	Mild acidosis protects hippocampal neurons from injury induced by oxygen and glucose deprivation. 1990 , 506, 343-5	183
1190	Beta-amyloid protein increases the vulnerability of cultured cortical neurons to excitotoxic damage. 1990 , 533, 315-20	603
1189	Comparison of various methods for monitoring hybridoma cell proliferation. 1990 , 134, 177-85	24
1188	Absence of implication of L-arginine/nitric oxide pathway on neuronal cell injury induced by L-glutamate or hypoxia. 1991 , 181, 456-64	84
1187	A metabotropic glutamate receptor agonist does not mediate neuronal degeneration in cortical culture. 1991 , 561, 338-43	42
1186	2-APV and DGAMS are superior to MK-801 in preventing hypoxia-induced injury to developing neurons in vitro. 1991 , 7, 429-35	3
1185	Toxicity of N-acetylaspartylglutamate and its protection by NMDA and non-NMDA receptor antagonists. 1991 , 126, 49-51	7
1184	Protective effect of CCK-8 and ceruletide on glutamate-induced neuronal cell death in rat neuron cultures: possible involvement of CCK-B receptors. 1991 , 132, 159-62	28
1183	Glutamate neurotoxicity in spinal cord cell culture. 1991 , 43, 585-91	142
1182	Increased excitotoxic vulnerability of cortical cultures with reduced levels of glutathione. 1991 , 192, 199-200	60
1181	Antagonism of non-NMDA receptors augments the neuroprotective effect of NMDA receptor blockade in cortical cultures subjected to prolonged deprivation of oxygen and glucose. 1991 , 554, 344-7	109
1180	A rapid method to quantify neurons in mixed cultures based on the specific binding of [3H]ouabain to neuronal Na ⁺ ,K ⁽⁺⁾ -ATPase. 1991 , 538, 1-8	24
1179	Selective blockade of non-NMDA receptors does not block rapidly triggered glutamate-induced neuronal death. 1991 , 548, 318-21	74
1178	Glutotoxic properties of the Lathyrus excitotoxin beta-N-oxalyl-L-alpha,beta-diaminopropionic acid (beta-L-ODAP). 1991 , 561, 262-8	36
1177	Effects of pseudorabies virus on the neuronal properties of PC12 cells. 1991 , 56, 898-906	7
1176	Glucocorticoids inhibit glucose transport and glutamate uptake in hippocampal astrocytes: implications for glucocorticoid neurotoxicity. 1991 , 57, 1422-8	322

1175	Chronic Suppression of Bioelectric Activity and Cell Survival in Primary Cultures of Rat Cerebral Cortex: Biochemical Observations. 1991 , 3, 154-161	19
1174	Activation of the metabotropic glutamate receptor attenuates N-methyl-D-aspartate neurotoxicity in cortical cultures. 1991 , 88, 9431-5	136
1173	Glutamate, Cell Death and Memory. 1991 ,	13
1172	Mobilization of dantrolene-sensitive intracellular calcium pools is involved in the cytotoxicity induced by quisqualate and N-methyl-D-aspartate but not by 2-amino-3-(3-hydroxy-5-methylisoxazol-4-yl)propionate and kainate in cultured cerebral cortical neurons. 1992 , 89, 2590-4	126
1171	The effect of hypoxia on neurotransmitter phenotype of forebrain cholinergic neurons. 1992 , 583, 201-6	16
1170	Metabolic inhibition and electrical properties of type-1-like cortical astrocytes. 1992 , 47, 203-11	23
1169	Quisqualic acid-induced neurotoxicity is protected by NMDA and non-NMDA receptor antagonists. 1992 , 143, 177-80	4
1168	In vitro neurotoxicity of methyl iodide. 1992 , 6, 11-20	5
1167	Neuronal injury evoked by depolarizing agents in rat cortical cultures. 1992 , 51, 931-9	31
1166	A novel inhibitor of glutamate release reduces excitotoxic injury in vitro. 1992 , 143, 229-32	21
1165	Neuroprotective effects of graded reoxygenation following chronic hypoxia in neuronal cell cultures. 1992 , 47, 979-84	13
1164	Comparative neurotoxic potential of glutamate, endothelins, and platelet-activating factor in cerebral cortical cultures. 1992 , 139, 15-8	21
1163	Gliotoxic actions of excitatory amino acids. 1992 , 31, 899-907	44
1162	Cyclic GMP modulators and excitotoxic injury in cerebral cortical cultures. 1992 , 577, 343-6	35
1161	Inhibition of alpha 2/alpha 3 sodium pump isoforms potentiates glutamate neurotoxicity. 1992 , 591, 94-102	56
1160	Programmed cell death: its possible contribution to neurotoxicity mediated by calcium channel antagonists. 1992 , 587, 233-40	108
1159	Extracellular calcium is a mediator of astroglial injury during combined glucose-oxygen deprivation. 1992 , 593, 45-50	45
1158	Measurement of gamma-enolase release, a new method for selective quantification of neurotoxicity independently from glial lysis. 1992 , 593, 63-8	10

1157	Potentialiation of cyanide neurotoxicity by blockade of ATP-sensitive potassium channels. 1992 , 593, 114-6	19
1156	Antiparkinsonian drugs and in vitro excitotoxicity. 1992 , 597, 148-50	20
1155	Quisqualate neurotoxicity in rat cortical cultures: pharmacology and mechanisms. 1992 , 212, 129-36	14
1154	Effects of excitotoxin exposure on metabolic rate of primary hippocampal cultures: application of silicon microphysiometry to neurobiology. 1992 , 12, 773-80	43
1153	Extracellular alkalinity exacerbates injury of cultured cortical neurons. 1992 , 23, 1817-21	54
1152	Pharmacological and functional characterization of excitatory amino acid mediated cytotoxicity in cerebral cortical neurons. 1992 , 8, 93-100	23
1151	Possible role of cGMP in excitatory amino acid induced cytotoxicity in cultured cerebral cortical neurons. 1992 , 17, 35-43	44
1150	Protection of hippocampal cell cultures against hypoxia and subsequent reoxygenation by an antioxidant of the sterically hindered phenol class. 1992 , 114, 1224-1227	1
1149	Corticosterone enhances kainic acid-induced calcium elevation in cultured hippocampal neurons. 1992 , 59, 1033-40	82
1148	Glucocorticoids exacerbate hypoxic and hypoglycemic hippocampal injury in vitro: biochemical correlates and a role for astrocytes. 1992 , 59, 137-46	124
1147	1-Aminocyclopentane-trans-1,3-dicarboxylic acid induces glutamine synthetase activity in cultured astrocytes. 1992 , 58, 1967-70	19
1146	A paradigm for examining toxicant effects on viability, structure, and axonal transport of neurons in culture. 1992 , 6, 125-35	19
1145	Blockade of N-methyl-D-aspartate receptors prevents cyanide-induced neuronal injury in primary hippocampal cultures. 1992 , 115, 124-9	48
1144	Zinc toxicity and induction of the 72 kD heat shock protein in primary astrocyte culture. 1992 , 6, 198-205	31
1143	Induction of astrocyte glutamine synthetase activity by the Lathyrus toxin beta-N-oxalyl-L-alpha,beta-diaminopropionic acid (beta-L-ODAP). 1993 , 7, 329-36	15
1142	Cytotoxic actions and effects on intracellular Ca ²⁺ and cGMP concentrations of sulphur-containing excitatory amino acids in cultured cerebral cortical neurons. 1993 , 34, 331-9	24
1141	The role of posthypoxic reoxygenation in destruction of cultured hippocampal neurons. 1993 , 115, 120-122	
1140	Synthesis and anticonvulsant activity of the (+)- and (–)-enantiomers of 1,2,3,4-tetrahydro-5-(2-phosphonoethyl)-3-isoquinolinecarboxylic acid, a competitive NMDA antagonist. 1993 , 3, 39-42	5

1139	Secobarbital attenuates excitotoxicity but potentiates oxygen-glucose deprivation neuronal injury in cortical cell culture. 1993 , 13, 803-10	22
1138	Glial glycogen stores affect neuronal survival during glucose deprivation in vitro. 1993 , 13, 162-9	199
1137	Differing neurotoxic potencies of methamphetamine, mazindol, and cocaine in mesencephalic cultures. 1993 , 60, 1444-52	38
1136	Aurintricarboxylic acid protects hippocampal neurons from glutamate excitotoxicity in vitro. 1993 , 61, 382-5	35
1135	Aurintricarboxylic acid prevents NMDA-mediated excitotoxicity: evidence for its action as an NMDA receptor antagonist. 1993 , 61, 386-9	43
1134	GM1 ganglioside reduces glutamate toxicity to cortical cells. Lowered LDH release and preserved membrane integrity. 1993 , 20, 229-43	13
1133	(1S,3R)-1-aminocyclopentane-1,3-dicarboxylic acid attenuates N-methyl-D-aspartate-induced neuronal cell death in cortical cultures via a reduction in delayed Ca ²⁺ accumulation. 1993 , 32, 1351-8	27
1132	Corticosterone impairs hippocampal neuronal calcium regulation--possible mediating mechanisms. 1993 , 602, 84-90	137
1131	7-Chlorokynurenate prevents NMDA-induced and kainate-induced striatal lesions. 1993 , 620, 1-6	17
1130	Neurotoxic effect of the anti-HIV drug D-aspartate beta-hydroxamate for rat primary neuronal cultures: attenuation by N-methyl-D-aspartate (NMDA) antagonists. 1993 , 630, 32-40	11
1129	Cell-type specific expression of Na ⁺ , K(+) -ATPase catalytic subunits in cultured neurons and glia: evidence for polarized distribution in neurons. 1993 , 631, 1-11	59
1128	Secondary Ca ²⁺ overload indicates early neuronal injury which precedes staining with viability indicators. 1993 , 607, 319-23	129
1127	Effect of varying levels of glucose on oxygen deprivation-induced delayed neuronal cell death in primary cerebrocortical cultures. 1993 , 607, 337-40	2
1126	Hypothermia decreases astroglial injury and arachidonate release during combined glucose-oxygen deprivation. 1993 , 631, 352-6	12
1125	Nitric oxide synthase induction in glial cells: effect on neuronal survival. 1993 , 52, 1883-90	32
1124	Calcium indicators and excitotoxicity in cultured cortical neurons. 1993 , 162, 169-72	5
1123	Neurotoxicity of hemoglobin in cortical cell culture. 1993 , 153, 219-22	156
1122	AMPA receptor activation potentiates zinc neurotoxicity. 1993 , 10, 43-9	253

1121	High doses of penicillin decreases [3H]flunitrazepam binding sites in rat neuron primary culture. 1993 , 15, 356-61	10
1120	NMDA neurotoxicity in murine cortical cell cultures is not attenuated by hemoglobin or inhibition of nitric oxide synthesis. 1993 , 153, 53-6	44
1119	The non-psychotropic cannabinoid (+)-(3S,4S)-7-hydroxy-delta 6- tetrahydrocannabinol 1,1-dimethylheptyl (HU-211) attenuates N-methyl-D-aspartate receptor-mediated neurotoxicity in primary cultures of rat forebrain. 1993 , 162, 43-5	44
1118	Ischemia-induced death of astrocytes and neurons in primary culture: pitfalls in quantifying neuronal cell death. 1993 , 71, 239-46	79
1117	Ethanol inhibits NMDA receptor-mediated excitotoxicity in rat primary neuronal cultures. 1993 , 17, 54-60	105
1116	Steroid hormones protect spinal cord neurons from glutamate toxicity. 1993 , 55, 445-9	97
1115	Histopathologic approaches to chemical toxicity using primary cultures of dissociated neural cells grown in chamber slides. 1993 , 21, 465-79	13
1114	Inducible expression of neuronal glutamate receptor channels in the NT2 human cell line. 1993 , 90, 2174-8	175
1113	Neuroprotective effects of glutamate antagonists and extracellular acidity. 1993 , 260, 1516-8	178
1112	Release of amyloid beta-protein precursor derivatives by electrical depolarization of rat hippocampal slices. 1993 , 90, 5191-3	205
1111	Neurodegeneration induced by beta-amyloid peptides in vitro: the role of peptide assembly state. 1993 , 13, 1676-87	1367
1110	Combined oxygen and glucose deprivation in cortical cell culture: calcium-dependent and calcium-independent mechanisms of neuronal injury. 1993 , 13, 3510-24	626
1109	Apoptosis is induced by beta-amyloid in cultured central nervous system neurons. 1993 , 90, 7951-5	949
1108	Endocrine features of glucocorticoid endangerment in hippocampal astrocytes. 1993 , 57, 7-13	18
1107	Glutamate receptor-induced 45Ca^{2+} accumulation in cortical cell culture correlates with subsequent neuronal degeneration. 1993 , 13, 1993-2000	322
1106	Glutamate uptake inhibition by oxygen free radicals in rat cortical astrocytes. 1994 , 14, 2924-32	405
1105	Cytotoxicity of immunoglobulins from amyotrophic lateral sclerosis patients on a hybrid motoneuron cell line. 1994 , 91, 3393-7	102
1104	Neuroprotective activity of acetyl-L-carnitine: studies in vitro. 1994 , 37, 92-6	59

1103	Development of a method for measuring cell number: application to CNS primary neuronal cultures. 1994 , 17, 274-6		88
1102	Differences in the disposition and toxicity of 1-methyl-4-phenylpyridinium in cultured rat and mouse astrocytes. 1994 , 12, 329-35		21
1101	Synthesis and pharmacology of pyrid-3-yl sulfonylureas and thioureas as astrocytic Na ⁺ 2Cl ⁻ K ⁺ cotransporter inhibitors. 1994 , 29, 527-535		16
1100	Selective labeling of embryonic neurons cultured on astrocyte monolayers with 5(6)-carboxyfluorescein diacetate (CFDA). <i>Journal of Neuroscience Methods</i> , 1994 , 52, 23-32	3	35
1099	Betaine attenuates glutamate-induced neurotoxicity in primary cultured brain cells. 1994 , 17, 343-347		9
1098	Rapid decrease in ATP content without recovery phase during glutamate-induced cell death in cultured spinal neurons. 1994 , 662, 289-92		26
1097	Prostaglandin E1 induces c-Fos and Myc proteins and protects rat hippocampal cells against hypoxic injury. 1994 , 14, 150-5		22
1096	Correlation between content of high-energy phosphates and hypoxic-ischemic damage in immature and mature astrocytes. 1994 , 82, 62-8		43
1095	Basal forebrain cholinergic neurons are selectively vulnerable to AMPA/kainate receptor-mediated neurotoxicity. 1994 , 60, 659-64		55
1094	Characterization of glutamate, aspartate, and GABA release from ischemic rat cerebral cortex. 1994 , 34, 457-66		126
1093	Cortical neurones with Ca ²⁺ permeable AMPA/kainate channels display distinct receptor immunoreactivity and are GABAergic. 1994 , 1, 43-9		58
1092	Pre- and post-synaptic modulators of excitatory neurotransmission: comparative effects on hypoxia/hypoglycemia in cortical cultures. 1994 , 643, 334-7		24
1091	Etoposide induces programmed death in neurons cultured from the fetal rat central nervous system. 1994 , 641, 350-2		32
1090	Cell death in primary cultures of mouse neurons and astrocytes during exposure to and 'recovery' from hypoxia, substrate deprivation and simulated ischemia. 1994 , 638, 21-8		65
1089	A protective action of chondroitin sulfate proteoglycans against neuronal cell death induced by glutamate. 1994 , 637, 57-67		55
1088	The effect of NMDA, AMPA/kainate, and calcium channel antagonists on traumatic cortical neuronal injury in culture. 1994 , 633, 236-42		89
1087	Trolox attenuates cortical neuronal injury induced by iron, ultraviolet light, glucose deprivation, or AMPA. 1994 , 639, 102-8		49
1086	Ethanol and glucose-deprivation neurotoxicity in cortical cell cultures. 1994 , 43, 1108-13		15

1085	A marked increase in intracellular Ca ²⁺ concentration induced by acromelic acid in cultured rat spinal neurons. 1994 , 33, 1079-85	6
1084	Zinc toxicity on cultured cortical neurons: involvement of N-methyl-D-aspartate receptors. 1994 , 60, 1049-57	193
1083	AMPA/kainate receptor-mediated damage to NADPH-diaphorase-containing neurons is Ca ²⁺ dependent. 1994 , 167, 93-6	46
1082	Beta-amyloid-induced changes in cultured astrocytes parallel reactive astrocytosis associated with senile plaques in Alzheimer's disease. 1994 , 63, 517-31	132
1081	Excitotoxicity of glutamate and four analogs in primary spinal cord cell cultures. 1994 , 25, 377-84	10
1080	Chondroitin sulfate proteoglycans protect cultured rat's cortical and hippocampal neurons from delayed cell death induced by excitatory amino acids. 1994 , 172, 51-4	47
1079	Automated collection of conditioned medium from organotypically cultured brain slice. 1994 , 20, 299-307	3
1078	Neuroprotective effects of riluzole on N-methyl-D-aspartate- or veratridine-induced neurotoxicity in rat hippocampal slices. 1994 , 177, 95-9	56
1077	Selective potentiation of NMDA-induced neuronal injury following induction of astrocytic iNOS. 1994 , 13, 487-94	281
1076	Opposite effects of cyclohexyladenosine and theophylline on hypoxic damage in cultured neurons. 1994 , 175, 114-6	20
1075	Nerve growth factor and epidermal growth factor rescue PC12 cells from programmed cell death induced by etoposide: distinct modes of protection against cell death by growth factors and a protein-synthesis inhibitor. 1994 , 176, 161-4	23
1074	Assessment of hemoglobin-dependent neurotoxicity: alpha-alpha crosslinked hemoglobin. 1994 , 22, 399-413	17
1073	Dipyridamole increases oxygen-glucose deprivation-induced injury in cortical cell culture. 1994 , 25, 2085-9; discussion 2089-90	21
1072	The phosphorylation state of the microtubule-associated protein tau as affected by glutamate, colchicine and beta-amyloid in primary rat cortical neuronal cultures. 1995 , 309 (Pt 3), 941-9	79
1071	Ca ²⁺ permeable AMPA/kainate channels permit rapid injurious Ca ²⁺ entry. 1995 , 6, 1089-92	20
1070	A serum-free, pyruvate-free medium that supports neonatal neural/glial cultures. 1995 , 41, 246-58	9
1069	Altered lipid metabolism in the presence and absence of extracellular Ca ²⁺ during combined oxygen-glucose deprivation in primary astrocyte cultures. 1995 , 42, 109-16	7
1068	Assessment of primary neuronal culture as a model for soman-induced neurotoxicity and effectiveness of memantine as a neuroprotective drug. 1995 , 69, 384-90	30

1067	Nordihydroguaiaretic acid and RHC 80267 potentiate astroglial injury during combined glucose-oxygen deprivation. 1995 , 25, 35-49	
1066	Lipophilic antioxidant U-18 and superoxide dismutase prevent cultured hippocampal neurons from destruction during hypoxia and in the posthypoxic period. 1995 , 119, 31-34	
1065	Effect of carnosine on the activity of lipoxygenase isolated from rabbit reticulocytes. 1995 , 119, 34-36	
1064	Acidosis causes failure of astrocyte glutamate uptake during hypoxia. 1995 , 15, 417-24	115
1063	Activation of class II or III metabotropic glutamate receptors protects cultured cortical neurons against excitotoxic degeneration. 1995 , 7, 1906-13	139
1062	Characterization of nerve growth factor (NGF) release from hippocampal neurons: evidence for a constitutive and an unconventional sodium-dependent regulated pathway. 1995 , 7, 1220-8	296
1061	Beta-amyloid precursor protein (APP) and APP-RNA are rapidly affected by glutamate in cultured neurons: selective increase of mRNAs encoding a Kunitz protease inhibitor domain. 1995 , 6, 257-76	16
1060	A potential role for apoptosis in neurodegeneration and Alzheimer's disease. 1995 , 10, 19-45	340
1059	Distinct neuroprotective profiles for sigma ligands against N-methyl-D-aspartate (NMDA), and hypoxia-mediated neurotoxicity in neuronal culture toxicity studies. 1995 , 675, 110-20	66
1058	Traumatic neuronal injury in cortical cell culture is attenuated by 21-aminosteroids. 1995 , 682, 144-50	21
1057	Spinal cord neurons are vulnerable to rapidly triggered kainate neurotoxicity in vitro. 1995 , 689, 265-70	17
1056	Neurodegeneration mediated by glutamate and beta-amyloid peptide: a comparison and possible interaction. 1995 , 691, 169-79	110
1055	Excitoprotective effect of felbamate in cultured cortical neurons. 1995 , 705, 97-104	19
1054	Ultrastructure of excitotoxic neuronal death in murine cortical culture. 1995 , 705, 188-98	59
1053	Regulated secretion of beta-amyloid precursor protein in rat brain. 1995 , 15, 7442-51	138
1052	The inhibitory effect of apolipoprotein E4 on neurite outgrowth is associated with microtubule depolymerization. 1995 , 270, 19791-9	200
1051	Hypoxic and posthypoxic neuronal injury in hippocampal cell culture: attenuation by lipophilic antioxidant U-18 and superoxide dismutase. 1995 , 82, 33-45	6
1050	Neurocytotoxicity of quinolinic acid in human brain cultures. 1995 , 1, 375-80	35

1049	Effect of extracellular calcium on survival of human proximal tubular cells exposed to hypoxia. 1995 , 17, 421-35	13
1048	Depolarization and hypoxia-induced cell damage in serum-free cultures of the rat cortex, and related extracellular glutamate changes. 1995 , 293, 245-50	6
1047	SMI-32 antibody against non-phosphorylated neurofilaments identifies a subpopulation of cultured cortical neurons hypersensitive to kainate toxicity. 1995 , 194, 1-4	21
1046	Astrocyte survival in the absence of exogenous substrate: comparison of immature and mature cells. 1995 , 13, 523-7	20
1045	The inhibitory mGluR agonist, S-4-carboxy-3-hydroxy-phenylglycine selectively attenuates NMDA neurotoxicity and oxygen-glucose deprivation-induced neuronal death. 1995 , 34, 1081-7	152
1044	Activation of metabotropic glutamate receptors coupled to inositol phospholipid hydrolysis amplifies NMDA-induced neuronal degeneration in cultured cortical cells. 1995 , 34, 1089-98	147
1043	Effects of decahydroisoquinoline-3-carboxylic acid monohydrate, a novel AMPA receptor antagonist, on glutamate-induced CA ²⁺ responses and neurotoxicity in rat cortical and cerebellar granule neurons. 1995 , 50, 1761-74	16
1042	Development of kainic acid and N-methyl-D-aspartic acid toxicity in organotypic hippocampal cultures. 1995 , 132, 209-19	78
1041	Intracellular acidification is not a prerequisite for glutamate-triggered death of cultured hippocampal neurons. 1995 , 186, 139-44	26
1040	Methods for studying cell death and viability in primary neuronal cultures. 1995 , 46, 243-76	22
1039	Hyperthermia depletes adenosine triphosphate and decreases glutamate uptake in rat hippocampal slices. 1995 , 69, 395-405	28
1038	Neuroprotective effect of phenylsuccinate, an inhibitor of cytosolic glutamate formation from glutamine, under anoxic conditions but not during exposure to exogenous glutamate. 1995 , 183, 22-6	13
1037	Neurotoxicity of acromelic acid in cultured neurons from rat spinal cord. 1995 , 68, 585-91	14
1036	Brief exposure to hypoxia induces bFGF mRNA and protein and protects rat cortical neurons from prolonged hypoxic stress. 1995 , 23, 289-96	64
1035	Apoptosis induced by beta-N-oxalylamino-L-alanine on a motoneuron hybrid cell line. 1996 , 70, 1039-52	19
1034	Transforming growth factor-beta2 increases NMDA receptor-mediated excitotoxicity in rat cerebral cortical neurons independently of glia. 1996 , 204, 93-6	17
1033	omega-agatoxin IVA and excitotoxicity in cortical neuronal cultures. 1996 , 213, 142-4	5
1032	Hyperosmotic exposure alters total taurine quantity and cellular transport in rat astrocyte cultures. 1996 , 1290, 141-8	23

1031	Preincubation with protein synthesis inhibitors protects cortical neurons against oxygen-glucose deprivation-induced death. 1996 , 72, 335-41	51
1030	Expression of the calcium-binding protein, parvalbumin, in cultured cortical neurons using a HSV-1 vector system enhances NMDA neurotoxicity. 1996 , 40, 285-96	20
1029	L-trans-2,3-pyrrolidine dicarboxylate: characterization of a novel excitotoxin. 1996 , 35, 531-9	17
1028	Activation of group III metabotropic glutamate receptors is neuroprotective in cortical cultures. 1996 , 310, 61-6	54
1027	Inhibition of astrocyte gap junctional communication by ATP depletion is reversed by calcium sequestration. 1996 , 392, 225-8	27
1026	beta-Amyloid increases enzyme activity and protein levels of glutamine synthetase in cultured astrocytes. 1996 , 139, 167-71	16
1025	Buckminsterfullerenol free radical scavengers reduce excitotoxic and apoptotic death of cultured cortical neurons. 1996 , 3, 129-35	309
1024	Rapid alterations in dendrite morphology during sublethal hypoxia or glutamate receptor activation. 1996 , 3, 215-27	183
1023	(-) deprenyl attenuates aluminium induced neurotoxicity in primary cortical cultures. 1996 , 5, 161-7	9
1022	Extracellular synthesis of cADP-ribose from nicotinamide-adenine dinucleotide by rat cortical astrocytes in culture. 1996 , 16, 5372-81	18
1021	Ca(2+)-permeable AMPA/kainate and NMDA channels: high rate of Ca2+ influx underlies potent induction of injury. 1996 , 16, 5457-65	141
1020	MK-801 reduces uptake and stimulates efflux of excitatory amino acids via membrane depolarization. 1996 , 270, C1398-404	21
1019	AMPA receptor activation is rapidly toxic to cortical astrocytes when desensitization is blocked. 1996 , 16, 200-9	97
1018	Activation of metabotropic glutamate receptor subtype mGluR1 contributes to post-traumatic neuronal injury. 1996 , 16, 6012-20	107
1017	Mechanisms of edema formation after intracerebral hemorrhage: effects of thrombin on cerebral blood flow, blood-brain barrier permeability, and cell survival in a rat model. 1996 , 1, E3	1
1016	Effects of ICE-like protease and calpain inhibitors on neuronal apoptosis. 1996 , 8, 249-55	109
1015	Techniques for assessing neuroprotective drugs in vitro. 1997 , 40, 69-93	16
1014	beta-Amyloid toxicity in organotypic hippocampal cultures: protection by EUK-8, a synthetic catalytic free radical scavenger. 1996 , 93, 2312-6	206

1013	An alpha-mercaptoacrylic acid derivative is a selective nonpeptide cell-permeable calpain inhibitor and is neuroprotective. 1996, 93, 6687-92	247
1012	Non-erythroid alpha-spectrin breakdown by calpain and interleukin 1 beta-converting-enzyme-like protease(s) in apoptotic cells: contributory roles of both protease families in neuronal apoptosis. 1996, 319 (Pt 3), 683-90	404
1011	Derivatives of Dexanabinol. I. Water-soluble salts of glycinate esters. 1996, 13, 62-9	11
1010	Glutathione release and catabolism during energy substrate restriction in astrocytes. 1996, 710, 229-33	28
1009	Polyamine amides are neuroprotective in cerebellar granule cell cultures challenged with excitatory amino acids. 1996, 717, 135-46	33
1008	In vitro neuroprotective properties of the novel cholinergic channel activator (ChCA), ABT-418. 1996, 719, 36-44	97
1007	Cytotoxic effects of kainate ligands on HEK cell lines expressing recombinant kainate receptors. 1996, 720, 69-74	7
1006	Choline's phosphorylation in rat striatal slices is regulated by the activity of cholinergic neurons. 1996, 723, 90-9	18
1005	Inhibition of free radical production or free radical scavenging protects from the excitotoxic cell death mediated by glutamate in cultures of cerebellar granule neurons. 1996, 728, 1-6	109
1004	Heat stress reduces glutamate toxicity in cultured neurons without HSP70 expression. 1996, 729, 273-276	12
1003	Contributing mechanisms for cysteine excitotoxicity in cultured cerebellar granule cells. 1996, 21, 293-8	25
1002	Noninvasive assessment of the relative roles of cerebral antioxidant enzymes by quantitation of pentose phosphate pathway activity. 1996, 21, 1005-12	24
1001	Nitric oxide-mediated mitochondrial damage: a potential neuroprotective role for glutathione. 1996, 21, 995-1001	220
1000	Role of aspartate in ischemic spinal cord damage. 1996, 14, 504-10	13
999	Cyclosporine induces neuronal apoptosis and selective oligodendrocyte death in cortical cultures. 1996, 40, 750-8	119
998	Nuclear disintegration as a leading step of glutamate excitotoxicity in brain neurons. 1996, 43, 613-22	46
997	Inhibition of glutamate uptake induces progressive accumulation of extracellular glutamate and neuronal damage in rat cortical cultures. 1996, 44, 551-61	57
996	Expression of N-methyl-D-aspartate (NMDA) and non-NMDA glutamate receptor genes in neuroblastoma, medulloblastoma, and other cells lines. 1996, 46, 164-78	64

995	Pathophysiology of oligodendroglial excitotoxicity. 1996 , 46, 427-37		123
994	Genetic elevation of monoamine oxidase levels in dopaminergic PC12 cells results in increased free radical damage and sensitivity to MPTP. 1996 , 46, 666-73		23
993	Inhibition of T and B cell proliferation by titanium, cobalt, and chromium: role of IL-2 and IL-6. 1996 , 32, 655-61		56
992	Astrocyte survival and HSP70 heat shock protein induction following heat shock and acidosis. 1996 , 17, 147-59		56
991	Assessment of neuronal viability with Alamar blue in cortical and granule cell cultures. <i>Journal of Neuroscience Methods</i> , 1996 , 70, 195-200	3	90
990	GABAA receptor activation attenuates excitotoxicity but exacerbates oxygen-glucose deprivation-induced neuronal injury in vitro. 1996 , 16, 1211-8		56
989	Characterization of excitatory amino acid neurotoxicity in N-methyl-D-aspartate receptor-deficient mouse cortical neuronal cells. 1996 , 8, 69-78		24
988	DCG-IV selectively attenuates rapidly triggered NMDA-induced neurotoxicity in cortical neurons. 1996 , 8, 138-43		65
987	The glutamate transport inhibitor L-trans-pyrrolidine-2,4-dicarboxylate indirectly evokes NMDA receptor mediated neurotoxicity in rat cortical cultures. 1996 , 8, 1840-52		64
986	The competitive transport inhibitor L-trans-pyrrolidine-2, 4-dicarboxylate triggers excitotoxicity in rat cortical neuron-astrocyte co-cultures via glutamate release rather than uptake inhibition. 1996 , 8, 2019-28		99
985	Injury-induced synthesis and release of apolipoprotein E and clusterin from rat neural cells. 1996 , 8, 2652-61		35
984	Ibudilast protects against neuronal damage induced by glutamate in cultured hippocampal neurons. 1996 , 23, 519-23		16
983	Glutamate-induced efflux of protein, neuron-specific enolase and lactate dehydrogenase from a mesencephalic cell culture. 1996 , 34, 305-10		3
982	Hemoglobin potentiates excitotoxic injury in cortical cell culture. 1996 , 13, 223-31		81
981	Beta-secretase processing of the beta-amyloid precursor protein in transgenic mice is efficient in neurons but inefficient in astrocytes. 1996 , 271, 31407-11		74
980	An in vitro model of traumatic neuronal injury: loading rate-dependent changes in acute cytosolic calcium and lactate dehydrogenase release. 1997 , 14, 355-68		117
979	Purification and cloning of carp nephrosin, a secreted zinc endopeptidase of the astacin family. 1997 , 272, 13772-8		26
978	Glutamine synthetase protects against neuronal degeneration in injured retinal tissue. 1997 , 94, 7024-9		116

977	High density lipoprotein decreases beta-amyloid toxicity in cortical cell culture. 1997 , 8, 1127-30	27
976	Prosthetic metals interfere with the functions of human osteoblast cells in vitro. 1997 , 216-26	68
975	Existence of a human urinary trypsin inhibitor (urinastatin)-like substance in the rat brain. 1992 , 60, 97-103	11
974	Increased production of extracellular glutamate by the mitochondrial glutaminase following neuronal death. 1997 , 272, 11276-82	63
973	Mechanisms of edema formation after intracerebral hemorrhage: effects of thrombin on cerebral blood flow, blood-brain barrier permeability, and cell survival in a rat model. 1997 , 86, 272-8	285
972	Caspase inhibition selectively reduces the apoptotic component of oxygen-glucose deprivation-induced cortical neuronal cell death. 1997 , 9, 159-69	128
971	DY-9760e, a novel calmodulin antagonist with cytoprotective action. 1997 , 336, 99-106	31
970	Synaptosomes. A model system to study release of multiple classes of neurotransmitters. 1997 , 72, 33-47	23
969	Mediation of neuronal apoptosis by enhancement of outward potassium current. 1997 , 278, 114-7	530
968	Attenuation of oxidative neuronal necrosis by a dopamine D1 agonist in mouse cortical cell cultures. 1997 , 146, 604-8	48
967	Comparison of glutamate and N-methyl-D-aspartate toxicities on rat mesencephalic primary cell cultures. 1997 , 15, 851-65	4
966	Induction of tolerance in rat cortical neurons: hypoxic preconditioning. 1997 , 414, 117-21	116
965	Sodium channel modulators prevent oxygen and glucose deprivation injury and glutamate release in rat neocortical cultures. 1997 , 36, 1031-8	27
964	CP-101,606, a potent neuroprotectant selective for forebrain neurons. 1997 , 331, 117-26	94
963	Elevated expression of glutathione peroxidase in PC12 cells results in protection against methamphetamine but not MPTP toxicity. 1997 , 46, 154-60	35
962	Enhanced neuronal death from focal ischemia in AMPA-receptor transgenic mice. 1997 , 52, 235-41	31
961	Kainate excitotoxicity is mediated by AMPA- but not kainate-preferring receptors in embryonic rat hippocampal cultures. 1997 , 31, 715-22	32
960	Eugenol protects neuronal cells from excitotoxic and oxidative injury in primary cortical cultures. 1997 , 225, 93-6	98

959	HSP70 protects murine astrocytes from glucose deprivation injury. 1997 , 224, 9-12	63
958	Protection by diphenyliodonium against glutamate neurotoxicity due to blocking of N-methyl-D-aspartate receptors. 1997 , 76, 459-66	10
957	Metabolic alterations produced by 3-nitropropionic acid in rat striata and cultured astrocytes: quantitative in vitro ¹ H nuclear magnetic resonance spectroscopy and biochemical characterization. 1997 , 79, 819-26	31
956	Increasing vulnerability of astrocytes to oxidative injury with age despite constant antioxidant defenses. 1998 , 82, 915-25	57
955	AMPA neurotoxicity in cultured cerebellar granule neurons: mode of cell death. 1997 , 43, 393-403	45
954	Dissociation of effects of glutamate receptor antagonists on excitotoxic and hypoxic neuronal cell death in a novel rat cortical culture system. 1997 , 44, 131-9	14
953	Calpain activation contributes to dendritic remodeling after brief excitotoxic injury in vitro. 1997 , 17, 951-9	122
952	Mechanisms and effects of intracellular calcium buffering on neuronal survival in organotypic hippocampal cultures exposed to anoxia/aglycemia or to excitotoxins. 1997 , 17, 3538-53	110
951	Sublethal oxygen-glucose deprivation alters hippocampal neuronal AMPA receptor expression and vulnerability to kainate-induced death. 1997 , 17, 9536-44	60
950	Determination of the time course and extent of neurotoxicity at defined temperatures in cultured neurons using a modified multiwell plate fluorescence scanner. 1997 , 17, 455-63	36
949	Glutamate toxicity on a PC12 cell line involves glutathione (GSH) depletion and oxidative stress. 1997 , 23, 637-47	93
948	Decreased glutathione results in calcium-mediated cell death in PC12. 1997 , 23, 1055-66	59
947	Vulnerability to glucose deprivation injury correlates with glutathione levels in astrocytes. 1997 , 748, 151-6	88
946	Estrogens attenuate neuronal injury due to hemoglobin, chemical hypoxia, and excitatory amino acids in murine cortical cultures. 1997 , 764, 133-40	129
945	Arachidonic acid inhibits uptake of amino acids and potentiates PKC effects on glutamate, but not GABA, exocytosis in isolated hippocampal nerve terminals. 1997 , 773, 90-7	20
944	Thapsigargin induces apoptosis in SH-SY5Y neuroblastoma cells and cerebrocortical cultures. 1997 , 43, 197-205	14
943	Methylation of the NMDA receptor agonist L-trans-2,3-pyrrolidine-dicarboxylate: enhanced excitotoxic potency and selectivity. 1997 , 144, 45-55	6
942	Differentiation of the human NT2 cells into neurons and glia. 1997 , 19, 213-219	11

941	Inhibitory effects of ginseng total saponins on hypoxia-induced dysfunction and injuries of cultured astrocytes. 1997 , 20, 103-9	3
940	Phenytoin protected mouse cortical cell cultures against neurotoxicity induced by kainate but not by NMDA. 1997 , 12, 179-184	1
939	Prosthetic metals impair murine immune response and cytokine release in vivo and in vitro. 1997 , 15, 688-99	59
938	Toxicity of ricin and volkensin, two ribosome-inactivating proteins, to microglia, astrocyte, and neuron cultures. 1997 , 20, 203-9	16
937	Astrocyte energetics, function, and death under conditions of incomplete ischemia: a mechanism of glial death in the penumbra. 1997 , 21, 142-53	117
936	Effect of N-methyl-D-aspartate and potassium on striatal monoamine metabolism in immature rat: an in vivo microdialysis study. 1998 , 23, 1159-65	4
935	Effect of halothane in cortical cell cultures exposed to N-methyl-D-aspartate. 1998 , 23, 17-23	20
934	Antagonists for group I mGluRs attenuate excitotoxic neuronal death in cortical cultures. 1998 , 10, 2848-55	65
933	Toxic effects of acetylcholinesterase on neuronal and glial-like cells in vitro. 1998 , 3, 247-55	53
932	Kainate-stimulated Zn ²⁺ uptake labels cortical neurons with Ca ²⁺ -permeable AMPA/kainate channels. 1998 , 781, 45-56	34
931	Trimethyltin (TMT) neurotoxicity in organotypic rat hippocampal slice cultures. 1998 , 783, 305-15	39
930	Xanthine oxidase-derived superoxide causes reoxygenation injury of ischemic cerebral endothelial cells. 1998 , 786, 89-95	71
929	Glutamate neurotoxicity is associated with nitric oxide-mediated mitochondrial dysfunction and glutathione depletion. 1998 , 790, 209-16	128
928	The E6 and E7 genes of human papilloma virus-type 16 protect primary astrocyte cultures from injury. 1998 , 795, 10-6	18
927	Protective effect of N-(3-(aminomethyl)benzyl) acetamidine, an inducible nitric oxide synthase inhibitor, in brain slices exposed to oxygen-glucose deprivation. 1998 , 354, 161-5	33
926	The intact isolated (ex vivo) retina as a model system for the study of excitotoxicity. 1998 , 17, 465-83	22
925	Nitric oxide donors protect cultured rat astrocytes from 1-methyl-4-phenylpyridinium-induced toxicity. 1998 , 24, 705-13	37
924	Mechanical injury to neuronal/glial cultures in microplates: role of NMDA receptors and pH in secondary neuronal cell death. 1998 , 51, 748-58	42

923	Ginsenosides Rb1 and Rg3 protect cultured rat cortical cells from glutamate-induced neurodegeneration. 1998 , 53, 426-32	187
922	Effect of benzodiazepines and neurosteroids on ammonia-induced swelling in cultured astrocytes. 1998 , 54, 673-80	84
921	4-hydroxynonenal, a lipid peroxidation product, impairs glutamate transport in cortical astrocytes. 1998 , 22, 149-60	122
920	Neurotoxicity evoked by N-methyl-D-aspartate in the organotypic static slice cultures of rat cerebral cortices: effect of GABA(A) receptor activation. 1998 , 95, 592-6	12
919	Potentialiation of murine astrocyte antioxidant defence by bcl-2: protection in part reflects elevated glutathione levels. 1998 , 10, 1252-60	55
918	The neuronal death induced by endotoxic shock but not that induced by excitatory amino acids requires TNF-alpha. 1998 , 10, 3107-14	46
917	Synergistic neurotoxic effects of combined treatments with cytokines in murine primary mixed neuron/glia cultures. 1998 , 85, 1-10	171
916	Characterization of cyclothiazide-enhanced kainate excitotoxicity in rat hippocampal cultures. 1998 , 32, 265-71	17
915	Medium transitory oxygen-glucose deprivation induced both apoptosis and necrosis in cerebellar granule cells. 1998 , 240, 21-4	36
914	A fluorescence confocal assay to assess neuronal viability in brain slices. 1998 , 2, 99-108	35
913	Ethanol modulates induction of nitric oxide synthase in glial cells by endotoxin. 1998 , 63, 1571-83	25
912	Neuronal death induced by SIN-1 in the presence of superoxide dismutase: protection by cyclic GMP. 1998 , 37, 1071-9	36
911	Differential toxicity of protease inhibitors in cultures of cerebellar granule neurons. 1998 , 153, 335-41	8
910	Distinct roles for sodium, chloride, and calcium in excitotoxic dendritic injury and recovery. 1998 , 154, 241-58	116
909	Depletion of intracellular zinc induces protein synthesis-dependent neuronal apoptosis in mouse cortical culture. 1998 , 154, 47-56	62
908	Neuronal death in cultured murine cortical cells is induced by inhibition of GAPDH and triosephosphate isomerase. 1998 , 5, 47-54	41
907	Enhancement of outward potassium current may participate in beta-amyloid peptide-induced cortical neuronal death. 1998 , 5, 81-8	167
906	Involvement of de novo ceramide biosynthesis in tumor necrosis factor-alpha/cycloheximide-induced cerebral endothelial cell death. 1998 , 273, 16521-6	152

905	Toxic effect of hemoglobin on spinal cord neurons in culture. 1998 , 15, 645-53	52
904	Dehydroepiandrosterone (DHEA) and DHEA-sulfate (DHEAS) protect hippocampal neurons against excitatory amino acid-induced neurotoxicity. 1998 , 95, 1852-7	378
903	Sublethal in vitro glucose-oxygen deprivation protects cultured hippocampal neurons against a subsequent severe insult. 1998 , 9, 1273-6	39
902	Nerve growth factor potentiates the oxidative necrosis of striatal cholinergic neurons. 1998 , 9, 687-90	21
901	Acidosis reduces neuronal apoptosis. 1998 , 9, 875-9	46
900	Extracellular acidity potentiates AMPA receptor-mediated cortical neuronal death. 1998 , 18, 6290-9	52
899	Neuroprotection by glial metabotropic glutamate receptors is mediated by transforming growth factor-beta. 1998 , 18, 9594-600	245
898	Chronic interleukin-6 alters NMDA receptor-mediated membrane responses and enhances neurotoxicity in developing CNS neurons. 1998 , 18, 10445-56	139
897	Rapid Ca ²⁺ entry through Ca ²⁺ -permeable AMPA/Kainate channels triggers marked intracellular Ca ²⁺ rises and consequent oxygen radical production. 1998 , 18, 7727-38	184
896	Taurine synthesis and cysteine metabolism in cultured rat astrocytes: effects of hyperosmotic exposure. 1998 , 274, C866-74	41
895	Up-regulation of a serine protease inhibitor in astrocytes mediates the neuroprotective activity of transforming growth factor β 1. 1998 , 12, 1683-1691	104
894	In vivo characterization of 11beta-hydroxysteroid dehydrogenase in rat hippocampus using glucocorticoid neuroendangerment as an endpoint. 1999 , 69, 138-44	26
893	Cerebral cortical neuron apoptosis after mild excitotoxic injury in vitro: different roles of mesencephalic and cortical astrocytes. 1999 , 45, 1413-22	9
892	Measurement of intracellular free zinc concentrations accompanying zinc-induced neuronal death. 1999 , 19, RC31	111
891	Hypoxia modulates nitric oxide-induced regulation of NMDA receptor currents and neuronal cell death. 1999 , 277, C673-83	38
890	Ischemic tolerance in murine cortical cell culture: critical role for NMDA receptors. 1999 , 19, 1657-62	214
889	Reversal of HO-1 related cytoprotection with increased expression is due to reactive iron. 1999 , 13, 1800-9	343
888	Combined mechanical trauma and metabolic impairment in vitro induces NMDA receptor-dependent neuronal cell death and caspase-3-dependent apoptosis. 1999 , 13, 1875-82	59

887	Neuroprotective effect of high glucose against NMDA, free radical, and oxygen-glucose deprivation through enhanced mitochondrial potentials. 1999 , 19, 8849-55	41
886	Protection from oxidative stress-induced apoptosis in cortical neuronal cultures by iron chelators is associated with enhanced DNA binding of hypoxia-inducible factor-1 and ATF-1/CREB and increased expression of glycolytic enzymes, p21(waf1/cip1), and erythropoietin. 1999 , 19, 9821-30	291
885	Preferential Zn ²⁺ influx through Ca ²⁺ -permeable AMPA/kainate channels triggers prolonged mitochondrial superoxide production. 1999 , 96, 2414-9	345
884	Insulin-Induced Oxidative Neuronal Injury in Cortical Culture: Mediation by Induced N-Methyl-D-aspartate Receptors. 1999 , 48, 263-269	16
883	Effect of 17-beta-estradiol and ginsenoside Rg1 on reactive microglia induced by beta-amyloid peptides. 1999 , 1, 153-61	11
882	Synthesis of novel orthoalkylaminophenol derivatives as potent neuroprotective agents in vitro. 1999 , 9, 2929-34	15
881	The antioxidant EPC-K1 attenuates NO-induced mitochondrial dysfunction, lipid peroxidation and apoptosis in cerebellar granule cells. 1999 , 134, 117-26	25
880	Cell death, calcium mobilization, and immunostaining for phosphorylated eukaryotic initiation factor 2-alpha (eIF2alpha) in neuronally differentiated NB-104 cells: arachidonate and radical-mediated injury mechanisms. 1999 , 41, 71-83	16
879	Hippocampal alterations of apolipoprotein E and D mRNA levels in vivo and in vitro following kainate excitotoxicity. 1999 , 35, 135-46	39
878	Cyclosporin A and its nonimmunosuppressive analogue N-Me-Val-4-cyclosporin A mitigate glucose/oxygen deprivation-induced damage to rat cultured hippocampal neurons. 1999 , 11, 3194-8	91
877	1-Aminoindan-1,5-dicarboxylic acid and (S)-(+)-2-(3'-carboxybicyclo[1.1.1] pentyl)-glycine, two mGlu1 receptor-preferring antagonists, reduce neuronal death in in vitro and in vivo models of cerebral ischaemia. 1999 , 11, 3637-47	92
876	Down-regulation of neuronal nitric oxide synthase by nitric oxide after oxygen-glucose deprivation in rat forebrain slices. 1999 , 72, 248-54	38
875	Antioxidative and proapoptotic effects of riluzole on cultured cortical neurons. 1999 , 72, 716-23	43
874	A potential role for erythropoietin in focal permanent cerebral ischemia in mice. 1999 , 19, 643-51	616
873	A transforming growth factor-beta antagonist unmasks the neuroprotective role of this endogenous cytokine in excitotoxic and ischemic brain injury. 1999 , 19, 1345-53	110
872	Glutaric aciduria type I: pathomechanisms of neurodegeneration. 1999 , 22, 392-403	77
871	Differential effect of cycloheximide on neuronal and glioma cells treated with chemotherapy and radiation. 1999 , 45, 19-26	6
870	Insulin-induced oxidative neuronal injury in cortical culture: mediation by induced N-methyl-D-aspartate receptors. 1999 , 48, 263-9	18

869	Nitric oxide mediates capsaicin-induced cytotoxicity in cultured dorsal root ganglion neurons. 1999 , 22, 432-4	
868	Selective neurodegeneration induced in rotation-mediated aggregate cell cultures by a transient switch to stationary culture conditions: a potential model to study ischemia-related pathogenic mechanisms. 1999 , 818, 84-95	12
867	Inosine and guanosine preserve neuronal and glial cell viability in mouse spinal cord cultures during chemical hypoxia. 1999 , 821, 426-32	75
866	Excitotoxic effects of non-NMDA receptor agonists in organotypic corticostriatal slice cultures. 1999 , 841, 143-59	47
865	Toxicity induced by a polyglutamated folate analog is attenuated by NAALADase inhibition. 1999 , 843, 48-52	6
864	3-Nitropropionic acid: an astrocyte-sparing neurotoxin in vitro. 1999 , 850, 144-9	35
863	Use of brain slices in the study of pathogenic role of inducible nitric oxide synthase in cerebral ischemia-reperfusion. 1999 , 32, 577-81	16
862	Open channel block of NMDA receptors by conformationally restricted analogs of milnacipran and their protective effect against NMDA-induced neurotoxicity. 1999 , 31, 87-96	11
861	PC12 and neuro 2a cells have different susceptibilities to acetylcholinesterase-amyloid complexes, amyloid25-35 fragment, glutamate, and hydrogen peroxide. 1999 , 56, 620-31	52
860	NMDA receptor-mediated K ⁺ efflux and neuronal apoptosis. 1999 , 284, 336-9	209
859	Nonproteolytic neuroprotection by human recombinant tissue plasminogen activator. 1999 , 284, 647-50	145
858	Markers for neuronal degeneration in organotypic slice cultures. 1999 , 3, 278-90	249
857	Attenuation of NMDA receptor activity and neurotoxicity by nitroxyl anion, NO ⁻ . 1999 , 24, 461-9	181
856	Overexpression of bcl-2, bcl-XL or hsp70 in murine cortical astrocytes reduces injury of co-cultured neurons. 1999 , 277, 193-7	48
855	Reduction of lipopolysaccharide-induced neurotoxicity in mixed cortical neuron/glia cultures by femtomolar concentrations of pituitary adenylate cyclase-activating polypeptide. 1999 , 91, 493-500	47
854	Glutamatergic receptors regulate expression, phosphorylation and accumulation of neurofilaments in spinal cord neurons. 1999 , 93, 1123-33	27
853	Prevention of neuronal apoptosis by phorbol ester-induced activation of protein kinase C: blockade of p38 mitogen-activated protein kinase. 1999 , 94, 917-27	65
852	Sphingosine-1-phosphate induces apoptosis of cultured hippocampal neurons that requires protein phosphatases and activator protein-1 complexes. 1999 , 94, 405-15	55

851	Antillatoxin and kalkitoxin, ichthyotoxins from the tropical cyanobacterium <i>Lyngbya majuscula</i> , induce distinct temporal patterns of NMDA receptor-mediated neurotoxicity. 1999 , 37, 1645-8		74
850	Protection with metabotropic glutamate 1 receptor antagonists in models of ischemic neuronal death: time-course and mechanisms. 1999 , 38, 1607-19		130
849	Selective activation of group II mGluRs with LY354740 does not prevent neuronal excitotoxicity. 1999 , 38, 1621-30		24
848	Neurotoxic and neuroprotective actions of catecholamines in cortical neurons. 1999 , 159, 217-24		58
847	Role of glutamate receptors and voltage-dependent calcium channels in glutamate toxicity in energy-compromised cortical neurons. 1999 , 80, 351-8		8
846	BN 80933 inhibits F2-isoprostane elevation in focal cerebral ischaemia and hypoxic neuronal cultures. 2000 , 11, 1357-60		21
845	Expression of functional mGlu5 metabotropic glutamate receptors in human melanocytes. 2000 , 183, 364-72		43
844	Protein synthesis-dependent but Bcl-2-independent cytochrome C release in zinc depletion-induced neuronal apoptosis. 2000 , 61, 508-14		16
843	Thiamine deficiency results in metabolic acidosis and energy failure in cerebellar granule cells: an in vitro model for the study of cell death mechanisms in Wernicke's encephalopathy. 2000 , 62, 286-92		59
842	Opposing effects of adenosine on the survival of glial cells exposed to chemical ischemia. 2000 , 62, 539-46		7
841	Polyhydroxylated C(60), fullerenols, as glutamate receptor antagonists and neuroprotective agents. 2000 , 62, 600-7		130
840	Production of macrophage inflammatory protein-2 following hypoxia/reoxygenation in glial cells. 2000 , 32, 155-164		29
839	Mechanisms of apoptosis in rat cerebellar granule cells induced by hydroxyl radicals and the effects of EGb761 and its constituents. 2000 , 148, 103-10		50
838	A microtiter trypan blue absorbance assay for the quantitative determination of excitotoxic neuronal injury in cell culture. <i>Journal of Neuroscience Methods</i> , 2000 , 100, 157-63	3	103
837	Comparison of the LDH and MTT assays for quantifying cell death: validity for neuronal apoptosis?. <i>Journal of Neuroscience Methods</i> , 2000 , 96, 147-52	3	315
836	Differing effects of copper,zinc superoxide dismutase overexpression on neurotoxicity elicited by nitric oxide, reactive oxygen species, and excitotoxins. 2000 , 20, 359-68		41
835	Novel characteristics of glutamate-induced cell death in primary septohippocampal cultures: relationship to calpain and caspase-3 protease activation. 2000 , 20, 550-62		22
834	Ischemia-induced interleukin-6 as a potential endogenous neuroprotective cytokine against NMDA receptor-mediated excitotoxicity in the brain. 2000 , 20, 956-66		154

833	Activation of group I metabotropic glutamate receptors reduces neuronal apoptosis but increases necrotic cell death in vitro. <i>Cell Death and Differentiation</i> , 2000 , 7, 470-6	12.7	77
832	Acrolein, a product of lipid peroxidation, inhibits glucose and glutamate uptake in primary neuronal cultures. 2000 , 29, 714-20		94
831	Oxidative derangement in rat synaptosomes induced by hyperglycaemia: restorative effect of dehydroepiandrosterone treatment. 2000 , 60, 389-95		69
830	Depletion of intracellular zinc induces macromolecule synthesis- and caspase-dependent apoptosis of cultured retinal cells. 2000 , 869, 39-48		42
829	Influence of corticotrophin releasing factor on neuronal cell death in vitro and in vivo. 2000 , 881, 139-43		24
828	delta-, but not mu- and kappa-, opioid receptor activation protects neocortical neurons from glutamate-induced excitotoxic injury. 2000 , 885, 143-53		135
827	L-type Ca(2+) channel-mediated Zn(2+) toxicity and modulation by ZnT-1 in PC12 cells. 2000 , 886, 99-107		86
826	Non-N-methyl-D-aspartate glutamate receptors mediate oxygen--glucose deprivation-induced oligodendroglial injury. 2000 , 854, 207-15		50
825	Astroglial cell death induced by excessive influx of sodium ions. 2000 , 408, 127-35		23
824	EPC-K1 protects neuronal cells from peroxynitrite-mediated oxidative damage. 2000 , 26, 667-677		1
823	Polyunsaturated fatty acids are potent neuroprotectors. 2000 , 19, 1784-93		356
822	Reduction of lipopolysaccharide-induced neurotoxicity in mouse mixed cortical neuron/glia cultures by ultralow concentrations of dynorphins. 2000 , 7, 241-7		11
821	Cerebral organic acid disorders induce neuronal damage via excitotoxic organic acids in vitro. 2000 , 18, 31-40		26
820	Excitatory amino acid neurotoxicity and modulation of glutamate receptor expression in organotypic brain slice cultures. 2000 , 19, 7-21		67
819	Okadaic acid induces cycloheximide and caspase sensitive apoptosis in immature neurons. 2000 , 10, 83-9		10
818	Effects of Conventional and New Peritoneal Dialysis Solutions on Human Peritoneal Mesothelial Cell Viability and Proliferation. 2000 , 20, 10-18		44
817	Induction and activation by zinc of NADPH oxidase in cultured cortical neurons and astrocytes. 2000 , 20, RC111		254
816	Co-induction of p75NTR and p75NTR-associated death executor in neurons after zinc exposure in cortical culture or transient ischemia in the rat. 2000 , 20, 9096-103		101

815	Zinc-induced cortical neuronal death: contribution of energy failure attributable to loss of NAD(+) and inhibition of glycolysis. 2000 , 20, 3139-46	307
814	The electrogenic sodium bicarbonate cotransporter: developmental expression in rat brain and possible role in acid vulnerability. 2000 , 20, 1001-8	71
813	AMPA exposures induce mitochondrial Ca(2+) overload and ROS generation in spinal motor neurons in vitro. 2000 , 20, 240-50	257
812	Stretch injury causes calpain and caspase-3 activation and necrotic and apoptotic cell death in septo-hippocampal cell cultures. 2000 , 17, 283-98	86
811	Transgenic mice neuronally expressing baculoviral p35 are resistant to diverse types of induced apoptosis, including seizure-associated neurodegeneration. 2000 , 97, 2270-5	47
810	Dynamic mechanical stretch of organotypic brain slice cultures induces differential genomic expression: relationship to mechanical parameters. 2000 , 122, 224-30	51
809	Oxygen-glucose deprivation induces inducible nitric oxide synthase and nitrotyrosine expression in cerebral endothelial cells. 2000 , 31, 1744-51	86
808	Melatonin is protective in necrotic but not in caspase-dependent, free radical-independent apoptotic neuronal cell death in primary neuronal cultures. 2000 , 14, 1814-24	53
807	Caspase-mediated proteolytic activation of calcineurin in thapsigargin-mediated apoptosis in SH-SY5Y neuroblastoma cells. 2000 , 379, 337-43	44
806	Expression of the Na(+)/Ca(2+) exchanger ameliorates ionomycin-induced cell death. 2000 , 276, 93-6	4
805	NT-4/5 exacerbates free radical-induced neuronal necrosis in vitro and in vivo. 2000 , 7, 251-9	22
804	Reduction by naloxone of lipopolysaccharide-induced neurotoxicity in mouse cortical neuron-glia co-cultures. 2000 , 97, 749-56	77
803	Nitric oxide reduces Ca(2+) and Zn(2+) influx through voltage-gated Ca(2+) channels and reduces Zn(2+) neurotoxicity. 2000 , 100, 651-61	29
802	Role of nitric oxide in the ethylcholine aziridinium model of delayed apoptotic neurodegeneration in vivo and in vitro. 2000 , 97, 383-93	26
801	Mechanisms of the neuroprotective effect of aspirin after oxygen and glucose deprivation in rat forebrain slices. 2000 , 39, 1309-18	58
800	Assessment of cell viability in primary neuronal cultures. 2001 , Chapter 7, Unit7.18	9
799	Neuroprotective constituents from Hedyotis diffusa. 2001 , 64, 75-8	65
798	Calcitonin potentiates oxygen-glucose deprivation-induced neuronal death. 2001 , 167, 183-8	7

797	Differential neuroprotection from human heat shock protein 70 overexpression in in vitro and in vivo models of ischemia and ischemia-like conditions. 2001 , 170, 129-39	111
796	Differential sensitivity of murine astrocytes and neurons from different brain regions to injury. 2001 , 169, 416-24	86
795	Attenuation of staurosporine-induced apoptosis, oxidative stress, and mitochondrial dysfunction by synthetic superoxide dismutase and catalase mimetics, in cultured cortical neurons. 2001 , 171, 84-97	72
794	Mutant huntingtin enhances excitotoxic cell death. 2001 , 17, 41-53	158
793	Characterization of ceramide-induced apoptotic death in cerebellar granule cells in culture. 2001 , 39, 11-8	33
792	Cytotoxic effect of alcohol-withdrawal on primary cultures of cortical neurones. 2001 , 61, 155-62	27
791	Cytoprotective effect of <i>Scutellaria baicalensis</i> in CA1 hippocampal neurons of rats after global cerebral ischemia. 2001 , 77, 183-8	81
790	BAPTA/AM, an intracellular calcium chelator, induces delayed necrosis by lipoxygenase-mediated free radicals in mouse cortical cultures. 2001 , 25, 1641-59	22
789	Calcium/calmodulin-dependent protein kinase inhibition potentiates thapsigargin-mediated cell death in SH-SY5Y human neuroblastoma cells. 2001 , 301, 99-102	7
788	Recombinant core protein fragment of phosphacan, a brain specific chondroitin sulfate proteoglycan, promote excitotoxic cell death of cultured rat hippocampal neurons. 2001 , 304, 169-72	7
787	Preparation of 1,4-oxaselenin from $agNO(3)/LDA$ -assisted reaction of 3-selena-4-pentyn-1-one as potential antitumor agents. 2001 , 3, 1705-7	23
786	Mild cerebral ischemia induces loss of cyclin-dependent kinase inhibitors and activation of cell cycle machinery before delayed neuronal cell death. 2001 , 21, 5045-53	205
785	Neuroprotection mediated by glial cell line-derived neurotrophic factor: involvement of a reduction of NMDA-induced calcium influx by the mitogen-activated protein kinase pathway. 2001 , 21, 3024-33	174
784	Differential mechanisms of neuroprotection by 17 beta-estradiol in apoptotic versus necrotic neurodegeneration. 2001 , 21, 2600-9	140
783	Absence of direct antioxidant effects from volatile anesthetics in primary mixed neuronal-glia cultures. 2001 , 94, 303-212	21
782	Effects of volatile anesthetics on N-methyl-D-aspartate excitotoxicity in primary rat neuronal-glia cultures. 2001 , 95, 756-65	79
781	5-Hydroxytryptamine attenuates free radical injury in primary mouse cortical cultures. 2001 , 12, 963-6	7
780	Complement anaphylatoxin C3a is selectively protective against NMDA-induced neuronal cell death. 2001 , 12, 289-93	93

779	Bone morphogenetic protein-6 reduces ischemia-induced brain damage in rats. 2001 , 32, 2170-8	70
778	Amelioration of neurotoxic effects of HIV envelope protein gp120 by fibroblast growth factor: a strategy for neuroprotection. 2001 , 60, 293-301	39
777	Cyclooxygenase-2 inhibitor ns-398 protects neuronal cultures from lipopolysaccharide-induced neurotoxicity. 2001 , 32, 2370-5	115
776	Role of glutamatergic and GABAergic systems in alcoholism. 2001 , 8, 7-19	94
775	Neurotoxic effect of acamprosate, n-acetyl-homotaurine, in cultured neurons. 2001 , 8, 96-103	13
774	Lactate dehydrogenase release is facilitated by brief sonication of rat hippocampal slices and isolated retinas following acute neuronal damage. <i>Journal of Neuroscience Methods</i> , 2001 , 108, 49-55	3 9
773	Epidermal growth factor induces oxidative neuronal injury in cortical culture. 2000 , 75, 298-303	25
772	Cyclic GMP/cyclic GMP-dependent protein kinase system prevents excitotoxicity in an immortalized oligodendroglial cell line. 2000 , 74, 633-40	31
771	Chronic stress induces the expression of inducible nitric oxide synthase in rat brain cortex. 2000 , 74, 785-91	180
770	Astrocytes protect neurons from nitric oxide toxicity by a glutathione-dependent mechanism. 2001 , 77, 1601-10	181
769	Role of the outward delayed rectifier K ⁺ current in ceramide-induced caspase activation and apoptosis in cultured cortical neurons. 1999 , 73, 933-41	112
768	Pyrrolidine dithiocarbamate induces bovine cerebral endothelial cell death by increasing the intracellular zinc level. 1999 , 72, 1586-92	53
767	Mediation by membrane protein kinase C of zinc-induced oxidative neuronal injury in mouse cortical cultures. 1999 , 72, 1609-16	99
766	N-methyl-D-aspartate receptor-dependent and -independent cytotoxic effects of Dictyostelium discoideum differentiation-inducing factor-1 on rat cortical neurons. 2001 , 43, 709-16	1
765	Potentiation of 3-hydroxyglutarate neurotoxicity following induction of astrocytic iNOS in neonatal rat hippocampal cultures. 2001 , 13, 2115-22	50
764	Astrocytes overexpressing Cu,Zn superoxide dismutase have increased resistance to oxidative injury. 2001 , 33, 343-7	42
763	Dimebon and tacrine inhibit neurotoxic action of beta-amyloid in culture and block L-type Ca ²⁺ channels. 2001 , 132, 1079-83	70
762	The proteolytic activity of tissue-plasminogen activator enhances NMDA receptor-mediated signaling. 2001 , 7, 59-64	611

761	Amyloid beta peptide-induced cerebral endothelial cell death involves mitochondrial dysfunction and caspase activation. 2001 , 21, 702-10	113
760	Proteolysis of oxidized proteins after oxygen-glucose deprivation in rat cortical neurons is mediated by the proteasome. 2001 , 21, 1090-6	19
759	Concurrent assessment of calpain and caspase-3 activation after oxygen-glucose deprivation in primary septo-hippocampal cultures. 2001 , 21, 1281-94	62
758	Ethanol Effects on Nitric Oxide Production in Cerebral Pial Cultures. 2001 , 25, 612-618	17
757	Multiple pathways of neuroprotection against oxidative stress and excitotoxic injury in immature primary hippocampal neurons. 2001 , 132, 121-9	49
756	Differential roles of cyclooxygenase isoforms after kainic acid-induced prostaglandin E(2) production and neurodegeneration in cortical and hippocampal cell cultures. 2001 , 908, 1-9	45
755	Vitamin D(3) attenuates 6-hydroxydopamine-induced neurotoxicity in rats. 2001 , 904, 67-75	184
754	Kainate excitotoxicity in organotypic hippocampal slice cultures: evidence for multiple apoptotic pathways. 2001 , 916, 239-48	55
753	Neuroprotection mediated by glutamate carboxypeptidase II (NAALADase) inhibition requires TGF-beta. 2001 , 430, 33-40	31
752	Expression of glutathione-S-transferase isozyme in the SY5Y neuroblastoma cell line increases resistance to oxidative stress. 2001 , 31, 73-81	51
751	Hypothermia enhances bcl-2 expression and protects against oxidative stress-induced cell death in Chinese hamster ovary cells. 2001 , 31, 405-11	52
750	Specific inhibition of interferon signal transduction pathways by adenoviral infection. 2001 , 276, 47136-42	34
749	Protective effects of PJ34, a novel, potent inhibitor of poly(ADP-ribose) polymerase (PARP) in in vitro and in vivo models of stroke. 2001 , 7, 255	31
748	Antillatoxin is a marine cyanobacterial toxin that potently activates voltage-gated sodium channels. 2001 , 98, 7599-604	84
747	Organotins disrupt components of glutamate homeostasis in rat astrocyte cultures. 2001 , 63, 273-87	20
746	Poly(ADP-ribose) glycohydrolase mediates oxidative and excitotoxic neuronal death. 2001 , 98, 12227-32	183
745	Inhibition of glutamate release via recovery of ATP levels accounts for a neuroprotective effect of aspirin in rat cortical neurons exposed to oxygen-glucose deprivation. 2002 , 33, 261-7	79
744	Depletion of intracellular zinc from neurons by use of an extracellular chelator in vivo and in vitro. 2002 , 50, 1659-62	66

743	Ischemic injury in experimental stroke depends on angiotensin II. 2002 , 16, 169-76	93
742	Impact of progestins on estrogen-induced neuroprotection: synergy by progesterone and 19-norprogesterone and antagonism by medroxyprogesterone acetate. 2002 , 143, 205-12	278
741	Tolerance against ischemic neuronal injury can be induced by volatile anesthetics and is inducible NO synthase dependent. 2002 , 33, 1889-98	239
740	Saturation of neuroprotective effects of adenosine in cortical culture. 2002 , 13, 2075-8	8
739	BMP-7 and excess glutamate: opposing effects on dendrite growth from cerebral cortical neurons in vitro. 2002 , 176, 41-54	29
738	The role of NADPH oxidase and neuronal nitric oxide synthase in zinc-induced poly(ADP-ribose) polymerase activation and cell death in cortical culture. 2002 , 177, 407-18	126
737	Agrin regulates neuronal responses to excitatory neurotransmitters in vitro and in vivo. 2002 , 19, 97-110	36
736	Smad3-dependent induction of plasminogen activator inhibitor-1 in astrocytes mediates neuroprotective activity of transforming growth factor-beta 1 against NMDA-induced necrosis. 2002 , 21, 634-44	68
735	Neurotrophin-3 promotes cell death induced in cerebral ischemia, oxygen-glucose deprivation, and oxidative stress: possible involvement of oxygen free radicals. 2002 , 9, 24-37	27
734	Activator protein-1 complex expressed by magnetism in cultured rat hippocampal neurons. 2002 , 292, 200-7	29
733	Ceramide promotes the death of human cervical tumor cells in the absence of biochemical and morphological markers of apoptosis. 2002 , 293, 1028-36	32
732	Receptor-mediated internalization of [3H]-neurotensin in synaptosomal preparations from rat neostriatum. 2002 , 42, 1089-98	17
731	Relationship between lipophilicity of C6-10 hydrocarbon solvents and their ROS-inducing potency in rat cerebellar granule cells. 2002 , 23, 701-9	23
730	Involvement of calpain in hypoxia-induced damage in rat retina in vitro. 2002 , 131, 221-5	20
729	Akt1 regulates a JNK scaffold during excitotoxic apoptosis. 2002 , 35, 697-709	177
728	Substrate-dependence of reduction of MTT: a tetrazolium dye differs in cultured astroglia and neurons. 2002 , 40, 441-8	91
727	Increased sensitivity to NMDA is involved in alcohol-withdrawal induced cytotoxicity observed in primary cultures of cortical neurones chronically pre-treated with ethanol. 2002 , 40, 585-91	31
726	Preconditioned resistance to oxygen-glucose deprivation-induced cortical neuronal death: alterations in vesicular GABA and glutamate release. 2002 , 115, 173-83	37

725	Hypoxia/reoxygenation induces cell injury via different mechanisms in cultured rat cortical neurons and glial cells. 2002 , 322, 187-91	26
724	Implication of p53 and caspase-3 in kainic acid but not in N-methyl-D-aspartic acid-induced apoptosis in organotypic hippocampal mouse cultures. 2002 , 327, 1-4	12
723	Modeling both the mechanical and hypoxic features of traumatic brain injury in vitro in rats. 2002 , 328, 133-6	12
722	Erythropoietin is a paracrine mediator of ischemic tolerance in the brain: evidence from an in vitro model. 2002 , 22, 10291-301	408
721	Barbiturates induce mitochondrial depolarization and potentiate excitotoxic neuronal death. 2002 , 22, 9203-9	37
720	Acute neuronal injury after hypoxia is influenced by the reoxygenation mode in juvenile hippocampal slice cultures. 2002 , 137, 35-42	19
719	Domoic acid neurotoxicity in cultured cerebellar granule neurons is controlled preferentially by the NMDA receptor Ca(2+) influx pathway. 2002 , 924, 20-9	73
718	Mechanisms of bFGF and NT-4 potentiation of necrotic neuronal death. 2002 , 954, 42-50	18
717	Neurite outgrowth is impaired on HSP70-positive astrocytes through a mechanism that requires NF-kappaB activation. 2002 , 958, 359-70	20
716	Cofactors of mitochondrial enzymes attenuate copper-induced death in vitro and in vivo. 2002 , 52, 195-204	52
715	Peroxynitrite triggers a phenotypic transformation in spinal cord astrocytes that induces motor neuron apoptosis. 2002 , 67, 21-9	146
714	Maturation-dependent neurotoxicity of lead acetate in vitro: implication of glial reactions. 2002 , 70, 108-16	46
713	Type-2 astrocyte-like cells are more resistant than oligodendrocyte-like cells against non-N-methyl-D-aspartate glutamate receptor-mediated excitotoxicity. 2002 , 70, 588-98	10
712	Effect of intermittent and continuous exposure to electromagnetic fields on cultured hippocampal cells. 2002 , 23, 97-105	17
711	Neuroprotective MK801 is associated with nitric oxide synthase during hypoxia/reoxygenation in rat cortical cell cultures. 2002 , 84, 367-76	18
710	NMDA antagonists exacerbate neuronal death caused by proteasome inhibition in cultured cortical and striatal neurons. 2002 , 15, 419-28	22
709	Nitric oxide-dependent damage to neuronal mitochondria involves the NMDA receptor. 2002 , 15, 458-64	48
708	Brevetoxin-induced autocrine excitotoxicity is associated with manifold routes of Ca ²⁺ influx. 2000 , 74, 1443-51	45

707	Astrocyte-derived nitric oxide causes both reversible and irreversible damage to the neuronal mitochondrial respiratory chain. 2000 , 75, 694-700	99
706	Overexpression of Cu,Zn superoxide dismutase attenuates oxidative inhibition of astrocyte glutamate uptake. 2000 , 75, 939-45	19
705	Differing effects of substrate and non-substrate transport inhibitors on glutamate uptake reversal. 2001 , 79, 1207-16	68
704	Akt pathway mediates a cGMP-dependent survival role of nitric oxide in cerebellar granule neurones. 2002 , 81, 218-28	71
703	The role of NADPH oxidase, neuronal nitric oxide synthase and poly(ADP ribose) polymerase in oxidative neuronal death induced in cortical cultures by brain-derived neurotrophic factor and neurotrophin-4/5. 2002 , 82, 894-902	46
702	Polyethylene glycol immediately repairs neuronal membranes and inhibits free radical production after acute spinal cord injury. 2002 , 83, 471-80	134
701	Preservation of extracellular glutathione by an astrocyte derived factor with properties comparable to extracellular superoxide dismutase. 2002 , 83, 984-91	44
700	The essential nutrient pyrroloquinoline quinone may act as a neuroprotectant by suppressing peroxynitrite formation. 2002 , 16, 1015-24	44
699	Neuroprotective effect of hypothermia in cortical cultures exposed to oxygen-glucose deprivation or excitatory amino acids. 1994 , 63, 1398-406	88
698	Effect of peroxynitrite on the mitochondrial respiratory chain: differential susceptibility of neurones and astrocytes in primary culture. 1995 , 64, 1965-72	391
697	Alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionate (AMPA) receptors mediate excitotoxicity in the oligodendroglial lineage. 1995 , 64, 2442-8	115
696	Vasoactive intestinal peptide and pituitary adenylate cyclase-activating polypeptide potentiate c-fos expression induced by glutamate in cultured cortical neurons. 1995 , 65, 1-9	46
695	Direct detection of ascorbyl radical in experimental brain injury: microdialysis and an electron spin resonance spectroscopic study. 1995 , 65, 282-6	17
694	Toxic NMDA-receptor activation occurs during recovery in a tissue culture model of ischemia. 1995 , 65, 1681-91	32
693	High level expression of the NMDAR1 glutamate receptor subunit in electroporated COS cells. 1996 , 67, 1500-10	5
692	Inosine mediates the protective effect of adenosine in rat astrocyte cultures subjected to combined glucose-oxygen deprivation. 1996 , 67, 2051-9	63
691	NMDA receptor-mediated neurotoxicity: a paradoxical requirement for extracellular Mg ²⁺ in Na ⁺ /Ca ²⁺ -free solutions in rat cortical neurons in vitro. 1997 , 68, 1836-45	56
690	4-Hydroxynonenal, an aldehydic product of lipid peroxidation, impairs signal transduction associated with muscarinic acetylcholine and metabotropic glutamate receptors: possible action on G _{α(q/11)} . 1997 , 69, 570-80	114

689	Conditioning heat stress reduces excitotoxic and apoptotic components of oxygen-glucose deprivation-induced neuronal death in vitro. 1998 , 70, 120-9	17
688	Peroxynitrite and hydrogen peroxide induced cell death in the NSC34 neuroblastoma x spinal cord cell line: role of poly (ADP-ribose) polymerase. 1998 , 70, 501-8	78
687	Astrocytic gap junctional communication decreases neuronal vulnerability to oxidative stress-induced disruption of Ca ²⁺ homeostasis and cell death. 1998 , 70, 958-70	187
686	Neuroprotective effects of NMDA receptor glycine recognition site antagonism: dependence on glycine concentration. 1998 , 70, 2012-9	10
685	Evidence for activation of caspase-3-like protease in excitotoxin- and hypoxia/hypoglycemia-injured neurons. 1998 , 71, 186-95	86
684	Adenosine, inosine, and guanosine protect glial cells during glucose deprivation and mitochondrial inhibition: correlation between protection and ATP preservation. 1998 , 71, 535-48	80
683	Distinct influx pathways, not calcium load, determine neuronal vulnerability to calcium neurotoxicity. 1998 , 71, 2349-64	206
682	Acidosis potentiates oxidative neuronal death by multiple mechanisms. 1999 , 73, 1549-56	143
681	Mild hypothermia reduces apoptosis of mouse neurons in vitro early in the cascade. 2002 , 22, 21-8	159
680	A potent protective role of lysophospholipids against global cerebral ischemia and glutamate excitotoxicity in neuronal cultures. 2002 , 22, 821-34	77
679	E-p-methoxycinnamic acid protects cultured neuronal cells against neurotoxicity induced by glutamate. 2002 , 135, 1281-91	40
678	Evaluation of drugs acting at glutamate transporters in organotypic hippocampal cultures: new evidence on substrates and blockers in excitotoxicity. 2002 , 27, 5-13	26
677	Neurotrophic factor effects on oxidative stress-induced neuronal death. 2003 , 28, 749-56	16
676	Cell culture protection and in vivo neuroprotective capacity of flavonoids. 2003 , 5, 425-32	140
675	Equine estrogens differentially inhibit DNA fragmentation induced by glutamate in neuronal cells by modulation of regulatory proteins involved in programmed cell death. 2003 , 4, 32	34
674	Antioxidant and pro-oxidant properties of pyrroloquinoline quinone (PQQ): implications for its function in biological systems. 2003 , 65, 67-74	105
673	The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes. 2003 , 66, 83-91	21
672	Protective effect of donepezil in a primary culture of rat cortical neurons exposed to oxygen-glucose deprivation. 2003 , 472, 57-63	55

- 671 Interleukin-6, beta-amyloid peptide and NMDA interactions in rat cortical neurons. **2003**, 139, 51-7 69
- 670 Oxidative neurotoxicity in rat cerebral cortex neurons: synergistic effects of H₂O₂ and NO on apoptosis involving activation of p38 mitogen-activated protein kinase and caspase-3. **2003**, 72, 508-19 137
- 669 Protective effects of extracellular glutathione against Zn²⁺-induced cell death in vitro and in vivo. **2003**, 74, 736-43 37
- 668 Iridoids from *Scrophularia buergeriana* attenuate glutamate-induced neurotoxicity in rat cortical cultures. **2003**, 74, 948-55 37
- 667 Covalent bonding of lysine to EVAL membrane surface to improve survival of cultured cerebellar granule neurons. **2003**, 24, 1477-86 20
- 666 The neuroexcitatory morphine metabolite, morphine-3-glucuronide (M3G), is not neurotoxic in primary cultures of either hippocampal or cerebellar granule neurones. **2003**, 93, 197-200 3
- 665 Role of NAD(P)H:quinone oxidoreductase in the progression of neuronal cell death in vitro and following cerebral ischaemia in vivo. **2003**, 84, 1028-39 23
- 664 Poly(ADP-ribose) polymerase-1 activity promotes NF-kappaB-driven transcription and microglial activation: implication for neurodegenerative disorders. **2003**, 85, 306-17 199
- 663 Zinc toxicity on neonatal cortical neurons: involvement of glutathione chelation. **2003**, 85, 443-53 67
- 662 Iron toxicity in organotypic cultures of hippocampal slices: role of reactive oxygen species. **2003**, 85, 492-502 47
- 661 NR2A induction and NMDA receptor-dependent neuronal death by neurotrophin-4/5 in cortical cell culture. **2004**, 88, 708-16 17
- 660 Involvement of poly ADP ribosyl polymerase-1 in acute but not chronic zinc toxicity. **2003**, 18, 1402-9 34
- 659 Regulation of body temperature and neuroprotection by endogenous interleukin-6 in cerebral ischemia. **2003**, 23, 406-15 111
- 658 Crosstalk between Rap1 and Rac regulates secretion of sAPPalpha. **2003**, 5, 633-9 162
- 657 Design, synthesis, and pharmacological profile of novel fused pyrazolo[4,3-d]pyridine and pyrazolo[3,4-b][1,8]naphthyridine isosteres: a new class of potent and selective acetylcholinesterase inhibitors. **2003**, 46, 1144-52 87
- 656 ApoE isoforms affect neuronal N-methyl-D-aspartate calcium responses and toxicity via receptor-mediated processes. **2003**, 122, 291-303 70
- 655 HSV amplicon delivery of glial cell line-derived neurotrophic factor is neuroprotective against ischemic injury. **2003**, 183, 47-55 59
- 654 Prevention of neurotoxicity in hypoxic cortical neurons by the noble gas xenon. **2003**, 72, 1909-18 63

653	Cholesterol deficiency increases the vulnerability of hippocampal glia in primary culture to glutamate-induced excitotoxicity. 2003 , 43, 197-209	27
652	Dieldrin induces apoptosis by promoting caspase-3-dependent proteolytic cleavage of protein kinase Cdelta in dopaminergic cells: relevance to oxidative stress and dopaminergic degeneration. 2003 , 119, 945-64	138
651	Neocortical neurons cultured from mice with expanded CAG repeats in the huntingtin gene: unaltered vulnerability to excitotoxins and other insults. 2003 , 120, 617-25	22
650	In vitro neurotoxic evaluation of root-end-filling materials. 2003 , 29, 743-6	37
649	Glutaric aciduria I: creatine supplementation restores creatinephosphate levels in mixed cortex cells from rat incubated with 3-hydroxyglutarate. 2003 , 78, 108-11	38
648	TrkB mediates BDNF-induced potentiation of neuronal necrosis in cortical culture. 2003 , 14, 110-9	36
647	Calcium-dependent prevention of neuronal apoptosis by lithium ion: essential role of phosphoinositide 3-kinase and phospholipase Cgamma. 2003 , 64, 228-34	31
646	Flavonoid wogonin from medicinal herb is neuroprotective by inhibiting inflammatory activation of microglia. 2003 , 17, 1943-4	212
645	Vasoactive intestinal peptide prevents activated microglia-induced neurodegeneration under inflammatory conditions: potential therapeutic role in brain trauma. 2003 , 17, 1922-4	89
644	Neurotoxicity of dental amalgam is mediated by zinc. 2003 , 82, 243-6	13
643	Angiotensin-1-induced PI3-kinase activation prevents neuronal apoptosis. 2003 , 17, 443-5	85
642	Transforming growth factor-alpha attenuates N-methyl-D-aspartic acid toxicity in cortical cultures by preventing protein synthesis inhibition through an Erk1/2-dependent mechanism. 2003 , 278, 29552-9	26
641	Transforming growth factor alpha-induced expression of type 1 plasminogen activator inhibitor in astrocytes rescues neurons from excitotoxicity. 2003 , 17, 277-9	44
640	Transforming growth factor-beta 1 potentiates amyloid-beta generation in astrocytes and in transgenic mice. 2003 , 278, 18408-18	100
639	Kennedy's disease. Phosphorylation of the polyglutamine-expanded form of androgen receptor regulates its cleavage by caspase-3 and enhances cell death. 2003 , 278, 34918-24	55
638	Potassium channel blockers attenuate hypoxia- and ischemia-induced neuronal death in vitro and in vivo. 2003 , 34, 1281-6	102
637	Geldanamycin reduces necrotic and apoptotic injury due to oxygen-glucose deprivation in astrocytes. 2003 , 25, 697-700	22
636	Neuroprotective effects of propofol in a model of ischemic cortical cell cultures: role of glutamate and its transporters. 2003 , 99, 368-75	75

635	Extracellular and intracellular glutathione protects astrocytes from Zn ²⁺ -induced cell death. 2003 , 14, 187-90	18
634	Protection against amyloid beta peptide and iron/hydrogen peroxide toxicity by alpha lipoic acid. 2003 , 5, 229-39	69
633	Quercetin attenuates oxygen-glucose deprivation- and excitotoxin-induced neurotoxicity in primary cortical cell cultures. 2003 , 26, 544-6	25
632	P2X7 receptor-mediated release of excitatory amino acids from astrocytes. 2003 , 23, 1320-8	410
631	Rat cerebellar granule cells are protected from glutamate-induced excitotoxicity by S-nitrosoglutathione but not glutathione. 2004 , 286, C893-904	48
630	Prevention of apoptotic but not necrotic cell death following neuronal injury by neurotrophins signaling through the tyrosine kinase receptor. 2004 , 100, 79-87	31
629	Methods to detect hypoxia-induced ischemic tolerance in the brain. 2004 , 381, 399-416	6
628	The effect of a brominated flame retardant, tetrabromobisphenol-A, on free radical formation in human neutrophil granulocytes: the involvement of the MAP kinase pathway and protein kinase C. 2005 , 83, 89-100	92
627	Phosphorylation of p38 MAPK induced by oxidative stress is linked to activation of both caspase-8- and -9-mediated apoptotic pathways in dopaminergic neurons. 2004 , 279, 20451-60	167
626	Erk1/2 phosphorylation and reactive oxygen species formation via nitric oxide and Akt-1/Raf-1 crosstalk in cultured rat cerebellar granule cells exposed to the organic solvent 1,2,4-trimethylcyclohexane. 2004 , 80, 296-303	17
625	Ectopic expression of the catalytic subunit of telomerase protects against brain injury resulting from ischemia and NMDA-induced neurotoxicity. 2004 , 24, 1280-7	107
624	Susceptibility to apoptosis varies with time in culture for murine neurons and astrocytes: changes in gene expression and activity. 2004 , 26, 632-43	16
623	Amyloid-beta peptide induces oligodendrocyte death by activating the neutral sphingomyelinase-ceramide pathway. 2004 , 164, 123-31	205
622	Bacterial inhibition of phosphatidylcholine synthesis triggers apoptosis in the brain. 2004 , 200, 99-106	30
621	In vitro ischemic tolerance involves upregulation of glutamate transport partly mediated by the TACE/ADAM17-tumor necrosis factor-alpha pathway. 2004 , 24, 1350-7	118
620	In vitro and in vivo effects of Ginkgo biloba extract EGb 761 on seeded Schwann cells within poly(DL-lactic acid-co-glycolic acid) conduits for peripheral nerve regeneration. 2004 , 19, 163-82	30
619	A proteasomal stress response: pre-treatment with proteasome inhibitors increases proteasome activity and reduces neuronal vulnerability to oxidative injury. 2004 , 91, 996-1006	61
618	Paraptosis: mediation by MAP kinases and inhibition by AIP-1/Alix. <i>Cell Death and Differentiation</i> , 2004 , 11, 1066-75	12.7 239

617	2,7-Bis-(4-amidinobenzylidene)-cycloheptan-1-one dihydrochloride, tPA stop, prevents tPA-enhanced excitotoxicity both in vitro and in vivo. 2004 , 24, 1153-9	19	
616	Brevetoxin activation of voltage-gated sodium channels regulates Ca dynamics and ERK1/2 phosphorylation in murine neocortical neurons. 2004 , 89, 739-49	26	
615	Involvement of glial cells in the neurotoxicity of parathion and chlorpyrifos. 2004 , 201, 97-104	62	
614	KR-31378 protects neurons from ischemia-reperfusion brain injury by attenuating lipid peroxidation and glutathione loss. 2004 , 487, 81-91	13	
613	Dexmedetomidine produces its neuroprotective effect via the alpha 2A-adrenoceptor subtype. 2004 , 502, 87-97	209	
612	Involvement of increased stability of mitochondrial membrane potential and overexpression of Bcl-2 in enhanced anoxic tolerance induced by hypoxic preconditioning in cultured hypothalamic neurons. 2004 , 999, 149-54	24	
611	Mediation of BMP7 neuroprotection by MAPK and PKC IN rat primary cortical cultures. 2004 , 1010, 55-61	33	
610	Ginsenosides Rb1 and Rg1 effects on mesencephalic dopaminergic cells stressed with glutamate. 2004 , 1021, 41-53	171	
609	Age-related susceptibility to oxygen and glucose deprivation damage in rat hippocampal slices. 2004 , 1025, 226-30	31	
608	Neuropeptide PACAP inhibits hypoxic activation of brain microglia: a protective mechanism against microglial neurotoxicity in ischemia. 2004 , 1026, 151-6	39	
607	In vitro neuronal cytotoxicity of latex and nonlatex orthodontic elastics. 2004 , 126, 65-70	34	
606	Nerve growth factor pretreatment attenuates oxygen and glucose deprivation-induced c-Jun amino-terminal kinase 1 and stress-activated kinases p38alpha and p38beta activation and confers neuroprotection in the pheochromocytoma PC12 Model. 2004 , 22, 237-50	32	
605	Role of MAPK/ERK in neurotrophin-4 potentiation of necrotic neuronal death. 2004 , 29, 2303-9	14	
604	Potassium attenuates zinc-induced death of cultured cortical astrocytes. 2004 , 46, 18-27	16	
603	Subcutaneous tri-block copolymer produces recovery from spinal cord injury. 2004 , 76, 141-54	48	
602	Cytotoxicity in cytokine stimulated astrocyte cultures: role of IL-6 and nitric oxide. 2004 , 34, 82-91	1	
601	Method for in situ detection of the mitochondrial function in neurons. <i>Journal of Neuroscience Methods</i> , 2004 , 137, 87-95	3	14
600	Stereoselective synthesis and preliminary evaluation of new D-3-heteroarylcarbonylalanines as ligands of the NMDA receptor. 2004 , 14, 4399-403	6	

599	Characterization of the preferred stereochemistry for the neuropharmacologic actions of antillatoxin. 2004 , 67, 559-68	23
598	Neuroprotection in ischemia: blocking calcium-permeable acid-sensing ion channels. 2004 , 118, 687-98	816
597	Glycogen synthase kinase 3beta inhibitor Chir025 reduces neuronal death resulting from oxygen-glucose deprivation, glutamate excitotoxicity, and cerebral ischemia. 2004 , 188, 378-86	84
596	Agmatine reduces infarct area in a mouse model of transient focal cerebral ischemia and protects cultured neurons from ischemia-like injury. 2004 , 189, 122-30	99
595	Infarct reduction in rats following intraventricular administration of either tissue plasminogen activator (tPA) or its non-protease mutant S478A-tPA. 2004 , 189, 354-60	14
594	Cell-specific role for epsilon- and beta1-protein kinase C isozymes in protecting cortical neurons and astrocytes from ischemia-like injury. 2004 , 47, 136-45	42
593	The impact of excitotoxic blockade on the evolution of injury following combined mechanical and hypoxic insults in primary rat neuronal culture. 2004 , 17, 378-84	15
592	Acrolein induces axolemmal disruption, oxidative stress, and mitochondrial impairment in spinal cord tissue. 2004 , 44, 475-86	77
591	Galantamine and memantine produce different degrees of neuroprotection in rat hippocampal slices subjected to oxygen-glucose deprivation. 2004 , 365, 132-6	52
590	Overexpression of tau leads to the stimulation of neurite outgrowth, the activation of caspase 3 activity, and accumulation and phosphorylation of tau in neuroblastoma cells on cAMP treatment. 2004 , 49, 363-71	17
589	Neuronal gelsolin prevents apoptosis by enhancing actin depolymerization. 2004 , 25, 69-82	71
588	NR2B subunit selective NMDA antagonists inhibit neurotoxic effect of alcohol-withdrawal in primary cultures of rat cortical neurones. 2004 , 44, 17-23	52
587	Apolipoprotein E protects against oxidative stress in mixed neuronal-glial cell cultures by reducing glutamate toxicity. 2004 , 44, 107-18	58
586	In vitro cytotoxicity of orthodontic archwires in cortical cell cultures. 2004 , 26, 421-6	37
585	Danthron inhibits the neurotoxicity induced by various compounds causing oxidative damages including beta-amyloid (25-35) in primary cortical cultures. 2004 , 27, 723-6	18
584	Ginkgolides Protects the Cultured Rat Cortical Cells against Metabolic, Excitotoxic and Oxidative Insults. 2004 , 50, 348-355	2
583	Apoptotic and necrotic mechanisms of stress-induced human lens epithelial cell death. 2004 , 229, 1072-80	51
582	Induction of hyperphosphorylated tau in primary rat cortical neuron cultures mediated by oxidative stress and glycogen synthase kinase-3. 2004 , 6, 659-71; discussion 673-81	137

581	Activation of protein kinase C-delta attenuates kainate-induced cell death of cortical neurons. 2005 , 16, 741-4		16
580	Immature rat brain slices exposed to oxygen-glucose deprivation as an in vitro model of neonatal hypoxic-ischemic encephalopathy. <i>Journal of Neuroscience Methods</i> , 2005 , 145, 205-12	3	32
579	Effect of enhanced prostacyclin synthesis by adenovirus-mediated transfer on lipopolysaccharide stimulation in neuron-glia cultures. 2005 , 1042, 338-48		12
578	Biochemical response to colloidal bismuth subcitrate: dose-time effect. 2005 , 105, 151-8		13
577	Neuroprotective effects of atorvastatin against glutamate-induced excitotoxicity in primary cortical neurones. 2005 , 92, 1386-98		165
576	Meso-dihydroguaiaretic acid and licarin A of <i>Machilus thunbergii</i> protect against glutamate-induced toxicity in primary cultures of a rat cortical cells. 2005 , 146, 752-9		32
575	Acidosis causes endoplasmic reticulum stress and caspase-12-mediated astrocyte death. 2005 , 25, 358-70		61
574	Mode of action of taurine as a neuroprotector. 2005 , 1038, 123-31		127
573	Reactive oxygen species mediate the neuroprotection conferred by a mitochondrial ATP-sensitive potassium channel opener during ischemia in the rat hippocampal slice. 2005 , 1042, 169-75		23
572	Neuroprotective effect of N-acetyl cysteine on hypoxia-induced oxidative stress in primary hippocampal culture. 2005 , 1046, 97-104		69
571	Protective effect of donepezil against Abeta(1-40) neurotoxicity in rat septal neurons. 2005 , 1047, 72-84		69
570	Proteolysis of neuronal cytoskeletal proteins by calpain contributes to rat retinal cell death induced by hypoxia. 2005 , 1050, 148-55		38
569	Thyrotropin-releasing hormone (protirelin) inhibits potassium-stimulated glutamate and aspartate release from hippocampal slices in vitro. 2005 , 1054, 45-54		10
568	Overexpression of copper/zinc superoxide dismutase decreases ischemia-like astrocyte injury. 2005 , 38, 1112-8		23
567	Effect of bisphenol A on drug efflux in BeWo, a human trophoblast-like cell line. 2005 , 26 Suppl A, S96-S103		39
566	Interleukin-1beta potentiates neuronal injury in a variety of injury models involving energy deprivation. 2005 , 161, 93-100		29
565	Low-intensity-ultrasound-accelerated nerve regeneration using cell-seeded poly(D,L-lactic acid-co-glycolic acid) conduits: an in vivo and in vitro study. 2005 , 75, 99-107		40
564	Glucoraphanin extraction from <i>Cardaria draba</i> : Part 2. Countercurrent extraction, bioactivity and toxicity testing. 2005 , 80, 992-997		2

563	Arachidonic acid induces neuronal death through lipoxygenase and cytochrome P450 rather than cyclooxygenase. 2005 , 81, 73-84	45
562	Thyroid hormone responsive protein (THRP) mediates thyroid hormone-induced cytotoxicity in primary neuronal cultures. 2005 , 160, 424-32	7
561	Memory enhancing and neuroprotective effects of selected ginsenosides. 2005 , 28, 335-42	78
560	Neuroprotection and protein damage prevention by estradiol replacement in rat hippocampal slices exposed to oxygen-glucose deprivation. 2005 , 30, 583-9	11
559	Retinal toxicity of commercial tissue plasminogen activator is mediated by the induction of nitric oxide in the mouse retinal primary cells. 2005 , 30, 291-7	11
558	Late preconditioning with isoflurane in cultured rat cortical neurones. 2005 , 95, 662-8	30
557	Transient receptor potential vanilloid subtype 1 mediates cell death of mesencephalic dopaminergic neurons in vivo and in vitro. 2005 , 25, 662-71	132
556	Cultured embryonic hippocampal neurons deficient in glucocorticoid (GC) receptor: a novel model for studying nongenomic effects of GC in the neural system. 2005 , 146, 4036-41	28
555	Loss of ALS2 function is insufficient to trigger motor neuron degeneration in knock-out mice but predisposes neurons to oxidative stress. 2005 , 25, 7567-74	92
554	Poly(ADP-ribose) polymerase-1 promotes microglial activation, proliferation, and matrix metalloproteinase-9-mediated neuron death. 2005 , 174, 2288-96	150
553	A commercial mixture of the brominated flame retardant pentabrominated diphenyl ether (DE-71) induces respiratory burst in human neutrophil granulocytes in vitro. 2005 , 87, 57-65	67
552	Four new neuroprotective dihydropyranocoumarins from <i>Angelica gigas</i> . 2005 , 68, 56-9	76
551	Neurotoxic meroditerpenoids from the tropical marine brown alga <i>Styopodium flabelliforme</i> . 2005 , 68, 1022-30	55
550	Neuroprotection afforded by prior citicoline administration in experimental brain ischemia: effects on glutamate transport. 2005 , 18, 336-45	96
549	Platelet-derived growth factor-BB pretreatment attenuates excitotoxic death in cultured hippocampal neurons. 2005 , 19, 77-83	37
548	A role for hypoxia-inducible factor-1alpha in desferoxamine neuroprotection. 2005 , 379, 96-100	98
547	Organic solvent-induced cell death in rat cerebellar granule cells: structure dependence of c10 hydrocarbons and relationship to reactive oxygen species formation. 2005 , 26, 321-30	24
546	Calcium-independent CaMKII activity is involved in ginsenoside Rb1-mediated neuronal recovery after hypoxic damage. 2005 , 76, 1013-25	14

545	Endobain E, a brain endogenous factor, is present and modulates NMDA receptor in ischemic conditions. 2005 , 78, 245-52	4
544	The brain-specific tissue-type plasminogen activator inhibitor, neuroserpin, protects neurons against excitotoxicity both in vitro and in vivo. 2005 , 30, 552-8	61
543	Selective enhancement of tonic inhibition by increasing ambient GABA is insufficient to suppress excitotoxicity in hippocampal neurons. 2005 , 338, 1417-25	6
542	Acute and repeated restraint stress influences cellular damage in rat hippocampal slices exposed to oxygen and glucose deprivation. 2005 , 65, 443-50	31
541	Coupling between NMDA receptor and acid-sensing ion channel contributes to ischemic neuronal death. 2005 , 48, 635-46	264
540	Cannabinoids produce neuroprotection by reducing intracellular calcium release from ryanodine-sensitive stores. 2005 , 48, 1086-96	84
539	The oxidative neurotoxicity of clioquinol. 2005 , 49, 687-94	46
538	Unusual astrocyte reactivity caused by the food mycotoxin ochratoxin A in aggregating rat brain cell cultures. 2005 , 134, 771-82	40
537	The neurotoxic lipopeptide kalkitoxin interacts with voltage-sensitive sodium channels in cerebellar granule neurons. 2005 , 158, 133-9	45
536	Activity-dependent neuroprotection and cAMP response element-binding protein (CREB): kinase coupling, stimulus intensity, and temporal regulation of CREB phosphorylation at serine 133. 2005 , 25, 1137-48	143
535	Comparative effects of alpha-tocopherol and gamma-tocotrienol against hydrogen peroxide induced apoptosis on primary-cultured astrocytes. 2006 , 243, 5-12	61
534	Molecular recognition in poly(epsilon-caprolactone)-based thermoplastic elastomers. 2006 , 7, 3385-95	59
533	Involvement of Egr-1 in lens epithelial cell death induced by selenite. 2006 , 82, 874-8	8
532	BMAA selectively injures motor neurons via AMPA/kainate receptor activation. 2006 , 201, 244-52	187
531	Exercise intensity influences cell injury in rat hippocampal slices exposed to oxygen and glucose deprivation. 2006 , 71, 155-9	51
530	Prostaglandin E2 deteriorates N-methyl-D-aspartate receptor-mediated cytotoxicity possibly by activating EP2 receptors in cultured cortical neurons. 2006 , 78, 1878-83	35
529	Rotenone induces cell death in primary dopaminergic culture by increasing ROS production and inhibiting mitochondrial respiration. 2006 , 49, 379-86	163
528	4-Hydroxynonenal disrupts zinc export in primary rat cortical cells. 2006 , 27, 1-5	15

527	Pyruvate and oxaloacetate limit zinc-induced oxidative HT-22 neuronal cell injury. 2006 , 27, 1043-51	27
526	Hyperhomocysteinemia increases damage on brain slices exposed to in vitro model of oxygen and glucose deprivation: prevention by folic acid. 2006 , 24, 285-91	13
525	Age effect on HSP70: decreased resistance to ischemic and oxidative stress in HDF. 2006 , 132, 32-9	21
524	Ecstasy-induced cell death in cortical neuronal cultures is serotonin 2A-receptor-dependent and potentiated under hyperthermia. 2006 , 139, 1069-81	67
523	Neuroprotective effects of agmatine against cell damage caused by glucocorticoids in cultured rat hippocampal neurons. 2006 , 141, 2019-27	80
522	NMDA-induced apoptosis in mixed neuronal/glia cortical cell cultures: the effects of isoflurane and dizocilpine. 2006 , 18, 240-6	9
521	Enhancement of neuroprotection of mulberry leaves (<i>Morus alba</i> L.) prepared by the anaerobic treatment against ischemic damage. 2006 , 29, 270-4	40
520	Cytosolic labile zinc: a marker for apoptosis in the developing rat brain. 2006 , 23, 435-42	17
519	Ethanol and excitotoxicity in cultured cortical neurons: differential sensitivity of N-methyl-D-aspartate and sodium nitroprusside toxicity. 1992 , 59, 2193-200	29
518	Biphasic role of nuclear factor-kappa B on cell survival and COX-2 expression in SOD1 Tg astrocytes after oxygen glucose deprivation. 2006 , 26, 1076-88	14
517	Assessment of GaN chips for culturing cerebellar granule neurons. 2006 , 27, 3361-7	49
516	RNAi suppression of Bax and Bak enhances viability in fed-batch cultures of CHO cells. 2006 , 8, 509-22	69
515	(+/-)-2-Chloropropionic acid elevates reactive oxygen species formation in human neutrophil granulocytes. 2006 , 228, 124-34	7
514	Caspase activation, sialidase release and changes in sialylation pattern of recombinant human erythropoietin produced by CHO cells in batch and fed-batch cultures. 2006 , 51, 67-79	28
513	Homocysteine increases neuronal damage in hippocampal slices receiving oxygen and glucose deprivation. 2006 , 21, 273-8	8
512	Amino acid starvation induced autophagic cell death in PC-12 cells: evidence for activation of caspase-3 but not calpain-1. 2006 , 11, 1573-82	29
511	A sensitive and selective assay of neuronal degeneration in cell culture. <i>Journal of Neuroscience Methods</i> , 2006 , 154, 239-44	3 22
510	Protective effect of donepezil in primary-cultured rat cortical neurons exposed to N-methyl-d-aspartate (NMDA) toxicity. 2006 , 530, 215-22	25

509	Pharmacological profile of KR-33028, a highly selective inhibitor of Na ⁺ /H ⁺ exchanger. 2006 , 535, 220-7	20
508	Agmatine protects against cell damage induced by NMDA and glutamate in cultured hippocampal neurons. 2006 , 1084, 210-6	88
507	Maternal IgG suppresses NMDA-induced spasms in infant rats and inhibits NMDA-mediated neurotoxicity in hippocampal neurons. 2006 , 181, 106-11	8
506	Microglia potentiate damage to blood-brain barrier constituents: improvement by minocycline in vivo and in vitro. 2006 , 37, 1087-93	269
505	Developmental changes in NMDA neurotoxicity reflect developmental changes in subunit composition of NMDA receptors. 2006 , 26, 2956-63	165
504	Minocycline inhibits poly(ADP-ribose) polymerase-1 at nanomolar concentrations. 2006 , 103, 9685-90	204
503	Direct phosphorylation and regulation of poly(ADP-ribose) polymerase-1 by extracellular signal-regulated kinases 1/2. 2006 , 103, 7136-41	176
502	In vitro toxicity of tetrabromobisphenol-A on cerebellar granule cells: cell death, free radical formation, calcium influx and extracellular glutamate. 2007 , 96, 268-78	96
501	Medroxyprogesterone acetate exacerbates glutamate excitotoxicity. 2006 , 22, 355-61	41
500	Sp1 is up-regulated in cellular and transgenic models of Huntington disease, and its reduction is neuroprotective. 2006 , 281, 16672-80	80
499	System x(c)- activity and astrocytes are necessary for interleukin-1 beta-mediated hypoxic neuronal injury. 2007 , 27, 10094-105	90
498	TLR2 mediates neuroinflammation and neuronal damage. 2007 , 178, 6476-81	117
497	Phosphatidylinositol 3-Akt-kinase-dependent phosphorylation of p21(Waf1/Cip1) as a novel mechanism of neuroprotection by glucocorticoids. 2007 , 27, 4562-71	57
496	Transient receptor potential melastatin 7-like current in human head and neck carcinoma cells: role in cell proliferation. 2007 , 67, 10929-38	115
495	Seleno-L-methionine protects against beta-amyloid and iron/hydrogen peroxide-mediated neuron death. 2007 , 9, 457-67	54
494	Hypoxic preconditioning protects human brain endothelium from ischemic apoptosis by Akt-dependent survivin activation. 2007 , 292, H2573-81	94
493	Gambierol acts as a functional antagonist of neurotoxin site 5 on voltage-gated sodium channels in cerebellar granule neurons. 2007 , 323, 174-9	38
492	FLIP(L) protects neurons against in vivo ischemia and in vitro glucose deprivation-induced cell death. 2007 , 27, 6633-46	51

491	Poly(ADP-ribose) polymerase offers protection against oxidative and alkylation damage to the nuclear and mitochondrial genomes of the retinal pigment epithelium. 2007 , 39, 213-23	23
490	EFFECT OF SURFACE CHARACTERISTICS OF POLYHYDROXYALKANOATES (PHAs) ON METABOLIC ACTIVITIES AND MORPHOLOGY OF HUMAN SCHWANN CELLS-LIKE (hSCs-LIKE). 2007 , 19, 91-97	
489	Toxicity of corticosteroids and catecholamines for mice neuronal cell cultures: Role of preservatives. 2007 , 20, 325-33	19
488	Chondroitin sulfate protects SH-SY5Y cells from oxidative stress by inducing heme oxygenase-1 via phosphatidylinositol 3-kinase/Akt. 2007 , 323, 946-53	79
487	Reduced 293T cell susceptibility to acrolein due to aldose reductase-like-1 protein expression. 2007 , 97, 562-8	39
486	Brain slices as models for neurodegenerative disease and screening platforms to identify novel therapeutics. 2007 , 5, 19-33	173
485	Proteinase-activated receptor-1 and -2 induce the release of chemokine GRO/CINC-1 from rat astrocytes via differential activation of JNK isoforms, evoking multiple protective pathways in brain. 2007 , 401, 65-78	46
484	Effects of chlorpromazine on plasma membrane permeability and fluidity in the rat brain: a dynamic positron autoradiography and fluorescence polarization study. 2007 , 31, 178-86	19
483	Effects of haloperidol and its pyridinium metabolite on plasma membrane permeability and fluidity in the rat brain. 2007 , 31, 848-57	8
482	Excitotoxicity in vitro by NR2A- and NR2B-containing NMDA receptors. 2007 , 53, 10-7	112
481	Neuroprotection afforded by nicotine against oxygen and glucose deprivation in hippocampal slices is lost in alpha7 nicotinic receptor knockout mice. 2007 , 145, 866-72	73
480	Ischemic preconditioning via epsilon protein kinase C activation requires cyclooxygenase-2 activation in vitro. 2007 , 145, 931-41	40
479	Excitotoxicity in a chronic model of multiple sclerosis: Neuroprotective effects of cannabinoids through CB1 and CB2 receptor activation. 2007 , 34, 551-61	89
478	Neither energy collapse nor transcription underlie in vitro neurotoxicity of poly(ADP-ribose) polymerase hyper-activation. 2007 , 50, 203-10	27
477	Temperature-dependent N-methyl-D-aspartate receptor-mediated cytotoxicity in cultured rat cortical neurons. 2007 , 423, 24-8	6
476	Synthesis and enhanced neuroprotective activity of C60-based ebselen derivatives. 2007 , 85, 157-163	6
475	Contribution of calpain to cellular damage in human retinal pigment epithelial cells cultured with zinc chelator. 2007 , 32, 565-73	7
474	Apoptosis induction on human hepatoma cells Hep G2 of decabrominated diphenyl ether (PBDE-209). 2007 , 171, 19-28	107

473	Zinc inhibits astrocyte glutamate uptake by activation of poly(ADP-ribose) polymerase-1. 2007 , 13, 344-9		31
472	Long-term, repeated dose in vitro neurotoxicity of the glutamate receptor antagonist L-AP3, demonstrated in rat hippocampal slice cultures by using continuous propidium iodide incubation. 2007 , 35, 211-21		4
471	Effects of unidirectional permeability in asymmetric poly(DL-lactic acid-co-glycolic acid) conduits on peripheral nerve regeneration: an in vitro and in vivo study. 2007 , 83, 206-15		31
470	Copper activates TrkB in cortical neurons in a metalloproteinase-dependent manner. 2007 , 85, 2160-6		30
469	Nordihydroguaiaretic acid induces astroglial death via glutathione depletion. 2007 , 85, 3127-34		9
468	ROS scavenging effects of organic extract of diesel exhaust particles on human neutrophil granulocytes and rat alveolar macrophages. 2007 , 230, 207-18		27
467	A fluorescence vital assay for the recognition and quantification of excitotoxic cell death by necrosis and apoptosis using confocal microscopy on neurons in culture. <i>Journal of Neuroscience Methods</i> , 2007 , 163, 1-8	3	72
466	Subunit-specific mechanisms and proton sensitivity of NMDA receptor channel block. 2007 , 581, 107-28		109
465	Ischemic preconditioning reveals that GLT1/EAAT2 glutamate transporter is a novel PPARgamma target gene involved in neuroprotection. 2007 , 27, 1327-38		126
464	Inhibition of mitochondrial function in astrocytes: implications for neuroprotection. 2007 , 102, 1383-94		88
463	Nicotinic receptor activation by epibatidine induces heme oxygenase-1 and protects chromaffin cells against oxidative stress. 2007 , 102, 1842-1852		54
462	Alpha-synuclein protects cerebellar granule neurons against 6-hydroxydopamine-induced death. 2007 , 103, 518-30		42
461	High mobility group box 1 protein is released by neural cells upon different stresses and worsens ischemic neurodegeneration in vitro and in vivo. 2007 , 103, 590-603		178
460	Pituitary adenylate cyclase-activating polypeptide is up-regulated in cortical pyramidal cells after focal ischemia and protects neurons from mild hypoxic/ischemic damage. 2007 , 103, 1666-81		60
459	An analog of thyrotropin-releasing hormone (TRH) is neuroprotective against glutamate-induced toxicity in fetal rat hippocampal neurons in vitro. 2007 , 1128, 79-85		20
458	Effect of treadmill exercise on cell damage in rat hippocampal slices submitted to oxygen and glucose deprivation. 2007 , 1157, 121-5		45
457	Vanillin, 4-hydroxybenzyl aldehyde and 4-hydroxybenzyl alcohol prevent hippocampal CA1 cell death following global ischemia. 2007 , 1181, 130-41		80
456	Beta-N-methylamino-L-alanine enhances neurotoxicity through multiple mechanisms. 2007 , 25, 360-6		190

455	Effects of plasminogen, streptokinase, and their equimolar complexes with pyruvate kinase on the human neuroblastoma IMR-32 cells. 2007 , 1, 412-419	
454	Cyclosporine A- and FK506-induced apoptosis in PC12 cells. 2007 , 23, 355-60	6
453	Calmodulin inhibitor-induced apoptosis was prevented by glycogen synthase kinase-3 inhibitors in PC12 cells. 2007 , 27, 783-90	7
452	Genistein and daidzein induce neurotoxicity at high concentrations in primary rat neuronal cultures. 2007 , 14, 275-84	20
451	SOD activity of carboxyfullerenes predicts their neuroprotective efficacy: a structure-activity study. 2008 , 4, 283-94	65
450	Protection of respiratory chain enzymes from ischaemic damage in adult rat brain slices. 2008 , 33, 1711-6	6
449	Benzyl alcohol inhibits N-methyl-D: -aspartate receptor-mediated neurotoxicity and calcium accumulation in cultured rat cortical neurons. 2008 , 15, 767-70	3
448	Hydrogen sulfide inhibits myocardial injury induced by homocysteine in rats. 2008 , 34, 573-85	151
447	Implication of glutamate in the expression of inducible nitric oxide synthase after oxygen and glucose deprivation in rat forebrain slices. 2000 , 74, 2041-8	87
446	In vitro antioxidant neuroprotective activity of BN 80933, a dual inhibitor of neuronal nitric oxide synthase and lipid peroxidation. 2000 , 74, 2079-86	10
445	Role of polyamine metabolism in kainic acid excitotoxicity in organotypic hippocampal slice cultures. 2001 , 79, 976-84	18
444	Ca ²⁺ channel blockers attenuate beta-amyloid peptide toxicity to cortical neurons in culture. 1994 , 62, 372-5	173
443	GL6976 is a potent inhibitor of neurotrophin-receptor intrinsic tyrosine kinase. 1999 , 72, 919-24	26
442	Analysis of the neuroprotective effects of various nitric oxide donor compounds in murine mixed cortical cell culture. 1999 , 72, 1843-52	51
441	Hypoxia-induced deactivation of NGF-mediated ERK1/2 signaling in hippocampal cells: neuroprotection by acetyl-L-carnitine. 2008 , 86, 2705-21	42
440	Vasoactive intestinal peptide protects against beta-amyloid-induced neurodegeneration by inhibiting microglia activation at multiple levels. 2008 , 56, 1091-103	71
439	Methylprednisolone inhibits the expression of glial fibrillary acidic protein and chondroitin sulfate proteoglycans in reactivated astrocytes. 2008 , 56, 1390-400	36
438	The effect of gallium nitride on long-term culture induced aging of neuritic function in cerebellar granule cells. 2008 , 29, 1573-82	19

- 437 Viabilidad de las células y liberación de prostaciclina en células endoteliales cultivadas de vena umbilical humana. **2008**, 22, 480-488
- 436 Preconditioning mediated by sublethal oxygen-glucose deprivation-induced cyclooxygenase-2 expression via the signal transducers and activators of transcription 3 phosphorylation. **2008**, 28, 1329-40 36
- 435 Adrenomedullin protects neurons against oxygen glucose deprivation stress in an autocrine and paracrine manner. **2008**, 106, 1388-403 25
- 434 Tropism and toxicity of adeno-associated viral vector serotypes 1, 2, 5, 6, 7, 8, and 9 in rat neurons and glia in vitro. **2008**, 372, 24-34 106
- 433 Curcumin protects against glutamate excitotoxicity in rat cerebral cortical neurons by increasing brain-derived neurotrophic factor level and activating TrkB. **2008**, 1210, 84-91 102
- 432 Isoflurane preconditioning activates HIF-1alpha, iNOS and Erk1/2 and protects against oxygen-glucose deprivation neuronal injury. **2008**, 1245, 26-35 55
- 431 Study of neuroprotection of donepezil, a therapy for Alzheimer's disease. **2008**, 175, 222-6 63
- 430 Aprotinin confers neuroprotection by reducing excitotoxic cell death. **2008**, 135, 573-8; discussion 578 14
- 429 Delta-9-tetrahydrocannabinol accumulation, metabolism and cell-type-specific adverse effects in aggregating brain cell cultures. **2008**, 228, 8-16 30
- 428 Viabilité cellulaire et largage de prostacycline dans des cellules endothéliales humaines cultivées à partir de veines ombilicales. **2008**, 22, 476-484
- 427 Cell viability and prostacyclin release in cultured human umbilical vein endothelial cells. **2008**, 22, 440-8 14
- 426 Taxol induces oxidative neuronal cell death by enhancing the activity of NADPH oxidase in mouse cortical cultures. **2008**, 443, 17-22 32
- 425 Doxorubicin induces biphasic neurotoxicity to rat cortical neurons. **2008**, 29, 286-93 32
- 424 Antioxidant and pro-oxidant properties of boldine on hippocampal slices exposed to oxygen-glucose deprivation in vitro. **2008**, 29, 1136-40 17
- 423 Assessment of cell viability in primary neuronal cultures. **2008**, Chapter 7, Unit 7.18 51
- 422 Enantiomeric propanolamines as selective N-methyl-D-aspartate 2B receptor antagonists. **2008**, 51, 5506-21 23
- 421 TNF receptor I sensitizes neurons to erythropoietin- and VEGF-mediated neuroprotection after ischemic and excitotoxic injury. **2008**, 105, 6185-90 89
- 420 Essential role for zinc-triggered p75NTR activation in preconditioning neuroprotection. **2008**, 28, 10919-27 40

419	Anti-Mullerian-hormone-dependent regulation of the brain serine-protease inhibitor neuroserpin. 2008 , 121, 3357-65	42
418	Stromal cell-derived factor-1 alpha promotes neuroprotection, angiogenesis, and mobilization/homing of bone marrow-derived cells in stroke rats. 2008 , 324, 834-49	123
417	Zinc and 4-hydroxy-2-nonenal mediate lysosomal membrane permeabilization induced by H2O2 in cultured hippocampal neurons. 2008 , 28, 3114-22	123
416	Neuroprotective effects of xenon: a therapeutic window of opportunity in rats subjected to transient cerebral ischemia. 2008 , 22, 1275-86	90
415	Investigating the mechanisms underlying neuronal death in ischemia using in vitro oxygen-glucose deprivation: potential involvement of protein SUMOylation. 2008 , 14, 626-36	36
414	NEURONS CULTURED ON GaN AND IS ASSOCIATED WITH SYNAPSIN I AND MAP2 EXPRESSION. 2008 , 20, 75-82	3
413	Relationship of Lactate Dehydrogenase Activity with Body Measurements of Beef Cows and Calves Names are necessary to report factually on available data; however, the USDA does not guarantee or warrant the standard of the product, and the use of the name by the USDA implies no approval of the product to the exclusion of others that also may be suitable.. 2008 , 24, 60-66	3
412	Neuroprotection by nitrous oxide: facts and evidence. 2008 , 36, 2651-9	30
411	Effects of Kynurenine Pathway Metabolites on Intracellular NAD Synthesis and Cell Death in Human Primary Astrocytes and Neurons. 2009 , 2, 61-9	56
410	Progesterone with vitamin D affords better neuroprotection against excitotoxicity in cultured cortical neurons than progesterone alone. 2009 , 15, 328-36	66
409	Selective down-regulation of nuclear poly(ADP-ribose) glycohydrolase. 2009 , 4, e4896	14
408	Sodium channel activation augments NMDA receptor function and promotes neurite outgrowth in immature cerebrocortical neurons. 2009 , 29, 3288-301	38
407	Silencing TRPM7 promotes growth/proliferation and nitric oxide production of vascular endothelial cells via the ERK pathway. 2009 , 83, 547-57	85
406	Mitochondrial Na ⁺ /Ca ²⁺ -exchanger blocker CGP37157 protects against chromaffin cell death elicited by veratridine. 2009 , 330, 844-54	30
405	The neuroprotective effects of benzylideneacetophenone derivatives on excitotoxicity and inflammation via phosphorylated Janus tyrosine kinase 2/phosphorylated signal transducer and activator of transcription 3 and mitogen-activated protein K pathways. 2009 , 328, 435-47	7
404	CREB is a key regulator of striatal vulnerability in chemical and genetic models of Huntington's disease. 2009 , 36, 259-68	38
403	Hydroxylated polychlorinated biphenyls increase reactive oxygen species formation and induce cell death in cultured cerebellar granule cells. 2009 , 240, 306-13	51
402	EUK-207, a superoxide dismutase/catalase mimetic, is neuroprotective against oxygen/glucose deprivation-induced neuronal death in cultured hippocampal slices. 2009 , 1247, 28-37	12

401	Effects of KR-33028, a novel Na ⁺ /H ⁺ exchanger-1 inhibitor, on glutamate-induced neuronal cell death and ischemia-induced cerebral infarct. 2009 , 1248, 22-30	23
400	Neuroprotective effects of agmatine on oxygen-glucose deprived primary-cultured astrocytes and nuclear translocation of nuclear factor-kappa B. 2009 , 1281, 64-70	39
399	Delta opioid agonist [D-Ala ² , D-Leu ⁵] enkephalin (DADLE) reduced oxygen-glucose deprivation caused neuronal injury through the MAPK pathway. 2009 , 1292, 100-6	35
398	Inhibition of intracellular Ca ²⁺ release by a Rho-kinase inhibitor for the treatment of ischemic damage in primary cultured rat hippocampal neurons. 2009 , 602, 238-44	25
397	DDPH ameliorated oxygen and glucose deprivation-induced injury in rat hippocampal neurons via interrupting Ca ²⁺ overload and glutamate release. 2009 , 603, 50-5	18
396	Oxidative injury triggers autophagy in astrocytes: the role of endogenous zinc. 2009 , 57, 1351-61	97
395	Astrocytic poly(ADP-ribose) polymerase-1 activation leads to bioenergetic depletion and inhibition of glutamate uptake capacity. 2010 , 58, 446-57	27
394	Effects of nerve growth factor from genipin-crosslinked gelatin in polycaprolactone conduit on peripheral nerve regeneration--in vitro and in vivo. 2009 , 91, 586-96	36
393	Tissue kallikrein alleviates glutamate-induced neurotoxicity by activating ERK1. 2009 , 87, 3576-90	22
392	Apoptosis and the receptor specificity of its mechanisms during the neurotoxic action of glutamate. 2009 , 39, 353-62	11
391	Guattegaumerine protects primary cultured cortical neurons against oxidative stress injury induced by hydrogen peroxide concomitant with serum deprivation. 2009 , 29, 355-64	6
390	Study of neurotoxic effects and underlying mechanisms of aconitine on cerebral cortex neuron cells. 2009 , 32, 1533-43	17
389	Mechanism for quinolinic acid cytotoxicity in human astrocytes and neurons. 2009 , 16, 77-86	162
388	Oxidative stress and apoptotic changes in primary cultures of rat proximal tubular cells exposed to lead. 2009 , 83, 417-27	74
387	Brain Poster Session: Brain Edema and Water Transport. 2009 , 29, S490-S493	
386	Sodium/bicarbonate cotransporter NBCn1/slc4a7 increases cytotoxicity in magnesium depletion in primary cultures of hippocampal neurons. 2009 , 29, 437-46	22
385	The N-terminal tripeptide of insulin-like growth factor-I protects against beta-amyloid-induced somatostatin depletion by calcium and glycogen synthase kinase 3 beta modulation. 2009 , 109, 360-70	29
384	Protein kinase C regulation of neuronal zinc signaling mediates survival during preconditioning. 2009 , 110, 106-17	46

383	Gallium nitride induces neuronal differentiation markers in neural stem/precursor cells derived from rat cerebral cortex. 2009 , 5, 2610-7	18
382	Current in vitro methods in nanoparticle risk assessment: limitations and challenges. 2009 , 72, 370-7	339
381	In vitro protective effects of pyrroloquinoline quinone on methylmercury-induced neurotoxicity. 2009 , 27, 103-10	21
380	Effects of tetrabrominated diphenyl ether and hexabromocyclododecanes in single and complex exposure to hepatoma HepG2 cells. 2009 , 27, 327-37	29
379	Protease-activated receptor 1-dependent neuronal damage involves NMDA receptor function. 2009 , 217, 136-46	45
378	beta-N-methylamino-l-alanine induces oxidative stress and glutamate release through action on system Xc(-). 2009 , 217, 429-33	104
377	Neuroprotection against neonatal hypoxia/ischemia-induced cerebral cell death by prevention of calpain-mediated mGluR1alpha truncation. 2009 , 218, 75-82	36
376	Tissue kallikrein protects cortical neurons against in vitro ischemia-acidosis/reperfusion-induced injury through the ERK1/2 pathway. 2009 , 219, 453-65	38
375	Cell death and proliferation in acute slices and organotypic cultures of mammalian CNS. 2009 , 88, 221-45	116
374	Agmatine protects cultured retinal ganglion cells from tumor necrosis factor-alpha-induced apoptosis. 2009 , 84, 28-32	51
373	Effects of chelators on mercury, iron, and lead neurotoxicity in cortical culture. 2009 , 30, 47-51	19
372	Effect of manganese exposure on intracellular Ca ²⁺ homeostasis and expression of NMDA receptor subunits in primary cultured neurons. 2009 , 30, 941-9	40
371	Effects of glutamine on hydrogen peroxide-induced oxidative damage in intestinal epithelial cells of Jian carp (<i>Cyprinus carpio</i> var. Jian). 2009 , 288, 285-289	97
370	Effects of the PPAR-beta agonist GW501516 in an in vitro model of brain inflammation and antibody-induced demyelination. 2009 , 6, 15	35
369	Effects of Electrical Stimulation on Growth and Metabolism of Cardiomyocytes In Vitro. 2009 ,	
368	Chemical composition, antioxidant, anti-elastase, and anti-inflammatory activities of <i>Illicium anisatum</i> essential oil. 2009 , 59, 289-300	26
367	Involvement of illumination in indocyanine green toxicity after its washout in the ex vivo rat retina. 2009 , 29, 371-9	13
366	Organ donation performance in critical care. 2009 , 10, 530-2	1

365	Management of pediatric traumatic brain injury in France--Clarity required. 2009 , 10, 527-8	
364	Pressure-volume curves and ventilator tuning in acute respiratory distress syndrome. 2009 , 10, 532-3	1
363	Minimizing and accounting for the impact of rescue therapies in clinical trials. 2009 , 10, 524-5	1
362	Validating serologic biomarkers of brain injury for cardiac arrest research. 2009 , 10, 529-30	3
361	Extracorporeal cardiopulmonary resuscitation for in-hospital cardiac arrest: lessons from acute neurotoxicity. 2009 , 10, 525-7	2
360	A potential role for alterations of zinc and zinc transport proteins in the progression of Alzheimer's disease. 2009 , 16, 471-83	63
359	Dammarane derivatives protect cultured rat cortical cells from glutamate-induced neurotoxicity. 2000 , 52, 1505-11	6
358	Structural requirements for the neuroprotective effects of aspirin analogues against N-methyl-D-aspartate and zinc ion neurotoxicity. 2002 , 54, 935-44	6
357	Development of a serum-free supplement for primary neuron culture reveals the interplay of selenium and vitamin E in neuronal survival. 2010 , 24, 130-7	35
356	An experimental study of rabbit conjunctival epithelial toxicity using co-treatment with mitomycin-C and a histone deacetylase inhibitor. 2010 , 33, 1261-7	3
355	Ischemic preconditioning mediates cyclooxygenase-2 expression via nuclear factor-kappa B activation in mixed cortical neuronal cultures. 2010 , 1, 40-7	35
354	The anti-necrosis role of hypoxic preconditioning after acute anoxia is mediated by aldose reductase and sorbitol pathway in PC12 cells. 2010 , 15, 387-94	10
353	Zinc(II) ion mediates tamoxifen-induced autophagy and cell death in MCF-7 breast cancer cell line. 2010 , 23, 997-1013	96
352	Chelation of extracellular calcium-induced cell death was prevented by glycogen synthase kinase-3 inhibitors in PC12 cells. 2010 , 30, 193-8	7
351	Colchicine-induced apoptosis was prevented by glycogen synthase kinase-3 inhibitors in PC12 cells. 2010 , 30, 863-8	2
350	Effects of Chronic Introduction of Antidepressants on NMDA-Induced Damage to Neurons of the Rat Hippocampus and Cerebral Cortex. 2010 , 42, 18-24	
349	An endocannabinoid tone limits excitotoxicity in vitro and in a model of multiple sclerosis. 2010 , 37, 166-76	70
348	Ibuprofen for neuroprotection after cerebral ischemia. 2010 , 139, 489-93	14

347	Acute NMDA toxicity in cultured rat cerebellar granule neurons is accompanied by autophagy induction and late onset autophagic cell death phenotype. 2010 , 11, 21	45
346	Acanthopanax senticosides B ameliorates oxidative damage induced by hydrogen peroxide in cultured neonatal rat cardiomyocytes. 2010 , 627, 209-15	15
345	Lithium modulates tryptophan hydroxylase 2 gene expression and serotonin release in primary cultures of serotonergic raphe neurons. 2010 , 1307, 14-21	28
344	Inflammatory responses in aggregating rat brain cell cultures subjected to different demyelinating conditions. 2010 , 1353, 213-24	14
343	Metallothionein-3 regulates lysosomal function in cultured astrocytes under both normal and oxidative conditions. 2010 , 58, 1186-96	43
342	Dietary omega-3 fatty acids attenuate cellular damage after a hippocampal ischemic insult in adult rats. 2010 , 21, 351-6	29
341	Three diterpenes from Leonurus japonicus Houtt protect primary cultured rat cortical cells from glutamate-induced toxicity. 2010 , 24, 1256-9	19
340	Astrocytes in injury states rapidly produce anti-inflammatory factors and attenuate microglial inflammatory responses. 2010 , 115, 1161-71	58
339	Progesterone inhibits estrogen-mediated neuroprotection against excitotoxicity by down-regulating estrogen receptor- α 2010 , 115, 1277-87	56
338	Synergistic neuroprotective effect of combined low concentrations of galantamine and melatonin against oxidative stress in SH-SY5Y neuroblastoma cells. 2010 , 49, 141-8	55
337	Neuroprotective effects of naturally occurring polyphenols on quinolinic acid-induced excitotoxicity in human neurons. 2010 , 277, 368-82	84
336	Induction of lysosomal dilatation, arrested autophagy, and cell death by chloroquine in cultured ARPE-19 cells. 2010 , 51, 6030-7	165
335	Role of TGF-beta1 and MAP kinases in the antiproliferative effect of aspirin in human vascular smooth muscle cells. 2010 , 5, e9800	8
334	Growth inhibitory effects of casein hydrolysates on human cancer cell lines. 2010 , 77, 176-82	14
333	Involvement of caspase activation in azaspiracid-induced neurotoxicity in neocortical neurons. 2010 , 114, 323-34	39
332	Pharmacological shift of the ambiguous nitric oxide action from neurotoxicity to cyclic GMP-mediated protection. 2010 , 32, 938-44	14
331	Characterisation of the expression of NMDA receptors in human astrocytes. 2010 , 5, e14123	127
330	Synthesis, inhibitory activity of cholinesterases, and neuroprotective profile of novel 1,8-naphthyridine derivatives. 2010 , 53, 5129-43	58

329	Neuroprotective and neuroproliferative activities of NeuroAid (MLC601, MLC901), a Chinese medicine, in vitro and in vivo. 2010 , 58, 987-1001	76
328	Mechanisms of chlorpyrifos and diazinon induced neurotoxicity in cortical culture. 2010 , 166, 899-906	65
327	Evaluation of the role of nitric oxide in acid sensing ion channel mediated cell death. 2010 , 22, 213-9	18
326	Size-dependent neurotoxicity of beta-amyloid oligomers. 2010 , 496, 84-92	133
325	Effects of the surface characteristics of polyhydroxyalkanoates on the metabolic activities and morphology of human mesenchymal stem cells. 2010 , 21, 17-36	17
324	Involvement of calpain 2 in ionomycin-induced cell death in cultured mouse lens epithelial cells. 2011 , 36, 930-6	1
323	In Vitro Neurotoxicology. 2011 ,	5
322	Myo-inositol prevents copper-induced oxidative damage and changes in antioxidant capacity in various organs and the enterocytes of juvenile Jian carp (<i>Cyprinus carpio</i> var. Jian). 2011 , 105, 543-51	80
321	Post-injury treatment with lipopolysaccharide or lipooligosaccharide protects rat neuronal and glial cell cultures. 2011 , 85, 403-9	11
320	VEGF protects rat cortical neurons from mechanical trauma injury induced apoptosis via the MEK/ERK pathway. 2011 , 86, 441-6	45
319	Preventive effect of piracetam and vinpocetine on hypoxia-reoxygenation induced injury in primary hippocampal culture. 2011 , 49, 917-22	13
318	Ascorbate uptake is decreased in the hippocampus of ageing rats. 2011 , 58, 527-32	8
317	Extracellular progranulin protects cortical neurons from toxic insults by activating survival signaling. 2011 , 32, 2326.e5-16	78
316	Endothelin as a neuroprotective factor in the olfactory epithelium. 2011 , 172, 20-9	26
315	Delayed neuroprotection by riluzole against excitotoxic damage evoked by kainate on rat organotypic spinal cord cultures. 2011 , 190, 318-27	32
314	Phytoceramide shows neuroprotection and ameliorates scopolamine-induced memory impairment. 2011 , 16, 9090-100	9
313	Calcineurin mediates the protective effect of postconditioning on skeletal muscle. 2011 , 36, 312-6	10
312	Na-K-Cl cotransporter-1 in the mechanism of cell swelling in cultured astrocytes after fluid percussion injury. 2011 , 117, 437-48	59

311	Effects of low intensity pulsed ultrasound on rat Schwann cells metabolism. 2011 , 35, 373-83	29
310	Clioquinol induces autophagy in cultured astrocytes and neurons by acting as a zinc ionophore. 2011 , 42, 242-51	53
309	Synthesis and pharmacological assessment of diversely substituted pyrazolo[3,4-b]quinoline, and benzo[b]pyrazolo[4,3-g][1,8]naphthyridine derivatives. 2011 , 46, 4676-81	42
308	Iron accumulation and neurotoxicity in cortical cultures treated with holotransferrin. 2011 , 51, 1966-74	11
307	Chronic stress and lithium treatments alter hippocampal glutamate uptake and release in the rat and potentiate necrotic cellular death after oxygen and glucose deprivation. 2011 , 36, 793-800	21
306	Simultaneous effects of lead and cadmium on primary cultures of rat proximal tubular cells: interaction of apoptosis and oxidative stress. 2011 , 61, 500-11	31
305	Cholinergic and neuroprotective drugs for the treatment of Alzheimer and neuronal vascular diseases. II. Synthesis, biological assessment, and molecular modelling of new tacrine analogues from highly substituted 2-aminopyridine-3-carbonitriles. 2011 , 19, 122-33	39
304	Neuronal nitric oxide synthase is a key factor in doxorubicin-induced toxicity to rat-isolated cortical neurons. 2011 , 19, 14-22	12
303	5-S-GAD attenuates Fe ²⁺ -induced lipid peroxidation and cell death in a neuronal cell model. 2011 , 20, 26-31	4
302	Comparison between two different methods of immobilizing NGF in poly(DL-lactic acid-co-glycolic acid) conduit for peripheral nerve regeneration by EDC/NHS/MES and genipin. 2011 , 99, 576-85	16
301	The RNA-binding protein RBM3 is involved in hypothermia induced neuroprotection. 2011 , 43, 388-96	73
300	Retroviral expression of arginine decarboxylase attenuates oxidative burden in mouse cortical neural stem cells. 2011 , 20, 527-37	25
299	Cortistatin is induced in brain tissue and exerts neuroprotection in a rat model of bacterial meningoencephalitis. 2011 , 204, 1563-72	13
298	Epileptiform activity induces vascular remodeling and zonula occludens 1 downregulation in organotypic hippocampal cultures: role of VEGF signaling pathways. 2011 , 31, 10677-88	118
297	Effects of Kynurenine Pathway Inhibition on NAD Metabolism and Cell Viability in Human Primary Astrocytes and Neurons. 2011 , 4, 29-37	54
296	Swim training attenuates oxidative damage and promotes neuroprotection in cerebral cortical slices submitted to oxygen glucose deprivation. 2012 , 123, 317-24	16
295	Glycine attenuates cerebral ischemia/reperfusion injury by inhibiting neuronal apoptosis in mice. 2012 , 61, 649-58	35
294	Involvement of mitogen-activated protein kinase pathways in expression of the water channel protein aquaporin-4 after ischemia in rat cortical astrocytes. 2012 , 29, 2404-12	48

- 293 Oxidative stress: a possible mechanism for lead-induced apoptosis and nephrotoxicity. **2012**, 22, 705-10 35
- 292 Free chelatable zinc modulates the cholinergic function during hypobaric hypoxia-induced neuronal damage: an in vivo study. **2012**, 202, 434-45 12
- 291 Attenuation of A β -induced neurotoxicity by thymoquinone via inhibition of mitochondrial dysfunction and oxidative stress. **2012**, 369, 55-65 80
- 290 The neurosteroids, allopregnanolone and progesterone, induce autophagy in cultured astrocytes. **2012**, 60, 125-33 17
- 289 Daidzein has neuroprotective effects through ligand-binding-independent PPAR α activation. **2012**, 61, 119-27 29
- 288 Glutathione-mediated neuroprotection against methylmercury neurotoxicity in cortical culture is dependent on MRP1. **2012**, 33, 476-81 28
- 287 Salidroside protects PC12 cells from MPP⁺-induced apoptosis via activation of the PI3K/Akt pathway. **2012**, 50, 2591-7 42
- 286 Diterpenoids isolated from *Sideritis* species protect astrocytes against oxidative stress via Nrf2. **2012**, 75, 1750-8 18
- 285 In vivo imaging of glia activation using 1H-magnetic resonance spectroscopy to detect putative biomarkers of tissue epileptogenicity. **2012**, 53, 1907-16 62
- 284 Catuaba (*Trichilia catigua*) prevents against oxidative damage induced by in vitro ischemia-reperfusion in rat hippocampal slices. **2012**, 37, 2826-35 20
- 283 Benzothiazepine CGP37157 and its isosteric 2'-methyl analogue provide neuroprotection and block cell calcium entry. **2012**, 3, 519-29 24
- 282 A brown alga *Sargassum fulvellum* facilitates neuronal maturation and synaptogenesis. **2012**, 48, 535-44 19
- 281 Organotypic brain slice cultures of adult transgenic P301S mice--a model for tauopathy studies. **2012**, 7, e45017 43
- 280 Induction of autophagy and cell death by tamoxifen in cultured retinal pigment epithelial and photoreceptor cells. **2012**, 53, 5344-53 60
- 279 4-Hydroxyhexenal (HHE) impairs glutamate transport in astrocyte cultures. **2012**, 32, 139-46 6
- 278 Effect of amiloride to retinal toxicity induced by tissue plasminogen activator. **2012**, 26, 378-82 3
- 277 Physical and Environmental Stressors Induces Region Specific Neuronal Damage in Hippocampal Subfields of Mice. **2012**, 82, 291-297 2
- 276 Caspase activation contributes to astrogliosis. **2012**, 1450, 102-15 26

275	Neuroprotection by urokinase plasminogen activator in the hippocampus. 2012 , 46, 215-24	30
274	Size-dependent cellular toxicity of silver nanoparticles. 2012 , 100, 1033-43	305
273	The Na ⁺ /H ⁺ exchanger-1 inhibitor cariporide prevents glutamate-induced necrotic neuronal death by inhibiting mitochondrial Ca ²⁺ overload. 2012 , 90, 860-9	18
272	EGCG ameliorates the suppression of long-term potentiation induced by ischemia at the Schaffer collateral-CA1 synapse in the rat. 2012 , 32, 267-77	12
271	The genotoxic, hepatotoxic, nephrotoxic, haematotoxic and histopathological effects in rats after aluminium chronic intoxication. 2013 , 29, 780-91	38
270	Lanthanum chloride promotes mitochondrial apoptotic pathway in primary cultured rat astrocytes. 2013 , 28, 489-97	11
269	Stochastic time-concentration activity models for cytotoxicity in 3D brain cell cultures. 2013 , 10, 19	2
268	Evaluation of comparative cytotoxicity of spray-type chemicals used in household products. 2013 , 9, 51-56	6
267	Concerted inhibition of HIF-1 α and -2 α expression markedly suppresses angiogenesis in cultured RPE cells. 2013 , 383, 113-22	8
266	Neonatal morphine administration leads to changes in hippocampal BDNF levels and antioxidant enzyme activity in the adult life of rats. 2013 , 38, 494-503	30
265	The neuroprotective ability of polyethylene glycol is affected by temperature in ex vivo spinal cord injury model. 2013 , 246, 613-9	9
264	Role of stress-inducible protein-1 in recruitment of bone marrow derived cells into the ischemic brains. 2013 , 5, 1227-46	17
263	Protective effects of aqueous extract from <i>Acanthopanax senticosus</i> against corticosterone-induced neurotoxicity in PC12 cells. 2013 , 148, 861-8	38
262	Susceptibility to oxygen-glucose deprivation is reduced in acute hippocampal slices from euthermic Syrian golden hamsters relative to slices from Sprague-Dawley rats. 2013 , 553, 13-7	3
261	Uptake and mitochondrial dysfunction of alpha-synuclein in human astrocytes, cortical neurons and fibroblasts. 2013 , 2, 20	47
260	Angiotensin II potentiates zinc-induced cortical neuronal death by acting on angiotensin II type 2 receptor. 2013 , 6, 50	9
259	Involvement of Nrf2 signaling pathway in the neuroprotective activity of natural kaurane diterpenes. 2013 , 231, 400-12	17
258	β -Amyloid-aluminum complex alters cytoskeletal stability and increases ROS production in cortical neurons. 2013 , 62, 566-74	18

257	Effects of myo-inositol on proliferation, differentiation, oxidative status and antioxidant capacity of carp enterocytes in primary culture. 2013 , 19, 45-53	31
256	Synaptosomes secrete and uptake functionally active microRNAs via exocytosis and endocytosis pathways. 2013 , 124, 15-25	48
255	Selective activation of protein kinase C β in mitochondria is neuroprotective in vitro and reduces focal ischemic brain injury in mice. 2013 , 91, 799-807	29
254	Protective effect of creatine against 6-hydroxydopamine-induced cell death in human neuroblastoma SH-SY5Y cells: Involvement of intracellular signaling pathways. 2013 , 238, 185-94	33
253	Critical role of increased PTEN nuclear translocation in excitotoxic and ischemic neuronal injuries. 2013 , 33, 7997-8008	59
252	Anti-Inflammatory and Neuroprotective Effects of Constituents Isolated from <i>Rhodiola rosea</i> . 2013 , 2013, 514049	19
251	The protective effects of oxyresveratrol imine derivative against hydrogen peroxide-induced cell death in PC12 cells. 2013 , 47, 212-8	12
250	The Parkinson's disease-associated gene PINK1 protects neurons from ischemic damage by decreasing mitochondrial translocation of the fission promoter Drp1. 2013 , 127, 711-22	26
249	BIX-01294 induces autophagy-associated cell death via EHMT2/G9a dysfunction and intracellular reactive oxygen species production. 2013 , 9, 2126-39	110
248	Non-linear Granger causality and its frequency decomposition in decoding human upper limb movement intentions. 2013 , 12, 1	2
247	Contribution of PGE2 EP1 receptor in hemin-induced neurotoxicity. 2013 , 6, 31	17
246	Neuroprotective effects of a variety of pomegranate juice extracts against MPTP-induced cytotoxicity and oxidative stress in human primary neurons. 2013 , 2013, 685909	31
245	Neuroprotective effect of schizandrin A on oxygen and glucose deprivation/reperfusion-induced cell injury in primary culture of rat cortical neurons. 2014 , 70, 735-47	42
244	Nitric oxide plays a dual role in the oxidative injury of cultured rat microglia but not astroglia. 2014 , 281, 164-77	13
243	Loss of calpastatin leads to activation of calpain in human lens epithelial cells. 2014 , 55, 5278-83	3
242	Amelioration of ischemic mitochondrial injury and Bax-dependent outer membrane permeabilization by Mdivi-1. 2014 , 20, 528-38	68
241	Hemin uptake and release by neurons and glia. 2014 , 48, 200-5	10
240	Effects of Flavonoid Compounds on β -Amyloid-peptide-induced Neuronal Death in Cultured Mouse Cortical Neurons. 2014 , 50, 45-51	64

239	FGF-2 induces neuronal death through upregulation of system xc-. 2014 , 1547, 25-33	12	
238	Immediate and delayed effects of subchronic Paraquat exposure during an early differentiation stage in 3D-rat brain cell cultures. 2014 , 230, 188-97	13	
237	Oct-2 transcription factor binding activity and expression up-regulation in rat cerebral ischaemia is associated with a diminution of neuronal damage in vitro. 2014 , 16, 332-49	4	
236	Piracetam ameliorated oxygen and glucose deprivation-induced injury in rat cortical neurons via inhibition of oxidative stress, excitatory amino acids release and P53/Bax. 2014 , 34, 539-47	21	
235	Efficient repairing effect of PEG based tri-block copolymer on mechanically damaged PC12 cells and isolated spinal cord. 2014 , 25, 1539-51	4	
234	Alpha-synuclein transmission and mitochondrial toxicity in primary human foetal enteric neurons in vitro. 2014 , 25, 170-82	22	
233	Somatostatin receptor sst2 reduces Akt activity and aggravates hypoxic/ischemic death in cerebral cortical neurons. 2014 , 77, 249-56	4	
232	Neuroprotective effects of rosmarinic acid on ciguatoxin in primary human neurons. 2014 , 25, 226-34	32	
231	Neuropep-1 ameliorates learning and memory deficits in an Alzheimer's disease mouse model, increases brain-derived neurotrophic factor expression in the brain, and causes reduction of amyloid beta plaques. 2014 , 35, 990-1001	36	
230	The role of reciprocal activation of cAbl and Mst1 in the oxidative death of cultured astrocytes. 2014 , 62, 639-48	27	
229	Disulfide-containing high mobility group box-1 promotes N-methyl-D-aspartate receptor function and excitotoxicity by activating Toll-like receptor 4-dependent signaling in hippocampal neurons. 2014 , 21, 1726-40	114	
228	The role of metallothionein-3 in streptozotocin-induced beta-islet cell death and diabetes in mice. 2014 , 6, 1748-57	9	
227	Retroviral expression of human arginine decarboxylase reduces oxidative stress injury in mouse cortical astrocytes. 2014 , 15, 99	11	
226	High manganese, a risk for Alzheimer's disease: high manganese induces amyloid- β related cognitive impairment. 2014 , 42, 865-78	61	
225	Cost-efficient method and device for the study of stationary tissular gas bubble formation in the mechanisms of decompression sickness. <i>Journal of Neuroscience Methods</i> , 2014 , 236, 40-3	3	3
224	Neuroprotective effect of glutamate-substituted analog of gramicidin A is mediated by the uncoupling of mitochondria. 2014 , 1840, 3434-42	20	
223	Improved cognitive outcome after progesterone administration is associated with protecting hippocampal neurons from secondary damage studied in vitro and in vivo. 2014 , 264, 135-42	13	
222	Involvement of IGF-II receptors in the antioxidant and neuroprotective effects of IGF-II on adult cortical neuronal cultures. 2014 , 1842, 1041-51	18	

221	Effects of <i>Toxocara</i> larvae on brain cell survival by in vitro model assessment. 2015 , 142, 1326-34	9
220	Xenon Blocks Neuronal Injury Associated with Decompression. 2015 , 5, 15093	2
219	The zinc ionophore clioquinol reverses autophagy arrest in chloroquine-treated ARPE-19 cells and in APP/mutant presenilin-1-transfected Chinese hamster ovary cells. 2015 , 36, 3228-3238	20
218	Suppression of MAPK attenuates neuronal cell death induced by activated glia-conditioned medium in alpha-synuclein overexpressing SH-SY5Y cells. 2015 , 12, 193	8
217	Rapamycin protects dopaminergic neurons against rotenone-induced cell death in primary mesencephalic cell culture. 2015 , 53, 250-61	11
216	Involvement of JNK and caspase activation in hoiamide A-induced neurotoxicity in neocortical neurons. 2015 , 13, 903-19	12
215	Neuroprotective effect of neuroserpin in oxygen-glucose deprivation- and reoxygenation-treated rat astrocytes in vitro. 2015 , 10, e0123932	18
214	Calpain-Mediated Degradation of Drebrin by Excitotoxicity In vitro and In vivo. 2015 , 10, e0125119	28
213	Assessment of the Therapeutic Potential of Metallothionein-II Application in Focal Cerebral Ischemia In Vitro and In Vivo. 2015 , 10, e0144035	9
212	Regulation of System xc(-) by Pharmacological Manipulation of Cellular Thiols. 2015 , 2015, 269371	9
211	Glycyrrhizic Acid Promotes M1 Macrophage Polarization in Murine Bone Marrow-Derived Macrophages Associated with the Activation of JNK and NF- κ B. 2015 , 2015, 372931	31
210	Curcumin Protects Neurons from Glutamate-Induced Excitotoxicity by Membrane Anchored AKAP79-PKA Interaction Network. 2015 , 2015, 706207	9
209	The protective effect of melatonin on neural stem cell against LPS-induced inflammation. 2015 , 2015, 854359	47
208	Monitoring of Cell Culture. 2015 , 185-221	3
207	Evaluation of drug-induced neurotoxicity based on metabolomics, proteomics and electrical activity measurements in complementary CNS in vitro models. 2015 , 30, 138-65	51
206	Intracellular zinc is a critical intermediate in the excitotoxic cascade. 2015 , 81, 25-37	43
205	Effects of glutamate on growth, antioxidant capacity, and antioxidant-related signaling molecule expression in primary cultures of fish enterocytes. 2015 , 41, 1143-53	29
204	Synthesis and characterization of nanocrystalline forsterite coated poly(L-lactide-co-D-malic acid) scaffolds for bone tissue engineering applications. 2015 , 50, 117-23	20

203	Characterisation of the kynurenine pathway in skin-derived fibroblasts and keratinocytes. 2015 , 116, 903-22	15
202	Seizure control by derivatives of medium chain fatty acids associated with the ketogenic diet show novel branching-point structure for enhanced potency. 2015 , 352, 43-52	40
201	Role of glutathione peroxidase 4 in conjunctival epithelial cells. 2015 , 56, 538-43	14
200	Insight into the binding theme of CA-074Me to cathepsin B: molecular dynamics simulations and scaffold hopping to identify potential analogues as anti-neurodegenerative diseases. 2015 , 24, 701-713	4
199	Amiodarone biokinetics, the formation of its major oxidative metabolite and neurotoxicity after acute and repeated exposure of brain cell cultures. 2015 , 30, 192-202	16
198	Comparison of the post-mortem interval on the effect of vascular responses to the activation of ionotropic and metabotropic receptors. 2015 , 3, 230-234	1
197	Pyruvate and cilostazol protect cultured rat cortical pericytes against tissue plasminogen activator (tPA)-induced cell death. 2015 , 1628, 317-326	6
196	Optimization of fluoride-containing bioactive glasses as a novel scolical agent adjunct to hydatid surgery. 2015 , 148, 105-14	23
195	A multiplexed assay for determination of neurotoxicant effects on spontaneous network activity and viability from microelectrode arrays. 2015 , 49, 79-85	44
194	Single-cell analysis reveals gene-expression heterogeneity in syntrophic dual-culture of <i>Desulfovibrio vulgaris</i> with <i>Methanosarcina barkeri</i> . 2014 , 4, 7478	13
193	Neuroprotective role of prostaglandin PGE2 EP2 receptor in hemin-mediated toxicity. 2015 , 46, 53-9	11
192	P2Y(1) receptor mediated neuronal fibre outgrowth in organotypic brain slice co-cultures. 2015 , 93, 252-66	10
191	Sp3/REST/HDAC1/HDAC2 Complex Represses and Sp1/HIF-1/p300 Complex Activates ncx1 Gene Transcription, in Brain Ischemia and in Ischemic Brain Preconditioning, by Epigenetic Mechanism. 2015 , 35, 7332-48	67
190	Protective Effect of Anthocyanidins on Astrocytes and Apoptosis Induced by Oxidative Damage. 2015 , 2, e19-e24	
189	Reduction of <i>Toxoplasma gondii</i> Development Due to Inhibition of Parasite Antioxidant Enzymes by a Dinuclear Iron(III) Compound. 2015 , 59, 7374-86	20
188	A novel class of negative allosteric modulators of NMDA receptor function. 2015 , 25, 5583-8	12
187	Angiotensin-1 blocks neurotoxic zinc entry into cortical cells via PIP2 hydrolysis-mediated ion channel inhibition. 2015 , 81, 203-13	5
186	L-Glutamate Enhances Barrier and Antioxidative Functions in Intestinal Porcine Epithelial Cells. 2015 , 145, 2258-64	65

185	Further evidence that naphthoquinone inhibits <i>Toxoplasma gondii</i> growth in vitro. 2015 , 64, 622-31	8
184	Anti-Alzheimers and anti-inflammatory activities of a glycoprotein purified from the edible brown alga <i>Undaria pinnatifida</i> . 2015 , 77, 118-124	30
183	Zinc oxide nanoparticles induce lipoxygenase-mediated apoptosis and necrosis in human neuroblastoma SH-SY5Y cells. 2015 , 90, 204-14	48
182	Optimization of nanofibrous silk fibroin scaffold as a delivery system for bone marrow adherent cells: in vitro and in vivo studies. 2015 , 62, 785-94	35
181	In vitro and in vivo evaluations of three-dimensional hydroxyapatite/silk fibroin nanocomposite scaffolds. 2015 , 62, 441-50	34
180	In vitro and in vivo protective effect of arginine against lipopolysaccharide induced inflammatory response in the intestine of juvenile Jian carp (<i>Cyprinus carpio</i> var. Jian). 2015 , 42, 457-64	54
179	Nimodipine enhances neurite outgrowth in dopaminergic brain slice co-cultures. 2015 , 40, 1-11	13
178	The in vitro biokinetics of chlorpromazine and diazepam in aggregating rat brain cell cultures after repeated exposure. 2015 , 30, 185-91	3
177	Neuroprotective effect of caffeic acid phenethyl ester in 3-nitropropionic acid-induced striatal neurotoxicity. 2016 , 20, 279-86	22
176	Cuminaldehyde from <i>Cinnamomum verum</i> Induces Cell Death through Targeting Topoisomerase 1 and 2 in Human Colorectal Adenocarcinoma COLO 205 Cells. <i>Nutrients</i> , 2016 , 8, 6.7	19
175	Up-Regulation of ENO1 by HIF-1 α in Retinal Pigment Epithelial Cells after Hypoxic Challenge Is Not Involved in the Regulation of VEGF Secretion. 2016 , 11, e0147961	11
174	Molecular Mechanism of <i>Cinnamomum verum</i> Component Cuminaldehyde Inhibits Cell Growth and Induces Cell Death in Human Lung Squamous Cell Carcinoma NCI-H520 Cells In Vitro and In Vivo. 2016 , 7, 251-61	12
173	Protective effects of Alpha-lipoic acid on MeHg-induced oxidative damage and intracellular Ca(2+) dyshomeostasis in primary cultured neurons. 2016 , 50, 542-56	16
172	Neuroserpin Protects Rat Neurons and Microglia-Mediated Inflammatory Response Against Oxygen-Glucose Deprivation- and Reoxygenation Treatments in an In Vitro Study. 2016 , 38, 1472-82	17
171	Chemopreventive effect of 18 β -glycyrrhetic acid via modulation of inflammatory markers and induction of apoptosis in human hepatoma cell line (HepG2). 2016 , 416, 169-77	29
170	Chitosan attenuates dibutyltin-induced apoptosis in PC12 cells through inhibition of the mitochondria-dependent pathway. 2016 , 151, 996-1005	13
169	Triclosan activates aryl hydrocarbon receptor (AhR)-dependent apoptosis and affects Cyp1a1 and Cyp1b1 expression in mouse neocortical neurons. 2016 , 151, 106-114	54
168	Glutathione peroxidase 4 plays an important role in oxidative homeostasis and wound repair in corneal epithelial cells. 2016 , 6, 1238-1247	12

167	Fumarate modulates the immune/inflammatory response and rescues nerve cells and neurological function after stroke in rats. 2016 , 13, 269	47
166	Guidelines for the selection of functional assays to evaluate the hallmarks of cancer. 2016 , 1866, 300-319	60
165	Neuroprotective effects of ginsenosides on neural progenitor cells against oxidative injury. 2016 , 13, 3083-91	28
164	Lipid Rafts Disruption Increases Ochratoxin A Cytotoxicity to Hepatocytes. <i>Journal of Biochemical and Molecular Toxicology</i> , 2016 , 30, 71-9	3-4 11
163	Study of neuroprotective function of Ginkgo biloba extract (EGb761) derived-flavonoid monomers using a three-dimensional stem cell-derived neural model. 2016 , 32, 735-44	18
162	Examining the Neural and Astroglial Protective Effects of Cellular Prion Protein Expression and Cell Death Protease Inhibition in Mouse Cerebrocortical Mixed Cultures. 2016 , 53, 4821-32	1
161	AMP-activated protein kinase contributes to zinc-induced neuronal death via activation by LKB1 and induction of Bim in mouse cortical cultures. 2016 , 9, 14	20
160	Low-Chlorinated Non-Dioxin-like Polychlorinated Biphenyls Present in Blood and Breast Milk Induce Higher Levels of Reactive Oxygen Species in Neutrophil Granulocytes than High-Chlorinated Congeners. 2016 , 119, 588-597	6
159	Actin dynamics shape microglia effector functions. 2016 , 221, 2717-34	29
158	Neuroprotective profile of pyridothiazepines with blocking activity of the mitochondrial Na(+)/Ca(2+) exchanger. 2016 , 109, 114-23	12
157	Neuroprotective effects of the Phellinus linteus ethyl acetate extract against H ₂ O ₂ -induced apoptotic cell death of SK-N-MC cells. 2016 , 36, 31-43	13
156	Nitroxide antioxidant as a potential strategy to attenuate the oxidative/nitrosative stress induced by hydrogen peroxide plus nitric oxide in cultured neurons. 2016 , 54, 38-50	17
155	Deletion or Inhibition of the Oxygen Sensor PHD1 Protects against Ischemic Stroke via Reprogramming of Neuronal Metabolism. 2016 , 23, 280-91	58
154	Phenyl-guanidine derivatives as potential therapeutic agents for glioblastoma multiforme: catalytic syntheses, cytotoxic effects and DNA affinity. 2016 , 6, 8267-8276	7
153	Gracilaria edulis exhibit antiproliferative activity against human lung adenocarcinoma cell line A549 without causing adverse toxic effect in vitro and in vivo. 2016 , 7, 1155-65	17
152	TBBPA causes neurotoxic and the apoptotic responses in cultured mouse hippocampal neurons in vitro. 2016 , 68, 20-6	40
151	Activation of sodium channels by β -scorpion toxin, BmK NT1, produced neurotoxicity in cerebellar granule cells: an association with intracellular Ca overloading. 2017 , 91, 935-948	17
150	Penehyclidine hydrochloride prevents anoxia/reoxygenation injury and induces H9c2 cardiomyocyte apoptosis via a mitochondrial pathway. 2017 , 797, 115-123	16

- 149 Polyhydroxy propionate-co-hydroxy dodecanoate-co-hydroxy octadecanoate for in vitro cell culture. **2017**, 66, 425-431
- 148 Glatiramer acetate attenuates the activation of CD4 T cells by modulating STAT1 and -3 signaling in glia. **2017**, 7, 40484 5
- 147 Acidotoxicity via ASIC1a Mediates Cell Death during Oxygen Glucose Deprivation and Abolishes Excitotoxicity. **2017**, 8, 1204-1212 14
- 146 Shear contributions to cell culture performance and product recovery in ATF and TFF perfusion systems. **2017**, 246, 52-60 51
- 145 B-vitamin and choline supplementation increases neuroplasticity and recovery after stroke. **2017**, 103, 89-100 29
- 144 Mamea longifolia Planch. and Triana Fruit Extract Induces Cell Death in the Human Colon Cancer Cell Line, SW480, via Mitochondria-Related Apoptosis and Activation of p53. **2017**, 20, 485-490 6
- 143 Targeting a Potassium Channel/Syntaxin Interaction Ameliorates Cell Death in Ischemic Stroke. **2017**, 37, 5648-5658 20
- 142 Potential mechanisms of development-dependent adverse effects of the herbicide paraquat in 3D rat brain cell cultures. **2017**, 60, 116-124 15
- 141 Tert-butylhydroquinone protects PC12 cells against ferrous sulfate-induced oxidative and inflammatory injury via the Nrf2/ARE pathway. **2017**, 273, 28-36 17
- 140 Simvastatin protects ischemic spinal cord injury from cell death and cytotoxicity through decreasing oxidative stress: in vitro primary cultured rat spinal cord model under oxygen and glucose deprivation-reoxygenation conditions. **2017**, 12, 36 22
- 139 Synthesis, characterization, DNA interactions and antiproliferative activity on glioblastoma of iminopyridine platinum(II) chelate complexes. **2017**, 168, 46-54 8
- 138 Study of novel anticancer 4-thiazolidinone derivatives. **2017**, 262, 46-56 39
- 137 Aminophosphine ligands as a privileged platform for development of antitumoral ruthenium(II) arene complexes. **2017**, 46, 16113-16125 19
- 136 Anticancer properties of 4-thiazolidinone derivatives depend on peroxisome proliferator-activated receptor gamma (PPAR γ) **2017**, 141, 162-168 29
- 135 The role S-nitrosylation in manganese-induced autophagy dysregulation in SH-SY5Y cells. **2017**, 32, 2428-2439 19
- 134 Vanadate oxidative and apoptotic effects are mediated by the MAPK-Nrf2 pathway in layer oviduct magnum epithelial cells. **2017**, 9, 1562-1575 20
- 133 Ischemia/Reperfusion Induces Interferon-Stimulated Gene Expression in Microglia. **2017**, 37, 8292-8308 27
- 132 Extraction of Lactobacillus acidophilus CICC 6074 S-Layer Proteins and Their Ability to Inhibit Enteropathogenic Escherichia coli. **2017**, 74, 1123-1129 12

131	Analysis of BMAA enantiomers in cycads, cyanobacteria, and mammals: in vivo formation and toxicity of D-BMAA. 2017 , 49, 1427-1439		20
130	Cytotoxic Effects of Environmental Toxins on Human Glial Cells. 2017 , 31, 245-258		22
129	Memantine, a Low-Affinity NMDA Receptor Antagonist, Protects against Methylmercury-Induced Cytotoxicity of Rat Primary Cultured Cortical Neurons, Involvement of Ca Dyshomeostasis Antagonism, and Indirect Antioxidation Effects. 2017 , 54, 5034-5050		13
128	Development and characterization of a human embryonic stem cell-derived 3D neural tissue model for neurotoxicity testing. 2017 , 38, 124-135		26
127	Dibutyl Phthalate (DBP)-Induced Apoptosis and Neurotoxicity are Mediated via the Aryl Hydrocarbon Receptor (AhR) but not by Estrogen Receptor Alpha (ER α) Estrogen Receptor Beta (ER β), or Peroxisome Proliferator-Activated Receptor Gamma (PPAR γ) in Mouse Cortical Neurons. 2017 , 31, 77-89		65
126	Methods for the In Vitro Characterization of Nanomedicines-Biological Component Interaction. 2017 , 7,		27
125	Zn-induced disruption of neuronal mitochondrial function: Synergism with Ca, critical dependence upon cytosolic Zn buffering, and contributions to neuronal injury. 2018 , 302, 181-195		17
124	Imaging pathological activities of human brain tissue in organotypic culture. <i>Journal of Neuroscience Methods</i> , 2018 , 298, 33-44	3	17
123	Curcumin protects cortical neurons against oxygen and glucose deprivation/reoxygenation injury through flotillin-1 and extracellular signal-regulated kinase1/2 pathway. 2018 , 496, 515-522		12
122	Microarray expression profiling and co-expression network analysis of circulating LncRNAs and mRNAs associated with neurotoxicity induced by BPA. 2018 , 25, 15006-15018		10
121	Role of Peroxiredoxin 2 in the Protection Against Ferrous Sulfate-Induced Oxidative and Inflammatory Injury in PC12 Cells. 2018 , 38, 735-745		5
120	Involvement of P38 and ERK1/2 in mitochondrial pathways independent cell apoptosis in oviduct magnum epithelial cells of layers challenged with vanadium. 2018 , 33, 1312-1320		3
119	Glycyrrhizin Attenuates Serovar Typhimurium Infection: New Insights Into Its Protective Mechanism. 2018 , 9, 2321		20
118	Validation of a simplified in vitro Transwell model of the alveolar surface to assess host immunity induced by different morphotypes of <i>Aspergillus fumigatus</i> . 2018 , 308, 1009-1017		8
117	Neural Injuries Induced by Hydrostatic Pressure Associated With Mass Effect after Intracerebral Hemorrhage. 2018 , 8, 9195		16
116	Potential Role of Zinc Dyshomeostasis in Matrix Metalloproteinase-2 and -9 Activation and Photoreceptor Cell Death in Experimental Retinal Detachment. 2018 , 59, 3058-3068		5
115	Activity of translation regulator eukaryotic elongation factor-2 kinase is increased in Parkinson disease brain and its inhibition reduces alpha synuclein toxicity. 2018 , 6, 54		27
114	Gastrodin Protects Cardiomyocytes from Anoxia/Reoxygenation Injury by 14-3-3. 2018 , 2018, 3685391		5

113	Impact of Elastin-Derived Peptide VGVAPG on Matrix Metalloprotease-2 and -9 and the Tissue Inhibitor of Metalloproteinase-1, -2, -3 and -4 mRNA Expression in Mouse Cortical Glial Cells In Vitro. 2019 , 35, 100-110		17
112	Contribution of Zinc-Dependent Delayed Calcium Influx via TRPC5 in Oxidative Neuronal Death and its Prevention by Novel TRPC Antagonist. 2019 , 56, 2822-2835		12
111	Zinc Oxide Nanoparticles Induce Autophagy and Apoptosis via Oxidative Injury and Pro-Inflammatory Cytokines in Primary Astrocyte Cultures. <i>Nanomaterials</i> , 2019 , 9,	5-4	19
110	The Precursor to Glutathione (GSH), γ -Glutamylcysteine (GGC), Can Ameliorate Oxidative Damage and Neuroinflammation Induced by A β Oligomers in Human Astrocytes. 2019 , 11, 177		17
109	Involvement of mitochondrial apoptotic pathway and MAPKs/NF- κ B inflammatory pathway in the neuroprotective effect of atractylenolide III in corticosterone-induced PC12 cells. 2019 , 17, 264-274		11
108	Effects of dental composite resin monomers on dental pulp cells. <i>Dental Materials Journal</i> , 2019 , 38, 579-583	2.5	13
107	Gadd45b Acts as Neuroprotective Effector in Global Ischemia-Induced Neuronal Death. 2019 , 23, S11-21		13
106	Protein pathway analysis to study development-dependent effects of acute and repeated trimethyltin (TMT) treatments in 3D rat brain cell cultures. 2019 , 60, 281-292		2
105	Dual PPAR γ Agonist aleglitazar confers stroke protection in a model of mild focal brain ischemia in mice. 2019 , 97, 1127-1138		10
104	Sulfated polysaccharides from the edible marine algae <i>Padina tetrastratica</i> attenuates isoproterenol-induced oxidative damage via activation of PI3K/Akt/Nrf2 signaling pathway - An in vitro and in vivo approach. 2019 , 308, 258-268		9
103	M2 microglia-derived exosomes protect the mouse brain from ischemia-reperfusion injury via exosomal miR-124. 2019 , 9, 2910-2923		128
102	In vitro models to study insulin and glucocorticoids modulation of trimethyltin (TMT)-induced neuroinflammation and neurodegeneration, and in vivo validation in db/db mice. 2019 , 93, 1649-1664		7
101	The S1P mimetic fingolimod phosphate regulates mitochondrial oxidative stress in neuronal cells. 2019 , 137, 116-130		21
100	<i>Chrysanthemum indicum</i> extract inhibits NLRP3 and AIM2 inflammasome activation via regulating ASC phosphorylation. 2019 , 239, 111917		8
99	Zinc Oxide Nanoparticles Exhibit Both Cyclooxygenase- and Lipoxygenase-Mediated Apoptosis in Human Bone Marrow-Derived Mesenchymal Stem Cells. 2019 , 35, 83-91		20
98	Resveratrol Enhances Apoptotic and Oxidant Effects of Paclitaxel through TRPM2 Channel Activation in DBTRG Glioblastoma Cells. 2019 , 2019, 4619865		37
97	BmK NT1-induced neurotoxicity is mediated by PKC/CaMKII-dependent ERK1/2 and p38 activation in primary cultured cerebellar granule cells. 2019 , 421, 22-29		10
96	Identifying New AMP-Activated Protein Kinase Inhibitors That Protect against Ischemic Brain Injury. 2019 , 10, 2345-2354		3

95	Organotypic brain slice cultures to model neurodegenerative proteinopathies. 2019 , 14, 45	25
94	Synthesis, characterization, theoretical studies and biological (antioxidant, anticancer, toxicity and neuroprotective) determinations of a copper(II) complex with 5-hydroxytryptophan. 2019 , 111, 414-426	8
93	Astaxanthin protects lipopolysaccharide-induced inflammatory response in <i>Channa argus</i> through inhibiting NF- κ B and MAPKs signaling pathways. 2019 , 86, 280-286	37
92	Methyl-mercury induces apoptosis through ROS-mediated endoplasmic reticulum stress and mitochondrial apoptosis pathways activation in rat cortical neurons. 2019 , 53, 26-44	26
91	Triclosan-Evoked Neurotoxicity Involves NMDAR Subunits with the Specific Role of GluN2A in Caspase-3-Dependent Apoptosis. 2019 , 56, 1-12	35
90	Hemolytic and cytotoxic activity from cultures of <i>Aureococcus anophagefferens</i> -a causative species of brown tides in the north-western Bohai Sea, China. 2020 , 247, 125819	4
89	Zn entry through the mitochondrial calcium uniporter is a critical contributor to mitochondrial dysfunction and neurodegeneration. 2020 , 325, 113161	19
88	A Novel Treatment with Stem Cells from Human Exfoliated Deciduous Teeth for Hypoxic-Ischemic Encephalopathy in Neonatal Rats. 2020 , 29, 63-74	6
87	Neither Excessive Nitric Oxide Accumulation nor Acute Hyperglycemia Affects the -Acetylaspartate Network in Wistar Rat Brain Cells. 2020 , 21,	0
86	alleviates inflammation via NF- κ B signaling in ETEC K88-induced IPEC-J2 cells. <i>Journal of Animal Science and Biotechnology</i> , 2020 , 11, 76	6 14
85	The interference of alpha- and beta-naphthoflavone with triclosan effects on viability, apoptosis and reactive oxygen species production in mouse neocortical neurons. 2020 , 168, 104638	4
84	A cell permeant phosphopeptide mimetic of Niban inhibits p38 MAPK and restores endothelial function after injury. 2020 , 34, 9180-9191	2
83	Osteogenic potential of poly(ethylene glycol)-amorphous calcium phosphate composites on human mesenchymal stem cells. 2020 , 11, 2041731420926840	23
82	Clinical and Diagnostic Significance of Lactate Dehydrogenase and Its Isoenzymes in Animals. 2020 , 2020, 5346483	20
81	A role of metallothionein-3 in radiation-induced autophagy in glioma cells. 2020 , 10, 2015	15
80	Magnetic Nanoheterostructures. 2020 ,	3
79	Biotransformation and toxicity effect of monoanthraquinone dyes during <i>Bjerkandera adusta</i> CCBAS 930 cultures. 2020 , 191, 110203	7
78	Pulsed Radiofrequency Neuromodulation Contributes to Activation of Platelet-Rich Plasma in In Vitro Conditions. 2020 ,	1

77	Ameliorative effects of escin on neuropathic pain induced by chronic constriction injury of sciatic nerve. 2021 , 267, 113503	2
76	IL-27 Protects the Brain from Ischemia-Reperfusion Injury via the gp130/STAT3 Signaling Pathway. 2021 , 71, 1838-1848	1
75	Impact of Glucocorticoid on a Cellular Model of Parkinson's Disease: Oxidative Stress and Mitochondrial Function. 2021 , 11,	1
74	Five-Membered-Ring-Fused Tacrines as Anti-Alzheimer's Disease Agents.	3
73	Tris (2,3-Dibromopropyl) Isocyanurate (TDBP-TAZTO or TBC) Shows Different Toxicity Depending on the Degree of Differentiation of the Human Neuroblastoma (SH-SY5Y) Cell Line. 2021 , 39, 1575-1588	3
72	S100B as a Potential Neurochemical Biomarker in a Variety of Neurological, Neuropsychiatric and Neurosurgical Disorders. 2009 , 13-25	1
71	Zinc and Zinc Transport and Sequestration Proteins in the Brain in the Progression of Alzheimer's Disease. 2011 , 669-693	1
70	Alpha-mercaptoacrylic acid derivatives as novel selective calpain inhibitors. 1996 , 389, 95-101	13
69	Nerve cell death induced by Ca ²⁺ ionophores in dissociated hippocampal cultures. Protective action of the NMDA antagonist MK-801. 1997 , 429, 207-19	2
68	Biphasic effect of taurine on excitatory amino acid-induced neurotoxicity. 1996 , 403, 499-505	34
67	In vitro oxygen-glucose deprivation to study ischemic cell death. 2015 , 1254, 197-210	82
66	Measurements of cell death in neuronal and glial cells. 2011 , 758, 171-8	23
65	Toxicity Assessment of Nanomaterials. 2020 , 383-446	3
64	Nanotoxicity of Nanobiomaterials in Ocular System and Its Evaluation. 2016 , 495-533	2
63	Another Facet of Nitric Oxide: Reduction of Toxic Zinc Influx Through Voltage-Gated Channels. 1999 , 169-173	1
62	Excitatory Amino Acid Induced Cytotoxicity in Cultured Neurons: Role of Intracellular Ca ⁺⁺ Homeostasis. 1991 , 137-152	6
61	Cytotoxicity in Murine Neocortical Cell Culture. 1993 , 46-60	78
60	Regulation of Body Temperature and Neuroprotection by Endogenous Interleukin-6 in Cerebral Ischemia. 2003 , 406-415	35

59	Inhibition of mitochondrial function in astrocytes: implications for neuroprotection. 2007 , 102, 070508225918085-???	3
58	Role of glutamatergic and GABAergic systems in alcoholism. 2001 , 8, 7	3
57	Neurotoxic effect of acamprosate, N-Acetyl-Homotaurine, in cultured neurons. 2001 , 8, 96	0
56	Potential of oxygen-glucose deprivation-induced neuronal death after induction of iNOS. 1996 , 27, 1586-91	64
55	Effect of CP101,606, a novel NR2B subunit antagonist of the N-methyl-D-aspartate receptor, on the volume of ischemic brain damage off cytotoxic brain edema after middle cerebral artery occlusion in the feline brain. 1997 , 28, 2244-51	43
54	Human immunodeficiency virus-infected macrophages produce soluble factors that cause histological and neurochemical alterations in cultured human brains. 1991 , 87, 503-12	230
53	Effects of transforming growth factor-beta on murine astrocyte glutamine synthetase activity. Implications in neuronal injury. 1992 , 90, 1786-93	61
52	Pneumococcal pneumolysin and H ₂ O ₂ mediate brain cell apoptosis during meningitis. 2002 , 109, 19-27	235
51	Secretoneurin promotes neuroprotection and neuronal plasticity via the Jak2/Stat3 pathway in murine models of stroke. 2008 , 118, 133-48	102
50	Maturation-dependent neurotoxicity of 3-hydroxyglutaric and glutaric acids in vitro: a new pathophysiologic approach to glutaryl-CoA dehydrogenase deficiency. 2000 , 47, 495-503	53
49	Motor neurons are selectively vulnerable to AMPA/kainate receptor-mediated injury in vitro. 1996 , 16, 4069-79	369
48	The impact of endothelial cell death in the brain and its role after stroke: A systematic review. 2019 , 3, 330-347	22
47	Kinetic Lactate Dehydrogenase Assay for Detection of Cell Damage in Primary Neuronal Cell Cultures. 2017 , 7, e2308	6
46	Glutamate/NMDA excitotoxicity and HMGB1/TLR4 neuroimmune toxicity converge as components of neurodegeneration. 2015 , 2, 77-100	13
45	Effects of resveratrol on hydrogen peroxide-induced oxidative stress in embryonic neural stem cells. 2013 , 8, 485-95	29
44	Protective effects of Lindl. alkaloids on amyloid beta (25-35)-induced neuronal injury. 2017 , 12, 1131-1136	13
43	The Impact of the Combined Administration of 1MeTIQ and MK-801 on Cell Viability, Oxidative Stress Markers, and Glutamate Release in the Rat Hippocampus. 2021 , 39, 1747-1761	1
42	The individual and combined neuroprotective effects of propofol and ketamine on rat mixed cortical cultures exposed to oxygen-glucose deprivation-reperfusion injury. 2008 , 55, 72	

41	Molecular Chaperones and Protection in Animal and Cellular Models of Ischemic Stroke. 2008 , 179-201		
40	Syntheses of DMVD and DMVD-fmk Derivatives and Evaluation of their Neuroprotective Effects as Caspase Inhibitors. 2008 , 52, 717-723		
39	Effects of propofol and etomidate on hydrogen peroxide-induced oxidative damage in hepatocyte. 2009 , 57, 331-336		1
38	The calcium channel blocker nifedipine attenuates slow excitatory amino acid neurotoxicity. 1990 , 247, 1474-7		47
37	Dihydropyridines Attenuate Slow Excitatory Amino Acid Neurotoxicity. 1991 , 57-69		
36	Primary Cultures for Testing Neuroprotective Drugs. 1992 , 3-23		
35	Primary cultures of neurons for testing neuroprotective drug effects. 1994 , 44, 1-20		4
34	Assessment of Cell Viability and Histochemical Methods in Apoptosis. 1998 ,		
33	Xenon-helium gas mixture at equimolar concentration of 37.5% protects against oxygen and glucose deprivation-induced injury and inhibits tissue plasminogen activator. 2017 , 7, 181-185		1
32	Involvement of GPR17 in Neuronal Fibre Outgrowth. 2021 , 22,		0
31	Protective effects of extracts from the aerial parts of hydroponically cultured ginseng on alcohol-induced liver damage in mice and quantitative analysis of major ginsenosides. 2020 , 63, 413-420		1
30	Toxicity Assessment of Nanoferrites. 2021 , 233-314		1
29	Up-regulation of heme oxygenase-1 by isoflurane preconditioning during tolerance against neuronal injury induced by oxygen glucose deprivation. 2008 , 40, 803-810		
28	Deciphering the MSG controversy. <i>International Journal of Clinical and Experimental Medicine</i> , 2009 , 2, 329-36		7
27	Using chick forebrain neurons to model neurodegeneration and protection in an undergraduate neuroscience laboratory course. <i>Journal of Undergraduate Neuroscience Education: JUNE: A Publication of FUN, Faculty for Undergraduate Neuroscience</i> , 2013 , 11, A178-86	0.6	1
26	E3 ubiquitin ligase Siah-1 downregulates synaptophysin expression under high glucose and hypoxia. <i>American Journal of Translational Research (discontinued)</i> , 2015 , 7, 15-27	3	6
25	Association between Perioperative Parameters and Cognitive Impairment in Post-Cardiac Surgery Patients. <i>The Journal of Tehran Heart Center</i> , 2015 , 10, 85-92	0.3	4
24	Protective effects of ginsenoside Rg2 against H ₂ O ₂ -induced injury and apoptosis in H9c2 cells. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 19938-47		18

23	Neuroprotective role of thymoquinone against 1-methyl-4-phenylpyridinium-induced dopaminergic cell death in primary mesencephalic cell culture. <i>Neurosciences</i> , 2015 , 20, 10-6	0.1	16
22	ZnT1 is a neuronal Zn/Ca exchanger. <i>Cell Calcium</i> , 2021 , 101, 102505	4	0
21	Staphylococcus aureus mediates pyroptosis in bovine mammary epithelial cell via activation of NLRP3 inflammasome.. <i>Veterinary Research</i> , 2022 , 53, 10	3.8	1
20	Comparison of cell viability between mouse-derived ES-D3 cells and Balb/c 3T3 cells using denture-base lining materials.. <i>Dental Materials Journal</i> , 2022 ,	2.5	
19	Insulin-like Growth Factor II Prevents MPP+ and Glucocorticoid Mitochondrial-Oxidative and Neuronal Damage in Dopaminergic Neurons.. <i>Antioxidants</i> , 2021 , 11,	7.1	0
18	Resveratrol Inhibits Metabolism and Affects Blood Platelet Function in Type 2 Diabetes.. <i>Nutrients</i> , 2022 , 14,	6.7	0
17	Image_1.TIF. 2018 ,		
16	Image_2.TIF. 2018 ,		
15	Image_3.TIF. 2018 ,		
14	Image_4.TIF. 2018 ,		
13	Image_5.TIF. 2018 ,		
12	Table_1.docx. 2018 ,		
11	Data_Sheet_1.docx. 2019 ,		
10	S-Nitrosylation of cathepsin B affects autophagic flux and accumulation of protein aggregates in neurodegenerative disorders.. <i>Cell Death and Differentiation</i> , 2022 ,	12.7	0
9	Effects of Cathinones (Bath Salts) on Cultured Primary Neurons/Astroglia Cells and Neurobehavioral Functions in Mice. <i>SSRN Electronic Journal</i> ,	1	
8	Unbalanced ER-mitochondrial calcium homeostasis promotes mitochondrial dysfunction and associated apoptotic pathways activation in methylmercury exposed rat cortical neurons. <i>Journal of Biochemical and Molecular Toxicology</i> ,	3.4	
7	Prussian Blue Nanoparticle-Mediated Scalable Thermal Stimulation for In Vitro Neuronal Differentiation. <i>Nanomaterials</i> , 2022 , 12, 2304	5.4	
6	Bacillus licheniformis PF9 improves barrier function and alleviates inflammatory responses against enterotoxigenic Escherichia coli F4 infection in the porcine intestinal epithelial cells. <i>Journal of Animal Science and Biotechnology</i> , 2022 , 13,	6	1

- 5 Nomogram for prediction of diabetic retinopathy in patients with type 2 diabetes mellitus: A retrospective study. **2022**, 36, 108313 ○
- 4 An interdisciplinary framework for the characterization of extracellular matrix-hydrogels for biomedical applications. **2022**, 5, 3659-3705 ○
- 3 Potential use of bioactive nanofibrous dural substitutes with controlled release of IGF-1 for neuroprotection after traumatic brain injury. **2022**, 14, 18217-18230 1
- 2 Zinc release from mitochondria contributes to MPP+-induced lysosomal disruption and neuronal death. ○
- 1 A dynamic balance between neuronal death and clearance after acute brain injury. ○