

CITATION REPORT

List of articles citing

A modified UNIFAC group-contribution model for prediction of phase equilibria and heats of mixing

DOI: 10.1021/ie00071a018

Industrial & Engineering Chemistry Research, 1987, 26, 2274-2286.

Source: <https://exaly.com/paper-pdf/19409883/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
751	A modified UNIFAC group-contribution model for prediction of phase equilibria and heats of mixing. <i>Industrial & Engineering Chemistry Research</i> , 1987 , 26, 2274-2286	3.9	729
750	New working pairs for medium and high temperature industrial absorption heat pumps. 1988 , 8, 459-468		12
749	Thermodynamics of mixtures containing bromoalkanes. II. Excess enthalpies of mixtures of 1-bromoalkane with cyclohexane, with benzene, or with tetrachloromethane. Measurement and analysis in terms of group contributions (DISQUAC). <i>Fluid Phase Equilibria</i> , 1989 , 45, 191-203	2.5	34
748	Cubic equations of state for reservoir engineering and chemical process design. <i>Fluid Phase Equilibria</i> , 1989 , 52, 15-30	2.5	7
747	Calculation of multiphase equilibria by a group contribution equation of state. <i>Fluid Phase Equilibria</i> , 1989 , 52, 75-82	2.5	4
746	Development of a new cubic equation of state for phase equilibrium calculations. <i>Fluid Phase Equilibria</i> , 1989 , 52, 127-134	2.5	59
745	Prediction of surface tensions of nonelectrolyte solutions. 1989 , 44, 782-785		74
744	Calculation of simultaneous chemical and phase equilibria in nonideal systems. 1989 , 44, 237-248		71
743	Thermodynamics of binary mixtures containing oxaalkanes. Part 3. Monoethers, polyethers, acetals, orthoesters and cyclic monoethers + n-alkanes or cyclohexane. <i>Fluid Phase Equilibria</i> , 1989 , 46, 131-177	2.5	143
742	Combined phase and reaction equilibria calculations using the uniwaals equation of state. <i>Fluid Phase Equilibria</i> , 1989 , 53, 89-96	2.5	3
741	Thermodynamic calculation of cloud point temperatures and wax phase compositions of refined hydrocarbon mixtures. <i>Fluid Phase Equilibria</i> , 1989 , 53, 377-396	2.5	89
740	Prediction of gas solubility and vapor-liquid equilibria by group contribution. <i>Fluid Phase Equilibria</i> , 1989 , 47, 133-152	2.5	39
739	An improved mosced equation for the prediction and application of infinite dilution activity coefficients. <i>Fluid Phase Equilibria</i> , 1989 , 52, 151-160	2.5	22
738	Thermodynamic properties of (a propyl ester + an n-alkane) at 298.15 K I. $\{x\text{C}_2\text{H}_5\text{CO}_2\text{C}_3\text{H}_7 + (1-x)\text{C}_n\text{H}_{2n+2}\}$, (n = 6 to 10). 1989 , 21, 1017-1022		41
737	Extension of UNIFAC to high pressures and temperatures by the use of a cubic equation of state. <i>Industrial & Engineering Chemistry Research</i> , 1989 , 28, 1049-1055	3.9	74
736	Thermodynamic properties of binary mixtures of 2-hexanone with n-alkanes at 35°C. 1990 , 19, 1095-1102		18
735	Solubility models for amino acids and antibiotics. <i>AIChE Journal</i> , 1990 , 36, 333-341	3.6	75

734	A study of density-dependent local composition mixing rules for prediction of multicomponent phase equilibria. <i>Fluid Phase Equilibria</i> , 1990 , 59, 171-193	2.5	5
733	A comparison of the predictive capability of different group contribution methods. <i>Fluid Phase Equilibria</i> , 1990 , 54, 147-165	2.5	29
732	Limiting activity coefficients and gas-liquid partition coefficients of alkylbenzenes in hydro-organic solvents. 1990 , 500, 215-239		27
731	Excess enthalpies for (n-butyl methyl ether + n-alkane) at 298.15 K. 1990 , 22, 173-179		16
730	Thermodynamic properties of (a propyl ester + an n-alkane) at 298.15 K II. $\{x\text{C}_3\text{H}_7\text{CO}_2\text{C}_3\text{H}_7 + (1-x)\text{n-C}_m\text{H}_{2m+2}\}$, (m = 6 to 10). 1990 , 22, 263-268		20
729	Prediction of vapor-liquid equilibria and enthalpy of mixing by means of UNIFAC models. 1991 , 182, 29-37		4
728	Simple and predictive approach for calculating the high pressure and temperature vapour-liquid equilibria of binary mixtures by applying a UNIFAC equation of state method. <i>Fluid Phase Equilibria</i> , 1991 , 63, 329-340	2.5	2
727	Solubilities of nonane vapor in styrene-butadiene copolymers at 100 and 130°C. <i>Fluid Phase Equilibria</i> , 1991 , 68, 197-205	2.5	14
726	Proximity effects in binary mixtures containing 1-chloro-, 1,1-dichloro- or 1,1,1-trichloroalkanes, or tetrachloromethane. <i>Fluid Phase Equilibria</i> , 1991 , 69, 67-79	2.5	6
725	UNIFAC model as a heuristic guide for estimating retention in chromatography. 1991 , 586, 1-9		9
724	The MHV2 model: a UNIFAC-based equation of state model for prediction of gas solubility and vapor-liquid equilibria at low and high pressures. <i>Industrial & Engineering Chemistry Research</i> , 1991 , 30, 1936-1945	3.9	160
723	Binary liquid-liquid equilibria of aniline-paraffin and furfural-paraffin systems. <i>Canadian Journal of Chemical Engineering</i> , 1991 , 69, 1367-1373	2.3	4
722	Excess enthalpies and molecular interactions in solutions of 1-fluoroalkanes in alkanes, benzene or tetrachloromethane. A group contribution (DISQUAC) study. 1991 , 20, 3-16		26
721	Excess enthalpies of some 2-alkanone + 1-chloroalkane binary mixtures at 25 and 35°C. 1991 , 20, 115-124		23
720	The predictive accuracy for estimating infinite dilution activity coefficients by β -based UNIFAC. 1991 , 20, 1189-1198		5
719	Molecular-dynamics simulation of mutual diffusion in nonideal liquid mixtures. 1991 , 12, 501-513		8
718	Development of Thermodynamic Models with a View to the Synthesis and Design of Separation Processes. 1991 , 1-14		4
717	Heat of Dilution in Aqueous and Methanolic Formaldehyde Solutions. 1992 , 96, 83-96		10

716	Computer aided application of chemical engineering principles in the development of coatings. 1992 , 16, S31-S42		3
715	Excess molar enthalpies of (methylcyclohexane + an alkanol) at the temperature 323.15 K IV. General discussion of results. 1992 , 24, 449-453		5
714	Thermodynamic properties of (a methyl ester + an n-alkane) I. HEm and VEm for $\{x\text{CH}_3(\text{CH}_2)_u\text{CO}_2\text{CH}_3$ ($u = 1$ to 6) + $(1-x)\text{CH}_3(\text{CH}_2)_6\text{CH}_3\}$. 1992 , 24, 15-22		27
713	Experimental and predicted mixing enthalpies for several methyl n-alkanoates with n-pentane at 298.15 K. 1992 , 195, 321-327		21
712	Excess enthalpies of systems containing unsaturated hydrocarbons by unifac group contribution. 1992 , 209, 103-110		11
711	The MHV2 model: Prediction of phase equilibria at sub- and supercritical conditions. 1992 , 5, 42-47		20
710	A group contribution equation of state for polar and non-polar compounds. <i>Fluid Phase Equilibria</i> , 1992 , 72, 111-130	2.5	24
709	The influence of pressure and temperature on the phase behaviour of the system H ₂ O + C ₁₂ + C ₇ E ₅ and relevant binary subsystems. <i>Fluid Phase Equilibria</i> , 1992 , 72, 173-188	2.5	30
708	Calculation and prediction of thermodynamic properties of non-electrolyte mixtures with the modified TASQUAC model. <i>Fluid Phase Equilibria</i> , 1992 , 73, 57-79	2.5	3
707	A method for predicting VLE and HE of chain-like isomers using a modified UNIFAC model. <i>Fluid Phase Equilibria</i> , 1992 , 74, 47-65	2.5	2
706	Phase equilibria and multiple azeotropy of the acetic acid-isobutyl acetate system. <i>Fluid Phase Equilibria</i> , 1992 , 79, 187-199	2.5	27
705	An application of the UNIFAC-RKS method to a reactive system. <i>Fluid Phase Equilibria</i> , 1993 , 84, 111-122	2.5	3
704	Revision of interaction parameters for estimating the enthalpies of mixtures of benzyl ethanoate + n-alkanes or 1-chloroalkanes using the UNIFAC model with presentation of new experimental data. <i>Fluid Phase Equilibria</i> , 1993 , 86, 251-273	2.5	15
703	Thermodynamic properties of organic compounds. 1993 , 219, 97-104		31
702	Application of a group-contribution method to biological systems: Prediction of water activity, ph, and related properties. 1993 , 17, S159-S164		2
701	UNIFAC model as a heuristic guide for estimating retention in reversed-phase liquid chromatography. 1993 , 656, 69-79		13
700	An improvement for the excess enthalpy prediction by UNIFAC. 1. Binary mixtures containing alkanes. 1993 , 22, 383-390		4
699	Correlation of steroid solubilities in supercritical carbon dioxide. <i>Fluid Phase Equilibria</i> , 1993 , 83, 175-182	2.5	7

698	Computer aided molecular design: a novel method for optimal solvent selection. <i>Fluid Phase Equilibria</i> , 1993 , 82, 47-54	2.5	202
697	Salt Effect on Vapor-Liquid Equilibria: A Review of Correlations and Predictive Models. 1993 , 28, 1799-1818		13
696	Vapor-liquid equilibria behavior of methyl esters and propan-2-ol at 74.66, 101.32 and 127.99 kPa.. <i>Journal of Chemical Engineering of Japan</i> , 1993 , 26, 259-265	0.8	13
695	Estimation of Nitta-Chao Interaction Parameters for Low Molecular Mass Analogues of Polymers. 1-Chloroalkane + n-alkane mixtures. 1993 , 97, 106-113		10
694	Excess enthalpies and excess heat capacities of the ternary system ethanol + tetrahydrofuran + cyclohexane at 298.15 K. 1994 , 247, 293-313		34
693	Prediction of vapor-liquid equilibrium with the LCVM model: a linear combination of the Vidal and Michelsen mixing rules coupled with the original UNIF. <i>Fluid Phase Equilibria</i> , 1994 , 92, 75-106	2.5	217
692	Excess properties and solid-liquid equilibria for aqueous solutions of sugars using a UNIQUAC model. <i>Fluid Phase Equilibria</i> , 1994 , 96, 33-50	2.5	45
691	Measurement of water activity in water-urea-sugar and water-urea-polyol systems, and its prediction by the ASOG group contribution method. <i>Fluid Phase Equilibria</i> , 1994 , 98, 189-199	2.5	14
690	Modelling the influence of pressure on the phase behavior of systems containing water oil and nonionic surfactants. <i>Fluid Phase Equilibria</i> , 1994 , 93, 55-74	2.5	24
689	Prediction of the solubility of aromatic hydrocarbons in supercritical CO ₂ with EoS _{GE} models. <i>Fluid Phase Equilibria</i> , 1994 , 102, 121-141	2.5	25
688	Binary interaction parameters for nonpolar systems with cubic equations of state: a theoretical approach 1. CO ₂ /hydrocarbons using SRK equation of state. <i>Fluid Phase Equilibria</i> , 1994 , 102, 31-60	2.5	76
687	Phasengleichgewichtsmodelle zur Synthese und Auslegung von Trennprozessen. 1994 , 66, 792-808		15
686	Improved models for the prediction of activity coefficients in nearly athermal mixtures: Part I. Empirical modifications of free-volume models. <i>Fluid Phase Equilibria</i> , 1994 , 92, 35-66	2.5	36
685	Application of the UNIFAC and Nitta-Chao models to describing the behavior of methyl ester/alkane mixtures, and experimental data for (methyl n-alkanoates + n-heptadecane) binary mixtures. <i>Fluid Phase Equilibria</i> , 1994 , 95, 175-214	2.5	30
684	Representation of vapour-liquid equilibria in water-alcohol-electrolyte mixtures with a modified UNIFAC group-contribution method. <i>Fluid Phase Equilibria</i> , 1994 , 98, 71-89	2.5	59
683	Correlation of liquid-liquid phase equilibria using the SAFT equation of state. <i>Fluid Phase Equilibria</i> , 1994 , 94, 149-165	2.5	27
682	UNIVAP A group contribution method for the prediction of enthalpies of vaporization of pure substances. <i>Fluid Phase Equilibria</i> , 1994 , 102, 1-15	2.5	7
681	Enthalpies of mixing for the n-pentane + methylacetate + dichloromethane system at 298.15 K and their prediction with the UNIFAC model. 1994 , 241, 95-102		

680	Nonstoichiometric Algorithm of Calculation of Simultaneous Chemical and Phase Equilibria. 2. High-Pressure Hydration of Propene to 2-Propanol. <i>Industrial & Engineering Chemistry Research</i> , 1994 , 33, 1971-1978	3.9	2
679	Determination of the binary cross virial coefficient in the Wong-Sandler mixing rule for cubic equations of state.. <i>Journal of Chemical Engineering of Japan</i> , 1994 , 27, 460-465	0.8	5
678	Vapor-liquid equilibrium calculations of azeotropic mixtures using the Peng-Robinson equation of state and various mixing rules.. <i>Journal of Chemical Engineering of Japan</i> , 1994 , 27, 512-516	0.8	2
677	Isobaric vapor-liquid equilibria for propyl methanoate+(n-alkanes, C7,C8,C9) or n-alkanols(C2,C3,C4).. <i>Journal of Chemical Engineering of Japan</i> , 1994 , 27, 529-534	0.8	21
676	Vapor-liquid equilibria of methyl ethanoate with n-butyl and iso-butyl alcohol at 74.66 and 127.99kPa.. <i>Journal of Chemical Engineering of Japan</i> , 1995 , 28, 66-70	0.8	8
675	Vapor-Liquid Equilibria for Mixtures of Several Butyl Esters (Methanoate to Butanoate) and 1-Propanol at 101.32kPa.. <i>Journal of Chemical Engineering of Japan</i> , 1995 , 28, 765-771	0.8	9
674	Correlation of solubilities for CO ₂ and NH ₃ in H ₂ O using soave-redlich-kwong equation of state with MHV2 mixing rule.. <i>Journal of Chemical Engineering of Japan</i> , 1995 , 28, 144-147	0.8	
673	Evaluation of activity coefficient models in prediction of alkane solid-liquid equilibria. <i>Fluid Phase Equilibria</i> , 1995 , 103, 23-39	2.5	128
672	An extension to the UNIFAC group assignment for prediction of vapor-liquid equilibria of mixtures containing refrigerants. <i>Fluid Phase Equilibria</i> , 1995 , 107, 161-188	2.5	48
671	A combinatorial activity coefficient model for symmetric and asymmetric mixtures. <i>Fluid Phase Equilibria</i> , 1995 , 109, 1-15	2.5	26
670	Analysis of the intramolecular proximity effect on dichloroalkane + alkane mixtures using Nitta-Chao model. <i>Fluid Phase Equilibria</i> , 1995 , 110, 31-51	2.5	16
669	A physical chemical UNIFAC model for aqueous solutions of sugars. <i>Fluid Phase Equilibria</i> , 1995 , 105, 1-25	2.5	46
668	Experimental values and analysis of mixing heats of the binary mixtures formed by alkyl benzoates and n-alkanes. <i>Fluid Phase Equilibria</i> , 1995 , 108, 121-133	2.5	40
667	From UNIFAC to modified UNIFAC to PSRK with the help of DDB. <i>Fluid Phase Equilibria</i> , 1995 , 107, 1-29	2.5	42
666	Study on the binary mixtures of alkyls alfa, omega-dihalogenated (chlorine, bromine, iodine) with n-alkanes. An improvement by considering the variation of the interaction parameter with the chain length. <i>Fluid Phase Equilibria</i> , 1995 , 109, 205-225	2.5	11
665	Phase equilibria in binary systems containing N-monosubstituted amides and hydrocarbons. <i>Fluid Phase Equilibria</i> , 1995 , 110, 183-196	2.5	17
664	Estimation of the Nitta-Chao Parameters for the ether-group. Ether + n-alkane mixtures. <i>Fluid Phase Equilibria</i> , 1995 , 110, 53-71	2.5	12
663	Use of nuclear magnetic resonance to model thermophysical properties of frozen and unfrozen model food gels. 1995 , 25, 1-19		30

662	Computation and thermodynamic interpretation of high-pressure vapour-liquid equilibrium review. 1995 , 60, 1-29		3
661	Prediction of excess enthalpies of ketone-alkane systems from infinite dilution activity coefficients. 1995 , 258, 19-31		9
660	Vapor-Liquid Equilibria for the Ternary System Acetone + Methanol + Chlorobenzene at 101.325 kPa. <i>Journal of Chemical & Engineering Data</i> , 1995 , 40, 1203-1205	2.8	6
659	Vapor-Liquid Equilibria and Excess Enthalpies for Octane + N-Methylacetamide, Cyclooctane + N-Methylacetamide, and Octane + Acetic Anhydride at 125 .degree.C. <i>Journal of Chemical & Engineering Data</i> , 1995 , 40, 1228-1232	2.8	17
658	Water and Phase Transitions. 1995 , 73-107		17
657	High-Pressure Solubility of Hydrogen in Dimethyl Ether. <i>Journal of Chemical & Engineering Data</i> , 1995 , 40, 1209-1210	2.8	13
656	Chemical Equilibria in the Process of Etherification of Light FCC Gasoline with Methanol. <i>Industrial & Engineering Chemistry Research</i> , 1995 , 34, 1320-1326	3.9	8
655	Isobaric Vapor-Liquid Equilibria of Water + Ethanol + Hexyl Acetate. <i>Journal of Chemical & Engineering Data</i> , 1995 , 40, 1094-1096	2.8	3
654	Vapour-liquid equilibrium of the ethanol-propanal system. 1995 , 91, 273-278		22
653	Enthalpic contribution to protein stability: insights from atom-based calculations and statistical mechanics. 1995 , 47, 231-306		146
652	Model Prediction of Supercritical Fluid-Liquid Equilibria for Carbon Dioxide and Fish Oil Related Compounds. <i>Industrial & Engineering Chemistry Research</i> , 1995 , 34, 2473-2484	3.9	25
651	Isobaric Vapor-Liquid Equilibria of Methanol + 1-Octanol and Ethanol + 1-Octanol Mixtures. <i>Journal of Chemical & Engineering Data</i> , 1995 , 40, 1011-1014	2.8	15
650	Densities and Isobaric Vapor-Liquid Equilibria of Butyl Esters (Methanoate to Butanoate) with Ethanol at 101.32 kPa. <i>Journal of Chemical & Engineering Data</i> , 1995 , 40, 1178-1183	2.8	33
649	VLE Measurements of Binary Mixtures of Methanol, Ethanol, 2-Methoxy-2-methylpropane, and 2-Methoxy-2-methylbutane at 101.32 kPa. <i>Journal of Chemical & Engineering Data</i> , 1996 , 41, 718-723	2.8	54
648	Binary Isobaric Vapor-Liquid Equilibria of Ethanolamines + Water. <i>Journal of Chemical & Engineering Data</i> , 1996 , 41, 1101-1103	2.8	46
647	A Simplified Perturbed Hard-Sphere Model for the Activity Coefficients of Amino Acids and Peptides in Aqueous Solutions. <i>Industrial & Engineering Chemistry Research</i> , 1996 , 35, 4319-4327	3.9	63
646	Vapor-Liquid Equilibrium for Methanol + 1,1-Dimethylpropyl Methyl Ether at (288.15, 308.15, and 328.15) K. <i>Journal of Chemical & Engineering Data</i> , 1996 , 41, 537-542	2.8	18
645	Excess Molar Enthalpies for the Propan-2-OL + Methylacetate + Dichloromethane System at 298.15 K. 1996 , 32, 29-36		

644	Isobaric Vapor-Liquid Equilibria of Methanol + Methyl Ethanoate, + Methyl Propanoate, and + Methyl Butanoate at 141.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 1996 , 41, 566-570	2.8	20
643	A Perturbed Hard-Sphere Model with Mean Spherical Approximation for the Activity Coefficients of Amino Acids in Aqueous Electrolyte Solutions. <i>Industrial & Engineering Chemistry Research</i> , 1996 , 35, 4755-4766	3.9	27
642	Prediction of Infinite-Dilution Activity Coefficients in Binary Mixtures with UNIFAC. A Critical Evaluation. <i>Industrial & Engineering Chemistry Research</i> , 1996 , 35, 1438-1445	3.9	53
641	Azeotropic Data for Binary and Ternary Systems at Moderate Pressures. <i>Journal of Chemical & Engineering Data</i> , 1996 , 41, 202-209	2.8	55
640	Compilation and Correlation of Limiting Activity Coefficients of Nonelectrolytes in Water. <i>Industrial & Engineering Chemistry Research</i> , 1996 , 35, 1044-1058	3.9	88
639	Measurements and analysis of excess volumes of some alkan-2-one-1-chloroalkane mixtures using Nitta-Chao and Prigogine-Flory-Batterson models. 1996 , 92, 4453-4461		11
638	Vapor-liquid equilibria for mixtures of ethylene glycol, propylene glycol, and water between 98.DEG. and 122.DEG.C... <i>Journal of Chemical Engineering of Japan</i> , 1996 , 29, 449-455	0.8	37
637	Vapor-liquid equilibria at 101.32kPa mixtures of butyl esters and propan-2-ol.. <i>Journal of Chemical Engineering of Japan</i> , 1996 , 29, 294-299	0.8	9
636	Prediction of Excess Enthalpy and Excess Entropy Using Modified UNIFAC Group Contribution Methods.. <i>Journal of Chemical Engineering of Japan</i> , 1996 , 29, 881-884	0.8	1
635	Vapor-Liquid Equilibrium of the Methanol-tert-Butyl Methyl Ether (MTBE) System. 1996 , 100, 482-489		21
634	Thermodynamics of coal-derived fluids. 3. VLE and heat capacities of coal liquid fractions. <i>Fuel</i> , 1996 , 75, 363-372	7.1	
633	Evaluation of a model for the prediction of phase equilibria from general molecular parameters II: Binary liquid-liquid equilibria at low pressures. 1996 , 51, 141-148		1
632	Evaluation of a model for the prediction of phase equilibria from general molecular parameters I: Vapour-liquid equilibria and enthalpy at low pressures. 1996 , 51, 127-140		2
631	A molecular simulation-based method for the estimation of activity coefficients for alkane solutions. 1996 , 51, 3247-3255		10
630	Designing environmentally safe refrigerants using mathematical programming. 1996 , 51, 3727-3739		120
629	Prediction of excess enthalpies for 1-alkanol + n-alkane systems from infinite dilution activity coefficients. 1996 , 273, 69-83		2
628	Prediction of enthalpies of mixing and vapor-liquid equilibria for mixtures containing organic carbonates + n-alkanes using several versions of the unifac model. 1996 , 286, 321-332		20
627	Isobaric vapor-liquid equilibria for methyl esters + butan-2-ol at different pressures. <i>Fluid Phase Equilibria</i> , 1996 , 118, 249-270	2.5	12

626	A modified mixing model for vapor-liquid equilibrium calculations. <i>Fluid Phase Equilibria</i> , 1996 , 115, 95-112		1
625	Excess free energy mixing rules for cubic equations of state. <i>Fluid Phase Equilibria</i> , 1996 , 116, 454-464	2.5	19
624	The performance of EoS/GE models in the prediction of Vapor-Liquid Equilibria in asymmetric systems. <i>Fluid Phase Equilibria</i> , 1996 , 116, 480-487	2.5	43
623	Prediction of supercritical fluid-liquid equilibria for carbon dioxide and fish oil related compounds through the equation of state Excess function (EOS-gE) approach. <i>Fluid Phase Equilibria</i> , 1996 , 116, 510-517	2.5	10
622	Experimental study of miscibility, density and isobaric vapor-liquid equilibrium values for mixtures of methanol in hydrocarbons (C5, C6). <i>Fluid Phase Equilibria</i> , 1996 , 122, 207-222	2.5	24
621	VLE for water + ethanol + 1-octanol mixtures. Experimental measurements and correlations. <i>Fluid Phase Equilibria</i> , 1996 , 122, 117-129	2.5	38
620	Vapor-liquid equilibria at 101.32 kPa in mixtures formed by the first four butyl alkanoates and butan-2-ol. <i>Fluid Phase Equilibria</i> , 1996 , 124, 161-175	2.5	11
619	Improvement of predictive accuracy of the UNIFAC model for vapor-liquid equilibria of polymer solutions. <i>Fluid Phase Equilibria</i> , 1996 , 123, 97-106	2.5	43
618	The performance of UNIFAC and related group contribution models part I. Prediction of infinite dilution activity coefficients. 1996 , 287, 235-249		3
617	Measurements of Solubilities of Two Amino Acids in Water and Prediction by the UNIFAC Model. 1996 , 12, 371-379		38
616	Thermodynamic properties of sugars in aqueous solutions: correlation and prediction using a modified UNIQUAC model. <i>Fluid Phase Equilibria</i> , 1996 , 123, 71-95	2.5	66
615	EXCESS ENTHALPIES FOR TERNARY MIXTURES PHENOL-3-METHYLPHENOL-1-HEXANOL, 3-METHYLPHENOL-1-HEXANOL- CYCLOHEXANOL AND THEIR CONSTITUENT BINARIES AT 318.15 K. 1996 , 146, 139-147		8
614	Analysis of the UNIFAC-Type Group-Contribution Models at the Highly Dilute Region. 1. Limitations of the Combinatorial and Residual Expressions. <i>Industrial & Engineering Chemistry Research</i> , 1997 , 36, 4965-4972	3.9	21
613	Phase Equilibrium Calculations for Chemically Reacting Systems. <i>Industrial & Engineering Chemistry Research</i> , 1997 , 36, 5474-5482	3.9	20
612	Modeling of Liquid-Liquid Equilibrium and Mass Transfer. Suspension Copolymerization of Acrylic Acid and Methyl Methacrylate in Water. <i>Industrial & Engineering Chemistry Research</i> , 1997 , 36, 4815-4820	3.9	0
611	Isobaric Vapor-Liquid Equilibria in the Systems Methyl 1,1-Dimethylethyl Ether + Hexane and + Heptane. <i>Journal of Chemical & Engineering Data</i> , 1997 , 42, 243-247	2.8	21
610	Phase Equilibria in the Systems Hexane + Heptane and Methyl 1,1-Dimethylethyl Ether + Hexane + Heptane. <i>Journal of Chemical & Engineering Data</i> , 1997 , 42, 458-462	2.8	15
609	Vapor-Liquid Equilibria of 2-Methoxy-2-methylbutane + Methanol + Water at 101.32 kPa. <i>Journal of Chemical & Engineering Data</i> , 1997 , 42, 434-437	2.8	

608	ON THE SIMULTANEOUS REPRESENTATION OF VAPOR-LIQUID EQUILIBRIA AND EXCESS ENTHALPIES OF 1-ALKANOL + n-ALKANE MIXTURES. 1997 , 159, 1-15		1
607	Measurement and Prediction of Ternary Solid-Liquid Equilibria. <i>Journal of Chemical & Engineering Data</i> , 1997 , 42, 886-889	2.8	7
606	An Assessment of Thermodynamic Consistency Tests for Vapor-Liquid Equilibrium Data. 1997 , 35, 1-58		69
605	Measurement and Modeling of Solubilities of d-Glucose in Water/Alcohol and Alcohol/Alcohol Systems. <i>Industrial & Engineering Chemistry Research</i> , 1997 , 36, 2816-2820	3.9	30
604	The Solubility of Gases in Liquids. 1997 , 34, 125-153		8
603	VLE calculations by applying a modified perturbed hard sphere EOS. <i>Fluid Phase Equilibria</i> , 1997 , 129, 21-35	2.5	5
602	Prediction of the solubility and gas-liquid equilibria for gas-water and light hydrocarbon-water systems at high temperatures and pressures with a group contribution equation of state. <i>Fluid Phase Equilibria</i> , 1997 , 131, 107-118	2.5	28
601	A modified UNIFAC model for the calculation of thermodynamic properties of aqueous and non-aqueous solutions containing sugars. <i>Fluid Phase Equilibria</i> , 1997 , 139, 47-74	2.5	66
600	UNIFAC prediction of infinite dilution activity coefficients and enthalpies of mixing of chlorophenols in aqueous and 1-octane-ol solutions. <i>Fluid Phase Equilibria</i> , 1997 , 139, 37-46	2.5	1
599	Simulation of Heterogeneous Azeotropic Distillation. 1997 , 75, 101-115		12
598	DISQUAC behaviour close to critical points application to methanol + alkane mixtures. 1997 , 101, 219-227		16
597	Phase equilibria of water + methanol + hexyl acetate mixtures. <i>Fluid Phase Equilibria</i> , 1997 , 128, 261-270	2.5	8
596	Improved models for the prediction of activity coefficients in nearly athermal mixtures Part II. A theoretically-based GE-model based on the van der Waals partition function. <i>Fluid Phase Equilibria</i> , 1997 , 127, 103-121	2.5	26
595	Vapour-liquid equilibrium data for the recovery of 1-octanol from ternary mixtures with methanol and water. <i>Fluid Phase Equilibria</i> , 1997 , 129, 187-195	2.5	3
594	Representation of activity coefficients of fundamental biochemicals in water by the UNIFAC model. <i>Fluid Phase Equilibria</i> , 1997 , 130, 117-132	2.5	40
593	Vapor-liquid equilibrium of the methanol-[1,1-dimethylethyl methyl ether (MTBE) or 1,1-dimethylpropyl methyl ether (TAME)] systems. <i>Fluid Phase Equilibria</i> , 1997 , 133, 89-103	2.5	17
592	Estimation of parameters of Nitta-Chao model for linear monoether + 1-alkanol mixtures. <i>Fluid Phase Equilibria</i> , 1997 , 133, 57-72	2.5	13
591	Experimental and predicted excess enthalpies of the working pairs (methanol or trifluoroethanol + polyglycol ethers) for absorption cycles. <i>Fluid Phase Equilibria</i> , 1997 , 133, 229-238	2.5	26

590	High pressure phase equilibrium modeling of mixtures containing associating compounds and gases. <i>Fluid Phase Equilibria</i> , 1997 , 139, 75-87	2.5	57
589	Compilation of group-contribution prediction of VLE and excess enthalpy. <i>Fluid Phase Equilibria</i> , 1997 , 136, 63-77	2.5	2
588	Water + ethanol + 2-methoxy-2-methylbutane: Properties of mixing at 298.15 K and isobaric vapour-liquid equilibria at 101.32 kPa. <i>Fluid Phase Equilibria</i> , 1997 , 141, 207-220	2.5	15
587	Modeling of the water-sucrose state diagram below 0 °C. 1997 , 298, 139-145		86
586	Phase equilibria of d-glucose and sucrose in mixed solvent mixtures: Comparison of UNIQUAC 1-based models. 1997 , 303, 135-151		46
585	Application of Different Group Contribution Models and Empirical Methods to Excess Enthalpies of Ternary Mixtures. 1998 , 52, 799-814		10
584	A novel method for investigating the repulsive and attractive parts of cubic equations of state and the combining rules used with the vdW-1f theory. 1998 , 53, 541-552		21
583	Measurement and prediction of isobaric vapour-liquid equilibrium data of the system ethanol+methanol+2-methoxy-2-methylpropane. <i>Fluid Phase Equilibria</i> , 1998 , 146, 139-153	2.5	13
582	Modeling infinite dilution activity coefficients of organic-aqueous systems using a modified regular solution equation and cubic equations-of-state. <i>Canadian Journal of Chemical Engineering</i> , 1998 , 76, 94-103	2.5	4
581	Use of evolutionary algorithms for the calculation of group contribution parameters in order to predict thermodynamic properties. Part 1: Genetic algorithms. 1998 , 22, 1559-1572		6
580	Characteristic parameters of the Tassios, Larsen and Gmehling versions of the UNIFAC model for enthalpies of mixing in organic anhydrides + N-alkanes mixtures. 1998 , 317, 59-64		5
579	Application of UNIFAC models to partition coefficients of biochemicals between water and n-octanol or n-butanol. <i>Fluid Phase Equilibria</i> , 1998 , 144, 87-95	2.5	8
578	Prediction of infinite dilution activity coefficients in aqueous solutions by group contribution models. A critical evaluation. <i>Fluid Phase Equilibria</i> , 1998 , 144, 97-112	2.5	30
577	Application of a volume-translated Peng-Robinson equation of state on vapor-liquid equilibrium calculations. <i>Fluid Phase Equilibria</i> , 1998 , 145, 193-215	2.5	62
576	Excess molar enthalpies of the ternary system (propyl propanoate+1-hexanol+n-hexane) at 298.15 K. <i>Fluid Phase Equilibria</i> , 1998 , 148, 201-208	2.5	8
575	Estimation of parameters of Nitta-Chao model for ester+1-alkanol mixtures. <i>Fluid Phase Equilibria</i> , 1998 , 148, 49-68	2.5	20
574	Solid-liquid equilibria of systems containing pyrene and long chain normal-alkanes. <i>Fluid Phase Equilibria</i> , 1998 , 148, 139-146	2.5	21
573	Prediction of gas-solid equilibrium using equations of state. <i>Fluid Phase Equilibria</i> , 1998 , 147, 45-64	2.5	13

572	Prediction of infinite dilution activity coefficients for systems including water based on the group contribution model with mixture-type groups. <i>Fluid Phase Equilibria</i> , 1998 , 149, 27-40	2.5	10
571	On the role of Transition-State Substrate Desolvation in Enzymatic Enantioselectivity in Aqueous-Organic Mixtures. 1998 , 16, 233-248		11
570	Vapor-Liquid Equilibria of the Systems Ethyl Ethanoate + 2-Methyl-2-butanol, 2-Methyl-1-propanol + 3-Methyl-1-butanol, and Cyclohexanol + Benzyl Alcohol at 101.32 KPa. <i>Journal of Chemical & Engineering Data</i> , 1998 , 43, 763-769	2.8	22
569	Measurement and Prediction of Reid Vapor Pressure of Gasoline in the Presence of Additives. <i>Journal of Chemical & Engineering Data</i> , 1998 , 43, 386-392	2.8	31
568	Phase Equilibria in the Ternary System Methyl 1,1-Dimethylethyl Ether + Hexane + Octane. <i>Journal of Chemical & Engineering Data</i> , 1998 , 43, 307-311	2.8	8
567	Predictive UNIQUAC: A New Model for the Description of Multiphase Solid-Liquid Equilibria in Complex Hydrocarbon Mixtures. <i>Industrial & Engineering Chemistry Research</i> , 1998 , 37, 4870-4875	3.9	102
566	A Modified UNIFAC (Dortmund) Model. 3. Revision and Extension. <i>Industrial & Engineering Chemistry Research</i> , 1998 , 37, 4876-4882	3.9	273
565	Vapor-Liquid Equilibria at 101.32 kPa of the Ternary Systems 2-Methoxy-2-methylpropane + Methanol + Water and 2-Methoxy-2-methylpropane + Ethanol + Water. <i>Journal of Chemical & Engineering Data</i> , 1998 , 43, 708-713	2.8	10
564	Multiple Steady States in Heterogeneous Azeotropic Distillation Sequences. <i>Industrial & Engineering Chemistry Research</i> , 1998 , 37, 4434-4452	3.9	22
563	Prediction of Vapor-Liquid Equilibria at Low and High Pressures from UNIFAC Activity Coefficients at Infinite Dilution. <i>Industrial & Engineering Chemistry Research</i> , 1998 , 37, 1173-1180	3.9	23
562	Synthesis of Distillation Processes Using Thermodynamic Models and the Dortmund Data Bank. <i>Industrial & Engineering Chemistry Research</i> , 1998 , 37, 3112-3123	3.9	95
561	Vapor-Liquid Equilibria at 413.65 K and Excess Enthalpies at 323.15, 363.15, and 413.15 K for Mixtures of Benzene, Toluene, Phenol, and Benzaldehyde. <i>Journal of Chemical & Engineering Data</i> , 1998 , 43, 941-948	2.8	15
560	Binary Azeotropic Data at Different Pressures for Systems with 2-Ethoxyethanol, 2-Methyl-1-butanol, and Dimethyl Carbonate. 2. <i>Journal of Chemical & Engineering Data</i> , 1998 , 43, 230-232	2.8	4
559	Phase Equilibria in the Ternary System Methyl 1,1-Dimethylethyl Ether + Oxolane + Heptane. 1998 , 36, 37-51		1
558	Static Multiplicities in Heterogeneous Azeotropic Distillation Sequences. 1998 , 31, 391-396		
557	Mass transfer properties of osmotic solutions. I. Water activity and osmotic pressure. 1998 , 1, 95-112		22
556	Phase Equilibria in the Ternary System Methyl 1,1-Dimethylethyl Ether+Heptane+Octane. 1998 , 37, 51-63		2
555	Vapor and Liquid Composition Differences Resulting from Fuel Evaporation. 1999 ,		1

554	Liquid-Liquid Equilibria, and Thermodynamic Properties of the System Methyl Acetate + Methanol + Water at 298.15 K. 1999 , 37, 193-213		16
553	Temperature dependence of excess molar volumes in (n-alkane (C ₆ -C ₉) or alcohol (C ₂ -C ₄))+olive oil mixtures. 1999 , 328, 277-296		50
552	Molar excess enthalpies of binary mixtures of the three glycols ethanediol, 1,2-propanediol and 1,2-butanediol with methanol or ethanol. 1999 , 337, 209-217		12
551	Proximity effects and cyclization in oxaalkanes+CCl ₄ mixtures DISQUAC characterization of the CCl ₄ interactions. Comparison with Dortmund UNIFAC results. <i>Fluid Phase Equilibria</i> , 1999 , 154, 11-31	2.5	36
550	Vapor-Liquid equilibria of the binary mixtures formed by nitromethane with five alkyl alkanoates at 101.3 kPa. <i>Fluid Phase Equilibria</i> , 1999 , 155, 287-296	2.5	7
549	Excess molar enthalpies for di-n-butylether+1-propanol+n-decane at 298.15 and 308.15 K. <i>Fluid Phase Equilibria</i> , 1999 , 156, 149-159	2.5	8
548	Predictive local composition models: NRTL and UNIQUAC and their application to model solid-Liquid equilibrium of n-alkanes. <i>Fluid Phase Equilibria</i> , 1999 , 158-160, 447-457	2.5	61
547	Prediction of thermodynamic properties using a modified UNIFAC model: application to sugar industrial systems. <i>Fluid Phase Equilibria</i> , 1999 , 158-160, 391-399	2.5	12
546	Prediction of excess enthalpies at low and high pressures using a modified MHV1 mixing rule. <i>Fluid Phase Equilibria</i> , 1999 , 158-160, 283-291	2.5	2
545	Prediction of vapor-Liquid equilibria in mixed-solvent electrolyte systems using the group contribution concept. <i>Fluid Phase Equilibria</i> , 1999 , 162, 97-113	2.5	100
544	Measurements and modelling of the solubility of a mixture of two amino acids in aqueous solutions. <i>Fluid Phase Equilibria</i> , 1999 , 158-160, 893-901	2.5	26
543	Thermodynamic behaviour of ethanol+methanol+2-ethoxy-2-methylpropane system. Physical properties and phase equilibria. <i>Fluid Phase Equilibria</i> , 1999 , 165, 121-139	2.5	12
542	Estimation of O ₂ and CO ₂ Solubility in Microbial Culture Media. 1999 , 15, 923-927		18
541	USE of UNIFAC IN the PREDICTION of WATER ACTIVITY VALUES of AQUEOUS POLYOL SOLUTIONS. 1999 , 23, 109-120		3
540	Measurements and analysis of excess molar enthalpies and excess molar volumes of the binary systems {xCH ₃ (CH ₂) ₃ Cl+(1-x) CH ₃ (CH ₂) _n OH} (n=4 to 8) at T=298.15K. 1999 , 31, 547-554		19
539	Excess molar enthalpies and excess molar volumes of binary systems containing {xCH ₃ (CH ₂) ₇ Cl+ (1-x)CH ₃ (CH ₂) _n OH} (n= 4 to 8) at T= 298.15 K. 1999 , 31, 1329-1336		15
538	Extractive distillation of 2-methoxy-2-methylpropane + ethanol using 1-butanol as entrainer: Equilibria and simulation. <i>Canadian Journal of Chemical Engineering</i> , 1999 , 77, 1135-1140	2.3	12
537	Thermodynamic modeling of multicomponent ion-exchange equilibria of amino acids. <i>AIChE Journal</i> , 1999 , 45, 1329-1341	3.6	17

536	Prediction of Vapor-Liquid Equilibria Using Peng-Robinson and Soave-Redlich-Kwong Equations of State. 1999 , 22, 379-399		31
535	MTBE and alkylate co-production: fundamentals and operating experience. 1999 , 52, 307-319		25
534	Water Solubility, Vapor Pressure, and Activity Coefficients of Terpenes and Terpenoids. <i>Journal of Chemical & Engineering Data</i> , 1999 , 44, 56-62	2.8	103
533	Experimental and Theoretical Study of Excess Molar Enthalpies of Ethyl Propionate + n-Hexane + 1-Butanol at 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 1999 , 44, 860-864	2.8	5
532	Assessment of Activity Coefficient Models for Predicting Solid-Liquid Equilibria of Asymmetric Binary Alkane Systems. <i>Industrial & Engineering Chemistry Research</i> , 1999 , 38, 316-323	3.9	19
531	Sorption of Neutral Components in Ion-Exchange Resins. 1. Effect of Cross-Link Density and Counterion on Selective Sorption of Water-Ethanol Mixtures in Sulfonated PSDVB Resins. <i>Industrial & Engineering Chemistry Research</i> , 1999 , 38, 4832-4842	3.9	18
530	From the Correlation of Binary Systems Involving Supercritical CO ₂ and Fatty Acid Esters to the Prediction of (CO ₂ -ish Oils) Phase Behavior. <i>Industrial & Engineering Chemistry Research</i> , 1999 , 38, 3162-3171	3.9	49
529	Vapor-Liquid Equilibria for the Ternary System Acetone + Methanol + Water at 101.325 kPa. <i>Journal of Chemical & Engineering Data</i> , 1999 , 44, 661-665	2.8	25
528	Excess Molar Enthalpies and Excess Molar Volumes of Binary Systems 1-Chlorohexane + 1-Alkanol (from 1-Butanol to 1-Octanol) at 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 1999 , 44, 1195-1198	2.8	25
527	Estimation of Physical Properties. 2000 ,		1
526	Excess Molar Enthalpies of the Ternary System {x ₁ CH ₃ CH ₂ COOCH ₂ CH ₃ +x ₂ CH ₃ (CH ₂) ₄ CH ₃ +(1-x ₁ -x ₂)CH ₃ CH ₂ CH ₂ OH} at 298.15 K, and Prediction Using Different Theoric Methods. 2000 , 38, 481-493		2
525	Temperature dependence of the excess molar volume of (dimethyl carbonate, or diethyl carbonate+ toluene) from T= 278.15 K to 323.15 K. 2000 , 32, 743-754		35
524	Equations of state for the calculation of fluid-phase equilibria. <i>AIChE Journal</i> , 2000 , 46, 169-196	3.6	298
523	A powerful algorithm for liquid-liquid-liquid equilibria predictions and calculations. 2000 , 55, 2121-2129		24
522	On the development of novel chemicals using a systematic synthesis approach. Part I. Optimisation framework. 2000 , 55, 2529-2546		64
521	Measurements and modelling of wax formation in diesel fuels. <i>Fuel</i> , 2000 , 79, 607-616	7.1	65
520	Kinetic of liquid-phase reactions catalyzed by acidic resins: the formation of peracetic acid for vegetable oil epoxidation. 2000 , 197, 165-173		47
519	Improving phase equilibrium calculation with the Peng-Robinson EOS for fats and oils related compounds/supercritical CO ₂ systems. <i>Fluid Phase Equilibria</i> , 2000 , 169, 49-64	2.5	38

518	Analysis of the molecular interactions of organic anhydride+alkane binary mixtures using the Nitta-Chao model. <i>Fluid Phase Equilibria</i> , 2000 , 170, 69-85	2.5	4
517	Phase equilibria involved in extractive distillation of 2-methoxy-2-methylpropane+methanol using 1-butanol as entrainer. <i>Fluid Phase Equilibria</i> , 2000 , 171, 207-218	2.5	8
516	Revision and extension of the group contribution equation of state to new solvent groups and higher molecular weight alkanes. <i>Fluid Phase Equilibria</i> , 2000 , 172, 129-143	2.5	40
515	A UNIFAC model for phase equilibrium calculations in aqueous and nonaqueous sugar solutions. <i>Fluid Phase Equilibria</i> , 2000 , 173, 39-55	2.5	48
514	Solid-Liquid equilibrium of D-lactose in ethanol/water. <i>Fluid Phase Equilibria</i> , 2000 , 173, 121-134	2.5	74
513	Phase behaviour of water+nonionic surfactant systems: experiments and modelling applying the Peng-Robinson equation of state with the Wong-Bandler mixing rules and the UNIQUAC gE-model. <i>Fluid Phase Equilibria</i> , 2000 , 173, 81-96	2.5	19
512	An interpretation of the behavior of EoS/GE models for asymmetric systems. 2000 , 55, 2351-2358		30
511	Measurement of infinite-dilution activity coefficients of alcohols in water using relative gas-liquid chromatographic method. 2000 , 17, 502-505		9
510	Prediction of Water Activity in Sugar Solutions Using Models of Group Contribution and Equation of State.. <i>Journal of Chemical Engineering of Japan</i> , 2000 , 33, 645-653	0.8	23
509	Phase Equilibria in the Ternary System Methyl 1,1-Dimethylethyl Ether + Benzene + Toluene. 2000 , 38, 73-87		2
508	Enzymatic Production of Alkyl Esters Through Lipase-Catalyzed Transesterification Reactions in Organic Solvents: Solvent Effects and Prediction Capabilities of Equilibrium Conversions. 2000 , 18, 259-269		4
507	The Estimation of Partition Coefficients, Solubility Coefficients, and Permeability Coefficients for Organic Molecules in Polymers. 2000 , 37-55		2
506	Liquid-Liquid Equilibria of Acetone + Methanol + n-Alkane (C6-C8) at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2000 , 45, 457-460	2.8	17
505	Water Activity in Polyol Systems. <i>Journal of Chemical & Engineering Data</i> , 2000 , 45, 654-660	2.8	60
504	Excess Enthalpies and Volumes of Ternary Mixtures Containing 1-Propanol or 1-Butanol, an Ether (Diisopropyl Ether or Dibutyl Ether), and Heptane. <i>Journal of Chemical & Engineering Data</i> , 2000 , 45, 124-130	2.8	38
503	Experimental Determination of the Vapor-Liquid Equilibrium at 101.32 kPa of the Ternary System 1-Butanol + Methanol + TAME. <i>Journal of Chemical & Engineering Data</i> , 2000 , 45, 1112-1115	2.8	5
502	Group Definition in Molecular Solution Theories by Quantum Mechanical Methods: Application to 1-Alkanol +n-Alkane Mixtures. 2000 , 104, 11275-11282		22
501	Prediction of Phase Equilibria for Binary and Ternary Mixtures Involving tert-Butyl Methyl Ether and tert-Amyl Methyl Ether. <i>Industrial & Engineering Chemistry Research</i> , 2000 , 39, 767-774	3.9	3

500	A Fugacity Model for Gas Hydrate Phase Equilibria. <i>Industrial & Engineering Chemistry Research</i> , 2000 , 39, 3377-3386	3.9	208
499	A Thermodynamic Model for Predicting Wax Formation in Jet and Diesel Fuels. 2000 , 14, 625-631		40
498	Classification of Homogeneous Binary Azeotropes. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 2742-2747	3.9	13
497	Enzymatic Reactions in Non-Conventional Media: Prediction of Solvent Water Content for Optimum Water Activity. 2001 , 19, 99-118		3
496	From UNIFAC to Modified UNIFAC (Dortmund) <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 957-964	3.9	85
495	Thermodynamics of Ternary Mixtures Containing Sugars. SLE of d-Fructose in Pure and Mixed Solvents. Comparison between Modified UNIQUAC and Modified UNIFAC. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 4633-4640	3.9	40
494	Modelling thermodynamic properties of iodoalkane + alkane systems using group contribution models. 2001 , 3, 5006		2
493	Application of Group Contribution Models to the Calculation of the Octanol/Water Partition Coefficient. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 434-443	3.9	16
492	Prediction of Critical Micelle Concentrations of Nonionic Surfactants in Aqueous and Nonaqueous Solvents with UNIFAC. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 2362-2366	3.9	19
491	Water Activity and pH in Aqueous Polycarboxylic Acid Systems. <i>Journal of Chemical & Engineering Data</i> , 2001 , 46, 582-587	2.8	29
490	The Effect of the Liquid-Phase Activity Model on the Simulation of Ethyl Acetate Production by Reactive Distillation. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 3639-3646	3.9	9
489	Phase Equilibria of the Ternary System Benzene + Cyclohexane + 1-Pentanol at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2001 , 46, 410-413	2.8	5
488	Modified UNIFAC (Dortmund). Reliable Model for the Development of Thermal Separation Processes.. <i>Journal of Chemical Engineering of Japan</i> , 2001 , 34, 43-54	0.8	37
487	Development of the fragment constant method for estimating the partition coefficients of nonionic organic mixtures. 2001 , 41, 255-60		6
486	Modeling the phase partitioning behavior of gas tracers under geothermal reservoir conditions. 2001 , 30, 655-695		2
485	Prediction of water activity of osmotic solutions. 2001 , 49, 103-114		60
484	Calculation of the solid solubilities in supercritical carbon dioxide using a modified mixing model. <i>Fluid Phase Equilibria</i> , 2001 , 179, 67-84	2.5	55
483	Experimental and predicted excess molar volumes and excess molar enthalpies for di-n-butyl ether + 1-propanol + n-octane at 298.15 and 308.15 K. <i>Fluid Phase Equilibria</i> , 2001 , 179, 363-383	2.5	7

482	Cloud point prediction of fuels and fuel blends. <i>Fluid Phase Equilibria</i> , 2001 , 180, 247-255	2.5	34
481	FT-IR spectroscopic investigations of hydrogen bonding in alcohol-hydrocarbon solutions. <i>Fluid Phase Equilibria</i> , 2001 , 186, 1-25	2.5	119
480	Excess molar volumes and enthalpies for the ternary system [butyl butyrate + 1-octanol + octane] at the temperature 308.15 K. <i>Fluid Phase Equilibria</i> , 2001 , 182, 265-277	2.5	5
479	Analysis of infinite dilution activity coefficients of solutes in hydrocarbons from UNIFAC. <i>Fluid Phase Equilibria</i> , 2001 , 181, 163-186	2.5	20
478	Thermophysical properties for 1-butanol+ethanol+2-methoxy-2-methylbutane ternary system. <i>Fluid Phase Equilibria</i> , 2001 , 187-188, 155-169	2.5	7
477	Prediction of phase equilibria for the mixtures containing polar substances at high temperatures and pressures by group-contribution equation of state. <i>Fluid Phase Equilibria</i> , 2001 , 189, 13-30	2.5	12
476	Measurement and modeling of the solubility of CO ₂ and N ₂ in a model resin system based on resin from spruce wood (<i>Picea abies</i> (L.)). 2001 , 19, 239-250		4
475	Prediction of supercritical CO ₂ solubility using the Krichevsky-Linskaya equation with as an adjustable parameter. 2001 , 20, 105-112		10
474	Essential oils from seeds: solubility of limonene in supercritical CO ₂ and how it is affected by fatty oil. 2001 , 20, 113-129		41
473	Phase equilibria measurements and modeling of EPA and DHA ethyl esters in supercritical carbon dioxide. 2001 , 20, 145-155		50
472	Solubility of β -carotene in supercritical CO ₂ and the effect of entrainers. 2001 , 21, 195-203		83
471	Excess enthalpies of alkanediamines+benzene or + toluene mixtures. 2001 , 369, 1-7		5
470	Experimental procedure for kinetic studies on egg-shell catalystsThe case of liquid-phase hydrogenation of 1,3-butadiene and n-butenes on commercial Pd catalysts. 2001 , 64, 205-215		23
469	Critical Micelle Concentrations of Nonionic Surfactants in Organic Solvents: Approximate Prediction with UNIFAC. 2001 , 240, 277-283		26
468	Prediction of Infinite Dilution Volatilities of Aroma Compounds in Water. 2001 , 66, 447-452		9
467	An AIM study on the effects of position isomery in long-chain alkanols. 2001 , 572, 223-233		7
466	Dew Points of Binary Methane + Water: Measurement and Correlation. 2002 , 40, 661-672		2
465	Phase Equilibria of the Binary Systems 1-Hexene with o-Xylene, m-Xylene, p-Xylene, Toluene, and Ethylbenzene at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2002 , 47, 867-871	2.8	24

464	Determination of Excess Molar Enthalpies of μ -Dichloroalkane + 1-Butanol or 1-Heptanol Mixtures at 298.15 K. Analysis and Comparison with Predicted Values of UNIFAC. <i>Journal of Chemical & Engineering Data</i> , 2002 , 47, 411-415	2.8	9
463	Estimation of Mixture Properties from First- and Second-Order Group Contributions with the UNIFAC Model. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 3260-3273	3.9	46
462	Isobaric Vapor-Liquid Equilibria of the Binary Systems Cyclohexane with o-Xylene, m-Xylene, p-Xylene, and Ethylbenzene at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2002 , 47, 1154-1158	2.8	10
461	Thermophysical Properties of Acetone or Methanol + n-Alkane (C9 to C12) Mixtures. <i>Journal of Chemical & Engineering Data</i> , 2002 , 47, 887-893	2.8	50
460	Prediction of Solubility of Solid Organic Compounds in Solvents by UNIFAC. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 5114-5124	3.9	89
459	UNIFAC Parameters for Four New Groups. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 2047-2057	3.9	32
458	Vapor-Liquid Equilibrium of the Ternary System Ethyl Acetate + Hexane + Acetone at 101.32 kPa. <i>Journal of Chemical & Engineering Data</i> , 2002 , 47, 849-854	2.8	32
457	Prediction of Micelle Formation for Aqueous Polyoxyethylene Alcohol Solutions with the UNIFAC Model. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 892-898	3.9	17
456	Excess molar enthalpies of mixtures of methyl derivatives of polyethylene glycol with 1-alkanol at 298.15 K and 101.3 kPa. 2002 , 80, 462-466		14
455	Prediction of physico-chemical properties for PCs/DFs using the UNIFAC model with an alternative approximation for group assignment. 2002 , 49, 135-42		8
454	Fast solvent screening via quantum chemistry: COSMO-RS approach. <i>AIChE Journal</i> , 2002 , 48, 369-385	3.6	1127
453	Phase equilibrium engineering of supercritical hydrogenation reactors. <i>AIChE Journal</i> , 2002 , 48, 2635-2645	3.5	28
452	Experimental and theoretically estimated excess molar enthalpies for (ethyl propionate+n -hexane + 1-pentanol) at T= 298.15 K. 2002 , 34, 961-972		5
451	Experimental measurement and modelling of KBr solubility in water, methanol, ethanol, and its binary mixed solvents at different temperatures. 2002 , 34, 337-360		47
450	Comparison of methods for extraction, storage, and silylation of pentafluorobenzyl derivatives of carbonyl compounds and multi-functional carbonyl compounds. 2002 , 372, 808-16		20
449	Treatment and valorisation of an industrial effluent by pervaporation. 2002 , 197, 103-115		5
448	Phase equilibria of (methane-long chain ester cuts) systems in drilling conditions. <i>Fluid Phase Equilibria</i> , 2002 , 194-197, 831-846	2.5	8
447	Phase equilibria of carbohydrates: the study of a series of glucose oligomers from glucose to maltopentaose in aqueous solution. <i>Fluid Phase Equilibria</i> , 2002 , 194-197, 947-956	2.5	7

446	Prediction of infinite dilution activity coefficients for systems including water based on the group contribution model with mixture-type groups. <i>Fluid Phase Equilibria</i> , 2002 , 198, 15-27	2.5	8
445	Thermodynamic properties of synthetic natural gases. <i>Fluid Phase Equilibria</i> , 2002 , 202, 399-412	2.5	13
444	Development of GEQUAC as a new group contribution method for strongly non-ideal mixtures. <i>Fluid Phase Equilibria</i> , 2002 , 203, 53-69	2.5	10
443	Modelling the sorption of water-ethanol mixtures in cross-linked ionic and neutral polymers. 2002 , 57, 1885-1897		8
442	A thermodynamic study on binary and ternary mixtures of acetonitrile, water and butyl acetate. <i>Fluid Phase Equilibria</i> , 2002 , 203, 83-98	2.5	59
441	Phase equilibria behaviour of n-heptane with o-xylene, m-xylene, p-xylene and ethylbenzene at 101.3 kPa. 2002 , 34, 1975-1984		19
440	Excess enthalpy of ternary mixture for diamine+heptane+cyclohexan. 2003 , 73, 961-966		2
439	A new model for predicting activity coefficients in aqueous solutions of amino acids and peptides. 2003 , 35, 101-112		27
438	(Vapour+liquid) equilibrium of (DIPE+IPA+water) at 101.32kPa. 2003 , 35, 871-884		27
437	Experimental and theoretical study of excess molar volumes and enthalpies for the ternary mixture butyl butyrate + 1-octanol + decane at 308.15 K. 2003 , 405, 147-154		1
436	Prediction of mutual-diffusion coefficients in polymer solutions using a simple activity coefficient model. 2003 , 214, 131-142		10
435	Application of IR-spectroscopy in thermodynamic investigations of associating solutions. <i>Fluid Phase Equilibria</i> , 2003 , 205, 195-214	2.5	21
434	Liquid phase behaviour and thermodynamics of acetone+methanol+n-alkane (C9-C12) mixtures. <i>Fluid Phase Equilibria</i> , 2003 , 206, 61-85	2.5	16
433	Experimental and theoretical study of excess molar enthalpies for the ternary mixture: butyl butyrate + 1-octanol + octane at 298.15 K. <i>Fluid Phase Equilibria</i> , 2003 , 212, 341-347	2.5	1
432	Analysis of operating variables on the performance of a reactor for total hydrogenation of olefins in a C3-C4 stream. 2003 , 92, 41-54		11
431	Estimation of equilibrium properties in formulation or processing of liquid foods. 2003 , 82, 41-49		9
430	Phase behavior of clathrate hydrates: a model for single and multiple gas component hydrates. 2003 , 58, 27-41		147
429	Solvent Strength Parameters and Retention Factors in Pure Water Using UNIFAC-Predicted Activity Coefficients. <i>Industrial & Engineering Chemistry Research</i> , 2003 , 42, 6320-6330	3.9	2

428	Excess Molar Volumes and Enthalpies of Mixing for the Ternary System (Butyl Butyrate + 1-Octanol + Dodecane) at the Temperature 308.15 K. <i>Journal of Chemical & Engineering Data</i> , 2003 , 48, 768-773	2.8	4
427	Phase Equilibria in Sugar Solutions Using the A-UNIFAC Model. <i>Industrial & Engineering Chemistry Research</i> , 2003 , 42, 6212-6222	3.9	55
426	Prediction of Infinite Dilution Activity Coefficients Using COSMO-RS. <i>Industrial & Engineering Chemistry Research</i> , 2003 , 42, 3635-3641	3.9	74
425	Thermodynamic Properties of Synthetic Natural Gases. Part 3. Dew Point Curves of Synthetic Natural Gases and Their Mixtures with Water. Measurement and Correlation. 2003 , 17, 338-343		11
424	UNIFAC calculation of thermodynamic properties of binary 1-chloroalkane + alkane and dichloroalkane + alkane mixtures: Comparison with Nitta-Chao and DISQUAC predictions. 2003 , 81, 392-405		2
423	Modelling and optimisation of a semibatch polymerisation process. 2003 , 14, 635-640		0
422	Modelling Phase Equilibria in Systems with Organic Solid Solutions. 2004 , 229-249		4
421	Limiting activity coefficients of aqueous flavour systems at 298 K by the group contribution solvation (GCS) model. 2004 , 102, 235-241		5
420	Models for Liquid Phase Activity Coefficients - UNIFAC. 2004 , 19, 59-74		3
419	Equations of State with Emphasis on Excess Gibbs Energy Mixing Rules. 2004 , 75-111		1
418	Experimental and Predicted Excess Molar Enthalpies of the Ternary System tert-Butyl Methyl Ether + 1-Pentanol + Decane at 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 2004 , 49, 1703-1709	2.8	13
417	Predicting infinite dilution activity coefficients with the group contribution solvation model: an extension of its applicability to aqueous systems. <i>Fluid Phase Equilibria</i> , 2004 , 221, 127-137	2.5	10
416	VLE predictions with the Peng-Robinson equation of state and temperature dependent kij calculated through a group contribution method. <i>Fluid Phase Equilibria</i> , 2004 , 224, 285-304	2.5	289
415	Surface tensions for isomeric chlorobutanes with isomeric butanols. 2004 , 275, 284-9		67
414	Development of a fragment constant method for estimating the mixture toxicity. 2004 , 46, 1-7		3
413	Effect of concentration polarisation and osmotic pressure on flux in organic solvent nanofiltration. 2004 , 236, 121-136		109
412	Dew points of binary carbon dioxide + water and ternary carbon dioxide + water + methanol mixtures: Measurement and modelling. <i>Fluid Phase Equilibria</i> , 2004 , 216, 85-93	2.5	20
411	Solid deposition as a function of temperature in the nC10 + (nC24-C25-C26) system. <i>Fluid Phase Equilibria</i> , 2004 , 224, 237-244	2.5	33

410	Prediction of the solubility of aromatic components of wine in carbon dioxide. 2004 , 31, 9-25		15
409	Liquid-Liquid equilibria for mixtures of {methyl acetate + methanol + n-alkane (C10-C12)} at several temperatures and 1 atm. 2004 , 36, 237-243		7
408	Thermodynamic uncertainties in batch processing and optimal control. 2004 , 28, 2245-2258		24
407	Dew Points of Ternary Methane (or Ethane) + Carbon Dioxide + Water Mixtures: Measurement and Correlation. 2004 , 18, 396-404		14
406	Estimation of the Enthalpy of Formation of Multi-alkane Synthetic Mixtures: Measurement by Mixing Calorimetry and Modeling by the UNIQUAC Model. <i>Journal of Chemical & Engineering Data</i> , 2004 , 49, 899-906	2.8	2
405	Liquid-Liquid Equilibria of Methyl Acetate + Methanol + Octane or Nonane. <i>Journal of Chemical & Engineering Data</i> , 2004 , 49, 664-667	2.8	3
404	Measurement and Correlation of Excess Molar Enthalpies for Ethylene Glycol + Alkanol Systems at the Temperatures (298.15, 308.15, and 323.15) K. <i>Journal of Chemical & Engineering Data</i> , 2004 , 49, 286-290	2.8	16
403	Phase Equilibrium Calculations in Aqueous and Nonaqueous Mixtures of Sugars and Sugar Derivatives with a Group-Contribution Model. <i>Industrial & Engineering Chemistry Research</i> , 2004 , 43, 8391-8399	3.9	20
402	Universal Mixing Rule for Cubic Equations of State Applicable to Symmetric and Asymmetric Systems: Results with the Peng-Robinson Equation of State. <i>Industrial & Engineering Chemistry Research</i> , 2004 , 43, 6238-6246	3.9	77
401	Water activity in polyol/water systems: new UNIFAC parameterization. 2005 , 5, 1545-1555		72
400	Application of several activity coefficient models to water-organic-electrolyte aerosols of atmospheric interest. 2005 , 5, 2475-2495		67
399	A curved multi-component aerosol hygroscopicity model framework: Part 2 - Including organic compounds. 2005 , 5, 1223-1242		148
398	Vapor-Liquid equilibrium in systems (water + organic solvent + salt) at low water concentrations but high ratios of salt to water: experimental results and modeling. <i>Fluid Phase Equilibria</i> , 2005 , 228-229, 5-14	2.5	6
397	Cutinase activity in supercritical and organic media: water activity, solvation and acid-base effects. 2005 , 35, 62-69		19
396	Octanol-water partition coefficient of glucose, sucrose, and trehalose. 2005 , 340, 1207-11		48
395	Experimental and theoretical surface tension deviations in the binary systems propyl propanoate+o-, m- and p-xylene at 298.15K. <i>Fluid Phase Equilibria</i> , 2005 , 232, 9-15	2.5	24
394	Isobaric vapor-Liquid equilibria for systems composed by 2-ethoxy-2-methylbutane, methanol or ethanol and water at 101.32kPa. <i>Fluid Phase Equilibria</i> , 2005 , 233, 9-18	2.5	8
393	Solubility of silybin in aqueous poly(vinylpyrrolidone) solution. <i>Fluid Phase Equilibria</i> , 2005 , 238, 186-192	2.5	7

- 392 A general and applied thermodynamic model for the characterisation of saline systems. **2005**, 175, 269-278 2
- 391 Performance of a Conductor-Like Screening Model for Real Solvents Model in Comparison to Classical Group Contribution Methods. *Industrial & Engineering Chemistry Research*, **2005**, 44, 1610-1624 3.9 131
- 390 Combined physico-chemical and water transfer modelling to predict bacterial growth during food processes. **2005**, 102, 305-22 7
- 389 Determination of excess molar enthalpies of the ternary system methyl tert-butyl ether + 1-pentanol + nonane at 298.15 K: Analysis and comparison with predicted values of the UNIFAC model and some empirical methods. *Fluid Phase Equilibria*, **2005**, 232, 16-24 2.5 15
- 388 Paraffin crystallization in synthetic mixtures: Predictive local composition models revisited. *Fluid Phase Equilibria*, **2005**, 233, 28-33 2.5 16
- 387 Liquid-liquid equilibrium for the quaternary system of o-xylene(1)+water(2) +propionic acid(3)+1-butanol(4) at 298.15 K and atmospheric pressure. **2005**, 22, 483-488 2
- 386 Experimental and predicted enthalpies of mixing of mixtures formed from alcohols and sunflower oil at 298.15 K. **2005**, 82, 141-146
- 385 Theoretical Modeling of the Size-Dependent Influence of Surface Tension on the Absorptive Partitioning of Semi-Volatile Organic Compounds. **2005**, 50, 139-158 10
- 384 A modified UNIFAC model for the prediction of phase equilibrium for polymer solutions. **2005**, 43, 2541-2547 4
- 383 Dew points of quaternary ethane + carbon dioxide + water + methanol mixtures ? Measurement and modelling. **2005**, 83, 220-226 3
- 382 Correlation and Prediction of Environmental Properties of Alcohol Ethoxylate Surfactants Using the UNIFAC Method. *Industrial & Engineering Chemistry Research*, **2005**, 44, 7255-7261 3.9 12
- 381 Liebermann-fried model parameters for calculating vapour-liquid equilibria of oxygenate and hydrocarbon mixtures. **2005**, 28, 1089-1105 4
- 380 Solubility of Silybin in Aqueous Dextran Solutions. *Journal of Chemical & Engineering Data*, **2005**, 50, 1596-1601 2.8 14
- 379 Binary Vapor-Liquid Equilibrium Predictions with COSMOSPACE. *Industrial & Engineering Chemistry Research*, **2005**, 44, 8873-8882 3.9 4
- 378 Liquid-Liquid Equilibrium for the Quaternary System Toluene + Water + Propionic Acid + Ethyl Acetate at 25 °C and Atmospheric Pressure. *Journal of Chemical & Engineering Data*, **2005**, 50, 625-629 3.8 9
- 377 Improved Genetic Algorithms for Deterministic Optimization and Optimization under Uncertainty. Part II. Solvent Selection under Uncertainty. *Industrial & Engineering Chemistry Research*, **2005**, 44, 7138-7146 3.9 33
- 376 Dew Points of Binary Propane n-butane + Carbon Dioxide, Ternary Propane n-butane + Carbon Dioxide + Water, and Quaternary Propane n-butane + Carbon Dioxide + Water + Methanol Mixtures: Measurement and Modeling. *Industrial & Engineering Chemistry Research*, **2006**, 45, 3974-3980 3.9 14
- 375 Liquid-Liquid Equilibrium Diagrams of Ethanol + Water + (Ethyl Acetate or 1-Pentanol) at Several Temperatures. *Journal of Chemical & Engineering Data*, **2006**, 51, 1300-1305 2.8 28

374	Measurement and correlation of liquid-liquid equilibria of methanol + 2-butanone + n-alkanes (C10-C12) ternary mixtures. 2006 , 44, 293-301		1
373	Measurement and Modeling of Phase Equilibria for Ethanol + Water + Methanol at Isobaric Condition. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 2114-2120	2.8	9
372	Organic Solvent Nanofiltration. 2006 , 203-228		2
371	Effect of plasticizers (water and glycerol) on the diffusion of a small molecule in iota-carrageenan biopolymer films for edible coating application. 2006 , 7, 2011-9		104
370	Vapor-Liquid Equilibrium Data for the Binary Methyl Esters (Butyrate, Pentanoate, and Hexanoate) (1) + Acetonitrile (2) Systems at 93.32 kPa. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 1536-1540	2.8	11
369	Solid-Liquid Equilibria of Naphthalene + Alkanediamine Mixtures. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 382-385	2.8	14
368	Solvent Design Using a Quantum Mechanical Continuum Solvation Model. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 1128-1140	3.9	16
367	Effect of Resident Water on Enhanced Coalbed Gas Recovery by Simultaneous CO ₂ /N ₂ Injection. 2006 ,		3
366	Modelling of a decarbonation reactor for geothermal waters: application to geothermal waters of Chott El Fejjej. 2006 , 189, 278-286		
365	Infinite dilution activity coefficients, specific retention volumes and solvation thermodynamics of hydrocarbons in C ₇₈ H ₁₅₈ branched alkane solvent. <i>Fluid Phase Equilibria</i> , 2006 , 248, 78-88	2.5	4
364	Solubility of gases in a hydroformylation solvent. 2006 , 61, 3698-3704		14
363	The chemical interpretation and practice of linear solvation energy relationships in chromatography. 2006 , 1126, 143-94		410
362	Liquid-Liquid equilibrium of (perfluoroalkane+alkane) binary mixtures. <i>Fluid Phase Equilibria</i> , 2006 , 242, 210-219	2.5	45
361	Prediction of the surface tension, surface concentration, and the relative Gibbs adsorption isotherm of binary liquid systems. <i>Fluid Phase Equilibria</i> , 2006 , 246, 119-130	2.5	31
360	A new predictive UNIQUAC for modeling of wax formation in hydrocarbon fluids. <i>Fluid Phase Equilibria</i> , 2006 , 247, 8-17	2.5	43
359	Solubility of silybin in aqueous poly(ethylene glycol) solution. 2006 , 308, 100-6		24
358	Thermodynamic study on cloud point of biodiesel with its fatty acid composition. <i>Fuel</i> , 2006 , 85, 1666-1670		234
357	Measurement and correlation of excess molar enthalpy for (1,2-propanediol, or 1,3-propanediol, or 1,4-butanediol+water) at the temperatures (298.15, 323.15, and 343.15) K. 2006 , 38, 461-466		19

356	Accurate prediction of clathrate hydrate phase equilibria below 300 K from a simple model. <i>Journal of Petroleum Science and Engineering</i> , 2006 , 51, 45-53	4.4	24
355	Solid-liquid equilibria and purity determination for binary n-alkane + naphthalene systems. 2006 , 444, 166-172		21
354	Effect of THF on Equilibrium Pressure and Dissociation Enthalpy of CO ₂ Hydrates Applied to Secondary Refrigeration. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 391-397	3.9	153
353	Determination by DSC of solid-liquid diagrams for polyaromatic 4,4'-diaminodiphenylmethane binary systems. 2006 , 84, 47-52		24
352	Correlation of phase equilibria of amino acids and peptides in aqueous solution based on the perturbation theory of equation of state. <i>Fluid Phase Equilibria</i> , 2006 , 240, 40-45	2.5	15
351	Thermodynamic equations of state from molecular solvation. <i>Fluid Phase Equilibria</i> , 2006 , 245, 185-192	2.5	10
350	Investigation of different activity coefficient models in thermodynamic modeling of wax precipitation. <i>Fluid Phase Equilibria</i> , 2006 , 248, 7-18	2.5	20
349	Quantitative prediction of microbial behaviour during food processing using an integrated modelling approach: a review. 2006 , 29, 968-984		35
348	Measurement and prediction of (solid+liquid) equilibria of (alkanediamine+biphenyl) mixtures. 2006 , 38, 1192-1198		22
347	Measurement and modelling of phase equilibria for ethanol+water+1-pentanol at isobaric condition. 2006 , 23, 631-637		7
346	Influence of sucrose and water content on molecular mobility in starch-based glasses as assessed through structure and secondary relaxation. 2006 , 81, 63-73		29
345	Isobaric phase equilibrium of the ternary mixture ethanol + water + 2-propanol. 2007 , 45, 683-694		3
344	Potential of Branched Polymers in the Field of Gas Absorption: Experimental Gas Solubilities and Modeling. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 6572-6583	3.9	29
343	Performance of COSMO-RS with Sigma Profiles from Different Model Chemistries. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 6612-6629	3.9	55
342	Modeling of Simultaneous Chemical and Phase Equilibria in Esterification of Acetic Acid with Ethanol in High-Pressure Carbon Dioxide. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 5437-5445	3.9	8
341	Phase equilibrium of binary mixtures of cyclic ethers + chlorobutane isomers: experimental measurements and SAFT-VR modeling. 2007 , 111, 9588-97		16
340	Vapor-liquid Equilibrium Data for the Binary Methyl Esters (Butyrate, Pentanoate, and Hexanoate) (1) + Propanenitrile (2) Systems at 93.32 kPa. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 871-875	2.8	15
339	Liquid-liquid Equilibria of the Quaternary System Water + Caprolactam + 1-Octanol + Ammonium Sulfate. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 851-855	2.8	11

338	Vapor-Liquid Equilibria Predictions for New Refrigerant Mixtures Based on Group Contribution Theory. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 9274-9284	3.9	21
337	Recommended Liquid-Liquid Equilibrium Data. Part 5. Ether-Water Systems. 2007 , 36, 1399-1415		10
336	Isobaric vapor-Liquid equilibria of 1,1-dimethylethoxy-butane+methanol or ethanol+water at 101.32kPa. <i>Fluid Phase Equilibria</i> , 2007 , 259, 57-65	2.5	9
335	High pressure solid-Liquid equilibria of fatty acids. <i>Fluid Phase Equilibria</i> , 2007 , 253, 118-123	2.5	31
334	Determination of multi-component gas and water equilibrium and non-equilibrium sorption isotherms in carbonaceous solids from early-time measurements. <i>Fuel</i> , 2007 , 86, 1601-1613	7.1	13
333	Modelling of associating mixtures for applications in the oil & gas and chemical industries. <i>Fluid Phase Equilibria</i> , 2007 , 261, 205-211	2.5	34
332	Analysis of methanol extraction from aqueous solution by n-hexane: Equilibrium diagrams as a function of temperature. 2007 , 130, 52-58		9
331	Isobaric (vapour+liquid) equilibria data for the binary systems {1,2-dichloroethane (1)+toluene (2)} and {1,2-dichloroethane (1)+acetic acid (2)} at atmospheric pressure. 2007 , 39, 1189-1195		5
330	Excess enthalpy, density, and speed of sound determination for the ternary mixture (methyl tert-butyl ether + 1-butanol + n-hexane). 2007 , 39, 1247-1256		16
329	Analysis of the thermodynamic properties of (1-chloroalkane+1-alkanol) mixtures using the Nitta-Chao group contribution model. 2007 , 39, 1399-1403		2
328	Distribution Coefficient of Caprolactam and Methyl Caprolactam Using Benzene or Toluene as Extractants: Experiments and Prediction. <i>Chinese Journal of Chemical Engineering</i> , 2007 , 15, 463-467	3.2	7
327	Prediction of polycyclic aromatic hydrocarbon solubilities in benzene. 2007 , 2, 144-150		1
326	Solid-liquid equilibria of binary systems containing n-tetracosane with naphthalene or dibenzofuran. 2007 , 88, 565-570		17
325	Experimental and theoretically estimated excess molar enthalpies for tert-butyl methyl ether+1-pentanol+octane at 298.15 K. 2007 , 89, 73-79		12
324	Prediction of the Partition Coefficient for Acetic Acid in a Two-Phase System Soybean Oil-Water. 2007 , 84, 669-674		6
323	Determination and correlation of liquid-Liquid equilibria for four binary N,N-dimethylformamide+hydrocarbon systems. <i>Fluid Phase Equilibria</i> , 2007 , 260, 81-86	2.5	18
322	Modelling of the phase behaviour for the direct synthesis of dimethyl carbonate from CO ₂ and methanol at supercritical or near critical conditions. 2007 , 39, 536-549		17
321	Thermodynamic modeling and analysis of biomass gasification for hydrogen production in supercritical water. 2007 , 131, 233-244		187

320	Liquid-liquid equilibrium for the quaternary system of o-xylene(1)+water(2)+butyric acid(3)+ethyl acetate(4) at 25 °C and atmospheric pressure. 2008 , 25, 164-170		
319	Solution calorimetry of organic nonelectrolytes as a tool for investigation of intermolecular interactions. 2008 , 21, 2-13		27
318	The Effect of Additives and Impurities on the Partition of Ethanol into n-Decanol from Aqueous Solutions. 2008 , 8, 551-569		2
317	Thermodynamic properties of THF + CO ₂ hydrates in relation with refrigeration applications. <i>AICHE Journal</i> , 2008 , 54, 1088-1095	3.6	60
316	Thermodynamics of Aqueous Systems. 141-191		1
315	Radiation tolerance in polymeric dielectrics by small molecule doping, Part II: Thermodynamic and kinetic parameters. 2008 , 49, 5549-5563		1
314	Thermodynamics of mixtures containing polycyclic aromatic hydrocarbons. 2008 , 143, 134-140		16
313	Liquid-liquid equilibrium for the quaternary system water+tetrahydrofuran+n-heptane+butyl acetate mixture at 25°C and atmospheric pressure. 2008 , 14, 602-607		8
312	Tuning methane content in gas hydrates via thermodynamic modeling and molecular dynamics simulation. <i>Fluid Phase Equilibria</i> , 2008 , 263, 6-17	2.5	53
311	Study of the effect of increasing the chain length of the alkane in excess molar enthalpies of mixtures containing methyl tert-butyl ether, 1-propanol, alkane. <i>Fluid Phase Equilibria</i> , 2008 , 271, 6-12	2.5	8
310	Multiphase equilibria for mixtures containing water, acetic acid, propionic acid, methyl acetate and methyl propionate. <i>Fluid Phase Equilibria</i> , 2008 , 271, 69-75	2.5	9
309	Computer aided aroma design I—Molecular knowledge framework. 2008 , 47, 1902-1911		16
308	Three-component phase behavior of the sclareol-ethyl lactate-carbon dioxide system for GAS applications. 2008 , 45, 146-155		23
307	Electrocarboxylation in supercritical CO ₂ and CO ₂ -expanded liquids. 2008 , 46, 156-162		14
306	Vapour-liquid equilibria of aroma compounds in hydroalcoholic solutions: Measurements with a recirculation method and modelling with the NRTL and COSMO-SAC approaches. <i>Fluid Phase Equilibria</i> , 2008 , 265, 139-154	2.5	29
305	Relationships between hydration number, water activity and density of aqueous sugar solutions. 2008 , 106, 1443-1453		47
304	Selection and Evaluation of a New Extractant for Caprolactam Extraction. <i>Chinese Journal of Chemical Engineering</i> , 2008 , 16, 876-880	3.2	9
303	Liquid-liquid Equilibria of Mixtures Containing Methyl Acetate + Methanol + Hexane or Heptane. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 89-93	2.8	4

302	Estimation of Physical Properties. 2008,		3
301	Perspective for Extended Group-Contribution Methods for the Prediction of Activity Coefficients Accounting for Sterical Effects. Linking UNIFAC and the Group Vector Space Method. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 10080-10085	3.9	
300	Isobaric Vapor-Liquid Equilibria for Binary Systems of Acetone + Isopropenyl Acetate, 2-Butanone + Isopropenyl Acetate, and Isopropenyl Acetate + Acetylacetone at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 503-507	2.8	
299	Liquid-Liquid Equilibrium for the Quaternary System Water + Tetrahydrofuran + Toluene + 1-Butanol Mixture at 25 °C and Atmospheric Pressure. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 36-40	2.8	9
298	Vapor-Liquid Equilibria Predictions for Alternative Working Fluids at Low and Moderate Pressures. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 7501-7508	3.9	9
297	Surface thermodynamic behaviour of binary liquid mixtures of benzene+1,1,2,2-tetrachloroethane at different temperatures: an experimental and theoretical study. 2008 , 46, 47-58		12
296	Prediction of Cloud Points of Biodiesel. 2008 , 22, 747-752		77
295	. 2008,		15
294	Solubilities of Cinnamic Acid Esters in Ionic Liquids. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 812-818	2.8	21
293	Isobaric (vapour+liquid) equilibria data for the binary systems (toluene+acetic acid) and (toluene+methyl ethyl ketone) at atmospheric pressure. 2009 , 47, 614-625		1
292	A neural network approach to predict activity coefficients. <i>Canadian Journal of Chemical Engineering</i> , 2009 , 87, 748-760	2.3	4
291	Caprolactam recovery by a column packed with polysulfone microcapsules containing 1-octanol. <i>Separation and Purification Technology</i> , 2009 , 69, 71-77	8.3	7
290	Influence of water, temperature and sucrose on dynamics in glassy starch-based products studied by low field 1H NMR. 2009 , 77, 489-495		25
289	A comparison of mixing rules for the combination of COSMO-RS and the Peng-Robinson equation of state. <i>Fluid Phase Equilibria</i> , 2009 , 275, 105-115	2.5	13
288	Liquid-Liquid equilibrium calculations for methanol-gasoline blends using continuous thermodynamics. <i>Fluid Phase Equilibria</i> , 2009 , 284, 1-9	2.5	6
287	Solubilities of amino acids in water at various pH values under 298.15 K. <i>Fluid Phase Equilibria</i> , 2009 , 285, 90-95	2.5	48
286	Modeling and optimization of supercritical fluid processes. 2009 , 47, 611-618		38
285	Solubility of carbohydrates in supercritical carbon dioxide with (ethanol+water) cosolvent. 2009 , 49, 16-22		25

284	Experimental and theoretical study of surface tension of binary mixtures of (n-alkyl acetates + heptane, benzene, and toluene). 2009 , 41, 386-391		37
283	Adsorption behaviour of sugars versus their activity in single and multicomponent liquid solutions. 2009 , 1216, 8697-704		19
282	Computer aided design, analysis and experimental investigation of membrane assisted batch reaction/separation systems. 2009 , 33, 551-574		17
281	Analysis and applications of a group contribution sPC-SAFT equation of state. <i>Fluid Phase Equilibria</i> , 2009 , 281, 60-69	2.5	25
280	Excess Molar Enthalpies of Ternary and Binary Mixtures Containing 2-Methoxy-2-methylpropane, 1-Propanol, and Nonane \square <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1692-1697	2.8	6
279	Modeling of polycyclic aromatic hydrocarbon SLE in aromatic solvents. 2009 , 5, 517-526		
278	Excess Enthalpy, Density, and Speed of Sound for the Ternary Mixture Methyl tert-Butyl Ether (1) + Butan-1-ol (2) + Octane (3) \square <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 453-458	2.8	7
277	Preparation of Uniform Microcapsules Containing 1-Octanol for Caprolactam Extraction. <i>Industrial & Engineering Chemistry Research</i> , 2009 , 48, 4507-4513	3.9	20
276	Prediction of Vapor-Liquid Equilibrium at High Pressure Using a New Excess Free Energy Mixing Rule Coupled with the Original UNIFAC Method and the SRK Equation of State. <i>Industrial & Engineering Chemistry Research</i> , 2009 , 48, 6836-6845	3.9	7
275	Isobaric Vapor-Liquid Equilibria for the Binary Systems Benzene + Methyl Ethanoate, Benzene + Butyl Ethanoate, and Benzene + Methyl Heptanoate at 101.31 kPa \square <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1575-1579	2.8	14
274	Solubilities of biologically active phenolic compounds: measurements and modeling. 2009 , 113, 3469-76		77
273	Evaluation of Gas Solubility Prediction in Ionic Liquids using COSMOthermX. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 2005-2022	2.8	89
272	Computer-Aided Model-Based Design and Analysis of Hybrid Membrane Reaction-Separation Systems. 2010 , 25-56		0
271	Prediction of Gas Solubility using COSMOthermX. 2010 , 359-383		2
270	Soft-SAFT modeling of vapor-liquid equilibria of nitriles and their mixtures. <i>Fluid Phase Equilibria</i> , 2010 , 289, 191-200	2.5	12
269	QSPR analysis of infinite dilution activity coefficients of chlorinated organic compounds in water. <i>Fluid Phase Equilibria</i> , 2010 , 291, 111-116	2.5	23
268	Amine volatility in CO ₂ capture. 2010 , 4, 707-715		139
267	Excess molar enthalpies of dichloropropane + n-alkane mixtures. 2010 , 101, 1121-1125		2

266	Vapour-Liquid Equilibrium with a New Ebulliometer: Ester + Alcohol System at 0.5 MPa. <i>Chinese Journal of Chemical Engineering</i> , 2010 , 18, 1000-1007	3.2	16
265	A new predictive model for liquid/air surface tension of mixtures: Hydrocarbon mixtures. <i>Fluid Phase Equilibria</i> , 2010 , 288, 55-62	2.5	13
264	Activity coefficients of concentrated strong and weak electrolytes by a hydration equilibrium and group contribution model. <i>Fluid Phase Equilibria</i> , 2010 , 289, 40-48	2.5	10
263	Boiling point of aqueous d-glucose and d-fructose solutions: Experimental determination and modeling with group-contribution method. <i>Fluid Phase Equilibria</i> , 2010 , 299, 32-41	2.5	12
262	Equations of state: From the ideas of van der Waals to association theories. 2010 , 55, 421-437		41
261	Extraction Equilibrium of Ethanol for Bioethanol Production [Solvent Selection and Liquid-liquid Equilibrium Measurement] 2010 , 53, 135-143		3
260	VLE Data of Methyl Acetate + Methanol at 1.0, 3.0 and 7.0 Bar with a New Ebulliometer. <i>Journal of Chemical Engineering of Japan</i> , 2010 , 43, 650-656	0.8	18
259	Phase behaviour of ethanol + water + ethyl acetate at 101.3 kPa. 2010 , 48, 461-476		4
258	Empirical and theoretical models of equilibrium and non-equilibrium transition temperatures of supplemented phase diagrams in aqueous systems (IUPAC Technical Report). 2010 , 82, 1065-1097		43
257	Measurement and Modeling of Biodiesel Cold-Flow Properties. 2010 , 24, 2667-2674		36
256	Vapor-Liquid Equilibria for Ethyl Acetate + Methanol at (0.1, 0.5, and 0.7) MPa. Measurements with a New Ebulliometer. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 5701-5706	2.8	20
255	A review on the effects of supercritical carbon dioxide on enzyme activity. 2010 , 11, 233-53		108
254	Group-Contribution Method for the Molecular Parameters of the PC-SAFT Equation of State Taking into Account the Proximity Effect. Application to Nonassociated Compounds. <i>Industrial & Engineering Chemistry Research</i> , 2010 , 49, 9394-9406	3.9	35
253	Isobaric Vapor-Liquid Equilibria at 101.32 kPa and Densities, Speeds of Sound, and Refractive Indices at 298.15 K for MTBE or DIPE or TAME + 1-Propanol Binary Systems. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 92-97	2.8	19
252	Measurement and Correlation of Solubilities of Decanedioic Acid in C ₄ -C ₆ Alcohol Solvents. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 1411-1415	2.8	19
251	Surface Tensions of the Ternary Mixtures Containing an Isomeric Butanol +n-Hexane + 1-Chlorobutane at 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 3532-3537	2.8	8
250	Prediction of Infinite-Dilution Activity Coefficients Using UNIFAC and COSMO-SAC Variants. <i>Industrial & Engineering Chemistry Research</i> , 2010 , 49, 7488-7496	3.9	57
249	Application of the QSPR approach to the boiling points of azeotropes. 2011 , 115, 3475-9		22

248	Assessment and Improvement of n-Paraffin Distribution Obtained by HTGC To Predict Accurately Crude Oil Cold Properties. 2011 , 25, 1153-1160		23
247	Modeling Phase Equilibria Relevant to Biodiesel Production: A Comparison of gE Models, Cubic EoS, EoS _{gE} and Association EoS. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 2348-2358	3.9	31
246	Improvement of the UNIQUAC Combinatorial-Entropy Term by Adjusting the Standard Segment. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 1305-1310	2.8	4
245	Application of the Unified Functional Activity Coefficient (UNIFAC) and Analytical Solution of Groups (ASOG) for the Calculation of Mutual Solubilities in Water Systems of Alkanes, Arenes, and Alkanols. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 4853-4861	2.8	10
244	Molecular Thermodynamic Modeling and Design of Microencapsulation Systems for Drug Delivery. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 1229-1237	2.8	5
243	Excess Properties and Vapor Pressure of 2-Diethylaminoethylamine + n-Heptane. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 4972-4977	2.8	5
242	Solvent Effects on Hydration of Cyclohexene over H-ZSM-5 Catalyst. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 4310-4316	2.8	15
241	Gas Hydrate Structure and Pressure Predictions Based on an Updated Fugacity-Based Model with the PSRK Equation of State. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 148-157	3.9	32
240	Prediction of Surface Tension of Pure Hydrocarbons by An Artificial Neural Network System. 2011 , 29, 2384-2396		12
239	Complex Fluid Phase Equilibrium Modeling and Calculations. 2011 ,		
238	Vapor Pressure and VLE Data Measurements on Ethyl Acetate/Ethanol Binary System at 0.1, 0.5, and 0.7 MPa. <i>Journal of Chemical Engineering of Japan</i> , 2011 , 44, 155-163	0.8	26
237	Group Contribution Methodologies for the Prediction of Thermodynamic Properties and Phase Behavior in Mixtures. 2011 , 135-172		3
236	Modelling (vapour + liquid) and (vapour + liquid + liquid) equilibria of {water (H ₂ O) + methanol (MeOH) + dimethyl ether (DME) + carbon dioxide (CO ₂)} quaternary system using the Peng-Robinson EoS with Wong-Bandler mixing rule. 2011 , 43, 2002-2014		16
235	Solid-Liquid Equilibria of D-Glucose, D-Fructose and Sucrose in the Mixture of Ethanol and Water from 273.2 K to 293.2 K. <i>Chinese Journal of Chemical Engineering</i> , 2011 , 19, 217-222	3.2	28
234	A new method for evaluation of UNIFAC interaction parameters. <i>Fluid Phase Equilibria</i> , 2011 , 309, 68-75	2.5	25
233	On the ability of the gas/particle partitioning constant K _p to consider the effects of mean MW and the presence of high MW compounds. 2011 , 45, 1213-1216		3
232	Predicting Infinite Dilution Activity Coefficients of Chlorinated Organic Compounds in Aqueous Solution Based on Three-Dimensional WHIM and GETAWAY Descriptors. 2011 , 40, 118-130		5
231	Simultaneous prediction of vapour-liquid and liquid-liquid equilibria (VLE and LLE) of aqueous mixtures with the SAFT-group contribution approach. <i>Fluid Phase Equilibria</i> , 2011 , 306, 82-96	2.5	49

230	Volatility of aqueous amines in CO ₂ capture. 2011 , 4, 1624-1630		44
229	Prediction of miscible mixtures flash-point from UNIFAC group contribution methods. <i>Fluid Phase Equilibria</i> , 2011 , 300, 70-82	2.5	57
228	Application of GC-PPC-SAFT EoS to amine mixtures with a predictive approach. <i>Fluid Phase Equilibria</i> , 2011 , 303, 15-30	2.5	26
227	Application of the UNIFAC model for prediction of surface tension and thickness of the surface layer in the binary mixtures. 2011 , 355, 252-8		39
226	Experimental determination and prediction of (solid+liquid) phase equilibria for binary mixtures of heavy alkanes and fatty acids. 2012 , 110, 1383-1389		15
225	Thirty Years with EoS/GEModels—What Have We Learned?. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 4119-4142	3.9	54
224	Vapor-Liquid Equilibria Measurements of Bitter Orange Aroma Compounds Highly Diluted in Boiling Hydro-Alcoholic Solutions at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 3344-3356	2.8	10
223	Application of the Conduct-like Screening Models for Real Solvent and Segment Activity Coefficient for the Predictions of Partition Coefficients and Vapor-Liquid and Liquid-Liquid Equilibria of Bio-oil-Related Mixtures. 2012 , 26, 3756-3768		9
222	A self-consistent Gibbs excess mixing rule for cubic equations of state. <i>Fluid Phase Equilibria</i> , 2012 , 334, 76-88	2.5	16
221	Study of Minimum Flash-point Behavior for Ternary Mixtures of Flammable Solvents. 2012 , 45, 507-511		4
220	Multiphase Equilibrium Calculations from Soave Equation of State with Chang-Twu/UNIFAC Mixing Rules for Mixtures Containing Water, Alcohols, and Esters. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 5073-5081	3.9	5
219	Solubilities of Protocatechuic Aldehyde, Caffeic Acid, d-Galactose, and d-Raffinose Pentahydrate in Ethanol-Water Solutions. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 2018-2022	2.8	22
218	Kinetic study of the selective catalytic hydrogenation of 1,3-butadiene in a mixture of n-butenes. 2012 , 18, 1353-1365		12
217	Isobaric VLE at 0.6MPa for binary systems Isobutyl Acetate+Ethanol, +1-Propanol or +2-Propanol. <i>Fluid Phase Equilibria</i> , 2012 , 331, 12-17	2.5	19
216	Ternary liquid-liquid phase equilibria of (water-carboxylic acid-undecanol) systems at 298.15K. <i>Fluid Phase Equilibria</i> , 2012 , 331, 26-32	2.5	24
215	Wax formation from paraffinic mixtures: A simplified thermodynamic model based on sensitivity analysis together with a new modified predictive UNIQUAC. <i>Fuel</i> , 2012 , 99, 235-244	7.1	16
214	Vapor-Liquid Equilibrium of Ethyl Acetate + C _n H _{2n+1} OH (n= 1,2,3) Binary Systems at 0.3 MPa. <i>Chinese Journal of Chemical Engineering</i> , 2012 , 20, 723-730	3.2	9
213	Solubility of Xylose, Mannose, Maltose Monohydrate, and Trehalose Dihydrate in Ethanol-Water Solutions. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 3264-3269	2.8	29

212	Thermodynamics in Food Process Design. 2012 , 74-112		
211	Experimental and theoretical excess molar enthalpies of ternary and binary mixtures containing 2-Methoxy-2-Methylpropane, 1-propanol, heptane. 2013 , 66, 95-101		4
210	Reduced flash calculations with temperature dependent binary interaction coefficients. <i>Fluid Phase Equilibria</i> , 2013 , 354, 166-176	2.5	3
209	Effect of mixing rule and activity coefficient model on prediction of solid-liquid-gas equilibria for carbon dioxide + organic compound mixtures using Peng-Robinson equation of state and GE type mixing rule. <i>Fluid Phase Equilibria</i> , 2013 , 357, 30-35	2.5	4
208	Flash points of partially miscible aqueous-organic mixtures predicted by UNIFAC group contribution methods. <i>Fluid Phase Equilibria</i> , 2013 , 345, 45-59	2.5	16
207	Phase equilibrium of the CO ₂ /glycerol system: Experimental data by in situ FT-IR spectroscopy and thermodynamic modeling. 2013 , 73, 97-107		36
206	Prediction of the Surface Tension, Surface Concentration and the Relative Gibbs Adsorption Isotherm of Non-ideal Binary Liquid Mixtures. 2013 , 42, 2071-2086		22
205	Experimental Determination of Densities and Isobaric Vapor-Liquid Equilibria of Methyl Acetate and Ethyl Acetate with Alcohols (C ₃ and C ₄) at 0.3 MPa. 2013 , 34, 1906-1917		2
204	Experimental Determination of Vapor-Liquid Equilibria. Binary Systems of Methyl Acetate, Ethyl Acetate, and Propyl Acetate with 1-Propanol at 0.6 MPa. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 2861-2867	2.8	5
203	MOQUAC, a new expression for the excess Gibbs energy based on molecular orientations. <i>Fluid Phase Equilibria</i> , 2013 , 338, 63-77	2.5	9
202	Robust Optimal Design of an Glycerol Etherification Process. 2013 , 36, 251-258		11
201	Optimum extraction equilibria of the systems (water+carboxylic acid+1-hexanol/Alamine): Thermodynamic modeling. <i>Fluid Phase Equilibria</i> , 2013 , 360, 77-87	2.5	7
200	Surface study of binary mixtures containing chlorinated and oxygenated compounds. 2013 , 181, 1-7		22
199	A new approach for the thermodynamic modeling of the solubility of amino acids and lactam compounds as a function of pH. <i>Fluid Phase Equilibria</i> , 2013 , 354, 38-46	2.5	6
198	Phase diagram of ibuprofen with fatty acids. 2013 , 112, 317-320		15
197	Prediction of Flash Points for Fuel Mixtures Using Machine Learning and a Novel Equation. 2013 , 27, 3811-3820		44
196	Experimental determination and prediction of (solid + liquid) phase equilibria for binary mixtures of heavy alkanes and fatty acids methyl esters. 2013 , 112, 229-235		25
195	Fructose Solubility in Mixed (Ethanol + Water) Solvent: Experimental Data and Comparison among Different Thermodynamic Models. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 3039-3045	2.8	15

194	Simulation of Extractive Distillation for Recycling Tetrahydrofuran from Pharmaceutical Wastewater with Chem CAD Software. 2013 , 5, 4769-4774		
193	Experimental and Numerical Studies of Sulfate and Organic Condensation on Aircraft Engine Soot. 2014 ,		
192	Representation of phase equilibria and densities for complex systems using a van der Waals volume translated equation of state with a UNIFAC mixing rule. 2014 , 34, 26-30		
191	Comprehensive Treatise on Shut-in and Restart of Waxy Oil Pipelines. 2014 , 35, 1060-1085		27
190	Detailed Microphysical Modeling of the Formation of Organic and Sulfuric Acid Coatings on Aircraft Emitted Soot Particles in the Near Field. 2014 , 48, 981-995		3
189	Viscosities and densities of systems containing fatty compounds and alcoholic solvents. <i>Canadian Journal of Chemical Engineering</i> , 2014 , 92, 1939-1950	2.3	5
188	Adsorption of Bisphenol A from Water-Ethanol Mixtures on Pulverized Activated Carbon. 2014 , 49, 763-772		8
187	Vapor-Liquid equilibria for ethyl acetate+methanol and ethyl acetate+ethanol mixtures: Experimental verification and prediction. 2014 , 92, 2861-2866		7
186	Solubility of fructose in water-ethanol and water-methanol mixtures by using H-bonding models. 2014 , 79, E839-48		11
185	Contribution to study of the thermodynamics properties of mixtures containing 2-methoxy-2-methylpropane, alkanol, alkane. 2014 , 73, 224-231		7
184	High pressure phase equilibrium of wax: A new thermodynamic model. <i>Fuel</i> , 2014 , 117, 900-909	7.1	8
183	Modelling the distribution of a(w), pH and ions in marinated beef meat. 2014 , 97, 347-57		15
182	Electrodialysis of itaconic acid: A short-cut model quantifying the electrical resistance in the overlimiting current density region. 2014 , 453, 275-281		19
181	A new hydrogen bonding local composition based model in obtaining phase behavior of aqueous solutions of sugars. 2014 , 195, 47-53		14
180	Cellulose and hemicellulose valorisation: an integrated challenge of catalysis and reaction engineering. 2014 , 7, 2803		219
179	Molecular separation with organic solvent nanofiltration: a critical review. 2014 , 114, 10735-806		935
178	Calculation of Vapor-Liquid-Liquid Equilibria at Atmospheric and High Pressures. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 2509-2519	3.9	4
177	Solubility Determination and Correlation of (2R,3S,4S,5S)-6-(Hydroxymethyl)-tetrahydro-2H-pyran-2,3,4, 5-tetraol in Fatty Alcohol. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 2040-2044	2.8	1

176	Isothermal Vapor-Liquid Equilibrium Data for the 1,1,2,2-Tetrafluoroethene + 1,1,2,3,3,3-Hexafluoroprop-1-ene Binary System: Measurement and Modeling from (248 to 283) K. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 82-88	2.8	7
175	Simulation, optimization, and sensitivity analysis of a natural gas dehydration unit. 2014 , 21, 159-169		34
174	Vapor-Liquid equilibrium for propylene glycols binary systems: Experimental data and regression. <i>Fluid Phase Equilibria</i> , 2014 , 382, 244-253	2.5	6
173	A Review of Flash Point Prediction Models for Flammable Liquid Mixtures. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 12553-12565	3.9	46
172	Experimental Vapor-Liquid Equilibria Data of Methyl Acetate or Ethyl Acetate with 2-Butanol at 0.3 MPa and 0.6 MPa. Quality Assessment and Predictions. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 2763-2772	2.8	2
171	A Novel Model for Predicting the Surface Tension of Binary Solutions. 2014 , 87, 533-540		1
170	COSMO-RS-PDHS: A new predictive model for aqueous electrolytes solutions. 2014 , 92, 2873-2883		21
169	Phase Equilibria. 2014 , 35, 201-251		4
168	Vapor-Liquid Equilibria for Water + Propylene Glycols Binary Systems: Experimental Data and Regression. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 792-801	2.8	6
167	Determination and thermodynamic evaluation of isobaric VLE of methyl acetate or ethyl acetate with 2-propanol at 0.3 and 0.6MPa. <i>Fluid Phase Equilibria</i> , 2014 , 375, 1-10	2.5	9
166	Flash-point estimation for binary partially miscible mixtures of flammable solvents by UNIFAC group contribution methods. <i>Fluid Phase Equilibria</i> , 2014 , 375, 275-285	2.5	20
165	PPD architecture development via polymer-crystal interaction assessment. <i>Journal of Petroleum Science and Engineering</i> , 2014 , 115, 38-49	4.4	12
164	Group Contribution Methodologies for the Prediction of Thermodynamic Properties and Phase Behavior in Mixtures. 2014 , 135-172		1
163	Pressurized hot water extraction of polyphenols from plant material. 2015 , 63-101		3
162	Molecular thermodynamics of LNA:LNA base pairs and the hyperstabilizing effect of 5'-proximal LNA:DNA base pairs. <i>AIChE Journal</i> , 2015 , 61, 2711-2731	3.6	4
161	Improved AIOMFAC model parameterisation of the temperature dependence of activity coefficients for aqueous organic mixtures. 2015 , 15, 447-493		31
160	Development of a thermodynamic model of aqueous solution suited for foods and biological media. Part B: Prediction of standard formation properties. <i>Canadian Journal of Chemical Engineering</i> , 2015 , 93, 465-470	2.3	2
159	Experimental investigation and thermodynamic modeling of wax disappearance temperature for n-undecane + n-hexadecane + n-octadecane and n-tetradecane + n-hexadecane + n-octadecane ternary systems. <i>Fluid Phase Equilibria</i> , 2015 , 403, 70-77	2.5	8

158	New modified UNIFAC parameters using critically evaluated phase equilibrium data. <i>Fluid Phase Equilibria</i> , 2015 , 388, 128-141	2.5	42
157	The UNIFAC model and the partition of alkyl and alkylphenol ethoxylate surfactants in the excess phases of middle phase microemulsions. <i>Fluid Phase Equilibria</i> , 2015 , 397, 117-125	2.5	15
156	Prediction of methanol content in natural gas with the GC-PR-CPA model. 2015 , 27, 745-750		3
155	COSMO-3D: Incorporating Three-Dimensional Contact Information into the COSMO-SAC Model. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 2214-2226	3.9	5
154	Experimental measurements and thermodynamic modeling of wax disappearance temperature for the binary systems n-C14H30 + n-C16H34, n-C16H34 + n-C18H38 and n-C11H24 + n-C18H38. <i>Fluid Phase Equilibria</i> , 2015 , 388, 93-99	2.5	7
153	Flash points measurements and prediction for binary miscible mixtures. 2015 , 34, 56-64		16
152	Solubility of polycyclic aromatic hydrocarbons in sub-critical water: A predictive approach using EoS/GE models. <i>Fluid Phase Equilibria</i> , 2015 , 399, 22-29	2.5	4
151	Group Contribution Methods for Phase Equilibrium Calculations. 2015 , 6, 267-92		29
150	High pressure vapor-liquid equilibria of methyl acetate or ethyl acetate with 2-propanol at 1.5 MPa. Experimental data and predictions. 2015 , 102, 337-344		4
149	Optimization and modeling of extraction equilibria of the type 2 ternary systems containing (water + isovaleric acid + solvent). 2015 , 91, 211-224		5
148	Development of a thermodynamic model of aqueous solution suited for foods and biological media. Part A: Prediction of activity coefficients in aqueous mixtures containing electrolytes. <i>Canadian Journal of Chemical Engineering</i> , 2015 , 93, 443-450	2.3	8
147	Analysis of saline water desalination by directed solvent extraction using octanoic acid. 2015 , 357, 150-162		21
146	Isobaric (vapor+liquid) equilibrium for n-propyl acetate with 1-butanol or 2-butanol. Binary mixtures at 0.15 and 0.6MPa. <i>Fluid Phase Equilibria</i> , 2015 , 385, 196-204	2.5	11
145	Water and phase transitions. 2016 , 79-113		4
144	Review on CO2 hydrate formation/dissociation and its cold energy application. 2016 , 62, 478-494		66
143	Measurement and prediction of solid-liquid phase equilibria for systems containing biphenyl in binary solution with long-chain n-alkanes. 2016 , 125, 793-801		10
142	A model to calculate concentration-dependent surface tension of binary systems. <i>Fluid Phase Equilibria</i> , 2016 , 423, 34-42	2.5	3
141	Further Development of Modified UNIFAC (Dortmund): Revision and Extension 6. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 2738-2748	2.8	65

140	Modeling phase equilibria of ternary systems (water+Formic acid+ester or alcohol) through UNIFAC-original, SERLAS, NRTL, NRTL-modified, and three-suffix Margules: Parameter estimation using genetic algorithm. <i>Fluid Phase Equilibria</i> , 2016 , 429, 254-265	2.5	23
139	Review of pre-combustion capture and ionic liquid in carbon capture and storage. 2016 , 183, 1633-1663		154
138	Extraction of Polyphenols by Pressurized Liquids. <i>Contemporary Food Engineering</i> , 2016 , 83-123		
137	Liquid-Liquid Equilibrium Data for the Pseudoternary Model System of Refined Sunflower Seed Oil + (n-Hexanal, or 2-Nonenal, or 2,4-Decadienal) + Anhydrous Ethanol at 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 3069-3076	2.8	8
136	Thermodynamics of Heat Pump Cycles. 2016 , 23-95		
135	A modified UNIFAC-ZM model and phase equilibrium prediction of silicone polymers with ABE solution. 2016 , 6, 53643-53650		
134	Binary mixtures of fatty acid ethyl esters: Solid-liquid equilibrium. <i>Fluid Phase Equilibria</i> , 2016 , 427, 1-8	2.5	19
133	Design of Hybrid Fuels Using a Modeling Study of the Miscibility of Ethanol/Biodiesel/Hydrocarbon Systems. 2016 , 37, 1		1
132	Including dispersive interactions in the FBAC model. <i>Fluid Phase Equilibria</i> , 2016 , 426, 56-64	2.5	6
131	Diethyl carbonate: critical review of synthesis routes, catalysts used and engineering aspects. 2016 , 6, 32624-32645		66
130	Measurement and Modeling of High Pressure Vapor-Liquid Equilibrium for Methyl Acetate or Ethyl Acetate with 2-Butanol. Isobaric Data at 1.5 MPa. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 1136-1145	2.8	2
129	Optimization of liquid-liquid equilibria of the type 2 ternary systems (water+Valeric acid+Aromatic solvent): Modeling through SERLAS. <i>Fluid Phase Equilibria</i> , 2016 , 415, 110-124	2.5	6
128	Rational Design of Ionic Liquids for Lipid Processing. 2016 , 153-203		1
127	Analysis and modeling of alkali halide aqueous solutions. <i>Fluid Phase Equilibria</i> , 2016 , 412, 177-198	2.5	10
126	Extension of the COSMO-RS-PDHS model to the prediction of activity coefficients in concentrated {water-electrolyte} and {water-polyol} solutions. <i>Fluid Phase Equilibria</i> , 2016 , 424, 90-104	2.5	7
125	Volatility of amines for CO ₂ capture. 2017 , 58, 1-9		22
124	Direct adjustment of wax thermodynamic model parameter to micro Differential Scanning Calorimetry thermograms. <i>Fluid Phase Equilibria</i> , 2017 , 436, 20-29	2.5	7
123	Evaporation of pure and blended droplets of diesel and alcohols (C ₂ H ₉) under diesel engine conditions. 2017 , 71, 311-326		8

122	Peng-Robinson equation of state: 40 years through cubics. <i>Fluid Phase Equilibria</i> , 2017 , 447, 39-71	2.5	160
121	Phase equilibrium data and modeling of ethylic biodiesel, with application to a non-edible vegetable oil. <i>Fuel</i> , 2017 , 203, 633-641	7.1	6
120	Solubility behavior of mixtures containing refined soybean oil and low-toxic solvents at different temperatures. <i>Fluid Phase Equilibria</i> , 2017 , 442, 87-95	2.5	8
119	Calculation and prediction of binary mixture flash point using correlative and predictive local composition models. <i>Fluid Phase Equilibria</i> , 2017 , 440, 95-102	2.5	8
118	Asphaltene flocculation parameter in Brazilian crude oils and synthetic polar and nonpolar mixtures: Experimental and modeling. <i>Fuel</i> , 2017 , 199, 606-615	7.1	12
117	Prediction of vapor-liquid equilibrium in highly asymmetric paraffinic systems with new modified EOS-GE model. <i>Journal of Petroleum Science and Engineering</i> , 2017 , 159, 810-817	4.4	1
116	Dissipative particle dynamics (DPD) study of the interfacial tension for alkane/water systems by using COSMO-RS to calculate interaction parameters. 2017 , 246, 131-139		13
115	Simulation of the Evaporation Tube Banks in the Convection Section of a Steam Cracking Furnace Using an Evaporation Model. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 10813-10825	3.9	3
114	Vapor-liquid equilibria of monoacylglycerol + monoacylglycerol or alcohol or fatty acid at subatmospheric pressures. <i>Fluid Phase Equilibria</i> , 2017 , 452, 135-142	2.5	8
113	Measurements and Modeling of VLE Data for Butyl Acetate with 2-Propanol or 2-Butanol. Binary Systems at 0.15 and 0.6 MPa. <i>Journal of Chemical & Engineering Data</i> , 2017 , 62, 2296-2306	2.8	6
112	Measurement and Correlation of Liquid-Liquid Equilibria for the Ternary Systems of Water + d-Fructose + 1-Butanol, Water + d-Glucose + 1-Butanol, and Water + d-Galactose + 1-Butanol at (288.2, 303.2 and 318.2) K. <i>Journal of Chemical & Engineering Data</i> , 2017 , 62, 2392-2399	2.8	3
111	Paraffin solubility and calorimetric data calculation using Peng-Robinson EoS and modified UNIQUAC models. <i>Journal of Petroleum Science and Engineering</i> , 2017 , 156, 945-957	4.4	3
110	The correlation and prediction of infinite dilution activity coefficients of compounds in water at 298.15 K. <i>Fluid Phase Equilibria</i> , 2017 , 449, 117-129	2.5	9
109	Mass Transfer in Multicomponent Systems. 2017 , 243-286		
108	Introduction to Computational Mass Transfer. 2017 ,		1
107	Two-Phase Flow in Liquid Chromatography, Part 1: Experimental Investigation and Theoretical Description. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 3274-3291	3.9	3
106	Description of Adsorption in Liquid Chromatography under Nonideal Conditions. 2018 , 34, 5655-5671		4
105	New experimental and modeling based on the N-Wilson-NRF equation for surface tension of aqueous alkanolamine binary mixtures. 2018 , 254, 26-33		9

104	Infinite dilution activity coefficient from SMD calculations: accuracy and performance for predicting liquid-liquid equilibria. 2018 , 24, 56		8
103	Thermodynamic modeling of amino acid solutions: A new perspective on CPA EOS. 2018 , 124, 21-31		3
102	Systematic identification method for data analysis and phase equilibria modelling for lipids systems. 2018 , 121, 153-169		9
101	Thermodynamic modeling of phase equilibria of clathrate hydrates formed from CH ₄ , CO ₂ , C ₂ H ₆ , N ₂ and C ₃ H ₈ , with different equations of state. 2018 , 117, 180-192		20
100	Extension of the group contribution NRTL-PRA EoS for the modeling of mixtures containing light gases and alcohols with water and salts. <i>Fluid Phase Equilibria</i> , 2018 , 458, 194-210	2.5	4
99	The correlation and prediction of the temperature variation of infinite dilution activity coefficients of compounds in water. <i>Fluid Phase Equilibria</i> , 2018 , 455, 1-5	2.5	4
98	Experimental data and estimation of sucrose solubility in impure solutions. 2018 , 218, 14-23		7
97	Prediction of pH and aw of pork meat by a thermodynamic model: New developments. 2018 , 138, 59-67		3
96	Liquid-Liquid Equilibrium and Thermodynamic Modeling of Aqueous Two-Phase System Containing Polypropylene Glycol and NaClO ₄ at T = (288.15 and 298.15) K. 2018 , 47, 1-25		8
95	Improvement of predictive tools for vapor-liquid equilibrium based on group contribution methods applied to lipid technology. <i>Fluid Phase Equilibria</i> , 2018 , 470, 249-258	2.5	7
94	Low-temperature behavior of diesel/biodiesel blends. 2018 , 131, 1615-1624		8
93	Dampf-Flüssigkeits-Gleichgewichte von Mehrkomponenten-Gemischen. <i>Springer Reference Technik</i> , 2018 , 1-18	0.1	
92	Modeling liquid-liquid equilibrium of quaternary systems with Integrated Quadratic Solvation Relationship (IQSR) in conjunction with the boundary constraints identified by ternary subsystems. <i>Fluid Phase Equilibria</i> , 2018 , 478, 58-74	2.5	3
91	Phase Equilibria for Systems Containing Refined Soybean Oil plus Cosolvents at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 1937-1945	2.8	6
90	Design and Analysis of Edible Oil Processes Containing Lipids. 2018 , 43, 737-742		1
89	Computer-Aided Molecular Design: Fundamentals, Methods, and Applications. 2018 ,		14
88	Phase stability conditions of clathrate hydrates in the (methane + 3-methyl-1-butanol + water), (methane + 3,3-dimethyl-2-butanone + water) and (methane + 2,3-dimethyl-2-butene + water) systems: Experimental measurements and thermodynamic modeling. 2018 , 125, 64-70		4
87	Measurement and Modelization of VLE for Butyl Acetate with Methanol, Ethanol, 1-Propanol, and 1-Butanol. Experimental Data at 0.15 MPa. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 2228-2242	2.8	3

86	Vapor-Liquid Equilibria of Binary Systems with Long-Chain Organic Compounds (Fatty Alcohol, Fatty Ester, Acylglycerol, and n-Paraffin) at Subatmospheric Pressures. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 2840-2847	2.8	3
85	110th Anniversary: A Case Study on Developing Accurate and Reliable Excess Gibbs Energy Correlations for Industrial Application. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 12465-12477 ^o	3.9	27
84	Insights into Cage Occupancies during Gas Exchange in CH ₄ +CO ₂ and CH ₄ +N ₂ +CO ₂ Mixed Hydrate Systems Relevant for Methane Gas Recovery and Carbon Dioxide Sequestration in Hydrate Reservoirs: A Thermodynamic Approach. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 14462-14475	3.9	27
83	Modeling of Gas Solubility in Hydrocarbons Using the Perturbed-Chain Statistical Associating Fluid Theory Equation of State. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 12347-12360	3.9	6
82	Nonrandom Two-Liquid Segment Activity Coefficient Model with Association Theory. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 12773-12786	3.9	11
81	Investigation of surface tension and surface properties of alkanolamine-alcohol mixtures at T = 313.15 K and P = 90.6 kPa. 2019 , 287, 110924		11
80	Thermophysical characterization of sorbitol and 1-ethyl-3-methylimidazolium acetate mixtures. <i>Fluid Phase Equilibria</i> , 2019 , 497, 140-150	2.5	2
79	Liquid-Liquid equilibria of systems containing linseed oil biodiesel + methanol + glycerol: Experimental data and thermodynamic modeling. <i>Fuel</i> , 2019 , 253, 460-473	7.1	9
78	Model Performances Evaluated for Infinite Dilution Activity Coefficients Prediction at 298.15 K. <i>Industrial & Engineering Chemistry Research</i> , 2019 ,	3.9	11
77	Prediction of the melting behavior of edible fats using UNIFAC and UNIQUAC models. <i>Fluid Phase Equilibria</i> , 2019 , 493, 58-66	2.5	6
76	Vapor-liquid (azeotropic systems) and liquid-liquid equilibrium calculations using UNIFAC and NRTL-SAC activity coefficient models. <i>Fluid Phase Equilibria</i> , 2019 , 494, 33-44	2.5	4
75	Estimation of the dissociation conditions and storage capacities of various sH clathrate hydrate systems using effective deterministic frameworks. <i>Fuel</i> , 2019 , 247, 272-286	7.1	9
74	Viscosities and Densities of Fatty Alcohol Mixtures from 298.15 to 338.15 K: Estimation by Kay's Rule and Prediction by the UNIFAC-VISCO and GC-UNIMOD Group Contribution Methods. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 1937-1947	2.8	3
73	Solid-Liquid Equilibria and Characterization of the Reaction Mixture To Produce Sucrose Palmitate in Solvent-Free Media. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 2052-2061	2.8	0
72	Prediction of Flash-Point Temperature of Alcohol/Biodiesel/Diesel Fuel Blends. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 6860-6869	3.9	19
71	An evaluation of in-silico methods for predicting solute partition in multiphase complex fluids [A case study of octanol/water partition coefficient. 2019 , 197, 150-158		14
70	Solubility behavior of γ -valerolactone in n-tetradecane or diesel mixtures at different temperatures. <i>Fluid Phase Equilibria</i> , 2019 , 484, 239-244	2.5	7
69	Liquid-Liquid and Vapor-Liquid-Liquid Equilibrium in Food Processes. 2019 , 275-334		

68 Equilibrium in Electrolyte Systems. **2019**, 529-562

67	Adsorption Behaviors and Phase Equilibria for Clathrate Hydrates of Sulfur- and Nitrogen-Containing Small Molecules. 2019 , 123, 2691-2702		2
66	Predicting solid-liquid-vapor equilibria in highly asymmetric paraffinic systems with EOS-GE model. <i>Fluid Phase Equilibria</i> , 2019 , 480, 1-10	2.5	2
65	Activity coefficients at infinite dilution of organic solutes, using novel N-(2,3?-epoxypropyl)-N-methyl-2-oxopyrrolidinium chloride ionic liquid by GLC. <i>Fluid Phase Equilibria</i> , 2020 , 505, 112362	2.5	5
64	Predictive models for physical properties of fats, oils, and biodiesel fuels. <i>Fluid Phase Equilibria</i> , 2020 , 508, 112440	2.5	13
63	Implementation of the UNIQUAC model in the OpenCalphad software. <i>Fluid Phase Equilibria</i> , 2020 , 507, 112398	2.5	3
62	Prediction of liquid-liquid equilibria of multicomponent fatty systems using the ASOG method. <i>Fluid Phase Equilibria</i> , 2020 , 506, 112400	2.5	1
61	Measurement and Modeling of Liquid-Liquid Equilibria for Water-Phosphoric Acid-Aromatic Esters. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 5118-5128	2.8	1
60	Combining Molecular Dynamics and Machine Learning to Predict Self-Solvation Free Energies and Limiting Activity Coefficients. 2020 , 60, 5319-5330		14
59	Binary mixtures of semicrystalline polymers with low-molecular-mass compounds: thermal behaviour and phase structure. 2020 , 89, 311-338		3
58	UNIFAC Model for Ionic Liquids. 2. Revision and Extension. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 10172-10184	3.9	12
57	Surface Tension of Binary and Ternary Systems Containing Monoethanolamine (MEA), Water and Alcohols (Methanol, Ethanol, and Isopropanol) at 303.15 K. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 3173-3182	2.8	3
56	Correlation and prediction of small to large sized pharmaceuticals solubility, and crystallization in binary and ternary mixed solvents using the UNIQUAC-SAC model. <i>Fluid Phase Equilibria</i> , 2020 , 519, 112656	2.5	5
55	Phase equilibria of binary and ternary polymer solutions using modified UNIQUAC-based local composition model. 2020 , 142, 1493-1510		1
54	Estimation and Correlation of Phase Equilibrium of CO ₂ -Hydrocarbon Systems with PRMHV2-UNIFAC and PRMHV2-NRTL Models. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 655-663	2.8	1
53	Multiphase equilibria of binary and ternary mixtures containing water, propylene glycol methyl ether, and propylene glycol methyl ether propionate. <i>Fluid Phase Equilibria</i> , 2020 , 515, 112589	2.5	4
52	Experimental and Correlated Liquid-Liquid Equilibrium Data for (Water + Propionic Acid + Ethylbenzene or Benzyl Benzoate) Ternary Systems. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 2392-2404	2.8	1
51	Nonrandom two-liquid activity coefficient model with association theory. <i>AIChE Journal</i> , 2021 , 67,	3.6	9

50	Synthesis and simulation of a distillation columns system for the propylene glycols mixtures separation. <i>Engineering Reports</i> , 2021 , 3, e12301	1.2	
49	Efficient separation of phenols from coal tar with aqueous solution of amines by liquid-liquid extraction. <i>Chinese Journal of Chemical Engineering</i> , 2021 , 35, 180-188	3.2	0
48	Modeling Phase Equilibrium of Common Sugars Glucose, Fructose, and Sucrose in Mixed Solvents. <i>Journal of Chemical & Engineering Data</i> ,	2.8	1
47	Development of the NRTL functional activity coefficient (NRTL-FAC) model using high quality and critically evaluated phase equilibria data. 1. <i>Fluid Phase Equilibria</i> , 2021 , 541, 113088	2.5	0
46	Biobased entrainer screening for extractive distillation of acetone and diisopropyl ether. <i>Separation and Purification Technology</i> , 2021 , 270, 118749	8.3	2
45	Cumene extraction separation from alkanes using DMSO: Influence of the alkane structure. <i>Fluid Phase Equilibria</i> , 2021 , 113236	2.5	2
44	Modeling and simulating a new process for extracting phenols from model coal tar by low-boiling-point amine aqueous solutions. <i>Fuel</i> , 2021 , 299, 120921	7.1	1
43	Suitable Experimentation-Modeling Binomial to Design the Extraction of an Alkanol with Water in Aqueous Ternary Solutions of Ester-Akanol. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 13938-13949	3.9	
42	Measurements, Correlations, and Modified UNIFAC Predictions of Isobaric Vapor-Liquid Equilibrium Data for the Binary System of Dimethyl Carbonate + Anisole at Different Pressures. <i>Journal of Chemical & Engineering Data</i> ,	2.8	
41	trends in solvent impact on infinite dilution activity coefficients of solutes reviewed and visualized using an algorithm to support selection of solvents for greener fluid separations. <i>Separation and Purification Technology</i> , 2021 , 272, 118727	8.3	2
40	Phase equilibria of mixtures involving fatty acid ethyl esters and fat alcohols between 4 and 27 kPa for bioproduct production. <i>Fuel</i> , 2021 , 306, 121304	7.1	1
39	Estimation of liquid-liquid equilibrium of type 2 systems (water + valeric acid + monobasic ester or dibasic ester or alcohol) using SERLAS, SERLAS-modified, and SERLAS-integrated. <i>Canadian Journal of Chemical Engineering</i> , 2018 , 96, 815-828	2.3	6
38	Encyclopedia of Optimization. 2008 , 2750-2757		1
37	Chemical Absorption. 2012 , 1441-1514		2
36	Chemical Absorption. 2015 , 1-109		1
35	Microbial Processes. 2007 , 575-597		2
34	Thermodynamics of Polymer Solutions. 2002 ,		1
33	A THERMODYNAMIC MODEL TO PREDICT WAX FORMATION IN PETROLEUM FLUIDS. <i>Brazilian Journal of Chemical Engineering</i> , 2001 , 18, 411-422	1.7	15

32	Vapor-liquid equilibrium measurements for the binary system methyl acetate+ethanol at 0.3 and 0.7 MPa. <i>Brazilian Journal of Chemical Engineering</i> , 2011 , 28, 325-332	1.7	7
31	Group contribution methods for estimating the properties of polymer systems. <i>Hemjska Industrija</i> , 2006 , 60, 287-305	0.6	6
30	Phase Behavior of Amino Acids and Peptides in Aqueous Solutions Using the Modified Wilson Model. <i>Asian Journal of Biochemistry</i> , 2006 , 1, 98-105	0.1	1
29	Flamma: A flash point prediction tool for biofuels. 2020 , 20, 253-254	0	1
28	Improved AIOMFAC model parameterisation of the temperature dependence of activity coefficients for aqueous organic mixtures.		1
27	Simulation of the deasphalting process of crude oils: Models development and extraction conditions analysis. <i>Journal of Petroleum Science and Engineering</i> , 2021 , 109615	4.4	
26	Prediction of Gas Solubility Using Mixing Rules. Results of Comparative Study.. <i>Journal of Chemical Engineering of Japan</i> , 2000 , 33, 910-913	0.8	
25	Thermodynamics of Ether Production. <i>Chemical Industries</i> , 2004 ,		
24	Bioreactor Analysis and Design. 2006 , 479-514		
23	Theoretical Tools to Predict Physicochemical Properties of Industrial Foods and Cultivation Media. <i>Contemporary Food Engineering</i> , 2013 , 89-120		
22	Low Pressure Vapor-Liquid Equilibrium. 1993 , 435-509		
21	Bibliography. 2015 , 89-95		
20	Chemical Absorption. 2017 , 2239-2347		
19	D5.1 Dampf-Flüssigkeits-Gleichgewichte von Mehrkomponenten-Gemischen. <i>Springer Reference Technik</i> , 2019 , 603-620	0.1	
18	Extraction of aromatic and polyaromatic compounds with NMP: experimental and model description. <i>Fluid Phase Equilibria</i> , 2021 , 113293	2.5	2
17	Modeling the solid-liquid equilibrium of binary mixtures of triacylglycerols using UNIFAC and predictive UNIQUAC models. <i>Fluid Phase Equilibria</i> , 2022 , 554, 113327	2.5	1
16	Design of solvent mixtures for removal of phenol from wastewater using a non-linear programming model with a multi-start method. <i>Emerging Contaminants</i> , 2022 , 8, 39-45	5.8	
15	Effect of guest-dependent reference hydrate vapor pressure in thermodynamic modeling of gas hydrate phase equilibria, with various combinations of equations of state and activity coefficient models. <i>Fluid Phase Equilibria</i> , 2022 , 556, 113356	2.5	0

14	Graph Neural Networks for the prediction of infinite dilution activity coefficients.		1
13	Modified COSMO-UNIFAC model for ionic liquid-CO ₂ systems and molecular dynamic simulation. <i>AIChE Journal</i> ,	3.6	
12	Experimental Measurement and Thermodynamic Modeling of the Wax Disappearance Temperature (WDT) for a Quaternary System of Normal Paraffins. <i>ACS Omega</i> ,	3.9	
11	Thermodynamically predicting liquid/solid phase change of long-chain fatty acid methyl esters (FAMES) and its application in evaluating the low-temperature performance of biodiesel. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2022 , 135, 104384	5.3	0
10	Applications of an Association Activity Coefficient Model, NRTL-PA, to Alcohol-Containing Mixtures.		3
9	Calculation of water activity in electrolytic solutions using the Electro lattice and Q-Electro lattice equations of state. 2022 , 563, 113569		
8	Purely Predicting the Pharmaceutical Solubility: What to Expect from PC-SAFT and COSMO-RS?.		1
7	A successive substitution approach with embedded phase stability for simultaneous chemical and phase equilibrium calculations. 2022 , 108041		1
6	Elements and Chemical Bonds Contribution Estimation of Activity Coefficients in Nonideal Liquid Mixtures. 2022 , 10, 2141		1
5	Estimation of kinematic viscosities and thermal conductivities for liquid mixtures using ASOG-VLE, ASOG-VISCO and ASOG-ThermConduct models. 2023 , 565, 113668		0
4	NIST-UNIFAC parametrization for phase equilibrium calculation of mixtures containing lactones. 2022 , 113673		0
3	New interaction parameters from VLE data for group contribution (GC-NRTL) model.		0
2	Experimental data and Modeling of Solid-Liquid Equilibria of Binary Systems Containing Dibenzofuran and Long Chain n-alkanes.		0
1	Liquid-Liquid Phase Separation of Two Non-Dissolving Liquids—A Mini Review. 2023 , 11, 1145		0