

CITATION REPORT

List of articles citing

Coronary risk prediction in adults (the Framingham Heart Study)

DOI: 10.1016/0002-9149(87)90165-2
American Journal of Cardiology, 1987, 59, 91G-94G.

Source: <https://exaly.com/paper-pdf/19435081/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
273	Coronary artery disease risk factor management in the hypertensive patient. <i>American Journal of Cardiology</i> , 1987 , 59, 2G-8G	3	14
272	Clinical experience with doxazosin in general medical practice. 1988 , 116, 1748-57		17
271	Doxazosin in the treatment of mild and moderate essential hypertension in general medical practice. 1988 , 116, 1757-62		3
270	Doxazosin in the treatment of patients with mild or moderate hypertension and mild or moderate renal insufficiency. 1988 , 116, 1772-7		7
269	A single-blind study of doxazosin in the treatment of mild-to-moderate essential hypertensive patients with concomitant noninsulin-dependent diabetes mellitus. 1988 , 116, 1778-84		22
268	Comparison of the effects of doxazosin and atenolol on blood pressure and blood lipids: a one-year, double-blind study in 228 hypertensive patients. 1988 , 116, 1790-6		31
267	Doxazosin versus atenolol: a randomized comparison of calculated coronary heart disease risk reduction. 1988 , 116, 1797-801		12
266	A double-blind comparative study of doxazosin and nitrendipine in patients with mild-to-moderate essential hypertension. 1988 , 116, 1806-14		13
265	The addition of doxazosin to the treatment regimen of hypertensive patients not responsive to nifedipine. 1988 , 116, 1814-20		17
264	A single-blind study of doxazosin in the treatment of essential hypertension when added to nonresponders to angiotensin-converting enzyme inhibitor therapy. 1988 , 116, 1826-32		25
263	Summary and closing remarks. 1988 , 116, 1838-1840		
262	Clinical pharmacotherapeutics of doxazosin. 1989 , 87, 2S-11S		13
261	Bezafibrate in the treatment of hypercholesterolaemia in post-menopausal women. 1990 , 15, 393-4		1
260	Serum cholesterol reduction with tamoxifen. 1990 , 17, 3-7		30
259	Effects of marine fish oil (omega-3 fatty acids) on lipid profiles in women. 1990 , 21, 295-8		3
258	Stratifying the patient at risk from coronary disease: new insights from the Framingham Heart Study. 1990 , 119, 712-7; discussion 717		118
257	Doxazosin and atenolol as monotherapy in mild and moderate hypertension: a randomized, parallel study with a three-year follow-up. 1991 , 121, 280-5		30

256	Efficacy of doxazosin in specific hypertensive patient groups. 1991 , 121, 286-92		4
255	Effects of exercise training on cardiovascular function and plasma lipid, lipoprotein, and apolipoprotein concentrations in premenopausal and postmenopausal women. 1991 , 11, 912-7		53
254	Multidimensional risk assessment versus age as criterion for retirement of airline pilots. 1992 , 40, 526-32		15
253	Comparison of the plasma levels of apolipoproteins B and A-1, and other risk factors in men and women with premature coronary artery disease. <i>American Journal of Cardiology</i> , 1992 , 69, 1015-21	3	157
252	Cardiovascular risk factors in treated hypertensives--a nation-wide, cross-sectional study in Sweden. 1993 , 233, 239-45		34
251	Comparative trial of doxazosin and atenolol on cardiovascular risk reduction in systemic hypertension. The Alpha Beta Canada Trial Group. <i>American Journal of Cardiology</i> , 1993 , 71, 575-81	3	24
250	A multicenter long-term trial comparing doxazosin and nitrendipine in the treatment of mild to moderate essential hypertension associated with hypercholesterolemia. 1993 , 54, 328-338		
249	Doxazosin and captopril in mildly hypercholesterolemic hypertensive patients. The Doxazosin-Captopril in Hypercholesterolemic Hypertensives Study. 1993 , 21, 97-104		20
248	The place of alpha blockers in the antihypertensive armamentarium. 1993 , 33, 260-3		1
247	Lipids in Postmenopausal Women: Baseline Findings of the Postmenopausal Estrogen/Progestin Interventions Trial. 1994 , 3, 155-164		2
246	Plasma levels of apolipoproteins A-1 and B in Indian patients with angiographically defined coronary artery disease. <i>International Journal of Cardiology</i> , 1994 , 46, 143-9	3.2	21
245	Relations of life-style with lipids, blood pressure and insulin in adolescents and young adults. The Cardiovascular Risk in Young Finns Study. 1994 , 111, 237-46		52
244	The effects of doxazosin on platelet aggregation, platelet adhesion and blood coagulation in cynomolgus monkeys. 1994 , 107, 35-44		4
243	Clustering and six year cluster-tracking of serum total cholesterol, HDL-cholesterol and diastolic blood pressure in children and young adults. The Cardiovascular Risk in Young Finns Study. 1994 , 47, 1085-93		105
242	Adverse effects of alpha 1-adrenergic blocking drugs. 1994 , 11, 12-20		86
241	Clustering of risk factors for coronary heart disease in children and adolescents. The Cardiovascular Risk in Young Finns Study. 1994 , 83, 935-40		66
240	Metabolic effects of isradipine in non-insulin-dependent diabetes mellitus (NIDDM) hypertensive patients. 1995 , 9, 459-60		
239	Cardiac Rehabilitation in Patients with Spinal Cord Injuries. 1995 , 6, 263-296		21

238	Combined treatment with captopril, hydrochlorothiazide and pravastatin in dyslipidemic hypertensive patients. 1995 , 4, 358-62	3
237	Doxazosin. An update of its clinical pharmacology and therapeutic applications in hypertension and benign prostatic hyperplasia. 1995 , 49, 295-320	129
236	Systemic side effects of topical beta-adrenergic blockers. 1996 , 19, 691-7	47
235	Biochemical effects in women following one year's exposure to a new triphasic contraceptive--I. chemistry profiles. 1996 , 27, 367-70	1
234	Fluvastatin Lipid-Lowering Effect in Routine Practice Conditions (FLIRT). 1997 , 14, 146-153	4
233	Simplified Method for the Simultaneous Gas Chromatographic Determination of Fatty Acid Composition and Cholesterol in Food. 1997 , 30, 202-209	8
232	Predictors of survival and the role of gender in postoperative myocardial infarction. 1997 , 103, 357-62	19
231	The epidemiology of cardiovascular disease in type 2 diabetes mellitus: how sweet it is ... or is it?. 1997 , 350 Suppl 1, S14-9	141
230	Efficacy and tolerability of doxazosin versus enalapril in the treatment of patients with mild-to-moderate hypertension. 1997 , 19, 459-70	7
229	Elevated fasting total plasma homocysteine levels and cardiovascular disease outcomes in maintenance dialysis patients. A prospective study. 1997 , 17, 2554-8	244
228	Hyperhomocysteinemia in end-stage renal disease: prevalence, etiology, and potential relationship to arteriosclerotic outcomes. 1997 , 52, 10-20	313
227	The effect of dietary fat, antioxidants, and pro-oxidants on blood lipids, lipoproteins, and atherosclerosis. 1997 , 97, S31-41	72
226	Reduction of plasma cholesterol levels and induction of hepatic LDL receptor by cerivastatin sodium (CAS 143201-11-0, BAY w 6228), a new inhibitor of 3-hydroxy-3-methylglutaryl coenzyme A reductase, in dogs. 1997 , 11, 567-74	10
225	Characteristics of young men with clustering risk factors for coronary heart disease: The cardiovascular risk in young finns study. 1997 , 9, 565-571	1
224	Teaching physicians about different measures of risk reduction may alter their treatment preference. 1998 , 43, 67-72	2
223	[Eating habits among employees of a state-owned bank: food consumption profile]. 1999 , 15, 29-39	5
222	Nutritionally complete prepared meal plan to reduce cardiovascular risk factors: a randomized clinical trial. 1999 , 99, 1077-83	30
221	Prevention of coronary heart disease. Part I. Primary prevention. 1999 , 45, 497-571	8

220	Absolute risk assessment in the clinical setting. 1999 , 107, 7S-9S		6
219	Assessment for subclinical ischemia: bridging the gap between primary and secondary prevention. 1999 , 107, 28S-30S		18
218	Effects of carteolol and timolol on plasma lipid profiles in older women with ocular hypertension or primary open-angle glaucoma. 1999 , 127, 142-7		30
217	Strategies for the assessment of genetic coronary artery disease risk. 1999 , 10, 285-91		17
216	Evaluation of the influence of cardiorespiratory fitness on diverse health risk factors, independent of waist circumference, in 40-year-old Flemish males. 2000 , 8, 553-8		3
215	Reducci3 del riesgo en la hipertensi3 arterial asociada a factores de riesgo cardiovascular. Proyecto HYDRA. 2000 , 17, 87-92		
214	[The prevalence of diabetes mellitus and its association with other cardiovascular risk factors in the province of Albacete. The Vascular Disease Group of Albacete (GEVA)]. 2000 , 25, 166-71		10
213	. 2001 , 8, 291-297		92
212	Prevalence and clustering of cardiovascular risk factors among healthy adults in a Chinese population: the MJ Health Screening Center Study in Taiwan. 2001 , 25, 1189-95		30
211	Arterial stiffness and prediction of cardiovascular risk. <i>Journal of Hypertension</i> , 2002 , 20, 2337-40	1.9	42
210	Association of lipids, lipoproteins, apolipoproteins and paraoxonase enzyme activity with premature coronary artery disease. 2002 , 13, 9-16		17
209	Cardiovascular characterization of [1,4]thiazino[3,4-c][1,2,4]oxadiazol-1-one derivatives: selective myocardial calcium channel modulators. 2002 , 45, 3475-81		34
208	Is atherosclerotic vascular disease related to a high-fat diet?. 2002 , 55, 1064-72; discussion 1073-4		6
207	Clinical relevance of the biochemical, metabolic, and genetic factors that influence low-density lipoprotein heterogeneity. <i>American Journal of Cardiology</i> , 2002 , 90, 30i-47i	3	122
206	Determination of cholesterol in dairy products using infrared techniques: 1. FTIR spectroscopy. 2002 , 55, 127-132		35
205	Circulating endothelial progenitor cells, vascular function, and cardiovascular risk. 2003 , 348, 593-600		2912
204	Cholesterol abnormalities in children and adolescents: time for an update of the 1992 National Cholesterol Education Program guidelines. 2003 , 17, 109-111		3
203	Physician adherence to preventive cardiology guidelines for women. 2003 , 13, 142-9		41

202	Genetic analysis of a polymorphism in the human apoA-V gene: effect on plasma lipids. 2003 , 44, 1167-73		98
201	Response to Ostberg and Hurel. <i>Diabetes Care</i> , 2003 , 26, 961-962	14.6	
200	HIV infection and cardiovascular disease--is there really a link?. 2003 , 349, 2065-7		40
199	Gender and ethnic differences in a case-control study of dyslipidemia: using the apolipoprotein A-V gene as an exemplar in cardiovascular genetics. 2003 , 17, 281-99; discussion 335-8		10
198	Coronary artery disease and carotid artery intima-media thickness in Japanese type 2 diabetic patients. <i>Diabetes Care</i> , 2003 , 26, 961; author reply 961-2	14.6	2
197	Excess accumulation of risk factors in ischemic heart disease. 2004 , 45, 733-8		2
196	Should C-reactive protein be added to metabolic syndrome and to assessment of global cardiovascular risk?. 2004 , 109, 2818-25		508
195	Endothelial progenitor cells and endothelial dysfunction. 2004 , 87 Suppl 2, 31-7		11
194	Should pulse pressure become part of the Framingham risk score?. <i>Journal of Human Hypertension</i> , 2004 , 18, 279-86	2.6	27
193	Bilateral adrenalectomy for Cushing's syndrome: a comparison between laparoscopy and open surgery. <i>Journal of Endocrinological Investigation</i> , 2004 , 27, 654-8	5.2	38
192	Estimating cardiovascular disease risk and the metabolic syndrome: a Framingham view. 2004 , 33, 467-81, v		42
191	Evaluation of a scoring scheme, including proinsulin and the apolipoprotein B/apolipoprotein A1 ratio, for the risk of acute coronary events in middle-aged men: Uppsala Longitudinal Study of Adult Men (ULSAM). 2004 , 148, 596-601		49
190	Trans Fat Knowledge Is Related to Education Level and Nutrition Facts Label Use in Health-conscious Adults. 2005 , 20, 109-117		11
189	Periodontitis as risk factor for acute myocardial infarction. A case control study of Spanish adults. 2005 , 40, 36-42		53
188	Cardiovascular risk calculators: understanding differences and realising economic implications. 2005 , 74, 191-9		14
187	Coronary artery calcium screening: implications for clinical practice. 2005 , 1, 215-23		0
186	Hepatic and cardiovascular consequences of familial hypobetalipoproteinemia. 2005 , 25, 1979-84		95
185	Premature atherosclerosis in systemic lupus erythematosus. 2005 , 31, 329-54, vii-viii		75

184	The lipoprotein lipase gene in combined hyperlipidemia: evidence of a protective allele depletion. 2006 , 5, 19		15
183	Riesgo cardiovascular en la poblaci3n mediterr3nea. 2006 , 13, 571-573		
182	Role of statins in aortic valve disease. 2006 , 2, 395-413		4
181	Use of ejection fraction tests and coronary angiography in patients with heart failure. 2006 , 81, 906-13		15
180	Cardiovascular risk factors are really linked in the metabolic syndrome: this phenomenon suggests clustering rather than coincidence. <i>International Journal of Cardiology</i> , 2006 , 109, 213-8	3.2	41
179	Significance of small dense low-density lipoprotein as a risk factor for coronary artery disease and acute coronary syndrome. 2006 , 47, 405-14		29
178	Diabetic dyslipidaemia: the triad. 2006 , 8, F30-F33		1
177	Arterial compliance: is it reduced in antiphospholipid syndrome?. <i>Journal of Human Hypertension</i> , 2006 , 20, 504-9	2.6	4
176	2D Autocorrelation modeling of the negative inotropic activity of calcium entry blockers using Bayesian-regularized genetic neural networks. 2006 , 14, 3330-40		27
175	Non-invasive screening for coronary artery disease: calcium scoring. <i>Heart</i> , 2007 , 93, 1620-9	5.1	26
174	Low-density lipoprotein apolipoprotein B100 turnover in hypopituitary patients with GH deficiency: a stable isotope study. 2006 , 154, 459-66		8
173	Inhibitory effects of micronized fenofibrate on carotid atherosclerosis in patients with essential hypertension. 2006 , 52, 2036-42		29
172	Deficiencies of cardiovascular risk prediction models for type 1 diabetes. <i>Diabetes Care</i> , 2006 , 29, 1860-5	14.6	53
171	Influence of sex, high-fat diet, and exercise training on potassium currents of swine coronary smooth muscle. 2007 , 293, H1553-63		29
170	Endothelial progenitor cells in pregnancy. 2007 , 133, 1-9		43
169	The heart-joints connection: atherosclerosis and inflammation. 2007 , 3, 517-29		
168	Multiple sources of psychosocial disadvantage and risk of coronary heart disease. 2007 , 69, 748-55		35
167	Risk factors and open-angle glaucoma: classification and application. 2007 , 16, 406-18		152

166	Kidney disease, Framingham risk scores, and cardiac and mortality outcomes. 2007 , 120, 552.e1-8	30
165	2007 ESH-ESC Guidelines for the management of arterial hypertension: the task force for the management of arterial hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). 2007 , 16, 135-232	247
164	[ESH/ESC 2007 Guidelines for the management of arterial hypertension]. 2007 , 60, 968.e1-94	29
163	The Framingham predictive instrument in chronic kidney disease. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 217-24	15.1 207
162	Atherothrombosis and Coronary Artery Disease. 2007 , 629-655	9
161	Intima-media thickness: a marker of accelerated atherosclerosis in women with systemic lupus erythematosus. 2007 , 1108, 121-6	21
160	Plant sterol-enriched fermented milk enhances the attainment of LDL-cholesterol goal in hypercholesterolemic subjects. 2008 , 47, 32-9	60
159	Recent corticosteroid use and recent disease activity: independent determinants of coronary heart disease risk factors in systemic lupus erythematosus?. 2008 , 59, 169-75	76
158	Factores de riesgo cardiovascular. Perspectivas derivadas del Framingham Heart Study. 2008 , 61, 299-310	133
157	Cardiovascular Risk Factors. Insights From Framingham Heart Study. 2008 , 61, 299-310	29
156	Incremental predictive value of vascular assessments combined with the Framingham Risk Score for prediction of coronary events in subjects of low-intermediate risk. 2008 , 84, 153-7	19
155	Associations of dyslipidemias from childhood to adulthood with carotid intima-media thickness, elasticity, and brachial flow-mediated dilatation in adulthood: the Cardiovascular Risk in Young Finns Study. 2008 , 28, 1012-7	74
154	The impact of risk calculation on treatment recommendations made by glaucoma specialists in cases of ocular hypertension. 2008 , 17, 631-8	14
153	Preclinical atherosclerosis due to HIV infection: carotid intima-medial thickness measurements from the FRAM study. 2009 , 23, 1841-9	235
152	Association of lipid abnormalities with measures and severity of adiposity and insulin resistance among overweight children and adolescents. 2009 , 11, 594-600	6
151	A comparison of egg consumption with other modifiable coronary heart disease lifestyle risk factors: a relative risk apportionment study. 2009 , 29, 401-15	23
150	Clinical periodontal and microbiologic parameters in patients with acute myocardial infarction. 2009 , 80, 1581-9	30
149	Association between chronic dental infection and acute myocardial infarction. 2009 , 35, 626-30	77

148	Acute hypertriglyceridaemia in humans increases the triglyceride content and decreases the anti-inflammatory capacity of high density lipoproteins. 2009 , 204, 424-8	70
147	Risk scores for prediction of coronary heart disease: an update. 2009 , 38, 33-44	16
146	The contribution of the Framingham Heart Study to the prevention of cardiovascular disease: a global perspective. 2010 , 53, 10-4	64
145	A new method for determining physician decision thresholds using empiric, uncertain recommendations. 2010 , 10, 20	13
144	Prediction model for high glycated hemoglobin concentration among ethnic Chinese in Taiwan. 2010 , 9, 59	10
143	Macrophage death and defective inflammation resolution in atherosclerosis. 2010 , 10, 36-46	782
142	Influence of age on associations between childhood risk factors and carotid intima-media thickness in adulthood: the Cardiovascular Risk in Young Finns Study, the Childhood Determinants of Adult Health Study, the Bogalusa Heart Study, and the Muscatine Study for the International Childhood Cardiovascular Cohort (i3C) Consortium. 2010 , 122, 2514-20	231
141	Cardiovascular Disease in Patients with Chronic Kidney Disease. 2010 , 128-144	1
140	Physicians' gender is associated with risk factor control in patients on antihypertensive and lipid lowering treatment. 2010 , 19, 240-8	24
139	Aging-related atherosclerosis is exacerbated by arterial expression of tumor necrosis factor receptor-1: evidence from mouse models and human association studies. 2010 , 19, 2754-66	27
138	Exercise acutely reverses dysfunction of circulating angiogenic cells in chronic heart failure. 2010 , 31, 1924-34	63
137	Development of a coronary heart disease risk prediction model for type 1 diabetes: the Pittsburgh CHD in Type 1 Diabetes Risk Model. 2010 , 88, 314-21	26
136	Cardiovascular risk prediction in adults with type 1 diabetes: the Fremantle Diabetes Study. 2010 , 90, e75-8	6
135	Prediction of cardiovascular disease events. 2011 , 29, 1-13	7
134	The impact of physician subspecialty training, risk calculation, and patient age on treatment recommendations in ocular hypertension. 2011 , 152, 638-645.e1	5
133	Risk for cardiovascular events in an Italian population of patients with type 2 diabetes. 2011 , 21, 885-92	13
132	Fine mapping of chromosome 3q22.3 identifies two haplotype blocks in ESYT3 associated with coronary artery disease in female Han Chinese. 2011 , 218, 397-403	12
131	Cardiac risk scores in high-risk Hispanics and the predictive value of BNP. 2011 , 20, 3039-46	

130	The relation of low glycaemic index fruit consumption to glycaemic control and risk factors for coronary heart disease in type 2 diabetes. 2011 , 54, 271-9	82
129	Translational research: lessons from past research, growing up nowadays, and development goal in future. 2011 , 54, 1085-8	6
128	The PANDORA study: peripheral arterial disease in patients with non-high cardiovascular risk. 2011 , 6, 509-19	25
127	Prevalence of peripheral arterial disease in subjects with moderate cardiovascular risk: Italian results from the PANDORA study Data from PANDORA (Prevalence of peripheral Arterial disease in subjects with moderate CVD risk, with No overt vascular Diseases nor Diabetes mellitus). 2011 , 11, 59	13
126	A prognostic tool to identify adolescents at high risk of becoming daily smokers. 2011 , 11, 70	4
125	Rho-associated kinase activity, endothelial function, and cardiovascular risk factors. 2011 , 31, 2353-9	58
124	SCORE model underestimates cardiovascular risk in hypertensive patients: results of the Polish Hypertension Registry. 2011 , 20, 342-7	2
123	Longitudinal evolution of risk of coronary heart disease in systemic lupus erythematosus. 2012 , 39, 968-73	16
122	Intima-media thickness of brachial artery, vascular function, and cardiovascular risk factors. 2012 , 32, 2295-303	41
121	A patient-driven adaptive prediction technique to improve personalized risk estimation for clinical decision support. 2012 , 19, e137-44	12
120	Vitamin D deficiency is associated with the development of subclinical coronary artery disease in African Americans with HIV infection: a preliminary study. 2012 , 60, 801-7	14
119	Association among oral health, apical periodontitis, CD14 polymorphisms, and coronary heart disease in middle-aged adults. 2012 , 38, 1570-7	60
118	Local carotid stiffness and intima-media thickness assessment by a novel ultrasound-based system in essential hypertension. 2012 , 223, 372-7	41
117	Constructing a point-based prediction model for the risk of coronary artery disease in a Chinese community: a report from a cohort study in Taiwan. <i>International Journal of Cardiology</i> , 2012 , 157, 263-8 ^{3,2}	17
116	Effects of Metabolic Syndrome on Atherosclerosis in Childhood. 2012 , 93-116	1
115	Endothelial progenitor cells: current issues on characterization and challenging clinical applications. 2012 , 8, 926-39	41
114	An eicosanoid-centric view of atherothrombotic risk factors. 2012 , 69, 3361-80	25
113	Added value of CAC in risk stratification for cardiovascular events: a systematic review. 2012 , 42, 110-6	31

112	Coronary heart disease diagnosis by artificial neural networks including genetic polymorphisms and clinical parameters. 2012 , 59, 190-4		50
111	Solid tumor second primary neoplasms: who is at risk, what can we do?. 2013 , 40, 676-89		47
110	Risk of myocardial infarction in women with pelvic inflammatory disease. <i>International Journal of Cardiology</i> , 2013 , 167, 416-20	3.2	4
109	LDL-cholesterol-lowering effect of a dietary supplement with plant extracts in subjects with moderate hypercholesterolemia. 2013 , 52, 547-57		36
108	Identification of predominant subgingival microbes in acute myocardial infarction patients of South Indian population. 2013 , 3, 104-110		
107	Risk of myocardial infarction in patients with rhinosinusitis. 2013 , 226, 263-8		14
106	. 2013 , 23-33		
105	Prevalence of the metabolic syndrome and cardiovascular disease risk in chemotherapy-treated testicular germ cell tumour survivors. 2013 , 109, 60-7		64
104	Hyperuricemia is independently associated with endothelial dysfunction in postmenopausal women but not in premenopausal women. 2013 , 3, e003659		29
103	Relationship between flow-mediated vasodilation and cardiovascular risk factors in a large community-based study. <i>Heart</i> , 2013 , 99, 1837-42	5.1	93
102	Measures of carotid-femoral pulse wave velocity and augmentation index are not reliable in patients with abdominal aortic aneurysm. <i>Journal of Hypertension</i> , 2013 , 31, 1853-60	1.9	20
101	Sudden sensorineural hearing loss is correlated with an increased risk of acute myocardial infarction: a population-based cohort study. 2013 , 123, 2254-8		33
100	Monogenic causes of elevated HDL cholesterol and implications for development of new therapeutics. 2013 , 8, 635-648		10
99	Carotid intima-media thickness and plaque occurrence in predicting stable angiographic coronary artery disease. 2013 , 8, 1283-8		6
98	Predicting coronary heart disease using risk factor categories for a Japanese urban population, and comparison with the framingham risk score: the suita study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014 , 21, 784-98	4	110
97	Carotid intima media thickness and low high-density lipoprotein (HDL) in South Asian immigrants: could dysfunctional HDL be the missing link?. 2014 , 10, 870-9		24
96	Multidetector computed tomography for the evaluation of coronary artery disease; the diagnostic accuracy in calcified coronary arteries, comparing with IVUS imaging. 2014 , 55, 599-605		3
95	What matters most for patients, parents, and clinicians in the course of juvenile idiopathic arthritis? A qualitative study. 2014 , 41, 2260-9		27

94	Prevalence and trend of dyslipidaemia from 1996 to 2006 among normal and overweight adolescents in Taiwan. 2014 , 4, e003800	5
93	Rehabilitation for Adults with Osteogenesis Imperfecta. 2014 , 485-491	2
92	Effect of almond consumption on the serum fatty acid profile: a dose-response study. 2014 , 112, 1137-46	26
91	Individualized risk of surgical-site infection: an application of the breast reconstruction risk assessment score. 2014 , 134, 351e-362e	24
90	Association between chronic periodontal and apical inflammation and acute myocardial infarction. 2014 , 102, 297-302	23
89	Indexes of subclinical atherosclerosis: signposts on the highway to disease. 2014 , 7, 1116-8	2
88	Childhood-onset Type 1 diabetes and cardiovascular disease. 2015 , 5, 215-227	
87	Individualized Risk of Surgical Complications: An Application of the Breast Reconstruction Risk Assessment Score. 2015 , 3, e405	27
86	Workaholism, Exercise, and Stress-Related Illness. 2015 , 30, 393-406	3
85	High serum sodium level in affective episode associated with coronary heart disease in old adults with bipolar disorder. 2015 , 50, 422-33	9
84	Examining QRS amplitude criteria for electrocardiographic left ventricular hypertrophy in recommendations for screening criteria in athletes. 2015 , 48, 368-72	5
83	Genome-wide Analysis of Body Proportion Classifies Height-Associated Variants by Mechanism of Action and Implicates Genes Important for Skeletal Development. 2015 , 96, 695-708	44
82	Systemic circulatory influences on retinal microvascular function in middle-age individuals with low to moderate cardiovascular risk. 2015 , 93, e266-74	7
81	Endothelial Function Assessed by Automatic Measurement of Enclosed Zone Flow-Mediated Vasodilation Using an Oscillometric Method Is an Independent Predictor of Cardiovascular Events. 2016 , 5,	14
80	Possible Interventions to Modify Aging. <i>Biochemistry (Moscow)</i> , 2016 , 81, 1413-1428	2.9 10
79	Combination of Flow-Mediated Vasodilation and Nitroglycerine-Induced Vasodilation Is More Effective for Prediction of Cardiovascular Events. 2016 , 67, 1045-52	48
78	Ageing effect on flicker-induced diameter changes in retinal microvessels of healthy individuals. 2016 , 94, e35-42	23
77	Cardiometabolic health, prescribed antipsychotics and health-related quality of life in people with schizophrenia-spectrum disorders: a cross-sectional study. 2016 , 16, 411	22

76	Some Methodological Issues and Future of Risk Prediction Studies in Cardiology. <i>Circulation Journal</i> , 2016 , 80, 1314-5	2.9	2
75	Low daily dose of 3 mg monacolin K from RYR reduces the concentration of LDL-C in a randomized, placebo-controlled intervention. 2016 , 36, 1162-1170		24
74	The type of the functional cardiovascular response to upright posture is associated with arterial stiffness: a cross-sectional study in 470 volunteers. 2016 , 16, 101		7
73	A novel block at chromosome 12q24.1 is associated with coronary artery disease in Han Chinese populations. <i>Pharmacogenetics and Genomics</i> , 2016 , 26, 497-504	1.9	2
72	The association between lipid parameters and obesity in university students. <i>Journal of Endocrinological Investigation</i> , 2016 , 39, 769-78	5.2	15
71	Arterial stiffness in periodontitis patients and controls. A case-control and pilot intervention study. <i>Journal of Human Hypertension</i> , 2016 , 30, 24-9	2.6	24
70	Moderator's view: Predictive models: a prelude to precision nephrology. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 756-758	4.3	3
69	Endothelial function is impaired in relation to alcohol intake even in the case of light alcohol consumption in Asian men; Flow-mediated Dilation Japan (FMD-J) Study. <i>International Journal of Cardiology</i> , 2017 , 230, 523-528	3.2	23
68	Diabetes mellitus and first episode mania associated with cardiovascular diseases in patients with older-age bipolar disorder. <i>Psychiatry Research</i> , 2017 , 249, 65-69	9.9	5
67	Cardiovascular disease risk evaluation. 2017 , 53-71		1
66	Association Between Waist-to-Height Ratio and Endothelial Dysfunction in Patients With Morbidity - A Report From the FMD-J Study. <i>Circulation Journal</i> , 2017 , 81, 1911-1918	2.9	0
65	Increasing Risk of Osteoporotic Fracture Is Associated With Vascular Dysfunction and Abnormal Vascular Structure in Both Men and Women. <i>Circulation Journal</i> , 2017 , 81, 862-869	2.9	9
64	Cholesterol Levels of Six Fractionated Serum Lipoproteins and its Relevance to Coronary Heart Disease Risk Scores. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017 , 24, 928-939	4	6
63	Health Behavior and Health-related Quality of Life in Patients with a High Risk of Cardiovascular Disease. <i>Zdravstveno Varstvo</i> , 2018 , 57, 39-46	1.3	10
62	Role of the Cardiac Pathologist in Evaluating Sudden Natural Deaths. 2018 , 139-191		
61	De Gruyter. <i>Zdravstveno Varstvo</i> , 2018 , 57,	1.3	
60	Noninvasive Coronary Plaque Imaging. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 281-293	4	11
59	Assessment of Lower-limb Vascular Endothelial Function Based on Enclosed Zone Flow-mediated Dilation. <i>Scientific Reports</i> , 2018 , 8, 9263	4.9	2

58	Coronary Calcium Score and Cardiovascular Risk. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 434-447	15.1	309
57	Predictors for independent external validation of cardiovascular risk clinical prediction rules: Cox proportional hazards regression analyses. <i>Diagnostic and Prognostic Research</i> , 2018 , 2, 3	5.5	8
56	Investigation of the cardiovascular risk profile in a south Brazilian city: surveys from 2012 to 2016. <i>Arquivos De Neuro-Psiquiatria</i> , 2018 , 76, 219-224	1.6	2
55	Atherosclerotic vascular disease is more prevalent among black ESKD patients on long-term CAPD in South Africa. <i>BMC Nephrology</i> , 2019 , 20, 399	2.7	2
54	Computational models and neural nets: Fantastic models-Where to find them and how to identify them. <i>International Journal of Clinical Practice</i> , 2019 , 73, e13391	2.9	1
53	Retinal and peripheral vascular function in healthy individuals with low cardiovascular risk. <i>Microvascular Research</i> , 2019 , 126, 103908	3.7	2
52	Target of Triglycerides as Residual Risk for Cardiovascular Events in Patients With Coronary Artery Disease - Post Hoc Analysis of the FMD-J Study A. <i>Circulation Journal</i> , 2019 , 83, 1064-1071	2.9	9
51	Coronary heart disease diagnosis by artificial neural networks including aortic pulse wave velocity index and clinical parameters. <i>Journal of Hypertension</i> , 2019 , 37, 1682-1688	1.9	12
50	Age-Related Dysfunctions: Evidence and Relationship with Some Risk Factors and Protective Drugs. <i>Biochemistry (Moscow)</i> , 2019 , 84, 1442-1450	2.9	13
49	Validation of prediction models of severe disease course and non-achievement of remission in juvenile idiopathic arthritis: part 1-results of the Canadian model in the Nordic cohort. <i>Arthritis Research and Therapy</i> , 2019 , 21, 270	5.7	6
48	A Patient-Level Model to Estimate Lifetime Health Outcomes of Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 1741-1749	14.6	5
47	Validation of prediction models of severe disease course and non-achievement of remission in juvenile idiopathic arthritis part 2: results of the Nordic model in the Canadian cohort. <i>Arthritis Research and Therapy</i> , 2020 , 22, 10	5.7	3
46	Association between age and readmission after percutaneous coronary intervention for acute myocardial infarction. <i>Heart</i> , 2020 , 106, 1595-1603	5.1	4
45	Aging in the Human Species. 2021 , 241-290		
44	Current Developments of Clinical Sequencing and the Clinical Utility of Polygenic Risk Scores in Inflammatory Diseases. <i>Frontiers in Immunology</i> , 2020 , 11, 577677	8.4	0
43	The Elderly Subjects and Their Troubles. 2021 , 291-349		
42	Progress in ASCVD Risk Assessment in African Americans and Hispanic Americans. <i>Contemporary Cardiology</i> , 2021 , 147-157	0.1	
41	Gut Microbiota Community Shift with Severity of Coronary Artery Disease. <i>Engineering</i> , 2021 ,	9.7	0

40	Longitudinal association between cardiovascular risk factors and depression in young people: a systematic review and meta-analysis of cohort studies. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	1
39	Human cardiac ischemia-reperfusion injury: Blunted stress response with age. <i>Journal of Cardiac Surgery</i> , 2021 , 36, 3643-3651	1.3	1
38	Sex Differences in Body Fat Distribution. 2012 , 123-166		5
37	Vascular Aging. 2005 , 517-547		1
36	Cellular Pathogenesis of Degenerative Valvular Heart Disease: From Calcific Aortic Stenosis to Myxomatous Mitral Valve Disease. 2009 , 37-57		1
35	Encyclopedia of Gerontology and Population Aging. 2019 , 1-10		2
34	Effectiveness of Diet and Drugs in the Treatment of Patients with Elevated Lp(a) Levels. 1990 , 211-220		15
33	Cellular, Molecular, and Genetic Mechanisms of Valvular Heart Disease. 2009 , 39-54		1
32	The secondary prevention of cardiovascular disease. 2005 , 769-791		1
31	Physical activity, sports participation, and risk factors in adolescents. <i>Medicine and Science in Sports and Exercise</i> , 1997 , 29, 788-93	1.2	57
30	Relative importance of atherosclerotic risk factors for coronary heart disease in Taiwan. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005 , 12, 95-101		14
29	Lipoprotein metabolism indicators improve cardiovascular risk prediction. <i>PLoS ONE</i> , 2014 , 9, e92840	3.7	14
28	Endothelial function is preserved in light to moderate alcohol drinkers but is impaired in heavy drinkers in women: Flow-mediated Dilation Japan (FMD-J) study. <i>PLoS ONE</i> , 2020 , 15, e0243216	3.7	3
27	The Envy of Scholars: Applying the Lessons of the Framingham Heart Study to the Prevention of Chronic Kidney Disease. <i>Rambam Maimonides Medical Journal</i> , 2015 , 6,	1.8	1
26	Metabolic syndrome, inflammation and atherothrombosis. <i>Hamostaseologie</i> , 2013 , 33, 283-94	1.9	11
25	Estudios de cohortes. 2004 , 66-75		
24	Risk Factors for Cardiovascular Disease and the Framingham Study Equation. <i>Fundamental and Clinical Cardiology</i> , 2006 , 1-18		
23	Should We Treat the Metabolic Syndrome or Its Components?. 2007 , 257-272		

22	Risk Factors for Cardiovascular Disease and the Framingham Study Equation. 2007 , 1-18		
21	Treatment of the Metabolic Syndrome with Weight Loss, Exercise, Hormones, and Surgery. 2008 , 57-73		
20	Prediction of Cardiovascular Disease. 2011 , 33-45		
19	Clinical development and progression of coronary heart disease. 2014 , 275-280		1
18	The Role of Second Messenger Pathways in the Pathophysiology of Hyperapob and Premature Coronary Artery Disease. 1995 , 67-73		
17	Hyperhomocysteinemia, a Risk Factor for Arteriovenous Fistula Thrombosis in Hemodialysis Patients. <i>Urology & Nephrology Open Access Journal</i> , 2016 , 3,	0.3	
16	Using the Breast Reconstruction Risk Assessment (BRA) Score: An Individualized Risk Calculator to Assist Expectation Management and Reconstructive Decision Making in the Mastectomy Patient. 2017 , 117-126		
15	Twelve-year changes in protein profiles in patients with and without gastric bypass surgery.		
14	Advances in diabetes for the millennium: diabetes and cholesterol. <i>MedGenMed: Medscape General Medicine</i> , 2004 , 6, 5		
13	The Kaiser Permanente implant registries: effect on patient safety, quality improvement, cost effectiveness, and research opportunities. 2012 , 16, 36-44		35
12	Proteome-wide associations with short- and long-term weight loss and regain after Roux-en-Y gastric bypass surgery. <i>Obesity</i> , 2021 , 30, 129	8	0
11	Encyclopedia of Gerontology and Population Aging. 2021 , 327-336		
10	A Utility-Based Machine Learning-Driven Personalized Lifestyle Recommendation for Cardiovascular Disease Prevention.		2
9	Cardiovascular Risk Perception and Knowledge among Italian Women: Lessons from IGENDA Protocol.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	2
8	Atherosclerotic cardiovascular disease risk assessment: An American Society for Preventive Cardiology clinical practice statement.. <i>American Journal of Preventive Cardiology</i> , 2022 , 10, 100335	1.9	3
7	Comparing LASSO and random forest models for predicting neurological dysfunction among fluoroquinolone users. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 ,	2.6	0
6	The Impact of Expanding Telehealth-Delivered Dietary Interventions on Long-Term Cardiometabolic Health.. <i>Population Health Management</i> , 2021 ,	1.8	
5	Integration of biomarker polygenic risk score improves prediction of coronary heart disease in UK Biobank and FinnGen.		0

- 4 The Use of Retinal Microvascular Function and Telomere Length in Age and Blood Pressure Prediction in Individuals with Low Cardiovascular Risk. **2022**, 11, 3037
- 3 Retinal Microvascular Abnormalities and Systemic Arterial Stiffness Are the First Manifestation of Cardiovascular Abnormalities in Patients with Untreated Moderate to Severe Obstructive Sleep Apnoea and with Low to Intermediate Cardiovascular Risk: A Pilot Study. **2022**, 10, 2669
- 2 Cardiovascular Risk Factor Burden and Treatment Control in Patients with Chronic Kidney Disease: A Cross-Sectional Study. **2022**,
- 1 A utility-based machine learning-driven personalized lifestyle recommendation for cardiovascular disease prevention. **2023**, 141, 104342