

CITATION REPORT

List of articles citing

Quantification of atrial contribution to left ventricular filling by pulsed Doppler echocardiography and the effect of age in normal and diseased hearts

DOI: 10.1016/0002-9149(87)90870-8

American Journal of Cardiology, 1987, 59, 1174-8.

Source: <https://exaly.com/paper-pdf/19435639/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
232	Assessment of mitral flow velocity with exercise by an index of stress-induced left ventricular ischemia in coronary artery disease. <i>American Journal of Cardiology</i> , 1988 , 61, 536-40	3	16
231	Doppler evaluation of diastolic flow in obstructive hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , 1988 , 61, 874	3	
230	Doppler echocardiographic assessment of atrial filling fraction in severe mitral stenosis. <i>American Journal of Cardiology</i> , 1988 , 61, 1354-5	3	5
229	Influence of left atrial systolic emptying on left ventricular early filling dynamics by Doppler in patients with sequential atrioventricular pacemakers. <i>American Journal of Cardiology</i> , 1988 , 62, 968-71	3	17
228	Relation of transmitral flow velocity patterns to left ventricular diastolic function: new insights from a combined hemodynamic and Doppler echocardiographic study. 1988 , 12, 426-40		1384
227	Bibliography of biomedical ultrasound. 1988 , 14, 519-534		
226	Effects of an oral water load and intravenous administration of isotonic glucose, hypertonic saline, mannitol and furosemide on the release of atrial natriuretic peptide in men. 1988 , 119, 269-76		15
225	Reproducibility of Doppler echocardiographic measurements of left ventricular diastolic function. 1988 , 9, 879-86		58
224	Doppler echocardiography for assessing left ventricular diastolic function. 1988 , 109, 122-6		101
223	Effect of age on left ventricular filling in children of hypertensive parents. 1989 , 2, 792-6		3
222	Transmitral velocities measured by pulsed Doppler in healthy volunteers: effects of acute changes in blood pressure and heart rate. 1989 , 61, 344-7		39
221	Influence of age on Doppler echocardiographic indices of left ventricular diastolic function. 1989 , 61, 483		1
220	Mechanism of altered pattern of left ventricular filling with aging in subjects without cardiac disease. <i>American Journal of Cardiology</i> , 1989 , 64, 523-7	3	73
219	Influence of age and sex on left ventricular filling at rest in subjects without clinical cardiac disease. <i>American Journal of Cardiology</i> , 1989 , 64, 646-50	3	18
218	Comparison of Doppler indexes of left ventricular diastolic function with simultaneous high fidelity left atrial and ventricular pressures in idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1989 , 64, 1173-9	3	25
217	Factors reducing left and right ventricular output during simultaneous atrioventricular activation in the pig heart. 1989 , 135, 477-86		
216	The influence of heart rate and age on diastolic blood flow velocity in the left ventricular inflow tract. 1989 , 17, 339-44		2

215	Assessment of diastolic function of the heart: background and current applications of Doppler echocardiography. Part II. Clinical studies. 1989 , 64, 181-204		577
214	Doppler echocardiographic assessment of the effect of balloon aortic valvuloplasty on left ventricular systolic function. 1989 , 117, 18-24		4
213	Doppler assessment of left ventricular diastolic filling during brief coronary occlusion. 1989 , 117, 629-35		46
212	Doppler characterization of left ventricular diastolic function in cardiac amyloidosis. 1989 , 13, 1017-26		281
211	Hemodynamic benefit of atrioventricular synchrony: prediction from baseline Doppler-echocardiographic variables. 1989 , 13, 1613-21		44
210	The use of tissue-type plasminogen activator for acute myocardial infarction in the elderly: results from thrombolysis in myocardial infarction Phase I, open label studies and the Thrombolysis in Myocardial Infarction Phase II pilot study. The TIMI Investigators. 1989 , 14, 1159-65		51
209	Use of continuous wave Doppler echocardiography to evaluate the hemodynamic importance of atrial systole in patients with mitral stenosis. <i>Journal of the American Society of Echocardiography</i> , 1989 , 2, 172-6	5.8	4
208	The contribution of atrial systole to mitral diastolic blood flow increases during exercise in humans. 1989 , 411, 53-61		16
207	Influence of myocardial infarction size on radionuclide and Doppler echocardiographic measurements of diastolic function. <i>American Journal of Cardiology</i> , 1990 , 65, 692-7	3	30
206	Effect of alteration in loading conditions on both normal and abnormal patterns of left ventricular filling in healthy individuals. <i>American Journal of Cardiology</i> , 1990 , 65, 377-82	3	58
205	Comparison of clinical features in patients greater than or equal to 60 years of age to those less than or equal to 40 years of age with hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , 1990 , 66, 875-8	3	19
204	Effects of sample volume location, imaging view, heart rate and age on tricuspid velocimetry in normal subjects. <i>American Journal of Cardiology</i> , 1990 , 65, 1026-30	3	31
203	Clinical evaluation of left ventricular diastolic performance. 1990 , 32, 273-90		167
202	Doppler assessment of right ventricular filling in a normal population. Comparison with left ventricular filling dynamics. <i>Circulation</i> , 1990 , 82, 1316-24	16.7	103
201	Is pulsed Doppler echocardiography an adequate method to evaluate left ventricular function during filling in hypertensive patients?. 1990 , 11 Suppl G, 79-86		35
200	Determination of diastolic function by radionuclide ventriculography. 1990 , 65, 1007-19		22
199	Bibliography of biomedical ultrasound. 1987. 1990 , 16, 851-1018		1
198	Influence of Doppler sample volume location on the assessment of changes in mitral inflow velocity profiles. <i>Journal of the American Society of Echocardiography</i> , 1990 , 3, 303-9	5.8	11

197	Return of atrial mechanical function following electrical conversion of atrial dysrhythmias. 1990 , 120, 353-9		63
196	Correlates of diastolic filling abnormalities in hypertension: a Doppler echocardiographic study. 1990 , 120, 386-91		34
195	Effect of age on diastolic left ventricular filling at rest and during inotropic stimulation and acute systemic hypertension: experimental studies in conscious beagles. 1990 , 120, 73-81		13
194	Comprehensive Doppler assessment of right ventricular diastolic function in cardiac amyloidosis. 1990 , 15, 99-108		121
193	Serial Doppler echocardiographic follow-up of left ventricular diastolic function in cardiac amyloidosis. 1990 , 16, 1135-41		151
192	Cross-sectional echocardiography: a window on congestive heart failure in the elderly. 1991 , 3, 257-62		3
191	Age-related alterations of Doppler left ventricular filling indexes in normal subjects are independent of left ventricular mass, heart rate, contractility and loading conditions. 1991 , 18, 1243-50		169
190	Importance of left ventricular systolic function in the assessment of left ventricular diastolic function with Doppler transmitral flow velocity recording. 1991 , 18, 753-60		47
189	Factors Influencing Doppler Echocardiographie Assessment of Left Ventricular Diastolic Function in Aortic Valve Stenosis. 1991 , 5, 20-25		
188	Doppler assessment of diastolic function in cardiac amyloidosis. 1991 , 8, 233-51		16
187	Echo-Doppler evaluation of the effects of heart rate increments on left atrial pump function in normal human subjects. 1991 , 12, 345-51		19
186	Factors influencing Doppler indexes of left ventricular filling in healthy persons. <i>American Journal of Cardiology</i> , 1991 , 68, 653-9	3	95
185	Reversal of changes in left ventricular diastolic filling associated with normal aging using diltiazem. <i>American Journal of Cardiology</i> , 1991 , 67, 894-6	3	30
184	Relationship of auscultatory fourth heart sound to the quantitated left atrial filling fraction. 1991 , 14, 671-4		9
183	An echocardiographic assessment of atrial mechanical behaviour. 1991 , 65, 31-6		38
182	Prognostic significance of Doppler measures of diastolic function in cardiac amyloidosis. A Doppler echocardiography study. <i>Circulation</i> , 1991 , 83, 808-16	16.7	302
181	Diastolic disease in left ventricular hypertrophy: comparison of M mode and Doppler echocardiography for the assessment of rapid ventricular filling. 1991 , 65, 194-200		28
180	Right ventricular pacing and left ventricular filling pattern. An echo-Doppler study. 1991 , 100, 744-7		10

179	Effect of increasing heart rate on Doppler indices of left ventricular performance in healthy men. 1992 , 68, 425-9			32
178	Relation of left ventricular isovolumic relaxation time and incoordination to transmitral Doppler filling patterns. 1992 , 68, 567-73			21
177	Cardiac disease. 1992 , 2, 207-226			1
176	Progressive impairment of left ventricular diastolic filling with advancing age: a Doppler echocardiographic study. 1992 , 40, 245-50			12
175	Influence of left ventricular filling profile on the effect of atrioventricular synchronous pacing. 1992 , 102, 1199-203			1
174	Congestive heart failure with normal ejection fraction. A different mechanism requiring different therapy. 1992 , 91, 207-14			3
173	The Natural History of Left Ventricular Filling Abnormalities: Assessment by Two-Dimensional and Doppler Echocardiography. 1992 , 9, 437-457			199
172	The effect of atrio-ventricular delay programming in patients with DDDR pacemakers. 1992 , 13, 464-72			22
171	Doppler assessment of left ventricular diastolic function: a review. <i>Journal of the American Society of Echocardiography</i> , 1992 , 5, 603-12	5.8		37
170	Doppler evaluation of normalized peak filling rate in normal children and children with left ventricular outflow obstruction. <i>Journal of the American Society of Echocardiography</i> , 1992 , 5, 598-602	5.8		6
169	Estimation of left ventricular end-diastolic pressure from Doppler transmitral flow velocity in cardiac patients independent of systolic performance. 1992 , 20, 112-9			195
168	Prognostic significance of Doppler-derived left ventricular diastolic filling variables in dilated cardiomyopathy. 1992 , 124, 1524-33			91
167	Doppler assessment of right ventricular filling dynamics in systemic hypertension: comparison with left ventricular filling. 1992 , 124, 1313-20			23
166	Abnormalities of diastolic filling of the left ventricle associated with aging are less pronounced in exercise-trained individuals. 1992 , 124, 143-8			54
165	Multivariate analysis of the variables affecting left ventricular filling in normal subjects. 1992 , 80, 267-75			2
164	Left ventricular function in myasthenia gravis. <i>American Journal of Cardiology</i> , 1992 , 69, 129-32	3		20
163	Effects of sustained-release nicardipine on regression of left ventricular hypertrophy in systemic hypertension. <i>American Journal of Cardiology</i> , 1992 , 69, 1559-64	3		11
162	Determinants of Doppler indexes of left ventricular diastolic function in normal subjects (the Framingham Heart Study). <i>American Journal of Cardiology</i> , 1992 , 70, 508-15	3		277

161	Diastolic left ventricular function after renal transplantation in patients with normal and hypertrophied myocardium. 1992 , 15, 845-50		6
160	Age-associated changes in left ventricular diastolic performance during isometric stress. <i>American Journal of Cardiology</i> , 1993 , 71, 629	3	1
159	Impact of heart rate and PR interval on Doppler indexes of left ventricular diastolic filling in an elderly cohort (the Framingham Heart Study). <i>American Journal of Cardiology</i> , 1993 , 72, 1183-7	3	57
158	Diastolic heart function--pathophysiology, characterization, and therapeutic approaches. 1993 , 16, 850-8		10
157	Timing of recipient atrial contraction: a major determinant of transmitral diastolic flow in orthotopic cardiac transplantation. 1993 , 126, 1175-81		17
156	Age-related changes in left and right ventricular filling velocity profiles and their relationship in normal subjects. 1993 , 126, 419-26		50
155	Pulsed Doppler characterization of left atrial appendage flow. <i>Journal of the American Society of Echocardiography</i> , 1993 , 6, 237-44	5.8	56
154	Reference values for Doppler indexes of left ventricular diastolic filling in the elderly. <i>Journal of the American Society of Echocardiography</i> , 1993 , 6, 570-6	5.8	53
153	On-line assessment of left atrial area and function by echocardiographic automatic boundary detection. <i>Circulation</i> , 1993 , 88, 1142-9	16.7	43
152	Left Ventricular Diastolic Filling in Elderly Hypertensive Patients. 1993 , 41, 217-222		6
151	Pitfalls in the echo-Doppler assessment of diastolic dysfunction. 1993 , 10, 213-34		55
150	Cardiac involvement in rheumatoid arthritis: an echocardiographic study. 1993 , 83, 234-9		23
149	Doppler diastolic transmitral flow patterns in severe heart failure: response to controlled changes in filling pressure using intravenous isosorbide dinitrate. 1994 , 85, 235-43		2
148	In vivo assessment of left atrial contractile performance in normal and pathological conditions using a time-varying elastance model. <i>Circulation</i> , 1994 , 89, 1829-38	16.7	97
147	Effect of dynamic exercise on left atrial function in conscious dogs. 1994 , 481 (Pt 2), 457-68		27
146	Doppler echocardiographic evaluation of left ventricular diastolic function after surgical correction of atrial septal defect during childhood. 1994 , 15, 225-8		4
145	Left ventricular diastolic dysfunction in lymphocytic myocarditis as assessed by Doppler echocardiography. <i>American Journal of Cardiology</i> , 1994 , 73, 282-5	3	18
144	Prognostic value of Doppler transmitral flow patterns in patients with congestive heart failure. 1994 , 24, 132-9		351

143	Effects of age on left ventricular dimensions and filling dynamics in 117 normal persons. 1994 , 69, 212-24		263
142	Transthoracic Doppler assessment of pattern of left ventricular dysfunction in hypertensive heart disease: combined analysis of mitral and pulmonary venous flow velocity patterns. <i>Journal of the American Society of Echocardiography</i> , 1994 , 7, 493-505	5.8	33
141	Rapid echocardiographic assessment of left and right heart hemodynamics in critically ill obstetric patients. 1994 , 171, 884-92		61
140	Effect of age on left atrial function in patients with coronary artery disease. 1994 , 85, 8-13		5
139	Permanent cardiac pacemakers in the elderly. 1994 , 42, 326-34		12
138	The relationship of autonomic function to age-related changes in left ventricular filling in normal subjects. 1995 , 16, 1716-20		4
137	An echocardiographic evaluation of patients with idiopathic heart failure. 1995 , 107, 680-9		24
136	Left ventricular mass and diastolic filling patterns in quadriplegia and implications for effects of normal aging on the heart. <i>American Journal of Cardiology</i> , 1995 , 75, 201-3	3	26
135	Feasibility and accuracy of Doppler echocardiographic estimation of pulmonary artery occlusive pressure in the intensive care unit. <i>American Journal of Cardiology</i> , 1995 , 75, 1256-62	3	91
134	Cardiovascular System. 1995 , 413-474		12
133	Left atrial size and function: assessment using echocardiographic automatic boundary detection. 1995 , 74, 664-70		19
132	Left ventricular diastolic function in children measured by Doppler echocardiography: normal values and relation with growth. 1995 , 73, 334-9		35
131	Comparison of dual chamber and ventricular rate responsive pacing in patients over 75 with complete heart block. 1995 , 74, 397-402		13
130	Left atrial function after Cox ³ maze operation concomitant with mitral valve operation. 1995 , 60, 354-9; discussion 359-60		43
129	Pulmonary venous flow as assessed by Doppler echocardiography: potential clinical applications. 1995 , 12, 425-40		11
128	The assessment of left ventricular filling dynamics using an online automatic border detection algorithm: comparison with cineventriculography. 1995 , 12, 559-69		3
127	Echocardiographic automatic boundary detection to measure left atrial function after the maze procedure. <i>Journal of the American Society of Echocardiography</i> , 1995 , 8, 139-48	5.8	30
126	Left ventricular diastolic function in young adults: the Coronary Artery Risk Development in Young Adults Study. <i>Journal of the American Society of Echocardiography</i> , 1995 , 8, 771-9	5.8	8

125	Findings of automatic border detection in subjects with left ventricular diastolic dysfunction by Doppler echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1995 , 8, 149-61	5.8	21
124	Doppler echocardiographic evaluation of left ventricular end-diastolic pressure in patients with coronary artery disease. <i>Journal of the American Society of Echocardiography</i> , 1996 , 9, 241-50	5.8	34
123	Canadian consensus recommendations for the measurement and reporting of diastolic dysfunction by echocardiography: from the Investigators of Consensus on Diastolic Dysfunction by Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1996 , 9, 736-60	5.8	487
122	Relation of Doppler transmitral flow patterns to functional status in congestive heart failure. 1996 , 131, 766-71		42
121	Noninvasive doppler echocardiographic evaluation of left ventricular filling pressures in patients with cardiomyopathies: a simultaneous Doppler echocardiographic and cardiac catheterization study. 1996 , 28, 1226-33		279
120	Diastolic spectrum of left-ventricular hypertrophy: the impact of etiology and coronary artery disease on Doppler transmitral velocity. 1996 , 87, 436-42		1
119	The effects of isometric stress on left ventricular filling in athletes with isometric or isotonic training compared to hypertensive and normal controls. 1996 , 17, 457-61		15
118	Impact of ambulatory blood pressure on left ventricular diastolic dysfunction in uncomplicated arterial systemic hypertension. <i>American Journal of Cardiology</i> , 1996 , 77, 597-601	3	51
117	Evaluation of left ventricular diastolic function by pulmonary venous and mitral flow velocity patterns in endurance veteran athletes. 1996 , 22 Suppl 1, 179-86		4
116	Cardiac systolic and diastolic function at rest and exercise in subclinical hypothyroidism: effect of thyroid hormone therapy. 1996 , 6, 397-402		68
115	Assessment of left ventricular dimensions and functions in athletes and sedentary subjects at rest and during exercise using echocardiography, Doppler sonography and radionuclide ventriculography. 1996 , 17 Suppl 3, S173-9		19
114	Isolated office hypertension and end-organ damage. <i>Journal of Hypertension</i> , 1997 , 15, 979-85	1.9	25
113	Role of left ventricular hypertrophy in diastolic dysfunction in aged hypertensive patients. <i>Journal of Hypertension</i> , 1997 , 15, 1175-9	1.9	10
112	Serial evaluation of atrial function by Doppler echocardiography after the maze procedure for chronic atrial fibrillation. 1997 , 18, 496-502		55
111	Relationship between atrial function, left ventricular isovolumic relation time, and early filling in dual chamber-paced patients. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 300-9	5.8	4
110	Doppler evaluation of left and right ventricular diastolic function: a technical guide for obtaining optimal flow velocity recordings. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 271-92	5.8	239
109	Echocardiography and Cardiovascular Function: Tools for the Next Decade. <i>Developments in Cardiovascular Medicine</i> , 1997 ,		
108	Right and left ventricular diastolic function in patients with and without heart failure: effect of age, sex, heart rate, and respiration on Doppler-derived measurements. 1997 , 134, 426-34		70

107	Assessment of mitral annulus velocity by Doppler tissue imaging in the evaluation of left ventricular diastolic function. 1997 , 30, 474-80		1310
106	Doppler tissue imaging: a noninvasive technique for evaluation of left ventricular relaxation and estimation of filling pressures. 1997 , 30, 1527-33		2398
105	Divergent Effects of Hemodialysis and Continuous Ambulatory Peritoneal Dialysis on Cardiac Diastolic Function. 1997 , 17, 353-359		6
104	Clinical application of pulsed Doppler tissue imaging for assessing abnormal left ventricular relaxation. <i>American Journal of Cardiology</i> , 1997 , 79, 921-8	3	407
103	Disparity between diastolic mitral flow characteristics and left ventricular mass in essential hypertension. <i>American Journal of Cardiology</i> , 1997 , 79, 1255-8	3	11
102	Comparison of adaptations to a 12-month exercise program and late outcome in patients with healed myocardial infarction and ejection fraction 50%. <i>American Journal of Cardiology</i> , 1997 , 79, 1258-60	3	12
101	Normal values and reproducibility of left ventricular filling parameters by radionuclide angiography. 1997 , 13, 165-71; discussion 173		27
100	Estimation of Right Atrial Volume and Function by an Online Echocardiographic Edge Detection System. 1998 , 15, 527-536		9
99	Impact of heart rate and atrioventricular delay on left ventricular diastolic filling in patients with dual-chamber pacing for sick sinus syndrome or atrioventricular block. <i>American Journal of Cardiology</i> , 1998 , 82, 816-20, A10	3	5
98	Postoperative pulmonary edema secondary to diastolic dysfunction in a patient with a previous heart transplant. 1998 , 10, 331-7		1
97	Structural abnormalities and not diastolic dysfunction are the earliest left ventricular changes in hypertension. HARVEST Study Group. 1998 , 11, 147-54		21
96	Cardiovascular abnormalities in never-treated hypertensives according to nondipper status. 1998 , 11, 1352-7		40
95	Left ventricular diastolic properties of hypertensive patients measured by pulsed tissue Doppler imaging. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 1106-12	5.8	84
94	Recovery of Left Ventricular Diastolic Function after Coronary Bypass Surgery. 1998 , 6, 250-256		
93	Assessment of left ventricular diastolic function after single lung transplantation in patients with severe pulmonary hypertension. 1998 , 114, 477-81		27
92	Upgrade to dual chamber pacing after long-term ventricular stimulation: feasibility and intermediate term follow-up. 1999 , 1, 168-73		1
91	Right and Left Ventricular Diastolic Filling Parameters in Essential Hypertension. 1999 , 7, 214-220		6
90	Radial approach: a new concept in surgical treatment for atrial fibrillation. II. Electrophysiologic effects and atrial contribution to ventricular filling. 1999 , 67, 36-50		38

89	Initial experience with the radial incision approach for atrial fibrillation. 1999 , 68, 805-10; discussion 811		31
88	Pitfalls in Doppler evaluation of diastolic function: insights from 3-dimensional magnetic resonance imaging. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 817-26	5.8	47
87	Myocardial diastolic impairment caused by left ventricular hypertrophy involves basal septum more than other walls: analysis by pulsed Doppler tissue imaging. <i>Journal of Hypertension</i> , 1999 , 17, 685-93	1.9	41
86	Atrial function during cardiac arrest caused by ventricular fibrillation. 2000 , 117, 1118-23		4
85	Left ventricular diastolic dysfunction in lone atrial fibrillation determined by Doppler tissue imaging of mitral annular motion. <i>American Journal of Cardiology</i> , 2000 , 86, 1026-9, A10	3	15
84	Comparison of effectiveness of an 8-mm versus a 4-mm tip electrode catheter for radiofrequency ablation of typical atrial flutter. <i>American Journal of Cardiology</i> , 2000 , 86, 1029-32, A10	3	34
83	Relationship between mean right atrial pressure and Doppler parameters in patients with right ventricular infarction. 2000 , 23, 771-5		6
82	Patients with pulmonary fibrosis: cardiac function assessed with MR imaging. 2000 , 216, 464-71		18
81	Impact of Doppler-derived left ventricular diastolic performance on exercise capacity in normal individuals. 2000 , 139, 716-22		38
80	Intérêt de l'étude par Doppler pulsé du flux mitral et du flux veineux pulmonaire dans l'évaluation des pressions de remplissage du ventricule gauche. 2001 , 10, 173-182		2
79	Serial change in the atrial transport function after the radial incision approach. 2001 , 71, 572-6		18
78	Clinical characteristics influence left and right ventricular diastolic function in healthy individuals. 2001 , 52, 25-30		34
77	The normal sequence of right and left atrial contraction. 2001 , 6, 222-8		5
76	Effects of aging on left atrial reservoir, conduit, and booster pump function: a multi-institution acoustic quantification study. 2001 , 85, 272-7		147
75	Decreased expression of tumor necrosis factor-alpha and regression of hypertrophy after nonsurgical septal reduction therapy for patients with hypertrophic obstructive cardiomyopathy. <i>Circulation</i> , 2001 , 103, 1844-50	16.7	60
74	Impact of obstructive sleep apnea on left ventricular mass and diastolic function. 2001 , 163, 1632-6		124
73	Is Doppler tissue velocity during early left ventricular filling preload independent?. 2002 , 87, 336-9		57
72	Improved cardiac function and quality of life following upgrade to dual chamber pacing after long-term ventricular stimulation. 2002 , 23, 490-7		20

71	Left ventricular myocardial impairment in subclinical hypothyroidism assessed by a new ultrasound tool: pulsed tissue Doppler. 2002 , 87, 4350-5		75
70	Covered stent for iatrogenic coronary arteriovenous fistula in heart transplant recipient. 2002 , 87, 339		5
69	Doppler echocardiographic estimation of left ventricular end-diastolic pressure after MI in rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 283, H346-52	5.2	74
68	Prevalence of left ventricular diastolic dysfunction by Doppler echocardiography: clinical application of the Canadian consensus guidelines. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 1238-44	5.8	50
67	The electromechanical effects of pacing at different sites within the right atrium. 2002 , 4, 431-7		5
66	Age-associated changes in left ventricular diastolic function are related to increasing left ventricular mass. 2003 , 16, 473-7		37
65	Cardiovascular aging and heart failure. 2003 , 5, 427-34		89
64	Prediction of atrial fibrillation in patients with severe mitral stenosis--role of atrial contribution to ventricular filling. 2003 , 37, 344-8		6
63	Left ventricular diastolic function assessment by tissue Doppler echocardiography in relation to hormonal replacement therapy in postmenopausal women with diastolic dysfunction. 2003 , 10, 104-11		17
62	Mechanical function of the left atrium: new insights based on analysis of pressure-volume relations and Doppler echocardiography. 2003 , 98, 975-94		149
61	Evidence of left ventricular dysfunction in asymptomatic elderly patients with non-insulin-dependent diabetes mellitus. 2004 , 55, 549-55		24
60	Evaluaci3n de las velocidades de pared de la aur3cula izquierda mediante Doppler pulsado tisular. Una nueva aproximaci3n al estudio de la funci3n auricular. 2004 , 57, 1059-1065		9
59	Assessment of Left Atrial Wall Velocities by Pulsed Wave Tissue Doppler Imaging. A New Approach to the Study of Atrial Function. 2004 , 57, 1059-1065		1
58	Peak atrial systolic mitral annular velocity by Doppler tissue reliably predicts left atrial systolic function. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 353-60	5.8	61
57	Effect of age on atrial contribution to ventricular filling after balloon mitral valvuloplasty in mitral stenosis. <i>International Journal of Cardiology</i> , 2004 , 96, 241-6	3.2	5
56	Atrial contraction after surgical isolation of the left atrial posterior wall concomitant with mitral valve replacement. 2004 , 68, 204-7		5
55	Modified TEI index: a promising parameter in essential hypertension?. 2005 , 22, 296-304		24
54	Left atrial myopathy in cardiac amyloidosis: implications of novel echocardiographic techniques. 2005 , 26, 173-9		73

53	Strain rate imaging for noninvasive functional quantification of the left atrium: comparative studies in controls and patients with atrial fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 729-36	5.8	142
52	Left atrial systolic force and cardiac markers of preclinical disease in hypertensive patients: the Hypertension Genetic Epidemiology Network (HyperGEN) Study. 2005 , 18, 899-905		23
51	Left atrial systolic force and cardiovascular outcome. The Strong Heart Study. 2005 , 18, 1570-6; discussion 1577		59
50	Effect of cilnidipine on left ventricular function in hypertensive patients as assessed by tissue Doppler Tei index. 2006 , 20, 618-24		8
49	Regional differences in spontaneous Ca ²⁺ spark activity and regulation in cat atrial myocytes. 2006 , 572, 799-809		35
48	Intraoperative rhythm analysis using pulmonary venous Doppler: importance of atrioventricular interval. 2006 , 27, 128-130		1
47	Atrial fibrillation in intensive care units. 2006 , 17, 367-374		6
46	Significance of left atrial contractile function in asymptomatic subjects with hereditary hemochromatosis. <i>American Journal of Cardiology</i> , 2006 , 98, 954-9	3	31
45	Cardiac structure and function and arterial circulation in hypertensive patients with and without metabolic syndrome. 2007 , 21, 729-35		14
44	Metabolic syndrome and left ventricular hypertrophy in a general population. Results from the Gubbio Study. 2007 , 21, 795-801		36
43	Assessment of atrial function. 2007 , 16, 234-42		16
42	Isovolumic acceleration measured by tissue Doppler echocardiography is preload independent in healthy subjects. 2007 , 24, 572-9		46
41	Influence of ventricular pressure drop on mitral annulus dynamics through the process of vortex ring formation. 2007 , 35, 2050-64		42
40	Prognostic value of short-deceleration time of mitral inflow E velocity: implications in patients with atrial fibrillation and left-ventricular systolic dysfunction. 2008 , 101, 317-25		9
39	Hypertension and Valvular Heart Disease. 2008 , 233-246		
38	Electrical Assessment of the Failing Heart. 57-91		
37	Evaluation of Diastolic Function by Two-Dimensional and Doppler Assessment of Left Ventricular Filling Including Pulmonary Venous Flow. 2008 , 115-143		2
36	Left atrial function and deformation in chronic primary mitral regurgitation. 2009 , 10, 833-40		47

35	DDD versus VVIR pacing in patients, ages 70 and over, with complete heart block. 2010 , 33, 583-9		14
34	The association of diastolic dysfunction and circadian variation of blood pressure in prehypertension. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 726-31	5.8	12
33	Determinants of enhanced left atrial active emptying with aging: left atrial preload, contractility or both?. 2009 , 48, 987-92		8
32	Impact of concomitant diabetes and chronic kidney disease on preload-induced changes in left ventricular diastolic filling in hypertensive patients. <i>Journal of Hypertension</i> , 2011 , 29, 144-53	1.9	7
31	Quantification of left and right ventricular kinetic energy using four-dimensional intracardiac magnetic resonance imaging flow measurements. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012 , 302, H893-900	5.2	94
30	Effect of mitral inflow pattern on diagnosis of severe mitral regurgitation in patients with chronic organic mitral regurgitation. <i>Journal of Cardiovascular Imaging</i> , 2013 , 21, 165-70	0	
29	Cardiac Physiology of Aging: Extracellular Considerations. <i>Comprehensive Physiology</i> , 2015 , 5, 1069-121	7.7	28
28	Epinephrine and left atrial and left ventricular diastolic function decrease in normal subjects. <i>International Journal of Cardiology</i> , 2016 , 220, 333-6	3.2	
27	Impact of Age and Diastolic Function on Novel, 4D flow CMR Biomarkers of Left Ventricular Blood Flow Kinetic Energy. <i>Scientific Reports</i> , 2018 , 8, 14436	4.9	28
26	Increased atrial contraction contribution to left ventricular filling during early septic shock. <i>Journal of Critical Care</i> , 2019 , 54, 220-227	4	1
25	Pathophysiology and Echocardiographic Diagnosis of Left Ventricular Diastolic Dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2019 , 32, 216-232.e2	5.8	35
24	Two-Dimensional and Doppler Evaluation of Left Ventricular Filling, Including Pulmonary Venous Flow Velocity. 2021 , 106-136		0
23	Evaluation of Left Ventricular Diastolic Function Using Acoustic Quantification. <i>Developments in Cardiovascular Medicine</i> , 1997 , 81-98		1
22	Aging of the Cardiovascular System. 2003 , 137-152		1
21	Evaluation of Left Ventricular Diastolic Function. <i>Cardiology Clinics</i> , 1990 , 8, 315-332	2.5	26
20	Echocardiographic assessment of diastolic function. <i>European Journal of Anaesthesiology</i> , 1996 , 13, 436-444	4.5	2
19	Highland mountain hiking and coronary artery disease: exercise tolerance and effects on left ventricular function. <i>Medicine and Science in Sports and Exercise</i> , 1997 , 29, 1554-60	1.2	2
18	Relation of mean right atrial pressure to echocardiographic and Doppler parameters of right atrial and right ventricular function. <i>Circulation</i> , 1996 , 93, 1160-9	16.7	171

17	Remodeling of the left ventricle in primary aldosteronism due to Conn's adenoma. <i>Circulation</i> , 1997 , 95, 1471-8	16.7	171
16	Changes in left ventricular anatomy and function in hypertension and primary aldosteronism. <i>Hypertension</i> , 1996 , 27, 1039-45	8.5	211
15	Can transmitral Doppler E-waves differentiate hypertensive hearts from normal?. <i>Hypertension</i> , 1997 , 30, 788-95	8.5	29
14	Left Ventricular Diastolic Function. 80-102		
13	Echokardiographische und dopplerechokardiographische Untersuchungen zur diastolischen linksventrikulären Funktion. 1990 , 30-41		
12	Determinants of Echo-Doppler Indices of Left Ventricular Filling in Patients with Chronic Lung Diseases. <i>Current Topics in Rehabilitation</i> , 1992 , 195-206		
11	Echocardiographic Evaluation of Right Ventricular Function in the Immediate Postoperative Period after Major Pulmonary Resections: A Prospective Observational Study. 2017 , 5, 42-48		
10	Normal and Abnormal Aging (General Perspective for the Oncologist). 2019 , 1-7		0
9	Normal and Abnormal Aging (General Perspective for the Oncologist). 2020 , 207-213		
8	To Study the Risk Factors for Atrial Fibrillation and the Relation Between Cardiac Symptoms with Left Atrial Area on Echocardiography. <i>Journal of Evidence Based Medicine and Healthcare</i> , 2020 , 7, 455-459		0
7	Use of continuous-wave Doppler echocardiography to evaluate the hemodynamic importance of atrial systole in patients with mitral stenosis. <i>Texas Heart Institute Journal</i> , 1990 , 17, 219-22	0.8	
6	Pulsed Doppler assessment of left ventricular diastolic function in atrial septal defect. <i>Texas Heart Institute Journal</i> , 1992 , 19, 258-64	0.8	2
5	Doppler echocardiographic analysis of the transmitral flow velocity profile in patients with ventricular septal defects. <i>Texas Heart Institute Journal</i> , 1989 , 16, 270-4	0.8	
4	Effects of isoflurane on Tei-index of myocardial performance in healthy dogs. <i>Canadian Veterinary Journal</i> , 2007 , 48, 277-82	0.5	8
3	Prolonged sinus arrest due to the obstruction of a sinus node branch after percutaneous coronary intervention of the right coronary artery.. <i>Journal of Cardiology Cases</i> , 2022 , 25, 319-322	0.6	0
2	Left Ventricular Diastolic Function. 2017 , 147-165		
1	Left Atrial Velocity Vector Imaging Can Assess Early Diastolic Dysfunction in Left Ventricular Hypertrophy and Hypertrophic Cardiomyopathy. 31,		1