

CITATION REPORT

List of articles citing

Usefulness of two-dimensional echocardiography during low-level exercise testing early after uncomplicated acute myocardial infarction

DOI: 10.1016/0002-9149(87)90974-x
American Journal of Cardiology, 1987, 60, 10-4.

Source: <https://exaly.com/paper-pdf/19435743/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
191	[Value of 2-D echocardiography in the detection of stress-induced wall-motion abnormalities in coronary heart disease--a comparison with biplane cineventriculography]. 1988 , 66, 12-20		7
190	Haemodynamic, anti-anginal and anti-ischaemic effects of sublingual nitroglycerin: dose-response, duration and time of onset of action. 1988 , 34, 561-7		4
189	The relationship between pharmacokinetics and pharmacodynamics of enoximone in healthy man. 1988 , 35, 631-5		12
188	Diagnostic accuracy of 2-D echocardiography for detection of exercise-induced wall motion abnormalities in patients with coronary artery disease: comparison to biplane cineventriculography. <i>Clinical Cardiology</i> , 1988 , 11, 547-52	3.3	7
187	Limitations in the interpretation of rest-exercise ejection fraction changes after early thrombolytic therapy during acute myocardial infarction. <i>American Journal of Cardiology</i> , 1988 , 61, 743-8	3	3
186	Comparison of echocardiography at peak exercise and after bicycle exercise in evaluation of patients with known or suspected coronary artery disease. <i>Journal of the American Society of Echocardiography</i> , 1988 , 1, 119-26	5.8	109
185	Exercise echocardiography: ready, willing and able. <i>Journal of the American College of Cardiology</i> , 1988 , 11, 1359-61	15.1	37
184	Bibliography of biomedical ultrasound. 1988 , 14, 617-632		
183	Effects of thrombin inhibition on the development of acute platelet-thrombus deposition during angioplasty in pigs. Heparin versus recombinant hirudin, a specific thrombin inhibitor. <i>Circulation</i> , 1989 , 79, 657-65	16.7	333
182	Percutaneous transluminal coronary angioplasty: A review. 1989 , 6, 71-77		
181	The effects of enoximone on renal function in patients with congestive heart failure. 1989 , 45, 85-91		7
180	The effect of beta-adrenergic blockade on vulnerability to ventricular fibrillation and inducibility of ventricular arrhythmia in short- and long-term feline infarction models. <i>American Heart Journal</i> , 1989 , 118, 265-71	4.9	17
179	Long-term results of thrombolytic therapy with and without percutaneous transluminal coronary angioplasty. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 276-85; discussion 286-8	15.1	37
178	High dose dipyridamole echocardiography early after uncomplicated acute myocardial infarction: correlation with exercise testing and coronary angiography. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 357-63	15.1	103
177	Exercise echocardiographic detection of coronary artery disease in women. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 1440-7	15.1	141
176	Role of echocardiography in acute myocardial infarction. <i>American Journal of Cardiology</i> , 1990 , 66, 17H-22H		18
175	Quantitative angiographic comparison of the immediate success of coronary angioplasty, coronary atherectomy and endoluminal stenting. <i>American Journal of Cardiology</i> , 1990 , 66, 938-42	3	37

174	Echocardiography in coronary artery disease. 1990 , 15, 233-98		18
173	Granulocyte activation after coronary angioplasty in humans. <i>Circulation</i> , 1990 , 82, 140-6	16.7	98
172	ACC/AHA guidelines for the clinical application of echocardiography. A report of the American College of Cardiology/American Heart Association Task Force on Assessment of Diagnostic and Therapeutic Cardiovascular Procedures (Subcommittee to Develop Guidelines for the Clinical Application of Echocardiography). <i>Circulation</i> , 1990 , 82, 2323-45	16.7	34
171	Monitoring the effect of heparin by measurement of activated clotting time during and after percutaneous transluminal coronary angioplasty. 1990 , 63, 18-21		64
170	Echocardiography (2). 1990 , 323, 165-72		31
169	ACC/AHA guidelines for the early management of patients with acute myocardial infarction. A report of the American College of Cardiology/American Heart Association Task Force on Assessment of Diagnostic and Therapeutic Cardiovascular Procedures (subcommittee to develop guidelines for the early management of patients with acute myocardial infarction). <i>Circulation</i> , 1990 , 82, 1601-10	16.7	200
168	Selective beta 1-adrenoceptor blockade enhances positive inotropic responses to endogenous catecholamines mediated through beta 2-adrenoceptors in human atrial myocardium. 1990 , 66, 1610-23		160
167	[Comparison of enoximone versus tobutamine in the treatment of low cardiac output after cardiac surgery]. 1990 , 9, 289-94		8
166	Interrelationship of variable coupling, multiformity and repetitive forms: implications for classification of ventricular arrhythmias. <i>American Heart Journal</i> , 1990 , 119, 301-7	4.9	4
165	Hyperventilation-induced coronary vasospasm refractory to intracoronary nitroglycerin. <i>American Heart Journal</i> , 1990 , 119, 957-60	4.9	3
164	Transient pulsus alternans during acute myocardial ischemia and its resolution following beta-adrenergic blockade. <i>American Heart Journal</i> , 1990 , 119, 960-2	4.9	7
163	Prognostic value of a normal exercise echocardiogram. <i>American Heart Journal</i> , 1990 , 120, 49-55	4.9	144
162	ACC/AHA guidelines for the clinical application of echocardiography. <i>Journal of the American College of Cardiology</i> , 1990 , 16, 1505-1528	15.1	21
161	Simultaneous transesophageal atrial pacing and transesophageal two-dimensional echocardiography: a new method of stress echocardiography. <i>Journal of the American College of Cardiology</i> , 1990 , 16, 1143-53	15.1	95
160	Guidelines for the early management of patients with acute myocardial infarction. A report of the American College of Cardiology/American Heart Association Task Force on Assessment of Diagnostic and Therapeutic Cardiovascular Procedures (Subcommittee to Develop Guidelines for the Early Management of Patients with Acute Myocardial Infarction). <i>Journal of the American College of Cardiology</i> , 1990 , 15, 600-1	15.1	302
159	Exercise echocardiography after coronary angioplasty: expanding applications. <i>Journal of the American College of Cardiology</i> , 1990 , 15, 600-1	15.1	2
158	Multi-Hospital Eastern Atlantic Restenosis Trial. II: A placebo-controlled trial of thromboxane blockade in the prevention of restenosis following coronary angioplasty. <i>American Heart Journal</i> , 1991 , 122, 1239-44	4.9	16
157	Prevention of restenosis after percutaneous transluminal coronary angioplasty: the search for a "magic bullet". <i>American Heart Journal</i> , 1991 , 122, 171-87	4.9	126

156	Role of Doppler echocardiography in coronary artery disease. 1991 , 6, 238-56		1
155	Antiischemic and hemodynamic effects of an oral single dose of 150 mg of the phosphodiesterase inhibitor enoximone in patients with coronary artery disease--relation to plasma concentration. 1991 , 5, 689-95		2
154	Roles of thrombin and platelet membrane glycoprotein IIb/IIIa in platelet-subendothelial deposition after angioplasty in an ex vivo whole artery model. <i>Circulation</i> , 1991 , 84, 1279-88	16.7	66
153	Angioplasty triggers intracoronary leukotrienes and lipoxin A4. Impact of aspirin therapy. <i>Circulation</i> , 1992 , 86, 56-63	16.7	169
152	Low-molecular-weight heparin reduces neointimal proliferation after coronary stent implantation in hypercholesterolemic minipigs. <i>Circulation</i> , 1992 , 86, 531-7	16.7	66
151	Intravascular ultrasound. Research technique or clinical tool?. <i>Circulation</i> , 1992 , 86, 322-4	16.7	16
150	Independent and incremental prognostic value of tests performed in hierarchical order to evaluate patients with suspected coronary artery disease. Validation of models based on these tests. <i>Circulation</i> , 1992 , 85, 237-48	16.7	116
149	Exercise echocardiography versus 201Tl single-photon emission computed tomography in evaluation of coronary artery disease. Analysis of 292 patients. <i>Circulation</i> , 1992 , 85, 1026-31	16.7	266
148	Cardiac imaging after acute myocardial infarction. Identification of patients at continued risk. 1992 , 92, 93-6, 99-100		
147	Echocardiography. Using its many capabilities to evaluate myocardial infarction. 1992 , 92, 97-101, 104, 107		1
146	Stress echocardiography versus radionuclide stress techniques. <i>Echocardiography</i> , 1992 , 9, 199-209	1.5	4
145	Utility of stress echocardiography for postinfarct prognosis. <i>Echocardiography</i> , 1992 , 9, 211-8	1.5	4
144	Stress echocardiographic techniques. An overview. <i>Echocardiography</i> , 1992 , 9, 77-84	1.5	2
143	Exercise echocardiography: a methodological study comparing peak-exercise and post-exercise image information. 1992 , 12, 553-65		4
142	Excimer laser angioplasty in the atherosclerotic rabbit: comparison with balloon angioplasty. <i>American Heart Journal</i> , 1992 , 124, 349-55	4.9	6
141	Exercise echocardiography. <i>American Journal of Cardiology</i> , 1992 , 69, 82H-89H	3	42
140	Thrombogenicity of a parallel-wire, self-expanding stent in an aorta loop in rats. <i>International Journal of Angiology</i> , 1992 , 1, 63-70	1.1	
139	Influence of platelet size before coronary angioplasty on subsequent restenosis. 1993 , 23, 361-7		47

138	Interaction between inhalational anaesthetics and enoximone on isolated heart muscle. 1993 , 24, 1027-31		
137	Prognostic value of dobutamine echocardiography in patients with high pretest likelihood of coronary artery disease. <i>American Journal of Cardiology</i> , 1993 , 71, 33-9	3	97
136	Prognostic usefulness of positive or negative exercise stress echocardiography for predicting coronary events in ensuing twelve months. <i>American Journal of Cardiology</i> , 1993 , 71, 646-51	3	102
135	Exercise echocardiography for the evaluation of patients after nonsurgical coronary artery revascularization. <i>Journal of the American College of Cardiology</i> , 1993 , 21, 1087-93	15.1	54
134	High frequency rotational ablation: an alternative in treating coronary artery stenoses and occlusions. 1993 , 70, 327-36		22
133	Platelet membrane activation markers are predictive for increased risk of acute ischemic events after PTCA. <i>Circulation</i> , 1993 , 88, 37-42	16.7	192
132	Clinical Utility of Echocardiography in Neurologic Disorders. 1993 , 11, 353-374		3
131	The value of dobutamine stress echocardiography in evaluation of patients after the first uncomplicated acute myocardial infarction. 1994 , 85, 47-52		1
130	Differential neointimal response to coronary artery injury in pigs and dogs. Implications for restenosis models. 1994 , 14, 395-400		81
129	Local delivery of r-hirudin by a double-balloon perfusion catheter prevents mural thrombosis and minimizes platelet deposition after angioplasty. <i>Circulation</i> , 1994 , 90, 2474-80	16.7	54
128	A consideration of current clinical options for stress imaging in the diagnosis and evaluation of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1994 , 1, S147-70	2.1	5
127	Deposition of platelets and neutrophils in porcine iliac arteries after angioplasty and Wallstent placement compared with angioplasty alone. 1994 , 17, 190-6		31
126	Bedside monitoring of heparin therapy: comparison of activated clotting time to activated partial thromboplastin time. 1994 , 32, 49-52		45
125	Exercise testing and training in physically disabled men with clinical evidence of coronary artery disease. <i>American Journal of Cardiology</i> , 1994 , 73, 170-4	3	69
124	Efficacy of sotalol guided by programmed electrical stimulation for sustained ventricular arrhythmias secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 1994 , 73, 677-82	3	14
123	Coronary stenting for the treatment of restenosis after percutaneous transluminal coronary angioplasty. 1994 , 7, 341-6		4
122	Risk stratification after myocardial infarction. 1994 , 17, 401-16		12
121	Predictors of restenosis: a morphometric and quantitative evaluation by intravascular ultrasound. <i>American Heart Journal</i> , 1994 , 128, 664-73	4.9	51

120	Diagnostic and prognostic value of stress testing in older persons. 1995 , 43, 190-4		7
119	Stress imaging. Current clinical options for the diagnosis, localization, and evaluation of coronary artery disease. 1995 , 79, 1025-61		6
118	Prognostic value of pre-discharge exercise stress echocardiography after acute myocardial infarction. <i>American Journal of Cardiology</i> , 1995 , 76, 1115-21	3	36
117	Myocardial contrast echocardiography in coronary artery disease: potential applications using venous injections of contrast. <i>American Journal of Cardiology</i> , 1995 , 75, 61D-68D	3	21
116	Progression of coronary artery disease in non-dilated sites in the months following balloon angioplasty: time-dependent relation with restenosis. 1995 , 25, 935-41		2
115	Stress echocardiography. 1995 ,		
114	Prediction of Myocardium at Risk. <i>Cardiology Clinics</i> , 1995 , 13, 355-378	2.5	6
113	Stress echocardiography. Part I. Exercise echocardiography: techniques, implementation, clinical applications, and correlations. 1995 , 70, 5-15		88
112	Hypertension-induced dysfunction of circulation in hemorrhagic shock. 1995 , 8, 761-7		14
111	Risk stratification after myocardial infarction: targets and tools. <i>Echocardiography</i> , 1995 , 12, 311-6	1.5	
110	Stress echocardiographic results predict risk of reinfarction early after uncomplicated acute myocardial infarction: large-scale multicenter study. Echo Persantine International Cooperative (EPIC) Study Group. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 908-13	15.1	44
109	Stress Echocardiography. Part I. Exercise Echocardiography: Techniques, Implementation, Clinical Applications, and Correlations. 1995 , 70, 5-15		82
108	Impaired fibrinolysis early after percutaneous transluminal coronary angioplasty is associated with restenosis. <i>American Heart Journal</i> , 1996 , 131, 1-6	4.9	42
107	Management of restenosis after coronary intervention. <i>American Heart Journal</i> , 1996 , 132, 428-36	4.9	105
106	ACC/AHA guidelines for the management of patients with acute myocardial infarction. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Management of Acute Myocardial Infarction). <i>Journal of the American College of Cardiology</i> , 1996 , 28, 1328-428	15.1	871
105	Relationship of vascular thrombosis and inflammatory leukocyte infiltration to neointimal growth following porcine coronary artery stent placement. <i>Atherosclerosis</i> , 1996 , 124, 145-55	3.1	42
104	Acute platelet deposition after carotid endarterectomy in sheep: vein patch compared with gelatin-sealed Dacron and polytetrafluoroethylene patch closure. 1996 , 24, 200-6		13
103	Stress Testing for Coronary Artery Disease in the Elderly. 1996 , 12, 101-119		6

102	Beyond 30 MHz [applications of high-frequency ultrasound imaging]. 1996 , 15, 60-71		189
101	A metaanalysis of predischarge risk stratification after acute myocardial infarction with stress electrocardiographic, myocardial perfusion, and ventricular function imaging. <i>American Journal of Cardiology</i> , 1996 , 78, 1327-37	3	97
100	Ultrasonic-pathologic comparison of postangioplasty myointimal hyperplasia and primary atheroma of the superficial femoral artery. 1996 , 22, 815-21		2
99	Stress echocardiography for assessing myocardial ischaemia and viable myocardium. 1997 , 78 Suppl 1, 12-8		9
98	The Multicenter Automatic Defibrillator Implantation Trial. 1997 , 2, 234-237		1
97	Role of stress echocardiography in risk stratification early after an acute myocardial infarction. EPIC (Echo Persantin International Cooperative) and EDIC (Echo Dobutamine International Cooperative) Study Groups. <i>European Heart Journal</i> , 1997 , 18 Suppl D, D78-85	9.5	6
96	Use of exercise echocardiography for prognostic evaluation of patients with known or suspected coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 83-90	15.1	120
95	Endothelial dysfunction: does it matter? Is it reversible?. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 325-33	15.1	535
94	Applying principles of pharmacoeconomic evaluation to perflenenapent emulsion, a new echocardiographic contrast agent for use in cardiac function testing. 1997 , 19, 837-46		3
93	Host tissue damage by phagocytes. 1997 , 832, 426-48		84
92	Estrogens and atherosclerosis. 1997 , 37, 477-515		132
91	The differing prognostic utility of exercise radionuclide ventriculography in coronary artery disease patients with and without prior myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 1997 , 13, 403-13		1
90	Platelet Glycoprotein IIb/IIIa Integrin Blockade in Coronary Artery Disease: Current State of the Art. <i>Journal of Thrombosis and Thrombolysis</i> , 1997 , 4, 431-439	5.1	4
89	Prediction of life-threatening arrhythmias: Multifactorial risk stratification following acute myocardial infarction. <i>International Journal of Angiology</i> , 1997 , 6, 241-253	1.1	1
88	In vivo intravascular laser photodynamic therapy in rabbit atherosclerotic lesions using a lateral direction fiber. <i>Lasers in Surgery and Medicine</i> , 1997 , 20, 373-81	3.6	7
87	Detection of Viability of Dysfunctional Myocardium in Coronary Heart Disease. II. Echocardiography. <i>Heart Failure Reviews</i> , 1998 , 2, 207-233	5	4
86	[Advantages in using intravascular ultrasound in percutaneous transluminal coronary angiography]. <i>Clinical Research in Cardiology</i> , 1998 , 87, 336-43		
85	The Sensitivity of Exercise Echocardiography Can Be Improved by Taking the Delayed Myocardial Contraction into Account. <i>Echocardiography</i> , 1998 , 15, 345-352	1.5	1

84	Stress Echocardiography: A Review of the Principles and Practice. <i>Echocardiography</i> , 1998 , 15, 669-692	1.5	4
83	Editorial. <i>American Journal of Cardiology</i> , 1998 , 81, 1050-1053	3	14
82	Importance of beta blockade in the therapy of serious ventricular arrhythmias. <i>American Journal of Cardiology</i> , 1998 , 82, 91-191	3	74
81	Risk stratifying patients who survive an acute myocardial infarction. <i>Journal of Nuclear Cardiology</i> , 1998 , 5, 96-108	2.1	4
80	Cardiovascular disease in patients with dysvascular amputation. <i>Archives of Physical Medicine and Rehabilitation</i> , 1998 , 79, 205-15	2.8	18
79	Does intracoronary thrombus influence the outcome of high risk percutaneous transluminal coronary angioplasty? Clinical and angiographic outcomes in a large multicenter trial. EPIC Investigators. Evaluation of IIb/IIIa Platelet Receptor Antagonist 7E3 in Preventing Ischemic Complications. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 81-6	15.1	44
78	Outcome after normal exercise echocardiography and predictors of subsequent cardiac events: follow-up of 1,325 patients. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 144-9	15.1	163
77	Thrombin activation and late restenosis after percutaneous transluminal coronary angioplasty. <i>American Heart Journal</i> , 1998 , 135, 503-9	4.9	8
76	Clinical pharmacokinetics of vasodilators. Part II. <i>Clinical Pharmacokinetics</i> , 1998 , 35, 9-36	6.2	56
75	[Prognostic value of pre-discharge exertion echocardiography after acute myocardial infarct]. <i>Revista Espanola De Cardiologia</i> , 1998 , 51, 21-6	1.5	2
74	Silent myocardial ischemia after myocardial infarction: severity of coronary artery disease, impact on left ventricular systolic and diastolic functions and prognosis. <i>Angiology</i> , 1998 , 49, 455-62	2.1	4
73	Advances in Exercise Echocardiography Can This Technique Still Thrive in the Era of Pharmacologic Stress Testing?. <i>Echocardiography</i> , 1999 , 16, 841-856	1.5	4
72	Diagnostic and Prognostic Use of Stress Echocardiography and Radionuclide Scintigraphy. <i>Echocardiography</i> , 1999 , 16, 857-877	1.5	1
71	Local intramural heparin delivery during primary angioplasty for acute myocardial infarction: results of the Local PAMI Pilot Study. <i>Catheterization and Cardiovascular Interventions</i> , 1999 , 47, 237-42	2.7	17
70	Exercise echocardiography. Principles, methods, and clinical use. <i>Cardiology Clinics</i> , 1999 , 17, 447-60, vii	2.5	10
69	Valve replacement for appetite suppressant-induced valvular heart disease. <i>Annals of Thoracic Surgery</i> , 1999 , 67, 1819-22	2.7	8
68	Comparison of treadmill exercise echocardiography before and after exercise in the evaluation of patients with known or suspected coronary artery disease. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 1073-9	5.8	35
67	Use of stress echocardiography for risk assessment of patients after myocardial infarction. <i>Cardiology Clinics</i> , 1999 , 17, 521-38, ix	2.5	3

66	ACC/AHA guidelines for coronary angiography. A report of the American College of Cardiology/American Heart Association Task Force on practice guidelines (Committee on Coronary Angiography). Developed in collaboration with the Society for Cardiac Angiography and Interventions. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1756-824	15.1	794
65	A human arterial organ culture model of postangioplasty restenosis: results up to 56 days after ballooning. <i>Atherosclerosis</i> , 1999 , 144, 123-34	3.1	18
64	Diagnostic and prognostic use of stress echocardiography in stable patients. <i>Echocardiography</i> , 2000 , 17, 465-77	1.5	3
63	Current status of stress echocardiography. <i>Clinical Cardiology</i> , 2000 , 23, 242-6	3.3	5
62	Complications of percutaneous transluminal coronary rotational ablation in Kawasaki disease. <i>Pediatric Cardiology</i> , 2000 , 21, 500-1	2.1	1
61	Does smoking cessation reduce the risk of restenosis following coronary angioplasty?. <i>British Heart Journal</i> , 2000 , 84, 233-4		3
60	Enoximone echocardiography for predicting recovery of left ventricular dysfunction after revascularization : a novel test for detecting myocardial viability. <i>Circulation</i> , 2000 , 101, 1255-60	16.7	23
59	All-trans-retinoic acid limits restenosis after balloon angioplasty in the focally atherosclerotic rabbit : a favorable effect on vessel remodeling. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 89-95	9.4	87
58	Guías de práctica clínica de la Sociedad Española de Cardiología en la angina estable. <i>Revista Espanola De Cardiologia</i> , 2000 , 53, 967-996	1.5	4
57	Prediction of cardiac mortality after myocardial infarction: the role of maximal treadmill stress echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2001 , 14, 38-43	5.8	3
56	Prognostic assessment of uncomplicated first myocardial infarction by exercise echocardiography and Tc-99m tetrofosmin gated SPECT. <i>Journal of Nuclear Cardiology</i> , 2001 , 8, 122-8	2.1	15
55	Mechanisms of angioplasty and stent restenosis: implications for design of rational therapy. 2001 , 91, 149-66		129
54	Endocardial myxomatous change in Harlan Sprague-Dawley rats (Hsd:S-D) and CD-1 mice: its microscopic resemblance to drug-induced valvulopathy in humans. <i>Toxicologic Pathology</i> , 2002 , 30, 483-91 ¹	2.1	24
53	Flufenamic acid: growth modulating effects on human aortic smooth muscle cells in vitro. <i>Journal of Vascular and Interventional Radiology</i> , 2002 , 13, 89-96	2.4	8
52	Utility and limitation of treadmill exercise echocardiography for detecting significant coronary stenosis in infarct-related arteries in patients with healed myocardial infarction. <i>American Journal of Cardiology</i> , 2002 , 89, 159-63	3	3
51	Impact of glafenine hydrochloride on human endothelial cells and human vascular smooth muscle cells: a substance reducing proliferation, migration and extracellular matrix synthesis. <i>Cell Biology International</i> , 2003 , 27, 987-96	4.5	3
50	Fabrication of endothelial progenitor cell (EPC)-seeded intravascular stent devices and in vitro endothelialization on hybrid vascular tissue. <i>Biomaterials</i> , 2003 , 24, 2295-302	15.6	136
49	Effect of infarcted myocardium on diagnostic accuracy of exercise echocardiography for detecting noninfarct-related coronary artery lesions. <i>American Heart Journal</i> , 2003 , 145, 162-8	4.9	2

48	[Risk stratification after acute myocardial infarction]. <i>Revista Espanola De Cardiologia</i> , 2003 , 56, 303-13	1.5	4
47	Accuracy of peak treadmill exercise echocardiography to detect multivessel coronary artery disease: comparison with post-exercise echocardiography. <i>European Journal of Echocardiography</i> , 2003 , 4, 182-90		28
46	ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction. <i>Circulation</i> , 2004 , 110,	16.7	59
45	Comparison of peak and postexercise treadmill echocardiography with the use of continuous harmonic imaging acquisition. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 1044-9	5.8	51
44	ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction; A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1999 Guidelines for the Management of patients with acute myocardial infarction). <i>Journal of the American College of Cardiology</i> , 2004 , 44, E1-E211	15.1	830
43	Carvedilol [®] antiarrhythmic properties: therapeutic implications in patients with left ventricular dysfunction. <i>Clinical Cardiology</i> , 2005 , 28, 165-73	3.3	20
42	Antiarrhythmic effect of carvedilol after acute myocardial infarction: results of the Carvedilol Post-Infarct Survival Control in Left Ventricular Dysfunction (CAPRICORN) trial. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 525-30	15.1	201
41	Coronary Heart Disease Syndromes: Pathophysiology and Clinical Recognition. 2007 , 667-698		1
40	Cardiovascular changes with age and exercise. A 28-year longitudinal study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 1995 , 5, 147-51	4.6	40
39	Stress echocardiography expert consensus statement: European Association of Echocardiography (EAE) (a registered branch of the ESC). <i>European Journal of Echocardiography</i> , 2008 , 9, 415-37		462
38	Stress Echocardiography Expert Consensus Statement--Executive Summary: European Association of Echocardiography (EAE) (a registered branch of the ESC). <i>European Heart Journal</i> , 2009 , 30, 278-89	9.5	211
37	Exercise Echocardiography. 2009 , 159-174		
36	Exogenous in vivo NO-donor treatment preserves p53 levels and protects vascular cells from apoptosis. <i>Atherosclerosis</i> , 2009 , 205, 101-6	3.1	10
35	Assessment of residual viability by enoximone echocardiography in patients with previous myocardial infarction correlation with positron emission tomographic studies and functional follow-up. <i>Echocardiography</i> , 2010 , 27, 544-51	1.5	
34	Risk Stratification after Acute ST-Segment Elevation and Non-ST-Segment Elevation Myocardial Infarction. 2010 , 545-574		
33	Local paclitaxel induces late lumen enlargement in coronary arteries after balloon angioplasty. <i>Clinical Research in Cardiology</i> , 2015 , 104, 217-25	6.1	97
32	Coronary Heart Disease Syndromes: Pathophysiology and Clinical Recognition. <i>Cardiovascular Medicine</i> , 2015 , 365-407	0.1	3
31	The clinical use of stress echocardiography in ischemic heart disease. <i>Cardiovascular Ultrasound</i> , 2017 , 15, 7	2.4	33

30	Practical guidance for the implementation of stress echocardiography. <i>Journal of Echocardiography</i> , 2018 , 16, 105-129	1.6	12
29	The effects of stenting on hemorheological parameters: An in vitro investigation under various blood flow conditions. <i>Clinical Hemorheology and Microcirculation</i> , 2019 , 72, 375-393	2.5	1
28	Prognosis. 1997 , 193-206		1
27	Analysis of left ventricular function in patients with myocardial infarction. <i>Developments in Cardiovascular Medicine</i> , 1991 , 213-229		1
26	Exercise Echocardiography. <i>Developments in Cardiovascular Medicine</i> , 1994 , 39-59		1
25	Dobutamine stress echocardiography for risk stratification after myocardial infarction. <i>Circulation</i> , 1997 , 95, 1402-10	16.7	126
24	ACC/AHA Guidelines for the Clinical Application of Echocardiography. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Clinical Application of Echocardiography). Developed in collaboration with the American Society of Echocardiography. <i>Circulation</i> , 1997 , 95, 1686-744	16.7	431
23	[The Clinical use of Stress Echocardiography in Ischemic Heart Disease Cardiovascular Ultrasound (2017)15:7. Translation authors: Arystan A.Zh., Fettser D.V.]. <i>Kardiologiya</i> , 2019 , 59, 78-96	1.5	1
22	Myocardium in Jeopardy. <i>Developments in Cardiovascular Medicine</i> , 2001 , 119-144		
21	Application of stress echocardiography to the prediction of outcomes. <i>Developments in Cardiovascular Medicine</i> , 2003 , 167-205		
20	Exercise Echocardiography. 2003 , 103-114		
19	Exercise Echocardiography. 2007 , 326-352		
18	Echocardiography in Acute Coronary Syndromes. 2011 , 129-147		
17	Role of selected parameters and integral indices of treadmill test in the assessment of complication risk among patients with chronic coronary heart disease. <i>Cardiovascular Therapy and Prevention (Russian Federation)</i> , 2012 , 11, 44-52	0.9	4
16	Exercise 2D echocardiography. <i>Developments in Cardiovascular Medicine</i> , 1991 , 31-36		
15	Stress echocardiography for identifying patients at risk after myocardial infarction. <i>Developments in Cardiovascular Medicine</i> , 1991 , 231-239		
14	Transesophageal stress echocardiography: the combined use of transesophageal atrial pacing and transesophageal two-dimensional echocardiography. <i>Developments in Cardiovascular Medicine</i> , 1993 , 453-459		
13	Prognostic Value of Stress Echocardiography. <i>Developments in Cardiovascular Medicine</i> , 1994 , 147-162		

12 Indikationen und Differentialindikationen streßchokardiographischer Routinetechniken. **1994**, 99-111

11 Stress Echocardiography and Prognosis. **1994**, 149-163

10 Stellenwert streßchokardiographischer Techniken im Spektrum möglicher Anwendungsgebiete. **1994**, 133-158

9 Current status of stress echocardiography for the diagnosis of myocardial ischemia and viability. *Developments in Cardiovascular Medicine*, **1995**, 83-99 2

8 Exercise Echocardiography. **1997**, 85-94

7 Streßchokardiographie nach akutem Myokardinfarkt [therapeutische Relevanz, prognostische Aussagen. **1998**, 129-136

6 Acute Myocardial Infarction. *Developments in Cardiovascular Medicine*, **1998**, 143-197

5 Stellenwert streßchokardiographischer Techniken im Spektrum möglicher Anwendungsgebiete. **1998**, 253-305

4 Risk Stratification: Exercise Testing, Imaging, and Cardiac Catheterization. *Contemporary Cardiology*, **1999**, 383-405 0.1

3 Exercise Echocardiography. **2015**, 179-195

2 Stress Echocardiography. **2009**, 143-166

1 [Not Available]. *Canadian Family Physician*, **1992**, 38, 890-8 0.9