

CITATION REPORT

List of articles citing

Significance of silent myocardial ischemia during exercise testing in patients with coronary artery disease

DOI: 10.1016/0002-9149(87)91081-2
American Journal of Cardiology, 1987, 59, 725-9.

Source: <https://exaly.com/paper-pdf/19435850/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 195 | Silent myocardial ischemia. <i>Current Problems in Cardiology</i> , 1987 , 12, 509-66 | 17.1 | 7 |
| 194 | The silent treatment. <i>American Journal of Cardiology</i> , 1987 , 60, 1170-2 | 3 | 3 |
| 193 | Association between silent myocardial ischemia and prognosis: insensitivity of angina pectoris as a marker of coronary artery disease activity. <i>American Journal of Cardiology</i> , 1987 , 60, 33J-38J | 3 | 9 |
| 192 | Prognostic implications of symptomatic versus asymptomatic (silent) myocardial ischemia induced by exercise in mildly symptomatic and in asymptomatic patients with angiographically documented coronary artery disease. <i>American Journal of Cardiology</i> , 1987 , 60, 778-83 | 3 | 80 |
| 191 | Therapeutic implications of silent myocardial ischemia during daily activity. <i>American Journal of Cardiology</i> , 1987 , 59, 993-5 | 3 | 10 |
| 190 | Indications for treatment of silent myocardial ischemia. <i>Cardiovascular Drugs and Therapy</i> , 1988 , 2, 67-9 | 3.9 | 1 |
| 189 | Silent myocardial ischemia: prognostic significance and therapeutic implications. <i>Clinical Cardiology</i> , 1988 , 11, 807-11 | 3.3 | 9 |
| 188 | Clinical outcome of silent myocardial ischemia. <i>American Journal of Cardiology</i> , 1988 , 61, 16F-18F | 3 | 12 |
| 187 | Prognosis in stable angina pectoris and silent myocardial ischemia. <i>American Journal of Cardiology</i> , 1988 , 61, 19F-21F | 3 | 5 |
| 186 | Risk of developing an acute myocardial infarction or sudden coronary death in patients with exercise-induced silent myocardial ischemia. A report from the Coronary Artery Surgery Study (CASS) registry. <i>American Journal of Cardiology</i> , 1988 , 62, 1155-8 | 3 | 74 |
| 185 | Survival with painless strongly positive exercise electrocardiogram. <i>American Journal of Cardiology</i> , 1988 , 62, 892-5 | 3 | 36 |
| 184 | Diagnostic value for coronary artery disease of chest pain during dipyridamole-thallium stress testing. <i>American Journal of Cardiology</i> , 1988 , 61, 43-5 | 3 | 25 |
| 183 | Quantitation of transient myocardial ischemia by digital, ambulatory electrocardiography. <i>American Journal of Cardiology</i> , 1988 , 61, 13B-17B | 3 | 26 |
| 182 | The prognostic value of the exercise test. 1988 , 34, 677-735 | | 8 |
| 181 | Comparison of coronary artery bypass surgery and medical therapy in patients with exercised-induced silent myocardial ischemia: a report from the Coronary Artery Surgery Study (CASS) registry. <i>Journal of the American College of Cardiology</i> , 1988 , 12, 595-9 | 15.1 | 47 |
| 180 | The sensitivity of 24 h Holter monitoring and exercise testing for the recognition of myocardial ischaemia: a comparative study. <i>European Heart Journal</i> , 1988 , 9 Suppl N, 46-9 | 9.5 | 11 |
| 179 | Myocardial ischemia in coronary disease. 1988 , 318, 1058-60 | | 24 |

| | | | |
|-----|--|------|-----|
| 178 | Myocardial ischemia--silent or symptomatic. 1988 , 318, 1038-43 | | 118 |
| 177 | Silent myocardial ischemia. 1988 , 109, 312-7 | | 110 |
| 176 | Silent myocardial ischaemia. <i>BMJ: British Medical Journal</i> , 1988 , 297, 751-2 | | 5 |
| 175 | CASS in retrospect: lessons from the randomized cohort and registry. Coronary Artery Surgery Study. 1988 , 295, 424-32 | | 4 |
| 174 | Silent myocardial ischemia: an update. <i>Medical Clinics of North America</i> , 1988 , 72, 1033-54 | 7 | 4 |
| 173 | Silent myocardial ischemia. Answers to frequently asked questions. 1988 , 83, 40-3, 47-9 | | 5 |
| 172 | Asymptomatic left main coronary artery disease in the Coronary Artery Surgery Study (CASS) registry. <i>Circulation</i> , 1989 , 79, 1171-9 | 16.7 | 172 |
| 171 | Effect of Smoking on the Activity of Ischemic Heart Disease. 1989 , 261, 398 | | 59 |
| 170 | Effects of long-acting propranolol on A.M. and P.M. peaks in silent myocardial ischemia. <i>American Journal of Cardiology</i> , 1989 , 63, 872-3 | 3 | 31 |
| 169 | Comparison of mortality and myocardial infarction rates in stable angina pectoris with and without ischemic episodes during daily activities. <i>American Journal of Cardiology</i> , 1989 , 63, 273-6 | 3 | 87 |
| 168 | Usefulness of percutaneous transluminal coronary angioplasty in alleviating silent myocardial ischemia in patients with absent or minimal painful myocardial ischemia. <i>American Journal of Cardiology</i> , 1989 , 64, 560-4 | 3 | 12 |
| 167 | Clinical correlates and prognostic significance of type A behavior and silent myocardial ischemia on the treadmill. <i>American Journal of Cardiology</i> , 1989 , 64, 1280-3 | 3 | 16 |
| 166 | Prognostic significance of silent myocardial ischemia detected by early treadmill exercise after coronary angioplasty. <i>American Journal of Cardiology</i> , 1989 , 64, 1-5 | 3 | 35 |
| 165 | The effects of diltiazem on cardiac function in silent ischemia after myocardial infarction. <i>American Heart Journal</i> , 1989 , 118, 655-61 | 4.9 | 11 |
| 164 | Ambulatory (Holter) electrocardiography and myocardial ischemia. <i>American Heart Journal</i> , 1989 , 117, 164-76 | 4.9 | 35 |
| 163 | Sudden death and silent myocardial ischemia. <i>American Heart Journal</i> , 1989 , 117, 177-84 | 4.9 | 24 |
| 162 | Exercise-induced silent ischemia: age, diabetes mellitus, previous myocardial infarction and prognosis. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 1175-80 | 15.1 | 70 |
| 161 | Painless exercise ST deviation on the treadmill: long-term prognosis. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 885-92 | 15.1 | 61 |

| | | | |
|-----|---|------|-----|
| 160 | Prognosis in exercise-induced silent ischemia: is there a consensus?. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 893-4 | 15.1 | 7 |
| 159 | Silent ischemia: evaluation by exercise and redistribution tomographic thallium-201 myocardial imaging. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 895-900 | 15.1 | 58 |
| 158 | Task Force I: Determination of prognosis in patients with ischemic heart disease. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 1016-25 | 15.1 | 24 |
| 157 | The role of exercise-induced silent myocardial ischemia in patients with abnormal left ventricular function. A report from the Coronary Artery Surgery Study (CASS) registry. <i>American Heart Journal</i> , 1989 , 118, 649-54 | 4.9 | 10 |
| 156 | Is silent myocardial ischemia clinically important? Does it have prognostic significance?. 1989 , 86, 99-105, 108-10 | | 1 |
| 155 | How to detect silent myocardial ischemia. 1989 , 86, 81-4, 95-7 | | 3 |
| 154 | The prognosis of individuals with silent myocardial ischemia. 1990 , 37, 187-201 | | |
| 153 | Silent ischemia during PTCA: its relationship with exercise-induced silent ischemia and the possible role for beta-endorphins. 1990 , 37, 165-75 | | 2 |
| 152 | Usefulness of coronary angioplasty in asymptomatic patients. <i>American Journal of Cardiology</i> , 1990 , 65, 35-9 | 3 | 28 |
| 151 | Prevalence and patterns of silent myocardial ischemia during daily life in stable angina patients receiving conventional antianginal drug therapy. <i>American Journal of Cardiology</i> , 1990 , 65, 1090-6 | 3 | 56 |
| 150 | Prognostic significance of silent myocardial ischemia on a thallium stress test. <i>American Journal of Cardiology</i> , 1990 , 65, 718-21 | 3 | 30 |
| 149 | Total ischemic burden in patients with coronary artery disease. <i>Cardiovascular Drugs and Therapy</i> , 1990 , 4 Suppl 4, 833-9 | 3.9 | 4 |
| 148 | Scintigraphic evidence of silent myocardial ischemia in post-infarction patients: prognosis implications. 1990 , 37, 244-60 | | 2 |
| 147 | Prognostic significance of silent myocardial ischemia by exercise testing. 1990 , 37, 270-7 | | 1 |
| 146 | Management strategies for high-risk patients with silent myocardial ischemia. 1990 , 37, 320-7 | | |
| 145 | Clinical importance of silent myocardial ischemia in asymptomatic subjects. <i>Circulation</i> , 1990 , 81, 691-3 | 16.7 | 30 |
| 144 | Silent ischemia during daily life is an independent predictor of mortality in stable angina. <i>Circulation</i> , 1990 , 81, 748-56 | 16.7 | 290 |
| 143 | Prevalence and prognostic significance of exercise-induced silent myocardial ischemia detected by thallium scintigraphy and electrocardiography in asymptomatic volunteers. <i>Circulation</i> , 1990 , 81, 428-36 | 16.7 | 218 |

| | | | |
|-----|--|------|-----|
| 142 | Identification of a high risk subgroup of patients with silent ischaemia after myocardial infarction: a group for early therapeutic revascularisation?. <i>Heart</i> , 1990 , 63, 145-50 | 5.1 | 12 |
| 141 | Stable angina pectoris: 2. Cardiac evaluation and diagnostic testing. 1990 , 65, 243-55 | | 6 |
| 140 | Electrocardiographic diagnosis of transient myocardial ischemia. Sensitivity, specificity, and practical significance. 1990 , 601, 51-60 | | 1 |
| 139 | Silent versus symptomatic myocardial ischemia during exercise testing: a comparison with coronary angiographic findings. <i>International Journal of Cardiology</i> , 1990 , 27, 71-8 | 3.2 | 12 |
| 138 | Silent myocardial ischaemia: characteristics and management. <i>International Journal of Cardiology</i> , 1990 , 26, 5-13 | 3.2 | 3 |
| 137 | Silent myocardial ischemia. 1990 , 65, 374-83 | | 6 |
| 136 | Exercise-induced silent myocardial ischemia: evaluation by thallium-201 emission computed tomography. <i>American Heart Journal</i> , 1990 , 119, 557-67 | 4.9 | 23 |
| 135 | Current technology in assessing painless and painful ischemia. <i>American Heart Journal</i> , 1990 , 120, 722-5 | 4.9 | 2 |
| 134 | Long-term follow-up of patients with silent ischemia during exercise radionuclide angiography. <i>Journal of the American College of Cardiology</i> , 1990 , 15, 999-1003 | 15.1 | 33 |
| 133 | Prevalence of and variables associated with silent myocardial ischemia on exercise thallium-201 stress testing. <i>Journal of the American College of Cardiology</i> , 1990 , 16, 115-23 | 15.1 | 45 |
| 132 | Silent ischemia after coronary angioplasty: evaluation of restenosis and extent of ischemia in asymptomatic patients by tomographic thallium-201 exercise imaging and comparison with symptomatic patients. <i>Journal of the American College of Cardiology</i> , 1991 , 17, 670-7 | 15.1 | 109 |
| 131 | Imprecision of the clinical diagnosis of coronary heart disease in epidemiological studies and atherogenesis. 1991 , 44, 999-1006 | | 12 |
| 130 | Silent myocardial ischaemia. Implications for therapy. <i>Drugs</i> , 1991 , 41, 825-31 | 12.1 | 3 |
| 129 | Positive and negative exercise test results with and without exercise-induced angina in patients with one healed myocardial infarction: analysis of baseline variables and long-term prognosis. <i>American Heart Journal</i> , 1991 , 122, 701-8 | 4.9 | 8 |
| 128 | Prevalence and prognostic significance of silent and symptomatic ischemia after coronary bypass surgery: a report from the Coronary Artery Surgery Study (CASS) randomized population. <i>Journal of the American College of Cardiology</i> , 1991 , 18, 343-8 | 15.1 | 50 |
| 127 | Asymptomatic or Silent Myocardial Ischemia in Angina Pectoris: Pathophysiology and Clinical Implications. <i>Cardiology Clinics</i> , 1991 , 9, 49-61 | 2.5 | 4 |
| 126 | Effects of carbon monoxide on myocardial ischemia. 1991 , 91, 89-132 | | 60 |
| 125 | Comparison of silent and symptomatic ischemia during exercise testing in men. 1991 , 114, 649-56 | | 19 |

| | | | |
|-----|---|------|----|
| 124 | Anginal symptoms without ischemic electrocardiographic changes during ambulatory monitoring in men with coronary artery disease. <i>American Journal of Cardiology</i> , 1991 , 67, 465-9 | 3 | 6 |
| 123 | Localization of a Coronary Stenosis, Left Ventricular Function, and Pain Perception During Myocardial Ischemia in Patients with One-Vessel Disease. 1991 , 2, s68-s75 | | 6 |
| 122 | The natural history of angiographically demonstrated coronary artery disease. <i>European Heart Journal</i> , 1992 , 13 Suppl H, 70-5 | 9.5 | 2 |
| 121 | Reduced HDL2 cholesterol subspecies and elevated postheparin hepatic lipase activity in older men with abdominal obesity and asymptomatic myocardial ischemia. 1992 , 12, 814-23 | | 68 |
| 120 | Prognostic significance of silent exertional myocardial ischaemia in symptomatic men without previous myocardial infarction. <i>European Heart Journal</i> , 1992 , 13, 183-7 | 9.5 | 13 |
| 119 | The Canadian Cardiovascular Society grading scale for angina pectoris: is it time for refinements?. 1992 , 117, 677-83 | | 57 |
| 118 | Long-term variation in myocardial ischemia during daily life in patients with stable coronary artery disease: its relation to changes in the ischemic threshold. <i>Journal of the American College of Cardiology</i> , 1992 , 19, 500-6 | 15.1 | 14 |
| 117 | Silent versus symptomatic dipyridamole-induced ischemia after myocardial infarction: clinical and prognostic significance. <i>Journal of the American College of Cardiology</i> , 1992 , 19, 953-9 | 15.1 | 57 |
| 116 | Unstable angina: role of silent ischemia and total ischemic time (silent plus painful ischemia), a 6-year follow-up. <i>Journal of the American College of Cardiology</i> , 1992 , 19, 1173-9 | 15.1 | 31 |
| 115 | Silent myocardial ischemia after coronary angioplasty: distinguishing the shadow from the substance. <i>Journal of the American College of Cardiology</i> , 1992 , 19, 1410-1 | 15.1 | 15 |
| 114 | The predictive value of silent ischemia at an exercise test before discharge after an episode of unstable coronary artery disease. RISC Study Group. <i>American Heart Journal</i> , 1992 , 123, 324-31 | 4.9 | 59 |
| 113 | Characterization and long-term prognosis of patients with effort-induced silent myocardial ischaemia. <i>European Heart Journal</i> , 1992 , 13, 457-63 | 9.5 | 10 |
| 112 | Do Silent Myocardial Ischemia and Ventricular Arrhythmias Interact to Result in Sudden Death?. <i>Cardiology Clinics</i> , 1992 , 10, 449-459 | 2.5 | 2 |
| 111 | Effect on prognosis of abolition of exercise-induced painless myocardial ischemia by medical therapy. <i>American Journal of Cardiology</i> , 1992 , 69, 733-5 | 3 | 24 |
| 110 | Placebo effect of nitrate monotherapy for myocardial ischemia. <i>American Journal of Cardiology</i> , 1992 , 70, 1238-42 | 3 | 6 |
| 109 | Efficacy of a single dose of slow-release isosorbide dinitrate in the treatment of silent or painful myocardial ischemia in stable angina pectoris. <i>American Journal of Cardiology</i> , 1992 , 69, 1156-60 | 3 | 11 |
| 108 | Silent myocardial ischemia after acute myocardial infarction. <i>American Journal of Cardiology</i> , 1992 , 69, 19B-24B | 3 | 2 |
| 107 | Prognosis in exercise-induced silent myocardial ischemia and implications for screening asymptomatic populations. <i>Progress in Cardiovascular Diseases</i> , 1992 , 34, 399-412 | 8.5 | 16 |

| | | | |
|-----|--|------|----|
| 106 | Silent myocardial ischemia. <i>Current Problems in Cardiology</i> , 1993 , 18, 301-59 | 17.1 | 3 |
| 105 | Prognostic implications of myocardial ischemia during daily life in low risk patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1993 , 21, 700-8 | 15.1 | 43 |
| 104 | Exercise-induced silent myocardial ischemia in single vessel coronary artery disease associated with Q wave infarction. Assessment by thallium 201 single-photon emission computed tomography. <i>Chest</i> , 1993 , 103, 1074-9 | 5.3 | 1 |
| 103 | Nuclear cardiology (2). 1993 , 329, 855-63 | | 77 |
| 102 | Detection and Significance of Myocardial Ischemia in Stable Patients After Recovery From an Acute Coronary Event. 1993 , 269, 2379 | | 69 |
| 101 | Prognostic significance of silent myocardial ischaemia during maximal exercise testing after a first acute myocardial infarction. <i>European Heart Journal</i> , 1993 , 14, 1471-5 | 9.5 | 12 |
| 100 | The Prognostic Value of Exercise Testing. <i>Cardiology Clinics</i> , 1993 , 11, 229-240 | 2.5 | 11 |
| 99 | Amlodipine and the total ischemic burden: circadian anti-ischemia program in Europe (CAPE) trial-methodology, safety and toleration. The Steering Committee members and all of the investigators. <i>Cardiology</i> , 1994 , 85 Suppl 2, 24-30 | 1.6 | 1 |
| 98 | Prognostic implications of asymptomatic cardiac ischemia. <i>Cardiology</i> , 1994 , 85 Suppl 2, 11-5 | 1.6 | 4 |
| 97 | Predictive value of clinical history and electrocardiogram in patients with transient ischemic attack or minor ischemic stroke for subsequent cardiac and cerebral ischemic events. The Dutch TIA Trial Study Group. 1994 , 51, 333-41 | | 21 |
| 96 | Prognostic significance of silent ischemia. <i>Journal of Nuclear Cardiology</i> , 1994 , 1, 434-40 | 2.1 | 9 |
| 95 | Clinical and exercise test markers of prognosis in patients with stable coronary artery disease. <i>Current Problems in Cardiology</i> , 1994 , 19, 533-87 | 17.1 | 33 |
| 94 | Suppression of inducible painless myocardial ischemia by conventional medical therapy: effect on short-term outcome and left ventricular systolic function. <i>American Journal of Cardiology</i> , 1994 , 73, 26B-29B | 3 | 1 |
| 93 | Truly silent ischemia and the relationship of chest pain and ST segment changes to the amount of ischemic myocardium: evaluation by supine bicycle stress echocardiography. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 369-76 | 15.1 | 20 |
| 92 | Transdermal nitroglycerin patch therapy reduces the extent of exercise-induced myocardial ischemia: results of a double-blind, placebo-controlled trial using quantitative thallium-201 tomography. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 25-32 | 15.1 | 60 |
| 91 | Is Silent Myocardial ischemia really as severe as symptomatic ischemia? The analytical effect of patient selection biases. <i>Circulation</i> , 1994 , 89, 1958-66 | 16.7 | 54 |
| 90 | Symptoms of patients with silent ischemia as detected by thallium stress testing. <i>Chest</i> , 1994 , 105, 1009-13 | 5.3 | 4 |
| 89 | Effects of nisoldipine in silent myocardial ischemia after healing of acute myocardial infarction. <i>American Journal of Cardiology</i> , 1995 , 75, 54E-60E | 3 | 1 |

| | | | |
|----|---|------|----|
| 88 | Prevalence, characteristics, and risk stratification of electrocardiographic and symptomatic silence of myocardial ischemia despite scintigraphically evidenced ischemia in symptomatic patients presenting with severe coronary artery stenosis. <i>Clinical Cardiology</i> , 1995 , 18, 150-6 | 3.3 | 1 |
| 87 | Significance of silent myocardial ischemia during exercise testing in women: report from the Coronary Artery Surgery Study. <i>American Heart Journal</i> , 1995 , 129, 465-70 | 4.9 | 6 |
| 86 | Silent myocardial ischemia in diabetics with normal autonomic function. <i>International Journal of Cardiology</i> , 1995 , 48, 147-53 | 3.2 | 17 |
| 85 | Asymptomatic Cardiac Ischemia Pilot (ACIP) study: effects of coronary angioplasty and coronary artery bypass graft surgery on recurrent angina and ischemia. The ACIP investigators. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 606-14 | 15.1 | 33 |
| 84 | Is silent ischemia painless because it is mild?. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 1513-5 | 15.1 | 7 |
| 83 | Daily life cardiac ischaemia. Should it be treated?. <i>Drugs</i> , 1995 , 49, 176-95 | 12.1 | 4 |
| 82 | Contribution of cardiopulmonary indices in the assessment of patients with silent and symptomatic ischemia during exercise testing. <i>International Journal of Cardiology</i> , 1996 , 53, 257-63 | 3.2 | 19 |
| 81 | Susceptibility to pain during coronary angioplasty: usefulness of pulpal test. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 903-9 | 15.1 | 12 |
| 80 | Diagnosis of silent myocardial ischemia using ambulatory electrocardiographic monitoring with pedometer, analysis of heart rate, and ST loop in ambulatory electrocardiogram. <i>Clinical Cardiology</i> , 1996 , 19, 467-72 | 3.3 | 7 |
| 79 | Acute heavy alcohol intake increases silent myocardial ischaemia in patients with stable angina pectoris. <i>Heart</i> , 1996 , 75, 563-7 | 5.1 | 21 |
| 78 | The concept of total ischaemic burden: clinical significance. <i>European Heart Journal</i> , 1996 , 17 Suppl G, 38-47 | 9.5 | 3 |
| 77 | Clinical implications of silent versus symptomatic exercise-induced myocardial ischemia in patients with stable coronary disease. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 756-63 | 15.1 | 21 |
| 76 | Anginal status and prediction of cardiac events in patients enrolled in the asymptomatic cardiac ischemia pilot (ACIP) study. ACIP investigators. <i>American Journal of Cardiology</i> , 1997 , 79, 889-92 | 3 | 6 |
| 75 | Prognostic significance of myocardial ischemia detected by ambulatory electrocardiography, exercise treadmill testing, and electrocardiogram at rest to predict cardiac events by one year (the Asymptomatic Cardiac Ischemia Pilot [ACIP] study). <i>American Journal of Cardiology</i> , 1997 , 80, 1395-401 | 3 | 43 |
| 74 | Differences between male and female patients with regard to baseline demographics and clinical outcomes in the Asymptomatic Cardiac Ischemia Pilot (ACIP) Trial. <i>Clinical Cardiology</i> , 1998 , 21, 184-90 | 3.3 | 19 |
| 73 | Attenuation of ischemia-induced activation of cardiac sympathetic afferents following brief myocardial ischemia in cats. <i>Journal of the Autonomic Nervous System</i> , 1998 , 71, 28-36 | | 16 |
| 72 | Critical analysis of coronary artery bypass graft surgery: a 30-year journey. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 1B-63B | 15.1 | 82 |
| 71 | Should only the squeaky wheel get the grease? The prognostic significance of silent ischemia detected by exercise treadmill testing. <i>American Heart Journal</i> , 1998 , 136, 759-61 | 4.9 | 3 |

| | | | |
|----|--|------|-----|
| 70 | Long-term prognosis of painless exercise-induced ischemia in stable patients with previous myocardial infarction. <i>American Heart Journal</i> , 1998 , 136, 894-904 | 4.9 | 9 |
| 69 | Silent myocardial ischemia after myocardial infarction: severity of coronary artery disease, impact on left ventricular systolic and diastolic functions and prognosis. <i>Angiology</i> , 1998 , 49, 455-62 | 2.1 | 4 |
| 68 | The frequency and significance of silent myocardial ischemia due to hyoscine butylbromide use in peripheral angiography. <i>CardioVascular and Interventional Radiology</i> , 1999 , 22, 369-74 | 2.7 | 3 |
| 67 | Coronary heart disease. Stable and unstable syndromes. <i>Cardiology Clinics</i> , 1999 , 17, 93-122 | 2.5 | 4 |
| 66 | ACC/AHA guidelines for coronary angiography. A report of the American College of Cardiology/American Heart Association Task Force on practice guidelines (Committee on Coronary Angiography). Developed in collaboration with the Society for Cardiac Angiography and Interventions. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1756-824 | 15.1 | 794 |
| 65 | Exercise-induced silent myocardial ischemia and future cardiac events in healthy, sedentary, middle-aged and older men. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 923-9 | 5.6 | 16 |
| 64 | Silent ischaemia and hypertension. <i>Journal of Hypertension</i> , 2000 , 18, 1355-64 | 1.9 | 20 |
| 63 | Evaluating the cardiovascular tolerance for sex. <i>American Journal of Cardiology</i> , 2000 , 86, 51F-56F | 3 | 29 |
| 62 | Sustained reduction of exercise perfusion defect extent and severity with isosorbide mononitrate (Imdur) as demonstrated by means of technetium 99m sestamibi. <i>Journal of Nuclear Cardiology</i> , 2000 , 7, 342-53 | 2.1 | 21 |
| 61 | Severity of coronary artery calcification by electron beam computed tomography predicts silent myocardial ischemia. <i>Circulation</i> , 2000 , 101, 244-51 | 16.7 | 281 |
| 60 | [Ischemic sudden death: critical analysis of risk markers. Part VIII]. <i>Revista Espanola De Cardiologia</i> , 2000 , 53, 568-78 | 1.5 | 3 |
| 59 | Modification of high blood pressure after myocardial infarction. <i>Medical Clinics of North America</i> , 2000 , 84, 1-21, vii | 7 | 2 |
| 58 | Exercise-induced silent myocardial ischemia and coronary morbidity and mortality in middle-aged men. <i>Journal of the American College of Cardiology</i> , 2001 , 38, 72-9 | 15.1 | 91 |
| 57 | Functional and prognostic significance of silent ischemia during dobutamine stress echocardiography in the elderly. <i>Coronary Artery Disease</i> , 2001 , 12, 499-506 | 1.4 | 11 |
| 56 | Dobutamine stress surface mapping of myocardial ischemia in Kawasaki disease. <i>Pediatrics International</i> , 2001 , 43, 218-25 | 1.2 | 4 |
| 55 | Postexercise left ventricular function: a comparative assessment by different noninvasive imaging modalities. <i>Progress in Cardiovascular Diseases</i> , 2001 , 43, 335-50 | 8.5 | 1 |
| 54 | Risk Stratification and Prevention in Chronic Coronary Artery Disease: Use of a Novel Prognostic and Computer-Based Clinical Decision Support System in a Large Primary Managed-Care Group Practice. <i>Disease Management: DM</i> , 2002 , 5, 197-213 | | 1 |
| 53 | Diabetes mellitus and cardiovascular disease. <i>European Journal of Internal Medicine</i> , 2002 , 13, 15-30 | 3.9 | 10 |

| | | | |
|----|--|------|-----|
| 52 | Diagnosing coronary artery disease in diabetic patients. <i>Diabetes/Metabolism Research and Reviews</i> , 2002 , 18, 201-8 | 7.5 | 12 |
| 51 | Silent myocardial ischemia. <i>Circulation</i> , 2003 , 108, 1263-77 | 16.7 | 200 |
| 50 | Coronary risk evaluation in patients with transient ischemic attack and ischemic stroke: a scientific statement for healthcare professionals from the Stroke Council and the Council on Clinical Cardiology of the American Heart Association/American Stroke Association. <i>Circulation</i> , 2003 , 108, 1278-90 | 16.7 | 164 |
| 49 | Association of exercise-induced, silent ST-segment depression with the risk of stroke and cardiovascular diseases in men. <i>Stroke</i> , 2003 , 34, 1760-5 | 6.7 | 15 |
| 48 | Coronary risk evaluation in patients with transient ischemic attack and ischemic stroke: a scientific statement for healthcare professionals from the Stroke Council and the Council on Clinical Cardiology of the American Heart Association/American Stroke Association. <i>Stroke</i> , 2003 , 34, 2310-22 | 6.7 | 112 |
| 47 | Silent myocardial ischemia: concepts and controversies. <i>American Journal of Medicine</i> , 2004 , 116, 112-8 | 2.4 | 14 |
| 46 | Coronary calcium by spiral computed tomography predicts cardiovascular events in high-risk hypertensive patients. <i>Journal of Hypertension</i> , 2004 , 22, 605-10 | 1.9 | 49 |
| 45 | Silent myocardial ischemia: recent developments. <i>Current Atherosclerosis Reports</i> , 2005 , 7, 155-63 | 6 | 8 |
| 44 | Prognostic Applications of Exercise Testing. 2006 , 249-290 | | |
| 43 | Prognostic Applications of Exercise Testing. 2007 , 175-210 | | |
| 42 | Revascularization compared to medical treatment in patients with silent vs. symptomatic residual ischemia after thrombolized myocardial infarction--the DANAMI study. <i>Cardiology</i> , 2007 , 108, 243-51 | 1.6 | 11 |
| 41 | Coronary Heart Disease Syndromes: Pathophysiology and Clinical Recognition. 2007 , 667-698 | | 1 |
| 40 | The role of coronary artery calcification score in clinical practice. <i>BMC Cardiovascular Disorders</i> , 2008 , 8, 38 | 2.3 | 6 |
| 39 | Stress Test. 2008 , 221-255 | | 2 |
| 38 | Non-Q Wave Myocardial Infarction, Non-ST Elevation Myocardial Infarction, Unstable Angina Pectoris, Myocardial Ischemia. 2008 , 205-220 | | |
| 37 | Asymptomatic ST-segment depression during exercise testing and the risk of sudden cardiac death in middle-aged men: a population-based follow-up study. <i>European Heart Journal</i> , 2009 , 30, 558-65 | 9.5 | 30 |
| 36 | Silent myocardial ischemia is associated with altered plasma phospholipids. <i>Journal of Clinical Laboratory Analysis</i> , 2009 , 23, 45-50 | 3 | 23 |
| 35 | Ischemia dictates outcome, not symptoms. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 712-31 | 15.1 | 5 |

| | | | |
|----|--|------|-----|
| 34 | Diabetes and cardiac autonomic neuropathy: Clinical manifestations, cardiovascular consequences, diagnosis and treatment. <i>World Journal of Diabetes</i> , 2015 , 6, 80-91 | 4.7 | 91 |
| 33 | Coronary Heart Disease Syndromes: Pathophysiology and Clinical Recognition. <i>Cardiovascular Medicine</i> , 2015 , 365-407 | 0.1 | 3 |
| 32 | Revascularization for Silent Myocardial Ischemia. 2016 , 111-124 | | |
| 31 | Overview of Management of Myocardial Ischemia: a Mechanistic-Based Approach. <i>Cardiovascular Drugs and Therapy</i> , 2016 , 30, 341-349 | 3.9 | 4 |
| 30 | JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. <i>Circulation Journal</i> , 2021 , 85, 402-572 | | 11 |
| 29 | Inflammatory cardiovascular risk markers and silent myocardial ischemia in type 2 diabetic patients. <i>Vojnosanitetski Pregled</i> , 2021 , 10-10 | 0.1 | |
| 28 | Treatment of Myocardial Ischemia with Nitrates. 1990 , 275-293 | | 0 |
| 27 | Interpretation of ECG and Subjective Responses (Chest Pain). 2006 , 127-190 | | 1 |
| 26 | Asymptomatic Cardiac Ischemia Pilot (ACIP) Study. Improvement of cardiac ischemia at 1 year after PTCA and CABG. <i>Circulation</i> , 1995 , 92, 111-7 | 16.7 | 290 |
| 25 | Silent myocardial ischemia in patients with diabetes mellitus. <i>Circulation</i> , 1996 , 93, 2089-91 | 16.7 | 38 |
| 24 | Susceptibility to pain in hypertensive and normotensive patients with coronary artery disease: response to dental pulp stimulation. <i>Hypertension</i> , 1997 , 30, 1279-83 | 8.5 | 34 |
| 23 | Silent Ischemia: The 1998 Status: New Observations on Triggers, Pathophysiological Mechanisms and Circadian Variations. <i>Developments in Cardiovascular Medicine</i> , 2000 , 239-245 | | |
| 22 | Medical Treatment of Coronary Artery Disease. 2000 , 267-286 | | |
| 21 | Coronary Artery Revascularization: Surgical Approach [Standard Management]. 2002 , 854-879 | | |
| 20 | Clinical Features and Treatment of Coronary Heart Disease in Diabetes. | | |
| 19 | Klinik der koronaren Herzerkrankung I: Stabile Angina pectoris, stumme Myokardischämie. 2004 , 463-496 | | |
| 18 | Painless Ischemia: Incidence, Characteristics, Significance, and an Algorithm for Management. <i>International Bringer Mannheim Symposia</i> , 1987 , 285-292 | | |
| 17 | An Integrated Clinical Classification for Ischemic Heart Disease: A Combined Assessment of Severity of Coronary Disease, Left Ventricular Function and Myocardial Ischemia. <i>Developments in Cardiovascular Medicine</i> , 1988 , 39-54 | | |

- 16 Prognose. **1988**, 97-114 0
- 15 The Prognostic Significance of Silent Myocardial Ischemia During Exercise Testing. *Developments in Cardiovascular Medicine*, **1988**, 89-92
- 14 Coronarerkrankungen. **1989**, 924-1033
- 13 Findings in Myocardial Ischemia by Metabolic Imaging with Positron Emission Tomography. **1990**, 150-165
- 12 Behandlung der Myokardischämie mit Nitraten. **1990**, 289-307 1
- 11 Pharmakotherapie der symptomatischen und asymptomatischen Myokardischämie. **1990**, 57-75
- 10 Asymptomatic ST-Segment Depression during Exercise Testing in Patients after Myocardial Infarction and Left Ventricular Dysfunction. **1991**, 68-74
- 9 Silent myocardial ischemia. *Developments in Cardiovascular Medicine*, **1991**, 83-93
- 8 Silent Myocardial Ischemia. *Anesthesiology Clinics*, **1991**, 9, 493-519
- 7 The effects of calcium antagonists on radionuclide function in patients with silent ischemia after myocardial infarction. **1992**, 247-254
- 6 Noninvasive Investigation for the Detection of Asymptomatic Ischemic Heart Disease in Cerebrovascular Patients. **1992**, 121-138
- 5 Klinik der koronaren Herzerkrankung I: Angina pectoris, stumme Myokardischämie, instabile Angina pectoris. **1996**, 625-678
- 4 Can restenosis after coronary angioplasty be predicted by scintigraphy?. *Developments in Cardiovascular Medicine*, **1996**, 379-385
- 3 Silent Myocardial Ischemia. *Developments in Cardiovascular Medicine*, **1999**, 102-113
- 2 North of England evidence based guidelines development project: summary version of evidence based guideline for the primary care management angina. North of England Stable Angina Guideline Development Group. *BMJ: British Medical Journal*, **1996**, 312, 827-32 8
- 1 Silent Myocardial Ischemia. Literature Review. **2021**, 117-127