

# CITATION REPORT

List of articles citing

## Echocardiographic criteria for left ventricular hypertrophy: the Framingham Heart Study

DOI: 10.1016/0002-9149(87)91133-7  
American Journal of Cardiology, 1987, 59, 956-60.

**Source:** <https://exaly.com/paper-pdf/19435902/citation-report.pdf>

**Version:** 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
722	Cardiac involvement in essential hypertension. Prevalence, pathophysiology, and prognostic implications. <b>1987</b> , 71, 813-26		12
721	Risk of ventricular arrhythmias in left ventricular hypertrophy: the Framingham Heart Study. <i>American Journal of Cardiology</i> , <b>1987</b> , 60, 560-5	3	35 <sup>0</sup>
720	Overall risk of left ventricular hypertrophy secondary to systemic hypertension. <i>American Journal of Cardiology</i> , <b>1987</b> , 60, 81-121	3	19
719	Usefulness of echocardiographic left ventricular hypertrophy in predicting new coronary events and atherothrombotic brain infarction in patients over 62 years of age. <i>American Journal of Cardiology</i> , <b>1988</b> , 61, 1130-2	3	63
718	Cardiac function in systemic hypertension before and after reversal of left ventricular hypertrophy. <i>American Journal of Cardiology</i> , <b>1988</b> , 62, 745-50	3	66
717	Antihypertensive drug therapy and arrhythmia risk. <i>American Journal of Cardiology</i> , <b>1988</b> , 62, 147-9	3	7
716	Relationship between ambulatory and exercise blood pressure and cardiac structure. <b>1988</b> , 116, 1124-33		53
715	Coronary artery disease in blacks of lower socioeconomic status: angiographic findings from the Cook County Hospital Heart Disease Registry. <b>1988</b> , 116, 90-7		3 <sup>0</sup>
714	Antimitochondrial autoantibodies in myocardial hypertrophy: comparison between hypertrophic cardiomyopathy, hypertensive heart disease, and athlete's heart. <b>1988</b> , 116, 496-500		11
713	Left ventricular hypertrophy. Epidemiological insights from the Framingham Heart Study. <b>1988</b> , 35 Suppl 5, 1-5		84
712	Relation of blood pressure and body build to left ventricular mass in normotensive and hypertensive employed adults. <b>1988</b> , 12, 996-1004		214
711	Echocardiographically determined left ventricular mass index in normal children, adolescents and young adults. <b>1988</b> , 12, 703-8		195
710	Echocardiographically detected left ventricular hypertrophy: prevalence and risk factors. The Framingham Heart Study. <b>1988</b> , 108, 7-13		603
709	Angina due to coronary microvascular disease in hypertensive patients without left ventricular hypertrophy. <b>1988</b> , 319, 1302-7		373
708	Normal Left Ventricle. <b>1988</b> , 2, 217-223		10
707	Importance of left ventricular mass as a predictor of cardiovascular morbidity in hypertension. <b>1989</b> , 2, 650-4		35
706	Prevalence of cardiac structural and functional abnormalities in untreated primary hypertension. <b>1989</b> , 13, 151-62		81

705	Effects of long-term antihypertensive treatment with tertatolol on diastolic function in hypertensive patients with and without left ventricular hypertrophy. <b>1989</b> , 2, 278S-283S		9
704	Predictors of left ventricular hypertrophy in patients with essential hypertension. <b>1989</b> , 12, 129-32		8
703	Impact of age on echocardiographic left ventricular mass in a healthy population (the Framingham Study). <i>American Journal of Cardiology</i> , <b>1989</b> , 64, 1066-8	3	161
702	Echocardiographic insights into the pathophysiology and prognostic significance of hypertensive cardiac hypertrophy. <b>1989</b> , 2, 186S-195S		9
701	Left ventricular mass and incidence of coronary heart disease in an elderly cohort. The Framingham Heart Study. <b>1989</b> , 110, 101-7		535
700	Left ventricular hypertrophy. Significance in cardiac morbidity and mortality. <b>1990</b> , 87, 147-50, 155-8		3
699	Therapeutic Considerations in the Elderly Hypertensive. <b>1990</b> , 3, 347S-354S		
698	Genetic and environmental influences on echocardiographically determined left ventricular mass in black twins. <b>1990</b> , 3, 538-43		81
697	Prevalence of left ventricular hypertrophy in elderly patients with well controlled hypertension. <b>1990</b> , 17, 207-10		8
696	Effects of indapamide on left ventricular mass and function in systemic hypertension with left ventricular hypertrophy. <i>American Journal of Cardiology</i> , <b>1990</b> , 65, 37H-42H	3	14
695	Quantitative analysis of ventricular late potentials in healthy subjects. <i>American Journal of Cardiology</i> , <b>1990</b> , 66, 1359-62	3	50
694	Therapeutic Considerations in the Elderly Hypertensive. <b>1990</b> , 3, 347S-354S		8
693	Is the electrocardiogram still useful for detection of left ventricular hypertrophy?. <b>1990</b> , 81, 1144-6		45
692	Left ventricular hypertrophy and impaired diastolic filling in essential hypertension. Diastolic mechanisms for systolic dysfunction during exercise. <b>1990</b> , 81, 978-86		184
691	Left ventricular hypertrophy sensitizes the myocardium to the development of ischaemia. <b>1990</b> , 11 Suppl G, 72-8		67
690	Determinants of cardiac involvement in children and adolescents with essential hypertension. <b>1990</b> , 82, 1243-8		158
689	Ultrasound as Used in the Framingham Heart Study. <b>1990</b> , 6, 137-143		
688	Risk reduction following regression of cardiac hypertrophy. <b>1990</b> , 12, 903-16		4

687	Determinants of sensitivity and specificity of electrocardiographic criteria for left ventricular hypertrophy. <b>1990</b> , 81, 815-20	403
686	Prognostic implications of echocardiographically determined left ventricular mass in the Framingham Heart Study. <b>1990</b> , 322, 1561-6	4576
685	Stratifying the patient at risk from coronary disease: new insights from the Framingham Heart Study. <b>1990</b> , 119, 712-7; discussion 717	118
684	Bootstrap comparison of fuzzy ROC curves for ECG-LVH algorithms using data from the Framingham Heart Study. <b>1990</b> , 23 Suppl, 132-7	7
683	Nonparametric comparison of entire ROC curves for computerized ECG left ventricular hypertrophy algorithms using data from the Framingham Heart Study. <b>1989</b> , 22 Suppl, 152-7	7
682	Relations among impaired coronary flow reserve, left ventricular hypertrophy and thallium perfusion defects in hypertensive patients without obstructive coronary artery disease. <b>1990</b> , 15, 43-51	291
681	Impact of left ventricular hypertrophy on ventricular arrhythmias in the absence of coronary artery disease. <b>1991</b> , 17, 1277-82	139
680	Epicardial coronary artery tone and reactivity in patients with normal coronary arteriograms and reduced coronary flow reserve (syndrome X). <b>1991</b> , 18, 50-4	41
679	Regression of increased left ventricular mass by antihypertensives. <b>1991</b> , 42, 945-61	36
678	Reversal of cardiac and vascular hypertrophy by antihypertensive therapy. <b>1991</b> , 121, 995-8	10
677	Relationship of left ventricular mass to impairment of coronary vasodilator reserve in hypertensive heart disease. <b>1991</b> , 121, 1107-12	22
676	Influence of contemporary versus 30-year blood pressure levels on left ventricular mass and geometry: the Framingham Heart Study. <b>1991</b> , 18, 1287-94	114
675	A comparison of left ventricular mass and volume using different echocardiographic conventions. <b>1991</b> , 30, 103-8	4
674	Systolic intra-cavitary gradients following aortic valve replacement: an echo-Doppler study. <b>1991</b> , 12, 1098-106	22
673	Abnormal hormonal and renal responses to saline load in hypertensive patients with parental history of cardiovascular accidents. <b>1991</b> , 84, 92-100	20
672	Cardiac hypertrophy in athletes. <b>1991</b> , 324, 1812-3	1
671	Relation of left ventricular mass and geometry to morbidity and mortality in uncomplicated essential hypertension. <b>1991</b> , 114, 345-52	1649
670	Regression of left ventricular hypertrophy with 1 year of antihypertensive treatment in type 1 diabetic patients with early nephropathy. <b>1991</b> , 8, 106-10	12

669	Prevalence of coronary risk factors in elderly blacks and whites. <b>1991</b> , 39, 567-70		19
668	Left ventricular mass as a predictor of development of hypertension. <b>1991</b> , 4, 603S-607S		33
667	Leftward shift of the interventricular septum and pulsus paradoxus in obstructive sleep apnea syndrome. <b>1991</b> , 100, 894-902		175
666	Relation between late potentials and echocardiographically determined left ventricular mass in healthy subjects. <i>American Journal of Cardiology</i> , <b>1991</b> , 67, 425-7	3	28
665	Gender differences in left ventricular anatomy, blood viscosity and volume regulatory hormones in normal adults. <i>American Journal of Cardiology</i> , <b>1991</b> , 68, 1704-8	3	88
664	Echocardiographic evidence for the existence of a distinct diabetic cardiomyopathy (the Framingham Heart Study). <i>American Journal of Cardiology</i> , <b>1991</b> , 68, 85-9	3	429
663	Abnormal left ventricular diastolic filling in eccentric left ventricular hypertrophy of obesity. <i>American Journal of Cardiology</i> , <b>1991</b> , 68, 95-8	3	91
662	Selective alpha 1-adrenoreceptor blockers in the treatment of hypertension: should we be using them more?. <b>1991</b> , 1, 251-8		3
661	Circadian blood pressure pattern in patients with treated hypertension and left ventricular hypertrophy. <b>1991</b> , 42, 379-86		8
660	.		3
659	The heart in hypertension. <b>1992</b> , 327, 998-1008		549
658	Population-Derived Comparisons of Ambulatory and Office Blood Pressures. <b>1992</b> , 152, 750		31
657	Gender differences in left ventricular structure and function in young adults with normal or marginally elevated blood pressure. <b>1992</b> , 5, 32-6		24
656	Low plasma growth hormone binding protein in IDDM. <b>1992</b> , 41, 605-9		69
655	Sodium-Lithium Countertransport Activity and Insulin Resistance in Normotensive IDDM Patients. <b>1992</b> , 41, 610-615		24
654	Endothelial dysfunction in patients with chest pain and normal coronary arteries. <b>1992</b> , 86, 1864-71		198
653	Left ventricular hypertrophy as a risk factor in arterial hypertension. <b>1992</b> , 13 Suppl D, 82-8		89
652	Left Ventricular Hypertrophy in Black and White Hypertensives. <b>1992</b> , 267, 3294		79

651	Model-based determination of cut-off values for left ventricular hypertrophy from echocardiographic myocardial mass data. <b>1992</b> , 82, 25-32		1
650	Left ventricular hypertrophy. <b>1992</b> , 40, 71-80		11
649	Haemodynamic changes and physical performance at comparative levels of haemoglobin after long-term treatment with recombinant erythropoietin. <b>1992</b> , 7, 1199-206		37
648	The prognostic role of left ventricular hypertrophy in patients with or without coronary artery disease. <b>1992</b> , 117, 831-6		345
647	Left ventricular mass as a measure of preclinical hypertensive disease. <b>1992</b> , 5, 175S-181S		24
646	Echocardiographic left ventricular hypertrophy: clinical characteristics. The Framingham Heart Study. <b>1992</b> , 14, 85-97		15
645	Prognostic implications of asymptomatic ventricular arrhythmias: the Framingham Heart Study. <b>1992</b> , 117, 990-6		153
644	Is there a relationship between exercise systolic blood pressure response and left ventricular mass? The Framingham Heart Study. <b>1992</b> , 116, 203-10		132
643	Cardiac adaptation to obesity and hypertension after heart transplantation. <b>1992</b> , 19, 55-9		19
642	Separate and joint influences of obesity and mild hypertension on left ventricular mass and geometry: the Framingham Heart Study. <b>1992</b> , 19, 130-4		142
641	Left ventricular mass and body size in normotensive children and adults: assessment of allometric relations and impact of overweight. <b>1992</b> , 20, 1251-60		1421
640	Lessons From Framingham: Cardiac Disease in the General Population. <b>1992</b> , 19-38		
639	Prognostic implications of subclinical left ventricular dilatation and systolic dysfunction in men free of overt cardiovascular disease (the Framingham Heart Study). <i>American Journal of Cardiology</i> , <b>1992</b> , 70, 1180-4	3	118
638	Comparison of the cardiotoxicity of ethanol in women versus men. <i>American Journal of Cardiology</i> , <b>1992</b> , 70, 645-9	3	13
637	Echocardiographic determinants of clinical outcome in subjects with coronary artery disease (the Framingham Heart Study). <i>American Journal of Cardiology</i> , <b>1992</b> , 70, 971-6	3	47
636	Changes in pulmonary hemodynamics with aging in a predominantly hypertensive population. <i>American Journal of Cardiology</i> , <b>1992</b> , 70, 367-70	3	27
635	Frequency of ventricular ectopic activity in isolated systolic systemic hypertension. <i>American Journal of Cardiology</i> , <b>1992</b> , 69, 557-9	3	10
634	Determinants of Doppler indexes of left ventricular diastolic function in normal subjects (the Framingham Heart Study). <i>American Journal of Cardiology</i> , <b>1992</b> , 70, 508-15	3	277

633	Morphologic, hemodynamic and coronary perfusion characteristics in severe left ventricular hypertrophy secondary to systemic hypertension and evidence for nonatherosclerotic myocardial ischemia. <i>American Journal of Cardiology</i> , <b>1992</b> , 69, 219-24	3	31
632	Impact of left ventricular hypertrophy on blood pressure responses to exercise. <i>American Journal of Cardiology</i> , <b>1992</b> , 69, 225-8	3	36
631	Cardiac anatomy and diastolic filling in professional road cyclists. <b>1993</b> , 66, 405-8		22
630	Sex differences in cardiac adaptation to isolated systolic hypertension. <i>American Journal of Cardiology</i> , <b>1993</b> , 72, 310-3	3	221
629	Echocardiographic assessment of left ventricular structure and diastolic filling in elderly subjects with borderline isolated systolic hypertension (the Framingham Heart Study). <i>American Journal of Cardiology</i> , <b>1993</b> , 72, 662-5	3	41
628	Impact of heart rate and PR interval on Doppler indexes of left ventricular diastolic filling in an elderly cohort (the Framingham Heart Study). <i>American Journal of Cardiology</i> , <b>1993</b> , 72, 1183-7	3	57
627	Management of the patient with left ventricular hypertrophy. <b>1993</b> , 14 Suppl D, 22-32		9
626	Discordance in degree of right and left ventricular dilation in patients with dilated cardiomyopathy: recognition and clinical implications. <b>1993</b> , 21, 649-54		69
625	Improved detection of echocardiographic left ventricular hypertrophy using a new electrocardiographic algorithm. <b>1993</b> , 21, 1680-6		64
624	Asymptomatic ventricular arrhythmias and mortality risk in subjects with left ventricular hypertrophy. <b>1993</b> , 22, 1111-6		132
623	Left ventricular hypercontractility and ST segment depression in patients with syndrome X. <b>1993</b> , 22, 1607-13		32
622	Echocardiographic correlates of left ventricular structure among 844 mildly hypertensive men and women in the Treatment of Mild Hypertension Study (TOMHS). <b>1993</b> , 87, 476-86		175
621	Structural and functional alterations of the intramyocardial coronary arterioles in patients with arterial hypertension. <b>1993</b> , 88, 993-1003		327
620	Methods for detection of left ventricular hypertrophy: application to hypertensive heart disease. <b>1993</b> , 14 Suppl D, 8-15		101
619	Coronary artery size and dilating capacity in ultradistance runners. <b>1993</b> , 87, 1076-82		154
618	Wave reflections and cardiac hypertrophy in chronic uremia. Influence of body size. <b>1993</b> , 22, 876-83		203
617	Transthoracic echocardiography for evaluation of hypertensive heart disease. <b>1993</b> , 10, 295-302		1
616	Ambulatory blood pressure monitoring in offspring of hypertensive patients. Relation to left ventricular structure and function. <b>1993</b> , 6, 114-20		18

615	Impact of left ventricular structure on the incidence of hypertension. The Framingham Heart Study. <b>1994</b> , 90, 179-85		101
614	Antihypertensive Treatment Reduces Septal Wall Thickness in Hypertensive Patients with Asymmetric Septal Hypertrophy.. <b>1994</b> , 17, 99-104		
613	Left Ventricular Mass and Risk of Stroke in an Elderly Cohort. <b>1994</b> , 272, 33		186
612	Intramural myocardial shortening in hypertensive left ventricular hypertrophy with normal pump function. <b>1994</b> , 89, 122-31		179
611	Echocardiographic predictors of nonrheumatic atrial fibrillation. The Framingham Heart Study. <b>1994</b> , 89, 724-30		770
610	Hemodynamic predictors of incident hypertension. The Framingham Heart Study. <b>1994</b> , 24, 585-90		32
609	Role of ACE inhibitors in hypertension with left ventricular hypertrophy. <b>1994</b> , 72, S24-32		6
608	Regression of left ventricular hypertrophy and improvement of renal hemodynamics in hypertensive patients treated with quinapril. <b>1994</b> , 8, 735-40		2
607	Effects of bisoprolol on left ventricular hypertrophy in essential hypertension. <b>1994</b> , 8, 837-43		5
606	Echocardiography in multicenter clinical trials: experience from the Treatment of Mild Hypertension Study. <b>1994</b> , 15, 395-410		19
605	Improved electrocardiographic diagnosis of left ventricular hypertrophy. <i>American Journal of Cardiology</i> , <b>1994</b> , 74, 714-9	3	184
604	The associations of levels of serum potassium and magnesium with ventricular premature complexes (the Framingham Heart Study). <i>American Journal of Cardiology</i> , <b>1994</b> , 74, 232-5	3	76
603	Echocardiographic evidence of left ventricular hypertrophy in a general aged population. <i>American Journal of Cardiology</i> , <b>1994</b> , 74, 385-90	3	39
602	Effect of weight loss on left ventricular mass in nonhypertensive morbidly obese patients. <i>American Journal of Cardiology</i> , <b>1994</b> , 73, 918-21	3	69
601	A new method for indexing left ventricular mass for differences in body size. <i>American Journal of Cardiology</i> , <b>1994</b> , 74, 487-91	3	121
600	Importance of obesity, race and age to the cardiac structural and functional effects of hypertension. The Department of Veterans Affairs Cooperative Study Group on Antihypertensive Agents. <b>1994</b> , 24, 1492-8		138
599	Racial differences in myocardial ischemia and coronary flow reserve in hypertension. <b>1994</b> , 23, 1123-9		24
598	Effects of angiotensin-converting enzyme inhibition on exercise-induced angina and ST segment depression in patients with microvascular angina. <b>1994</b> , 23, 652-7		105



597	Abnormal coronary flow velocity pattern in patients with left ventricular hypertrophy, angina pectoris, and normal coronary arteries: a transesophageal Doppler echocardiographic study. <b>1994</b> , 128, 500-10		25
596	[Left ventricular hypertrophy of hypertensive origin: classical concepts and recent data]. <b>1994</b> , 15, 30-6		2
595	Effect of pravastatin in the prevention of coronary heart disease in patients with primary hypercholesterolemia. <b>1994</b> , 55, 914-924		2
594	Ethnic differences in ECG amplitudes in North American white, black, and Hispanic men and women. Effect of obesity and age. <b>1994</b> , 27 Suppl, 20-31		68
593	Cardiac hypertrophy in obstructive sleep apnea syndrome. <b>1995</b> , 107, 1538-44		123
592	Reduced left ventricular systolic pump performance and depressed myocardial contractile function in patients > 65 years of age with normal ejection fraction and a high relative wall thickness. <i>American Journal of Cardiology</i> , <b>1995</b> , 76, 702-5	3	53
591	Impact of echocardiographic left ventricular mass on mechanistic implications of exercise testing parameters. <i>American Journal of Cardiology</i> , <b>1995</b> , 76, 952-6	3	15
590	Early abnormalities of cardiac function in non-insulin-dependent diabetes mellitus and impaired glucose tolerance. <i>American Journal of Cardiology</i> , <b>1995</b> , 76, 1173-6	3	107
589	Relation of duration of morbid obesity to left ventricular mass, systolic function, and diastolic filling, and effect of weight loss. <i>American Journal of Cardiology</i> , <b>1995</b> , 76, 1194-7	3	229
588	Effect of weight loss on left ventricular diastolic filling in morbid obesity. <i>American Journal of Cardiology</i> , <b>1995</b> , 76, 1198-201	3	64
587	Which definition for echocardiographic left ventricular hypertrophy?. <i>American Journal of Cardiology</i> , <b>1995</b> , 75, 498-502	3	64
586	Relation between electrocardiography and echocardiography for left ventricular mass in mild systemic hypertension (results from treatment of mild hypertension study). <i>American Journal of Cardiology</i> , <b>1995</b> , 75, 1233-1238	3	89
585	Dipyridamole thallium-201 single-photon emission tomography in aortic stenosis: gender differences. <b>1995</b> , 22, 1155-62		12
584	Comparative effects of fosinopril and nifedipine on regression of left ventricular hypertrophy in hypertensive patients: a double-blind study. <b>1995</b> , 9, 141-3		12
583	Association between left ventricular hypertrophy and erythrocyte sodium-lithium exchange in normotensive subjects with and without NIDDM. <b>1995</b> , 38, 454-60		12
582	Congestive heart failure in dialysis patients: prevalence, incidence, prognosis and risk factors. <b>1995</b> , 47, 884-90		486
581	Clinical and echocardiographic disease in patients starting end-stage renal disease therapy. <b>1995</b> , 47, 186-92		881
580	Angiotensin-converting enzyme and angiotensinogen genes in patterns of left ventricular hypertrophy and in diastolic dysfunction. <b>1995</b> , 22, 438-40		16

579	Prevalence and upper limit of cardiac hypertrophy in professional cyclists. <b>1995</b> , 70, 375-8	22
578	Letters to the Editors. <b>1995</b> , 158, 619-625	1
577	The Bergen Blood Pressure Study: prehypertensive changes in cardiac structure and function in offspring of hypertensive families. <b>1995</b> , 4, 16-22	32
576	The Relative Effects of Left Ventricular Hypertrophy, Coronary Artery Disease, and Ventricular Dysfunction on Survival Among Black Adults. <b>1995</b> , 273, 1592	193
575	Gender differences in left ventricle geometry and function in patients undergoing balloon dilatation of the aortic valve for isolated aortic stenosis. NHLBI Balloon Valvuloplasty Registry. <b>1995</b> , 73, 548-54	105
574	The influence of body composition on left ventricular mass and other echocardiographic and Doppler measurements in 70-year-old males. <b>1995</b> , 15, 425-33	10
573	Influence of left ventricular mass on left ventricular diastolic filling in normotensive morbid obesity. <b>1995</b> , 130, 1068-73	78
572	Left ventricular mass estimation by echocardiography: is it clinically useful?. <b>1995</b> , 12, 185-93	3
571	Prognosis of left ventricular geometric patterns in the Framingham Heart Study. <b>1995</b> , 25, 879-84	417
570	Improved electrocardiographic detection of echocardiographic left ventricular hypertrophy: results of a correlated data base approach. <b>1995</b> , 26, 1022-9	88
569	Influence of left ventricular hypertrophy on detection of coronary artery disease using exercise echocardiography. <b>1995</b> , 26, 1180-6	64
568	The value of two-dimensional echocardiography and Doppler examination in the assessment of hypertensive patients: a pilot study. <b>1995</b> , 8, 280-4	15
567	Echocardiographic reference values for aortic root size: the Framingham Heart Study. <b>1995</b> , 8, 793-800	81
566	Carotid artery and left ventricular structural relationship in asymptomatic men at risk for cardiovascular disease. <b>1996</b> , 127, 103-12	53
565	Electrocardiographic identification of left ventricular hypertrophy: test performance in relation to definition of hypertrophy and presence of obesity. <b>1996</b> , 27, 124-31	77
564	MB fraction of cumulative creatine kinase correlates with insulin secretion in patients with acute myocardial infarction: insulin as a possible determinant of myocardial MB creatine kinase. <b>1996</b> , 131, 24-31	4
563	Gender differences in left ventricular function at rest and with exercise in asymptomatic aortic stenosis. <b>1996</b> , 131, 94-100	63
562	Transesophageal Doppler echocardiographic assessment of left coronary blood flow velocity in chronic aortic regurgitation. <b>1996</b> , 131, 101-6	11

561	Hyperinsulinemia is associated with ventricular premature complexes. <b>1996</b> , 45, 1248-53		5
560	The impact of anemia on cardiomyopathy, morbidity, and and mortality in end-stage renal disease. <b>1996</b> , 28, 53-61		580
559	Prevention and Reduction of Left Ventricular Hypertrophy in the Elderly. <b>1996</b> , 12, 57-68		5
558	Effects of angiotensin-converting enzyme inhibition on left ventricular geometric patterns in patients with essential hypertension. <b>1996</b> , 36, 1141-8		6
557	Left ventricular hypertrophy and geometry in a population sample of elderly males. <b>1996</b> , 17, 1800-7		46
556	Prevalence of left ventricular hypertrophy in a hypertensive population. <b>1996</b> , 17, 143-9		27
555	Influence of obesity on the diagnostic value of electrocardiographic criteria for detecting left ventricular hypertrophy. <i>American Journal of Cardiology</i> , <b>1996</b> , 77, 739-44	3	65
554	Impact of ambulatory blood pressure on left ventricular diastolic dysfunction in uncomplicated arterial systemic hypertension. <i>American Journal of Cardiology</i> , <b>1996</b> , 77, 597-601	3	51
553	Adjustment of ECG left ventricular hypertrophy criteria for body mass index and age improves classification accuracy. The effects of hypertension and obesity. <b>1996</b> , 29 Suppl, 241-7		27
552	Is the echocardiogram an appropriate ECG validity standard for the detection and change in left ventricular size?. <b>1996</b> , 29 Suppl, 248-55		13
551	Influence of obesity on cardiac mass and blood pressure in the elderly. <b>1996</b> , 22 Suppl 1, 149-55		
550	A case report on the effect of training and low caloric diet in hypertension, obesity and hyperinsulinemia. <b>1996</b> , 22 Suppl 1, 535-8		
549	Multivariate Analysis of Left Ventricular Mass Determinants in Adults: Different Patterns in Men and Women. <b>1996</b> , 13, 35-44		
548	Classification Accuracy of Electrocardiographic Criteria for Left Ventricular Hypertrophy in Normal Weight and Overweight Older Adults. <b>1996</b> , 1, 121-132		7
547	Impact of hypertension on cardiomyopathy, morbidity and mortality in end-stage renal disease. <b>1996</b> , 49, 1379-85		349
546	Outcome and risk factors of ischemic heart disease in chronic uremia. <b>1996</b> , 49, 1428-34		212
545	Absence of association or genetic linkage between the angiotensin-converting-enzyme gene and left ventricular mass. <b>1996</b> , 334, 1023-8		201
544	Outcome and risk factors for left ventricular disorders in chronic uraemia. <b>1996</b> , 11, 1277-1285		481

543	Left ventricular disorders detected by M-mode echocardiography in chronic uraemia. <b>1996</b> , 11, 1328-1331	30	
542	High incidence of scintigraphic myocardial uptake defects at rest and during exercise in male elite runners. <b>1997</b> , 77, 252-5	5	
541	Circulating angiotensin converting enzyme levels are increased in concentric, but not eccentric, left ventricular hypertrophy in elderly men. <b>1997</b> , 15, 885-90	8	
540	Smoking is associated with higher cardiovascular risk in young women than in men: the Tecumseh Blood Pressure Study. <b>1997</b> , 15, 127-34	27	
539	Is insulin action a determinant of left ventricular relaxation in uncomplicated essential hypertension?. <b>1997</b> , 15, 745-50	33	
538	The heart and conduit vessels in hypertension. <b>1997</b> , 81, 1247-71	6	
537	Atrial septal aneurysm: a new classification in two hundred five adults. <b>1997</b> , 10, 644-56	148	
536	Transesophageal Doppler echocardiographic assessment of systolic and diastolic coronary blood flow velocities at baseline and during adenosine triphosphate-induced coronary vasodilation in chronic aortic regurgitation. <b>1997</b> , 133, 71-7	9	
535	Influence of nighttime blood pressure on left atrial size in uncomplicated arterial systemic hypertension. <b>1997</b> , 10, 836-42	19	
534	Myocardial wall thickness and left ventricular geometry in hypertensives. Relationship with insulin. <b>1997</b> , 10, 1250-6	41	
533	Prediction of mortality risk by different methods of indexation for left ventricular mass. <b>1997</b> , 29, 641-7	147	
532	Left atrial size in hypertensive men: influence of obesity, race and age. Department of Veterans Affairs Cooperative Study Group on Antihypertensive Agents. <b>1997</b> , 29, 651-8	109	
531	How best to identify prognostically important left ventricular hypertrophy: a cut to the chase. <b>1997</b> , 29, 648-50	22	
530	Freehand three-dimensional echocardiography for measurement of left ventricular mass: in vivo anatomic validation using explanted human hearts. <b>1997</b> , 30, 802-10	72	
529	Hypertension, cardiac hypertrophy and the effects of anaesthesia. <b>1997</b> , 11, 675-703		
528	Gender-associated differences in left ventricular geometry in patients with aortic valve disease and effect of distinct overload subsets. <i>American Journal of Cardiology</i> , <b>1997</b> , 80, 475-80	3	55
527	Cardiac morphology and left ventricular function in normotensive morbidly obese patients with and without congestive heart failure, and effect of weight loss. <i>American Journal of Cardiology</i> , <b>1997</b> , 80, 736-40	3	261
526	Association of fasting plasma free fatty acid concentration and frequency of ventricular premature complexes in nonischemic non-insulin-dependent diabetic patients. <i>American Journal of Cardiology</i> , <b>1997</b> , 80, 932-7	3	44

525	Left ventricular hypertrophy in athletes. <i>American Journal of Cardiology</i> , <b>1997</b> , 80, 1384-8	3	76
524	Gender differences in the accuracy of dobutamine stress echocardiography for the diagnosis of coronary artery disease. <i>American Journal of Cardiology</i> , <b>1997</b> , 80, 1414-8	3	60
523	Comparison of coronary vasodilator reserve in elite rowing athletes versus hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , <b>1997</b> , 80, 1621-3	3	33
522	Echocardiographic criteria of physiological left ventricular hypertrophy in combined strength- and endurance-trained athletes. <b>1997</b> , 13, 43-52		16
521	Structural analysis of arteriolar and myocardial remodelling in the subendocardial region of patients with hypertensive heart disease and hypertrophic cardiomyopathy. <b>1997</b> , 431, 265-73		53
520	Cardiac disease in diabetic end-stage renal disease. <b>1997</b> , 40, 1307-12		104
519	Comparison of dobutamine stress echocardiography and technetium-99m sestamibi single-photon emission tomography for the diagnosis of coronary artery disease in hypertensive patients with and without left ventricular hypertrophy. <b>1998</b> , 25, 69-78		37
518	Stress-induced blood pressure measurements predict left ventricular mass over three years among borderline hypertensive men. <b>1997</b> , 27, 733-9		42
517	The heart in the hypertensive elderly. <b>1998</b> , 12, 593-7		6
516	Gender specific differences in left ventricular adaptation to obesity and hypertension. <b>1998</b> , 12, 685-91		73
515	Echocardiographic parameters in training compared with non-training greyhounds. <b>1998</b> , 39, 325-30		33
514	Impact of ethnicity on left ventricular mass and relative wall thickness in essential hypertension. <i>American Journal of Cardiology</i> , <b>1998</b> , 81, 412-7	3	30
513	Comparison in systemic hypertension of left ventricular mass and geometry with systolic and diastolic function in patients or = 65 years of age. <i>American Journal of Cardiology</i> , <b>1998</b> , 82, 604-8	3	39
512	Effect of end-stage renal disease on decreased heart rate variability. <i>American Journal of Cardiology</i> , <b>1998</b> , 82, 1156-8, A10	3	26
511	Estimation of shunt flow in coronary-pulmonary fistula by lung perfusion scintigraphy with technetium-99m macroaggregated albumin. <i>American Journal of Cardiology</i> , <b>1998</b> , 82, 1158-61, A11	3	4
510	Application of the international prognostic index in a study of Chinese patients with non-Hodgkin's lymphoma and a high incidence of primary extranodal lymphoma. <b>1998</b> , 82, 2439-48		18
509	Left ventricular geometry and function are related to electrocardiographic characteristics and diagnoses. <b>1998</b> , 18, 463-70		18
508	Significance of QTc prolongation on ventricular arrhythmias in patients with left ventricular hypertrophy secondary to essential hypertension. <b>1998</b> , 64, 179-84		38

507	Aging and essential hypertension: effect of left ventricular hypertrophy on cardiac function. <b>1998</b> , 11, 425-9	6
506	Homogeneously reduced versus regionally impaired myocardial blood flow in hypertensive patients: two different patterns of myocardial perfusion associated with degree of hypertrophy. <b>1998</b> , 31, 366-73	65
505	Heterogeneous vasomotor responses of coronary conduit and resistance vessels in hypertension. <b>1998</b> , 31, 374-82	36
504	Influence of left ventricular geometric patterns on prognosis in patients with or without coronary artery disease. <b>1998</b> , 31, 1635-40	178
503	The associations of body size and body composition with left ventricular mass: impacts for indexation in adults. <b>1998</b> , 32, 451-7	120
502	Hypertrophic remodeling: gender differences in the early response to left ventricular pressure overload. <b>1998</b> , 32, 1118-25	225
501	Increased left ventricular mass and hypertrophy are associated with increased risk for sudden death. <b>1998</b> , 32, 1454-9	627
500	Pathological versus physiological left ventricular hypertrophy: a review. <b>1998</b> , 16, 129-41	69
499	Changes in left ventricular structure and function in patients with white coat hypertension: cross sectional survey. <b>1998</b> , 317, 565-70	57
498	Relationship between left ventricular mass and serum cholesterol level in the untreated hypertensive. <b>1998</b> , 16, 1043-7	15
497	The relationship between R amplitude in lead V5 (RV5) and left ventricular mass in the groups of adolescent subjects classified by body composition. <b>1998</b> , 62, 893-9	5
496	Assessment of the coronary artery disease and systolic dysfunction in hypertensive patients with the dobutamine-atropine stress echocardiography: effect of the left ventricular hypertrophy. <b>1998</b> , 89, 52-8	15
495	Circulating N-terminal pro-atrial natriuretic peptide is an independent predictor of left ventricular hypertrophy in the general population. The Tromsø Study. <b>1999</b> , 20, 755-63	28
494	Prevalence of left ventricular hypertrophy in a general population; The Tromsø Study. <b>1999</b> , 20, 429-38	73
493	Editorials. <b>1999</b> , 20, 397-405	
492	Left ventricular hypertrophy in the population. <b>1999</b> , 20, 1514-5	1
491	Myocardial oxygen consumption is unchanged but efficiency is reduced in patients with essential hypertension and left ventricular hypertrophy. <b>1999</b> , 100, 2425-30	75
490	QT dispersion is reduced after valve replacement in patients with aortic stenosis. <b>1999</b> , 82, 15-8	15

489	Left ventricular hypertrophy, treadmill tests, and 24-hour blood pressure in pediatric transplant patients. <b>1999</b> , 56, 1566-70		72
488	Echocardiography overestimates left ventricular mass in hemodialysis patients relative to magnetic resonance imaging. <b>1999</b> , 56, 2248-53		108
487	Time-Frequency Analysis of Heart Rate Variability in Hypertension: Clinical and Echocardiographic Associations. <b>1999</b> , 4, 27-34		
486	The influence of different antihypertensive drugs on left ventricular hypertrophy in a population sample of elderly men. <b>1999</b> , 13, 499-504		7
485	Echocardiographic definition of left ventricular hypertrophy in the hypertensive: which method of indexation of left ventricular mass?. <b>1999</b> , 13, 505-9		35
484	Left Ventricular Hypertrophy. <b>1999</b> , 1, 219-230		4
483	Ambulatory blood pressure monitoring and echocardiography--noninvasive techniques for evaluation of the hypertensive patient. <b>1999</b> , 41, 397-440		12
482	Effect of hormone replacement therapy on left ventricular hypertrophy. <i>American Journal of Cardiology</i> , <b>1999</b> , 83, 1132-4, A9	3	41
481	Angiotensin-converting enzyme gene polymorphism influences degree of left ventricular hypertrophy and its regression in patients undergoing operation for aortic stenosis. <i>American Journal of Cardiology</i> , <b>1999</b> , 84, 909-13	3	52
480	Sports-specific adaptations and differentiation of the athlete's heart. <b>1999</b> , 28, 237-44		59
479	Echocardiographic features and QT dispersion in borderline isolated systolic hypertension in the elderly. <b>1999</b> , 68, 317-23		7
478	Electrocardiographic left ventricular hypertrophy by five criteria among civil servants in Benin City, Nigeria: prevalence and correlates. <b>1999</b> , 70, 1-14		13
477	What determines echogenicity in a general population? The Tromsø Study. <b>1999</b> , 12, 314-8		9
476	Familial predisposition of left ventricular hypertrophy. <b>1999</b> , 33, 1685-91		39
475	Discrepancies between echocardiographic measurements of left ventricular mass in a healthy adult population. <b>1999</b> , 97, 377-383		8
474	Discrepancies between echocardiographic measurements of left ventricular mass in a healthy adult population. <b>1999</b> , 97, 377		2
473	Circadian blood pressure changes and cardiac abnormalities in IgA nephropathy. <b>1999</b> , 19, 546-51		11
472	Plasma leptin level is associated with myocardial wall thickness in hypertensive insulin-resistant men. <b>1999</b> , 34, 1047-52		135

471	Left ventricular mass correlates with fat-free mass but not fat mass in adults. <b>1999</b> , 17, 569-74	25
470	The Association of Left Ventricular Mass with Cardiovascular Risk Factors in African American Women. <b>2000</b> , 320, 13-17	2
469	Prevalence of target organ damage in treated hypertensive patients: different impact of clinic and ambulatory blood pressure control. <b>2000</b> , 18, 803-9	23
468	Long-term changes in left ventricular hypertrophy after renal transplantation. <b>2000</b> , 70, 570-5	100
467	Effect of hemoglobin levels in hemodialysis patients with asymptomatic cardiomyopathy. <b>2000</b> , 58, 1325-35	262
466	Determination of left ventricular mass by real-time three-dimensional echocardiography: in vitro validation. <b>2000</b> , 17, 665-74	8
465	The association of RBC sodium-lithium countertransport (Vmax) with left ventricular mass in African American women. <b>2000</b> , 14, 213-9	3
464	The electrocardiogram in morbid obesity. <i>American Journal of Cardiology</i> , <b>2000</b> , 85, 908-10, A10	3 82
463	Age- and gender-specific differences in left and right ventricular cardiac function and mass determined by cine magnetic resonance imaging. <b>2000</b> , 10, 438-42	224
462	Optimal antihypertensive therapy for prevention and treatment of left ventricular hypertrophy. <b>2000</b> , 2, 260-70	
461	Genetic contributions to left ventricular hypertrophy. <b>2000</b> , 2, 50-5	19
460	Left Ventricular Hypertrophy and Clinical Outcome in CAPD Patients. <b>2000</b> , 20, 461-466	25
459	Obesidade, hipertenso arterial e suas influncias sobre a massa e funo do ventrculo esquerdo. <b>2000</b> , 44, 64-71	4
458	Blood pressure, arterial compliance, and left ventricular mass: no relation to small size at birth in south Indian adults. <b>2000</b> , 83, 272-7	42
457	Ventricular mass and diastolic function in patients infected by the human immunodeficiency virus. <b>2000</b> , 84, 620-4	22
456	Left ventricular hypertrophy is associated with an attenuated endothelium-dependent vasodilation in hypertensive men. <b>2000</b> , 9, 309-14	18
455	Continuous relation between left ventricular mass and cardiovascular risk in essential hypertension. <b>2000</b> , 35, 580-6	396
454	Impact of different partition values on prevalences of left ventricular hypertrophy and concentric geometry in a large hypertensive population : the LIFE study. <b>2000</b> , 35, 6-12	200



453	Left ventricular concentric remodeling rather than left ventricular hypertrophy is related to the insulin resistance syndrome in elderly men. <b>2000</b> , 101, 2595-600	97
452	Left ventricular hypertrophy: pathogenesis, detection, and prognosis. <b>2000</b> , 102, 470-9	786
451	Performance of classic electrocardiographic criteria for left ventricular hypertrophy in an African population. <b>2000</b> , 36, 54-61	22
450	Interpretation of echocardiographic measurements: a call for standardization. <b>2000</b> , 139, 412-22	52
449	Enhanced prognostic stratification of patients with left ventricular hypertrophy with the use of single-photon emission computed tomography. <b>2000</b> , 140, 456-62	18
448	The influence of left ventricular geometry on coronary vasomotion in patients with essential hypertension. <b>2000</b> , 13, 789-95	8
447	Effect of blood glucose on left ventricular mass in patients with hypertension and type 2 diabetes mellitus. <b>2000</b> , 13, 1149-54	35
446	Body composition and prevalence of left ventricular hypertrophy. <b>2000</b> , 102, 405-10	85
445	Marked ventricular repolarization abnormalities in highly trained athletes: electrocardiograms: clinical and prognostic implications. <b>2000</b> , 36, 1310-6	48
444	Increased plasma adhesion molecule levels in patients with heart failure who have ischemic heart disease and dilated cardiomyopathy. <b>2001</b> , 141, 277-80	35
443	Prognostic implications of left ventricular hypertrophy. <b>2001</b> , 141, 334-41	535
442	Time course of left ventricular remodeling after stentless aortic valve replacement. <b>2001</b> , 142, 556-62	21
441	Association between the severity of heart failure and the susceptibility of myocytes to apoptosis in patients with idiopathic dilated cardiomyopathy. <b>2001</b> , 80, 29-36	22
440	SPECT dipyridamole scintigraphy for detecting coronary artery disease in patients with isolated severe aortic stenosis. <b>2001</b> , 81, 21-7	6
439	Plasma leptin concentration, insulin sensitivity, and 24-hour ambulatory blood pressure and left ventricular geometry. <b>2001</b> , 14, 114-20	28
438	Independent association of plasma leptin levels and left ventricular isovolumic relaxation in uncomplicated hypertension. <b>2001</b> , 14, 1019-24	12
437	Masa ventricular en ancianos con cardiopatía isquémica. <b>2001</b> , 13, 47-53	
436	Reference values for echocardiographic measurements in urban and rural populations of differing ethnicity: the Strong Heart Study. <b>2001</b> , 14, 601-11	87

435	Myocardial insulin-mediated glucose uptake and left ventricular geometry. <b>2001</b> , 10, 27-32	4
434	Behavioral treatment of hypertensive heart disease in African Americans: rationale and design of a randomized controlled trial. <b>2001</b> , 27, 83-95	11
433	Erythrocyte calcium influx is related to severity of ventricular arrhythmias in uraemic patients. <b>2001</b> , 16, 85-90	10
432	Interrelationship between Cardiac Structure and Function and Incidence of Arrhythmia in Peritoneal Dialysis Patients. <b>2001</b> , 24, 374-379	5
431	Reduction of left ventricular mass by lisinopril and nifedipine in hypertensive renal transplant recipients: a prospective randomized double-blind study. <b>2001</b> , 72, 107-11	56
430	Left ventricular mass assessed by electrocardiography and albumin excretion rate as a continuum in untreated essential hypertension. <b>2001</b> , 19, 1473-8	9
429	Left ventricular mass is not related to insulin sensitivity in never-treated primary hypertension. <b>2001</b> , 19, 311-7	12
428	Increased circulating levels of ouabain-like factor in patients with asymptomatic left ventricular dysfunction. <b>2001</b> , 3, 165-71	37
427	Inverse association between free insulin-like growth factor-1 and isovolumic relaxation in arterial systemic hypertension. <b>2001</b> , 38, 840-5	24
426	Assessment of the myocardial changes in heart transplant recipients without evident acute myocardial rejection by integrated backscatter: comparison with simultaneous dobutamine stress echocardiography and (201)thallium spect. <b>2001</b> , 27, 171-9	6
425	Evaluation of various electrocardiographic criteria for left ventricular hypertrophy in patients with stable angina pectoris: influence of using modified limb electrodes. <b>2001</b> , 21, 196-207	6
424	Vascular cell adhesion molecule-1 and intercellular adhesion molecule-1 serum level in patients with chest pain and normal coronary arteries (syndrome X). <b>2001</b> , 24, 301-4	58
423	Left ventricular systolic and diastolic function after anthracycline chemotherapy in childhood. <b>2001</b> , 24, 663-9	27
422	Cardiovascular complications in acromegaly: methods of assessment. <b>2001</b> , 4, 251-7	22
421	Echocardiographic evaluation of left and right ventricular function in mild hypertension. <b>2001</b> , 17, 263-70	7
420	Left ventricular mass and function in young obese women. <b>2001</b> , 25, 233-8	18
419	Effect of the Valsalva manoeuver on diastolic filling indices in patients with essential hypertension. <b>2001</b> , 15, 607-12	4
418	Mitral valve prolapse and mitral regurgitation are common in patients with polycystic kidney disease type 1. <b>2001</b> , 38, 1208-16	74

4 <sup>17</sup>	Dyslipidemia and an unfavorable fatty acid profile predict left ventricular hypertrophy 20 years later. <b>2001</b> , 103, 836-41	103
4 <sup>16</sup>	Impact of hypertension on the accuracy of exercise stress myocardial perfusion imaging for the diagnosis of coronary artery disease. <b>2001</b> , 85, 655-61	36
4 <sup>15</sup>	Effect of weight loss on the ECG of normotensive morbidly obese patients. <b>2001</b> , 119, 507-10	46
4 <sup>14</sup>	Lack of association of the renin-angiotensin system genes polymorphisms and left ventricular hypertrophy in hypertension. <b>2001</b> , 10, 135-41	18
4 <sup>13</sup>	Cross sectional study estimating prevalence of heart failure and left ventricular systolic dysfunction in community patients at risk. <b>2001</b> , 86, 172-8	43
4 <sup>12</sup>	Echocardiographic and electrocardiographic diagnoses of left ventricular hypertrophy predict mortality independently of each other in a population of elderly men. <b>2001</b> , 103, 2346-51	252
4 <sup>11</sup>	Association of left ventricular hypertrophy and aortic dilation in patients with acute thoracic aortic dissection. <b>2001</b> , 52, 447-55	19
4 <sup>10</sup>	Blood pressure variability and organ damage in a general population: results from the PAMELA study (Pressioni Arteriose Monitorate E Loro Associazioni). <b>2002</b> , 39, 710-4	228
4 <sup>09</sup>	Uncontrolled hypertension due to volume overload contributes to higher left ventricular mass index in CAPD patients. <b>2002</b> , 17, 1661-6	63
4 <sup>08</sup>	Left ventricular myocardial impairment in subclinical hypothyroidism assessed by a new ultrasound tool: pulsed tissue Doppler. <b>2002</b> , 87, 4350-5	75
4 <sup>07</sup>	The impact of JNC-VI guidelines on treatment recommendations in the US population. <b>2002</b> , 39, 897-902	40
4 <sup>06</sup>	Comparison of the effects of antihypertensive treatment with angiotensin II blockade and beta-blockade on carotid wall structure and haemodynamics: protocol and baseline demographics. <b>2002</b> , 3, 116-22	8
4 <sup>05</sup>	Automatic detection of coronary artery disease in myocardial perfusion SPECT using image registration and voxel to voxel statistical comparisons. <b>2002</b> , 23, 785-94	7
4 <sup>04</sup>	Ambulatory blood pressure and left ventricular mass in older age. <b>2002</b> , 62, 569-77	5
4 <sup>03</sup>	Blunted nocturnal blood pressure decrease and left-ventricular mass in hypertensive hemodialysis patients. <b>2002</b> , 91, 79-85	10
4 <sup>02</sup>	Gender differences and normal left ventricular anatomy in an adult population free of hypertension. A cardiovascular magnetic resonance study of the Framingham Heart Study Offspring cohort. <b>2002</b> , 39, 1055-60	265
4 <sup>01</sup>	The presence of African American race predicts improvement in coronary endothelial function after supplementary L-arginine. <b>2002</b> , 39, 1314-22	39
4 <sup>00</sup>	Influence of wall stress and left ventricular geometry on the accuracy of dobutamine stress echocardiography. <b>2002</b> , 40, 1311-9	66

399	Athlete <sup>®</sup> heart: right and left ventricular mass and function in male endurance athletes and untrained individuals determined by magnetic resonance imaging. <b>2002</b> , 40, 1856-63	306
398	Left ventricular hypertrophy is a risk factor independent of hypertension in survival of hemodialyzed patients. <b>2002</b> , 24, 175-86	11
397	Preliminary experience with the St. Jude Medical Regent mechanical heart valve in the aortic position: early in vivo hemodynamic results. <b>2002</b> , 73, 1830-6; discussion 1836	11
396	Heart transplantation: echocardiographic assessment of morphology and function after more than 10 years of follow-up. <b>2002</b> , 74, 1075-9; discussion 1079	28
395	Peripheral endothelium-dependent flow-mediated vasodilatation is associated with left ventricular mass in older persons with hypertension. <b>2002</b> , 144, 39-44	13
394	Left ventricular mass and arterial compliance: relation to coronary heart disease and its risk factors in South Indian adults. <b>2002</b> , 83, 1-9	14
393	Left ventricular hypertrophy evaluation in obese hypertensive patients: effect of left ventricular mass index criteria. <b>2002</b> , 78, 341-51	7
392	An analysis of electrocardiographic criteria for determining left ventricular hypertrophy. <b>2002</b> , 78, 59-82	10
391	Left Ventricular Hypertrophy in Hypertension. <b>2002</b> , 2, 142-156	2
390	Late hemodynamic and clinical outcomes of aortic valve replacement with the Carpentier-Edwards Perimount pericardial bioprosthesis. <b>2002</b> , 124, 146-54	132
389	Value of corrected QT interval dispersion in identifying patients initiating dialysis at increased risk of total and cardiovascular mortality. <b>2002</b> , 39, 834-42	71
388	Apolipoproteins AI, B, and E polymorphisms in severe aortic valve stenosis. <b>2001</b> , 60, 381-4	27
387	Regression of left ventricular hypertrophy after conversion to nocturnal hemodialysis. <b>2002</b> , 61, 2235-9	265
386	Left ventricular outflow tract presystolic flow velocity--another marker of left ventricular diastolic function. <b>2002</b> , 18, 249-56	15
385	[Calcified plaques of extracranial carotid arteries and left ventricular geometry as predictors of coronary artery disease]. <b>2003</b> , 98, 72-8	5
384	[Left ventricular mass in endurance-athletes with athlete <sup>®</sup> heart and untrained subjects--comparison between different echocardiographic methods and MRI]. <b>2003</b> , 92, 309-18	8
383	Insulin resistance is related to left ventricular hypertrophy in patients with polycystic kidney disease type 1. <b>2003</b> , 41, 1219-24	26
382	Abnormal left ventricular filling with increasing age reflects abnormal myocardial characteristics independent of ischemia or hypertrophy. <i>American Journal of Cardiology</i> , <b>2003</b> , 91, 63-7	3 8

381	Influence of age on assessment of diastolic function by Doppler tissue imaging. <i>American Journal of Cardiology</i> , <b>2003</b> , 91, 254-7	3	60
380	Troponin-I elevation in patients with increased left ventricular mass. <i>American Journal of Cardiology</i> , <b>2003</b> , 92, 88-90	3	47
379	Comparison of m-mode echocardiographic left ventricular mass measured using digital and strip chart readings: the Atherosclerosis Risk in Communities (ARIC) study. <b>2003</b> , 1, 8		4
378	Cardiac disease in young adult patients with end-stage renal disease since childhood: a Dutch cohort study. <b>2003</b> , 63, 1058-65		80
377	Echocardiographic left ventricular mass in African-Americans: the Jackson cohort of the Atherosclerosis Risk in Communities Study. <b>2003</b> , 20, 111-20		46
376	Early in vivo hemodynamic results after aortic valve replacement with the St Jude Medical Regent mechanical heart valve in patients with pure aortic stenosis. <b>2003</b> , 18, 125-32		5
375	Multivariate associates of QT interval parameters in diabetic patients with arterial hypertension: importance of left ventricular mass and geometric patterns. <b>2003</b> , 17, 561-7		18
374	Echocardiographic detection of early diabetic myocardial disease. <b>2003</b> , 41, 611-7		283
373	Patients with early diabetic heart disease demonstrate a normal myocardial response to dobutamine. <b>2003</b> , 42, 446-53		89
372	Asymptomatic cardiac disease following mediastinal irradiation. <b>2003</b> , 42, 743-9		278
371	High prevalence of target organ damage in young, African American inner-city men with hypertension. <b>2003</b> , 5, 24-30		17
370	Sex-related differences in heart failure. <b>2003</b> , 32, 215-23; quiz 224-5		7
369	Association of severe coronary stenosis with subclinical left ventricular dysfunction in the absence of infarction. <b>2003</b> , 16, 1163-70		24
368	Inferior vena cava diameter determines left ventricular geometry in continuous ambulatory peritoneal dialysis patients: an echocardiographic study. <b>2003</b> , 18, 2128-33		17
367	The cost effectiveness of ACE inhibitors as first-line antihypertensive therapy. <b>2003</b> , 21, 573-85		13
366	Association between brain natriuretic peptide and extracellular water in hemodialysis patients. <b>2003</b> , 95, c60-6		57
365	Hypertensive target-organ damage in the very elderly. <b>2003</b> , 42, 130-5		29
364	Preload dependence of new Doppler techniques limits their utility for left ventricular diastolic function assessment in hemodialysis patients. <b>2003</b> , 14, 1858-62		72

363	Association between extracellular water, left ventricular mass and hypertension in haemodialysis patients. <b>2003</b> , 18, 2332-8	63
362	M-mode echocardiography overestimates left ventricular mass in patients with normal left ventricular shape: a comparative study using three-dimensional echocardiography. <b>2003</b> , 4, 312-9	30
361	QTc interval prolongation is a predictor of future strokes in patients with type 2 diabetes mellitus. <b>2003</b> , 34, 2187-94	40
360	Comparison of the echocardiographic and pulmonary function test findings in orderly treated and untreated essential hypertensive patients. <b>2003</b> , 12, 319-25	3
359	Left ventricular hypertrophy in treated hypertensive patients with good blood pressure control outside the clinic, but poor clinic blood pressure control. <b>2003</b> , 21, 1575-81	20
358	Left ventricular hypertrophy and endothelial functions in patients with essential hypertension. <b>2003</b> , 14, 541-4	8
357	Echocardiographic assessment of the different left ventricular geometric patterns in middle-aged men and women in Tallinn. <b>2003</b> , 12, 284-90	6
356	Effect of preload reduction by haemodialysis on new indices of diastolic function. <b>2003</b> , 105, 499-506	61
355	Clinical Significance of Atrioventricular Plane Displacement for Evaluating Left Ventricular Diastolic Dysfunction. <b>2003</b> , 33, 1110	
354	Regulation of the catecholamine beta-adrenergic system in ventricular remodeling of hypertension. <b>2004</b> , 45, 285-96	2
353	Comparison of early diastolic mitral annular velocity and flow propagation velocity in detection of mild to moderate left ventricular diastolic dysfunction. <b>2004</b> , 5, 196-204	15
352	Prevalence and determinants of left ventricular hypertrophy and remodelling patterns in hypertensive patients: the St. Petersburg study. <b>2004</b> , 13, 101-9	31
351	Left ventricular mass increases with deteriorating glucose tolerance, especially in women: independence of increased arterial stiffness or decreased flow-mediated dilation: the Hoorn study. <b>2004</b> , 27, 522-9	44
350	Mechanisms of exercise intolerance: insights from tissue Doppler imaging. <b>2004</b> , 109, 972-7	159
349	Changes of the cardiac architectures and functions for chronic hemodialysis patients with dry weight determined by echocardiography. <b>2004</b> , 22, 351-9	27
348	Echocardiographic Assessment of Left Ventricular Structure in Hypertension and the Impact on Clinical Outcomes. <b>2004</b> , 20, 304-314	1
347	Frequency of angiotensin-converting enzyme gene polymorphism in Turkish hypertensive patients. <b>2004</b> , 58, 838-43	22
346	Effect of antecedent systemic hypertension on subsequent left ventricular dilation after acute myocardial infarction (from the Survival and Ventricular Enlargement trial). <i>American Journal of Cardiology</i> , <b>2004</b> , 94, 1-8	3 26

345	Hijacking epidermal growth factor receptors by angiotensin II: new possibilities for understanding and treating cardiac hypertrophy. <b>2004</b> , 61, 2695-703	34
344	Genes for left ventricular hypertrophy. <b>2004</b> , 6, 36-41	37
343	The relation between myocardial cyclic variation of integrated backscatter and serum concentrations of procollagen propeptides in hypertensive patients. <b>2004</b> , 30, 885-91	26
342	Job-Related Anxiety and Carotid Atherosclerosis. <b>2004</b> , 11, 99-105	
341	Is quantitative interpretation likely to increase sensitivity of dobutamine stress echocardiography? A study of false-negative results. <b>2004</b> , 17, 448-53	7
340	Heart failure in women. <b>2004</b> , 88, 1321-45, xii	63
339	Hematocrit and left ventricular mass: the Framingham Heart study. <b>2004</b> , 43, 1276-82	39
338	Cardiac abnormalities in acromegaly. Pathophysiology and implications for management. <b>2004</b> , 3, 309-18	26
337	Peak atrial systolic mitral annular velocity by Doppler tissue reliably predicts left atrial systolic function. <b>2004</b> , 17, 353-60	61
336	Regression of left ventricular hypertrophy and improvement of diastolic function in hypertensive patients treated with telmisartan. <b>2004</b> , 97, 383-8	43
335	Mortality in patients with microvascular disease. <b>2004</b> , 6, 304-9	43
334	Hypothetical economic analysis of screening for left ventricular hypertrophy in high-risk normotensive populations. <b>2004</b> , 97, 87-93	11
333	Relationship between longitudinal and radial contractility in subclinical diabetic heart disease. <b>2004</b> , 106, 53-60	179
332	Hemodynamics of orthostatic intolerance: implications for gender differences. <b>2004</b> , 286, H449-57	146
331	Tissue Doppler imaging provides incremental prognostic value in patients with systemic hypertension and left ventricular hypertrophy. <b>2005</b> , 23, 183-91	155
330	Myocardial contractility does not determine the haemodynamic response during dialysis. <b>2005</b> , 20, 2465-71	10
329	Impaired systolic dysfunction of left ventricular longitudinal fibers: a sign of early hypertensive cardiomyopathy. <b>2005</b> , 28, 282-6	36
328	Effects of erythropoietin on left ventricular hypertrophy in adults with severe chronic renal failure and hemoglobin . <b>2005</b> , 68, 788-95	69

327	Usefulness of QT-interval parameters for cardiovascular risk stratification in type 2 diabetic patients with arterial hypertension. <b>2005</b> , 19, 241-9		16
326	Doppler-derived left ventricular filling pressures and the regulation of heart rate recovery after exercise in patients with suspected coronary artery disease. <i>American Journal of Cardiology</i> , <b>2005</b> , 95, 832-7	3	7
325	Left ventricular end-diastolic volume is decreased at maximal exercise in athletes with marked repolarisation abnormalities: a continuous radionuclide monitoring study. <b>2005</b> , 32, 203-10		4
324	[Cardiovascular end organ impairment due to hypertension]. <b>2005</b> , 46, 496-508		3
323	Determinants of subclinical diabetic heart disease. <b>2005</b> , 48, 394-402		117
322	[Hypertensive microvascular disease]. <b>2005</b> , 30, 26-36		4
321	Echocardiography-based left ventricular mass estimation. How should we define hypertrophy?. <b>2005</b> , 3, 17		160
320	The role of secondary hyperparathyroidism in left ventricular hypertrophy of patients under chronic hemodialysis. <b>2005</b> , 38, 1409-16		18
319	Echocardiographic Assessment of LV Geometric Pattern and Function in Pregnancy-Induced Hypertension. <b>2005</b> , 35, 718		1
318	Does load-induced ventricular hypertrophy progress to systolic heart failure?. <b>2005</b> , 289, H8-H16		144
317	Metabolic syndrome and echocardiographic left ventricular mass in blacks: the Atherosclerosis Risk in Communities (ARIC) Study. <b>2005</b> , 112, 819-27		81
316	Optimal threshold value for left ventricular hypertrophy in blacks: the Atherosclerosis Risk in Communities study. <b>2005</b> , 45, 58-63		43
315	The association of thyroid function with cardiac mass and left ventricular hypertrophy. <b>2005</b> , 90, 673-7		106
314	[Systolic heart failure in the elderly]. <b>2005</b> , 130, 698-703		2
313	[Distribution, determinants and reference values of left ventricular parameters in the general population--results of the MONICA/KORA echocardiography studies]. <b>2005</b> , 67 Suppl 1, S68-73		12
312	Investigation of flow-mediated dilation response in normal coronary angiographic patients. <b>2005</b> , 56, 671-5		1
311	Effect of 24-week treatment with telmisartan on myocardial structure and function: relationship to insertion/deletion polymorphism of the angiotensin-converting enzyme gene. <b>2005</b> , 33 Suppl 1, 30A-38A		6
310	Management of cardiovascular disease in the renal transplant recipient. <b>2005</b> , 23, 331-42		7



309	Strain rate imaging for noninvasive functional quantification of the left atrium: comparative studies in controls and patients with atrial fibrillation. <b>2005</b> , 18, 729-36	142
308	Hemodynamic function of the standard St. Jude bileaflet disc valve has no clinical impact 10 years after aortic valve replacement. <b>2005</b> , 39, 237-43	1
307	Impact of valve prosthesis-patient mismatch on left ventricular mass regression following aortic valve replacement. <b>2005</b> , 79, 505-10	141
306	Impact of the improvement of valve area achieved with aortic valve replacement on the regression of left ventricular hypertrophy in patients with pure aortic stenosis. <b>2005</b> , 79, 1291-6; discussion 1296	42
305	Additional impact of electrocardiographic over echocardiographic diagnosis of left ventricular hypertrophy for predicting the risk of ischemic stroke. <b>2005</b> , 149, 181-6	39
304	Screening for heart disease in diabetic subjects. <b>2005</b> , 149, 349-54	103
303	Heart disease epidemic in Pakistan: women and men at equal risk. <b>2005</b> , 150, 221-6	78
302	Indexation criteria of ventricular mass and predictive role of blood pressure and body composition. <b>2005</b> , 18, 1282-7	29
301	Sex-related differences in relations of uric acid to left ventricular hypertrophy and remodeling in Japanese hypertensive patients. <b>2005</b> , 28, 133-9	35
300	Close coupling of systolic and diastolic function: combined assessment provides superior prediction of exercise capacity. <b>2005</b> , 11, 516-22	10
299	Cardiac functional and morphologic changes of renal allograft recipients in the early posttransplant period. <b>2006</b> , 38, 3527-9	6
298	Cardiac Hypertrophy. <b>2006</b> ,	
297	Left ventricular hypertrophy in patients with renal artery stenosis. <b>2006</b> , 332, 334-8	5
296	The assessment of left ventricular hypertrophy in hypertension. <b>2006</b> , 24, 1223-30	37
295	Left ventricular hypertrophy and cardiovascular risk stratification: impact and cost-effectiveness of echocardiography in recently diagnosed essential hypertensives. <b>2006</b> , 24, 1671-7	42
294	Effect of the increase in valve area after aortic valve replacement with a 19-mm aortic valve prosthesis on left ventricular mass regression in patients with pure aortic stenosis. <b>2006</b> , 7, 351-5	1
293	Echocardiographic partition values and prevalence of left ventricular hypertrophy in hypertensive Nigerians. <b>2006</b> , 6, 10	18
292	Hyperglycemia and nocturnal systolic blood pressure are associated with left ventricular hypertrophy and diastolic dysfunction in hypertensive diabetic patients. <b>2006</b> , 5, 19	16

291	Diabetes, gender, and left ventricular structure in African-Americans: the atherosclerosis risk in communities study. <b>2006</b> , 4, 43	10
290	Evaluation of the electrocardiographic criteria for left ventricular hypertrophy with use of three-dimensional echocardiography. <b>2006</b> , 23, 756-62	4
289	Increased prevalence of concentric left ventricular hypertrophy in African-Americans: will an epidemic of heart failure follow?. <b>2006</b> , 11, 271-7	14
288	The effect of 12-month enzyme replacement therapy on myocardial perfusion in patients with Fabry disease. <b>2006</b> , 29, 112-8	59
287	Easy access echocardiography for the general practitioner: results from the Parkstad area in the Netherlands. <b>2006</b> , 22, 19-25	7
286	NT-pro-BNP in obstructive sleep apnea syndrome is decreased by nasal continuous positive airway pressure. <b>2006</b> , 95, 23-30	37
285	Association between cardiac disorders and a decades-previous history of diphtheria. <b>2006</b> , 25, 651-6	1
284	Early diastolic mitral annular velocity and color M-mode flow propagation velocity in the evaluation of left ventricular diastolic function in patients with Fabry disease. <b>2006</b> , 21, 13-9	13
283	Screening for ventricular remodeling. <b>2006</b> , 3, 5-13	7
282	Indexed effective orifice area after mechanical aortic valve replacement does not affect left ventricular mass regression in elderly. <b>2006</b> , 29, 139-43	17
281	Stentless and stented aortic valve replacement in elderly patients: Factors affecting midterm clinical and hemodynamical outcome. <b>2006</b> , 30, 706-13	25
280	Aortic stenosis in the elderly: Rethinking strategies. <b>2006</b> , 30, 713-5	1
279	Amino-terminal pro-B-type natriuretic peptide and B-type natriuretic peptide: biomarkers for mortality in a large community-based cohort free of heart failure. <b>2006</b> , 47, 874-80	132
278	Age-related changes in echocardiographic measurements: association with variation in the estrogen receptor-alpha gene. <b>2007</b> , 49, 1000-6	18
277	Prevalence and prognostic significance of heart failure stages: application of the American College of Cardiology/American Heart Association heart failure staging criteria in the community. <b>2007</b> , 115, 1563-70	301
276	Atrial and brain natriuretic peptide and endothelin-1 concentration in patients with idiopathic arterial hypertension: the dependence on the selected morphological parameters. <b>2007</b> , 29, 149-64	23
275	Sex and the cardiovascular system: the intriguing tale of how women and men regulate cardiovascular function differently. <b>2007</b> , 31, 17-22	100
274	Measurement of wall thickness alone does not accurately assess the presence of left ventricular hypertrophy. <b>2007</b> , 29, 119-25	12

273	Analysis of T-wave morphology from the 12-lead electrocardiogram for prediction of long-term prognosis in patients initiating haemodialysis. <b>2007</b> , 22, 2645-52	17
272	Relationship between the degree of malnutrition and echocardiographic parameters in hemodialysis patients. <b>2007</b> , 106, c136-42	10
271	Biochemical evidence of myocardial fibrosis in veteran endurance athletes. <b>2007</b> , 41, 447-52	69
270	Haematocrit levels and left ventricular geometry: results of the MONICA Augsburg Echocardiographic Substudy. <b>2007</b> , 25, 1301-9	14
269	NT-proBNP changes, oxidative stress, and energy status of hypertrophic myocardium following ischemia/reperfusion injury. <b>2007</b> , 61, 160-6	14
268	Noninvasive assessment of left atrial function by strain rate imaging in patients with hypertension: a possible beneficial effect of renin-angiotensin system inhibition on left atrial function. <b>2007</b> , 30, 13-21	90
267	Diagnosis of left ventricular diastolic dysfunction in the setting of acute changes in loading conditions. <b>2007</b> , 11, R43	63
266	Polymorphism modulates symptomatic response to antiarrhythmic drug therapy in patients with lone atrial fibrillation. <b>2007</b> , 4, 743-9	77
265	Left ventricular hypertrophy in athletes: morphologic features and clinical correlates. <b>2007</b> , 25, 371-82, v	26
264	Treatment of Fabry disease: outcome of a comparative trial with agalsidase alfa or beta at a dose of 0.2 mg/kg. <b>2007</b> , 2, e598	143
263	Abdominal obesity, insulin resistance and hypertension: impact on left ventricular mass and function in women. <b>2007</b> , 89, 77-82, 86-92	4
262	Correlation between insulin resistance surrogates and echocardiographic findings in asymptomatic patients with morbid obesity: a cross-sectional study. <b>2007</b> , 13, 590-600	8
261	Determinants of augmentation of ECG QRS complexes and R waves in patients after hemodialysis. <b>2007</b> , 12, 111-20	7
260	Left ventricular function in normotensive young adults with well-controlled type 1 diabetes mellitus. <i>American Journal of Cardiology</i> , <b>2007</b> , 99, 84-90	3 39
259	The Dutch experience of open access echocardiography. <b>2007</b> , 15, 342-7	6
258	Left ventricular mass in 169 healthy children and young adults assessed by three-dimensional echocardiography. <b>2007</b> , 28, 201-7	32
257	Comparison of early diastolic annular velocities measured at various sites of mitral annulus in detection of mild to moderate left ventricular diastolic dysfunction. <b>2007</b> , 22, 67-72	8
256	The Dutch Fabry cohort: diversity of clinical manifestations and Gb3 levels. <b>2007</b> , 30, 68-78	134

255	The relationship between depression-malnutrition and echocardiographic-blood pressure parameters in chronic hemodialysis patients. <b>2008</b> , 40, 793-9	12
254	Ultrasound speckle tracking imaging contributes to early diagnosis of impaired left ventricular systolic function in patients with type 2 diabetes mellitus. <b>2008</b> , 28, 719-23	12
253	Disproportionately high risk of left ventricular hypertrophy in Indo-Asian women: a call for more studies. <b>2008</b> , 25, 812-9	6
252	The interleukin-10 promoter genotype predicts diastolic dysfunction in maintenance hemodialysis patients. <b>2008</b> , 12, 352-61	3
251	Left ventricular hypertrophy in mild and moderate reduction in kidney function determined using cardiac magnetic resonance imaging and cystatin C: the multi-ethnic study of atherosclerosis (MESA). <b>2008</b> , 52, 839-48	53
250	Predictors of development and progression of microvascular complications in a cohort of Brazilian type 2 diabetic patients. <b>2008</b> , 22, 164-70	24
249	Thresholds in the relationship between mortality and left ventricular hypertrophy defined by electrocardiography. <b>2008</b> , 41, 342-50	22
248	Correlation of electrocardiographic left ventricular hypertrophy criteria with left ventricular mass by echocardiogram in obese hypertensive patients. <b>2008</b> , 41, 724-9	21
247	Is albuminuria an indicator of myocardial dysfunction in diabetic patients without overt heart disease? A study with Doppler strain and strain rate imaging. <b>2008</b> , 57, 448-52	19
246	Prognostic implications of left ventricular mass and geometry following myocardial infarction: the VALIANT (VALsartan In Acute myocardial INfarcTion) Echocardiographic Study. <b>2008</b> , 1, 582-91	172
245	Outcome of adults with asymptomatic severe aortic stenosis. <b>2008</b> , 123, 322-7	17
244	Influence of concentric left ventricular remodeling on early mortality after aortic valve replacement. <b>2008</b> , 85, 2030-9	86
243	Changes in cardiac parameters of renal allograft recipients: a compilation of clinical, laboratory, and echocardiographic observations. <b>2008</b> , 40, 2327-9	17
242	Treatment of Fabry disease with different dosing regimens of agalsidase: effects on antibody formation and GL-3. <b>2008</b> , 94, 319-25	102
241	Enzyme replacement therapy in Fabry disease: towards a better understanding of the implications of antibody formation and dose. <b>2008</b> , 95, 239-40	2
240	Sex differences in systolic heart failure in the elderly: the prognostic importance of left ventricular mass in women. <b>2008</b> , 17, 373-81	10
239	Long-term evolution and changing associations of left ventricular hypertrophy after starting hemodialysis. <b>2008</b> , 110, c126-32	8
238	Anderson-Fabry disease: long-term echocardiographic follow-up under enzyme replacement therapy. <b>2008</b> , 9, 729-35	27

237	Aminoterminal pro-brain natriuretic peptide (NT-proBNP) and sleep-disordered breathing in morbidly obese females: a cross-sectional study. <b>2008</b> , 5, 19-24		4
236	Left ventricular filling pressure by Doppler echocardiography in patients with end-stage renal disease. <b>2008</b> , 52, 107-14		65
235	Left ventricular dysfunction in the haemodialysis population. <b>2008</b> , 1, 199-205		12
234	Hypertensive Left Ventricular Hypertrophy Regression: Does It Matter?. <b>2008</b> , 4, 275-288		1
233	Impaired left ventricular synchronicity in hypertensive patients with ventricular hypertrophy. <b>2008</b> , 26, 553-9		41
232	Implications of persistent prehypertension for ageing-related changes in left ventricular geometry and function: the MONICA/KORA Augsburg study. <b>2008</b> , 26, 2040-9		53
231	Relationship between Serum N-Terminal Pro-Brain Natriuretic Peptide Level and Left Ventricular Dysfunction and Extracellular Water in Continuous Ambulatory Peritoneal Dialysis Patients. <b>2008</b> , 6, 15-21		6
230	TISSUE DOPPLEROGRAPHY IN EARLY DIAGNOSIS OF FUNCTIONAL MYOCARDIAL DISORDERS IN ARTERIAL HYPERTENSION. <b>2008</b> , 4, 39-43		
229	[Clinical and psychosocial features of heart failure patients admitted for clinical decompensation]. <b>2009</b> , 43, 44-53		4
228	Serum phosphate and left ventricular hypertrophy in young adults: the coronary artery risk development in young adults study. <b>2009</b> , 32, 37-44		35
227	Regional differences in the prevalence of left ventricular hypertrophy within Germany. <b>2009</b> , 16, 392-400		11
226	Volume indicators and left ventricular mass during aggressive volume management in patients on thrice-weekly hemodialysis. <b>2009</b> , 113, c270-80		19
225	Predictors of increased left ventricular filling pressure in dialysis patients with preserved left ventricular ejection fraction. <b>2009</b> , 50, 543-9		10
224	Influence of prosthesis-patient mismatch on exercise-induced arrhythmias: a further aspect after aortic valve replacement. <b>2009</b> , 138, 632-8		21
223	Usefulness of electrocardiographic and echocardiographic left ventricular hypertrophy to predict adverse events in patients with a first non-ST-elevation acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2009</b> , 103, 455-60	3	14
222	Comparison of olmesartan medoxomil versus amlodipine besylate on regression of ventricular and vascular hypertrophy. <i>American Journal of Cardiology</i> , <b>2009</b> , 104, 359-65	3	11
221	Relationship between adiponectin and left atrium size in uncomplicated obese patients: adiponectin, a link between fat and heart. <b>2009</b> , 19, 1324-32		35
220	Quantitative assessment of left ventricular and left atrial functions by strain rate imaging in diabetic patients with and without hypertension. <b>2009</b> , 26, 262-71		74

219	The effect of nondipping blood pressure patterns on cardiac structural changes and left ventricular diastolic functions in normotensives. <b>2009</b> , 26, 378-87		20
218	Diastolic function study with conventional and pulsed tissue Doppler echocardiography imaging in acromegalic patients. <b>2009</b> , 26, 651-6		6
217	Association between sleep-disordered breathing, aminoterminal pro-brain natriuretic peptide (NT-proBNP) levels and insulin resistance in morbidly obese young women. <b>2009</b> , 20, 174-81		13
216	[Risk factors associated with functional impairment at discharge and at three months after discharge in elderly individuals hospitalized for heart failure]. <b>2009</b> , 44, 66-72		7
215	Transit-time blood flow measurements in sequential saphenous coronary artery bypass grafts. <b>2009</b> , 87, 1409-15		20
214	Diastolic dysfunction as a link between hypertension and heart failure. <b>2009</b> , 93, 647-64		39
213	Early left ventricular structural myocardial alterations and their relationship with functional and electrical properties of the heart in myotonic dystrophy type 1. <b>2009</b> , 22, 1173-9		14
212	Association of plasma acylated ghrelin with blood pressure and left ventricular mass in patients with metabolic syndrome. <b>2010</b> , 28, 560-7		34
211	Enzyme assay and clinical assessment in subjects with a Chinese hotspot late-onset Fabry mutation (IVS4 + 919G->A). <b>2010</b> , 33, 619-24		20
210	Molecular distinction between physiological and pathological cardiac hypertrophy: experimental findings and therapeutic strategies. <b>2010</b> , 128, 191-227		556
209	PQ interval in patients with Fabry disease. <i>American Journal of Cardiology</i> , <b>2010</b> , 105, 753-6	3	32
208	High inflammatory activity related to the number of metabolic syndrome components. <b>2010</b> , 12, 136-44		27
207	Predicting cardiovascular disease morbidity and mortality in chronic kidney disease in Spain. The rationale and design of NEFRONA: a prospective, multicenter, observational cohort study. <b>2010</b> , 11, 14		60
206	Association of intraocular pressure with the metabolic syndrome and novel cardiometabolic risk factors. <b>2010</b> , 24, 1037-43		40
205	Left ventricular hypertrophy, geometric patterns and clinical correlates among treated hypertensive Nigerians. <i>Pan African Medical Journal</i> , <b>2010</b> , 4, 8	1.2	9
204	Effect of systemic hypertension on right ventricular morphology and function: an echocardiographic study. <i>Cardiovascular Journal of Africa</i> , <b>2010</b> , 21, 252-6	0.7	18
203	Associations between collagen synthesis and degradation and aortic function in arterial hypertension. <b>2010</b> , 23, 488-94		29
202	Cardiac function in mild primary hyperparathyroidism and the outcome after parathyroidectomy. <b>2010</b> , 163, 461-7		48

201	Distribution and categorization of left ventricular measurements in the general population: results from the population-based Gutenberg Heart Study. <b>2010</b> , 3, 604-13	44
200	The prognostic value of N-terminal pro-B-type natriuretic peptide for death and cardiovascular events in healthy normal and stage A/B heart failure subjects. <b>2010</b> , 55, 2140-7	91
199	Long-term effects of arteriovenous fistula closure on echocardiographic functional and structural findings in hemodialysis patients: a prospective study. <b>2010</b> , 55, 682-9	62
198	Growth hormone status predicts left ventricular mass in patients after cure of acromegaly. <b>2010</b> , 20, 333-7	12
197	Relationship between N-terminal pro-B-type natriuretic peptide (Nt-proBNP) and cardiac cycle efficiency in cardiac surgery. <b>2010</b> , 64, 511-5	12
196	Plasma globotriaosylsphingosine: diagnostic value and relation to clinical manifestations of Fabry disease. <b>2010</b> , 1802, 741-8	158
195	Left atrial volume predicts mortality in low-risk dialysis population on long-term low-salt diet. <b>2010</b> , 159, 1089-94	38
194	Prevalence and severity of echocardiographic left ventricular hypertrophy in hypertensive patients in clinical practice. <b>2011</b> , 20, 3-9	13
193	Coronary artery plaque burden does not affect left ventricular diastolic function in asymptomatic adults with normal ejection fraction. <b>2011</b> , 24, 909-14	13
192	Predictive utility of atrial, N-terminal pro-atrial, and N-terminal pro-B-type natriuretic peptides for mortality and cardiovascular events in the general community: a 9-year follow-up study. <b>2011</b> , 86, 1154-60	47
191	Ambulatory blood pressure profile and left ventricular geometry in Nigerian hypertensives. <b>2011</b> , 2, 164-71	7
190	Left ventricular hypertrophy causes different changes in longitudinal, radial, and circumferential mechanics in patients with hypertension: a two-dimensional speckle tracking study. <b>2011</b> , 24, 192-9	75
189	A genetic variant of the atrial natriuretic peptide gene is associated with cardiometabolic protection in the general community. <b>2011</b> , 58, 629-36	73
188	Nutrition and human health from a sex-gender perspective. <b>2011</b> , 32, 1-70	88
187	Elevated cardiac troponin T predicts adverse outcomes in hypertensive patients. <b>2011</b> , 52, 164-9	21
186	Emagrecimento e desempenho cardíaco. <b>2011</b> , 24, 131-135	1
185	Impact of orlistat-induced weight loss on diastolic function and heart rate variability in severely obese subjects with diabetes. <b>2011</b> , 2011, 394658	7
184	Left Ventricular Hypertrophy: An allometric comparative analysis of different ECG markers. <b>2011</b> , 332, 012016	0

183	Impact of gestational hypertension on left ventricular function and geometric pattern. <b>2011</b> , 75, 1170-6	20
182	Left ventricle remodelling is associated with sleep-disordered breathing in non-ischaemic cardiopathy with systolic dysfunction. <b>2011</b> , 20, 101-9	10
181	A juvenile murine heart failure model of pressure overload. <b>2011</b> , 32, 145-53	1
180	Noninvasive cardiac output monitoring during general anesthesia for Cesarean delivery in a patient with severe aortic stenosis. <b>2011</b> , 58, 837-41	8
179	Morphofunctional evaluation of the heart of obese patients before and after bariatric surgery. <b>2011</b> , 21, 1693-7	28
178	Novel association patterns of cardiac remodeling markers in patients with essential hypertension and atrial fibrillation. <b>2011</b> , 11, 77	23
177	Serum fibroblast growth factor-23 (FGF-23) levels are independently associated with left ventricular mass and myocardial performance index in maintenance haemodialysis patients. <b>2011</b> , 26, 1346-54	71
176	Cohort profile: the study of health in Pomerania. <b>2011</b> , 40, 294-307	704
175	PKC $\beta$ inhibition with ruboxistaurin reduces oxidative stress and attenuates left ventricular hypertrophy and dysfunction in rats with streptozotocin-induced diabetes. <b>2012</b> , 122, 161-73	60
174	Age related prevalence of severe left ventricular hypertrophy in essential hypertension: echocardiographic findings from the ETODH study. <b>2012</b> , 21, 139-45	13
173	Current state of intensive hemodialysis: a comparative review of benefits and barriers. <b>2012</b> , 27, 4307-13	7
172	Myocardial metabolism and diastolic function after aortic valve replacement for aortic stenosis: influence of patient-prosthesis mismatch. <b>2012</b> , 41, 316-21	11
171	The impact of diabetes duration on left ventricular diastolic function and cardiovascular disease. <b>2012</b> , 88, 189-93	9
170	Late calcineurin inhibitor withdrawal prevents progressive left ventricular diastolic dysfunction in renal transplant recipients. <b>2012</b> , 94, 721-8	11
169	Normal values of left-ventricular mass: echocardiographic findings from the PAMELA study. <b>2012</b> , 30, 997-1003	43
168	Echocardiographic left ventricular hypertrophy: implications for clinicians. <b>2012</b> , 30, 2279-84	2
167	Prevalence of electrocardiographic left ventricular hypertrophy in human hypertension: an updated review. <b>2012</b> , 30, 2066-73	46
166	Clinical monitoring of stage B heart failure: echocardiography. <b>2012</b> , 8, 169-78	6



165	Morning blood pressure is useful for detection of left ventricular hypertrophy in hemodialysis patients. <b>2012</b> , 16, 921-9		
164	Enzyme replacement therapy improves cardiac features and severity of Fabry disease. <b>2012</b> , 107, 197-202		34
163	Impact of obstructive sleep apnea on left atrial functional and structural remodeling beyond obesity. <b>2012</b> , 60, 475-83		41
162	Sex-related difference in left ventricular mass in nonhypertensive young adults: role of arterial pressure. <b>2012</b> , 28, 464-70		2
161	Sex differences in cardiovascular drug-induced adverse reactions causing hospital admissions. <b>2012</b> , 74, 1045-52		37
160	Chromosome 4q25 variants are genetic modifiers of rare ion channel mutations associated with familial atrial fibrillation. <b>2012</b> , 60, 1173-81		65
159	Prevalence of left-ventricular hypertrophy in hypertension: an updated review of echocardiographic studies. <b>2012</b> , 26, 343-9		154
158	Accuracy of chest radiography plus electrocardiogram in diagnosis of hypertrophy in hypertension. <b>2012</b> , 99, 825-33		3
157	Progression of changes in left ventricular function during four days of simulated multi-stage cycling. <b>2012</b> , 112, 2243-55		9
156	Value of electrocardiogram in the differentiation of hypertensive heart disease, hypertrophic cardiomyopathy, aortic stenosis, amyloidosis, and Fabry disease. <i>American Journal of Cardiology</i> , <b>2012</b> , 109, 587-93	3	31
155	Mortality and functional evolution at one year after hospital admission due to heart failure (HF) in elderly patients. <b>2012</b> , 54, 261-5		29
154	Coronary perfusion: impact of flow dynamics and geometric design of 2 different aortic prostheses of similar size. <b>2012</b> , 143, 1030-5		7
153	Integration of clinical and imaging data to predict death in hemodialysis patients. <b>2013</b> , 17, 12-8		9
152	Left ventricular remodeling and torsion dynamics in hypertensive patients. <b>2013</b> , 29, 79-86		35
151	Predictors of obstructive coronary artery disease in otherwise healthy individuals with ST-segment depression during paroxysms of atrial fibrillation. <b>2013</b> , 170, e25-7		
150	Diastolic dysfunction is a predictor of poor outcomes in patients with cirrhosis, portal hypertension, and a normal creatinine. <b>2013</b> , 58, 1732-41		100
149	Prognostic significance of left ventricular hypertrophy observed at dialysis initiation depends on the pre-dialysis use of erythropoiesis-stimulating agents. <b>2013</b> , 17, 294-303		7
148	Plasma sodium and subclinical left atrial enlargement in chronic kidney disease. <b>2013</b> , 28, 2319-28		12

147	Left ventricular mass formulae and prevalence rates of echocardiographic left ventricular hypertrophy in nigerians with essential hypertension. <b>2013</b> , 5, 325-9	3
146	Defining high-sensitivity cardiac troponin concentrations in the community. <b>2013</b> , 59, 1099-107	104
145	The increased prevalence of left ventricular hypertrophy and concentric remodeling in U.K. Indian Asians compared with European whites. <b>2013</b> , 27, 288-93	7
144	Echocardiographic assessment of left ventricular geometric patterns in hypertensive patients in Nigeria. <b>2013</b> , 7, 161-7	3
143	Dilemma of Natural Death While Scuba Diving. <b>2013</b> , 3, 202-212	2
142	A functional genetic variant (N521D) in natriuretic peptide receptor 3 is associated with diastolic dysfunction: the prevalence of asymptomatic ventricular dysfunction study. <b>2014</b> , 9, e85708	7
141	Left ventricular hypertrophy and blood pressure control in automated and continuous ambulatory peritoneal dialysis patients. <b>2014</b> , 18, 297-304	16
140	Automated functional imaging for assessment of left ventricular mechanics in the presence of left ventricular hypertrophy. <b>2014</b> , 31, 605-14	8
139	Serum alanine aminotransferase predicts interventricular septum thickness and left ventricular mass in patients with nonalcoholic fatty liver disease. <b>2014</b> , 26, 654-60	5
138	Rationale and design of a multicenter echocardiographic study to assess the relationship between cardiac structure and function and heart failure risk in a biracial cohort of community-dwelling elderly persons: the Atherosclerosis Risk in Communities study. <b>2014</b> , 7, 173-81	83
137	Systemic inflammation is related to coronary microvascular dysfunction in obese patients without obstructive coronary disease. <b>2014</b> , 24, 447-53	53
136	Electrocardiographic left ventricular hypertrophy Cornell product is a feasible predictor of cardiac prognosis in patients with chronic heart failure. <b>2014</b> , 103, 275-84	8
135	Left ventricular geometry and outcomes in patients with atrial fibrillation: the AFFIRM Trial. <b>2014</b> , 170, 303-8	25
134	Guías ESH/ESC 2007 vs 2013: ¿cambia la práctica para el diagnóstico de hipertrofia ventricular izquierda?. <b>2014</b> , 31, 119-124	1
133	Heart-type fatty acid-binding protein is a novel prognostic marker in patients with essential hypertension. <b>2014</b> , 176, 1323-5	8
132	High-sensitivity troponin I and amino-terminal pro-B-type natriuretic peptide predict heart failure and mortality in the general population. <b>2014</b> , 60, 1225-33	30
131	Acceleration time of systolic coronary flow velocity to diagnose coronary stenosis in patients with microvascular dysfunction. <b>2014</b> , 27, 200-7	5
130	Impact of abdominal obesity and ambulatory blood pressure in the diagnosis of left ventricular hypertrophy in never treated hypertensives. <b>2014</b> , 142, 235-42	7

129	Design and rationale of the WELCOME trial: A randomised, placebo controlled study to test the efficacy of purified long chain omega-3 fatty acid treatment in non-alcoholic fatty liver disease [corrected]. <b>2014</b> , 37, 301-11	39
128	Association between bioimpedance analysis parameters and left ventricular hypertrophy in peritoneal dialysis patients. <b>2014</b> , 46, 1851-6	12
127	Electrocardiographic left ventricular hypertrophy and the risk of adverse cardiovascular events: a critical appraisal. <b>2014</b> , 47, 649-54	37
126	Fibroblast growth factor is associated to left ventricular mass index, anemia and low values of transferrin saturation. <b>2015</b> , 35, 465-472	5
125	Association among epicardial fat, heart rate recovery and circadian blood pressure variability in patients with hypertension. <b>2015</b> , 21, 24	6
124	Association of Left Ventricular Diastolic Dysfunction with Subclinical Coronary Atherosclerotic Disease Burden Using Coronary Artery Calcium Scoring. <b>2015</b> , 22, 1278-86	12
123	Impact of Gender on the Association of Epicardial Fat Thickness, Obesity, and Circadian Blood Pressure Pattern in Hypertensive Patients. <b>2015</b> , 2015, 924539	20
122	Recommendations on the use of echocardiography in adult hypertension: a report from the European Association of Cardiovascular Imaging (EACVI) and the American Society of Echocardiography (ASE) <b>2015</b> , 16, 577-605	146
121	Circulating atrial natriuretic peptide genetic association study identifies a novel gene cluster associated with stroke in whites. <b>2015</b> , 8, 141-9	11
120	Cardiovascular outcomes in Fabry disease are linked to severity of chronic kidney disease. <b>2015</b> , 101, 287-93	31
119	The relation between apelin levels, echocardiographic findings and carotid intima media thickness in peritoneal dialysis patients. <b>2015</b> , 37, 433-8	2
118	Recommendations on the Use of Echocardiography in Adult Hypertension: A Report from the European Association of Cardiovascular Imaging (EACVI) and the American Society of Echocardiography (ASE). <b>2015</b> , 28, 727-54	198
117	Stem and progenitor cell therapy for pulmonary arterial hypertension: effects on the right ventricle (2013 Grover Conference Series). <b>2015</b> , 5, 73-80	7
116	Transesophageal Echocardiography Guidance of Antegrade Cardioplegia Delivery for Cardiac Surgery. <b>2015</b> , 29, 1498-503	3
115	Left ventricular hypertrophy and arrhythmogenesis. <b>2015</b> , 7, 207-20	25
114	Valvular calcification and left ventricular modifying in peritoneal dialysis patients. <b>2015</b> , 37, 1316-22	4
113	Fibroblast growth factor is associated to left ventricular mass index, anemia and low values of transferrin saturation. <b>2015</b> , 35, 465-72	7
112	LV Mass as a Predictor of CVD Events in Older Adults With and Without Metabolic Syndrome and Diabetes. <b>2015</b> , 8, 1007-1015	16

111	Cardiovascular Disease and Chronic Kidney Disease. <b>2015</b> , 181-198	1
110	Baseline FGF23 is Associated with Cardiovascular Outcome in Incident PD Patients. <b>2016</b> , 36, 26-32	14
109	Epicardial Fat Thickness and Neutrophil to Lymphocyte Ratio are Increased in Non-Dipper Hypertensive Patients. <b>2016</b> , 24, 294-302	3
108	Systolic blood pressure values might further risk-stratify the adverse outcomes of LVH in older patients with chronic kidney disease. <b>2016</b> , 22, 21	2
107	Deaths in triathletes: immersion pulmonary oedema as a possible cause. <b>2016</b> , 2, e000146	25
106	Differential associations between glomerular filtration rate and duration of obesity depending on the presence or absence of left ventricular diastolic dysfunction. <b>2016</b> , 32, 47-52	2
105	Echocardiographic evaluation of cardiac structure and function in children with hypertension. <b>2016</b> , 58, e615-e622	1
104	Reverse Epidemiology of Blood Pressure in Peritoneal Dialysis Associated with Dynamic Deterioration of Left Ventricular Function. <b>2016</b> , 36, 154-62	12
103	Hypertension and Sudden Cardiac Death. <b>2016</b> , 279-308	
102	Increased serum renalase in hemodialysis patients: is it related to left ventricular hypertrophy?. <b>2016</b> , 38, 1180-6	7
101	Echocardiographic screening for non-ischaemic stage B heart failure in the community. <b>2016</b> , 18, 1331-1339	44
100	Increasing Dialysis Sodium Removal on Arterial Stiffness and Left Ventricular Hypertrophy in Hemodialysis Patients. <b>2016</b> , 26, 38-44	19
99	Normal values of left ventricular mass and cardiac chamber volumes assessed by 320-detector computed tomography angiography in the Copenhagen General Population Study. <b>2016</b> , 17, 1009-17	58
98	Comparison of energy supplements during prolonged exercise for maintenance of cardiac function: carbohydrate only versus carbohydrate plus whey or casein hydrolysate. <b>2016</b> , 41, 674-83	4
97	Association between right ventricular systolic function and electromechanical delay in patients with right bundle branch block. <b>2017</b> , 70, 470-475	4
96	Left ventricular hypertrophy in athletes and hypertensive patients. <b>2017</b> , 19, 413-417	29
95	Increased serum renalase in peritoneal dialysis patients: Is it related to cardiovascular disease risk?. <b>2017</b> , 37, 189-194	5
94	Association between ventricular filling patterns and the extent of late enhancement on magnetic resonance imaging in patients with hypertrophic cardiomyopathy. <b>2017</b> , 59, 56-63	

93	The Influence of Epicardial Fat and Nonalcoholic Fatty Liver Disease on Heart Rate Recovery in Metabolic Syndrome. <b>2017</b> , 15, 226-232	10
92	Effects of neuropeptide Y on coronary artery vasomotion in patients with microvascular angina. <b>2017</b> , 238, 123-127	15
91	Gender differences in the association of epicardial adipose tissue and coronary artery calcification: EPICHEART study: EAT and coronary calcification by gender. <b>2017</b> , 249, 419-425	20
90	Increased serum renalase in peritoneal dialysis patients: Is it related to cardiovascular disease risk?. <b>2017</b> , 37, 189-194	4
89	Normal values of regional left ventricular myocardial thickness, mass and distribution-assessed by 320-detector computed tomography angiography in the Copenhagen General Population Study. <b>2017</b> , 33, 421-429	8
88	Left ventricular mass, geometry and function in diabetic patients affected by coronary artery disease. <b>2017</b> , 31, 1533-1537	3
87	Association between ventricular filling patterns and the extent of late enhancement on magnetic resonance imaging in patients with hypertrophic cardiomyopathy. <b>2017</b> , 59, 56-63	1
86	Survival at 2 years among liver cirrhotic patients is influenced by left atrial volume and left ventricular mass. <b>2017</b> , 37, 700-706	20
85	Epicardial Fat Thickness is Correlated with Vagal Hyperactivity in Patients with Neurally-Mediated Syncope. <b>2017</b> , 25, 57-62	
84	Resistant and undertreated hypertension in patients with chronic kidney disease: data from the PATRIOTIC survey. <b>2018</b> , 40, 784-791	2
83	PREVALENCE AND DETERMINANTS OF ECHOCARDIOGRAPHIC LEFT VENTRICULAR HYPERTROPHY AMONG HYPERTENSIVE PATIENTS IN A TERTIARY CARE HOSPITAL. <b>2018</b> , 11, 56	0
82	Epicardial Fat Thickness and Free Fatty Acid Level are Predictors of Acute Ischemic Stroke with Atrial Fibrillation. <i>Journal of Cardiovascular Imaging</i> , <b>2018</b> , 26, 65-74	1.3 10
81	Impact of left ventricular hypertrophy on myocardial injury in patients with ST-segment elevation myocardial infarction. <b>2018</b> , 107, 1013-1020	12
80	Association between hippuric acid and left ventricular hypertrophy in maintenance hemodialysis patients. <b>2018</b> , 484, 47-51	14
79	Left Ventricular Systolic Function Assessed by Speckle Tracking Echocardiography in Athletes with and without Left Ventricle Hypertrophy. <b>2019</b> , 8,	5
78	70-year legacy of the Framingham Heart Study. <b>2019</b> , 16, 687-698	63
77	Left Ventricular Mass and Thickness: Why Does It Matter?. <b>2019</b> , 15, 159-166	8
76	Heart rate recovery and blood pressure response during exercise testing in patients with microvascular angina. <b>2019</b> , 25, 4	1

75	Left ventricular hypertrophy is associated with increased sirtuin level in newly diagnosed hypertensive patients. <b>2019</b> , 41, 511-515	4
74	Uterine Fibroids and the Risk of Cardiovascular Disease in the Coronary Artery Risk Development in Young Adult Women Study. <b>2019</b> , 28, 46-52	7
73	Residual angina in female patients after coronary revascularization. <b>2019</b> , 286, 208-213	2
72	Association of renal artery stenosis with left ventricular remodeling in patients coexisting with renovascular and coronary artery disease. <b>2019</b> , 27, 190-198	
71	Electrocardiography for the detection of left ventricular hypertrophy in an elderly population with long-standing hypertension in primary care: a secondary analysis of the CHELLO cohort study. <b>2020</b> , 10, e038824	4
70	Is epicardial fat thickness associated with acute ischemic stroke in patients with atrial fibrillation?. <b>2020</b> , 29, 104900	3
69	Autonomic dysregulation and phenobarbital in patients with masked primary hypertension. <b>2020</b> , 6, e03239	2
68	Framingham Heart Study: JACC Focus Seminar, 1/8. <b>2021</b> , 77, 2680-2692	9
67	Physiologische Anpassungen des Herz-Kreislauf-Systems an körperliche Belastung. <b>2007</b> , 1-20	6
66	Left Ventricular Hypertrophy, Congestive Heart Failure, and Coronary Flow Reserve Abnormalities in Hypertension. <b>2005</b> , 250-280	1
65	The association of left ventricular mass with cardiovascular risk factors in African American women. <b>2000</b> , 320, 13-7	6
64	Evaluation of altered myocardial high energy phosphate metabolism in patients on maintenance dialysis using phosphorus-31 magnetic resonance spectroscopy. <b>1998</b> , 33, 171-6	9
63	Comparison of five antihypertensive monotherapies and placebo for change in left ventricular mass in patients receiving nutritional-hygienic therapy in the Treatment of Mild Hypertension Study (TOMHS). <b>1995</b> , 91, 698-706	200
62	Effect of body size, ponderosity, and blood pressure on left ventricular growth in children and young adults in the Bogalusa Heart Study. <b>1995</b> , 91, 2400-6	177
61	Relationship of cardiovascular risk factors to echocardiographic left ventricular mass in healthy young black and white adult men and women. The CARDIA study. Coronary Artery Risk Development in Young Adults. <b>1995</b> , 92, 380-7	209
60	Left ventricular hypertrophy has a greater impact on survival in women than in men. <b>1995</b> , 92, 805-10	108
59	Plasma angiotensin II, predisposition to hypertension, and left ventricular size in healthy young adults. <b>1996</b> , 93, 1148-54	68
58	Effect of single-drug therapy on reduction of left ventricular mass in mild to moderate hypertension: comparison of six antihypertensive agents. The Department of Veterans Affairs Cooperative Study Group on Antihypertensive Agents. <b>1997</b> , 95, 2007-14	184

57	Comparative effects of enalapril and verapamil on myocardial blood flow in systemic hypertension. <b>1997</b> , 96, 864-73	51
56	Influence of blood pressure on left atrial size. The Framingham Heart Study. <b>1995</b> , 25, 1155-60	196
55	Role of anthropometric indexes and blood pressure as determinants of left ventricular mass and geometry in adolescents. The Rio de Janeiro Study. <b>1995</b> , 26, 1190-4	8
54	Gender differences in left ventricular growth. <b>1995</b> , 26, 979-83	133
53	Weights at birth and in early infancy, systolic pressure, and left ventricular structure in subjects aged 8 to 24 years. <b>1996</b> , 27, 339-45	50
52	Dispersion of the QT interval and autonomic modulation of heart rate in hypertensive men with and without left ventricular hypertrophy. <b>1996</b> , 28, 16-21	60
51	Utility of new electrocardiographic models for left ventricular mass in older adults. The Cardiovascular Health Study Collaborative Research Group. <b>1996</b> , 28, 8-15	48
50	Effect of African-American race and hypertensive left ventricular hypertrophy on coronary vascular reactivity and endothelial function. <b>1997</b> , 29, 706-14	38
49	Left ventricular mass in the elderly. The Cardiovascular Health Study. <b>1997</b> , 29, 1095-103	81
48	Relation between high serum hepcidin-25 level and subclinical atherosclerosis and cardiovascular mortality in hemodialysis patients. <b>2018</b> , 19, 117-122	2
47	Relationship between Doppler transmitral flow velocity pattern and plasma atrial and brain natriuretic peptide concentrations in anuric patients on maintenance hemodialysis. <b>2006</b> , 47, 401-8	5
46	Changes and significance of subtype function of beta-adrenoreceptors in left ventricular remodeling of hypertension. <b>2003</b> , 44, 933-42	1
45	Left ventricular hypertrophy in the renal patient. <b>2001</b> , 12, 1079-1084	187
44	Left ventricular hypertrophy and risk factors for its development in uraemic patients. <b>2004</b> , 4, 34-40	12
43	The influence of renal allograft function on cardiovascular status and left ventricular remodelling. <b>2009</b> , 9, 102-6	2
42	Evaluation of left ventricular hypertrophy in hypertensive patients with echocardiographic myocardial videodensitometry normalized by displacement. <b>2010</b> , 10, 292-96	2
41	Atrial Remodeling in Pregnant Hypertensive Women: Comparison between Chronic and Gestational Hypertension. <b>2012</b> , 6, 9-14	3
40	The influence of obesity duration on left ventricular mass, volume and function: A pilot study. <b>2012</b> , 04, 1420-1427	2





21	Changes in QRS Duration Are Associated with a Therapeutic Response to Sacubitril-valsartan in Heart Failure with Reduced Ejection Fraction. <i>Journal of Cardiovascular Imaging</i> , <b>2020</b> , 28, 244-253	1.3	0
20	Hormonal Response to Incremental and Continuous Exercise in Cyclists with Left Ventricle Hypertrophy. <i>Journal of Human Kinetics</i> , <b>2020</b> , 71, 155-166	2.6	
19	Normal reference ranges for the left ventricular mass and left ventricular mass index in preterm infants. <i>Annals of Pediatric Cardiology</i> , <b>2020</b> , 13, 25-30	0.8	1
18	High-throughput digitization of analog human echocardiography data. <i>MethodsX</i> , <b>2020</b> , 7, 101159	1.9	
17	Role of echocardiography in primary care medicine. Controversies in hypertension, atrial fibrillation, stroke, and endocarditis. <i>Western Journal of Medicine</i> , <b>1996</b> , 164, 269-75		1
16	Coronary angiographic findings in African-American and white patients from a single institution. <i>Journal of the National Medical Association</i> , <b>2001</b> , 93, 465-74	2.3	4
15	Autonomic neuropathy tests correlate with left ventricular mass and cardiac diastolic function in normotensive patients with type 2 diabetes mellitus and without left ventricular hypertrophy. <i>Experimental and Clinical Cardiology</i> , <b>2010</b> , 15, e5-9		3
14	Natural occurrence of aflatoxin residues in fresh and sun-dried meat in Nigeria. <i>Pan African Medical Journal</i> , <b>2010</b> , 7, 14	1.2	2
13	Effects of occupational exposure to lead on left ventricular echocardiographic variables. <i>ARYA Atherosclerosis</i> , <b>2012</b> , 8, 130-5	0.7	3
12	Blood pressure response to an exercise treadmill test, and echocardiographic left ventricular geometry in Nigerian normotensive diabetics. <i>Cardiovascular Journal of Africa</i> , <b>2010</b> , 21, 93-6	0.7	1
11	Serum IGF-I and hormonal responses to incremental exercise in athletes with and without left ventricular hypertrophy. <i>Journal of Sports Science and Medicine</i> , <b>2009</b> , 8, 67-76	2.7	10
10	Comparative Assessment of Echocardiographic Patterns Among Chronic Myeloid Leukemia Patients on Tyrosine Kinase Inhibitor and Healthy Controls.. <i>Vascular Health and Risk Management</i> , <b>2022</b> , 18, 27-42	4.4	
9	Automatic Identification of Patients With Unexplained Left Ventricular Hypertrophy in Electronic Health Record Data to Improve Targeted Treatment and Family Screening.. <i>Frontiers in Cardiovascular Medicine</i> , <b>2022</b> , 9, 768847	5.4	2
8	Increased Right Ventricular Pressure as a Predictor of Acute Decompensated Heart Failure in End-Stage Renal Disease Patients on Maintenance Hemodialysis. <i>International Journal of Heart Failure</i> , 4,	1.3	0
7	Prevalence of echocardiographic left ventricular hypertrophy among hypertensives in a tertiary health institution in Nigeria. <i>Annals of Medical Research and Practice</i> , 3, 3		0
6	Artificial Intelligence Enabled Model for Early Detection of Left Ventricular Hypertrophy and Mortality Prediction in Young to Middle-Aged Adults. <b>2022</b> , 15,		
5	Fibroblast growth factor 21 is associated with widening QRS complex and prolonged corrected QT interval in patients with stable angina. <b>2022</b> , 22,		0
4	Nonalcoholic Fatty Liver Disease Is Related to Abnormal Corrected QT Interval and Left Ventricular Hypertrophy in Chinese Male Steelworkers. <b>2022</b> , 19, 14555		0

- 3 Current view on radiation-induced heart disease and methods of its diagnosis. **2022**, 24, 39-45 ○
- 2 Hypertension-mediated Cardiac Damage Among Romanian Adult Hypertensive Patients: A Post-hoc Echocardiographic Analysis of the SEPHAR IV Epidemiological Survey. **2023**, 33, 6-13 ○
- 1 Growth Differentiation Factor 15 and Clinical Outcomes in Japanese Patients With Heart Failure. **2023**, ○