

CITATION REPORT

List of articles citing

Clinical determinants of mortality in chronic congestive heart failure secondary to idiopathic dilated or to ischemic cardiomyopathy

DOI: 10.1016/0002-9149(87)91183-0
American Journal of Cardiology, 1987, 59, 634-8.

Source: <https://exaly.com/paper-pdf/19435952/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
406	Dilated cardiomyopathy and myocarditis: natural history, etiology, clinical manifestations, and management. 1987 , 12, 569-647		34
405	Prognosis of congestive heart failure and predictors of mortality. <i>American Journal of Cardiology</i> , 1988 , 62, 25A-30A	3	195
404	Causes of symptoms in chronic congestive heart failure and implications for treatment. <i>American Journal of Cardiology</i> , 1988 , 62, 31A-34A	3	33
403	Value of electropharmacologic testing in idiopathic dilated cardiomyopathy and sustained ventricular tachyarrhythmias. <i>American Journal of Cardiology</i> , 1988 , 62, 611-6	3	41
402	Exercise tolerance in congestive heart failure. Role of cardiac function, peripheral blood flow, and muscle metabolism and effect of treatment. 1988 , 84, 75-82		40
401	Assessing cardiac pumping capability by exercise testing and inotropic stimulation. 1989 , 62, 20-5		25
400	Long-term predictors of sudden and low output death in chronic congestive heart failure secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 1989 , 64, 1344-8	3	63
399	Prognostic factors affecting diagnosis and treatment of congestive heart failure. 1989 , 14, 625-71		13
398	CLINICAL SIGNS IN HEART FAILURE. 1989 , 334, 309-310		
397	Short- and long-acting angiotensin-converting enzyme inhibitors: a randomized trial of lisinopril versus captopril in the treatment of congestive heart failure. The Multicenter Lisinopril-Captopril Congestive Heart Failure Study Group. 1989 , 13, 1240-7		117
396	Prognostic importance of atrial natriuretic peptide in patients with chronic heart failure. 1989 , 13, 1534-9		300
395	Comparison of four exercise protocols using anaerobic threshold measurement of functional capacity in congestive heart failure. <i>American Journal of Cardiology</i> , 1990 , 65, 1269-71	3	22
394	Importance of hemodynamic response to therapy in predicting survival with ejection fraction less than or equal to 20% secondary to ischemic or nonischemic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1990 , 66, 1348-54	3	281
393	Identification and Management of Potential Heart Transplant Recipients. 1990 , 8, 11-21		5
392	Selection of Patients for Cardiac Transplantation. 1990 , 8, 23-38		24
391	Exercise capacity for survivors of cardiac transplantation or sustained medical therapy for stable heart failure. 1990 , 81, 78-85		246
390	Prediction of outcome in late-stage cardiomyopathy. 1990 , 119, 1111-21		75

389	Marked spontaneous improvement in ejection fraction in patients with congestive heart failure. 1990 , 89, 303-7	35
388	Pulmonary artery pressure changes during exercise and daily activities in chronic heart failure. 1990 , 15, 52-61	63
387	Prognostic value of dipyridamole thallium scintigraphy for evaluation of ischemic heart disease. 1990 , 15, 109-16	122
386	Effect of maintenance digoxin therapy on aerobic performance and exercise left ventricular function in mild to moderate heart failure due to coronary artery disease: a randomized, placebo-controlled, crossover trial. 1991 , 17, 743-51	42
385	Value of peak exercise oxygen consumption for optimal timing of cardiac transplantation in ambulatory patients with heart failure. 1991 , 83, 778-86	1350
384	Treatment of mild congestive heart failure. The potential for new drugs to reduce the risks. 1991 , 6, 393-401	
383	Prospective, double-blind, placebo-controlled trial of low-dose amiodarone in patients with severe heart failure and asymptomatic frequent ventricular ectopy. 1991 , 122, 1016-21	121
382	Events in the cardiac arrhythmia suppression trial: baseline predictors of mortality in placebo-treated patients. 1991 , 18, 1434-8	34
381	Decreasing survival benefit from cardiac transplantation for outpatients as the waiting list lengthens. 1991 , 18, 919-25	79
380	Acute heart failure: determinants of outcome. 1991 , 32, 365-75	18
379	Cardiogenic shock due to neoplastic infiltration of cardiac muscle. 1991 , 33, 320-2	
378	Patient evaluation for cardiac transplantation. 1991 , 33, 219-28	15
377	The role of cardiopulmonary exercise testing in the selection of patients for cardiac transplantation. 1992 , 102, 1871-4	11
376	Cardiac transplantation: clinical aspects of recipient selection. 1992 , 76, 1196-206	1
375	Current issues in advanced heart failure. 1992 , 76, 1057-82	1
374	Pulmonary hypertension predicts mortality and morbidity in patients with dilated cardiomyopathy. 1992 , 116, 888-95	230
373	The clinical course of pulmonary embolism. 1992 , 326, 1240-5	843
372	Ischemic cardiomyopathy: endomyocardial biopsy and ventriculographic evaluation of patients with congestive heart failure, dilated cardiomyopathy and coronary artery disease. 1992 , 20, 1318-25	59

371	Predictors of prognosis in severe chronic heart failure. 1992 , 123, 421-6		150
370	Heart rate variations during isoproterenol infusion in congestive heart failure: relationships to cardiac mortality. 1992 , 123, 989-92		4
369	Sudden death in idiopathic dilated cardiomyopathy. 1992 , 124, 1035-45		111
368	The paradox of beta-adrenergic blockade for the management of congestive heart failure. 1992 , 92, 527-38		96
367	Too early for cardiac transplantation--the right decision?. 1992 , 13, 1339-44		2
366	Comparison between New York Heart Association classification and peak oxygen consumption in the assessment of functional status and prognosis in patients with mild to moderate chronic congestive heart failure secondary to either ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1992 , 70, 858-63	3	154
365	Prevalence and etiology of idiopathic dilated cardiomyopathy (summary of a National Heart, Lung, and Blood Institute workshop. <i>American Journal of Cardiology</i> , 1992 , 69, 1458-66	3	349
364	Long-term outcome in patients with congestive heart failure and intact systolic left ventricular performance. <i>American Journal of Cardiology</i> , 1992 , 69, 1212-6	3	85
363	First- or second-degree atrioventricular block as a risk factor in idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1993 , 71, 720-6	3	96
362	Importance of pathologic Q waves in patients with dilated cardiomyopathies. 1993 , 94, 546-548		3
361	The spectrum of left ventricular size in dilated cardiomyopathy: clinical correlates and prognostic implications. SPIC (Italian Multicenter Cardiomyopathy Study) Group. 1993 , 125, 410-22		71
360	Survival after the onset of congestive heart failure in Framingham Heart Study subjects. 1993 , 88, 107-15		1433
359	Prognostic value of an abnormal signal-averaged electrocardiogram in patients with nonischemic congestive cardiomyopathy. 1993 , 87, 1083-92		153
358	Calcium sensitization with pimobendan: pharmacology, haemodynamic improvement, and sudden death in patients with chronic congestive heart failure. 1993 , 14, 551-66		32
357	Angiotensin converting enzyme inhibitors in heart failure: how good are they?. 1993 , 69, 373-5		14
356	Exercise Test Interpretation. 1993 , 11, 215-227		9
355	Predictors of Mortality in Patients with Heart Failure. 1994 , 12, 25-35		42
354	Cardiomyoplasty: Review of Early and Late Results. 1994 , 28, 481-488		10

353	Assessment of functional capacity in chronic heart failure: time-limited exercise on a self-powered treadmill. 1994 , 71, 391-4		17
352	Prognosis in congestive heart failure. 1994 , 45, 341-50		43
351	Systolic and diastolic dysfunction in patients with clinical diagnosis of dilated cardiomyopathy. Relation to symptoms and prognosis. 1994 , 90, 2772-9		368
350	QT interval dispersion in chronic heart failure and left ventricular hypertrophy: relation to autonomic nervous system and Holter tape abnormalities. 1994 , 71, 268-73		91
349	Progressive ventricular remodeling in response to diffuse isoproterenol-induced myocardial necrosis in rats. 1994 , 75, 105-13		149
348	Changing mortality in dilated cardiomyopathy. The Heart Muscle Disease Study Group. 1994 , 72, S46-51		51
347	Assessing risk by hemodynamic profile in patients awaiting cardiac transplantation. <i>American Journal of Cardiology</i> , 1994 , 73, 379-83	3	66
346	Dipyridamole first-pass radionuclide ventriculography: prediction of future cardiac events. <i>American Journal of Cardiology</i> , 1994 , 74, 1229-32	3	4
345	Discrepancy between pre- and post-transplant diagnosis of end-stage dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1994 , 74, 921-4	3	29
344	Has the problem of heart failure been solved?. <i>American Journal of Cardiology</i> , 1994 , 73, 40C-43C	3	
343	Prognostic value of Doppler echocardiographic assessment of left ventricular filling in idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1994 , 73, 792-8	3	86
342	Asymptomatic mitral regurgitation: when to operate?. 1994 , 9, 248-51		11
341	The clinical significance of nonsustained ventricular tachycardia: current perspectives. 1994 , 17, 637-64		18
340	Does heart transplantation confer additional benefit over medical therapy to patients who have waited > 6 months for heart transplantation?. 1994 , 24, 1547-51		17
339	Idiopathic dilated cardiomyopathy. 1994 , 331, 1564-75		712
338	Ventricular arrhythmias in rapid pacing induced heart failure with and without prior myocardial infarction. 1994 , 1, 195-203		2
337	Method of expired gas collection during cardiopulmonary exercise testing does not affect respiratory gas exchange measurements in patients with heart failure. 1994 , 1, 91-6		4
336	Prediction of mortality in mild to moderately symptomatic patients with left ventricular dysfunction. The role of the New York Heart Association classification, cardiopulmonary exercise testing, two-dimensional echocardiography and Holter monitoring. 1994 , 15, 1089-95		48

335	Emergency triage to intensive care: can we use prognosis and patient preferences?. 1994 , 42, 1277-81		12
334	Exercise peak VO ₂ determination in chronic heart failure: is it still of value?. 1994 , 15, 495-502		61
333	Value of ambulatory electrocardiographic monitoring to identify increased risk of sudden death in patients with left ventricular dysfunction and heart failure. 1994 , 15, 928-33		35
332	Lisinopril versus placebo in the treatment of heart failure: the Lisinopril Heart Failure Study Group. 1995 , 35, 673-80		14
331	The importance of abnormalities of liver function tests in predicting mortality in chronic heart failure. 1995 , 16, 1613-8		100
330	Exercise intolerance in patients with chronic heart failure. 1995 , 38, 1-22		121
329	Excessive oxygen deficit during low-level exercise in heart failure. <i>American Journal of Cardiology</i> , 1995 , 76, 799-802	3	26
328	Candidate Selection for Heart Transplantation. 1995 , 13, 93-100		15
327	Ischemic cardiomyopathy without significant coronary stenosis. A case report. 1995 , 46, 619-24		
326	Baroreflex sensitivity and cardiovascular mortality in patients with mild to moderate heart failure. 1995 , 73, 517-22		107
325	Doppler evaluations of left ventricular diastolic filling and pulmonary wedge pressure provide similar prognostic information in patients with systolic dysfunction after myocardial infarction. 1995 , 129, 716-25		50
324	Predictors of mortality in patients with sustained ventricular tachycardias or ventricular fibrillation and depressed left ventricular function: importance of beta-blockade. 1995 , 130, 281-6		23
323	The Interdisciplinary Heart Failure and Transplant Program Master: a 5-year experience. 1995 , 50, 7-17		15
322	Preserved right ventricular ejection fraction predicts exercise capacity and survival in advanced heart failure. 1995 , 25, 1143-53		559
321	Adverse consequences of high sympathetic nervous activity in the failing human heart. 1995 , 26, 1257-63		544
320	Determinants of prognosis in nonischemic dilated cardiomyopathy. 1996 , 2, 77-85		56
319	Prognostic value of cardiopulmonary exercise testing using percent achieved of predicted peak oxygen uptake for patients with ischemic and dilated cardiomyopathy. 1996 , 27, 345-52		272
318	Clinical status of patients removed from a transplant waiting list rivals that of transplant recipients at significant cost savings. 1996 , 132, 1189-94		13

317	Non-invasive prognostic factors in chronic heart failure. One-year survival of 300 patients with a diagnosis of chronic heart failure due to ischemic heart disease or dilated cardiomyopathy. 1996 , 56, 283-8		26
316	Multicenter trial of dynamic cardiomyoplasty for chronic heart failure. The American Cardiomyoplasty Group. 1996 , 28, 1175-80		71
315	Relation between gender, etiology and survival in patients with symptomatic heart failure. 1996 , 28, 1781-8		228
314	Mode of death in chronic heart failure. A request and proposition for more accurate classification. 1996 , 17, 1390-403		169
313	Management of Heart Failure Caused Primarily by Left Ventricular Systolic Dysfunction. 1996 , 9, 17-22		
312	Differences of disease progression in congestive heart failure due to alcoholic as compared to idiopathic dilated cardiomyopathy. 1996 , 17, 251-7		57
311	Prognostic value of late potentials in patients with congestive heart failure. 1996 , 17, 264-71		21
310	Further increase in oxygen uptake during early active recovery following maximal exercise in chronic heart failure. 1996 , 109, 47-51		19
309	Prediction of recovery after abstinence in alcoholic cardiomyopathy: role of hemodynamic and morphometric parameters. 1996 , 19, 45-50		34
308	Heart transplant candidates at high risk can be identified at the time of initial evaluation. 1996 , 9, 38-45		17
307	Improvement following correction of secondary mitral regurgitation in end-stage cardiomyopathy with mitral annuloplasty. <i>American Journal of Cardiology</i> , 1996 , 78, 966-9	3	138
306	Bradycardia: a late complication following cardiac transplantation. <i>American Journal of Cardiology</i> , 1996 , 78, 969-71	3	15
305	Congestive heart failure in the elderly. 1996 , 23, 201-23		5
304	Who Decides?. 1996 , 156, 785		43
303	The six-minute walk test predicts peak oxygen uptake and survival in patients with advanced heart failure. 1996 , 110, 325-32		558
302	Left ventricular volume in patients with heart failure and Cheyne-Stokes respiration during sleep. 1997 , 156, 1549-55		83
301	Comparison of the long-term prognostic value of peak exercise oxygen pulse and peak oxygen uptake in patients with chronic heart failure. 1997 , 78, 572-6		41
300	Myocardial contractile reserve as prognostic determinant in patients with idiopathic dilated cardiomyopathy without overt heart failure. 1997 , 111, 344-50		47

299	Heart failure and atrial fibrillation: current concepts and controversies. 1997 , 77, 309-13		67
298	Cardiomyoplasty as an isolated procedure to treat refractory heart failure. 1997 , 11, 363-72		19
297	Recipient Selection and Management Before Cardiac Transplantation. 1997 , 314, 139-152		
296	[Usefulness of the Doppler index delta P/delta t in the evaluation of left ventricular systolic dysfunction]. 1997 , 50, 105-10		2
295	Using a 6-minute walk test to predict outcomes in patients with left ventricular dysfunction. 1997 , 22, 177-81		14
294	Clinical determinants of mortality in patients with angiographically diagnosed ischemic or nonischemic cardiomyopathy. 1997 , 30, 1002-8		290
293	Role of maximal oxygen consumption in establishment of heart transplant candidacy for heart failure patients with intermediate exercise tolerance. <i>American Journal of Cardiology</i> , 1997 , 79, 1124-7	3	32
292	What can we learn from exercise testing beyond the detection of myocardial ischemia?. 1997 , 20, 684-96		6
291	Lisinopril in the treatment of congestive heart failure in elderly patients: comparison versus captopril. 1997 , 11, 63-9		9
290	Evaluation of chronic cardiac and circulatory failure by cardiopulmonary exercise testing. 1997 , 1, 235-248		
289	Sudden death in heart failure. 1997 , 1, 249-260		3
288	[Cardiac sympathetic nerve activity in ischemic heart failure]. 1998 , 87 Suppl 2, 33-6		1
287	The effects of an angiotensin-converting inhibitor (enalapril) on patients with mild cardiac failure--evaluating cardiac function based on the relationship between daily walking pace and heart rate. 1998 , 21, 893-8		3
286	Risk stratification in patients with dilated cardiomyopathy: contribution of Doppler-derived left ventricular filling. <i>American Journal of Cardiology</i> , 1998 , 82, 779-85	3	22
285	Effects of intravenous milrinone followed by titration of high-dose oral vasodilator therapy on clinical outcome and rehospitalization rates in patients with severe heart failure. <i>American Journal of Cardiology</i> , 1998 , 82, 1060-5	3	20
284	Coronary artery bypass surgery as treatment for ischemic heart failure: the predictive value of viability assessment with quantitative positron emission tomography for symptomatic and functional outcome. 1998 , 115, 791-9		83
283	Current status of ECG stress testing. 1998 , 23, 353-423		12
282	Prognosis of medically treated patients referred for cardiac transplantation. 1998 , 64, 75-81		6

281	Percent achieved of predicted peak exercise oxygen uptake and kinetics of recovery of oxygen uptake after exercise for risk stratification in chronic heart failure. 1998 , 64, 117-24	25
280	La r�adaptation des insuffisants cardiaques chroniques. Un concept r�eent. 1998 , 41, 67-75	
279	Cardiopulmonary exercise testing identifies low risk patients with heart failure and severely impaired exercise capacity considered for heart transplantation. 1998 , 31, 577-82	124
278	Peak exercise oxygen consumption in chronic heart failure: toward efficient use in the individual patient. 1998 , 31, 766-75	127
277	Etiology and response to drug treatment in heart failure. 1998 , 32, 1167-72	85
276	Serial exercise testing and prognosis in selected patients considered for cardiac transplantation. 1998 , 135, 221-9	33
275	Clinical definition and epidemiology of advanced heart failure. 1998 , 135, S204-15	113
274	Development and validation of a clinical history form for the diagnosis of congestive heart failure. 1998 , 10, 39-47	3
273	Effects of sampling interval on peak oxygen consumption in patients evaluated for heart transplantation. 1998 , 113, 816-9	21
272	Exercise training in heart failure: inpatient and outpatient considerations. 1998 , 9, 225-43	8
271	Risk stratification in chronic heart failure. 1998 , 19, 696-710	149
270	Lack of prevention of heart failure by serial electrical cardioversion in patients with persistent atrial fibrillation. 1999 , 82, 486-93	16
269	Effects of Specific Angiotensin II Receptor Antagonists on Exercise Tolerance in Chronic Heart Failure. 1999 , 3, 217-220	
268	Sudden death in dilated cardiomyopathy. 1999 , 22, 267-72	18
267	Sexuality of patients with advanced heart failure and their spouses or partners. 1999 , 18, 1133-8	48
266	Effects of beta-receptor blockade and angiotensin II type I receptor antagonism in isoproterenol-induced heart failure in the rat. 1999 , 8, 315-23	27
265	Use of cardiopulmonary exercise testing with hemodynamic monitoring in the prognostic assessment of ambulatory patients with chronic heart failure. 1999 , 33, 943-50	100
264	Advances in heart transplantation. 1999 , 45, 62-87	7

263	Selección y evaluación de pacientes candidatos a trasplante cardíaco. 1999 , 52, 604-616	1
262	The 6-min walk and peak oxygen consumption in advanced heart failure: aerobic capacity and survival. 1999 , 138, 618-24	111
261	Do we have reasons to be enthusiastic about pacing to treat advanced heart failure?. 1999 , 1, 281-7	9
260	Maximal exercise testing for the selection of heart transplantation candidates: limitation of peak oxygen consumption. 1999 , 115, 410-7	22
259	Prognostic value of left atrial appendage function in patients with dilated cardiomyopathy. 2000 , 64, 340-4	5
258	Is the 6-minute walk test a reliable substitute for peak oxygen uptake in patients with dilated cardiomyopathy?. 2000 , 21, 540-9	153
257	Effect of altering the left ventricular pressure on epicardial activation time in dogs with and without pacing-induced heart failure. 2000 , 4, 561-8	2
256	The problem of ventricular dysrhythmias and sudden death mortality in heart failure: the impact of current therapy. 2000 , 93, 56-69	6
255	Predictors of short-term outcome in Chinese patients with ambulatory heart failure for heart transplantation with ejection fraction . 2000 , 41, 349-69	8
254	Underlying causes and long-term survival in patients with initially unexplained cardiomyopathy. 2000 , 342, 1077-84	1182
253	The role of carotid atherosclerosis in the distinction between ischaemic and non-ischaemic cardiomyopathy. 2000 , 21, 919-26	13
252	Peak oxygen uptake better predicts outcome than submaximal respiratory data in heart transplant candidates. 2000 , 101, 1152-7	75
251	Differential clinical prognostic classifications in dilated and ischemic advanced heart failure: the EPICAL study. 2000 , 139, 895-904	61
250	Cardiopulmonary exercise testing and prognosis in severe heart failure: 14 mL/kg/min revisited. 2000 , 139, 78-84	152
249	Sleep-related breathing disorders and cardiovascular disease. 2000 , 108, 396-402	149
248	Role of the etiology of cardiomyopathies on exercise capacity and oxygen consumption in patients with severe congestive heart failure. 2000 , 73, 251-5	10
247	Arrhythmia risk stratification in idiopathic dilated cardiomyopathy based on echocardiography and 12-lead, signal-averaged, and 24-hour holter electrocardiography. 2000 , 140, 43-51	32
246	Cardiac troponin I as diagnostic and prognostic marker in severe heart failure. 2000 , 19, 644-52	155

245	La insuficiencia cardíaca congestiva en atención primaria (I).. 2000 , 26, 5-13	5
244	Peak VO(2): a simple yet enduring standard. 2000 , 101, 1080-2	132
243	Cardiac remodeling--concepts and clinical implications: a consensus paper from an international forum on cardiac remodeling. Behalf of an International Forum on Cardiac Remodeling. 2000 , 35, 569-82	1782
242	Epidemiology and natural history of atrial fibrillation: clinical implications. 2001 , 37, 371-8	575
241	Prognosis determination in heart failure. 2001 , 110 Suppl 7A, 14S-36S	80
240	Histological remodeling in an ovine heart failure model resembles human ischemic cardiomyopathy. 2001 , 10, 19-27	16
239	Relative lymphocyte count: a prognostic indicator of mortality in elderly patients with congestive heart failure. 2001 , 142, 167-73	103
238	Chronic heart failure in the very elderly: clinical status, survival, and prognostic factors in 188 patients more than 70 years old. 2001 , 142, 174-80	45
237	Reduced right ventricular ejection fraction as a marker for idiopathic dilated cardiomyopathy compared with ischemic left ventricular dysfunction. 2001 , 142, 181-9	79
236	Value of the Bruce protocol to determine peak exercise oxygen consumption in patients evaluated for cardiac transplantation. 2001 , 142, 466-75	21
235	On the uniformity of cardiopulmonary exercise testing in chronic heart failure. 2001 , 142, 384-7	2
234	Comparison of dilated cardiomyopathy and coronary artery disease in patients with life-threatening ventricular arrhythmias: Differences in presentation and outcome in the AVID registry. 2001 , 142, 816-22	26
233	Otros aspectos del tratamiento de la insuficiencia cardíaca. Trasplante cardíaco. Asistencia circulatoria. 2001 , 8, 2021-2029	
232	Diagnóstico de insuficiencia cardíaca. indicaciones e interpretación de las pruebas complementarias. 2001 , 8, 1956-1964	
231	Using exercise testing to prognosticate patients with heart failure. Which parameter should we measure?. 2001 , 19, 573-81	11
230	The challenge of prediction and prevention of sudden cardiac death in congestive heart failure. 2001 , 5, 5-8	3
229	Personality as predictor of mortality among patients with congestive heart failure: a two-year follow-up study. 2001 , 30, 749-757	18
228	[Prognostic factors of chronic heart insufficiency]. 2001 , 50, 21-9	

227	Prognostic importance of elevated jugular venous pressure and a third heart sound in patients with heart failure. 2001 , 345, 574-81	489
226	Evolving Role of Cardiopulmonary Exercise Testing in Heart Failure and Cardiac Transplantation. 2002 , 32, 99-108	4
225	Exercise testing in the assessment of chronic congestive heart failure. 2002 , 88, 538-43	16
224	Role of implantable cardioverter defibrillators in dilated cardiomyopathy. 2002 , 13, S106-9	6
223	Clinical depression is common and significantly associated with reduced survival in patients with non-ischaemic heart failure. 2002 , 4, 541-51	146
222	Cardiovascular consequences of sleep-related breathing disorders. 2002 , 4, 296-305	22
221	Sleep and heart failure. 2002 , 17, 30-41	18
220	A standardized definition of ischemic cardiomyopathy for use in clinical research. 2002 , 39, 210-8	418
219	Retiming the failing heart: principles and current clinical status of cardiac resynchronization. 2002 , 39, 194-201	359
218	The prognostic value of body mass index and standard exercise testing in male veterans with congestive heart failure. 2002 , 8, 206-15	74
217	Comparison of ventilatory expired gas parameters used to predict hospitalization in patients with heart failure. 2002 , 143, 427-32	43
216	Echocardiography-derived variables predict outcome in patients with nonischemic dilated cardiomyopathy with or without a restrictive filling pattern. 2002 , 144, 343-50	40
215	Radionuclide imaging in heart failure: assessing etiology and outcomes and implications for management. 2002 , 9, 40S-52S	23
214	The economic burden of heart failure and implantable cardioverter defibrillators: The value of noninvasive imaging of high-risk patients. 2002 , 9, 71S-80S	1
213	Valoraci3n pron3stica de los pacientes con disfunci3n sist3lica: estudio funcional y ecocardiogr3fico. 2002 , 55, 372-382	2
212	Resynchronization Therapy for Congestive Heart Failure. 2002 , 4, 277-285	1
211	MIBG imaging. 2002 , 9, 75-94	76
210	Predictors of cause-specific hospital readmission in patients with heart failure. 2003 , 26, 411-8	36

209	Atrial fibrillation in heart failure: epidemiology, pathophysiology, and rationale for therapy. <i>American Journal of Cardiology</i> , 2003 , 91, 2D-8D	3	640
208	The prognostic value of the physical examination in patients with chronic heart failure. 2003 , 9, 170-5, 178		17
207	Prognostic value of the atrial systolic mitral annular motion velocity in patients with left ventricular systolic dysfunction. 2003 , 16, 333-9		92
206	Heart failure etiology and response to milrinone in decompensated heart failure: results from the OPTIME-CHF study. 2003 , 41, 997-1003		401
205	Clinical assessment identifies hemodynamic profiles that predict outcomes in patients admitted with heart failure. 2003 , 41, 1797-804		438
204	The association of left ventricular ejection fraction, mortality, and cause of death in stable outpatients with heart failure. 2003 , 42, 736-42		340
203	A practical guide to exercise training for heart failure patients. 2003 , 9, 49-58		30
202	The problem of decompensated heart failure: nomenclature, classification, and risk stratification. 2003 , 145, S18-25		128
201	The effect of beta-adrenergic blockers on the prognostic value of peak exercise oxygen uptake in patients with heart failure. 2003 , 22, 70-7		43
200	A randomised study of home-based electrical stimulation of the legs and conventional bicycle exercise training for patients with chronic heart failure. 2003 , 24, 871-8		75
199	Clinical relationship of myocardial sympathetic nervous activity to cardiovascular functions in chronic heart failure: assessment by myocardial scintigraphy with 123I-metaiodobenzylguanidine. 2003 , 201, 261-70		
198	References. 601-868		
197	Clinical value of iodine-123 beta-methyliodophenyl pentadecanoic acid (BMIPP) myocardial single photon emission computed tomography for predicting cardiac death among patients with chronic heart failure. 2003 , 67, 918-24		6
196	Prognostic Comparison of the Minute Ventilation/Carbon Dioxide Production Ratio and Slope in Patients with Heart Failure. 2004 , 4, 133-139		6
195	The role of valvular and thoracic aortic calcifications in distinction between ischemic and nonischemic cardiomyopathy. 2004 , 55, 661-7		2
194	Cardiopulmonary exercise testing and prognosis in chronic heart failure: a prognosticating algorithm for the individual patient. 2004 , 126, 942-50		90
193	Effect of age on short and long-term mortality in patients admitted to hospital with congestive heart failure. 2004 , 25, 1711-7		48
192	Comparative effects of ventricular resynchronization therapy in heart failure patients with or without coronary artery disease. 2004 , 53, 171-6		3

191	Methods of assessing the functional status of patients with left ventricular systolic dysfunction in interventional studies: can brain natriuretic peptide measurement be used as surrogate for the traditional methods?. 2004 , 18, 219-24	13
190	Selection of patients and techniques of heart transplantation. 2004 , 84, 257-87, xi-xii	17
189	Peak oxygen consumption and outcome in heart failure patients chronically treated with beta-blockers. 2004 , 10, 15-20	23
188	Intra-left ventricular electromechanical asynchrony. A new independent predictor of severe cardiac events in heart failure patients. 2004 , 43, 248-56	380
187	Risk stratification after hospitalization for decompensated heart failure. 2004 , 10, 460-6	257
186	Third heart sound: genesis and clinical importance. 2004 , 97, 183-6	31
185	Effects of diabetes mellitus and ischemic heart disease on the progression from asymptomatic left ventricular dysfunction to symptomatic heart failure: a retrospective analysis from the Studies of Left Ventricular Dysfunction (SOLVD) Prevention trial. 2004 , 148, 883-8	53
184	Recipient selection and management. 2004 , 16, 358-63	16
183	Female sex is associated with a better long-term survival in patients hospitalized with congestive heart failure. 2004 , 25, 129-35	72
182	Influence of heart failure etiology on the prognostic value of peak oxygen consumption and minute ventilation/carbon dioxide production slope. 2005 , 128, 2812-7	23
181	Left ventricular end-systolic stress/diameter relation as a contractility index and as a predictor of survival. Independence of preload after normalization for end-diastolic diameter. 2005 , 20, 191-8	3
180	Myocardial contrast echocardiography for distinguishing ischemic from nonischemic first-onset acute heart failure: insights into the mechanism of acute heart failure. 2005 , 112, 1587-93	49
179	Insuficiencia card?aca cr?nica. Etiolog?a, manifestaciones cl?nicas y criterios diagn?sticos. 2005 , 9, 2300-2307	
178	Influence of etiology on ventilatory expired gas and prognosis in heart failure. 2005 , 99, 217-23	8
177	Positive pressure ventilation in the management of acute and chronic cardiac failure: a systematic review and meta-analysis. 2005 , 99, 171-85	36
176	Risk stratification in a Brazilian hospital-based cohort of 1220 outpatients with heart failure: role of Chagas' heart disease. 2005 , 102, 239-47	140
175	Natriuretic peptides as prognostic and diagnostic markers in Chagas' disease. 2005 , 128, 203-10	9
174	Congestive heart failure and atrial fibrillation: rhythm versus rate control. 2005 , 11, 164-72	25

173	Prognostic value of the QRS duration in patients with heart failure: a subgroup analysis from 24 centers of Val-HeFT. 2005 , 11, 523-8		36
172	High prevalence of clinically silent severe mitral regurgitation in patients with heart failure: role for echocardiography. 2006 , 19, 1458-61		22
171	[Prognostic value of serial measurements of left ventricular function and exercise performance in chronic heart failure]. 2006 , 59, 905-10		4
170	Racial differences in the characteristics of patients admitted for acute decompensated heart failure and their relation to outcomes: results from the OPTIME-CHF trial. 2006 , 12, 684-8		34
169	Identification of the ischemic etiology of heart failure by cardiovascular magnetic resonance imaging: diagnostic accuracy of late gadolinium enhancement. 2006 , 151, 101-8		57
168	The long-term survival benefit conferred by intermittent dobutamine infusions and oral amiodarone is greater in patients with idiopathic dilated cardiomyopathy than with ischemic heart disease. 2006 , 108, 244-50		9
167	[Predictors of hospital death and prolonged hospitalization in patients with cardiac failure in Chilean hospitals]. 2006 , 134, 1083-91		3
166	Assessment of Left Ventricular Function by Analysis of Volume-Time Curves of 16 Segments with Real-Time Three Dimensional Echocardiography : Left Ventricular Asynchrony as a Clinical Parameter for Patients with Heart Failure. 2006 , 36, 669		
165	Implantable cardioverter-defibrillators: expanding indications and technologies. 2006 , 295, 809-18		197
164	Insuffisance cardiaque : aspects pathologiques, cliniques et pronostiques. 2006 , 1, 1-17		
163	Beyond peak oxygen uptake: new prognostic markers from gas exchange exercise tests in chronic heart failure. 2006 , 26, 63-71		14
162	Long-term survival in patients treated with cardiac resynchronization therapy: a 3-year follow-up study from the InSync/InSync ICD Italian Registry. 2006 , 29 Suppl 2, S2-10		30
161	Prospective comparison of ventilatory equivalent versus peak oxygen consumption in predicting outcomes of patients with heart failure. <i>American Journal of Cardiology</i> , 2006 , 97, 1607-10	3	6
160	Risk Factors for Heart Failure Progression and Outcomes. 2006 , 2, 79-88		
159	Coronary artery disease and outcome in acute congestive heart failure. 2006 , 92, 598-602		30
158	Treatment of Advanced Heart Disease. 2006 ,		1
157	Effect of functional health-related quality of life on long-term survival after cardiac surgery. 2007 , 115, 692-9		60
156	Assessment of left ventricular asynchrony using volume-time curves of 16 segments by real-time 3 dimensional echocardiography: comparison with tissue Doppler imaging. 2007 , 9, 62-7		24

155	Exercise Testing of Patients with Left Ventricular Dysfunction. 2007 , 211-237	
154	Cardiac troponin T as a prognostic marker in patients with heart failure : a 3-year outcome study. 2007 , 58, 603-9	10
153	Identifying heart failure patients at high risk for near-term cardiovascular events with serial health status assessments. 2007 , 115, 1975-81	114
152	Contrast-enhanced cardiovascular magnetic resonance in primary and ischemic dilated cardiomyopathy. 2007 , 8, 821-9	25
151	Heart failure and a controlled trial investigating outcomes of exercise training (HF-ACTION): design and rationale. 2007 , 153, 201-11	174
150	VE/VCO ₂ slope in older heart failure patients with normal versus reduced ejection fraction compared with age-matched healthy controls. 2007 , 13, 259-62	28
149	Comparison of muscle sympathetic activity in ischemic and nonischemic heart failure. 2007 , 13, 470-5	36
148	N-terminal prohormone brain natriuretic peptide as a marker for detecting low functional class patients and candidates for cardiac transplantation: linear correlation with exercise tolerance. 2007 , 26, 516-21	14
147	The Third and Fourth Heart Sounds. 2007 , 431-443	
146	Troponin, B-type natriuretic peptides and outcomes in severe heart failure: differences between ischemic and dilated cardiomyopathies. 2007 , 30, 245-50	34
145	Evaluation of nonischemic cardiomyopathies using cardiovascular magnetic resonance. 2008 , 15, 400-16	7
144	Heart failure in the general population of men [morbidity, risk factors and prognosis. 2008 , 249, 253-261	12
143	Incremental value of N-terminal pro-brain natriuretic peptide over left ventricle ejection fraction and aerobic capacity for estimating prognosis in heart failure patients. 2008 , 27, 1251-6	13
142	Put your chips on transcriptomics. 2008 , 118, 216-8	37
141	Right ventricular function in ischemic or idiopathic dilated cardiomyopathy. 2008 , 72, 238-44	17
140	Controversies in ablation of atrial fibrillation. 2008 , 10, H32-H54	3
139	Diseases of the Heart and Lungs. 2008 , 273-326	
138	Correlation of myocardial interstitial collagen in the right ventricular septum with ventricular function of patients with ischemic cardiomyopathy. 2009 , 92, 54-62	3

137	Relation of disease pathogenesis and risk factors to heart failure with preserved or reduced ejection fraction: insights from the framingham heart study of the national heart, lung, and blood institute. 2009 , 119, 3070-7	475
136	Effect of aldosterone antagonism on exercise tolerance, Doppler diastolic function, and quality of life in older women with diastolic heart failure. 2009 , 15, 68-74	25
135	The relationship between body mass index and cardiopulmonary exercise testing in chronic systolic heart failure. 2009 , 158, S31-6	20
134	The role of echocardiography in guiding management in dilated cardiomyopathy. 2009 , 10, iii15-21	40
133	Effect of intraventricular dyssynchrony on diastolic function and exercise tolerance in patients with heart failure. 2009 , 10, 907-13	11
132	Resting measures and physiological responses to exercise for the determination of prognosis in patients with chronic heart failure: useful tools for clinical decision-making. 2010 , 18, 171-7	3
131	Reduced confounding by impaired ventilatory function with oxygen uptake efficiency slope and VE/VCO ₂ slope rather than peak oxygen consumption to assess exercise physiology in suspected heart failure. 2010 , 16, 259-64	3
130	Metabolismo energético del corazón y sus proyecciones en el tratamiento de la insuficiencia cardíaca. 2010 , 138,	1
129	Clinician's Guide to cardiopulmonary exercise testing in adults: a scientific statement from the American Heart Association. 2010 , 122, 191-225	1120
128	Heart Failure in Clinical Practice. 2010 ,	4
127	Oscillatory breathing and exercise gas exchange abnormalities prognosticate early mortality and morbidity in heart failure. 2010 , 55, 1814-23	95
126	Breathing not properly during exercise: prognostic implications in heart failure. 2010 , 55, 1824-5	6
125	Ventilatory response and peak circulatory power: new functional markers of response after cardiac resynchronization therapy. 2010 , 103, 184-91	13
124	A cutoff point for peak oxygen consumption in the prognosis of heart failure patients with β-blocker therapy. 2010 , 145, 75-7	11
123	Ventricular paced rhythm and acute coronary ischaemia. 2010 , 145, 77-8	7
122	Normal intima-media thickness on carotid ultrasound reliably excludes an ischemic cause of cardiomyopathy. 2010 , 159, 1059-66	8
121	Differential outcome of cardiac resynchronization therapy in ischemic cardiomyopathy and idiopathic dilated cardiomyopathy. 2011 , 8, 377-82	60
120	A radical view on the contractile machinery in human heart failure. 2011 , 57, 310-2	31

119	Women have less severe and extensive coronary atherosclerosis in fatal cases of ischemic heart disease: an autopsy study. 2011 , 161, 681-8		53
118	Heart failure etiology impacts survival of patients with heart failure. 2011 , 149, 211-215		28
117	The Prognosis of Heart Failure. 2011 , 501-510		1
116	Diagnostic performance of computed tomography angiography for differentiating ischemic vs nonischemic cardiomyopathy. 2011 , 18, 407-20		17
115	Excess ventilation during exercise and prognosis in chronic heart failure. 2011 , 183, 1302-10		56
114	Drug and device effects on peak oxygen consumption, 6-minute walk distance, and natriuretic peptides as predictors of therapeutic effects on mortality in patients with heart failure and reduced ejection fraction. 2011 , 4, 578-88		31
113	Assessing left ventricular systolic dysfunction after myocardial infarction: are ejection fraction and dP/dt(max) complementary or redundant?. 2012 , 302, H1423-8		37
112	Congestive Heart Failure. 2012 , 405-412		
111	Cardiac magnetic resonance imaging of non-ischaeamic cardiomyopathy. 2012 , 88, 38-48		3
110	The Third and Fourth Heart Sounds. 2012 , 336-344		
109	Non-transplant surgical management of end-stage heart failure. 2012 , 45, 1-7		
108	Comparison of nitrate augmented Tc-99m tetrofosmin gated SPECT imaging with FDG PET imaging for the assessment of myocardial viability in patients with severe left ventricular dysfunction. 2012 , 19, 1176-81		9
107	Comparison of Clinical characteristics and long-term outcomes of patients with ischemic cardiomyopathy with versus without angina pectoris (from the Duke Databank for Cardiovascular Disease). <i>American Journal of Cardiology</i> , 2012 , 109, 1272-7	3	25
106	Cardiomyopathy and cardiac computed tomography: what the radiologist needs to know. 2013 , 68, e49-58		4
105	Influence of documented history of coronary artery disease on outcomes in patients admitted for worsening heart failure with reduced ejection fraction in the EVEREST trial. 2013 , 15, 61-8		15
104	Outcome of Chagas cardiomyopathy in comparison to ischemic cardiomyopathy. 2013 , 167, 486-90		29
103	Ischemic versus nonischemic dilated cardiomyopathy: the implications of heart failure etiology on left ventricular assist device outcomes. 2013 , 59, 130-5		11
102	Anesthetic management of emergency laparotomy in a case of ischemic cardiomyopathy with COPD. 2013 , 7, 399-401		

101	Mid-term outcomes in patients implanted with cardiac resynchronization therapy. 2014 , 29, 1651-7	6
100	. 2014 ,	8
99	Comparison of LVEF assessed by 2D echocardiography, gated blood pool SPECT, 99mTc tetrofosmin gated SPECT, and 18F-FDG gated PET with ERNV in patients with CAD and severe LV dysfunction. 2014 , 35, 1156-61	11
98	Cardiac Resynchronization Therapy. 2014 , 374-412	0
97	Evaluation of patients with heart failure. 2014 , 32, 47-62, viii	5
96	Relationship between angina pectoris and outcomes in patients with heart failure and reduced ejection fraction: an analysis of the Controlled Rosuvastatin Multinational Trial in Heart Failure (CORONA). 2014 , 35, 3426-33	10
95	Atrial fibrillation and prognosis in patients 80+ years old with chronic heart failure. 2014 , 26, 53-60	3
94	Cardiovascular and Mortality Outcomes in the Elderly With Impaired Cardiac and Pulmonary Function: The Cardiovascular Health Study (CHS). 2015 , 4,	6
93	Anesthetic pharmacology and perioperative considerations for heart transplantation. 2015 , 10, 3-21	6
92	Cardiac Resynchronization Therapy. 2015 , 577-597	
91	Prognostic role of transthoracic echocardiography in patients affected by heart failure and reduced ejection fraction. 2015 , 20, 305-16	14
90	Association Between Opioid Abuse/Dependence and Outcomes in Hospitalized Heart Failure Patients. 2016 , 23, e350-6	7
89	To Revascularise or Not To Revascularise, That Is the Question: the Diagnostic and Management Conundrum of Ischaemic Cardiomyopathy. 2016 , 18, 54	2
88	Personalized Computer Simulation of Diastolic Function in Heart Failure. 2016 , 14, 244-52	5
87	Coronary artery disease prevalence and outcome in patients hospitalized with acute heart failure: an observational report from seven Middle Eastern countries. 2016 , 44, 242-251	1
86	Clinical Exercise Testing. 2016 , 436-457.e6	1
85	Magnetic Resonance Imaging of Myocardial Strain After Acute ST-Segment-Elevation Myocardial Infarction: A Systematic Review. 2017 , 10,	29
84	Treatment of Pacing-Induced Cardiomyopathy With Cardiac Resynchronization Therapy. 2018 , 4, 178-180	1

83	Assesment of Right Ventricular Function by Echocardiography in Patients with Ischemic Cardiomyopathy and Non-ischemic Cardiomyopathy. 2018 , 8, 28-32	
82	Implantable cardioverter defibrillator in nonischemic cardiomyopathy: A systematic review and meta-analysis. 2018 , 34, 4-10	6
81	The Hypothesis-Driven Physical Examination. 2018 , 102, 433-442	17
80	The Third and Fourth Heart Sounds. 2018 , 345-354.e3	
79	Assessment of right ventricular function by echocardiography in patients with ischemic cardiomyopathy and non-ischemic cardiomyopathy. 2018 , 8, 178-182	1
78	Prognostic power of cardiopulmonary exercise testing in Fontan patients: a systematic review. 2018 , 5, e000812	26
77	Congestive Heart Failure. 2018 , 411-418.e3	2
76	Is It Possible to Distinguish Patients with Terminal Stage of Heart Failure by Analyzing Their Breathing Patterns?. 2018 , 59, 674-676	2
75	Two-year cardiac mortality after MitraClip treatment of functional mitral regurgitation in ischemic and non-ischemic dilated cardiomyopathy. 2018 , 269, 33-39	19
74	Diastolic Intra-Left Ventricular Pressure Difference During Exercise: Strong Determinant and Predictor of Exercise Capacity in Patients With Heart Failure. 2019 , 25, 268-277	2
73	Chronic vagal nerve stimulation exerts additional beneficial effects on the beta-blocker-treated failing heart. 2019 , 69, 295-303	8
72	Comparison of In-Hospital Outcomes of Patients With-Versus-Without Ischemic Cardiomyopathy Undergoing Left Ventricular Assist Device Placement. <i>American Journal of Cardiology</i> , 2019 , 123, 414-418	4
71	Early post-transplant elevated pulmonary artery pressure predicts adverse outcome in cardiac recipients. 2020 , 26, 100438	0
70	. 2020 ,	
69	Multi-Modality Imaging in Dilated Cardiomyopathy: With a Focus on the Role of Cardiac Magnetic Resonance. 2020 , 7, 97	7
68	An aetiology-based subanalysis of the Telerehabilitation in Heart Failure Patients (TELEREH-HF) trial. 2021 , 8, 1263-1273	4
67	Continuous-Flow Left Ventricular Assist Device Support in Patients with Ischemic Versus Nonischemic Cardiomyopathy. 2021 , 48,	0
66	Impact of Ischaemic and Dilated Cardiomyopathy on Short-Term and Long-Term Survival After Ventricular Assist Device Implantation: A Single-Centre Experience. 2021 ,	

65	Prognostic Value of Peak Oxygen Uptake in Patients Supported With Left Ventricular Assist Devices (PRO-VAD). 2021 , 9, 758-767	0
64	Arrhythmia in Patients with a Cardiomyopathy and Congestive Heart Failure. 1994 , 645-686	4
63	Heart failure in the general population of men--morbidity, risk factors and prognosis. 2001 , 249, 253-61	187
62	Chronic Ischaemic Heart Disease. 2009 , 597-664	5
61	Recipient selection and management before cardiac transplantation. 1997 , 314, 139-52	16
60	The role of exercise-based prognosticating algorithms in the selection of patients for heart transplantation. 1999 , 14, 114-20	16
59	Ejection fraction improvement by beta-blocker treatment in patients with heart failure: an analysis of studies published in the literature. 1998 , 32 Suppl 1, S31-5	31
58	Nonischemic heart failure: epidemiology, pathophysiology, and progression of disease. 1999 , 33 Suppl 3, S31-5	13
57	Impact of age and gender on peak oxygen uptake in chronic heart failure. 1997 , 29, 733-7	11
56	Selection and treatment of candidates for heart transplantation. A statement for health professionals from the Committee on Heart Failure and Cardiac Transplantation of the Council on Clinical Cardiology, American Heart Association. 1995 , 92, 3593-612	286
55	Initial experience with an implantable hemodynamic monitor. 1996 , 93, 745-52	43
54	Coupling of hemodynamic measurements with oxygen consumption during exercise does not improve risk stratification in patients with heart failure. 1996 , 94, 2492-6	41
53	Hemodynamic exercise testing. A valuable tool in the selection of cardiac transplantation candidates. 1996 , 94, 3176-83	116
52	Development and prospective validation of a clinical index to predict survival in ambulatory patients referred for cardiac transplant evaluation. 1997 , 95, 2660-7	780
51	Integrative effect of carvedilol and aerobic exercise training therapies on improving cardiac contractility and remodeling in heart failure mice. 2013 , 8, e62452	25
50	Do optimal prognostic thresholds in continuous physiological variables really exist? Analysis of origin of apparent thresholds, with systematic review for peak oxygen consumption, ejection fraction and BNP. 2014 , 9, e81699	19
49	Contemporary Cardiac MRI in Chronic Coronary Artery Disease. 2020 , 15, e50	5
48	Quantitative evaluation of the amount of delayed myocardial enhancement as a predictor of systolic dysfunction. 2009 , 3, 35-8	3

- 47 Atrial Fibrillation and Heart Failure: A Review of the Intersection of Two Cardiac Epidemics. **2013**, 6, 751 12
- 46 Multisite Biventricular Pacing to Treat Refractory Heart Failure: Why and How?. **2000**, 569-580
- 45 Literatur. **2001**, 257-287
- 44 New Features. **2001**, 185-201
- 43 Ergospirometrie. **2001**, 152-172 1
- 42 Role of Electrical Therapy in Patients with Left Ventricular Dysfunction: The Clinical Cardiologist's Experience. **2003**, 249-255
- 41 Risk-Stratification in Heart Failure Patients with Varying Disease Severity. **2003**, 39-60
- 40 Literaturverzeichnis. **2004**, 186-208
- 39 Exercise Testing in Patients with Heart Failure and Left Ventricular Dysfunction. **2006**, 329-350
- 38 Selection and Management of Cardiac Transplantation Candidates. **2006**, 491-510
- 37 Congestive Heart Failure. **2007**, 518-528
- 36 Dilated Cardiomyopathy. **2007**, 1233-1259 1
- 35 The utilization of cardiopulmonary exercise testing in cardiology. **2008**, 50, 292-298
- 34 Breathing Disturbances in Heart Failure. **2010**, 187-203
- 33 Elderly Transplant Recipients. **2011**, 1335-1350
- 32 Healed Myocardial Infarction. **2012**, 349-364
- 31 Influence of Phosphodiesterase Inhibitors on Aerobic Capacity in Chronic Heart Failure. **1991**, 103-110
- 30 Selection of Therapy for Patients with Advanced Heart Failure: Tailored Afterload Reduction or Cardiac Transplantation?. **1991**, 448-461

29 Treatment of heart failure. **1991**, 255-265

28 Heart failure. **1991**, 113-127

27 Clinical experience with iodine-123 metaiodobenzylguanidine. **1992**, 387-397

26 Epidemiologie. **1992**, 5-11

25 Stufendiagnostik Von der Verdachtsdiagnose zur Prognose. **1992**, 63-78

24 Natural History of Idiopathic Dilated Cardiomyopathy. **1993**, 26-42

23 Heart Failure Secondary to Coronary Artery Disease. **1994**, 177-195

22 EVOLVING ROLE OF CARDIOPULMONARY EXERCISE TESTING IN CARDIOVASCULAR DISEASE. **1994**
, 15, 271-285

3

21 ??????. **1997**, 5, 385-391

20 Congestive Heart Failure in the Elderly. **1998**, 123-136

19 Ejection Fraction Improvement by β -Blocker Treatment in Patients with Heart Failure. **1998**, 32, S31-S35

34

18 Dilated Cardiomyopathy. **1999**, 278-293

17 Exercise Training in Patients with Left Ventricular Systolic or Diastolic Dysfunction: Harmful or Helpful?. **1999**, 74-86

16 Nonischemic Heart Failure: Epidemiology, Pathophysiology and Progression of Disease. **1999**, 33, S31-S35

7

15 Ischemic and nonischemic heart failure do not require different treatment strategies. **1999**, 33
Suppl 3, S1-7

1

14 Ischemic and Nonischemic Heart Failure do not Require Different Treatment Strategies. **1999**, 33, S1-S7

6

13 Nuclear Cardiology 2: Myocardial Perfusion, Metabolism, Infarction, and Receptor Imaging. **2015**, 463-528

12 Pathology of Ischemic Heart Disease. **2017**, 59-79

1

11	Cardiac resynchronization therapy. 2020 , 357-394		
10	Heart transplant candidates at high risk can be identified at the time of initial evaluation. 1996 , 9, 38-45		4
9	Selection and Management of the Potential Candidate for Cardiac Transplantation. 1999 , 61-91		
8	Selection and Management of the Potential Candidate for Cardiac Transplantation. 1996 , 161-176		
7	Basis of Cardiac Imaging 2: Myocardial Perfusion, Metabolism, Infarction, and Receptor Imaging in Coronary Artery Disease and Congestive Heart Failure. 2006 , 352-394		
6	Beta blockers in heart failure haemodynamics, clinical effects and modes of action. <i>Netherlands Heart Journal</i> , 2001 , 9, 334-342	2.2	1
5	Atrial fibrillation in patients with systolic heart failure: pathophysiology mechanisms and management. <i>Journal of Geriatric Cardiology</i> , 2021 , 18, 376-397	1.7	
4	The Prevalence and Short-Term Outcomes of Ventricular Dyssynchrony after Right Ventricular Pacing. <i>International Journal of Clinical Medicine</i> , 2021 , 12, 459-470	0.3	
3	Cause of Death in Heart Failure Based on Etiology: Long-Term Cohort Study of All-Cause and Cardiovascular Mortality.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	0
2	Free-breathing gradient recalled echo-based CMR in a swine heart failure model.. <i>Scientific Reports</i> , 2022 , 12, 3698	4.9	
1	Cardiomyopathies. 2016 , 285-387		