

CITATION REPORT

List of articles citing

Structure of the human class I histocompatibility antigen, HLA-A2

DOI: 10.1038/329506a0
Nature, 1987, 329, 506-12.

Source: <https://exaly.com/paper-pdf/19458212/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2245	Herpesvirus evasion of T-cell immunity. 1117-1136		3
2244	Peptide Presentation by Major Histocompatibility Class I Molecules. 1993 , 57, 1-17		
2243	Structural Requirements for Class II Molecule Recognition by Antibodies and T Cell Antigen Receptors. 1989 , 46, 49-84		
2242	Mass Spectrometric Analysis of Peptides Associated with the Human Class I MHC Molecules HLA-A2.1 and HLA-B7 and Identification of Structural Features that Determine Binding. 1993 , 57, 39-62		13
2241	Structure of MHC protein solved. 1987 , 238, 613-4		1
2240	The T cell receptor. 1987 , 238, 1073-9		446
2239	MHC protein structure. Those images that yet fresh images beget. <i>Nature</i> , 1987 , 329, 482-3	50.4	12
2238	The foreign antigen binding site and T cell recognition regions of class I histocompatibility antigens. <i>Nature</i> , 1987 , 329, 512-8	50.4	2097
2237	Class I and class II loci of the human major histocompatibility complex. 1988 , 2, 529-46		1
2236	Genetics of the spondarthropathies. 1988 , 2, 603-22		5
2235	A Bayesian statistical theory of the phase problem. I. A multichannel maximum-entropy formalism for constructing generalized joint probability distributions of structure factors. 1988 , 44, 517-545		100
2234	Immunefunctions of parenchymal cells might contribute to their susceptibility to rejection. 1988 , 1, 165-167		
2233	Unravelling the complexity of intrathymic cell-cell interactions. 1988 , 96, 1049-60		11
2232	Cytotoxic T lymphocyte recognition of hybrid MHC class I molecules. 1988 , 15, 295-305		1
2231	Molecular modelling of the immunoglobulin-like domains of the neural cell adhesion molecule (NCAM): implications for the positioning of functionally important sugar side chains. 1988 , 20, 304-10		26
2230	Clonal heterogeneity of HLA-B27 cellular allorecognition. Delineation of immunodominant sites. 1988 , 18, 203-9		9
2229	T-immunogenic peptides are constituted of rare sequence patterns. Use in the identification of T epitopes in the human immunodeficiency virus gag protein. 1988 , 18, 1547-53		73

2228	Class I alloantigen is sufficient for cytolytic T lymphocyte binding and transmembrane signaling. 1988 , 18, 1925-9		14
2227	Modulation on immunogenicity by HLA-B27 subtype polymorphism. 1988 , 18, 1945-50		10
2226	Antigen presentation and autoimmunity. 1988 , 8, 677-9		4
2225	The molecular basis of susceptibility to rheumatoid arthritis: the conformational equivalence hypothesis. 1988 , 10, 119-39		50
2224	Human leukocyte antigens (HLA) and mycobacterial disease. 1988 , 10, 305-18		16
2223	Immunodominance in T lymphocyte recognition. 1988 , 18, 83-92		65
2222	"Immune" functions of parenchymal cells might contribute to their susceptibility to rejection. 1988 , 1, 165-7		5
2221	An HLA-A2 population variant with structural polymorphism in the alpha 3 region. <i>Immunogenetics</i> , 1988 , 27, 345-55	3.2	19
2220	Intracellular recognition events eliminate self-reactive T cells. 1988 , 28, 389-95		9
2219	Molecular and functional properties of novel T cell subsets in C3H-gld/gld and nude mice. Implications for thymic and extrathymic maturation. 1988 , 104, 121-55		28
2218	Mechanisms of antigen processing. 1988 , 106, 77-92		59
2217	Breaking the first circle. 1988 , 105, 69-84		10
2216	Antigen processing for presentation to T lymphocytes: function, mechanisms, and implications for the T-cell repertoire. 1988 , 106, 5-31		92
2215	The biochemistry and cell biology of antigen processing. 1988 , 106, 33-58		57
2214	Antigen-presenting function of B lymphocytes. 1988 , 106, 149-80		100
2213	MHC gene in cytomegalovirus. <i>Nature</i> , 1988 , 331, 209-10	50.4	15
2212	Human cytomegalovirus encodes a glycoprotein homologous to MHC class-I antigens. <i>Nature</i> , 1988 , 331, 269-72	50.4	407
2211	Immunology. Tolerance, restriction and the MIs enigma. <i>Nature</i> , 1988 , 332, 18-9	50.4	8

2210	Self-tolerance eliminates T cells specific for Mls-modified products of the major histocompatibility complex. <i>Nature</i> , 1988 , 332, 35-40	50.4	916
2209	Molecular evolution. How old is a polymorphism?. <i>Nature</i> , 1988 , 332, 588-90	50.4	6
2208	A hypothetical model of the foreign antigen binding site of class II histocompatibility molecules. <i>Nature</i> , 1988 , 332, 845-50	50.4	1084
2207	Intolerable secretion in tolerant transgenic mice. <i>Nature</i> , 1988 , 333, 500-3	50.4	41
2206	T-cell antigen receptor genes and T-cell recognition. <i>Nature</i> , 1988 , 334, 395-402	50.4	2597
2205	In vivo competition between self peptides and foreign antigens in T-cell activation. <i>Nature</i> , 1988 , 334, 623-5	50.4	197
2204	Pattern of nucleotide substitution at major histocompatibility complex class I loci reveals overdominant selection. <i>Nature</i> , 1988 , 335, 167-70	50.4	1637
2203	The T-cell repertoire is heavily influenced by tolerance to polymorphic self-antigens. <i>Nature</i> , 1988 , 335, 796-801	50.4	466
2202	Cell-cell adhesion mediated by CD8 and MHC class I molecules. <i>Nature</i> , 1988 , 336, 79-81	50.4	377
2201	Antigen presenting function of class II MHC expressing pancreatic beta cells. <i>Nature</i> , 1988 , 336, 476-9	50.4	229
2200	A malaria T-cell epitope recognized in association with most mouse and human MHC class II molecules. <i>Nature</i> , 1988 , 336, 778-80	50.4	353
2199	T-cell activation in health and disease. 1988 , 9, 121-4		3
2198	Histocompatibility typing--Mac is back in town. 1988 , 9, 127-30		10
2197	75 years of the AAI. 1988 , 9, 130		
2196	Regulatory interactions between members of the immunoglobulin superfamily. 1988 , 9, 199-203		34
2195	Stop and go in the thymus. 1988 , 9, 377-80		13
2194	Presentation and processing of antigens in Paris. 1988 , 9, 65-8		15
2193	CD8+ T lymphocytes in intracellular microbial infections. 1988 , 9, 168-74		308

2192	Puzzling diabetic transgenic mice: a lesson for human type 1 diabetes?. 1988 , 9, 303-6	28
2191	The T-cell repertoire for antigen and MHC. 1988 , 9, 308-15	157
2190	Biotechnological trends towards synthetic vaccines. 1988 , 19, 241-4	4
2189	Antigen presentation, antigen-presenting cells and antigen processing. 1988 , 1, 213-9	16
2188	Diversity and antigen specificity of the T cell receptor. 1988 , 1, 84-7	1
2187	Processing requirements for presentation of antigens to T lymphocytes. 1988 , 1, 98-102	3
2186	Interaction of major histocompatibility complex molecules with immunogenic peptides. 1988 , 1, 103-6	
2185	Genetics and disease association of the major histocompatibility complex. 1988 , 1, 107-11	5
2184	Genetics of autoimmune diseases. 1989 , 1, 701-7	1
2183	MPSA short communications. <i>The Protein Journal</i> , 1988 , 7, 187-188	7
2182	Ankylosing spondylitis and heterogeneity of HLA-B27. 1988 , 18, 134-41	19
2181	The antigen-major histocompatibility complex-T cell receptor interaction. A structural analysis. 1988 , 7, 339-50	7
2180	Function and polymorphism of human leukocyte antigen-A,B,C molecules. 1988 , 85, 2-5	19
2179	Genetic susceptibility to rheumatoid arthritis and human leukocyte antigen class II polymorphism. The role of shared conformational determinants. 1988 , 85, 17-9	12
2178	Bacterial epitopes involved in the induction of reactive arthritis. 1988 , 85, 56-8	40
2177	Structural characteristics of peptides required for their interaction with IAd. 1988 , 546, 72-9	1
2176	Dendritic cells and antigen presentation in the regulation of cytotoxic T lymphocyte responses against viruses and transplantation antigens. 1988 , 532, 280-91	7
2175	Class I MHC-restricted cytotoxic T cells efficiently recognize haemagglutinin that is defective in protein folding and cell surface expressions. 1988 , 25, 1371-6	3

2174	Analysis of host-virus interactions in AIDS with anti-gp120 T cell clones: effect of HIV sequence variation and a mechanism for CD4+ cell depletion. <i>Cell</i> , 1988 , 54, 561-75	56.2	359
2173	Presentation of influenza hemagglutinin peptide in the presence of limited allostimulation by HLA-DR1 transfected human fibroblasts. 1988 , 21, 173-81		12
2172	Hypotheses on the molecular basis of susceptibility to rheumatoid arthritis. 1988 , 76, 9-16		4
2171	Immunological aspects of grafting in the mammalian central nervous system. A review and speculative synthesis. 1988 , 472, 287-324		312
2170	The effect of thymus environment on T cell development and tolerance. <i>Cell</i> , 1988 , 53, 627-34	56.2	289
2169	Introduction of soluble protein into the class I pathway of antigen processing and presentation. <i>Cell</i> , 1988 , 54, 777-85	56.2	988
2168	HLA-Dw14 and HLA-DR3 haplotypes share a functional determinant recognized by a human alloreactive T-cell clone. 1988 , 23, 59-70		9
2167	What is new in HLA in 1988?. 1988 , 2, 207-219		2
2166	Cyclosporine A and the regulation of autoimmune disease. 1988 , 1, 519-532		5
2165	Human autoimmune thyroid disease: cellular and molecular aspects. 1988 , 2, 911-39		14
2164	Do T Cells Cause IDDM?. 1988 , 332, 661-662		
2163	Causes of arthritis. 1988 , 2, 1063-6		19
2162	Structural model of HLA-DR1 restricted T cell antigen recognition. <i>Cell</i> , 1988 , 52, 515-23	56.2	170
2161	Evidence that multiple residues on both the alpha-helices of the class I MHC molecule are simultaneously recognized by the T cell receptor. <i>Cell</i> , 1988 , 54, 47-56	56.2	139
2160	Immunosuppressive properties of synthetic peptides derived from CD4 and HLA-DR antigens. <i>Cell</i> , 1988 , 55, 497-504	56.2	40
2159	Site-directed mutations in the VDJ junctional region of a T cell receptor beta chain cause changes in antigenic peptide recognition. <i>Cell</i> , 1988 , 54, 473-84	56.2	170
2158	Molecular analysis of the variant alloantigen HLA-B27d (HLA-B*2703) identifies a unique single amino acid substitution. 1988 , 21, 209-19		49
2157	T cell hybridomas define the class II MHC-restricted response to vesicular stomatitis virus infection. 1988 , 5, 319-32		13

2156	Molecular characterization of the C3HfB/HeN H-2K ^m 2 mutation. Implications for the molecular basis of alloreactivity. <i>Journal of Experimental Medicine</i> , 1988 , 168, 1781-800	16.6	33
2155	The structure of V alpha and J alpha segments in the mouse. 1988 , 16, 11355-64		44
2154	The III Cell Receptor. 1988 , 133-192		142
2153	The chemistry and mechanism of antibody binding to protein antigens. 1988 , 43, 1-98		160
2152	Three spontaneous H-2Db mutants are generated by genetic micro-recombination (gene conversion) events. Impact on the H-2-restricted immune responsiveness. <i>Journal of Experimental Medicine</i> , 1988 , 168, 2319-35	16.6	38
2151	On the etiology of rheumatoid arthritis. 1988 , 74, 19-28		13
2150	Induction of cytotoxic T lymphocytes by primary in vitro stimulation with peptides. <i>Journal of Experimental Medicine</i> , 1988 , 167, 1767-79	16.6	169
2149	The Lyt-2 molecule recognizes residues in the class I alpha 3 domain in allogeneic cytotoxic T cell responses. <i>Journal of Experimental Medicine</i> , 1988 , 168, 325-41	16.6	81
2148	Some highlights of animal virus research in 1987. 1988 , 69 (Pt 10), 2419-40		1
2147	Constraint of the translational diffusion of a membrane glycoprotein by its external domains. 1988 , 242, 412-4		61
2146	Autologous peptides constitutively occupy the antigen binding site on Ia. 1988 , 242, 1045-7		159
2145	Structure of antibody-antigen complexes: implications for immune recognition. 1988 , 43, 99-132		172
2144	The heme moiety of cytochrome c is an autoreactive Ir gene-restricted T cell epitope. <i>Journal of Experimental Medicine</i> , 1988 , 168, 1127-43	16.6	13
2143	Random oligonucleotide mutagenesis: application to a large protein coding sequence of a major histocompatibility complex class I gene, H-2DP. 1988 , 16, 9761-73		14
2142	Mechanisms influencing the immunodominance of T cell determinants. <i>Journal of Experimental Medicine</i> , 1988 , 168, 2091-104	16.6	208
2141	An immunodominant epitope present in multiple class I MHC molecules and recognized by cytotoxic T lymphocytes. <i>Journal of Experimental Medicine</i> , 1988 , 168, 307-24	16.6	10
2140	Living with clathrin: its role in intracellular membrane traffic. 1988 , 242, 1396-402		279
2139	Regulation of murine MHC class II molecule expression. Identification of A beta residues responsible for allele-specific cell surface expression. <i>Journal of Experimental Medicine</i> , 1988 , 168, 823-37	16.6	23

2138	Two minor determinants of myelin basic protein induce experimental allergic encephalomyelitis in SJL/J mice. <i>Journal of Experimental Medicine</i> , 1988 , 168, 213-27	16.6	126
2137	Peptide-mediated modulation of T-cell allorecognition. 1988 , 85, 8191-5		42
2136	Nature of polymorphism in HLA-A, -B, and -C molecules. 1988 , 85, 4005-9		325
2135	Effect of mutations and variations of HLA-A2 on recognition of a virus peptide epitope by cytotoxic T lymphocytes. 1988 , 85, 9194-8		93
2134	Direct demonstration of critical amino acid residues required for cytotoxic T-lymphocyte allorecognition of H-2 class I antigens. 1988 , 85, 3085-9		9
2133	Saturation mutagenesis of a major histocompatibility complex protein domain: identification of a single conserved amino acid important for allorecognition. 1988 , 85, 3535-9		20
2132	Direct evidence for functional self-protein/Ia-molecule complexes in vivo. 1988 , 85, 5220-3		109
2131	Allospecific cytotoxic T lymphocytes recognize an H-2 peptide in the context of a murine major histocompatibility complex class I molecule. 1988 , 85, 1927-31		56
2130	Allorecognition of purified major histocompatibility complex glycoproteins by cytotoxic T lymphocytes. 1988 , 85, 2728-32		15
2129	Amyloidosis: Some Recent Developments. 1988 ,		
2128	Surface proteins and glycoproteins of human leucocytes. 1988 , 253, 1-26		20
2127	Specificity of the T cell receptor for antigen. 1988 , 43, 193-234		31
2126	Molecular genetics of T-cell antigen receptors. 1988 , 23, 157-64, 169-70		5
2125	Biochemie und molekulare Biologie 1987. 1988 , 36, 139-157		
2124	Complement-Mediated Lysis with Monoclonal Antibodies. 1988 , 45, 1-15		
2123	Nucleotide sequences of chimpanzee MHC class I alleles: evidence for trans-species mode of evolution.. 1988 , 7, 2765-2774		145
2122	A molecular map of the chicken major histocompatibility complex: the class II beta genes are closely linked to the class I genes and the nucleolar organizer.. 1988 , 7, 2775-2785		168
2121	Cytolytic T cells recognize a chimeric MHC class I antigen expressed in influenza A infected transgenic mice.. 1988 , 7, 3423-3431		5

2120	Fine dissection of a nine amino acid glycoprotein epitope, a major determinant recognized by lymphocytic choriomeningitis virus-specific class I-restricted H-2Db cytotoxic T lymphocytes. <i>Journal of Experimental Medicine</i> , 1988 , 168, 559-70	16.6	154
2119	Mutations in the alpha 2 helix of HLA-A2 affect presentation but do not inhibit binding of influenza virus matrix peptide. <i>Journal of Experimental Medicine</i> , 1988 , 168, 725-36	16.6	75
2118	T cell receptor gene usage in the response to lambda repressor cl protein. An apparent bias in the usage of a V alpha gene element. <i>Journal of Experimental Medicine</i> , 1988 , 168, 1081-97	16.6	55
2117	Mouse CD1 is distinct from and co-exists with TL in the same thymus.. 1988 , 7, 3081-3086		116
2116	Clonal sketches of the immune response.. 1988 , 7, 2945-2951		20
2115	Recognition of influenza A matrix protein by HLA-A2-restricted cytotoxic T lymphocytes. Use of analogues to orientate the matrix peptide in the HLA-A2 binding site. <i>Journal of Experimental Medicine</i> , 1988 , 168, 2045-57	16.6	114
2114	Identification of residues necessary for clonally specific recognition of a cytotoxic T cell determinant.. 1989 , 8, 2321-2328		24
2113	Endocytosis of the class I major histocompatibility antigen via a phorbol myristate acetate-inducible pathway is a cell-specific phenomenon and requires the cytoplasmic domain. 1989 , 108, 1317-29		58
2112	Organization and structure of the Qa genes of the major histocompatibility complex of the C3H mouse: implications for Qa function and class I evolution.. 1989 , 8, 1749-1759		35
2111	T cells specific for alpha-beta interface regions of hemoglobin recognize the isolated subunit but not the tetramer and indicate presentation without processing. 1989 , 86, 6729-33		14
2110	Mechanisms of cell adhesion in the nervous system: role of the immunoglobulin gene superfamily. 1989 , 11, 377-90		48
2109	Nobel lecture. The photosynthetic reaction centre from the purple bacterium <i>Rhodospseudomonas viridis</i> .. 1989 , 8, 2149-2170		508
2108	Relative V beta transcript levels in thymus and peripheral lymphoid tissues from various mouse strains. Inverse correlation of I-E and Mls expression with relative abundance of several V beta transcripts in peripheral lymphoid tissues. <i>Journal of Experimental Medicine</i> , 1989 , 169, 1703-19	16.6	68
2107	Self recognition by T cells. I. Bystander killing of target cells bearing syngeneic MHC antigens. <i>Journal of Experimental Medicine</i> , 1989 , 170, 59-71	16.6	45
2106	Species-restricted interactions between CD8 and the alpha 3 domain of class I influence the magnitude of the xenogeneic response. <i>Journal of Experimental Medicine</i> , 1989 , 170, 1091-101	16.6	120
2105	The role of polymorphic I-Ak beta chain residues in presentation of a peptide from myelin basic protein. <i>Journal of Experimental Medicine</i> , 1989 , 169, 2239-44	16.6	9
2104	Mixed isotype class II antigen expression. A novel class II molecule is expressed on a murine B cell lymphoma. <i>Journal of Experimental Medicine</i> , 1989 , 169, 625-40	16.6	22
2103	Analysis of Mlsc genetics. A novel instance of genetic redundancy. <i>Journal of Experimental Medicine</i> , 1989 , 170, 1059-73	16.6	22

2102	Molecular genetic analysis of 178 I-Abm12-reactive T cells. <i>Journal of Experimental Medicine</i> , 1989 , 169, 115-33	16.6	74
2101	Activation of gamma delta T cells in the primary immune response to <i>Mycobacterium tuberculosis</i> . 1989 , 244, 713-6		447
2100	Primary virus-induced lymphomas evade T cell immunity by failure to express viral antigens. <i>Journal of Experimental Medicine</i> , 1989 , 169, 1233-54	16.6	18
2099	A trans-acting major histocompatibility complex-linked gene whose alleles determine gain and loss changes in the antigenic structure of a classical class I molecule. <i>Journal of Experimental Medicine</i> , 1989 , 170, 777-95	16.6	87
2098	Comparison of exon 5 sequences from 35 class I genes of the BALB/c mouse. <i>Journal of Experimental Medicine</i> , 1989 , 170, 1837-58	16.6	36
2097	In vivo administration of histoincompatible lymphocytes leads to rapid functional deletion of cytotoxic T lymphocyte precursors. <i>Journal of Experimental Medicine</i> , 1989 , 170, 679-90	16.6	54
2096	Medical Virology 8. 1989 ,		
2095	A peptide binding protein having a role in antigen presentation is a member of the HSP70 heat shock family. <i>Journal of Experimental Medicine</i> , 1989 , 170, 1799-809	16.6	224
2094	The contribution of mutant amino acids to alloantigenicity. <i>Journal of Experimental Medicine</i> , 1989 , 170, 739-50	16.6	16
2093	Synchrotron resource of the Howard Hughes Medical Institute. 1989 , 60, 1939-1942		10
2092	Identification of T-cell epitopes and use in construction of synthetic vaccines. 1989 , 178, 611-34		23
2091	Immunity to viruses. 1989 , 64, 1649-52		1
2090	Cellular interactions in the humoral immune response. 1989 , 45, 1-105		100
2089	Developmental biology of T cell receptors. 1989 , 244, 943-50		191
2088	The structure of interfaces between subunits of dimeric and tetrameric proteins. 1989 , 3, 77-83		87
2087	Heberden Oration, 1988. Exploring immune pathways in rheumatoid arthritis. 1989 , 28, 466-79		6
2086	I-A alpha polymorphic residues that determine alloreactive T cell recognition. <i>Journal of Experimental Medicine</i> , 1989 , 169, 1655-68	16.6	28
2085	A single amino acid interchange yields reciprocal CTL specificities for HIV-1 gp160. 1989 , 246, 118-21		168

2084	HLA, immune response and disease. 1989 , 56, 171-9		2
2083	Computational biology for biotechnology: Part II Applications of scientific computing in biotechnology. 1989 , 7, 126-132		4
2082	The photosynthetic reaction centre from the purple bacterium <i>Rhodospseudomonas viridis</i> . 1989 , 9, 383-419	10	
2081	Fractionation of T cell subsets on Ig anti-Ig columns: isolation of helper T cells from nonresponder mice, demonstration of antigen-specific T suppressor cells, and selection of CD-3 negative variants of Jurkat T cells. 1989 , 119, 327-40		9
2080	CD4+ cytolytic T cell clones restricted to HLA class II, DR beta I, and DR beta III chains. 1989 , 123, 96-107		2
2079	Identification of I-A beta-chain residues critical for T cell recognition of peptide antigens. 1989 , 123, 226-35		1
2078	Antigen presenting cells. 1989 , 8, 98-117		21
2077	Molecular mapping of a new public HLA class I epitope shared by all HLA-B and HLA-C antigens and defined by a monoclonal antibody. <i>Immunogenetics</i> , 1989 , 29, 25-32	3.2	47
2076	Cloning and characterization of a BoLA class I cDNA clone. <i>Immunogenetics</i> , 1989 , 29, 58-60	3.2	24
2075	Genetic and serological heterogeneity of the supertypic HLA-B locus specificities Bw4 and Bw6. <i>Immunogenetics</i> , 1989 , 30, 200-7	3.2	92
2074	Analysis of a new class I gene mapping to the Hmt region of the mouse. <i>Immunogenetics</i> , 1989 , 30, 273-83	3.2	42
2073	Structural studies of an HLA-A03 alloantigenic epitope defined by a human hybridoma antibody. <i>Immunogenetics</i> , 1989 , 30, 54-7	3.2	2
2072	The association of H-2Ld with human beta-2 microglobulin induces localized conformational changes in the alpha-1 and -2 superdomain. <i>Immunogenetics</i> , 1989 , 30, 361-9	3.2	25
2071	Immune recognition of antigen and its relevance to autoimmune disease: recent advances at the molecular level. 1989 , 19, 107-16		17
2070	A simulated annealing approach to the search problem of protein crystallography. 1989 , 45 (Pt 5), 337-42		9
2069	Specificity of anti-H-2 class I antibodies induced by syngeneic immunization with Sendai virus-treated cells is regulated by the mouse MHC and viral antigens. No evidence for MHC-restricted virus-specific antibodies. 1989 , 16, 3-17		2
2068	Two cytotoxic human-human hybridoma antibodies to HLA: TrAH10 (anti A3.1) and TrAG2 (anti B7, Bw42). 1989 , 33, 520-30		6
2067	Molecular basis and functional importance of some disease-associated HLA polymorphisms. 1989 , 34, 39-49		10

2066	HLA expression and function in single and double HLA-B27-transgenic mice. 1989 , 34, 50-63	15
2065	Serological mapping of HLA-epitopes with monoclonal antibodies and its interpretation by sequenced HLA-molecules. 1989 , 34, 170-8	9
2064	A DQA1 allele is strongly associated with idiopathic membranous nephropathy. 1989 , 34, 261-9	36
2063	HLA class I (Bg) antigens on red cells of SLE patients: a serological study with polyclonal and monoclonal antibodies. 1989 , 56, 254-61	11
2062	Intradomain H-2Kd/Dd recombinants define the same regions as crucial for recognition by alloreactive or major histocompatibility complex-restricted cytolytic T cells. 1989 , 19, 193-6	7
2061	Two classes of CD1 genes. 1989 , 19, 285-92	237
2060	Specific immune responses restored by alteration in carbohydrate chains of surface molecules on antigen-presenting cells. 1989 , 19, 537-42	67
2059	Cytotoxic T lymphocyte recognition of HLA-A2 antigens in normal and HLA-Cw3-transgenic mice. 1989 , 19, 599-604	22
2058	Inhibition of T cell response with peptides is influenced by both peptide-binding specificity of major histocompatibility complex molecules and susceptibility of T cells to blocking. 1989 , 19, 1071-7	13
2057	Expression and function of HLA-A2.1 in transgenic mice. 1989 , 19, 1575-83	34
2056	Characterization of three functional sites in alpha beta 1 DR of DRw13. All three sites are potentially involved in major histocompatibility complex-peptide interaction. 1989 , 19, 1585-90	5
2055	Allo-class I-reactive CD4-CD8- T cell hybridomas recognize the conformational change of class I molecule resulting from the exchange of the alpha 3 domain. 1989 , 19, 1861-5	1
2054	Presentation of IgG2a antigens to class II-restricted T cells by stably transfected B lymphoma cells. 1989 , 19, 1903-9	32
2053	A new cell surface molecule closely related to mouse class I transplantation antigens. 1989 , 19, 1927-31	16
2052	HLA and insulin-dependent diabetes: an overview. 1989 , 6, 1-14	40
2051	Neurological autoimmune disease and the trimolecular complex of T-lymphocytes. 1989 , 25, 531-8	47
2050	Das photosynthetische Reaktionszentrum des Purpurbakteriums <i>Rhodospseudomonas viridis</i> (Nobel-Vortrag). 1989 , 101, 872-892	89
2049	Some observations on the replacement of the conserved amino acid residues of immunoglobulin domains. 1989 , 21, 1033-7	2

2048	Re-expression of major histocompatibility complex (MHC) class I molecules on malignant tumor cells and its effect on host-tumor interaction. 1989 , 11, 22-6		15
2047	Identification of a 2-Md plasmid from <i>Shigella flexneri</i> associated with reactive arthritis. 1989 , 32, 937-46		66
2046	Immunity to viruses. 1989 , 1, 427-30		3
2045	MHC and antigen presentation. 1989 , 10, 396-7		3
2044	Immunology of bacteria and parasites. 1989 , 10, 397-9		4
2043	Implications of a Fab-like structure for the T-cell receptor. 1989 , 10, 10-4		181
2042	HLA-DR and -DQ epitopes and monoclonal antibody specificity. 1989 , 10, 305-12		141
2041	Why peptides? Their possible role in the evolution of MHC-restricted T-cell recognition. 1989 , 10, 132-8		46
2040	HLA-B27 and HLA-A2 subtypes: structure, evolution and function. 1989 , 10, 239-46		112
2039	Speculations on the specificity of suppression. 1989 , 10, 37-40		49
2038	Class I and class II regions of the major histocompatibility complex both contribute to individual odors in congenic inbred strains of rats. 1989 , 19, 659-74		50
2037	Sequence analysis of HLA class II domains: characterization of the DQw3 family of DQB genes. <i>Immunogenetics</i> , 1989 , 29, 186-90	3.2	16
2036	Analysis of D2d: a D-region class I gene. <i>Immunogenetics</i> , 1989 , 29, 359-65	3.2	9
2035	Three new class I HLA alleles: structure of mRNAs and alternative mechanisms of processing. <i>Immunogenetics</i> , 1989 , 29, 80-91	3.2	39
2034	An Oriental HLA-A2 subtype is closely related to a subset of Caucasoid HLA-A2 alleles. <i>Immunogenetics</i> , 1989 , 29, 112-6	3.2	12
2033	Localization of nucleotide sequence which determines Mongoloid subtype of HLA-B13. <i>Immunogenetics</i> , 1989 , 29, 117-20	3.2	16
2032	Allelic variation in HLA-B and HLA-C sequences and the evolution of the HLA-B alleles. <i>Immunogenetics</i> , 1989 , 29, 297-307	3.2	79
2031	Isolation and expression of a cDNA clone encoding HLA-Cw6: unique characteristics of HLA-C encoded gene products. <i>Immunogenetics</i> , 1989 , 29, 323-30	3.2	38

2030	Sequence analysis of the C3H H-2K1k gene: relationship to the H-2 loci. <i>Immunogenetics</i> , 1989 , 29, 355-73.2	9	
2029	T-cell responses to MIs and to bacterial proteins that mimic its behavior. 1989 , 107, 61-88	319	
2028	Molecular interactions, T-cell subsets and a role of the CD4/CD8:p56lck complex in human T-cell activation. 1989 , 111, 225-66	104	
2027	Selection for polymorphism in the antigen recognition site of major histocompatibility complex class II molecules. 1989 , 30, 409-17	19	
2026	What was wrong with the T-cell receptor gamma/delta heterodimer? Divergence of the T-cell receptor alpha/beta and gamma/delta heterodimers. 1989 , 30, 511-7	10	
2025	HLA class II restriction specificity of Dermatophagoides spp. reactive T lymphocyte clones that support IgE synthesis. 1989 , 19, 389-93	5	
2024	Substitution at residue 227 of H-2 class I molecules abrogates recognition by CD8-dependent, but not CD8-independent, cytotoxic T lymphocytes. <i>Nature</i> , 1989 , 337, 73-5	50.4	181
2023	Immunology. MHC meets mother's milk. <i>Nature</i> , 1989 , 337, 118-9	50.4	8
2022	A kinetic intermediate in the reaction of an antigenic peptide and I-Ek. <i>Nature</i> , 1989 , 337, 274-6	50.4	123
2021	A pentapeptide as minimal antigenic determinant for MHC class I-restricted T lymphocytes. <i>Nature</i> , 1989 , 337, 651-3	50.4	303
2020	Class I cross-restricted T cells reveal low responder allele due to processing of viral antigen. <i>Nature</i> , 1989 , 337, 653-5	50.4	47
2019	Direct binding of influenza peptides to class I HLA molecules. <i>Nature</i> , 1989 , 337, 743-5	50.4	150
2018	Polymorphism in the alpha 3 domain of HLA-A molecules affects binding to CD8. <i>Nature</i> , 1989 , 338, 345-7	50.4	220
2017	Presentation of antigen, foreign major histocompatibility complex proteins and self by thymus cortical epithelium. <i>Nature</i> , 1989 , 338, 503-5	50.4	75
2016	High-affinity binding of staphylococcal enterotoxins A and B to HLA-DR. <i>Nature</i> , 1989 , 339, 221-3	50.4	377
2015	Physical association between MHC class I molecules and immunogenic peptides. <i>Nature</i> , 1989 , 339, 473-5	50.4	90
2014	Cytolytic T-lymphocyte response to isolated class I H-2 proteins and influenza peptides. <i>Nature</i> , 1989 , 340, 157-9	50.4	36
2013	MHC molecules. A profitable lesson in heresy. <i>Nature</i> , 1989 , 340, 426-8	50.4	27

2012	Association of class I major histocompatibility heavy and light chains induced by viral peptides. <i>Nature</i> , 1989 , 340, 443-8	50.4	935
2011	Immunology. Naked or peptide-clothed MHC?. <i>Nature</i> , 1989 , 342, 124-5	50.4	8
2010	Protein structure. Chaperones, paperones. <i>Nature</i> , 1989 , 342, 224-5	50.4	69
2009	Anti-HLA-A2 antibody-enhancement of peptide association with HLA-A2 as detected by cytotoxic T lymphocytes. <i>Nature</i> , 1989 , 342, 443-6	50.4	42
2008	MHC protein structure. Getting into the groove. <i>Nature</i> , 1989 , 342, 617-8	50.4	11
2007	Specificity pockets for the side chains of peptide antigens in HLA-Aw68. <i>Nature</i> , 1989 , 342, 692-6	50.4	619
2006	Molecular cloning of CD1a (T6), a human epidermal dendritic cell marker related to class I MHC molecules. 1989 , 92, 628-31		21
2005	Reactive arthritis: an update. 1989 , 43, 737-42		6
2004	Disease resistance and immune response genes in cattle: strategies for their detection and evidence of their existence. 1989 , 72, 1334-48		42
2003	On the molecular nature of "restrictive" antigenic elements present on major histocompatibility complex (MHC) proteins. 1989 , 140, 145-58		3
2002	A monoclonal antibody recognizes a subset of the H-2Dd mouse major class I antigens. 1989 , 140, 581-94		14
2001	Restriction of Epstein-Barr virus-specific cytotoxic T cells by HLA-A, -B, and -C molecules. 1989 , 26, 137-47		18
2000	Mapping of allospecific T-cell recognition sites encoded by the HLA-DR4 beta 1-chain. 1989 , 24, 133-43		20
1999	A novel T-cell-defined HLA-DR polymorphism not predicted from the linear amino acid sequence. 1989 , 26, 47-58		6
1998	The major histocompatibility complex, MnLA, of pigtailed macaques: definition of fifteen specificities. 1989 , 24, 277-94		5
1997	Inhibition of an allospecific T cell hybridoma by soluble class I proteins and peptides: estimation of the affinity of a T cell receptor for MHC. <i>Cell</i> , 1989 , 56, 47-55	56.2	105
1996	MHC restriction, alloreactivity, and thymic education: a common link?. <i>Cell</i> , 1989 , 56, 327-9	56.2	55
1995	Mutually exclusive public epitopes of HLA-A,B,C molecules. 1989 , 26, 85-9		14

1994	Structure of the complex of <i>Streptomyces griseus</i> proteinase B and polypeptide chymotrypsin inhibitor-1 from Russet Burbank potato tubers at 2.1 Å resolution. 1989 , 205, 201-28		72
1993	Secretion of genetically engineered human/mouse class I antigens. 1989 , 25, 207-222		5
1992	Autoimmune T cells: immune recognition of normal and variant peptide epitopes and peptide-based therapy. <i>Cell</i> , 1989 , 59, 257-71	56.2	78
1991	The V beta-specific superantigen staphylococcal enterotoxin B: stimulation of mature T cells and clonal deletion in neonatal mice. <i>Cell</i> , 1989 , 56, 27-35	56.2	970
1990	T cell recognition as the target for immune intervention in autoimmune disease. <i>Cell</i> , 1989 , 57, 709-15	56.2	198
1989	Three-dimensional structures of influenza virus neuraminidase-antibody complexes. 1989 , 323, 511-8		68
1988	Challenging Views on the Pathogenesis of Type I (Insulin-Dependent) Diabetes Mellitus. 1989 , 51-62		
1987	Concepts in Viral Pathogenesis III. 1989 ,		
1986	The influence of the swine major histocompatibility genes (SLA) on variation in serum immunoglobulin (Ig) concentration. 1989 , 21, 139-51		22
1985	Specific and sensitive detection of purified HLA molecules in an ELISA using mouse, rabbit and human anti-HLA antibodies. 1989 , 116, 189-97		5
1984	A novel and simple procedure for determining T cell epitopes in protein antigens. 1989 , 122, 67-72		25
1983	Engineering hybrid genes without the use of restriction enzymes: gene splicing by overlap extension. 1989 , 77, 61-8		2698
1982	T-cell identification of a private DQw5 subtype associated with DR1: contribution of endogenous peptide?. 1989 , 24, 219-28		
1981	Advances in Human Genetics. 1989 ,		
1980	Conformation of a T cell stimulating peptide in aqueous solution. 1989 , 250, 400-4		41
1979	The structural requirements for class II (I-Ad)-restricted T cell recognition of influenza hemagglutinin: B cell epitopes define T cell epitopes. 1989 , 19, 523-8		45
1978	The envelope glycoprotein of HIV-1 may have incorporated the CD4 binding site from HLA-DQ beta 1. 1989 , 45, iii-ix		9
1977	The genetics of susceptibility to diabetes. 1989 , 53, 358-99		42

1976	Identifying weak signals in the presence of noise: a new method of locating potential ligand contact residues in immunoglobulin-related molecules. 1989 , 26, 1169-78	4
1975	An analysis of the physical properties of peptides that influence the pigeon cytochrome c specific T lymphocyte response. 1989 , 26, 1069-79	10
1974	The "public" determinants HLA-Bw4/Bw6 do not generate cytotoxic T lymphocytes (CTLs). 1989 , 123, 441-4	2
1973	Structural requirements for class I MHC molecule-mediated antigen presentation and cytotoxic T cell recognition of an immunodominant determinant of the human immunodeficiency virus envelope protein. <i>Journal of Experimental Medicine</i> , 1989 , 170, 2023-35	16.6 90
1972	Development and application of synthetic peptides as vaccines. 1989 , 7, 187-213	6
1971	Human immune responsiveness to <i>Lolium perenne</i> pollen allergen Lol p III (rye III) is associated with HLA-DR3 and DR5. 1989 , 25, 59-71	78
1970	Extensive structural homology between H-2 K/D/L antigens and non-polymorphic class I Qa, Tla and "37" molecules suggests they may act as peptide carriers. 1989 , 140, 133-44	16
1969	Diversity of the immunoglobulin gene superfamily. 1989 , 44, 1-63	229
1968	Synthetic T and B cell recognition sites: implications for vaccine development. 1989 , 45, 195-282	69
1967	Class I major histocompatibility complex-restricted cytolytic T lymphocytes recognize a limited number of sites on the influenza hemagglutinin. 1989 , 86, 277-81	57
1966	Isolation and characterization of a cDNA and gene coding for a fourth CD1 molecule. 1989 , 86, 252-6	105
1965	Allorecognition of DR1 by T cells from a DR4/DRw13 responder mimics self-restricted recognition of endogenous peptides. 1989 , 86, 4190-4	73
1964	Inhibition of allorecognition by an H-2Kb-derived peptide is evidence for a T-cell binding region on a major histocompatibility complex molecule. 1989 , 86, 8516-20	23
1963	Creation of H-2 class I epitopes using synthetic peptides: recognition by alloreactive cytotoxic T lymphocytes. 1989 , 86, 1031-5	35
1962	Topology of cell adhesion molecules. 1989 , 86, 1088-92	99
1961	Molecular and cellular events of T cell development. 1989 , 44, 207-64	390
1960	Ethanol: an enhancer of transplantation antigen expression. 1989 , 13, 480-4	20
1959	Genetic characterization of FLA, the cat major histocompatibility complex. 1989 , 86, 943-7	21

1958	Major histocompatibility complex class I-specific cytolytic T cells, derived from gld mice, lacking Thy-1, CD4, and CD8. 1989 , 86, 1018-22	14
1957	Structure of an antibody-antigen complex: crystal structure of the HyHEL-10 Fab-lysozyme complex. 1989 , 86, 5938-42	422
1956	Cis-acting elements determine the locus-specific shutoff of class I major histocompatibility genes in murine S49 lymphoma sublines. 1989 , 86, 6288-92	10
1955	Selective changes in expression of HLA class I polymorphic determinants in human solid tumors. 1989 , 86, 6719-23	112
1954	Structure of a bacterial enzyme regulated by phosphorylation, isocitrate dehydrogenase. 1989 , 86, 8635-9	200
1953	HLA-DR4 subtype frequencies in rheumatoid arthritis indicate that DRB1 is the major susceptibility locus within the HLA class II region. 1989 , 86, 10049-53	326
1952	Constitutive endocytosis of HLA class I antigens requires a specific portion of the intracytoplasmic tail that shares structural features with other endocytosed molecules. 1989 , 86, 2688-92	122
1951	Structural analysis of the HLA-DR, -DQ, and -DP alleles on the celiac disease-associated HLA-DR3 (DRw17) haplotype. 1989 , 86, 6274-8	72
1950	Secretion and cell surface expression of IgG1 are impaired in human B lymphoblasts that lack HLA-A, -B, and -C antigens. 1989 , 86, 8005-9	11
1949	Interaction of Staphylococcus aureus toxin "superantigens" with human T cells. 1989 , 86, 8941-5	844
1948	Recognition of xeno-(HLA, SLA) major histocompatibility complex antigens by mouse cytotoxic T cells is not H-2 restricted: a study with transgenic mice. 1989 , 86, 617-20	34
1947	Alloreactivity studied with mutants of HLA-A2. 1989 , 86, 8936-40	36
1946	Comparison of the secondary structures of human class I and class II major histocompatibility complex antigens by Fourier transform infrared and circular dichroism spectroscopy. 1989 , 86, 2321-5	54
1945	Molecular cloning and expression of cDNA for a carcinoembryonic antigen-related fetal liver glycoprotein. 1989 , 86, 3332-6	23
1944	Mutational analysis of the HLA-DQ3.2 insulin-dependent diabetes mellitus susceptibility gene. 1989 , 86, 1027-30	28
1943	Molecular mimicry in HLA-B27-related arthritis. 1989 , 111, 581-91	45
1942	Adenovirus proteins and MHC expression. 1989 , 52, 151-63	42
1941	The relationship between MHC antigen expression and metastasis. 1989 , 53, 89-115	46

1940	Genetics of tumor susceptibility in the mouse: MHC and non-MHC genes. 1989 , 53, 117-79	27
1939	Control of the immune response at the level of antigen-presenting cells: a comparison of the function of dendritic cells and B lymphocytes. 1989 , 47, 45-116	123
1938	MHC-antigen interaction: what does the T cell receptor see?. 1989 , 45, 107-93	86
1937	T-cell recognition and antigen presentation of myoglobin. Protein recognition by site-specific T-cell clones is influenced by amino acid substitutions outside the site. 1989 , 258, 645-51	4
1936	Conformation-dependent recognition of a protein by T cells requires presentation without processing. 1989 , 259, 731-5	7
1935	Rapid cloning of HLA-A,B cDNA by using the polymerase chain reaction: frequency and nature of errors produced in amplification. 1990 , 87, 2833-7	272
1934	Cytotoxic T lymphocytes recognize a reconstituted class I histocompatibility antigen (HLA-A2) as an allogeneic target molecule. 1990 , 87, 5213-7	88
1933	HLA-B37 and HLA-A2.1 molecules bind largely nonoverlapping sets of peptides. 1990 , 87, 3420-4	34
1932	Cellular mechanisms of antigen processing and the function of class I and II major histocompatibility complex molecules. 1990 , 1, 499-509	54
1931	Isolation of carp genes encoding major histocompatibility complex antigens. 1990 , 87, 6863-7	208
1930	Isolation of a functional antigen-Ia complex. 1990 , 87, 919-22	16
1929	Recognition by CD8 on cytotoxic T lymphocytes is ablated by several substitutions in the class I alpha 3 domain: CD8 and the T-cell receptor recognize the same class I molecule. 1990 , 87, 2137-41	130
1928	Structure and immune recognition of HLA-B27 antigens: implications for disease association. 1990 , 87, 21-31	7
1927	Recognition of a peptide antigen by heat shock--reactive gamma delta T lymphocytes. 1990 , 249, 67-9	276
1926	Structure of class-I MHC molecules: HLA-B27 and disease. 1990 , 87, 11-20	7
1925	Molecular basis of human leukocyte antigen class II disease associations. 1990 , 48, 107-59	45
1924	Immunogenetic mechanisms in myasthenia gravis. 1990 , 84, 117-24	4
1923	The basic science of heart transplantation: important immune cell surface molecules. 1990 , 5, 26-38	

1922	The MHC molecules of nonmammalian vertebrates. 1990 , 113, 83-117		65
1921	Molecular genetics of the chicken MHC: current status and evolutionary aspects. 1990 , 113, 119-45		45
1920	Comparison of class I MHC alleles in humans and apes. 1990 , 113, 147-85		135
1919	The generation and maintenance of MHC class II gene polymorphism in rodents. 1990 , 113, 207-26		47
1918	Function of autoreactive T cells in immune responses. 1990 , 116, 15-31		24
1917	Antigen recognition and peptide-mediated immunotherapy in autoimmune disease. 1990 , 118, 37-71		26
1916	Possible mechanism of action of CD1a antigens. 1990 , 95, 503-5		7
1915	TCR gamma/delta+ dendritic epidermal T cells as constituents of skin-associated lymphoid tissue. 1990 , 94, 58S-63S		59
1914	The biology of the T-cell antigen receptor and its role in the skin immune system. 1990 , 94, 91S-100S		10
1913	The generation of MHC class II gene polymorphism in the genus <i>Mus</i> . 1990 , 41, 141-161		16
1912	The use of human T-lymphocyte clones to study T-cell function in allergic contact dermatitis to urushiol. 1990 , 94, 108S-111S		15
1911	Defective processing and presentation of exogenous antigens in mutants with normal HLA class II genes. <i>Nature</i> , 1990 , 343, 71-4	50.4	218
1910	The three-dimensional structure of the bacterial virus MS2. <i>Nature</i> , 1990 , 345, 36-41	50.4	344
1909	A binding site for the T-cell co-receptor CD8 on the alpha 3 domain of HLA-A2. <i>Nature</i> , 1990 , 345, 41-6	50.4	456
1908	Evolution of the MHC class I genes of a New World primate from ancestral homologues of human non-classical genes. <i>Nature</i> , 1990 , 346, 60-3	50.4	134
1907	Residues of the variable region of the T-cell-receptor beta-chain that interact with <i>S. aureus</i> toxin superantigens. <i>Nature</i> , 1990 , 346, 471-3	50.4	277
1906	Beta 2-microglobulin restriction of antigen presentation. <i>Nature</i> , 1990 , 346, 751-4	50.4	62
1905	Antigen presentation. Peptide feeding and cellular cookery. <i>Nature</i> , 1990 , 346, 793-5	50.4	23

1904	A complex between the MHC class I homologue encoded by human cytomegalovirus and beta 2 microglobulin. <i>Nature</i> , 1990 , 347, 770-2	50.4	235
1903	Invariant chain distinguishes between the exogenous and endogenous antigen presentation pathways. <i>Nature</i> , 1990 , 348, 39-44	50.4	275
1902	Isolation of an endogenously processed immunodominant viral peptide from the class I H-2Kb molecule. <i>Nature</i> , 1990 , 348, 213-6	50.4	643
1901	Cellular peptide composition governed by major histocompatibility complex class I molecules. <i>Nature</i> , 1990 , 348, 248-51	50.4	399
1900	Isolation and analysis of naturally processed viral peptides as recognized by cytotoxic T cells. <i>Nature</i> , 1990 , 348, 252-4	50.4	707
1899	Atomic structure of a fragment of human CD4 containing two immunoglobulin-like domains. <i>Nature</i> , 1990 , 348, 411-8	50.4	539
1898	Strong xenogeneic HLA response in transgenic mice after introducing an alpha 3 domain into HLA B27. <i>Nature</i> , 1990 , 348, 642-4	50.4	74
1897	Alloreactivity: allogeneic presentation of endogenous peptide or direct recognition of MHC polymorphism? A review. 1990 , 35, 49-55		27
1896	Conserved and variable structures in HLA class I molecules: a review. 1990 , 35, 103-13		16
1895	Activation of CD8+ T cells by allogeneic class II-deficient B-cell lines derived from patients with bare lymphocyte syndrome. 1990 , 35, 136-43		1
1894	Limited proteolysis of beta 2-microglobulin at Lys-58 by complement component C1s. 1990 , 189, 423-9		42
1893	Molecular analysis of H-2 class I molecules expressed on the UV-induced tumour 1591. 1990 , 17, 177-87		
1892	HLA class II genes: typing by DNA analysis. 1990 , 3, 355-84		12
1891	Transfection and expression of syngeneic H-2 genes does not reduce malignancy of H-2 negative teratocarcinoma cells in the autologous host. 1990 , 128, 152-64		8
1890	Mutations in the alpha 1 domain of a class I gene define residues important for specific allorecognition. 1990 , 128, 220-30		8
1889	Manifestation of allo H-2-restriction specificity by self H-2-restricted T cells. 1990 , 130, 1-10		1
1888	How many signals are enough?. 1990 , 130, 204-12; discussion 213-35		16
1887	Interactions between immunogenic peptides and HLA-DR molecules. 1990 , 9, 178-89		3

1886	Transport and expression of HLA class-II glycoproteins. 1990 , 9, 190-9		4
1885	Interisotypic alpha- and beta-chain assembly as a source of HLA class-II diversity. 1990 , 9, 234-43		2
1884	Ancestral polymorphisms of MHC class II genes: divergent allele advantage. 1990 , 9, 115-22		96
1883	Evolution of the MHC: lessons from the nonmammalian vertebrates. 1990 , 9, 123-34		1
1882	The structural basis of alloreactivity. 1990 , 9, 135-46		16
1881	Mapping T cell receptor epitopes on the A beta polypeptide. 1990 , 9, 47-56		
1880	T-cell receptor and autoimmune disease. 1990 , 9, 245-64		4
1879	HLA non-A,B,C class I genes: their structure and expression. 1990 , 9, 265-74		50
1878	Eighth International Conference on Methods in Protein Sequence Analysis. (July 1-6, 1990, Kiruna, Sweden). Short communications. <i>The Protein Journal</i> , 1990 , 9, 247-368		1
1877	Antibody-antigen complexes. 1990 , 59, 439-73		703
1876	Proteolysis of the heavy chain of major histocompatibility complex class I antigens by complement component C1s. 1990 , 1037, 209-15		29
1875	Biochemical analysis of related, independently arising histocompatibility mutants: bm17 and KB-98 enlarge the "bg series" of H-2Kb mutants. <i>Biochemical Genetics</i> , 1990 , 28, 433-41	2.4	3
1874	Polymorphism in the human class I MHC locus HLA-E in Japanese. <i>Immunogenetics</i> , 1990 , 32, 205-9	3.2	37
1873	Definition of epitopes on HLA class I molecules by polyclonal antipeptide sera. <i>Immunogenetics</i> , 1990 , 32, 68-71	3.2	
1872	HLA 1990. 1990 , 61, 207-12		5
1871	On the nature of antibody combining sites: unusual structural features that may confer on these sites an enhanced capacity for binding ligands. 1990 , 7, 112-24		207
1870	Human cytokine receptors. 1990 , 10, 289-99		34
1869	Newly identified gamma delta and beta delta T-cell receptors. 1990 , 10, 1-18		14

1868	Rearing rats in a germ-free environment eliminates their odors of individuality. 1990 , 16, 1667-82		70
1867	Highly conserved T-cell receptor junctional regions. Evidence for selection at the protein and the DNA level. <i>Immunogenetics</i> , 1990 , 31, 118-22	3.2	14
1866	High-resolution one-dimensional isoelectric focusing of mouse MHC class I antigens. Identification of natural and experimentally induced class I antigens. <i>Immunogenetics</i> , 1990 , 32, 440-50	3.2	10
1865	HLA and uveitis. 1990 , 14, 327-33		20
1864	Analysis of novel residues of class I involved in recognition by alloreactive T cells. <i>Immunogenetics</i> , 1990 , 32, 138-41	3.2	3
1863	The transport of class I major histocompatibility complex antigens is determined by sequences in the alpha 1 and alpha 2 protein domains. <i>Immunogenetics</i> , 1990 , 31, 169-78	3.2	38
1862	Infectious agents, immunity, and rheumatic diseases. 1990 , 33, 457-65		26
1861	Sequence of I-E genes from autoimmune New Zealand white mice. 1990 , 33, 583-6		11
1860	Reactivity patterns of class I HLA monoclonal antibodies that distinguish three species of macaques. 1990 , 21, 31-40		1
1859	Functional and morphological stasis during molecular evolution. 1990 , 81, 101-12		2
1858	Selective expression of V delta 6 genes by B2A2- CD4- CD8- T cell receptor gamma/delta thymocytes. 1990 , 20, 41-5		9
1857	Reconstitution of H-2 class I expression by gene transfection decreases susceptibility to natural killer cells of an EL4 class I loss variant. 1990 , 20, 171-7		40
1856	Mutations in the major histocompatibility complex class I antigen-presenting groove affect both negative and positive selection of T cells. 1990 , 20, 2333-7		50
1855	The effect of mutations in the MHC class I peptide binding groove on the cytotoxic T lymphocyte recognition of the Kb-restricted ovalbumin determinant. 1990 , 20, 2431-7		74
1854	Genetic recombination in the alpha 2 domain of the E alpha chain yields an Ed molecule with altered T cell activation. 1990 , 20, 2571-6		3
1853	Prediction of the secondary structure and functional sites of major histocompatibility complex molecules. 1990 , 3, 65-73		6
1852	Molecular cloning of cDNAs that encode the chicken P0 protein: evidence for early expression in avians. 1990 , 25, 143-51		36
1851	Peptide competition for antigen presentation. 1990 , 11, 21-4		89

1850	The molecular basis of alloreactivity. 1990 , 11, 83-8	248
1849	Guilt by association: HLA-B27 and ankylosing spondylitis. 1990 , 11, 137-42	361
1848	Anti-metatype antibody reactivity: a model for T-cell receptor recognition. 1990 , 11, 355-7	11
1847	DR beta peptides block the antigen-specific response but not the alloresponse of a dual-reactive T-cell clone. 1990 , 24, 43-7	0
1846	Dynamics of positive and negative selection in the thymus: review and hypothesis. 1990 , 24, 149-54	10
1845	A combination of HLA-DQ beta Asp57-negative and HLA DQ alpha Arg52 confers susceptibility to insulin-dependent diabetes mellitus. 1990 , 85, 1315-9	272
1844	Origin and Function of Mhc Polymorphism. 1990 , 49, 35-50	6
1843	The HLA System in Clinical Marrow Transplantation. 1990 , 4, 507-515	8
1842	Peptide binding to HLA-DR1: a peptide with most residues substituted to alanine retains MHC binding.. 1990 , 9, 1797-1803	179
1841	The role of polymorphic HLA-DR beta chain residues in presentation of viral antigens to T cells. <i>Journal of Experimental Medicine</i> , 1990 , 172, 273-83	16.6 27
1840	Delineation of antigen contact residues on an MHC class II molecule.. 1990 , 9, 4215-4223	43
1839	The T Cell Receptors. 1990 , 49, 69-81	3
1838	From Prausnitz-K?stner to Passive Cutaneous Anaphylaxis and Beyond1. 1990 , 49, 90-120	
1837	Susceptibility to thyroid autoimmune disease: molecular analysis of HLA-D region genes identifies new markers for goitrous Hashimoto's thyroiditis. 1990 , 71, 1131-7	72
1836	HLA and disease--the perils of simplification. 1990 , 322, 1879-81	17
1835	Immunogenicity of vaccines. 1990 , 36, 274-5	
1834	Self-nonsel self discrimination by T cells. 1990 , 248, 1369-73	292
1833	Crystal structures of an antibody to a peptide and its complex with peptide antigen at 2.8 A. 1990 , 248, 712-9	356

1832	Autoimmune diseases: the failure of self tolerance. 1990 , 248, 1380-8		409
1831	The staphylococcal enterotoxins and their relatives. 1990 , 248, 705-11		1599
1830	T cell recognition in experimental autoimmune encephalomyelitis: prospects for immune intervention with synthetic peptides. 1990 , 6, 37-47		8
1829	Inhibition of T cell activation by MHC blockade. 1990 , 6, 23-35		13
1828	Human leukocyte antigen F (HLA-F). An expressed HLA gene composed of a class I coding sequence linked to a novel transcribed repetitive element. <i>Journal of Experimental Medicine</i> , 1990 , 171, 1-18	16.6	183
1827	Allelic variations in the human T cell receptor V beta 6.7 gene products. <i>Journal of Experimental Medicine</i> , 1990 , 171, 221-30	16.6	89
1826	Specialized functions of MHC class I molecules. I. An N-formyl peptide receptor is required for construction of the class I antigen Mta. <i>Journal of Experimental Medicine</i> , 1990 , 171, 897-912	16.6	98
1825	N-linked glycan modification on antigen-presenting cells restores an allospecific cytotoxic T cell response. <i>Journal of Experimental Medicine</i> , 1990 , 171, 583-8	16.6	25
1824	Activated human T lymphocytes express MHC class I heavy chains not associated with beta 2-microglobulin. <i>Journal of Experimental Medicine</i> , 1990 , 171, 1431-42	16.6	120
1823	Polymorphic DQ alpha and DQ beta interactions dictate HLA class II determinants of allo-recognition. <i>Journal of Experimental Medicine</i> , 1990 , 171, 85-95	16.6	53
1822	Major histocompatibility complex class II-restricted antigen presentation across a species barrier: conservation of restriction determinants in evolution. <i>Journal of Experimental Medicine</i> , 1990 , 172, 53-9	16.6	37
1821	The TL region gene 37 encodes a Qa-1 antigen. <i>Journal of Experimental Medicine</i> , 1990 , 172, 1795-804	16.6	36
1820	T cell receptor V beta gene usage in a human alloreactive response. Shared structural features among HLA-B27-specific T cell clones. <i>Journal of Experimental Medicine</i> , 1990 , 171, 1189-204	16.6	79
1819	Analysis of the protein-coding content of the sequence of human cytomegalovirus strain AD169. 1990 , 154, 125-69		925
1818	Apparent lack of MHC restriction in binding of class I HLA molecules to solid-phase peptides. <i>Journal of Experimental Medicine</i> , 1990 , 172, 931-6	16.6	40
1817	Analysis of physical interactions between peptides and HLA molecules and application to the detection of human immunodeficiency virus 1 antigenic peptides. <i>Journal of Experimental Medicine</i> , 1990 , 172, 889-99	16.6	55
1816	Reassociation with beta 2-microglobulin is necessary for Kb class I major histocompatibility complex binding of exogenous peptides. 1990 , 87, 7517-21		85
1815	Protein Design and the Development of New Therapeutics and Vaccines. 1990 ,		

1814	Theoretical models to explain the association of HLA-B27 with ankylosing spondylitis. 1990 , 87, 151-63		13
1813	Limit of T cell tolerance to self proteins by peptide presentation. 1990 , 247, 1587-9		128
1812	Characterization of naturally occurring minor histocompatibility peptides including H-4 and H-Y. 1990 , 249, 283-7		200
1811	Isolation and characterization of the Fc receptor from the fetal yolk sac of the rat. 1990 , 111, 1867-76		126
1810	Antibody activity in ankylosing spondylitis sera to two sites on HLA B27.1 at the MHC groove region (within sequence 65-85), and to a <i>Klebsiella pneumoniae</i> nitrogenase reductase peptide (within sequence 181-199). <i>Journal of Experimental Medicine</i> , 1990 , 171, 1635-47	16.6	34
1809	Structural requirements for recognition of the HLA-Dw14 class II epitope: a key HLA determinant associated with rheumatoid arthritis. 1990 , 87, 8051-5		52
1808	Immune deficiency due to high copy numbers of an Ak beta transgene. 1990 , 87, 7319-23		35
1807	A ribosomal protein of <i>Yersinia pseudotuberculosis</i> having partial epitope identity with HLA-B27. 1990 , 7, 267-77		7
1806	HLA DR, DP, DQ induction in human islet beta cells by the cytokine combination IFN-gamma + TNF-alpha. 1990 , 6, 307-17		7
1805	Afferent lymph dendritic cells: a model for antigen capture and presentation in vivo. 1990 , 6, 177-86		18
1804	E3/19K from adenovirus 2 is an immunosubversive protein that binds to a structural motif regulating the intracellular transport of major histocompatibility complex class I proteins. <i>Journal of Experimental Medicine</i> , 1990 , 172, 1653-64	16.6	42
1803	Induction of CD4+ human cytolytic T cells specific for HIV-infected cells by a gp160 subunit vaccine. 1990 , 248, 1234-7		146
1802	HLA Region Genes and Immune Activation in the Pathogenesis of Psoriasis. 1990 , 126, 1083		25
1801	Clonal deletion versus clonal anergy: the role of the thymus in inducing self tolerance. 1990 , 248, 1342-8		336
1800	Mutagenesis and expression of putative class II susceptibility genes: a "reverse immunogenetics" approach to analysis of HLA and disease. 1990 , 7, 189-99		2
1799	The role of beta 2-microglobulin in peptide binding by class I molecules. 1990 , 250, 1423-6		178
1798	The T lymphocyte in experimental allergic encephalomyelitis. 1990 , 8, 579-621		906
1797	Further DNA sequence microheterogeneity of the HLA-DR4/Dw13 haplotype group: importance of amino acid position 86 of the DR beta 1 chain for T-cell recognition. 1990 , 27, 378-89		30

1796	Normal development of mice deficient in beta 2M, MHC class I proteins, and CD8+ T cells. 1990 , 248, 1227-30		795
1795	Three-dimensional structure of interleukin 8 in solution. <i>Biochemistry</i> , 1990 , 29, 1689-96	3.2	442
1794	T-lymphocyte-antigen interactions in transplant rejection. 1990 , 322, 510-7		221
1793	Measurement of T- and B-cell function. 1990 , 10, 186-191		
1792	Identification of amino acids in HLA-DPw4b beta and -DR5 beta 1 chains that are involved in antibody binding epitopes using site-directed mutagenesis and DNA-mediated gene transfer. 1990 , 27, 122-35		22
1791	Epitope map of the HLA-B7 CREG using affinity-purified human alloantibody probes. 1990 , 28, 306-25		56
1790	Involvement of class II beta-chain amino acid residues 85 and 86 in T-cell allorecognition. 1990 , 27, 240-53		26
1789	Expression of intercellular adhesion molecule-1 and lymphocyte function-associated antigen-3 on human thyroid epithelial cells in Graves' and Hashimoto's diseases. 1990 , 3, 727-36		66
1788	Structural model for T-cell recognition of HLA class II-associated alloepitopes. 1990 , 27, 51-72		22
1787	Major histocompatibility complex antigens in human liver transplants. 1990 , 11, 9-15		43
1786	Shared molecular markers of genetic predisposition to seropositive rheumatoid arthritis. 1990 , 27, 90-9		20
1785	Comparison of serologic and biochemical definitions of HLA class I polymorphisms in cadaver renal transplantation. 1990 , 27, 182-92		1
1784	The generation and use of human T cell clones. 1990 , 4, 419-34		1
1783	Recognition of antigen and alloantigen by T cells: a common mechanism?. 1990 , 15, 79-81		1
1782	Collagen-induced arthritis in mice: A model for human rheumatoid arthritis?. 1990 , 10, 131-136		
1781	Evaluation of HLA-class II identity between unrelated individuals by serological typing, DNA-RFLP method, and mixed lymphocyte reaction. 1990 , 29, 189-201		16
1780	Functional analysis of MHC class II-restricted T cells derived from a Caucasian with a DR4, Dw15, DQw8 haplotype. 1990 , 29, 31-41		6
1779	The effects of MHC gene dosage and allelic variation on T cell receptor selection. <i>Cell</i> , 1990 , 60, 1043-53	6.2	119

1778 The characterization of DNA antibody idiotypes—A discussion. **1990**, 3, 367-375

1777 Individual variation in alloresponsiveness and the molecular basis of allorecognition. **1990**, 28, 96-103 3

1776 Difference between antigen-binding receptor repertoires in effector cytotoxic T lymphocytes and their secondary precursors (memory cells) specific to H-2Kb. **1990**, 141, 43-57 1

1775 Differential expression of HLA-E, HLA-F, and HLA-G transcripts in human tissue. **1990**, 29, 131-42 195

1774 Competitor analogs for defined T cell antigens: peptides incorporating a putative binding motif and polyproline or polyglycine spacers. *Cell*, **1990**, 60, 63-72 56.2 75

1773 Topographic map of the HLA-A2 CREG epitopes using human alloantibody probes. **1990**, 28, 284-305 48

1772 Secondary structure of the mammalian 70-kilodalton heat shock cognate protein analyzed by circular dichroism spectroscopy and secondary structure prediction. *Biochemistry*, **1990**, 29, 8199-206 3.2 60

1771 HLA-B27 and acute anterior uveitis. **1990**, 9 Suppl, 213-8 9

1770 Detection of peptide-MHC class II complexes on the surface of intact cells. **1990**, 134, 1-22 40

1769 Lectins and antibodies as tools for studying cellular interactions. **1990**, 126, 147-57 36

1768 The human leukocyte antigen (HLA) system: 1990. **1990**, 4, 279-87 2

1767 Recognition of the product of a novel MHC TL region gene (27b) by a mouse gamma delta T cell receptor. *Cell*, **1990**, 62, 549-61 56.2 212

1766 Direct binding of peptide to empty MHC class I molecules on intact cells and in vitro. *Cell*, **1990**, 62, 563-76.2 381

1765 V beta 17 gene polymorphism in wild-derived mouse strains: two amino acid substitutions in the V beta 17 region greatly alter T cell receptor specificity. *Cell*, **1990**, 63, 717-28 56.2 117

1764 The biosynthetic pathway of MHC class II but not class I molecules intersects the endocytic route. *Cell*, **1990**, 61, 171-83 56.2 397

1763 Assembly of MHC class I molecules analyzed in vitro. *Cell*, **1990**, 62, 285-95 56.2 458

1762 Regulation of insulin receptor functions by a peptide derived from a major histocompatibility complex class I antigen. *Cell*, **1990**, 62, 297-307 56.2 68

1761 The arrangement of the immunoglobulin-like domains of ICAM-1 and the binding sites for LFA-1 and rhinovirus. *Cell*, **1990**, 61, 243-54 56.2 646

1760	Evolution of diversity at the major histocompatibility complex. 1990 , 5, 181-7	176
1759	Evolution of antibody and T-cell receptor V genes--the antibody repertoire might have evolved abruptly. 1990 , 14, 1-8	9
1758	Major histocompatibility complex class I and class II polymorphism in chronic idiopathic demyelinating polyradiculoneuropathy. 1990 , 27, 149-53	24
1757	Increased incidence of certain TCR and HLA genes associated with myasthenia gravis in Italians. 1990 , 3, 431-40	18
1756	T-cell allorecognition of HLA class II. 1990 , 28, 1-10	13
1755	The role of the T cell receptor in positive and negative selection of developing T cells. 1990 , 248, 1335-41	527
1754	Transgenic mouse models of self-tolerance and autoreactivity by the immune system. 1990 , 6, 493-537	31
1753	Immunologic aspects of cryosurgery: potential modulation of immune recognition and effector cell maturation. 1990 , 8, 39-47	32
1752	Nucleotide sequence of the HLA-A26 class I gene: identification of specific residues and molecular mapping of public HLA class I epitopes. 1990 , 27, 155-66	18
1751	DQ polymorphism: an analysis of DQw4 alpha and beta membrane proximal regions. 1990 , 27, 100-10	5
1750	On the peptide model of allorecognition: cytotoxic T lymphocytes recognize an alloantigen encoded by two HLA-linked genes. 1990 , 27, 229-39	11
1749	The HLA genetic contribution to rheumatoid arthritis. 1990 , 10, 127-131	
1748	The molecular basis of T-cell specificity. 1990 , 8, 65-82	97
1747	Protein secondary structures in water from second-derivative amide I infrared spectra. <i>Biochemistry</i> , 1990 , 29, 3303-8	3.2 1144
1746	Mapping of the immunodominant regions of the NAD-dependent formate dehydrogenase. 1990 , 260, 297-300	
1745	Changes in the coding sequence of the H-2Dk gene of metastatic cells that might account for immunogenic abnormality of its encoded antigen. 1990 , 171, 1395-401	1
1744	The I-A beta b region (65-85) is a binding site for the superantigen, staphylococcal enterotoxin A. 1990 , 168, 696-701	28
1743	Superantigens interact with MHC class II molecules outside of the antigen groove. <i>Cell</i> , 1990 , 62, 1115-23	36.2 398

1742	Structure, function, and diversity of class I major histocompatibility complex molecules. 1990 , 59, 253-88	596
1741	Co-localization of molecules involved in antigen processing and presentation in an early endocytic compartment. <i>Nature</i> , 1990 , 343, 133-9	50.4 350
1740	The molecular replacement method. 1990 , 46 (Pt 2), 73-82	175
1739	Antigen presentation and self-nonsel self discrimination. 1990 , 55, 327-36	7
1738	Functional and molecular characterization of I-A kappa beta mutants is consistent with the predicted three dimensional structure of class II MHC molecules. 1990 , 27, 645-50	2
1737	Biochemical differences in Qa-2 antigens expressed by Qa-2+,6+ and Qa-2+,6- strains. Evidence for differential expression of the Q7 and Q9 genes. 1990 , 27, 559-70	4
1736	The conformational flexibility of class I H-2 molecules as revealed by anti-peptide antibodies specific for intracytoplasmic determinants: differential reactivity of beta 2-microglobulin "bound" and "free" H-2Kb heavy chains. 1990 , 27, 169-80	37
1735	Comparison of three related methods to select T cell-presented sequences of protein antigens. 1990 , 27, 1021-7	17
1734	Lack of correlation between structural properties and biological activity of two cross-reacting cytochrome c T cell epitopes as determined by circular dichroism measurements. 1990 , 27, 291-5	6
1733	Interleukin-1 corrects the defective autologous mixed lymphocyte response in multiple sclerosis. 1991 , 58, 115-25	9
1732	A proposed molecular model for the carboxy terminus of HIV-1 gp120 showing structural features consistent with the presence of a T-cell alloepitope. 1991 , 12, 283-96	39
1731	Recognition of disparate HA and NS1 peptides by an H-2Kd-restricted, influenza specific CTL clone. 1991 , 28, 1-7	30
1730	Amino acid sequences and structures of chicken and turkey beta 2-microglobulin. 1991 , 28, 177-82	16
1729	Analysis of the H-2Kbm8 mutant: correlation of structure with function. 1991 , 28, 697-701	5
1728	Binding of radioiodinated influenza virus peptides to class I MHC molecules and to other cellular proteins as analyzed by gel filtration and photoaffinity labeling. 1991 , 28, 341-8	7
1727	Structure of domain 1 of rat T lymphocyte CD2 antigen. <i>Nature</i> , 1991 , 353, 762-5	50.4 153
1726	Molecular and cellular aspects of T-lymphocyte responses to antigen. 1991 , 31, 180-7	1
1725	Crystallization of HLA-DR antigens. 1991 , 142, 401-7	19

1724	Antigenicity of HLA-A2 and HLA-B7. Loss and gain of serologic determinants induced by site-specific mutagenesis at residues 62 to 80. 1991 , 30, 140-6	8
1723	The use of MHC-binding peptides in the immunotherapy of autoimmune diseases: a commentary. 1991 , 142, 505-8	
1722	Evolution of class I major histocompatibility complex genes and molecules in humans and apes. 1991 , 30, 119-28	14
1721	Expression and characterization of recombinant mouse beta 2-microglobulin type a in insect cells infected with recombinant baculoviruses. 1991 , 142, 409-16	7
1720	Contribution of T-cell receptor-contacting and peptide-binding residues of the class II molecule HLA-DR4 Dw10 to serologic and antigen-specific T-cell recognition. 1991 , 32, 110-8	23
1719	A stressful relationship. 1991 , 16, 357-8	1
1718	Of HLA, tryps, and selection: an essay on coevolution of MHC and parasites. 1991 , 30, 247-58	27
1717	Investigating protein conformation, dynamics and folding with monoclonal antibodies. 1991 , 16, 358-62	66
1716	Fundamental antigens of HLA. 1991 , 30, 236-46	3
1715	Insulin dependent diabetes mellitus susceptibility or protection may be determined by certain HLA-DQ molecules. 1991 , 5, 361-73	4
1714	Assembly and intracellular transport of major histocompatibility complex molecules. 1991 , 3, 601-9	32
1713	Immunogenetic features of some cases of immune-mediated skin diseases. 1991 , 4, 97-112	1
1712	Crosslinked staphylococcal enterotoxin B stimulates CD8+ T cells only in the presence of unlinked costimulator signals. 1991 , 183, 433-50	4
1711	Antigen-antigen receptor interactions. 1991 , 1, 232-236	11
1710	Structural and functional constraints on HLA class II dimers implicated in susceptibility to insulin dependent diabetes mellitus. 1991 , 5, 375-93	7
1709	Antigen recognition. 1991 , 1, 53-59	16
1708	HLA B27: a disease-associated immune response gene. 1991 , 142, 475-82	7
1707	Autoimmunity in non-human primates: the role of major histocompatibility complex and T cells, and implications for therapy. 1991 , 32, 31-40	17

1706	On the relative immunogenicity of DR alloantigens: T cell recognition of HLA-DR2a and HLA-DR2b. 1991 , 30, 215-21		12
1705	The cell biology of antigen processing. 1991 , 26, 439-73		28
1704	H-2Kd-restricted antigenic peptides share a simple binding motif. <i>Journal of Experimental Medicine</i> , 1991 , 174, 603-12	16.6	116
1703	Interactions between immunogenic peptides and MHC proteins. 1991 , 9, 527-65		276
1702	Future approaches to factor VIII inhibitor therapy. 1991 , 91, 40S-44S		6
1701	Structural symmetry of the extracellular domain of the cytokine/growth hormone/prolactin receptor family and interferon receptors revealed by hydrophobic cluster analysis. 1991 , 282, 26-31		122
1700	Analysis of immunoglobulin and T cell receptor genes. Part I: Basic and technical aspects. 1991 , 198, 1-91		195
1699	Acute anterior uveitis and HLA-B27. 1991 , 36, 223-32		77
1698	Analysis of litter size and weight in mice differing in Ped gene phenotype and the Q region of the H-2 complex. 1991 , 19, 303-13		50
1697	Molecular anatomy of immune recognition: How peptides bind to class I MHC molecules. 1991 , 35, 1		
1696	MHC in immunobiology and neuroimmunology. 1991 , 35, 1		21
1695	Dissociation of beta 2-microglobulin leads to the accumulation of a substantial pool of inactive class I MHC heavy chains on the cell surface. <i>Cell</i> , 1991 , 65, 611-20	56.2	128
1694	Down-regulation of T cell receptors on self-reactive T cells as a novel mechanism for extrathymic tolerance induction. <i>Cell</i> , 1991 , 65, 293-304	56.2	480
1693	ATP is required for in vitro assembly of MHC class I antigens but not for transfer of peptides across the ER membrane. <i>Cell</i> , 1991 , 67, 265-74	56.2	87
1692	Mutational analysis of the interaction between CD4 and class II MHC: class II antigens contact CD4 on a surface opposite the gp120-binding site. <i>Cell</i> , 1991 , 66, 1037-49	56.2	127
1691	Processed antigen binds to newly synthesized MHC class II molecules in antigen-specific B lymphocytes. <i>Cell</i> , 1991 , 67, 105-16	56.2	174
1690	H-2M3 encodes the MHC class I molecule presenting the maternally transmitted antigen of the mouse. <i>Cell</i> , 1991 , 66, 335-45	56.2	106
1689	Structure of spherical viruses. 1991 , 13, 273-80		9

1688	CD8 independence and specificity of cytotoxic T lymphocytes restricted by HLA-Aw68.1. 1991 , 244, 169-77	30
1687	Inhibition of major histocompatibility complex class I antigen shedding up-regulates the surface expression of class I antigens on the lymphocyte cell surface. 1991 , 628, 354-61	2
1686	MHC class-I transgenic mice. 1991 , 9, 297-322	27
1685	Immunogenetics of Nephritis. 1991 , 1-28	1
1684	Comparison of the solution nuclear magnetic resonance and crystal structures of interleukin-8. Possible implications for the mechanism of receptor binding. 1991 , 217, 611-20	58
1683	Refined structure of the human histocompatibility antigen HLA-A2 at 2.6 Å resolution. 1991 , 219, 277-319	982
1682	pH sensitive liposomes provide an efficient means of sensitizing target cells to class I restricted CTL recognition of a soluble protein. 1991 , 141, 157-63	101
1681	Soluble HLA-A2.1 restricted peptides that are recognized by influenza virus specific cytotoxic T lymphocytes. 1991 , 139, 41-7	19
1680	HLA population genetics. 1991 , 5, 247-60	6
1679	Detergent enhances binding of a secreted HLA-A2 molecule to solid phase peptides. 1991 , 32, 183-93	5
1678	Intramolecular specificity of anti-HLA alloantibodies. 1991 , 30, 91-8	7
1677	Alloreactive T-cell clones identify multiple HLA-DQw3 variants. 1991 , 30, 32-40	6
1676	T cell can recognize the allospecificities formed by the substitution of amino acids associated with HLA-Bw4/Bw6 public epitopes. 1991 , 32, 41-5	11
1675	Properties of the novel proinflammatory supergene "intercrine" cytokine family. 1991 , 9, 617-48	1653
1674	Peptide competition at the level of MHC-binding sites using T cell clones from a rheumatoid arthritis patient. 1991 , 4, 795-806	
1673	The histocompatibility system in teleostean fishes: From multiple histocompatibility loci to a major histocompatibility complex. 1991 , 1, 1-16	35
1672	Structure-function relationship of Na,K-ATPase. 1991 , 53, 565-84	257
1671	PCR-based HLA class II typing. 1991 , 1, 91-8	9

1670	Analysis of the interaction site for the self superantigen Mls-1a on T cell receptor V beta. <i>Journal of Experimental Medicine</i> , 1991 , 173, 1183-92	16.6	94
1669	Cellular Mechanisms of Artificial Peptides Binding to HLA. 1991 , 14, 518-522		
1668	Establishment of a reference interval for beta 2-microglobulin in cerebrospinal fluid with use of two commercial assays. 1991 , 37, 104-107		11
1667	Immunogenetics of the Human Major Histocompatibility Complex. 1991 , 11, 509-536		3
1666	Reactions of the immune system in chronic degenerative neurological diseases. 1991 , 18, 376-9		73
1665	Development of the CD4 and CD8 lineage of T cells: instruction versus selection.. 1991 , 10, 913-918		95
1664	Identification of the staphylococcal enterotoxin A superantigen binding site in the beta 1 domain of the human histocompatibility antigen HLA-DR. 1991 , 88, 9954-8		107
1663	A hypothetical model for the peptide binding domain of hsp70 based on the peptide binding domain of HLA.. 1991 , 10, 1053-1059		138
1662	References. 1991 , 23, 401-412		
1661	Predicting protein secondary structure based on amino acid sequence. 1991 , 202, 31-44		64
1660	Prediction of alpha helices and T cell-presented sequences in proteins with algorithms based on strip-of-helix hydrophobicity index. 1991 , 202, 225-38		8
1659	Use of two-dimensional 1H nuclear magnetic resonance to study high-affinity antibody-peptide interactions. 1991 , 203, 202-28		4
1658	Class I-induced resistance to natural killing: identification of nonpermissive residues in HLA-A2. 1991 , 88, 5989-92		106
1657	Crystal structure of interleukin 8: symbiosis of NMR and crystallography. 1991 , 88, 502-6		324
1656	The structure of the antigen-binding groove of major histocompatibility complex class I molecules determines specific selection of self-peptides. 1991 , 88, 11032-6		78
1655	Striking similarities between the regulatory mechanisms governing yeast mating-type genes and mammalian major histocompatibility complex genes. 1991 , 11, 4228-34		17
1654	Characterization of naturally processed antigen bound to major histocompatibility complex class II molecules. 1991 , 88, 7928-32		31
1653	Positioning of a peptide in the cleft of HLA-A2 by complementing amino acid changes. 1991 , 88, 11325-9		26

1652	An optimal viral peptide recognized by CD8+ T cells binds very tightly to the restricting class I major histocompatibility complex protein on intact cells but not to the purified class I protein. 1991 , 88, 11276-80	138
1651	Reassociation with beta 2-microglobulin is necessary for Db class I major histocompatibility complex binding of an exogenous influenza peptide. 1991 , 88, 301-4	45
1650	Reactions of the subunits of the class II major histocompatibility complex molecule IAd. 1991 , 88, 10667-70	4
1649	Amplification of major histocompatibility complex class II gene diversity by intraexonic recombination. 1991 , 88, 453-7	67
1648	Molecular approaches to the study of B cell epitopes. 1991 , 7, 149-64	11
1647	Conformational constraints involved in MHC class I restricted antigen presentation. 1991 , 7, 129-38	1
1646	In vivo Prozessierte Peptide. 1991 , 39, 37-37	2
1645	Adoptive T cell therapy of tumors: mechanisms operative in the recognition and elimination of tumor cells. 1991 , 49, 281-355	465
1644	Molecular comparisons of the beta 2-microglobulin-binding site in class I major-histocompatibility-complex alpha-chains and proteins of related sequences. 1991 , 277 (Pt 2), 359-69	42
1643	Surface Antigens of Human Leukocytes. 1991 , 49, 75-147	20
1642	Inhibition of HLA B8-restricted recognition by unrelated peptides: evidence for allosteric inhibition. 1991 , 30, 339-44	2
1641	The relationship between MHC restricted and allospecific T cell recognition. 1991 , 29, 41-50	27
1640	Pathways of antigen processing. 1991 , 3, 3-9	23
1639	Structural aspects of allorecognition. 1991 , 3, 715-21	30
1638	Naturally-occurring peptide antigens derived from the MHC class-I-restricted processing pathway. 1991 , 12, 447-55	155
1637	Autoimmunity, microbial immunity and the immunological homunculus. 1991 , 12, 105-10	448
1636	Antigen presentation: structural themes and functional variations. 1991 , 12, 124-9	147
1635	How do peptides associate with MHC class I molecules?. 1991 , 12, 386-8	52

1634	Non-radioactive detection of MHC class II-peptide antigen complexes in the sub-picomole range by high-performance size-exclusion chromatography with fluorescence detection. 1991 , 548, 343-50		4
1633	Analysis of class II MHC structure in thymic nurse cells. 1991 , 138, 413-22		7
1632	H-2K molecules positively select V beta 17a+ CD4(-)8+ T cells in bone marrow and thymic chimeras. 1991 , 136, 185-93		6
1631	Peptide presentation by class-I major histocompatibility complex molecules. 1991 , 10, 54-65		8
1630	Heat shock proteins and immune responses: an early view. 1991 , 10, 66-78		9
1629	Processing and presentation of mycobacterial antigens: implications for the development of a new improved vaccine for tuberculosis control. 1991 , 72, 250-2		10
1628	Prediction of protein secondary structures using a combined method based on the recognition, lim and garnier-osguthorpe-robson algorithms. 1991 , 232, 321-336		3
1627	Unravelling the mysteries of molecular audit: MHC class I restriction. 1991 , 9, 403-4		5
1626	Of mice and mimics. 1991 , 9, 404-5		1
1625	T-lymphocyte interactions in cardiac transplant rejection. 1991 , 1, 75-80		1
1624	Minor histocompatibility antigens. 1991 , 7, 219-24		10
1623	Structure and ligand binding in membrane-bound proteins and immunoglobulins. 1991 , 1071, 393-406		1
1622	Excess beta 2 microglobulin promoting functional peptide association with purified soluble class I MHC molecules. <i>Nature</i> , 1991 , 349, 74-7	50.4	117
1621	Segregation of MHC class II molecules from MHC class I molecules in the Golgi complex for transport to lysosomal compartments. <i>Nature</i> , 1991 , 349, 669-76	50.4	615
1620	Bone marrow transplantation. Making just the right match. <i>Nature</i> , 1991 , 350, 111-3	50.4	5
1619	Reconstitution by MHC-restricted peptides of HLA-A2 heavy chain with beta 2-microglobulin, in vitro. <i>Nature</i> , 1991 , 350, 619-22	50.4	94
1618	Allele-specific motifs revealed by sequencing of self-peptides eluted from MHC molecules. <i>Nature</i> , 1991 , 351, 290-6	50.4	2123
1617	Negative and positive selection of antigen-specific cytotoxic T lymphocytes affected by the alpha 3 domain of MHC I molecules. <i>Nature</i> , 1991 , 352, 718-21	50.4	77

1616	The structure of HLA-B27 reveals nonamer self-peptides bound in an extended conformation. <i>Nature</i> , 1991 , 353, 321-5	50.4	664
1615	Identification of self peptides bound to purified HLA-B27. <i>Nature</i> , 1991 , 353, 326-9	50.4	802
1614	Sequence analysis of peptides bound to MHC class II molecules. <i>Nature</i> , 1991 , 353, 622-7	50.4	972
1613	MHC class I surface expression in embryo-derived cell lines inducible with peptide or interferon. <i>Nature</i> , 1991 , 354, 235-8	50.4	51
1612	What determines an antigen-specific IgE isotypic response? A hypothesis. 1991 , 34, 519-29		5
1611	Molecular genetics of human immune responsiveness to pollen allergens. 1991 , 21 Suppl 1, 168-72		28
1610	New and improved vaccines for the 1990s. 1991 , 21 Suppl 1, 227-31		2
1609	Molecular mimicry between HLA B27 and Yersinia, Salmonella, Shigella and Klebsiella within the same region of HLA alpha 1-helix. 1991 , 86, 399-404		52
1608	Immune recognition and response to the renal interstitium. 1991 , 39, 518-30		23
1607	Are CD1a antigens on Langerhans cells empty class I-like molecules that come out in the cold?. 1991 , 97, 160-1		2
1606	Regulation of mycobacterial heat-shock protein-reactive T cells by HLA class II molecules: lessons from leprosy. 1991 , 121, 171-91		56
1605	Recognition of MHC TL gene products by gamma delta T cells. 1991 , 120, 89-115		47
1604	Maintenance of multiallelic polymorphism at the MHC region. 1991 , 124, 165-220		54
1603	A unified model for T cell antigen recognition and thymic selection of the T cell repertoire. 1991 , 151, 169-92		36
1602	Specific nucleotide sequence of HLA-C is strongly associated with psoriasis vulgaris. 1991 , 97, 254-8		56
1601	Characterization of skin-infiltrating lymphocytes in patients with psoriasis. 1991 , 96, 3-9		44
1600	Molecular biology of the HLA system and its relevance for immunohaematology. 1991 , 4, 975-1010		1
1599	Partial DNA sequences derived from two previously unknown HLA class I genes. 1991 , 37, 16-20		3

1598	Binding of IgG to B cell via HLA molecules. 1991 , 37, 49-55	8
1597	The two major subtypes of HLA-B44 differ for a single amino acid in codon 156. 1991 , 37, 133-7	46
1596	Gene conversion in the evolution of the human and chimpanzee MHC class I loci. 1991 , 38, 152-64	44
1595	The HLA-Bw75 subtype of B15: molecular characterization and comparison with crossreacting antigens. 1991 , 38, 186-90	26
1594	H-2 influence on the production of real but not of apparent H-2-specific antibodies induced by the association of syngeneic class I heavy chains with bovine beta 2-microglobulin. 1991 , 18, 367-78	
1593	T helper cell epitope of rabies virus nucleoprotein defined by tri- and tetrapeptides. 1991 , 21, 1-10	41
1592	Cell-type-specific recognition of allogeneic cells by alloreactive cytotoxic T cells: a consequence of peptide-dependent allorecognition. 1991 , 21, 153-9	53
1591	A single amino acid substitution in the Ak molecule fortuitously provokes an alloresponse. 1991 , 21, 209-13	7
1590	A single-chain murine class I major transplantation antigen. 1991 , 21, 467-71	33
1589	Major histocompatibility complex binding and T cell recognition of a viral nonapeptide containing a minimal tetrapeptide. 1991 , 21, 1181-5	58
1588	Antigen presentation of hen egg-white lysozyme but not of ribonuclease A is augmented by the major histocompatibility complex class II-associated invariant chain. 1991 , 21, 1255-63	64
1587	Allo-cross-reactivity of a human neuraminidase-specific T cell clone dependent on presentation of an endogenous B cell-specific antigen. 1991 , 21, 1453-60	3
1586	Defective assembly of class I major histocompatibility complex molecules in an embryonic cell line. 1991 , 21, 1997-2004	24
1585	A quantitative assay of peptide-dependent class I assembly. 1991 , 21, 2025-31	64
1584	The binding affinity and dissociation rates of peptides for class I major histocompatibility complex molecules. 1991 , 21, 2069-75	164
1583	Involvement of both T cell receptor V alpha and V beta variable region domains and alpha chain junctional region in viral antigen recognition. 1991 , 21, 2195-202	66
1582	Exogenous beta 2-microglobulin is required for antigenic peptide binding to isolated class I major histocompatibility complex molecules. 1991 , 21, 2289-92	26
1581	Self-nonsel self discrimination and repertoire selection of human T cells differentiated in an HLA-semiallogeneic environment following bone marrow transplantation for severe combined immunodeficiency. 1991 , 21, 2479-87	1

1580	Aberrant expression of HLA class-I antigens in Burkitt lymphoma cells. 1991 , 47, 544-50		51
1579	Peptide-mediated allo-recognition of HLA-B27 by cytotoxic T lymphocytes. 1991 , 6, 10-3		
1578	Dissection of binding vs. recognition functions of H-2 class-I synthetic peptides which are recognized by alloreactive cytotoxic T lymphocytes. 1991 , 6, 34-7		2
1577	The RMA-S lymphoma mutant; consequences of a peptide loading defect on immunological recognition and graft rejection. 1991 , 6, 38-44		61
1576	Identification of locus-specific DNA-binding factors for the regulation of HLA class-I genes in human colorectal cancer. 1991 , 6, 131-7		7
1575	Differential mRNA levels of c-myc, c-fos and MHC class I in several clones of a murine fibrosarcoma. 1991 , 49, 906-10		14
1574	Association of HLA-Dw16 with rheumatoid arthritis in Yakima Indians. Further evidence for the "shared epitope" hypothesis. 1991 , 34, 43-7		137
1573	HLA and T cell receptor polymorphisms in pauciarticular-onset juvenile rheumatoid arthritis. 1991 , 34, 1260-7		30
1572	Haplotype specific homology scanning algorithm to predict T-cell epitopes from protein sequences. 1991 , 4, 17-25		19
1571	HIV-1: seven facets of functional molecular mimicry. 1991 , 28, 91-6; discussion 97-9		24
1570	Multigene families and the evolution of complexity. 1991 , 33, 34-41		124
1569	Molecular basis of transplant rejection and acceptance. 1991 , 5, 422-7		2
1568	Perspectives in transplantation immunology 1991. 1991 , 69, 623-8		1
1567	MHC gene Q8/9d of the BALB/cJ mouse strain cannot encode a Qa-2,3 class I antigen. <i>Immunogenetics</i> , 1991 , 33, 225-34	3.2	9
1566	Ten HLA-DR4 alleles defined by sequence polymorphisms within the DRB1 first domain. <i>Immunogenetics</i> , 1991 , 33, 267-75	3.2	90
1565	Two amino acid substitutions at residues 63 and 67 between HLA-B51 and HLA-Bw52 form multiple epitopes recognized by allogeneic T cells. <i>Immunogenetics</i> , 1991 , 33, 286-9	3.2	3
1564	Human autologous tumor-specific T cells in malignant melanoma. 1991 , 10, 151-76		32
1563	A cluster of mutations in HLA-A2 alpha 2 helix abolishes peptide recognition by T cells. <i>Immunogenetics</i> , 1991 , 34, 141-8	3.2	28

1562	Limited regions of the alpha 2-domain alpha-helix control anti-A2 allorecognition: an analysis using a panel of A2 mutants. <i>Immunogenetics</i> , 1991 , 34, 149-56	3.2	22
1561	Generation and characterization of an HLA-DR alpha-specific monoclonal antibody using L-cell transfectants expressing human and mouse class II major histocompatibility dimers. <i>Immunogenetics</i> , 1991 , 33, 12-7	3.2	7
1560	Structure of the HLA-A*0204 antigen, found in South American Indians. Spatial clustering of HLA-A2 subtype polymorphism. <i>Immunogenetics</i> , 1991 , 34, 281-5	3.2	35
1559	Which came first, MHC class I or class II?. <i>Immunogenetics</i> , 1991 , 33, 295-300	3.2	127
1558	Independent gene duplications, not concerted evolution, explain relationships among class I MHC genes of murine rodents. <i>Immunogenetics</i> , 1991 , 33, 367-73	3.2	38
1557	Full length beta chain cDNAs of DQw9 and DQw8 molecules encode proteins that differ only at amino acid 57. <i>Immunogenetics</i> , 1991 , 33, 404-8	3.2	9
1556	The contribution of beta-strand residues to serologic epitopes on the A beta k polypeptide. <i>Immunogenetics</i> , 1991 , 33, 409-12	3.2	
1555	Reagents Specific for MHC Class I Antigens of <i>Xenopus</i> . 1991 , 31, 580-591		24
1554	Differential induction of interferon gamma gene expression after activation of CD4+ T cells by conventional antigen and Mls superantigen. 1991 , 88, 2736-9		25
1553	Differences between the lateral organization of conventional and inositol phospholipid-anchored membrane proteins. A further definition of micrometer scale membrane domains. 1991 , 112, 1143-50		112
1552	Junctional sequences of fetal T cell receptor beta chains have few N regions. <i>Journal of Experimental Medicine</i> , 1991 , 174, 115-24	16.6	105
1551	The thymus leukemia antigen binds human and mouse CD8. <i>Journal of Experimental Medicine</i> , 1991 , 174, 1131-8	16.6	34
1550	T cell receptor genes in a series of class I major histocompatibility complex-restricted cytotoxic T lymphocyte clones specific for a <i>Plasmodium berghei</i> nonapeptide: implications for T cell allelic exclusion and antigen-specific repertoire. <i>Journal of Experimental Medicine</i> , 1991 , 174, 1371-83	16.6	272
1549	Identification of naturally processed viral nonapeptides allows their quantification in infected cells and suggests an allele-specific T cell epitope forecast. <i>Journal of Experimental Medicine</i> , 1991 , 174, 425-34	16.6	250
1548	The major histocompatibility complex class II-linked cim locus controls the kinetics of intracellular transport of a classical class I molecule. <i>Journal of Experimental Medicine</i> , 1991 , 173, 913-21	16.6	47
1547	Translocation of peptides through microsomal membranes is a rapid process and promotes assembly of HLA-B27 heavy chain and beta 2-microglobulin translated in vitro. 1991 , 115, 959-70		24
1546	On the nature of peptides involved in T cell alloreactivity. <i>Journal of Experimental Medicine</i> , 1991 , 174, 1059-71	16.6	192
1545	An isotype-specific trans-acting factor is defective in a mutant B cell line that expresses HLA-DQ, but not -DR or -DP. <i>Journal of Experimental Medicine</i> , 1991 , 173, 629-37	16.6	44

1544	Human X-box-binding protein 1 is required for the transcription of a subset of human class II major histocompatibility genes and forms a heterodimer with c-fos. 1991 , 88, 4309-12		109
1543	Conversion of a self peptide sequence into a Kd-restricted neo-antigen by a Tyr substitution. <i>Journal of Experimental Medicine</i> , 1991 , 174, 1657-60	16.6	8
1542	Aspects of ankylosing spondylitis. 1991 , 30, 1-2		29
1541	Adenovirus infection inhibits the phosphorylation of major histocompatibility complex class I proteins. <i>Journal of Experimental Medicine</i> , 1991 , 174, 1159-66	16.6	19
1540	Extensive conservation of alpha and beta chains of the human T-cell antigen receptor recognizing HLA-A2 and influenza A matrix peptide. 1991 , 88, 8987-90		236
1539	Both alpha-helices along the major histocompatibility complex binding cleft are required for staphylococcal enterotoxin A function. 1991 , 88, 7228-32		22
1538	The specific binding of peptide ligand to Ld class I major histocompatibility complex molecules determines their antigenic structure. <i>Journal of Experimental Medicine</i> , 1991 , 173, 449-59	16.6	112
1537	Unexpected behavior of H2Kb mutant DNAs in denaturing gradient gel electrophoresis. 1991 , 19, 3331-5		6
1536	Can exercise prevent osteoporosis?. 1991 , 30, 2-4		7
1535	The cell biology of antigen processing and presentation. 1991 , 9, 707-44		304
1534	When all is said and done. 1991 , 9, 1-26		6
1533	Many peptide fragments of alien antigens are homologous with host proteins, thus canalizing T-cell responses. 1991 , 88, 3065-8		25
1532	Heterozygosity at individual amino acid sites: extremely high levels for HLA-A and -B genes. 1991 , 88, 5897-901		91
1531	Amino acid sequence of Fel d1, the major allergen of the domestic cat: protein sequence analysis and cDNA cloning. 1991 , 88, 9690-4		177
1530	In vitro peptide binding to the heavy chain of the class I molecule of the major histocompatibility complex molecule HLA-A2. 1991 , 88, 1335-8		10
1529	Alloreactive T cells discriminate among a diverse set of endogenous peptides. 1991 , 88, 5101-5		100
1528	Cell-surface molecules in the regulation of immune responsiveness. 1991 , 20, 103-31		1
1527	The expression and regulation of class II antigens in normal and inflammatory bowel disease peripheral blood monocytes and intestinal epithelium. 1991 , 9, 141-9		36

1526	Using Chicken Class I Sequences to Understand How Xenoantibodies Crossreact with MHC-like Molecules in Nonmammalian Vertebrates. 1991 , 31, 570-579		5
1525	Modeling the three-dimensional structure of the monocyte chemo-attractant and activating protein MCAF/MCP-1 on the basis of the solution structure of interleukin-8. 1991 , 4, 263-9		28
1524	Increased frequency of T cell receptor V alpha 12.1 expression on CD8+ T cells: evidence that V alpha 12.1 participates in shaping the peripheral T cell repertoire. <i>Journal of Experimental Medicine</i> , 1991 , 174, 639-48	16.6	78
1523	Idiopathic dilated cardiomyopathy. An immunologic, genetic, or infectious disease, or all of the above?. 1991 , 83, 704-6		34
1522	Solution structure of FKBP, a rotamase enzyme and receptor for FK506 and rapamycin. 1991 , 252, 836-9		275
1521	Role of diversifying selection and gene conversion in evolution of major histocompatibility complex loci. 1991 , 88, 6716-20		70
1520	Gorilla class I major histocompatibility complex alleles: comparison to human and chimpanzee class I. <i>Journal of Experimental Medicine</i> , 1991 , 174, 1491-509	16.6	98
1519	HLA molecules: sentinels of the immune response. 1991 , 5, 211-2		11
1518	Getting some "backbone": how MHC binds peptides. 1992 , 257, 880-1		9
1517	A critical role for conserved residues in the cleft of HLA-A2 in presentation of a nonapeptide to T cells. 1992 , 257, 964-7		69
1516	Tumor eradication by adoptive transfer of cytotoxic T lymphocytes. 1992 , 58, 143-75		215
1515	The structure of a protein hormone bound to its receptor stimulates some new insights. 1992 , 5, 117-9		2
1514	CD4 and CD8 may adopt a similar mode of binding to their MHC ligands. 1992 , 5, 151-5		
1513	Cytomegalovirus prevents antigen presentation by blocking the transport of peptide-loaded major histocompatibility complex class I molecules into the medial-Golgi compartment. <i>Journal of Experimental Medicine</i> , 1992 , 176, 729-38	16.6	188
1512	Peptide-induced stabilization and intracellular localization of empty HLA class I complexes. <i>Journal of Experimental Medicine</i> , 1992 , 176, 147-56	16.6	78
1511	A limited set of SH2 domains binds BCR through a high-affinity phosphotyrosine-independent interaction. 1992 , 12, 5087-93		77
1510	Major histocompatibility complex conformational epitopes are peptide specific. <i>Journal of Experimental Medicine</i> , 1992 , 176, 1611-8	16.6	97
1509	Sequences in both class II major histocompatibility complex alpha and beta chains contribute to the binding of the superantigen toxic shock syndrome toxin 1. <i>Journal of Experimental Medicine</i> , 1992 , 175, 1301-5	16.6	26

1508	Anchoring pockets in human histocompatibility complex leukocyte antigen (HLA) class I molecules: analysis of the conserved B ("45") pocket of HLA-B27. <i>Journal of Experimental Medicine</i> , 1992 , 175, 809-20	16.6	65
1507	Distinctive polymorphism at the HLA-C locus: implications for the expression of HLA-C. <i>Journal of Experimental Medicine</i> , 1992 , 176, 937-50	16.6	156
1506	Alloreactive cytotoxic T lymphocytes recognize epitopes determined by both the alpha helices and beta sheets of the class I peptide binding site. <i>Journal of Experimental Medicine</i> , 1992 , 175, 821-9	16.6	6
1505	Ulcerative colitis complicating seronegative HLA-A2-B27 rheumatoid arthritis with sacroiliitis. 1992 , 51, 1009-11		5
1504	Endogenous peptides of a soluble major histocompatibility complex class I molecule, H-2Lds: sequence motif, quantitative binding, and molecular modeling of the complex. <i>Journal of Experimental Medicine</i> , 1992 , 176, 1681-92	16.6	128
1503	HLA-B27 subtypes: implications for the spondyloarthropathies. 1992 , 51, 929-31		28
1502	Crystal structures of two viral peptides in complex with murine MHC class I H-2Kb. 1992 , 257, 919-27		808
1501	Identification of a motif for HLA-DR1 binding peptides using M13 display libraries. <i>Journal of Experimental Medicine</i> , 1992 , 176, 1007-13	16.6	221
1500	Emerging principles for the recognition of peptide antigens by MHC class I molecules. 1992 , 257, 927-34		642
1499	Role of HLA genes in predisposition to develop insulin-dependent diabetes mellitus. 1992 , 24, 523-31		33
1498	CD8 surface levels alter the fate of alpha/beta T cell receptor-expressing thymocytes in transgenic mice. <i>Journal of Experimental Medicine</i> , 1992 , 175, 1013-25	16.6	114
1497	Analysis of the association of peptides of optimal length to class I molecules on the surface of cells. 1992 , 89, 8918-22		31
1496	Molecular components of T-cell recognition. 1992 , 10, 835-73		272
1495	Interferon-alpha/beta, pentoxifylline, and caffeine synergize with interferon-gamma to induce major histocompatibility complex class I expression on a constitutively class I-negative murine tumor cell line. 1992 , 12, 403-10		2
1494	T cells and human autoimmune thyroid disease: emerging data show lack of need to invoke suppressor T cell problems. 1992 , 2, 247-61		48
1493	Gluten, major histocompatibility complex, and the small intestine. 1992 , 102, 330-354		1604
1492	Cell biology of antigen processing and presentation to major histocompatibility complex class I molecule-restricted T lymphocytes. 1992 , 52, 1-123		304
1491	Cytotoxic T lymphocytes: specificity, surveillance, and escape. 1992 , 59, 227-44		8

1490	Relationship between myc oncogene activation and MHC class I expression. 1993 , 60, 181-246		35
1489	Chapter 20. Techniques for Determining Epitopes for Antibodies and T-cell Receptors. 1992 , 189-198		2
1488	Crystal structure of the major histocompatibility complex class I H-2Kb molecule containing a single viral peptide: implications for peptide binding and T-cell receptor recognition. 1992 , 89, 8403-7		252
1487	Vesicular stomatitis virus antigenic octapeptide N52-59 is anchored into the groove of the H-2Kb molecule by the side chains of three amino acids and the main-chain atoms of the amino terminus. 1992 , 89, 3135-9		77
1486	Recognition of tumor-associated antigens by T lymphocytes: from basic concepts to new approaches. 1992 , 3, 11-6		4
1485	Langerhans cells, inflammation markers and human papillomavirus infections in benign and malignant epithelial tumors from transplant recipients. 1992 , 19, 67-77		25
1484	Evolution of the major histocompatibility complex: isolation of class II A cDNA clones from the cartilaginous fish. 1992 , 89, 6688-92		122
1483	Human immunodeficiency virus gp120 binding C'C" ridge of CD4 domain 1 is also involved in interaction with class II major histocompatibility complex molecules. 1992 , 89, 12008-12		72
1482	Developmental failure of chimeric embryos expressing high levels of H-2Dd transplantation antigens. 1992 , 89, 5927-31		23
1481	Expression and crystallization of a soluble and functional form of an Fc receptor related to class I histocompatibility molecules. 1992 , 89, 638-42		93
1480	A common antiviral cytotoxic T-lymphocyte epitope for diverse major histocompatibility complex haplotypes: implications for vaccination. 1992 , 89, 2752-5		44
1479	Single-residue changes in class I major histocompatibility complex molecules stimulate responses to self peptides. 1992 , 89, 2794-8		29
1478	Crucial role of the third and fourth hypervariable regions of HLA-DPB1 allelic sequences in the mixed lymphocyte reaction. 1992 , 33, 202-7		32
1477	Localization and characterization of serologic epitopes on HLA-A2. 1992 , 33, 185-92		22
1476	HLA-A2-peptide complexes: refolding and crystallization of molecules expressed in Escherichia coli and complexed with single antigenic peptides. 1992 , 89, 3429-33		555
1475	Overview: Strategies for the Prevention of Graft Rejection. 1992 , 2, 463-476		1
1474	Determination of the three-dimensional solution structure of ragweed allergen Amb t V by nuclear magnetic resonance spectroscopy. <i>Biochemistry</i> , 1992 , 31, 5117-27	3.2	37
1473	Self-association of class I major histocompatibility complex molecules in liposome and cell surface membranes. <i>Biochemistry</i> , 1992 , 31, 7182-9	3.2	56

1472	Protein design on computers. Five new proteins: Shpilka, Grendel, Fingerclasp, Leather, and Aida. 1992 , 12, 105-10	25
1471	Localization of the conformational alteration of MHC molecules induced by the association of mouse class I heavy chain with a xenogeneic beta 2-microglobulin. 1992 , 29, 481-7	9
1470	An HLA-A2/beta 2-microglobulin/peptide complex assembled from subunits expressed separately in Escherichia coli. 1992 , 29, 371-8	12
1469	Influenza basic polymerase 2 peptides are recognized by influenza nucleoprotein-specific cytotoxic T lymphocytes. 1992 , 29, 1089-96	32
1468	Nucleotide sequence analysis of H-2Df and the spontaneous in vivo H-2Dfm2 mutation. 1992 , 29, 61-9	9
1467	Unique biochemical properties of a mutant MHC class I molecule, H-2Ksm1. 1992 , 29, 1493-500	1
1466	Neuronal cells are deficient in loading peptides onto MHC class I molecules. 1992 , 8, 1185-90	94
1465	Allogenic recognition in 1992. 1992 , 46, 85-90	
1464	MHC-binding peptides for immunotherapy of experimental autoimmune disease. 1992 , 5 Suppl A, 103-13	19
1463	DNA typing for HLA class I alleles: I. Subsets of HLA-A2 and of -A28. 1992 , 33, 163-73	78
1462	Effect of the substitutions in the alpha helix and the beta sheet of HLA class I molecule on allorecognition of T cells specific for HLA-B51 and HLA-Bw53. 1992 , 33, 82-8	9
1461	Inhibition of T cell activation by MHC blockade: a possible strategy for immunointervention in autoimmune diseases. 1992 , 5 Suppl A, 73-81	2
1460	Diverse locations of amino acids in HLA-DR beta chains involved in polymorphic antibody binding epitopes on DR(alpha, beta 1*0101), DR(alpha, beta 1*1101), and DR(alpha,beta 3*0202) molecules. 1992 , 33, 193-201	7
1459	Cell surface receptors in lymphoid cells: from cytochemistry to molecular biology and from a phenotype to a function. 1992 , 26, 169-81	
1458	Effects of localized HLA class II beta chain polymorphism on binding of antigenic peptide and stimulation of T cells. 1992 , 33, 213-23	12
1457	Immunological correlations between ontogenesis and oncogenesis: theoretical implications and suggestions for tumor immunotherapy. 1992 , 37, 166-70	3
1456	Changing the name of the major histocompatibility complex. 1992 , 143, 411-7	
1455	HLA-DR expression in human fetal thymocytes. 1992 , 33, 294-8	27

1454	Peptide binding to the major histocompatibility complex molecules. 1992 , 2, 300-304		24
1453	Mutagenesis around residue 176 on HLA-B*0702 characterizes multiple distinct epitopes for anti-HLA antibodies. 1992 , 35, 125-31		19
1452	Alloimmunization to platelet antigen HPA-1a (PIA1) is strongly associated with both HLA-DRB3*0101 and HLA-DQB1*0201. 1992 , 34, 107-14		110
1451	Crystal structure of a soluble form of the human T cell coreceptor CD8 at 2.6 A resolution. <i>Cell</i> , 1992 , 68, 1145-62	56.2	257
1450	The human class II MHC protein HLA-DR1 assembles as empty alpha beta heterodimers in the absence of antigenic peptide. <i>Cell</i> , 1992 , 68, 465-77	56.2	304
1449	The three-dimensional structure of HLA-B27 at 2.1 A resolution suggests a general mechanism for tight peptide binding to MHC. <i>Cell</i> , 1992 , 70, 1035-48	56.2	630
1448	An MHC interaction site maps to the amino-terminal half of the T cell receptor alpha chain variable domain. <i>Cell</i> , 1992 , 69, 999-1009	56.2	95
1447	Swine leukocyte antigen and macrophage marker expression on both African swine fever virus-infected and non-infected primary porcine macrophage cultures. 1992 , 32, 243-59		20
1446	Novel LCMV-specific H-2k restricted CTL clones recognize internal viral gene products and cause CNS disease. 1992 , 41, 15-20		10
1445	Limited MHC polymorphism in the southern elephant seal: implications for MHC evolution and marine mammal population biology. 1992 , 249, 163-71		82
1444	TAP1 mutant mice are deficient in antigen presentation, surface class I molecules, and CD4-8+ T cells. <i>Cell</i> , 1992 , 71, 1205-14	56.2	600
1443	¹ H NMR assignments and secondary structure of human beta 2-microglobulin in solution. <i>Biochemistry</i> , 1992 , 31, 8906-15	3.2	59
1442	The molecular biology of thyroid peroxidase: cloning, expression and role as autoantigen in autoimmune thyroid disease. 1992 , 13, 192-206		109
1441	HLA and disease. 1992 , 13, 263-378		11
1440	Production of a soluble and secreted antigenic fragment of HBsAg in yeast. 1992 , 184, 50-9		1
1439	Complement component C1r mediated cleavage of the heavy chain of the major histocompatibility class I antigens. 1992 , 187, 832-8		6
1438	Evidence for the alpha-helicity of class II MHC molecular binding sites for the superantigen, staphylococcal enterotoxin A. 1992 , 182, 1016-24		3
1437	Autoimmune disease and the major histocompatibility complex: therapeutic implications. 1992 , 92, 183-8		41

1436	Do antigenic peptides have a unique sense of direction inside the MHC binding groove? A molecular modelling study. 1992 , 303, 224-8		4
1435	In vivo primary induction of virus-specific CTL by immunization with 9-mer synthetic peptides. 1992 , 153, 193-200		49
1434	Binding of the dye congo red to the amyloid protein pig insulin reveals a novel homology amongst amyloid-forming peptide sequences. 1992 , 227, 1205-23		157
1433	Crystallization of murine major histocompatibility complex class I H-2Kb with single peptides. 1992 , 228, 975-82		33
1432	Identification of a shark sequence resembling the major histocompatibility complex class I alpha 3 domain. 1992 , 89, 2209-12		86
1431	Inhibition of endosomal proteolytic activity by leupeptin blocks surface expression of MHC class II molecules and their conversion to SDS resistance alpha beta heterodimers in endosomes.. 1992 , 11, 411-416	173	
1430	Rejection of skin allografts by indirect allorecognition of donor class I major histocompatibility complex peptides. <i>Journal of Experimental Medicine</i> , 1992 , 175, 1521-9	16.6	188
1429	The Role of Cytotoxic Lymphocytes in HIV Infection. 1992 , 219-227		
1428	Interleukin-8 and MCAF: Novel Leukocyte Recruitment and Activating Cytokines. 1992 , 51, 236-265		7
1427	Patterns of nucleotide substitutions inferred from the phylogenies of the class I major histocompatibility complex genes. 1992 , 35, 196-204		16
1426	Expression of alternatively spliced HLA class II transcripts in lymphoid and nonlymphoid tissues. <i>Immunogenetics</i> , 1992 , 35, 385-90	3.2	1
1425	HLA-DRB3 gene alleles in Caucasian patients with Graves' disease. 1992 , 70, 956-60		28
1424	Molecular mechanisms involved in the etiology and pathogenesis of autoimmune diseases. 1992 , 70, 756-65		7
1423	The multi-locus H-2Dw16 region has an organization distinct from the Dd region. <i>Immunogenetics</i> , 1992 , 35, 296-308	3.2	6
1422	Structure of the HLA-A*0211 (A2.5) subtype: further evidence for selection-driven diversification of HLA-A2 antigens. <i>Immunogenetics</i> , 1992 , 35, 344-6	3.2	18
1421	Approaches toward peptide-based immunotherapy of autoimmune diseases. 1992 , 14, 187-99		7
1420	Role of class I molecules of the major histocompatibility complex in cytotoxic T-cell function in health and disease. 1992 , 14, 1-16		6
1419	Mechanisms of transplantation immunity. 1992 , 14, 17-32		1

1418	A role for major histocompatibility complex-binding peptides in the immunotherapy of autoimmune disease. 1992 , 14, 95-101		1
1417	Structure of CD8 alpha and beta chains of the orangutan: novel patterns of mRNA splicing encoding hingeless polypeptides. <i>Immunogenetics</i> , 1992 , 36, 121-5	3.2	3
1416	Polymorphic analysis of the three MHC-linked HSP70 genes. <i>Immunogenetics</i> , 1992 , 36, 357-62	3.2	125
1415	On genetic components in autoimmunity: a critical review based on evolutionarily oriented rationality. 1992 , 90, 331-41		11
1414	Two subtypes of HLA-B51 differing by substitution at position 171 of the alpha 2 helix. <i>Immunogenetics</i> , 1992 , 37, 57-63	3.2	18
1413	Three-dimensional structure of the Fab fragment of a neutralizing antibody to human rhinovirus serotype 2. 1992 , 1, 1154-61		52
1412	Total chemical synthesis, characterization, and immunological properties of an MHC class I model using the TASP concept for protein de novo design. 1992 , 1, 1377-86		43
1411	Crystallization and preliminary X-ray diffraction studies of the human major histocompatibility antigen HLA-B27. 1992 , 12, 87-90		18
1410	Molecular modeling of an antigenic complex between a viral peptide and a class I major histocompatibility glycoprotein. 1992 , 13, 70-85		33
1409	Monte Carlo docking of oligopeptides to proteins. 1992 , 13, 223-30		81
1408	Reptilian class I major histocompatibility complex genes reveal conserved elements in class I structure. <i>Immunogenetics</i> , 1992 , 36, 166-74	3.2	82
1407	Superantigens: biology, immunology, and potential role in disease. 1992 , 12, 149-62		132
1406	Protein folding in the cell. <i>Nature</i> , 1992 , 355, 33-45	50.4	3834
1405	Tetrameric cell-surface MHC class I molecules. <i>Nature</i> , 1992 , 357, 164-7	50.4	34
1404	Truncation variants of peptides isolated from MHC class II molecules suggest sequence motifs. <i>Nature</i> , 1992 , 359, 429-31	50.4	226
1403	Immunology. Deconstructing the MHC. <i>Nature</i> , 1992 , 360, 300-1	50.4	17
1402	T-cell receptor identification of an oligodendrocyte-specific autoreactive cytotoxic T-cell clone without self restriction. 1992 , 36, 893-8		4
1401	The major histocompatibility complex à la carte: are there analogies to plant disease resistance genes on the menu?. 1992 , 2, 3-11		48

1400	Kinetics of 125I-beta 2-microglobulin turnover in dialyzed patients. 1992 , 42, 1434-43	39
1399	Effect of beta 2-microglobulin on immunoglobulin production. 1992 , 33, 87-91	3
1398	Thymic selection. 1992 , 4, 162-5	14
1397	Peptide-MHC interaction in autoimmunity. 1992 , 4, 748-53	12
1396	Natural killer cells. 1992 , 4, 38-42	41
1395	Chemistry and functional role of the invariant chain. 1992 , 4, 87-92	67
1394	A molecular model of MHC class-I-restricted antigen processing. 1992 , 13, 173-9	396
1393	Intracellular transport of MHC class II molecules. 1992 , 13, 179-84	188
1392	How MHC class II molecules work: peptide-dependent completion of protein folding. 1992 , 13, 43-6	69
1391	Does the HIV envelope induce a chronic graft-versus-host-like disease?. 1992 , 13, 207-10	85
1390	Induction of CD4+ cytotoxic T cells by sensitization with allogeneic melanomas bearing shared or cross-reactive HLA-A. 1992 , 139, 411-25	25
1389	Arthritis by autoreactive T cell lines obtained from rats after injection of intestinal bacterial cell wall fragments. 1992 , 139, 455-67	12
1388	Introduction of the H-2Dk gene into a class I-negative tumor cell line confers interferon-gamma inducibility upon the silent endogenous H-2Kk gene. 1992 , 145, 43-55	
1387	Peptides tailored to perfection?. 1992 , 2, 211-3	5
1386	Multimolecular associations of the T-cell antigen receptor. 1992 , 2, 253-5	18
1385	Presentation of antigenic peptides by MHC class I molecules. 1992 , 2, 202-7	21
1384	Implications of HIV-specific cytotoxic T lymphocytes in AIDS. 1992 , 5, 31-45	4
1383	Molecular replacement real-space averaging. 1992 , 25, 166-180	35

1382	Typing for class I HLA polymorphism: past, present, and future. 1992 , 19, 347-59	18
1381	Allorecognition of HLA-DQw8 molecules: influence of single amino acid substitutions. 1992 , 39, 95-8	3
1380	The molecular basis for reactivity of anti-Cw1 and anti-Cw3 alloantisera with HLA-B46 haplotypes. 1992 , 39, 249-57	54
1379	New polymorphic HLA-DR epitopes recognized by three monoclonal antibodies produced against DR103 transfected L cells. 1992 , 40, 197-203	4
1378	Highly conserved, potential cleavage sites about the desepitopes of MHC class I and class II molecules. 1992 , 39, 26-31	
1377	Molecular dynamics study of a complex between the human histocompatibility antigen HLA-A2 and the IMP58-66 nonapeptide from influenza virus matrix protein. 1992 , 208, 101-13	40
1376	Molecular genetic analysis of HLA-DR and HLA-DQ genes among anti-U1-70-kd autoantibody positive connective tissue disease patients. 1992 , 35, 83-94	81
1375	Binding of a major T cell epitope of mycobacteria to a specific pocket within HLA-DRw17(DR3) molecules. 1992 , 22, 107-13	49
1374	A defect in the presentation of intracellular viral antigens is restored by interferon-gamma in cell lines with impaired major histocompatibility complex class I assembly. 1992 , 22, 433-40	17
1373	Gene transfer experiments imply instructive role of major histocompatibility complex class I molecules in cellular peptide processing. 1992 , 22, 655-9	21
1372	High frequency of malaria-specific T cells in non-exposed humans. 1992 , 22, 689-96	48
1371	Biochemical analysis of the mouse mammary tumor virus long terminal repeat product. Evidence for the molecular structure of an endogenous superantigen. 1992 , 22, 879-82	27
1370	Antibody binding to a collagen type-II epitope gives rise to an inhibitory peptide for autoreactive T cells. 1992 , 22, 1063-7	14
1369	T cell recognition of donor major histocompatibility complex class I peptides during allograft rejection. 1992 , 22, 1525-30	60
1368	Preferred size of peptides that bind to H-2 Kb is sequence dependent. 1992 , 22, 1603-8	42
1367	The fate of the three subunits of major histocompatibility complex class I molecules. 1992 , 22, 1609-14	37
1366	Genetic control of nonresponsiveness to hepatitis B virus vaccine by an extended HLA haplotype. 1992 , 22, 1899-905	43
1365	Structural requirements for the peptide-induced conformational change of free major histocompatibility complex class I heavy chains. 1992 , 22, 2085-91	43

1364	Peptide motifs of closely related HLA class I molecules encompass substantial differences. 1992 , 22, 2453-6	71
1363	Molecular detection and in vivo analysis of the specific T cell response to a protein antigen. 1992 , 22, 2639-47	159
1362	Expression of major histocompatibility complex class I antigens at low levels in the thymus induces T cell tolerance via a non-deletional mechanism. 1992 , 22, 2655-61	30
1361	In vivo priming of cytotoxic T lymphocyte responses in relation to in vitro up-regulation of major histocompatibility complex class I molecules by short synthetic peptides. 1992 , 22, 3085-90	25
1360	Protein targets for structure-based drug design. 1992 , 12, 317-72	36
1359	Immunohistochemical localization of beta-amyloid precursor protein sequences in Alzheimer and normal brain tissue by light and electron microscopy. 1992 , 31, 428-42	86
1358	Uncoordinate induction and differential regulation of HLA class-I and class-II expression by gamma-interferon in differentiating human neuroblastoma cells. 1993 , 55, 817-23	33
1357	Variability in the expression of a α -microglobulin epitope on hepatocytes in chronic type C hepatitis on treatment with interferon. 1993 , 17, 372-382	19
1356	Microheterogeneity in the recognition of a HLA-DR2-restricted T cell epitope from a meningococcal outer membrane protein. 1993 , 23, 232-9	6
1355	Cross-reactivity among evolutionarily distant major histocompatibility complex class I molecules (HLA-B27 and H-2Kk) revealed by xenoreactive T lymphocytes. 1993 , 23, 338-42	7
1354	A sequence pattern for peptides presented to cytotoxic T lymphocytes by HLA B8 revealed by analysis of epitopes and eluted peptides. 1993 , 23, 447-53	96
1353	The effect of anchor residue modifications on the stability of major histocompatibility complex class I-peptide interactions. 1993 , 23, 840-5	30
1352	Real-time measurement of antigenic peptide binding to empty and preloaded single-chain major histocompatibility complex class I molecules. 1993 , 23, 1118-24	23
1351	Identification of peptide sequences that potentially trigger HLA-A2.1-restricted cytotoxic T lymphocytes. 1993 , 23, 1215-9	175
1350	The assembly of H2-Kb class I molecules translated in vitro requires oxidized glutathione and peptide. 1993 , 23, 1305-13	26
1349	A soluble, single-chain Kd molecule produced by yeast selects a peptide repertoire indistinguishable from that of cell-surface-associated Kd. 1993 , 23, 1776-83	19
1348	Allogeneic recognition of class I molecules: anti-H-2Ld repertoire of H-2b mice includes T cells recognizing mutant class II H-2b (Abm12) molecules. 1993 , 23, 1884-8	
1347	An antigen processing polymorphism revealed by HLA-B8-restricted cytotoxic T lymphocytes which does not correlate with TAP gene polymorphism. 1993 , 23, 1999-2004	27

1346	Human immunodeficiency virus type 1 gp120 C5 region mimics the HLA class I alpha 1 peptide-binding domain. 1993 , 23, 2016-21	57
1345	Thermostability analysis of major histocompatibility complex class I molecules by temperature gradient gel electrophoresis. 1993 , 23, 2030-3	2
1344	The evolutionary origin of the major histocompatibility complex: polymorphism of class II alpha chain genes in the cartilaginous fish. 1993 , 23, 2160-5	59
1343	Immunization against tumor and minor histocompatibility antigens by eluted cellular peptides loaded on antigen processing defective cells. 1993 , 23, 2606-13	32
1342	Analysis of tetanus toxin peptide/DR recognition by human T cell receptors reconstituted into a murine T cell hybridoma. 1993 , 23, 3057-65	66
1341	Differential effect of transporter Tap 2 gene introduction into RMA-S cells on viral antigen processing. 1993 , 23, 3082-8	10
1340	Identification of conserved T cell receptor CDR3 residues contacting known exposed peptide side chains from a major histocompatibility complex class I-bound determinant. 1993 , 23, 3318-26	96
1339	MHC class I/peptide interactions: binding specificity and kinetics. 1993 , 6, 59-69	22
1338	Peptide vaccines incorporating a 'promiscuous' T-cell epitope bypass certain haplotype restricted immune responses and provide broad spectrum immunogenicity. 1993 , 6, 81-94	55
1337	Graphical representations of the class I MHC cleft. 1993 , 11, 174-9, 187	4
1336	Selective immunosuppression. 1993 , 14, 285-9	34
1335	How alpha beta T-cell receptors 'see' peptide/MHC complexes. 1993 , 14, 597-602	122
1334	Tickling the TCR: selective T-cell functions stimulated by altered peptide ligands. 1993 , 14, 602-9	375
1333	Pentoxifylline- and caffeine-induced modulation of major histocompatibility complex class I expression on murine tumor cell lines. 1993 , 25, 145-61	5
1332	MHC molecules as peptide receptors. 1993 , 5, 35-44	137
1331	Topology and affinity of T-cell receptor mediated recognition of peptide-MHC complexes. 1993 , 5, 45-9	49
1330	The TASP concept : Mimetics of peptide ligands, protein surfaces and folding units. 1993 , 49, 3559-3575	43
1329	Sequence divergence of B2m alleles of wild <i>Mus musculus</i> and <i>Mus spretus</i> implies positive selection. <i>Immunogenetics</i> , 1993 , 38, 106-16	3.2 22

1328	Assembly-dependent expression of antigenic epitopes by beta 2-microglobulin(b). <i>Immunogenetics</i> , 1993 , 38, 318-22	3.2	5
1327	Cloning of the beta 2-microglobulin gene in the zebrafish. <i>Immunogenetics</i> , 1993 , 38, 1-10	3.2	64
1326	Sequence and evolution of cattle MHC class I cDNAs: concerted evolution has not taken place in cattle. <i>Immunogenetics</i> , 1993 , 38, 11-20	3.2	26
1325	Diversity of exon 2 of major histocompatibility complex class I genes in wild mice. <i>Immunogenetics</i> , 1993 , 38, 71-3	3.2	2
1324	Allelic variations clustered in the antigen binding sites of HLA-Bw62 molecules. <i>Immunogenetics</i> , 1993 , 37, 108-13	3.2	20
1323	Particular HLA-DQ molecules play a dominant role in determining susceptibility or resistance to type 1 (insulin-dependent) diabetes mellitus. 1993 , 36, 371-7		187
1322	Toward computational determination of peptide-receptor structure. 1993 , 2, 1827-43		28
1321	Mechanisms of autoimmunity in type I diabetes. 1993 , 13, 1-7		11
1320	Alteration within a discrete region of the H-2Ld alpha 1 helix upon association with human beta 2 microglobulin. 1993 , 71 (Pt 2), 145-9		5
1319	Watch this space. <i>Nature</i> , 1993 , 364, 16-16	50.4	
1318	Three-dimensional structure of the human class II histocompatibility antigen HLA-DR1. <i>Nature</i> , 1993 , 364, 33-9	50.4	2115
1317	Immunopathologic effect of antigen recognition. 1993 , 48, 137-41		2
1316	How the immune system recognizes invaders. 1993 , 269, 72-9		59
1315	Qa-2 molecules are peptide receptors of higher stringency than ordinary class I molecules. <i>Nature</i> , 1993 , 361, 642-4	50.4	92
1314	Expression of beta 2m-free HLA class I heavy chains in neuroblastoma cell lines. 1993 , 37, 661-7		18
1313	The T-cell antigen receptor enters its second decade. 1993 , 38, 209-11		4
1312	B*1401 encodes the B64 antigen: the B64 and B65 splits of B14 differ only at residue 11, a buried amino acid. 1993 , 41, 110-1		15
1311	Isoelectric focusing subtypes of HLA-A can be defined by oligonucleotide typing. 1993 , 41, 135-42		68

1310	Primary structure shows HLA-B59 to be a hybrid of HLA-B55 and HLA-B51, and not a subtype of HLA-B8. 1993 , 41, 190-5	12
1309	Molecular analysis of a novel HLA-A33 subtype associated with HLA-B44. 1993 , 41, 211-3	18
1308	Major histocompatibility complex class II haplotypes in a breeding colony of chimpanzees (<i>Pan troglodytes</i>). 1993 , 42, 55-61	1
1307	A sixth family of HLA-A alleles defined by HLA-A*8001. 1993 , 42, 156-9	49
1306	Major histocompatibility complex class II haplotypes in a breeding colony of chimpanzees (<i>Pan troglodytes</i>). 1993 , 42, 55-61	34
1305	Fine analysis of recognition sites of monoclonal antibodies, 1B7 and 1E4, using L cell transfectants of recombinant mouse MHC class II genes. 1993 , 20, 23-7	4
1304	Molecular aspects of HLA class II and some autoimmune diseases. 1993 , 20, 153-64	5
1303	Seeing double. 1993 , 3, 586-9	19
1302	Peptide selection by class I molecules of the major histocompatibility complex. 1993 , 3, 854-66	61
1301	Disease resistance: good news from Gambia. 1993 , 3, 223-5	1
1300	Interferon in the management of chronic hepatitis B. 1993 , 38, 577-93	75
1299	T cell repertoire and autoimmune diseases. 1993 , 12, 149-67	15
1298	Molecular mimicry: any role in the pathogenesis of spondyloarthropathies?. 1993 , 12, 193-208	22
1297	Genes of the major histocompatibility complex and the evolutionary genetics of lifespan. 1993 , 91, 225-38	4
1296	Localization of T-cell determinants on bovine beta-lactoglobulin. 1993 , 37, 215-21	36
1295	CD8 and beta 2-microglobulin-free MHC class I molecules in T cell immunoregulation. 1993 , 23, 61-9	21
1294	Inflammation and the brain. 1993 , 19, 47-64	15
1293	Immunogenetics of autoimmune chronic active hepatitis. 1993 , 28 Suppl 4, 57-62; discussion 76-80	3

1292	Binding of alanine-substituted peptides to the MHC class I protein, Kd. 1993 , 317, 49-52		6
1291	Dimerization of CD4-C kappa chimeric molecules leads to loss of CD4 epitopes. 1993 , 30, 797-804		2
1290	A single amino acid substitution in a cytochrome c T cell stimulatory peptide changes the MHC restriction element from one isotype (I-Ak) to another (I-Ek). 1993 , 30, 569-75		2
1289	Dissociation of beta 2-microglobulin is responsible for selective reduction of HLA class I antigenicity following acid treatment of cells. 1993 , 30, 1223-30		17
1288	Slow egress of a mouse MHC class I molecule to the cell surface despite its strong association with beta 2-microglobulin. 1993 , 30, 721-31		3
1287	A soluble form of the human CD8 alpha chain expressed in the baculovirus system: biochemical characterization and binding to MHC class I. 1993 , 30, 55-67		4
1286	Molecular cloning and polymerase chain reaction-sequence-specific oligonucleotide detection of the allele encoding the novel allospecificity HLA-Cw6.2 (Cw*1502) in Spanish gypsies. 1993 , 37, 259-63		29
1285	Characterization of T-cell clones generated from skin of patients with psoriasis. 1993 , 28, 551-7		11
1284	Lack of association of HLA polymorphisms with human papillomavirus-related cervical cancer. 1993 , 37, 157-64		52
1283	The immunoglobulin superfamily. 1993 , 3, 846-852		38
1282	Specificity and promiscuity among naturally processed peptides bound to HLA-DR alleles. <i>Journal of Experimental Medicine</i> , 1993 , 178, 27-47	16.6	821
1281	Immunization with lentivirus-like particles elicits a potent SIV-specific recall cytotoxic T-lymphocyte response in rhesus monkeys. 1993 , 9, 129-32		11
1280	The kinetics of peptide reactions with class II major histocompatibility complex membrane proteins. 1993 , 26, 442-448		10
1279	pH affects both the mechanism and the specificity of peptide binding to a class II major histocompatibility complex molecule. <i>Biochemistry</i> , 1993 , 32, 11761-8	3.2	25
1278	Characterization of two human monoclonal antibodies reactive with HLA-B12 and HLA-B60, respectively, raised by in vitro secondary immunization of peripheral blood lymphocytes. 1993 , 36, 186-92		15
1277	The biologic importance of conserved major histocompatibility complex class II motifs in primates. 1993 , 38, 201-5		14
1276	Indirect T cell allorecognition: a cyclosporin A resistant pathway for T cell help for antibody production to donor MHC antigens. 1993 , 1, 77-81		54
1275	Autoreactive T cells from a type I diabetic recognize multiple class II products. 1993 , 36, 219-26		8

1274	MHC-binding motifs and the design of peptide-based vaccines. 1993 , 1, 276-9	6
1273	Naked DNA and vaccine design. 1993 , 1, 323-4; discussion 324-5	5
1272	Epitope fine specificity of human anti-HLA-A2 antibodies. Identification of four epitopes including a haptenlike epitope on HLA-A2 at lysine 127. 1993 , 37, 165-77	9
1271	Selection of an unrelated donor for marrow transplantation facilitated by the molecular characterization of a novel HLA-A allele. 1993 , 36, 20-6	19
1270	Interactions cellulaires au cours de la r�ponse immunitaire. 1993 , 8, 9-15	
1269	HLA-DR beta chain residues that are predicted to be located in the floor of the peptide-binding groove contribute to antibody-binding epitopes. 1993 , 37, 51-8	20
1268	Microheterogeneity in HLA-B35 alleles influences peptide-dependent allorecognition by cytotoxic T cells but not binding of a peptide-restricted monoclonal antibody. 1993 , 38, 261-9	27
1267	Molecular chaperones and the biogenesis of mitochondria and peroxisomes. 1993 , 77, 47-62	13
1266	MHC class II haplotypes and linkage disequilibrium in primates. 1993 , 36, 1-10	25
1265	HLA-B*0702 antibody epitopes are affected indirectly by distant antigen residues. 1993 , 36, 69-75	21
1264	The biochemistry and cell biology of antigen processing and presentation. 1993 , 11, 403-50	870
1263	Response from Ulmer, Donnelly and Liu. 1993 , 1, 324-325	
1262	Structural analysis of HLA-B40 epitopes. 1993 , 36, 193-8	23
1261	Lack of binding of peptides carrying the human platelet antigen 1 (HPA-1) dimorphism to purified HLA-DRw52a molecules. 1993 , 36, 439-49	1
1260	Endogenous superantigens: tools for dissecting T-cell repertoire selection. 1993 , 144, 194-8; discussion 214-22	3
1259	Molecular analysis of HLA class II genes in primary Sj�gren's syndrome. A study of Israeli Jewish and Greek non-Jewish patients. 1993 , 36, 235-42	38
1258	Comprehensive delineation of antigenic and immunogenic properties of peptides derived from the nef HIV-1 regulatory protein. 1993 , 11, 1083-92	6
1257	Selective immunosuppression. 1993 , 14, 178-82	4

1256	Epitope mapping: synthetic approaches to the understanding of molecular recognition in the immune system. 1993 , 68, 3-20	5
1255	Positive selection of the T-cell repertoire is affected by mutations in the peptide-binding site of MHC class I molecules. 1993 , 681, 16-24	3
1254	HIV-1 reverse transcriptase. A diversity generator and quasispecies regulator. 1993 , 693, 65-70	10
1253	Interactions of CD4 with MHC class II molecules, T cell receptors and p56lck. 1993 , 342, 13-24	10
1252	Towards a structure of the HIV-1 envelope glycoprotein gp120: an immunochemical approach. 1993 , 342, 83-8	8
1251	Molecular chaperones and the immune response. 1993 , 339, 363-7; discussion 367-8	39
1250	MHC class I and autoimmune diabetes. 1993 , 47, 3-10	8
1249	Folding and assembly of major histocompatibility complex class I heterodimers in the endoplasmic reticulum of intact cells precedes the binding of peptide. <i>Journal of Experimental Medicine</i> , 1993 , 178, 1971-80	16.6 67
1248	HLA-DPB1 glutamate 69: a genetic marker of beryllium disease. 1993 , 262, 242-4	388
1247	H-2Dd exploits a four residue peptide binding motif. <i>Journal of Experimental Medicine</i> , 1993 , 178, 1877-926.6	80
1246	The Greek key motif: extraction, classification and analysis. 1993 , 6, 233-45	64
1245	Identifying strategies for immune intervention. 1993 , 260, 937-44	185
1244	Natural selection at work on the surface of virus-infected cells. 1993 , 260, 1771-2	10
1243	Abnormalities in HLA Class I Antigen Expression by Melanoma Cells: Structural Characterization and Functional Implications.. 1993 , 100, 226S-230S	
1242	Antigen processing and presentation. 1993 , 37, 1-9	13
1241	Cellular and molecular aspects of antigen processing and the function of class II MHC molecules. 1993 , 8, 461-7	19
1240	Structure and Function of Nitrogenase. 1993 , 89-119	74
1239	Structure of the regulatory complex of Escherichia coli IIIgIc with glycerol kinase. 1993 , 259, 673-677	210

1238	Different HLA-B27 subtypes present the same immunodominant Epstein-Barr virus peptide. <i>Journal of Experimental Medicine</i> , 1993 , 178, 879-87	16.6	94
1237	Topological and stereochemical restrictions in beta-sandwich protein structures. 1993 , 6, 461-70		33
1236	Major histocompatibility complex-specific prolongation of murine skin and cardiac allograft survival after in vivo depletion of V beta+ T cells. <i>Journal of Experimental Medicine</i> , 1993 , 177, 35-44	16.6	32
1235	Changes in the repertoire of peptides bound to HLA-B27 subtypes and to site-specific mutants inside and outside pocket B. <i>Journal of Experimental Medicine</i> , 1993 , 177, 613-20	16.6	36
1234	Prevention of autoimmune diabetes in non-obese diabetic mice by treatment with a class II major histocompatibility complex-blocking peptide. <i>Journal of Experimental Medicine</i> , 1993 , 177, 1499-504	16.6	60
1233	Role of CD4 and CD8 in T cell activation and differentiation. 1993 , 53, 59-122		128
1232	Molecular Chaperones. 1993 ,		5
1231	Roles of the six peptide-binding pockets of the HLA-A2 molecule in allorecognition by human cytotoxic T-cell clones. 1993 , 90, 674-8		49
1230	HLA-A31- and HLA-Aw68-restricted cytotoxic T cell responses to a single hepatitis B virus nucleocapsid epitope during acute viral hepatitis. <i>Journal of Experimental Medicine</i> , 1993 , 177, 751-62	16.6	206
1229	Role of protein glycosylation in immune regulation. 1993 , 52 Suppl 1, S22-9		15
1228	The alpha 3 domain of the Qa-2 molecule is defective for CD8 binding and cytotoxic T lymphocyte activation. <i>Journal of Experimental Medicine</i> , 1993 , 178, 2139-45	16.6	17
1227	Advances in human leukocyte antigens and transplantation. 1993 , 30, 227-80		1
1226	Evolutionary conservation of major histocompatibility complex-DR/peptide/T cell interactions in primates. <i>Journal of Experimental Medicine</i> , 1993 , 177, 979-87	16.6	91
1225	Immunohistochemical detection of intercellular adhesion molecule-1 (ICAM-1) and major histocompatibility complex class I antigens in seminoma. 1993 , 149, 659-63		28
1224	In the groove: the fine detail of antigen presentation to cytotoxic T lymphocytes. 1993 , 84, 585-91		4
1223	HLA susceptibility genes in celiac disease: genetic mapping and role in pathogenesis. 1993 , 105, 910-22		491
1222	Allele-specific B pocket transplant in class I major histocompatibility complex protein changes requirement for anchor residue at P2 of peptide. 1993 , 90, 6879-83		41
1221	Specific prolongation of allograft survival by a T-cell-receptor-derived peptide. 1993 , 90, 9872-6		17

1220	HMT, encoded by H-2M3, is a neoclassical major histocompatibility class I antigen. 1993 , 90, 2784-8	23
1219	Allele-specific peptide ligand motifs of HLA-C molecules. 1993 , 90, 12005-9	115
1218	Recognition of vaccinia virus-encoded major histocompatibility complex class I antigens by virus immune cytotoxic T cells is independent of the polymorphism of the peptide transporters. 1993 , 90, 2676-80	19
1217	Banting Lecture. On the honey disease. A dialogue with Socrates. 1993 , 42, 778-800	38
1216	A soluble divalent class I major histocompatibility complex molecule inhibits alloreactive T cells at nanomolar concentrations. 1993 , 90, 6671-5	127
1215	Comparison of the P2 specificity pocket in three human histocompatibility antigens: HLA-A*6801, HLA-A*0201, and HLA-B*2705. 1993 , 90, 8053-7	98
1214	Identification of CD4 and major histocompatibility complex functional peptide sites and their homology with oligopeptides from human immunodeficiency virus type 1 glycoprotein gp120: role in AIDS pathogenesis. 1993 , 90, 7573-7	42
1213	Formation of functional peptide complexes of class II major histocompatibility complex proteins from subunits produced in Escherichia coli. 1993 , 90, 10330-4	45
1212	Amino acid residues essential for biological activity of a peptide derived from a major histocompatibility complex class I antigen. 1993 , 90, 7686-90	9
1211	Amino acid substitutions in the floor of the putative antigen-binding site of H-2T22 affect recognition by a gamma delta T-cell receptor. 1993 , 90, 11396-400	18
1210	Factors governing the binding and recognition of foreign and self-peptides by MHC class II. 1993 , 16, 57-67	3
1209	Monoclonal IgM rheumatoid factors generated from synovial B cells of rheumatoid arthritis patients react with beta 2-microglobulin. Monoclonal RF react with beta 2m. 1993 , 16, 103-14	2
1208	The Ligands of the Class II Major Histocompatibility Complex-Restricted T Cells. 1993 , 57, 18-38	
1207	MHC Class I-Restricted Antigen Processing ? Lessons from Natural Ligands. 1993 , 57, 113-133	
1206	Interactions between Peptides and Major Histocompatibility Complex Molecules during Antigen Processing and Presentation. 1993 , 57, 63-87	
1205	Identification of Naturally Occurring Peptides Associated with MHC Molecules. 1993 , 57, 166-196	
1204	Immunosuppression and the Immune Response to Transplantation. 1993 , 4, 5-10	
1203	Transforming growth factor beta 1 (TGF-beta 1) controls expression of major histocompatibility genes in the postnatal mouse: aberrant histocompatibility antigen expression in the pathogenesis of the TGF-beta 1 null mouse phenotype. 1993 , 90, 9944-8	157

1202	Regulated expression of human CD4 rescues helper T cell development in mice lacking expression of endogenous CD4.. 1993 , 12, 1547-1553		151
1201	Cell surface expression and function of an HLA class II molecule with class I domain configuration. <i>Journal of Experimental Medicine</i> , 1993 , 178, 731-5	16.6	
1200	Abnormalities in HLA Class I Antigen Expression by Melanoma Cells: Structural Characterization and Functional Implications. 1993 , 100, S226-S230		1
1199	How Does the HIV Escape Cytotoxic T Cell Immunity?. 1993 , 56, 150-164		7
1198	CD4+ T Cell Epitopes in HIV-1 Proteins. 1993 , 56, 127-149		1
1197	T Cell Tolerance: Models for Clinical Application to Allergy and Autoimmunity. 1994 , 58, 193-205		
1196	Relevance of Histocompatibility Testing in Clinical Transplantation. 1994 , 74, 1015-1028		4
1195	Three-dimensional structure of the ribosomal translocase: elongation factor G from <i>Thermus thermophilus</i> .. 1994 , 13, 3669-3677		281
1194	TL Genes in Asian Wild Mice: The Evolutionary Conserved Nonclassical Class I Genes of the Major Histocompatibility Complex. 1994 , 159-177		
1193	Transplantation Immunobiology: An Update. 1994 , 74, 991-1013		5
1192	Crystal structure of a human rhinovirus neutralizing antibody complexed with a peptide derived from viral capsid protein VP2.. 1994 , 13, 2247-2256		90
1191	Assembly of HLA DR1 molecules translated in vitro: binding of peptide in the endoplasmic reticulum precludes association with invariant chain.. 1994 , 13, 2699-2707		61
1190	TL antigen as a transplantation antigen recognized by TL-restricted cytotoxic T cells. <i>Journal of Experimental Medicine</i> , 1994 , 179, 777-84	16.6	31
1189	Cytotoxic T lymphocyte response to a wild type hepatitis B virus epitope in patients chronically infected by variant viruses carrying substitutions within the epitope. <i>Journal of Experimental Medicine</i> , 1994 , 180, 933-43	16.6	204
1188	Bovine Leukemia Virus. 1994 , 39-81		71
1187	HLA-DRB1 typing of Vogt-Koyanagi-Harada's disease by PCR-RFLP and the strong association with DRB1*0405 and DRB1*0410. 1994 , 78, 223-6		102
1186	Toxic shock syndrome toxin-1 complexed with a class II major histocompatibility molecule HLA-DR1. 1994 , 266, 1870-4		266
1185	Selecting the T cell receptor repertoire. 1994 , 264, 796-7		66

1184	How DNA viruses perturb functional MHC expression to alter immune recognition. 1994 , 63, 117-209		57
1183	Human antibodies to immunodominant C5 region of HIV-1 gp120 cross-react with HLA class I on activated cells. 1994 , 10, 157-62		30
1182	Role of HLA and T lymphocytes in the immune response. 1994 , 2, 57-91		16
1181	A speculative view of immune recognition. 1994 , 23, 53-71		3
1180	Analysis of the structure of empty and peptide-loaded major histocompatibility complex molecules at the cell surface. <i>Journal of Experimental Medicine</i> , 1994 , 180, 1753-61	16.6	33
1179	Induction of alloreactive cytotoxic T lymphocytes by intra-splenic immunization with allogeneic class I Major Histocompatibility Complex DNA and DC-chol cationic liposomes. 1994 , 4, 1075-1090		3
1178	Amino acid residues that flank core peptide epitopes and the extracellular domains of CD4 modulate differential signaling through the T cell receptor. <i>Journal of Experimental Medicine</i> , 1994 , 179, 1945-56	16.6	95
1177	Peptide-induced T-cell tolerance to prevent autoimmune diabetes in a transgenic mouse model. 1994 , 91, 444-8		115
1176	Antigen presentation, aberrant glycosylation and tumor progression. 1994 , 17, 27-51		14
1175	Picosecond fluorescence spectroscopy of a single-chain class I major histocompatibility complex encoded protein in its peptide loaded and unloaded states. 1994 , 40, 125-32		6
1174	Need for cellular and humoral immune responses in bovines to ensure protection from foot-and-mouth disease virus (FMDV)--a point of view. 1994 , 8, 199-214		24
1173	Dengue fever virus and Japanese encephalitis virus synthetic peptides, with motifs to fit HLA class I haplotypes prevalent in human populations in endemic regions, can be used for application to skin Langerhans cells to prime antiviral CD8+ cytotoxic T cells (CTLs)--a novel approach to the prevention of dengue. 1994 , 8, 22-15		10
1172	Non-fastidious, melanoma-specific CD8+ cytotoxic T lymphocytes from choroidal melanoma patients. 1994 , 38, 399-405		18
1171	Hsp70--a multi-gene, multi-structure, multi-function family with potential clinical applications. 1994 , 50, 979-86		103
1170	Molecular analysis of an HLA-DP mutant cell line selected for its resistance to killing by HLA-DPw2-specific T-cell clones. <i>Immunogenetics</i> , 1994 , 39, 40-7	3.2	4
1169	HLA class I/class II interaction in early onset pauciarticular juvenile chronic arthritis. <i>Immunogenetics</i> , 1994 , 39, 61-4	3.2	12
1168	H-2T24 and PemaT24: orthologous expressed MHC class Ib genes from mouse and <i>Peromyscus maniculatus</i> . <i>Immunogenetics</i> , 1994 , 39, 412-7	3.2	3
1167	Exchanges of short polymorphic DNA segments predating speciation in feline major histocompatibility complex class I genes. 1994 , 39, 22-33		23

1166	The pathogenesis of HLA-B27 associated arthritis: lessons from the B27 crystal. 1994 , 72, 321-8		
1165	MHCDB--database of the human MHC. <i>Immunogenetics</i> , 1994 , 40, 109-15	3.2	8
1164	Evidence for at least three transcribed BoLA class I loci. <i>Immunogenetics</i> , 1994 , 39, 257-65	3.2	28
1163	Intracellular transport of class I HLA molecules is affected by polymorphic residues in the binding groove. <i>Immunogenetics</i> , 1994 , 39, 266-71	3.2	2
1162	Molecular biology of IDDM. 1994 , 37 Suppl 2, S73-81		29
1161	Processing of viral proteins for presentation by molecules of the major histocompatibility complex. 1994 , 4, 47-61		1
1160	Monte Carlo study of the effect of beta 2-microglobulin on the binding cleft of the HLA-A2 complex. 1994 , 3, 911-9		2
1159	Multiple protein structure alignment. 1994 , 3, 1858-70		105
1158	Modelling of peptide and protein structures. 1994 , 7, 175-202		4
1157	Peptide-antibody conjugates for tumour therapy: a MHC-class-II-restricted tetanus toxin peptide coupled to an anti-Ig light chain antibody can induce cytotoxic lysis of a human B-cell lymphoma by specific CD4 T cells. 1994 , 56, 244-8		10
1156	The molecular genetics of autoimmune liver disease. 1994 , 20, 225-239		57
1155	Determination of amino acids on agretopes of pigeon cytochrome c-related peptides specifically bound to I-A allelic products. 1994 , 24, 76-83		25
1154	A peptide binding weakly to the major histocompatibility molecule augments T cell responses. 1994 , 24, 355-61		8
1153	Flexibility of the T cell receptor repertoire. 1994 , 24, 1604-11		11
1152	Major histocompatibility complex class I allele-specific peptide libraries: identification of peptides that mimic an H-Y T cell epitope. 1994 , 24, 2124-33		45
1151	Major histocompatibility complex regulation of T helper functions mapped to a peptide C terminus that controls ligand density. 1994 , 24, 2337-44		17
1150	Structure of HLA-B27-specific T cell epitopes. Antigen presentation in B*2703 is limited mostly to a subset of the antigenic determinants on B*2705. 1994 , 24, 2548-55		15
1149	The mixotope: a combinatorial peptide library as a T cell and B cell immunogen. 1994 , 24, 2789-95		17

1148	Elongated peptides, not the predicted nonapeptide stimulate a major histocompatibility complex class I-restricted cytotoxic T lymphocyte clone with specificity for a bacterial heat shock protein. 1994 , 24, 3161-9	19
1147	Advances in immunology. 1994 , 16, 671-5	2
1146	High sensitivity, low affinity--paradox of T-cell receptor recognition. 1994 , 6, 9-12	51
1145	Methods to study peptides associated with MHC class I molecules. 1994 , 6, 24-31	38
1144	A differential-avidity model for T-cell selection. 1994 , 15, 362-6	214
1143	Analysis of MHC-presented peptides: applications in autoimmunity and vaccine development. 1994 , 15, 155-60	34
1142	Autoreactivity in HIV-infected individuals does not increase during vaccination with envelope rgp160. 1994 , 41, 147-53	4
1141	Superantigens as etiopathogenetic factors in the development of insulin-dependent diabetes mellitus. 1994 , 10, 309-38	16
1140	Glycoconjugates in autoimmunity. 1994 , 1197, 237-55	14
1139	Glycoconjugates in autoimmunity. 1994 , 1197, 237-255	12
1138	Mechanisms of rejection. 1994 , 8, 425-39	
1137	Reiter's syndrome and reactive arthritis: a current view. 1994 , 24, 190-210	67
1136	The HLA system in transplantation immunology. 1994 , 26, 30-33	1
1135	Human leukocyte antigen-DQB1*03 alleles are associated with alopecia areata. 1994 , 103, 758-63	80
1134	Crystal structure of the human class II MHC protein HLA-DR1 complexed with an influenza virus peptide. <i>Nature</i> , 1994 , 368, 215-21	50.4 1431
1133	Crystal structure at 2.2 Å resolution of the MHC-related neonatal Fc receptor. <i>Nature</i> , 1994 , 372, 336-43	50.4 281
1132	Burnet oration. The thymus then and now. 1994 , 72, 361-6	5
1131	Twenty years into the saga of MHC-restriction. 1994 , 72, 447-54	11

1130	The immunogenetics of glomerulonephritis. 1994 , 45, 377-83	4
1129	The interaction between beta 2-microglobulin (beta 2m) and purified class-I major histocompatibility (MHC) antigen. 1994 , 39, 64-72	37
1128	Biological function of the extracellular domain of the T-cell receptor constant region. 1994 , 39, 517-25	16
1127	Antigenic peptide binding by class I and class II histocompatibility proteins. 1994 , 2, 245-51	236
1126	Structure-based drug design: progress, results and challenges. 1994 , 2, 577-87	204
1125	Crystal structure of a diabody, a bivalent antibody fragment. 1994 , 2, 1217-26	174
1124	Antigen presentation. One size fits all. 1994 , 4, 653-5	10
1123	Sequence analysis of serological HLA-A11 split antigens, A11.1 and A11.2. 1994 , 43, 78-82	20
1122	The HLA-B73 antigen has a most unusual structure that defines a second lineage of HLA-B alleles. 1994 , 43, 302-13	50
1121	HLA and susceptibility to juvenile periodontitis in Afro-Caribbeans. 1994 , 43, 316-9	12
1120	HLA class I self peptides isolated from a T-cell leukemia reveal the allele-specific motif of HLA-B38. 1994 , 44, 65-72	8
1119	A novel HLA-A determinant recognized by a cytotoxic human hybridoma IgG1 monoclonal antibody (TrJ14). 1994 , 44, 306-10	
1118	Rules for peptide binding to MHC class II molecules. 1994 , 102, 241-8	13
1117	The immunogenetics of bone marrow transplantation. 1994 , 8, 45-58	9
1116	Allograft rejection: The role played by adhesion molecules. 1994 , 8, 114-126	5
1115	The three-dimensional structure of H-2Db at 2.4 Å resolution: implications for antigen-determinant selection. <i>Cell</i> , 1994 , 76, 39-50	56.2 232
1114	Peptides in positive and negative selection: a delicate balance. <i>Cell</i> , 1994 , 76, 593-6	56.2 144
1113	Analysis of epitopic residues introduced into the hybrid peptide vaccines prepared according to the cassette theory. 1994 , 12, 776-82	8

1112	The molecular basis of allorecognition. Assessment of the involvement of peptide. 1994 , 41, 105-11	13
1111	Significance of the six peptide-binding pockets of HLA-A2.1 in influenza A matrix peptide-specific cytotoxic T-lymphocyte reactivity. 1994 , 41, 160-6	19
1110	A comprehensive polymerase chain reaction-oligonucleotide typing system for the HLA class I A locus. 1994 , 40, 25-32	22
1109	Characterization of skin-infiltrating cells during acute graft-versus-host disease following bone marrow transplantation using unrelated marrow donors. 1994 , 40, 68-76	6
1108	Different regions of the N-terminal domains of HLA-DR1 influence recognition of individual peptide-DR1 complexes. 1994 , 40, 312-22	7
1107	Identification of the gene encoding a novel HLA-B39 subtype. Two amino acid substitutions on the beta-sheet out of the peptide-binding floor form a novel serological epitope. 1994 , 41, 241-7	10
1106	Characterization of the HLA-A polymorphism by locus-specific polymerase chain reaction amplification and oligonucleotide hybridization. 1994 , 41, 267-79	50
1105	Severe systemic sclerosis with anti-topoisomerase I antibodies is associated with an HLA-DRw11 allele. 1994 , 40, 101-10	42
1104	Natural selection at the class II major histocompatibility complex loci of mammals. 1994 , 346, 359-66; discussion 366-7	78
1103	Importance of peptide amino and carboxyl termini to the stability of MHC class I molecules. 1994 , 265, 398-402	243
1102	Development of high potency universal DR-restricted helper epitopes by modification of high affinity DR-blocking peptides. 1994 , 1, 751-61	424
1101	Do specific pockets of HLA-C molecules predispose Jewish patients to psoriasis vulgaris?. 1994 , 31, 964-8	41
1100	Cloning and expression analysis of the cDNA encoding rat Zn-alpha 2-glycoprotein. 1994 , 145, 245-9	7
1099	Differences in peptide presentation between B27 subtypes: the importance of the P1 side chain in maintaining high affinity peptide binding to B*2703. 1994 , 1, 121-30	59
1098	Structure of peptides associated with class I and class II MHC molecules. 1994 , 12, 181-207	325
1097	The accessibility of peptides bound to the mouse MHC class II molecule IEd studied by fluorescence. 1994 , 342, 230-4	2
1096	The major histocompatibility complex: its genes and their roles in antigen presentation. 1994 , 15, 377-503	5
1095	Identification of functional sites on bovine leukemia virus envelope glycoproteins using structural and immunological data. 1994 , 222, 405-14	15

1094	Analysis of coreceptor versus accessory molecule function of CD8 as a correlate of exogenous peptide concentration. 1994 , 31, 875-83		6
1093	Association of Ld-restricted peptides with the wild-derived mouse Lw16 MHC class I molecule. 1994 , 31, 943-54		3
1092	Immunochemical and molecular analysis of antigen binding to lipid anchored and soluble forms of an MHC independent human alpha/beta T cell receptor. 1994 , 31, 857-72		1
1091	A polymorphic residue in the amino terminal alpha 1 hemi-domain of the mouse Ld class I molecule affects its assembly and surface expression. 1994 , 31, 1169-80		5
1090	Effects of MHC II conformation and pH on the recognition of peptide by T cells. 1994 , 31, 1303-12		2
1089	Residues outside of the HLA-A2 peptide-binding groove can abrogate or enhance recognition of influenza virus matrix peptide pulsed cells by cytotoxic T lymphocytes. 1994 , 31, 445-57		8
1088	Both major and minor peptide-binding pockets in HLA-A2 influence the presentation of influenza virus matrix peptide to cytotoxic T lymphocytes. 1994 , 31, 459-70		16
1087	HLA-B27 binding peptides derived from the 57 kD heat shock protein of Chlamydia trachomatis: novel insights into the peptide binding rules. 1994 , 31, 331-6		27
1086	Sequence restrictions in T cell receptor beta-chains that have specificity for a self-peptide/Ld complex. 1994 , 31, 705-11		9
1085	Peptide sequences binding to MHC class I proteins. 1994 , 31, 1431-7		23
1084	MHC-dependent antigen processing and peptide presentation: providing ligands for T lymphocyte activation. <i>Cell</i> , 1994 , 76, 287-99	56.2	1222
1083	Structures of two classes of MHC molecules elucidated: crucial differences and similarities. 1994 , 4, 852-6		39
1082	Investigation of the interaction between the class I MHC-related Fc receptor and its immunoglobulin G ligand. 1994 , 1, 303-15		135
1081	The role of major histocompatibility complex genes in myasthenia gravis and experimental autoimmune myasthenia gravis pathogenesis. 1994 , 4, 387-402		14
1080	Flow-cytometric determination of peptide-class I complex formation. Identification of p53 peptides that bind to HLA-A2. 1994 , 39, 79-86		61
1079	Mutation of the alpha 2 domain disulfide bridge of the class I molecule HLA-A*0201. Effect on maturation and peptide presentation. 1994 , 39, 261-71		45
1078	Cell surface adhesion receptors. 1994 , 4, 841-51		20
1077	Phage display: structure, assembly and engineering of filamentous bacteriophage M13. 1994 , 4, 225-230		36

1076	A novel HLA-A*8001 allele identified in an African-American population. 1994 , 39, 163-8		14
1075	Complete association of the HLA-DRB1*04 and -DQB1*04 alleles with Vogt-Koyanagi-Harada's disease. 1994 , 39, 169-76		83
1074	Effect of single amino acid substitution at residue 167 of HLA-B51 on binding of antibodies and recognition of T cells. 1994 , 39, 211-9		11
1073	Epitope analysis: a strategy for intelligent mismatching in highly sensitized patients. 1994 , 2, 140-3		2
1072	Intraepithelial lymphocytes and their recognition of non-classical MHC molecules. 1994 , 11, 15-30		28
1071	The Major Histocompatibility Complex. 1994 , 2, 79-83		1
1070	Formation and dissociation of short-lived class II MHC-peptide complexes. <i>Biochemistry</i> , 1994 , 33, 1861-8,2		25
1069	Effect of conformational flexibility and solvation on receptor-ligand binding free energies. <i>Biochemistry</i> , 1994 , 33, 13977-88	3.2	149
1068	Crystal structure of recombinant human platelet factor 4. <i>Biochemistry</i> , 1994 , 33, 8361-6	3.2	167
1067	Modern concepts in immune recognition and lymphocyte activation. Relevance for the development of useful vaccines. 1994 , 10, 81-92		12
1066	Immungenetische Grundlagen der seronegativen Spondarthritis - Modelle zur pathogenetischen Rolle des HLA-B27-Moleküls. 1994 , 19, 77-83		1
1065	Cytokines and the immune response. 1994 , 41, 597-621		26
1064	Immunogenetics of chronic liver diseases. 1994 , 106, 1676-97		106
1063	Transplantation immunology. 1994 , 41, 819-39		9
1062	Lawrence Lecture. The Emperor's new genes: 1993 RD Lawrence Lecture. 1994 , 11, 6-16		28
1061	Immune response against tumors. 1994 , 57, 281-351		55
1060	Physicochemical analyses of oligosaccharide determinants of glycoproteins. 1994 , 50, 311-50		24
1059	Molecular genetics of speciation and human origins. 1994 , 91, 6787-94		60

1058	Structure, function, and evolution of mouse TL genes, nonclassical class I genes of the major histocompatibility complex. 1994 , 91, 6589-93	18
1057	Direct binding of myelin basic protein and synthetic copolymer 1 to class II major histocompatibility complex molecules on living antigen-presenting cells--specificity and promiscuity. 1994 , 91, 4872-6	214
1056	A second lineage of mammalian major histocompatibility complex class I genes. 1994 , 91, 6259-63	668
1055	Binding of soluble natural ligands to a soluble human T-cell receptor fragment produced in Escherichia coli. 1994 , 91, 9057-61	31
1054	Regulation of receptor internalization by the major histocompatibility complex class I molecule. 1994 , 91, 9086-90	21
1053	Isolation and characterization of major histocompatibility complex class IIB genes from the nurse shark. 1994 , 91, 262-6	94
1052	A uniquely high level of recombination at the HLA-B locus. 1994 , 91, 5893-7	97
1051	HLA associations in the antitumor response against malignant melanoma. 1995 , 18, 242-52	53
1050	Low major histocompatibility complex class II diversity in European and North American moose. 1995 , 92, 4259-63	100
1049	Dialysis-associated amyloidosis. 1995 , 2, 24-39	9
1048	From Aristotle, through Spemann, to tumor immunology: a personal experience. 1995 , 66, 41-70	
1047	Chapter 21. The T Cell Antigen Presenting Cell Interaction as a Site for Immunosuppressive Interventions. 1995 , 199-208	1
1046	Chapter 13 Multi-dimensional searches in macromolecular X-ray crystallography. 1995 , 15, 281-301	
1045	Advances in selective immunosuppression. 1995 , 33, 255-85	1
1044	Chapter 11 The role of glycosylation in cell regulation. 1995 , 265-286	
1043	Staphylococcal enterotoxins bind H-2Db molecules on macrophages. 1995 , 92, 6294-8	21
1042	Human class II MHC molecule HLA-DR1: X-ray structure determined from three crystal forms. 1995 , 51, 946-61	5
1041	Molecular dynamics and structure-based drug design for predicting non-natural nonapeptide binding to a class I MHC protein. 1995 , 51, 541-9	3

1040	Topology of the CD2-CD48 cell-adhesion molecule complex: implications for antigen recognition by T cells. 1995 , 5, 74-84	114
1039	The crystal structures of the oligopeptide-binding protein OppA complexed with tripeptide and tetrapeptide ligands. 1995 , 3, 1395-406	86
1038	Antigenic characteristics and cDNA sequences of HLA-B73. 1995 , 22, 231-40	5
1037	Expression of the rat MHC class I gene in the human B lymphoblastoid cell line Hmy 2 CIR. 1995 , 22, 479-83	
1036	RG1, a new murine monoclonal antibody recognizing a "supertypic" determinant on HLA-A molecules. 1995 , 45, 203-12	3
1035	Genetic polymorphism within HLA-A*02: significant allelic variation revealed in different populations. 1995 , 45, 223-31	129
1034	Identification of a novel HLA-A33 subtype (A*3303) and correction of the A*3301 sequence. 1995 , 45, 348-52	11
1033	A novel HLA-A30 allele (A*3004) identified by single-strand conformation polymorphism analysis and confirmed by solid-phase sequencing. 1995 , 46, 322-6	8
1032	A cytotoxic human monoclonal antibody that can discriminate HLA-A*3002 from HLA-A*3001 subtypes. 1995 , 46, 327-9	2
1031	Primary structure of a novel HLA-B39 allele (B*3909) from the Warao Indians of Venezuela. Further evidence for local HLA-B diversification in South America. 1995 , 46, 401-4	24
1030	Three new HLA-B alleles found in Mexican-Americans. 1995 , 46, 414-16	17
1029	Multiple sclerosis: are HLA class I molecules involved in disease pathogenesis?. 1995 , 38, 137-9	5
1028	Major histocompatibility complex class II gene associations with anti-U1 small nuclear ribonucleoprotein antibody. Relationship to immunoreactivity with individual constituent proteins. 1995 , 38, 396-405	21
1027	The interaction of beta 2-microglobulin (beta 2m) with mouse class I major histocompatibility antigens and its ability to support peptide binding. A comparison of human and mouse beta 2m. 1995 , 25, 1609-16	65
1026	Functional analysis of avian class I (BFIV) glycoproteins by epitope tagging and mutagenesis in vitro. 1995 , 25, 2069-76	41
1025	Peptide anchor residue glycosylation: effect on class I major histocompatibility complex binding and cytotoxic T lymphocyte recognition. 1995 , 25, 3270-6	67
1024	Presentation of endogenous viral proteins in association with major histocompatibility complex class II: on the role of intracellular compartmentalization, invariant chain and the TAP transporter system. 1995 , 25, 3402-11	90
1023	Induction and characterization of cytotoxic T-lymphocytes recognizing a mutated p21ras peptide presented by HLA-A*0201. 1995 , 61, 389-96	71

1022	Peptide motif of a cattle MHC class I molecule. 1995 , 45, 129-36		16
1021	Transcriptional regulation of MHC class II genes. 1995 , 25, 71-8		14
1020	An analysis of the role of skin Langerhans cells (LC) in the cytoplasmic processing of HIV-1 peptides after "peplotion" transepidermal transfer and HLA class I presentation to CD8+ CTLs--an approach to immunization of humans. 1995 , 9, 133-47		5
1019	Proteasome and class I antigen processing and presentation. 1995 , 21, 53-6		35
1018	Expression rate of cytokine mRNA in the liver of chronic hepatitis C: comparison with chronic hepatitis B. 1995 , 30, 41-7		44
1017	Identification of a novel HLA-A2 subtype, HLA-A*0216. <i>Immunogenetics</i> , 1995 , 41, 388	3.2	6
1016	Sequence analysis of the human alpha beta T-cell receptor CDR3 region. <i>Immunogenetics</i> , 1995 , 42, 10-8	3.2	71
1015	HLA-B alleles of the Cayapa of Ecuador: new B39 and B15 alleles. <i>Immunogenetics</i> , 1995 , 42, 19-27	3.2	45
1014	Gene conversion vs point mutation in generating variability at the antigen recognition site of major histocompatibility complex loci. 1995 , 41, 115-9		42
1013	Genetic polymorphism of the mouse major histocompatibility complex-associated proteasome subunit Lmp7. <i>Immunogenetics</i> , 1995 , 41, 251-4	3.2	7
1012	Natural selection on the peptide-binding regions of major histocompatibility complex molecules. <i>Immunogenetics</i> , 1995 , 42, 233-43	3.2	104
1011	The MHC E locus in macaques is polymorphic and is conserved between macaques and humans. <i>Immunogenetics</i> , 1995 , 41, 59-68	3.2	74
1010	Characterization of a novel HLA-A2 variant, A*0214, by ARMS-PCR and DNA sequencing. <i>Immunogenetics</i> , 1995 , 41, 50	3.2	9
1009	Structural and immunological reactivity of the principal neutralizing determinant V3 of glycoprotein gp120 of HIV-1. 1995 , 1, 109-23		
1008	The enigma of the natural killer cell. <i>Nature</i> , 1995 , 378, 245-8	50.4	226
1007	Frequency of down-regulation of individual HLA-A and -B alleles in cervical carcinomas in relation to TAP-1 expression. 1995 , 72, 405-11		128
1006	Fv fragment-mediated crystallization of the membrane protein bacterial cytochrome c oxidase. 1995 , 2, 842-6		155
1005	Antigen-presenting function of the TL antigen and mouse CD1 molecules. 1995 , 147, 31-52		23

1004	The origins of HLA-A,B,C polymorphism. 1995 , 143, 141-80		252
1003	Exonic MHC-DRB polymorphisms and intronic simple repeat sequences: Janus' faces of DNA sequence evolution. 1995 , 143, 199-224		36
1002	Ligands for the T-cell receptor: hard times for avidity models. 1995 , 16, 223-5		124
1001	Selective steady-state and time-resolved fluorescence spectroscopy of an HLA-A2-peptide complex. 1995 , 44, 195-201		13
1000	Flexible docking of peptides to class I major-histocompatibility-complex receptors. 1995 , 12, 1-21		31
999	Measuring interactions of MHC class I molecules using surface plasmon resonance. 1995 , 183, 77-94		46
998	Association of intermediate uveitis with HLA-A28: definition of a new systemic syndrome?. 1995 , 233, 269-74		12
997	Diversity of T cell receptors specific for the VSV antigenic peptide (N52-59) bound by the H-2Kb class I molecule. 1995 , 160, 33-42		35
996	Conformational changes induced in the MHC class I molecule by peptide and beta 2-microglobulin. 1995 , 14, 200-17		9
995	The Bw4 public epitope of HLA-B molecules confers reactivity with natural killer cell clones that express NKB1, a putative HLA receptor. <i>Journal of Experimental Medicine</i> , 1995 , 181, 1133-44	16.6	442
994	. 1995 ,		4
993	Three-dimensional structures of alpha and beta chemokines. 1995 , 9, 57-62		115
992	Structural studies of class I major histocompatibility complex proteins: insights into antigen presentation. 1995 , 9, 26-36		56
991	A structural view of CD4 and CD8. 1995 , 9, 17-25		57
990	Predicted complementarity determining regions of the T cell antigen receptor determine antigen specificity.. 1995 , 14, 927-938		38
989	Human IgG1 Hinge-Fragment as a Core Structure for Immunogens. 1995 , 907-969		
988	Immunological aspects of experimental allergic encephalomyelitis and multiple sclerosis. 1995 , 32, 121-82		317
987	Mutation of Leu25 and Val27 introduces CC chemokine activity into interleukin-8. <i>Journal of Biological Chemistry</i> , 1995 , 270, 2716-21	5.4	71

986	How MHC class II molecules acquire peptide cargo: biosynthesis and trafficking through the endocytic pathway. 1995 , 11, 267-306		236
985	Polymorphism of human minor histocompatibility antigens: T cell recognition of human minor histocompatibility peptides presented by HLA-B35 subtype molecules. <i>Journal of Experimental Medicine</i> , 1995 , 181, 2037-48	16.6	16
984	An ion pair in class II major histocompatibility complex heterodimers critical for surface expression and peptide presentation. <i>Journal of Biological Chemistry</i> , 1995 , 270, 22351-60	5.4	13
983	Flexible docking and design. 1995 , 24, 677-700		116
982	Mutation of a major histocompatibility class I locus, H-2D, leads to an increased virus burden and disease susceptibility in Theiler's virus-induced demyelinating disease. 1995 , 1, 138-44		25
981	HLA Typing for Bone Marrow Transplantation. 1995 , 273, 586		18
980	Species-specific differences in chaperone interaction of human and mouse major histocompatibility complex class I molecules. <i>Journal of Experimental Medicine</i> , 1995 , 181, 327-37	16.6	144
979	HLA-A2 subtypes are functionally distinct in peptide binding and presentation. <i>Journal of Experimental Medicine</i> , 1995 , 182, 1847-56	16.6	100
978	The Class I and Class II Proteins of the Human Major Histocompatibility Complex. 1995 , 274, 1074		10
977	Current advances in the X-ray crystallography of proteins. 1995 , 64, 1064-1104		
976	The T-cell receptor beta locus and susceptibility to multiple sclerosis. 1995 , 45, 1859-63		37
975	Tolerance to amino acid variations in peptides binding to the major histocompatibility complex class I protein H-2Kb. <i>Journal of Biological Chemistry</i> , 1995 , 270, 24130-4	5.4	49
974	Monoclonal Antibodies by Somatic Cell Fusion. 1995 , 37, 125-132		1
973	Cloning and expression of a <i>Leishmania donovani</i> gene instructed by a peptide isolated from major histocompatibility complex class II molecules of infected macrophages. <i>Journal of Experimental Medicine</i> , 1995 , 182, 1423-33	16.6	49
972	Involvement of both major histocompatibility complex class II alpha and beta chains in CD4 function indicates a role for ordered oligomerization in T cell activation. <i>Journal of Experimental Medicine</i> , 1995 , 182, 779-87	16.6	106
971	The CD1 family: a third lineage of antigen-presenting molecules. 1995 , 59, 1-98		323
970	Ligand binding by the immunoglobulin superfamily recognition molecule CD2 is glycosylation-independent. <i>Journal of Biological Chemistry</i> , 1995 , 270, 369-75	5.4	53
969	Decrypting the structure of major histocompatibility complex class I-restricted cytotoxic T lymphocyte epitopes with complex peptide libraries. <i>Journal of Experimental Medicine</i> , 1995 , 181, 2097-108	16.6	94

968	Accuracy of a structural homology model for a class II histocompatibility protein, HLA-DR1: comparison to the crystal structure. 1995 , 12, 1213-33		4
967	The peptide-binding domain of the chaperone protein Hsc70 has an unusual secondary structure topology. <i>Biochemistry</i> , 1995 , 34, 6261-6	3.2	93
966	Identification of the peptide binding motif for HLA-B44, one of the most common HLA-B alleles in the Caucasian population. <i>Biochemistry</i> , 1995 , 34, 10130-8	3.2	60
965	CD28/CTLA-4 receptor structure, binding stoichiometry and aggregation during T-cell activation. 1995 , 146, 130-40		13
964	Thoughtful cruises in oceans of peptides and T cells. 1995 , 146, 309-20		1
963	Evolution of the major histocompatibility complex: a current overview. 1995 , 3, 1-20		40
962	Allelic differences affecting invariant chain dependency of MHC class II subunit assembly. 1995 , 2, 301-10		91
961	Evidence that the antigen receptors of cytotoxic T lymphocytes interact with a common recognition pattern on the H-2Kb molecule. 1995 , 3, 573-82		81
960	The MHC class I homolog encoded by human cytomegalovirus binds endogenous peptides. 1995 , 3, 583-90		128
959	The membrane-bound and soluble forms of HLA-G bind identical sets of endogenous peptides but differ with respect to TAP association. 1995 , 3, 591-600		284
958	Different MHC class I alleles compete for presentation of overlapping viral epitopes. 1995 , 3, 65-77		69
957	Evidence for an early heavy chain intermediate in the assembly of H-2Db class I MHC molecules. 1995 , 32, 137-46		
956	Class I MHC alpha 3 domain can function as an independent structural unit to bind CD8 alpha. 1995 , 32, 267-75		14
955	Db-binding peptides from influenza virus: effect of non-anchor residues on stability and immunodominance. 1995 , 32, 623-32		20
954	Probing immunogenicity of a T cell epitope by L-alanine and D-amino acid scanning. 1995 , 32, 1073-80		13
953	Antigen processing: the gateway to the immune response. 1995 , 32, 640-52		34
952	Detailed motifs for peptide binding to HLA-A*0201 derived from large random sets of peptides using a cellular binding assay. 1995 , 43, 1-12		42
951	Defining the allelic variants of HLA-A30 in the Sardinian population using amplification refractory mutation system--polymerase chain reaction. 1995 , 44, 35-42		9

950	Nucleotide sequence analysis of HLA-B*1523 and B*8101. Dominant alpha-helical motifs produce complex serologic recognition patterns for the HLA-B"DT" and HLA-B"NM5" antigens. 1995 , 44, 103-10		9
949	An HLA class I peptide-binding assay based on competition for binding to class I molecules on intact human B cells. Identification of conserved HIV-1 polymerase peptides binding to HLA-A*0301. 1995 , 44, 189-98		72
948	Contribution of class I HLA-A2 antigen in immune reactions. 1995 , 45, 54-8		6
947	Nonclassical binding of formylated peptide in crystal structure of the MHC class Ib molecule H2-M3. <i>Cell</i> , 1995 , 82, 655-64	56.2	142
946	Binding domain regulation of MHC class II molecule assembly, trafficking, fate, and function. 1995 , 7, 361-72		21
945	Conserved structural features on protein surfaces: small exterior hydrophobic clusters. 1995 , 249, 251-8		31
944	Beta2-microglobulin levels before and after interferon treatment in patients with chronic hepatitis C. 1995 , 56, 269-279		
943	HLA class I antigens in human tumors. 1995 , 67, 155-95		101
942	The biochemistry and cell biology of antigen presentation by MHC class I and class II molecules. Implications for development of combination vaccines. 1995 , 754, 114-25		56
941	The three-dimensional structure of peptide-MHC complexes. 1995 , 13, 587-622		691
940	Molecular Modelling and Simulations of Major Histocompatibility Complex Class I Protein-Peptide Interactions. 171-213		
939	Adhesion of Cells. 1995 , 755-803		2
938	[Study of class I HLA polymorphism in the Tunisian population]. 1995 , 2, 381-6		5
937	Cells expressing a major histocompatibility complex class I molecule with a single covalently bound peptide are highly immunogenic. <i>Journal of Experimental Medicine</i> , 1995 , 181, 493-502	16.6	63
936	The myth of Eve: molecular biology and human origins. 1995 , 270, 1930-6		143
935	Mapping T cell recognition: the identification of a T cell receptor residue critical to the specific interaction with an influenza hemagglutinin peptide. 1995 , 25, 1654-62		31
934	Heritable factors distinguish two types of alopecia areata. 1996 , 14, 679-89		44
933	The Immunoglobulin Superfamily: Where Do Invertebrates Fit In?. 1996 , 151-184		7

932	Antigen-presenting function(s) of the non-classical HLA-E, -F and -G class I molecules: the beginning of a story. 1996 , 147, 301-13	55
931	Reverse immunogenetics: from HLA-disease associations to vaccine candidates. 1996 , 2, 38-45	54
930	Isolation of major histocompatibility complex class I cDNA from pink salmon (<i>Oncorhynchus gorbuscha</i>). 1996 , 20, 217-28	22
929	Selection of peptides that bind to the HLA-A2.1 molecule by molecular modelling. 1996 , 33, 221-30	33
928	Direct detection of peptide-dependent HLA variability by surface plasmon resonance. 1996 , 33, 573-82	3
927	The role of sensitized T-cells in myocarditis and dilated cardiomyopathy. 1996 , 54, 117-25	47
926	HLA-B*1303: a new example of poor correlation between serology and structure. 1996 , 45, 32-6	6
925	Identification and DNA typing of two Cw7 alleles (Cw*0702 and Cw*0704) in Japanese, with the corrected sequence of Cw*0702. 1996 , 45, 52-8	15
924	Allele typing of HLA-A10 group by nested-PCR-low ionic strength single stranded conformation polymorphism and a novel A26 allele (A26KY, A*2605). 1996 , 50, 140-7	10
923	Production and crystallization of MHC class I B allele single peptide complexes. 1996 , 383, 119-23	28
922	Inference of structure and function of fish Major Histocompatibility Complex (MHC) molecules from expressed genes. 1996 , 6, 305-318	32
921	TcR recognition of the MHC-peptide dimer: structural properties of a ternary complex. 1996 , 261, 72-89	16
920	Novel structural features of the human histocompatibility molecules HLA-DQ as revealed by modeling based on the published structure of the related molecule HLA-DR. 1996 , 117, 145-63	28
919	Structural definition of the A*74 group: implications for matching in bone marrow transplantation with alternative donors. 1996 , 48, 205-9	8
918	Reactivity and specificity of CD8+ T cells in mice with defects in the MHC class I antigen-presenting pathway. 1996 , 151, 123-48	27
917	Current ideas on the role of HLA molecules in human Diseases. 1996 , 16, 14-21	3
916	Computational determination of side chain specificity for pockets in class I MHC molecules. 1996 , 33, 1231-9	32
915	Role of non-anchor residues of Db-restricted peptides in class I binding and TCR triggering. 1996 , 33, 1323-33	16

914	Tissue- and Organ-Specific Immune Responses: Role in Human Disease and Allograft Immunity. 1996 , 10, 34-45	4
913	The specificity and orientation of a TCR to its peptide-MHC class II ligands. 1996 , 4, 367-76	155
912	A point mutation in HLA-A*0201 results in failure to bind the TAP complex and to present virus-derived peptides to CTL. 1996 , 4, 505-14	124
911	An altered position of the alpha 2 helix of MHC class I is revealed by the crystal structure of HLA-B*3501. 1996 , 4, 203-13	154
910	Bound water structure and polymorphic amino acids act together to allow the binding of different peptides to MHC class I HLA-B53. 1996 , 4, 215-28	142
909	Proteolytic cleavage of MHC class I by complement C1-esterases--an overlooked mechanism?. 1996 , 2, 163-8	6
908	Molecular mimicry: the geographical distribution of immune responses to Klebsiella in ankylosing spondylitis and its relevance to therapy. 1996 , 15 Suppl 1, 57-61	18
907	Population biology of antigen presentation by MHC class I molecules. 1996 , 272, 67-74	552
906	The HLA System: An Update and Relevance to Patient-Donor Matching Strategies in Clinical Transplantation. 1996 , 71, 6-12	7
905	Complementary mutations in an antigenic peptide allow for crossreactivity of autoreactive T-cell clones. 1996 , 93, 15317-22	59
904	Avian gut-associated lymphoid tissues and intestinal immune responses to Eimeria parasites. 1996 , 9, 349-60	249
903	A left-hand beta-helix revealed by the crystal structure of a carbonic anhydrase from the archaeon Methanosarcina thermophila.. 1996 , 15, 2323-2330	198
902	Isolation and characterization of retinoic acid-inducible cDNA clones in F9 cells: a novel cDNA family encodes cell surface proteins sharing partial homology with MHC class I molecules. 1996 , 119, 319-28	76
901	The divergence of major histocompatibility complex class I genes in Sciurus aberti. 1996 , 13, 56-66	2
900	Section Review Pulmonary-Allergy, Dermatological, Gastrointestinal & Arthritis: HLA-derived peptides as a strategy for the prevention of allograft rejection. 1996 , 5, 809-818	1
899	Chapter 1 The thymus in immunity. 1996 , 1-20	
898	Human leukocyte antigen system and the immune response to it. 1996 , 35-42	6
897	Antigen-specific T-cell receptors and their reactions with complexes formed by peptides with major histocompatibility complex proteins. 1996 , 49, 1-56	61

896	Cell recognition molecules of the immunoglobulin superfamily in the nervous system. 1996 , 33-75		4
895	The T cell receptor. 1996 , 77-104		
894	Immunity to Human Papillomavirus-Associated Cervical Neoplasia. 1996 , 69, 175-211		33
893	Chapter 7 The major histocompatibility complex. 1996 , 121-136		
892	The HLA system: an update and relevance to patient-donor matching strategies in clinical transplantation. 1996 , 71, 6-12		9
891	Shared fine specificity between T-cell receptors and an antibody recognizing a peptide/major histocompatibility class I complex. 1996 , 93, 10338-42		44
890	Structure of the MDM2 oncoprotein bound to the p53 tumor suppressor transactivation domain. 1996 , 274, 948-53		1806
889	Antigen processing and presentation by the class I major histocompatibility complex. 1996 , 14, 369-96		513
888	Molecular mechanisms of class I major histocompatibility complex antigen processing and presentation. 1996 , 15, 208-33		16
887	Class I HLA-restricted cytotoxic T lymphocyte responses against malaria--elucidation on the basis of HLA peptide binding motifs. 1996 , 15, 280-305		19
886	The role of major histocompatibility complex polymorphisms on SIV infection in rhesus macaques. 1996 , 51, 35-8		18
885	Production of crystallizable fragments of membrane proteins. <i>Journal of Bioenergetics and Biomembranes</i> , 1996 , 28, 35-40	3.7	6
884	The sheep CD1 gene family contains at least four CD1B homologues. <i>Immunogenetics</i> , 1996 , 44, 86-96	3.2	10
883	MHCDB: database of the human MHC (release 2). <i>Immunogenetics</i> , 1996 , 45, 6-8	3.2	13
882	Binding of nonamer peptides to three HLA-B51 molecules which differ by a single amino acid substitution in the A-pocket. <i>Immunogenetics</i> , 1996 , 43, 268-76	3.2	24
881	Expression of distinct conformations of free HLA-Cw4 heavy chains in transfected neuroblastoma cells. <i>Immunogenetics</i> , 1996 , 43, 289-95	3.2	5
880	Expressed <i>Peromyscus maniculatus</i> (Pema) MHC class I genes: evolutionary implications and the identification of a gene encoding a Qa1-like antigen. <i>Immunogenetics</i> , 1996 , 44, 177-185	3.2	16
879	The sheep CD1 gene family contains at least four CD1B homologues. <i>Immunogenetics</i> , 1996 , 44, 86-96	3.2	11

878	Interallelic recombination has not played a major role in the history of the HLA-C locus. <i>Immunogenetics</i> , 1996 , 44, 128-133	3.2	11
877	Rat MHC class I peptides are immunogenic. 1996 , 9, S337-S339		3
876	Analysis of HLA alleles in Japanese patients with cirrhosis due to chronic hepatitis C. 1996 , 11, 241-6		27
875	Novel alleles HLA-B*7802 and B*51022: evidence for convergency in the HLA-B5 family. 1996 , 47, 49-57		8
874	Novel HLA-B alleles, B*8201, B*3515 and B*5106, add to the complexity of serologic identification of HLA types. 1996 , 47, 179-87		21
873	HLA-B14 subtypes and their influence on allorecognition. 1996 , 47, 253-6		3
872	Further molecular diversity in the HLA-B15 group. 1996 , 47, 265-74		36
871	Description of a modified sequencing strategy and the molecular characterization of HLA-B*8201. 1996 , 47, 438-41		13
870	Stable inheritance of an HLA-"blank" phenotype associated with a structural mutation in the HLA-A*0301 gene. 1996 , 48, 187-91		35
869	Nucleotide sequence for HLA-A*2608 which encodes glutamine at codon 156. 1996 , 48, 210-2		10
868	A novel recombinant HLA-B*39 allele (B*3910) in a South African Zulu. 1996 , 48, 595-7		10
867	A novel HLA-A*24 (A*2410) identified in a Javanese population. 1996 , 48, 711-3		11
866	Nucleotide sequence for HLA-A*0221 which encodes a novel HLA class I polymorphic residue. 1996 , 48, 720-4		6
865	RECENT ADVANCES IN HLA. 1996 , 70, 89-94		2
864	HLA AND ANTIGEN PEPTIDE. 1996 , 70, 102-110		
863	T-cell receptor expression in C57BL/6 mice that reject or are rendered tolerant to bm1 cardiac grafts. 1996 , 112, 310-3		3
862	Virus-induced autoimmune disease: transgenic approach to mimic insulin-dependent diabetes mellitus and other autoimmune diseases. 1996 , 104, 689-97		7
861	HLA-A2 polymorphism and immune functions. 1996 , 23, 261-74		13

860	Immunogenetics in liver disease. 1996 , 10, 533-49	16
859	Functions for MHC class I carbohydrates inside and outside the cell. 1996 , 21, 427-33	25
858	Three-part inventions: intracellular signaling and induced proximity. 1996 , 21, 418-22	128
857	Analysis of major histocompatibility complex class I-restricted hapten recognition by mutation of the V-J joining of T cell receptor alpha chains. 1996 , 26, 179-86	11
856	Cell type-specific processing of the I-Ed-restricted hen egg lysozyme determinant 107-116. 1996 , 26, 1656-9	12
855	Peptide binding specificity of major histocompatibility complex class I resolved into an array of apparently independent subspecificities: quantitation by peptide libraries and improved prediction of binding. 1996 , 26, 1911-8	86
854	The functional half-life of H-2Kd-restricted T cell epitopes on living cells. 1996 , 26, 1993-9	19
853	Genetic diversity of HLA-A2: evolutionary and functional significance. 1996 , 17, 165-70	85
852	Frequency analysis of amino acids in the recognition regions of T-cell receptors. 1996 , 39, 77-85	
851	Biophysical studies of T-cell receptors and their ligands. 1996 , 8, 93-100	52
850	Attempts to demonstrate indirect T cell allorecognition of donor MHC peptides in transplant patients. 1996 , 54, 21-4	9
849	MHC class I phenotype and function of human beta 2-microglobulin transgenic murine lymphocytes. 1996 , 44, 615-22	5
848	The Nobel Prize in medicine 1996. 1996 , 44, 541-3	
847	Antibody reactivity profiles following immunization with diverse peptides of the PERB11 (MIC) family. 1996 , 106, 568-76	12
846	Analysis of T-cell hybridomas with an unusual MHC class II-dependent ligand specificity. 1996 , 89, 238-44	1
845	A combinatorial peptide library around variation of the human immunodeficiency virus (HIV-1) V3 domain leads to distinct T helper cell responses. 1996 , 2, 165-75	3
844	The role of polymorphic donor peptides in allograft recognition and rejection. 1996 , 154, 21-43	17
843	Alloreactivity, antigen recognition and T-cell selection: three diverse T-cell recognition problems with a common solution. 1996 , 154, 59-103	23

842	Presentation of HLA class I-derived peptides: potential involvement in allorecognition and HLA-B27-associated arthritis. 1996 , 154, 137-54		36
841	Antigen-presenting-cell function of interferon gamma-treated human gingival fibroblasts. 1996 , 31, 217-28		38
840	A novel MHC class I-like gene is mutated in patients with hereditary haemochromatosis. 1996 , 13, 399-408		3224
839	Processing and presentation of endocytically acquired protein antigens by MHC class II and class I molecules. 1996 , 151, 5-30		88
838	Appreciating the complexity of MHC class II peptide binding: lysozyme peptide and I-Ak. 1996 , 151, 81-105		44
837	A high affinity T cell receptor?. 1996 , 74, 292-7		6
836	Essential flexibility in the T-cell recognition of antigen. <i>Nature</i> , 1996 , 380, 495-8	50.4	279
835	Pictures of MHC restriction. <i>Nature</i> , 1996 , 384, 109-10	50.4	12
834	Structure of the complex between human T-cell receptor, viral peptide and HLA-A2. <i>Nature</i> , 1996 , 384, 134-41	50.4	1199
833	Identification of Elements of the Peptide Binding Site of DnaK by Peptide Cross-linking. <i>Journal of Biological Chemistry</i> , 1996 , 271, 19668-19674	5.4	5
832	Loss of functional beta 2-microglobulin in metastatic melanomas from five patients receiving immunotherapy. 1996 , 88, 100-8		402
831	Visualization of CD2 interaction with LFA-3 and determination of the two-dimensional dissociation constant for adhesion receptors in a contact area. 1996 , 132, 465-74		213
830	Ribosomal scanning past the primary initiation codon as a mechanism for expression of CTL epitopes encoded in alternative reading frames. <i>Journal of Experimental Medicine</i> , 1996 , 184, 1319-29	16.6	78
829	Arginine at positions 13 or 70-71 in pocket 4 of HLA-DRB1 alleles is associated with susceptibility to tuberculoid leprosy. <i>Journal of Experimental Medicine</i> , 1996 , 183, 829-36	16.6	87
828	Cellular Basis of the Immune System. 1996 , 26-49		0
827	Invertebrate Immune Responses. 1996 ,		2
826	Indirect T cell recognition in allograft rejection. 1996 , 13, 245-55		40
825	Role of HLA class I in HIV type 1-induced syncytium formation. 1996 , 12, 1031-40		7

824	Structure of HLA molecules and immunosuppressive effects of HLA derived peptides. 1996 , 13, 173-85		20
823	Structural comparison of major histocompatibility complex class I molecules and homology modelling of five distinct human leukocyte antigen-A alleles. 1996 , 9, 1151-64		12
822	Structural basis for T cell recognition of altered peptide ligands: a single T cell receptor can productively recognize a large continuum of related ligands. <i>Journal of Experimental Medicine</i> , 1996 , 184, 1259-68	16.6	173
821	Infection, Polymorphism and Evolution. 1996 ,		1
820	Antagonist HIV-1 Gag peptides induce structural changes in HLA B8. <i>Journal of Experimental Medicine</i> , 1996 , 184, 2279-86	16.6	123
819	The major presentation and histocompatibility complex. 1996 , 3, 105-126		
818	Correlating patterns in alignments of polymorphic sequences with experimental assays. 1997 , 13, 13-22		
817	HLA class I binding motifs derived from random peptide libraries differ at the COOH terminus from those of eluted peptides. <i>Journal of Experimental Medicine</i> , 1997 , 185, 367-71	16.6	40
816	The Biology of the Immune System. 1997 , 278, 1804		29
815	Vertical transmission of human immunodeficiency virus. 1997 , 90, 5-12		3
814	Electron-density map interpretation. 1997 , 277, 173-208		399
813	Implications of atomic-resolution structures for cell adhesion. 1997 , 13, 363-93		33
812	Milestones in the molecular structure of the major histocompatibility complex. 1997 , 10, 471-4		7
811	Initiation codon scanthrough versus termination codon readthrough demonstrates strong potential for major histocompatibility complex class I-restricted cryptic epitope expression. <i>Journal of Experimental Medicine</i> , 1997 , 186, 1051-8	16.6	40
810	Generation of CD8+ T cells specific for transporter associated with antigen processing deficient cells. 1997 , 94, 11496-501		36
809	HLA?????????. 1997 , 4, 18-52		0
808	New Insights Into Mechanisms of Allograft Rejection. 1997 , 313, 257-263		1
807	Determination of HLA-A*02 alleles using nested PCR-SSP in Korean population. 1997 , 1, 129-134		1

806	The immune system: A functional perspective. 1997 , 3, 55-125	
805	Die Bedeutung des HLA-DRBI-Gens bei der chronischen Polyarthrit. 1997 , 22, 1-6	4
804	Immune evasion in malaria: altered peptide ligands of the circumsporozoite protein. 1997 , 115 Suppl, S55-66	34
803	Studies on the interaction of T-cells with major histocompatibility complex class II antigens. 1997 , 92, 25-36	2
802	Role of macrophage migration inhibitory factor in the regulation of the immune response. 1997 , 66, 197-223	72
801	Cellular Immunology. 1997 , 743-785	
800	Chapter 9 Antibody specificity and diversity: The proteins (Part I). 1997 , 3, 277-322	
799	Genetic risk factors in inflammatory abdominal aortic aneurysms: polymorphic residue 70 in the HLA-DR B1 gene as a key genetic element. 1997 , 25, 356-64	72
798	Prevention of transplant rejection: current treatment guidelines and future developments. 1997 , 54, 533-70	62
797	Crystal structure of mouse CD1: An MHC-like fold with a large hydrophobic binding groove. 1997 , 277, 339-45	559
796	The solution structure of a class II major histocompatibility complex superantigen binding domain. 1997 , 234, 660-5	4
795	Beta 2-microglobulin induces stromelysin production by human synovial fibroblasts. 1997 , 239, 621-5	21
794	A highly conserved major histocompatibility complex class I-related gene in mammals. 1997 , 238, 697-702	55
793	Topology of T cell receptor-peptide/class I MHC interaction defined by charge reversal complementation and functional analysis. 1997 , 271, 278-93	39
792	Anti-cell surface endothelial antibodies in sera from cardiac and kidney transplant recipients: association with chronic rejection. 1997 , 5, 17-24	61
791	CD1d1 mutant mice are deficient in natural T cells that promptly produce IL-4. 1997 , 6, 469-77	532
790	The binding site of NK receptors on HLA-C molecules. 1997 , 6, 341-50	90
789	The most primitive vertebrates with jaws possess highly polymorphic MHC class I genes comparable to those of humans. 1997 , 7, 777-90	95

788	Specific recognition of thymic self-peptides induces the positive selection of cytotoxic T lymphocytes. 1997 , 7, 221-31	84
787	Proteins. 1997 , 7, 819-20	1
786	How did the primordial T cell receptor and MHC molecules function initially?. 1997 , 75, 193-6	6
785	Modulation of class I major histocompatibility complex antigen cell-surface stability by transmembrane domain length variation. 1997 , 34, 771-80	9
784	Contribution of peptide backbone atoms to binding of an antigenic peptide to class I major histocompatibility complex molecule. 1997 , 34, 1133-45	13
783	Population genetic studies of HLA-E: evidence for selection. 1997 , 52, 33-40	110
782	Allele-specific variation in the degeneracy of major histocompatibility complex (MHC) restriction. 1997 , 54, 21-9	6
781	Delivery of antigens to the MHC class I pathway using bacterial toxins. 1997 , 54, 129-36	68
780	HLA class I polymorphism: structure and function and still questions. 1997 , 57, 1-18	37
779	A roadmap for HLA-DR peptide binding specificities. 1997 , 58, 61-9	36
778	Major histocompatibility complex as an antigen pump: self-declaration in somatic cell society. 1997 , 49, 41-5	
777	The three-dimensional structure of an H-2Ld-peptide complex explains the unique interaction of Ld with beta-2 microglobulin and peptide. 1997 , 94, 6880-5	69
776	Landmarks in Immunology. 1997 , 1-55	30
775	Role of HLA Susceptibility in Predisposing to Insulin-Dependent Diabetes mellitus. 1997 , 22, 46-67	2
774	The Immunologic Basis of Allograft Rejection. 1997 , 56-115	
773	Association of HLA-C Disparity With Graft Failure After Marrow Transplantation From Unrelated Donors. 1997 , 89, 1818-1823	218
772	Stability of empty and peptide-loaded class II major histocompatibility complex molecules at neutral and endosomal pH: comparison to class I proteins. 1997 , 94, 2495-500	55
771	Identification of HLA-C alleles using PCR-single-strand-conformation polymorphism and direct sequencing. 1997 , 49, 134-40	22

770	High polymorphism of Mhc-E locus in non-human primates: alleles with identical exon 2 and 3 are found in two different species. 1997 , 49, 160-7	26
769	A novel allele, Cw*1702 with serological Cw2 specificity. 1997 , 49, 183-5	9
768	Molecular analysis of six dog leukocyte antigen class I sequences including three complete genes, two truncated genes and one full-length processed gene. 1997 , 49, 484-95	37
767	The novel HLA-Cw*1802 allele is associated with B*5703 in the Bubi population from Equatorial Guinea. 1997 , 49, 644-8	9
766	Complete coding regions of two novel HLA-B alleles detected by phototyping (PCR-SSP) in the British caucasoid population: B*5108 and B*5002. 1997 , 50, 38-41	13
765	Increased diversity within the HLA-A*66 group: implications for matching in unrelated bone marrow transplantation. 1997 , 50, 77-82	4
764	Three newly identified A*24 alleles: A*2406, A*2413 and A*2414. 1997 , 50, 192-6	8
763	Episodic evolution and turnover of HLA-B in the indigenous human populations of the Americas. 1997 , 50, 219-32	76
762	Analysis of HLA-A and -B serologic typing of bone marrow registry donors using polymerase chain reaction with sequence-specific oligonucleotide probes and DNA sequencing. 1997 , 50, 366-71	16
761	Mhc-E polymorphism in Pongidae primates: the same allele is found in two different species. 1997 , 50, 695-8	13
760	Killer cell receptors: keeping pace with MHC class I evolution. 1997 , 155, 155-64	100
759	HLA-CW*0602 is a susceptibility factor in type I psoriasis, and evidence Ala-73 is increased in male type I psoriatics. 1997 , 109, 183-6	62
758	The roles of the human major histocompatibility complex and human papillomavirus infection in cervical intraepithelial neoplasia and cervical cancer. 1997 , 9, 4-13	13
757	Inhibition of natural killer cells by a cytomegalovirus MHC class I homologue in vivo. <i>Nature</i> , 1997 , 386, 510-4	50.4 257
756	Crystal structure of the complex between human CD8alpha(alpha) and HLA-A2. <i>Nature</i> , 1997 , 387, 630-4	50.4 388
755	Erratum: CD8 enhances formation of stable T-cell receptor/MHC class I molecule complexes. <i>Nature</i> , 1997 , 387, 634-634	50.4 2
754	Antigen presentation by MHC class II molecules. 1997 , 75, 69-81	30
753	Hypothesis: MHC class I, rather than just a flagpole for CD8+ T cells is also a protease in its own right. 1997 , 75, 310-7	

752	A novel, highly efficient peptide-HLA class I binding assay using unfolded heavy chain molecules: identification of HIV-1 derived peptides that bind to HLA-A*0201 and HLA-A*0301. 1997 , 205, 201-9	17
751	An improved assembly assay for peptide binding to HLA-B*2705 and H-2K(k) class I MHC molecules. 1997 , 209, 25-36	15
750	Cellular immune recognition and the biological role of major transplantation antigens. 1997 , 17, 91-111	1
749	How viruses escape from cytotoxic T lymphocytes: molecular parameters and players. 1997 , 234, 179-85	75
748	Fine specificity of antigen binding to two class I major histocompatibility proteins (B*2705 and B*2703) differing in a single amino acid residue. 1997 , 11, 463-78	23
747	Computer simulations to identify in polyproteins of FMDV OK1 and A12 strains putative nonapeptides with amino acid motifs for binding to BoLA class I A11 and A20 haplotype molecules. 1997 , 14, 123-9	1
746	Altered MHC class I antigens in tumors. 1997 , 27, 95-102	49
745	Stem cell-based therapies in inflammatory bowel disease: promises and pitfalls. 2016 , 9, 533-47	26
744	Malignant melanoma-The cradle of anti-neoplastic immunotherapy. 2016 , 106, 25-54	22
743	Social pairing of Seychelles warblers under reduced constraints: MHC, neutral heterozygosity, and age. 2016 , 27, 295-303	5
742	Structural and Biochemical Analyses of Swine Major Histocompatibility Complex Class I Complexes and Prediction of the Epitope Map of Important Influenza A Virus Strains. 2016 , 90, 6625-6641	27
741	Limited diversity associated with duplicated class II MHC-DRB genes in the red squirrel population in the United Kingdom compared with continental Europe. 2016 , 17, 1171-1182	10
740	Optimizing T-cell receptor gene therapy for hematologic malignancies. 2016 , 127, 3305-11	52
739	HLA antigens and alleles. 2016 , 456-463	
738	The HLA System in Transfusion Medicine and Transplantation. 2016 , 446-473	
737	The Optimization of Bioorthogonal Epitope Ligation within MHC-I Complexes. 2016 , 11, 3172-3178	8
736	What Is Direct Allorecognition?. 2016 , 3, 275-283	19
735	Macromolecular crowding favors the fibrillization of β -microglobulin by accelerating the nucleation step and inhibiting fibril disassembly. 2016 , 1864, 1609-19	13

734	Histocompatibility. 2016 , 112-127		1
733	Diversified Anchoring Features the Peptide Presentation of DLA-88*50801: First Structural Insight into Domestic Dog MHC Class I. 2016 , 197, 2306-15		17
732	Pretreatment of donor islets with papain improves allograft survival without systemic immunosuppression in mice. 2016 , 8, 145-55		3
731	Significance of positive selection and gene duplication in adaptive evolution: in memory of Austin L. Hughes. <i>Immunogenetics</i> , 2016 , 68, 749-753	3.2	1
730	Crystal structure of a putative oligopeptide-binding periplasmic protein from a hyperthermophile. 2016 , 20, 723-31		8
729	HLA-A*02 alleles are associated with tetanus antitoxin-induced exanthematous drug eruptions in Chinese patients. 2016 , 26, 538-546		6
728	Identification of a novel HLA-A allele, HLA-A*01:195, in a UAE national. 2016 , 77, 605-8		2
727	Heterogeneity of dN/dS Ratios at the Classical HLA Class I Genes over Divergence Time and Across the Allelic Phylogeny. 2016 , 82, 38-50		10
726	The Role of Neoantigens in Naturally Occurring and Therapeutically Induced Immune Responses to Cancer. 2016 , 130, 25-74		119
725	Remembering Austin L. Hughes. 2016 , 40, 262-265		1
724	Moving Biomarkers toward Clinical Implementation in Kidney Transplantation. 2017 , 28, 735-747		36
723	Identification of the core regulators of the HLA I-peptide binding process. <i>Scientific Reports</i> , 2017 , 7, 42768	4.9	13
722	Targeting neoantigens to augment antitumour immunity. 2017 , 17, 209-222		449
721	Applications of Immunogenomics to Cancer. <i>Cell</i> , 2017 , 168, 600-612	56.2	129
720	Inhibition of allogeneic cytotoxic T cell (CD8) proliferation via polymer-induced Treg (CD4) cells. 2017 , 57, 146-155		8
719	Human Leukocyte Antigen F Presents Peptides and Regulates Immunity through Interactions with NK Cell Receptors. 2017 , 46, 1018-1029.e7		62
718	The TORC that Gets the GC Cycling. 2017 , 46, 974-976		0
717	HLA-F: A New Kid Licensed for Peptide Presentation. 2017 , 46, 972-974		7

716	Identification, polymorphism and expression of MHC class I in golden pompano, <i>Trachinotus ovatus</i> . 2017 , 67, 55-65		11
715	Defining the immunogenicity and antigenicity of HLA epitopes is crucial for optimal epitope matching in clinical renal transplantation. 2017 , 90, 5-16		19
714	Tumor immunology viewed from alternative animal models-the story. 2017 , 5, 49-56		6
713	Folding of a single domain protein entering the endoplasmic reticulum precedes disulfide formation. <i>Journal of Biological Chemistry</i> , 2017 , 292, 6978-6986	5-4	25
712	Overview of Mononuclear Phagocytes. 2017 , 141-153		
711	Structure of the TAPBP-MHC I complex defines the mechanism of peptide loading and editing. 2017 , 358, 1060-1064		80
710	Perspective: my 37 year journey through Chlamydia research: Chlamydia antigen analysis using monoclonal antibodies and major histocompatibility complex molecules. 2017 , 75,		3
709	HLA-B*14:02-Restricted Env-Specific CD8 T-Cell Activity Has Highly Potent Antiviral Efficacy Associated with Immune Control of HIV Infection. 2017 , 91,		9
708	Pathogen richness and abundance predict patterns of adaptive major histocompatibility complex variation in insular amphibians. 2017 , 26, 4671-4685		14
707	Dendritic cells in hepatitis and liver transplantation. 2017 , 23, 1433-1439		11
706	The T-Cell Receptor Can Bind to the Peptide-Bound Major Histocompatibility Complex and Uncomplexed β Microglobulin through Distinct Binding Sites. <i>Biochemistry</i> , 2017 , 56, 3945-3961	3-2	6
705	Characterization of MHC class I in a long distance migratory wader, the Icelandic black-tailed godwit. <i>Immunogenetics</i> , 2017 , 69, 463-478	3-2	4
704	Docking simulations between drugs and HLA molecules associated with idiosyncratic drug toxicity. 2017 , 32, 31-39		10
703	Investigating the Role of Fetal Gene Expression in Preterm Birth. 2017 , 24, 824-828		9
702	Exploring the functions of nonclassical MHC class Ib genes in <i>Xenopus laevis</i> by the CRISPR/Cas9 system. 2017 , 426, 261-269		11
701	Major histocompatibility complex and its importance towards controlling infection. 2017 , 8, 1-13		
700	Overview of the Immune System and Immunotoxicology. 2017 ,		
699	Short-Chain Alkanethiol Coating for Small-Size Gold Nanoparticles Supporting Protein Stability. 2017 , 3, 40		3

698	A Simple and Rapid Method for Quality Control of Major Histocompatibility Complex-Peptide Monomers by Flow Cytometry. <i>Frontiers in Immunology</i> , 2017 , 8, 96	8.4	2
697	Peptide and Peptide-Dependent Motions in MHC Proteins: Immunological Implications and Biophysical Underpinnings. <i>Frontiers in Immunology</i> , 2017 , 8, 935	8.4	27
696	HLA Epitopes: The Targets of Monoclonal and Alloantibodies Defined. 2017 , 2017, 3406230		23
695	Crystal structures of H-2Db in complex with the LCMV-derived peptides GP92 and GP392 explain pleiotropic effects of glycosylation on antigen presentation and immunogenicity. 2017 , 12, e0189584		3
694	Retention of functional variation despite extreme genomic erosion: MHC allelic repertoires in the Lynx genus. 2017 , 17, 158		12
693	Major Histocompatibility Complex-Associated Resistance to Infectious Diseases: The Case of Bovine Leukemia Virus Infection. 2017 ,		9
692	Does HLA-B27 Status Influence Ankylosing Spondylitis Phenotype?. 2018 , 11, 1179544117751627		17
691	Implications of HLA-allele associations for the study of type IV drug hypersensitivity reactions. 2018 , 14, 261-274		2
690	Regulation of the Cell Biology of Antigen Cross-Presentation. 2018 , 36, 717-753		71
689	Molecular definition of the transplantation antigens. 2018 , 285, 2728-2745		4
688	Blood parasites shape extreme major histocompatibility complex diversity in a migratory passerine. 2018 , 27, 2594-2603		17
687	Understanding the drivers of MHC restriction of T cell receptors. 2018 , 18, 467-478		102
686	Cancer immunotherapy using tumor antigen-reactive T cells. 2018 , 10, 235-245		4
685	Encyclopedia of Signaling Molecules. 2018 , 2402-2402		
684	Encyclopedia of Signaling Molecules. 2018 , 2340-2340		
683	Differing roles of CD1d2 and CD1d1 proteins in type I natural killer T cell development and function. 2018 , 115, E1204-E1213		16
682	Major Histocompatibility Complex Class I (FLA-E*01801) Molecular Structure in Domestic Cats Demonstrates Species-Specific Characteristics in Presenting Viral Antigen Peptides. 2018 , 92,		16
681	Purine nucleotide metabolism regulates expression of the human immune ligand MICA. <i>Journal of Biological Chemistry</i> , 2018 , 293, 3913-3924	5.4	15

680	Expression pattern of immunosurveillance-related antigen in adult T cell leukaemia/lymphoma. 2018 , 72, 945-954		14
679	Conservation of sequence motifs suggests that the nonclassical MHC class I lineages CD1/PROCR and UT were established before the emergence of tetrapod species. <i>Immunogenetics</i> , 2018 , 70, 459-476 ^{3,2}		17
678	Genetic variation and selection of MHC class I loci differ in two congeneric frogs. 2018 , 146, 125-136		
677	Assessing the effect of D59P mutation in the DE loop region in amyloid aggregation propensity of β -microglobulin: A molecular dynamics simulation study. 2018 , 119, 782-792		15
676	RCSB Protein Data Bank: Sustaining a living digital data resource that enables breakthroughs in scientific research and biomedical education. 2018 , 27, 316-330		148
675	CD4 and CD8 T lymphocyte interplay in controlling tumor growth. 2018 , 75, 689-713		208
674	Immunotechnological Advancements in Developing Vaccines for Lymphatic Filariasis. 2018 , 59-80		1
673	Legacy of the influenza pandemic 1918: The host T'cell response. 2018 , 41, 242-248		2
672	Legacy of the influenza pandemic 1918: Introduction. 2018 , 41, 215-217		
671	Structure of MHC class I-like MILL2 reveals heparan-sulfate binding and interdomain flexibility. 2018 , 9, 4330		2
670	Bioinformation Discovery. 2018 ,		1
669	Structural Features of Amyloid Fibrils Formed from the Full-Length and Truncated Forms of Beta-2-Microglobulin Probed by Fluorescent Dye Thioflavin T. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	11
668	How Superantigens Bind MHC. 2018 , 201, 1817-1818		2
667	MHC Informatics to Peptide Vaccine Design. 2018 , 131-162		
666	Identifying neoantigens for use in immunotherapy. 2018 , 29, 714-730		17
665	Human Leukocyte Antigen and Human Neutrophil Antigen Systems. 2018 , 1721-1737.e6		0
664	Overview of the Immune System and Immunotoxicology. 2018 , 1-28		
663	Cross-sectional analysis of CD8 T cell immunity to human herpesvirus 6B. 2018 , 14, e1006991		9

662	The polymorphism at residue 156 determines the HLA-B*35 restricted peptide repertoire during HCMV infection. <i>Immunogenetics</i> , 2018 , 70, 639-646	3.2	2
661	Peptide Presentation Is the Key to Immunotherapeutical Success. 2018 ,		2
660	Full-length extension of HLA allele sequences by HLA allele-specific hemizygous Sanger sequencing (SSBT). 2018 , 79, 763-772		5
659	Effect of miconazole nitrate on immunological response and its preventive efficacy in <i>Labeo rohita</i> fingerlings against oomycetes <i>Saprolegnia parasitica</i> . 2018 , 41, 1539-1548		4
658	Cell-Mediated Immunity. 2018 , 129-163		
657	ABC Transporters in Dynamic Macromolecular Assemblies. 2018 , 430, 4481-4495		21
656	X-ray Crystallographic Characterization of the Swine MHC I Molecule SLA-3*0202 Complexed with IAV-HA Nonapeptide. 2018 , 63, 428-432		
655	Principles of Protein Recognition by Small T-Cell Adhesion Proteins and Costimulatory Receptors. 2018 , 39-80		
654	Evolution of MHC class I genes in Eurasian badgers, genus <i>Meles</i> (Carnivora, Mustelidae). 2019 , 122, 205-218		7
653	Dynamic Interaction between Immune Escape Mechanism and HLA-Ib Regulation. 2019 ,		4
652	Measuring Synthesis and Degradation of MHC Class I Molecules. 2019 , 1988, 83-100		1
651	Structural Immunology. 2019 ,		3
650	Comparative analysis of host resistance to <i>Sarcoptes scabiei</i> var. <i>cuniculi</i> in two different rabbit breeds. 2019 , 12, 530		2
649	Heterogeneity of antigen specificity between HLA-A*02:01 and other frequent Chinese HLA-A2 subtypes detected by a modified autologous lymphocyte-monocyte coculture. 2019 , 114, 389-394		0
648	Conformational Evolution of Molecular Signatures during Amyloidogenic Protein Aggregation. 2019 , 10, 4593-4611		7
647	Discovery of a Novel MHC Class I Lineage in Teleost Fish which Shows Unprecedented Levels of Ectodomain Deterioration while Possessing an Impressive Cytoplasmic Tail Motif. 2019 , 8,		7
646	Major histocompatibility complex class I (MHC I) of Japanese flounder (<i>Paralichthys olivaceus</i>) plays a critical role in defense against intracellular pathogen infection. 2019 , 94, 122-131		5
645	The HLA System in Hematopoietic Stem Cell Transplantation. 2019 , 15-32		1

644	A personal retrospective on the mechanisms of antigen processing. <i>Immunogenetics</i> , 2019 , 71, 141-160	3,2	11
643	Evolutionary Underpinnings of Innate-Like T Cell Interactions with Cancer. 2019 , 48, 737-758		3
642	KIR specificity and avidity of standard and unusual C1, C2, Bw4, Bw6 and A3/11 amino acid motifs at entire HLA:KIR interface between NK and target cells, the functional and evolutionary classification of HLA class I molecules. 2019 , 46, 217-231		7
641	Salt bridge-forming residues positioned over viral peptides presented by MHC class I impacts T-cell recognition in a binding-dependent manner. 2019 , 112, 274-282		3
640	Introduction. 2019 , 1151, 1-14		2
639	HLA associations in inflammatory arthritis: emerging mechanisms and clinical implications. 2019 , 15, 364-381		26
638	Structure and Peptidome of the Bat MHC Class I Molecule Reveal a Novel Mechanism Leading to High-Affinity Peptide Binding. 2019 , 202, 3493-3506		18
637	Identification and Structure of an MHC Class I-Encoded Protein with the Potential to Present -Myristoylated 4-mer Peptides to T Cells. 2019 , 202, 3349-3358		5
636	Embryo sHLA-G secretion is related to pregnancy rate. 2019 , 27, 78-81		6
635	References. 2019 , 343-443		
634	Musculoskeletal Clinical and Imaging Manifestations in Inflammatory Bowel Diseases. 2019 , 14, 75-84		4
633	A reverse-engineering strategy utilizing the integration of single antigen beads and NGS HLA genotypes to detect potential antibody inducing epitopes. 2019 , 80, 661-667		1
632	MHC I chaperone complexes shaping immunity. 2019 , 58, 9-15		24
631	Uncovering Structural and Molecular Dynamics of ESAT-6:ꞤM Interaction: Asp53 of Human Ꞥ-Microglobulin Is Critical for the ESAT-6:ꞤM Complexation. 2019 , 203, 1918-1929		7
630	Crystal structure of suboptimal viral fragments of Epstein Barr Virus Rta peptide-HLA complex that stimulate CD8 T cell response. <i>Scientific Reports</i> , 2019 , 9, 16660	4,9	1
629	Genetics of antigen processing and presentation. <i>Immunogenetics</i> , 2019 , 71, 161-170	3,2	38
628	How Structural Biologists and the Protein Data Bank Contributed to Recent FDA New Drug Approvals. 2019 , 27, 211-217		43
627	Transplantation Immunobiology. 2019 , 555-569.e4		0

626	Application of the immunoregulatory receptor LILRB1 as a crystallisation chaperone for human class I MHC complexes. 2019 , 464, 47-56		1
625	Tumor Antigens. 2019 , 61-74		2
624	Ancient features of the MHC class II presentation pathway, and a model for the possible origin of MHC molecules. <i>Immunogenetics</i> , 2019 , 71, 233-249	3.2	14
623	The MHC in the era of next-generation sequencing: Implications for bridging structure with function. 2019 , 80, 67-78		24
622	Extent of MHC Clustering Regulates Selectivity and Effectiveness of T Cell Responses. 2019 , 202, 591-597		5
621	Exploring the nature of the H-bonds between the human class II MHC protein, HLA-DR1 (DRB*0101) and the influenza virus hemagglutinin peptide, HA306-318, using the quantum theory of atoms in molecules. 2019 , 37, 48-64		1
620	Molecular polymorphism and expression of MHC I β II β II and II invariant chain in the critically endangered Dabry's sturgeon (<i>Acipenser dabryanus</i>). 2020 , 103, 103494		9
619	Tailoring the chemical structures and nonlinear optical properties of julolidinyl-based chromophores by molecular engineering. 2020 , 173, 107876		6
618	The Major Histocompatibility Complex Class II-CD4 Immunologic Synapse in Alcoholic Hepatitis and Autoimmune Liver Pathology: The Role of Aberrant Major Histocompatibility Complex Class II in Hepatocytes. 2020 , 190, 25-32		2
617	Biochemical and biophysical comparison of human and mouse beta-2 microglobulin reveals the molecular determinants of low amyloid propensity. 2020 , 287, 546-560		6
616	Can we use structural knowledge to design a protective vaccine against HIV-1?. 2020 , 95, 95-103		2
615	The human leukocyte antigen system in human disease and transplantation medicine. 2020 , 309-325		
614	Immunogenomics: steps toward personalized medicines. 2020 , 73-90		
613	Role of Human Leukocyte Antigen System as A Predictive Biomarker for Checkpoint-Based Immunotherapy in Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	17
612	T Cell Activation Machinery: Form and Function in Natural and Engineered Immune Receptors. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
611	Critical Review of Existing MHC I Immunopeptidome Isolation Methods. 2020 , 25,		6
610	Natural Self-Ligand Gamma Delta T Cell Receptors ($\gamma\delta$ TCRs) Insight: The Potential of Induced IgG. <i>Vaccines</i> , 2020 , 8,	5.3	2
609	Progress in Neoantigen Targeted Cancer Immunotherapies. 2020 , 8, 728		12

608	Respiratory β -Microglobulin exerts pH dependent antimicrobial activity. 2020 , 11, 1402-1414		2
607	Not by structures alone: Can the immune system recognize microbial functions?. 2020 , 84, 101336		2
606	ESAT-6 Protein of Increases Holotransferrin-Mediated Iron Uptake in Macrophages by Downregulating Surface Hemochromatosis Protein HFE. 2020 , 205, 3095-3106		2
605	Immunoinformatics: Predicting PeptideMHC Binding. 2020 , 3, 191-215		18
604	T cell receptor interactions with human leukocyte antigen govern indirect peptide selectivity for the cancer testis antigen MAGE-A4. <i>Journal of Biological Chemistry</i> , 2020 , 295, 11486-11494	5.4	6
603	Impact of Cysteine Residues on MHC Binding Predictions and Recognition by Tumor-Reactive T Cells. 2020 , 205, 539-549		4
602	Peptide mimotopes alter T cell function in cancer and autoimmunity. 2020 , 47, 101395		5
601	MHC Class I Stability is Modulated by Cell Surface Sialylation in Human Dendritic Cells. 2020 , 12,		6
600	Conformational Plasticity of HLA-B27 Molecules Correlates Inversely With Efficiency of Negative T Cell Selection. <i>Frontiers in Immunology</i> , 2020 , 11, 179	8.4	4
599	Serafino Zappacosta: An Enlightened Mentor and Educator. <i>Frontiers in Immunology</i> , 2020 , 11, 217	8.4	0
598	The Genes in Chenfu's Treefrog () Evolved via Gene Duplication, Recombination, and Selection. 2019 , 10,		1
597	The Connection Between Minor H Antigens and Neoantigens and the Missing Link in Their Prediction. <i>Frontiers in Immunology</i> , 2020 , 11, 1162	8.4	3
596	Impact of the Protein Data Bank on antineoplastic approvals. 2020 , 25, 837-850		12
595	Loma morhua infections in Atlantic cod (<i>Gadus morhua</i>) reveal relative parasite resistance and differential effects on host growth among family lines. 2020 , 522, 735111		6
594	Peptide Presentation to T Cells: Solving the Immunogenic Puzzle: Systems Immunology Profiling of Antigen Presentation for Prediction of CD8 T Cell Immunogenicity. 2020 , 42, e1900200		2
593	Modulation of Natural HLA-B*27:05 Ligandome by Ankylosing Spondylitis-associated Endoplasmic Reticulum Aminopeptidase 2 (ERAP2). 2020 , 19, 994-1004		3
592	Next-generation sequencing of HLA: validation and identification of new polymorphisms in a Brazilian population. 2020 , 96, 13-23		4
591	Antigen presentation genes in gadoid species (haddock: <i>Melanogrammus aeglefinus</i> and Atlantic cod: <i>Gadus morhua</i>) raise questions about cross-presentation pathways and glycosylated beta-2-microglobulin. 2021 , 129, 21-31		2

590	Dialysis-related amyloidosis associated with a novel β -microglobulin variant. 2021 , 28, 42-49		3
589	Identification of bovine leukemia virus epitopes as epitope-driven vaccine candidates that can overcome individual differences in bovine leukosis. 2021 , 49, 49-58		
588	An activated endothelium after organ transplantation: the pathogenesis of rejection. 2021 , 69-76		
587	CERI, CEFX, and CPI: Largely Improved Positive Controls for Testing Antigen-Specific T Cell Function in PBMC Compared to CEF. 2021 , 10,		1
586	An immunogenetic view of COVID-19. 2021 , 44, e20210036		3
585	50 Years of structural immunology. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100745	5-4	3
584	Beyond history and "on a roll": The list of the most well-studied human protein structures and overall trends in the protein data bank. 2021 , 30, 745-760		1
583	The HLA System in Transfusion Medicine and Transplantation. 2021 , 453-476		
582	Cancer Immune Evasion Through Loss of MHC Class I Antigen Presentation. <i>Frontiers in Immunology</i> , 2021 , 12, 636568	8.4	78
581	Probing the Conformational Dynamics of Affinity-Enhanced T Cell Receptor Variants upon Binding the Peptide-Bound Major Histocompatibility Complex by Hydrogen/Deuterium Exchange Mass Spectrometry. <i>Biochemistry</i> , 2021 , 60, 859-872	3.2	1
580	Engineering soluble T-cell receptors for therapy. 2021 , 288, 6159-6173		2
579	Evolution of MHC class I genes in Japanese and Russian raccoon dogs, <i>Nyctereutes procyonoides</i> (Carnivora: Canidae). 2021 , 66, 1-13		1
578	The strength of selection is consistent across both domains of the MHC class I peptide-binding groove in birds. 2021 , 21, 80		3
577	How can the MHC mediate social odor via the microbiota community? A deep dive into mechanisms. 2021 , 32, 359-373		7
576	The Structure of a Peptide-Loaded Shark MHC Class I Molecule Reveals Features of the Binding between β -Microglobulin and H Chain Conserved in Evolution. 2021 ,		3
575	Stem Cells as a Source of Pancreatic Cells for Production of 3D Bioprinted Bionic Pancreas in the Treatment of Type 1 Diabetes. 2021 , 10,		3
574	The Feasibility and Applicability of Stem Cell Therapy for the Cure of Type 1 Diabetes. 2021 , 10,		0
573	Topologically non-trivial metal-organic assemblies inhibit β -microglobulin amyloidogenesis. 2021 , 100477		1

572	Dynamics of MHC-I molecules in the antigen processing and presentation pathway. 2021 , 70, 122-128		2
571	Venus flytrap or pas de trois? The dynamics of MHC class I molecules. 2021 , 70, 82-89		3
570	Structural Comparison Between MHC Classes I and II; in Evolution, a Class-II-Like Molecule Probably Came First. <i>Frontiers in Immunology</i> , 2021 , 12, 621153	8.4	4
569	Open-access data: A cornerstone for artificial intelligence approaches to protein structure prediction. 2021 , 29, 515-520		3
568	Immunoglobulin triggers NLRP3 inflammasome activation in tumor-associated macrophages to promote multiple myeloma progression. 2021 , 54, 1772-1787.e9		8
567	Know thy immune self and non-self: Proteomics informs on the expanse of self and non-self, and how and where they arise. 2021 , e2000143		3
566	Playing hide and seek: Tumor cells in control of MHC class I antigen presentation. 2021 , 136, 36-44		6
565	Proteomic study of apheresis platelets made HLA class I deficient for transfusion of refractory patients. 2021 , 15, e2100022		0
564	Acid Stripping after Infection Improves the Detection of Viral HLA Class I Natural Ligands Identified by Mass Spectrometry. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	0
563	Murine Dendritic Cells Grown in Serum-Free Culture Show Potent Therapeutic Activity when Loaded with Novel Th Epitopes in an Orthotopic Model of HER2 Breast Cancer. <i>Vaccines</i> , 2021 , 9,	5.3	
562	The pockets guide to HLA class I molecules. 2021 , 49, 2319-2331		6
561	Role of Barrier Integrity and Dysfunctions in Maintaining the Healthy Gut and Their Health Outcomes. 2021 , 12, 715611		1
560	Extensive functional comparisons between chimeric antigen receptors and T cell receptors highlight fundamental similarities. 2021 , 138, 137-149		1
559	Deimmunization of protein therapeutics - Recent advances in experimental and computational epitope prediction and deletion. 2021 , 19, 315-329		7
558	Computer Graphics and Molecular Modeling in the Analysis of Synthetic Targets. 1-85		4
557	Primitive vertebrate immunity: what is the evolutionary derivative of molecules that define the adaptive immune system?. 1994 , 186, 224-32; discussion 233-6		3
556	Amyloidogenic Proteins and Peptides. 87-99		1
555	Peptide Libraries in T-Cell-Mediated Immune Response. 1999 , 355-380		1

554	Tinkering with nature: the tale of optimizing peptide based cancer vaccines. 2005 , 123, 267-91	5
553	Antigen recognition and T-cell biology. 2005 , 123, 37-59	7
552	MHC and MHC-like molecules: structural perspectives on the design of molecular vaccines. 2008 , 640, 252-67	8
551	β-Microglobulin and Dialysis-Related Amyloidosis. 2007 , 217-239	2
550	MHC: Structure and Function. 2004 , 29-44	2
549	Mechanisms of Allorecognition. 2004 , 107-137	2
548	Inappropriate HLA Molecule Expression in Epithelial Cells: Relevance for Human Autoimmunity. 1990 , 131-154	1
547	Mass Spectrometric Methods for Peptide Sequencing: Applications to Immunology and Protein Acylation. 1996 , 281-305	6
546	HLA Class II Polymorphism: Implications for Genetic Susceptibility to Autoimmune Disease. 1990 , 81-95	1
545	The HLA System: An Introduction. 1990 , 1-25	1
544	HLA Humoral Allosensitization. 1990 , 27-57	1
543	HLA Analysis by PCR/SSOPH. 1990 , 73-105	4
542	Functional Polymorphisms of HLA Class II Gene Products Detected by T-Lymphocyte Clones: Summary of the Tenth International Histocompatibility Workshop Cellular Studies. 1989 , 532-550	6
541	Population Analysis of Class I HLA Antigens by One-Dimensional Isoelectric Focusing Gel Electrophoresis: Workshop Summary Report. 1989 , 309-331	31
540	The Molecular Basis of HLA Disease Association. 1989 , 1-41	24
539	Specificity and Function of T Lymphocytes Induced by Influenza A Viruses. 1989 , 361-429	21
538	Adenoviral Immune Suppression. 1989 , 121-129	1
537	Single-Molecule Studies of Amyloidogenic Proteins. 2012 , 169-210	1

536	Folding and Assembly of Integral Membrane Proteins: An Introduction. 1994 , 41-96	14
535	Design and testing of peptide-based cytotoxic T-cell-mediated immunotherapeutics to treat infectious diseases and cancer. 1995 , 6, 847-74	17
534	Analysis of MHC-specific peptide motifs. Applications in immunotherapy. 1995 , 383, 201-10	4
533	Antigen processing and presentation. The role of the endoplasmic reticulum. 1993 , 21, 209-28	1
532	Haldane's Contributions to the Understanding of the Evolution of Vertebrate Immune System. 1993 , 49-65	1
531	De Novo Engineering of Peptide Immunogenic and Antigenic Determinants as Potential Vaccines. 1994 , 133-164	14
530	Possible factors contributing to persistence of cytomegalovirus infection. 1989 , 257, 27-36	1
529	Kinetics of negative and positive selection in the thymus. 1991 , 292, 31-42	5
528	Crystallographic Analysis of Peptide Binding by Class I and Class II Major Histocompatibility Antigens. 1996 , 113-134	1
527	Overview of CTL-Target Adhesion and Other Critical Events in the Cytotoxic Mechanism. 1993 , 9-45	6
526	Progress on the Three-Dimensional Structural Determination of Trypsin-Modified EF-TU-GDP. 1989 , 15-25	2
525	A model for T cell receptor and MHC/peptide interaction. 1989 , 254, 13-6	21
524	Evolutionary and Immunological Implications of the Role of the MHC in Olfactory Signalling. 1992 , 167-173	5
523	Immune Response to Retroviral Infection. 1994 , 363-464	3
522	Systemic T-Cell Immunotherapy for Brain Tumors. 2001 , 133-148	1
521	Structure and Function of Molecular Chaperones that Govern Immune Peptide Loading. 2019 , 93, 321-337	2
520	MHC Class I Molecules and Cancer Progression: Lessons Learned from Preclinical Mouse Models. 2020 , 189-204	1
519	Autologous and Allogeneic Tumor Cell Vaccines. 1999 , 299-312	1

518	Analysis of the structure of naturally processed peptides bound by class I and class II major histocompatibility complex molecules. 1995 , 73, 105-19	28
517	Transforming growth factor-beta regulates basal expression of the hsp70 gene family in cultured chicken embryo cells. 1991 , 17, 188-209	5
516	Millisecond-to-Minute Protein Folding/Misfolding Events Monitored by FTIR Spectroscopy. 2012 , 53-89	5
515	T cell recognition of superantigens. 1991 , 174, 21-38	21
514	MHC Genes, Immune Response, and Vaccines. 1997 , 449-463	1
513	Peptide libraries in cellular immune recognition. 1999 , 243, 1-21	3
512	Ontogeny of human natural and acquired immunity. 1997 , 222, 67-102	7
511	Roles of T cells in coxsackievirus B-induced disease. 1997 , 223, 283-303	12
510	Peptide-major histocompatibility complex class I complex: from the structural and molecular basis to pharmacological principles and therapeutic applications. 1998 , 232, 75-97	5
509	Cellular and molecular basis of the protective immune response to cytomegalovirus infection. 1990 , 154, 189-220	89
508	Prediction and identification of bacterial and parasitic T-cell antigens and determinants. 1990 , 155, 143-52	1
507	The role of class II molecules in development of insulin-dependent diabetes mellitus in mice, rats and humans. 1990 , 156, 103-19	16
506	The Lyt-2 Accessory Molecule is Responsible for the Weak Mouse Anti-HLA Xeno-Response. 1990 , 165-172	1
505	H-2-Restricted Recognition of Xeno-MHC Antigens by Primary Mouse Cytotoxic T Cells is the Exception Rather than the Rule. 1990 , 198-204	1
504	The Immune System [A Short Introduction to its Structure and Function. 1990 , 4-91	1
503	Recombinant vaccinia viruses as vectors for studying T lymphocyte specificity and function. 1990 , 163, 153-84	64
502	The 64-kDa beta cell membrane autoantigen and other target molecules of humoral autoimmunity in insulin-dependent diabetes mellitus. 1990 , 164, 143-68	23
501	Heat shock protein genes and the major histocompatibility complex. 1991 , 167, 57-68	8

500	A role for heat shock proteins in antigen processing and presentation. 1991 , 167, 83-92	35
499	New Insights into Autoimmune Mechanisms and the Pathogenesis of Insulin-Dependent Diabetes Mellitus. 1991 , 3-13	1
498	Heat Shock Proteins and Antigen Processing and Presentation. 1991 , 215-225	2
497	Minor Transplantation Antigens. 1993 , 91-106	2
496	The role of cytotoxic T lymphocytes in infectious disease: history, criteria, and state of the art. 1994 , 189, 1-8	30
495	Cytotoxic T lymphocytes specific for influenza virus. 1994 , 189, 75-91	45
494	MHC of nonhuman primates. 1994 , 188, 145-59	10
493	The structural basis of CD4-MHC class II interactions: coreceptor contributions to T cell receptor antigen recognition and oligomerization-dependent signal transduction. 1996 , 205, 19-46	26
492	Curing metastases? Gene and peptide therapy. 1996 , 213 (Pt 3), 85-100	2
491	T Cell Receptors. 1989 , 3-12	4
490	Reverse Immunogenetics: Investigations of HLA-Associated Disease Based on the Structural and Genetic Identification of Candidate Susceptibility Genes. 1989 , 805-812	4
489	Regulation and Functional Role of MHC Expression on Tumors. 1989 , 1071-1078	15
488	Selection of the T Cell Repertoire in the Thymus. 1989 , 265-273	1
487	Further Analysis of the Role of MHC Molecules in Antigen Presentation. 1989 , 52-59	3
486	Natural Id-Anti-Id Networks and the Immunological Homunculus. 1989 , 6-12	17
485	Evolution of MHC Molecules in Nonmammalian Vertebrates. 1991 , 329-341	1
484	Evolution of MHC Domains: Strategy for Isolation of MHC Genes from Primitive Animals. 1991 , 103-109	2
483	Generation of Allelic Polymorphism at the DRB1 Locus of Primates by Exchange of Polymorphic Domains: A Plausible Hypothesis?. 1991 , 111-118	2

482	History and Overview. 1997 , 1-16	1
481	The Transporters Associated with Antigen Processing (TAP). 1997 , 115-136	6
480	Molecular Characterization of Serologic Recognition Sites in the HLA-A2 Molecule Using Oligonucleotide-Generated Site-Specific Mutants. 1989 , 93-97	4
479	Hybrid Human-Mouse Class II Molecules:: Localization of Antibody Binding Sites. 1989 , 373-375	8
478	Mapping of Serologic and CTL-Defined Epitopes on HLA-A2 by Site-Directed Mutagenesis. 1989 , 101-103	1
477	Cytotoxic T Cell and Antibody Recognition of HLA-A2,A28 Molecules Analyzed by Site Directed Mutagenesis. 1989 , 103-104	2
476	HLA-A,B,C: Patterns of Polymorphism in Peptide-Binding Proteins. 1989 , 10-33	24
475	HLA Class I Gene Family: Characterization of Genes Encoding Non-HLA-A,B,C Proteins. 1989 , 33-40	9
474	Molecular Structure of Human Class II Antigens. 1989 , 40-49	2
473	Sequence Analysis of the DRw13 β Chain Genes:: The Dw19 Specificity May Be Encoded by the DRB3 Locus. 1989 , 220-222	3
472	Prions and molecular chaperones. 1993 , 7, 227-43	8
471	Evolution of the Multigene Family. 1991 , 145-159	2
470	Devil Facial Tumour Disease (DFTD): Using Genetics and Genomics to Investigate Infectious Disease in an Endangered Marsupial. 2010 , 499-515	1
469	Biological Significance of the MHC. 1989 , 6-12	1
468	Immunogenetics of Eye Diseases. 1989 , 1-8	1
467	CoMFA as a tool for active site modelling. 1993 , 233-244	5
466	Molecular chaperones and the immune response. 1993 , 107-112	1
465	MHC Molecules, T cell Receptors, Natural Killer Cell Receptors, and Viral Immunevasins-Key Elements of Adaptive and Innate Immunity. 2019 , 1172, 21-62	18

464	Binding of nonamer peptides to three HLA-B51 molecules which differ by a single amino acid substitution in the A-pocket. 1996 , 43, 268	6
463	Poliovirus: three-dimensional structure of a viral antigen. 1989 , 33, 65-91	5
462	An Analysis of T Cell Receptor-Ligand Interaction Using a Transgenic Antigen Model for T Cell Tolerance and T Cell Receptor Mutagenesis. 1993 , 123-127	6
461	INTESTINAL IMMUNITY AND GENETIC FACTORS INFLUENCING COLONIZATION OF MICROBES IN THE GUT. 1991 , 219-241	2
460	Peripheral T Cell Tolerance: Distinct Levels and Multistep Mechanisms. 1994 , 135-148	2
459	MAPPING SUSCEPTIBILITY TO RHEUMATOID ARTHRITIS INTO A CONFORMATIONALLY EQUIVALENT REGION OF MHC CLASS II MOLECULES ENCODED BY DIFFERENT ALLELES. 1990 , 241-263	2
458	The Immunoglobulin Superfamily. 1989 , 361-387	5
457	The role of molecular biology in human evolutionary studies: current status and future prospects. 1991 , 1, 169-232	2
456	Experimental Models of Human Autoimmune Disease: Overview and Prototypes. 1992 , 47-106	18
455	Molecular Genetics of Autoimmunity. 1992 , 127-152	4
454	Antigen Presentation. 2014 ,	3
453	The Immune System: an Overview. 2009 , 3-17	3
452	The architecture and interactions of leucocyte surface molecules. 1997 , 101-129	3
451	A Consumer's Guide to Protein Crystallography. 1996 , 205-229	3
450	Epitope Mapping with Peptides. 1995 , 419-454	3
449	Peptide Vaccines for Malaria. 2006 , 515-526	2
448	Principles of Antigen Processing and Presentation. 1996 , 3-28	1
447	Lymphocyte-Epithelial Cross-Talk in the Intestine: Do Nonclassical Class I Molecules Have a Big Part in the Dialogue?. 1996 , 205-226	3

446	The Structure of the Major Histocompatibility Complex and its Molecular Interactions. 2000 , 23-33		3
445	HLA and Dermatological Disease. 2000 , 365-386		1
444	THE MAJOR HISTOCOMPATIBILITY COMPLEX. 2010 , 97-111		2
443	Immunology of Graft Rejection. 2008 , 9-32		1
442	Ab initio association with beta 2-microglobulin during biosynthesis of the H-2Ld class I major histocompatibility complex heavy chain promotes proper disulfide bond formation and stable peptide binding.. <i>Journal of Biological Chemistry</i> , 1994 , 269, 22276-22281	5-4	20
441	Genomic organization of HLA-DMA and HLA-DMB. Comparison of the gene organization of all six class II families in the human major histocompatibility complex.. <i>Journal of Biological Chemistry</i> , 1994 , 269, 18834-18838	5-4	35
440	The HLA-B14 peptide binding site can accommodate peptides with different combinations of anchor residues.. <i>Journal of Biological Chemistry</i> , 1994 , 269, 32426-32434	5-4	38
439	Purification and ligand binding of a soluble class I major histocompatibility complex molecule consisting of the first three domains of H-2Kd fused to beta 2-microglobulin expressed in the baculovirus-insect cell system.. <i>Journal of Biological Chemistry</i> , 1992 , 267, 24223-24229	5-4	22
438	In vitro peptide binding to soluble empty class I major histocompatibility complex molecules isolated from transfected <i>Drosophila melanogaster</i> cells.. <i>Journal of Biological Chemistry</i> , 1992 , 267, 23589-23595	5-4	108
437	Antibody-antigen complexes.. <i>Journal of Biological Chemistry</i> , 1988 , 263, 10541-10544	5-4	179
436	Peptide binding to HLA-A2 and HLA-B27 isolated from <i>Escherichia coli</i> . Reconstitution of HLA-A2 and HLA-B27 heavy chain/beta 2-microglobulin complexes requires specific peptides.. <i>Journal of Biological Chemistry</i> , 1992 , 267, 5451-5459	5-4	32
435	Refolding of human class II major histocompatibility complex molecules isolated from <i>Escherichia coli</i> . Assembly of peptide-free heterodimers and increased refolding-yield in the presence of antigenic peptide.. <i>Journal of Biological Chemistry</i> , 1994 , 269, 29571-29578	5-4	17
434	Phospholipid-independent and -dependent interactions required for tissue factor receptor and cofactor function. <i>Journal of Biological Chemistry</i> , 1991 , 266, 2158-2166	5-4	134
433	Inhibition of glucose trimming by castanospermine results in rapid degradation of unassembled major histocompatibility complex class I molecules.. <i>Journal of Biological Chemistry</i> , 1993 , 268, 3809-3812	5-4	60
432	Intracellular transport of class I histocompatibility molecules. Influence of protein folding on transport to the cell surface.. <i>Journal of Biological Chemistry</i> , 1988 , 263, 4549-4560	5-4	28
431	Direct detection of major histocompatibility complex class I binding to antigenic peptides using surface plasmon resonance. Peptide immobilization and characterization of binding specificity. <i>Journal of Biological Chemistry</i> , 1993 , 268, 15425-15434	5-4	69
430	Sequence Conservation in Potential Regulatory Regions of the Mouse and Human Leukocyte Common Antigen Gene. <i>Journal of Biological Chemistry</i> , 1989 , 264, 6220-6229	5-4	26
429	The three-dimensional Structure of Bovine Platelet Factor 4 at 3.0-Å Resolution. <i>Journal of Biological Chemistry</i> , 1989 , 264, 2092-2099	5-4	133

428	The sites in the I-Ak histocompatibility molecule photoaffinity labeled by an immunogenic lysozyme peptide.. <i>Journal of Biological Chemistry</i> , 1990 , 265, 11177-11184	5-4	13
427	Structural and functional characterization of the CD2 immunoadhesion domain. Evidence for inclusion of CD2 in an alpha-beta protein folding class.. <i>Journal of Biological Chemistry</i> , 1990 , 265, 8542-8549	5-4	30
426	Conversion of monocyte chemoattractant protein-1 into a neutrophil attractant by substitution of two amino acids.. <i>Journal of Biological Chemistry</i> , 1992 , 267, 3455-3459	5-4	31
425	Antigenic structures recognized by cytotoxic T lymphocytes. <i>Journal of Biological Chemistry</i> , 1991 , 266, 3357-3360	5-4	12
424	Monitoring HIA Alloimmunization: Analysis of HLA Alloantibodies in the Serum of Prospective Transplant Recipients. 1991 , 11, 551-570		15
423	HISTOCOMPATIBILITY TYPING IN THE RHEUMATIC DISEASES. 1994 , 20, 371-390		12
422	POPULATION GENETICS OF RHEUMATOID ARTHRITIS. 1992 , 18, 741-759		104
421	THE GENETIC BASIS OF RHEUMATOID ARTHRITIS. 1992 , 18, 761-783		63
420	GENETICS OF SYSTEMIC LUPUS ERYTHEMATOSUS. 1992 , 18, 865-892		107
419	GIANT CELL ARTERITIS AS AN ANTIGEN-DRIVEN DISEASE. 1995 , 21, 1027-1039		56
418	Ankylosing Spondylitis and Other Spondyloarthropathies. 1990 , 16, 551-579		69
417	Engagement of MHC class I by the inhibitory receptor LILRB1 suppresses macrophages and is a target of cancer immunotherapy. 2018 , 19, 76-84		189
416	Computational Molecular Evolution. 2006 ,		547
415	Phylogeny reconstruction: overview. 2006 , 73-99		1
414	Maximum likelihood methods. 2006 , 100-144		2
413	Bayesian methods. 2006 , 145-184		1
412	Neutral and adaptive protein evolution. 2006 , 259-292		2
411	Molecular Evolution. 2014 ,		146

410	Gene conversion in the evolution of both the H-2 and Qa class I genes of the murine major histocompatibility complex. 1990 , 126, 1115-26	11
409	Polymorphism and balancing selection at major histocompatibility complex loci. 1992 , 130, 925-38	158
408	Contrasting roles of interallelic recombination at the HLA-A and HLA-B loci. 1993 , 133, 669-80	42
407	New insights into mechanisms of allograft rejection. 1997 , 313, 257-63	30
406	HLA-B27 and the seronegative spondyloarthropathies. 1998 , 316, 239-49	36
405	Induction of specific allograft immunity by soluble class I MHC heavy chain protein produced in a baculovirus expression system. 1996 , 61, 448-57	25
404	Induction of transplantation tolerance by chimeric donor/recipient class I RT1.Aa molecules. 1996 , 62, 1002-10	44
403	Peptide specificity of alloreactive CD4 positive T lymphocytes directed against a major histocompatibility complex class I disparity. 1996 , 62, 1485-91	9
402	Biochemical and functional characterization of soluble multivalent MHC L(d)/Fc gamma 1 and L(d)/Fc mu chimeric proteins loaded with specific peptides. 1997 , 63, 765-74	2
401	Localization of cryptic tolerogenic epitopes in the alpha1-helical region of the RT1.Au alloantigen. 1997 , 63, 1373-9	31
400	Mutants of human beta2-microglobulin map an immunodominant epitope within the three-stranded beta-pleated sheet. 1997 , 64, 640-5	7
399	Minor transplantation antigens: animal models for human host-versus-graft, graft-versus-host, and graft-versus-leukemia reactions. 1998 , 65, 611-6	21
398	Involvement of beta2-microglobulin and integrin alphavbeta3 molecules in the coxsackievirus A9 infectious cycle. 1999 , 80 (Pt 10), 2591-2600	40
397	Binding and activation of major histocompatibility complex class II-deficient macrophages by staphylococcal exotoxins. 1994 , 62, 3907-15	16
396	Curli, fibrous surface proteins of Escherichia coli, interact with major histocompatibility complex class I molecules. 1998 , 66, 944-9	103
395	Molecular analyses of a five-amino-acid cytotoxic T-lymphocyte (CTL) epitope: an immunodominant region which induces nonreciprocal CTL cross-reactivity. 1989 , 63, 4303-10	127
394	The secretory core protein of human hepatitis B virus is expressed on the cell surface. 1989 , 63, 5399-404	107
393	Restricted V-segment usage in T-cell receptors from cytotoxic T lymphocytes specific for a major epitope of lymphocytic choriomeningitis virus. 1990 , 64, 5919-26	56

392	Requirements for the association of adenovirus type 2 E3/19K wild-type and mutant proteins with HLA antigens. 1990 , 64, 3679-85	23
391	Molecular anatomy of viral persistence. 1991 , 65, 6381-6	114
390	Construction and characterization of a human cytomegalovirus mutant with the UL18 (class I homolog) gene deleted. 1992 , 66, 6784-7	62
389	Class I major histocompatibility proteins are an essential component of the simian virus 40 receptor. 1992 , 66, 2037-45	86
388	Role of the adenovirus E3-19k conserved region in binding major histocompatibility complex class I molecules. 1992 , 66, 4778-83	27
387	Simian virus 40 T antigen as a carrier for the expression of cytotoxic T-lymphocyte recognition epitopes. 1993 , 67, 6866-71	13
386	Definition of a minimal optimal cytotoxic T-cell epitope within the hepatitis B virus nucleocapsid protein. 1993 , 67, 2376-80	148
385	Production and characterization of human proliferative T-cell clones specific for human papillomavirus type 1 E4 protein. 1993 , 67, 2799-806	15
384	Immunization of mice with vaccinia virus-M2 recombinant induces epitope-specific and cross-reactive Kd-restricted CD8+ cytotoxic T cells. 1993 , 67, 4086-92	72
383	Deletion mutation analysis of the adenovirus type 2 E3-gp19K protein: identification of sequences within the endoplasmic reticulum lumenal domain that are required for class I antigen binding and protection from adenovirus-specific cytotoxic T lymphocytes. 1993 , 67, 5289-98	53
382	Conserved cysteine residues within the E3/19K protein of adenovirus type 2 are essential for binding to major histocompatibility complex antigens. 1994 , 68, 5423-32	44
381	Human T-lymphotropic virus type 1 peptides in chimeric and multivalent constructs with promiscuous T-cell epitopes enhance immunogenicity and overcome genetic restriction. 1995 , 69, 6077-89	53
380	Hierarchy among multiple H-2b-restricted cytotoxic T-lymphocyte epitopes within simian virus 40 T antigen. 1995 , 69, 6665-77	72
379	Discriminated selection among viral peptides with the appropriate anchor residues: implications for the size of the cytotoxic T-lymphocyte repertoire and control of viral infection. 1995 , 69, 7423-9	42
378	The carboxyl-terminal 120-residue polypeptide of infectious bronchitis virus nucleocapsid induces cytotoxic T lymphocytes and protects chickens from acute infection. 1997 , 71, 7889-94	96
377	A limited set of SH2 domains binds BCR through a high-affinity phosphotyrosine-independent interaction. 1992 , 12, 5087-5093	32
376	T Cell Epitope Predictions. 2020 , 38, 123-145	69
375	In vitro mutagenesis of HLA-B27. Substitution of an unpaired cysteine residue in the alpha 1 domain causes loss of antibody-defined epitopes. 1988 , 82, 987-92	26

374	Structural basis of antigen recognition by T lymphocytes. Implications for vaccines. 1988 , 82, 1811-7	31
373	Role of keratinocytes in human recurrent herpetic lesions. Ability to present herpes simplex virus antigen and act as targets for T lymphocyte cytotoxicity in vitro. 1989 , 83, 490-6	43
372	HLA gene amplification and hybridization analysis of polymorphism. HLA matching for bone marrow transplantation of a patient with HLA-deficient severe combined immunodeficiency syndrome. 1989 , 84, 613-8	34
371	Disease-associated human histocompatibility leukocyte antigen determinants in patients with seropositive rheumatoid arthritis. Functional role in antigen-specific and allogeneic T cell recognition. 1990 , 85, 1051-7	19
370	Autoantibodies to the HLA-B27 sequence cross-react with the hypothetical peptide from the arthritis-associated Shigella plasmid. 1990 , 86, 1193-203	33
369	Lack of HLA class I antigen expression by melanoma cells SK-MEL-33 caused by a reading frameshift in beta 2-microglobulin messenger RNA. 1993 , 91, 684-92	67
368	Antibodies to a conserved region of HLA class I molecules, capable of modulating CD8 T cell-mediated function, are present in pooled normal immunoglobulin for therapeutic use. 1996 , 97, 865-9	116
367	The saga of MHC-bound peptides: a renaissance for antigen presentation?. 2007 , 117, 3164-6	4
366	Immunodeficiency due to defective antigen processing: the molecular basis for type 1 bare lymphocyte syndrome. 1999 , 103, 595-6	12
365	LILRB1 polymorphisms influence posttransplant HCMV susceptibility and ligand interactions. 2018 , 128, 1523-1537	17
364	Association of HLA-C Disparity With Graft Failure After Marrow Transplantation From Unrelated Donors. 1997 , 89, 1818-1823	5
363	Single particle tracking of cell-surface HLA-DR molecules using R-phycoerythrin labeled monoclonal antibodies and fluorescence digital imaging. 1996 , 109, 2101-2109	54
362	CD1: From Molecules to Diseases. 2017 , 6, 1909	2
361	Expected immune recognition of COVID-19 virus by memory from earlier infections with common coronaviruses in a large part of the world population. 2020 , 9, 285	17
360	Expected immune recognition of COVID-19 virus by memory from earlier infections with common coronaviruses in a large part of the world population. 2020 , 9, 285	13
359	Characterization of the functional domain of β -microglobulin from the Asian seabass, <i>Lates calcarifer</i> . 2010 , 5, e13159	2
358	Proteinase inhibitor regulates CD4+ lymphocyte levels and is rate limiting in HIV-1 disease. 2012 , 7, e31383	12
357	Transcriptomic analysis of endangered Chinese salamander: identification of immune, sex and reproduction-related genes and genetic markers. 2014 , 9, e87940	39

356	Characterization of the Canine MHC Class I DLA-88*50101 Peptide Binding Motif as a Prerequisite for Canine T Cell Immunotherapy. 2016 , 11, e0167017	13
355	Engineering chimeric human and mouse major histocompatibility complex (MHC) class I tetramers for the production of T-cell receptor (TCR) mimic antibodies. 2017 , 12, e0176642	7
354	β ₂ -microglobulin gene duplication in cetartiodactyla remains intact only in pigs and possibly confers selective advantage to the species. 2017 , 12, e0182322	7
353	Carfilzomib enhances natural killer cell-mediated lysis of myeloma linked with decreasing expression of HLA class I. 2015 , 6, 26982-94	19
352	????? ??????????????1992, 54, 936-943	2
351	Expression of MHC class I and class II antigens in colonic carcinomas. 1989 , 21, 248-53	9
350	Identification and Molecular Characterization of Z/ZE Lineage MHC Class I Heavy Chain Homologue and β ₂ -microglobulin from Rock Bream <i>Oplegnathus fasciatus</i> . 2014 , 49, 93-112	6
349	History of hematopoietic cell transplantation: challenges and progress. 2020 , 105, 2716-2729	12
348	Impact of HLA-DR Antigen Binding Cleft Rigidity on T Cell Recognition. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3 3
347	Viruses Teaching Immunology: Role of LCMV Model and Human Viral Infections in Immunological Discoveries. 2019 , 11,	7
346	[Genomic structure of DAA gene and polymorphism within MHC-DAA alleles in Japanese flounder (<i>Paralichthys olivaceus</i>)]. 2009 , 31, 1020-8	4
345	Natural epitope variants of the hepatitis C virus impair cytotoxic T lymphocyte activity. 2010 , 16, 1953-69	6
344	Identification of the epitopes on HCV core protein recognized by HLA-A2 restricted cytotoxic T lymphocytes. 2001 , 7, 583-6	6
343	Role of Human Leukocyte Antigens and T Lymphocytes in the Immune Response. 1993 , 2, 173-191	2
342	Impact of the Protein Data Bank Across Scientific Disciplines. 2020 , 19, 25	9
341	The newly-arisen Devil facial tumour disease 2 (DFT2) reveals a mechanism for the emergence of a contagious cancer. 2018 , 7,	31
340	The History of the Discovery of HLA. 2000 , 3-22	
339	Antigens of the Major Histocompatibility Complex (HLA Antigens). 2000 , 595-605	

- 338 Genetics of autoimmune liver disease. **2000**, 115-132
- 337 ?????????????????????????????????????(HLA)(1) HLA??????2000, 62, 508-514
- 336 Identification of the functional recognition site on MHC class I for a NK cell lectin-like receptor. **2001**, 215-223
- 335 Immunology of Transplantation. **2001**, 1403-1428
- 334 The Biology of the Major Histocompatibility Complex. **2001**, 23-42
- 333 Rejection. **2001**, 1429-1435
- 332 Histocompatibility Antigens and Transplant Rejection. **2001**, 3-20
- 331 Molecular Dynamics Simulations: A Tool for Drug Design. **2002**, 181-209
- 330 Principles of Immunology. **2002**, 3-27
- 329 Allorecognition and Tissue Typing in Organ Transplantation. **2002**, 95-125
- 328 Determination of the Expressed T cell Repertoire: The Outcome of Competition at the Levels of Antigen Presentation and T cell Receptor Recognition. **2002**, 65-81
- 327 HLA and Autoimmune Thyroid Diseases. **2002**, 55-63
- 326 Protein Data Bank (PDB): A Database of 3D Structural Information of Biological Macromolecules.
- 325 Are Vaccinations for Prostate Cancer Realistic?. **2003**, 545-554
- 324 Das HLA-System. **2004**, 209-225
- 323 ERAP1 and MHC Class I Antigen Presentation. **2004**, 145-178
- 322 Immunogenetic Basis of Variation and Disease Susceptibility. **2004**, 89-123
- 321 Study of alanine-73 and aspartate-9 of HLA-C locus in Saudi psoriasis patients, using sequence-specific primers (PCR-SSP). **2005**, 38, 350-3

- 320 Histocompatibility Testing after Fifty Years of Transplantation. **2006**, 1195-1197
- 319 Prinzipien der Tumorimmunologie. **2006**, 101-169
- 318 References. **2006**, 811-946
- 317 T Cell Receptors and MHC Molecules. **2006**, 105-124
- 316 Models of amino acid and codon substitution. **2006**, 40-70 1
- 315 Models of nucleotide substitution. **2006**, 3-39
- 314 Simulating molecular evolution. **2006**, 293-307 4
- 313 Perspectives. **2006**, 308-310
- 312 Comparison of methods and tests on trees. **2006**, 185-220
- 311 Signalling events in the anergy induction of T helper 1 cells. **1995**, 195, 189-96; discussion 196-202 2
- 310 Immunology of Transplantation. **2008**, 1705-1736
- 309 TRANSPLANT MEDICINE. **2009**, 1269-1294
- 308 NORMAL AND IMPAIRED IMMUNOLOGIC RESPONSES TO INFECTION. **2009**, 21-65
- 307 Major Histocompatibility Complex (MHC) and Peptide Binding. **2009**, 111-130
- 306 Genetics of Rheumatic Diseases. **2009**, 305-321
- 305 Basics of GI Physiology and Mucosal Immunology. **2009**, 3-15
- 304 Das HLA-System. **2010**, 189-203
- 303 Processing and Presentation of Antigen by the Class II Histocompatibility System.

302 Histocompatibility. 710-721

301 Histocompatibility Antigen Complex of Man.

1

300 Viral Immunity and Persistence. **2011**, 383-404

299 The Major Histocompatibility Complex and Disease. **2011**, 954-962

298 Human Leukocyte Antigen. **2011**, 933-953

297 The HLA System in Transfusion Medicine and Transplantation. 446-473

296 Transplantation Immunobiology and Immunosuppression. **2012**, 617-654

295 Transplantation Immunobiology. **2012**, 2468-2494

294 Basic Principles of Immunology in Urology. **2012**, 495-529.e5

293 Genetics of Rheumatic Diseases. **2013**, 299-315.e3

292 Immunology. **2013**, 69-94

291 Immunology of Leucocytes, Platelets and Plasma Components. 549-610

1

290 IMMUNOGENETICS AND BIOMEDICINE. **2013**, 10, 5-14

289 HLA, the Human Major Histocompatibility Complex. **2014**,

288 Recognition of Foreign Antigen and Foreign Major Histocompatibility Complex. 175-189

287 Targeting of Antigens to Antigen-Presenting Cells and their Activation: A Requirement for Vaccine Development. **1988**, 167-176

286 Two Conformations of Ld Distinguished by Their Abilities to Bind β_2 -Microglobulin Are Synthesized, Processed, and Expressed on the Cell Surface. **1988**, 149-160

285 Models for MHC-Restricted T Cell Recognition of a Synthetic H-2Ld Peptide. **1988**, 206-213

- 284 Biochemistry of HLA-B27 in Transfected Cells and Transgenic Mice. **1988**, 128-133
- 283 Biochemistry of HLA-B27 in Transfected Cells and Transgenic Mice. **1988**, 73-78
- 282 A Problem Perplex, MHC + X. **1988**, 114-118
- 281 MHC-Restricted Antibodies: Facts and Interpretation. **1988**, 119-127
- 280 Data collection from very thin HLA crystals using synchrotron radiation. **1989**, 51, 123-31
- 279 Comparison of the Secondary Structures of Human Class I and Class II MHC Antigens by Ftir and CD Spectroscopy. **1989**, 355-365
- 278 Cyclosporine A and the Regulation of Autoimmune Disease. **1989**, 23-36
- 277 Purification of Complexes between Peptide Antigens and Class II Major Histocompatibility Complex Antigens Using Biotinylated Peptides. **1989**, 61-68
- 276 Variants of HLA-Aw68 Recognized by Isoelectric Focusing. **1989**, 341-343
- 275 Epitope Mapping of HLA-DR Antigens with the Use of DNA-Transfected Cells. **1989**, 245-247
- 274 Antigen Mimicry Cytotoxic T Cells Specific for Epstein-Barr Virus Recognize HLA Alloantigens. **1989**, 376-378
- 273 The Influence of Murine and Human Major Histocompatibility Complex Class I Expression on Tumor Growth and Metastasis. **1989**, 121-128
- 272 Presentation of Bacterial Antigens to T Lymphocytes. **1989**, 153-165
- 271 Adenovirus Gene Products that Affect Host Immune Mechanisms. **1989**, 183-212
- 270 Studies of MHC Class II Restricted Antigen Recognition by Human T Cell Clones Using Transfectant Antigen-Presenting Cells (APC). **1989**, 369-372
- 269 Peptides Derived From HLA-A2 Modulate Lysis by HLA-A2-Specific Cytotoxic T Lymphocytes. **1989**, 105-107
- 268 Structural and Functional Analysis of Human Class I and Class II Major Histocompatibility Complex Proteins, with Special Emphasis on Alloreactivity. **1989**, 43-51
- 267 Recognition of the HLA Class II-Peptide Complex by T cell Receptor: Reversal of MHC Restriction of a T Cell Clone by a Point Mutation in the Peptide Determinant. **1989**, 136-149

- 266 Antigen Recognition by Cytotoxic T Cells. **1989**, 130-136
- 265 Recognition of Viral Antigens by Cytotoxic T Lymphocytes. **1989**, 914-921
- 264 Molecular Analysis of the Protective Immune Response to Murine Cytomegalovirus. **1989**, 946-953
- 263 Variant and Mutant HLA-A2 Molecules Affect Recognition of Influenza Matrix Peptide 5688 by Cytotoxic T Lymphocytes. **1989**, 107-110
- 262 Molecular Characterization of Allospecific Cytotoxic T-Lymphocyte Recognition Sites in the HLA-A2 Molecule Using Oligonucleotide-Generated Site-Specific Mutants. **1989**, 97-100
- 261 Structural Basis of Antigen-Antibody Recognition. **1990**, 203-212
- 260 Random Mutagenesis by Oligonucleotides: A Probe for MHC Structure and Function. **1990**, 26-32
- 259 The Role of Amino Acid Position and Side Chain Structure in Serological and CTL-Defined Epitopes on the HLA-A2.1 Molecule. **1990**, 77-88
- 258 Microgene Conversion in the Evolution of the MHC Class I Multigene Family. **1990**, 14-25
- 257 Mechanisms of T-Cell Activation. **1990**, 19-23
- 256 The Interaction between MHC Class II Molecules and Immunogenic Peptides. **1990**, 171-179
- 255 Transfusion, Transplantation and the Immunological Revolution. **1990**, 269-275
- 254 The Cell Biology of Antigen Processing: A Review. **1990**, 21-44
- 253 Altered Recognition of LCMV Antigen Presented on Mutant Class I Molecules. **1990**, 33-35
- 252 Subunit Interactions and the Function of Tumor Necrosis Factor. **1990**, 383-394
- 251 Recognition at Membrane Surfaces Influenza HA and Human HLA. **1990**, 449-475
- 250 The Functional Significance of Amino Acid Polymorphisms in Class I MHC Molecules. **1990**, 56-58
- 249 The Fine Specificity of Recognition of Influenza Virus Proteins by Human Cytotoxic T Cells. **1990**, 85-96

- 248 Analysis of HLA-B27-Specific T-Cell Epitopes with Site-Directed Mutants Mimicking HLA-B27 Polymorphism. **1990**, 67-76 1
- 247 The Immune System: An Integrated Overview. **1990**, 19-28
- 246 Allelic Polymorphism of HLA Class II Antigens: Clues to the Molecular Basis of Autoimmunity. **1990**, 39-52
- 245 Synthetic peptides: prospects for a pili (fimbriae)-based synthetic vaccine. **1990**, 151, 185-204 4
- 244 Analysis of Rotavirus Proteins by Gene Cloning, Mutagenesis, and Expression. **1990**, 267-290
- 243 Structure of a Human Histocompatibility Molecule: Implications for its Interactions with Peptides and T Cell Receptors. **1990**, 19-34 1
- 242 Multivalent Requirement for the Stimulation of Alloreactive T Cells: Studies with Engineered Soluble MHC Class I Proteins In Vitro and In Vivo. **1990**, 39-46 2
- 241 What does the alloreactive T cell see?. **1991**, 11-16
- 240 Regulation of IgE Synthesis. **1991**, 141-153
- 239 Multiple mechanisms of T cell tolerance to Mls-1a. **1991**, 292, 159-65 1
- 238 CD4/CD8 coreceptor-independent costimulator-dependent triggering of SEB-reactive murine T cells. **1991**, 174, 93-106
- 237 Immune Response Directed Against Epstein-Barr Virus Carrier B Lymphocytes. **1991**, 113-126 1
- 236 Immunogenetische Aspekte der Nierentransplantation. **1991**, 12-21 1
- 235 Evidence for Multiple Mutational Mechanisms which Generate Polymorphism at H-2K. **1991**, 155-161
- 234 Minor Histocompatibility Antigens. **1991**, 29-34 1
- 233 Striking similarities between the regulatory mechanisms governing yeast mating-type genes and mammalian major histocompatibility complex genes. **1991**, 11, 4228-4234 6
- 232 The Immunogenetics of Juvenile Rheumatoid Arthritis. **1991**, 17, 825-842 32
- 231 HLA-A2 Allorecognition and Subtype Diversification. **1992**, 89-95

- 230 Immunosuppression by MHC Class II Blockade. **1992**, 187-194
- 229 T-Cell Antigen and MHC Recognition: Molecular Analysis of Human β TCR Specific for a Tetanus Toxin-Derived Peptide. **1992**, 1-16
- 228 Possible processing of exogenously added synthetic peptide by cells serving as targets for a cytotoxic T lymphocyte response. **1992**, 835-838
- 227 Specific Immunotherapeutic Strategies: Lessons from Myelin Basic Protein-Induced Experimental Allergic Encephalomyelitis. **1992**, 281-299
- 226 Characteristics of Foreign and Self Peptides Endogenously Bound to MHC Class I Molecules. **1992**, 37-43
- 225 Structure of the TCR-Ag-MHC Complex. **1992**, 17-23 1
- 224 The cytotoxic T cell response to HIV. **1992**, 59-73 5
- 223 Antigen Processing in B Lymphocytes. **1992**, 335-340
- 222 T Lymphocytes in Autoimmunity and Transplantation. **1992**, 45-58
- 221 Role of Interactions between Cytomegalovirus and β -Microglobulin in the Pathogenesis of Infection. **1992**, 139-144
- 220 Virus Interaction with Host Cell Receptors: Does gp120 of Human Immunodeficiency Virus Resemble an MHC Class II Alloepitope?. **1992**, 101-106
- 219 The role of yolk sac and gut epithelial cells in maternal immunoglobulin transport. **1992**, 273-298
- 218 Human Immune Response Genes. **1992**, 3-14
- 217 HLA-B27 AND DISEASE: A CONSEQUENCE OF INADVERTENT ANTIGEN PRESENTATION?. **1992**, 18, 11-21 34
- 216 ANKYLOSING SPONDYLITIS IS CAUSED BY KLEBSIELLA. **1992**, 18, 105-121 43
- 215 Basic immunology of transplantation. **1992**, 157, 126-31 2
- 214 T-CELL RECEPTOR/MAJOR HISTOCOMPATIBILITY COMPLEX GENETIC INTERACTIONS IN RHEUMATOID ARTHRITIS. **1992**, 18, 793-807 8
- 213 MHC Control of Growth and Metastatic Properties of Tumor Cells. **1993**, 185-198 1

212 Structure and Function of MHC Class I Molecules. **1993**, 95-110

211 Supramolecular Membrane Structure. **1993**, 85-121

210 Chaos- theoretical Analysis of Protein Structures. **1993**, 1259-1262

209 Transgenic Mouse Model of Lymphocyte Development. **1993**, 99-104

208 Recognition Requirements for the Positive Selection of the T Cell Repertoire: A Role of Self-Peptides and Major Histocompatibility Complex Pockets. **1993**, 105-114

207 Peptide Binding and Intracellular Transport of MHC Molecules. **1993**, 167-173

206 Class I MHC/Peptide/ β -Microglobulin Interactions: The Basis of Cytotoxic T-Cell Recognition. **1993**, 58-64

205 Assembly and Intracellular Transport of MHC Molecules. **1993**, 63-81

204 Estimation of the Mechanism of Peptide Binding to HLA Class II Molecules. **1993**, 377-381

203 The Molecular Mechanisms of HLA Associated Autoimmunity. **1993**, 148-166

202 Mechanisms of Extrathymic Tolerance. **1993**, 132-145

201 Fluorescence-Activated Cell Sorter Analysis of Peptide-Major Histocompatibility Complex. **1993**, 187-192

200 Trans-species Polymorphism of the Major Histocompatibility Complex (Mhc) Loci. **1993**, 153-158

199 Induction of Selective Immunosuppression by Administration of MHC Class II Binding Peptides. **1993**, 297-304

198 Biological Function of HLA Molecules. **1993**, 109-118

197 Class I and Class II HLA Proteins and Genes: An Overview of Structure, Polymorphism, and Expression. **1993**, 49-62

196 THE INTERPLAY OF NATURE VERSUS NURTURE IN PREDISPOSITION TO THE RHEUMATIC DISEASES. **1993**, 19, 15-27

195 Reflections on human tumor immunology. **1993**, 10, 83-6

- 194 HOST FACTORS IN THE PATHOGENESIS OF ARTHRITIS TRIGGERED BY INFECTIOUS ORGANISMS: Overview. **1993**, 19, 279-292 2
- 193 Epitope Screening Libraries: A New Strategy to Identify MHC-Specific Antagonists. **1994**, 115-121
- 192 Immunopathology and Virus Infections. **1994**, 1-9
- 191 Genes of the major histocompatibility complex and the evolutionary genetics of lifespan. **1994**, 256-269
- 190 T Cell Recognition of Defined Peptides and Autoimmunity. **1994**, 269-287
- 189 Developmental Regulation of MHC Class I Gene Expression in Mice. **1994**, 201-213
- 188 Evolution of Class I HLA Antigen Presenting Molecules. **1994**, 161-172
- 187 Advancements in DNA Technology as Applied to the Study of the Human Histocompatibility Complex. **1994**, 231-240
- 186 General Introduction. **1995**, 1-28
- 185 The Circulating Human Peripheral T-Cell Repertoire. **1995**, 29-61
- 184 Identification of an immunosubdominant nucleoprotein derived peptide processed by H-2b cells infected with influenza A virus. **1995**, 859-860
- 183 Immunogenetische Aspekte der Nierentransplantation. **1995**, 13-22
- 182 The Antigens of the Major Histocompatibility Complex (HLA Antigens). **1995**, 415-425
- 181 A brief review on epitope screening. **1996**, 755-758
- 180 Role of HLA-B27 in spondyloarthropathies. **1996**, 206, 85-100 3
- 179 Prinzipien der Tumormunologie. **1996**, 53-85
- 178 Major Histocompatibility Antigens: An Introduction. **1996**, 1-8
- 177 Isolation of MHC-restricted peptides by TFA extraction. **1996**, 567-587

176 Rat MHC class I peptides are immunogenic. **1996**, 9 Suppl 1, S337-9

175 Transplantation Immunology: Peptides in the groove cause histocompatibility. **1996**, 381-396

174 How Conventional Antigens and Superantigens Interact with the Human MHC Class II Molecule HLA-DR1. **1996**, 163-172

173 Role of Ligand Density in T Cell Reactions. **1996**, 191-206

172 Cooperative Recognition of MHC Class II:Peptide Complexes by the T Cell Receptor and CD4. **1996**, 207-228

171 Local Immunosuppression of Rat Cardiac, Liver, and Small Bowel Allografts. **1996**, 39-45

170 Natural selection at the class II major histocompatibility complex loci of mammals. **1997**, 89-97

169 Immunogenetics. **1997**, 131-181

2

168 The Structure. **1997**, 141-216

167 A Rational Approach to Immune Intervention. **1997**, 1-20

166 Nonhuman Primate Mhc-DP Genes. **1997**, 402-413

165 The Perpetual Network Theory and its Putative Applications: 21 Years Later. **1997**, 331-340

164 Protein superfamilies and cell surface molecules. **1997**, 32-100

163 The Significance of T Cell Responses in Human Myocarditis. **1997**, 65-76

1

162 The discovery and biochemical analysis of leucocyte surface antigens. **1997**, 18-31

161 MHC Class I. **1997**, 564-566

160 Antigen-Recognizing Molecules Other Than Antibodies. **1998**, 205-cp2

159 The HLA Complex. **1998**, 273-281

- 158 Immunobiology of Transplants: Specific and Nonspecific Mechanisms Involved in Allograft Rejection. **1998**, 145-156 1
- 157 Molecular requirements for assembly and intracellular transport of class I major histocompatibility complex molecules. **1998**, 232, 49-74 8
- 156 Baculovirus Vectors. **1998**, 219-233
- 155 HLA Polymorphism and Evolution. **1999**, 3-21
- 154 Transplantation immunology--the role of human leucocyte antigen in allorecognition. **1999**, 92, 1-18
- 153 Structural and Functional Implications of the Intron/Exon Organization of the Human Endothelial Cell Protein C/Activated Protein C Receptor (EPCR) Gene: Comparison With the Structure of CD1/Major Histocompatibility Complex ?1 and ?2 Domains. **1999**, 94, 632-641
- 152 Cherish An Idea That Does Not Attach Itself to Anything. 271-286
- 151 Host Immune Responses to Enterovirus Infections. 175-191 1
- 150 Immunogenetics of the Host Response to Viral Infections. 421-436
- 149 Phylogeny reconstruction: overview. **2014**, 70-101
- 148 Comparison of phylogenetic methods and tests on trees. **2014**, 153-181
- 147 Molecular clock and estimation of species divergence times. **2014**, 361-389
- 146 Models of amino acid and codon substitution. **2014**, 35-69
- 145 Maximum likelihood methods. **2014**, 102-152
- 144 Bayesian theory. **2014**, 182-213
- 143 Simulating molecular evolution. **2014**, 418-441 0
- 142 Neutral and adaptive protein evolution. **2014**, 390-417
- 141 Appendices. **2014**, 442-449

140 Bayesian phylogenetics. **2014**, 263-307

139 Coalescent theory and species trees. **2014**, 308-360

138 Bayesian computation (MCMC). **2014**, 214-262

137 MHC Class I Molecules and Cancer Progression: Lessons Learned from Preclinical Mouse Models. **2015**, 161-175

136 Immunopathology of Hepatobiliary Tumors and Immunotherapy of Liver Cancers. **2015**, 199-215

135 Encyclopedia of Signaling Molecules. **2016**, 1-9

134 The Adaptive Immune Response and Histocompatibility Genes. **2016**, 129-139

133 Application of the immunoregulatory receptor LILRB1 as a novel crystallisation chaperone for class I peptide-MHC complexes.

132 Peptide Terminus Tilting: an Unusual conformational transition of MHC Class I Revealed by Molecular Dynamics Simulations.

131 Encyclopedia of Signaling Molecules. **2018**, 2393-2401

130 Adaptive Immunity: Antigen Recognition by T and B Lymphocytes. **2019**, 55-74

129 Alloantigens and Their Role in Immune Cytopenias. **2019**, 449-468

128 Overview of the Immune System and Its Pharmacological Targets. **2020**, 1-42

1

127 Self and Nonself Short Constituent Sequences of Amino Acids in the SARS-CoV-2 Proteome for Vaccine Development. *Covid*, **2021**, 1, 555-574

3

126 In Silico Model Estimates the Clinical Trial Outcome of Cancer Vaccines. **2021**, 10,

1

125 Post-network immunology: Idiotypic network continues at the bedside. **2008**, 124-132

124 Embryology of the Mammalian Thymus. **2004**, 5-14

123 The Reticulo-Epithelial (Re) Cellular Network of the Mammalian Thymus. **2004**, 17-42

122	Development of Lymphopoiesis as a Function of the Thymic Microenvironment. 2004 , 61-92	
121	Die Immunantwort. 2005 , 869-910	
120	Rezeptoren des Immunsystems. 2008 , 29-86	
119	CERI, CEFX, and CPI: largely improved positive controls for testing antigen-specific T cell function in PBMC compared to CEF.	1
118	Crystal structure of a human rhinovirus neutralizing antibody complexed with a peptide derived from viral capsid protein VP2. 1994 , 13, 2247-56	13
117	Assembly of HLA DR1 molecules translated in vitro: binding of peptide in the endoplasmic reticulum precludes association with invariant chain. 1994 , 13, 2699-707	27
116	Three-dimensional structure of the ribosomal translocase: elongation factor G from <i>Thermus thermophilus</i> . 1994 , 13, 3669-77	112
115	Predicted complementarity determining regions of the T cell antigen receptor determine antigen specificity. 1995 , 14, 927-38	10
114	Organization and structure of the Qa genes of the major histocompatibility complex of the C3H mouse: implications for Qa function and class I evolution. 1989 , 8, 1749-59	28
113	Nobel lecture. The photosynthetic reaction centre from the purple bacterium <i>Rhodospseudomonas viridis</i> . 1989 , 8, 2149-70	133
112	Identification of residues necessary for clonally specific recognition of a cytotoxic T cell determinant. 1989 , 8, 2321-8	12
111	Regulated expression of human CD4 rescues helper T cell development in mice lacking expression of endogenous CD4. 1993 , 12, 1547-53	56
110	A left-hand beta-helix revealed by the crystal structure of a carbonic anhydrase from the archaeon <i>Methanosarcina thermophila</i> . 1996 , 15, 2323-30	62
109	Development of the CD4 and CD8 lineage of T cells: instruction versus selection. 1991 , 10, 913-8	37
108	A hypothetical model for the peptide binding domain of hsp70 based on the peptide binding domain of HLA. 1991 , 10, 1053-9	52
107	Clonal sketches of the immune response. 1988 , 7, 2945-51	6
106	Mouse CD1 is distinct from and co-exists with TL in the same thymus. 1988 , 7, 3081-6	42
105	Cytolytic T cells recognize a chimeric MHC class I antigen expressed in influenza A infected transgenic mice. 1988 , 7, 3423-31	6

104	Nucleotide sequences of chimpanzee MHC class I alleles: evidence for trans-species mode of evolution. 1988 , 7, 2765-74	99
103	A molecular map of the chicken major histocompatibility complex: the class II beta genes are closely linked to the class I genes and the nucleolar organizer. 1988 , 7, 2775-85	94
102	Peptide binding to HLA-DR1: a peptide with most residues substituted to alanine retains MHC binding. 1990 , 9, 1797-803	70
101	Delineation of antigen contact residues on an MHC class II molecule. 1990 , 9, 4215-23	10
100	Inhibition of endosomal proteolytic activity by leupeptin blocks surface expression of MHC class II molecules and their conversion to SDS resistance alpha beta heterodimers in endosomes. 1992 , 11, 411-6	56
99	Molecular analysis of the pathogenesis of beta-cell destruction in insulin-dependent diabetes mellitus. 1990 , 153, 499-502	1
98	Increased number of CD4-CD8+ MHC class II-specific T cells in MHC class II-deficient mice. 1995 , 85, 442-6	2
97	Inhibition of activation of human T lymphocytes by the complement C1 esterase inhibitor. 1995 , 86, 304-10	7
96	Influenza-specific cytotoxic T-cell recognition is inhibited by peptides unrelated in both sequence and MHC restriction. 1989 , 66, 163-9	30
95	Antigen recognition and activation of ovine gamma delta T cells. 1994 , 82, 229-37	11
94	Analysis of a naturally occurring HLA class I-restricted viral epitope. 1994 , 82, 337-42	21
93	Permissive recognition of a mycobacterial T-cell epitope: localization of overlapping epitope core sequences recognized in association with multiple major histocompatibility complex class II I-A molecules. 1995 , 84, 555-61	17
92	Expression of soluble isoforms of rat CD45. Analysis by electron microscopy and use in epitope mapping of anti-CD45R monoclonal antibodies. 1992 , 76, 310-7	65
91	Cellular and humoral antigenic epitopes in HIV and SIV. 1992 , 76, 515-34	41
90	Altered patterns of glycosylation on rat lymphocytes associated with activation. 1992 , 76, 472-7	3
89	Lymphocyte transformation induced by autologous cells. XVI: Distinctive role of discrete regions of class I MHC antigens in the autologous mixed leucocyte reaction. 1989 , 75, 280-5	3
88	Expression of intercellular adhesion molecule-1 on transitional cell cancer. Possible significance in immunity against tumor cells. 1993 , 143, 191-8	26
87	Detection of shared MHC-restricted human melanoma antigens after vaccinia virus-mediated transduction of genes coding for HLA. 1993 , 151, 1410-8	23

86	The major histocompatibility complex: the value of extended haplotypes in the analysis of associated immune diseases and disorders. 1990 , 63, 477-86		10
85	The quest for better understanding of HLA-disease association: scenes from a road less travelled by. 2013 , 16, 93-101		28
84	Effect of bacillus bacterial extracts on the expression of major histocompatibility complex Class I and Class II receptors on MDA-MB 231 breast cancer cells. 2020 , 14, 24-34		1
83	Role of immunogenetics polymorphisms in infectious diseases. 2022 , 169-191		0
82	Immunogenetic surveillance to histocompatibility. 2022 , 85-126		
81	Role of Tumor-Associated Neutrophils in the Molecular Carcinogenesis of the Lung. 2021 , 13,		1
80	Affinity, Specificity, and Cooperativity of DNA Binding by Bacterial Gene Regulatory Proteins.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	1
79	The association between killer cell immunoglobulin-like receptor-ligand (KIR-L) and breast cancer risk among the Kermanshahi women. 2022 , 31, 101005		
78	Nonsel self Mutations in the Spike Protein Suggest an Increase in the Antigenicity and a Decrease in the Virulence of the Omicron Variant of SARS-CoV-2.		1
77	Novel Cellular Therapies for Hepatocellular Carcinoma.. 2022 , 14,		0
76	HLA epitopes - Empirically defined as conformational amino acids sequences of the HLA antigen and are likely to be part of the binding sites of anti-HLA antibodies.. 2022 ,		0
75	What Defines a Good Tumour Antigen?. 2022 , 11-14		
74	T Cell Recognition of Tumor Neoantigens and Insights Into T Cell Immunotherapy.. <i>Frontiers in Immunology</i> , 2022 , 13, 833017	8.4	0
73	Discovery of an ancient MHC category with both class I and class II features.. 2021 , 118,		2
72	Seventh International Conference on Methods in Protein Sequence Analysis. July 3-8, 1988, West Berlin, F.R.G. Short communications. <i>The Protein Journal</i> , 1988 , 7, 187-324		
71	Production of crystallizable fragments of membrane proteins. <i>Journal of Bioenergetics and Biomembranes</i> , 1996 , 28, 35-40	3.7	1
70	Four Faces of Cell-Surface HLA Class-I: Their Antigenic and Immunogenic Divergence Generating Novel Targets for Vaccines.. <i>Vaccines</i> , 2022 , 10,	5.3	1
69	COVID-19 Pandemic: Escape of Pathogenic Variants and MHC Evolution.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	0

68	NonselF Mutations in the Spike Protein Suggest an Increase in the Antigenicity and a Decrease in the Virulence of the Omicron Variant of SARS-CoV-2. <i>Covid</i> , 2022 , 2, 407-418		3
67	HLA3D: an integrated structure-based computational toolkit for immunotherapy.. <i>Briefings in Bioinformatics</i> , 2022 ,	13.4	o
66	Characterization of a novel HLA-A*11:335 allele resulting from a rare interlocus recombination involving HLA-A*11:01:01:01/126 and HLA-H*02:07/14/18 alleles with nanopore sequencing, in a volunteer from the China Marrow Donor Program.. <i>BMC Medical Genomics</i> , 2022 , 15, 58	3.7	
65	Emerging enterococcus pore-forming toxins with MHC/HLA-I as receptors.. <i>Cell</i> , 2022 ,	56.2	o
64	The residues 4 to 6 at the N-terminus in particular modulate fibril propagation of Emicroglobulin.. <i>Acta Biochimica Et Biophysica Sinica</i> , 2022 , 54, 1-12	2.8	
63	Expression of distinct conformations of free HLA-Cw4 heavy chains in transfected neuroblastoma cells. <i>Immunogenetics</i> , 1996 , 43, 289-295	3.2	
62	Using de novo genome assembly and high-throughput sequencing to characterize the MHC region in a non-model bird, the Eurasian coot.. <i>Scientific Reports</i> , 2022 , 12, 7031	4.9	
61	Multiple-Allele MHC Class II Epitope Engineering by a Molecular Dynamics-Based Evolution Protocol.. <i>Frontiers in Immunology</i> , 2022 , 13, 862851	8.4	1
60	Unconventional modes of peptide-HLA-I presentation change the rules of TCR engagement.		o
59	DCs at the center of help: Origins and evolution of the three-cell-type hypothesis.. <i>Journal of Experimental Medicine</i> , 2022 , 219,	16.6	o
58	Biochemical analysis of related, independently arising histocompatibility mutants: bm17 and KB-98 enlarge the Bg series of H-2Kb mutants. <i>Biochemical Genetics</i> , 1990 , 28, 433-441	2.4	
57	Crystal structures of N-myristoylated lipopeptide-bound HLA class I complexes indicate reorganization of B-pocket architecture upon ligand binding. <i>Journal of Biological Chemistry</i> , 2022 , 1021004	5.4	o
56	Prediction of Major Histocompatibility Complex Binding with Bilateral and Variable Long Short Term Memory Networks. <i>Biology</i> , 2022 , 11, 848	4.9	
55	Novel epitopes identified from Tembusu virus NS3 protein induce cytotoxic T lymphocyte response. <i>Veterinary Microbiology</i> , 2022 , 271, 109477	3.3	o
54	Molecular Insights into the Inhibition of Dialysis-Related Am Amyloidosis Orchestrated by a Bispidine Peptidomimetic Analogue. <i>Biochemistry</i> ,	3.2	
53	THE HUMAN MAJOR HISTOCOMPATIBILITY COMPLEX AND DISEASE SUSCEPTIBILITY. 1993 , 13, 255-272		
52	LABORATORY CHARACTERIZATION OF MALIGNANCIES OF THE IMMUNE SYSTEM. 1994 , 14, 301-322		
51	Appendices. 2006 , 311-318		

50	Preface. 2006 , vii-x	
49	Dedication. 2006 , v-vi	
48	Copyright Page. 2006 , iv-iv	
47	Preface. 2014 , vii-viii	
46	Copyright Page. 2014 , iv-iv	
45	Foreword. 2014 , v-vi	
44	Rapid peptide exchange on MHC class I by small molecules elucidates dynamics of bound peptide. 2022 , 3, 167-174	
43	New vistas unfold: Chicken MHC molecules reveal unexpected ways to present peptides to the immune system. 13,	
42	Evolution and molecular interactions of major histocompatibility complex (MHC)-G, -E and -F genes. 2022 , 79,	○
41	Salamanders reveal novel trajectories of amphibian MHC evolution.	○
40	Association between HLA-C alleles and COVID-19 severity in a pilot study with a Spanish Mediterranean Caucasian cohort. 2022 , 17, e0272867	
39	Identification of T cell antigens in the 21st century, as difficult as ever. 2022 , 60, 101659	○
38	Antigen-guided depletion of anti-HLA antibody-producing cells by HLA-Fc fusion proteins.	○
37	Amyloid fibrils act as a reservoir of soluble oligomers, the main culprits in protein deposition diseases. 2200086	1
36	Relationship between genome-wide and MHC class I and II genetic diversity and complementarity in a nonhuman primate. 2022 , 12,	○
35	Treatment of Alzheimer's disease with small-molecule photosensitizers. 2022 , 107966	○
34	The Molecular Immunology of Transplantation and Graft Rejection. 1989 , 9, 1-19	1
33	Association of <i>BoLA-DRB3</i> with bovine leukemia virus. 2022 , 29, 158-167	○

32	The Parallel Presentation of Two Functional CTL Epitopes Derived from the O and Asia 1 Serotypes of Foot-and-Mouth Disease Virus and Swine SLA-2*HB01: Implications for Universal Vaccine Development. 2022 , 11, 4017	0
31	Conserved Biophysical Compatibility Among the Highly Variable Germline-Encoded Regions Shapes TCR-MHC Interactions.	0
30	The MHC-E Locus Is the Most Well Conserved of All Known Primate Class I Histocompatibility Genes. 1998 , 160, 189-196	8
29	Superdominance Among Immunodominant H-2Kb-Restricted Epitopes and Reversal by Dendritic Cell-Mediated Antigen Delivery. 1998 , 160, 3163-3169	18
28	Promiscuous Binding of Synthetic Copolymer 1 to Purified HLA-DR Molecules. 1998 , 160, 4386-4397	14
27	Strong Alloantigenicity of the Helices Residues of the MHC Class I Molecule. 1998 , 161, 148-153	2
26	A Partially Modified Retro-Inverso Pseudopeptide Modulates the Cytokine Profile of CTL Specific for an Influenza Virus Epitope. 1998 , 161, 200-208	5
25	Sequence-Based Typing Provides a New Look at HLA-C Diversity. 1998 , 161, 1406-1413	11
24	A Molecular Basis for How a Single TCR Interfaces Multiple Ligands. 1998 , 161, 4719-4727	11
23	HLA-B27 Subtype Polymorphism and CTL Epitope Choice: Studies with EBV Peptides Link Immunogenicity with Stability of the B27:Peptide Complex. 1998 , 161, 5252-5259	7
22	The Importance of Pairwise Interactions Between Peptide Residues in the Delineation of TCR Specificity. 1998 , 161, 4728-4735	3
21	HLA (A*0201) Mimicry by Anti-Idiotypic Monoclonal Antibodies. 1998 , 161, 6705-6714	4
20	Dose Dependence of CTL Precursor Frequency Induced by a DNA Vaccine and Correlation with Protective Immunity Against Influenza Virus Challenge. 1999 , 162, 4163-4170	11
19	Three Different MHC Class I Molecules Bind the Same CTL Epitope of the Influenza Virus in a Primate Species with Limited MHC Class I Diversity. 1999 , 162, 3970-3977	0
18	Recognition of an MHC Class I-Restricted Antigenic Peptide Can Be Modulated by para-Substitution of Its Buried Tyrosine Residues in a TCR-Specific Manner. 1999 , 162, 5998-6008	2
17	Cell-Surface Expression and Alloantigenic Function of a Human Nonclassical Class I Molecule (HLA-E) in Transgenic Mice. 1999 , 162, 5190-5196	5
16	Phosphorylated Peptides Can Be Transported by TAP Molecules, Presented by Class I MHC Molecules, and Recognized by Phosphopeptide-Specific CTL. 1999 , 163, 3812-3818	11
15	Distinct Proteolytic Processes Generate the C and N Termini of MHC Class I-Binding Peptides. 1999 , 163, 5851-5859	33

- 14 Tolerance and Specific Unresponsiveness in Organ Transplantation. **1989**, 9, 61-77 2
- 13 Decoupling peptide binding from T cell receptor recognition with engineered chimeric MHC-I molecules. 14, 0
- 12 The immune system. **2023**, 1-46 0
- 11 Analysis of the different subpeptidomes presented by the HLA class I molecules of the B7 supertype. **2023**, 387, 104707 0
- 10 HLA Matching in Cadaveric Renal Transplantation. **1989**, 9, 45-60 0
- 9 Evaluating the Potential Fitness Effects of Chinook Salmon (*Oncorhynchus tshawytscha*) Aquaculture Using Non-Invasive Population Genomic Analyses of MHC Nucleotide Substitution Spectra. **2023**, 13, 593 0
- 8 Pathways of MHC I cross-presentation of exogenous antigens. **2023**, 66, 101729 0
- 7 Non-random Codon Usage of Synonymous and Non-synonymous Mutations in the Human HLA-A Gene. **2023**, 91, 169-191 0
- 6 Emerging phagocytosis checkpoints in cancer immunotherapy. **2023**, 8, 0
- 5 Universal open MHC-I molecules for rapid peptide loading and enhanced complex stability across HLA allotypes. 0
- 4 Why allergists should care about optimizing fungal allergen culture. **2023**, 130, 407-408 0
- 3 Investigation of Peptidoglycan-Associated Lipoprotein of *Acinetobacter baumannii* and Its Interaction with Fibronectin To Find Its Therapeutic Potential. 0
- 2 Female reed warblers in social pairs with low MHC dissimilarity achieve higher MHC compatibility through random extra-pair matings. 0
- 1 Antigen presentation in vertebrates: Structural and functional aspects. **2023**, 144, 104702 0