

Peripheral effects of neurokinins: functional evidence for NK1 and NK2 receptors

Autonomic and Autacoid Pharmacology
7, 11-32

DOI: [10.1111/j.1474-8673.1987.tb00130.x](https://doi.org/10.1111/j.1474-8673.1987.tb00130.x)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | NK-1 receptors mediate the tachykinin stimulation of salivary secretion: selective agonists provide further evidence. <i>European Journal of Pharmacology</i> , 1988, 150, 377-379. | 3.5 | 37 |
| 2 | Neurokinin A-(4â€“10): a potent bronchospastic agent virtually devoid of sialologic properties in anaesthetized guinea-pigs. <i>European Journal of Pharmacology</i> , 1988, 148, 475-478. | 3.5 | 5 |
| 3 | Contractile response of the human isolated urinary bladder to neurokinins: involvement of NK-2 receptors. <i>European Journal of Pharmacology</i> , 1988, 145, 335-340. | 3.5 | 37 |
| 4 | Receptors for Neurokinins, Tachykinins, and Bombesin: A Pharmacological Study. <i>Annals of the New York Academy of Sciences</i> , 1988, 547, 158-174. | 3.8 | 23 |
| 5 | New selective agonists for neurokinin receptors: pharmacological tools for receptor characterization. <i>Trends in Pharmacological Sciences</i> , 1988, 9, 290-295. | 8.7 | 354 |
| 6 | The tachykinin NH ₂ -senktide, a selective neurokinin B receptor agonist, is a very potent inhibitor of salt appetite in the rat. <i>Neuroscience Letters</i> , 1988, 92, 341-346. | 2.1 | 46 |
| 7 | N-acylated pentapeptides antagonists of substance P on guinea-pig ileum. <i>Biochemical and Biophysical Research Communications</i> , 1988, 156, 323-327. | 2.1 | 10 |
| 8 | Tachykinin-like immunoreactivity in the mammalian urinary bladder: Correlation with the functions of the capsaicin-sensitive sensory nerves. <i>Neuroscience</i> , 1988, 26, 233-242. | 2.3 | 50 |
| 9 | Characterization of the peripheral action of neurokinins and neurokinin receptor selective agonists on the rat cardiovascular system. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1989, 340, 547-57. | 3.0 | 47 |
| 10 | Effects of tachykinins and selective tachykinin receptor agonists on vascular permeability in the rat lower urinary tract: evidence for the involvement of NKâ€“1 receptors. <i>Autonomic and Autacoid Pharmacology</i> , 1989, 9, 253-264. | 0.6 | 35 |
| 11 | Vasopressin release induced by intracranial injection of tachykinins is due to activation of central neurokinin-3 receptors. <i>Neuroscience Letters</i> , 1989, 103, 320-325. | 2.1 | 34 |
| 12 | A potent and selective agonist for NK-2 tachykinin receptor. <i>Peptides</i> , 1989, 10, 593-595. | 2.4 | 90 |
| 13 | Further studies on the motor response of the human isolated urinary bladder to tachykinins, capsaicin and electrical field stimulation. <i>General Pharmacology</i> , 1989, 20, 663-669. | 0.7 | 30 |
| 14 | The hamster isolated trachea: a new preparation for studying NK-2 receptors. <i>European Journal of Pharmacology</i> , 1989, 166, 435-440. | 3.5 | 37 |
| 15 | Effect of thiorphan on response of the guinea-pig gallbladder to tachykinins. <i>European Journal of Pharmacology</i> , 1989, 165, 51-61. | 3.5 | 29 |
| 16 | Novel autonomic neurotransmitters and intestinal function. , 1989, 40, 401-438. | | 24 |
| 17 | Vasoactive Peptides and Their Receptors. <i>Journal of Vascular Research</i> , 1990, 27, 137-145. | 1.4 | 6 |
| 18 | Neurokinin A. A pharmacological study. <i>Pharmacological Research</i> , 1990, 22, 1-14. | 7.1 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Tachykinin receptors in the airways and lung: What should we block?. Pharmacological Research, 1990, 22, 527-540. | 7.1 | 40 |
| 20 | In vivo pharmacology of [¹² Ala ⁸]neurokinin A-(4-10), a selective NK-2 tachykinin receptor agonist. European Journal of Pharmacology, 1990, 177, 81-86. | 3.5 | 37 |
| 21 | Inhibition of salt appetite in the rat following injection of tachykinins into the medial amygdala. Brain Research, 1990, 513, 1-7. | 2.2 | 33 |
| 22 | Competitive antagonists discriminate between NK ₂ tachykinin receptor subtypes. British Journal of Pharmacology, 1990, 100, 588-592. | 5.4 | 164 |
| 23 | Accelerated communication a cloned NK2 receptor mediates phosphatidylinositol hydrolysis in a transfected murine fibroblast. Life Sciences, 1990, 47, PL7-PL12. | 4.3 | 13 |
| 24 | Regional distribution of neuropeptide $\hat{1}^3$ and other tachykinin peptides derived from the substance P gene in the rat. Regulatory Peptides, 1990, 28, 323-333. | 1.9 | 76 |
| 25 | Antagonists for the neurokinin NK-3 receptor evaluated in selective receptor systems. Regulatory Peptides, 1990, 31, 125-135. | 1.9 | 58 |
| 26 | Selectivity and specificity of new, non-peptide, quinuclidine antagonists of substance P. Biochemical and Biophysical Research Communications, 1991, 176, 894-901. | 2.1 | 50 |
| 27 | Distribution of neurokinin A-like and neurokinin B-like immunoreactivity in human peripheral tissues. Regulatory Peptides, 1991, 36, 165-171. | 1.9 | 16 |
| 28 | Neurokinin receptors antagonists: Old and new. Life Sciences, 1991, 49, 1463-1469. | 4.3 | 19 |
| 29 | Further evidence for the existence of NK ₂ tachykinin receptor subtypes. British Journal of Pharmacology, 1991, 104, 91-96. | 5.4 | 74 |
| 30 | Tachykinin receptor subtypes involved in the central effects of tachykinins on water and salt intake. Brain Research Bulletin, 1991, 26, 155-160. | 3.0 | 36 |
| 31 | On the role of NK-2 tachykinin receptors in the mediation of spinal reflex excitability in the rat. Neuroscience, 1991, 44, 483-490. | 2.3 | 86 |
| 32 | Involvement of NK1 receptors and importance of the N-terminal sequence of substance P in the stimulation of protein secretion in rat parotid glands. European Journal of Pharmacology, 1991, 209, 95-100. | 3.5 | 9 |
| 33 | Opioid and neurokinin activities of substance P fragments and their analogs. European Journal of Pharmacology, 1991, 193, 209-215. | 3.5 | 19 |
| 34 | Actinomycin D is a competitive and selective antagonist at NK2 tachykinin receptors. Neuropeptides, 1991, 20, 109-114. | 2.2 | 14 |
| 35 | Molecular and Genetic Characterization, Functional Expression, and mRNA Expression Patterns of a Rat Substance P Receptor. Annals of the New York Academy of Sciences, 1991, 632, 63-78. | 3.8 | 31 |
| 36 | The hypothalamic paraventricular nucleus is a site of action for the central effect of tachykinins on plasma vasopressin1. Brain Research Bulletin, 1991, 26, 149-154. | 3.0 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The role of peptides in the regulation of the micturition reflex: An update. General Pharmacology, 1991, 22, 1-24. | 0.7 | 122 |
| 38 | Effect of CP-96,345, a nonpeptide substance P receptor antagonist, on salivation in rats.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 10042-10044. | 7.1 | 42 |
| 39 | Bed nucleus of the stria terminalis: Site for the antinatriorexic action of tachykinins in the rat. Pharmacology Biochemistry and Behavior, 1991, 40, 977-981. | 2.9 | 26 |
| 40 | The tachykinin NH ₂ -senktide inhibits alcohol intake in alcohol-preferring rats. Pharmacology Biochemistry and Behavior, 1991, 38, 881-887. | 2.9 | 22 |
| 41 | Omega conotoxin and presynaptic modulation of the biphasic response of the rat isolated urinary bladder to single pulse electrical field stimulation. Autonomic and Autacoid Pharmacology, 1991, 11, 295-304. | 0.6 | 25 |
| 42 | Effects on the Isolated Human Bronchus of SR 48968, a Potent and Selective Nonpeptide Antagonist of the Neurokinin A (NK ₂) Receptors. The American Review of Respiratory Disease, 1992, 146, 1177-1181. | 2.9 | 104 |
| 43 | The non-peptide tachykinin antagonist, CP-96,345, is a potent inhibitor of neurogenic inflammation. British Journal of Pharmacology, 1992, 105, 527-530. | 5.4 | 179 |
| 44 | FR 113680: a novel tripeptide substance P antagonist with NK ¹ receptor selectivity. British Journal of Pharmacology, 1992, 106, 123-126. | 5.4 | 31 |
| 45 | A pharmacological study of NK ₁ and NK ₂ tachykinin receptor characteristics in the rat isolated urinary bladder. British Journal of Pharmacology, 1992, 107, 777-784. | 5.4 | 32 |
| 46 | Neurokinin A (NK ₂) receptor revisited with SR 48968, a potent non-peptide antagonist. Biochemical and Biophysical Research Communications, 1992, 184, 1418-1424. | 2.1 | 167 |
| 47 | Central Effects of Neuropeptide K on Water and Food Intake in the Rat. Brain Research Bulletin, 1992, 28, 299-303. | 3.0 | 19 |
| 48 | The capsaicin test in mice for evaluating tachykinin antagonists in the spinal cord. Neuropharmacology, 1992, 31, 1279-1285. | 4.1 | 218 |
| 49 | Inhibition of cell dehydration-induced drinking by tachykinins: Evaluation of possible renal effects accounting for the long-lasting inhibition. Physiology and Behavior, 1992, 52, 153-158. | 2.1 | 1 |
| 50 | Central tachykinin injection potently suppresses the need-free salt intake of the female rat. Brain Research, 1992, 584, 77-82. | 2.2 | 10 |
| 51 | The NK ₁ receptor is involved in the neurokinin-induced shape change of rabbit platelets. FEBS Letters, 1992, 312, 200-202. | 2.8 | 12 |
| 52 | SUBSTANCE P PROVOKES CUTANEOUS ERYTHEMA AND EDEMA THROUGH A HISTAMINE-INDEPENDENT PATHWAY. International Journal of Dermatology, 1992, 31, 206-209. | 1.0 | 38 |
| 53 | Effect of CP-96,345, a non-peptide NK ₁ receptor antagonist, against substance P-, bradykinin- and allergen-induced airway microvascular leakage and bronchoconstriction in the guinea pig. European Journal of Pharmacology, 1993, 231, 31-38. | 3.5 | 63 |
| 54 | A potent and long-acting NK-1 selective agonist. Life Sciences, 1993, 52, PL103-PL106. | 4.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Plasma extravasation induced by neurokinins in conscious rats: receptor characterization with agonists and antagonists. Canadian Journal of Physiology and Pharmacology, 1993, 71, 217-221. | 1.4 | 32 |
| 56 | The differential roles of substance P and neurokinin A in spinal cord hyperexcitability and neurogenic inflammation. Regulatory Peptides, 1993, 46, 165-173. | 1.9 | 31 |
| 57 | The rabbit iris sphincter contains NK1 and NK3 but not NK2 receptors: a study with selective agonists and antagonists. Regulatory Peptides, 1993, 44, 269-275. | 1.9 | 15 |
| 58 | Hypotensive effect of intravenous injection of tachykinins in conscious, freely moving spontaneously hypertensive and Wistar Kyoto rats. Peptides, 1993, 14, 97-102. | 2.4 | 19 |
| 59 | NK1 and NK2 Receptors Mediate Tachykinin and Resiniferatoxin-induced Bronchospasm in Guinea Pigs. The American Review of Respiratory Disease, 1993, 148, 915-921. | 2.9 | 27 |
| 60 | Inhibition of isotonic sodium chloride intake in the rat by selective tachykinin agonists. Pharmacology Biochemistry and Behavior, 1994, 47, 609-615. | 2.9 | 9 |
| 61 | In vivo effects of neurokinin B on rat urinary bladder motility: Involvement of tachykinin NK1 and NK2 receptors. Neuropeptides, 1994, 27, 53-62. | 2.2 | 19 |
| 62 | Tachykinin NK3 receptor agonist blocks sodium deficiency-induced shift in taste reactivity. Brain Research, 1994, 665, 123-126. | 2.2 | 15 |
| 63 | Selective agonists at NK3 tachykinin receptors inhibit alcohol intake in Sardinian alcohol-preferring rats. Brain Research Bulletin, 1994, 33, 71-77. | 3.0 | 34 |
| 64 | Antagonism of substance P and related peptides by RP 67580 and CP-96,345, at tachykinin NK1 receptor sites, in the rat urinary bladder. European Journal of Pharmacology, 1994, 251, 9-14. | 3.5 | 23 |
| 65 | Subcutaneous injections of the tachykinin senktide reduce alcohol intake in alcohol-preferring rats. Peptides, 1995, 16, 533-537. | 2.4 | 21 |
| 66 | Tachykinin receptors in gastrointestinal motility. Regulatory Peptides, 1995, 57, 19-42. | 1.9 | 51 |
| 67 | Role of tachykinin and bradykinin receptors and mast cells in gaseous formaldehyde-induced airway microvascular leakage in rats. European Journal of Pharmacology, 1996, 307, 291-298. | 3.5 | 24 |
| 68 | Peripheral effects of three novel non-peptide tachykinin NK1 receptor antagonists in the anaesthetized rat. European Journal of Pharmacology, 1996, 318, 377-385. | 3.5 | 12 |
| 69 | Tachykinin NK2 receptors in the hamster urinary bladder: in vitro and in vivo characterization. Naunyn-Schmiedeberg's Archives of Pharmacology, 1998, 358, 293-300. | 3.0 | 19 |
| 70 | Lateral Ventricular Injections of the NK3 Agonist Senktide Affect Salt Taste-Elicited Responses. Peptides, 1998, 19, 319-324. | 2.4 | 6 |
| 71 | Tachykinin Receptor Assays. Current Protocols in Pharmacology, 1998, 1, 4.10.1. | 4.0 | 0 |
| 72 | Branin Tachykinins and the Regulation of Salt Intake. Annals of the New York Academy of Sciences, 1999, 897, 173-181. | 3.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Neurogenic plasma leakage in mouse airways. British Journal of Pharmacology, 1999, 126, 522-528. | 5.4 | 49 |
| 74 | The tachykinin NK1 receptor in the brain: pharmacology and putative functions. European Journal of Pharmacology, 1999, 375, 51-60. | 3.5 | 182 |
| 75 | Expression of Substance P Receptors in Normal and Psoriatic Skin. Pathobiology, 1999, 67, 51-54. | 3.8 | 35 |
| 76 | Principles of tachykininergic co-transmission in the peripheral and enteric nervous system. Regulatory Peptides, 2000, 93, 53-64. | 1.9 | 75 |
| 77 | Tachykinins as modulators of the micturition reflex in the central and peripheral nervous system. Regulatory Peptides, 2001, 101, 1-18. | 1.9 | 91 |
| 78 | Urodynamic effects induced by intravesical capsaicin in rats and hamsters. Autonomic Neuroscience: Basic and Clinical, 2001, 91, 37-46. | 2.8 | 13 |
| 79 | Substance P: a pioneer amongst neuropeptides. Journal of Internal Medicine, 2001, 249, 27-40. | 6.0 | 294 |
| 80 | Pharmacological profile of the novel mammalian tachykinin, hemokinin 1. British Journal of Pharmacology, 2002, 135, 266-274. | 5.4 | 98 |
| 81 | Intraventricular injections of tachykinin NK3 receptor agonist reduce the gain of the baroreflex in unrestrained rats. Experimental Neurology, 2005, 193, 118-124. | 4.1 | 4 |
| 82 | Intraventricular injections of tachykinin NK3 receptor agonists suppress the intake of "salty" tastes by sodium deficient rats. Behavioural Brain Research, 2006, 166, 1-8. | 2.2 | 8 |
| 83 | Inhibitory roles of peripheral nitrergic mechanisms in capsaicin-induced detrusor overactivity in the rat. BJU International, 2007, 100, 912-918. | 2.5 | 23 |
| 84 | Myoelectric pattern and effects on small bowel transit induced by the tachykinins neurokinin A, neurokinin B, substance P and neuropeptide K in the rat. Neurogastroenterology and Motility, 1993, 5, 33-40. | 3.0 | 19 |
| 85 | Identification of mechanisms for duodenal contraction induced by tachykinins in the rat. Neurogastroenterology and Motility, 1993, 5, 97-106. | 3.0 | 11 |
| 86 | Alterations of Neurotransmitter Receptors in Schizophrenia: Evidence from Postmortem Studies. , 2009, , 443-492. | | 1 |
| 87 | Neurogenic airway microvascular leakage induced by toluene inhalation in rats. European Journal of Pharmacology, 2012, 685, 180-185. | 3.5 | 3 |
| 88 | Neurologic Regulation and Orthodontic Tooth Movement. Frontiers of Oral Biology, 2016, 18, 64-74. | 1.5 | 7 |
| 89 | The Neuroendocrinology, Neurochemistry and Molecular Biology of Thirst and Salt Appetite. , 2007, , 641-687. | | 19 |
| 90 | Pharmacological Characterization of Receptor Types. , 1994, , 367-393. | | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | Receptors for Neurokinins in Peripheral Organs. , 1987, , 99-107. | | 37 |
| 92 | Neuropeptides (Neurokinins, Bombesin, Neurotensin, Cholecystokinins, Opioids) and Smooth Muscle. Handbook of Experimental Pharmacology, 1994, , 243-300. | 1.8 | 1 |
| 93 | Vasoactive Peptides and Their Receptors. Methods in Neurosciences, 1993, , 43-86. | 0.5 | 3 |
| 94 | Organization, structure, and expression of the gene encoding the rat substance P receptor. Journal of Biological Chemistry, 1991, 266, 4366-4374. | 3.4 | 114 |
| 95 | Receptor Assays for Neurokinins, Tachykinins, and Bombesins. Methods in Neurosciences, 1991, , 331-354. | 0.5 | 1 |