

CITATION REPORT

List of articles citing

Establishment of mouse cell lines which constitutively secrete large quantities of interleukin 2, 3, 4 or 5, using modified cDNA expression vectors

DOI: 10.1002/eji.1830180115

European Journal of Immunology, 1988, 18, 97-104.

Source: <https://exaly.com/paper-pdf/19523767/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1028	Hematopoietic Development of ES Cells in Culture. 2002 , 63, 209-30		10
1027	Selective production of interleukin 3 (IL3) and granulocyte-macrophage colony-stimulating factor (GM-CSF) in vitro by murine L3T4+ T cells: lack of spontaneous IL3 and GM-CSF production by Ly-2-/L3T4- lpr subset. <i>European Journal of Immunology</i> , 1988 , 18, 1367-72	6.1	21
1026	Functional discrimination between interleukin 6 and interleukin 1. <i>European Journal of Immunology</i> , 1988 , 18, 1535-40	6.1	394
1025	Regulation of growth and differentiation of pre-activated B lymphocytes. 1988 , 28, 509-18		5
1024	Prethymic and intrathymic mouse T-cell progenitors. Growth requirements and analysis of the expression of genes encoding TCR/T3 components and other T-cell-specific molecules. 1988 , 104, 5-27		44
1023	B cell progenitors have different growth requirements before and after immunoglobulin heavy chain commitment. 1988 , 168, 1511-6		15
1022	Expression of functional human EGF receptor on murine bone marrow cells.. 1988 , 7, 2749-2756		35
1021	Thymic epithelial cells induce in vitro differentiation of PRO-T lymphocyte clones into TCR alpha,beta/T3+ and TCR gamma,delta/T3+ cells.. 1989 , 8, 4053-4063		29
1020	Interleukin 5 enhances interleukin 2-mediated lymphokine-activated killer activity. 1989 , 170, 583-8		28
1019	Monoclonal antibodies reactive with the mouse interleukin 5 receptor. 1989 , 169, 1693-701		99
1018	One synchronous wave of B cell development in mouse fetal liver changes at day 16 of gestation from dependence to independence of a stromal cell environment. 1989 , 170, 1973-86		66
1017	Autocrine growth and tumorigenicity of interleukin 2-dependent helper T cells transfected with IL-2 gene. 1989 , 169, 13-25		131
1016	Myeloid haemopoietic growth factors. 1989 , 989, 111-32		24
1015	Soluble factors and cell-surface molecules involved in human B lymphocyte activation, growth and differentiation. 1989 , 989, 133-51		1
1014	The epigenetic influences of bone marrow and fetal liver stroma cells on the developmental potential of Ly-1+ pro-B lymphocyte clones. <i>European Journal of Immunology</i> , 1989 , 19, 347-56	6.1	24
1013	Interleukin 5 regulation of peritoneal Ly-1 B lymphocyte proliferation, differentiation and autoantibody secretion. <i>European Journal of Immunology</i> , 1989 , 19, 1701-7	6.1	65
1012	Detection of individual interleukin 4- and gamma interferon-producing murine spleen cells after activation with T-cell mitogens. 1989 , 30, 315-20		18

1011	Regulation of IgG1 and IgE synthesis by interleukin 4 in mouse B cells. 1989 , 30, 355-61		42
1010	A role for Lys-His-Gly-NH ₂ in avian and murine B cell development. 1989 , 122, 319-28		22
1009	Deletion of 3' untranslated region of human BSF-2 mRNA causes stabilization of the mRNA and high-level expression in mouse NIH3T3 cells. 1989 , 163, 1056-62		20
1008	Multi-copy introduction and high-level expression of interleukin-3 genes by retroviral vector superinfection. 1989 , 158, 576-83		
1007	Expression of human and murine interleukin-5 in eukaryotic systems. 1989 , 8, 491-501		56
1006	Tumor suppression involves down-regulation of interleukin 3 expression in hybrids between autocrine mastocytoma and interleukin 3-dependent parental mast cells. 1989 , 86, 9299-302		17
1005	Monoclonal antibodies specific for murine CD2 reveal its presence on B as well as T cells. 1989 , 86, 645-9		108
1004	In vitro effects of recombinant interleukin 7 on growth and differentiation of bone marrow pro-B- and pro-T-lymphocyte clones and fetal thymocyte clones. 1989 , 86, 1634-8		60
1003	Amoeboid Microglial Cells and not Astrocytes Synthesize TNF-alpha in Swiss Mouse Brain Cell Cultures. 1990 , 2, 762-768		45
1002	Cultured epidermal Langerhans cells activate effector T cells for contact sensitivity. 1990 , 95, 436-40		85
1001	Interleukin 5 regulation of peritoneal B-cell proliferation and antibody secretion. 1990 , 31, 91-101		15
1000	Naturally activated and resting T cells differ in their activation requirements for growth and secretory activities. 1990 , 125, 120-9		2
999	Immunotherapy of cancer using local administration of lymphoid cells transformed by IL-2 cDNA and constitutively producing IL-2. 1990 , 23, 287-92		76
998	Interleukin 2, 4 and 5 are sequentially produced in mitogen-stimulated murine spleen cell cultures. <i>European Journal of Immunology</i> , 1990 , 20, 389-95	6.1	38
997	Regulation of murine lymphokine production in vivo. II. Dehydroepiandrosterone is a natural enhancer of interleukin 2 synthesis by helper T cells. <i>European Journal of Immunology</i> , 1990 , 20, 793-802 ^{6.1}		295
996	Microheterogeneity of human interleukin 6 synthesized by transfected NIH/3T3 cells: comparison with human monocytes, fibroblasts and endothelial cells. <i>European Journal of Immunology</i> , 1990 , 20, 883-7	6.1	21
995	Induction of germ-line immunoglobulin heavy chain transcripts by mitogens and interleukins prior to switch recombination. <i>European Journal of Immunology</i> , 1990 , 20, 1079-84	6.1	107
994	Immune responses to defined epitopes of the circumsporozoite protein of the murine malaria parasite, <i>Plasmodium yoelii</i> . <i>European Journal of Immunology</i> , 1990 , 20, 1215-22	6.1	36

993	Characterization of the interleukin 5-reactive splenic B cell population. <i>European Journal of Immunology</i> , 1990 , 20, 1949-56	6.1	19
992	The influence of S17 stromal cells and interleukin 7 on B cell development. <i>European Journal of Immunology</i> , 1990 , 20, 2183-9	6.1	103
991	Cross-talk between B cell surface immunoglobulin and interleukin 4 receptors: the role of protein kinase C and Ca ²⁺ (+)-mediated signals. <i>European Journal of Immunology</i> , 1990 , 20, 2301-7	6.1	10
990	Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) treatment in vivo on thymocyte functions in mice after activation in vitro. 1990 , 12, 459-66		15
989	Gene expression using DNA viral vectors. 1990 , 1, 48-54		3
988	The cytoplasmic domain of the CD8 alpha-chain is required for its interaction with p56lck. 1990 , 24, 267-71		4
987	Establishment of an interleukin-5-dependent subclone from an interleukin-3-dependent murine hemopoietic progenitor cell line, LyD9, and its malignant transformation by autocrine secretion of interleukin-5.. 1990 , 9, 1823-1830		14
986	Identification and characterization of pro-T lymphocytes and lineage-uncommitted lymphocyte precursors from mice with three novel surface markers. 1990 , 172, 219-30		26
985	Interleukin-2 does not attenuate hypertension in spontaneously hypertensive rats. 1990 , 16, 468-71		17
984	Regulation of murine lymphokine production in vivo. III. The lymphoid tissue microenvironment exerts regulatory influences over T helper cell function. 1990 , 171, 979-96		325
983	W mutant mice with mild or severe developmental defects contain distinct point mutations in the kinase domain of the c-kit receptor. 1990 , 4, 390-400		264
982	Characterization of a T-cell-derived mast cell costimulatory activity (MCA) that acts synergistically with interleukin 3 and interleukin 4 on the growth of murine mast cells. 1990 , 2, 407-15		6
981	Human chromosome 21 is necessary and sufficient to confer human IFN gamma responsiveness to somatic cell hybrids expressing the cloned human IFN gamma receptor gene. 1990 , 2, 157-61		18
980	A novel approach to the induction of specific cytolytic T cells in vivo. 1990 , 141, 855-863		12
979	A novel approach to the induction of specific cytolytic T cells in vivo. 1990 , 141, 855-63		9
978	Interleukin-2 production by tumor cells bypasses T helper function in the generation of an antitumor response. 1990 , 60, 397-403		848
977	Overexpression of proteins in eukaryotes. 1990 , 182, 112-32		12
976	Production of murine interleukin-4 and interleukin-5 by recombinant baculovirus. 1990 , 132, 221-6		6

975	Recognition of the product of a novel MHC TL region gene (27b) by a mouse gamma delta T cell receptor. 1990 , 62, 549-61	212
974	Analysis of cell proliferation and mu-RNA processing during activation of mouse B-cells by anti-mu and T lymphokines. 1990 , 27, 1249-57	2
973	Establishment of a novel factor-dependent myeloid cell line from primary cultures of mouse bone marrow. 1991 , 3, 60-71	13
972	Effect of parathyroid hormone on release of interleukin 1 and interleukin 6 from cultured mouse osteoblastic cells. 1991 , 179, 236-42	34
971	Natural and conditional ageing of mouse fibroblasts: genetic vs. epigenetic control. 1991 , 178, 269-75	13
970	bcl-2 transgene inhibits T cell death and perturbs thymic self-censorship. 1991 , 67, 889-99	984
969	MHC class II-restricted presentation of intracellular antigen. 1991 , 64, 767-76	241
968	Several new approaches to improvement of alpha interferon therapy in chronic myelogenous leukaemia. 1991 , 27 Suppl 4, S21-5	4
967	A method for generating antigen-specific rat T helper cell clones. 1991 , 138, 77-86	6
966	A sensitive and efficient induction system for murine IgE. Single cell analysis at the clonal level. 1991 , 141, 263-75	15
965	Macrophage NO ₂ ⁻ production as a sensitive and rapid assay for the quantitation of murine IFN-gamma. 1991 , 139, 107-14	69
964	IgD receptors on murine T-helper cells bind to Fd and Fc regions of immunoglobulin D. 1991 , 88, 9233-7	12
963	Efficient selection for high-expression transfectants with a novel eukaryotic vector. 1991 , 108, 193-9	4536
962	Expression of functional c-kit receptors rescues the genetic defect of W mutant mast cells.. 1991 , 10, 3683-3691	29
961	Premature expression of the macrophage colony-stimulating factor receptor on a multipotential stem cell line does not alter differentiation lineages controlled by stromal cells used for coculture. 1991 , 173, 1267-79	28
960	Long-term proliferating early pre B cell lines and clones with the potential to develop to surface Ig-positive, mitogen reactive B cells in vitro and in vivo.. 1991 , 10, 327-336	226
959	Modulation of c-kit mRNA and protein by hemopoietic growth factors. 1991 , 11, 2901-4	41
958	The Steel/W transduction pathway: kit autophosphorylation and its association with a unique subset of cytoplasmic signaling proteins is induced by the Steel factor. 1991 , 11, 3043-51	236

957	Germline transcripts of the immunoglobulin heavy-chain and T cell receptor genes in a murine hematopoietic stem cell line LyD9 and its derivative cell lines. 1991 , 28, 147-54		2
956	Interleukin 5 (IL-5) can act in G0/G1 to induce S phase entry in B lymphocytes from normal and autoimmune strain mice and in transformed leukemic B cells. 1991 , 137, 245-51		4
955	Induction of interleukin-5 responsiveness in resting B cells by engagement of the antigen receptor and perception of a second polyclonal activation signal. 1991 , 137, 358-66		5
954	IL-2 production by B cells stimulated with a specific antigen. 1991 , 138, 207-15		11
953	Thymic modulation of IL-2 and IL-4 synthesis by peripheral T cells. 1991 , 135, 501-18		10
952	Primary anti-trinitrophenyl memory cells investigated by plaque-forming cells and ELISA. 1991 , 136, 388-401		
951	IL-2 and IL-5 both induce mu S and J chain mRNA in a clonal B cell line, but differ in their cell-cycle dependency for optimal signaling. 1991 , 136, 472-85		7
950	Participation of CD4 coreceptor molecules in T-cell repertoire selection. 1991 , 349, 241-3		79
949	Idiotypic-specific, major histocompatibility complex restricted T cells are of both Th1 and Th2 type. 1991 , 33, 647-56		19
948	The effects of interleukins 4 and 5 on the differentiation of B cells from (NZB x NZW)F1 mice. 1991 , 33, 119-29		11
947	Assessment of cytokines by immunofluorescence and the paraformaldehyde-saponin procedure. 1991 , 119, 65-93		422
946	Evidence that the CD45 phosphatase regulates the activity of the phospholipase C in mouse T lymphocytes. <i>European Journal of Immunology</i> , 1991 , 21, 195-201	6.1	16
945	Age-related changes in lymphokine production related to a decreased number of CD45RBhi CD4+ T cells. <i>European Journal of Immunology</i> , 1991 , 21, 273-81	6.1	152
944	Exacerbation of experimental murine cutaneous leishmaniasis with CD4+ Leishmania major-specific T cell lines or clones which secrete interferon-gamma and mediate parasite-specific delayed-type hypersensitivity. <i>European Journal of Immunology</i> , 1991 , 21, 559-67	6.1	56
943	Expression and biological effects of high levels of serum IgE in epsilon heavy chain transgenic mice. <i>European Journal of Immunology</i> , 1991 , 21, 617-26	6.1	10
942	Interleukin 2-dependent activation of tumor-specific cytotoxic T lymphocytes in vivo. <i>European Journal of Immunology</i> , 1991 , 21, 851-4	6.1	71
941	Antigen-independent T cell activation mediated by a very late activation antigen-like extracellular matrix receptor. <i>European Journal of Immunology</i> , 1991 , 21, 1559-62	6.1	29
940	Components of an antigen-/T cell receptor-independent pathway of lymphokine production. <i>European Journal of Immunology</i> , 1991 , 21, 1857-61	6.1	9

939	Differential activity of recombinant lymphokines on mouse B cell proliferation and cell cycle progression are revealed by 5-bromo-2Pdeoxyuridine/Hoechst 33258 dye flow cytometry. <i>European Journal of Immunology</i> , 1991 , 21, 2153-60	6.1	5
938	The in vitro production of cytokines by mucosal lymphocytes immunized by oral administration of keyhole limpet hemocyanin using cholera toxin as an adjuvant. <i>European Journal of Immunology</i> , 1991 , 21, 2333-9	6.1	110
937	Modulation of tumoricidal activity, induced in bone-marrow-derived mononuclear phagocytes by interferon gamma or <i>Corynebacterium parvum</i> , by interferon beta, tumor necrosis factor, prostaglandin E2, and transforming growth factor beta. 1991 , 49, 796-800		15
936	Immunogenicity of a non-class I MHC expressing murine tumor transfected with the influenza virus hemagglutinin or murine interleukin-2 genes. 1991 , 33, 267-73		2
935	Platelet-derived growth factor is a potent biologic response modifier of T cells. 1991 , 174, 1323-33		72
934	Hematopoietic development of embryonic stem cells in vitro: cytokine and receptor gene expression. 1991 , 5, 728-40		253
933	Treatment of established renal cancer by tumor cells engineered to secrete interleukin-4. 1991 , 254, 713-6		661
932	Different stromal cell lines support lineage-selective differentiation of the multipotential bone marrow stem cell clone LyD9. 1991 , 173, 1257-66		34
931	Synergy of interleukin-5 with interleukin-2 in the generation of lymphokine-activated killer-cells. 1992 , 1, 165-74		
930	Somatic gene therapy for diabetes with an immunological safety system for complete removal of transplanted cells. 1992 , 41, 956-61		26
929	In vitro differentiation of embryonic stem cells into lymphocyte precursors able to generate T and B lymphocytes in vivo. 1992 , 89, 9171-5		82
928	Transplantable myeloproliferative disease induced in mice by an interleukin 6 retrovirus. 1992 , 176, 1149-63		148
927	Intermolecular cystine-bonding of murine interleukin 2 indicates that ligand dimerization is important for the formation of the high-affinity receptor complex. 1992 , 7, 117-29		2
926	Expression of murine interleukin 7 in a murine glioma cell line results in reduced tumorigenicity in vivo. 1992 , 89, 3850-4		115
925	Interleukin 2 and tumor necrosis factor alpha are complementary for proliferation of the hematopoietic stem cell line LyD9. 1992 , 7, 297-303		4
924	p21ras activation via hemopoietin receptors and c-kit requires tyrosine kinase activity but not tyrosine phosphorylation of p21ras GTPase-activating protein. 1992 , 89, 1587-91		191
923	CD4 and CD8 regulate interleukin 2 responses of T cells. 1992 , 89, 5557-61		18
922	Induced expression of PD-1, a novel member of the immunoglobulin gene superfamily, upon programmed cell death.. 1992 , 11, 3887-3895		1775

921	Hematologic disease induced in BALB/c mice by a bcr-abl retrovirus is influenced by the infection conditions. 1992 , 12, 1755-63	51
920	Heparin is required for cell-free binding of basic fibroblast growth factor to a soluble receptor and for mitogenesis in whole cells. 1992 , 12, 240-7	602
919	Fetal liver pro-B and pre-B lymphocyte clones: expression of lymphoid-specific genes, surface markers, growth requirements, colonization of the bone marrow, and generation of B lymphocytes in vivo and in vitro. 1992 , 12, 518-30	31
918	Establishment and characterization of lymphoid and myeloid mixed-cell populations from mouse late embryoid bodies, "embryonic-stem-cell fetuses". 1992 , 89, 2541-5	42
917	Detection of feline immunodeficiency virus by a nested polymerase chain reaction. 1992 , 36, 239-48	21
916	Poly(ADP ribose) polymerase-defective mutant cell clone of mouse L1210 cells. 1992 , 200, 126-34	25
915	Age-dependent responsiveness to interleukin-6 in B lymphocytes from a systemic lupus erythematosus-prone (NZB x NZW)F1 hybrid. 1992 , 62, 264-9	29
914	Proliferative and T-cell specific interleukin (IL-2/IL-4) production responses in spleen cells from mice vaccinated with aroA live attenuated Salmonella vaccines. 1992 , 13, 305-15	29
913	Enhancement of antigen-specific activation of CD8+ memory cytotoxic T cells by B cell-derived factors. 1992 , 186, 410-20	6
912	The presence of a dehydroepiandrosterone-specific receptor binding complex in murine T cells. 1992 , 42, 293-304	174
911	Application of BrdU/Hoechst-ethidium bromide two parameter flow cytometry in studying synchronous and non-synchronous mouse cells. 1992 , 185, 366-79	3
910	No evidence of vertical transmission of naturally acquired feline immunodeficiency virus infection. 1992 , 33, 301-8	30
909	Use of IL-2 gene transfer in local immunotherapy of cancer. 1992 , 62, 257-62	7
908	Protein kinase C activity is rate limiting for shedding of the interleukin-6 receptor. 1992 , 189, 794-800	99
907	Soluble human interleukin-6-receptor modulates interleukin-6-dependent N-glycosylation of alpha 1-protease inhibitor secreted by HepG2 cells. 1992 , 306, 257-61	24
906	Regulation of transcription of immunoglobulin germ-line gamma 1 RNA: analysis of the promoter/enhancer.. 1992 , 11, 145-155	64
905	Expression of the E.coli 3-methyladenine DNA glycosylase I gene in mammalian cells reduces the toxic and mutagenic effects of methylating agents.. 1992 , 11, 4439-4444	32
904	The involvement of the intestinal microflora in the expansion of CD4+ T cells with a naive phenotype in the periphery. 1992 , 2, 141-50	73

903	Differentiation of mouse embryonic stem cells to lympho-hematopoietic lineages in vitro. 1992 , 2, 29-50		16
902	Association of tyrosine kinase p56lck with CD4 inhibits the induction of growth through the alpha beta T-cell receptor. 1992 , 358, 328-31		146
901	Qualitative shift of lymphokine production in response to stimulation, as a consequence of preactivation in vivo or in vitro. 1992 , 36, 453-62		3
900	Soluble interleukin-2 receptors inhibit interleukin 2-dependent proliferation and cytotoxicity: explanation for diminished natural killer cell activity in cutaneous T-cell lymphomas in vivo?. 1992 , 98, 50-4		38
899	Primary stimulation of CD4+ cells in the presence of IL-4 or IFN-gamma alters the frequencies of cytokine-producing cells at restimulation. 1992 , 36, 769-77		3
898	Induction of IL-2 receptor expression and proliferation of T cell clones by a novel cytokine(s). 1992 , 142, 79-93		10
897	Recombinant mouse tumor necrosis factor expressed in mammalian cells: effect of glycosylation on cytotoxic activity. 1992 , 1132, 188-94		5
896	Sequence and expression of a rat cDNA for LECAM-1. 1992 , 1131, 321-4		23
895	Tumorigenicity of interleukin-2 (IL-2)-cDNA-transfected L1210 lymphoma and its in vivo variants is modulated by changes in IL-2 expression; potential therapeutic implications. 1992 , 35, 347-54		10
894	Immunization with soluble simian virus 40 large T antigen induces a specific response of CD3+ CD4- CD8+ cytotoxic T lymphocytes in mice. <i>European Journal of Immunology</i> , 1992 , 22, 759-66	6.1	38
893	The stromal cell line S17 supports the growth of lipopolysaccharide-stimulated CBA/N spleen cell colonies in vitro. <i>European Journal of Immunology</i> , 1992 , 22, 1001-6	6.1	5
892	Soluble anti-mu monoclonal antibodies prime resting B cells to secrete immunoglobulins in response to interleukins-4 and -5. <i>European Journal of Immunology</i> , 1992 , 22, 1541-5	6.1	11
891	Identification of an immunodominant type-II collagen peptide recognized by T cells in H-2q mice: self tolerance at the level of determinant selection. <i>European Journal of Immunology</i> , 1992 , 22, 1819-25	6.1	116
890	The induction of resting B cell differentiation does not require T cell contact. <i>European Journal of Immunology</i> , 1992 , 22, 2323-9	6.1	5
889	Interleukin-3-treated non-B, non-T cells switch activated B cells to IgG1/IgE synthesis. <i>European Journal of Immunology</i> , 1992 , 22, 2783-7	6.1	6
888	Induction of primary anti-viral cytotoxic T cells by in vitro stimulation with short synthetic peptide and interleukin-7. <i>European Journal of Immunology</i> , 1992 , 22, 3183-5	6.1	27
887	Combination effect of vaccination with IL2 and IL4 cDNA transfected cells on the induction of a therapeutic immune response against Lewis lung carcinoma cells. 1993 , 53, 432-7		42
886	Regulation of T helper cell cytokine expression: functional dichotomy of antigen-presenting cells. <i>European Journal of Immunology</i> , 1993 , 23, 191-9	6.1	112

885	The soluble interleukin-6 receptor is generated by shedding. <i>European Journal of Immunology</i> , 1993 , 23, 473-80	6.1	410
884	Manipulation of the superantigen-induced lymphokine response. Selective induction of interleukin-10 or interferon-gamma synthesis in small resting CD4+ T cells. <i>European Journal of Immunology</i> , 1993 , 23, 523-9	6.1	23
883	Interferon-gamma arrests proliferation and causes apoptosis in stromal cell/interleukin-7-dependent normal murine pre-B cell lines and clones in vitro, but does not induce differentiation to surface immunoglobulin-positive B cells. <i>European Journal of Immunology</i> , 1993 , 23, 544-51	6.1	77
882	Cross-linking of surface IgM, but not surface IgD receptors, by soluble monoclonal antibodies primes murine B cells to secrete immunoglobulin in response to lymphokines. <i>European Journal of Immunology</i> , 1993 , 23, 574-7	6.1	1
881	Immunization of mice with the N-terminal (1-272) fragment of simian virus 40 large T antigen (without adjuvants) specifically primes cytotoxic T lymphocytes. <i>European Journal of Immunology</i> , 1993 , 23, 1528-34	6.1	27
880	Environmental modulation of the autonomy of cytotoxic T lymphocytes. <i>European Journal of Immunology</i> , 1993 , 23, 1649-54	6.1	41
879	Interleukin-12/T cell stimulating factor, a cytokine with multiple effects on T helper type 1 (Th1) but not on Th2 cells. <i>European Journal of Immunology</i> , 1993 , 23, 1762-70	6.1	206
878	The interleukin-12 subunit p40 specifically inhibits effects of the interleukin-12 heterodimer. <i>European Journal of Immunology</i> , 1993 , 23, 2202-8	6.1	246
877	Signaling via CD28 costimulates lymphokine production, but does not reverse unresponsiveness to interleukin-2 in anti-CD3 triggered Th1 cells. <i>European Journal of Immunology</i> , 1993 , 23, 2498-502	6.1	9
876	Characterization of host CD4+ T lymphocytes in mice neonatally tolerized to alloantigens. <i>European Journal of Immunology</i> , 1993 , 23, 2551-6	6.1	6
875	Major histocompatibility complex regulation of interleukin-5 production in the mouse. <i>European Journal of Immunology</i> , 1993 , 23, 2897-902	6.1	14
874	IL-2 and IL-3 production in high and low IgG-responding strains of mice. 1993 , 37, 91-6		2
873	Existence of at least five interleukin-2 molecules in different mouse strains. 1993 , 38, 300-3		11
872	Association between ICAM-1 expression and metastatic capacity of murine B-cell hybridomas. 1993 , 11, 213-26		23
871	B-cell apoptosis induced by antigen receptor crosslinking is blocked by a T-cell signal through CD40. 1993 , 364, 645-8		358
870	Anti-tumour activity of idiotype-specific, MHC-restricted Th1 and Th2 clones in vitro and in vivo. 1993 , 37, 77-85		40
869	Adoptive transfer of low numbers of CD4+ T cells into SCID mice chronically treated with soluble IL-4 receptor does not prevent engraftment of IL-4-producing T cells. 1993 , 38, 57-64		10
868	Commitment to lymphokine profile during primary in vitro stimulation. 1993 , 38, 515-20		6

867	Partial biochemical characterization and purification of IgG2b inducing factor as a new cytokine from synovial fluid of patients with rheumatoid arthritis. 1993 , 37, 430-6	5
866	Granulocyte colony-stimulating factor treatment of mice modulates differently the sensitivity of blood and bone marrow hematopoietic progenitors to retroviral vector infection. 1993 , 11 Suppl 1, 46-50	
865	Effects of estrogen replacement on insulin-like growth factor I concentrations in serum and bone tissue and on interleukin 1 secretion from spleen macrophages in oophorectomized rats. 1993 , 53, 111-6	32
864	Cytokine-specific ELISPOT assay. Single cell analysis of IL-2, IL-4 and IL-6 producing cells. 1993 , 160, 181-9	84
863	Utilization of interleukin-2 gene transfer in local immunotherapy of cancer. 1993 , 119, 253-6	4
862	Reversal of the immunosenescent phenotype by dehydroepiandrosterone: hormone treatment provides an adjuvant effect on the immunization of aged mice with recombinant hepatitis B surface antigen. 1993 , 167, 830-40	123
861	Hematopoietic commitment during embryonic stem cell differentiation in culture. 1993 , 13, 473-86	802
860	Leishmania major infection in BALB/c mice: protection or exacerbation by treatment with different doses of BCG. 1993 , 144, 233-43	9
859	Distinct patterns of T- and B-cell immunity to respiratory syncytial virus induced by individual viral proteins. 1993 , 11, 431-7	53
858	Normal B lymphocyte development but impaired T cell maturation in CD45-exon6 protein tyrosine phosphatase-deficient mice. 1993 , 74, 143-56	460
857	Suppression of apoptosis allows differentiation and development of a multipotent hemopoietic cell line in the absence of added growth factors. 1993 , 74, 823-32	332
856	Cloning and expression in mammalian cells of porcine tumor necrosis factor alpha: examination of biological properties. 1993 , 38, 57-74	14
855	Phenotypic and functional properties of Th lines and clones recognizing larval antigens of Schistosoma mansoni. 1993 , 15, 373-82	2
854	Delayed hematopoietic development in osteopetrotic (op/op) mice. 1993 , 177, 237-42	162
853	In vivo CD40-gp39 interactions are essential for thymus-dependent humoral immunity. I. In vivo expression of CD40 ligand, cytokines, and antibody production delineates sites of cognate T-B cell interactions. 1993 , 178, 1555-65	225
852	Pim-1 levels determine the size of early B lymphoid compartments in bone marrow. 1993 , 178, 1665-73	69
851	Embryonic stem cell differentiation in vitro. 1993 , 225, 900-18	77
850	Costimulator deficient antigen presentation by an endothelial cell line induces a nonproliferative T cell activation response without energy. 1993 , 178, 1597-605	39

849	Expression of Epstein-Barr virus latent membrane protein influences self-renewal and differentiation in a multipotential murine haemopoietic Bstem cell line. 1993 , 74 (Pt 2), 247-54	8
848	Secretion of bioactive interleukin-1, interleukin-6, and colony-stimulating factors by human ovarian surface epithelium. 1993 , 49, 635-41	68
847	Suppression of apoptosis in a cytotoxic T-cell line by interleukin 2-mediated gene transcription and deregulated expression of the protooncogene bcl-2. 1993 , 90, 2189-93	149
846	Quantitative titration of nucleic acids by enzymatic amplification reactions run to saturation. 1993 , 21, 577-83	146
845	Interleukin-6 cDNA transfected Lewis lung carcinoma cells show unaltered net tumour growth rate but cause weight loss and shortened survival in syngeneic mice. 1993 , 67, 939-44	60
844	Comparison of the levels of inositol metabolites in transformed haemopoietic cells and their normal counterparts. 1993 , 289 (Pt 3), 667-73	84
843	Stable production of recombinant human sperm immobilizing antibody using cDNA expression vectors. 1993 , 29, 100-8	2
842	p53 mutations increase resistance to ionizing radiation. 1993 , 90, 5742-6	448
841	Gamma delta T cells differentiate into a functional but nonproliferative state during a normal immune response. 1993 , 90, 8415-9	26
840	Conditional immortalization of mouse myelomonocytic, megakaryocytic and mast cell progenitors by the Hox-2.4 homeobox gene.. 1993 , 12, 3835-3846	83
839	Ly-6A is required for T cell receptor expression and protein tyrosine kinase fyn activity.. 1994 , 13, 2167-2176	41
838	Down-regulation of wild-type p53 activity interferes with apoptosis of IL-3-dependent hematopoietic cells following IL-3 withdrawal.. 1994 , 13, 1368-1374	113
837	CD54/intercellular adhesion molecule 1 and major histocompatibility complex II signaling induces B cells to express interleukin 2 receptors and complements help provided through CD40 ligation. 1994 , 179, 1417-27	49
836	Kinetics and function of peritoneal-exudate cells during local IL-2 gene-therapy of cancer. 1994 , 4, 13-6	3
835	An in vitro differentiation system for the examination of transgene activation in mouse macrophages. 1994 , 13, 901-7	17
834	Members of the syndecan family of heparan sulfate proteoglycans are expressed in distinct cell-, tissue-, and development-specific patterns. 1994 , 5, 797-805	347
833	Distinct types of lung disease caused by functional subsets of antiviral T cells. 1994 , 179, 81-9	269
832	B cell function in mice transgenic for mCTLA4-H gamma 1: lack of germinal centers correlated with poor affinity maturation and class switching despite normal priming of CD4+ T cells. 1994 , 179, 819-30	119

831	Interleukin-3 and lipopolysaccharide interact to inhibit proliferation of mouse bone marrow cells. 1994 , 40, 55-8		
830	Interleukin-2 transfected prostate cancer cells generate a local antitumor effect in vivo. 1994 , 24, 244-51		45
829	bcl-2 delay of alkylating agent-induced apoptotic death in a murine hemopoietic stem cell line. 1994 , 11, 49-55		14
828	The anti-tumor arotinoid Ro 40-8757 protects bone marrow from the toxic effects of 5-fluorouracil. 1994 , 57, 192-7		8
827	Differential effects of transforming growth factor-beta 1 on distinct developmental stages of murine megakaryocytopoiesis. 1994 , 161, 312-8		15
826	B cells from CBA/N mice do not proliferate following ligation of CD40. <i>European Journal of Immunology</i> , 1994 , 24, 152-7	6.1	53
825	Two distinct non-T helper type 2 interleukin-4+ cell subsets in mice as revealed by single-cell cytokine analysis. <i>European Journal of Immunology</i> , 1994 , 24, 549-57	6.1	10
824	Leishmania major-specific CD8+ T cells are inducers and targets of nitric oxide produced by parasitized macrophages. <i>European Journal of Immunology</i> , 1994 , 24, 746-52	6.1	48
823	Plastic-immobilized anti-mu or anti-delta antibodies induce apoptosis in mature murine B lymphocytes. <i>European Journal of Immunology</i> , 1994 , 24, 974-9	6.1	61
822	Selective stimulation of murine cytotoxic T cell and antibody responses by particulate or monomeric hepatitis B virus surface (S) antigen. <i>European Journal of Immunology</i> , 1994 , 24, 1088-96	6.1	50
821	Flow cytometric determination of cytokines in activated murine T helper lymphocytes: expression of interleukin-10 in interferon-gamma and in interleukin-4-expressing cells. <i>European Journal of Immunology</i> , 1994 , 24, 1097-101	6.1	272
820	Vaccination with T cell receptor peptides primes anti-receptor cytotoxic T lymphocytes (CTL) and anergizes T cells specifically recognized by these CTL. <i>European Journal of Immunology</i> , 1994 , 24, 1172-80	6.1	20
819	Peptide transporter-independent, stress protein-mediated endosomal processing of endogenous protein antigens for major histocompatibility complex class I presentation. <i>European Journal of Immunology</i> , 1994 , 24, 1478-86	6.1	69
818	Properties of mouse CD40: cellular distribution of CD40 and B cell activation by monoclonal anti-mouse CD40 antibodies. <i>European Journal of Immunology</i> , 1994 , 24, 1835-42	6.1	100
817	The immune response to Plasmodium chabaudi malaria in interleukin-4-deficient mice. <i>European Journal of Immunology</i> , 1994 , 24, 2285-93	6.1	119
816	Role of antigen-presenting cells in the polarized development of helper T cell subsets: evidence for differential cytokine production by Th0 cells in response to antigen presentation by B cells and macrophages. <i>European Journal of Immunology</i> , 1994 , 24, 2506-14	6.1	67
815	Freshly isolated mouse 4F7+ splenic dendritic cells process and present exogenous antigens to T cells. <i>European Journal of Immunology</i> , 1994 , 24, 3170-4	6.1	10
814	Simultaneous determination of histamine and serotonin in mast cells by high-performance liquid chromatography. 1994 , 662, 103-7		19

813	Effects of human recombinant interleukins on stimulation-evoked noradrenaline overflow from the rat perfused spleen. 1994 , 349, 497-502	16
812	In vitro and in vivo growth of B16F10 melanoma cells transfected with interleukin-4 cDNA and gene therapy with the transfectant. 1994 , 120, 631-5	15
811	Requirement for the orphan steroid receptor Nur77 in apoptosis of T-cell hybridomas. 1994 , 367, 277-81	506
810	Cyclosporin A inhibits growth of autocrine tumour cell lines by destabilizing interleukin-3 mRNA. 1994 , 369, 239-42	99
809	An early haematopoietic defect in mice lacking the transcription factor GATA-2. 1994 , 371, 221-6	1199
808	Lipopolysaccharide-stimulated events in B cell activation. 1994 , 40, 221-7	5
807	Interleukin-4 induces in vitro migration in naive B cells through direct mechanisms. 1994 , 40, 429-36	4
806	Production of large amounts of recombinant interleukins by cDNA transfected mouse myeloma cells cultured in dialysis tubing. 1994 , 168, 131-6	0
805	Modulation of systemic cytokine levels by implantation of alginate encapsulated cells. 1994 , 170, 185-96	30
804	Oral administration of the oxidant-scavenger N-acetyl-L-cysteine inhibits acute experimental autoimmune encephalomyelitis. 1994 , 50, 35-42	43
803	Blimp-1, a novel zinc finger-containing protein that can drive the maturation of B lymphocytes into immunoglobulin-secreting cells. 1994 , 77, 297-306	626
802	Retrovirus-mediated gene transfer of the human gamma-IFN gene: a therapy for cancer. 1994 , 716, 167-87	22
801	The development and establishment of hemopoiesis in fetal and newborn osteopetrotic (op/op) mice. 1994 , 164, 456-62	21
800	Functional commitment to helper T cell lineage precedes positive selection and is independent of T cell receptor MHC specificity. 1994 , 1, 269-76	70
799	Induction of NF-AT in normal B lymphocytes by anti-immunoglobulin or CD40 ligand in conjunction with IL-4. 1994 , 1, 179-87	114
798	Targeting of cytokine gene expression to malignant melanoma cells using tissue specific promoter sequences. 1994 , 5 Suppl 4, 59-65	22
797	Cell proliferation status, cytokine action and protein tyrosine phosphorylation modulate leukotriene biosynthesis in a basophil leukaemia and a mastocytoma cell line. 1994 , 299 (Pt 2), 467-72	17
796	Mice lacking c-fos have normal hematopoietic stem cells but exhibit altered B-cell differentiation due to an impaired bone marrow environment. 1994 , 14, 382-90	57

795	Cytotoxic T lymphocytes with a grafted recognition specificity for ERBB2-expressing tumor cells. 1994 , 91, 4318-22		165
794	Persistence of dormant tumor cells in the bone marrow of tumor cell-vaccinated mice correlates with long-term immunological protection. 1994 , 91, 7430-4		82
793	Direct production of the Fab fragment derived from the sperm immobilizing antibody using polymerase chain reaction and cDNA expression vectors. 1995 , 34, 26-34		4
792	Rescue of GATA-1-deficient embryonic stem cells by heterologous GATA-binding proteins. 1995 , 15, 626-33		89
791	The Hox-2.4 gene is not involved in the generation of IL-3 dependent multipotent FDCP-mix cell lines. 1995 , 12, 173-7		
790	Cancer vaccines: the interleukin 2 dosage effect. 1995 , 92, 4711-4		118
789	In vitro generation of hematopoietic stem cells from an embryonic stem cell line. 1995 , 92, 7530-4		111
788	Erythroid development of the FDCP-Mix A4 multipotent cell line is governed by the relative concentrations of erythropoietin and interleukin 3. 1995 , 91, 15-22		43
787	Different human interleukin-4 mutants preferentially activate human or murine common receptor gamma chain. 1995 , 234, 100-7		17
786	Soluble human interleukin-6 receptor. Expression in insect cells, purification and characterization. 1995 , 234, 661-9		80
785	Influence of cell- and media-derived factors on the integrity of a human monoclonal antibody after secretion into serum-free cell culture supernatants. 1995 , 45, 97-106		9
784	Overexpression of bcl-2, apoptosis suppressing gene: Prolonged viable culture period of hybridoma and enhanced antibody production. 1995 , 48, 118-22		105
783	The cytoplasmic tail of the T cell receptor zeta chain is required for signaling via CD26. <i>European Journal of Immunology</i> , 1995 , 25, 295-7	6.1	40
782	Evidence for the stochastic acquisition of cytokine profile by CD4+ T cells activated in a T helper type 2-like response in vivo. <i>European Journal of Immunology</i> , 1995 , 25, 1168-75	6.1	88
781	Homotypic aggregation of murine B lymphocytes is independent of CD23. <i>European Journal of Immunology</i> , 1995 , 25, 1224-9	6.1	20
780	Expression of CD34 in endothelial cells, hematopoietic progenitors and nervous cells in fetal and adult mouse tissues. <i>European Journal of Immunology</i> , 1995 , 25, 1508-16	6.1	101
779	Vitamin A deficiency results in a priming environment conducive for Th1 cell development. <i>European Journal of Immunology</i> , 1995 , 25, 1673-9	6.1	116
778	Cell cycle regulation of immunoglobulin class switch recombination and germ-line transcription: potential role of Ets family members. <i>European Journal of Immunology</i> , 1995 , 25, 2042-51	6.1	45

777	IgA production by peritoneal cavity B cells is IL-6 independent: implications for intestinal IgA responses. <i>European Journal of Immunology</i> , 1995 , 25, 2123-6	6.1	27
776	Macrophages, but not dendritic cells, present collagen to T cells. <i>European Journal of Immunology</i> , 1995 , 25, 2234-41	6.1	62
775	Expression of Fc gamma RIII defines distinct subpopulations of fetal liver B cell and myeloid precursors. <i>European Journal of Immunology</i> , 1995 , 25, 2308-17	6.1	26
774	Experimental gene therapy of cancer using tumor cells engineered to secrete interleukin-13. <i>European Journal of Immunology</i> , 1995 , 25, 2340-8	6.1	42
773	Regulatory T cells in thymic epithelium-induced tolerance. I. Suppression of mature peripheral non-tolerant T cells. <i>European Journal of Immunology</i> , 1995 , 25, 2563-71	6.1	33
772	Normal clonal expansion but impaired Fas-mediated cell death and anergy induction in interleukin-2-deficient mice. <i>European Journal of Immunology</i> , 1995 , 25, 2572-7	6.1	201
771	Naive CD4+ T cells confer idiotype-specific tumor resistance in the absence of antibodies. <i>European Journal of Immunology</i> , 1995 , 25, 3079-86	6.1	73
770	B1 and B2 cells differ in their potential to switch immunoglobulin isotype. <i>European Journal of Immunology</i> , 1995 , 25, 3388-93	6.1	41
769	Interleukin-2 down-modulates memory T helper lymphocyte development during antigenic stimulation in vitro. <i>European Journal of Immunology</i> , 1995 , 25, 3394-401	6.1	18
768	Further characterisation of the in situ terminal deoxynucleotidyl transferase (TdT) assay for the flow cytometric analysis of apoptosis in drug resistant and drug sensitive leukaemic cells. 1995 , 20, 245-56		57
767	Suppression of in vivo tumor growth by the transfection of the interleukin-5 gene into colon tumor cells. 1995 , 41, 325-30		11
766	Cloning of the murine homolog of the leukemia-associated PML gene. 1995 , 6, 732-7		19
765	Peritoneal cavity CD5 (Bla) B cells: cytokine induced IgA secretion and homing to intestinal lamina propria in SCID mice. 1995 , 73, 425-32		16
764	Exogenous expression of human granulocyte colony-stimulating factor receptor in a B-lineage acute lymphoblastic leukemia cell line: a possible model for mixed lineage leukemia. 1995 , 19, 249-56		6
763	Interleukin-2 gene therapy of residual EL-4 leukaemia potentiates the effect of cyclophosphamide pretreatment. 1995 , 121, 39-43		10
762	Induction of antitumor immunity and treatment of preestablished tumor by interleukin-6-gene-transfected melanoma cells combined with low-dose interleukin-2. 1995 , 121, 721-8		13
761	Treatment of human hepatocellular carcinoma by fibroblast-mediated human interferon alpha gene therapy in combination with adoptive chemoimmunotherapy. 1995 , 121, 457-62		15
760	Human MCAF gene transfer enhances the metastatic capacity of a mouse cachectic adenocarcinoma cell line in vivo. 1995 , 12, 1598-604		52

759	Cloning and expression of canine interleukin-10. 1995 , 15, 1103-9	10
758	Expression of recombinant human thyrotropin receptor in myeloma cells. 1995 , 118, 265-70	16
757	Expression of functional MHC class II molecules by a mouse pro-B cell clone. 1995 , 4, 85-92	4
756	Phase I study of transfected cancer cells expressing the interleukin-2 gene product in limited stage small cell lung cancer. 1995 , 6, 369-83	19
755	Control of CD4 effector fate: transforming growth factor beta 1 and interleukin 2 synergize to prevent apoptosis and promote effector expansion. 1995 , 182, 699-709	150
754	v-Abl-mediated apoptotic suppression is associated with SHC phosphorylation without concomitant mitogen-activated protein kinase activation. 1995 , 270, 5956-62	38
753	Both interleukin 4 and interleukin 13 induce tyrosine phosphorylation of the 140-kDa subunit of the interleukin 4 receptor. 1995 , 270, 966-70	114
752	Phenotypic analysis of murine long-term hemopoietic reconstituting cells quantitated competitively in vivo and comparison with more advanced colony-forming progeny. 1995 , 181, 93-103	83
751	Establishment of myeloid progenitor lines from primary cultures of murine bone-marrow cells expressing a v-myb oncoprotein. 1995 , 7, 555-63	
750	Casein kinase II alpha transgene-induced murine lymphoma: relation to theileriosis in cattle. 1995 , 267, 894-7	394
749	Species-specific agonist/antagonist activities of human interleukin-4 variants suggest distinct ligand binding properties of human and murine common receptor gamma chain. 1995 , 270, 8452-7	15
748	Detection of functional class II-associated antigen: role of a low density endosomal compartment in antigen processing. 1995 , 181, 1715-27	41
747	Molecular cloning and characterization of human kinectin. 1995 , 6, 161-70	49
746	Interleukin-13 signal transduction in lymphohemopoietic cells. Similarities and differences in signal transduction with interleukin-4 and insulin. 1995 , 270, 12286-96	116
745	Identification of CD36 as the first gene dependent on the B-cell differentiation factor Oct-2. 1995 , 9, 1598-607	65
744	Interleukin-3 mRNA stabilization by a trans-acting mechanism in autocrine tumors lacking interleukin-3 gene rearrangements. 1995 , 270, 20629-35	23
743	Interleukin-2 and interleukin-4 display potent antitumour activity on rat medullary thyroid carcinoma cells. 1995 , 31A, 2379-84	10
742	Roles of p53 mutation in cell line establishment and identification of the minimum transactivation and transform suppression domains. 1995 , 31B, 129-35	3

741	Defective B cell development and function in Btk-deficient mice. 1995 , 3, 283-99	620
740	Selective loss of H-2Ds antigen on a murine B lymphoma due to a post-transcriptional block in expression. 1995 , 32, 1011-20	1
739	Antigen presentation by rat brain and retinal endothelial cells. 1995 , 61, 231-9	25
738	Introduction of murine Il-4 gene into B16(F10) melanoma tumors by direct gene transfer with DNA-liposome complexes. 1995 , 97, 189-93	25
737	Absence of p53 allows direct immortalization of hematopoietic cells by the myc and raf oncogenes. 1995 , 82, 29-36	113
736	Porcine TNF: a review. 1995 , 47, 187-201	15
735	Construction of a novel bovine papillomavirus vector without detectable transforming activity suitable for gene transfer. 1995 , 6, 325-33	31
734	Gluten specific, HLA-DQ restricted T cells from coeliac mucosa produce cytokines with Th1 or Th0 profile dominated by interferon gamma. 1995 , 37, 766-76	261
733	Characterization of an interleukin 4 (IL-4) responsive region in the immunoglobulin heavy chain germline epsilon promoter: regulation by NF-IL-4, a C/EBP family member and NF-kappa B/p50. 1995 , 181, 181-92	177
732	Increase in the specific activity of p50csk in proliferating T cells correlates with decreased specific activity of p56lck and p59fyn and reduced phosphorylation of CD3 subunits. 1996 , 33, 531-40	5
731	Interleukin 4 suppresses primary interferon gamma response by T cells immunized in vivo and cultured in vitro with interleukin 2. 1996 , 8, 294-9	1
730	The SCID but not the RAG-2 gene product is required for S mu-S epsilon heavy chain class switching. 1996 , 5, 319-30	377
729	Mouse Eotaxin expression parallels eosinophil accumulation during lung allergic inflammation but it is not restricted to a Th2-type response. 1996 , 4, 1-14	241
728	The involvement of an ATP-gated ion channel, P(2X1), in thymocyte apoptosis. 1996 , 5, 275-83	99
727	Identification of a committed precursor for the mast cell lineage. 1996 , 271, 818-22	302
726	Interleukin 2 (IL-2) and interleukin 7 (IL-7) reciprocally induce IL-7 and IL-2 receptors on gamma delta T-cell receptor-positive intraepithelial lymphocytes. 1996 , 93, 3613-8	70
725	Long-term culture of lymphohematopoietic stem cells. 1996 , 93, 5247-52	20
724	Hydroquinone stimulates granulocyte-macrophage progenitor cells in vitro and in vivo. 1996 , 104 Suppl 6, 1271-4	7

723	Impaired interleukin-3 mRNA decay in autocrine mast cell tumors after transient calcium ionophore stimulation. 1996 , 13, 99-110		12
722	Fgr expression restricted to subpopulation of monocyte/macrophage lineage in resting conditions is induced in various hematopoietic cells after activation or transformation. 1996 , 40, 223-31		9
721	Thrombopoietic potential and serial repopulating ability of murine hematopoietic stem cells constitutively expressing interleukin 11. 1996 , 93, 10297-302		53
720	Treatment of leukemia with fibroblast-mediated interferon-alpha gene therapy alone or in combination with doxorubicin. 1996 , 20, 379-84		15
719	DNA vector constructs that prime hepatitis B surface antigen-specific cytotoxic T lymphocyte and antibody responses in mice after intramuscular injection. 1996 , 193, 29-40		52
718	Alternative assay procedures for cytokines and soluble receptors of the IL-6 family. 1996 , 195, 153-9		11
717	Improvement by eicosanoids in cancer cachexia induced by LLC-IL6 transplantation. 1996 , 122, 711-5		20
716	Endothelial cell-based cytokine gene delivery inhibits 9L glioma growth in vivo. 1996 , 731, 161-70		20
715	In vitro investigation of factors influencing IgE synthesis. 1996 , 198, 133-43		1
714	Overexpression of bcl-2 improved survival of COS-1 cells and enhanced transient protein production. 1996 , 82, 589-591		9
713	Blimp-1 overcomes the block in IgM secretion in lipopolysaccharide/anti-mu F(ab) ₂ -co-stimulated B lymphocytes. <i>European Journal of Immunology</i> , 1996 , 26, 268-71	6.1	69
712	B7-1 synergizes with interleukin-12 in interleukin-2 receptor alpha expression by mouse T helper 1 clones. <i>European Journal of Immunology</i> , 1996 , 26, 300-6	6.1	12
711	Identification and characterization of a human CD4 silencer. <i>European Journal of Immunology</i> , 1996 , 26, 493-500	6.1	55
710	Negative feedback mechanism suppresses interleukin-12 production by antigen-presenting cells interacting with T helper 2 cells. <i>European Journal of Immunology</i> , 1996 , 26, 623-8	6.1	31
709	Neonatal and early life immune responses to various forms of vaccine antigens qualitatively differ from adult responses: predominance of a Th2-biased pattern which persists after adult boosting. <i>European Journal of Immunology</i> , 1996 , 26, 1489-96	6.1	235
708	CD40-mediated regulation of interleukin-4 signaling pathways in B lymphocytes. <i>European Journal of Immunology</i> , 1996 , 26, 1544-52	6.1	16
707	Rapid induction of tumor necrosis factor cytotoxicity in naive splenic T cells by simultaneous CD80 (B7.1) and CD54 (ICAM-1) co-stimulation. <i>European Journal of Immunology</i> , 1996 , 26, 2160-4	6.1	6
706	Partial correction of the TH2/TH1 imbalance in neonatal murine responses to vaccine antigens through selective adjuvant effects. <i>European Journal of Immunology</i> , 1996 , 26, 2666-70	6.1	114

705	CD40 signaling induces interleukin-4-independent IgE switching in vivo. <i>European Journal of Immunology</i> , 1996 , 26, 2911-5	6.1	27
704	Growth retardation of tumors by adoptive transfer of cytotoxic T lymphocytes reprogrammed by CD44v6-specific scFv:zeta-chimera. 1996 , 68, 232-8		45
703	Cross-reactivity of murine and hamster IL-2 mitogenic signal. 1996 , 50, 115-7		1
702	Intranasal inoculation of <i>Bordetella bronchiseptica</i> in mice induces long-lasting antibody and T-cell mediated immune responses. 1996 , 43, 181-92		31
701	Limited T helper cell activity in C57BL/10 (B10) mice with inherited low IgG responsiveness. 1996 , 44, 453-60		6
700	CD8+ cells are the main producers of IL10 and IFN gamma after superantigen stimulation. 1996 , 44, 501-5		12
699	Induction of microhematuria by an IgA isotype switch variant of a monoclonal anti-Thy-1.1 antibody in the rat. 1996 , 50, 1612-23		9
698	Regulation of cell division cycle progression by bcl-2 expression: a potential mechanism for inhibition of programmed cell death. 1996 , 183, 2219-26		258
697	Cytokine transcriptional events during helper T cell subset differentiation. 1996 , 184, 397-406		148
696	Resting memory CD8+ T cells are hyperreactive to antigenic challenge in vitro. 1996 , 184, 2141-51		201
695	A subpopulation of B220+ cells in murine bone marrow does not express CD19 and contains natural killer cell progenitors. 1996 , 183, 187-94		202
694	Phosphatidylinositol-3Pkinase is not required for mitogenesis or internalization of the Flt3/Flk2 receptor tyrosine kinase. 1996 , 271, 20075-81		29
693	A novel cytoplasmic domain of the p53 tumor necrosis factor receptor initiates the neutral sphingomyelinase pathway. 1996 , 271, 14617-22		117
692	B cells solicit their own help from T cells. 1996 , 183, 891-9		204
691	Expression of the protein tyrosine phosphatase beta2 gene in mouse erythroleukemia cells induces terminal erythroid differentiation. 1996 , 271, 30916-21		10
690	Transcription of the interleukin-1 receptor-related T1 gene is initiated at different promoters in mast cells and fibroblasts. 1996 , 271, 124-9		71
689	Exposure to extremely low frequency magnetic fields has no effect on growth rate or clonogenic potential of multipotential haemopoietic progenitor cells. 1996 , 13, 205-17		8
688	IL-2 as adjuvant for vaccination with cells malignantly converted by HPV 16 or 3-MC. 1996 , 8, 477-81		

687	Proinsulin-Secreting Hybrid Skin That Can Be Used to Treat Diabetic Animals. 1997 , 3, 243-255	5
686	HMG-I(Y) phosphorylation status as a nuclear target regulated through insulin receptor substrate-1 and the I4R motif of the interleukin-4 receptor. 1997 , 272, 25083-90	23
685	c-kit receptor signaling through its phosphatidylinositide-3Pkinase-binding site and protein kinase C: role in mast cell enhancement of degranulation, adhesion, and membrane ruffling. 1997 , 8, 909-22	99
684	Disruption of the Bcl6 gene results in an impaired germinal center formation. 1997 , 186, 439-48	309
683	Tumour vaccines expressing IL-2, CD80, and IL-2 plus CD80 gene. 1997 , 11, 1213-9	
682	Genetically modified tumour vaccines. 1997 , 10, 77-82	1
681	Concentration-dependent effects of hematopoietic growth factors during in vitro expansion of mouse stem cells and progenitor cells. 1997 , 14, 59-66	3
680	An interleukin (IL)-13 receptor lacking the cytoplasmic domain fails to transduce IL-13-induced signals and inhibits responses to IL-4. 1997 , 272, 22940-7	44
679	A transgenic marker for mouse B lymphoid precursors. 1997 , 185, 653-61	51
678	The chemokine SDF-1 is a chemoattractant for human CD34+ hematopoietic progenitor cells and provides a new mechanism to explain the mobilization of CD34+ progenitors to peripheral blood. 1997 , 185, 111-20	1204
677	A murine interleukin-4 antagonistic mutant protein completely inhibits interleukin-4-induced cell proliferation, differentiation, and signal transduction. 1997 , 272, 1480-3	37
676	Rapamycin destabilizes interleukin-3 mRNA in autocrine tumor cells by a mechanism requiring an intact 3' untranslated region. 1997 , 17, 3254-60	35
675	Expression of recombinant human glutamic acid decarboxylase (GAD) in myeloma cells and enzyme-linked immunosorbent assay (ELISA) for autoantibodies to GAD. 1997 , 121, 20-4	7
674	Major histocompatibility complex class II-transfected tumor cells present endogenous antigen and are potent inducers of tumor-specific immunity. 1997 , 94, 6886-91	137
673	Lack of correlation between growth of TF-1 cells and tyrosine phosphorylation signals in response to IL-3, IL-5 and GM-CSF. 1997 , 9, 650-9	8
672	IL-2-induced proliferative response is controlled by loci Cinda1 and Cinda2 on mouse chromosomes 11 and 12: a distinct control of the response induced by different IL-2 concentrations. 1997 , 42, 11-5	17
671	Constant delivery of proinsulin by encapsulation of transfected cells. 1997 , 70, 41-5	15
670	Early lethality, functional NF-kappaB activation, and increased sensitivity to TNF-induced cell death in TRAF2-deficient mice. 1997 , 7, 715-25	733

669	A requirement for Flk1 in primitive and definitive hematopoiesis and vasculogenesis. 1997 , 89, 981-90	771
668	Apoptosis in haemopoietic progenitor cells exposed to extremely low-frequency magnetic fields. 1997 , 61, 1571-82	16
667	Both IFN-gamma and IL-4 induce MHC class II expression at the surface of mouse pro-B cells. 1997 , 5, 115-20	6
666	Identification of a Serpin Specifically Expressed in Multipotent and Bipotent Hematopoietic Progenitor Cells and in Activated T Cells. 1997 , 89, 108-118	25
665	Thrombopoietin Enhances Proliferation and Differentiation of Murine Yolk Sac Erythroid Progenitors. 1997 , 89, 1207-1213	25
664	CD2 Regulates the Positive Selection and Function of Antigen-Specific CD4 ⁺ CD8 ⁺ T Cells. 1997 , 89, 1308-1318	66
663	Adhesion and Migration Are Differentially Regulated in Hematopoietic Progenitor Cells by Cytokines and Extracellular Matrix. 1997 , 90, 3524-3532	45
662	Interferon-gamma-inducing factor gene transfection into Lewis lung carcinoma cells reduces tumorigenicity in vivo. 1997 , 88, 501-5	26
661	Regulation of Fas-dependent activation-induced T cell apoptosis by cAMP signaling: a potential role for transcription factor NF-kappa B. 1997 , 14, 2455-64	65
660	A common precursor for primitive erythropoiesis and definitive haematopoiesis. 1997 , 386, 488-93	530
659	The induction of immune responses to murine malignant mesothelioma by IL-2 gene transfer. 1997 , 75, 356-9	15
658	Efficient induction of apoptosis in cultured rat glomerular mesangial cells by dimeric monoclonal IgA anti-Thy-1 antibodies. 1997 , 51, 173-81	13
657	Comparison of cytokine measurements using ELISA, ELISPOT and semi-quantitative RT-PCR. 1997 , 204, 57-66	98
656	The extent of affinity maturation differs between the memory and antibody-forming cell compartments in the primary immune response. 1997 , 16, 2996-3006	331
655	Sequential activation of phosphatidylinositol 3-kinase and phospholipase C-gamma2 by the M-CSF receptor is necessary for differentiation signaling. 1997 , 16, 5880-93	94
654	Three cell subsets are required for the transfer of delayed-type hypersensitivity reaction by antigen-specific T cell lines. 1997 , 175, 157-63	5
653	CD4 ⁺ T cells are ineffective in clearing a pulmonary infection with influenza type A virus in the absence of B cells. 1997 , 239, 217-25	68
652	Reinforcing apoptosis-resistance of COS and myeloma cells by transfecting with bcl-2 gene. 1997 , 25, 25-33	7

651	Expression and purification of a recombinant human glycoprotein in mouse hybridoma SP2/0-AG14 cells. 1997 , 19, 185-188		2
650	High-level expression of a cDNA for human granulocyte colony-stimulating factor in Chinese hamster ovary cells. Effect of 3' noncoding sequences. 1997 , 7, 231-40		14
649	Cisplatin-induced apoptosis of immortalized mouse proximal tubule cells is mediated by interleukin-1 beta converting enzyme (ICE) family of proteases but inhibited by overexpression of Bcl-2. 1997 , 71, 612-21		45
648	The T-cell receptor associated zeta-chain is required but not sufficient for CD26 (dipeptidylpeptidase IV) mediated signaling. 1997 , 55, 179-82		11
647	IgG2b inducing factor from rheumatoid arthritis synovial fluid synergizes with transforming growth factor-beta in promoting IgG2b antibody production in mouse B lymphocytes. 1997 , 45, 50-4		7
646	Blockade of CD28/B7 co-stimulation by mCTLA4-Hgamma1 inhibits antigen-induced lung eosinophilia but not Th2 cell development or recruitment in the lung. <i>European Journal of Immunology</i> , 1997 , 27, 155-61	6.1	49
645	The generation of memory antigen-specific cytotoxic T cell responses by CD28/CD80 interactions in the absence of antigen. <i>European Journal of Immunology</i> , 1997 , 27, 456-62	6.1	14
644	CD2-mediated signaling in T cells lacking the zeta-chain-specific immune receptor tyrosine-based activation (ITAM) motif. <i>European Journal of Immunology</i> , 1997 , 27, 2233-8	6.1	10
643	A re-evaluation of the effects of X-linked immunodeficiency (xid) mutation on B cell differentiation and function in the mouse. <i>European Journal of Immunology</i> , 1997 , 27, 2749-56	6.1	28
642	Differential endocytic routing of homo- and hetero-dimeric ErbB tyrosine kinases confers signaling superiority to receptor heterodimers. 1998 , 17, 3385-97		286
641	p53 facilitates pRb cleavage in IL-3-deprived cells: novel pro-apoptotic activity of p53. 1998 , 17, 3587-96		61
640	Expression of the LIM-homeobox gene LH2 generates immortalized steel factor-dependent multipotent hematopoietic precursors. 1998 , 17, 5744-56		99
639	Mona, a novel hematopoietic-specific adaptor interacting with the macrophage colony-stimulating factor receptor, is implicated in monocyte/macrophage development. 1998 , 17, 7273-81		85
638	Long-lived protective immunity to <i>Listeria</i> is conferred by immunization with particulate or soluble listerial antigen preparations coadministered with IL-12. 1998 , 184, 92-104		13
637	Enhanced antibody and cytokine responses to influenza viral antigens in perforin-deficient mice. 1998 , 187, 13-8		31
636	Endothelial antigen presentation: stimulation of previously activated but not naive TCR-transgenic mouse T cells. 1998 , 189, 31-40		41
635	Perforin-dependent nuclear entry of granzyme B precedes apoptosis, and is not a consequence of nuclear membrane dysfunction. 1998 , 5, 488-96		65
634	Specific and common activities of the FLT3 and KIT tyrosine kinase receptors revealed by the use of cultured mast cells. 1998 , 12, 1089-98		4

633	Models of lineage switching in hematopoietic development: a new myeloid-committed eosinophil cell line (YJ) demonstrates trilineage potential. 1998 , 12, 1430-9		14
632	BCR-ABL activates pathways mediating cytokine independence and protection against apoptosis in murine hematopoietic cells in a dose-dependent manner. 1998 , 16, 335-48		99
631	The oncogenic ErbB-2/ErbB-3 heterodimer is a surrogate receptor of the epidermal growth factor and betacellulin. 1998 , 16, 1249-58		90
630	Signalling by the oncogenic receptor tyrosine kinase Xmrk leads to activation of STAT5 in Xiphophorus melanoma. 1998 , 16, 3047-56		31
629	Abl protein kinase abrogates the response of multipotent haemopoietic cells to the growth inhibitor macrophage inflammatory protein-1 alpha. 1998 , 16, 1319-24		19
628	Molecular regulation of interleukin-2 expression by CD28 co-stimulation and energy. 1998 , 165, 287-300		160
627	Rat interleukin-4 assays. 1998 , 221, 141-50		10
626	IL-10 gene transfer to intracranial 9L glioma: tumor inhibition and cooperation with IL-2. 1998 , 92, 50-9		18
625	Hematopoietic support and cytokine expression of murine-stable hepatocyte cell lines (MMH). 1998 , 28, 1645-54		30
624	Interleukin-2 gene therapy of surgical minimal residual tumour disease. 1998 , 76, 115-9		7
623	Expression and co-stimulatory function of B7-2 on murine CD4+ T cells. <i>European Journal of Immunology</i> , 1998 , 28, 865-73	6.1	30
622	Chimeric CD4/CD44 molecules associate with CD44 via the transmembrane region and reduce hyaluronan binding in T cell lines. <i>European Journal of Immunology</i> , 1998 , 28, 1745-54	6.1	13
621	Anti-IL-4 treatment prevents dermal collagen deposition in the tight-skin mouse model of scleroderma. <i>European Journal of Immunology</i> , 1998 , 28, 2619-29	6.1	124
620	CD40 ligand signals optimize T helper cell cytokine production: role in Th2 development and induction of germinal centers. <i>European Journal of Immunology</i> , 1998 , 28, 3371-83	6.1	39
619	Similar as well as distinct MHC class I-binding peptides are generated by exogenous and endogenous processing of hepatitis B virus surface antigen. <i>European Journal of Immunology</i> , 1998 , 28, 4149-61	6.1	59
618	Efficient activation of antitumor immunity by IL-6 gene-modified leukemia vaccine in combination with low dose cyclophosphamide and low dose IL-2. 1998 , 10, 243-250		
617	Effects of fibroblast-mediated interleukin 3 and interleukin 6 gene therapy on hematopoiesis in mice treated with 5-fluorouracil. 1998 , 76, 782-9		1
616	Induction of gut mucosal immune responses: importance of genetic background and Th1/Th2 cross-regulation. 1998 , 47, 401-7		9

615	Assessment of the role of leucocyte function-associated antigen-1 in homotypic adhesion of activated B lymphocytes. 1998 , 48, 642-50		15
614	The transmembrane region of CD2-associated signal-transducing proteins is crucial for the outcome of CD2-mediated T-cell activation. 1998 , 93, 376-82		4
613	Haemopoietic transformation by the TEL/ABL oncogene. 1998 , 102, 475-85		29
612	Capacity of murine T cells to retain long-term responsiveness to mycobacterial antigens is controlled by the H-2 complex. <i>Clinical and Experimental Immunology</i> , 1998 , 111, 316-24	6.2	9
611	Rapid and efficient cloning of cDNAs encoding Krüppel-like zinc finger proteins by degenerate PCR. 1998 , 213, 55-64		9
610	Significant behavioral recovery in Parkinson's disease model by direct intracerebral gene transfer using continuous injection of a plasmid DNA-liposome complex. 1998 , 9, 1093-102		48
609	Residual MHC class II expression on mature dendritic cells and activated B cells in RFX5-deficient mice. 1998 , 8, 143-55		56
608	Potent and selective stimulation of memory-phenotype CD8+ T cells in vivo by IL-15. 1998 , 8, 591-9		1047
607	Identification of a fetal hematopoietic precursor with B cell, T cell, and macrophage potential. 1998 , 9, 827-38		81
606	Investigation of the molecular mechanisms underlying growth factor synergy: the role of ERK 2 activation in synergy. 1998 , 15, 293-306		19
605	Posttranslational modification of glycosylphosphatidylinositol (GPI)-specific phospholipase D and its activity in cleavage of GPI anchors. 1998 , 251, 737-43		29
604	PGE2 inhibits IL-2 and IL-4-dependent proliferation of CTLL-2 and HT2 cells. 1998 , 10, 265-74		8
603	Peripheral nerve fibroblasts as a source of IL-6, TNFalpha and IL-1 and their modulation by IFNgamma. 1998 , 161, 99-109		18
602	Differential effect of B lymphocyte-induced maturation protein (Blimp-1) expression on cell fate during B cell development. 1998 , 188, 515-25		77
601	T cell-dependent immune response in C1q-deficient mice: defective interferon gamma production by antigen-specific T cells. 1998 , 187, 1789-97		85
600	Persistence of peptide-induced CD4+ T cell anergy in vitro. 1998 , 187, 89-96		52
599	Alternative intracellular routing of ErbB receptors may determine signaling potency. 1998 , 273, 13819-27		157
598	Protein-tyrosine phosphatase alpha regulates Src family kinases and alters cell-substratum adhesion. 1998 , 273, 31890-900		108

597	Augmentation of hematopoiesis by fibroblast-mediated interleukin-6 gene therapy in mice with chemotherapy. 1998 , 18, 227-33	7
596	Efficient ex vivo inhibition of perforin and Fas ligand expression by chimeric tRNA-hammerhead ribozymes. 1998 , 9, 1551-60	8
595	Expression analysis of the soluble and membrane-associated forms of the interleukin-1 receptor-related T1 protein in primary mast cells and fibroblasts. 1998 , 17, 107-16	13
594	Loss of antiviral cytotoxic T-lymphocyte activity during high-level antigen stimulation. 1998 , 11, 183-95	5
593	Lack of functional Pit-1 and Pit-2 expression on hematopoietic stem cell lines. 1998 , 99, 148-55	11
592	Activated murine B lymphocytes and dendritic cells produce a novel CC chemokine which acts selectively on activated T cells. 1998 , 188, 451-63	132
591	Exogenous interleukin-3 enhances IL-4 production by splenic CD4+ cells during the early stages of a <i>Trichinella spiralis</i> infection. 1998 , 117, 131-7	4
590	Cytotoxic T lymphocyte-assisted suicide. Caspase 3 activation is primarily the result of the direct action of granzyme B. 1998 , 273, 21261-6	117
589	Irradiated IL-2 gene-modified plasmacytoma vaccines are more efficient than live vaccines. 1998 , 12, 1195-8	
588	GATA-Dependent expression of the interleukin-1 receptor-related T1 gene in mast cells. 1998 , 18, 5320-31	26
587	Analysis of T cell populations and IL-3 mRNA expression in mesenteric lymph node cells and intestinal intraepithelial lymphocytes in <i>Strongyloides ratti</i> -infected mice. 1998 , 72, 1-8	7
586	Leukemic Predisposition of Mice Transplanted With Gene-Modified Hematopoietic Precursors Expressing flt3 Ligand. 1998 , 92, 2003-2011	41
585	Generation of a Primitive Erythroid Cell Line and Promotion of Its Growth by Basic Fibroblast Growth Factor. 1998 , 91, 3202-3209	15
584	gp130, The Cytokine Common Signal-Transducer of Interleukin-6 Cytokine Family, Is Downregulated in T Cells In Vivo by Interleukin-6. 1998 , 91, 3308-3314	30
583	Blood Cells With Reduced Mitochondrial Membrane Potential and Cytosolic Cytochrome C Can Survive and Maintain Clonogenicity Given Appropriate Signals to Suppress Apoptosis. 1998 , 92, 4545-4553	53
582	Overexpression of HOX11 Leads to the Immortalization of Embryonic Precursors With Both Primitive and Definitive Hematopoietic Potential. 1998 , 92, 877-887	72
581	Translational control: a general mechanism for gene regulation during T cell activation. 1998 , 12, 299-306	45
580	Rapid hybridoma screening method for the identification of monoclonal antibodies to low-abundance cytoplasmic proteins. 1998 , 25, 824-30	39

579	Noncleavable transmembrane mouse tumor necrosis factor-alpha (TNFalpha) mediates effects distinct from those of wild-type TNFalpha in vitro and in vivo. 1999 , 274, 38112-8	58
578	Interleukin-4 Synergizes With Raf-1 to Promote Long-Term Proliferation and Activation of c-jun N-terminal Kinase. 1999 , 93, 3694-3702	13
577	Instruction for cytokine expression in T helper lymphocytes in relation to proliferation and cell cycle progression. 1999 , 190, 1439-50	171
576	Activation of Granulocyte-Macrophage Colony-Stimulating Factor and Interleukin-3 Receptor Subunits in a Multipotential Hematopoietic Progenitor Cell Line Leads to Differential Effects on Development. 1999 , 94, 1504-1514	33
575	M-Ras, a Widely Expressed 29-kD Homologue of p21 Ras: Expression of a Constitutively Active Mutant Results in Factor-Independent Growth of an Interleukin-3-Dependent Cell Line. 1999 , 94, 2433-2444	48
574	A Common Signaling Pathway Via Syk and Lyn Tyrosine Kinases Generated From Capping of the Sialomucins CD34 and CD43 in Immature Hematopoietic Cells. 1999 , 93, 3723-3735	65
573	Heparan Sulfate Proteoglycan Expression Is Induced During Early Erythroid Differentiation of Multipotent Hematopoietic Stem Cells. 1999 , 93, 2884-2897	29
572	Hyaluronate-Enhanced Hematopoiesis: Two Different Receptors Trigger the Release of Interleukin-1 and Interleukin-6 From Bone Marrow Macrophages. 1999 , 94, 940-949	62
571	Heterodimerization of the α and β Chains of the Interleukin-3 (IL-3) Receptor Is Necessary and Sufficient for IL-3-Induced Mitogenesis. 1999 , 94, 1614-1622	15
570	Interleukin 2 gene therapy of residual disease in mice carrying tumours induced by HPV 16. 1999 , 14, 593-7	8
569	Effects of in vivo administration of adamantylamide dipeptide on bone marrow granulocyte-macrophage hemopoietic progenitor cells (GM-CFC) and on ability of serum of the treated mice to stimulate GM-CFC colony formation in vitro: comparison with muramyl dipeptide and glucan. 1999 , 21, 1-14	7
568	Biological effects of c-Mer receptor tyrosine kinase in hematopoietic cells depend on the Grb2 binding site in the receptor and activation of NF-kappaB. 1999 , 19, 1171-81	81
567	DNA-Based Vaccination Primes Tumor-Rejecting T-Cell Responses. 2000 , 29, 425-37	
566	Immobilization of glycosylphosphatidylinositol-anchored proteins inhibits T cell growth but not function. 1999 , 11, 1381-93	27
565	Interleukin 2, but not other common gamma chain-binding cytokines, can reverse the defect in generation of CD4 effector T cells from naive T cells of aged mice. 1999 , 190, 1013-24	212
564	Several different cell surface molecules control negative selection of medullary thymocytes. 1999 , 190, 65-73	98
563	BCL-2 blocks perforin-induced nuclear translocation of granzymes concomitant with protection against the nuclear events of apoptosis. 1999 , 274, 3953-61	33
562	IL-2 may be a limiting factor precluding lymphocytes from genetically resistant mice from responding to HgCl ₂ . 1999 , 11, 627-33	8

561	Interaction of B cells with activated T cells reduces the threshold for CD40-mediated B cell activation. 1999 , 11, 71-9		15
560	Memory CD44(int) CD8 T cells show increased proliferative responses and IFN-gamma production following antigenic challenge in vitro. 1999 , 11, 699-706		29
559	Augmentation of CTLA-4 expression by wortmannin: involvement of lysosomal sorting properties of CTLA-4. 1999 , 11, 1563-71		16
558	Partial block in B lymphocyte development at the transition into the pre-B cell receptor stage in Vpre-B1-deficient mice. 1999 , 11, 453-60		24
557	In vitro hematopoietic and endothelial potential of flk-1(-/-) embryonic stem cells and embryos. 1999 , 96, 2159-64		192
556	Human immunodeficiency virus type 1 envelope-specific cytotoxic T lymphocytes response dynamics after prime-boost vaccine regimens with human immunodeficiency virus type 1 canarypox and pseudovirions. 1999 , 12, 281-96		6
555	Defective development of gamma/delta T cells in interleukin 7 receptor-deficient mice is due to impaired expression of T cell receptor gamma genes. 1999 , 190, 973-82		57
554	Fiz1, a novel zinc finger protein interacting with the receptor tyrosine kinase Flt3. 1999 , 274, 21478-84		18
553	Serum from <i>Entamoeba histolytica</i> -infected gerbils selectively suppresses T cell proliferation by inhibiting interleukin-2 production. 1999 , 179, 1495-501		16
552	Def-2, -3, -6 and -8, novel mouse genes differentially expressed in the haemopoietic system. 1999 , 106, 335-44		50
551	Inhibition of murine IgE and immediate cutaneous hypersensitivity responses to ovalbumin by the immunomodulatory agent leflunomide. <i>Clinical and Experimental Immunology</i> , 1999 , 115, 221-8	6.2	18
550	Absence of significant Th2 response in diabetes-prone non-obese diabetic (NOD) mice. <i>Clinical and Experimental Immunology</i> , 1999 , 116, 225-30	6.2	7
549	Characterization of CD40-dependent immunoglobulin class switching. 1999 , 49, 523-32		29
548	Promoter/enhancer cassettes for keratinocyte gene therapy. 1999 , 112, 828-30		15
547	Mouse langerhans cells differentially express an activated T cell-attracting CC chemokine. 1999 , 113, 991-8		24
546	Commitment to the B-lymphoid lineage depends on the transcription factor Pax5. 1999 , 402, 14-20		2
545	Commitment to the B-lymphoid lineage depends on the transcription factor Pax5. 1999 , 401, 556-62		925
544	Nucleolar segregation during apoptosis of haemopoietic stem cell line FDCP-Mix. 1999 , 6, 334-41		18

543	Antibody-mediated endocytosis of G250 tumor-associated antigen allows targeted gene transfer to human renal cell carcinoma in vitro. 1999 , 6, 564-71		26
542	Development of a modified selective amplifier gene for hematopoietic stem cell gene therapy. 1999 , 6, 1038-44		17
541	Search for oncogenic regulators in an autocrine tumor model using differential display PCR: identification of novel candidate genes including the calcium channel mtrp6. 1999 , 18, 1487-94		25
540	Conditional gene targeting in macrophages and granulocytes using LysMcre mice. 1999 , 8, 265-77		1512
539	Synergistic antitumour effects of chemo-immunotherapy with an oxazaphosphorine drug and IL-2-secreting cells in a mouse colon cancer model. 1999 , 16, 267-78		10
538	Human choriocarcinoma-derived JEG-3 cells transfected with murine MHC class II Aq expression vectors present antigen to Aq-restricted murine T-cell hybridoma. 1999 , 42, 17-30		3
537	Increased severity of Candida vaginitis in BALB/c nu/nu mice versus the parent strain is not abrogated by adoptive transfer of T cell enriched lymphocytes. 1999 , 45, 1-18		28
536	IFN-beta modulates specific T cell responses in vitro but does not affect Experimental Autoimmune Encephalomyelitis in the SJL mouse. 1999 , 100, 190-6		16
535	Purification and characterization of hepatitis B virus surface antigen particles produced in Drosophila Schneider-2 cells. 1999 , 79, 205-17		26
534	Ultrastructure of primitive hematopoietic stem cells isolated using probes of functional status. 1999 , 27, 365-9		34
533	Involvement of CD44 variant isoform v10 in progenitor cell adhesion and maturation. 1999 , 27, 698-711		28
532	Flt3 ligand induces the outgrowth of Mac-1+B220+ mouse bone marrow progenitor cells restricted to macrophage differentiation that coexpress early B cell-associated genes. 1999 , 27, 1646-54		18
531	Multiple binding sites in the growth factor receptor Xmrk mediate binding to p59fyn, GRB2 and Shc. 1999 , 260, 275-83		30
530	Truncated or chimeric endogenous protein antigens gain immunogenicity for B cells by stress protein-facilitated expression. <i>European Journal of Immunology</i> , 1999 , 29, 1740-9	6.1	18
529	The murine beta-chemokine TARC is expressed by subsets of dendritic cells and attracts primed CD4+ T cells. <i>European Journal of Immunology</i> , 1999 , 29, 2684-94	6.1	113
528	Dendritic cells need T cell help to prime cytotoxic T cell responses to strong antigens. <i>European Journal of Immunology</i> , 1999 , 29, 2826-34	6.1	26
527	Three chemokines with potential functions in T lymphocyte-independent and -dependent B lymphocyte stimulation. <i>European Journal of Immunology</i> , 1999 , 29, 2934-47	6.1	41
526	A selective amplifier gene for tamoxifen-inducible expansion of hematopoietic cells. 1999 , 1, 236-44		26

525	DNA Vaccines. 1999 ,		5
524	Upstream elements bestow T-cell and haemopoietic progenitor-specific activity on the granzyme B promoter. 1999 , 234, 101-7		3
523	Socs1 binds to multiple signalling proteins and suppresses steel factor-dependent proliferation. 1999 , 18, 904-15		176
522	Non-linear antigenic regions in epidermal growth factor (EGF) and transforming growth factor alpha (TGF alpha) studied by EGF-TGF alpha chimaeras. 2000 , 349, 267-74		
521	Non-linear antigenic regions in epidermal growth factor (EGF) and transforming growth factor β (TGF β) studied by EGF-TGF β chimaeras. 2000 , 349, 267-274		
520	Isolation of MYADM, a novel hematopoietic-associated marker gene expressed in multipotent progenitor cells and up-regulated during myeloid differentiation. 2000 , 67, 423-31		21
519	Crry/p65, a membrane complement regulatory protein, has costimulatory properties on mouse T cells. 2000 , 164, 4533-42		53
518	Differential level in co-down-modulation of CD4 and CXCR4 primed by HIV-1 gp120 in response to phorbol ester, PMA, among HIV-1 isolates. 2000 , 44, 489-98		6
517	Transformation of BALB3T3 cells caused by over-expression of rat CD98 heavy chain (HC) requires its association with light chain: mis-sense mutation in a cysteine residue of CD98HC eliminates its transforming activity. 2000 , 87, 311-6		39
516	Differential influence of the E4 adenoviral genes on viral and cellular promoters. 2000 , 2, 433-43		22
515	Anergy and suppression regulate CD4(+) T cell responses to a self peptide. <i>European Journal of Immunology</i> , 2000 , 30, 136-44	6.1	101
514	Differential regulation of Ly49 expression on CD4+ and CD4-CD8- (double negative) NK1.1+ T cells. <i>European Journal of Immunology</i> , 2000 , 30, 2488-96	6.1	31
513	Positive and negative regulation of IL-12 receptor expression of naive CD4(+) T cells by CD28/CD152 co-stimulation. <i>European Journal of Immunology</i> , 2000 , 30, 3171-80	6.1	10
512	Positive effects of dialyzable leukocyte extract (DLE) on recovery of mouse haemopoiesis suppressed by ionizing radiation and on proliferation of haemopoietic progenitor cells in vitro. 2000 , 22, 623-34		15
511	Herpesvirus saimiri-based gene delivery vectors maintain heterologous expression throughout mouse embryonic stem cell differentiation in vitro. 2000 , 7, 464-71		26
510	Tumor cells expressing membrane-bound form of IL-4 induce antitumor immunity. 2000 , 7, 837-43		23
509	Myb is required for self-renewal in a model system of early hematopoiesis. 2000 , 19, 1196-205		21
508	Involvement of p53 and interleukin 3 in the up-regulation of CD95 (APO-1/Fas) by X-ray irradiation. 2000 , 19, 3647-55		12

507	Generation of functionally mature dendritic cells from the multipotential stem cell line FDCP-mix. 2000 , 111, 890-897	
506	mNotch1 signaling reduces proliferation of myeloid progenitor cells by altering cell-cycle kinetics. 2000 , 28, 1206-13	30
505	Influence of the joint treatment with granulocyte colony-stimulating factor and drugs elevating extracellular adenosine on erythropoietic recovery following 5-fluorouracil-induced haematotoxicity in mice. 2000 , 65, 310-6	16
504	Distinct roles for matrix metalloproteinase-2 and alpha4 integrin in autoimmune T cell extravasation and residency in brain parenchyma during experimental autoimmune encephalomyelitis. 2000 , 109, 121-31	80
503	Cell-ELISA using beta-galactosidase conjugated antibodies. 2000 , 234, P153-67	24
502	CD8(+) T cells secreting type 2 lymphokines are defective in protection against viral infection. 2000 , 202, 13-22	22
501	Notch signalling via RBP-J promotes myeloid differentiation. 2000 , 19, 2558-68	108
500	Expression of somatostatin receptor subtypes and growth inhibition in human exocrine pancreatic cancers. 2000 , 7, 496-503	21
499	RasGRP links T-cell receptor signaling to Ras. 2000 , 95, 3199-3203	271
498	Leukemia initiated by PMLRAR α the PML domain plays a critical role while retinoic acid mediated transactivation is dispensable. 2000 , 95, 1541-1550	86
497	Role of common cytokine receptor γ chain (CD131) and Jak3-dependent signaling in the proliferation and survival of murine mast cells. 2000 , 96, 2172-2180	99
496	Oligopeptide fragments of the enkephalin molecule interfere with hematopoietic cell colony formation. 2000 , 13, 13-19	3
495	A dual role for Src homology 2 domain-containing inositol-5-phosphatase (SHIP) in immunity: aberrant development and enhanced function of B lymphocytes in ship ^{-/-} mice. 2000 , 191, 781-94	135
494	Induction of diabetes in nonobese diabetic mice by Th2 T cell clones from a TCR transgenic mouse. 2000 , 164, 3072-8	35
493	Transforming growth factor-beta 1 induces apoptosis independently of p53 and selectively reduces expression of Bcl-2 in multipotent hematopoietic cells. 2000 , 275, 39137-45	51
492	The multidrug resistance protein 1: a functionally important activation marker for murine Th1 cells. 2000 , 164, 754-61	32
491	Graded deletion and virus-induced activation of autoreactive CD4 ⁺ T cells. 2000 , 165, 4870-6	22
490	Qualitative changes accompany memory T cell generation: faster, more effective responses at lower doses of antigen. 2000 , 164, 2338-46	229

489	Induction of tolerance to immunogenic tumor antigens associated with lymphomagenesis in HOX11 transgenic mice. 2000 , 97, 13300-5	4
488	Trafficking of ImmunePCD4(+)/CD8(+)T-lymphocytes into the RENCA tumour microcirculation in vivo in mice. 2000 , 83, 1061-8	6
487	Deficiency in the transcription factor interferon regulatory factor (IRF)-2 leads to severely compromised development of natural killer and T helper type 1 cells. 2000 , 192, 325-36	141
486	Cytokines induce both necrosis and apoptosis via a common Bcl-2-inhibitable pathway in rat insulin-producing cells. 2000 , 141, 2003-10	117
485	Retroviral infection of T-cell precursors in thymic organ culture. 2000 , 136, 79-86	
484	Sensitization to death receptor cytotoxicity by inhibition of fas-associated death domain protein (FADD)/caspase signaling. Requirement of cell cycle progression. 2000 , 275, 24670-8	74
483	Inhibition of Fas-mediated apoptosis in mouse insulinoma betaTC-3 cells via an anti-Fas ribozyme. 2000 , 11, 1033-45	14
482	Listeria monocytogenes as a short-lived delivery system for the induction of type 1 cell-mediated immunity against the p36/LACK antigen of Leishmania major. 2000 , 68, 1498-506	42
481	Polarization of naive CD4+ T cells toward the Th1 subset by CTLA-4 costimulation. 2000 , 164, 3554-62	63
480	Type 1 and type 2 CD8+ effector T cell subpopulations promote long-term tumor immunity and protection to progressively growing tumor. 2000 , 164, 916-25	67
479	Overexpression of acid ceramidase protects from tumor necrosis factor-induced cell death. 2000 , 192, 601-12	153
478	Two distinct stages in the transition from naive CD4 T cells to effectors, early antigen-dependent and late cytokine-driven expansion and differentiation. 2000 , 165, 5017-26	121
477	Regulation of TCR-induced IFN-gamma release from islet-reactive non-obese diabetic CD8(+) T cells by prostaglandin E(2) receptor signaling. 2000 , 12, 851-60	28
476	Involvement of CD4(+) Th1 cells in systemic immunity protective against primary and secondary challenges with Trypanosoma cruzi. 2000 , 68, 197-204	86
475	DO11.10 and OT-II T cells recognize a C-terminal ovalbumin 323-339 epitope. 2000 , 164, 4706-12	255
474	Dysregulated expression of the Cd22 gene as a result of a short interspersed nucleotide element insertion in Cd22a lupus-prone mice. 2000 , 165, 2987-96	76
473	In activated mast cells, IL-1 up-regulates the production of several Th2-related cytokines including IL-9. 2000 , 164, 5556-63	111
472	Granzyme B short-circuits the need for caspase 8 activity during granule-mediated cytotoxic T-lymphocyte killing by directly cleaving Bid. 2000 , 20, 3781-94	274

471	Role of phosphatidylinositol 3-kinase and specific protein kinase B isoforms in the suppression of apoptosis mediated by the Abelson protein-tyrosine kinase. 2000 , 275, 13142-8		32
470	Granzyme B-mediated cytochrome c release is regulated by the Bcl-2 family members bid and Bax. 2000 , 192, 1391-402		259
469	Interferon gamma priming is not critical for IL-12 production of murine spleen cells. 2000 , 12, 12-20		4
468	The proapoptotic BH3-only protein bim is expressed in hematopoietic, epithelial, neuronal, and germ cells. <i>American Journal of Pathology</i> , 2000 , 157, 449-61	5.8	201
467	Expression of Mona (monocytic adapter) in myeloid progenitor cells results in increased and prolonged MAP kinase activation upon macrophage colony-stimulating factor stimulation. 2000 , 480, 113-7		20
466	Liposomes containing interferon-gamma as adjuvant in tumor cell vaccines. 2000 , 17, 42-8		44
465	Developmental Biology Protocols: Volume II. 2000 ,		1
464	Calcium-dependent and oncogenic IL-3 mRNA stabilization can be distinguished pharmacologically and by sequence requirements in the 3'RTR. 2000 , 18, 109-18		2
463	Expression vector with DNA of bovine papilloma virus 1 for keratinocyte gene therapy. 2000 , 23, 111-6		4
462	Defective stem cell factor expression in c-myb null fetal liver stroma. 2001 , 27, 470-8		13
461	Specific blockade by CD54 and MHC II of CD40-mediated signaling for B cell proliferation and survival. 2001 , 265, 312-8		5
460	The effect of the zeolite clinoptilolite on serum chemistry and hematopoiesis in mice. 2001 , 39, 717-27		59
459	Stimulation of nonspecific immunity, haemopoiesis and protection of mice against radiation injury by 1-adamantylamide-L-alanyl-D-isoglutamine incorporated in liposomes. 2001 , 1, 167-75		6
458	Vaccination with MCP-1 cDNA transfectant on human malignant glioma in nude mice induces migration of monocytes and NK cells to the tumor. 2001 , 1, 657-64		15
457	The AIDS disease of CD4C/HIV transgenic mice shows impaired germinal centers and autoantibodies and develops in the absence of IFN-gamma and IL-6. 2001 , 15, 173-85		50
456	CD8+ T cell subsets TC1 and TC2 cause different histopathologic forms of murine cardiac allograft rejection. 2001 , 71, 606-10		33
455	Cdc42, Rac1, and the Wiskott-Aldrich syndrome protein are involved in the cytoskeletal regulation of B lymphocytes. 2001 , 98, 1086-94		81
454	A soluble form of the murine common gamma chain is present at high concentrations in vivo and suppresses cytokine signaling. 2001 , 97, 183-91		35

453	Role for lipid rafts in regulating interleukin-2 receptor signaling. 2001 , 98, 1489-97		106
452	Impaired protective immunity and T helper 2 responses in alymphoplasia (aly) mutant mice infected with <i>Trichinella spiralis</i> . 2001 , 102, 218-24		7
451	Intra-tumoral administration of naked plasmid DNA encoding mouse endostatin inhibits renal carcinoma growth. 2001 , 91, 835-9		40
450	CD4+ T cells that evade deletion by a self peptide display Th1-biased differentiation. <i>European Journal of Immunology</i> , 2001 , 31, 311-9	6.1	11
449	Blimp-1 over-expression abrogates IL-4- and CD40-mediated suppression of terminal B cell differentiation but arrests isotype switching. <i>European Journal of Immunology</i> , 2001 , 31, 1972-1980	6.1	45
448	Vav-1 regulates NK T cell development and NK cell cytotoxicity. <i>European Journal of Immunology</i> , 2001 , 31, 2403-10	6.1	47
447	The p38 mitogen-activated protein kinases can have opposing roles in the antigen-dependent or endotoxin-stimulated production of IL-12 and IFN- γ <i>European Journal of Immunology</i> , 2001 , 31, 3218-3227	6.1	25
446	Rottlerin-independent attenuation of pervanadate-induced tyrosine phosphorylation events by protein kinase C-delta in hemopoietic cells. 2001 , 81, 1087-95		40
445	Multipotent hematopoietic progenitor cells immortalized by Lhx2 self-renew by a cell nonautonomous mechanism. 2001 , 29, 1019-28		18
444	Role of MEKK2-MEK5 in the regulation of TNF-alpha gene expression and MEKK2-MKK7 in the activation of c-Jun N-terminal kinase in mast cells. 2001 , 98, 4599-604		63
443	The multiple immune-evasion genes of murine cytomegalovirus are not redundant: m4 and m152 inhibit antigen presentation in a complementary and cooperative fashion. 2001 , 194, 967-78		87
442	HS1,2 enhancer regulation of germline epsilon and gamma2b promoters in murine B lymphocytes: evidence for specific promoter-enhancer interactions. 2001 , 167, 3257-65		43
441	Therapy of HPV 16-associated carcinoma with dendritic cell-based vaccines: in vitro priming of the effector cell responses by DC pulsed with tumour lysates and synthetic RAHYNIVTF peptide. 2001 , 7, 97-100		7
440	Scaffolding protein Gab2 mediates differentiation signaling downstream of Fms receptor tyrosine kinase. 2001 , 21, 3047-56		82
439	Suppressor of cytokine signaling 1 interacts with the macrophage colony-stimulating factor receptor and negatively regulates its proliferation signal. 2001 , 276, 22133-9		37
438	v-Abl protein-tyrosine kinase up-regulates p21WAF-1 in cell cycle arrested and proliferating myeloid cells. 2001 , 276, 11143-50		3
437	Role of effector cell-derived IL-4, IL-5, and perforin in early and late stages of type 2 CD8 effector cell-mediated tumor rejection. 2001 , 167, 424-34		40
436	Hematopoietic Stem Cell Protocols. 2001 ,		1

435	Solution structure and interaction with basic and acidic fibroblast growth factor of a 3-kDa human platelet factor-4 fragment with antiangiogenic activity. 2001 , 276, 35723-34	23
434	Evidence that gammadelta versus alphabeta T cell fate determination is initiated independently of T cell receptor signaling. 2001 , 193, 689-98	96
433	Hemopoiesis-stimulating action of adamantylamide dipeptide: kinetics of increase of GM-CFC in femur and co-stimulating activity of serum, role of bone marrow stromal cells. 2001 , 23, 505-17	2
432	Hemopoiesis-stimulating effects and enhanced survival of irradiated mice after peroral or intraperitoneal administration of ultrafiltered pig leukocyte extract (UPL, IMUNOR). 2002 , 24, 651-64	10
431	Transcription factor complex formation and chromatin fine structure alterations at the murine c-fms (CSF-1 receptor) locus during maturation of myeloid precursor cells. 2002 , 16, 1721-37	103
430	Priming polyvalent immunity by DNA vaccines expressing chimeric antigens with a stress protein-capturing, viral J-domain. 2002 , 16, 1108-10	25
429	Withdrawal of stimulation may initiate the transition of effector to memory CD4 cells. 2002 , 168, 1095-102	48
428	Priming biologically active antibody responses against an isolated, conformational viral epitope by DNA vaccination. 2002 , 169, 1251-60	14
427	Molecular mechanisms underlying differential contribution of CD28 versus non-CD28 costimulatory molecules to IL-2 promoter activation. 2002 , 168, 3847-54	43
426	Autocrine IL-4 gene regulation at late phases of TCR activation in differentiated Th2 cells. 2002 , 169, 3030-7	12
425	Adenovirus E3-6.7K maintains calcium homeostasis and prevents apoptosis and arachidonic acid release. 2002 , 76, 1578-87	41
424	Retroviral transfer and expression of human MDR-1 in a murine haemopoietic stem cell line does not alter factor dependence, growth or differentiation characteristics. 2002 , 16, 106-11	3
423	A two-step model of T cell subset commitment: antigen-independent commitment of T cells before encountering nominal antigen during pathogenic infections. 2002 , 14, 567-75	7
422	Induced expression and association of the Mona/Gads adapter and Gab3 scaffolding protein during monocyte/macrophage differentiation. 2002 , 22, 3744-56	37
421	A ligand for the murine NK activation receptor Ly-49D: activation of tolerized NK cells from beta 2-microglobulin-deficient mice. 2002 , 169, 126-36	48
420	Degradation of cellular mRNA is a general early apoptosis-induced event. 2002 , 16, 2003-5	52
419	Gab3, a new DOS/Gab family member, facilitates macrophage differentiation. 2002 , 22, 231-44	73
418	Lineage analysis of the hemangioblast as defined by FLK1 and SCL expression. 2002 , 129, 5511-20	140

417	The developmentally regulated expression of Twisted gastrulation reveals a role for bone morphogenetic proteins in the control of T cell development. 2002 , 196, 163-71	71
416	Identification of two distinct subpopulations of Leishmania major-specific T helper 2 cells. 2002 , 70, 5512-20	13
415	Protein kinase C-delta is a negative regulator of antigen-induced mast cell degranulation. 2002 , 22, 3970-80	115
414	Direct killing of xenograft cells by CD8+ T cells of discordant xenograft recipients. 2002 , 74, 1587-95	15
413	Hematopoietic progenitor/stem cells immortalized by Lhx2 generate functional hematopoietic cells in vivo. 2002 , 99, 3939-46	49
412	Recurring chromosomal abnormalities in leukemia in PML-RARA transgenic mice parallel human acute promyelocytic leukemia. 2002 , 99, 2985-91	78
411	Identification of primary structural features that define the differential actions of IL-3 and GM-CSF receptors. 2002 , 100, 3164-74	23
410	Runx1 is essential for hematopoietic commitment at the hemangioblast stage of development in vitro. 2002 , 100, 458-66	243
409	Transduction of dendritic cells by antigen-encoding lentiviral vectors permits antigen processing and MHC class I-dependent presentation. 2002 , 109, 988-94	32
408	Viable c-Kit(W/W) mutants reveal pivotal role for c-kit in the maintenance of lymphopoiesis. 2002 , 17, 277-88	142
407	Effect of intragastric and intraperitoneal immunisation with attenuated and wild-type LACK-expressing <i>Listeria monocytogenes</i> on control of murine <i>Leishmania major</i> infection. 2002 , 20, 2702-12	19
406	Cytokine-induced apoptosis and necrosis are preceded by disruption of the mitochondrial membrane potential (Deltapsi(m)) in pancreatic RINm5F cells: prevention by Bcl-2. 2002 , 190, 75-82	105
405	Adjuvanticity of an IL-12 fusion protein expressed by recombinant deltaG-vesicular stomatitis virus. 2002 , 218, 59-73	10
404	Peptide-pulsed splenic dendritic cells prime long-lasting CD8(+) T cell memory in the absence of cross-priming by host APC. <i>European Journal of Immunology</i> , 2002 , 32, 281-90	6.1 12
403	NK cells developing in vitro from fetal mouse progenitors express at least one member of the Ly49 family that is acquired in a time-dependent and stochastic manner independently of CD94 and NKG2. <i>European Journal of Immunology</i> , 2002 , 32, 868-78	6.1 33
402	Organ-specific distribution of CD4+ T1/ST2+ Th2 cells in <i>Leishmania major</i> infection. <i>European Journal of Immunology</i> , 2002 , 32, 2450-9	6.1 21
401	Osteopontin induces angiogenesis of murine neuroblastoma cells in mice. 2002 , 98, 707-12	74
400	Studies on the tumor promoting mechanism of hard and soft segment models of polyetherurethane: Tyr265 phosphorylation of connexin43 is a key step in the GJIC inhibitory reaction induced by polyetherurethane. 2002 , 62, 157-62	1

399	Heat shock fusion protein gp96-Ig mediates strong CD8 CTL expansion in vivo. 2002 , 48, 220-5	18
398	Delivery of human fibroblast growth factor-1 gene to brain by modified rat brain endothelial cells. 1996 , 67, 1643-52	10
397	DNA vaccination with AFP-encoding plasmid DNA prevents growth of subcutaneous AFP-expressing tumors and does not interfere with liver regeneration in mice. 2002 , 9, 346-55	47
396	Retinoic acid receptor antagonism in vivo expands the numbers of precursor cells during granulopoiesis. 2002 , 16, 1763-72	49
395	A strategy for the suppression of tumorigenesis induced by biomaterials: Restoration of transformed phenotype of polyetherurethane-induced tumor cells by Cx43 transfection. 2002 , 39, 1-8	3
394	Nicotinamide- and caspase-mediated inhibition of poly(ADP-ribose) polymerase are associated with p53-independent cell cycle (G2) arrest and apoptosis. 2003 , 243, 113-22	32
393	Engineering de novo reciprocal chromosomal translocations associated with Mll to replicate primary events of human cancer. 2003 , 3, 449-58	117
392	Inactivation of the forkhead transcription factor FoxO3 is essential for PKB-mediated survival of hematopoietic progenitor cells by kit ligand. 2003 , 31, 316-23	37
391	IL-12-assisted immunization generates CD4+ T cell-mediated immunity to <i>Listeria monocytogenes</i> . 2003 , 222, 1-14	8
390	Intradermal inoculations of low doses of <i>Leishmania major</i> and <i>Leishmania amazonensis</i> metacyclic promastigotes induce different immunoparasitic processes and status of protection in BALB/c mice. 2003 , 33, 1373-83	38
389	Spermine compaction is an efficient and economical method of producing vaccination-grade DNA. 2003 , 274, 257-64	19
388	Interleukin-4-mediated downregulation of cytotoxic T lymphocyte activity is associated with reduced proliferation of antigen-specific CD8+ T cells. 2003 , 5, 923-32	14
387	Efficient antigen presentation of soluble, but not particulate, antigen in the absence of Wiskott-Aldrich syndrome protein. 2003 , 109, 384-91	32
386	The human granulocyte/macrophage colony-stimulating factor receptor alpha2 isoform influences haemopoietic lineage commitment and divergence. 2003 , 122, 150-8	6
385	Generation of a conditionally immortalized myeloid progenitor cell line requiring the presence of both interleukin-3 and stem cell factor to survive and proliferate. 2003 , 122, 985-95	1
384	Production and characterisation of monoclonal antibodies to ovine interleukin-5. 2003 , 52, 281-90	
383	Inhibition of proliferation by 1-8U in interferon-alpha-responsive and non-responsive cell lines. 2003 , 60, 1235-48	35
382	Osteopontin overproduced by tumor cells acts as a potent angiogenic factor contributing to tumor growth. 2003 , 198, 107-17	76

381	Interleukin-2 and dendritic cells as adjuvants for surgical therapy of tumours associated with human papillomavirus type 16. 2003 , 21, 891-6	6
380	Binding of Ikaros to germline Ig heavy chain gamma1 and epsilon promoters. 2003 , 39, 771-82	6
379	Metal ion-responsive transgenic <i>Xenopus laevis</i> as an environmental monitoring animal. 2003 , 13, 153-9	3
378	Tumor-host interactions accompanying the growth of the G:5:113 fibrosarcoma in the mouse: possibilities for a new therapeutic approach?. 2003 , 21, 227-36	1
377	Identification of a second egfr gene in <i>Xiphophorus</i> uncovers an expansion of the epidermal growth factor receptor family in fish. 2004 , 21, 266-75	35
376	BCL-2 and BCL-XL restrict lineage choice during hematopoietic differentiation. 2003 , 278, 25158-65	45
375	CEACAM1 is a potent regulator of B cell receptor complex-induced activation. 2003 , 74, 126-34	50
374	Defining the involvement of p38alpha MAPK in the production of anti- and proinflammatory cytokines using an SB 203580-resistant form of the kinase. 2003 , 278, 22237-42	66
373	Enteral immunization with attenuated recombinant <i>Listeria monocytogenes</i> as a live vaccine vector: organ-dependent dynamics of CD4 T lymphocytes reactive to a <i>Leishmania major</i> tracer epitope. 2003 , 71, 1083-90	19
372	The levels and patterns of cytokines produced by CD4 T lymphocytes of BALB/c mice infected with <i>Leishmania major</i> by inoculation into the ear dermis depend on the infectiousness and size of the inoculum. 2003 , 71, 2674-83	19
371	Cooperation of cytokine signaling with chimeric transcription factors in leukemogenesis: PML-retinoic acid receptor alpha blocks growth factor-mediated differentiation. 2003 , 23, 4573-85	8
370	Dendritic cells under influence of mouse cytomegalovirus have a physiologic dual role: to initiate and to restrict T cell activation. 2003 , 187, 988-99	60
369	Bcl6 is a transcriptional repressor for the IL-18 gene. 2003 , 171, 426-31	45
368	Cytokine requirements for the growth and development of mouse NK cells in vitro. 2003 , 74, 233-42	61
367	Tracking mesoderm induction and its specification to the hemangioblast during embryonic stem cell differentiation. 2003 , 130, 4217-27	405
366	Suppressor of cytokine signaling 1 regulates an endogenous inhibitor of a mast cell protease. 2003 , 278, 41871-80	8
365	Bcl-2 expression decreases cadherin-mediated cell-cell adhesion. 2003 , 116, 3687-700	43
364	Critical role for the Oct-2/OCA-B partnership in Ig-secreting cells. 2003 , 171, 6589-98	9

363	Differential production of macrophage inflammatory protein 1gamma (MIP-1gamma), lymphotactin, and MIP-2 by CD4(+) Th subsets polarized in vitro and in vivo. 2003 , 71, 6178-83	21
362	Vaccinia virus encodes a previously uncharacterized mitochondrial-associated inhibitor of apoptosis. 2003 , 100, 14345-50	127
361	Differential regulation of cathepsin S and cathepsin L in interferon gamma-treated macrophages. 2003 , 197, 169-79	85
360	Salmonella enterica serovar Typhimurium expressing mutant lipid A with decreased endotoxicity causes maturation of murine dendritic cells. 2003 , 71, 6132-40	15
359	Expression of the long form of human FLIP by retroviral gene transfer of hemopoietic stem cells exacerbates experimental autoimmune encephalomyelitis. 2003 , 170, 2064-73	19
358	Abl interactor 1 promotes tyrosine 296 phosphorylation of mammalian enabled (Mena) by c-Abl kinase. 2003 , 278, 21685-92	81
357	CD4 T cell memory derived from young naive cells functions well into old age, but memory generated from aged naive cells functions poorly. 2003 , 100, 15053-8	208
356	Compartmentalized production of CCL17 in vivo: strong inducibility in peripheral dendritic cells contrasts selective absence from the spleen. 2003 , 197, 585-99	147
355	The AIDS-like disease of CD4C/human immunodeficiency virus transgenic mice is associated with accumulation of immature CD11bHi dendritic cells. 2003 , 77, 11733-44	25
354	Immunization with live HPV-16-transformed mouse cells expressing the herpes simplex thymidine kinase and either GM-CSF or IL-2. 2003 , 23, 775	
353	Gene targeting strategies for the isolation of hematopoietic and endothelial precursors from differentiated ES cells. 2003 , 365, 186-202	6
352	CCAAT/Enhancer binding proteins repress the leukemic phenotype of acute myeloid leukemia. 2003 , 101, 1141-8	88
351	A model of APL with FLT3 mutation is responsive to retinoic acid and a receptor tyrosine kinase inhibitor, SU11657. 2003 , 101, 3188-97	98
350	Modulation of the immune system by Listeria monocytogenes-mediated gene transfer into mammalian cells. 2004 , 48, 329-37	16
349	A hierarchical order of factors in the generation of FLK1- and SCL-expressing hematopoietic and endothelial progenitors from embryonic stem cells. 2004 , 131, 2749-62	186
348	Nuclear translocation of the Hsp70/Hsp90 organizing protein mST11 is regulated by cell cycle kinases. 2004 , 117, 701-10	89
347	Molecular signatures of self-renewal, differentiation, and lineage choice in multipotential hemopoietic progenitor cells in vitro. 2004 , 24, 741-56	84
346	Enrichment of lck in lipid rafts regulates colocalized fyn activation and the initiation of proximal signals through TCR alpha beta. 2004 , 172, 4266-74	37

345	Mast cells, Fc epsilon RI, and IL-13 are required for development of airway hyperresponsiveness after aerosolized allergen exposure in the absence of adjuvant. 2004 , 172, 6398-406	99
344	Inflammatory cytokines overcome age-related defects in CD4 T cell responses in vivo. 2004 , 172, 5194-9	144
343	Self-reactive T cell receptor-reactive CD8+ T cells inhibit T cell lymphoma growth in vivo. 2004 , 173, 7062-9	8
342	A signal through OX40 (CD134) allows anergic, autoreactive T cells to acquire effector cell functions. 2004 , 172, 6735-43	77
341	Independent control of Ly49g alleles: implications for NK cell repertoire selection and tumor cell killing. 2004 , 172, 1414-25	20
340	Analysis of Notch1 function by in vitro T cell differentiation of Pax5 mutant lymphoid progenitors. 2004 , 173, 3935-44	88
339	Suppressor of cytokine signaling 6 associates with KIT and regulates KIT receptor signaling. 2004 , 279, 12249-59	58
338	Modular nature of Blimp-1 in the regulation of gene expression during B cell maturation. 2004 , 172, 5427-40	99
337	Transcriptional responses of murine macrophages to infection with Yersinia enterocolitica. 2004 , 6, 377-90	41
336	Activation of protein kinase A (PKA) by 8-Cl-cAMP as a novel approach for antileukaemic therapy. 2004 , 91, 186-92	16
335	Bcr-Abl-mediated molecular mechanism for apoptotic suppression in multipotent haemopoietic cells: a role for PKCbeta11. 2004 , 16, 145-56	12
334	Modification of peptide interaction with MHC creates TCR partial agonists. 2004 , 227, 70-8	24
333	Development of definitive endoderm from embryonic stem cells in culture. 2004 , 131, 1651-62	662
332	Enhanced in vivo selection of bone marrow cells by retroviral-mediated coexpression of mutant O6-methylguanine-DNA-methyltransferase and HOXB4. 2004 , 10, 862-73	28
331	Developmental Hematopoiesis. 2004 ,	
330	A simple and quick method to concentrate MSCV retrovirus. 2004 , 33, 64-7	11
329	Inhibition of p38 mitogen-activated protein kinase reduces TNF-induced activation of NF-kappaB, elicits caspase activity, and enhances cytotoxicity. 2004 , 293, 196-206	40
328	Recombinant replication-restricted VSV as an expression vector for murine cytokines. 2004 , 33, 92-103	8

327	Life-long systemic protection in mice vaccinated with <i>L. major</i> and adenovirus IL-12 vector requires active infection, macrophages and intact lymph nodes. 2004 , 23, 247-57	9
326	Restoration of femoral GM-CFC progenitors in sublethally irradiated mice of various ages treated with liposomal adamantylamide dipeptide. 2004 , 4, 1099-106	3
325	Activation of the MAP kinase pathway by c-Kit is PI-3 kinase dependent in hematopoietic progenitor/stem cell lines. 2004 , 104, 51-7	73
324	Identification of the molecular requirements for an RAR alpha-mediated cell cycle arrest during granulocytic differentiation. 2004 , 103, 1286-95	34
323	The quantity and duration of FcRgamma signals determine mast cell degranulation and survival. 2004 , 103, 3093-101	56
322	Rescue of lethal c-Kit ^{W/W} mice by erythropoietin. 2004 , 104, 1688-95	47
321	Hematopoietic and endothelial development of mouse embryonic stem cells in culture. 2005 , 105, 359-68	8
320	Sustained phenotypic correction of hemophilia a mice following oncoretroviral-mediated expression of a bioengineered human factor VIII gene in long-term hematopoietic repopulating cells. 2004 , 10, 892-902	53
319	Prospective isolation and global gene expression analysis of the erythrocyte colony-forming unit (CFU-E). 2005 , 105, 1937-45	64
318	The development of functional B lymphocytes in conditional PU.1 knock-out mice. 2005 , 106, 2083-90	61
317	FADD and caspase-8 are required for cytokine-induced proliferation of hemopoietic progenitor cells. 2005 , 106, 1581-9	51
316	B-1a cell origin of the murine B lymphoma line BCL1 characterized by surface markers and bacterial reactivity of its surface IgM. 2005 , 98, 232-44	2
315	Simultaneous expression and detection of multiple retroviral constructs in haematopoietic cells after bone marrow transplantation. 2005 , 61, 545-50	5
314	Activation of murine dendritic cells and macrophages induced by <i>Salmonella enterica</i> serovar Typhimurium. 2005 , 115, 462-72	29
313	Macrophage colony-stimulating factor receptor induces tyrosine phosphorylation of SKAP55R adaptor and its association with actin. 2005 , 17, 941-9	15
312	M-CSF stimulated differentiation requires persistent MEK activity and MAPK phosphorylation independent of Grb2-Sos association and phosphatidylinositol 3-kinase activity. 2005 , 17, 1352-62	40
311	DNA vaccines prime CD8+ T cell responses to epitopes of viral antigens produced from overlapping reading frames of a single coding sequence. <i>European Journal of Immunology</i> , 2005 , 35, 117-27	6.1 13
310	Novel loci controlling lymphocyte proliferative response to cytokines and their clustering with loci controlling autoimmune reactions, macrophage function and lung tumor susceptibility. 2005 , 114, 394-9	11

309	Complement regulatory protein Crry/p65-mediated signaling in T lymphocytes: role of its cytoplasmic domain and partitioning into lipid rafts. 2005 , 78, 1386-96	22
308	Loss of histochemical identity in mast cells lacking carboxypeptidase A. 2005 , 25, 6199-210	73
307	The primitive streak gene Mixl1 is required for efficient haematopoiesis and BMP4-induced ventral mesoderm patterning in differentiating ES cells. 2005 , 132, 873-84	109
306	Rapid B cell receptor-induced unfolded protein response in nonsecretory B cells correlates with pro- versus antiapoptotic cell fate. 2005 , 280, 39762-71	45
305	SHIP down-regulates FcepsilonR1-induced degranulation at supraoptimal IgE or antigen levels. 2005 , 174, 507-16	87
304	Stat5a is essential for the proliferation and survival of murine mast cells. 2005 , 137 Suppl 1, 45-50	25
303	Association of SIGIRR with TLR4-MD-2 enhances signal transduction by recognition of LPS in gram-negative bacteria. 2005 , 17, 827-36	74
302	A role for c-fos/activator protein 1 in B lymphocyte terminal differentiation. 2005 , 174, 7703-10	59
301	Ultrafiltered pig leukocyte extract (UPLE, IMUNOR) potentiates hematopoiesis-stimulating effects of G-CSF in vitro and improves the outcome of treatment of hematopoietic radiation damage in mice with G-CSF. 2005 , 27, 647-59	7
300	Transcriptional regulation of the mouse interleukin-2 receptor beta chain gene by Ets and Egr-1. 2005 , 329, 1094-101	6
299	Forced expression of deltaN-TCF-1B in colon cancer derived cell lines is accompanied by the induction of CEACAM5/6 and mesothelin. 2005 , 223, 159-67	16
298	The earliest subpopulation of mouse thymocytes contains potent T, significant macrophage, and natural killer cell but no B-lymphocyte potential. 2005 , 105, 1930-6	124
297	Peroral IMUNOR, a low-molecular-weight immunomodulator prepared from disintegrated and ultrafiltered leukocytes, enhances recovery from myelosuppression induced by cisplatin or 5-fluorouracil. 2006 , 28, 1-11	4
296	IL-25 enhances allergic airway inflammation by amplifying a TH2 cell-dependent pathway in mice. 2006 , 118, 606-14	184
295	The activity of interleukin-4 receptor alpha-chain promoter is regulated by a GT box element. 2006 , 43, 1808-16	2
294	IL-12-assisted immunization against <i>Listeria monocytogenes</i> using replication-restricted VSV-based vectors. 2006 , 24, 1451-61	6
293	The Development and Characterization of an HEK293-Derived Cell Line for Use in an Intratumoral Cytokine Delivery System. 2006 , 15, 343-350	6
292	Interactions between CD8alpha and the TCRalpha/CD3-receptor complex. 2006 , 64, 260-70	5

291	Insulin and insulin-like growth factor-1 promote mast cell survival via activation of the phosphatidylinositol-3-kinase pathway. 2006 , 34, 1532-41		24
290	R-form LPS, the master key to the activation of TLR4/MD-2-positive cells. <i>European Journal of Immunology</i> , 2006 , 36, 701-11	6.1	130
289	Impaired degranulation but enhanced cytokine production after Fc epsilonRI stimulation of diacylglycerol kinase zeta-deficient mast cells. 2006 , 203, 1471-80		47
288	JunD/AP-1 and STAT3 are the major enhancer molecules for high Bcl6 expression in germinal center B cells. 2006 , 18, 1079-89		67
287	A redundant role for PKC-epsilon in mast cell signaling and effector function. 2006 , 18, 767-73		18
286	Involvement of TNF receptor-associated factor 6 in IL-25 receptor signaling. 2006 , 176, 1013-8		91
285	The interferon-inducible gene, Ifi204, is transcriptionally activated in response to M-CSF, and its expression favors macrophage differentiation in myeloid progenitor cells. 2006 , 79, 173-83		30
284	Novel tumor necrosis factor-responsive mammalian neutral sphingomyelinase-3 is a C-tail-anchored protein. 2006 , 281, 13784-13793		104
283	Plasmacytic transcription factor Blimp-1 is repressed by Bach2 in B cells. 2006 , 281, 38226-34		119
282	Mast cells and basophils are selectively activated in vitro and in vivo through CD200R3 in an IgE-independent manner. 2007 , 179, 7093-100		90
281	An adaptation of the LMS method to determine expression variations in profiling data. 2007 , 35, e71		12
280	A leukemia fusion protein attenuates the spindle checkpoint and promotes aneuploidy. 2007 , 109, 3963-71		28
279	Binase induces apoptosis of transformed myeloid cells and does not induce T-cell immune response. 2007 , 361, 1000-5		36
278	Stimulation of mast cells via FcvarepsilonR1 and TLR2: the type of ligand determines the outcome. 2007 , 44, 2087-94		37
277	IL-28A is a key regulator of T-cell-mediated liver injury via the T-box transcription factor T-bet. 2007 , 132, 358-71		31
276	Macrophage fusion induced by IL-4 alternative activation is a multistage process involving multiple target molecules. <i>European Journal of Immunology</i> , 2007 , 37, 33-42	6.1	109
275	Flow cytometric screening of cell-penetrating peptides for their uptake into embryonic and adult stem cells. 2007 , 364, 51-9		32
274	Sustained JNK signaling by proteolytically processed HPK1 mediates IL-3 independent survival during monocytic differentiation. 2007 , 14, 568-75		29

273	The multi-functional cellular adhesion molecule CD44 is regulated by the 8;21 chromosomal translocation. 2007 , 21, 2010-9			35
272	Participation of FLIP, RIP and Bcl-x(L) in Fas-mediated T-cell death. 2007 , 66, 410-21			3
271	Oxysterol-binding protein-related protein (ORP) 9 is a PDK-2 substrate and regulates Akt phosphorylation. 2007 , 19, 384-92			42
270	mNotch1 signaling and erythropoietin cooperate in erythroid differentiation of multipotent progenitor cells and upregulate beta-globin. 2007 , 35, 1321-32			13
269	c-Myc is required for transformation of FDC-P1 cells by EGFRvIII. 2007 , 581, 2549-56			
268	Bcl6 is required for the IL-4-mediated rescue of the B cells from apoptosis induced by IL-21. 2007 , 110, 145-51			12
267	Activation and route of administration both determine the ability of bone marrow-derived dendritic cells to accumulate in secondary lymphoid organs and prime CD8+ T cells against tumors. 2008 , 57, 63-71			32
266	Two-dimensional immune profiles improve antigen microarray-based characterization of humoral immunity. 2008 , 8, 2840-8			12
265	Synergy between erythropoietin and stem cell factor during erythropoiesis can be quantitatively described without co-signaling effects. 2008 , 99, 1261-72			16
264	In vitro and in vivo T cell responses in mice during bronchopulmonary infection with mucoid <i>Pseudomonas aeruginosa</i> . <i>Clinical and Experimental Immunology</i> , 1995 , 99, 98-105	6.2		46
263	Src-family kinases play an essential role in differentiation signaling downstream of macrophage colony-stimulating factor receptors mediating persistent phosphorylation of phospholipase C-gamma2 and MAP kinases ERK1 and ERK2. 2008 , 22, 161-9			18
262	Qualitative difference of anti-DNA antibody-producing cell precursors in the pre-immune B cell repertoire between normal and lupus-prone mice. <i>Clinical and Experimental Immunology</i> , 1991 , 86, 106-11 ^{6.2}			4
261	CD4+ T cells clear virus but augment disease in mice infected with respiratory syncytial virus. Comparison with the effects of CD8+ T cells. <i>Clinical and Experimental Immunology</i> , 1992 , 88, 527-36	6.2		123
260	Different growth factor requirements for human Th2 cells may reflect in vivo induced anergy. <i>Clinical and Experimental Immunology</i> , 1994 , 98, 151-7	6.2		14
259	Nuclear translocation of the phosphoprotein Hop (Hsp70/Hsp90 organizing protein) occurs under heat shock, and its proposed nuclear localization signal is involved in Hsp90 binding. 2008 , 1783, 1003-14			40
258	Mouse IL-6. 2008 , 557, 206-214			6
257	Effect of chemically modified IL-13 short interfering RNA on development of airway hyperresponsiveness in mice. 2008 , 121, 88-94			23
256	A role for Bcl6 in sequential class switch recombination to IgE in B cells stimulated with IL-4 and IL-21. 2008 , 45, 1337-45			21

255	Effective collaboration between IL-4 and IL-21 on B cell activation. 2008 , 213, 545-55	26
254	IFN consensus sequence binding protein (Icsbp) is critical for eosinophil development. 2008 , 181, 5045-53	31
253	Gain-of-function mutations in the extracellular domain of KIT are common in canine mast cell tumors. 2008 , 6, 1137-45	124
252	Essential role of DAP12 signaling in macrophage programming into a fusion-competent state. 2008 , 1, ra11	82
251	Persistent propagation of variant Creutzfeldt-Jakob disease agent in murine spleen stromal cell culture with features of mesenchymal stem cells. 2008 , 82, 10959-62	10
250	Bone marrow precursor cells from aged mice generate CD4 T cells that function well in primary and memory responses. 2008 , 181, 4825-31	36
249	Manipulation of immune system via immortal bone marrow stem cells. 2008 , 20, 1211-8	24
248	TLX1 (HOX11) immortalization of embryonic stem cell-derived and primary murine hematopoietic progenitors. 2008 , Chapter 1, Unit 1F.7	4
247	Steel factor enhances supraoptimal antigen-induced IL-6 production from mast cells via activation of protein kinase C-beta. 2009 , 182, 7897-905	18
246	MEK/ERK-mediated phosphorylation of Bim is required to ensure survival of T and B lymphocytes during mitogenic stimulation. 2009 , 183, 261-9	66
245	TLR2/MyD88-dependent and -independent activation of mast cell IgE responses by the skin commensal yeast <i>Malassezia sympodialis</i> . 2009 , 182, 4208-16	65
244	Basophils preferentially express mouse Mast Cell Protease 11 among the mast cell tryptase family in contrast to mast cells. 2009 , 86, 1417-25	84
243	Leukotriene B4 release from mast cells in IgE-mediated airway hyperresponsiveness and inflammation. 2009 , 40, 672-82	38
242	Quantitation of resistance to cytosine arabinoside by myeloid leukemic cells expressing bcl-2. 1996 , 57, 149-56	9
241	Requirement for CD45 in fine-tuning mast cell responses mediated by different ligand-receptor systems. 2009 , 21, 1277-86	19
240	Multiple tissue-specific isoforms of sulfatide activate CD1d-restricted type II NKT cells. <i>European Journal of Immunology</i> , 2009 , 39, 1726-35	6.1 82
239	In vitro antigen presenting cell-derived IL-10 and IL-6 correlate with <i>Trichuris muris</i> isolate-specific survival. 2009 , 31, 123-31	9
238	Enforced expression of Mixl1 during mouse ES cell differentiation suppresses hematopoietic mesoderm and promotes endoderm formation. 2009 , 27, 363-74	27

237	Biologically distinct conformations of Bcl-x can be resolved using 2D isoelectric focusing. 2009 , 46, 1605-12	2
236	Direct crosstalk between mast cell-TNF and TNFR1-expressing endothelia mediates local tissue inflammation. 2009 , 114, 1696-706	47
235	Oncogenic c-kit transcript is a target for binase. 2010 , 9, 2674-8	21
234	CD44 interacts directly with Lck in a zinc-dependent manner. 2010 , 47, 1882-9	18
233	Pleiotropic role of Rac in mast cell activation revealed by a cell permeable Bordetella dermonecrotic fusion toxin. 2010 , 22, 1124-31	6
232	Long-term "in vitro" proliferating mouse hematopoietic progenitor cell lines. 2010 , 130, 32-5	14
231	CD30 ligand is a target for a novel biological therapy against colitis associated with Th17 responses. 2010 , 185, 7671-80	38
230	Expression of C-type lectin, SIGNR3, on subsets of dendritic cells, macrophages, and monocytes. 2010 , 88, 913-24	15
229	Gain of MYC underlies recurrent trisomy of the MYC chromosome in acute promyelocytic leukemia. 2010 , 207, 2581-94	54
228	The haematopoietic GTPase RhoH modulates IL3 signalling through regulation of STAT activity and IL3 receptor expression. 2010 , 9, 225	12
227	Insulin potentiates FcepsilonRI-mediated signaling in mouse bone marrow-derived mast cells. 2010 , 47, 1039-46	10
226	Lysine residue 185 of Rad1 is a topological but not a functional counterpart of lysine residue 164 of PCNA. 2011 , 6, e16669	3
225	Fukuoka-1 strain of transmissible spongiform encephalopathy agent infects murine bone marrow-derived cells with features of mesenchymal stem cells. 2011 , 51, 1755-68	17
224	Identification and functional analysis of a new phosphorylation site (Y398) in the SH3 domain of Abi-1. 2011 , 585, 834-40	8
223	Activation of the PI3K pathway increases TLR-induced TNF- α and IL-6 but reduces IL-1 β production in mast cells. 2011 , 23, 866-75	47
222	IL-10-conditioned dendritic cells prevent autoimmune diabetes in NOD and humanized HLA-DQ8/RIP-B7.1 mice. 2011 , 139, 336-49	47
221	Activation of the inflammasome by amorphous silica and TiO ₂ nanoparticles in murine dendritic cells. 2011 , 5, 326-40	151
220	Induced pluripotent stem cells expressing elevated levels of sox-2, oct-4, and klf-4 are severely reduced in their differentiation from mesodermal to hematopoietic progenitor cells. 2011 , 20, 1131-42	21

219	Physical and functional bivalency observed among TCR/CD3 complexes isolated from primary T cells. 2011 , 187, 870-8		12
218	CXCR4 expression on activated B cells is downregulated by CD63 and IL-21. 2011 , 186, 2800-8		19
217	SLP-76 is required for high-affinity IgE receptor- and IL-3 receptor-mediated activation of basophils. 2012 , 24, 719-27		3
216	Cloning and expression of porcine Colony Stimulating Factor-1 (CSF-1) and Colony Stimulating Factor-1 Receptor (CSF-1R) and analysis of the species specificity of stimulation by CSF-1 and Interleukin 34. 2012 , 60, 793-805		34
215	Inhibition of the intrinsic but not the extrinsic apoptosis pathway accelerates and drives MYC-driven tumorigenesis towards acute myeloid leukemia. 2012 , 7, e31366		16
214	MEK/Erk-based negative feedback mechanism involved in control of Steel Factor-triggered production of Kröppel-like factor 2 in mast cells. 2012 , 24, 879-88		10
213	The 1,4-benzodiazepine Ro5-4864 (4-chlorodiazepam) suppresses multiple pro-inflammatory mast cell effector functions. 2013 , 11, 13		12
212	Expression of the FLT3-ITD oncogene sensitizes murine progenitor B-cell line BAF3 to cytotoxic action of binase. 2013 , 47, 248-251		7
211	Membrane microdomain organization, calcium signal, and NFAT activation as an important axis in polarized Th cell function. 2013 , 83, 185-96		16
210	Cloning and expression of feline colony stimulating factor receptor (CSF-1R) and analysis of the species specificity of stimulation by colony stimulating factor-1 (CSF-1) and interleukin-34 (IL-34). 2013 , 61, 630-8		16
209	LPS-induced production of TNF- α and IL-6 in mast cells is dependent on p38 but independent of TTP. 2013 , 25, 1339-47		24
208	miR-221 redirects precursor B cells to the BM and regulates their residence. <i>European Journal of Immunology</i> , 2013 , 43, 2497-506	6.1	18
207	Secretory lysosomes of mouse mast cells store and exocytose active caspase-3 in a strictly granzyme B dependent manner. <i>European Journal of Immunology</i> , 2013 , 43, 3209-18	6.1	11
206	TTC5 is required to prevent apoptosis of acute myeloid leukemia stem cells. 2013 , 4, e573		6
205	CSF1R mutations in hereditary diffuse leukoencephalopathy with spheroids are loss of function. 2013 , 3, 3013		45
204	Murine splenic CD4+ T cells, induced by innate immune cell interactions and secreted factors, develop antileukemia cytotoxicity. 2014 , 2, 1113-24		7
203	Bcl-2 maintains the mitochondrial membrane potential, but fails to affect production of reactive oxygen species and endoplasmic reticulum stress, in sodium palmitate-induced cell death. 2014 , 119, 306-15		8
202	Cytoskeletal regulatory gene expression and migratory properties of B-cell progenitors are affected by the ETV6-RUNX1 rearrangement. 2014 , 12, 1796-806		7

201	CD39 is a negative regulator of P2X7-mediated inflammatory cell death in mast cells. 2014 , 12, 40	18
200	NADPH oxidase modifies patterns of MHC class II-restricted epitopic repertoires through redox control of antigen processing. 2014 , 192, 4989-5001	63
199	Development and characterisation of monoclonal antibodies reactive with porcine CSF1R (CD115). 2014 , 47, 123-8	4
198	Elucidating functional heterogeneity in hematopoietic progenitor cells: a combined experimental and modeling approach. 2014 , 42, 826-37.e1-17	4
197	Exploring the anti-apoptotic role of HAX-1 versus BCL-XL in cytokine-dependent bone marrow-derived cells from mice. 2014 , 588, 2921-7	12
196	Epidermal growth factor receptor mutation mediates cross-resistance to panitumumab and cetuximab in gastrointestinal cancer. 2015 , 6, 12035-47	47
195	Erythropoietin acts as an anti-inflammatory signal on murine mast cells. 2015 , 65, 68-76	7
194	Isolation of Mature (Peritoneum-Derived) Mast Cells and Immature (Bone Marrow-Derived) Mast Cell Precursors from Mice. 2016 , 11, e0158104	31
193	Basophil tryptase mMCP-11 plays a crucial role in IgE-mediated, delayed-onset allergic inflammation in mice. 2016 , 128, 2909-2918	20
192	Differential Lyn-dependence of the SHIP1-deficient mast cell phenotype. 2016 , 14, 12	6
191	Lack of galectin-3 up-regulates IgA expression by peritoneal B1 lymphocytes during B cell differentiation. 2016 , 363, 411-26	13
190	CD13/aminopeptidase N is a negative regulator of mast cell activation. 2016 , 30, 2225-35	8
189	FoxO3 suppresses Myc-driven lymphomagenesis. 2016 , 6, e2046	13
188	Requirement of interleukin 7 signaling for anti-tumor immune response under lymphopenic conditions in a murine lung carcinoma model. 2016 , 65, 341-54	7
187	Characterisation of mice lacking all functional isoforms of the pro-survival BCL-2 family member A1 reveals minor defects in the haematopoietic compartment. 2017 , 24, 534-545	38
186	Generation of precursor, immature, and mature murine B1-cell lines from c-myc/bcl-xL-overexpressing pre-B1 cells. <i>European Journal of Immunology</i> , 2017 , 47, 911-920	6.1 3
185	Association of Cardiac Galectin-3 Expression, Myocarditis, and Fibrosis in Chronic Chagas Disease Cardiomyopathy. <i>American Journal of Pathology</i> , 2017 , 187, 1134-1146	5.8 31
184	The Basophil-specific Protease mMCP-8 Provokes an Inflammatory Response in the Skin with Microvascular Hyperpermeability and Leukocyte Infiltration. 2017 , 292, 1061-1067	16

183	The spleen is the site where mast cells are induced in the development of food allergy. 2017 , 29, 31-45	10
182	Endotoxin tolerance in mast cells, its consequences for IgE-mediated signalling, and the effects of BCL3 deficiency. 2017 , 7, 4534	9
181	A role for cathepsin Z in neuroinflammation provides mechanistic support for an epigenetic risk factor in multiple sclerosis. 2017 , 14, 103	29
180	Stimulus strength determines the BTK-dependence of the SHIP1-deficient phenotype in IgE/antigen-triggered mast cells. 2018 , 8, 15467	4
179	Impact of over-expression in Ba/F3 cells. 2018 , 103, e594-e597	1
178	The Mitochondrial Transacylase, Tafazzin, Regulates for AML Stemness by Modulating Intracellular Levels of Phospholipids. 2019 , 24, 621-636.e16	19
177	The C-type lectin-like receptor Nkrp1b: Structural proteomics reveals features affecting protein conformation and interactions. 2019 , 196, 162-172	3
176	Regulation and function of macrophage colony-stimulating factor (CSF1) in the chicken immune system. 2020 , 105, 103586	11
175	Differential use of BTK and PLC in Fc β I- and KIT-mediated mast cell activation: A marginal role of BTK upon KIT activation. 2020 , 1867, 118622	1
174	Nicotinamide Inhibits Self-renewal and Induces Granulocyte Differentiation of Multipotent Progenitor Cells. 2020 , 16, 1335-1342	
173	Microbiota-induced tissue signals regulate ILC3-mediated antigen presentation. 2020 , 11, 1794	22
172	Protective Activity of Albn Cell Cultures (PC12 and THP-1 after Differentiation) Preincubated with Lipopolysaccharide (LPS). 2021 , 58, 1453-1464	7
171	Generation and utilization of a HEK-293T murine GM-CSF expressing cell line. 2021 , 16, e0249117	0
170	Vector Strategies to Actualize B Cell-Based Gene Therapies. 2021 , 207, 755-764	0
169	Differentiation of mouse embryonic stem cells into blood. 2008 , Chapter 1, Unit 1F.4	5
168	The role of interleukin 6 in megakaryocyte formation, megakaryocyte development and platelet production. 1992 , 167, 160-70; discussion 170-3	9
167	The structural basis of the biological actions of the GM-CSF receptor. 1997 , 204, 19-27; discussion 27-32	5
166	Analysis of the second messenger systems involved in the synergistic effect of cholera toxin and interleukin-4 on B cell isotype-switching. 1995 , 371A, 15-20	1

165	In vitro hematopoietic differentiation of murine embryonic stem cells. 2008 , 430, 103-18	6
164	Growth Control of Hybridoma Cultures by Adding or Depriving Interleukin-6, Caffeine, Amino Acids, Growth Factors, or Antisense C-myc. 1993 , 237-242	2
163	Cell-Cell Contact- and Cytokine-controlled B Lymphocyte Responses and their Potential Influences in Hematopoiesis. 1989 , 73-80	2
162	A Combined NMR and Molecular Genetic Approach to Studying Enzymes in Vivo. 1994 , 237-262	1
161	Applications of Fetal Thymus Organ Cultures in Studies of T Cell Development. 1990 , 291-309	3
160	Interleukin (IL)-3 and granulocyte/macrophage colony-stimulating factor, but not IL-4, induce tyrosine phosphorylation, activation, and association of SHPTP2 with Grb2 and phosphatidylinositol 3Pkinase.. 1994 , 269, 23764-23768	111
159	Multiple hemopoietins, with the exception of interleukin-4, induce modification of Shc and mSos1, but not their translocation.. 1994 , 269, 21165-21176	78
158	Interleukin-4-dependent proliferation dissociates p44erk-1, p42erk-2, and p21ras activation from cell growth.. 1994 , 269, 5865-5873	69
157	PKC α is a novel, atypical member of the protein kinase C family.. 1994 , 269, 6140-6148	404
156	Multiple cytokines activate phosphatidylinositol 3-kinase in hemopoietic cells. Association of the enzyme with various tyrosine-phosphorylated proteins.. 1994 , 269, 5403-5412	128
155	Ligand specificity and heparin dependence of fibroblast growth factor receptors 1 and 3.. 1992 , 267, 16305-16311	194
154	Cellular signaling events elicited by v-abl associated with growth factor independence in an interleukin-3-dependent cell line. 1993 , 268, 15696-15703	25
153	Cross-linking of the p55 Tumor Necrosis Factor Receptor Cytoplasmic Domain by a Dimeric Ligand Induces Nuclear Factor- κ B and Mediates Cell Death. 1995 , 270, 17482-17487	23
152	Human 55-kDa receptor for tumor necrosis factor coupled to signal transduction cascades.. 1992 , 267, 17997-18001	136
151	Functional hierarchy of AUUUA motifs in mediating rapid interleukin-3 mRNA decay.. 1994 , 269, 28591-28597	82
150	Structural and functional studies on the human interleukin-6 receptor. Binding, cross-linking, internalization, and degradation of interleukin-6 by fibroblasts transfected with human interleukin-6-receptor cDNA. 1991 , 266, 3841-3846	45
149	Alteration of lipid profiles in plasma of transgenic mice expressing human lipoprotein lipase. 1994 , 269, 11417-11424	45
148	Intracellular retention of interleukin-6 abrogates signaling.. 1993 , 268, 22084-22091	24

147	Generation of functionally mature dendritic cells from the multipotential stem cell line FDCP-mix. 2000 , 111, 890-897	5
146	Pharmacological inactivation of CDK2 inhibits MYC/BCL-XL-driven leukemia in vivo through induction of cellular senescence. 2021 , 20, 23-38	4
145	Translational control: a general mechanism for gene regulation during T cell activation. 1998 , 12, 299-306	13
144	Interleukin (IL) 4, the cytokine that isn't there: reactivity of IL-4 antibodies with cells in IL-4 ^{-/-} mice. 1997 , 63, 911-4	2
143	The cytokine and histological response in islet xenograft rejection is dependent upon species combination. 1997 , 64, 1307-14	29
142	A GATA-2/estrogen receptor chimera functions as a ligand-dependent negative regulator of self-renewal. 1999 , 13, 1847-60	72
141	Extramedullar proliferation of eosinophil granulocytes in chronic schistosomiasis mansoni is mediated by a factor secreted by inflammatory macrophages. 1990 , 58, 816-21	19
140	Characterization of rat T helper cell clones specific for Bacteroides gingivalis antigen. 1990 , 58, 2785-91	10
139	In vitro characterization of T cells from Mycobacterium w-vaccinated mice. 1992 , 60, 257-63	50
138	Interleukin-4 but not gamma interferon production correlates with the severity of murine cutaneous leishmaniasis. 1993 , 61, 3459-65	62
137	Gamma interferon response in secondary Leishmania major infection: role of CD8+ T cells. 1993 , 61, 3730-8	92
136	Mammalian cells transfected with the listeriolysin gene exhibit enhanced proliferation and focus formation. 1994 , 62, 5102-11	8
135	Expansion of gamma interferon-producing CD8+ T cells following secondary infection of mice immune to Leishmania major. 1994 , 62, 2575-81	65
134	Identification of eight determinants in the hemagglutinin molecule of influenza virus A/PR/8/34 (H1N1) which are recognized by class II-restricted T cells from BALB/c mice. 1991 , 65, 364-72	48
133	A new retrovirus packaging cell for gene transfer constructed from amplified long terminal repeat-free chimeric proviral genes. 1992 , 66, 3725-32	23
132	Antibody and cytotoxic T-cell responses to soluble hepatitis B virus (HBV) S antigen in mice: implication for the pathogenesis of HBV-induced hepatitis. 1994 , 68, 1418-25	73
131	Nucleic acid vaccination primes hepatitis B virus surface antigen-specific cytotoxic T lymphocytes in nonresponder mice. 1995 , 69, 5929-34	160
130	Identification of a T-helper cell epitope on the rotavirus VP6 protein. 1997 , 71, 419-26	30

129	Cre/loxP-mediated excision of a neomycin resistance expression unit from an integrated retroviral vector increases long terminal repeat-driven transcription in human hematopoietic cells. 1997 , 71, 7533-40	12
128	Human immunodeficiency virus type 2 envelope glycoprotein binds to CD8 as well as to CD4 molecules on human T cells. 1997 , 71, 8918-22	14
127	Entry of amphotropic and 10A1 pseudotyped murine retroviruses is restricted in hematopoietic stem cell lines. 1998 , 72, 1424-30	25
126	The Steel/W transduction pathway: kit autophosphorylation and its association with a unique subset of cytoplasmic signaling proteins is induced by the Steel factor. 1991 , 11, 3043-3051	67
125	Heparin is required for cell-free binding of basic fibroblast growth factor to a soluble receptor and for mitogenesis in whole cells. 1992 , 12, 240-247	190
124	Hematologic disease induced in BALB/c mice by a bcr-abl retrovirus is influenced by the infection conditions. 1992 , 12, 1755-1763	12
123	Hematopoietic commitment during embryonic stem cell differentiation in culture. 1993 , 13, 473-486	262
122	Mice lacking c-fos have normal hematopoietic stem cells but exhibit altered B-cell differentiation due to an impaired bone marrow environment. 1994 , 14, 382-390	14
121	Evidence for involvement of activin A and bone morphogenetic protein 4 in mammalian mesoderm and hematopoietic development. 1995 , 15, 141-51	363
120	Cathepsin S activity regulates antigen presentation and immunity. 1998 , 101, 2351-63	226
119	c-KIT expression enhances the leukemogenic potential of 32D cells. 1995 , 95, 2530-8	19
118	Protooncogene bcl-2 gene transfer abrogates Fas/APO-1 antibody-mediated apoptosis of human malignant glioma cells and confers resistance to chemotherapeutic drugs and therapeutic irradiation. 1995 , 95, 2633-43	197
117	The TEL-AML1 leukemia fusion gene dysregulates the TGF-beta pathway in early B lineage progenitor cells. 2009 , 119, 826-36	88
116	NF- κ B-inducing kinase plays an essential T cell-intrinsic role in graft-versus-host disease and lethal autoimmunity in mice. 2011 , 121, 4775-86	42
115	A multidrug-resistance protein (MRP)-like transmembrane pump is highly expressed by resting murine T helper (Th) 2, but not Th1 cells, and is induced to equal expression levels in Th1 and Th2 cells after antigenic stimulation in vivo. 1998 , 101, 703-10	36
114	Aberrant regulation of superantigen responses during T-cell reconstitution and graft-versus-host disease in immunodeficient mice. 2002 , 100, 2216-2224	3
113	Generation of a Primitive Erythroid Cell Line and Promotion of Its Growth by Basic Fibroblast Growth Factor. 1998 , 91, 3202-3209	2
112	gp130, The Cytokine Common Signal-Transducer of Interleukin-6 Cytokine Family, Is Downregulated in T Cells In Vivo by Interleukin-6. 1998 , 91, 3308-3314	1

111	Blood Cells With Reduced Mitochondrial Membrane Potential and Cytosolic Cytochrome C Can Survive and Maintain Clonogenicity Given Appropriate Signals to Suppress Apoptosis. 1998 , 92, 4545-4553	3
110	Overexpression of HOX11 Leads to the Immortalization of Embryonic Precursors With Both Primitive and Definitive Hematopoietic Potential. 1998 , 92, 877-887	6
109	Leukemic Predisposition of Mice Transplanted With Gene-Modified Hematopoietic Precursors Expressing flt3 Ligand. 1998 , 92, 2003-2011	4
108	Interleukin-4 Synergizes With Raf-1 to Promote Long-Term Proliferation and Activation of c-jun N-terminal Kinase. 1999 , 93, 3694-3702	2
107	A Common Signaling Pathway Via Syk and Lyn Tyrosine Kinases Generated From Capping of the Sialomucins CD34 and CD43 in Immature Hematopoietic Cells. 1999 , 93, 3723-3735	3
106	Heparan Sulfate Proteoglycan Expression Is Induced During Early Erythroid Differentiation of Multipotent Hematopoietic Stem Cells. 1999 , 93, 2884-2897	12
105	Activation of Granulocyte-Macrophage Colony-Stimulating Factor and Interleukin-3 Receptor Subunits in a Multipotential Hematopoietic Progenitor Cell Line Leads to Differential Effects on Development. 1999 , 94, 1504-1514	6
104	Heterodimerization of the α and β Chains of the Interleukin-3 (IL-3) Receptor Is Necessary and Sufficient for IL-3-Induced Mitogenesis. 1999 , 94, 1614-1622	8
103	RasGRP links T-cell receptor signaling to Ras. 2000 , 95, 3199-3203	29
102	Developmentally regulated cell surface expression and function of c-kit receptor during lymphocyte ontogeny in the embryo and adult mice. 1992 , 115, 1133-1147	31
101	Cell autonomous functions of the receptor tyrosine kinase TIE in a late phase of angiogenic capillary growth and endothelial cell survival during murine development. 1996 , 122, 3013-3021	98
100	Flk-1 expression defines a population of early embryonic hematopoietic precursors. 1997 , 124, 2039-2048	258
99	A common precursor for hematopoietic and endothelial cells. 1998 , 125, 725-732	1001
98	Development of erythroid and myeloid progenitors in the yolk sac and embryo proper of the mouse. 1999 , 126, 5073-5084	645
97	A transitional stage in the commitment of mesoderm to hematopoiesis requiring the transcription factor SCL/tal-1. 2000 , 127, 2447-2459	181
96	Basic fibroblast growth factor positively regulates hematopoietic development. 2000 , 127, 1931-1941	160
95	Suppression of apoptosis by v-ABL protein tyrosine kinase is associated with nuclear translocation and activation of protein kinase C in an interleukin-3-dependent haemopoietic cell line. 1995 , 108, 2591-2598	34
94	Nuclear targeting of the serine protease granzyme A (fragmentin-1). 1998 , 111, 2645-2654	40

93	Ectopic interleukin-5 receptor expression promotes proliferation without development in a multipotent hematopoietic cell line. 1998 , 111, 815-823	14
92	Lhx2 expression promotes self-renewal of a distinct multipotential hematopoietic progenitor cell in embryonic stem cell-derived embryoid bodies. 2008 , 3, e2025	21
91	Redundancy between Cysteine Cathepsins in Murine Experimental Autoimmune Encephalomyelitis. 2015 , 10, e0128945	20
90	An extraordinarily high level of IL-15 expression by a cell line transduced with a modified BMGneo vector displays hypoxic upregulation. 2006 , 33, 49-56	2
89	Role of common cytokine receptor α chain (CD131) and Jak3-dependent signaling in the proliferation and survival of murine mast cells. 2000 , 96, 2172-2180	7
88	Aberrant regulation of superantigen responses during T-cell reconstitution and graft-versus-host disease in immunodeficient mice. 2002 , 100, 2216-2224	1
87	Precursor B lymphocytes--specific monoclonal antibodies and genes. 1989 , 254, 87-93	0
86	Regulation of B cell differentiation by T cells obtained from mucosal and systemic lymphoid tissues. 1990 , 140-141	
85	Modulation of c-kit mRNA and protein by hemopoietic growth factors. 1991 , 11, 2901-2904	10
84	Combined Intracellular and Surface Staining. 1992 , 53-58	1
83	Studies on the Production of Recombinant Human NF-IL6 in Mouse L Cell. 1992 , 405-412	
82	Fetal liver pro-B and pre-B lymphocyte clones: expression of lymphoid-specific genes, surface markers, growth requirements, colonization of the bone marrow, and generation of B lymphocytes in vivo and in vitro. 1992 , 12, 518-530	14
81	Selection of Regulatory Mutants of α Gene Expression from Myeloma Cells Transfected with the Modified α Gene. 1993 , 85-91	
80	Shedding of Interleukin-2 Receptor in Cutaneous Lymphomas: An Effective Mechanism to Circumvent Immunosurveillance?. 1994 , 435-450	
79	Screening of T cell epitopes and antagonists using SPOT peptides. 1996 , 801-807	
78	Detection of multipotent hematopoietic cells in pre-liver embryos. 1996 , 863-872	
77	Temperature Characteristics of Mammalian Cell Perfusion Culture. 1997 , 217-222	
76	Identification of a Serpin Specifically Expressed in Multipotent and Bipotent Hematopoietic Progenitor Cells and in Activated T Cells. 1997 , 89, 108-118	1

75	Improvement of Transient Protein Production By Cos-1 Cells Stably Overexpressing bcl-2 Gene. 1998 , 331-335	
74	Immunotherapy of disseminated fibrosarcoma in mice using IL-2-producing tumor cells: studies on its mechanism and specificity. 1999 , 23, 524-33	
73	Generation and utilization of a HEK-293T murine GM-CSF expressing cell line.	
72	Down-regulation of wild-type p53 activity interferes with apoptosis of IL-3-dependent hematopoietic cells following IL-3 withdrawal. 1994 , 13, 1368-74	50
71	Ly-6A is required for T cell receptor expression and protein tyrosine kinase fyn activity. 1994 , 13, 2167-76	6
70	A temperature sensitive p210 BCR-ABL mutant defines the primary consequences of BCR-ABL tyrosine kinase expression in growth factor dependent cells. 1994 , 13, 5887-95	19
69	The vav proto-oncogene is required early in embryogenesis but not for hematopoietic development in vitro. 1995 , 14, 1-11	18
68	Thymic epithelial cells induce in vitro differentiation of PRO-T lymphocyte clones into TCR alpha,beta/T3+ and TCR gamma,delta/T3+ cells. 1989 , 8, 4053-63	12
67	Conditional immortalization of mouse myelomonocytic, megakaryocytic and mast cell progenitors by the Hox-2.4 homeobox gene. 1993 , 12, 3835-46	34
66	Diversification of Neu differentiation factor and epidermal growth factor signaling by combinatorial receptor interactions. 1996 , 15, 2452-67	234
65	Progenitor tumours from Emu-bcl-2-myc transgenic mice have lymphomyeloid differentiation potential and reveal developmental differences in cell survival. 1996 , 15, 3823-34	28
64	The cell death inhibitor Bcl-2 and its homologues influence control of cell cycle entry. 1996 , 15, 6979-90	112
63	HPK1, a hematopoietic protein kinase activating the SAPK/JNK pathway. 1996 , 15, 7013-25	56
62	Long-term proliferating early pre B cell lines and clones with the potential to develop to surface Ig-positive, mitogen reactive B cells in vitro and in vivo. 1991 , 10, 327-36	76
61	Expression of functional c-kit receptors rescues the genetic defect of W mutant mast cells. 1991 , 10, 3683-91	9
60	Expression of functional human EGF receptor on murine bone marrow cells. 1988 , 7, 2749-56	20
59	Establishment of an interleukin-5-dependent subclone from an interleukin-3-dependent murine hemopoietic progenitor cell line, LyD9, and its malignant transformation by autocrine secretion of interleukin-5. 1990 , 9, 1823-30	8
58	Regulation of transcription of immunoglobulin germ-line gamma 1 RNA: analysis of the promoter/enhancer. 1992 , 11, 145-55	31

57	Enrichment and characterization of uncommitted B-cell precursors from fetal liver at day 12 of gestation. 1992 , 11, 593-601	12	
56	Induced expression of PD-1, a novel member of the immunoglobulin gene superfamily, upon programmed cell death. 1992 , 11, 3887-95	992	
55	Expression of the E.coli 3-methyladenine DNA glycosylase I gene in mammalian cells reduces the toxic and mutagenic effects of methylating agents. 1992 , 11, 4439-44	9	
54	A mutation in the alpha 3 domain of Db that abrogates CD8 binding does not affect presentation of an immunodominant H-Y peptide. 1995 , 85, 74-81	5	
53	Biochemical and immunological properties of rat recombinant interleukin-2 and interleukin-4. 1992 , 75, 286-92	40	
52	Antigen-specific and polyclonal CD4+ lamina propria T-cell lines: phenotypic and functional characterization. 1992 , 75, 66-73	37	
51	Triggering of thymocyte function by IL-2 as the only exogenous stimulus; analysis of two distinct modes of IL-2-induced thymocyte proliferation and IL-3 secretion in vitro. 1989 , 68, 175-80	2	
50	Resistance induced by drug abbreviated <i>Schistosoma mansoni</i> infections: treatment with the drug Ro11-3128 leads to enhanced antigen presentation. 1994 , 82, 419-26	4	
49	A self-reactive class I-restricted T-cell response of H-2b mice to determinants of the V beta 8.2 domain of the T-cell receptor for antigen. 1994 , 83, 532-9	1	
48	Induction of the expulsion of <i>Strongyloides ratti</i> and retention of <i>Nippostrongylus brasiliensis</i> in athymic nude mice by repetitive administration of recombinant interleukin-3. 1992 , 76, 10-4	41	
47	Characterization of unique lymphoid cells derived from murine spleen which constitutively produce interleukin-6. 1993 , 79, 220-8	5	
46	Adoptive transfer of unresponsiveness to allogeneic skin grafts with hepatic gamma delta + T cells. 1994 , 81, 27-35	42	
45	Characterization of a novel monoclonal antibody against human perforin using transfected cell lines. 1994 , 81, 291-5	5	
44	The acquisition of cytokine responsiveness by murine B cells: a role for antigen and IL-5 in the induction of IL-2 receptors. 1994 , 81, 373-80	6	
43	Proliferative responsiveness of B cells from autoimmune NZB mice to anti-immunoglobulin and interleukin-4. <i>Clinical and Experimental Immunology</i> , 1989 , 78, 465-9	6.2	
42	Human T lymphotropic virus-I infection of human T lymphocytes induces expression of the beta-galactoside-binding lectin, galectin-3. <i>American Journal of Pathology</i> , 1996 , 148, 1661-70	5.8	101
41	The innate immune system recognizes and regulates major histocompatibility complex class I (MHC I) expression on MHC I low tumor cells. <i>Cancer Immunity</i> , 2008 , 8, 14	5	
40	Reduced T Helper 1 Responses in IL-12 p40 Transgenic Mice. 1998 , 160, 588-594	18	

39	Positive Selection of Thymocytes Expressing the Same TCR by Different MHC Ligands Results in the Production of Functionally Distinct Thymocytes Distinguished by Differential Expression of the Heat Stable Antigen. 1998 , 160, 718-727	6
38	A Role for Perforin in Activation-Induced Cell Death. 1998 , 160, 2655-2664	14
37	A Physiologic Role of Bcl-xL Induced in Activated Macrophages. 1998 , 160, 2590-2596	17
36	Kinetics of Establishing the Memory B Cell Population as Revealed by CD38 Expression. 1998 , 160, 4688-4695	26
35	Regulation of Cell Morphology in B Lymphocytes by IL-4: Evidence for Induced Cytoskeletal Changes. 1998 , 160, 5366-5373	13
34	T Cell-Mediated, IFN- γ -Facilitated Rejection of Murine B16 Melanomas. 1998 , 161, 897-908	47
33	The Role of Ets-1 in Mast Cell Granulocyte-Macrophage Colony-Stimulating Factor Expression and Activation. 1998 , 161, 4098-4105	1
32	High Antigen Density and IL-2 Are Required for Generation of CD4 Effectors Secreting Th1 Rather Than Th0 Cytokines. 1998 , 161, 3844-3852	14
31	Specific Antagonism of Type I IL-4 Receptor with a Mutated Form of Murine IL-4. 1998 , 161, 3484-3492	2
30	c-Fos Induces Apoptosis in Germinal Center B Cells. 1998 , 161, 3853-3861	10
29	Evidence for a Critical Role for IL-2 in CD40-Mediated Activation of Naive B Cells by Primary CD4 T Cells. 1998 , 161, 4618-4626	7
28	The IL-1 Receptor-Related T1 Antigen Is Expressed on Immature and Mature Mast Cells and on Fetal Blood Mast Cell Progenitors. 1998 , 161, 4866-4874	26
27	IL-4 Enhances IL-10 Gene Expression in Murine Th2 Cells in the Absence of TCR Engagement. 1999 , 162, 238-244	12
26	TCR-Independent Pathways Mediate the Effects of Antigen Dose and Altered Peptide Ligands on Th Cell Polarization. 1999 , 162, 1923-1930	18
25	Mitogen-Activated Protein Kinase Activation Through Fc γ Receptor I and Stem Cell Factor Receptor Is Differentially Regulated by Phosphatidylinositol 3-Kinase and Calcineurin in Mouse Bone Marrow-Derived Mast Cells. 1999 , 162, 2087-2094	19
24	Immunostimulatory CpG-Oligodeoxynucleotides Cause Extramedullary Murine Hemopoiesis. 1999 , 162, 2368-2374	15
23	Islet-Specific Th1, But Not Th2, Cells Secrete Multiple Chemokines and Promote Rapid Induction of Autoimmune Diabetes. 1999 , 162, 2511-2520	36
22	Autoantibodies to T Cell Costimulatory Molecules in Systemic Autoimmune Diseases. 1999 , 162, 4328-4335	15

21	4-1BBL Cooperates with B7-1 and B7-2 in Converting a B Cell Lymphoma Cell Line into a Long-Lasting Antitumor Vaccine. 1999 , 162, 5003-5010	19
20	Bcl-2-Induced Changes in E2F Regulatory Complexes Reveal the Potential for Integrated Cell Cycle and Cell Death Functions. 1999 , 162, 5374-5379	9
19	Cytokine-Induced Protein Kinase B Activation and Bad Phosphorylation Do Not Correlate with Cell Survival of Hemopoietic Cells. 1999 , 162, 7002-7009	19
18	CD28-Mediated Regulation of mRNA Stability Requires Sequences Within the Coding Region of the IL-2 mRNA. 1999 , 163, 120-129	10
17	Strong TCR Ligation Without Costimulation Causes Rapid Onset of Fas-Dependent Apoptosis of Naive Murine CD4+ T Cells. 1999 , 163, 1817-1826	18
16	Priming MHC-I-Restricted Cytotoxic T Lymphocyte Responses to Exogenous Hepatitis B Surface Antigen Is CD4+ T Cell Dependent. 1999 , 163, 1880-1887	12
15	Th Cells and Th2 Responses Can Develop in the Absence of MHC Class II-CD4 Interactions. 1999 , 163, 1162-1169	0
14	Anergy, IFN- γ Production, and Apoptosis in Terminal Infection of Mice with Mycobacterium avium. 1999 , 163, 2073-2080	9
13	Th1 T Cell Responses to HIV-1 Gag Protein Delivered by a Listeria monocytogenes Vaccine Are Similar to Those Induced by Endogenous Listerial Antigens. 1999 , 163, 1449-1456	11
12	Functional Similarity and Differences Between Selection-Independent CD4 α CD8 β Cells and Positively Selected CD8 T Cells Expressing the Same TCR and the Induction of Anergy in CD4 α CD8 β Cells in Antigen-Expressing Mice. 1999 , 163, 1222-1229	6
11	TCR β -Independent CD28 Signaling and Costimulation Require Non-CD4-Associated Lck. 1999 , 163, 1334-1341	6
10	Cutting Edge: Dueling TCRs: Peptide Antagonism of CD4+ T Cells with Dual Antigen Specificities. 1999 , 163, 1750-1754	3
9	Stochastic Acquisition of Qa1 Receptors During the Development of Fetal NK Cells In Vitro Accounts in Part But Not in Whole for the Ability of These Cells to Distinguish Between Class I-Sufficient and Class I-Deficient Targets. 1999 , 163, 3176-3184	10
8	Dendritic Cell-Derived IL-12 Promotes B Cell Induction of Th2 Differentiation: A Feedback Regulation of Th1 Development. 1999 , 163, 4284-4291	21
7	Cutting Edge: Tumor Secreted Heat Shock-Fusion Protein Elicits CD8 Cells for Rejection. 1999 , 163, 5178-5182	30
6	Peripheral CD4+ T Cell Maturation Recognized by Increased Expression of Thy-1/CD90 Bearing the 6C10 Carbohydrate Epitope. 1999 , 163, 4796-4804	5
5	Analysis of 4-1BB Ligand (4-1BBL)-Deficient Mice and of Mice Lacking Both 4-1BBL and CD28 Reveals a Role for 4-1BBL in Skin Allograft Rejection and in the Cytotoxic T Cell Response to Influenza Virus. 1999 , 163, 4833-4841	76
4	Role of Inflammatory Infiltrate in Activation and Effector Function of Cloned Islet Reactive Nonobese Diabetic CD8+ T Cells: Involvement of a Nitric Oxide-Dependent Pathway. 1999 , 163, 5770-5780	1

- 3 Requirement for Stat5 in Thymic Stromal Lymphopoietin-Mediated Signal Transduction. **1999**, 163, 5971-5977 18
- 2 Transformation of primary murine peritoneal mast cells by constitutive KIT activation as a result of lost Cdkn2a/Arf expression. ○
- 1 Transformation of primary murine peritoneal mast cells by constitutive KIT activation is accompanied by loss of Cdkn2a/Arf expression. 14, ○