

Urokinase- and Tissue-Type Plasminogen Activators in Reepithelialization In Vivo

Journal of Investigative Dermatology

90, 790-795

DOI: [10.1111/1523-1747.ep12461511](https://doi.org/10.1111/1523-1747.ep12461511)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Wound Repair. , 1988, , 3-50.		107
2	The State of Research in Cutaneous Biology: A Perspective in the 50th Anniversary Year of the Society for Investigative Dermatology and The Journal of Investigative Dermatology. Journal of Investigative Dermatology, 1989, 92, S179-S197.	0.3	3
3	Darier's disease: an immunohistochemical study using antibodies to proteases. British Journal of Dermatology, 1989, 121, 613-621.	1.4	18
4	Plasmin and plasminogen activator activities in tear fluid during corneal wound healing after anterior keratectomy. Current Eye Research, 1989, 8, 1293-1298.	0.7	33
5	mRNA for Tissue-Type Plasminogen Activator Is Present in Lesional Epidermis from Patients with Psoriasis, Pemphigus, or Bullous Pemphigoid, But Is Not Detected in Normal Epidermis. Journal of Investigative Dermatology, 1990, 95, 548-552.	0.3	63
6	Role of Specific Membrane Receptors in Urokinase-Dependent Migration of Human Keratinocytes. Journal of Investigative Dermatology, 1990, 94, 310-316.	0.3	63
7	Accelerated Epithelization Under a Highly Vapor-Permeable Wound Dressing Is Associated with Increased Precipitation of Fibrin(ogen) and Fibronectin. Journal of Investigative Dermatology, 1990, 94, 477-484.	0.3	33
8	Tissue Plasminogen Activator in Psoriasis. Journal of Investigative Dermatology, 1990, 95, S13-S14.	0.3	24
9	Growth factors specifically alter hair follicle cell proliferation and collagenolytic activity alone or in combination. Differentiation, 1990, 45, 168-178.	1.0	59
10	The urokinase receptor and regulation of cell surface plasminogen activation. Cell Differentiation and Development, 1990, 32, 247-253.	0.4	57
11	Dexamethasone-induced plasminogen activator inhibitor: characterization, purification, and preparation of monoclonal antibodies. Archives of Dermatological Research, 1990, 282, 153-158.	1.1	16
12	Biochemical and biological aspects of the plasminogen activation system. Clinical Biochemistry, 1990, 23, 197-211.	0.8	169
13	A high-affinity receptor for urokinase plasminogen activator on human keratinocytes: characterization and potential modulation during migration.. Molecular Biology of the Cell, 1990, 1, 843-852.	6.5	77
14	Transcription factor PEA3 participates in the induction of urokinase plasminogen activator transcription in murine keratinocytes stimulated with epidermal growth factor or phorbol-ester. Nucleic Acids Research, 1990, 18, 5009-5017.	6.5	140
15	Interaction of urokinase a chain with the receptor of human keratinocytes stimulates release of urokinase-like plasminogen activator. Experimental Cell Research, 1990, 187, 33-38.	1.2	19
16	Urokinase and tissue type plasminogen activators in human keratinocyte culture. Experimental Cell Research, 1990, 187, 162-169.	1.2	51
17	Morphology of Human Epidermal Healing. Journal of Tissue Viability, 1991, 1, 12-17.	0.9	1
18	Altered processing of integrin receptors during keratinocyte activation*1. Experimental Cell Research, 1991, 195, 315-322.	1.2	61

#	ARTICLE	IF	CITATIONS
19	Directed Plasminogen Activation at the Surface of Normal and Malignant Cells. <i>Advances in Cancer Research</i> , 1991, 57, 273-328.	1.9	254
20	Cell adhesion in Haileyâ€“Hailey disease and Darier's disease: immunocytological and explant-tissue-culture studies. <i>British Journal of Dermatology</i> , 1991, 125, 426-435.	1.4	33
21	Differential Expression of Urokinase-Type Plasminogen Activator and Its Type-1 Inhibitor During Healing of Mouse Skin Wounds. <i>Journal of Investigative Dermatology</i> , 1991, 97, 803-811.	0.3	144
22	Two alternatively spliced mouse urokinase receptor mRNAs with different histological localization in the gastrointestinal tract.. <i>Journal of Cell Biology</i> , 1991, 115, 1763-1771.	2.3	112
23	Induced expression of syndecan in healing wounds.. <i>Journal of Cell Biology</i> , 1991, 114, 585-595.	2.3	226
24	Pathogenesis of corneal epithelial defects: Role of plasminogen activator. <i>Current Eye Research</i> , 1991, 10, 381-398.	0.7	26
25	Determination of the action spectrum for UV-induced plasminogen activator synthesis in mouse keratinocytes in vitro. <i>Journal of Dermatological Science</i> , 1992, 4, 11-17.	1.0	11
26	Urokinase Plasminogen Activator Is Immunocytochemically Detectable in Squamous Cell but Not Basal Cell Carcinomas. <i>Journal of Investigative Dermatology</i> , 1992, 98, 351-358.	0.3	18
27	Enhanced Production of Plasminogen Activator Activity in Human and Murine Keratinocytes by Transforming Growth Factor- β 1. <i>Journal of Investigative Dermatology</i> , 1992, 99, 193-200.	0.3	26
28	Plasminogen binding sites in normal human skin. <i>British Journal of Dermatology</i> , 1992, 126, 35-41.	1.4	36
29	The biologic role of components of the plasminogen-plasmin system. <i>Progress in Cardiovascular Diseases</i> , 1992, 34, 309-316.	1.6	34
30	Lateral growth and terminal differentiation during repeated epidermal regeneration in vitro. <i>Vigiliae Christianae</i> , 1992, 62, 189-198.	0.1	3
31	LOCALIZATION OF COMPONENTS FROM THE PLASMINOGEN ACTIVATION SYSTEM IN MAMMALIAN TISSUES. <i>Apmis</i> , 1992, 100, 5-27.	0.9	10
32	Urokinase-type plasminogen activator mediates basic fibroblast growth factor-induced bovine endothelial cell migration independent of its proteolytic activity. <i>Journal of Cellular Physiology</i> , 1992, 150, 258-263.	2.0	181
33	Autocrine/paracrine regulation of keratinocyte urokinase plasminogen activator through the TGF- β /EGF receptor. <i>Journal of Cellular Physiology</i> , 1993, 155, 333-339.	2.0	30
34	Molecular mechanisms of protease-mediated tumor invasiveness. <i>Journal of Surgical Oncology</i> , 1993, 53, 21-23.	0.8	21
35	Vitamin D3 and Calcipotriol Decrease Extracellular Plasminogen Activator Activity in Cultured Keratinocytes. <i>Journal of Investigative Dermatology</i> , 1993, 101, 706-712.	0.3	19
36	An immunohistochemical study of the distribution of plasminogen and plasminogen activators in bullous pemphigoid. <i>Clinical and Experimental Dermatology</i> , 1993, 18, 119-123.	0.6	10

#	ARTICLE	IF	CITATIONS
37	Urokinase-type plasminogen activator in human eccrine sweat. <i>British Journal of Dermatology</i> , 1993, 128, 178-183.	1.4	6
38	Proteolytic activity in leg ulcer exudate. <i>Experimental Dermatology</i> , 1993, 2, 29-37.	1.4	95
39	Keratinocyte Growth Factor (FGF-7) Stimulates Migration and Plasminogen Activator Activity of Normal Human Keratinocytes. <i>Journal of Investigative Dermatology</i> , 1993, 101, 49-53.	0.3	138
40	The N-terminal domain of human urokinase receptor contains two distinct regions critical for ligand recognition. <i>Blood</i> , 1993, 82, 2719-2729.	0.6	21
41	Basics of Cutaneous Wound Repair. <i>The Journal of Dermatologic Surgery and Oncology</i> , 1993, 19, 693-706.	0.8	187
42	Modulation of expression of monocyte/macrophage plasminogen activator activity and its implications for attenuation of vasculopathy. <i>Circulation</i> , 1994, 90, 1927-1934.	1.6	45
43	The Receptor for Urokinase-type Plasminogen Activator is Expressed by Keratinocytes at the Leading Edge During Re-Epithelialization of Mouse Skin Wounds. <i>Journal of Investigative Dermatology</i> , 1994, 102, 519-522.	0.3	126
44	Calcium modulates the expression of urokinase plasminogen activator and plasminogen activator inhibitor 2 by human keratinocytes. <i>Experimental Dermatology</i> , 1994, 3, 85-88.	1.4	8
45	A new function of calphobindin I (annexin V). Promotion of both migration and urokinase-type plasminogen activator activity of normal human keratinocytes. <i>FEBS Journal</i> , 1994, 223, 901-908.	0.2	11
46	The urokinase receptor. Protein structure and role in plasminogen activation and cancer invasion. <i>Fibrinolysis</i> , 1994, 8, 189-203.	0.5	192
47	Plasminogen activators are involved in keratinocyte and fibroblast migration in wounded cultures in vitro. <i>Fibrinolysis</i> , 1994, 8, 221-228.	0.5	30
48	Plasminogen activator of urokinase type and its inhibitor of placental type in hypertensive pregnancies and in intrauterine growth retardation: Possible markers of placental function. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 171, 60-64.	0.7	33
49	Elevated Levels of Plasminogen Activators in the Pathogenesis of Delayed Radiation Damage in Rat Cervical Spinal Cord In Vivo. <i>Radiation Research</i> , 1994, 138, 386.	0.7	8
50	Receptor-Mediated Endocytosis of Plasminogen Activators. <i>Advances in Molecular and Cell Biology</i> , 1994, 8, 87-131.	0.1	1
51	PLASMINOGEN ACTIVATORS, VENOUS LEG ULCERS AND REEPITHELIALIZATION. <i>International Journal of Dermatology</i> , 1995, 34, 696-699.	0.5	12
52	tPA of human keratinocytes: contribution to cell surface-associated plasminogen activation and upregulation by retinoic acid. <i>Experimental Dermatology</i> , 1995, 4, 357-364.	1.4	5
53	Keratinocyte Growth Factor Stimulation of Gelatinase (Matrix Metalloproteinase-9) and Plasminogen Activator in Histiotypic Epithelial Cell Culture. <i>Journal of Investigative Dermatology</i> , 1995, 104, 989-994.	0.3	37
54	Molecular characterization of plasminogen activators in human gingival crevicular fluid. <i>Archives of Oral Biology</i> , 1995, 40, 839-845.	0.8	33

#	ARTICLE	IF	CITATIONS
55	The Urokinase Receptor. Protein Structure and Role in Plasminogen Activation and Cancer Invasion. Japanese Journal of Thrombosis and Hemostasis, 1995, 6, 212-236.	0.1	135
56	Differential Regulation of Plasminogen Activation in Normal Keratinocytes and SCC-4 Cells by Fibroblasts. Journal of Investigative Dermatology, 1995, 104, 374-378.	0.3	10
57	Review. Biological Chemistry Hoppe-Seyler, 1995, 376, 131-156.	1.4	13
58	Neutrophils Express Tumor Necrosis Factor- α During Mouse Skin Wound Healing. Journal of Investigative Dermatology, 1995, 105, 120-123.	0.3	64
59	Epidermal growth factor-binding protein activates soluble and receptor-bound single chain urokinase-type plasminogen activator. FEBS Letters, 1995, 376, 177-180.	1.3	2
60	Interaction of transforming growth factor β 1 with human glomerular epithelial cells in culture: opposite effects on synthesis of matrix proteins and on urokinase plasminogen activator. Journal of Molecular Medicine, 1996, 74, 149-154.	1.7	4
61	The Plasminogen Activation System in Tumour Invasion and Metastasis. Pathology Research and Practice, 1996, 192, 718-733.	1.0	38
62	Cell density-dependent downregulation of urokinase-type plasminogen activator in normal but not in transformed human epidermal keratinocytes. Archives of Dermatological Research, 1996, 288, 783-785.	1.1	3
63	EXPRESSION OF PLASMINOGEN ACTIVATORS IN BASAL CELL CARCINOMA. Journal of Pathology, 1996, 178, 290-296.	2.1	15
64	Protein kinase C mediates up-regulation of urokinase and its receptor in the migrating keratinocytes of wounded cultures, but urokinase is not required for movement across a substratum in vitro. , 1996, 167, 500-511.		38
65	Plasminogen activator inhibitor type-2 in the lesional epidermis of lupus erythematosus. British Journal of Dermatology, 1996, 134, 411-419.	1.4	5
66	Patterns of matrix metalloproteinase and TIMP-1 expression in chronic and normally healing human cutaneous wounds. British Journal of Dermatology, 1996, 135, 52-59.	1.4	58
67	The Proteolytic Potential of Normal Human Melanocytes: Comparison With Other Skin Cells and Melanoma Cell Lines. Pigment Cell & Melanoma Research, 1996, 9, 255-264.	4.0	8
68	Chymotrypsin-like enzyme secretion is stimulated in cultured epithelial cells during proliferation and in response to Actinobacillus actinomycetemcomitans. Journal of Periodontal Research, 1996, 31, 345-354.	1.4	9
69	Cuts and scrapes? Plasmin heals!. Nature Medicine, 1996, 2, 284-285.	15.2	14
70	Impaired wound healing in mice with a disrupted plasminogen gene. Nature Medicine, 1996, 2, 287-292.	15.2	553
71	The serpin PAI-1 inhibits cell migration by blocking integrin α 5 β 1 binding to vitronectin. Nature, 1996, 383, 441-443.	13.7	658
72	Serum Is a Potent Stimulator of Keratinocyte Tissue Plasminogen Activator Expression. Journal of Investigative Dermatology, 1996, 106, 238-242.	0.3	13

#	ARTICLE	IF	CITATIONS
73	Fibronectin Degradation in Chronic Wounds Depends on the Relative Levels of Elastase, α 1-Proteinase Inhibitor, and α 2-Macroglobulin. <i>Journal of Investigative Dermatology</i> , 1996, 106, 335-341.	0.3	189
74	Differential Expression of Urokinase-Type Plasminogen Activator, Its Receptor, and Inhibitors in Mouse Skin After Exposure to a Tumor-Promoting Phorbol Ester. <i>Journal of Investigative Dermatology</i> , 1996, 106, 622-630.	0.3	15
75	Plasminogen Activation in Bullous Pemphigoid Immunohistology Reveals Urokinase Type Plasminogen Activator, Its Receptor and Plasminogen Activator Inhibitor Type-2 in Lesional Epidermis. <i>Autoimmunity</i> , 1996, 23, 155-164.	1.2	7
76	Urokinase Receptor Is Associated with the Components of the JAK1/STAT1 Signaling Pathway and Leads to Activation of This Pathway upon Receptor Clustering in the Human Kidney Epithelial Tumor Cell Line TCL-598. <i>Journal of Biological Chemistry</i> , 1997, 272, 28563-28567.	1.6	155
77	Urokinase and Tissue-type Plasminogen Activator Are Required for the Mitogenic and Chemotactic Effects of Bovine Fibroblast Growth Factor and Platelet-derived Growth Factor-BB for Vascular Smooth Muscle Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 23585-23591.	1.6	64
78	Growth factors and wound healing. <i>Growth Factors and Cytokines in Health and Disease</i> , 1997, 3, 499-528.	0.2	0
79	Cytoskeleton Reorganization Induces the Urokinase-type Plasminogen Activator Gene via the Ras/Extracellular Signal-regulated Kinase (ERK) Signaling Pathway. <i>Journal of Biological Chemistry</i> , 1997, 272, 1904-1909.	1.6	71
80	Wound Healing--Aiming for Perfect Skin Regeneration. <i>Science</i> , 1997, 276, 75-81.	6.0	4,155
81	Developmental pattern of plasminogen activator activity in chick optic lobe. <i>International Journal of Developmental Neuroscience</i> , 1997, 15, 805-812.	0.7	4
82	Vasoactive intestinal peptide supports induced migration of human keratinocytes and their colonization of an artificial polyurethane matrix. <i>Regulatory Peptides</i> , 1997, 70, 29-36.	1.9	19
83	trans-4-(Aminomethyl)cyclohexane Carboxylic Acid (T-AMCHA), an Anti-Fibrinolytic Agent, Accelerates Barrier Recovery and Prevents the Epidermal Hyperplasia Induced by Epidermal Injury in Hairless Mice and Humans. <i>Journal of Investigative Dermatology</i> , 1997, 109, 84-90.	0.3	86
84	Cell-Surface Acceleration of Urokinase-Catalyzed Receptor Cleavage. <i>FEBS Journal</i> , 1997, 243, 21-26.	0.2	99
85	Urokinase-type plasminogen activator stimulates wound healing in the diabetic mouse. <i>Inflammation Research</i> , 1997, 46, 169-170.	1.6	5
86	Epidermal growth factor (EGF)- and scatter factor/hepatocyte growth factor (SF/HGF)-mediated keratinocyte migration is coincident with induction of matrix metalloproteinase (MMP)-9. , 1998, 176, 255-265.		190
87	Sphingosylphosphorylcholine Stimulates Proliferation and Upregulates Cell Surface-Associated Plasminogen Activator Activity in Cultured Human Keratinocytes. <i>Journal of Investigative Dermatology</i> , 1998, 110, 253-258.	0.3	52
88	Plasminogen activator inhibitor type 2 is expressed in keratinocytes during re-epithelialization of epidermal defects. <i>British Journal of Dermatology</i> , 1998, 138, 22-28.	1.4	19
89	Prostaglandin I2 analog enhances the expression of urokinase-type plasminogen activator and wound healing in cultured human fibroblast. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1998, 1403, 189-198.	1.9	23
90	Cancer invasion and tissue remodeling: common themes in proteolytic matrix degradation. <i>Current Opinion in Cell Biology</i> , 1998, 10, 667-671.	2.6	315

#	ARTICLE	IF	CITATIONS
91	Synoviocytes from osteoarthritis and rheumatoid arthritis produce plasminogen activators and plasminogen activator inhibitor-1 and display u-PA receptors on their surface. <i>Life Sciences</i> , 1998, 63, 441-453.	2.0	30
92	Physiology and healing dynamics of chronic cutaneous wounds. <i>American Journal of Surgery</i> , 1998, 176, 26S-38S.	0.9	717
93	Thymic-Shared Antigen-1 (TSA-1) A Lymphostromal Cell Membrane Ly-6 Superfamily Molecule with a Putative Role in Cellular Adhesion. <i>Autoimmunity</i> , 1998, 6, 149-156.	0.6	21
94	Cultivation and Transplantation of Epidermal Keratinocytes. <i>International Review of Cytology</i> , 1999, 188, 41-72.	6.2	28
95	Suppression of Keratinocyte Proliferation by Plasminogen Activator Inhibitor-2. <i>Journal of Investigative Dermatology</i> , 1999, 112, 85-90.	0.3	33
96	Urokinase is a Positive Regulator of Epidermal Proliferation In Vivo. <i>Journal of Investigative Dermatology</i> , 1999, 112, 240-244.	0.3	26
97	Temporal expression of urokinase plasminogen activator, plasminogen activator inhibitor and gelatinase-B in chronic wound fluid switches from a chronic to acute wound profile with progression to healing. <i>Wound Repair and Regeneration</i> , 1999, 7, 154-165.	1.5	96
98	Mast cells and their mediators in cutaneous wound healing ? active participants or innocent bystanders?. <i>Experimental Dermatology</i> , 1999, 8, 1-16.	1.4	226
99	Cancer invasion and tissue remodelingâ€œcooperation of protease systems and cell types. <i>Apmis</i> , 1999, 107, 120-127.	0.9	273
100	Functional overlap between two classes of matrix-degrading proteases in wound healing. <i>EMBO Journal</i> , 1999, 18, 4645-4656.	3.5	225
101	Invasion by esophageal cancer cells: functional contribution of the urokinase plasminogen activation system, and inhibition by antisense oligonucleotides to urokinase or urokinase receptor. <i>Clinical and Experimental Metastasis</i> , 1999, 17, 87-95.	1.7	14
102	Effect of 12- O -tetradecanoyl-phorbol ester and incisional wounding on neuropsin mRNA and its protein expression in murine skin. <i>Archives of Dermatological Research</i> , 1999, 291, 333-338.	1.1	13
103	Effects of sodium hyaluronic acid on fibrinolytic factors in the synovial fluid (in vivo). <i>Pathophysiology</i> , 1999, 6, 41-44.	1.0	6
104	Exposure to Lysosomotropic Amines and Protease Inhibitors Retard Corneal Endothelial Cell Migration along the Natural Basement Membrane during Wound Repair. <i>Experimental Cell Research</i> , 1999, 246, 233-242.	1.2	8
105	The Membrane-Associated Protein pKe#192/MAP17 in Human Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2000, 115, 375-380.	0.3	26
106	Do plasminogen activators play a role in lichen sclerosus?. <i>Clinical and Experimental Dermatology</i> , 2000, 25, 432-435.	0.6	2
107	Urokinase-type plasminogen activator and its receptor synergize to promote pathogenic proteolysis. <i>EMBO Journal</i> , 2000, 19, 4817-4826.	3.5	83
108	WOUND REPAIR: BASIC BIOLOGY TO TISSUE ENGINEERING. , 2000, , 857-878.		17

#	ARTICLE	IF	CITATIONS
109	Facilitated Wound Healing by Activation of the Transglutaminase 1 Gene. American Journal of Pathology, 2000, 157, 1875-1882.	1.9	44
110	Lower levels of PAI-2 may contribute to impaired healing in venous ulcers â€” a preliminary study. Vascular, 2000, 8, 381-385.	0.5	7
111	Accelerated Skin Wound Healing in Plasminogen Activator Inhibitor-1-Deficient Mice. American Journal of Pathology, 2001, 159, 1681-1688.	1.9	106
112	Gene targeting in hemostasis. plasminogen. Frontiers in Bioscience - Landmark, 2001, 6, d555.	3.0	6
113	Cancer Cell Expression of Urokinase-Type Plasminogen Activator Receptor mRNA in Squamous Cell Carcinomas of the Skin. Journal of Investigative Dermatology, 2001, 116, 353-358.	0.3	35
114	Retinoic Acid Upregulates the Plasminogen Activator System in Human Epidermal Keratinocytes. Journal of Investigative Dermatology, 2001, 116, 778-784.	0.3	27
115	Differential effects of acute and chronic wound fluids on urokinase-type plasminogen activator, urokinase-type plasminogen activator receptor, and tissue-type plasminogen activator in cultured human keratinocytes and fibroblasts. Wound Repair and Regeneration, 2001, 9, 314-322.	1.5	15
116	Increasing expression of tissue plasminogen activator and plasminogen activator inhibitor type 2 in dog gingival tissues with progressive inflammation. Archives of Oral Biology, 2001, 46, 23-31.	0.8	19
117	Plasminogen Activator Inhibitor-1 Regulates Tumor Growth and Angiogenesis. Journal of Biological Chemistry, 2001, 276, 33964-33968.	1.6	235
118	Migration of keratinocytes through tunnels of digested fibrin. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 4504-4509.	3.3	30
119	Inhibition of Angiogenesis in Vivo by Plasminogen Activator Inhibitor-1. Journal of Biological Chemistry, 2001, 276, 8135-8141.	1.6	149
120	Proteolytic Events of Wound-Healing â€” Coordinated Interactions Among Matrix Metalloproteinases (MMPs), Integrins, and Extracellular Matrix Molecules. Critical Reviews in Oral Biology and Medicine, 2001, 12, 373-398.	4.4	175
121	Mechanisms of wound reepithelialization: hints from a tissueâ€”engineered reconstructed skin to longâ€”standing questions. FASEB Journal, 2001, 15, 2377-2389.	0.2	179
122	Epidermal expression of serine protease, neuropsin (KLK8) in normal and pathological skin samples. Journal of Clinical Pathology, 2002, 55, 235-241.	2.1	33
123	Collagen Modulates Gene Activation of Plasminogen Activator System Molecules. Experimental Cell Research, 2002, 280, 244-254.	1.2	21
124	IL-8-Stimulated Expression of Urokinase-Type Plasminogen Activator in Human Skin and Human Epidermal Cells. Journal of Surgical Research, 2002, 106, 328-334.	0.8	13
125	Dynamic Characterization of the Molecular Events During In Vitro Epidermal Wound Healing. Journal of Investigative Dermatology, 2002, 119, 56-63.	0.3	58
126	Increased Migration of Murine Keratinocytes Under Hypoxia Is Mediated by Induction of Urokinase Plasminogen Activator. Journal of Investigative Dermatology, 2002, 119, 1304-1309.	0.3	31

#	ARTICLE	IF	CITATIONS
127	Multiple pathways of cell invasion are regulated by multiple families of serine proteases. <i>Clinical and Experimental Metastasis</i> , 2002, 19, 193-207.	1.7	94
128	Plasminogen activator/plasmin system: A major player in wound healing?. <i>Wound Repair and Regeneration</i> , 2003, 11, 239-247.	1.5	89
129	MEKK1 Is Required for Inducible Urokinase-type Plasminogen Activator Expression. <i>Journal of Biological Chemistry</i> , 2003, 278, 5941-5946.	1.6	26
130	Plasminogen Activator Inhibitor-1 in Tumor Growth, Angiogenesis and Vascular Remodeling. <i>Current Pharmaceutical Design</i> , 2003, 9, 1545-1564.	0.9	155
131	Healing responses of skin and muscle in critical illness. <i>Critical Care Medicine</i> , 2003, 31, S547-S557.	0.4	48
132	Plasmin Promotes Keratinocyte Migration and Phagocytic-killing Accompanied by Suppression of Cell Proliferation which may Facilitate Re-epithelialization of Wound Beds. <i>Clinical and Developmental Immunology</i> , 2004, 11, 233-240.	3.3	10
133	Epithelial tissue-type plasminogen activator expression, unlike that of urokinase, its receptor, and plasminogen activator inhibitor-1, is increased in chronic venous ulcers. <i>British Journal of Dermatology</i> , 2004, 151, 1189-1196.	1.4	19
134	Reepithelialisation and the possible involvement of the transcription factor, basonuclin. <i>International Wound Journal</i> , 2004, 1, 135-140.	1.3	13
135	Cell migration: mechanisms of rear detachment and the formation of migration tracks. <i>European Journal of Cell Biology</i> , 2004, 83, 717-724.	1.6	118
136	Migration of epidermal keratinocytes: mechanisms, regulation, and biological significance. <i>Protoplasma</i> , 2004, 223, 67-78.	1.0	74
137	Stage-dependent modulation of limb regeneration by caffeic acid phenethyl ester (CAPE)?immunocytochemical evidence of a CAPE-evoked delay in mesenchyme formation and limb regeneration. <i>The Journal of Experimental Zoology</i> , 2004, 301A, 389-400.	1.4	7
138	Plasminogen activator inhibitor type 2 (PAI-2) is present in normal human conjunctiva. <i>Journal of Cellular Physiology</i> , 2005, 205, 295-301.	2.0	2
139	Tissue and urokinase plasminogen activators in the environs of venous and ischaemic leg ulcers. <i>British Journal of Surgery</i> , 2005, 80, 596-599.	0.1	39
140	Studies on mRNA expression of tissue-type plasminogen activator in bruises for wound age estimation. <i>International Journal of Legal Medicine</i> , 2005, 119, 16-21.	1.2	46
141	Plasminogen activation and cancer. <i>Thrombosis and Haemostasis</i> , 2005, 93, 676-681.	1.8	398
142	Advances in the Modulation of Cutaneous Wound Healing and Scarring. <i>BioDrugs</i> , 2005, 19, 363-381.	2.2	82
143	Lack of alpha2-antiplasmin improves cutaneous wound healing via over-released vascular endothelial growth factor-induced angiogenesis in wound lesions. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 1602-1610.	1.9	42
144	Fibrin and Wound Healing. <i>Annals of the New York Academy of Sciences</i> , 2001, 936, 355-367.	1.8	416

#	ARTICLE	IF	CITATIONS
145	Mixture of sugar and povidone-iodine stimulates wound healing by activating keratinocytes and fibroblast functions. <i>Archives of Dermatological Research</i> , 2006, 298, 175-182.	1.1	26
146	Acute coagulopathy of trauma: mechanism, identification and effect. <i>Current Opinion in Critical Care</i> , 2007, 13, 680-685.	1.6	485
147	Integrin $\alpha 6$ cleavage: A novel modification to modulate cell migration. <i>Experimental Cell Research</i> , 2007, 313, 1080-1089.	1.2	55
148	IL-1 α is a potent stimulator of keratinocyte tissue plasminogen activator expression and regulated by TGF- $\beta 1$. <i>Archives of Dermatological Research</i> , 2008, 300, 185-193.	1.1	9
149	Profibrinolytic Effects of Metalloproteinases during Skin Wound Healing in the Absence of Plasminogen. <i>Journal of Investigative Dermatology</i> , 2008, 128, 2092-2101.	0.3	23
150	FGF-1: From Biology Through Engineering to Potential Medical Applications. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2008, 45, 91-135.	2.7	57
151	Delayed wound healing in elderly people. <i>Reviews in Clinical Gerontology</i> , 2009, 19, 171-184.	0.5	8
152	EXPERIENCE WITH PLASMIN INHIBITORS. <i>Acta Ophthalmologica</i> , 1992, 70, 47-53.	0.6	1
153	Concomitant lack of MMP9 and uPA disturbs physiological tissue remodeling. <i>Developmental Biology</i> , 2011, 358, 56-67.	0.9	17
154	Overexpression of MMP-9 Contributes to Invasiveness of Prostate Cancer Cell Line LNCaP. <i>Immunological Investigations</i> , 2011, 40, 447-464.	1.0	72
155	Confluence switch signaling regulates ECM composition and plasmin proteolytic cascade in keratinocytes. <i>Journal of Cell Science</i> , 2012, 125, 4241-52.	1.2	21
156	Plasminogen is a key proinflammatory regulator that accelerates the healing of acute and diabetic wounds. <i>Blood</i> , 2012, 119, 5879-5887.	0.6	85
157	Mice Deficient in Urokinase-Type Plasminogen Activator Have Delayed Healing of Tympanic Membrane Perforations. <i>PLoS ONE</i> , 2012, 7, e51303.	1.1	18
158	Prothrombin Complex Concentrate Is Effective in Treating the Anticoagulant Effects of Dabigatran in a Porcine Polytrauma Model. <i>Anesthesiology</i> , 2015, 123, 1350-1361.	1.3	52
159	Downregulation of miRNAs during Delayed Wound Healing in Diabetes: Role of Dicer. <i>Molecular Medicine</i> , 2015, 21, 847-860.	1.9	18
160	A circulating permeability factor in focal segmental glomerulosclerosis: the hunt continues. <i>CKJ: Clinical Kidney Journal</i> , 2015, 8, 708-715.	1.4	61
161	Promotion of Wound Healing by an Agonist of Adenosine A2A Receptor Is Dependent on Tissue Plasminogen Activator. <i>Inflammation</i> , 2015, 38, 2036-2041.	1.7	20
162	The soluble urokinase plasminogen activator receptor and its fragments in venous ulcers. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2015, 3, 190-197.	0.9	5

#	ARTICLE	IF	CITATIONS
163	Epidermal Stem Cells in Skin Wound Healing. <i>Advances in Wound Care</i> , 2017, 6, 297-307.	2.6	56
164	Protease activity as a prognostic factor for wound healing in venous leg ulcers. <i>The Cochrane Library</i> , 2017, , .	1.5	9
165	Protease activity as a prognostic factor for wound healing in venous leg ulcers. <i>The Cochrane Library</i> , 2018, 2018, CD012841.	1.5	28
166	Contribution of platelets, the coagulation and fibrinolytic systems to cutaneous wound healing. <i>Thrombosis Research</i> , 2019, 179, 56-63.	0.8	99
167	Chronic Wound Healing by Amniotic Membrane: TGF- β 2 and EGF Signaling Modulation in Re-epithelialization. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 689328.	2.0	21
168	The Role of Fibrin(ogen) in Wound Healing and Infection Control. <i>Seminars in Thrombosis and Hemostasis</i> , 2022, 48, 174-187.	1.5	23
169	Mechanism-based therapeutic targets of pemphigus vulgaris: A scoping review of pathogenic molecular pathways. <i>Experimental Dermatology</i> , 2022, 31, 154-171.	1.4	6
170	Growth Factors and Angiogenesis in Wound Healing. , 1997, , 8-26.		6
171	Urokinase plasminogen activator (uPA) and its type 1 inhibitor (PAI-1): Regulators of proteolysis during cancer invasion and prognostic parameters in Breast cancer. <i>Cancer Treatment and Research</i> , 1994, 71, 299-309.	0.2	27
172	Proteinases and Tissue Remodeling. , 1988, , 427-474.		10
173	Keratinocyte growth factor-2. , 2000, , 101-119.		5
174	Sex and Sex Hormones Mediate Wound Healing. , 2015, , 31-48.		4
175	Urokinase-Catalyzed Plasminogen Activation at the Monocyte/Macrophage Cell Surface: A Localized and Regulated Proteolytic System. <i>Current Topics in Microbiology and Immunology</i> , 1992, 181, 65-86.	0.7	55
177	Diversity of Epithelial Skin Tumors: Thoughts and Comments on Some Basic Principles. <i>Recent Results in Cancer Research</i> , 1993, 128, 153-178.	1.8	6
178	The State of Research in Cutaneous Biology: A Perspective in the 50th Anniversary Year of the Society for Investigative Dermatology and The Journal of Investigative Dermatology.. <i>Journal of Investigative Dermatology</i> , 1989, 92, 179S-197S.	0.3	2
179	Patterns of matrix metalloproteinase and TIMP-1 expression in chronic and normally healing human cutaneous wounds. <i>British Journal of Dermatology</i> , 1996, 135, 52-59.	1.4	121
180	Plasminogen activator inhibitor type-2 in the lesional epidermis of lupus erythematosus. <i>British Journal of Dermatology</i> , 1996, 134, 411-419.	1.4	3
181	Protease activity as a prognostic factor for wound healing in complex wounds. <i>Wound Repair and Regeneration</i> , 2020, 28, 631-644.	1.5	12

#	ARTICLE	IF	CITATIONS
182	Differential protease expression by cutaneous squamous and basal cell carcinomas.. Journal of Clinical Investigation, 1991, 88, 1073-1079.	3.9	87
183	Wound repair, keratinocyte activation and integrin modulation. Journal of Cell Science, 1992, 101, 1-6.	1.2	194
184	Differential expression of plasminogen activators and their inhibitors in an organotypic skin coculture system. Journal of Cell Science, 1993, 106, 45-53.	1.2	40
185	Activation of human keratinocyte migration on type I collagen and fibronectin. Journal of Cell Science, 1990, 96, 197-205.	1.2	87
186	Regulation of scu-PA secretion and u-PA Receptor Expression in Osteoblast-like Cells.. Cell Structure and Function, 1993, 18, 355-362.	0.5	2
187	Neutralisation of uPA with a Monoclonal Antibody Reduces Plasmin Formation and Delays Skin Wound Healing in tPA-Deficient Mice. PLoS ONE, 2010, 5, e12746.	1.1	25
188	Efektivitas Sugar Dressing (100% Gula) dalam Meningkatkan Kepadatan Kolagen pada Proses Penyembuhan Luka Bakar Buatan pada Kulit Tikus Putih (Rattus norvegicus) Jantan. Jurnal Medik Veteriner, 2018, 1, 134.	0.1	2
189	Possible Roles of Antarctic Krill Proteases for Skin Regeneration. Ocean and Polar Research, 2008, 30, 467-472.	0.3	4
190	Primary focal and segmental glomerulosclerosis and soluble factor urokinase-type plasminogen activator receptor. World Journal of Nephrology, 2013, 2, 103-10.	0.8	20
191	Cutaneous wound healing. , 2003, , 9-22.		4
192	SDS-Induced Activation of the Cutaneous Plasminogen Activator System: A Molecular Pathway Possibly Involved in SDS-Induced Skin Irritation. , 1993, , 348-354.		0
193	Plasmin-Mediated Pericellular Proteolysis by Keratinocytes: Extracellular Matrix Reorganization vs Tissue Damage. , 1995, , 201-211.		0
194	Soluble Urokinase Receptor as a Biomarker in Kidney Disease. , 2015, , 1-24.		0
195	Soluble Urokinase Receptor as a Biomarker in Kidney Disease. , 2016, , 623-646.		0
196	Role of plasminogen activator in pemphigus vulgaris. American Journal of Pathology, 1989, 134, 561-9.	1.9	29
197	Urokinase-type plasminogen activator in endothelial cells during acute inflammation of the appendix. American Journal of Pathology, 1989, 135, 631-6.	1.9	29
198	Urokinase-type plasminogen activator is expressed in stromal cells and its receptor in cancer cells at invasive foci in human colon adenocarcinomas. American Journal of Pathology, 1991, 138, 1059-67.	1.9	322
199	Localization of urokinase-type plasminogen activator in stromal cells in adenocarcinomas of the colon in humans. American Journal of Pathology, 1991, 138, 111-7.	1.9	142

#	ARTICLE	IF	CITATIONS
200	Regulation of extracellular matrix proteins and integrin cell substratum adhesion receptors on epithelium during cutaneous human wound healing in vivo. American Journal of Pathology, 1993, 143, 1458-69.	1.9	174
201	Differential expression of SKALP/Elafin in human epidermal tumors. American Journal of Pathology, 1993, 143, 1679-87.	1.9	33
202	Expression of serine proteinases and metalloproteinases in organ-cultured human skin. Altered levels in the presence of retinoic acid and possible relationship to retinoid-induced loss of epidermal cohesion. American Journal of Pathology, 1994, 145, 561-73.	1.9	13
203	Fibroblast growth factor-21 as a novel metabolic factor for regulating thrombotic homeostasis. Scientific Reports, 2022, 12, 400.	1.6	5
204	Enhanced Expression of Plasminogen Activators and Inhibitor in the Healing of Tympanic Membrane Perforation in Rats. JARO - Journal of the Association for Research in Otolaryngology, 2023, 24, 159-170.	0.9	0