

CITATION REPORT

List of articles citing

State-space formulae for all stabilizing controllers that satisfy an H^{∞} -norm bound and relations to relations to risk sensitivity

DOI: 10.1016/0167-6911(88)90055-2
Systems and Control Letters, 1988, 11, 167-172.

Source: <https://exaly.com/paper-pdf/19617244/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1018	Robust design framework for an underwater vehicle motion controller.		1
1017	H_{∞} servo-controller design for plants having poles on the $j\omega$ axis.		0
1016	Reduced order solutions to nonstandard H_2 and H_{∞} control problems.		2
1015	Robust control of reheat-fan engine.		
1014	Dual stage actuator modeling and control in a CD-ROM drive.		2
1013	.		8
1012	.		22
1011	Relations between H_{∞} and risk sensitive controllers. 1988 , 1-10		4
1010	.		2
1009	.		
1008	.		2
1007	.		
1006	.		0
1005	.		10
1004	Synthesis of reduced-order H_{∞} controllers based on conjugation. 1989 , 50, 525-541		9
1003	Conjugation and H_{∞} control of discrete-time systems. 1989 , 50, 1435-1460		10
1002	.		21

1001	.			3
1000	Simplifying the H_2 theory via loop-shifting, matrix-pencil and descriptor concepts. 1989 , 50, 2467-2488			191
999	Entropy-minimising and risk-sensitive control rules. <i>Systems and Control Letters</i> , 1989 , 13, 1-7	2.4		11
998	On the central controller: Characterizations via differential games and LEQG control problems. <i>Systems and Control Letters</i> , 1989 , 13, 9-13	2.4		31
997	control problem with boundary constraints. <i>Systems and Control Letters</i> , 1989 , 13, 93-99	2.4		19
996	Relations between maximum-entropy/ H_2 control and combined H_2/LQG control. <i>Systems and Control Letters</i> , 1989 , 12, 193-203	2.4		49
995	Disturbance attenuation in LTI plants with finite horizon: Optimality of nonlinear controllers. <i>Systems and Control Letters</i> , 1989 , 13, 183-191	2.4		8
994	On cancellation in optimal controllers. <i>Systems and Control Letters</i> , 1989 , 13, 205-210	2.4		13
993	Closed formulae for a parametric mixed sensitivity problem. <i>Systems and Control Letters</i> , 1989 , 12, 1-7	2.4		10
992	.			22
991	. 1989 , 34, 831-847			3581
990	.			12
989	Derivation of the maximum entropy H_2 controller and a state-space formula for its entropy. 1989 , 50, 899-916			67
988	. 1989 , 34, 821-830			415
987	A game theoretic controller and its relationship to H_∞ / and linear-exponential-Gaussian synthesis.			17
986	Minimum entropy and risk-sensitive control: the continuous time case.			18
985	A state space approach to H_2 optimal control. 1989 , 179-218			28
984	Comparison of Characteristic Locus and h_∞ methods in VSTOL flight control system design. 1989 ,			2

983	Application of H(infinity) control to missile autopilot design. 1989 ,		7
982	Search-based computer-aided control system design: perspectives and directions.		2
981	.		1
980	Robust control synthesis for uncertain dynamical systems. 1989 ,		4
979	Necessary conditions for optimal disturbance rejection in linear systems. 1990 , 49-69		
978	Synthesis of finite-interval H _∞ controllers by state space methods. 1990 , 70-87		
977	Robust Control of Uncertain Systems by Decentralized Control. 1990 , 23, 139-144		
976	Future Directions in H _∞ Robust Control Theory. 1990 , 23, 171-175		
975	A Tutorial on Loop Shaping using H-Infinity Robust Stabilization. 1990 , 23, 117-126		2
974	Minimax Controllers for LTI Plants Under l ₁ -Bounded Disturbances. 1990 , 23, 183-189		
973	Disturbance Rejection in Large Scale Systems Using Decentralized Projective Controls. 1990 , 23, 93-98		
972	Feedback System Design and Structural Properties: The Role and Use of Rational Matrix GCD's. 1990 , 23, 277-282		
971	. 1990 , 10, 102-106		12
970	. 1990 , 10, 13-21		16
969	Worst-case design in the time domain: The maximum principle and the standard H _∞ problem. 1990 , 3, 301-324		120
968	Generalized Riccati equations for the full- and reduced-order mixed-norm standard problem. <i>Systems and Control Letters</i> , 1990 , 14, 185-197	2.4	33
967	Pole/zero cancellations in the general H _∞ problem with reference to a two block design. <i>Systems and Control Letters</i> , 1990 , 14, 295-306	2.4	120
966	An algebraic approach to H _∞ output feedback control problems. <i>Systems and Control Letters</i> , 1990 , 14, 13-24	2.4	99

965	A risk-sensitive maximum principle. <i>Systems and Control Letters</i> , 1990 , 15, 183-192	2.4	64
964	. 1990 ,		5
963	. 1990 ,		0
962	. 1990 ,		3
961	. 1990 ,		19
960	. 1990 ,		4
959	. 1990 ,		3
958	. 1990 ,		7
957	Robust Control of Linear Systems and Nonlinear Control. 1990 ,		1
956	. 1990 ,		19
955	. 1990 ,		4
954	Synthesis of finite-interval H(infinity) controllers by state-space methods. 1990 , 13, 624-629		8
953	. 1990 ,		
952	.		
951	. 1990 ,		1
950	. 1990 ,		4
949	. 1990 ,		11
948	. 1990 , 35, 1090-1099		50

947	. 1990,	1
946	. 1990,	10
945	. 1990,	16
944	On the Existence of Linear Optimal Control with Output Feedback. 1990, 28, 711-719	27
943	. 1990,	11
942	On H_2 Control, LQG Control and Minimum Entropy. 1990, 317-327	1
941	. 1990,	2
940	. 1990,	11
939	. 1990, 35, 485-488	2
938	. 1990,	11
937	. 1990,	19
936	. 1990,	4
935	The Quadratic Matrix Inequality in Singular H_∞ Control with State Feedback. 1990, 28, 1190-1208	39
934	AJ-Spectral Factorization Approach to H_∞ . 1990, 28, 1350-1371	156
933	. 1991, 36, 793-801	74
932	The Singular H_∞ Control Problem with Dynamic Measurement Feedback. 1991, 29, 160-184	51
931	A Characterization of All Solutions to the Four Block General Distance Problem. 1991, 29, 283-324	125
930	Balanced Parametrization of Classes of Linear Systems. 1991, 29, 1251-1287	80

929	\$H^\infty\$ Control of Linear Time-Varying Systems: A State-Space Approach. 1991 , 29, 1394-1413	127
928	.	2
927	.	
926	. 1991 , 36, 1264-1271	81
925	. 1991 , 36, 936-952	32
924	.	2
923	.	2
922	.	1
921	.	1
920	. 1991 , 36, 875-880	7
919	. 1991 , 36, 653-667	55
918	Design of a total energy control autopilot using constrained parameter optimization. 1991 , 14, 927-935	10
917	.	8
916	Quadratic games and H_2 type problems for time varying systems. 1991 , 54, 1249-1271	4
915	. 1991 , 36, 1021-1032	60
914	State-Space H_2 Control Theory and the LQG Problem. 1991 , 159-176	12
913	.	
912	. 1991 , 36, 668-682	66

911	. 1991 , 36, 824-837	445
910	H(infinity) robust control synthesis for a large space structure. 1991 , 14, 513-520	41
909	\$H_infty\$ Control with Transients. 1991 , 29, 1373-1393	109
908	Reliable numerical computation in an optimal output-feedback design. 1991 ,	
907	Robust control systems design by H-infinity optimization theory. 1991 ,	1
906	Application of multivariable design techniques to robust control of a large-scale system. 1991 ,	
905	Likelihood and Cost as Path Integrals. 1991 , 53, 505-529	3
904	Controllers attenuating disturbances and initial-uncertainties for time-varying systems. 1991 , 187-196	2
903	Observer-based robust-H-infinity control laws for uncertain linear systems. 1991 ,	0
902	Parameterizations of H ∞ Controllers for Non-Standard Plants. 1991 , 24, 227-232	
901	Robust stabilization of a magnetic suspension system using H ∞ Control Theory. 1991 , 111, 117-124	
900	On J-Lossless coprime factorizations and H ∞ control. 1991 , 1, 47-68	20
899	A first principles solution to the non-singular H ∞ control problem. 1991 , 1, 171-185	171
898	Solutions to the H ∞ general distance problem which minimize an entropy integral. 1991 , 27, 193-199	17
897	A four-block problem for H ∞ design: Properties and applications. 1991 , 27, 811-818	23
896	Comparison of two methods for the design of active suspension systems. 1991 , 12, 173-188	16
895	H 2 -optimal control with an H ∞ constraint The state feedback case. 1991 , 27, 307-316	117
894	The Dissipation Inequality and the Algebraic Riccati Equation. 1991 , 197-242	33

893	Necessary conditions for optimal disturbance rejection in linear systems. 1991 , 54, 999-1014	
892	State-space approaches to H-infinity control for infinite-dimensional linear systems. 1991 , 13, 253-261	2
891	Robust non-minimum-phase compensation for a class of uncertain dynamical systems. 1991 , 14, 1191-1199	10
890	.	
889	.	2
888	.	2
887	.	2
886	.	3
885	.	2
884	Fast and numerically robust algorithm for computing the H/sub infinity / optimum.	1
883	Design of Robust Controllers for Position Servos Using H-Infinity Theory. 1991 , 205, 299-306	6
882	Robust H(infinity) control design for the Space Station with structured parameter uncertainty. 1991 , 14, 1115-1122	25
881	.	1
880	A control formulation for the damping of structures by vibration absorbers. 1991 ,	
879	New advances in H-infinity control - A tutorial paper. 1992 ,	
878	Frequency Domain Optimal Control of Wind-Excited Buildings. 1992 , 118, 2463-2481	77
877	Design of Robust Two-Degree-of-Freedom Controllers for Position Servos Using H-Infinity Theory. 1992 , 206, 135-142	
876	A tutorial on loop shaping using H-infinity robust stabilisation. 1992 , 14, 157-168	5

875	Abstract model and controller design for an unstable aircraft. 1992 , 15, 498-508	28
874	. 1992 , 7, 108-115	25
873	.	
872	.	1
871	Robust MIMO Design With Partial Decoupling Via H_{∞} Methods.	
870	.	
869	.	
868	.	14
867	.	
866	.	4
865	A convex parametrization of H_{∞} / suboptimal controllers.	3
864	.	2
863	.	
862	.	
861	A non-iterative method for computing the infimum in H_{∞} optimization. 1992 , 56, 1399-1418	11
860	An analytic formula for H_{∞} norm sensitivity with applications to control system design. 1992 ,	
859	Equivalent Transformation of the Framework of Normalized Robust Control Systems. 1992 , 25, 300-303	
858	Experimental evaluation of H_{∞} control for a flexible beam magnetic suspension system. 1992 , 122-129	3

857	.	8
856	.	
855	Observer-based robust-H-infinity control laws for uncertain linear systems. 1992 , 15, 1125-1133	12
854	. 1992 , 37, 1261-1265	10
853	Classical and robust H(infinity) control redesign for the Hubble Space Telescope. 1992 ,	0
852	.	
851	. 1992 , 37, 70-78	9
850	.	2
849	. 1992 , 37, 1762-1767	12
848	Stability and passivity preserving transformations for master-slave telerobotic systems.	
847	.	2
846	. 1992 , 37, 1253-1256	34 ^o
845	Risk sensitive optimal control and differential games. 1992 , 185-197	55
844	H_∞ -Optimization without Assumptions on Finite or Infinite Zeros. 1992 , 30, 143-166	68
843	The Discrete Time H_∞ Control Problem with Measurement Feedback. 1992 , 30, 182-202	27
842	A Game Theoretic Approach to H^∞ Control for Time-Varying Systems. 1992 , 30, 262-283	114
841	H_∞ Controller Synthesis by J-Lossless Coprime Factorization. 1992 , 30, 522-547	66
840	. 1992 , 12, 35-42	111

839	Robust H-infinity control synthesis method and its application to benchmark problems. 1992 , 15, 1140-1148		43
838	. 1992 , 12, 108-118		32
837	. 1992 , 37, 384-392		27
836	. 1992 , 37, 1188-1191		344
835	.		2
834	Cumulant minimization and robust control. 1992 , 411-425		10
833	Robust stabilization, robust performance, and disturbance attenuation for uncertain linear systems. 1992 , 23, 67-80		5
832	Some open problems in matrix theory arising in linear systems and control. 1992 , 162-164, 409-432		52
831	Optimal disturbance rejection and performance robustness in linear systems. 1992 , 164, 130-150		9
830	control of two-time-scale systems. <i>Systems and Control Letters</i> , 1992 , 19, 35-42	2.4	34
829	Optimal, constant I/O similarity scaling for full-information and state-feedback control problems. <i>Systems and Control Letters</i> , 1992 , 19, 271-280	2.4	80
828	Bounds on solutions to Algebraic Riccati equations and 2 properties of central solutions. <i>Systems and Control Letters</i> , 1992 , 19, 341-352	2.4	8
827	Design of minimax controllers for linear systems with non-zero initial states under specified information structures. 1992 , 2, 1-30		10
826	Optimal H2 and H-infinity fixed-order dynamic compensation using canonical forms. 1992 , 2, 243-260		1
825	H-infinity optimal control applied to a generator control system. 1992 , 112, 83-91		1
824	Asymptotic analysis of nonlinear stochastic risk-sensitive control and differential games. 1992 , 5, 401-417		91
823	Sampled-data control of continuous-time systems with an H-infinity optimality criterion. 1992 , 28, 45-54		159
822	H-infinity control problem with j-axis zeros. 1992 , 28, 55-70		43

821	Pole-zero cancellations and closed-loop properties of an H_{∞} mixed sensitivity design problem. 1992 , 28, 519-530	49
820	Trade-offs in linear control system design: A practical example. 1992 , 13, 121-144	4
819	Bibliography on robust control. 1993 , 29, 201-213	58
818	Knowledge-based control of a single-link flexible robot arm. 1993 , 6, 123-130	
817	A robust controller for insulin pumps based on H-infinity theory. 1993 , 40, 1133-7	67
816	An H_{∞} control system design method for parameter sensitivity reduction. 1993 , 76, 75-84	
815	The design of economic policy under model uncertainty. 1993 , 6, 219-240	4
814	Robust control with engineering applications: An overview. 1993 , 92, 57-78	
813	Existence Theorems for Positive Semidefinite and Sign Indefinite Stabilizing Solutions of H_{∞} Riccati Equations. 1993 , 31, 16-29	16
812	. 1993 , 38, 1525-1530	20
811	A state-space approach to H_{∞} control problems for infinite-dimensional systems. 1993 , 46-71	9
810	Design of a flight control system for a highly maneuverable aircraft using μ synthesis. 1993 ,	2
809	.	0
808	. 1993 , 1, 80-92	54
807	.	2
806	. 1993 , 38, 546-559	252
805	. 1993 , 38, 1371-1383	275
804	. 1993 , 38, 1416-1421	19

803	.	4
802	.	1
801	H/sub ∞ control of an experimental inverted pendulum with dry friction. 1993 , 13, 44-50	20
800	.	2
799	. 1993 , 38, 1530-1532	1
798	.	27
797	. 1993 , 38, 951-957	7
796	.	6
795	.	
794	H/sup ∞ control: inverse free formulae for D/sub ∞ and eliminating pole-zero cancellations via interpolation.	2
793	Classical and robust H(infinity) control redesign for the Hubble Space Telescope. 1993 , 16, 1069-1077	41
792	Systematic Procedures for the H/spl ∞ Controller Design of a Single Flexible Link.	
791	Tutorial review H/sub ∞ optimal controller design for a class of distributed parameter systems. 1993 , 58, 739-782	31
790	.	
789	.	8
788	Robust Flexible Spacecraft Control System Design.	
787	The Standard H_∞ Problem and the Maximum Principle: The General Linear Case. 1993 , 31, 813-846	19
786	H^∞ -Optimal Control and Related Minimax Design Problems (Tamer Basar and Pierre Bernhard). 1993 , 35, 538-540	0

785	Two-Riccati formulae for the discrete-time H_2 control problem. 1993 , 57, 141-195	23
784	.	16
783	.	2
782	Information theory and economic growth models. 1993 , 24, 403-418	
781	Low-Order H_2 Sub-Optimal Controllers. 1993 , 26, 813-816	
780	On the Design of Robust H_2 Optimal Controllers for Synchronous Machines. 1993 , 26, 783-788	
779	Active Vibration Control of a Motor System by H_2 Control. 1993 , 26, 343-346	
778	Multivariable Control for a Combined Cycle Power Plant. 1993 , 26, 653-658	
777	H_2 Control with Exact Linearization and its Application to Magnetic Levitation Systems. 1993 , 26, 47-50	2
776	A Synthesis of Reduced-order H_2 Controllers for Active Flutter Suppression Systems. 1993 , 26, 805-808	
775	Robust Stabilization Problem for a System with Delays in Control - A Correspondence of Controller Design Case Study for Ill-conditioned Distillation System. 1993 , 26, 69-72	1
774	Multiobjective Controller Design with the Guaranteed H_2 Control Performance. 1993 , 26, 149-152	1
773	Optimal Control of Stochastic Singularly Perturbed Systems with Exponentiated Quadratic Cost. 1993 , 26, 323-328	
772	A Design Method for a Mixed H_2 / H_2 Control Problem. 1993 , 26, 875-878	
771	Application of H_2 Control Theory to Power Control of a Nonlinear Reactor Model. 1993 , 115, 142-151	22
770	ROBUST ACTIVE VIBRATION CONTROL OF FLEXIBLE STRUCTURES BASED ON THE H_2 CONTROL THEORY. 1993 , 1993, 1-12	1
769	Development of an Integrated System of 4WS and 4WD by H_2 Control. 1993 ,	9
768	.	

767	An Adaptive Control System Incorporating H _∞ Concepts for High-Speed Machinery with Independent Drives. 1994 , 208, 43-52	
766	.	
765	.	
764	Positive real controller design with H _∞ norm performance bound.	1
763	.	1
762	Toward integrated digital control of the DIII-D tokamak.	0
761	. 1994 ,	1
760	.	1
759	Balanced H _∞ and H ₂ controllers.	
758	.	
757	On the Game Riccati Equations Arising in H_{∞} Control Problems. 1994 , 32, 635-647	17
756	. 1994 , 39, 1575-1587	151
755	Control of lightly damped, flexible modes in the controller crossover region. 1994 , 17, 370-377	42
754	Desensitizing structural-control design. 1994 , 17, 175-180	4
753	Nearly decoupled robust MIMO control of an unstable plant. 1994 , 25, 97-111	
752	The application of multi-channel design methods for vibration control of an active structure. 1994 , 3, 329-343	26
751	Synthesis of robust servo compensator based on H _∞ control.	7
750	. 1994 ,	1

749	State analytical predictor for systems with multiple time delays. 1994 , 25, 991-1014	2
748	.	
747	Real time implementation of a robust H_{∞} controller for a 2-DOF magnetic micro-levitation positioner.	0
746	On the one-sided one-block H_2 problem applied to a sum of sensitivities cost index. 1994 , 25, 2113-2128	
745	. 1994 , 39, 2130-2134	4
744	. 1994 , 39, 780-792	154
743	Sensitivity analysis for systems with structured uncertainty. 1994 , 25, 1093-1103	
742	.	
741	.	
740	Decentralized H_2 controller design for large-scale systems. 1994 , 25, 83-95	6
739	.	0
738	All controllers for the general H_2 control problem: LMI existence conditions and state space formulas. 1994 , 30, 1307-1317	805
737	H_2 analysis and synthesis toolbox (Etools). 1994 , 30, 733-735	7
736	A linear quadratic optimal control problem with disturbances: An algebraic Riccati equation and differential games approach. 1994 , 30, 267-305	2
735	Optimal control of a stochastic system with an exponential-of-integral performance criterion. <i>Systems and Control Letters</i> , 1994 , 22, 451-456	2.4 3
734	Risk-sensitivity, large deviations and stochastic control. 1994 , 73, 295-303	7
733	Dynamic simulation and control of gas turbines and compressor systems. 1994 , 18, 1071-1082	6
732	H_2 control of an electromechanical drive with nonlinearities using a multi-block criterion. 1994 , 2, 1019-1030	7

731	Loop-shaping based H_2 robust control of a horizontal shaft magnetic bearing. 1994 , 114, 113-121	
730	Active vibration control of a motor system by using H_2 control theory. 1994 , 114, 98-107	
729	Optimal H_2 general distance problem with degree constraint. 1994 , 4, 289-299	4
728	Fixed-order H_2 compensator design. 1994 , 4, 363-369	3
727	A linear matrix inequality approach to H_2 control. 1994 , 4, 421-448	1939
726	H_2 control with measurement-feedback for Pritchard-Salamon systems. 1994 , 4, 521-552	2
725	H_2 controller design for boilers. 1994 , 4, 645-671	30
724	. 1994 , 39, 1986-2003	31
723	. 1994 , 39, 1551-1563	59
722	Head Pad Positioning Control System for Hard Disk Drives. 1994 , 9, 95-102	3
721	Explicit controller formulas for LMI-based H_2 synthesis.	2
720	Redheffer's Lemma and H_∞ -Control for Infinite-Dimensional Systems. 1994 , 32, 261-278	6
719	.	
718	. 1994 ,	1
717	Fighter aircraft lateral directional axes full envelope control law design. 1994 , 59, 893-924	2
716	. 1994 , 39, 280-299	51
715	. 1994 ,	1
714	.	

713	. 1994 , 39, 1694-1698	49
712	Evaluating D-K iteration for control design.	6
711	.	4
710	Monotonicity and convexity of H_{∞} Riccati solutions in general case.	
709	. 1994 , 39, 861-864	6
708	An experimental comparison between Q-parameterization, H_{∞} synthesis and servo control systems designs.	
707	.	13
706	Robust force control of manipulators based on H_{∞} control theory. 1994 , 73-86	
705	.	0
704	Multivariable Active Flutter Suppression Tems using H_{∞} Control and LQG with Frequency Dependent Weight Syntheses. 1994 , 27, 243-248	
703	An Alternative Derivation of an Algebraic Riccati Equation in H_{∞} Control. 1994 , 27, 77-80	
702	Application of Estimated Error Bounds in Robust Control of a Wind Energy Conversion System. 1994 , 27, 425-430	
701	Modal-based and wave-type vibration energy transmission for active control of structures. 1994 , 2190, 295	1
700	Frequency shaping of a hydraulic speaker using H_{∞} control theory.	
699	Real-Time Implementation of a Robust H_{∞} Controller for a 2-DOF Magnetic Micro-Levitation Positioner. 1995 , 117, 637-640	4
698	Application of H_{∞} Control and Lqg with Frequency-Dependent Weight Syntheses to a Multivariable Active Flutter Suppression System. 1995 , 209, 233-243	1
697	The explicit solution of standard H_{∞} problem in the state space ($D_{11} \neq 0$, $D_{22} \neq 0$).	
696	Control design for reconfigurability.	1

695	Risk Sensitive Generalization of Minimum Variance Estimation and Control *. 1995 , 28, 423-428	
694	Recent Developments in Nonlinear H_{∞} Control *. 1995 , 28, 541-552	
693	Quantitative robust performance design with minimal cost of feedback. 1995 , 31, 891-896	2
692	Sampled-data minimum H_{∞} norm regulation of linear continuous-time systems using multirate-output controllers. 1995 , 87, 235-267	7
691	Robust control and differential games on a finite time horizon. 1995 , 8, 138-166	17
690	The risk-sensitive index and the H_2 and H_{∞} norms for nonlinear systems. 1995 , 8, 199-221	26
689	Multivariable control for a combined cycle power plant. 1995 , 3, 465-470	6
688	Portfolio choice with Knightian uncertainty. 1995 , 19, 873-900	1
687	H_{∞} control approach to a magnetic levitation system by 4-point attraction with nonlinear characteristics. 1995 , 115, 110-122	1
686	A transfer matrix framework approach to the synthesis of H_{∞} controllers. 1995 , 5, 155-173	5
685	Loop recovery via H_{∞} modified complementary sensitivity recovery for non-minimum phase plants. 1995 , 5, 615-625	
684	Loop transfer recovery designs with an unknown input reduced-order observer-based controller. 1995 , 5, 627-648	3
683	. 1995 , 10, 1219-1225	59
682	Speed controller design using singular H_{∞} control.	1
681	PIM digital redesign method and its application to the design of a digital flight controller.	1
680	.	
679	Robust stabilization of the Space Station in the presence of inertia matrix uncertainty. 1995 , 18, 611-617	9
678	Optimized Design of Vibration Controllers for Steady and Transient Excitation of Flexible Rotors. 1995 , 209, 155-168	17

- 677 Synthesis of a positive real H_2 controller.
- 676 Nonlinear plant robust stabilization. 0
- 675 Robust performance and adaptation using receding horizon H_2 control of time varying systems. 0
- 674 Mixed sensitivity problem of delay-free systems and time-delay systems. 3
- 673 Robust controller design of four wheel steering systems using μ synthesis techniques. 2
- 672 Optimal scaled H_{∞} full information synthesis with real parametric uncertainty.
- 671 Bellman equations of risk sensitive control. 2
- 670 An approximate I/O linearization via nonlinear H_2 model matching. 1
- 669 Robust vibration suppression control for systems with harmonic excitation.
- 668 Cumulants in risk-sensitive control: the full-state-feedback cost variance case. 8
- 667 A robust controller design method combining H_2 and internal model control scheme. **1995**, 18, 221-235
- 666 . **1995**, 40, 1007-1017 64
- 665 Temperature control of hot isostatic pressing (HIP) furnace using model predictive and risk sensitive optimal controllers.
- 664 Gain scheduled missile autopilot design using observer-based H_2 control.
- 663 Explicit formulas for operator Riccati equations arising in H_2 control with delays. 2
- 662 A comparative study of H_{∞} controller reduction methods. 2
- 661 Force control for magnetic levitation system using flux density measurement. 3
- 660 Weighted L_{∞} norm approximation. 0

659	.	
658	. 1995 , 3, 290-298	28
657	Improvement of robustness and sensitivity reduction for multivariable nonminimum phase systems.	0
656	. 1995 , 15, 76-90	20
655	A design method for control systems with disturbance observers using H^{∞} optimal control.	
654	Risk-Sensitive Control on an Infinite Time Horizon. 1995 , 33, 1881-1915	196
653	Risk-Sensitive Production Planning of Stochastic Manufacturing Systems: A Singular Perturbation Approach. 1995 , 33, 498-527	27
652	. 1995 , 40, 512-516	33
651	H^{∞} optimality of the LMS algorithm. 1996 , 44, 267-280	150
650	Robust and optimal control.	12
649	Linear estimation in Krein spaces. II. Applications. 1996 , 41, 34-49	138
648	Two-degree-of-freedom robust control of a seeker scan loop system. 1996 ,	2
647	An Entropy Formula for Time-Varying Discrete-Time Control Systems. 1996 , 34, 1691-1706	21
646	. 1996 , 32, 1268-1276	2
645	On general weighting functions for the application of H^{∞} optimization method.	1
644	.	
643	Bellman Equations of Risk-Sensitive Control. 1996 , 34, 74-101	72
642	Recent advances in control of time delay systems - A tutorial review.	26

- 641 A knowledge-based learning system for H_{∞} control system design.
- 640 Coefficient Assignment Approach to Two Disk Mixed Sensitivity Problem of Time-Delay Systems. **1996**, 29, 3520-3525 1
- 639 On Entropy of Continuous-Time Periodic Systems. **1996**, 29, 3045-3050
- 638 On the Algebraic Approach to H_{∞} Control. **1996**, 29, 3374-3379
- 637 Explicit controller formulas for LMI-based H_{∞} synthesis. **1996**, 32, 1007-1014 242
- 636 Head-positioning control system for small-sized hard disk drives. **1996**, 79, 64-72
- 635 A derivation of the Glover-Doyle algorithms for general H_{∞} control problems. **1996**, 32, 581-589 12
- 634 On the mixed sensitivity H_{∞} control problem with poles on the imaginary axis. **1996**, 333, 85-100 3
- 633 An L-lossless factorization approach to the positive real control problem. **1996**, 333, 225-243 4
- 632 Weighting function selection in the H_{∞} design process. **1996**, 4, 625-633 70
- 631 Robust force control for a magnetically levitated manipulator using flux density measurement. **1996**, 4, 957-965 7
- 630 Robust memoryless H_{∞} controller design for linear time-delay systems with norm-bounded time-varying uncertainty. **1996**, 32, 1759-1762 34
- 629 Stabilization of chaotic dynamics: a modern control approach. **1996**, 64, 663-677 6
- 628 On problem of stabilization by output feedback for linear singular systems with time delay: a new approach.
- 627 Loop shaping H_{∞} design applied to the steam generator level control in EDF nuclear power plants. 3
- 626 Solutions to the combined sensitivity and complementary sensitivity problem in control systems. **1996**, 41, 1836-1840 1
- 625 Low-order H_{∞} controller design with an application in flexible servomechanisms.
- 624 Model Simplification and Optimal Control of Stochastic Singularly Perturbed Systems under Exponentiated Quadratic Cost. **1996**, 34, 1734-1766 27

623	Design of an autoland controller for an F-14 aircraft using H-infinity synthesis. 1996 , 19, 656-663	24
622	A polynomial solution to the scalar 4-block H _∞ general distance problem. 1996 , 65, 33-52	
621	Robust control design framework for substructure models. 1996 , 19, 181-190	4
620	Observer-based compensators for fixed-order H _∞ control. 1996 , 64, 441-461	5
619	On-orbit attitude control experiments for ETS-VI. I-PD and two-degree-of-freedom H_{∞} control.	1
618	Practical positioning control method of flexible structures using nonstationary robust regulator.	3
617	On the structure of H ₂ -optimal sampled-data controllers.	
616	Combination of H _∞ and PI control for an electromagnetically levitated vibration isolation system.	7
615	H _∞ control for delay systems: explicit formulas and game-theoretic interpretations.	4
614	Global optimization for H_{∞} control with block-diagonal constant scaling.	4
613	Extended H _∞ control-solving H _∞ servo and estimation problems.	2
612	H _∞ controllers design for field oriented asynchronous machines with genetic algorithm.	1
611	Nonlinear H _∞ control: a J-dissipative approach. 1997 , 42, 1636-1653	7
610	A design of active flutter suppression control systems using \mathcal{H}_{∞} synthesis and controller reduction. 1997 , 211, 183-192	
609	Robust power system stabilizer design with H _∞ optimization method and its experiment on a hardware simulator.	
608	Robust digital design of power system stabilizers. 1997 ,	
607	Robust and LTI H _∞ static output feedback design for systems with limited actuator authority. 1997 ,	1
606	Multiobjective control for continuous time MIMO systems via deadbeat regulation.	0

- 605 Robust adaptive identification of dynamic systems by neural networks. 1
- 604 On the strong stabilization problem and performance of stable H_{∞} controllers. 1
- 603 H_{∞} control with preview compensation. **1997**, 7
- 602 Integrierter H_{∞} Regler/ Filterentwurf für Präzisionswaagen. **1997**, 45,
- 601 On stable H_{∞} controller design. **1997**, 7
- 600 DECENTRALIZED H_{∞} CONTROL FOR INTERCONNECTED SYSTEMS. **1997**, 20, 77-85
- 599 Practical Method for Positioning Control of Flexible Structures Using Nonstationary Robust Regulator. **1997**, 63, 1948-1955
- 598 Optimal H_{∞} Design of a Glide-Slope Coupler. **1997**, 30, 249-253
- 597 H_{∞} Speed Controller Design for Hot Rolling Mill Drives. **1997**, 30, 181-186
- 596 Robustness of Quadratic Optimal State-Space Control with Observers. **1997**, 30, 177-182
- 595 H_{∞} and μ Controller Design for an Actuator. **1997**, 30, 467-472
- 594 H_{∞} Controllers Design for Robust Field Oriented Asynchronous Machines in Disturbed Environment.. **1997**, 30, 1149-1154
- 593 Choosing sensor configuration for a flexible structure using full control synthesis. **1997**, 1
- 592 Robust adaptive neurofilters with or without online weight adjustment. 2
- 591 H_{∞} controller design for automatic steering of vehicles with modeled time delays. 0
- 590 A synchronous reference frame based control of an unified power flow controller. **1997**, 3
- 589 Discrete-time well-conditioned observer design for two-output systems.
- 588 Introduction. **1997**, 1-14

587	Partially observable nonlinear risk-sensitive control problems: dynamic programming and verification theorems. 1997 , 42, 1130-1138	17
586	Aeroservoelastic design for flutter suppression. 1997 ,	0
585	On H-infinity controller design for singularly perturbed uncertain systems. 1997 ,	0
584	Numerically Reliable Computation of Optimal Performance in Singular H_{∞} Control. 1997 , 35, 1690-1710	13
583	Efficient Solution of Linearly Coupled Lyapunov Equations. 1997 , 18, 291-304	5
582	An insightful approach to H/sub /spl infin// position controller design for an electric motor attached to a flexible structure. 1997 , 33, 257-263	2
581	Selection of sensors and actuators based on a sufficient condition for robust performance. 1997 ,	
580	Reduced order H ∞ controllers using hessenberg reduction. 1997 ,	
579	The use of identified parameter limits in a robust adaptive controller. 1997 , 5, 469-475	
578	Recent developments in nonlinear H ∞ control. 1997 , 21, 43-54	1
577	Analytic system problems and J-lossless coprime factorization for infinite-dimensional linear systems. 1997 , 257, 121-161	3
576	A robust Power system stabilizer design. 1997 , 18, 179-193	3
575	Alternative derivation of the algebraic Riccati equation in H ∞ control. 1997 , 33, 91-95	1
574	Robust control of a remotely operated underwater vehicle. 1998 , 34, 193-198	21
573	A complete and simple parametrization of controllers for a nonstandard H ∞ control problem. 1998 , 34, 369-374	4
572	State-space solution of the standard H ∞ control problem for strip mill gauge control. 1998 , 145, 291-298	1
571	Diving autopilot design for underwater vehicles using multi-objective control synthesis. 1998 , 12, 1116-1125	6
570	3 Disk mixed sensitivity problem of time-delay systems. 1998 , 45, 365-376	1

569	Risk-Sensitive Production Planning of a Stochastic Manufacturing System. 1998 , 36, 1147-1170	21
568	Robust properties of risk-sensitive control.	3
567	H^{∞} equalization of communication channels.	1
566	Active Control of Transmission Tower under Stochastic Wind. 1998 , 124, 1302-1312	35
565	Dynamic multi-constrained output feedback controller design for linear discrete systems. 1998 , 21, 563-573	
564	H^{∞} control versus disturbance-observer-based control. 1998 , 45, 488-495	59
563	Robust H^{∞} controller design for time-varying uncertain linear systems with time-varying state and control delays. 1998 , 29, 863-872	7
562	Active Attenuation of Building Structural Response Using Robust Control. 1998 , 124, 520-528	6
561	Nonlinear H^{∞} method for control of uncertain wing rock motions. 1998 ,	1
560	Vehicle dynamics and control synthesis for four-wheel steering passenger cars. 1998 , 212, 449-461	11
559	A design on model following optimal multivariable H^{∞} control system using GA [boiler-turbine system].	
558	Integrated flight and aeroelastic control of a flexible transport aircraft. 1998 ,	1
557	Universal neuroapproximation of dynamic systems for robust identification.	1
556	An application of robust feedback linearization to a ball and beam control problem.	5
555	Two-Degree-of-Freedom H^{∞} Robust Controller for a Flexible Missile. 1998 , 21, 518-521	3
554	Multilayer perceptrons and radial basis functions are universal robust approximators.	2
553	H^{∞} Control and Its Applications. 1998 ,	19
552	Controller approximation: approaches for preserving H^{∞} performance. 1998 , 43, 858-871	29

- 551 Robust optimal controllers for active flutter suppression. **1998**, 0
- 550 Robust stabilization for the plant with varying number of unstable poles and low sensitivity characteristics. **1998**, 1
- 549 Modified nonlinear H_{∞} controller formulas and the H_{∞} I/O linearization problem.
- 548 H_{∞} preview disturbance attenuation. 4
- 547 A framework for mixed estimation of hidden Markov models.
- 546 Design of Multivariable H_{∞} -Based Steering Controllers for Vehicles with Modeled Time Delays. **1998**, 31, 61-66
- 545 H_2/H_{∞} control design: LMI techniques for space applications.
- 544 Parametrization of all controllers for 4-block H_{∞} control problems with infinite and finite $j\omega$ -axis zeros. **1998**,
- 543 Risk-sensitive production planning.
- 542 Mathematical justification of recurrent neural networks with long- and short-term memories.
- 541 (J,J') -lossless factorization approach to H_{∞} control problems with infinite and finite $j\omega$ -axis zeros.
- 540 Nonlinear H_{∞} control of robotic manipulator. 1
- 539 Robust Tracking Control of a Direct Drive Robot. **1999**, 121, 261-269 7
- 538 Robust H_{∞} Static Output Feedback Control with Actuator Saturation. **1999**, 125, 225-233 27
- 537 A successive algorithm for solving the Hamilton-Jacobi equations. **1999**,
- 536 Robust control of a 1.5 MW free turbine engine. **1999**, 213, 217-228 1
- 535 On the synthesis of stable H_{∞} controllers. **1999**, 44, 431-435 44
- 534 Efficient, Near-Optimal Control Allocation. **1999**, 22, 369-372 24

533	Robust controller design for simultaneous control of throttle pressure and megawatt output in a power plant unit.	1
532	Generalized Plants for H Robust Controller Design. 1999 , 22, 366-369	0
531	On the robust control of an induction machine: A complete design and realization. 1999 , 6, 61-70	
530	Multi-objective control synthesis: an application to 4WS passenger vehicles. 1999 , 9, 363-390	38
529	H Control design to include nonlinearities. First report: saturation of the rudder. 1999 , 4, 173-179	
528	Robust controller design for simultaneous control of throttle pressure and megawatt output in a power plant unit. 1999 , 9, 425-446	11
527	Robust aircraft pitch-axis control under weight and center of gravity uncertainty.	2
526	Efficient selection of inputs and outputs for robust control.	4
525	. 1999 , 44, 537-550	37
524	Sensor selection via closed-loop control objectives. 1999 , 7, 692-705	16
523	Parametric H/sub /spl infin// loopshaping and weighted mixed sensitivity minimization. 1999 , 44, 846-852	10
522	Robust controller design for RTP system using structured uncertainty approach.	
521	The relationship between minimum entropy control and risk-sensitive control for time-varying systems. 1999 , 44, 1065-1069	5
520	Robust output feedback stabilization via risk-sensitive control.	2
519	Risk-Sensitive Control of Discrete-Time Markov Processes with Infinite Horizon. 1999 , 38, 61-78	70
518	Guaranteed cost LQG filtering for stochastic discrete time uncertain systems via risk-sensitive control.	1
517	Robust control of gas generator in a 1.5 MW gas turbine engine.	1
516	Risk-Sensitive, Minimax, and Mixed Risk-Neutral / Minimax Control of Markov Decision Processes. 1999 , 21-40	1

515	Analytic constraints in feedback control of linear time-varying systems: Bode's sensitivity integral. 1999,	0
514	Performance limit: A \mathcal{H}_∞ synthesis approach. 1999, 32, 3189-3194	
513	A design method of low sensitivity control systems-simultaneous design of controller and plant. 1999, 32, 1302-1307	
512	An H_∞ Controller for Active Suspensions and its Robustness Based on a Full-Car Model. 1999, 32, 8178-8183	2
511	Nonlinear robust controller design based on H_∞/O linearization and \mathcal{H}_∞ synthesis. 1999, 32, 3085-3090	1
510	H_∞ Infinity Control. 1999,	0
509	Computation of Proper and Reduced Order Controllers Via H_∞ Techniques. 2000, 33, 471-475	
508	Complex Uncertainties in Feedback Loop: The Gain and Phase Margins. 2000, 33, 427-431	
507	Continuous, discrete and sampled data H_∞ control-a unified framework.	
506	A robust certainty equivalence controller for discrete-time nonlinear systems.	
505	Complete solution of the 4-block H_∞ control problem with infinite and finite $j\omega$ axis zeros. 2000, 10, 59-81	9
504	On the strong stabilization and stable H_∞ controller design problems for MIMO systems. 2000, 36, 1675-1684	48
503	Extended H_∞ control H_∞ control with unstable weights. 2000, 36, 735-741	25
502	An entropy formula for nonlinear systems. 2000, 337, 859-874	3
501	A robust control method to improve the performance of a unified power flow controller. 2000, 55, 103-111	24
500	Risk-sensitive and robust control of discrete time hybrid systems.	
499	Robust Monetary Policy With Misspecified Models: Does Model Uncertainty Always Call For Attenuated Policy?. 2000,	3
498	IMPLEMENTATION OF AN ACTIVE HORIZONTAL SUSPENSION ON A SPRAY BOOM. 2000, 43, 213-220	7

497	Robust control of HVAC plant II: controller design. 2000 , 21, 63-71	15
496	A solution to benchmark problems of a couple of 3-inertia system. 2000 ,	
495	A state-space algorithm for the simultaneous optimisation of performance weights and controllers in μ -synthesis.	3
494	Delay sensitivity of quadratic controllers-a singular perturbation approach.	
493	Robust pole placement with widely adjustable parameter.	
492	. 2000 , 45, 653-674	1
491	Robust and H_∞ Control. 2000 ,	80
490	Delay Sensitivity of Quadratic Controllers: A Singular Perturbation Approach. 2000 , 38, 1655-1682	4
489	On linear H_2/H_∞ equalization of communication channels. 2000 , 48, 3227-3231	25
488	A Linearized Electrohydraulic Servovalve Model for Valve Dynamics Sensitivity Analysis and Control System Design. 2000 , 122, 179-187	43
487	A discrete Fourier transform approach to a constrained mixed H_2/H_∞ sensitivity optimization with applications. 2000 , 8, 138-150	
486	A floor vibration attenuation device using robust H_∞/H_2 controller. 2000 ,	
485	Differential Games and Nonlinear H_∞ Control in Infinite Dimensions. 2000 , 39, 1296-1322	4
484	The control system design of a traveling crane using H_∞ control theory. 2000 ,	
483	Mixed risk-neutral/minimax control of discrete-time, finite-state Markov decision processes. 2000 , 45, 528-532	15
482	Nonlinear H_∞ Method for Control of Wing Rock Motions. 2000 , 23, 60-68	18
481	Minimax optimal control of stochastic uncertain systems with relative entropy constraints. 2000 , 45, 398-412	155
480	A robust control of a magnetic suspension system with a flexible rail.	

479	Design of a reduced-order H_2 controller for smart structure satellite applications. 2001 , 359, 2251-2269	7
478	Soft-Constrained Feedback Nash Equilibria. 2001 , 34, 23-28	
477	FIR H_2 equalization. 2001 , 81, 907-917	16
476	Robust monetary policy with misspecified models: Does model uncertainty always call for attenuated policy?. 2001 , 25, 911-949	75
475	On the pole location of a system designed by robust stability-degree assignment. <i>Systems and Control Letters</i> , 2001 , 42, 353-361	2.4 5
474	H_2 control for nonlinear affine systems: a chain-scattering matrix description approach. 2001 , 11, 315-333	2
473	On terminating Markov decision processes with a risk-averse objective function. 2001 , 37, 1379-1386	20
472	Tradeoffs in linear time-varying systems: an analogue of Bode's sensitivity integral. 2001 , 37, 1541-1550	24
471	A review of methods for input/output selection. 2001 , 37, 487-510	286
470	Weld penetration control system design and testing. 2001 , 19, 383-392	8
469	An analogue of Bode's sensitivity integral for continuous-time, time-varying systems. 2001 ,	
468	An adaptive method of training multilayer perceptrons.	4
467	Training multilayer perceptrons in the presence of measurement outliers.	
466	Extending H_{∞} control to nonlinear systems [Book Review]. 2001 , 46, 1172-1174	
465	On the control design of a gyro test table. 2001 , 215, 169-175	
464	A prototype of flywheel energy storage system suppressed by hybrid magnetic bearings with H_{∞} controller. 2001 , 11, 1733-1736	7
463	H_{∞} control and parametric controllers for descriptor systems. 2002 ,	
462	Robust controller for a brushless DC motor based on the gain and phase margin.	1

461	Selection of Actuators and Sensors for Surge Control. 2002 , 18, 84-92	6
460	Minimization through convexitization in training neural networks.	3
459	Control system design of a traveling crane using H_{∞} control theory.	
458	Modelling and H_{∞} controller applied to a gyrometer.	0
457	Robust identification of uncertain dynamical systems where adaptation is impossible.	1
456	Robust maximum principle for minimax Mayer problem with uncertainty from a compact measured set.	1
455	Modeling, Control and Experiment of a Feedback Active Noise Control System for Free Sound Fields.. 2002 , 45, 409-416	1
454	A NEW ROBUST CONTROL DESIGN PROCEDURE BASED ON A PE IDENTIFICATION UNCERTAINTY SET. 2002 , 35, 145-150	3
453	Action functional stochastic H_{∞} estimation for nonlinear discrete time systems.	
452	GUARANTEED ERROR ROBUST FIR EQUALIZATION FOR UNCERTAIN CHANNELS. 2002 , 35, 199-204	
451	DSP-BASED H_{∞} CONTROLLED DIGITAL AUTOMATIC VOLTAGE REGULATOR FOR USE ON ENGINE GENERATOR. 2002 , 35, 283-288	
450	Robust approximation of uncertain functions where adaptation is impossible.	3
449	H_{∞} control of permanent magnet linear synchronous motor based on neural network command-compensator.	
448	Robust maximum principle for multi-model LQ-problem. 2002 , 75, 1170-1177	35
447	Robust stochastic maximum principle for multi-model worst case optimization. 2002 , 75, 1032-1048	14
446	Robust stabilization of two-time scale systems with respect to the normalized coprime factorization. 2002 , 75, 1-10	1
445	On the choice of uncertainty structure in identification for robust control.	1
444	A new viewpoint of H_{∞} control in frequency domain. 2002 , 75, 627-636	3

443	Existence and uniqueness of risk-sensitive estimates. 2002 , 47, 1945-1948	7
442	Linear multi-model time-optimization. 2002 , 23, 141-161	19
441	CONTROL DESIGN OF ACTIVE VIBRATION ISOLATION USING \mathcal{H}_2 SYNTHESIS. 2002 , 257, 157-175	12
440	Multivariable feedback control design for high-precision wafer stage motion. 2002 , 10, 739-755	105
439	H_∞ robust control design for unsupported paraplegic standing: experimental evaluation. 2002 , 10, 1211-1222	16
438	Logarithmic integrals and system dynamics: an analogue of Bode's sensitivity integral for continuous-time, time-varying systems. 2002 , 343-344, 451-471	17
437	Robust output feedback stabilization via risk-sensitive control. 2002 , 38, 945-955	7
436	A cross-coupling controller using an H_2 scheme and its application to a two-axis direct-drive robot. 2002 , 19, 483-497	6
435	Robust control of forward-looking models. 2003 , 50, 581-604	82
434	On the formulation and solution of robust performance problems. 2003 , 39, 1707-1720	14
433	Nonlinear extension of Bode's integral based on an information-theoretic interpretation. <i>Systems and Control Letters</i> , 2003 , 50, 11-19	2.4 43
432	Robust nonlinear ship course-keeping control by H_2/H_∞ linearization and \mathcal{H}_2 synthesis. 2003 , 13, 55-70	15
431	Fixed-order H_2 control design via a partially augmented Lagrangian method. 2003 , 13, 1137-1148	73
430	H_2 performance of preview control systems. 2003 , 39, 693-701	66
429	Kharitonov-like theorems for robust performance of interval systems. 2003 , 279, 430-441	5
428	Integrated Design of Smart Structures Controlled by H_2 Optimal Controllers. 2003 , 9, 392-406	1
427	Design of reduced-order controller by using real-coded genetic algorithm.	0
426	Formulas on preview and delayed $H_2/spl infin//$ control.	8

- 425 On strong stabilization and H_{∞} strong stabilization problems. 2
- 424 Characterization of the optimal disturbance attenuation for nonlinear stochastic uncertain systems. 4
- 423 A simple derivation of ARE solutions to the standard H_{∞} control problem based on LMI solution.
- 422 Overview of Advanced Control Trends for Aerospace Missions. **2003,**
- 421 The robust controller design for lateral control of vehicles.
- 420 Robust control synthesis method for the satellite.
- 419 On Uniqueness of Central H_{∞} Controllers in the Chain-Scattering Framework. **2003,** 36, 1-6 1
- 418 A Linear Matrix Inequalities Approach to H_{∞} Adjustment. **2003,** 36, 407-412
- 417 Relation between uncertainty structures in identification for robust control. **2003,** 36, 33-38 1
- 416 Fixed-Order H_{∞} Control Design via a Partially Augmented Lagrangian Method. **2003,** 36, 69-74 1
- 415 Applications Of Robust Control To Nonlinear Systems. **2004,** 19
- 414 Risk-sensitive optimal control of quantum systems. **2004,** 69, 69
- 413 Nonlinear H_{∞} Control Of A Uav. **2004,** 111-131
- 412 Relations between information theory, robustness, and statistical mechanics of stochastic systems. **2004,** 4
- 411 Unified, periodic & sampled data H_{∞} control using the delta operator. **2004,** 1
- 410 Introduction To Robust Control. **2004,** 1-2
- 409 FEEDBACK STABILIZATION, EIGENVALUE ASSIGNMENT, AND OPTIMAL CONTROL. **2004,** 343-404 1
- 408 Design of a broadband active silencer using \mathcal{B} -synthesis. **2004,** 269, 113-133 1

- 407 The development of generator modeling techniques for multimode oscillations and study of generator H_∞ control design method for robust control. **2004**, 147, 42-52
- 406 Some applications of small gain theorem to interconnected systems. *Systems and Control Letters*, **2004**, 52, 263-273 2.4 27
- 405 On the relation between robust and Bayesian decision making. **2004**, 28, 2105-2117 11
- 404 A linear motor damper for vibration control of steel structures. **2004**, 14, 1157-1181 13
- 403 Selection of a single uniquely specifiable H_∞ controller in the chain-scattering framework. **2004**, 40, 985-994 6
- 402 Reduced-order H/sub /spl infin// controller synthesis using a real-coded genetic algorithm.
- 401 Strengthened H/sup /spl infin// control via state feedback: a majorization approach using algebraic Riccati inequalities. **2004**, 49, 824-827 4
- 400 H/sub /spl infin// controller order reduction due to stable invariant zeros and its application to a magnetic suspension system.
- 399 A Survey of Model Reduction by Balanced Truncation and Some New Results. **2004**, 77, 748-766 474
- 398 A chain-scattering matrix approach to the H_∞ output feedback control for state-delayed systems. **2004**, 77, 1373-1381 2
- 397 Robust Discrete-Time H_∞ Control for Unsupported Paraplegic Standing: Experimental Results. **2004**, 10, 275-284 6
- 396 On a General Structure of the Stabilizing Controllers Based on Stable Range. **2004**, 42, 2264-2285 31
- 395 Optimization of fully observable nonlinear stochastic uncertain controlled diffusion: monotonicity properties and optimal sensitivity. **2004**, 1 1
- 394 H(Infinity) Optimal Control. **2004**, 17-39 1
- 393 Nonlinear H(Infinity) Control. **2004**, 53-92
- 392 Direct Approach To Nonlinear H(Infinity) Control. **2004**, 93-110
- 391 Hardware Implementation Example. **2004**, 139-153
- 390 Subject Index. **2004**, 171-174

389 Describing Function. **2004**, 3-16

388 Table Of Contents. **2004**, i-xvi

387 Quantitative Feedback Theory Applied to Orbital Rendezvous. **2004**, 37, 321-326

386 Generalized Stochastic Gradient Learning. **2005**, 11

385 Relations between uncertainty structures in identification for robust control. **2005**, 41, 439-457 53

384 On the worst-case disturbance of minimax optimal control. **2005**, 41, 847-855 13

383 An application of fault detection and isolation to a transport aircraft. **2005**, 13, 105-119 107

382 Mixed H_2/H_∞ Controller Design for Active Hydro-pneumatic Suspensions. **2005**,

381 H_∞ active minimization of acoustic energy in a sound field through common acoustical pole and zero modeling. **2005**, 26, 423-431

380 Design of H_∞ feedback controller and IP-position controller of PMSM servo system. 9

379 L_2 nonlinear control of EDFA system with amplified spontaneous emission. 1

378 Robust design of a damping controller for AC/DC power system using μ -synthesis. **2005**,

377 Input-output selection for planar tensegrity models. **2005**, 13, 778-785 22

376 Analysis and synthesis of nested feedback systems. **2005**, 50, 984-996 7

375 Robust Control Design with MATLAB . **2005**, 2

374 Control Design of a Mars Ascent Vehicle. **2006**, 1

373 H_∞ control for multiple state-delayed systems: A coprime factorization approach. **2006**, 29, 201-210 1

372 Formulas on Preview and Delayed H^∞ Control. **2006**, 51, 1920-1937 45

371	Controller Design via Nonsmooth Multidirectional Search. 2006 , 44, 1923-1949		39
370	An EDFA \mathcal{H}_∞ Controller for Suppression of Power Excursions Due to Pilot Tones and Network Traffic. 2006 , 18, 1916-1918		6
369	. 2006 , 54, 499-511		12
368	Plurilinear Modeling and discrete \mathcal{E} Synthesis Control of a Hysteretic and Creeped Unimorph Piezoelectric Cantilever. 2006 ,		11
367	A robust control method for seismic protection of civil frame building. 2006 , 294, 314-328		23
366	A simple derivation of ARE solutions to the standard control problem based on LMI solution. <i>Systems and Control Letters</i> , 2006 , 55, 487-493	2.4	6
365	Robust ISI equalization for uncertain channels via minimax optimal filtering. 2006 , 20, 99-122		5
364	Implementation of a Feasible Control Design Process Incorporating Robustness Criteria for Wind-Excited High-Rise Buildings. 2006 , 132, 89-101		2
363	LMI-based neurocontroller for guaranteed cost control of uncertain servo system. 2006 ,		1
362	Application of \mathcal{H}_∞ Control for Suppression of Power Excursions due to Pilot Tones and Network Traffic in Optical Amplifiers. 2006 ,		1
361	Performance evaluation of a multi-agent risk-sensitive tracking system. 2007 ,		1
360	Modelling and \mathcal{H}_∞ Force control of a nonlinear piezoelectric cantilever. 2007 ,		6
359	Servo Control of the GS16 Turbine Gas Metering Valve by Physics-Based \mathcal{E} Synthesis. 2007 ,		
358	Modelling and Robust Position/Force Control of a Piezoelectric Microgripper. 2007 ,		25
357	Robust \mathcal{H}_∞ controller of tubular linear induction motor with an artificial neural network compensator. 2007 ,		1
356	Robust \mathcal{H}_∞ Trajectory Tracking Controller for a 6 D.O.F PUMA 560 Robot Manipulator. 2007 ,		6
355	(\mathcal{H}_∞) Control Design. 2007 , 3-45		
354	Output Feedback (\mathcal{H}_∞) Loop-Shaping Controller Synthesis. 2007 , 175-194		2

353	Dynamic Compensator for a Synthetic-Jet-Like Compression Driver Actuator in Closed-Loop Cavity Flow Control. 2007,	2
352	Stable controller design for MIMO systems: an LMI approach. 2007, 1, 817-829	6
351	H_2 deflection control of a unimorph piezoelectric cantilever under thermal disturbance. 2007,	4
350	Stochastic Uncertain Systems Subject to Relative Entropy Constraints: Induced Norms and Monotonicity Properties of Minimax Games. 2007, 52, 647-663	35
349	Robust modal vibration suppression of a flexible rotor. 2007, 21, 334-347	15
348	A robust numerical method for the μ iteration in H_∞ control. 2007, 425, 548-570	27
347	On the relationship between the problem of anisotropy-based controller synthesis and classical optimal control problems. 2007, 68, 1594-1603	3
346	Evolutionary design and implementation of a hard disk drive servo control system. 2007, 11, 131-139	5
345	Robust reliability-based design of liquid column mass dampers under earthquake excitation using an analytical reliability approximation. 2007, 29, 3525-3537	44
344	Induced H_∞ norm FIR filter for recovering MPSK-type modulus signals. 2008, 88, 2731-2737	2
343	ROBUST NONLINEAR CONTROLLER DESIGN FOR A LONGITUDINAL FLIGHT CONTROL PROBLEM. 2008, 2, 111-121	5
342	Descriptor Form All Solutions H_∞ Controller Formulae: A Matrix Pencil Approach. 2008,	
341	Space Vehicle Dynamics and Control, Second Edition. 2008,	201
340	Optimal risk-sensitive filtering and control for linear stochastic systems. 2008,	1
339	Risk-Sensitive Approach to Optimal Filtering and Control for Linear Stochastic Systems. 2008,	
338	H_2 and H_∞ robust autopilot synthesis for longitudinal flight of a special unmanned aerial vehicle: a comparative study. 2008, 2, 583-594	30
337	Robust stability condition for a class of time-delay plants with uncertainty. 2008,	0
336	The Mixed H_2/H_∞ initial controller for Enhancing the Youla Parameterization via LMI Optimization. 2008,	

335	Servocontrol of the GS16 Turbine Gas Metering Valve by Physics-Based Robust Controller Synthesis. 2008 , 130,	
334	Dynamic Compensation of a Synthetic Jetlike Actuator for Closed-Loop Cavity Flow Control. 2008 , 46, 232-240	4
333	The vibration control of speed-dependent flexible rotor/magnetic bearing systems using linear matrix inequality gain-scheduled H_{∞} design. 2008 , 222, 97-107	4
332	Robust torque tracking control for E-IVT hybrid powertrain. 2008 , 41, 6428-6433	1
331	Robust feedforward-feedback control of a hysteretic piezocantilever under thermal disturbance. 2008 , 41, 13725-13730	3
330	Multivariable torque tracking control for E-IVT hybrid powertrain. 2009 , 40, 1181-1195	7
329	On the Estimation of Parameters of Takagi-Sugeno Fuzzy Filters. 2009 , 17, 150-166	13
328	A pseudo- H_{∞} control theory and its application to the control of pendulum-like nonlinear systems. 2009 ,	
327	On the Use of Actively Controlled Auxiliary Bearings in Magnetic Bearing Systems. 2009 , 131,	5
326	Achievement of low-sensitivity characteristics and robust stability condition for multi-variable systems having an uncertain number of right half plane poles. 2009 ,	
325	Problem 8.2 Non-iterative computation of optimal value in H_{∞} control. 2009 , 271-275	
324	H_{∞} Controller Synthesis Versus Reliability-Based Design Optimization for Active Trussed Architectures. 2009 ,	
323	Quadrilateral Modelling and Robust Control of a Nonlinear Piezoelectric Cantilever. 2009 , 17, 528-539	77
322	Optimal risk-sensitive controller for first degree stochastic polynomial systems. 2009 ,	
321	Robust H_{∞} controller design for a DC motor supplied by an AC-DC power converter. 2009 ,	2
320	Motion control of an oscillatory-base manipulator in the global coordinates. 2009 ,	3
319	Characterization, modeling and robust control of a nonlinear 2-dof piezocantilever for micromanipulation/microassembly. 2009 ,	3
318	Robust low-order controller synthesis for model matching of interval plants and its application to servo motor control. 2009 ,	

317	Optimal risk-sensitive control for bilinear stochastic systems. 2009,	
316	The Modified Optimal H_{∞} Control Problem for Descriptor Systems. 2009, 47, 2795-2811	18
315	Using Particle Swarm Optimization for Reduced Order H_2 Synthesis. 2009, 42, 46-51	4
314	Particle Swarm Optimization Based Tuning of a Modified Smith Predictor for Mold Level Control in Continuous Casting. 2009, 42, 203-208	2
313	Force control in piezoelectric microactuators using self scheduled H_2 technique. 2010, 43, 417-422	7
312	Robust Adaptive Disturbance Compensation for Ship-based Rotorcraft. 2010,	3
311	Semi-Active Suspension Control System Design for Vibration Reduction of Passenger's Body Based on Lissajous Figure of Damping Force(Dynamics & Design Conference 2009). 2010, 76, 1139-1147	
310	Robust Active Suspension Control for Vibration Reduction of Passenger's Body(Mechanical Systems). 2010, 76, 380-387	2
309	Active Suspension Control Considering Lateral Vehicle Dynamics due to Road Input(Mechanical Systems). 2010, 76, 3558-3566	1
308	Robust control of multistage printing systems. 2010, 18, 219-229	15
307	Convexification for data fitting. 2010, 46, 307-315	8
306	A differential game formulation of a controlled network. 2010, 64, 325-358	6
305	Controller Design for Flexible Structures. 321-388	
304	A steam generator model identification and robust H_2 controller design with H_{∞} gap metric for a feedwater control system. 2010, 37, 180-195	14
303	Robust control of doubly fed induction generator for stand-alone applications. 2010, 80, 230-239	21
302	GENERALIZED STOCHASTIC GRADIENT LEARNING*. 2010, 51, 237-262	34
301	. 2010,	18
300	Risk-sensitive control design and application to monoaxial satellite. 2010,	

299	Risk-sensitive optimal feedback control accounts for sensorimotor behavior under uncertainty. 2010 , 6, e1000857	52
298	Positive real and bounded real balancing for model reduction of descriptor systems. 2010 , 83, 74-88	51
297	Sliding mode robust guaranteed cost control for uncertain stochastic nonlinear jump systems. 2010 ,	1
296	H ∞ Estimation: an Alternative to Kalman Filtering?. 2010 , 285-313	
295	Dynamic displacement self-sensing and robust control of cantilever piezoelectric actuators dedicated for microassembly. 2010 ,	12
294	Robust coordinated control of hot strip mill multivariable system. 2010 ,	
293	Performance Enhancement for AMB Systems Using Unstable H_{∞} Controllers. 2011 , 19, 1479-1492	42
292	H-Infinity gain scheduling design for the meridian UAS for a broader range of operation and for fault tolerant applications. 2011 ,	
291	New approaches for H ∞ performance preserving controller reduction. 2011 ,	2
290	Synthesis of decoupling controller for non-minimum phase plants of different pole numbers on RHP within uncertainties. 2011 , 42, 939-950	3
289	Robust Feedforward-Feedback Control of a Nonlinear and Oscillating 2-DOF Piezocantilever. 2011 , 8, 506-519	50
288	Robust sensorless control of PMSG with MRAS in variable speed wind energy conversion system. 2011 ,	1
287	On performance and optimality tradeoffs in guidance and control law design. 2011 , 44, 10988-10993	
286	Semi-Active Suspension Control System Design for Vibration Reduction of Passenger's Body Based on Lissajous Figure of Damping Force. 2011 , 5, 279-295	5
285	Dissipativity and risk-sensitivity in control problems. 2011 , 72, 2196-2209	
284	A linear matrix inequality approach to parametric H ∞ loop shaping control. 2011 , 348, 1832-1846	5
283	Dynamic switching surfaces for output sliding mode control: An . 2011 , 47, 1957-1961	19
282	Stochastic feedback and its relation to the entropy criterion. 2011 , 47, 618-620	

281	Particle swarm optimization based tuning of a modified smith predictor for mould level control in continuous casting. 2011 , 21, 263-270	17
280	Reduced order H_2 stable controllers. 2011 ,	0
279	H_2 Control of a Rotor-magnetic Bearing System Based on Linear Matrix Inequalities. 2011 , 17, 291-300	11
278	An Adaptive Multi-Objective Controller for Flexible Rotor and Magnetic Bearing Systems. 2011 , 133,	7
277	Optimal Control Techniques. 2011 , 29-102	1
276	Architecture, constraints, and behavior. 2011 , 108 Suppl 3, 15624-30	104
275	Comparison between H_2 and H_2 Optimal Control Solutions for a Combined Energy and Attitude Control System. 2012 , 225, 464-469	1
274	A generalized sector bound approach to feedback stabilization of nonlinear control systems. 2012 ,	
273	Application of an H_2 control strategy to the parallel Delta. 2012 ,	0
272	Multi- H_2 controller design and illustration on an overhead crane. 2012 ,	
271	Controllability analysis of severe slugging in well-pipeline-riser systems. 2012 , 45, 101-108	5
270	Constrained Reduced Order H_2 Synthesis with Optimal Filter Tuning Using Particle Swarm Optimization. 2012 , 45, 707-712	
269	Strategies for Control of Energy on a Simplified Model of a Robotic Fish. 2012 , 45, 13-18	
268	Fixed Structure Flight Control Design of an Over-actuated Aircraft in the Presence of Actuators with Different Dynamic Performance. 2012 , 45, 127-132	
267	Comparison Study of Lateral Flight Technical Error Due to Turbulence in Performance Based Navigation. 2012 ,	
266	A Controller Design Method for Flexible Multibody System Expressed by ANCF (Location and Vibration Control of Flexible Beam). 2012 , 78, 1553-1564	2
265	Suppression of cross-track vibrations using a self-sensing micro-actuator in hard disk drives. 2012 , 18, 1309-1317	6
264	Origins of robust control: Early history and future speculations. 2012 , 36, 173-181	42

- 263 Mechatronic Design of Flexible Manipulators**Advanced studies of Flexible Robotic Manipulators, Fei-Yue Wang and Yanqing Gao, Copyright © 2003, Reproduced with permission from World Scientific Publishing Co. Pte. Ltd.. **2012**, 185-249
- 262 Optimal control of an autonomous underwater vehicle. **2012**, 2
- 261 . **2012**, 61, 1543-1553 6
- 260 Employing Kronecker Canonical Form for LMI-Based H_{∞} Synthesis Problems. **2012**, 57, 2062-2067 3
- 259 LQ optimal and risk-sensitive control for vehicle suspensions. **2012**, 2
- 258 Solution of the H_{∞} optimization problems on the basis of the principle of separation. **2012**, 73, 56-73 3
- 257 Small noise methods for risk-sensitive/robust economies. **2012**, 36, 468-500 25
- 256 Risk-sensitive control for a class of nonlinear systems with multiplicative noise. *Systems and Control Letters*, **2013**, 62, 988-999 2.4 5
- 255 Track-Following Control of Four-Bar Structured HDD via Parameter-Dependent Low-Frequency Precompensation. **2013**, 49, 2731-2737 1
- 254 H_{∞} control option for a combined energy and attitude control system. **2013**, 52, 1378-1383 9
- 253 Bibliography. **2013**, 255-258
- 252 Controller order reduction techniques for loop shaping procedure. **2013**,
- 251 Application of the mixed sensitivity problem H_{∞} ; and H_2 to the parallel Delta. **2013**, 0
- 250 Exploiting market fluctuations and price volatility through feedback control. **2013**, 51, 181-186 2
- 249 Thermodynamics as a theory of decision-making with information-processing costs. **2013**, 469, 20120683 95
- 248 (\mathcal{H}_{∞}) Design. **2013**, 31-48 1
- 247 Biomimetic Robotics. **2013**, 81-105 3
- 246 Adaptive and Resilient Flight Control System for a Small Unmanned Aerial System. **2013**, 2013, 1-25 4

245	Pilot-Induced Oscillations Prevention Using Anti-Windup Compensation in the Presence of Time-Delay. 2013 , 325-326, 1262-1266	
244	Dynamics and robust control of underwater vehicles for depth trajectory following. 2013 , 227, 107-113	1
243	Dynamic Modeling, Simulation and Control of Energy Generation. 2013 ,	6
242	Robust Control of Robotic Manipulators with Structural Flexibilities. 2013 , 349-382	
241	Closed-loop and robust control of quantum systems. 2013 , 2013, 869285	11
240	Bibliography. 2013 , 115-125	
239	Mini-max feedback control as a computational theory of sensorimotor control in the presence of structural uncertainty. 2014 , 8, 119	6
238	. 2014 ,	
237	Robust Ensemble Kalman Filter Based on Exponential Cost Function. 2014 , 16, 1522-1531	3
236	Output-feedback control for a class of Markovian jump non-linear systems under a risk-sensitive cost criterion with unknown transition probabilities. 2014 , 8, 503-514	3
235	H _∞ feedback control for Parallel mechanism and application to delta robot. 2014 ,	4
234	A CSD Approach to H-Infinity Controller Synthesis. 2014 , 267-302	1
233	CSD Approach to Stabilization Control and H ₂ Optimal Control. 2014 , 211-265	
232	Generalised Risk-Sensitive Control with Full and Partial State Observation. 2014 , 13, 87-101	0
231	Solution of large generalized H _∞ algebraic Riccati equations. 2014 , 5, 517-526	3
230	Robust adaptive speed control of uncertain hybrid electric vehicle using electronic throttle control with varying road grade. 2014 , 76, 305-321	29
229	Multi-objective evolutionary design of robust controllers on the grid. 2014 , 27, 17-27	10
228	Low order H _∞ controllers for a quadrotor UAV. 2014 ,	1

227	Robust semi-active control for uncertain structures and smart dampers. 2014 , 23, 095040	11
226	H _∞ -based position control of a 2DOF piezocantilever using magnetic sensors. 2014 ,	
225	Robust and Optimal Control. 2014 ,	11
224	Robust Control of a MEMS Probing Device. 2014 , 19, 100-108	14
223	Some Results on Optimal Control for a Partially Observed Linear Stochastic System with an Exponential Quadratic Cost. 2014 , 47, 8695-8698	2
222	A comparison between Internal Model Control, optimal PIDF and robust controllers for unstable flow in risers. 2014 , 47, 5752-5759	3
221	Risk-Sensitive Model Predictive Control with Gaussian Process Models**This research was supported by EU Framework Programme 7, project 314544, RECONFIGURE: Reconfiguration of Control in Flight for Integral Global Upset Recovery, the Cambridge Overseas Trust, and by the China Scholarship Council.. 2015 , 48, 374-379	6
220	LMI-based control law for variable-speed control moment gyros in flexible spacecraft. 2015 , 3, 246	
219	Dimension reduction method for controller design for flexible multibody systems derived by the use of ANCF model. 2015 , 81, 15-00027-15-00027	
218	Bibliography. 2015 , 409-412	
217	Approach to imitate maneuvering of lunar roving vehicle under lunar gravity using a terrestrial vehicle. 2015 , 30, 383-398	5
216	Multivariable feedback control in stage synchronization. 2015 ,	1
215	A new approach to risk sensitivity. 2015 , dnv054	
214	Closed-Loop Turbulence Control: Progress and Challenges. 2015 , 67,	241
213	Bank of . 2015 , 60-61, 678-694	6
212	Anti-slug control solutions based on identified model. 2015 , 30, 58-68	8
211	Design of an H _∞ controller for the Delta robot: experimental results. 2015 , 29, 1165-1181	21
210	Adaptive H _∞ control of large wind turbines. 2015 ,	

209	H _∞ control for a smart micro-positioning system with an analytical model for the output of the inverse compensation. 2015,	
208	. 2015,	5
207	Robust PID control for a wastewater treatment based on genetic algorithm and small-gain approach. 2015,	
206	Robust \mathcal{H}_2 synthesis Loop Shaping for Altitude Flight Dynamics of a Flying-Wing Airframe. 2015, 79, 259-273	14
205	Design of parameter-scheduled state-feedback controllers using shifting specifications. 2015, 352, 93-116	13
204	Simultaneous Displacement/Force Self-Sensing in Piezoelectric Actuators and Applications to Robust Control. 2015, 20, 519-531	76
203	The Mixed Robust \mathcal{H}_2 /FTS Control Problem Analysis and State Feedback Control. 2016, 18, 828-841	2
202	Characterization, Modeling and H _∞ control of n-DOF Piezoelectric Actuators: application to A 3-DOF Precise Positioner. 2016, 18, 1239-1258	5
201	Robust controller design for a heat exchanger using \mathcal{H}_2 , $\mathcal{H}_\infty/\mathcal{H}_2$ / \mathcal{H}_∞ and \mathcal{H}_∞ synthesis approaches. 2016, 9, 184-193	6
200	Robust Control Design for Load Reduction on a Liberty Wind Turbine. 2016,	1
199	H _∞ Tracking Control for Magnetically Controlled Nano-satellite. 2016, 49, 166-172	2
198	Structured \mathcal{H}_∞ synthesis for flexible launcher control. 2016, 49, 450-455	1
197	(\mathcal{H}_∞) Loop Shaping Control Under Parametric and Nonparametric Uncertainties: A Case Study. 2016, 27, 506-514	1
196	Dual-loop H _∞ controller design for a grid-connected single-phase photovoltaic system. 2016, 139, 640-649	8
195	Introduction. 2016, 1-22	
194	Linear Control Systems. 2016, 23-86	
193	References. 2016, 450-454	
192	Sampled Data Robust Control of an Under-Actuated Electromechanical System with Input Delay. 2016, 42, 01004	

191	Nonlinear Modal Aeroservoelastic Analysis Framework for Flexible Aircraft. 2016 , 54, 3075-3090	32
190	Robust Control Design for Active Flutter Suppression. 2016 ,	31
189	Robust Motion Control of Oscillatory-Base Manipulators. 2016 ,	4
188	Further Results on Hysteresis Compensation of Smart Micropositioning Systems With the Inverse Prandtl-Bhlinkii Compensator. 2016 , 24, 428-439	61
187	New LMI based gain-scheduling control for recovering contact-free operation of a magnetically levitated rotor. 2017 , 96, 104-124	12
186	A self-learning disturbance observer for nonlinear systems in feedback-error learning scheme. 2017 , 62, 276-285	17
185	LPV control of a tensegrity-membrane system. 2017 , 95, 397-424	13
184	Speed Control of an Uncertain Heavy-Duty Vehicle Using Improved IMC Technique. 2017 , 42, 2981-2991	3
183	Series Active Variable Geometry Suspension application to comfort enhancement. 2017 , 59, 111-126	14
182	Underwater Vehicle near-surface dynamic positioning: Compensating sliding mode trajectory with robust optimal controller. 2017 ,	
181	A gyro-stabilized platform leveling loop for marine gravimeter. 2017 , 88, 064501	1
180	Robustified fractional-order controller based on adjustable fractional weights for a doubly fed induction generator. 2017 , 39, 660-674	6
179	Design of robust fractional order PID controller using fractional weights in the mixed sensitivity problem. 2017 ,	2
178	Study on low-sensitivity control system with robust stability for minimum-phase and multivariable systems using multiplex-feedback control system. 2017 ,	0
177	Adaptive Biomedical Treatment and Robust Control. 2017 , 50, 12191-12196	0
176	Model based control of 3 DOF parallel delta robot using inverse dynamic model. 2017 ,	3
175	25 Years Ago [25 Years Ago]. 2017 , 37, 12-101	
174	Event-triggered output-feedback H _∞ control with minimum directed information. 2017 ,	

173	Active vibration control of an aluminum beam [An experimental testbed for distributed vs. centralized control. 2017 ,	0
172	Data-driven H^∞ controller tuning for sensitivity minimisation. 2017 , 7, 337	1
171	Integrated multiple-model adaptive fault identification and reconfigurable fault-tolerant control for Lead-Wing close formation systems. 2018 , 49, 701-717	5
170	Seismic upgrade of structures using the H_2 control problem for a general system interconnection paradigm. 2018 , 25, e2162	3
169	Zero Shaping of Nonminimum Phase Aircraft Dynamics. 2018 ,	2
168	Robust autopilot design for landing a large civil aircraft in crosswind. 2018 , 76, 54-64	15
167	Output regulation in the presence of quadratically bounded parameter uncertainties. 2018 , 12, 700-706	2
166	H_∞ loop-shaping controller design for a grid-connected single-phase photovoltaic system. 2018 , 11, 196-204	6
165	A robustification of the two degree-of-freedom controller based upon multivariable generalized predictive control law and robust H_2 control for a doubly-fed induction generator. 2018 , 40, 1005-1017	12
164	Bruce Francis and H-infinity Control [Historical Perspectives]. 2018 , 38, 100-101	
163	Output Regulation for a Class of Parameter Uncertain Systems. 2018 , 51, 602-607	
162	References. 2018 , 159-166	
161	H-Infinity Control. 2018 , 1-14	
160	Robust feedback control of convective drying of particulate solids. 2018 , 69, 86-96	7
159	Application of H_2 Robust Control on a Scaled Offshore Oil and Gas De-Oiling Facility. 2018 , 11, 287	11
158	Energy-based comparative analysis of optimal active control schemes for clustered tensegrity structures. 2018 , 25, e2215	9
157	H_2 Robust Control of a Large-Piston MEMS Micromirror for Compact Fourier Transform Spectrometer Systems. 2018 , 18,	7
156	Fundamental limitations. 2019 , 847-974	1

155	Robust control synthesis using coefficient diagram method and $\bar{\mu}$ -analysis: an aerospace example. 2019 , 7, 595-606	3
154	The Influence of the Vibration Suppression on the Rotor Crack Detection Performance. 2019 , 175-189	
153	Introduction. 2019 , 1-26	
152	Guaranteed Cost Controls. 2019 , 133-185	
151	Centralized Control of Helicopters with Manipulators. 2019 , 127-146	
150	Adaptive optimal control for seismically excited structures. 2019 , 106, 102885	5
149	Design and Comparison of H_2/H_∞ Controllers for Frigate Rudder Roll Stabilization. 2019 , 18, 492-509	1
148	Task-Driven Estimation and Control via Information Bottlenecks. 2019 ,	0
147	Control method for EV charging and discharging in V2G/V2H scenario based on the synchronous technology and H_∞ repetitive control. 2019 , 2019, 1350-1355	4
146	LFT-Structured Uncertainty State-Space Modeling for State Feedback Robust Control of the Ultra-Precision Wafer Stage. 2019 , 66, 8567-8577	4
145	Data-Driven Tuning of Stable Minimum Phase H_∞ Controller. 2019 ,	
144	Robust Real-Time Inverter-Based Reactive Power Compensation. 2019 ,	1
143	Stabilising control strategy for cyber-physical power systems. 2019 , 4, 265-275	8
142	The low-sensitivity control with robust stability using Multiplex-feedback control system for a time-delay plant having a varying number of unstable poles. 2019 ,	
141	Study on low-sensitivity control system with robust stability for time-delay plants using double feedback control system. 2019 ,	
140	A study of minimax LEQG control with constant-constrained Renyi divergence. 2019 , 2019, 29-33	
139	Robustification of the generalized predictive law (GPC) by the implicit application of the H_∞ method. 2019 ,	
138	Optimal stochastic regulators with state-dependent weights. <i>Systems and Control Letters</i> , 2019 , 134, 104522	2.4 1

137	Space Micro-launcher H _∞ Control Under Parametric Modeling Uncertainties. 2019 , 52, 91-96	1
136	Control for four-wheel independently driven electric vehicles to improve steering performance using H _∞ and MoorePenrose theory. 2019 , 233, 1466-1479	2
135	Dynamic output feedback H design in finite-frequency domain for constrained linear systems. 2020 , 96, 185-194	2
134	. 2020 , 56, 2656-2665	3
133	Sector bounds in stability analysis and control design. 2020 , 30, 7857-7882	1
132	On the Convergence of the Iterative Linear Exponential Quadratic Gaussian Algorithm to Stationary Points. 2020 ,	2
131	Robust Modal Damping Control for Active Flutter Suppression. 2020 , 43, 1056-1068	8
130	On the singular risk-sensitive stochastic maximum principle. 2020 , 1-11	0
129	Adaptive treatment and robust control. 2021 , 77, 223-236	
128	Robust Control Design Toolbox for General Time Delay Systems via Structured Singular Value: Unstable Systems with Factorization for Two-Degree-of-Freedom Controller. 2021 ,	0
127	In Between the (LQG/H ₂)- and (H _∞)-Control Theories. 2021 , 82, 565-618	1
126	A generalization of Bellman's equation with application to path planning, obstacle avoidance and invariant set estimation. 2021 , 127, 109510	2
125	Field testing of multi-variable individual pitch control on a utility-scale wind turbine. 2021 , 170, 1245-1256	7
124	317 Gb/in ² Recording Areal Density on Strontium Ferrite Tape. 2021 , 57, 1-11	4
123	Model-Based Aeroengine Nonlinear Set Point Control. 2022 , 63-128	
122	A Unified Framework for the H _∞ Mixed-Sensitivity Design of Fixed Structure Controllers through Putinar Positivstellensatz. 2021 , 9, 176	0
121	Experimental model-based closed-loop control of a separated boundary layer at high Reynolds number. 2021 ,	0
120	Classical Risk-Averse Control for a Finite-Horizon Borel Model. 2021 , 1-1	1

119	Stochastic control and large deviations. 1992 , 291-300	4
118	Introduction and Literature Survey of Statistical Control: Going Beyond the Mean. 2008 , 3-27	0
117	Multiplant Robust Control. 2012 , 343-376	1
116	Frequency Domain Solution of the Standard H _∞ Problem. 1996 , 57-105	4
115	Mixed H ₂ /H _∞ Control. 1995 , 173-216	45
114	H _∞ Optimal Control of Singularly Perturbed Systems with Sampled-State Measurement. 1994 , 23-55	6
113	Nonlinear State Space H _∞ Control Theory. 1993 , 153-190	41
112	Cumulants and Risk-Sensitive Control: A Cost Mean and Variance Theory with Application to Seismic Protection of Structures. 2000 , 427-459	13
111	Risk Sensitive Markov Decision Processes. 1997 , 263-279	25
110	Nonlinear H _∞ Control Theory: A Literature Survey. 1990 , 1-12	1
109	Contractive Completion of Block Matrices and its Application to H _∞ Control of Periodic systems. 1996 , 263-281	1
108	Active Vibration Isolation of a Flexible Rotor Being Subject to Unbalance Excitation and Gyroscopic Effect Using (\mathcal{H}_{∞}) -Optimal Control. 2015 , 1727-1739	3
107	System Identification with Information Theoretic Criteria. 1996 , 289-338	17
106	A TUTORIAL ON LOOP SHAPING USING H-INFINITY ROBUST STABILIZATION. 1991 , 117-126	1
105	Robust Control Design Using Parameter Optimization Techniques. 1993 , 56, 395-442	2
104	Dynamic Systems Control. 2008 , 121-218	1
103	Optimal Projection Approach To Robust Fixed-Structure Control Design. 1990 , 237-293	1
102	A Study on the Position-Synchronous Control of Coupling Structure by H _∞ Approach. 2002 , 26, 2052-2059	1

- 101 A Study on Construction of Synchronous Control System for Extension and Stability. **2002**, 26, 1135-1142 4
- 100 Simplified Matrix Pencil All-Solutions H ∞ ; Controller Formulae. **2008**, 1, 137-142 3
- 99 Track-following system optimization for future magnetic tape data storage. **2021**, 80, 102662
- 98 Robust Control. **2000**, 199-251
- 97 Robust Monetary Policy with Misspecified Models : Does Model Uncertainty Always Call for Attenuated Policy?. **2000**, 2000, 1-46 1
- 96 Feedback active noise control system based on H ∞ control.. **2001**, 22, 437-438
- 95 Worst-Case Optimal Regulation of Linear Systems in the Presence of Structured Perturbations. **2001**, 45-64
- 94 Optimale Regelung. **2002**, 245-290
- 93 Soft-Constrained Feedback Nash Equilibria. **2003**, 23-28
- 92 Analysis of Weight Change in H ∞ Control Design. **2003**, 121-138
- 91 Modeling, Control and Experiment of a Feedback Active Noise Control System for Free Sound Fields. **2003**, 303-322
- 90 LMI-based H ∞ Robust Control of Asymmetric Rotor-magnetic Bearing System. **2003**, 13, 172-179 0
- 89 Vibration Control of Steel-Frame Structures by a Linear Motor Damper. **2003**, 7, 49-58
- 88 Uncertainty in a Fishery Management Game.
- 87 Suboptimal Design of An Augmented Automatic Choosing Control with Constrained Input by Using Hamiltonian and GA. **2004**, 124, 1841-1846
- 86 Preview Control and H ∞ ; Worst-Case Analysis. **2004**, 124, 1148-1155
- 85 On The Connection Between Riccati Inequalities And Equations In H ∞ Control Problems. **2004**, 351-366
- 84 References. **2004**, 165-169

- 83 Computer Algorithms. **2004**, 133-138
- 82 Piloted Aircraft Performance. **2004**, 155-164
- 81 Robustness Analysis Via Simplicial Algorithms. **2004**, 41-51
- 80 Cost-Cumulants and Risk-Sensitive Control. **2005**, 1061-1068 1
- 79 Controller Design and Stability Analysis of Affine System with Dead-Time. **2005**, 11, 93-102
- 78 Robust transaural sound reproduction system based on feedback control. **2010**, 31, 251-259 3
- 77 Multiple Simultaneous Specification Control of Antagonistic Actuation by Pneumatic Artificial Muscles. **2011**, 6, 34-41
- 76 Design of Robust Speed Controllers for Marine Diesel Engine. **2011**, 35, 820-828
- 75 Modeling and Robust H_{∞} Control of a Nonlinear and Oscillating 2-dof Multimorph Cantilevered Piezoelectric Actuator. **2013**, 61-88 0
- 74 Modelling and Simulation of Fuel Cells. **2013**, 271-321
- 73 Control Structures and Interpretations. 123-166
- 72 A J-Spectral Factorization Approach to H_{∞} Control. **1990**, 277-284
- 71 Design of Controllers for Active Suspension Systems. **1990**, 193-215
- 70 ROBUST CONTROL OF UNCERTAIN SYSTEMS BY DECENTRALIZED CONTROL. **1991**, 139-144
- 69 FUTURE DIRECTIONS IN H_{∞} ROBUST CONTROL THEORY. **1991**, 171-175
- 68 MIMIMAX CONTROLLERS FOR LTI PLANTS UNDER l_1 -BOUNDED DISTURBANCES. **1991**, 183-189
- 67 References. **1991**, 213-220
- 66 Equivalent Transformation of the Framework of Normalized Robust Control Systems. **1992**, 300-303

- 65 PARAMETERIZATIONS OF H_2 CONTROLLERS FOR NON-STANDARD PLANTS. **1992**, 227-232
- 64 Robust Stabilization Problem for a System with Delays in Control. **1992**, 304-307
- 63 Numerical Issues in Robust Control Design Techniques . **1993**, 55, 25-50
- 62 Robust Controller Design for LSS Attitude Control and Experimental Demonstration. **1993**, 883-888
- 61 Discrete-Time H_2 Control and Optimization. **1993**, 56, 519-567
- 60 Technical Preliminaries. **1994**, 5-38
- 59 A robust control design framework for substructure models with varying interface stiffness. **1994**,
- 58 RISK SENSITIVE GENERALIZATION OF MINIMUM VARIANCE ESTIMATION AND CONTROL **The authors wish to acknowledge the funding of the activities of the Cooperative Research Centre for Robust and Adaptive Systems by the Australian Commonwealth Government under the Cooperative Research Centres Program, and NSERC grant A7964. **1995**, 423-428
- 57 An Alternative Derivation of an Algebraic Riccati Equation in H_2 Control. **1995**, 77-80
- 56 Stochastic Efficiency. **1995**, 133-178
- 55 MULTIVARIABLE ACTIVE FLUTTER SUPPRESSION SYSTEMS USING H_2 CONTROL AND LQG WITH FREQUENCY-DEPENDENT WEIGHT SYNTHESSES. **1995**, 243-248
- 54 LMS is H_2 Optimal. **1995**, 65-88
- 53 Poles and Zeros of Linear Systems: An Invariant Approach. **1995**, 28, 383-388
- 52 A Game Theory Polynomial Solution to the H_2 Control Problem. **1996**, 143-170
- 51 Aeroservoelastic design and analysis by nonlinear optimization. **1996**,
- 50 Optimale Regelung. **1997**, 237-280
- 49 Robust Control of Reservoir Release Discharge Using Precipitation Data. **1998**, 4, 51-56
- 48 Some Topics in Stochastic Control Theory. **1998**, 1998, 163-170

47 Nonlinear H^∞ Control: A Stochastic Perspective. **1999**, 215-222

46 Radial Type Satellite Attitude Controller Design using LMI Method and Robustness Analysis. **2015**, 43, 998-1007 1

45 APPLICATION OF FUNDAMENTALS OF MECHATRONICS FOR THE DEVELOPMENT OF EFFECTIVE MANIPULATOR ON THE BASIS OF FLEXIBLE JOINTS. **2015**, 2, 849-852

44 Comparison Study of H-infinity Controller Design Algorithms for Spacecraft Attitude Control. **2016**, 44, 57-69

43 Dynamic Systems Control. **2016**, 121-217

42 A Survey on (H_{∞}) Control Techniques. **2020**, 797-804

41 . **2020**, 0

40 Policy Optimization for H_2 Linear Control with H_{∞} Robustness Guarantee: Implicit Regularization and Global Convergence. **2021**, 59, 4081-4109 4

39 Feedforward and H^∞ Feedback Robotic Force Control in a 1-dof Physical Interaction Using a Nonlinear Human Model. **2020**, 53, 8531-8537

38 Application of the H^∞ Control theory to space missions in engineering education. **2020**, 53, 17132-17137

37 Robust Stochastic Maximum Principle: A Measured Space as Uncertainty Set. **2002**, 385-397

36 Robust Control of a Distillation Column. **2007**, 289-327

35 Optimale Regelung. **2006**, 273-323

34 Optimale Regelung. **2008**, 279-329

33 H^∞ control for delay systems: characterization with finite-dimensional operations.

32 Risk-sensitive control of stochastic hybrid systems.

31 An integrated approach to modeling and control of flexible structures via L_1 loopshaping.

30 Numerical Optimization Approach for Robust Performance Controller Using Frequency Responses. **2021**, 141, 1360-1370

- 29 A New Framework for Artificial Bandwidth Extension Using H^∞ Filtering. **2022**, 41, 2898
- 28 Robust Reinforcement Learning: A Review of Foundations and Recent Advances. **2022**, 4, 276-315 1
- 27 Robust Dynamic Tracking Control of a Modal Parameter Varying Spacecraft avoiding Vibration. **2021**, 0
- 26 Communication Delay-Aware Network Topology Adaptation for Cooperative Control of Vehicular Platoons. **2021**,
- 25 On the existence of Equivalent-Input-Disturbance and multiple integral augmentation via H^∞ Synthesis for unmatched systems.. **2022**, 1
- 24 Robust multi-variable control of continuous yeast drying. **2022**, 114, 42-53
- 23 Development and experimental validation of a system for agricultural grain unloading-on-the-go. **2022**, 198, 107005 1
- 22 Practical Anti-windup for Open-loop Stable Systems under Magnitude and Rate Constraints: Application to Turbofan Engines. **2022**, 1-1
- 21 Risk-averse autonomous systems: A brief history and recent developments from the perspective of optimal control. **2022**, 103743 1
- 20 Robust and Gain-Scheduled Flight Control of Fixed-Wing UAVs in Wind and Icing Conditions. **2022**,
- 19 Numerical study of robust control for an AMB rotor with uncertain speed. **2022**,
- 18 The future of therapeutic peripheral nerve stimulation for chronic pain. **2022**, 0
- 17 Optimal sensor fusion method for active vibration isolation systems in ground-based gravitational-wave detectors. **2022**, 39, 185007 0
- 16 Design of a robust controller for a DC motor with structured uncertainties.
- 15 Introduction to Vibration and Noise Control Problems. **2022**, 1-23 0
- 14 Model-Free Synthesis via Adversarial Reinforcement Learning. **2022**, 0
- 13 Embracing Risk in Reinforcement Learning: The Connection between Risk-Sensitive Exponential and Distributionally Robust Criteria. **2022**, 0
- 12 Indefinite risk-sensitive control. **2022**, 100741 0

- 11 Ride Performance on Wheel Rotation Speed Driven Controlled Damper System. **2022**, 23, 1451-1470 ○
- 10 Structured Robust Control for the Aerodynamic Steering of Reusable Rockets. **2022**, 55, 31-36 ○
- 9 Automation of Agricultural Grain Unloading-on-the-go. **2022**, 55, 248-253 ○
- 8 Improved tracking performance by H control for an automatic spinach harvester. **2022**, 55, 265-270 ○
- 7 Steering Toward Normative Wide-Dynamic-Range Neuron Activity in Nerve-Injured Rats With Closed-Loop Peripheral Nerve Stimulation. **2022**, ○
- 6 Performance-Robustness Tradeoffs in Adversarially Robust Linear-Quadratic Control. **2022**, ○
- 5 Attitude Control for High Altitude Long Endurance Aircraft Considering Structural Load Limits. **2023**, ○
- 4 Robust risk-sensitive control. ○
- 3 Ergodic risk-sensitive control survey. **2023**, ○
- 2 Advanced control system: theory and application to nuclear reactors. **2023**, 393-524 ○
- 1 Unified-Loop Structured H-Infinity Control for Aerodynamic Steering of Reusable Rockets. **2023**, 46, 815-837 ○