

CITATION REPORT

List of articles citing

Thigmotaxis as a test for anxiolytic activity in rats

DOI: 10.1016/0091-3057(88)90413-3

Pharmacology Biochemistry and Behavior, 1988, 31, 959-62.

Source: <https://exaly.com/paper-pdf/19667899/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
490	Footshock-induced freezing behavior in rats as a model for assessing anxiolytics. <i>Psychopharmacology</i> , 1990 , 102, 492-7	4.7	63
489	Differential behavioural activation following intra-raphé infusion of 5-HT _{1A} receptor agonists. 1991 , 193, 351-6		33
488	Asymmetries in thigmotactic scanning: evidence for a role of dopaminergic mechanisms. <i>Psychopharmacology</i> , 1991 , 103, 19-27	4.7	27
487	Like diazepam, CL 218,872, a selective ligand for the benzodiazepine omega 1 receptor subtype, impairs place learning in the Morris water maze. <i>Psychopharmacology</i> , 1992 , 107, 347-51	4.7	25
486	Maze-running and thigmotaxis in mice: applicability of models across the sexes. 1992 , 33, 378-84		11
485	Anxiogenic stimuli in the elevated plus-maze. <i>Pharmacology Biochemistry and Behavior</i> , 1993 , 44, 463-9	3.9	468
484	A video image analyzing system for open-field behavior in the rat focusing on behavioral asymmetries. 1993 , 49, 199-210		47
483	Brain-reactive antibodies and behavior of autoimmune MRL-lpr mice. <i>Physiology and Behavior</i> , 1993 , 54, 1025-9	3.5	48
482	Spatial learning during the course of autoimmune disease in MRL mice. <i>Behavioural Brain Research</i> , 1993 , 54, 57-66	3.4	61
481	Effects of intracranial infusions of chlordiazepoxide on spatial learning in the Morris water maze. I. Neuroanatomical specificity. <i>Behavioural Brain Research</i> , 1993 , 59, 175-91	3.4	29
480	Behavioural and pharmacological characterisation of the elevated "zero-maze" as an animal model of anxiety. <i>Psychopharmacology</i> , 1994 , 116, 56-64	4.7	519
479	The stimulant effect of modafinil on wakefulness is not associated with an increase in anxiety in mice. A comparison with dexamphetamine. <i>Psychopharmacology</i> , 1994 , 114, 597-600	4.7	63
478	Thigmotaxis as an index of anxiety in mice. Influence of dopaminergic transmissions. <i>Behavioural Brain Research</i> , 1994 , 61, 59-64	3.4	484
477	Factor analysis of open-field behavior in the rat (<i>Rattus norvegicus</i>): application of the three-way PARAFAC model to a longitudinal data set. <i>Behavioural Processes</i> , 1994 , 31, 129-44	1.6	36
476	Behavioral responses to low doses of cocaine are affected by genetics and experimental history. <i>Physiology and Behavior</i> , 1995 , 58, 891-7	3.5	21
475	Baclofen, a selective GABA _B receptor agonist, dose-dependently impairs spatial learning in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1996 , 53, 303-8	3.9	79
474	Behavioral and analgesic effects induced by administration of nifedipine and nimodipine. <i>Pharmacology Biochemistry and Behavior</i> , 1996 , 55, 93-8	3.9	10

473	Spatial learning in deer mice: sex differences and the effects of endogenous opioids and 60 Hz magnetic fields. 1996 , 179, 715-24		65
472	Pain responses, anxiety and aggression in mice deficient in pre-proenkephalin. 1996 , 383, 535-8		436
471	Amygdala and bed nucleus of the stria terminalis: differential roles in fear and anxiety measured with the acoustic startle reflex. 1997 , 352, 1675-87		186
470	Mapping quantitative trait loci for fear-like behaviors in mice. 1997 , 46, 1-8		105
469	D3 dopamine receptor-deficient mouse: evidence for reduced anxiety. <i>Physiology and Behavior</i> , 1997 , 63, 137-41	3.5	108
468	Changes in emotional behavior produced by long-term amygdala kindling in rats. 1997 , 41, 438-51		82
467	Anxiogenic effects of high illumination levels assessed with the acoustic startle response in rats. 1997 , 42, 461-71		176
466	Roles of the amygdala and bed nucleus of the stria terminalis in fear and anxiety measured with the acoustic startle reflex. Possible relevance to PTSD. 1997 , 821, 305-31		237
465	Convulsive effects of a benzodiazepine receptor inverse agonist: are they related to anxiogenic processes?. 1997 , 91, 21-9		3
464	Genetic factors regulate processes related to anxiety in mice. 1997 , 752, 127-35		30
463	Tolerance develops to the spatial learning deficit produced by diazepam in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1997 , 56, 383-9	3.9	14
462	Neurobehavioral alterations in autoimmune mice. <i>Neuroscience and Biobehavioral Reviews</i> , 1997 , 21, 327-40	9	94
461	Corticosterone is permissive to the anxiolytic effect that results from the blockade of hippocampal mineralocorticoid receptors. <i>Pharmacology Biochemistry and Behavior</i> , 1998 , 60, 879-87	3.9	62
460	The influence of a targeted deletion of the IFNgamma gene on emotional behaviors. 1998 , 12, 308-24		47
459	Elevated anxiety and antidepressant-like responses in serotonin 5-HT1A receptor mutant mice. 1998 , 95, 15049-54		580
458	Increased anxiety and impaired pain response in puromycin-sensitive aminopeptidase gene-deficient mice obtained by a mouse gene-trap method. 1999 , 19, 6068-78		64
457	Effects of centrally administered anxiolytic compounds in animal models of anxiety. <i>Neuroscience and Biobehavioral Reviews</i> , 1999 , 23, 591-613	9	234
456	Effects of medial and lateral caudate-putamen lesions on place- and cue-guided behaviors in the water maze: relation to thigmotaxis. <i>Behavioural Brain Research</i> , 1999 , 100, 5-14	3.4	256

455	Effects of the competitive N-methyl-D-aspartate receptor antagonist, CPP, on the development and expression of conditioned hyperactivity and sensitization induced by cocaine. <i>Behavioural Brain Research</i> , 1999 , 102, 195-210	3.4	28
454	Sex and Genetics are Important Cofactors in Assessing the Impact of Iron Deficiency on the Developing Mouse Brain. 1999 , 2, 323-35		26
453	Maternal deprivation affects behaviour from youth to senescence: amplification of individual differences in spatial learning and memory in senescent Brown Norway rats. <i>European Journal of Neuroscience</i> , 2000 , 12, 3771-80	3.5	141
452	Effects of buspirone, diazepam, and zolpidem on open field behavior, and brain [3H]muscimol binding after buspirone pretreatment. <i>Pharmacology Biochemistry and Behavior</i> , 2000 , 66, 645-51	3.9	28
451	Acute and chronic effects of gepirone and fluoxetine in rats tested in the elevated plus-maze: an ethological analysis. <i>Pharmacology Biochemistry and Behavior</i> , 2000 , 65, 209-16	3.9	140
450	Postnatal development of a GABA deficit and disturbance of neural functions in mice lacking GAD65. 2000 , 865, 45-58		155
449	Behavioral characterization of neuropeptide Y knockout mice. 2000 , 868, 79-87		254
448	Identification and time dependence of quantitative trait loci for basal locomotor activity in the BXD recombinant inbred series and a B6D2 F2 intercross. 2000 , 30, 159-70		36
447	Measurement of anxiety in transgenic mice. 2000 , 11, 59-74		40
446	ECOs, FOBs, and UFOs: making sense of observational data. 2000 , 28, 132-6		17
445	Pituitary-adrenal axis and behavioural responses of maternally deprived juvenile rats to the open field. <i>Behavioural Brain Research</i> , 2000 , 111, 99-106	3.4	44
444	Behavioral profile of wild mice in the elevated plus-maze test for anxiety. <i>Physiology and Behavior</i> , 2000 , 71, 509-16	3.5	109
443	Menstrual cycle variation in spatial ability: relation to salivary cortisol levels. 2001 , 39, 29-38		83
442	Vibrissal sense is not the main sensory modality in rat exploratory behavior in the elevated plus-maze. <i>Behavioural Brain Research</i> , 2001 , 122, 169-74	3.4	32
441	Prior test experience compromises the anxiolytic efficacy of chlordiazepoxide in the mouse light/dark exploration test. <i>Behavioural Brain Research</i> , 2001 , 122, 159-67	3.4	84
440	Methods to Identify and Characterize Developmental Neurotoxicity for Human Health Risk Assessment. I: Behavioral Effects. 2001 , 109, 79		17
439	Methods to identify and characterize developmental neurotoxicity for human health risk assessment. I: behavioral effects. 2001 , 109 Suppl 1, 79-91		53
438	The alpha(2a)-adrenergic receptor plays a protective role in mouse behavioral models of depression and anxiety. 2001 , 21, 4875-82		191

437	The role of medial prefrontal cortical dopamine in spontaneous flexibility in the rat. 2001 , 12, 163-71		13
436	Targeted gene mutation approaches to the study of anxiety-like behavior in mice. <i>Neuroscience and Biobehavioral Reviews</i> , 2001 , 25, 261-73	9	165
435	Molecular pathways of anxiety revealed by knockout mice. 2001 , 23, 101-19		28
434	Behavioral responses to dopamine agonists in adult rats exposed to cocaine during the preweaning period. <i>Pharmacology Biochemistry and Behavior</i> , 2001 , 70, 23-30	3.9	18
433	Long-lasting handling affects behavioural reactivity in adult rats of both sexes prenatally exposed to diazepam. 2001 , 904, 225-33		23
432	Contrasting phenotypes of C57BL/6J0laHsd, 129S2/SvHsd and 129/SvEv mice in two exploration-based tests of anxiety-related behaviour. <i>Physiology and Behavior</i> , 2002 , 77, 301-10	3.5	108
431	Apolipoprotein E knockout mice display procedural deficits in the Morris water maze: analysis of learning strategies in three versions of the task. 2002 , 114, 641-54		50
430	The role of vision and proprioception in the aversion of rats to the open arms of an elevated plus-maze. <i>Behavioural Processes</i> , 2002 , 60, 15-26	1.6	31
429	The development of behavioral abnormalities in the motor neuron degeneration (mnd) mouse. 2002 , 937, 74-82		41
428	Nicotine withdrawal syndrome: behavioural distress and selective up-regulation of the cyclic AMP pathway in the amygdala. <i>European Journal of Neuroscience</i> , 2002 , 16, 149-53	3.5	32
427	Testing for anxiety. 2003 , 3, 233-238		65
426	The influence of photoperiod and sex on lipopolysaccharide-induced hypoactivity and behavioral tolerance development in meadow voles (<i>Microtus pennsylvanicus</i>). 2003 , 28, 970-91		14
425	Behavioral phenotyping of mice in pharmacological and toxicological research. 2003 , 55, 69-83		234
424	Behavioral effects and anatomic correlates after brain injury: a progesterone dose-response study. <i>Pharmacology Biochemistry and Behavior</i> , 2003 , 76, 231-42	3.9	135
423	Behavioural screening in mutagenised mice--in search for novel animal models of psychiatric disorders. 2003 , 480, 219-28		19
422	Non-adrenergic exploratory behavior induced by moxonidine at mildly hypotensive doses. 2003 , 964, 9-20		8
421	Detailed behavioral analysis reveals both task strategies and spatial memory impairments in rats given bilateral middle cerebral artery stroke. 2003 , 972, 64-74		28
420	5-HT1A receptor knockout mouse as a genetic model of anxiety. 2003 , 463, 177-84		133

4 ¹⁹	The effects of central administration of physostigmine in two models of anxiety. <i>Pharmacology Biochemistry and Behavior</i> , 2003 , 75, 491-6	3.9	15
4 ¹⁸	Behavioral effects of neuropeptide Y in F344 rat substrains with a reduced dipeptidyl-peptidase IV activity. <i>Pharmacology Biochemistry and Behavior</i> , 2003 , 75, 869-79	3.9	42
4 ¹⁷	Rodent doxapram model of panic: behavioral effects and c-Fos immunoreactivity in the amygdala. 2003 , 53, 863-70		53
4 ¹⁶	Analysis of the role of the 5-HT _{1B} receptor in spatial and aversive learning in the rat. 2003 , 28, 1642-55		24
4 ¹⁵	Exploratory activity and fear conditioning abnormalities develop early in R6/2 Huntington's disease transgenic mice. 2003 , 117, 1233-42		48
4 ¹⁴	Acute effects of alcohol on larval zebrafish: a genetic system for large-scale screening. <i>Pharmacology Biochemistry and Behavior</i> , 2004 , 77, 647-54	3.9	177
4 ¹³	Sex and repeated restraint stress interact to affect cat odor-induced defensive behavior in adult rats. 2004 , 1027, 161-72		51
4 ¹²	New replicable anxiety-related measures of wall vs center behavior of mice in the open field. 2004 , 97, 347-59		97
4 ¹¹	Extinction memory improvement by the metabolic enhancer methylene blue. <i>Learning and Memory</i> , 2004 , 11, 633-40	2.8	77
4 ¹⁰	Contribution of sex differences in the acute stress response to sex differences in water maze performance in the rat. <i>Behavioural Brain Research</i> , 2004 , 151, 239-53	3.4	169
4 ⁰⁹	Role of estrogen in balancing contributions from multiple memory systems. 2004 , 82, 309-23		173
4 ⁰⁸	MK-801 suppresses muricidal behavior but not locomotion in olfactory bulbectomized rats: involvement of NMDA receptors. <i>Pharmacology Biochemistry and Behavior</i> , 2004 , 77, 641-6	3.9	11
4 ⁰⁷	Acute and long-term consequences of single MDMA administration in relation to individual anxiety levels in the rat. <i>Behavioural Brain Research</i> , 2004 , 149, 135-44	3.4	75
4 ⁰⁶	Agonistic onset marks emotional changes and dispersal propensity in wild house mouse males (<i>Mus domesticus</i>). 2005 , 119, 58-66		14
4 ⁰⁵	Aged and adult rats compared in acquisition and extinction of escape from the water maze: focus on individual differences. 2005 , 119, 127-44		40
4 ⁰⁴	Modulation of motor function by stress: a novel concept of the effects of stress and corticosterone on behavior. <i>European Journal of Neuroscience</i> , 2005 , 22, 1190-200	3.5	111
4 ⁰³	Crossfostering in mice selectively bred for high and low levels of open-field thigmotaxis. 2005 , 46, 21-9		8
4 ⁰²	Memory facilitation by methylene blue: dose-dependent effect on behavior and brain oxygen consumption. 2005 , 511, 151-8		67

401	Effects of neonatal alcohol and/or cocaine exposure on stress in juvenile and adult female rats. 2005 , 27, 55-63		5
400	Influence of photoperiod and sex on locomotor behavior of meadow voles (<i>Microtus pennsylvanicus</i>) in an automated light-dark 'anxiety' test. 2005 , 30, 869-79		17
399	Centrophobism/thigmotaxis, a new role for the mushroom bodies in <i>Drosophila</i> . 2005 , 62, 386-96		79
398	Increased adult hippocampal brain-derived neurotrophic factor and normal levels of neurogenesis in maternal separation rats. 2005 , 79, 772-8		90
397	Novelty seeking and stereotypic activation of behavior in mice with disruption of the <i>Dat1</i> gene. 2005 , 30, 1818-31		108
396	Neurobehavioral effects of chronic dietary and repeated high-level spike exposure to chlorpyrifos in rats. 2005 , 86, 375-86		32
395	Effects of intraperitoneal lipopolysaccharide on Morris maze performance in year-old and 2-month-old female C57BL/6J mice. <i>Behavioural Brain Research</i> , 2005 , 159, 145-51	3-4	95
394	Impaired spatial learning in a novel rat model of mild cerebral concussion injury. 2005 , 195, 447-57		37
393	Enhanced zinc consumption causes memory deficits and increased brain levels of zinc. <i>Physiology and Behavior</i> , 2005 , 83, 793-803	3-5	65
392	Inhibitory avoidance, pain reactivity, and plus-maze behavior in Wistar rats with high versus low rearing activity. <i>Physiology and Behavior</i> , 2005 , 84, 387-96	3-5	65
391	Spatial memory performance in androgen insensitive male rats. <i>Physiology and Behavior</i> , 2005 , 85, 135-41.5		45
390	Deficits in cortico-striatal synaptic plasticity and behavioral habituation in rats with portacaval anastomosis. 2005 , 134, 1091-8		37
389	Animal models of anxiety. 2005 , 35-69		39
388	Single, intense prenatal stress decreases emotionality and enhances learning performance in the adolescent rat offspring: interaction with a brief, daily maternal separation. <i>Behavioural Brain Research</i> , 2006 , 169, 128-36	3-4	64
387	Models of anxiety: responses of rats to novelty in an open space and an enclosed space. <i>Behavioural Brain Research</i> , 2006 , 171, 26-49	3-4	92
386	Persistent neurochemical and behavioral abnormalities in adulthood despite early iron supplementation for perinatal iron deficiency anemia in rats. <i>Behavioural Brain Research</i> , 2006 , 171, 261-70	3-4	166
385	Twice daily long maternal separations in Wistar rats decreases anxiety-like behaviour in females but does not affect males. <i>Behavioural Brain Research</i> , 2006 , 172, 278-85	3-4	46
384	Models of anxiety: responses of mice to novelty and open spaces in a 3D maze. <i>Behavioural Brain Research</i> , 2006 , 174, 9-38	3-4	45

383	Twenty-three generations of mice bidirectionally selected for open-field thigmotaxis: selection response and repeated exposure to the open field. <i>Behavioural Processes</i> , 2006 , 72, 23-31	1.6	30
382	Interleukin-10 (IL-10) but not Lipopolysaccharide (LPS) produces increased motor activity and abnormal exploratory patterns while impairing spatial learning in Balb/c mice. <i>Physiology and Behavior</i> , 2006 , 87, 842-7	3.5	19
381	Tolerance development to Morris water maze test impairments induced by acute allopregnanolone. 2006 , 139, 651-9		33
380	N-methyl-D-aspartate receptors in the medial septal area have a role in spatial and emotional learning in the rat. 2006 , 142, 963-78		21
379	Anxiolytic-like effects of (O-methyl)-N-2,6-dihydroxybenzoyl-tyramine (riparin III) from <i>Aniba riparia</i> (Nees) Mez (Lauraceae) in mice. 2006 , 29, 451-4		41
378	Effects of bed nucleus of the stria terminalis lesions on conditioned anxiety: aversive conditioning with long-duration conditional stimuli and reinstatement of extinguished fear. 2006 , 120, 324-36		141
377	Genetic inactivation of melanin-concentrating hormone receptor subtype 1 (MCHR1) in mice exerts anxiolytic-like behavioral effects. 2006 , 31, 112-20		76
376	Maternal and genetic effects on anxiety-related behavior of C3H/HeN, DBA/2J and NMRI mice in a motility-box following blastocyst transfer. 2006 , 36, 745-62		5
375	Cholesterol-enriched diet affects spatial learning and synaptic function in hippocampal synapses. 2006 , 1103, 88-98		38
374	Behavioral Responses of Crayfish to a Reflective Environment. 2006 , 26, 463-473		13
373	Vmat2 heterozygous mutant mice display a depressive-like phenotype. 2007 , 27, 10520-9		114
372	Previous exposure to THC alters the reinforcing efficacy and anxiety-related effects of cocaine in rats. 2007 , 32, 646-57		54
371	Evaluation of effects of N-(2-hydroxybenzoyl) tyramine (riparin II) from <i>Aniba riparia</i> (NEES) MEZ (Lauraceae) in anxiety models in mice. 2007 , 30, 1212-6		18
370	Comparison of infant and adult rats in exploratory activity, diurnal patterns, and responses to novel and anxiety-provoking environments. 2007 , 121, 449-61		19
369	Experimental neuropathy in mice is associated with delayed behavioral changes related to anxiety and depression. 2007 , 104, 1570-7, table of contents		99
368	Oral haloperidol or risperidone treatment in rats: temporal effects on nerve growth factor receptors, cholinergic neurons, and memory performance. 2007 , 146, 1316-32		54
367	Changes in transcription within the CA1 field of the hippocampus are associated with age-related spatial learning impairments. 2007 , 87, 21-41		61
366	Methylene blue facilitates the extinction of fear in an animal model of susceptibility to learned helplessness. 2007 , 87, 209-17		27

365	Differential effects of exposure to low-light or high-light open-field on anxiety-related behaviors: relationship to c-Fos expression in serotonergic and non-serotonergic neurons in the dorsal raphe nucleus. 2007 , 72, 32-43			124
364	Prenatal psychological stress causes higher emotionality, depression-like behavior, and elevated activity in the hypothalamo-pituitary-adrenal axis. 2007 , 59, 145-51			115
363	Time course of biochemical and behavioural effects of a single high dose of chlorpyrifos. 2007 , 28, 541-7			31
362	Repeated intermittent MDMA binges reduce DAT density in mice and SERT density in rats in reward regions of the adolescent brain. 2007 , 28, 1158-69			27
361	Neurobiology of Anxiety. 2007 ,			
360	Neurochemical and behavioral consequences of striatal injection of 5,7-dihydroxytryptamine. 2007 , 162, 108-18			12
359	Cortico-striatal synaptic defects and OCD-like behaviours in Sapap3-mutant mice. 2007 , 448, 894-900			548
358	Serotonin 5-HT(2C) receptors regulate anxiety-like behavior. <i>Genes, Brain and Behavior</i> , 2007 , 6, 491-6	3.6		180
357	Alpha1-adrenergic receptors mediate the locomotor response to systemic administration of (+/-)-3,4-methylenedioxymethamphetamine (MDMA) in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2007 , 86, 622-30	3.9		31
356	Antibody induction of lupus-like neuropsychiatric manifestations. 2007 , 182, 185-94			16
355	Assessing the interplay between fear and learning in mice exposed to a live rat in a spatial memory task (MWM). <i>Animal Cognition</i> , 2008 , 11, 557-62	3.1		8
354	The amygdala modulates neuronal activation in the hippocampus in response to spatial novelty. 2008 , 18, 169-81			33
353	Exaggerated emotional behavior in mice heterozygous null for the sodium channel Scn8a (Nav1.6). <i>Genes, Brain and Behavior</i> , 2008 , 7, 629-38	3.6		42
352	Sex differences, or not, in spatial cognition in albino rats: acute stress is the key. 2008 , 76, 1579-1589			21
351	What is it like to be a rat? Rat sensory perception and its implications for experimental design and rat welfare. 2008 , 112, 1-32			71
350	Involvement of the midbrain tectum in the unconditioned fear promoted by morphine withdrawal. 2008 , 590, 217-23			9
349	MDMA (N-methyl-3,4-methylenedioxyamphetamine) and its stereoisomers: Similarities and differences in behavioral effects in an automated activity apparatus in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2008 , 88, 318-31	3.9		17
348	Pathological anxiety in animals. 2008 , 175, 18-26			51

347	Safety pharmacology assessment of central nervous system function in juvenile and adult rats: effects of pharmacological reference compounds. 2008 , 58, 129-46		42
346	Methylphenidate improves performance on the radial arm maze in periadolescent rats. 2008 , 30, 419-27		21
345	Chapter 2.5 Unconditioned models of fear and anxiety. 2008 , 17, 81-99		8
344	Anxiogenic effect of chronic exposure to extremely low frequency magnetic field in adult rats. 2008 , 434, 12-7		30
343	Negative effects of chronic oral chlorpromazine and olanzapine treatment on the performance of tasks designed to assess spatial learning and working memory in rats. 2008 , 156, 1005-16		26
342	Long-term effects of prior cocaine exposure on Morris water maze performance. 2008 , 89, 185-91		52
341	Anxiety-like symptoms induced by morphine withdrawal may be due to the sensitization of the dorsal periaqueductal grey. <i>Physiology and Behavior</i> , 2008 , 94, 552-62	3.5	18
340	Malaise in the water maze: untangling the effects of LPS and IL-1beta on learning and memory. 2008 , 22, 1117-27		114
339	Estradiol and corticosterone independently impair spatial navigation in the Morris water maze in adult female rats. <i>Behavioural Brain Research</i> , 2008 , 187, 56-66	3.4	31
338	Chronic ethanol consumption in rats produces residual increases in anxiety 4 months after withdrawal. <i>Behavioural Brain Research</i> , 2008 , 188, 24-31	3.4	28
337	Acute and sensitized response to 3,4-methylenedioxymethamphetamine in rats: different behavioral profiles reflected in different patterns of Fos expression. <i>European Journal of Neuroscience</i> , 2008 , 28, 1895-910	3.5	29
336	Systematic analysis of emotionality in consomic mouse strains established from C57BL/6J and wild-derived MSM/Ms. <i>Genes, Brain and Behavior</i> , 2008 , 7, 849-58	3.6	39
335	Effect of buspirone on the behavioral regulation of rats in low versus high anxiety conditions. 2008 , 58, 269-76		20
334	Emotional stress- and pain-related behaviors evoked by experimental tooth movement. 2008 , 78, 487-94		18
333	Antiallodynic and antihyperalgesic effect of milnacipran in mice with spinal nerve ligation. 2008 , 106, 1309-15, table of contents		33
332	Perinatal iron deficiency affects locomotor behavior and water maze performance in adult male and female rats. 2008 , 138, 931-7		24
331	Living in a dangerous world: the shaping of behavioral profile by early environment and 5-HTT genotype. <i>Frontiers in Behavioral Neuroscience</i> , 2009 , 3, 26	3.5	54
330	Mutations affecting the cAMP transduction pathway disrupt the centrophobism behavior. 2009 , 23, 225-34		13

329	Selective brain uptake and behavioral effects of the cyanobacterial toxin BMAA (beta-N-methylamino-L-alanine) following neonatal administration to rodents. 2009 , 109, 286-95		73
328	Freedom of movement and the stability of its unfolding in free exploration of mice. 2009 , 106, 21335-40		67
327	Phospholipase C beta 4 in the medial septum controls cholinergic theta oscillations and anxiety behaviors. 2009 , 29, 15375-85		50
326	Deficits in adult prefrontal cortex neurons and behavior following early post-natal NMDA antagonist treatment. <i>Pharmacology Biochemistry and Behavior</i> , 2009 , 93, 322-30	3-9	35
325	Olanzapine plus 17-beta estradiol produce antidepressant-like actions in rats forced to swim. <i>Pharmacology Biochemistry and Behavior</i> , 2009 , 93, 491-7	3-9	11
324	Buspirone, chlordiazepoxide and diazepam effects in a zebrafish model of anxiety. <i>Pharmacology Biochemistry and Behavior</i> , 2009 , 94, 75-80	3-9	289
323	Prenatal exposure to antibodies from mothers of children with autism produces neurobehavioral alterations: A pregnant dam mouse model. 2009 , 211, 39-48		128
322	Cognitive impairment in the Tg6590 transgenic rat model of Alzheimer's disease. 2010 , 14, 1816-23		20
321	Environmental enrichment enhances spatial cognition in rats by reducing thigmotaxis (wall hugging) during testing. 2009 , 77, 1459-1464		49
320	Marble burying reflects a repetitive and perseverative behavior more than novelty-induced anxiety. <i>Psychopharmacology</i> , 2009 , 204, 361-73	4-7	447
319	Anxiolytic effects of nicotine in a rodent test of approach-avoidance conflict. <i>Psychopharmacology</i> , 2009 , 204, 541-9	4-7	29
318	The function of wall-following behaviors in the Mexican blind cavefish and a sighted relative, the Mexican tetra (<i>Astyanax</i>). 2009 , 195, 225-40		89
317	Expression of alpha-synuclein is increased in the hippocampus of rats with high levels of innate anxiety. 2009 , 14, 894-905		28
316	Spatial working memory in Wistar rats: brain sex differences in metabolic activity. 2009 , 79, 187-92		22
315	The long-lasting effects of cross-fostering on the emotional behavior in ICR mice. <i>Behavioural Brain Research</i> , 2009 , 198, 172-8	3-4	26
314	An anxiety-like phenotype in mice selectively bred for aggression. <i>Behavioural Brain Research</i> , 2009 , 201, 179-91	3-4	21
313	Variations in illumination, closed wall transparency and/or extramaze space influence both baseline anxiety and response to diazepam in the rat elevated plus-maze. <i>Behavioural Brain Research</i> , 2009 , 203, 35-42	3-4	40
312	Differential effects of repeated long and brief maternal separation on behaviour and neuroendocrine parameters in Wistar dams. <i>Behavioural Brain Research</i> , 2009 , 203, 69-75	3-4	32

311	Anxiolytic- and antidepressant-like properties of ketamine in behavioral and neurophysiological animal models. 2009 , 161, 359-69		130
310	Tamoxifen produces conditioned taste avoidance in male rats: an analysis of microstructural licking patterns and taste reactivity. 2009 , 56, 322-31		8
309	Sexually dimorphic c-Fos expression following spatial working memory in young and adult rats. <i>Physiology and Behavior</i> , 2009 , 98, 307-17	3.5	27
308	GABA and opioid mechanisms of the central amygdala underlie the withdrawal-potentiated startle from acute morphine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 334-44	5.5	19
307	Spatial working memory learning in young male and female rats: involvement of different limbic system regions revealed by cytochrome oxidase activity. 2009 , 65, 28-34		27
306	Behavioral and cognitive alterations, spontaneous seizures, and neuropathology developing after a pilocarpine-induced status epilepticus in C57BL/6 mice. 2009 , 219, 284-97		122
305	Assays of homeopathic remedies in rodent behavioural and psychopathological models. 2009 , 98, 208-27		29
304	Communication of adult rats by ultrasonic vocalization: biological, sociobiological, and neuroscience approaches. 2009 , 50, 43-50		151
303	Effects of yokukansan, a traditional Japanese medicine, on memory disturbance and behavioral and psychological symptoms of dementia in thiamine-deficient rats. 2009 , 32, 1701-9		68
302	Acute administration of leptin produces anxiolytic-like effects: a comparison with fluoxetine. <i>Psychopharmacology</i> , 2010 , 207, 535-45	4.7	123
301	Active wall following by Mexican blind cavefish (<i>Astyanax mexicanus</i>). 2010 , 196, 853-67		45
300	Affiliation in the social interactions in captivity of the torch tail rat, <i>Trinomys yonenagae</i> (Rodentia: Echimyidae). 2010 , 28, 105-112		9
299	A subchronic application period of glucocorticoids leads to rat cognitive dysfunction whereas physostigmine induces a mild neuroprotection. 2010 , 117, 1055-65		18
298	Effects of immune activation on the retrieval of spatial memory. 2010 , 26, 355-64		7
297	Anxiolytic-like effects of standardized extract of <i>Justicia pectoralis</i> (SEJP) in mice: Involvement of GABA/benzodiazepine in receptor. 2011 , 25, 444-50		15
296	Morphine-induced stereotyped thigmotaxis could appear as enhanced fear and anxiety in some behavioural tests. 2010 , 24, 875-80		13
295	. 2010 ,		
294	Combined effect of maternal serotonin transporter genotype and prenatal stress in modulating offspring social interaction in mice. 2010 , 28, 529-36		47

293	Evaluation of behavioral and pharmacological effects of <i>Hedyosmum brasiliense</i> and isolated sesquiterpene lactones in rodents. <i>Journal of Ethnopharmacology</i> , 2010 , 128, 63-70	5	33
292	The effects of gestational and postpartum environmental enrichment on the mother rat: A preliminary investigation. <i>Behavioural Brain Research</i> , 2010 , 208, 213-23	3-4	26
291	Behavioral phenotyping of mouse models of Parkinson's disease. <i>Behavioural Brain Research</i> , 2010 , 211, 1-10	3-4	116
290	Translating rodent behavioral repertoire to zebrafish (<i>Danio rerio</i>): relevance for stress research. <i>Behavioural Brain Research</i> , 2010 , 214, 332-42	3-4	241
289	The multifaceted effects of oral administration of methylphenidate in juvenile rats: anxiety, activity, and attention. 2010 , 20, 236-44		16
288	Locomotor behaviors in zebrafish (<i>Danio rerio</i>) larvae. <i>Behavioural Processes</i> , 2011 , 86, 222-9	1.6	126
287	Genetic reduction of group 1 metabotropic glutamate receptors alters select behaviors in a mouse model for fragile X syndrome. <i>Behavioural Brain Research</i> , 2011 , 223, 310-21	3-4	65
286	The synthetic cannabinoid WIN 55212-2 differentially modulates thigmotaxis but not spatial learning in adolescent and adult animals. 2011 , 487, 411-4		19
285	Galantamine counteracts development of learning impairment in guinea pigs exposed to the organophosphorus poison soman: clinical significance. 2011 , 32, 785-98		14
284	Living in a dangerous world decreases maternal care: a study in serotonin transporter knockout mice. 2011 , 60, 397-407		26
283	The folic acid combined with 17 β -estradiol produces antidepressant-like actions in ovariectomized rats forced to swim. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 60-6	5-5	11
282	The use of the zebrafish model in stress research. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 1432-51	5-5	135
281	Parallel associative processing in the dorsal striatum: segregation of stimulus-response and cognitive control subregions. 2011 , 96, 95-120		81
280	Antinociceptive properties of nasal delivery of neurotoxin-loaded nanoparticles coated with polysorbate-80. 2011 , 32, 1526-9		14
279	Differential behavioral outcomes of 3,4-methylenedioxymethamphetamine (MDMA-ecstasy) in anxiety-like responses in mice. 2011 , 44, 428-37		12
278	Age-dependent and strain-dependent influences of morphine on mouse social investigation behavior. 2011 , 22, 147-59		23
277	Pharmacological enhancement of fear reduction: preclinical models. 2011 , 164, 1230-47		45
276	Early embryonic ethanol exposure impairs shoaling and the dopaminergic and serotonergic systems in adult zebrafish. 2011 , 33, 698-707		113

275	Adriamycin-related anxiety-like behavior, brain oxidative stress and myelotoxicity in male Wistar rats. <i>Pharmacology Biochemistry and Behavior</i> , 2011 , 99, 639-47	3.9	30
274	Anxiolytic-like effect of <i>Griffonia simplicifolia</i> Baill. seed extract in rats. 2011 , 18, 848-51		16
273	Protective effects of saffron extract and its active constituent crocin against oxidative stress and spatial learning and memory deficits induced by chronic stress in rats. 2011 , 667, 222-9		191
272	Mechanistic insights into nicotine withdrawal. 2011 , 82, 996-1007		43
271	Zebrafish embryos and larvae: a new generation of disease models and drug screens. 2011 , 93, 115-33		149
270	Evaluation of Behavioral and Pharmacological Effects of Hydroalcoholic Extract of <i>Valeriana prionophylla</i> Standl. from Guatemala. 2011 , 2011, 312320		17
269	Social deficits and perseverative behaviors, but not overt aggression, in MAO-A hypomorphic mice. 2011 , 36, 2674-88		73
268	Administration of donepezil does not rescue galanin-induced spatial learning deficits. 2012 , 122, 742-7		6
267	Gene-environment interplay in <i>Drosophila melanogaster</i> : chronic food deprivation in early life affects adult exploratory and fitness traits. 2012 , 109 Suppl 2, 17239-44		44
266	Zebrafish embryos and larvae in behavioural assays. 2012 , 149, 1241-1281		71
265	Genetic background modulates behavioral impairments in R6/2 mice and suggests a role for dominant genetic modifiers in Huntington's disease pathogenesis. 2012 , 23, 367-77		7
264	Validation of the dimensionality emergence assay for the measurement of innate anxiety in laboratory mice. 2012 , 22, 153-63		13
263	Genetic mouse models of depression. 2013 , 14, 55-78		23
262	Riluzole produces distinct anxiolytic-like effects in rats without the adverse effects associated with benzodiazepines. <i>Neuropharmacology</i> , 2012 , 62, 2489-98	5.5	31
261	Intra-lateral septal infusions of folic acid alone or combined with various antidepressant drugs produce antidepressant-like actions in male Wistar rats forced to swim. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 36, 78-84	5.5	6
260	Zebrafish Protocols for Neurobehavioral Research. <i>Neuromethods</i> , 2012 ,	0.4	9
259	Assessment of Thigmotaxis in Larval Zebrafish. <i>Neuromethods</i> , 2012 , 37-51	0.4	2
258	Methamphetamine mimics the neurochemical profile of aging in rats and impairs recognition memory. 2012 , 33, 491-9		23

257	Cognitive enhancing effects of an AMPA receptor positive modulator on place learning in mice. <i>Behavioural Brain Research</i> , 2012 , 226, 18-25	3-4	6
256	Bright lighting conditions during testing increase thigmotaxis and impair water maze performance in BALB/c mice. <i>Behavioural Brain Research</i> , 2012 , 226, 26-31	3-4	28
255	Comparison of rat sensory behavioral tasks to detect somatosensory morbidity after diffuse brain-injury. <i>Behavioural Brain Research</i> , 2012 , 226, 197-204	3-4	28
254	Measuring thigmotaxis in larval zebrafish. <i>Behavioural Brain Research</i> , 2012 , 228, 367-74	3-4	196
253	Neuronal aggregates are associated with phenotypic onset in the R6/2 Huntington's disease transgenic mouse. <i>Behavioural Brain Research</i> , 2012 , 229, 308-19	3-4	10
252	Transgenic APP expression during postnatal development causes persistent locomotor hyperactivity in the adult. 2012 , 7, 28		37
251	LRRK2 knockout mice have an intact dopaminergic system but display alterations in exploratory and motor co-ordination behaviors. 2012 , 7, 25		139
250	Open-field arena boundary is a primary object of exploration for <i>Drosophila</i> . <i>Brain and Behavior</i> , 2012 , 2, 97-108	3-4	37
249	Environmental enrichment exerts anxiolytic effects in the Indian field mouse (<i>Mus booduga</i>). 2012 , 136, 166-173		6
248	GluN1 hypomorph mice exhibit wide-ranging behavioral alterations. <i>Genes, Brain and Behavior</i> , 2012 , 11, 342-51	3.6	24
247	Psychopharmacological profile of Chamomile (<i>Matricaria recutita</i> L.) essential oil in mice. 2012 , 19, 306-10		26
246	Exendin-4 decreases amphetamine-induced locomotor activity. <i>Physiology and Behavior</i> , 2012 , 106, 574-8.5		66
245	Maturation of shoaling behavior is accompanied by changes in the dopaminergic and serotonergic systems in zebrafish. 2012 , 54, 28-35		69
244	Enhanced stress responses in adolescent versus adult rats exposed to cues of predation threat, and peer interaction as a predictor of adult defensiveness. 2012 , 54, 47-69		26
243	Stress responses of adolescent male and female rats exposed repeatedly to cat odor stimuli, and long-term enhancement of adult defensive behaviors. 2013 , 55, 551-67		18
242	The effects of acute stress on Pavlovian-instrumental transfer in rats. 2013 , 13, 174-85		9
241	Chronic cannabinoid exposure reduces phencyclidine-induced schizophrenia-like positive symptoms in adult rats. <i>Psychopharmacology</i> , 2013 , 225, 531-42	4-7	17
240	Behavioral Neurobiology of Depression and Its Treatment. 2013 ,		3

239	Unexpected effects of early-life adversity and social enrichment on the anxiety profile of mice varying in serotonin transporter genotype. <i>Behavioural Brain Research</i> , 2013 , 247, 248-58	3.4	11
238	Anxiolytic-like effect of the extract from <i>Bowdichia virgilioides</i> in mice. 2013 , 23, 680-686		9
237	Involvement of the ventral tegmental area in a rodent model of post-traumatic stress disorder. 2013 , 38, 350-63		42
236	Exploratory behaviour in the open field test adapted for larval zebrafish: impact of environmental complexity. <i>Behavioural Processes</i> , 2013 , 92, 88-98	1.6	66
235	Constructing the habitume for phenotype-driven zebrafish research. <i>Behavioural Brain Research</i> , 2013 , 236, 110-117	3.4	36
234	Environmental enrichment upregulates micro-RNA-183 and alters acetylcholinesterase splice variants to reduce anxiety-like behavior in the little Indian field mouse (<i>Mus booduga</i>). 2013 , 91, 426-35		14
233	Long-term CB1receptor blockade enhances vulnerability to anxiogenic-like effects of cannabinoids. <i>Neuropharmacology</i> , 2013 , 70, 268-77	5.5	18
232	New index based on the physical separation of motion into three categories for characterizing the effect of cocaine in mice. 2013 , 333, 68-77		2
231	From the stressed adolescent to the anxious and depressed adult: investigations in rodent models. 2013 , 249, 242-57		128
230	The effects of brain serotonin deficiency on behavioural disinhibition and anxiety-like behaviour following mild early life stress. 2013 , 16, 2081-94		43
229	Anxiolytic-induced attenuation of thigmotaxis in the Elevated Minus Maze. <i>Behavioural Processes</i> , 2013 , 97, 76-9	1.6	4
228	Acute N-methyl-D-aspartate receptor hypofunction induced by MK801 evokes sex-specific changes in behaviors observed in open-field testing in adult male and proestrus female rats. 2013 , 228, 200-14		27
227	Social instability stress in adolescence increases anxiety and reduces social interactions in adulthood in male Long-Evans rats. 2013 , 55, 849-59		67
226	Mood and memory deficits in a model of Gulf War illness are linked with reduced neurogenesis, partial neuron loss, and mild inflammation in the hippocampus. 2013 , 38, 2348-62		117
225	Sexually dimorphic recruitment of dopamine neurons into the stress response circuitry. 2013 , 127, 734-43		12
224	Effects of subacute exposure to 1,2-dichloroethane on mouse behavior and the related mechanisms. 2013 , 32, 983-91		14
223	Stereotypical alterations in cortical patterning are associated with maternal illness-induced placental dysfunction. 2013 , 33, 16874-88		28
222	Neuron-specific Sumo1-3 knockdown in mice impairs episodic and fear memories. 2014 , 39, 259-66		22

221	Improved learning and memory with theta-burst stimulation of the fornix in rat model of traumatic brain injury. 2014 , 24, 1592-600		40
220	Altering the sex determination pathway in <i>Drosophila</i> fat body modifies sex-specific stress responses. 2014 , 307, R82-92		10
219	Attenuated orexinergic signaling underlies depression-like responses induced by daytime light deficiency. 2014 , 272, 252-60		39
218	Pharmacological evaluation of <i>Chlorophytum borivilianum</i> Sant. & Fern. for anxiolytic activity and effect on brain GABA level. 2014 , 14, 169-180		2
217	Chronic exposure to WIN55,212-2 affects more potently spatial learning and memory in adolescents than in adult rats via a negative action on dorsal hippocampal neurogenesis. <i>Pharmacology Biochemistry and Behavior</i> , 2014 , 120, 95-102	3.9	30
216	Specific alterations in the performance of learning and memory tasks in models of chemoconvulsant-induced status epilepticus. 2014 , 108, 1032-40		38
215	Spatial learning, monoamines and oxidative stress in rats exposed to 900 MHz electromagnetic field in combination with iron overload. <i>Behavioural Brain Research</i> , 2014 , 258, 80-9	3.4	37
214	Selective cognitive deficits in adult rats after prenatal exposure to inhaled ethanol. 2014 , 45, 44-58		19
213	Aversion in the elevated plus-maze: role of visual and tactile cues. <i>Behavioural Processes</i> , 2014 , 107, 106-116		13
212	Circadian modulation of memory and plasticity gene products in a diurnal species. 2014 , 1581, 30-9		25
211	Compositions and their application to the analysis of choice. 2014 , 102, 1-25		4
210	The effect of brief neonatal cryoanesthesia on physical development and adult cognitive function in mice. <i>Behavioural Brain Research</i> , 2014 , 259, 253-60	3.4	9
209	The aggression and behavioral abnormalities associated with monoamine oxidase A deficiency are rescued by acute inhibition of serotonin reuptake. 2014 , 56, 1-9		28
208	Stress inhibits psychomotor performance differently in simple and complex open field environments. 2014 , 65, 66-75		22
207	Dietary LC-PUFA deficiency early in ontogeny induces behavioural changes in pike perch (<i>Sander lucioperca</i>) larvae and fry. 2014 , 432, 453-461		14
206	Anxiety- and depressive-like traits in Warsaw alcohol high-preferring (WHP) and Warsaw alcohol low-preferring (WLP) rats. <i>Pharmacology Biochemistry and Behavior</i> , 2014 , 122, 261-5	3.9	9
205	Benefits of adversity?! How life history affects the behavioral profile of mice varying in serotonin transporter genotype. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 47	3.5	19
204	Pre-test metyrapone impairs memory recall in fear conditioning tasks: lack of interaction with adrenergic activity. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 51	3.5	3

203	Binge ethanol exposure during adolescence leads to a persistent loss of neurogenesis in the dorsal and ventral hippocampus that is associated with impaired adult cognitive functioning. 2015 , 9, 35		104
202	Environmental Enrichment Reduces Anxiety by Differentially Activating Serotonergic and Neuropeptide Y (NPY)-Ergic System in Indian Field Mouse (<i>Mus booduga</i>): An Animal Model of Post-Traumatic Stress Disorder. <i>PLoS ONE</i> , 2015 , 10, e0127945	3.7	30
201	Gamma-aminobutyric acid transporter-1 is involved in anxiety-like behaviors and cognitive function in knockout mice. 2015 , 10, 653-658		16
200	The effect of hunger on the exploratory behaviour of shoals of mosquitofish <i>Gambusia holbrooki</i> . 2015 , 152, 1659-1677		30
199	Etomidate and Ketamine: Residual Motor and Adrenal Dysfunction that Persist beyond Recovery from Loss of Righting Reflex in Rats. 2014 , 8, 21-37		6
198	Behavioral abnormalities in APPSwe/PS1dE9 mouse model of AD-like pathology: comparative analysis across multiple behavioral domains. 2015 , 36, 2519-32		46
197	Excitatory Transmission to the Lateral Habenula Is Critical for Encoding and Retrieval of Spatial Memory. 2015 , 40, 2843-51		32
196	Effects of CB1 receptor agonism and antagonism on behavioral fear and physiological stress responses in adult intact, ovariectomized, and estradiol-replaced female rats. 2015 , 306, 123-37		10
195	Welfare assessment of rainbow trout reared in a Recirculating Aquaculture System: Comparison with a Flow-Through System. 2015 , 436, 151-159		21
194	Anxiolytic effects of prelimbic 5-HT(1A) receptor activation in the hemiparkinsonian rat. <i>Behavioural Brain Research</i> , 2015 , 277, 211-20	3.4	25
193	Differential behavioral responses of zebrafish larvae to yohimbine treatment. <i>Psychopharmacology</i> , 2015 , 232, 197-208	4.7	21
192	Psychotropic drugs in mixture alter swimming behaviour of Japanese medaka (<i>Oryzias latipes</i>) larvae above environmental concentrations. 2016 , 23, 4964-77		42
191	Impact of Life History on Fear Memory and Extinction. <i>Frontiers in Behavioral Neuroscience</i> , 2016 , 10, 185	3.5	9
190	Role of adult hippocampal neurogenesis in persistent pain. 2016 , 157, 418-428		68
189	Comparison of Diluted Bitumen (Dilbit) and Conventional Crude Oil Toxicity to Developing Zebrafish. <i>Environmental Science & Technology</i> , 2016 , 50, 6091-8	10.3	49
188	Better Utilization of Mouse Models of Neurodegenerative Diseases in Preclinical Studies: From the Bench to the Clinic. 2016 , 1438, 311-47		3
187	Mesolimbic neuropeptide W coordinates stress responses under novel environments. 2016 , 113, 6023-8		6
186	Consistent individual differences in some behaviors in mice of the C57Bl/6J inbred strain. 2016 , 46, 83-89		0

185	Sex differences on the competitive place task in the water maze: The influence of peripheral pool time on spatial navigation performance in rats. <i>Behavioural Processes</i> , 2016 , 132, 34-41	1.6	4
184	Ibudilast attenuates expression of behavioral sensitization to cocaine in male and female rats. <i>Neuropharmacology</i> , 2016 , 109, 281-292	5.5	13
183	Behavioral, morphometric, and gene expression effects in adult zebrafish (<i>Danio rerio</i>) embryonically exposed to PFOA, PFOS, and PFNA. 2016 , 180, 123-130		44
182	Spatial learning impairment in prepubertal guinea pigs prenatally exposed to the organophosphorus pesticide chlorpyrifos: Toxicological implications. 2016 , 56, 17-28		11
181	Mutation of orthologous prickly genes causes a similar epilepsy syndrome in flies and humans. 2016 , 3, 695-707		5
180	FMRP regulates an ethanol-dependent shift in GABAR function and expression with rapid antidepressant properties. 2016 , 7, 12867		22
179	Energy state affects exploratory behavior of tree sparrows in a group context under differential food-patch distributions. 2016 , 13, 48		5
178	Microbial modulation of behavior and stress responses in zebrafish larvae. <i>Behavioural Brain Research</i> , 2016 , 311, 219-227	3.4	76
177	Deletion of fibroblast growth factor 22 (FGF22) causes a depression-like phenotype in adult mice. <i>Behavioural Brain Research</i> , 2016 , 307, 11-7	3.4	15
176	Olfaction variation in mouse husbandry and its implications for refinement and standardization: UK survey of animal scents. 2016 , 50, 362-9		2
175	A Human Open Field Test Reveals Thigmotaxis Related to Agoraphobic Fear. 2016 , 80, 390-7		45
174	Reciprocal activation/inactivation of ERK in the amygdala and frontal cortex is correlated with the degree of novelty of an open-field environment. <i>Psychopharmacology</i> , 2016 , 233, 841-50	4.7	8
173	Effects of diphenylhydantoin on locomotion and thigmotaxis of larval zebrafish. 2016 , 53, 41-7		16
172	Sex differences after environmental enrichment and physical exercise in rats when solving a navigation task. 2016 , 44, 227-38		9
171	Alterations in the expression of a neurodevelopmental gene exert long-lasting effects on cognitive-emotional phenotypes and functional brain networks: translational evidence from the stress-resilient <i>Ahi1</i> knockout mouse. 2017 , 22, 884-899		10
170	Beta-hydroxy-beta-methylbutyrate (HMB) ameliorates age-related deficits in water maze performance, especially in male rats. <i>Physiology and Behavior</i> , 2017 , 170, 93-99	3.5	5
169	Koumine exhibits anxiolytic properties without inducing adverse neurological effects on functional observation battery, open-field and Vogel conflict tests in rodents. 2017 , 71, 397-408		16
168	Effect of chronic stress during adolescence in prefrontal cortex structure and function. <i>Behavioural Brain Research</i> , 2017 , 326, 44-51	3.4	23

167	Zebrafish Models of Anxiety-Like Behaviors. 2017 , 45-72		10
166	Effects of picrotoxin on zebrafish larvae behaviors: A comparison study with PTZ. 2017 , 70, 224-231		23
165	Effects of ketamine on the unconditioned and conditioned locomotor activity of preadolescent and adolescent rats: impact of age, sex, and drug dose. <i>Psychopharmacology</i> , 2017 , 234, 2683-2696	4.7	25
164	Developmental social experience of parents affects behaviour of offspring in zebrafish. 2017 , 133, 153-160		6
163	Shoal sex composition affects exploration in the Mediterranean killifish. 2017 , 123, 818-824		5
162	Individual differences in the antibody response of inbred C57Bl/6J mice and their relation to individual differences in open-field behavior. 2017 , 47, 17-22		
161	Role of the lateral habenula in memory through online processing of information. <i>Pharmacology Biochemistry and Behavior</i> , 2017 , 162, 69-78	3.9	10
160	Heritable natural variation of an anxiety-like behavior in larval zebrafish. 2017 , 31, 138-148		8
159	Slope climbing challenges, fear of heights, anxiety and time of the day. <i>Behavioural Brain Research</i> , 2017 , 316, 169-182	3.4	2
158	Electrolytic post-training lesions of the bed nucleus of the stria terminalis block startle potentiation in a cued fear conditioning procedure. 2018 , 223, 1839-1848		8
157	A critical period for antidepressant-induced acceleration of neuronal maturation in adult dentate gyrus. 2017 , 7, e1235		11
156	Psychostimulant Effect of the Synthetic Cannabinoid JWH-018 and AKB48: Behavioral, Neurochemical, and Dopamine Transporter Scan Imaging Studies in Mice. 2017 , 8, 130		22
155	Locomotor activity does not predict individual differences in morphine self-administration in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2018 , 166, 48-56	3.9	9
154	Consistent individual behavior: evidence of personality in black bears. 2018 , 36, 117-124		7
153	Ontogeny of cocaine-induced behaviors and cocaine pharmacokinetics in male and female neonatal, preweanling, and adult rats. <i>Psychopharmacology</i> , 2018 , 235, 1967-1980	4.7	6
152	The Radish, <i>Raphanus sativus</i> L. Var. <i>caudatus</i> reduces anxiety-like behavior in mice. 2018 , 33, 1255-1260		3
151	Diazepam fails to alter anxiety-like responses but affects motor function in a white-black test paradigm in larval zebrafish (<i>Danio rerio</i>). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 83, 127-136	5.5	9
150	<i>Aloisia triphylla</i> in the zebrafish food: effects on physiology, behavior, and growth performance. 2018 , 44, 465-474		8

149	Water restriction in viviparous lizards causes transgenerational effects on behavioral anxiety and immediate effects on exploration behavior. 2018 , 72, 1		9
148	The lateral habenula interacts with the hypothalamo-pituitary adrenal axis response upon stressful cognitive demand in rats. <i>Behavioural Brain Research</i> , 2018 , 341, 63-70	3-4	6
147	Lateral habenular norepinephrine contributes to states of arousal and anxiety in male rats. <i>Behavioural Brain Research</i> , 2018 , 347, 108-115	3-4	15
146	Sex differences in the effects of pre- and postnatal caffeine exposure on behavior and synaptic proteins in pubescent rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 81, 416-425	5-5	4
145	Wall following in <i>Xenopus laevis</i> is barrier-driven. 2018 , 204, 183-195		3
144	The anxiolytic-like effect of 6-styryl-2-pyrone in mice involves GABAergic mechanism of action. 2018 , 33, 139-149		6
143	Beneficial effect of compound essential oil inhalation on central fatigue. 2018 , 18, 309		6
142	Anxiety Assessment in Pre-clinical Tests and in Clinical Trials: A Critical Review. 2018 , 18, 1656-1676		17
141	Effects of combined pre- and post-natal enrichment on anxiety-like, social, and cognitive behaviours in juvenile and adult rat offspring. <i>Behavioural Brain Research</i> , 2018 , 353, 40-50	3-4	21
140	Brain Aromatase Modulates Serotonergic Neuron by Regulating Serotonin Levels in Zebrafish Embryos and Larvae. 2018 , 9, 230		28
139	Varying Social Experiences in Adulthood Do Not Differentially Affect Anxiety-Like Behavior But Stress Hormone Levels. <i>Frontiers in Behavioral Neuroscience</i> , 2018 , 12, 72	3-5	1
138	Methotrexate causes persistent deficits in memory and executive function in a juvenile animal model. <i>Neuropharmacology</i> , 2018 , 139, 76-84	5-5	18
137	Recognition of early stage thigmotaxis in Morris water maze test with convolutional neural network. <i>PLoS ONE</i> , 2018 , 13, e0197003	3-7	18
136	Species-specific behaviours in amphipods highlight the need for understanding baseline behaviours in ecotoxicology. 2018 , 202, 173-180		12
135	Maternal stress alters the phenotype of the mother, her eggs and her offspring in a wild-caught lizard. 2018 , 87, 1685-1697		25
134	An exploration of the aversive properties of 2-deoxy-D-glucose in rats. <i>Psychopharmacology</i> , 2018 , 235, 3055-3063	4-7	6
133	The Use of Larval Zebrafish (<i>Danio rerio</i>) Model for Identifying New Anxiolytic Drugs from Herbal Medicine. 2018 , 15, 321-339		10
132	Behavioral Profiling of Zebrafish (<i>Danio rerio</i>) Larvae Following Teratogen Exposure. 2018 , 1797, 403-419		1

131	Teratogenicity Testing. 2018 ,		0
130	Spatial exploration induced expression of immediate early genes Fos and Zif268 in adult-born neurons is reduced after pentylentetrazole kindling. 2019 , 152, 74-84		2
129	Individual differences in anxiety are related to differences in learning performance and cognitive style. 2019 , 157, 121-128		8
128	Aged Opossums Show Alterations in Spatial Learning Behavior and Reduced Neurogenesis in the Dentate Gyrus. 2019 , 13, 1210		1
127	White Environment Can Be Used as an Aversive Stimulus in Zebrafish Inhibitory Avoidance Learning. 2019 , 16, 443-450		2
126	Urban forests increase spontaneous activity and improve emotional state of white mice. 2019 , 46, 126449		2
125	Long-Term, Targeted Delivery of GDNF from Encapsulated Cells Is Neuroprotective and Reduces Seizures in the Pilocarpine Model of Epilepsy. 2019 , 39, 2144-2156		18
124	Impairments in cognitive functions and emotional and social behaviors in a rat lithium-pilocarpine model of temporal lobe epilepsy. <i>Behavioural Brain Research</i> , 2019 , 372, 112044	3-4	19
123	A Bird's-Eye View of the Multiple Biochemical Mechanisms that Propel Pathology of Alzheimer's Disease: Recent Advances and Mechanistic Perspectives on How to Halt the Disease Progression Targeting Multiple Pathways. 2019 , 69, 631-649		8
122	En route to delineating hippocampal roles in spatial learning. <i>Behavioural Brain Research</i> , 2019 , 369, 111936	3-6	6
121	Beneficial Effects of Remifentanyl Against Excitotoxic Brain Damage in Newborn Mice. <i>Frontiers in Neurology</i> , 2019 , 10, 407	4-1	7
120	Altered Swimming Behaviors in Zebrafish Larvae Lacking Cannabinoid Receptor 2. 2019 , 4, 88-101		6
119	Spatial cognitive performance is linked to thigmotaxis in field crickets. 2019 , 150, 15-25		12
118	Unbiased Sampling for Rodents and Other Small Mammals: How to Overcome Neophobia Through Use of an Electronic-Triggered Live Trap. Preliminary Test. 2019 , 7,		5
117	A novel control condition for spatial learning in the Morris water maze. 2019 , 318, 1-5		6
116	Differential Effects of Serotonin Transporter Genotype on Anxiety-Like Behavior and Cognitive Judgment Bias in Mice. <i>Frontiers in Behavioral Neuroscience</i> , 2019 , 13, 263	3-5	11
115	The Impact of Acute Stress Physiology on Skilled Motor Performance: Implications for Policing. 2019 , 10, 2501		24
114	Submerged plus maze: A novel test for studying anxiety-like behaviour in fish. <i>Behavioural Brain Research</i> , 2019 , 362, 332-337	3-4	11

113	Oil exposure impairs predator-prey dynamics in larval red drum (<i>Sciaenops ocellatus</i>). 2020 , 71, 99		13
112	Deep brain stimulation of the orbitofrontal cortex prevents the development and reinstatement of morphine place preference. 2020 , 25, e12780		7
111	Exploratory behaviour is associated with microhabitat and evolutionary radiation in Lake Malawi cichlids. 2020 , 160, 121-134		7
110	Neuroimmune and epigenetic mechanisms underlying persistent loss of hippocampal neurogenesis following adolescent intermittent ethanol exposure. 2020 , 50, 9-16		18
109	Differences in cautiousness between mainland and island <i>Podarcis siculus</i> populations are paralleled by differences in brain noradrenaline/adrenaline concentrations. <i>Physiology and Behavior</i> , 2020 , 224, 113072	3.5	0
108	A mutation in monoamine oxidase (MAO) affects the evolution of stress behavior in the blind cavefish. 2020 , 223,		4
107	Pre- and early postnatal enriched environmental experiences prevent neonatal hypoxia-ischemia late neurodegeneration via metabolic and neuroplastic mechanisms. <i>Journal of Neurochemistry</i> , 2021 , 157, 1911-1929	6	2
106	The bivalent ligand, MMG22, reduces neuropathic pain after nerve injury without the side effects of traditional opioids. 2020 , 161, 2041-2057		1
105	Screening selected medicinal plants for potential anxiolytic activity using an in vivo zebrafish model. <i>Psychopharmacology</i> , 2020 , 237, 3641-3652	4.7	5
104	Knockout of Increases Calcium Oscillations in Neurons and Induces Hyperactive-Like Phenotype in Zebrafish Larvae. 2020 , 21,		0
103	Multi-parameter Behavioral Phenotyping of the MPP+ Model of Parkinson's Disease in Zebrafish. <i>Frontiers in Behavioral Neuroscience</i> , 2020 , 14, 623924	3.5	4
102	Meta-analysis of cognitive and behavioral tests in leptin- and leptin receptor-deficient mice. 2021 , 170, 217-235		1
101	Expression of DnMTs and MBDs in AlCl ₃ -Induced Neurotoxicity Mouse Model. 2021 , 199, 3433-3444		1
100	Environmental levels of venlafaxine impact larval behavioural performance in fathead minnows. <i>Chemosphere</i> , 2020 , 259, 127437	8.4	14
99	Molecular genetic approaches to dissect complex behaviors in zebrafish. 2020 , 223-244		0
98	Learning and memory retention deficits in prepubertal guinea pigs prenatally exposed to low levels of the organophosphorus insecticide malathion. 2020 , 81, 106914		1
97	Waterborne agrichemicals compromise the anti-predatory behavior of zebrafish. 2020 , 27, 38559-38567		7
96	In utero behavioral imprinting to predation risk in pups of the bank vole. 2020 , 74, 1		4

95	The Effects of Different Feeding Routines on Welfare in Laboratory Mice. <i>Frontiers in Veterinary Science</i> , 2019 , 6, 479	3.1	3
94	Space-choice behavior for individual study in a digital reading room. 2020 , 46, 102131		1
93	Rats (<i>Rattus norvegicus</i>) find occupancy of a restraint tube rewarding. 2020 , 113, 644-656		3
92	Chronic hyperglycemia impairs hippocampal neurogenesis and memory in an Alzheimer's disease mouse model. 2020 , 92, 98-113		6
91	Stress-mediated hyperactivity and anhedonia resistant to diazepam and fluoxetine in. 2021 , 24, 96-106		1
90	Nicotine sensitization (Part 2): Time spent in the centre of an open field sensitizes to repeated nicotine into the drug-free state in female rats. <i>Psychopharmacology</i> , 2021 , 238, 371-382	4.7	2
89	The impact of varying food availability on health and welfare in mice: Testing the Match-Mismatch hypothesis. <i>Physiology and Behavior</i> , 2021 , 228, 113193	3.5	0
88	Volumetric spatial behaviour in rats reveals the anisotropic organisation of navigation. <i>Animal Cognition</i> , 2021 , 24, 133-163	3.1	5
87	Activation of Preoptic Tachykinin 1 Neurons Promotes Wakefulness over Sleep and Volatile Anesthetic-Induced Unconsciousness. <i>Current Biology</i> , 2021 , 31, 394-405.e4	6.3	10
86	Cognitive Reserve in Model Systems for Mechanistic Discovery: The Importance of Longitudinal Studies. <i>Frontiers in Aging Neuroscience</i> , 2020 , 12, 607685	5.3	19
85	Late gestational exposure to dexamethasone and fetal programming of abnormal behavior in Wistar Kyoto rats. <i>Brain and Behavior</i> , 2021 , 11, e02049	3.4	2
84	Larval zebrafish display dynamic learning of aversive stimuli in a constant visual surrounding.		
83	A Multi-Disciplinary Approach to Assess the Welfare Impacts of a New Virtual Fencing Technology. <i>Frontiers in Veterinary Science</i> , 2021 , 8, 637709	3.1	2
82	Comparison of murine behavioural and physiological responses after forced exercise by electrical shock versus manual prodding. <i>Experimental Physiology</i> , 2021 , 106, 812-819	2.4	0
81	Thigmotaxis in a virtual human open field test. <i>Scientific Reports</i> , 2021 , 11, 6670	4.9	2
80	Intensive longitudinal characterization of multidimensional biobehavioral dynamics in laboratory rats. <i>Cell Reports</i> , 2021 , 35, 108987	10.6	2
79	Magnitude of open-field thigmotaxis during mecamylamine-precipitated nicotine withdrawal in rats is influenced by mecamylamine dose, duration of nicotine infusion, number of withdrawal episodes, and age. <i>Pharmacology Biochemistry and Behavior</i> , 2021 , 205, 173185	3.9	2
78	Larval zebrafish display dynamic learning of aversive stimuli in a constant visual surrounding. <i>Learning and Memory</i> , 2021 , 28, 228-238	2.8	2

77	Social isolation of adolescent male rats increases anxiety and K-induced dopamine release in the nucleus accumbens: Role of CRF-R1. <i>European Journal of Neuroscience</i> , 2021 , 54, 4888-4905	3.5	2
76	Galvanic Vestibular Stimulation Improves Spatial Cognition After Unilateral Labyrinthectomy in Mice. <i>Frontiers in Neurology</i> , 2021 , 12, 716795	4.1	4
75	Organization of exploratory behavior under dark conditions in female and male rats. <i>Behavioural Processes</i> , 2021 , 189, 104437	1.6	0
74	Anxiety and Alzheimer's disease: Behavioral analysis and neural basis in rodent models of Alzheimer's-related neuropathology. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 127, 647-658	9	5
73	Blockade of pre-synaptic and post-synaptic GABA receptors in the lateral habenula produces different effects on anxiety-like behaviors in 6-hydroxydopamine hemiparkinsonian rats. <i>Neuropharmacology</i> , 2021 , 196, 108705	5.5	3
72	Land-use change alters associations between personality and microhabitat selection. <i>Ecological Applications</i> , 2021 , 31, e02443	4.9	3
71	Neurodevelopmental toxicity of alumina nanoparticles to zebrafish larvae: Toxic effects of particle sizes and ions. <i>Food and Chemical Toxicology</i> , 2021 , 157, 112587	4.7	0
70	Evaluation of the effects of altitude on biological signatures of inflammation and anxiety- and depressive-like behavioral responses. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 111, 110331	5.5	4
69	Zebrafish as a Model of Genetic Epilepsy and Its Co-occurring Neurobehavioral and Neuropsychiatric Features. 2022 , 333-346		
68	Deferiprone Treatment in Aged Transgenic Tau Mice Improves Y-Maze Performance and Alters Tau Pathology. <i>Neurotherapeutics</i> , 2021 , 18, 1081-1094	6.4	7
67	Promises and Limitations of Transgenic and Knockout Mice in Modeling Psychiatric Symptoms. <i>Neurobiological Foundation of Aberrant Behaviors</i> , 2000 , 55-77		2
66	Automated Video-Image Analysis of Behavioral Asymmetries. 1996 , 141-174		2
65	Measuring Larval Zebrafish Behavior: Locomotion, Thigmotaxis, and Startle. <i>Neuromethods</i> , 2012 , 3-20	0.4	9
64	Measurement of Exploratory Behavior in Rodents. <i>Methods in Neurosciences</i> , 1993 , 359-377		16
63	Drug-selective Anesthetic Insensitivity of Zebrafish Lacking β Aminobutyric Acid Type A Receptor β Subunits. <i>Anesthesiology</i> , 2019 , 131, 1276-1291	4.3	6
62	Neurons in the amygdala with response-selectivity for anxiety in two ethologically based tests. <i>PLoS ONE</i> , 2011 , 6, e18739	3.7	38
61	Onset and progression of behavioral and molecular phenotypes in a novel congenic R6/2 line exhibiting intergenerational CAG repeat stability. <i>PLoS ONE</i> , 2011 , 6, e28409	3.7	16
60	Characterizing newly repopulated microglia in the adult mouse: impacts on animal behavior, cell morphology, and neuroinflammation. <i>PLoS ONE</i> , 2015 , 10, e0122912	3.7	124

59	Effects of trap confinement on personality measurements in two terrestrial rodents. <i>PLoS ONE</i> , 2020 , 15, e0221136	3.7	3
58	"Females Are Not Just 'Protected' Males": Sex-Specific Vulnerabilities in Placenta and Brain after Prenatal Immune Disruption. <i>ENeuro</i> , 2019 , 6,	3.9	28
57	The employees' sleep quality: A perspective of organizational behavior. <i>Advances in Psychological Science</i> , 2018 , 26, 1096	0.9	2
56	Neonatal Isolation Stress Inhibits Pre-Weaning Weight Gain and Mild-Stressor Induced Locomotor Activity in Early Adolescent Male and Female Rats. <i>Journal of Behavioral and Brain Science</i> , 2015 , 05, 306-317	0.3	3
55	Shape and size of the arenas affect amphipod behaviours: implications for ecotoxicology. <i>PeerJ</i> , 2018 , 6, e5271	3.1	7
54	Baseline Depression-Like Behaviors in Wild-Type Adolescent Mice Are Strain and Age but Not Sex Dependent. <i>Frontiers in Behavioral Neuroscience</i> , 2021 , 15, 759574	3.5	2
53	Use of Mice with Targeted Genetic Inactivation in the Serotonergic System for the Study of Anxiety. <i>Frontiers in Neuroscience</i> , 2007 , 181-195		
52	Psychopharmacological Profile of Hydroalcoholic Extract and P-Hydroxybenzoic Acid Obtained from <i>Borreria huanita</i> (Boraginaceae) in Mice. <i>Pharmacology & Pharmacy</i> , 2014 , 05, 983-995	0.3	2
51	Wall following in <i>Xenopus laevis</i> is passive.		
50	Quantitative analysis reveals the basic behavioural repertoire of the urochordate <i>Ciona intestinalis</i>		1
49	A mutation in monoamine oxidase (MAO) affects the evolution of stress behavior in the blind cavefish <i>Astyanax mexicanus</i> .		1
48	Deletion of the voltage-gated calcium channel, CaV1.3, causes deficits in motor performance and associative learning.		
47	Prenatal cyanuric acid exposure depresses hippocampal synaptic plasticity and induces spatial learning and memory deficits. <i>Toxicology Letters</i> , 2021 , 354, 24-32	4.4	3
46	The Effect of Memantine Administration on Anxiety Maintenance in Stressed Male Wistar Rats. <i>Iranian Journal of Psychiatry and Behavioral Sciences</i> , 2020 , 13,	1.3	
45	could improve hippocampal tau protein and TNF levels and cognitive behavior defects in a rat model of Alzheimer's disease. <i>Avicenna Journal of Phytomedicine</i> , 2019 , 9, 465-473	1.4	1
44	The majority of brain palmitic acid is maintained by lipogenesis from dietary sugars and is augmented in mice fed low palmitic acid levels from birth. <i>Journal of Neurochemistry</i> , 2021 ,	6	1
43	The potential for adverse effects in fish exposed to antidepressants in the aquatic environment. <i>Environmental Science & Technology</i> , 2021 ,	10.3	6
42	Motility phenotype in a zebrafish <i>vmat2</i> mutant.. <i>PLoS ONE</i> , 2022 , 17, e0259753	3.7	0

41	Behavioral Effects of Buspirone in Juvenile Zebrafish of Two Different Genetic Backgrounds.. <i>Toxics</i> , 2022 , 10,	4.7	0
40	Cognitive impairment persists at least 1 year after juvenile rats are treated with methotrexate.. <i>Neuropharmacology</i> , 2022 , 206, 108939	5.5	1
39	Deletion of the voltage-gated calcium channel, Ca 1.3, causes deficits in motor performance and associative learning.. <i>Genes, Brain and Behavior</i> , 2022 , e12791	3.6	0
38	Interferon receptor gene dosage determines diverse hallmarks of Down syndrome.		0
37	Mesembryanthemum tortuosum L. alkaloids modify anxiety-like behaviour in a zebrafish model.. <i>Journal of Ethnopharmacology</i> , 2022 , 115068	5	0
36	Elucidating the Effects of a Cryptomeria fortunei Forest Environment on Overall Health Based on Open Field Testing of Mice. <i>Sustainability</i> , 2022 , 14, 59	3.6	0
35	Internalization, reduced growth, and behavioral effects following exposure to micro and nano tire particles in two estuarine indicator species.. <i>Chemosphere</i> , 2022 , 133934	8.4	1
34	Impaired initial development and behavior in zebrafish exposed to environmentally relevant concentrations of widely used pesticides.. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2022 , 109328	3.2	0
33	The Differential Effects of Acute Right- vs. Left-Sided Vestibular Deafferentation on Spatial Cognition in Unilateral Labyrinthectomized Mice.. <i>Frontiers in Neurology</i> , 2021 , 12, 789487	4.1	1
32	OUP accepted manuscript. <i>Behavioral Ecology</i> ,	2.3	0
31	Mice Cohabiting With Familiar Conspecific in Chronic Stress Condition Exhibit Methamphetamine-Induced Locomotor Sensitization and Augmented Consolation Behavior.. <i>Frontiers in Behavioral Neuroscience</i> , 2022 , 16, 835717	3.5	0
30	Data_Sheet_1.doc. 2019 ,		
29	Video_1.WMV. 2019 ,		
28	Video_2.WMV. 2019 ,		
27	Data_Sheet_1.docx. 2019 ,		
26	Image_1.TIFF. 2019 ,		
25	Image_2.TIFF. 2019 ,		
24	Table_1.DOCX. 2019 ,		

23 Table_2.DOCX. 2019,

22	Eugenol and its liposome-based nano carrier reduce anxiety by inhibiting glyoxylase-1 expression in mice. <i>Brazilian Journal of Biology</i> , 2021 , 83, e251219	1.5	○
21	Wastewater effluent affects behaviour and metabolomic endpoints in damselfly larvae.. <i>Scientific Reports</i> , 2022 , 12, 6830	4.9	
20	Benzodiazepine receptor antagonists flumazenil and CGS 8216 and inverse-agonist ECCM enhance spatial learning in the rat: Dissociation from anxiogenic actions. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1993 , 21, 101-108		12
19	When left is right: The effects of paw preference training on behaviour in mice. <i>Behavioural Brain Research</i> , 2022 , 430, 113929	3.4	
18	Deleterious Variation in BR Serine/Threonine Kinase 2 Classified a Subtype of Autism. <i>Frontiers in Molecular Neuroscience</i> , 15,	6.1	○
17	Central and cardiac stress resiliences consistently linked to integrated immuno-neuroendocrine responses across stress models in male mice. <i>European Journal of Neuroscience</i> ,	3.5	○
16	Autism-Risk Gene <i>necab2</i> Regulates Psychomotor and Social Behavior as a Neuronal Modulator of mGluR1 Signaling. <i>Frontiers in Molecular Neuroscience</i> , 15,	6.1	
15	Mice lacking proSAAS display alterations in emotion, consummatory behavior and circadian entrainment. <i>Genes, Brain and Behavior</i> ,	3.6	○
14	Gene Dysregulation in the Adult Rat Paraventricular Nucleus and Amygdala by Prenatal Exposure to Dexamethasone. 2022 , 12, 1077		○
13	Collective Behaviors of Active Matter Learning from Natural Taxes Across Scales. 2203959		2
12	The impact of thigmotaxis deprivation on the development of the German cockroach (<i>Blattella germanica</i>). 2022 , 25, 104802		
11	State-dependent, visually-guided behaviors in the nudibranch <i>Berghia stephanieae</i> .		○
10	Letrozole delays acquisition of water maze task in female BALB/c mice: possible involvement of anxiety.		○
9	Chronic stress causes striatal disinhibition mediated by SOM-interneurons in male mice. 2022 , 13,		○
8	Protocol to assess rewarding brain stimulation as a learning and memory modulating treatment: Comparison between self-administration and experimenter-administration. 16,		○
7	A cage without a view increases stress and impairs cognitive performance in rats. 2010 , 19, 235-241		1
6	The anxiolytic-like activity of water-soluble <i>Moringa oleifera</i> Lam. lectin is mediated via serotonergic, noradrenergic, and dopaminergic neurotransmission. 2023 , 9, 100066		○

- 5 Two Are Better Than One: Integrating Spatial Geometry with a Conspicuous Landmark in Zebrafish Reorientation Behavior. **2023**, 13, 537
- 4 Alteration of Lateral Habenula Function Prevents the Proper Exploration of a Novel Environment. **2023**, 514, 56-66
- 3 The power of a touch: Regular touchscreen training but not its termination affects hormones and behavior in mice. 17,
- 2 Downregulation of Sirtuin 1 Does Not Account for the Impaired Long-Term Potentiation in the Prefrontal Cortex of Female APP^{swe}/PS1^{dE9} Mice Modelling Alzheimer's Disease. **2023**, 24, 6968
- 1 Stochastic characterization of navigation strategies in an automated variant of the Barnes maze.