

Obesity and insulin resistance: Lessons learned from th

Diabetes/metabolism Reviews

4, 517-540

DOI: [10.1002/dmr.5610040508](https://doi.org/10.1002/dmr.5610040508)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Assessment of insulin sensitivity in vivo: A critical review. <i>Diabetes/metabolism Reviews</i> , 1989, 5, 411-429. | 0.2 | 122 |
| 2 | Amylin and the amylin gene: structure, function and relationship to islet amyloid and to diabetes mellitus. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1989, 1014, 247-258. | 1.9 | 134 |
| 3 | Relationship of genetics, age, and physical fitness to daily energy expenditure and fuel utilization. <i>American Journal of Clinical Nutrition</i> , 1989, 49, 968-975. | 2.2 | 560 |
| 4 | Diabetes mellitus in the pima indians: Incidence, risk factors and pathogenesis. <i>Diabetes/metabolism Reviews</i> , 1990, 6, 1-27. | 0.2 | 512 |
| 5 | Islet amyloid polypeptide in diabetic and non-diabetic Pima Indians. <i>Diabetologia</i> , 1990, 33, 285-289. | 2.9 | 121 |
| 6 | Insulin resistance induced by high-fat feeding is only partially reversed by exercise training. <i>Pflugers Archiv European Journal of Physiology</i> , 1990, 417, 79-83. | 1.3 | 18 |
| 7 | Minimal Model Analysis of Intravenous Glucose Tolerance Test-Derived Insulin Sensitivity in Diabetic Subjects*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1990, 71, 1508-1518. | 1.8 | 352 |
| 8 | Safety of growth hormone. <i>Lancet, The</i> , 1991, 337, 108-110. | 6.3 | 5 |
| 9 | Fuel metabolism in anorexia nervosa and simple obesity. <i>Metabolism: Clinical and Experimental</i> , 1991, 40, 689-694. | 1.5 | 22 |
| 10 | Exaggerated Early Insulin Release and Insulin Resistance in a Diabetes-Prone Population: A Metabolic Comparison of Pima Indians and Caucasians. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1991, 73, 866-876. | 1.8 | 151 |
| 11 | Diabetes, Exercise, and Atherosclerosis. <i>Diabetes Care</i> , 1992, 15, 1787-1793. | 4.3 | 42 |
| 12 | Insulin resistance versus insulin secretion in the hypertension of obesity.. <i>Hypertension</i> , 1992, 19, 385-392. | 1.3 | 47 |
| 13 | Pima Indians as a model to study the genetics of NIDDM. <i>Journal of Cellular Biochemistry</i> , 1992, 48, 337-343. | 1.2 | 34 |
| 14 | Evidence for recent increases in obesity and non-insulin-dependent diabetes mellitus in a Navajo community. <i>American Journal of Human Biology</i> , 1992, 4, 547-553. | 0.8 | 21 |
| 15 | The case for metabolic hypertension: Is it time to restructure the hypertension paradigm?. <i>Progress in Cardiovascular Diseases</i> , 1993, 36, 1-38. | 1.6 | 20 |
| 16 | Abdominal obesity is associated with insulin resistance and reduced glycogen synthase activity in skeletal muscle. <i>Metabolism: Clinical and Experimental</i> , 1993, 42, 998-1005. | 1.5 | 57 |
| 17 | Diversity of Insulin Resistance in Monkeys with Normal Glucose Tolerance. <i>Obesity</i> , 1993, 1, 364-370. | 4.0 | 14 |
| 18 | Insulin Resistance and Insulin Secretory Dysfunction as Precursors of Non-Insulin-Dependent Diabetes Mellitus: Prospective Studies of Pima Indians. <i>New England Journal of Medicine</i> , 1993, 329, 1988-1992. | 13.9 | 1,312 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Obesity genes and diabetes induction in the mouse. <i>Critical Reviews in Food Science and Nutrition</i> , 1993, 33, 333-338. | 5.4 | 20 |
| 20 | Serum androgens in hyperinsulinemic Pima Indian and obese Caucasian women and their response to short-term insulin infusion. <i>Journal of Endocrinological Investigation</i> , 1993, 16, 403-406. | 1.8 | 2 |
| 21 | Trypsin-Mn(2+)-resistant form of type 1 protein phosphatase in human muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1994, 266, E574-E582. | 1.8 | 1 |
| 22 | Effect of Naltrexone Treatment on Insulin Secretion, Insulin Action and Postprandial Thermogenesis in Obesity. <i>Hormone and Metabolic Research</i> , 1994, 26, 188-194. | 0.7 | 5 |
| 23 | Immunoreactive glycogen-binding subunit of protein phosphatase-1 in human skeletal muscle.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994, 79, 485-488. | 1.8 | 1 |
| 24 | Enterostatin inhibits insulin secretion from isolated perfused rat islets. <i>Acta Diabetologica</i> , 1994, 31, 160-163. | 1.2 | 18 |
| 25 | Vascular defects in the aetiology of peripheral insulin resistance in diabetes. A critical review of hypotheses and facts. <i>Diabetes/metabolism Reviews</i> , 1994, 10, 287-307. | 0.2 | 27 |
| 26 | The opposing effects of insulin and hyperglycemia in modulating amino acid metabolism during a glucose tolerance test in lean and obese subjects. <i>Metabolism: Clinical and Experimental</i> , 1994, 43, 211-216. | 1.5 | 8 |
| 27 | Acanthosis Nigricans among Native Americans: an indicator of high diabetes risk.. <i>American Journal of Public Health</i> , 1994, 84, 1839-1842. | 1.5 | 87 |
| 29 | A high concentration of fasting plasma non-esterified fatty acids is a risk factor for the development of NIDDM. <i>Diabetologia</i> , 1995, 38, 1213-1217. | 2.9 | 344 |
| 30 | Effects of metformin in obese patients with impaired glucose tolerance. <i>Diabetes/metabolism Reviews</i> , 1995, 11, S69-S80. | 0.2 | 14 |
| 31 | Skeletal muscle fiber composition is related to adiposity and in vitro glucose transport rate in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1995, 268, E453-E457. | 1.8 | 191 |
| 32 | Skeletal muscle membrane lipid composition is related to adiposity and insulin action.. <i>Journal of Clinical Investigation</i> , 1995, 96, 2802-2808. | 3.9 | 242 |
| 33 | Insulin sensitivity and antiandrogenic therapy in women with polycystic ovary syndrome. <i>Metabolism: Clinical and Experimental</i> , 1995, 44, 525-531. | 1.5 | 112 |
| 34 | In vivo β -cell function at the transition to early non-insulin-dependent diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 1995, 44, 757-764. | 1.5 | 14 |
| 35 | Relation of the White Blood Cell Count to Obesity and Insulin Resistance: Effect of Race and Gender. <i>Obesity</i> , 1995, 3, 563-571. | 4.0 | 70 |
| 36 | Relationship of hepatic and peripheral insulin resistance with plasminogen activator inhibitor-1 in Pima Indians. <i>Metabolism: Clinical and Experimental</i> , 1996, 45, 1243-1247. | 1.5 | 25 |
| 37 | Interrelationships between muscle morphology, insulin action, and adiposity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1996, 270, R1332-R1339. | 0.9 | 77 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Co-existence of severe insulin resistance and hyperinsulinaemia in pre-adolescent obese children. <i>Diabetologia</i> , 1996, 39, 1489-1497. | 2.9 | 124 |
| 39 | Skeletal Muscle Triglyceride Levels Are Inversely Related to Insulin Action. <i>Diabetes</i> , 1997, 46, 983-988. | 0.3 | 1,006 |
| 40 | The Thermic Effect of Food and Obesity: A Critical Review. <i>Obesity</i> , 1997, 5, 622-631. | 4.0 | 133 |
| 41 | Genetic Analysis of Human Type 1 Protein Phosphatase Inhibitor 2 in Insulin-Resistant Pima Indians. <i>Genomics</i> , 1997, 41, 110-114. | 1.3 | 8 |
| 42 | Central Role of the Adipocyte in Insulin Resistance. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 1998, 9, 205-222. | 0.7 | 103 |
| 43 | Temporal Relations between Obesity and Insulin: Longitudinal Data from the Normative Aging Study. <i>American Journal of Epidemiology</i> , 1998, 147, 173-179. | 1.6 | 55 |
| 44 | The natural history of insulin secretory dysfunction and insulin resistance in the pathogenesis of type 2 diabetes mellitus. <i>Journal of Clinical Investigation</i> , 1999, 104, 787-794. | 3.9 | 1,559 |
| 45 | Insulin receptor autophosphorylation in cultured myoblasts correlates to glucose disposal in Pima Indians. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 276, E990-E994. | 1.8 | 9 |
| 46 | Familiality of Quantitative Metabolic Traits in Finnish Families with Non-Insulin-Dependent Diabetes mellitus. <i>Human Heredity</i> , 1999, 49, 159-168. | 0.4 | 115 |
| 47 | Visceral adipose tissue is not increased in Pima Indians compared with equally obese Caucasians and is not related to insulin action or secretion. <i>Diabetologia</i> , 1999, 42, 28-34. | 2.9 | 48 |
| 48 | Influence of Non-steady State During Isoglycemic Hyperinsulinemic Clamp in Hypertension: A LIFE Substudy. <i>Blood Pressure</i> , 1999, 8, 207-213. | 0.7 | 12 |
| 49 | Protein Targeting to Glycogen/PPP1R5: Screening of Coding and Flanking Genomic Regions for Polymorphisms and Association Analysis with Insulin Action in Pima Indians. <i>Biochemical and Biophysical Research Communications</i> , 1999, 258, 184-186. | 1.0 | 4 |
| 50 | A calpain-10 gene polymorphism is associated with reduced muscle mRNA levels and insulin resistance. <i>Journal of Clinical Investigation</i> , 2000, 106, R69-R73. | 3.9 | 254 |
| 51 | Gender-Related Difference in Relationship between Insulin Resistance and Serum Leptin Level in Japanese Type 2 Diabetic and Non-Diabetic Subjects. <i>Endocrine Journal</i> , 2000, 47, 615-621. | 0.7 | 14 |
| 52 | Relative influence of insulin resistance versus blood pressure on vascular changes in longstanding hypertension. ICARUS, a LIFE sub study. <i>Journal of Hypertension</i> , 2000, 18, 75-81. | 0.3 | 32 |
| 53 | Long-term changes in insulin action and insulin secretion associated with gain, loss, regain and maintenance of body weight. <i>Diabetologia</i> , 2000, 43, 36-46. | 2.9 | 88 |
| 54 | Efficacy and Safety of Troglitazone in the Treatment of Lipodystrophy Syndromes. <i>Annals of Internal Medicine</i> , 2000, 133, 263. | 2.0 | 265 |
| 55 | Palmitate oxidation rate and action on glycogen synthase in myoblasts from insulin-resistant subjects. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 279, E561-E569. | 1.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 56 | Evaluation of Simple Indices of Insulin Sensitivity and Insulin Secretion for Use in Epidemiologic Studies. <i>American Journal of Epidemiology</i> , 2000, 151, 190-198. | 1.6 | 423 |
| 57 | Longitudinal compensation for fat-induced insulin resistance includes reduced insulin clearance and enhanced beta-cell response. <i>Diabetes</i> , 2000, 49, 2116-2125. | 0.3 | 174 |
| 58 | Insulin Increases Leptin mRNA Expression in Abdominal Subcutaneous Adipose Tissue in Humans. <i>Molecular Genetics and Metabolism</i> , 2000, 70, 19-26. | 0.5 | 22 |
| 59 | Functional Analyses of Amino Acid Substitutions Arg883Ser and Asp905Tyr of Protein Phosphatase-1 G-subunit. <i>Molecular Genetics and Metabolism</i> , 2000, 70, 151-158. | 0.5 | 3 |
| 60 | The Finland-United States Investigation of Non-Insulin-Dependent Diabetes Mellitus Genetics (FUSION) Study. II. An Autosomal Genome Scan for Diabetes-Related Quantitative-Trait Loci. <i>American Journal of Human Genetics</i> , 2000, 67, 1186-1200. | 2.6 | 121 |
| 61 | Screening for Diabetes in Pregnancy. <i>Journal of the Royal Society of Medicine</i> , 2001, 94, 502-509. | 1.1 | 18 |
| 63 | Low Acute Insulin Secretory Responses in Adult Offspring of People With Early Onset Type 2 Diabetes. <i>Diabetes</i> , 2001, 50, 1828-1833. | 0.3 | 133 |
| 64 | Insulin Resistance and Insulin Secretory Dysfunction Are Independent Predictors of Worsening of Glucose Tolerance During Each Stage of Type 2 Diabetes Development. <i>Diabetes Care</i> , 2001, 24, 89-94. | 4.3 | 303 |
| 65 | SNP43 of CAPN10 and the Risk of Type 2 Diabetes in African-Americans: The Atherosclerosis Risk in Communities Study. <i>Diabetes</i> , 2002, 51, 231-237. | 0.3 | 89 |
| 66 | Association of Acanthosis Nigricans With Hyperinsulinemia Compared With Other Selected Risk Factors for Type 2 Diabetes in Cherokee Indians: The Cherokee Diabetes Study. <i>Diabetes Care</i> , 2002, 25, 1009-1014. | 4.3 | 99 |
| 67 | Transgenic Mice Expressing Human Fibroblast Growth Factor-19 Display Increased Metabolic Rate and Decreased Adiposity. <i>Endocrinology</i> , 2002, 143, 1741-1747. | 1.4 | 478 |
| 68 | Plasma Adiponectin Concentration Is Associated With Skeletal Muscle Insulin Receptor Tyrosine Phosphorylation, and Low Plasma Concentration Precedes a Decrease in Whole-Body Insulin Sensitivity in Humans. <i>Diabetes</i> , 2002, 51, 1884-1888. | 0.3 | 491 |
| 69 | UCP5/BMCP1 transcript isoforms in human skeletal muscle: relationship of the short-insert isoform with lipid oxidation and resting metabolic rates. <i>Molecular Genetics and Metabolism</i> , 2002, 75, 369-373. | 0.5 | 15 |
| 70 | Microarray profiling of skeletal muscle tissues from equally obese, non-diabetic insulin-sensitive and insulin-resistant Pima Indians. <i>Diabetologia</i> , 2002, 45, 1584-1593. | 2.9 | 115 |
| 71 | Lipoatrophic diabetes and other related syndromes. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2003, 4, 61-77. | 2.6 | 27 |
| 72 | The relative contributions of insulin resistance and beta-cell dysfunction to the pathophysiology of Type 2 diabetes. <i>Diabetologia</i> , 2003, 46, 3-19. | 2.9 | 1,767 |
| 73 | Relationship of adiponectin to body fat distribution, insulin sensitivity and plasma lipoproteins: evidence for independent roles of age and sex. <i>Diabetologia</i> , 2003, 46, 459-469. | 2.9 | 1,272 |
| 74 | Identification of differentially expressed genes in skeletal muscle of non-diabetic insulin-resistant and insulin-sensitive Pima Indians by differential display PCR. <i>Diabetologia</i> , 2003, 46, 1567-1575. | 2.9 | 53 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 75 | Are left ventricular mass, geometry and function related to vascular changes and/or insulin resistance in long-standing hypertension? ICARUS: a LIFE substudy. <i>Journal of Human Hypertension</i> , 2003, 17, 305-311. | 1.0 | 13 |
| 76 | The Atherogenic Lipoprotein Profile Associated With Obesity and Insulin Resistance Is Largely Attributable to Intra-Abdominal Fat. <i>Diabetes</i> , 2003, 52, 172-179. | 0.3 | 243 |
| 77 | Lipoatrophic Diabetes Mellitus. , 2003, , 185-214. | | 0 |
| 78 | Insulin Resistance, the Metabolic Syndrome, and Risk of Incident Cardiovascular Disease in Nondiabetic American Indians: The Strong Heart Study. <i>Diabetes Care</i> , 2003, 26, 861-867. | 4.3 | 376 |
| 79 | Insulin resistance is a poor predictor of type 2 diabetes in individuals with no family history of disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 2724-2729. | 3.3 | 86 |
| 80 | A Gly482Ser Missense Mutation in the Peroxisome Proliferator-Activated Receptor α Coactivator-1 Is Associated With Altered Lipid Oxidation and Early Insulin Secretion in Pima Indians. <i>Diabetes</i> , 2003, 52, 895-898. | 0.3 | 140 |
| 81 | Microarray gene expression profiling in obesity and insulin resistance. <i>Nutrition</i> , 2004, 20, 134-138. | 1.1 | 29 |
| 82 | Prevention of Type 2 Diabetes: Insulin Resistance and Beta-Cell Function. <i>Diabetes</i> , 2004, 53, S34-S38. | 0.3 | 127 |
| 83 | Endogenous glucose production, insulin sensitivity, and insulin secretion in normal glucose-tolerant Pima Indians with low birth weight. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 904-911. | 1.5 | 20 |
| 84 | Calpain-10: from genome search to function. <i>Diabetes/Metabolism Research and Reviews</i> , 2005, 21, 505-514. | 1.7 | 61 |
| 85 | Microarray profiling of isolated abdominal subcutaneous adipocytes from obese vs non-obese Pima Indians: increased expression of inflammation-related genes. <i>Diabetologia</i> , 2005, 48, 1776-1783. | 2.9 | 220 |
| 86 | Variants in Hepatocyte Nuclear Factor α Are Modestly Associated With Type 2 Diabetes in Pima Indians. <i>Diabetes</i> , 2005, 54, 3035-3039. | 0.3 | 48 |
| 87 | Public Policy and Obesity: The Need to Marry Science with Advocacy. <i>Psychiatric Clinics of North America</i> , 2005, 28, 235-252. | 0.7 | 36 |
| 88 | Partial Replacement of Waxy Cornstarch by Recrystallized Amylose Retards the Development of Insulin Resistance in Rats. <i>Bioscience, Biotechnology and Biochemistry</i> , 2006, 70, 2429-2436. | 0.6 | 3 |
| 89 | Stability of Body Weight in Type 2 Diabetes. <i>Diabetes Care</i> , 2006, 29, 493-497. | 4.3 | 44 |
| 90 | The effect of insulin on net lipid oxidation predicts worsening of insulin resistance and development of type 2 diabetes mellitus. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E264-E269. | 1.8 | 13 |
| 91 | Prevention of Type 2 diabetes: fact or fiction?. <i>Expert Opinion on Pharmacotherapy</i> , 2007, 8, 3147-3158. | 0.9 | 30 |
| 92 | Variants in the Cav2.3 (α 1E) Subunit of Voltage-Activated Ca ²⁺ Channels Are Associated With Insulin Resistance and Type 2 Diabetes in Pima Indians. <i>Diabetes</i> , 2007, 56, 3089-3094. | 0.3 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 93 | Pioglitazone in the management of Type 2 diabetes and beyond. Therapy: Open Access in Clinical Medicine, 2007, 4, 517-533. | 0.2 | 3 |
| 94 | Low adiponectin levels are associated with renal cell carcinoma: A case-control study. International Journal of Cancer, 2007, 120, 1573-1578. | 2.3 | 117 |
| 95 | Acute insulin response is an independent predictor of type 2 diabetes mellitus in individuals with both normal fasting and 2-h plasma glucose concentrations. Diabetes/Metabolism Research and Reviews, 2007, 23, 304-310. | 1.7 | 45 |
| 96 | Distribution of Subcutaneous Fat Predicts Insulin Action in Obesity in Sex-specific Manner. Obesity, 2008, 16, 2003-2009. | 1.5 | 31 |
| 97 | Ethnic heterogeneity in gluoregulatory function during treatment with atypical antipsychotics in patients with schizophrenia. Journal of Psychiatric Research, 2008, 42, 1076-1085. | 1.5 | 41 |
| 98 | Advances in the development of AMPK-activating compounds. Expert Opinion on Drug Discovery, 2008, 3, 1167-1176. | 2.5 | 9 |
| 99 | Free triiodothyronine plasma concentrations are positively associated with insulin secretion in euthyroid individuals. European Journal of Endocrinology, 2008, 158, 217-221. | 1.9 | 67 |
| 100 | Differences in Quality of Diabetes Care Between Jews and Arabs in Jerusalem. American Journal of Medical Quality, 2008, 23, 60-65. | 0.2 | 10 |
| 101 | Effects of Olanzapine and Ziprasidone on Glucose Tolerance in Healthy Volunteers. Neuropsychopharmacology, 2008, 33, 1633-1641. | 2.8 | 91 |
| 102 | Palmitate action to inhibit glycogen synthase and stimulate protein phosphatase 2A increases with risk factors for type 2 diabetes. American Journal of Physiology - Endocrinology and Metabolism, 2008, 294, E444-E450. | 1.8 | 9 |
| 103 | A Review of Islet of Langerhans Degeneration in Rodent Models of Type 2 Diabetes. Toxicologic Pathology, 2008, 36, 529-551. | 0.9 | 52 |
| 104 | Lower Metabolic Rate in Individuals Heterozygous for Either a Frameshift or a Functional Missense MC4R Variant. Diabetes, 2008, 57, 3267-3272. | 0.3 | 57 |
| 105 | Leptin and insulin as adiposity signals. , 2008, , 83-126. | | 0 |
| 106 | Increased fat accumulation in liver may link insulin resistance with subcutaneous abdominal adipocyte enlargement, visceral adiposity, and hypo adiponectinemia in obese individuals. American Journal of Clinical Nutrition, 2008, 87, 295-302. | 2.2 | 106 |
| 107 | Macrophage Content in Subcutaneous Adipose Tissue. Diabetes, 2009, 58, 385-393. | 0.3 | 120 |
| 108 | Influence of Gender, Obesity, and Muscle Lipase Activity on Intramyocellular Lipids in Sedentary Individuals. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 3440-3447. | 1.8 | 127 |
| 109 | Childhood Predictors of Adult Acute Insulin Response and Insulin Action. Diabetes Care, 2009, 32, 938-943. | 4.3 | 15 |
| 110 | Repeatability and reproducibility of the hyperinsulinemic-euglycemic clamp and the tracer dilution technique in a controlled inpatient setting. Metabolism: Clinical and Experimental, 2009, 58, 304-310. | 1.5 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 111 | The effect of salsalate on insulin action and glucose tolerance in obese non-diabetic patients: results of a randomised double-blind placebo-controlled study. <i>Diabetologia</i> , 2009, 52, 385-393. | 2.9 | 115 |
| 112 | mRNA concentrations of MIF in subcutaneous abdominal adipose cells are associated with adipocyte size and insulin action. <i>International Journal of Obesity</i> , 2009, 33, 842-850. | 1.6 | 33 |
| 113 | Improvements in Insulin Sensitivity Are Blunted by Subclinical Hypothyroidism. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 265-269. | 0.2 | 26 |
| 114 | Insulin resistance at the crossroads of metabolic syndrome: Systemic analysis using microarrays. <i>Biotechnology Journal</i> , 2010, 5, 919-929. | 1.8 | 15 |
| 115 | Assessment of non- β -insulin-mediated glucose uptake: association with body fat and glycemic status. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 1396-1401. | 1.5 | 11 |
| 116 | Urinary C-peptide Excretion: A Novel Alternate Measure of Insulin Sensitivity in Physiological Conditions. <i>Obesity</i> , 2010, 18, 1852-1857. | 1.5 | 10 |
| 117 | Effect of a 3-day high-fat feeding period on carbohydrate balance and ad libitum energy intake in humans. <i>International Journal of Obesity</i> , 2010, 34, 886-891. | 1.6 | 15 |
| 118 | Functional Variants in <i>MBL2</i> Are Associated With Type 2 Diabetes and Pre-Diabetes Traits in Pima Indians and the Old Order Amish. <i>Diabetes</i> , 2010, 59, 2080-2085. | 0.3 | 16 |
| 119 | Monogenic Diabetes Secondary to Congenital Lipodystrophy in a 14-year-old Yemeni Girl-Case Report. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2010, 2, 176-179. | 0.4 | 9 |
| 120 | Obesity: A Public Health Approach. <i>Psychiatric Clinics of North America</i> , 2011, 34, 895-909. | 0.7 | 28 |
| 121 | HLA-DRB1 reduces the risk of type 2 diabetes mellitus by increased insulin secretion. <i>Diabetologia</i> , 2011, 54, 1684-1692. | 2.9 | 33 |
| 122 | Skeletal Muscle Mitochondrial Capacity and Insulin Resistance in Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 1160-1168. | 1.8 | 64 |
| 123 | Defining Insulin Resistance From Hyperinsulinemic-Euglycemic Clamps. <i>Diabetes Care</i> , 2012, 35, 1605-1610. | 4.3 | 211 |
| 124 | Revisiting the diacylglycerol-induced insulin resistance hypothesis. <i>Obesity Reviews</i> , 2012, 13, 40-50. | 3.1 | 49 |
| 125 | Decreasing Postprandial Plasma Glucose Using an α -Glucosidase Inhibitor in Subjects with IGT for the Prevention of Type 2 Diabetes Mellitus: The STOP-NIDDM Trial. , 2012, , 167-187. | | 1 |
| 126 | Postprandial whole-body glycolysis is similar in insulin-resistant and insulin-sensitive non-diabetic humans. <i>Diabetologia</i> , 2012, 55, 737-742. | 2.9 | 14 |
| 127 | Strong Parent-of-Origin Effects in the Association of <i>KCNQ1</i> Variants With Type 2 Diabetes in American Indians. <i>Diabetes</i> , 2013, 62, 2984-2991. | 0.3 | 60 |
| 128 | A Genome-Wide Search for Type 2 Diabetes Susceptibility Genes in an Extended Arab Family. <i>Annals of Human Genetics</i> , 2013, 77, 488-503. | 0.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 129 | Serum Uric Acid Predicts Both Current and Future Components of the Metabolic Syndrome. <i>Metabolic Syndrome and Related Disorders</i> , 2013, 11, 157-162. | 0.5 | 51 |
| 130 | Dietary Fats as Mediators of Obesity, Inflammation, and Colon Cancer. , 2013, , 99-132. | | 3 |
| 131 | Adipose tissue expression of <i>WATC1</i> (WATC1) gene is associated with lower fat mass and enhanced insulin sensitivity in humans. <i>Obesity</i> , 2013, 21, 2244-2248. | 1.5 | 13 |
| 132 | Ethnic differences in leptin and adiponectin levels between Greenlandic Inuit and Danish children. <i>International Journal of Circumpolar Health</i> , 2013, 72, 21458. | 0.5 | 3 |
| 133 | Effect of 8 Weeks of Overfeeding on Ectopic Fat Deposition and Insulin Sensitivity: Testing the Adipose Tissue Expandability Hypothesis. <i>Diabetes Care</i> , 2014, 37, 2789-2797. | 4.3 | 117 |
| 134 | Relationship between whole-body macronutrient oxidative partitioning and pancreatic insulin secretion/ β -cell function in non-diabetic humans. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 1426-1431. | 1.5 | 8 |
| 135 | Whole exome sequencing identifies variation in <i>CYB5A</i> and <i>RNF10</i> associated with adiposity and type 2 diabetes. <i>Obesity</i> , 2014, 22, 984-988. | 1.5 | 37 |
| 136 | Hepatic insulin clearance is the primary determinant of insulin sensitivity in the normal dog. <i>Obesity</i> , 2014, 22, 1238-1245. | 1.5 | 51 |
| 137 | Lipid in skeletal muscle myotubes is associated to the donors' insulin sensitivity and physical activity phenotypes. <i>Obesity</i> , 2014, 22, 426-434. | 1.5 | 22 |
| 138 | Berardinelli-Seip syndrome type 1 in an Egyptian child. <i>Indian Journal of Human Genetics</i> , 2014, 20, 75. | 0.7 | 8 |
| 139 | Weight Gain Reveals Dramatic Increases in Skeletal Muscle Extracellular Matrix Remodeling. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 1749-1757. | 1.8 | 59 |
| 140 | Common genetic variation in the glucokinase gene (<i>GCK</i>) is associated with type 2 diabetes and rates of carbohydrate oxidation and energy expenditure. <i>Diabetologia</i> , 2014, 57, 1382-1390. | 2.9 | 28 |
| 141 | Effect of maternal age at childbirth on insulin resistance: the 2010 Korean national health and nutrition examination survey. <i>Clinical Endocrinology</i> , 2015, 82, 824-830. | 1.2 | 4 |
| 142 | Adipose tissue and metabolic syndrome: too much, too little or neither. <i>European Journal of Clinical Investigation</i> , 2015, 45, 1209-1217. | 1.7 | 129 |
| 143 | Eight weeks of dietary overfeeding increases renal filtration rates in humans: implications for the pathogenesis of diabetic hyperfiltration. <i>Journal of Internal Medicine</i> , 2015, 278, 396-400. | 2.7 | 2 |
| 144 | The effect of differing patterns of childhood body mass index gain on adult physiology in American Indians. <i>Obesity</i> , 2015, 23, 1872-1880. | 1.5 | 8 |
| 145 | Effect of serial cell passaging in the retention of fiber type and mitochondrial content in primary human myotubes. <i>Obesity</i> , 2015, 23, 2414-2420. | 1.5 | 2 |
| 146 | Fasting Hyperglycemia Predicts Lower Rates of Weight Gain by Increased Energy Expenditure and Fat Oxidation Rate. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1078-1087. | 1.8 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 147 | Tâ€cell receptor repertoire variation may be associated with type 2 diabetes mellitus in humans. Diabetes/Metabolism Research and Reviews, 2016, 32, 297-307. | 1.7 | 13 |
| 148 | Overnutrition, Ectopic Lipid and the Metabolic Syndrome. Journal of Investigative Medicine, 2016, 64, 1082-1086. | 0.7 | 62 |
| 149 | Higher circulating leukocytes in women with PCOS is reversed by aerobic exercise. Biochimie, 2016, 124, 27-33. | 1.3 | 37 |
| 150 | Metabolic syndrome update. Trends in Cardiovascular Medicine, 2016, 26, 364-373. | 2.3 | 576 |
| 151 | Pioglitazone-induced improvements in insulin sensitivity occur without concomitant changes in muscle mitochondrial function. Metabolism: Clinical and Experimental, 2017, 69, 24-32. | 1.5 | 23 |
| 152 | Changes in glycemia, insulin and gut hormone responses to a slowly ingested solid low-carbohydrate mixed meal after laparoscopic gastric bypass or band surgery. International Journal of Obesity, 2017, 41, 706-713. | 1.6 | 17 |
| 153 | Eight weeks of overfeeding alters substrate partitioning without affecting metabolic flexibility in men. International Journal of Obesity, 2017, 41, 887-893. | 1.6 | 11 |
| 154 | Intramyocellular Lipid Droplet Size Rather Than Total Lipid Content is Related to Insulin Sensitivity After 8 Weeks of Overfeeding. Obesity, 2017, 25, 2079-2087. | 1.5 | 22 |
| 155 | Large meta-analysis of genome-wide association studies identifies five loci for lean body mass. Nature Communications, 2017, 8, 80. | 5.8 | 147 |
| 156 | Integrative genomic analysis implicates limited peripheral adipose storage capacity in the pathogenesis of human insulin resistance. Nature Genetics, 2017, 49, 17-26. | 9.4 | 452 |
| 157 | Metabolic inflexibility in women with PCOS is similar to women with type 2 diabetes. Nutrition and Metabolism, 2018, 15, 75. | 1.3 | 17 |
| 158 | The Expression of Adipose Tissue-Derived Cardiotrophin-1 in Humans with Obesity. Biology, 2019, 8, 24. | 1.3 | 8 |
| 159 | FOXN3 hyperglycemic risk allele and insulin sensitivity in humans. BMJ Open Diabetes Research and Care, 2019, 7, e000688. | 1.2 | 5 |
| 160 | Pathophysiological role of metabolic flexibility on metabolic health. Obesity Reviews, 2021, 22, e13131. | 3.1 | 39 |
| 161 | Prostaglandin EP3 receptor signaling is required to prevent insulin hypersecretion and metabolic dysfunction in a non-obese mouse model of insulin resistance. American Journal of Physiology - Endocrinology and Metabolism, 2021, 321, E479-E489. | 1.8 | 4 |
| 163 | Pathophysiology of Type 2 Diabetes Mellitus. Handbook of Experimental Pharmacology, 1996, , 7-42. | 0.9 | 7 |
| 164 | A high concentration of fasting plasma non-esterified fatty acids is a risk factor for the development of NIDDM. Diabetologia, 1995, 38, 1213-1217. | 2.9 | 40 |
| 166 | Insulin transport across capillaries is rate limiting for insulin action in dogs.. Journal of Clinical Investigation, 1989, 84, 1620-1628. | 3.9 | 259 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 167 | Independent effects of obesity and insulin resistance on postprandial thermogenesis in men.. Journal of Clinical Investigation, 1992, 89, 824-833. | 3.9 | 62 |
| 168 | Relationship between skeletal muscle lipoprotein lipase activity and 24-hour macronutrient oxidation.. Journal of Clinical Investigation, 1993, 92, 441-445. | 3.9 | 83 |
| 169 | Interstitial insulin concentrations determine glucose uptake rates but not insulin resistance in lean and obese men.. Journal of Clinical Investigation, 1994, 93, 10-16. | 3.9 | 133 |
| 170 | Insulin action on heart and skeletal muscle glucose uptake in essential hypertension.. Journal of Clinical Investigation, 1995, 96, 1003-1009. | 3.9 | 72 |
| 171 | Postabsorptive respiratory quotient and insulin-stimulated glucose storage rate in nondiabetic pima indians are related To glycogen synthase fractional activity in cultured myoblasts.. Journal of Clinical Investigation, 1998, 101, 2251-2256. | 3.9 | 11 |
| 172 | An autosomal genomic scan for loci linked to prediabetic phenotypes in Pima Indians.. Journal of Clinical Investigation, 1998, 101, 1757-1764. | 3.9 | 199 |
| 173 | A missense variant Arg611Cys in <i>LIPE</i> which encodes hormone sensitive lipase decreases lipolysis and increases risk of type 2 diabetes in American Indians. Diabetes/Metabolism Research and Reviews, 2022, 38, e3504. | 1.7 | 3 |
| 174 | The Finland-United States Investigation of Non-Insulin-Dependent Diabetes Mellitus Genetics (FUSION) Study. II. An Autosomal Genome Scan for Diabetes-Related Quantitative-Trait Loci. American Journal of Human Genetics, 2000, 67, 1186-1200. | 2.6 | 28 |
| 175 | Acanthosis Nigricans in PCOS Patients and Its Relation with Type 2 Diabetes Mellitus and Body Mass at a Tertiary Care Hospital in Southern India. Journal of Clinical and Diagnostic Research JCDR, 2013, 7, 317-9. | 0.8 | 6 |
| 176 | Biological Factors in Obesity. , 1993, , 63-75. | | 0 |
| 177 | The Finland-United States investigation of non-insulin-dependent diabetes mellitus genetics (FUSION) study. II. An autosomal genome scan for diabetes-related quantitative-trait loci. American Journal of Human Genetics, 2000, 67, 1186-200. | 2.6 | 74 |
| 178 | Familiality of physical and metabolic characteristics that predict the development of non-insulin-dependent diabetes mellitus in Pima Indians. American Journal of Human Genetics, 1997, 60, 651-6. | 2.6 | 79 |
| 179 | Hyperinsulinemia and acanthosis nigricans in African Americans. Journal of the National Medical Association, 1997, 89, 523-7. | 0.6 | 24 |
| 180 | Pathobiology of Prediabetes in a Biracial Cohort (POP-ABC): design and methods. Ethnicity and Disease, 2011, 21, 33-9. | 1.0 | 27 |
| 181 | Effect of conjugated estrogens and bazedoxifene on glucose, energy and lipid metabolism in obese postmenopausal women. European Journal of Endocrinology, 2020, 183, 439-452. | 1.9 | 3 |
| 182 | Effect of conjugated estrogens and bazedoxifene on glucose, energy and lipid metabolism in obese postmenopausal women. European Journal of Endocrinology, 2020, 183, 439-452. | 1.9 | 10 |
| 183 | Trends in spontaneous physical activity and energy expenditure among adults in a respiratory chamber, 1985 to 2005. Obesity, 2022, 30, 645-654. | 1.5 | 1 |
| 184 | Empagliflozin protects mice against diet-induced obesity, insulin resistance and hepatic steatosis. Diabetologia, 2023, 66, 754-767. | 2.9 | 8 |