

CITATION REPORT

List of articles citing

Synthesis of 4-substituted-3-alkoxy-3-cyclobutene-1,2-dione

DOI: 10.1021/jo00246a016

Journal of Organic Chemistry, 1988, 53, 2477-2482.

Source: <https://exaly.com/paper-pdf/19713105/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 75 | ChemInform Abstract: Synthesis of 4-Substituted 3-Alkoxy-3-cyclobutene-1,2-diones.. <i>ChemInform</i> , 1988 , 19, no | | |
| 74 | Cyclobutenediones as precursors to quinones and cyclopentenones. <i>Tetrahedron</i> , 1989 , 45, 3053-3060 | 2.4 | 85 |
| 73 | Synthesis of substituted cyclobutenediones by the palladium catalyzed cross-coupling of halocyclobutenediones with organostannanes.. <i>Tetrahedron Letters</i> , 1990 , 31, 4293-4296 | 2 | 41 |
| 72 | Cyclobutene Ring Opening Reactions. 1991 , 675-697 | | 23 |
| 71 | Synthesis of substituted cyclobutenediones from 3-ethenyl-4-methoxy-cyclobutene-1,2-dione. <i>Tetrahedron Letters</i> , 1991 , 32, 1129-1132 | 2 | 11 |
| 70 | Synthesis of indolizine-5,8-diones and [3.2.2]cyclazines. <i>Tetrahedron Letters</i> , 1992 , 33, 7811-7814 | 2 | 19 |
| 69 | Synthetic Approaches toward Molecular and Polymeric Carbon Allotropes. <i>Angewandte Chemie International Edition in English</i> , 1992 , 31, 1101-1123 | | 513 |
| 68 | Strategien zum Aufbau molekularer und polymerer Kohlenstoffallotrope. <i>Angewandte Chemie</i> , 1992 , 104, 1123-1146 | 3.6 | 185 |
| 67 | Regiocontrol in the synthesis of naphthoquinones. Regiospecific synthesis of lomandrone and aristolindiquinone. <i>Tetrahedron Letters</i> , 1993 , 34, 235-238 | 2 | 16 |
| 66 | Synthesis of alkyl substituted cyclobutenediones by free radical chemistry. Carbon for nitrogen replacement in the β -Amino acid Bioisostere -- 3,4-Diamino-3-cyclobutene-1,2-dione.. <i>Tetrahedron Letters</i> , 1993 , 34, 2715-2718 | 2 | 10 |
| 65 | Ring transformation of 4-acylmethyl-2-chloro-4-hydroxy-2-cyclobutenone to β -acylmethylenetetronate by thermal rearrangement: New synthetic aspect of squaric acid as a C4-synthon. <i>Tetrahedron</i> , 1994 , 50, 7783-7798 | 2.4 | 23 |
| 64 | BF ₃ -Catalyzed Reaction of Cyclobutene-1,2-dione Monoacetal and Its Vinylog with Allylsilanes. Regioselective Synthesis of 4-Allyl-4-ethoxycyclobutenones from Squaric Acid and Their Conversion to Bi- and Tricycloalkanones. <i>Chemistry Letters</i> , 1995 , 24, 525-526 | 1.7 | 4 |
| 63 | A simple and efficient route to 1,4-diketones from squaric acid. <i>Tetrahedron</i> , 1995 , 51, 12373-12382 | 2.4 | 3 |
| 62 | Facile Addition of Dichloroketene to Acetylenes Mediated by Zinc and Ultrasound. <i>Synthetic Communications</i> , 1995 , 25, 2781-2789 | 1.7 | 20 |
| 61 | Theoretical Predictions of Substituent Effects on the Thermal Electrocyclic Ring Openings of Cyclobutenones. <i>Journal of Organic Chemistry</i> , 1996 , 61, 2517-2522 | 4.2 | 46 |
| 60 | Cascade Radical Cyclizations via Biradicals Generated from Eneidyne, Enyne-Allenenes, and Enyne-Ketenenes. <i>Chemical Reviews</i> , 1996 , 96, 207-222 | 68.1 | 283 |
| 59 | New Method for Derivatization of Squaric Acid to Highly Substituted Cyclobutenones: Lewis Acid-Catalyzed Reaction of Cyclobutene-1,2-dione Monoacetal and Its Vinylog with Unsaturated Organosilanes, and Subsequent Ring Transformation of the Adducts. <i>Bulletin of the Chemical Society of Japan</i> , 1996 , 69, 1353-1362 | 5.1 | 6 |

| | | | |
|----|--|------|-----|
| 58 | Bis(stilbenyl)squaraines [Novel pigments with extended conjugation. <i>Tetrahedron Letters</i> , 1996 , 37, 1191-1194 | 2 | 36 |
| 57 | Dicyanomethylene derivatives of squaric acid: electrochemical behaviour and ESR investigation. <i>Journal of Electroanalytical Chemistry</i> , 1996 , 404, 261-269 | 4.1 | 15 |
| 56 | A New General Method for the Construction of Angular Triquinanes from 4-Allylcyclobutenones. Rearrangement of Linear Triquinanes to the Angular Isomers. <i>Journal of Organic Chemistry</i> , 1997 , 62, 4554-4555 | 4.2 | 12 |
| 55 | The Squarate Ester-Polyquinane Connection. An Analysis of the Capacity of Achiral Divinyl Adducts To Rearrange Spontaneously to Polycyclic Networks Housing Multiple Stereogenic Centers. <i>Journal of the American Chemical Society</i> , 1997 , 119, 1230-1241 | 16.4 | 43 |
| 54 | Antimicrobial algal metabolites of unusual structure. Concise synthesis of the highly oxygenated [4.4]spirononene dimethyl gloiosiphone A by ring expansion of dimethyl squarate. <i>Tetrahedron</i> , 1997 , 53, 8913-8926 | 2.4 | 11 |
| 53 | Unexpected formation of novel butenolides by thermolysis of o-carboranyl substituted cyclobutenones. <i>Tetrahedron Letters</i> , 1998 , 39, 1869-1872 | 2 | 6 |
| 52 | Cascade Rearrangements Following Twofold Addition of Alkenyl Anions to Squarate Esters. <i>European Journal of Organic Chemistry</i> , 1998 , 1998, 1709-1728 | 3.2 | 32 |
| 51 | Erweiterte Konjugation in unsymmetrischen Stilbenylsquarainen. <i>Journal für Praktische Chemie, Chemiker-Zeitung</i> , 1998 , 340, 744-754 | | 7 |
| 50 | Efficient Synthesis of 1,4-Dihydro-2H-isoquinoline-3,5,8-triones via Cyclobutene Ring Expansion. <i>Journal of Organic Chemistry</i> , 1999 , 64, 6881-6887 | 4.2 | 36 |
| 49 | PhI(OAc) ₂ -Promoted Rearrangement of the Hydroxyl Group: Ring Expansion of 4-Hydroxy-2-cyclobutenone to 2(5H)-Furanone in Comparison with Ring Cleavage of the β -Hydroxycycloalkanone to the β -Formyl Ester. <i>Journal of Organic Chemistry</i> , 1999 , 64, 8995-9000 | 4.2 | 32 |
| 48 | Carbonminus signCarbon Bond Forming Solid-Phase Reactions. <i>Chemical Reviews</i> , 1999 , 99, 1549-1582 | 68.1 | 194 |
| 47 | A Convenient One-Pot Procedure to Arylcyclobutenes from Arylacetylenes. <i>Journal of Organic Chemistry</i> , 1999 , 64, 8706-8708 | 4.2 | 12 |
| 46 | Ring Expansion of Diazo-Functionalized 4-Hydroxycyclobutenone: Catalytic Ring Opening and Recyclization to 2(5H)-Furanone/Cyclopentenedione and Thermal 4pi-8pi Electrocyclic Ring Opening-Closure to Diazepinedione. <i>Journal of Organic Chemistry</i> , 1999 , 64, 707-712 | 4.2 | 20 |
| 45 | Reaction of 4-methoxy-4-(1-methylethenyl)-2-cyclobutenone derivatives with 2-lithiopropene and β -thiostyrene: synthesis of eight-membered ring carbocycles. <i>Tetrahedron Letters</i> , 2000 , 41, 7111-7114 | 2 | 16 |
| 44 | Acylvinyl and vinylogous synthons. <i>Chemical Reviews</i> , 2000 , 100, 1891-928 | 68.1 | 59 |
| 43 | Lithium (Trimethylsilyl)acetylide. 2001 , | | |
| 42 | Phthaloylbis(triphenylphosphine)cobalt Chloride. 2001 , | | |
| 41 | The Chemistry of 2(5H)-Furanones. <i>Advances in Heterocyclic Chemistry</i> , 2001 , 81, 107-165 | 2.4 | 26 |

| | | | |
|----|---|------|-----|
| 40 | Thermodynamic characterization of the squaramide-carboxylate interaction in squaramide receptors. <i>Tetrahedron Letters</i> , 2001 , 42, 4933-4936 | 2 | 41 |
| 39 | Bis-, Tris-, and Tetrakis(squaraines) Linked by Stilbenoid Scaffolds. <i>European Journal of Organic Chemistry</i> , 2001 , 2001, 2757-2763 | 3.2 | 22 |
| 38 | A theoretical study of electrocyclizations of dienylketenes to cyclohexadienones: an AM1 study. <i>Computational and Theoretical Chemistry</i> , 2002 , 589-590, 111-123 | | 6 |
| 37 | Transition structures, energetics, and nucleus-independent chemical shifts for 6pi electrocyclizations of dienylketenes to cyclohexadienones: a DFT study. <i>Journal of Organic Chemistry</i> , 2004 , 69, 1940-7 | 4.2 | 23 |
| 36 | Total synthesis of (-)-colombiasin A and (-)-elisapterosin B. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 1221-2 | 16.4 | 98 |
| 35 | Total Synthesis of (±)-Colombiasin A and (±)-Elisapterosin B. <i>Angewandte Chemie</i> , 2005 , 117, 1247-1248 | 3.6 | 39 |
| 34 | Herbicidal indolizine-5,8-diones: photosystem I redox mediators. <i>Pest Management Science</i> , 2005 , 61, 16-24 | 4.6 | 31 |
| 33 | New synthesis of semisquaric acid derivatives via chlorinated N-(cyclobutylidene)amines. <i>Journal of Organic Chemistry</i> , 2005 , 70, 4549-52 | 4.2 | 11 |
| 32 | Squaric Acid. 2006 , | | |
| 31 | Diisopropyl Squarate. 2006 , | | |
| 30 | Directed Synthesis of Biologically Interesting Heterocycles with Squaric Acid (3,4-Dihydroxy-3-cyclobutene-1,2-dione) Based Technology. 1-37 | | 6 |
| 29 | Convergent Synthesis of Azabicycloalkenones using Squaric Acid as Platform. <i>Advanced Synthesis and Catalysis</i> , 2006 , 348, 2493-2500 | 5.6 | 32 |
| 28 | Stereocontrolled synthesis of tetrasubstituted olefins. <i>Chemical Reviews</i> , 2007 , 107, 4698-745 | 68.1 | 439 |
| 27 | Total Synthesis of Cribrostatin 6. <i>Angewandte Chemie</i> , 2009 , 121, 2607-2609 | 3.6 | 9 |
| 26 | Total synthesis of cribrostatin 6. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 2569-71 | 16.4 | 54 |
| 25 | Convenient Access to Hydroquinone and Quinone Derivatives from Cyclobutenedione Units. <i>Australian Journal of Chemistry</i> , 2010 , 63, 1309 | 1.2 | 2 |
| 24 | Synthesis and evaluation of novel proton exchange membranes containing the semisquaric Acid group. <i>Macromolecular Rapid Communications</i> , 2010 , 31, 1725-30 | 4.8 | 6 |
| 23 | Exploration of a new series of PAR1 antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 1735-9 | 2.9 | 14 |

| | | | |
|----|---|------|----|
| 22 | New Syntheses and Ring Expansion Reactions of Cyclobutenimines. <i>Australian Journal of Chemistry</i> , 2010 , 63, 1656 | 1.2 | 3 |
| 21 | Reactive iron carbonyl reagents via reaction of metal alkoxides with Fe(CO) ₅ or Fe ₂ (CO) ₉ : synthesis of cyclobutenediones via double carbonylation of alkynes. <i>Journal of Organic Chemistry</i> , 2011 , 76, 543-9 | 4.2 | 14 |
| 20 | Tandem Electrocyclic Ring Opening/Radical Cyclization: Application to the Total Synthesis of Cribrostatin 6. <i>Tetrahedron</i> , 2011 , 67, 9765-9770 | 2.4 | 17 |
| 19 | Synthesis and electro-spectroelectrochemistry of ferrocenyl naphthaquinones. <i>Tetrahedron</i> , 2011 , 67, 1406-1421 | 2.4 | 13 |
| 18 | New insights into cyclobutenone rearrangements: a total synthesis of the natural ROS-generating anti-cancer agent cribrostatin 6. <i>Chemistry - A European Journal</i> , 2011 , 17, 13698-705 | 4.8 | 34 |
| 17 | A New Route to Silyl-substituted Cyclobutenones and Silylketenes. <i>Tetrahedron Letters</i> , 2011 , 52, 46-48 | 2 | 7 |
| 16 | Colour-responsive fluorescent oxy radical sensors. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 1775-84 | 3.9 | 7 |
| 15 | Anhydrous proton conductivities of squaric acid derivatives. <i>Chemical Communications</i> , 2012 , 48, 5922-4 | 5.8 | 22 |
| 14 | Organoytterbium Ate Complexes Extend the Value of Cyclobutenediones as Isoprene Equivalents. <i>Angewandte Chemie</i> , 2013 , 125, 13314-13317 | 3.6 | 5 |
| 13 | Organoytterbium ate complexes extend the value of cyclobutenediones as isoprene equivalents. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 13076-9 | 16.4 | 14 |
| 12 | Total Synthesis of Mansonone E. <i>Journal of Chemical Research</i> , 2014 , 38, 137-139 | 0.6 | 1 |
| 11 | Total Synthesis of Carbazomycin G by a Thermal Ring Expansion/Self-Redox Reaction Cascade. <i>European Journal of Organic Chemistry</i> , 2014 , 2014, 3715-3718 | 3.2 | 6 |
| 10 | Halochromic and hydrochromic squaric acid functionalized perylene bisimide. <i>Chemical Communications</i> , 2015 , 51, 7661-4 | 5.8 | 30 |
| 9 | Total Synthesis of Homodimericin A. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 7895-7899 | 16.4 | 13 |
| 8 | Total Synthesis of Homodimericin A. <i>Angewandte Chemie</i> , 2017 , 129, 8003-8007 | 3.6 | 1 |
| 7 | Synthesis and characterization of cyclobutenedione-bithiophene E-conjugated polymers: acetal-protecting strategy for Kumada-Tamao-Corriu coupling polymerization between aryl bromide and Grignard reagents.. <i>RSC Advances</i> , 2019 , 9, 40863-40872 | 3.7 | 2 |
| 6 | Mn(III)-Based Oxidative Radical Ring-Expansion Reaction Using Squarate Derivatives: Selective Synthesis of Bis(butenolide)s and the Acetate Monomers. <i>Heterocycles</i> , 2019 , 99, 958 | 0.8 | 3 |
| 5 | Squaric Acid. | | |

4 Diisopropyl Squarate.

3 Rearrangement of 4-Aryl-4-hydroxy-2,3-dialkoxybutenones to Annulated Hydroquinones and Quinones: 5,6-Diethoxybenzofuran-4,7-dione. 220-220

2 D. **1993**, 269-469

1 Design and Synthesis of Two Bicyclo[3.3.1]nonane-steroid Derivatives. *Chemistry Journal of Moldova*, **2020**, 15, 75-85

0.9