

CITATION REPORT

List of articles citing

Paradoxical coronary embolism: case report and review of the literature

DOI: 10.1016/0002-8703(88)90356-0
American Heart Journal, 1988, 116, 879-85.

Source: <https://exaly.com/paper-pdf/19724166/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
518	Fistula between a branch of left anterior descending coronary artery and pulmonary artery with spontaneous closure. 1990 , 11, 954-6		11
517	Coronary embolism by metastatic choriocarcinoma of the uterus: an unusual cause of ischemic heart disease. 1990 , 38, 289-92		18
516	Straddle embolus--imminent paradoxical embolus diagnosed by echocardiography and treated surgically. 1991 , 5, 105-7		18
515	Impending paradoxical embolism: a rare but important diagnosis. 1991 , 65, 163-5		27
514	Alcohol ablation of atrioventricular conduction. 1991 , 66, 257-8		
513	Impending paradoxical embolism: a rare but important diagnosis. 1991 , 66, 258		12
512	Echocardiographic diagnosis of a ruptured aneurysm of the sinus of Valsalva: operation without catheterisation in seven. 1991 , 66, 258		0
511	Paradoxical embolisation of a catheter fragment to a coronary artery in an infant with congenital heart disease. 1991 , 66, 320-1		1
510	Isolated paradoxical embolus to the right coronary artery. 1992 , 70, 1633-5		9
509	A new resting site for paradoxical thromboemboli: the mitral valve apparatus. <i>American Heart Journal</i> , 1993 , 125, 547-9	4.9	
508	Paradoxical embolism. An underrecognized problem. 1995 , 108, 549-58		106
507	[Pulmonary embolism with paradoxical coronary and peripheral arterial embolization. Increased risk of thrombosis caused by contraception with desogestrel and ethinylestradiol?]. 1997 , 92, 49-54		1
506	Successful innominate thromboembolectomy of a paradoxical embolus. 1998 , 28, 742-5		9
505	Impending paradoxical embolism. 1998 , 158, 438-48		81
504	Pulmonal- und peripher-arterielle Embolie bei offenem Foramen ovale. 1999 , 36, 293-299		
503	Paradoxical embolism-report of a case involving four organ systems. 2000 , 19, 31-4		22
502	. 2002 , 78, 382-a-382		78

501	Books Received. 2002 , 78, 382-382		78
500	Acute myocardial infarction in young adults. 2002 , 78, 381		1
499	Acute myocardial infarction in young adults. 2002 , 78, 381		2
498	. 2002 , 78, 381-b-381		78
497	. 2002 , 78, 381-c-382		78
496	Transcatheter closure of interatrial communications for secondary prevention of paradoxical embolism: single-center experience. <i>Circulation</i> , 2002 , 105, 2845-8	16.7	132
495	Paradoxical embolism in the left main coronary artery: diagnosis by transesophageal echocardiography. 2003 , 78, 103-6		18
494	Acute myocardial infarction in a child: possible pathogenic role of patent foramen ovale associated with heritable thrombophilia. 2004 , 114, e255-8		21
493	Paradoxical coronary embolism causing non-ST segment elevation myocardial infarction in a case of pulmonary embolism. 2004 , 93, 824-8		12
492	Comparison of 6% HES 130/0.4 in a balanced electrolyte solution versus 6% HES 130/0.4 in saline solution in cardiac surgery. 2006 , 10, P176		3
491	Evaluation of a noninvasive blood glucose monitoring device for critically ill patients. 2006 , 10, P255		1
490	26th International Symposium on Intensive Care and Emergency Medicine. Brussels, Belgium. 21 - 24 March 2006. Abstracts. 2006 , 10 Suppl 1, P1-472		
489	Fecal peritonitis in pigs as a model of extrapulmonary ALI/ARDS. 2006 , 10, P2		78
488	Computer-advised insulin infusion in postoperative cardiac surgery patients: a randomized prospective controlled multicenter trial. 2006 , 10, P3		78
487	Intravital endoscopy of alveoli: a new method to visualize the mechanical alveolar dynamics. 2006 , 10, P4		78
486	Influence of the blood on the time course of pancreatitis-induced lung injury evaluated in isolated blood-perfused rat lungs. 2006 , 10, P5		78
485	Rats surviving after high tidal volume ventilation show marked and reversible pulmonary and systemic changes. 2006 , 10, P6		78
484	Automatic recruitment maneuvers in porcine acute lung injury based on online PaO ₂ measurements. 2006 , 10, P7		3

483	Comparison of regional lung recruitment in electrical impedance tomograms and CT scans in experimental acute lung injury. 2006 , 10, P8	2
482	It is possible to reduce the exposition to ionizing radiation for lung computed tomography scan analysis?. 2006 , 10, P9	2
481	Computed tomography-based risk estimation on acute lung injury/acute respiratory distress syndrome after blunt thoracic trauma. 2006 , 10, P10	6
480	Immediate and long-lasting effects of recruitment maneuvers on the pressure-volume curve in normal anesthetized animals. 2006 , 10, P11	2
479	Online SLICE: a tool for continuous monitoring of respiratory mechanics. 2006 , 10, P12	78
478	Abstract withdrawn. 2006 , 10, P13	78
477	The position of the lower inflection point depends on volume history. 2006 , 10, P14	78
476	Assessment of the effectiveness of lung recruitment and PEEP setting by vibration response imaging. 2006 , 10, P15	2
475	Influence of inertance on linearity of respiratory mechanics during mechanical ventilation in ARDS. 2006 , 10, P16	1
474	Is PEEP detrimental to splanchnic perfusion in mechanically ventilated patients?. 2006 , 10, P17	78
473	Separate determination of inspiratory and expiratory dynamic lung mechanics using expiratory flow control. 2006 , 10, P18	78
472	The course of the oxygenation index before kinetic therapy or prone ventilation is decisive for the prognosis of acute respiratory failure. 2006 , 10, P19	78
471	High-frequency oscillatory ventilation and prone position as early alternative therapy in adults with severe acute respiratory distress syndrome. 2006 , 10, P20	1
470	High-frequency oscillatory ventilation in acute respiratory distress syndrome in adult patients. 2006 , 10, P21	78
469	A registry of high-frequency oscillatory ventilation in adults. 2006 , 10, P22	1
468	Superimposed high-frequency jet ventilation and oleic-acid-induced acute lung injury piglets: an experimental study. 2006 , 10, P23	78
467	Pressure drop across neonatal endotracheal tubes during high-frequency ventilation. 2006 , 10, P24	78
466	Efficacy of exogenous surfactant in adult patients with acute respiratory failure. 2006 , 10, P25	78

465	Extracorporeal membrane oxygenation in the adult patient: experience in a medical ICU. 2006 , 10, P26	78
464	Outcome of patients with congenital diaphragmatic hernia requiring ECMO: can we predict?. 2006 , 10, P27	78
463	Abstract withdrawn. 2006 , 10, P28	78
462	Respiratory variable predictors for intensive care mortality. 2006 , 10, P29	78
461	Model and clinical studies of a novel differential lung ventilation system for adults. 2006 , 10, P30	1
460	Open lung ventilation does not increase right ventricular afterload in cardiac surgery patients. 2006 , 10, P31	78
459	Detection of expiratory flow limitation during experimental mechanical ventilation. 2006 , 10, P32	0
458	Increased spatial distribution of airflow in lungs with low-level pressure support ventilation compared with maintenance ventilation. 2006 , 10, P33	2
457	Effects of different spontaneous breathing modes on respiratory mechanics and gas exchange. 2006 , 10, P34	78
456	Vibration response imaging of the lungs in mechanically ventilated patients in chronic obstructive pulmonary disease. 2006 , 10, P35	78
455	Effects of connecting tubes and swivels on the breathing pattern and work of breathing during pressure support ventilation: a laboratory and simulation study. 2006 , 10, P36	78
454	The intensive care requirements and need for early ventilatory support in patients undergoing emergency and elective spinal surgery. 2006 , 10, P37	78
453	Effect of inspiration rise time on work of breathing and patient comfort during pressure support ventilation. 2006 , 10, P38	2
452	Effects of change in the expiratory trigger during pressure support ventilation in COPD. 2006 , 10, P39	78
451	Effects of different spontaneous breathing modes on hemodynamics in patients after coronary artery bypass graft surgery. 2006 , 10, P40	78
450	Streamlining the weaning process within a UK critical care network. 2006 , 10, P41	78
449	Weaning from mechanical ventilation using pressure support and T-tube induces ventricular arrhythmia in cardiac patients. 2006 , 10, P42	78
448	Non-invasive mechanical ventilation can be useful during difficult weaning from invasive ventilation. 2006 , 10, P43	78

447	Echocardiographic assessment during weaning from mechanical ventilation: pressure support ventilation versus T-tube. 2006 , 10, P44	78
446	Predictors of early extubation (within 4 hours) in adult cardiac surgical patients. 2006 , 10, P45	78
445	Norepinephrine use at the time of extubation was not associated with weaning failure from mechanical ventilation in septic patients. 2006 , 10, P46	1
444	Outcome predictors of non-invasive positive pressure ventilation in hypoxaemic acute respiratory failure. 2006 , 10, P47	78
443	The learning, introducing and effects of a non-invasive respiratory support programme with the infant-flow method in newborns: Polish 2-year experience. 2006 , 10, P48	0
442	Non-invasive ventilation in trauma patients: is there a role?. 2006 , 10, P49	78
441	In vitro comparison of the standard and the Cole endotracheal tubes with an endotracheal tube of new design. 2006 , 10, P50	1
440	Influence of rhDNase on the duration of mechanical ventilation in intensive care patients: interim analysis of the LUFIT trial. 2006 , 10, P51	78
439	The efficacy of intratracheal rhDNase therapy in the treatment of severe hypercapnoeic respiratory acidosis in ventilated children with status asthmaticus and bronchiolitis. 2006 , 10, P52	2
438	The use of the laryngeal mask airway during percutaneous dilatational tracheostomy. 2006 , 10, P53	6
437	How early is enough in lactate monitoring?. 2006 , 10, P54	78
436	Early tracheostomy in acute lung injury: who could benefit?. 2006 , 10, P55	78
435	Comparison of four methods to calibrate respiratory inductive plethysmograph in premature infants. 2006 , 10, P56	78
434	Safety of percutaneous tracheostomy in coagulopathic patients. 2006 , 10, P57	78
433	Do sleep studies effectively predict postoperative ventilatory requirements in patients undergoing bariatric surgery?. 2006 , 10, P58	78
432	Inhaled nitric oxide improves pulmonary functions following massive pulmonary embolism. 2006 , 10, P59	1
431	Management of severe adult respiratory failure: evidence-based?. 2006 , 10, P60	78
430	Supplemental systemic oxygen support with peritoneal oxygenation using a continuous low-pressure oxygen flow system (PEROX). 2006 , 10, P61	0

429	Oxford Miniature Vaporiser for halothane in ventilated asthmatics. 2006, 10, P62	78
428	Assessment of oxygen consumption from standard E cylinders by fluidic, turbine, and compressor style portable mechanical ventilators. 2006, 10, P63	3
427	Prehospital endotracheal intubations in vitally comprised children in The Netherlands. 2006, 10, P64	1
426	Transit care of the ventilated critically ill in commercial airliners. 2006, 10, P65	78
425	Nosocomial pneumonia in ICU patients after surgical and percutaneous tracheostomy. 2006, 10, P66	78
424	Too few, too late: submission patterns of bronchoalveolar lavage fluid samples obtained under the suspicion of the diagnosis of ventilator-associated pneumonia. 2006, 10, P67	2
423	Criteria of the systemic inflammatory response syndrome in patients with community-acquired pneumonia. 2006, 10, P68	78
422	Correlation between GCS and the risk of aspiration pneumonia in self-poisoning patients. 2006, 10, P69	78
421	Bronchoalveolar lavage in mechanically ventilated patients with suspected pneumonia: a descriptive study. 2006, 10, P70	78
420	Bronchoalveolar lavage cytology in the diagnosis of ventilator-associated pneumonia. 2006, 10, P71	78
419	Community-acquired pneumonia treated on the ICU. 2006, 10, P72	2
418	Multinational, observational study of procalcitonin in ICU patients with presumed or confirmed pneumonia and requiring mechanical ventilation. 2006, 10, P73	78
417	Procalcitonin: analysis of diagnostic specificity and effectivity in comparison with other markers of inflammation in the critically ill. 2006, 10, P74	78
416	Procalcitonin serum levels in patients after liver, pancreas and simultaneous kidney-pancreas transplantations. 2006, 10, P75	78
415	Immediate postinjury procalcitonin levels related to final survival. 2006, 10, P76	78
414	Low sensitivity of procalcitonin in cerebrospinal fluid in adult patients with bacterial meningitis. 2006, 10, P77	1
413	C-reactive protein on the fourth day of ICU admission predicts mortality and organ failure in critically ill surgical patients. 2006, 10, P78	78
412	High C-reactive protein and low cholesterol levels are prognostic marker in severe sepsis. 2006, 10, P79	78

411	Urinary and plasma cytokines in the critically ill. 2006 , 10, P80	78
410	Attempt at simultaneous quantitative determination of multiple cytokines and chemokines in peripheral blood with a suspension array system. 2006 , 10, P81	1
409	A novel biomarker panel with a Multimarker Index value for the diagnosis of sepsis in the Emergency Department. 2006 , 10, P82	2
408	The association of early lactate clearance with inflammatory biomarkers in severe sepsis and septic shock. 2006 , 10, P83	2
407	Newly developed plasma soluble E-selectin rapid assay predicts prevalence of acute respiratory distress syndrome in critically ill patients. 2006 , 10, P84	78
406	TLR2, TLR4, CD14, CD11b and CD11c expression on monocyte surfaces and cytokine production in septic patients. 2006 , 10, P85	78
405	Increased leukocyte oxidative metabolism in severe sepsis and septic shock correlates with organ dysfunction and mortality. 2006 , 10, P86	78
404	A priming endotoxin bolus amplifies the inflammatory response in low-dose human endotoxemia. 2006 , 10, P87	78
403	The effect of systemic iNOS inhibition during human endotoxemia on the development of TLR-tolerance in vitro. 2006 , 10, P88	78
402	G-CSF is an endothelial survival factor in LPS-induced inflammatory conditions. 2006 , 10, P89	78
401	Effects of naloxone on phagocyte functions. 2006 , 10, P90	78
400	A lack of Toll-like receptor 4 expression variability in the immediate preoperative period: a pilot study of elective surgical patients. 2006 , 10, P91	78
399	Gene expression in sepsis is independent of the center-associated effects and indicates a tight regulation of the inflammatory process. 2006 , 10, P92	78
398	Ketamine improves survival in burn followed by sepsis in rats. 2006 , 10, P93	78
397	Role of calcium regulation in vascular hyporeactivity induced by peritonitis-associated septic shock. 2006 , 10, P94	3
396	Microcirculatory hyporesponsiveness in lipopolysaccharide-induced inflammation is endothelial cell dependent but calcium independent. 2006 , 10, P95	78
395	Microdialysis study of imipenem distribution in muscle and lung extracellular fluids of infected rats. 2006 , 10, P96	15
394	Antibacterial therapy in ovine model of sepsis. 2006 , 10, P97	2

393	Characterization of an experimental model of septic shock induced by fecal peritonitis in pigs. 2006 , 10, P98	78
392	Early and late onset nosocomial infections in ICU patients with head injury. 2006 , 10, P99	1
391	Efficacy and safety of colistin in the treatment of infections in the ICU caused by multidrug-resistant Gram-negative organisms. 2006 , 10, P100	78
390	Efficacy of an intravenous colistin regimen in ventilator-associated pneumonia and bacteraemia due to multiresistant Gram-negative bacteria: preliminary results. 2006 , 10, P101	78
389	Colistin monotherapy versus combination of colistin with a β -lactam or rifampicin for the treatment of serious infections in the ICU due to multidrug-resistant Gram-negative bacteria. 2006 , 10, P102	78
388	Susceptibility to carbapenems of <i>Pseudomonas</i> spp. isolated from patients with ventilator-associated pneumonia. 2006 , 10, P103	78
387	Cerebrospinal fluid penetration of linezolid in neurosurgical patients. 2006 , 10, P104	78
386	An outbreak of <i>Acinetobacter baumannii</i> in an ICU: effectiveness of an extensive infection control program. 2006 , 10, P105	78
385	Rate of microbiologically proven infections among patients with severe sepsis/septic shock: results from the German prevalence study. 2006 , 10, P106	78
384	Intrusion of antibacterial therapy protocol decreased mortality associated with VAP in severe trauma patients. 2006 , 10, P107	78
383	Antimicrobial use and antimicrobial resistance in an intensive care burn department. 2006 , 10, P108	78
382	Relationships between antimicrobial use and antimicrobial resistance in <i>P. aeruginosa</i> in an intensive care burn department. 2006 , 10, P109	78
381	Introduction of an integrated infection control program in an ICU: effects on epidemiology and antimicrobial resistance of <i>Staphylococcus aureus</i> . 2006 , 10, P110	78
380	An epidemiological study of sepsis in ICUs: Sepsis Brazil Study. 2006 , 10, P111	1
379	Management of sepsis and septic shock in critically ill patients transferred by a dedicated transport team in the West of Scotland. 2006 , 10, P112	78
378	Surveillance of ICU-associated infections. 2006 , 10, P113	78
377	Feasibility of surveillance of ICU-associated infections in Scotland. 2006 , 10, P114	1
376	Evaluation of the viability of a hemodynamic optimization protocol to high-risk surgical patients using less invasive monitoring tools. 2006 , 10, P115	78

375	Antimicrobial treatment in patients with severe sepsis and septic shock: results from the German Prevalence Study. 2006 , 10, P116	78
374	Prevalence of infection in German ICUs: results from the German Prevalence Study. 2006 , 10, P117	78
373	Bloodstream infections in the ICU: incidence and outcome. 2006 , 10, P118	78
372	Nosocomial infection in patients with brain trauma. 2006 , 10, P119	78
371	Representative survey of criteria used for the diagnosis of severe sepsis/septic shock among German ICU physicians: results from the German Prevalence Study. 2006 , 10, P120	78
370	Changing patterns of microbial resistance in an Indian cancer hospital ICU. 2006 , 10, P121	1
369	Severe sepsis and septic shock in Croatian ICUs. 2006 , 10, P122	78
368	Portuguese network data: compliance with the Surviving Sepsis Campaign bundles. 2006 , 10, P123	78
367	Comparison of Belgian and US validation studies of ICU-acquired infection surveillance. 2006 , 10, P124	78
366	Portuguese network data: epidemiology of community-acquired sepsis. 2006 , 10, P125	78
365	Sepsis: a study of physician's knowledge about the Surviving Sepsis Campaign in Puerto Rico. 2006 , 10, P126	4
364	A way to audit compliance with the Surviving Sepsis Campaign bundles. 2006 , 10, P127	78
363	The 2004 tsunami disaster: injury pattern and microbiological aspects. 2006 , 10, P128	1
362	Relationship between polymorphonuclear leucocytes and the outcome of patients with severe trauma. 2006 , 10, P129	78
361	Interhospital transport of the critical patients with polytrauma. 2006 , 10, P130	78
360	Added medical value of a helicopter-transported medical team on emergency prehospital pediatric care in The Netherlands. 2006 , 10, P131	78
359	Assessment of a medical regulation concept for MEDEVAC during military operations. 2006 , 10, P132	78
358	Short-term outcome in major trauma: land versus air emergency medical rescue in Tuscany. 2006 , 10, P133	78

357	Elastic fixation of the diaphyseal fractures of the femoral bone in children. 2006 , 10, P134	78
356	Treatment of pelvic fractures of patients with polytrauma. 2006 , 10, P135	0
355	New shape of battle casualty with effects of body armor. 2006 , 10, P136	0
354	Improving the outcome of trauma patients: is it possible in the absence of a trauma system?. 2006 , 10, P137	78
353	Empyema in the critical care patient. 2006 , 10, P138	1
352	Combination antifungal treatment in critically ill patients failing first-line therapy for invasive fungal infections. 2006 , 10, P139	78
351	Increasing fungal infections in cardiovascular ICUs. 2006 , 10, P140	78
350	Effects of candiduria-candidemia infections on mortality and morbidity in the ICU and the risk factors of these infections. 2006 , 10, P141	1
349	Tetanus in the ICU: increasing incidence in the past 5 years. 2006 , 10, P142	78
348	Analytical survey of human rabies prevalence in the province of Kerman, Iran. 2006 , 10, P143	78
347	Effects of antibiotics on intestinal microcirculation, cytokine release and in-vitro vascular reactivity in septic rats. 2006 , 10, P144	2
346	Genetic variation of TNF is associated with sepsis syndrome and death in severely injured patients. 2006 , 10, P145	1
345	Whole genome expression profiling in multiple trauma patients. 2006 , 10, P146	0
344	Prothrombin gene and factor V Leiden gene polymorphism in patients with deep vein thrombosis: prevalence, diagnostic and therapeutic implications. 2006 , 10, P147	1
343	Inhibition of inducible nitric oxide synthase prevents the attenuated response to noradrenaline during human endotoxemia. 2006 , 10, P148	78
342	Plasma obtained during human endotoxemia increases endothelial permeability in vitro. 2006 , 10, P149	78
341	Endothelial and coagulation dysfunction during porcine bacteremia: effects of combining iNOS inhibitor and radical scavenger. 2006 , 10, P150	78
340	Effect of intravenous immunoglobulin in critically ill adult patients with sepsis: a meta-analysis. 2006 , 10, P151	78

339	VX-166, a novel potent small molecule caspase inhibitor, as a promising new treatment for sepsis. 2006 , 10, P152	1
338	TAK-242, a novel Toll-like receptor 4 signal transduction inhibitor, protects mice in Escherichia coli-induced and lipoteichoic acid-induced lethality models. 2006 , 10, P153	78
337	Selective inhibition of Toll-like receptor 4 signaling by the small molecule TAK-242. 2006 , 10, P154	2
336	Tifacogin increases bacterial clearance from blood. 2006 , 10, P155	1
335	Desialylated endothelial cells membrane enhance its fibrinolytic potential. 2006 , 10, P156	78
334	Altered coagulation in systemic inflammatory response syndrome: role of protein C in diagnosis and prognosis. 2006 , 10, P157	78
333	Frequency of early coagulopathy in multiple injury: an analysis of 8724 patients from the German Trauma Registry. 2006 , 10, P158	1
332	Antithrombin reduces ischemia/reperfusion-induced liver injury in mice by enhancing the activation of sensory neurons through protein kinase A activation. 2006 , 10, P159	78
331	Comparison of the effects of tranexamic acid, aprotinin and placebo on blood conservation, fibrinolysis and platelet function with extensive heart surgery. 2006 , 10, P160	78
330	Use of anti-Xa factor titration as efficacy marker of enoxaparin in critically ill patients. 2006 , 10, P161	78
329	Continuous administration of LMWH in critical patients: a contribution to the monitoring of hemocoagulation. 2006 , 10, P162	78
328	Solvent-detergent plasma: use in neonatal patients, in adult and paediatric patients with liver disease and in obstetric and gynaecological emergencies. 2006 , 10, P163	78
327	Two years experience with low-dose recombinant activated factor VII treatment of non-haemophilic patients. 2006 , 10, P164	78
326	Efficacy of recombinant activated factor VII in the management of severe hemorrhage following cardiac surgery. 2006 , 10, P165	78
325	Experience of NovoSeven administration in management of coagulopathic bleedings after surgical interventions with extracorporeal circulation. 2006 , 10, P166	78
324	Activated recombinant factor VII in management of bleeding in patients with thrombocytopenia. 2006 , 10, P167	78
323	Use of recombinant activated factor VII after paediatric cardiac surgery. 2006 , 10, P168	78
322	Cost-effectiveness analysis of recombinant activated factor VII as adjunctive therapy for bleeding control in severely injured trauma patients in Germany. 2006 , 10, P169	78

321	Effectiveness and safety of recombinant activated factor. 2006 , 10, P170	78
320	Does recombinant factor VIIa change the inflammatory response to trauma? Preliminary results of inflammatory biomarkers in critically ill trauma patients. 2006 , 10, P171	1
319	Assessment of intravascular retention of hydroxyethyl starch in mild hemorrhagic shock. 2006 , 10, P172	78
318	Does volume substitution with HES 130/0.4 affect renal safety in abdominal aortic surgery?. 2006 , 10, P173	4
317	Impact of high-molecular hydroxyethyl starch solutions on plasma volume and haemodynamics in porcine faecal peritonitis. 2006 , 10, P174	78
316	Comparison effect of 6% hydroxyethyl starch with RingerB solution on splanchnic perfusion in canine with septic shock. 2006 , 10, P175	78
315	The Cost of Albumin Sepsis Treatment (COAST) study: efficacy analysis of albumin for severe sepsis. Modelling using the SAFE study and CUB-Rea data. 2006 , 10, P177	78
314	Effect of bicarbonated RingerB solution on PaCO ₂ and tissue PO ₂ in hemorrhagic shock rats. 2006 , 10, P178	1
313	Ethyl pyruvate prevents acute lung injury in an experimental multitrauma model. 2006 , 10, P179	78
312	Effect of ethyl pyruvate against un-injurious spinal cord ischemia in rats. 2006 , 10, P180	78
311	Maintenance fluids should contain at least 77 mmol sodium per liter for critically ill pediatric patients. 2006 , 10, P181	78
310	The accuracy of tonicity balance formulas in predicting changes in plasma sodium in ventilated infants with respiratory syncytial virus bronchiolitis. 2006 , 10, P182	78
309	Therapeutic effects of hypertonic saline on peritonitis-induced septic shock with multiple organ dysfunction syndrome in rats. 2006 , 10, P183	78
308	Clinical practice of fluid resuscitation in severe sepsis and septic shock on German ICUs. 2006 , 10, P184	78
307	Survey of intravenous fluid maintenance therapy for surgical patients in the UK. 2006 , 10, P185	78
306	First-aid treatment of hydrofluoric acid skin burns with 2.5% calcium gluconate gel: an experimental controlled study. 2006 , 10, P186	1
305	Selenium and its substitution in critically ill patients. 2006 , 10, P187	4
304	N-terminal pro-B-type natriuretic peptide in patients after cervical spine surgery. 2006 , 10, P188	78

303	NT-proBNP levels in the ICU do not predict the etiology of respiratory distress. 2006 , 10, P189	78
302	Relationship between B-type natriuretic peptide plasma levels and echocardiography parameters in decompensated chronic heart failure patients treated with levosimendan. 2006 , 10, P190	78
301	Significance of B-type natriuretic peptide in acute cerebrovascular disease. 2006 , 10, P191	78
300	Can N-terminal pro-B-type natriuretic peptide and troponin T predict ICU and hospital mortality in patients with septic shock?. 2006 , 10, P192	78
299	Should natriuretic peptide B-type be used to predict weaning failure in mechanically ventilated patients?. 2006 , 10, P193	78
298	N-terminated natriuretic propeptide type B is a better prognostic factor than MB isoenzyme of creatine kinase in patients after cardiac arrest. 2006 , 10, P194	78
297	Cardiopulmonary exercise testing and NT-proBNP before major vascular surgery: do they correlate?. 2006 , 10, P195	78
296	Plasma levels of pro-atrial natriuretic peptide, pro-adrenomedullin, and pro-endothelin-1 correlate with the severity of organ dysfunction in critically ill patients. 2006 , 10, P196	78
295	Prognostic value of pro-atrial natriuretic peptide, pro-adrenomedullin, and pro-endothelin-1 in critically ill patients. 2006 , 10, P197	78
294	Impact of positive fluid balance on ICU outcome is influenced by the severity of illness. 2006 , 10, P198	78
293	Determination of Unmeasured Anions in acidotic ICU patients. 2006 , 10, P199	78
292	Hyperchloremic metabolic acidosis after cardiac surgery. 2006 , 10, P200	2
291	Prediction of arterial blood gas values from earlobe blood gas values in patients receiving mechanical ventilation. 2006 , 10, P201	1
290	Does the arterial-central venous lactate gradient correlate with the P/F ratio in mechanical ventilated critically ill patients?. 2006 , 10, P202	3
289	Plasma lactate and base excess as independent prognostic factors. 2006 , 10, P203	1
288	Osmolar gap as an individual prognostic factor (revised data). 2006 , 10, P204	78
287	Assessment of stress oxidative modulation when conventional parenteral solutions were used compared with nutrition based on an olive oil compound in multiple trauma patients. 2006 , 10, P205	78
286	Utilisation of structured triglycerides (Structolipid [®]) in surgical ICU patients receiving parenteral nutrition. 2006 , 10, P206	2

285	Immunonutrition with eicosapentaenoic acid and linolenic acid as a new strategy to reduce mortality and improve outcomes in patients with severe sepsis. 2006 , 10, P207	78
284	Continuous L-arginine infusion does not deteriorate the haemodynamic condition in patients with severe sepsis. 2006 , 10, P208	78
283	Cellular immunity changes after total parenteral nutrition enriched with glutamine in patients with systemic inflammatory response syndrome. 2006 , 10, P209	78
282	Preoperative nutrition support with or without glutamine can reduce ICU admissions. 2006 , 10, P210	78
281	Role of preoperative nutritional assessment on early postoperative wound infection. 2006 , 10, P211	78
280	Impact of synbiotics (Synbiotic 2000 Forte) on monocyte function in long-term ICU patients. 2006 , 10, P212	2
279	The effect of enteral synbiotics on the incidence of ventilator-associated pneumonia in mechanically ventilated critically ill patients. 2006 , 10, P213	2
278	Erythromycin or metoclopramide for feed intolerance in the critically ill. 2006 , 10, P214	4
277	Prospective observational study of self-placing nasojejunal tubes (Tiger Tube) on the ICU. 2006 , 10, P215	78
276	Sonography as a tool to confirm the position of the nasogastric tube in ICU patients. 2006 , 10, P216	5
275	Effects of hypocaloric feeding on clinical outcome in ICU patients. 2006 , 10, P217	3
274	Nutritional markers as a surrogate of severity of illness: association with ICU length of stay and mortality. 2006 , 10, P218	78
273	Persistent hypoproteinemia is an independent risk factor for critical illness polyneuromyopathy. 2006 , 10, P219	78
272	Neuroimmune interactions for the prognosis the risk for stress ulcer formation in patients with peritonitis. 2006 , 10, P220	78
271	Effect of proton pump inhibitors on gastric volume, gastric pH and gastric intramucosal pH in critically ill patients in the ICU. 2006 , 10, P221	2
270	Implementation of an evidence-based stress ulcer prophylaxis protocol in the ICU. 2006 , 10, P222	1
269	Factors associated with excessive bleeding in cardiopulmonary bypass patients. 2006 , 10, P223	2
268	Blood urea nitrogen and endoscopic pattern relationship in patients with gastrointestinal bleeding. 2006 , 10, P224	78

267	Predictive genetic factors for bleeding in cardiac surgery patients with cardiopulmonary bypass. 2006, 10, P225	1
266	Tranexamic acid decreased postoperative bleeding and systemic inflammatory response syndrome associated with cardiopulmonary bypass: a prospective, randomized, double-blind controlled study. 2006, 10, P226	78
265	The erythropoietin neuroprotective effect: assessment in coronary artery bypass graft surgery (TENPEAKS) [a randomized, double-blind, placebo-controlled, proof-of-concept clinical trial. 2006, 10, P227	1
264	Large changes in renal microvascular PO ₂ during acute normovolemic hemodilution. 2006, 10, P228	1
263	Low hematocrit causes worsened cerebral injury after prolonged hypothermic circulatory arrest in rats: possible involvement of C-Fos, Bcl-2 and Bax. 2006, 10, P229	78
262	Impact of critical illness severity on transfusion requirements. 2006, 10, P230	78
261	Effect of red blood cell transfusion on cerebral oxygenation and metabolism following severe traumatic brain injury. 2006, 10, P231	3
260	Red cell pack use and mortality rate in Brazilian septic patients: Sepsis Brazil study. 2006, 10, P232	78
259	Prothrombin complex concentrate versus fresh frozen plasma in patients on oral anticoagulant therapy undergoing cardiac surgery: a randomized study. 2006, 10, P233	5
258	Clinical application of an integrated multiparameter system in perioperative body stress assessment. 2006, 10, P234	4
257	Phosphodiesterase 4D disruption causes β adrenergic receptors to behave like α adrenergic receptors in vivo. 2006, 10, P235	1
256	Long-term alcoholic patients have decreased perioperative cAMP levels. 2006, 10, P236	1
255	Effect of inspired oxygen concentration on central venous oxygen saturation. 2006, 10, P237	78
254	Contribution of perfusion-related, metabolic and respiratory components to gastric mucosal acidosis in acute cardiorespiratory failure. 2006, 10, P238	7
253	Comparison of arterial haemoglobin and electrolyte measurements between an arterial blood gas analyser and the laboratory on the critical care unit. 2006, 10, P239	78
252	Potential pharmacobiological and hormonal effects on resuscitation. 2006, 10, P240	78
251	Protection of mitochondria by intensive insulin therapy in critical illness: blood glucose control or insulin?. 2006, 10, P241	78
250	Hyperglycemia in a rat CLP model of sepsis is associated with mitochondrial uncoupling. 2006, 10, P242	78

249	Relationship between blood glucose level and outcome in acutely ill severe patients with glucose intolerance evaluated by means of a bedside-type artificial pancreas. 2006, 10, P243	78
248	Univariate and multivariate analysis of factors affecting tight glycaemic control. 2006, 10, P244	78
247	An altered glucose concentration increases plasma membrane injury in alveolar cells. 2006, 10, P245	78
246	Improved hepatic glucose production in mice lacking inducible nitric oxide synthase during hyperdynamic septic shock. 2006, 10, P246	78
245	Parallel determination of glucose metabolism and fractional synthesis rates of individual hepatic proteins during hyperdynamic septic shock. 2006, 10, P247	78
244	Organ dysfunction in critical illness: impact of maintaining normoglycemia and glycemia-independent insulin actions. 2006, 10, P248	78
243	In-vitro effects of hyperglycemia on survival of neuroblastoma (SHSY) cells. 2006, 10, P249	78
242	Insulin inhibits IL-6 production in the kidneys in brain-dead pigs. 2006, 10, P250	78
241	Hemoglobin A1c predicts outcome of sepsis in patients with diabetes. 2006, 10, P251	1
240	Expression of glucose transporters in critical illness. 2006, 10, P252	2
239	Plasma glucose levels and mortality in bacteremic ICU patients. 2006, 10, P253	78
238	Continuous glucose monitoring using the SCGM1 system in postcardiothoracic surgery patients. 2006, 10, P254	3
237	Does implementation of a computerised, decision-supported intensive insulin protocol achieve tight glycaemic control? A prospective observational study. 2006, 10, P256	78
236	Evaluation of function of pituitary gland in patients with septic shock and the effect of low-dose corticosteroid therapy. 2006, 10, P257	78
235	Cortisol levels fail to predict hemodynamic response to steroids and outcome in patients with septic shock. 2006, 10, P258	78
234	Predicting a low response to ACTH in the critically ill. 2006, 10, P259	78
233	Reproducibility of the low-dose corticotropin (ACTH) stimulation test in ICU patients with sepsis and/or septic shock. 2006, 10, P260	78
232	Cortisol and dehydroepiandrosterone sulphate levels in ICU patients upon admission correlate with severity of disease. 2006, 10, P261	78

231	Hypothalamic-pituitary-adrenal axis in mechanically ventilated critically ill patients: incidence of hyporesponsiveness to stimulation and relationship to cytokine levels. 2006 , 10, P262	78
230	Relative adrenal insufficiency after major abdominal surgery. 2006 , 10, P263	78
229	Clinical study on the relationship of adrenal function and prognosis in patients with severe sepsis. 2006 , 10, P264	78
228	Thyroid hormone levels and their relations to survival in children with bacterial sepsis and septic shock. 2006 , 10, P265	78
227	Regulation of type 1 deiodinase activity in prolonged critical illness. 2006 , 10, P266	1
226	Predictive factors of the development of acute renal failure in the immediate post-hepatic transplant period. 2006 , 10, P267	78
225	Predictive factors of mortality in liver transplantation. 2006 , 10, P268	78
224	Biliary complications after cardiovascular procedures. 2006 , 10, P269	1
223	Complications and outcome in conservative management of acute pancreatitis. 2006 , 10, P270	78
222	Predictors of serious local complications in patients with severe acute pancreatitis. 2006 , 10, P271	3
221	Severe acute pancreatitis in the ICU. 2006 , 10, P272	78
220	Acute liver failure in children in Istanbul University: retrospective analysis of 30 cases. 2006 , 10, P273	78
219	Hemolysis Elevated Liver Low Platelet Acute Renal Dysfunction syndrome: evidence for a new entity in the critically ill obstetric patient. 2006 , 10, P274	78
218	Critically ill obstetric patients with partial HELLP syndrome: still need HELP?. 2006 , 10, P275	2
217	Assessment of kidney function in ICU patients. 2006 , 10, P276	1
216	Validation of the Cockcroft-Gault formula for estimation of creatinine clearance in the critically ill population. 2006 , 10, P277	0
215	Acute renal failure prolongs weaning from mechanical ventilation in critically ill patients. 2006 , 10, 1	0
214	Three-year outcome of severe acute tubular necrosis: a prospective study of critically ill patients. 2006 , 10, P279	78

213	Renal replacement therapy and bloodstream infections in cardiovascular intensive care patients. 2006 , 10, P280	78
212	How continuous is continuous veno-venous haemofiltration?. 2006 , 10, P281	78
211	Impact of continuous veno-venous hemodiafiltration with regional citrate anticoagulation on the acid-base balance of critically ill patients. 2006 , 10, 1	1
210	Metabolic disturbances encountered during pediatric continuous renal replacement therapy. 2006 , 10, P283	78
209	Hybrid renal replacement techniques vs continuous haemodiafiltration in haemodynamically unstable patients. 2006 , 10, P284	78
208	Citrate anticoagulation realized as CVVHD using a newly designed dialysate solution. 2006 , 10, P285	78
207	High dose hemofiltration in the intensive care of sepsis in cancer patients. 2006 , 10, P286	78
206	Physiological response to superantigen-adsorbing hemoperfusion in toxin-concentration-controlled septic swine. 2006 , 10, P287	78
205	Immunoabsorption of lipopolysaccharides, IL-6 and complement-activation product 5a in severe sepsis and septic shock. 2006 , 10, P288	78
204	Hemoperfusion with an immobilized polymyxin B fiber column improves gastric mucosal pH with sepsis patients. 2006 , 10, P289	78
203	The effect of polymyxin B immobilized on fibers and continuous veno-venous hemodiafiltration on tetrahydrobiopterine and NO metabolites in septic patients. 2006 , 10, P290	78
202	Relationship between effect of polymyxin B-immobilized fiber and high-mobility group box-1 protein in septic shock patients. 2006 , 10, P291	78
201	Extracorporeal albumin dialysis in paediatric patients with sepsis and multiorgan dysfunction. 2006 , 10, P292	78
200	Dialytic techniques in critical patients: slow low-efficient daily dialysis or CVVHDF?. 2006 , 10, P293	78
199	Infection in ICU patients with acute kidney injury treated with renal replacement therapy. 2006 , 10, P294	1
198	Long-term mortality of critically ill patients with acute renal failure requiring renal replacement therapy: a 5-year population-based cohort study. 2006 , 10, P295	1
197	Outcome of patients treated with renal replacement therapy for acute kidney injury. 2006 , 10, P296	5
196	Prognostic value of early vs late acute renal dysfunction in the critically ill obstetric patient. 2006 , 10, P297	78

195	Effects of autotransfusion on sublingual microvascular perfusion in hemodialysis patients before and after ultrafiltration. 2006 , 10, P298	78
194	Recognition and management of intra-abdominal hypertension and abdominal compartment syndrome in Australasia. 2006 , 10, P299	78
193	Technique of temporary abdominal closure in abdominal compartment syndrome for preventing environmental contamination: seal and continuous high-pressure aspiration. 2006 , 10, P300	78
192	Abdominal compartment syndrome following rectus sheath hematoma: bladder-to-gastric pressure difference as a guide to treatment. 2006 , 10, P301	78
191	Prognostic value of abdominal perfusion pressure in mechanically ventilated patients. 2006 , 10, P302	78
190	Influence of intra-abdominal hypertension on renal artery and vein flow in the porcine kidney. 2006 , 10, P303	1
189	Aggressive resuscitation prevents gut ischemia due to intra-abdominal hypertension in LPS-induced shock. 2006 , 10, P304	78
188	Does intravesical pressure as an estimation of intra-abdominal pressure predict effects on portal circulation?. 2006 , 10, P305	78
187	Influence of intra-abdominal hypertension on microvascular flow in the porcine renal cortex. 2006 , 10, P306	78
186	Ultralow volumes in transvesical intra-abdominal pressure measurement. 2006 , 10, P307	78
185	Evaluation of the Spiegelberg method and the bladder method with different intravesical volumes for measurement of intra-abdominal pressure in a porcine model of intra-abdominal hypertension. 2006 , 10, P308	78
184	Quantitative relationship between increased intra-abdominal pressure and intrathoracic pressures and volumetric filling parameters in the pig. 2006 , 10, P309	3
183	Intra-abdominal pressure and Sequential Organ Failure Assessment score: is there a correlation?. 2006 , 10, P310	1
182	Effect of vasopressin and norepinephrine on renal blood flow in a canine model of raised intra-abdominal pressure. 2006 , 10, P311	3
181	Indocyanine green clearance as a predictor of outcome in liver transplant patients. 2006 , 10, P312	78
180	Value of serial serum lactate evaluation in liver transplant patients at the ICU. 2006 , 10, P313	2
179	Monitoring of lactate and base deficit: what is their role in the predictive outcome of severe trauma?. 2006 , 10, P314	78
178	A novel therapeutic concept for the treatment of acute angioedema attacks in hereditary angioedema patients: multiple successful treatments even in severe swelling attacks with the bradykinin-B2 receptor antagonist Icatibant. 2006 , 10, P315	78

177	Impact of early sepsis on oxygen delivery in the microvasculature. 2006 , 10, P316	78
176	A method for improvement of data quality from OPS/SDF devices in visualization of the microcirculation. 2006 , 10, P101	1
175	Non-invasive assessment of the microcirculation in ICU patients. 2006 , 10, P318	78
174	Changes in microcirculation during weaning trials from mechanical ventilation. 2006 , 10, P319	78
173	Changes in the microcirculation during human endotoxemia measured with near-infrared spectroscopy. 2006 , 10, P320	78
172	Microcirculation parameters are related to hemodynamic indices in postoperative cardiac patients. 2006 , 10, P321	78
171	Covert oxygen supply failure measured using the LiDCO plus monitor. 2006 , 10, P322	78
170	Pulse contour analysis for cardiac output measurement in patients after off-pump coronary artery bypass grafting: a comparison of FloTrac and PiCCOpluswith intermittent thermodilution. 2006 , 10, P323	1
169	Continuous arterial pulse cardiac output validation in hyperdynamic conditions. 2006 , 10, P324	2
168	A calibrated pulse waveform analysis algorithm, which determines continuous cardiac output, compared with a noncalibrated algorithm. 2006 , 10, P325	0
167	Do the data obtained by the PiCCO system enable one to differentiate between direct ALI/ARDS and indirect ALI/ARDS?. 2006 , 10, P326	2
166	Combined gas exchange and pulse wave monitoring for detecting anaerobic metabolism in critically ill patients. 2006 , 10, P327	78
165	Feasibility study of continuous non-invasive blood pressure measurement in critically ill children. 2006 , 10, P328	78
164	Arterial pressure based cardiac output in the septic patient. 2006 , 10, P329	78
163	Measurement of CO by flow probe, USCOM and PAC in conscious sheep at rest and after dobutamine. 2006 , 10, P330	1
162	Pneumoperitoneum influence on the cardiovascular system evaluated by the PiCCO system. 2006 , 10, P331	1
161	Non-invasive assessment of cardiac index: comparison between PiCCO and LiDCO. 2006 , 10, P332	78
160	Effects of midline thoracotomy on pulse pressure variations during pressure-control ventilation. 2006 , 10, P333	2

159	Influence of ventilatory settings on the value of static hemodynamic variables and pulse pressure variation. 2006 , 10, P334	78
158	Comparative evaluation of pulse contour analysis, thermodilution and partial CO ₂ rebreathing techniques for cardiac output assessment in critically ill patients during different levels of positive end expiratory pressure. 2006 , 10, P335	78
157	Stroke volume variation for assessment of the responsiveness to volume loading in canines with hemorrhagic shock: study on the comparison with hemodynamic parameters. 2006 , 10, P336	0
156	Monitoring of cardiac output in cardiogenic shock and low-output heart failure: LiDCO vs pulmonary artery catheter thermodilution. 2006 , 10, P337	78
155	Passive leg rising and pulse contour monitoring. 2006 , 10, P338	78
154	Assessment of stroke volume variation. 2006 , 10, P339	78
153	Continuous central venous oxygenation measurement by CeVOX in patients undergoing off-pump coronary artery bypass grafting. 2006 , 10, P340	78
152	Noninvasive approach to follow-up hemodynamics in patients with intra-aortic balloon counterpulsation: expediency and value. 2006 , 10, P341	78
151	Increasing cardiac output by epinephrine after cardiac surgery: effects on indocyanine green plasma disappearance rate and splanchnic microcirculation. 2006 , 10, P342	78
150	Cardiac output measurement in preterm neonates: validation of USCOM against echocardiography. 2006 , 10, P343	9
149	Transthoracic contrast echocardiography in the detection of patent foramen ovale. 2006 , 10, P344	1
148	Simplified parameter to attest systolic right ventricular function obtained by tissue Doppler imaging of the tricuspid annulus. 2006 , 10, P345	78
147	Noninvasive monitoring of cardiac output in critically ill patients: transesophageal Doppler vs transesophageal echocardiography. 2006 , 10, P346	78
146	Cardiac pump performance in patients who underwent coronary artery bypass grafting. 2006 , 10, P347	78
145	Incidence and efficacy of pulmonary artery catheters in the ICU of a developing country: a prospective, controlled study. 2006 , 10, P348	78
144	Hemodynamic monitoring in severe sepsis and septic shock in German ICUs. 2006 , 10, P349	2
143	Arterial to end-tidal carbon dioxide pressure difference and correlation of the difference with end-expiratory pressure in critically ill patients with severe lung injury. 2006 , 10, P350	78
142	Tissue perfusion may be assessed at the bedside with ETCO ₂ -derived dead-space estimation. 2006 , 10, P351	78

141	Investigation of the pulmonary vascular permeability index and extravascular lung water in patients with SIRS and ARDS under the PiCCO system. 2006 , 10, P352	1
140	Comparative study on central venous pressure evaluation in jugular or subclavian and femoral accesses. 2006 , 10, P353	78
139	Anterior approach internal jugular vein catheterization. 2006 , 10, P354	78
138	Influence of veno-venous renal replacement therapy on transpulmonary thermodilution measurements. 2006 , 10, P355	78
137	Heart dysfunction evaluated by troponin, stroke work analysis and QT dispersion can predict outcome in patients with septic shock. 2006 , 10, P356	78
136	Levosimendan: experience of an adult ICU. 2006 , 10, P357	78
135	Hemodynamic and echographic effects of levosimendan in patients with cardiogenic shock refractory to catecholamines. 2006 , 10, P358	78
134	Carvedilol inhibits right ventricular hypertrophy induced by chronic hypobaric hypoxia. 2006 , 10, P359	78
133	Low-dose vasopressin improves cardiopulmonary functions in sheep with combined burn and smoke inhalation injury. 2006 , 10, P360	78
132	Effects of enalaprilat sodium on plasma NTproANP and NTproBNP levels in healthy volunteers. 2006 , 10, P361	78
131	Early administration of β blockade in high-risk, acute coronary syndrome patients. 2006 , 10, P362	78
130	Evaluating the values of blood troponin T in relation to the values of cardiac ejection fraction in patients suffering sub-arachnoid hemorrhage due to ruptured cerebral aneurysms. 2006 , 10, P363	78
129	Cardiac troponin in the general adult critical care unit: solution or problem. 2006 , 10, P364	78
128	High incidence of elevated serum creatine kinase in the ICU: an underestimated problem. 2006 , 10, P365	0
127	Role of homocysteine in the development of the cerebral and cardiovascular pathology in young persons. 2006 , 10, P366	78
126	The use of medical early warning scores in high-risk acute coronary syndrome patients in a district hospital setting. 2006 , 10, P367	0
125	Inpatient management of high-risk acute coronary syndrome patients in a district hospital setting. 2006 , 10, P368	78
124	Clinical factors of extension and severity of the coronary disease in patients with acute coronary syndrome. 2006 , 10, P369	78

123	Coronary occlusions in first non-ST segment elevation myocardial infarction. 2006 , 10, P370	78
122	Temporal trends in the type of recurrent acute coronary syndrome. 2006 , 10, P371	78
121	L-carnitine deficiency in acute myocardium infarction: prevalence and therapeutic effects of repletion. 2006 , 10, P372	78
120	Acute pulmonary edema with preserved ejection fraction: clinical and prognostic profile in patients with coronary heart disease. 2006 , 10, P373	78
119	Is faster always better?. 2006 , 10, P374	78
118	PRONECT: a multiprofessional training course in the care of the acute myocardial infarction. 2006 , 10, P375	78
117	Advanced cardiac life support: comparative analysis between the results of theoretical valuation in two teaching modalities. 2006 , 10, P376	78
116	Results from inhospital cardiopulmonary resuscitation records in a medical cardiologic ICU. 2006 , 10, P377	78
115	Pediatric cardiopulmonary resuscitation in a cardiology hospital. 2006 , 10, P378	78
114	Unidirectional blood flow can be naturally generated by changing intravascular pressure: an extracorporeal model for elucidating the blood flow mechanism in CPR. 2006 , 10, P379	78
113	Impact of bystander cardiopulmonary and cerebral resuscitation in the prehospital setting on survival rates in the short and long term. 2006 , 10, P380	78
112	Outcome of cardiopulmonary resuscitation in the ICU in a university hospital. 2006 , 10, P381	78
111	Recent circumstances of out-of-hospital CPA in Yokohama, a typical Japanese urban city. 2006 , 10, P382	78
110	Implementation of the new European Resuscitation Council guidelines regarding epinephrine administration during out-of-hospital cardiopulmonary and cerebral resuscitation, and its effect on the outcome of the patients. 2006 , 10, P383	78
109	Predicting failure to survive cardiopulmonary resuscitation in intensive care: evaluation of two morbidity scores. 2006 , 10, P384	78
108	Invasive versus conservative waiting strategy in complicated acute pediatric leukemia patients. 2006 , 10, P385	78
107	Assessing the poisoning cases being monitored in the ICU in terms of causes and mortality. 2006 , 10, P386	78
106	Brazilian ITO model in Latin America: Medical Training and Simulation Laboratory Center at the Heart Institute (InCor). 2006 , 10, P387	78

105	Impact of an accreditation process in a surgical ICU. 2006, 10, P388	78
104	Monitoring a high-cost drug in critical care units. 2006, 10, P389	78
103	Critical care costs per patient-day are inversely related to the annual admission rate. 2006, 10, P390	78
102	Bedside teaching in intensive care: effect on attitudes and skills of fourth-year medical students. 2006, 10, P391	78
101	Benchmarking procedural competence in paediatric intensive care using cumulative sum analysis: intravenous access, arterial lines and intubation. 2006, 10, P392	78
100	Iatrogenic complications in the ICU: prospective study during 17 months. 2006, 10, P393	78
99	Iatrogenic complications in ICU patients. 2006, 10, P394	1
98	Quality indicators in critically ill patients. 2006, 10, P395	1
97	Quality-efficiency square: a new way to look at cost and quality in critical care. 2006, 10, P396	78
96	Influence of second-generation and third-generation mobile phones on critical care medical equipment. 2006, 10, P397	78
95	Value of routine daily chest radiography in a non-university ICU: results of a controlled prospective study. 2006, 10, P398	1
94	Minimal number of adverse physiological events during physiotherapy intervention. 2006, 10, P399	78
93	Three generations of mortality prediction models: accuracy for outcome prediction in the critically ill obstetric patient. 2006, 10, P400	78
92	Expanded Multiple Organ Dysfunction score: is it better than the Sequential Organ Failure Syndrome score?. 2006, 10, P401	78
91	Value of APACHE II score to predict mortality in cardiogenic shock patients of a cardiologic ICU. 2006, 10, P402	1
90	Use of the SOFA score in an Indian cancer hospital ICU. 2006, 10, P403	78
89	Evaluation of APACHE II and the ICU cancer mortality model in an Indian cancer hospital ICU. 2006, 10, P404	0
88	Severity of disease and infection were related to bad outcomes of elderly patients in a general ICU. 2006, 10, P405	78

87	Comparison of risk prediction models for admissions to UK critical care units following traumatic brain injury. 2006 , 10, P406	78
86	Using outcome prediction tools in the ICU: performance of APACHE II and SAPS 2 scores in clinical patients. 2006 , 10, P407	2
85	SAPS 2 is a better score than APACHE II to predict mortality in the ICU. 2006 , 10, P408	1
84	Comparison of prognostic scores at a pediatric ICU. 2006 , 10, P409	78
83	Surgical Procedure Assessment score predicts ICU length of stay in cardiac surgical patients. 2006 , 10, P410	78
82	Is SOFA score a mortality predictor in surgical patients admitted to the postoperative acute care unit?. 2006 , 10, P411	1
81	Stability and Workload Index for Transfer score predicts unplanned medical ICU patient readmission. 2006 , 10, P412	1
80	Modified early warning system scoring and critical care readmission. 2006 , 10, P413	78
79	Can we distinguish patients at risk of deterioration?. 2006 , 10, P414	5
78	Evaluation of available data on physiological track and trigger warning systems. 2006 , 10, P415	6
77	Abstract withdrawn. 2006 , 10, P416	78
76	Patients with liver transplantation readmitted to the ICU: a 15-year retrospective study. 2006 , 10, P417	78
75	Patients readmitted to the ICU during the same hospitalization: a 2-year study. 2006 , 10, P418	78
74	Trend in the severity of illness and hospital mortality rates of ICU patients over a 10-year period. 2006 , 10, P419	78
73	ICU patients requiring mechanical ventilation: incidence, mortality, characteristics and mortality risk factors. 2006 , 10, P420	78
72	Chronic pain after surviving sepsis. 2006 , 10, P421	7
71	Significance of the qualified psychotherapeutic care in the PTSR development. 2006 , 10, P422	78
70	Long-term outcome and quality of life of patients treated in surgical intensive care: a comparison between sepsis and trauma. 2006 , 10, P423	4

69	Outcome following severe burn injuries in Belgium. 2006 , 10, P424	78
68	Factors associated with mortality in severe burn patients. 2006 , 10, P425	1
67	Mortality in the Brussels burn unit: a 7-year longitudinal study. 2006 , 10, P426	78
66	Quality of life before, during and following intensive care treatment: a long term follow-up study. 2006 , 10, P427	78
65	How are you feeling 6 months after your ICU discharge?. 2006 , 10, P428	78
64	Differences in ICU admissions for the elderly between the United States and the United Kingdom. 2006 , 10, P429	5
63	Intensive care capacity in Denmark. 2006 , 10, P430	78
62	Mortality as a measure of lack of ICU availability. 2006 , 10, P431	78
61	Is the benefit of a post-ICU follow-up service dependent on the risk of death pre-ICU discharge?. 2006 , 10, P432	78
60	Manganese and hepatic encephalopathy: a prospective study. 2006 , 10, P433	78
59	High thoracic epidural improves postoperative cardiac outcome in ischemic patients undergoing major abdominal surgery. 2006 , 10, P434	78
58	Addition of propofol, midazolam, or haloperidol to sufentanil for intravenous sedation in the ICU using the bispectral index. 2006 , 10, P435	78
57	Remifentanil dosage in critically ill patients is independent of organ dysfunction. 2006 , 10, P436	78
56	Remifentanil versus sufentanyl narco-sedation in a surgical and medical critical care unit with prevention of narcotic-induced hyperalgesia: a randomized double blind study. 2006 , 10, P437	1
55	Sufentanil versus fentanyl in intraoperative and postoperative periods in pediatric patients. 2006 , 10, P438	78
54	Sparing analgesic effect using pregabalin in postsurgical trauma patients in the ICU. 2006 , 10, P439	1
53	Assessment of sedation in patients with pressure-controlled ventilation: tidal-volume variance, sedation scores or bispectral index?. 2006 , 10, P440	78
52	Risk factors for unplanned extubations in critically ill patients, using PRISMA analysis. 2006 , 10, P441	0

51	Novel measure for EEG/EMG responsiveness may indicate the level of sedation in ICU patients. 2006, 10, P442	78
50	Delirium impact in a chronic ventilatory care unit. 2006, 10, P443	78
49	The short-time protective effect of hypoxic preconditioning on ischemia/reperfusion brain. 2006, 10, P444	78
48	Influence of intracellular astrocyte acidification on the behavior of cell volume and intracellular sodium. 2006, 10, P445	78
47	Neuroprotective effects and mechanisms of fentanyl preconditioning against brain ischemia. 2006, 10, P446	78
46	Antiapoptotic action of delta opioid peptide [D-Ala ² , D-Leu ⁵]enkephalin against oxygen-glucose deprivation in brain slices. 2006, 10, P447	78
45	Role of optic nerve ultrasonography in the diagnosis of elevated intracranial pressure. 2006, 10, P448	78
44	Traumatic subarachnoid haemorrhage in the ICU. 2006, 10, P449	1
43	Survey of cerebral perfusion pressure measurement: location of the arterial transducer in the patient managed at 30 \uparrow elevation. 2006, 10, P450	2
42	Impact of severe polytrauma on severe brain injured patients. 2006, 10, P451	78
41	Cerebral hemodynamics in young patients after ischemic stroke. 2006, 10, P452	78
40	Multiparametric monitoring in patients with traumatic brain injury: association with outcome. 2006, 10, P453	78
39	Should we perform ocular fundus in patients with severe brain trauma?. 2006, 10, P454	78
38	New stereological method for the assessment (prediction) of prognosis in patients with epidural haematoma: the volume fraction of haematoma to the total brain volume. 2006, 10, P455	78
37	Clinical significance of prolonged QTc dispersion in spontaneous intracranial hemorrhage. 2006, 10, P456	78
36	Electrocardiographic changes in patients with acute stroke in the prehospital setting and their prognostic importance. 2006, 10, P457	78
35	Decompressive (hemi)craniectomy for refractory intracranial hypertension after traumatic brain injury. 2006, 10, P458	3
34	Outcome of decompressive craniectomy for large middle cerebral artery territory infarctions: a retrospective review. 2006, 10, P459	78

33	Magnetic resonance imaging defines structural brain injury acquired during critical illness. 2006 , 10, P460	78
32	Critical illness polyneuropathy: incidence and risk factors. 2006 , 10, P461	78
31	Therapeutic cooling in cardiac arrest of noncardiac origin. 2006 , 10, P462	78
30	Hypothermia after cardiac arrest: impact on myocardial injury. 2006 , 10, P463	78
29	Neuron-specific enolase and protein S-100 B as prognostic parameters for children with head injury. 2006 , 10, P464	78
28	Correlation of systemic protein S100 β levels with postoperative indicators of neurological damage in supratentorial meningioma surgery. 2006 , 10, P465	78
27	Serum neuron-specific enolase as an early predictor of outcome after inhospital cardiac arrest. 2006 , 10, P466	78
26	Prognostic markers of the outcome in severe head injuries. 2006 , 10, P467	78
25	End-of-life practices in Brazilian pediatric ICUs of three different regions. 2006 , 10, P468	78
24	Alveolar epithelial function is better preserved in lungs from nonheart-beating donors compared with heartbeating donors. 2006 , 10, P469	78
23	Older age, female sex, and increased IL-6 decrease the organ yield from cadaveric donors. 2006 , 10, P470	78
22	Is bispectral index monitoring an alternative method for diagnosis of brain death?. 2006 , 10, P471	78
21	Brain death in children: a cross-section study enrolling five Brazilian pediatric ICUs. 2006 , 10, P472	78
20	Paradoxical coronary embolism in a young woman. <i>International Journal of Cardiology</i> , 2007 , 115, e17-9	3.2 9
19	Exclusion of patients with arteriosclerosis reduces long-term recurrence rate of presumed arterial embolism after PFO closure. 2007 , 20, 275-81	8
18	Acute ST-elevation myocardial infarction secondary to paradoxical embolism. <i>International Journal of Cardiology</i> , 2008 , 127, 406-9	3.2 5
17	High frequency of silent pulmonary embolism in patients with cryptogenic stroke and patent foramen ovale. <i>Stroke</i> , 2011 , 42, 822-4	6.7 25
16	Paradoxical embolism in acute myocardial infarction in a patient with congenital heart disease. <i>Heart Views</i> , 2012 , 13, 111-3	0.7 0

15	Acute coronary syndrome of paradoxical origin. <i>Revista Portuguesa De Cardiologia</i> , 2013 , 32, 817-21	1	5
14	Acute coronary syndrome of paradoxical origin. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2013 , 32, 817-821	0	2
13	[Coronary embolism due to an adherent right atrium thrombus through a patent foramen ovale]. <i>Annales De Cardiologie Et DuAngeiologie</i> , 2013 , 62, 438-41	0.5	3
12	Unique case of ST-segment-elevation myocardial infarction related to paradoxical embolization and simultaneous pulmonary embolization: clinical considerations on indications for patent foramen ovale closure in no-guidelines land. <i>Circulation</i> , 2015 , 131, 1214-23	16.7	11
11	Ischemic Coronary Artery Disease. 2018 , 317-322		
10	Determinants of in-hospital death in patients with a thrombus straddling a patent foramen ovale: protocol of a systematic review. <i>F1000Research</i> , 2020 , 9, 1437	3.6	
9	Association between acute myocardial infarction and death in 386 patients with a thrombus straddling a patent foramen ovale. <i>International Journal of Cardiology</i> , 2021 , 342, 1-6	3.2	
8	Anatomie und Pathologie der Koronararterien. <i>Spezielle Pathologische Anatomie</i> , 2000 , 209-553		2
7	Interatrial Septum and its Role in Systemic Embolism. <i>Anesthesiology Clinics</i> , 1992 , 10, 795-822		1
6	Determinants of in-hospital death in patients with a thrombus straddling a patent foramen ovale: protocol of a systematic review. <i>F1000Research</i> , 2020 , 9, 1437	3.6	1
5	Coronary Embolism and Myocardial Infarction: A Scoping Study. <i>American Journal of Medical Case Reports</i> , 2020 , 8, 31-43	1.4	1
4	Paradoxical Thromboembolism/ST-Elevation Myocardial Infarction via a Patent Foramen Ovale in Sub-Massive Pulmonary Embolism Following an Upper Extremity Deep Venous Thrombosis: Is It Time for a Change in the Standard of Care?. <i>Cardiology Research</i> , 2014 , 5, 112-117	1.8	6
3	Congenital Anomalies of the Coronary Circulation. 2012 , 530-543		
2	Cardioembolic stroke: classification of causes and prevention strategies. <i>Nevrologiya, Neiropsikhiatriya, Psikhosomatika</i> , 2021 , 13, 4-13	0.7	
1	Congenital anomalies of the coronary circulation. 2023 , 497-512		0