CITATION REPORT List of articles citing

Dipyridamole cardiac imaging

DOI: 10.1016/0002-8703(88)90492-9 American Heart Journal, 1988, 115, 432-43.

Source: https://exaly.com/paper-pdf/19724231/citation-report.pdf

Version: 2024-04-04

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
145	RECURRENT STAPHYLOCOCCAL SKIN INFECTIONS. 1988 , 332, 1346-1347		
144	DOBUTAMINE STRESS TEST. 1988 , 332, 1347-1348		2
143	Prinzmetals angina during cyclophosphamide therapy. <i>European Heart Journal</i> , 1988 , 9, 1155-7	9.5	6
142	Myocardial infarction after dipyridamole-assisted thallium-201 imaging. 1989 , 23, 665-7		4
141	Atrial pacing and thallium-201 scintigraphy in patients with chest pain: correlation with coronary anatomy. 1989 , 12, 185-92		2
140	Diagnostic value of atrial pacing and thallium-201 scintigraphy for the assessment of patients with chest pain. 1989 , 12, 193-201		7
139	Usefulness of the severity and extent of reversible perfusion defects during thallium-dipyridamole imaging for cardiac risk assessment before noncardiac surgery. <i>American Journal of Cardiology</i> , 1989 , 64, 276-81	3	74
138	Prognostic value of atrial pacing and thallium-201 scintigraphy in patients with stable chest pain. <i>American Journal of Cardiology</i> , 1989 , 64, 985-90	3	21
137	Myocardial ischemia during pharmacologic coronary vasodilatation: a concept in search of definition. 1989 , 18, 65-6		8
136	Preoperative evaulation of cardiac risk by means of atrial pacing and thallium 201 scintigraphy. 1989 , 10, 385-391		9
135	Electrophysiologic effects of intravenous dipyridamole. 1989 , 24, 327-35		13
134	Use of oral dipyridamole SPECT thallium-201 imaging in detection of coronary artery disease. <i>American Heart Journal</i> , 1989 , 118, 1022-7	4.9	17
133	Evaluation of coronary artery disease in the patient unable to exercise: alternatives to exercise stress testing. <i>American Heart Journal</i> , 1989 , 117, 1344-65	4.9	62
132	Dipyridamole thallium-201 scintigraphy: an excellent alternative to exercise scintigraphy. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 1642-4	15.1	26
131	Dipyridamole radionuclide ventriculography: a test with high specificity for severe coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1989 , 13, 841-51	15.1	33
130	Effect of exercise level on the ability of thallium-201 tomographic imaging in detecting coronary artery disease: analysis of 461 patients. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 1477-86	5 ^{15.1}	264
129	Assessing Cardiac Risk in Vascular Surgical Patients: Current Status. 1989 , 2, 18-36		11

128 Perfusion imaging. **1989**, 45, 896-921

128	Perfusion imaging. 1989 , 45, 896-921		1
127	Nonexercise cardiac stress testing. 1989 , 86, 80-2, 85-6		
126	The role of dipyridamole in bronchospasm. 1990 , 98, 253-5		2
125	Ability of dipyridamole-thallium-201 imaging one to four days after acute myocardial infarction to predict in-hospital and late recurrent myocardial ischemic events. <i>American Journal of Cardiology</i> , 1990 , 65, 160-7	3	98
124	Left ventricular dilatation and pulmonary thallium uptake after single-photon emission computer tomography using thallium-201 during adenosine-induced coronary hyperemia. <i>American Journal of Cardiology</i> , 1990 , 66, 807-11	3	104
123	Thallium-201 perfusion imaging with atrial pacing or dipyridamole stress testing for evaluation of cardiac risk prior to nonvascular surgery. 1990 , 13, 611-6		8
122	Dipyridamole echocardiography: the bedside stress test for coronary artery disease. 1990 , 66, 531-5		2
121	Dipyridamole thallium 201 imaging. How safe is it?. 1990 , 81, 1425-7		22
120	Comparison of ejection fraction and Goldman risk factor analysis to dipyridamole-thallium 201 studies in the evaluation of cardiac morbidity after aortic aneurysm surgery. 1990 , 11, 497-504		103
119	Silent myocardial ischemia and infarction in diabetics with peripheral vascular disease: assessment by dipyridamole thallium-201 scintigraphy. <i>American Heart Journal</i> , 1990 , 120, 1073-7	4.9	76
118	Assessment of myocardial viability. American Heart Journal, 1990, 120, 1012-4	4.9	2
117	Coronary flow reserve as a physiologic measure of stenosis severity. <i>Journal of the American College of Cardiology</i> , 1990 , 15, 459-74	15.1	427
116	Single photon emission computed tomography with thallium-201 during adenosine-induced coronary hyperemia: correlation with coronary arteriography, exercise thallium imaging and two-dimensional echocardiography. <i>Journal of the American College of Cardiology</i> , 1990 , 16, 1375-83	15.1	205
115	Evaluation and management of patients with both peripheral vascular and coronary artery disease. Journal of the American College of Cardiology, 1991 , 18, 203-14	15.1	122
114	Multivariate clinical models and quantitative dipyridamole-thallium imaging to predict cardiac morbidity and death after vascular reconstruction. 1991 , 14, 160-9		70
113	Myocardial imaging with Tc-99m teboroxime: technique and initial results. <i>American Heart Journal</i> , 1991 , 121, 889-94	4.9	34
112	Should we diagnose early coronary artery disease and how?. <i>American Heart Journal</i> , 1991 , 122, 1798-9	4.9	
111	Dilatation of the left ventricular cavity on dipyridamole thallium-201 imaging: a new marker of triple-vessel disease. <i>American Heart Journal</i> , 1991 , 121, 466-75	4.9	50

110	Single-photon emission computed tomographic thallium imaging with adenosine, dipyridamole, and exercise. <i>American Heart Journal</i> , 1991 , 122, 279-84; discussion 302-6	4.9	16
109	Dipyridamole perfusion scintigraphy. 1991 , 21, 242-65		23
108	Tolerance and safety of pharmacologic coronary vasodilation with adenosine in association with thallium-201 scintigraphy in patients with suspected coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1991 , 18, 730-5	15.1	100
107	Worsening of Regional Postinfarction Asynergy after Dipyridamole: Does It Reflect Ischemic Viable Myocardium?. 1991 , 5, 240-247		
106	Noninvasive Screening for Silent Ischemic Heart Disease in Patients with Cerebral Ischemia: Use of Dipyridamole-Thallium Myocardial Imaging. 1991 , 1, 31-37		19
105	Dipyridamole sesta MIBI myocardial imaging. <i>American Journal of Cardiology</i> , 1991 , 68, 674-5	3	4
104	Noninvasive identification of significant narrowing of the left main coronary artery by dipyridamole thallium scintigraphy. <i>American Journal of Cardiology</i> , 1991 , 68, 472-7	3	14
103	Evaluation of dipyridamole-Doppler echocardiography for detection of myocardial ischemia and coronary artery disease. <i>American Journal of Cardiology</i> , 1991 , 68, 478-84	3	18
102	Assessment of coronary artery disease using single-photon emission computed tomography with thallium-201 during adenosine-induced coronary hyperemia. <i>American Journal of Cardiology</i> , 1991 , 67, 1190-4	3	74
101	Coronary risk of noncardiac surgery. 1991 , 34, 205-34		40
100	Detection of coronary artery disease by vasodilator thallium imaging of the heart with amyl nitrite inhalation: a pilot study. 1991 , 14, 43-8		4
99	Dose-dependent inhibition of the hemodynamic response to dipyridamole by caffeine. 1991 , 50, 529-37		24
98	Dipyridamole thallium imaging. American Journal of Cardiology, 1991, 67, 18D-26D	3	23
97	Prognostic value of thallium-201 myocardial perfusion imaging. A diagnostic tool comes of age. 1991 , 83, 363-81		305
96	Atrial pacing with two-dimensional echocardiography for evaluation of chest pain: comparison with thallium 201 scintigraphy. 1991 , 42, 855-65		
95	Intravenous dipyridamole: use in thallous chloride TL 201 stress imaging. 1991 , 25, 1085-91		
94	Uses and limitations of high dose dipyridamole stress echocardiography for evaluation of coronary artery disease. 1992 , 67, 144-9		36
93	Comparison of thallium myocardial scintigraphy after exercise and transoesophageal atrial pacing in the diagnosis of coronary artery disease. <i>European Heart Journal</i> , 1992 , 13, 794-800	9.5	1

92	Preoperative and long-term cardiac risk assessment. Predictive value of 23 clinical descriptors, 7 multivariate scoring systems, and quantitative dipyridamole imaging in 360 patients. 1992 , 216, 192-20-	4	65
91	Consensus document. 1992 , 6, 1-32		8
90	Does the clinical evaluation of the cardiac status predict outcome in patients with abdominal aortic aneurysms?. 1992 , 15, 964-971		31
89	New developments in pharmacologic stress imaging. <i>American Heart Journal</i> , 1992 , 124, 468-85	4.9	58
88	Prognostic value of dipyridamole thallium-201 scintigraphy in patients with stable chest pain. <i>American Heart Journal</i> , 1992 , 123, 317-23	4.9	21
87	Hypotension during dobutamine stress echocardiography: initial description and clinical relevance. <i>American Heart Journal</i> , 1992 , 123, 403-7	4.9	60
86	Therapeutic effect of oral dipyridamole on myocardial perfusion and cardiac performance in patients with hypertrophic cardiomyopathy. <i>American Heart Journal</i> , 1992 , 123, 433-8	4.9	3
85	Effects of intracoronary dipyridamole infusion on regional myocardial blood flow and intrinsic thallium-201 washout in dogs with a critical coronary stenosis. <i>American Heart Journal</i> , 1992 , 124, 56-64	4.9	1
84	Intravenous Aminophylline Affects Myocardial Washout of Thallium-201 after Dipyridamole Infusion. 1992 , 6, 116-121		1
83	A comparison of maximal exercise and dipyridamole thallium-201 planar gated scintigraphy. 1992 , 19, 258-64		6
82	Prognostic value of thallium-201 myocardial perfusion imaging in three primary patient populations. <i>American Journal of Cardiology</i> , 1992 , 70, 23E-29E	3	6
81	Dose and test for dipyridamole infusion and cardiac imaging early after uncomplicated acute myocardial infarction. <i>American Journal of Cardiology</i> , 1992 , 70, 1402-6	3	21
80	Usefulness of single-photon emission computed tomography of thallium-201 uptake after dipyridamole infusion for detection of coronary artery disease. <i>American Journal of Cardiology</i> , 1992 , 69, 1150-5	3	25
79	Failure of negative dipyridamole thallium scans to predict perioperative myocardial ischaemia and infarction. 1992 , 39, 179-83		10
78	Contrast-enhanced first pass myocardial perfusion imaging: correlation between myocardial blood flow in dogs at rest and during hyperemia. 1993 , 29, 485-97		306
77	Adenosine echocardiographyan alternative to dynamic stress echocardiography. 1993 , 9, 169-77		7
76	Pharmacologic stress myocardial perfusion imaging. 1993 , 18, 481-525		28
75	Regional thallium-201 washout and myocardial hypertrophy in hypertrophic cardiomyopathy and its relation to exertional chest pain. <i>American Journal of Cardiology</i> , 1993 , 72, 211-7	3	29

74	Is atrial pacing needed for determination of coronary flow reserve by parametric imaging?. <i>American Journal of Cardiology</i> , 1993 , 71, 415-9	3	3
73	Assessment of left ventricular wall motion in angina pectoris by two-dimensional echocardiography and myocardial perfusion by technetium-99m sestamibi tomography during adenosine-induced coronary vasodilation and comparison with coronary angiography. <i>American Journal of Cardiology</i> ,	3	42
72	Pretreatment with theophylline does not affect adenosine-induced thallium-201 myocardial imaging. <i>American Heart Journal</i> , 1993 , 126, 1077-83	4.9	10
71	[Value of thallium-dipyridamole myocardial scintigraphy in coronary patients in non cardiac surgery]. 1993 , 12, 409-20		1
70	Effects of intravenous theophylline on exercise-induced myocardial ischemia: II. A concentration-dependent phenomenon. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 1155-8	15.1	7
69	Quantitative adenosine 201Tl single-photon emission computed tomography for the early assessment of patients surviving acute myocardial infarction. 1993 , 87, 1197-210		70
68	Value of Dipyridamole with First Pass Radionuclide Ventriculography in Assessment of Coronary Artery Disease. 1994 , 8, 366-372		
67	Myocardial perfusion imaging versus two-dimensional echocardiography: comparative value in the diagnosis of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1994 , 1, 399-414	2.1	15
66	A consideration of current clinical options for stress imaging in the diagnosis and evaluation of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1994 , 1, S147-70	2.1	5
65	Dobutamine 99mTc-MIBI single-photon emission tomography: non-exercise-dependent detection of haemodynamically significant coronary artery stenoses. 1994 , 21, 537-44		18
64	Effects of dipyridamole on left ventricular systolic and diastolic function in healthy young and elderly subjects as assessed by radionuclide angiography. <i>American Journal of Cardiology</i> , 1994 , 73, 102	4 ³ 9	8
63	High-grade atrioventricular block during dipyridamole stress testing. 1994 , 46, 279-82		2
62	Adenosine-induced heterogeneous perfusion accompanies myocardial ischemia in the presence of advanced coronary artery disease. <i>American Heart Journal</i> , 1994 , 127, 1262-8	4.9	9
61	Functional evaluation of patients with coronary artery disease: selection of appropriate pharmacologic agents and imaging modalities. <i>European Heart Journal</i> , 1995 , 16 Suppl M, 11-6	9.5	3
60	Safety of dipyridamole testing in patients with cerebrovascular disease. <i>American Journal of Cardiology</i> , 1995 , 75, 535-7	3	2
59	Does dyspnoea during dipyridamole cardiac stress testing indicate bronchospasm and is the pretest clinical history predictive of this side-effect?. 1995 , 22, 1408-10		6
58	Dipyridamole thallium-201 single-photon emission tomography in aortic stenosis: gender differences. 1995 , 22, 1155-62		12
57	Detection of coronary artery disease in diabetic patients. 1995 , 38, 726-31		49

Prognostic value of dipyridamole echocardiography testing. **1995**, 4, 205-207

55	Prediction of in-hospital cardiac events using dipyridamole-thallium scintigraphy performed very early after acute myocardial infarction. 1996 , 19, 189-96		4
54	Diagnostic significance of an exercise-induced prominent U wave in acute myocardial infarction. American Journal of Cardiology, 1996 , 78, 1277-81	3	1
53	Detection of coronary artery calcium to differentiate patients with early coronary atherosclerosis from luminally normal arteries. <i>American Journal of Cardiology</i> , 1996 , 78, 1281-4	3	16
52	Are the differences between adenosine and dipyridamole clinically relevant?. <i>Journal of Nuclear Cardiology</i> , 1996 , 3, 281-3	2.1	8
51	Prognostic value of myocardial perfusion imaging: state of the art and new developments. <i>Journal of Nuclear Cardiology</i> , 1996 , 3, 516-37	2.1	54
50	Dipyridamole technetium-99m Sestamibi imaging in the diagnosis of syndrome X. 1996 , 47, 369-73		1
49	Cost-minimization analysis of intravenous adenosine and dipyridamole in thallous chloride TI 201 SPECT myocardial perfusion imaging. 1997 , 31, 974-9		13
48	ECG-manifest and ECG-silent dipyridamole technetium-99m sestamibi SPET perfusion defects in patients with ischaemic heart disease. 1997 , 24, 160-9		2
47	Outcomes and costs of positron emission tomography: comparison of intravenous adenosine and intravenous dipyridamole. 1997 , 19, 570-81; discussion 538-9		6
46	Estimation of Right Atrial Volume and Function by an Online Echocardiographic Edge Detection System. 1998 , 15, 527-536		9
45	The VANQWISH Trial: support for the noninvasive strategy for risk stratification after acute myocardial infarction. <i>Journal of Nuclear Cardiology</i> , 1998 , 5, 634-42	2.1	1
44	Cardiovascular disease in patients with dysvascular amputation. <i>Archives of Physical Medicine and Rehabilitation</i> , 1998 , 79, 205-15	2.8	18
43	Correlation between hemodynamic changes and tomographic sestamibi imaging during dipyridamole-induced coronary hyperemia. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 75-8	82 ^{15.1}	11
42	Functional recovery after coronary artery bypass grafting in patients with severe left ventricular dysfunction and preserved myocardial viability in the left anterior descending arterial territory as assessed by thallium-201 myocardial perfusion imaging. <i>Japanese Circulation Journal</i> , 1999 , 63, 752-8		11
41	Role of Pretransplant Arteriography in Diabetic End-Stage Renal Disease. <i>Asian Cardiovascular and Thoracic Annals</i> , 2000 , 8, 150-154	0.6	6
40	High incidence of silent myocardial ischemia in elderly patients with non insulin-dependent diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2000 , 47, 37-44	7.4	50
39	Provocative testing for chest pain. American Journal of Emergency Medicine, 2000, 18, 793-801	2.9	3

38	The impact of adjunctive adenosine infusion during exercise myocardial perfusion imaging: Results of the Both Exercise and Adenosine Stress Test (BEAST) trial. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 291-6	2.1	28
37	Medium- to long-term prognostic impact of dipyridamole thallum-201 myocardial single-photon emission computed tomography in elderly patients. <i>Circulation Journal</i> , 2003 , 67, 913-7	2.9	10
36	Accuracy of three-dimensional ultrasound for thyroid volume measurement in children and adolescents. <i>Thyroid</i> , 2004 , 14, 113-20	6.2	38
35	QT dispersion correlates with systolic rather than diastolic parameters in patients receiving anthracycline treatment. <i>Internal Medicine</i> , 2004 , 43, 379-87	1.1	19
34	Prognostic value of I-123 15-(p-iodophenyl)-3-(R,S) methylpentadecanoic acid myocardial imaging in patients with known or suspected coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 172-	3 ^{2.1}	23
33	Diagnostic and prognostic value of BMIPP imaging. <i>Journal of Nuclear Cardiology</i> , 2007 , 14, 111-25	2.1	10
32	Influence of chronic renal failure on the heart rate response to dipyridamole in patients undergoing myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2008 , 15, 193-200	2.1	6
31	Reduced heart rate response to dipyridamole as a marker of left ventricular dysfunction in diabetic patients undergoing myocardial perfusion scintigraphy. <i>Clinical Nuclear Medicine</i> , 2009 , 34, 275-8	1.7	4
30	Left atrial size: a structural expression of abnormal left ventricular segmental relaxation evaluated by strain echocardiography. <i>European Journal of Echocardiography</i> , 2009 , 10, 865-71		10
29	Incidence of caffeine in serum of patients undergoing dipyridamole myocardial perfusion stress test by an intensive versus routine caffeine history screening. <i>American Journal of Cardiology</i> , 2010 , 105, 1474-9	3	17
28	Safety of fixed-dose aspirin-extended-release dipyridamole in patients with ischemic heart disease. <i>American Journal of Health-System Pharmacy</i> , 2010 , 67, 728-33	2.2	3
27	Reproducibility in echocardiographic assessment of the left ventricular global and regional function, the HUNT study. <i>European Journal of Echocardiography</i> , 2010 , 11, 149-56		85
26	Recommendations of the European Association of Echocardiography: how to use echo-Doppler in clinical trials: different modalities for different purposes. <i>European Journal of Echocardiography</i> , 2011 , 12, 339-53		118
25	Predictors of abnormal heart rate response to dipyridamole in patients undergoing myocardial perfusion SPECT. <i>Annals of Nuclear Medicine</i> , 2011 , 25, 7-11	2.5	3
24	Temporal evolution of left ventricular dyssynchrony after myocardial infarction: relation with changes in left ventricular systolic function. <i>European Heart Journal Cardiovascular Imaging</i> , 2012 , 13, 1041-6	4.1	7
23	Transient global amnesia and hemiplegic migraine following MPI with dipyridamole: a case report. <i>British Journal of Neuroscience Nursing</i> , 2012 , 8, 21-23	0.1	
22	Can speckle-tracking imaging improve the reliability of echocardiographic parameters for outcome evaluation in clinical trials?. <i>European Heart Journal</i> , 2014 , 35, 605-7	9.5	10
21	Experience of low-dose aminophylline use to relieve minor adverse effects of dipyridamole in patients undergoing stress myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 563-9	2.1	2

20	The early identification of psychosis: can lessons be learnt from cardiac stress testing?. <i>Psychopharmacology</i> , 2016 , 233, 19-37	4.7	5
19	Regadenoson versus dipyridamole: Evaluation of stress myocardial blood flow response on a CZT-SPECT camera. <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	8
18	MetalBrganic framework derived metal oxide/reduced graphene oxide nanocomposite, a new tool for the determination of dipyridamole. <i>New Journal of Chemistry</i> , 2021 , 45, 2781-2790	3.6	O
17	MRI: Evaluation of ventricular function in coronary artery disease. <i>Developments in Cardiovascular Medicine</i> , 1991 , 191-215		1
16	Dipyridamole TI-201 SPECT imaging in patients with myocardial bridging. <i>Clinical Nuclear Medicine</i> , 1999 , 24, 759-64	1.7	19
15	Dipyridamole stress echocardiography and ultrasonic myocardial tissue characterization in predicting myocardial ischemia, in comparison with dipyridamole stress Tc-99m MIBI SPECT myocardial imaging. <i>International Heart Journal</i> , 2004 , 45, 937-48		2
14	Nuclear Cardiology Techniques in Acute Coronary Syndromes. 2011 , 148-162		
13	Nuclear Cardiology and Exercise Stress Testing. 2014 , 133-152		
12	Radionuclide techniques in the diagnosis and assessment of occult coronary artery disease. <i>Developments in Cardiovascular Medicine</i> , 1991 , 113-137		
11	Thallium-201 myocardial imaging. <i>Developments in Cardiovascular Medicine</i> , 1992 , 223-238		
10	Pharmacologic perfusion imaging: Similar to conventional radionuclide exercise stress testing?. <i>Developments in Cardiovascular Medicine</i> , 1992 , 249-269		
9	Noninvasive Investigation for the Detection of Asymptomatic Ischemic Heart Disease in Cerebrovascular Patients. 1992 , 121-138		
8	New developments in pharmacological stress imaging. <i>Developments in Cardiovascular Medicine</i> , 1992 , 503-537		
7	Simultaneous assessment of myocardial function and perfusion. <i>Developments in Cardiovascular Medicine</i> , 1992 , 353-365		
6	Cardiac output and coronary blood flow during pharmacologic stress testing. <i>Developments in Cardiovascular Medicine</i> , 1993 , 273-285		
5	Methods for quantifying myocardial perfusion. <i>Developments in Cardiovascular Medicine</i> , 1994 , 88-108		2
4	Stress testing. Developments in Cardiovascular Medicine, 1994 , 43-66		1
3	Diagnosis of coronary artery disease. <i>Developments in Cardiovascular Medicine</i> , 1994 , 187-215		2

Intravenous dipyridamole thallium imaging V combined arm-leg cycle stress testing of patients unable to exercise on the treadmill. *American Journal of Physical Medicine and Rehabilitation*, **1999**, 2.6 78, 111-6

AdenosineBaffeine: the agonistIntagonist couple for vasodilator stress tests.

О