

CITATION REPORT

List of articles citing

Mode of death in idiopathic dilated cardiomyopathy: a multivariate analysis of prognostic determinants

DOI: 10.1016/0002-8703(88)90728-4
American Heart Journal, 1988, 116, 1455-63.

Source: <https://exaly.com/paper-pdf/19724358/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
167	Long-term predictors of sudden and low output death in chronic congestive heart failure secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 1989 , 64, 1344-8	3	63
166	Controversies in congestive heart failure therapy. 1990 , 25 Suppl 1, 22-9; discussion 30-1		2
165	Sudden cardiac death in children. <i>Circulation</i> , 1990 , 82, 629-32	16.7	19
164	Natural History and Prognosis of Overt Dilated Cardiomyopathy. 1990 , 337-346		4
163	Patient characteristics in SUPPORT: disease specific clinical data. 1990 , 43 Suppl, 41S-45S		5
162	Prognostic significance of atrial fibrillation in advanced heart failure. A study of 390 patients. <i>Circulation</i> , 1991 , 84, 40-8	16.7	495
161	Prospective, double-blind, placebo-controlled trial of low-dose amiodarone in patients with severe heart failure and asymptomatic frequent ventricular ectopy. <i>American Heart Journal</i> , 1991 , 122, 1016-21	4.9	121
160	Intractable heart failure despite angiotensin-converting enzyme inhibitors, digoxin, and diuretics: long-term effectiveness of add-on therapy with pimobendan. <i>American Heart Journal</i> , 1991 , 122, 517-22	4.9	10
159	Prognostic features of children with idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1991 , 68, 1372-6	3	62
158	Prognostic value of thallium-201 perfusion defects in idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1991 , 67, 188-93	3	53
157	Pathology of cardiomyopathies in childhood. 1992 , 1, 8-39		3
156	Dilated cardiomyopathies of childhood. 1992 , 1, 13-36		1
155	Arrhythmias in cardiomyopathies of childhood. 1992 , 1, 51-70		1
154	Cardiac transplantation for cardiomyopathies of childhood. 1992 , 1, 72-80		2
153	Pathology of cardiac transplantation: recipient hearts (chronic heart failure) and donor hearts (acute and chronic rejection). 1992 , 67, 685-96		14
152	Cardiomyopathy and myocarditis in children with ventricular ectopic rhythm. <i>Journal of the American College of Cardiology</i> , 1992 , 20, 359-62	15.1	39
151	Sudden death in idiopathic dilated cardiomyopathy. <i>American Heart Journal</i> , 1992 , 124, 1035-45	4.9	111

150	Ventricular arrhythmias in dilated cardiomyopathy as an independent prognostic hallmark. Italian Multicenter Cardiomyopathy Study (SPIC) Group. <i>American Journal of Cardiology</i> , 1992 , 69, 1451-7	3	92
149	Prevalence and etiology of idiopathic dilated cardiomyopathy (summary of a National Heart, Lung, and Blood Institute workshop. <i>American Journal of Cardiology</i> , 1992 , 69, 1458-66	3	349
148	Comparison of clinical findings in idiopathic dilated cardiomyopathy in women versus men. The Italian Multicenter Cardiomyopathy Study Group (SPIC). <i>American Journal of Cardiology</i> , 1993 , 72, 580-5	3	66
147	Autonomic nervous system activity in idiopathic dilated cardiomyopathy and in hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , 1993 , 71, 1316-20	3	66
146	Low-dose amiodarone for atrial fibrillation. <i>American Journal of Cardiology</i> , 1993 , 72, 75F-81F	3	51
145	First- or second-degree atrioventricular block as a risk factor in idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1993 , 71, 720-6	3	96
144	The spectrum of left ventricular size in dilated cardiomyopathy: clinical correlates and prognostic implications. SPIC (Italian Multicenter Cardiomyopathy Study) Group. <i>American Heart Journal</i> , 1993 , 125, 410-22	4.9	71
143	Increased risk of progressive hemodynamic deterioration in advanced heart failure patients requiring permanent pacemakers. <i>American Heart Journal</i> , 1993 , 125, 1306-10	4.9	68
142	Prognostic impact of late potentials in nonischemic dilated cardiomyopathy. Potential signals for the future. <i>Circulation</i> , 1993 , 87, 1405-7	16.7	8
141	Clinical and morphological characteristics associated with sudden cardiac death in patients with Chagas disease. <i>European Heart Journal</i> , 1993 , 14, 1610-4	9.5	46
140	Antiarrhythmic therapy in patients with congestive heart failure. 1993 , 94, 121-4, 133-7		1
139	Sudden Cardiac Death in Patients with Heart Failure. 1993 , 5, 609-617		1
138	Key references on sudden death. 1980-1994. <i>Circulation</i> , 1994 , 90, 2547-53	16.7	2
137	Prognosis in congestive heart failure. 1994 , 45, 341-50		43
136	Dilated cardiomyopathy in children: determinants of outcome. 1994 , 72, 246-50		97
135	Changing mortality in dilated cardiomyopathy. The Heart Muscle Disease Study Group. 1994 , 72, S46-51		51
134	Prognostic value of Doppler echocardiographic assessment of left ventricular filling in idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1994 , 73, 792-8	3	86
133	The clinical significance of nonsustained ventricular tachycardia: current perspectives. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994 , 17, 637-64	1.6	18

132	Can the electrophysiologic study predict treatment outcome in patients with sustained ventricular tachyarrhythmias unrelated to coronary artery disease?. <i>International Journal of Cardiology</i> , 1994 , 45, 53-68	3.2	2
131	Idiopathic dilated cardiomyopathy. 1994 , 331, 1564-75		712
130	Sudden cardiac death. How to reduce the number of victims?. <i>European Heart Journal</i> , 1995 , 16 Suppl G, 7-9	9.5	4
129	Current approaches in patients with ventricular tachyarrhythmias. 1995 , 79, 1097-120		7
128	Prognostic value of the signal-averaged electrocardiogram and a prolonged QRS in ischemic and nonischemic cardiomyopathy. <i>American Journal of Cardiology</i> , 1995 , 75, 460-4	3	83
127	Effect of amiodarone therapy on mortality in patients with left ventricular dysfunction and asymptomatic complex ventricular arrhythmias: Argentine Pilot Study of Sudden Death and Amiodarone (EPAMSA). <i>American Heart Journal</i> , 1995 , 130, 494-500	4.9	63
126	Prognosis of idiopathic dilated cardiomyopathy. 1995 , 1, 337-45		8
125	Determinants of prognosis in nonischemic dilated cardiomyopathy. 1996 , 2, 77-85		56
124	Improving survival for patients with atrial fibrillation and advanced heart failure. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 1458-63	15.1	181
123	Heart transplant candidates at high risk can be identified at the time of initial evaluation. <i>Transplant International</i> , 1996 , 9, 38-45	3	17
122	Effect of low dose Amiodarone on the incidence of sudden death in elderly patients with congestive heart failure: a double-blind, placebo-controlled study. 1996 , 22 Suppl 1, 191-5		1
121	Time-domain signal-averaged electrocardiogram in nonischemic ventricular tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996 , 19, 231-44	1.6	10
120	Experimental cardiomyopathy as a model of chronic heart failure. 1997 , 10, 387-96		22
119	Heart failure and atrial fibrillation: current concepts and controversies. 1997 , 77, 309-13		67
118	Primary prevention of sudden cardiac death in heart failure: will the solution be shocking?. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1589-97	15.1	162
117	Repolarization dispersion and sudden cardiac death in patients with impaired left ventricular function. <i>European Heart Journal</i> , 1997 , 18, 281-9	9.5	107
116	Incidence and Clinical Significance of Ventricular Late Potentials in Idiopathic Dilated Cardiomyopathy Compared to Coronary Artery Disease. 1997 , 2, 20-26		
115	Creatine kinase isoforms as circulating markers of deterioration in idiopathic dilated cardiomyopathy. <i>Clinical Cardiology</i> , 1997 , 20, 55-60	3.3	11

114	Left atrial size is the major predictor of cardiac death and overall clinical outcome in patients with dilated cardiomyopathy: a long-term follow-up study. <i>Clinical Cardiology</i> , 1997 , 20, 553-60	3.3	88
113	Reproducibility of right and left ventricular volume measurements by electron-beam CT in patients with congestive heart failure. 1998 , 14, 201-9		26
112	[Prognostic significance of analysis of heart rate variability in patients with dilated cardiomyopathy]. 1998 , 87, 453-8		3
111	Mechanisms of arrhythmias in heart failure. 1998 , 9, 208-21		30
110	Risk factors for mortality in users of ibopamine. 1998 , 46, 71-7		10
109	Atrial fibrillation is associated with an increased risk for mortality and heart failure progression in patients with asymptomatic and symptomatic left ventricular systolic dysfunction: a retrospective analysis of the SOLVD trials. <i>Studies of Left Ventricular Dysfunction. Journal of the American College of Cardiology</i> , 1998 , 32, 695-703	15.1	745
108	Risk stratification in chronic heart failure. <i>European Heart Journal</i> , 1998 , 19, 696-710	9.5	149
107	Potential benefit of biventricular pacing in patients with congestive heart failure and ventricular tachyarrhythmia. <i>American Journal of Cardiology</i> , 1999 , 83, 143D-150D	3	120
106	Prognostic significance of atrial fibrillation in patients at a tertiary medical center referred for heart transplantation because of severe heart failure. <i>American Journal of Cardiology</i> , 1999 , 83, 1544-7	3	112
105	Differential coronary microvascular function in patients with left ventricular dysfunction of unknown cause--implication for possible mechanism of myocardial ischemia in early stage of cardiomyopathy. <i>International Journal of Cardiology</i> , 1999 , 69, 251-61	3.2	26
104	Causas de muerte súbita. Problemas a la hora de establecer y clasificar los tipos de muerte. <i>Revista Espanola De Cardiologia</i> , 1999 , 52, 1.004-1.014	1.5	2
103	Left ventricular end-systolic wall stress is a potent prognostic variable in patients with dilated cardiomyopathy. 1999 , 63, 196-200		13
102	Effect of beta-blocker on left ventricular function and natriuretic peptides in patients with chronic heart failure treated with angiotensin-converting enzyme inhibitor. 2000 , 64, 365-9		51
101	Recovery time dispersion measured from 87-lead body surface potential mapping as a predictor of sustained ventricular tachycardia in patients with idiopathic dilated cardiomyopathy. 2000 , 11, 968-74		15
100	Significance of accelerated idioventricular rhythm in idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2000 , 85, 899-904, A10	3	18
99	Should stimulation therapy for congestive heart failure be combined with defibrillation backup?. <i>American Journal of Cardiology</i> , 2000 , 86, 165K-158K	3	18
98	Prediction of major arrhythmic events and sudden cardiac death in dilated cardiomyopathy. The Marburg Cardiomyopathy Study design and description of baseline clinical characteristics. 2000 , 25, 189-99		11
97	The problem of ventricular dysrhythmias and sudden death mortality in heart failure: the impact of current therapy. 2000 , 93, 56-69		6

96	Results of ambulatory electrocardiography in overtly healthy Doberman Pinschers with echocardiographic abnormalities. 2000 , 217, 1328-32		35
95	Comparison of long-term outcome of alcoholic and idiopathic dilated cardiomyopathy. <i>European Heart Journal</i> , 2000 , 21, 306-14	9.5	94
94	Ambulatory ventricular arrhythmias in patients with heart failure do not specifically predict an increased risk of sudden death. PROMISE (Prospective Randomized Milrinone Survival Evaluation) Investigators. <i>Circulation</i> , 2000 , 101, 40-6	16.7	169
93	Arrhythmia risk stratification in idiopathic dilated cardiomyopathy based on echocardiography and 12-lead, signal-averaged, and 24-hour holter electrocardiography. <i>American Heart Journal</i> , 2000 , 140, 43-51	4.9	32
92	Early outcome of initiating amiodarone for atrial fibrillation in advanced heart failure. 2000 , 19, 638-43		36
91	Radiographic measurements of cardiac size as predictors of outcome in patients with dilated cardiomyopathy. 2001 , 7, 13-20		17
90	Autoantibodies against the second extracellular loop of beta1-adrenergic receptors predict ventricular tachycardia and sudden death in patients with idiopathic dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 418-24	15.1	133
89	Clinical usefulness of the combination of T-wave alternans and late potentials for identifying high-risk patients with moderately or severely impaired left ventricular function. 2001 , 65, 649-53		10
88	Risk stratification for sudden cardiac death in dilated cardiomyopathy using microvolt-level T-wave alternans. 2001 , 65, 76-80		25
87	Therapeutic options in patients with reduced ejection fraction and nonsustained ventricular tachycardia. 2001 , 3, 219-23		
86	Prognosis of congestive heart failure after prior myocardial infarction in older persons with atrial fibrillation versus sinus rhythm. <i>American Journal of Cardiology</i> , 2001 , 87, 224-5, A8-9	3	55
85	Task Force on Sudden Cardiac Death of the European Society of Cardiology. <i>European Heart Journal</i> , 2001 , 22, 1374-450	9.5	520
84	Role of implantable cardioverter defibrillators in dilated cardiomyopathy. 2002 , 13, S106-9		6
83	Assessment of prognosis in idiopathic dilated cardiomyopathy. 2002 , 121, 1016-9		10
82	Onset heart rate of microvolt-level T-wave alternans provides clinical and prognostic value in nonischemic dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 295-300	15.1	70
81	Rationale and design of a study assessing treatment strategies of atrial fibrillation in patients with heart failure: The Atrial Fibrillation and Congestive Heart Failure (AF-CHF) trial. <i>American Heart Journal</i> , 2002 , 144, 597-607	4.9	
80	Acute effects of aldosterone on intracardiac monophasic action potentials. <i>International Journal of Cardiology</i> , 2002 , 84, 33-9; discussion 39-40	3.2	28
79	Assessment of risk for sudden cardiac death. 2002 , 27, 246-66		1

78	Electrical therapy in patients with congestive heart failure introduction. 2002 , 27, 45-93		1
77	Predictors of appropriate implantable cardioverter-defibrillator therapy in patients with idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2002 , 89, 1072-6	3	46
76	Dilated cardiomyopathy in Doberman Pinschers: Survival, Causes of Death and a Pedigree Review in a Related Line. 2002 , 4, 17-24		28
75	Atrioventricular cross-talk in biventricular pacing: a potential cause of ventricular standstill. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2002 , 25, 929-35	1.6	19
74	Prevalence, prognostic significance, and treatment of atrial fibrillation in congestive heart failure with particular reference to the DIAMOND-CHF study. 2003 , 9, 333-40		16
73	Telemetrically monitored arrhythmogenic effects of doxorubicin in a dog model of heart failure. 2003 , 9, 241-248		6
72	Quantitative and qualitative assessment of left ventricular volume with ECG-gated multislice spiral CT: value of different image reconstruction algorithms in comparison to MRI. <i>Acta Radiologica</i> , 2003 , 44, 604-611	2	88
71	Sudden cardiac death in athletes. 2003 , 100, 186-95		6
70	[Quantification of cardiac function with multislice spiral CT using retrospective EKG-gating: comparison with MRI]. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2003 , 175, 83-8	2.3	35
69	The association between emotional upset and cardiac arrhythmia during daily life. 2003 , 71, 613-8		7
68	Clinical value of iodine-123 beta-methyliodophenyl pentadecanoic acid (BMIPP) myocardial single photon emission computed tomography for predicting cardiac death among patients with chronic heart failure. <i>Circulation Journal</i> , 2003 , 67, 918-24	2.9	6
67	Implantable cardioverter defibrillator therapy in patients with ischemic or non-ischemic cardiomyopathy and nonsustained ventricular tachycardia. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2004 , 11, 59-65	2.4	6
66	Mortality and rate of stroke or embolism in atrial fibrillation during long-term follow-up in the embolism in left atrial thrombi (ELAT) study. <i>Clinical Cardiology</i> , 2004 , 27, 40-6	3.3	46
65	Dilated cardiomyopathy: an update. <i>Veterinary Clinics of North America - Small Animal Practice</i> , 2004 , 34, 1187-207	2.4	55
64	Enhancement of myocardial vulnerability by atrial fibrillation. <i>American Journal of Therapeutics</i> , 2004 , 11, 33-43	1	19
63	Sixteen-slice spiral CT versus MR imaging for the assessment of left ventricular function in acute myocardial infarction. <i>European Radiology</i> , 2005 , 15, 714-20	8	120
62	Long runs of non-sustained ventricular tachycardia on 24-hour ambulatory electrocardiogram predict major arrhythmic events in patients with idiopathic dilated cardiomyopathy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005 , 28 Suppl 1, S207-10	1.6	26
61	Multislice spiral computed tomography of the heart: technique, current applications, and perspective. <i>CardioVascular and Interventional Radiology</i> , 2005 , 28, 388-99	2.7	12

60	Acute myocardial infarction: assessment of left ventricular function with 16-detector row spiral CT versus MR imaging--study in pigs. <i>Radiology</i> , 2005 , 236, 112-7	20.5	49
59	[Left ventricular functional parameters: comparison of 16-slice spiral CT with MRI]. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2005 , 177, 60-6	2.3	23
58	ACC/AHA/ESC 2006 guidelines for management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: a report of the American College of Cardiology/American Heart Association Task Force and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Develop Guidelines for Management of Patients With Ventricular Arrhythmias and the Prevention of Sudden Cardiac Death). <i>Circulation</i> , 2006 , 114, e305-474	15.1	972
57	Multi-slice computer tomography of left ventricular function with automated analysis software in comparison with conventional ventriculography. <i>European Journal of Radiology</i> , 2006 , 59, 270-5	4.7	10
56	Influence of heart rate and temporal resolution on left-ventricular volumes in cardiac multislice spiral computed tomography: a phantom study. <i>Investigative Radiology</i> , 2006 , 41, 429-35	10.1	28
55	Assessment of left ventricular myocardial function using 16-slice multidetector-row computed tomography: comparison with magnetic resonance imaging and echocardiography. <i>European Radiology</i> , 2006 , 16, 551-9	8	71
54	Atrial fibrillation, ischaemic heart disease, and the risk of death in patients with heart failure. <i>European Heart Journal</i> , 2006 , 27, 2866-70	9.5	64
53	Quantification of global left ventricular function: comparison of multidetector computed tomography and magnetic resonance imaging. a meta-analysis and review of the current literature. <i>Acta Radiologica</i> , 2006 , 47, 1049-57	2	77
52	ACC/AHA/ESC 2006 Guidelines for Management of Patients With Ventricular Arrhythmias and the Prevention of Sudden Cardiac Death: a report of the American College of Cardiology/American Heart Association Task Force and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Develop Guidelines for Management of Patients With Ventricular Arrhythmias and the Prevention of Sudden Cardiac Death). <i>Circulation</i> , 2006 , 114, e305-474	16.7	901
51	ACC/AHA/ESC 2006 guidelines for management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: a report of the American College of Cardiology/American Heart Association Task Force and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Develop guidelines for management of patients with ventricular arrhythmias and the prevention of sudden cardiac death). <i>Circulation</i> , 2006 , 114, e305-474	3.9	392
50	Dual-source computed tomography for assessing cardiac function: a phantom study. <i>Investigative Radiology</i> , 2007 , 42, 491-8	10.1	32
49	Sudden cardiac death: the role of risk stratification. <i>American Heart Journal</i> , 2007 , 153, 25-33	4.9	28
48	Genetics of dilated cardiomyopathy. <i>Annals of Medicine</i> , 2007 , 39, 91-107	1.5	106
47	Perioperative Critical Care Cardiology. 2007 ,		
46	Recent Advances in the Natural History of Dilated Cardiomyopathy: A Review of the Heart Muscle Disease Registry of Trieste. 2007 , 267-277		
45	Cardiac sympathetic nerve abnormality predicts ventricular tachyarrhythmic events in patients without conventional risk of sudden death. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008 , 35, 2066-73	8.8	13
44	Are nonsustained ventricular tachycardias predictive of major arrhythmias in patients with dilated cardiomyopathy on optimal medical treatment?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 290-9	1.6	37
43	American Heart Association/American College of Cardiology Foundation/Heart Rhythm Society Scientific Statement on Noninvasive Risk Stratification Techniques for Identifying Patients at Risk for Sudden Cardiac Death. A scientific statement from the American Heart Association Council on Clinical Cardiology Committee on Electrocardiography and Arrhythmias and Council on Epidemiology and Prevention. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 1179-99	15.1	128

42	American Heart Association/American College of Cardiology Foundation/Heart Rhythm Society scientific statement on noninvasive risk stratification techniques for identifying patients at risk for sudden cardiac death: a scientific statement from the American Heart Association Council on Clinical Cardiology, Council on Electrocardiography, and Arrhythmias and Council on	6.7	48
41	Sleep apnea and cardiovascular disease: an American Heart Association/American College of Cardiology Foundation Scientific Statement from the American Heart Association Council for High Blood Pressure Research Professional Education Committee, Council on Clinical Cardiology, Stroke Council, and Council on Cardiovascular Nursing. In collaboration with the National Heart, Lung, and	16.7	691
40	Prognostic implications of the NT-ProBNP level and left atrial size in non-ischemic dilated cardiomyopathy. <i>Circulation Journal</i> , 2008 , 72, 1658-65	2.9	15
39	The significance of cardiac sympathetic nervous system abnormality in the long-term prognosis of patients with a history of ventricular tachyarrhythmia. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 61-7	8.9	27
38	Novel clinical applications of state-of-the-art multi-slice computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2009 , 25, 241-254	2.5	5
37	Quantification of left ventricular parameters obtained by automated software for 64-slice multidetector computed tomography and comparison with magnetic resonance imaging. <i>Cardiovascular and Interventional Radiology</i> , 2009 , 32, 1154-60	2.7	11
36	Assessment of global left ventricular function and volumes with 320-row multidetector computed tomography: A comparison with 2D-echocardiography. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 225-31	2.1	22
35	Impact of atrial fibrillation on outcome of patients with idiopathic dilated cardiomyopathy: data from the Heart Muscle Disease Registry of Trieste. <i>Clinical Medicine and Research</i> , 2010 , 8, 142-9	1.4	21
34	Association between bilirubin and mode of death in severe systolic heart failure. <i>American Journal of Cardiology</i> , 2013 , 111, 1192-7	3	10
33	Is the phenotype-genotype relationship necessary to understand cardiomyopathies?. <i>Circulation: Cardiovascular Genetics</i> , 2014 , 7, 405-6		
32	Sudden cardiac death risk stratification in patients with nonischemic dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1879-89	15.1	127
31	Sudden death in childhood cardiomyopathy: results from a long-term national population-based study. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 2302-10	15.1	78
30	Pathology of Sudden Death, Cardiac Arrhythmias and Conduction System. 2016 , 361-433		4
29	Long-term outcome and predictors of outcome in patients with non-ischemic dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2016 , 220, 608-12	3.2	10
28	Mortality and Atrial Fibrillation in the FIACA Study: Evidence of a Differential Effect According to Admission Diagnosis. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018 , 71, 155-161	0.7	1
27	Mortalidad y fibrilaci3n auricular en el estudio FIACA: evidencia de un efecto diferencial seg3n el diagn3stico al ingreso hospitalario. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 155-161	1.5	1
26	Contractile reserve as a predictor of prognosis in patients with non-ischaemic systolic heart failure and dilated cardiomyopathy: a systematic review and meta-analysis. <i>Journal of Animal Science and Technology</i> , 2018 , 5, 1-9	1.6	12
25	Primary prevention implantable cardioverter-defibrillator and opportunities for sudden cardiac death risk assessment in non-ischaemic cardiomyopathy. <i>European Heart Journal</i> , 2018 , 39, 2859-2866	9.5	20

24	Myocardial perfusion during atrial fibrillation in patients with non-ischaemic systolic heart failure: a cross-sectional study using Rubidium-82 positron emission tomography/computed tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2019 , 20, 233-240	4.1	5
23	Age- and Body Size-Adjusted Left Ventricular End-Diastolic Dimension in a Japanese Hospital-Based Population. <i>Circulation Journal</i> , 2019 , 83, 604-613	2.9	7
22	The Arrhythmogenic Substrate in Ischemic and Non-ischemic Cardiomyopathies. <i>Developments in Cardiovascular Medicine</i> , 2001 , 3-11		1
21	Nonsustained ventricular tachycardia in severe heart failure. Independent marker of increased mortality due to sudden death. GESICA-GEMA Investigators. <i>Circulation</i> , 1996 , 94, 3198-203	16.7	164
20	Vorhofflimmern/Vorhofflattern bei speziellen Krankheitsbildern und Patientengruppen. 2000 , 247-265		
19	Dilatative Kardiomyopathie (DCM) Morphologie und Biologie. Myokarditis und DCM. <i>Spezielle Pathologische Anatomie</i> , 2000 , 929-1053		
18	Evaluation of the Patient with Heart Failure. 2001 , 47-56		
17	Rhythm Control Versus Rate Control: Unresolved Riddle in Daily Clinical Practice. 2003 , 173-178		
16	Nonischemic Dilated Cardiomyopathy. 2012 , 835-843		
15	Role of Antiarrhythmic Treatment in Dilated Cardiomyopathy. 1990 , 448-461		
14	Complex Ventricular Arrhythmias in Dilated Cardiomyopathy: A Multicenter Italian Experience. 1990 , 354-367		2
13	Therapie Rhythmusstörungen. <i>Aktuelle Therapieprinzipien in Kardiologie Und Angiologie</i> , 1992 , 247-256		
12	Natural History of Idiopathic Dilated Cardiomyopathy. 1993 , 26-42		
11	Prognosis and Management. 1993 , 46-63		3
10	The signal averaged ECG in patients with cardiomyopathy. 1993 , 327-343		
9	Epidemiologie und prognostische Bedeutung von Vorhofflimmern. 1994 , 1-5		
8	Mildly Dilated Cardiomyopathy. 1998 , 194-202		
7	Cardiac Autonomic Control in Relation to Other Prognostic Markers in Idiopathic Dilated Cardiomyopathy. <i>World Journal of Cardiovascular Diseases</i> , 2015 , 05, 107-119		0

6	Heart transplant candidates at high risk can be identified at the time of initial evaluation. <i>Transplant International</i> , 1996 , 9, 38-45	3	4
5	The cardiac ventricular myocyte as a substrate for sudden death. The regional lecture in Bath 1993. <i>Journal of the Royal College of Physicians of London</i> , 1993 , 27, 428-34		2
4	Atrial fibrillation in patients with systolic heart failure: pathophysiology mechanisms and management. <i>Journal of Geriatric Cardiology</i> , 2021 , 18, 376-397	1.7	
3	Detrimental proarrhythmogenic interaction of Ca/calmodulin-dependent protein kinase II and Na _v 1.8 in heart failure. <i>Nature Communications</i> , 2021 , 12, 6586	17.4	1
2	Pathology of sudden death, cardiac arrhythmias, and conduction system. 2022 , 447-534		
1	Diretriz Brasileira de Dispositivos Cardíacos Eletrônicos Implantáveis 2023. 2023 , 120,		0