

The classification and definition of the hypertensive dis

American Journal of Obstetrics and Gynecology

158, 892-898

DOI: 10.1016/0002-9378(88)90090-7

Citation Report

#	ARTICLE	IF	CITATIONS
1	Selected Abstracts by Lawrence. R. Krakoff. American Journal of Hypertension, 1988, 1, 431-443.	1.0	0
2	Unilateral and Bilateral Increase in Resistance to Blood Flow in Arcuate Arteries During Hypertensive Disorders of Pregnancy. Clinical and Experimental Hypertension Part B, Hypertension in Pregnancy, 1989, 8, 603-611.	0.2	2
3	Classification of Hypertensive Disorders of Pregnancy. Lancet, The, 1989, 333, 935-936.	6.3	3
4	CLASSIFICATION OF HYPERTENSIVE DISORDERS OF PREGNANCY. Lancet, The, 1989, 334, 112-113.	6.3	13
5	ASSOCIATION BETWEEN SUSCEPTIBILITY TO PRE-ECLAMPSIA WITHIN FAMILIES AND HLA DR4. Lancet, The, 1989, 334, 1063-1065.	6.3	61
6	Clinical and Haemostatic Parameters in the HELLP Syndrome: Relevance of Plasminogen Activator Inhibitors. Gynecologic and Obstetric Investigation, 1990, 30, 81-86.	0.7	13
7	A possible preventive effect of low-dose fish oil on early delivery and pre-eclampsia: Indications from a 50-year-old controlled trial. British Journal of Nutrition, 1990, 64, 599-609.	1.2	168
8	Stimulation of Active Renin Release in Normal and Hypertensive Pregnancy. Clinical Science, 1990, 79, 505-511.	1.8	22
9	Unsuspected renal artery stenosis in peripheral vascular disease.. BMJ: British Medical Journal, 1990, 301, 1197-1198.	2.4	156
10	Pre-eclampsia is associated with HLA-DR4 sharing between mother and fetus. Tissue Antigens, 1990, 35, 178-181.	1.0	39
11	Amphetamine ingestion presenting as eclampsia. Canadian Journal of Anaesthesia, 1990, 37, 130-133.	0.7	28
12	Recording diastolic blood pressure in pregnancy.. BMJ: British Medical Journal, 1990, 301, 1198-1198.	2.4	38
13	Maternal haemodynamics in pregnancy. Fetal and Maternal Medicine Review, 1990, 2, 45-66.	0.3	19
14	Endogenous biosynthesis of arachidonic acid epoxides in humans: increased formation in pregnancy-induced hypertension.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 5893-5897.	3.3	160
15	Doppler ultrasound and aspirin in recognition and prevention of pregnancy-induced hypertension. Lancet, The, 1990, 335, 1552-1555.	6.3	182
16	The clinical significance of predictions based on screening second trimester mean arterial pressure: Adverse material and infant outcomes. Journal of Clinical Epidemiology, 1990, 43, 117-124.	2.4	3
17	Increased placental production of leukotriene B4 in gestational hypertension. Thrombosis Research, 1990, 60, 377-384.	0.8	12
18	Early doppler ultrasound screening in prediction of hypertensive disorders of pregnancy. Lancet, The, 1990, 335, 1548-1551.	6.3	176

#	ARTICLE	IF	CITATIONS
19	The prevalence of autoantibodies during third-trimester pregnancy complicated by hypertension or idiopathic fetal growth retardation. American Journal of Obstetrics and Gynecology, 1991, 165, 51-56.	0.7	64
21	Maternal weight gain in pregnancy. Lancet, The, 1991, 338, 415.	6.3	4
22	Low-dose aspirin and vascular response in pregnant patients sensitive to angiotensin II. International Journal of Gynecology and Obstetrics, 1991, 35, 123-128.	1.0	1
23	High blood pressure during pregnancy and working conditions among hospital personnel. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1991, 40, 29-34.	0.5	23
24	Low-dose aspirin and nulliparae. Lancet, The, 1991, 338, 324.	6.3	12
26	Male rape. BMJ: British Medical Journal, 1991, 302, 179-179.	2.4	2
27	Recording diastolic blood pressure in pregnancy: Authors' reply. BMJ: British Medical Journal, 1991, 302, 179-180.	2.4	6
28	Male rape. BMJ: British Medical Journal, 1991, 302, 179-179.	2.4	0
29	Recording diastolic blood pressure in pregnancy.. BMJ: British Medical Journal, 1991, 302, 179-180.	2.4	3
30	Fertility after treatment for cervical intraepithelial neoplasia.. BMJ: British Medical Journal, 1991, 302, 179-179.	2.4	3
31	Pregnancy-induced hypertension: pathogenesis and management. Australian and New Zealand Journal of Medicine, 1991, 21, 257-273.	0.5	29
32	Automated Blood Pressure Recording in Pregnancy. Clinical and Experimental Hypertension Part B, Hypertension in Pregnancy, 1991, 10, 7-19.	0.2	3
33	Atrial natriuretic peptide and atrial size during normal pregnancy. BJOG: an International Journal of Obstetrics and Gynaecology, 1991, 98, 202-206.	1.1	26
34	Increased platelet turnover in a patient with previous recurrent pre-eclampsia and failure of aspirin therapy. Case report. BJOG: an International Journal of Obstetrics and Gynaecology, 1991, 98, 218-220.	1.1	8
35	Conflicting views on the measurement of blood pressure in pregnancy. BJOG: an International Journal of Obstetrics and Gynaecology, 1991, 98, 241-243.	1.1	65
36	Placental bed spiral arteries in the hypertensive disorders of pregnancy. BJOG: an International Journal of Obstetrics and Gynaecology, 1991, 98, 648-655.	1.1	587
37	Increased plasma levels of vasoactive intestinal polypeptide in pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1991, 98, 803-806.	1.1	6
38	Doppler investigation of uteroplacental blood flow resistance in the second trimester: a screening study for pre-eclampsia and intrauterine growth retardation. BJOG: an International Journal of Obstetrics and Gynaecology, 1991, 98, 871-879.	1.1	198

#	ARTICLE	IF	CITATIONS
39	Respiratory function in severe gestational proteinuric hypertension: the effects of rapid volume expansion and subsequent vasodilatation with verapamil. BJOG: an International Journal of Obstetrics and Gynaecology, 1991, 98, 964-972.	1.1	34
40	(Patho)physiological implications of chronic dietary sodium restriction during pregnancy; a longitudinal prospective randomized study. BJOG: an International Journal of Obstetrics and Gynaecology, 1991, 98, 980-987.	1.1	47
41	Is genetic susceptibility to pre-eclampsia conferred by homozygosity for the same single recessive gene in mother and fetus?. BJOG: an International Journal of Obstetrics and Gynaecology, 1991, 98, 1079-1086.	1.1	67
42	The Robertson-Brosens-Dixon hypothesis: evidence for the role of haemochorial placentation in pregnancy success. BJOG: an International Journal of Obstetrics and Gynaecology, 1991, 98, 1195-1199.	1.1	17
44	Cadralazine for the treatment of preeclampsia. An open, noncomparative, dose-finding pilot study.. Hypertension, 1992, 19, II132-6.	1.3	0
45	Maternal Toxemia Is Associated With Reduced Incidence of Germinal Matrix Hemorrhage in Premature Babies. Journal of Child Neurology, 1992, 7, 70-76.	0.7	172
46	Hypocalcemia and pregnancy-induced hypertension produced by maternal fasting.. Hypertension, 1992, 20, 620-626.	1.3	10
47	Effectiveness of atenolol in the treatment of hypertension during pregnancy.. Hypertension, 1992, 19, II129-II129.	1.3	6
48	Cation Transport Across Cultured Trophoblast Membrane in Preeclampsia. Clinical and Experimental Hypertension Part B, Hypertension in Pregnancy, 1992, 11, 59-69.	0.2	0
49	Renal Prostacyclin, Renin and Glomerular Filtration in Pregnancy-Induced Hypertension. Clinical and Experimental Hypertension Part B, Hypertension in Pregnancy, 1992, 11, 165-183.	0.2	3
50	Decreased Ionized Calcium and Increased Parathyroid Hormone in the Serum of Mild Gestational Hypertensive Patients at the Third Trimester: A Link Between Calcium Metabolism and Hypertension in Pregnancy. Clinical and Experimental Hypertension Part B, Hypertension in Pregnancy, 1992, 11, 233-247.	0.2	1
51	Pregnancy-induced hypertension in North Carolina, 1988 and 1989.. American Journal of Public Health, 1992, 82, 675-679.	1.5	41
52	The distribution of fibronectin in the placental bed in normotensive and hypertensive human pregnancies. Placenta, 1992, 13, 343-350.	0.7	1
53	Nifedipine treatment in preeclampsia reverts the increased erythrocyte aggregation to normal. American Journal of Obstetrics and Gynecology, 1992, 167, 942-945.	0.7	16
54	The intensive care management of severe pregnancy induced hypertension. Australian Critical Care, 1992, 5, 20-23.	0.6	2
55	Main clinical types and subtypes of eclampsia. American Journal of Obstetrics and Gynecology, 1992, 166, 4-9.	0.7	69
56	Randomised controlled trial of day care for hypertension in pregnancy. Lancet, The, 1992, 339, 224-227.	6.3	92
57	Diversity of blood pressure recording during pregnancy: implications for the hypertensive disorders. Medical Journal of Australia, 1992, 156, 306-308.	0.8	26

#	ARTICLE	IF	CITATIONS
58	Evidence against a pathogenetic role for endothelin in pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1992, 99, 798-802.	1.1	57
59	The variability of urinary protein and creatinine excretion in patients with gestational proteinuric hypertension. BJOG: an International Journal of Obstetrics and Gynaecology, 1992, 99, 869-872.	1.1	40
60	Hellp syndrome: Incidence and maternal-fetal outcome—a prospective study. Intensive Care Medicine, 1992, 18, 274-277.	3.9	36
61	Flow velocity analysis of umbilical and uterine artery flow in pre-eclampsia treated with propranolol or pindolol. Journal of Clinical Ultrasound, 1992, 20, 115-119.	0.4	16
62	Doppler ultrasound screening as part of routine antenatal scanning: prediction of pre-eclampsia and intrauterine growth retardation. BJOG: an International Journal of Obstetrics and Gynaecology, 1993, 100, 989-994.	1.1	177
63	Retrospective analysis of platelet numbers and volumes in normal pregnancy and in pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1993, 100, 216-220.	1.1	66
64	A prospective study of pregnancy outcome in women screened at a routine antenatal clinic for anticardiolipin antibodies. BJOG: an International Journal of Obstetrics and Gynaecology, 1993, 100, 599-600.	1.1	13
65	Convulsions on the labour ward. Current Anaesthesia and Critical Care, 1993, 4, 157-163.	0.3	2
66	Inhibition of nitric oxide synthesis in rats during pregnancy produces signs similar to those of preeclampsia. American Journal of Obstetrics and Gynecology, 1993, 169, 1316-1320.	0.7	406
67	Preeclampsia is not associated with altered platelet vasopressin binding and cytosolic Ca ⁺⁺ concentration. American Journal of Obstetrics and Gynecology, 1993, 169, 1169-1178.	0.7	13
68	The development of abnormal heart rate patterns after absent end-diastolic velocity in umbilical artery: Analysis of risk factors. American Journal of Obstetrics and Gynecology, 1993, 168, 43-50.	0.7	132
69	COMPARISON OF AUTOMATIC OSCILLOMETRIC ARTERIAL PRESSURE MEASUREMENT WITH CONVENTIONAL AUSCULTATORY MEASUREMENT IN THE LABOUR WARD. British Journal of Anaesthesia, 1993, 70, 141-144.	1.5	32
70	Hypertension during pregnancy in Africa and infants's health. A cohort study in an urban setting. Journal of Perinatal Medicine, 1993, 21, 13-24.	0.6	4
71	Hypertension in pregnancy. Clinical and Experimental Hypertension, 1993, 15, 1353-1361.	0.5	7
72	UTEROPLACENTAL AND FETAL CIRCULATION DURING EXTRADURAL BUPIVACAINE-ADRENALINE AND BUPIVACAINE FOR CAESAREAN SECTION IN HYPERTENSIVE PREGNANCIES WITH CHRONIC FETAL ASPHYXIA. British Journal of Anaesthesia, 1993, 71, 348-353.	1.5	27
73	Twenty-four-hour ambulatory blood pressure measurement in a primigravid population. Journal of Hypertension, 1993, 11, 869-873.	0.3	115
74	Labetalol in Hypertension During the Third Trimester of Pregnancy: Its Antihypertensive Effect and Pharmacokinetic—Dynamic Analysis. Journal of Clinical Pharmacology, 1993, 33, 979-988.	1.0	27
75	The trend of erythrocyte sodium parallels the pattern of diastolic blood pressure in preeclampsia. Acta Obstetrica Et Gynecologica Scandinavica, 1993, 72, 439-442.	1.3	2

#	ARTICLE	IF	CITATIONS
76	Ambulatory Blood Pressure Monitoring During Pregnancy Comparison With Mercury Sphygmomanometry. <i>American Journal of Hypertension</i> , 1993, 6, 745-749.	1.0	12
77	Longitudinal Variation of Computerized Fetal Heart Rate Variability in Growth-Retarded Fetuses. <i>Hypertension in Pregnancy</i> , 1993, 12, 453-461.	0.5	0
78	Early Neonatal Prognosis in Preeclampsia. A Matched Case-Control Study in Low Birth Weight Infants. <i>Hypertension in Pregnancy</i> , 1993, 12, 507-515.	0.5	4
79	Prediction of pregnancy-induced hypertension by means of the urinary calcium:creatinine ratio. <i>Medical Journal of Australia</i> , 1993, 158, 98-100.	0.8	11
80	Increased risk of proteinuria among a cohort of lead-exposed pregnant women.. <i>Environmental Health Perspectives</i> , 1993, 101, 418-421.	2.8	8
81	Measurement of Blood Pressure During Pregnancy: Evaluation of the "TriCUFF"™. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1993, 33, 48-50.	0.4	2
82	ISCHEMIC HAEMORRAGIC PLACENTAL DAMAGE AND VASCULAR LESIONS IS ASSOCIATED WITH ABNORMAL UTEROPLACENTAL DOPPLER WAVEFORM IN GROWTH RETARDED FETUSES. <i>Journal of Perinatal Medicine</i> , 1994, 22, 73-78.	0.6	6
83	How should diastolic blood pressure be defined during pregnancy?. <i>Hypertension</i> , 1994, 24, 234-240.	1.3	27
84	Hypertension in pregnancy. <i>Blood Pressure</i> , 1994, 3, 18-23.	0.7	16
85	Trophoblast invasion. <i>Reproductive Medicine Review</i> , 1994, 3, 53-73.	0.3	65
86	Diastolic Blood Pressure in Pregnancy: Phase Iv Or Phase V Korotkoff Sounds?. <i>Hypertension in Pregnancy</i> , 1994, 13, 285-292.	0.5	6
87	Pregnancy induced hypertension: a role for peroxidation in microvillus plasma membranes. <i>Molecular and Cellular Biochemistry</i> , 1994, 131, 151-155.	1.4	58
88	The effect of acute volume expansion and vasodilatation with verapamil on uterine and umbilical artery Doppler indices in severe preeclampsia. <i>Journal of Clinical Ultrasound</i> , 1994, 22, 317-325.	0.4	18
89	Laboratory diagnosis in hypertension. <i>Journal of Clinical Laboratory Analysis</i> , 1994, 8, 293-308.	0.9	0
90	Maternal high-risk factors and severity of growth deficit in small for gestational age infants. <i>Early Human Development</i> , 1994, 38, 35-43.	0.8	41
91	National Scientific Medical Meeting 1994 Abstracts. <i>Irish Journal of Medical Science</i> , 1994, 163, 1-50.	0.8	1
92	Validation of automated blood pressure recording in pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1994, 101, 66-69.	1.1	37
93	Haemostatic, fibrinolytic and endothelial variables in normal pregnancies and pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1994, 101, 488-492.	1.1	158

#	ARTICLE	IF	CITATIONS
94	Dexamethasone and fetal heart rate variation. BJOG: an International Journal of Obstetrics and Gynaecology, 1994, 101, 675-679.	1.1	55
95	The visual evoked potential in the assessment of central nervous system effects of pre-eclampsia: a pilot study. BJOG: an International Journal of Obstetrics and Gynaecology, 1994, 101, 343-346.	1.1	6
96	The definition of pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1994, 101, 587-591.	1.1	56
97	Epidemiological correlates of preterm premature rupture of membranes. International Journal of Gynecology and Obstetrics, 1994, 47, 7-15.	1.0	46
98	Conservative management of severe chronic hypertension in pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1994, 57, 215-217.	0.5	1
99	Interaction between fetal gender and risk factors for fetal growth retardation. American Journal of Obstetrics and Gynecology, 1994, 171, 1273-1277.	0.7	42
100	Immunohistochemical Detection of lipoprotein(a) in the wall of placental bed spiral arteries in normal and severe preeclamptic pregnancies. Placenta, 1994, 15, 511-524.	0.7	63
101	Chromosomal abnormalities in fetuses with absent end-diastolic velocity in umbilical artery: Analysis of risk factors for an abnormal karyotype. American Journal of Obstetrics and Gynecology, 1994, 171, 827-831.	0.7	31
102	Automated blood pressure measurement devices: A potential source of morbidity in preeclampsia?. American Journal of Obstetrics and Gynecology, 1994, 170, 1303-1307.	0.7	27
103	Cellular Sodium Transport in Severe Preeclampsia and Chronic Hypertension During Pregnancy. Hypertension in Pregnancy, 1994, 13, 135-143.	0.5	9
104	Bleeding time in preeclampsia. Acta Obstetrica Et Gynecologica Scandinavica, 1994, 73, 685-687.	1.3	2
105	Automated blood pressure measurement devices: A potential source of morbidity in preeclampsia?. American Journal of Obstetrics and Gynecology, 1994, 170, 1303-1307.	0.7	25
106	Poor Pregnancy Outcome and Anticardiolipin Antibodies. Fetal Diagnosis and Therapy, 1994, 9, 296-299.	0.6	22
107	Two-year infant neurodevelopmental outcome after expectant management and indicated preterm delivery in hypertensive pregnancies. Acta Obstetrica Et Gynecologica Scandinavica, 1994, 73, 625-629.	1.3	50
108	The Prevalence and Significance of Hypertensive Disease in Pregnant Black Women. Hypertension in Pregnancy, 1995, 14, 187-193.	0.5	1
109	Morpho-functional modifications of human syncytiotrophoblast plasma membrane during Pregnancy Induced Hypertension. Molecular and Cellular Biochemistry, 1995, 151, 15-20.	1.4	1
110	Pre-eclampsia: Recognition, prevention and management. Nephrology, 1995, 1, 163-173.	0.7	6
111	Expectant management of twin pregnancy with single fetal death. BJOG: an International Journal of Obstetrics and Gynaecology, 1995, 102, 26-30.	1.1	61

#	ARTICLE	IF	CITATIONS
112	A randomised double blind placebo controlled trial of fish oil in high risk pregnancy. BJOG: an International Journal of Obstetrics and Gynaecology, 1995, 102, 95-100.	1.1	115
113	Interleukin-6, tumour necrosis factor and soluble tumour necrosis factor receptors in women with pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1995, 102, 842-843.	1.1	8
114	Neonatal respiratory morbidity and mode of delivery at term: influence of timing of elective caesarean section. BJOG: an International Journal of Obstetrics and Gynaecology, 1995, 102, 843-843.	1.1	6
115	The definition of pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1995, 102, 586-587.	1.1	1
116	The effect of smoking on the risk of gestational hypertension. Early Human Development, 1995, 40, 95-107.	0.8	14
117	Value of antenatal corticosteroid therapy in preterm birth. Early Human Development, 1995, 42, 37-47.	0.8	47
118	The Importance of Nonproteinuric Hypertension in Pregnancy. Hypertension in Pregnancy, 1995, 14, 57-65.	0.5	48
119	Spiral Artery Morphology in Pregnancies Complicated by Chronic Hypertension: the Relation to Antihypertensive Therapy and to Superimposed Preeclampsia. Hypertension in Pregnancy, 1995, 14, 67-80.	0.5	8
121	Low-Dose Aspirin in the Prevention of Hypertensive Disorders of Pregnancy in Relatively Low-Risk Nulliparous Women. Hypertension in Pregnancy, 1995, 14, 49-55.	0.5	22
122	Early neonatal complications after elective preterm delivery in hypertensive pregnancies. Journal of Perinatal Medicine, 1995, 23, 175-181.	0.6	9
123	Nocturnal hypoxaemia in late pregnancy. British Journal of Anaesthesia, 1995, 75, 678-682.	1.5	41
124	Haematological and biochemical profile of uncomplicated pregnancy in nulliparous women; a longitudinal study. Netherlands Journal of Medicine, 1995, 46, 73-85.	0.6	55
125	Complexity and complicity in eclampsia: Barriers or bridges?. Medical Hypotheses, 1995, 45, 591-601.	0.8	4
126	The essential fatty acid status of mother and child in pregnancy-induced hypertension: A prospective longitudinal study. American Journal of Obstetrics and Gynecology, 1995, 172, 1605-1614.	0.7	55
127	Hypertensive disorders in twin pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1995, 58, 9-13.	0.5	73
128	Antenatal risk factors for germinal matrix hemorrhage and intraventricular hemorrhage in preterm infants. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1995, 60, 13-19.	0.5	17
129	Maternal and perinatal complications in triplet compared with twin pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1995, 60, 143-147.	0.5	37
130	Sociodemographic and clinical variables modifying the smoking-related risk of low birth weight. International Journal of Gynecology and Obstetrics, 1995, 51, 15-23.	1.0	6

#	ARTICLE	IF	CITATIONS
131	The angiotensin sensitivity test and low-dose aspirin are ineffective methods to predict and prevent hypertensive disorders in nulliparous pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1995, 173, 865-872.	0.7	51
132	Measurements of Blood Pressure, Oedema and Proteinuria in a Pregnant Population of New Zealand. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1995, 35, 32-37.	0.4	32
133	Screening Pregnant Women at 22-24 Weeks for Gestational Hypertension or Intrauterine Growth Retardation by Doppler Ultrasound Followed by 24-Hour Blood Pressure Recording. <i>Hypertension in Pregnancy</i> , 1995, 14, 351-359.	0.5	8
134	Prospective studies of the association between anticardiolipin antibody and outcome of pregnancy. <i>Obstetrics and Gynecology</i> , 1995, 86, 555-559.	1.2	103
135	Epidemiologic association between maternal smoking during pregnancy and intracranial hemorrhage in preterm infants. <i>Journal of Pediatrics</i> , 1995, 127, 472-478.	0.9	48
137	Antiphospholipid antibodies and pregnancy disorders in women with insulin dependent diabetes. <i>Thrombosis Research</i> , 1996, 82, 207-216.	0.8	17
138	The reproducibility of Korotkoff 4 and 5. <i>American Journal of Hypertension</i> , 1996, 9, 839.	1.0	3
139	Dynamic and steady state response of heart rate to orthostatic stress in normotensive and hypertensive pregnant women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1996, 66, 31-37.	0.5	3
140	Diurnal blood pressure difference in the assessment of preeclampsia. <i>Obstetrics and Gynecology</i> , 1996, 87, 205-208.	1.2	32
141	Lack of reproducibility in pregnancy of Korotkoff phase IV as measured by mercury sphygmomanometry. <i>Lancet, The</i> , 1996, 347, 139-142.	6.3	130
142	Hypertension in pregnancy: Which method of blood pressure measurement is most predictive of outcome?. <i>Obstetrics and Gynecology</i> , 1996, 88, 1030-1033.	1.2	70
143	Polyhydramnios is an independent risk factor for perinatal mortality and intrapartum morbidity in preterm delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1996, 70, 41-47.	0.5	42
144	Automated ambulatory blood pressure measurement in the assessment of hypertension during pregnancy. <i>Current Obstetrics & Gynaecology</i> , 1996, 6, 24-29.	0.2	0
145	Treatment of Hypertension in Pregnant Women. <i>New England Journal of Medicine</i> , 1996, 335, 257-265.	13.9	327
146	The older mother "myth or reality?". <i>Practice Nursing</i> , 1996, 7, 35-38.	0.1	0
147	Human Chorionic Gonadotrophin Levels Between 15 and 17 Weeks in Women who Subsequently Develop Preeclampsia. <i>Hypertension in Pregnancy</i> , 1996, 15, 95-100.	0.5	2
148	Insulin Plasma Levels in Pregnant Patients with Impaired Glucose Tolerance: Relationship with Pregnancy Outcome. <i>Gynecologic and Obstetric Investigation</i> , 1996, 42, 16-20.	0.7	2
149	Plasma cyclic GMP concentrations and their relationship with changes of blood pressure levels in pre-eclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1996, 75, 40-44.	1.3	26

#	ARTICLE	IF	CITATIONS
150	A comparative study of obstetric outcome of patients with pregnancy induced hypertension: economic considerations. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1996, 75, 443-448.	1.3	13
151	The effect of the pregnancy-induced hypertension on fetal growth: a review of the literature. <i>Paediatric and Perinatal Epidemiology</i> , 1996, 10, 244-263.	0.8	38
152	Attachment and differentiation in vitro of trophoblast from normal and preeclamptic human placentas. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 175, 30-36.	0.7	60
153	Expression of prostacyclin and thromboxane synthases in placenta and placental bed after pre-eclamptic pregnancies. <i>Placenta</i> , 1996, 17, 573-581.	0.7	16
154	Increased expression of low-affinity insulin receptor isoform and insulin/insulin-like growth factor-I hybrid receptors in term placenta from insulin-resistant women with gestational hypertension. <i>Diabetologia</i> , 1996, 39, 952-960.	2.9	32
156	Prediction of pre-eclampsia by abnormal uterine Doppler ultrasound and modification by aspirin. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996, 103, 625-629.	1.1	83
157	Low cyclic guanosine monophosphate levels in the amniotic fluid of pre-eclamptic pregnancies. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996, 103, 834-837.	1.1	4
158	Systemic and fetal-maternal nitric oxide synthesis in normal pregnancy and pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996, 103, 879-886.	1.1	61
159	Effects of Maternal Hypertension in Very-Low-Birth-Weight Infants. <i>JAMA Pediatrics</i> , 1996, 150, 686.	3.6	25
160	Fetal pH value determined by cordocentesis: an independent predictor of the development of antepartum fetal heart rate late decelerations in growth retarded fetuses with absent end-diastolic velocity in umbilical artery. <i>Journal of Perinatal Medicine</i> , 1996, 24, 601-608.	0.6	18
161	Recent developments in the pathophysiology and management of pre-eclampsia. <i>British Journal of Anaesthesia</i> , 1996, 76, 133-148.	1.5	97
162	Fibronectin fragments cause an underestimation of plasma fibronectin levels in severe pre-eclampsia. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1996, 56, 351-358.	0.6	3
163	Chronic hypertension in pregnancy: color Doppler investigation of uterine arteries as a predictive test for superimposed preeclampsia and adverse perinatal outcome. <i>Journal of Perinatal Medicine</i> , 1996, 24, 141-153.	0.6	16
164	Amniotic Fluid Index and Mean Diastolic Maternal Blood Pressure in Pregnancy-Induced Hypertensive Patients. <i>Hypertension in Pregnancy</i> , 1996, 15, 219-228.	0.5	0
165	Renal Function in Gravidas with Chronic Hypertension with and Without Superimposed Preeclampsia. <i>Hypertension in Pregnancy</i> , 1996, 15, 127-134.	0.5	8
166	Effect Measures for Behavioral Factors Adversely Affecting Fetal Growth. <i>American Journal of Perinatology</i> , 1996, 13, 119-123.	0.6	4
167	Review : Obstetric outcome in antiphospholipid syndrome. <i>Lupus</i> , 1997, 6, 509-513.	0.8	85
168	Changes of Dimeric Inhibin B Levels in Maternal Serum Throughout Healthy Gestation and in Women with Gestational Diseases. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 2991-2995.	1.8	35

#	ARTICLE	IF	CITATIONS
169	Treatment of Endothelial Cells With Serum from Women with Preeclampsia: Effect on Neutrophil Adhesion. <i>Journal of the Society for Gynecologic Investigation</i> , 1997, 4, 27-33.	1.9	4
170	Effect of Uncomplicated Chronic Hypertension on the Risk of Small-for-Gestational Age Birth. <i>American Journal of Epidemiology</i> , 1997, 145, 689-695.	1.6	60
171	Excursion of daily glucose profiles in pregnant women with IDDM: relationship with perinatal outcome. <i>Journal of Perinatal Medicine</i> , 1997, 25, 488-497.	0.6	18
172	Dietary Sodium Restriction Does not Prevent Gestational Hypertension: A Dutch Two-Center Randomized Trial. <i>Hypertension in Pregnancy</i> , 1997, 16, 335-346.	0.5	21
173	Epidemiology of Pregnancy-induced Hypertension. <i>Epidemiologic Reviews</i> , 1997, 19, 218-232.	1.3	175
174	The Use of 24-Hour Ambulatory Blood Pressure Monitor (ABPM) in the Diagnosis of Hypertensive Disorders in Pregnancy. <i>Hypertension in Pregnancy</i> , 1997, 16, 417-424.	0.5	1
175	HLA Antigens in patients with severe preeclampsia. <i>Journal of Perinatal Medicine</i> , 1997, 25, 79-83.	0.6	13
176	Anthropometric characteristics of full-term infants: effects of varying degrees of "normal" glucose metabolism. <i>Journal of Perinatal Medicine</i> , 1997, 25, 197-204.	0.6	29
177	Risk factors for fetal macrosomia: the importance of a positive oral glucose challenge test. <i>European Journal of Endocrinology</i> , 1997, 137, 27-33.	1.9	32
178	Low-sodium diet in pregnancy: effects on blood pressure and maternal nutritional status. <i>British Journal of Nutrition</i> , 1997, 77, 703-720.	1.2	15
179	What's in a name? Problems with the classification of hypertension in pregnancy. <i>Journal of Hypertension</i> , 1997, 15, 1049-1054.	0.3	51
180	Agreement between different frequencies of measurements in ambulatory blood pressure monitoring. <i>Journal of Obstetrics and Gynaecology</i> , 1997, 17, 337-339.	0.4	0
181	HYPERTENSION IN PREGNANCY: Current Concepts of Preeclampsia. <i>Annual Review of Medicine</i> , 1997, 48, 115-127.	5.0	60
182	The Association Between Nulliparity and Gestational Hypertension. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 851-855.	2.4	16
183	The Association Between Hypertensive Disorders of Pregnancy and Abnormal Second-Trimester Maternal Serum Levels of hCG and Alpha-Fetoprotein. <i>Obstetrics and Gynecology</i> , 1997, 89, 666-670.	1.2	36
184	Ambulatory blood pressure in pregnancy and fetal growth. <i>Lancet, The</i> , 1997, 349, 7-10.	6.3	153
185	Randomised controlled trial of ketanserin and aspirin in prevention of pre-eclampsia. <i>Lancet, The</i> , 1997, 350, 1267-1271.	6.3	68
186	Pregnancy-induced hypertension and hyaline membrane disease. <i>International Journal of Gynecology and Obstetrics</i> , 1997, 58, 197-202.	1.0	10

#	ARTICLE	IF	CITATIONS
187	Increased t-PA and PAI-1 expression of cultured endothelial cells after stimulation with sera from women with preeclampsia. <i>Fibrinolysis and Proteolysis</i> , 1997, 11, 273-278.	1.1	2
188	Increased maternal plasma levels of soluble adhesion molecules (ICAM-1, VCAM-1, E-selectin) in preeclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1997, 71, 53-58.	0.5	141
189	Computerised analysis of behaviour in normal and growth-retarded fetuses. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1997, 75, 169-175.	0.5	18
190	Pregnancy in the Chronically Hypertensive Patient. <i>Clinics in Perinatology</i> , 1997, 24, 391-406.	0.8	7
191	Improved methods of assessing proteinuria in hypertensive pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997, 104, 1159-1164.	1.1	127
192	Liver function tests in pre-eclampsia: importance of comparison with a reference range derived for normal pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997, 104, 246-250.	1.1	117
193	Accuracy of oscillometric blood pressure monitoring in pregnancy and pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997, 104, 350-355.	1.1	64
194	Can 24-hour ambulatory blood pressure measurement predict the development of hypertension in primigravidae?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997, 104, 356-362.	1.1	81
195	Automated blood pressure measurement as a predictor of proteinuric pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997, 104, 559-562.	1.1	21
196	Influence of hypertensive disorders and cigarette smoking on placental abruption and uterine bleeding during pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997, 104, 572-578.	1.1	63
197	Doppler velocimetry of the uterine arteries in nulliparous women. <i>Early Human Development</i> , 1997, 48, 177-185.	0.8	56
198	Can flow cytometric detection of platelet activation early in pregnancy predict the occurrence of preeclampsia? A prospective study. <i>American Journal of Obstetrics and Gynecology</i> , 1997, 177, 434-442.	0.7	58
199	Circulating endothelial cell adhesion molecules as diagnostic markers for the early identification of pregnant women at risk for development of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1997, 177, 443-449.	0.7	152
200	The paradoxical effect of smoking in preeclamptic pregnancies: Smoking reduces the incidence but increases the rates of perinatal mortality, abruptio placentae, and intrauterine growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 1997, 177, 156-161.	0.7	171
201	Schwere Komplikationen der hypertensiven Schwangerschaftserkrankungen. <i>Der Gynakologe</i> , 1997, 30, 702.	1.0	6
202	Hypertension in pregnancy: use of antihypertensive drugs. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1997, 76, 96-106.	1.3	7
203	The Pathogenetic Role of Heme in Pregnancy-Induced Hypertension-like Disease in Ewes. <i>Biochemical and Molecular Medicine</i> , 1997, 62, 58-64.	1.5	12
205	Critical care management of severe pre-eclampsia. <i>Intensive Care Medicine</i> , 1997, 23, 248-255.	3.9	16

#	ARTICLE	IF	CITATIONS
206	The pathophysiology of pre-eclampsia. <i>Intensive Care Medicine</i> , 1997, 23, 620-629.	3.9	43
207	Insulin sensitivity in pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1998, 105, 1095-1100.	1.1	39
208	Association of circulating endothelin and noradrenaline with increased calcium-channel binding sites in the placental bed in pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1998, 105, 1104-1112.	1.1	10
209	Which Korotkoff Sound Should Be Used For the Diastolic Blood Pressure in Pregnancy?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1998, 38, 194-197.	0.4	6
210	Pregnancy-induced hypertension: maternal and neonatal plasma lipid-soluble antioxidant levels and its relationship with fatty acid unsaturation. <i>European Journal of Clinical Nutrition</i> , 1998, 52, 754-759.	1.3	10
211	Circulating vascular cell adhesion molecule-1 in pre-eclampsia, gestational hypertension, and normal pregnancy: Evidence of selective dysregulation of vascular cell adhesion molecule-1 homeostasis in pre-eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 179, 464-469.	0.7	59
212	Hemostasis in the uteroplacental and peripheral circulations in normotensive and pre-eclamptic pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 179, 520-526.	0.7	77
213	Plasma glutathione S-transferase Alpha 1-1: A more sensitive marker for hepatocellular damage than serum alanine aminotransferase in hypertensive disorders of pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 178, 161-165.	0.7	40
214	Expression of platelet-derived growth factor-A mRNA in human placenta: Effect of magnesium infusion in pre-eclampsia. <i>Placenta</i> , 1998, 19, 423-427.	0.7	11
215	The investigation of placental relaxation and estimation of placental perfusion using echo-planar magnetic resonance imaging. <i>Placenta</i> , 1998, 19, 539-543.	0.7	51
216	Objective and subjective assessment of abnormal uterine artery Doppler flow velocity waveforms. <i>Ultrasound in Obstetrics and Gynecology</i> , 1998, 12, 260-264.	0.9	46
217	Pregnancy-induced hypertension, antihypertensive drugs and the development of fetal behavioural states. <i>Early Human Development</i> , 1998, 50, 149-157.	0.8	6
218	Second trimester serum free β_2 human chorionic gonadotrophin levels as a predictor of pre-eclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 381-384.	1.3	23
219	Short-term maternal oxygen administration in fetuses with absence or reversal of end-diastolic velocity in umbilical artery, pathophysiological and clinical considerations. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 707-711.	1.3	5
220	The fourth sound of Korotkoff in pregnancy: a myth. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998, 76, 53-59.	0.5	5
221	Isolated hydramnios at term gestation and the occurrence of peripartum complications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998, 77, 157-161.	0.5	52
222	Fetal plasma levels of circulating endothelial cell adhesion molecules in normal and preeclamptic pregnancies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998, 78, 41-45.	0.5	23
223	The usefulness of a weight gain spurt to identify women who will develop preeclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998, 78, 47-51.	0.5	5

#	ARTICLE	IF	CITATIONS
224	Within-subject variability of differences between conventional and automated blood pressure measurements in pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998, 80, 79-84.	0.5	4
225	Meconium stained amniotic fluid in preterm delivery is an independent risk factor for perinatal complications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998, 81, 9-13.	0.5	34
226	Peripartum complications in grand multiparous women: para 6 versus para 10. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998, 81, 21-25.	0.5	23
227	Randomised trial of management of hypertensive pregnancies by Korotkoff phase IV or phase V. <i>Lancet, The</i> , 1998, 352, 777-781.	6.3	57
228	Disturbed Feto-Maternal Cell Traffic in Preeclampsia. <i>Obstetrics and Gynecology</i> , 1998, 91, 669-672.	1.2	163
229	Risk factors for preeclampsia in nulliparous women in distinct ethnic groups: a prospective cohort study. <i>Obstetrics and Gynecology</i> , 1998, 92, 174-178.	1.2	95
230	The effect of glucocorticoid therapy on fetal lung maturity indices in hypertensive pregnancies. <i>Obstetrics and Gynecology</i> , 1998, 92, 220-225.	1.2	9
231	Low whole blood glutathione levels in pregnancies complicated by preeclampsia or the hemolysis, elevated liver enzymes, low platelets syndrome. <i>Obstetrics and Gynecology</i> , 1998, 92, 1012-1015.	1.2	39
232	A randomized controlled trial of low-dose aspirin in women at risk from pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 1998, 60, 129-135.	1.0	50
233	Intensification of fetal and maternal surveillance in pregnant women with hypertensive disorders. <i>International Journal of Gynecology and Obstetrics</i> , 1998, 61, 127-133.	1.0	53
234	HYPERTENSION AND PREGNANCY-RELATED HYPERTENSION. <i>Cardiology Clinics</i> , 1998, 16, 79-101.	0.9	37
235	Increased Circulating Levels of Vascular Endothelial Growth Factor in Preeclampsia. <i>Hypertension in Pregnancy</i> , 1998, 17, 283-290.	0.5	19
236	Neurological aspects of eclampsia. <i>Journal of the Neurological Sciences</i> , 1998, 155, 37-43.	0.3	66
237	Fibrin d-Dimer Levels in Preeclamptic Pregnancies with Birth of Small-for-Gestational-Age Neonates. <i>Hypertension in Pregnancy</i> , 1998, 17, 217-226.	0.5	3
238	Serum Nitrites Predict the Response to Prostaglandin-Induced Delivery at Term. <i>Journal of the Society for Gynecologic Investigation</i> , 1998, 5, 140-143.	1.9	0
239	Obstetric and neonatal outcome following chronic hypertension in pregnancy among different ethnic groups. <i>QJM - Monthly Journal of the Association of Physicians</i> , 1998, 91, 837-844.	0.2	20
240	Second trimester serum free β_2 human chorionic gonadotrophin levels as a predictor of pre-eclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 381-384.	1.3	31
241	Short-term maternal oxygen administration in fetuses with absence or reversal of end-diastolic velocity in umbilical artery, pathophysiological and clinical considerations. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 707-711.	1.3	6

#	ARTICLE	IF	CITATIONS
242	Comparison of Risk Factors for Preeclampsia and Gestational Hypertension in a Population-based Cohort Study. <i>American Journal of Epidemiology</i> , 1998, 147, 1062-1070.	1.6	321
243	Disturbed Nitric Oxide/Endothelin-1 Equilibrium in Cultured Human Placental Endotheliocytes in Preeclampsia. <i>Gynecologic and Obstetric Investigation</i> , 1998, 46, 145-149.	0.7	10
244	Risk Factors for Preeclampsia in Nulliparous Women in Distinct Ethnic Groups. <i>Obstetrics and Gynecology</i> , 1998, 92, 174-178.	1.2	61
245	Disturbed Feto-Maternal Cell Traffic in Preeclampsia. <i>Obstetrics and Gynecology</i> , 1998, 91, 669-672.	1.2	101
246	The Effect of Glucocorticoid Therapy on Fetal Lung Maturity Indices in Hypertensive Pregnancies. <i>Obstetrics and Gynecology</i> , 1998, 92, 220-225.	1.2	5
247	Low Whole Blood Glutathione Levels in Pregnancies Complicated by Preeclampsia or the Hemolysis, Elevated Liver Enzymes, Low Platelets Syndrome. <i>Obstetrics and Gynecology</i> , 1998, 92, 1012-1015.	1.2	17
248	Ambulatory blood pressure monitoring in pregnancy. <i>Fetal and Maternal Medicine Review</i> , 1998, 10, 69-89.	0.3	17
249	The diastolic debate: is it time to discard Korotkoff phase IV in favour of phase V for blood pressure measurements in pregnancy?. <i>Medical Journal of Australia</i> , 1998, 169, 203-205.	0.8	8
250	Predictive Value of Plasma Thrombomodulin in Preeclampsia and Gestational Hypertension. <i>Thrombosis and Haemostasis</i> , 1998, 79, 1092-1095.	1.8	61
251	Preliminary Report: rhG-CSF May Reduce the Incidence of Neonatal Sepsis in Prolonged Preeclampsia-associated Neutropenia. <i>Pediatrics</i> , 1998, 102, 1107-1111.	1.0	101
252	Prothrombotic Genetic Risk Factors and the Occurrence of Gestational Hypertension with or without Proteinuria. <i>Thrombosis and Haemostasis</i> , 1999, 81, 349-352.	1.8	74
253	Total Fibronectin in Maternal Plasma as a Predictor for Preeclampsia. <i>Gynecologic and Obstetric Investigation</i> , 1999, 47, 89-94.	0.7	29
254	Umbilical vessels of preeclamptic women have low contents of both ω^3 and ω^6 long-chain polyunsaturated fatty acids. <i>American Journal of Clinical Nutrition</i> , 1999, 69, 293-298.	2.2	40
255	Pregnancy-induced hypertension and insulin resistance, evidence for a connection. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1999, 78, 263-284.	1.3	54
256	Haemostatic, Endothelial and Lipoprotein Parameters and Blood Pressure Levels in Women with a History of Preeclampsia. <i>Thrombosis and Haemostasis</i> , 1999, 81, 538-542.	1.8	72
257	Nitric Oxide in the Uteroplacental, Fetoplacental, and Peripheral Circulations in Preeclampsia. <i>Obstetrics and Gynecology</i> , 1999, 93, 958-963.	1.2	4
258	Renal Handling of Endogenous Human Chorionic Gonadotrophin in Preeclampsia. <i>Hypertension in Pregnancy</i> , 1999, 18, 129-137.	0.5	4
259	Necrotizing Enterocolitis in Infants Born to Women with Severe Early Preeclampsia and Absent End-Diastolic Umbilical Artery Doppler Flow Velocity Waveforms. <i>American Journal of Perinatology</i> , 1999, 16, 309-314.	0.6	38

#	ARTICLE	IF	CITATIONS
260	Altered Lipid Metabolism in Preeclampsia and HELLP Syndrome: Links to Enhanced Platelet Reactivity and Fetal Growth. <i>Seminars in Thrombosis and Hemostasis</i> , 1999, 25, 455-462.	1.5	26
261	Platelet Sodium Pump and Sodium Potassium Cotransport Activity in Nonpregnant, Normotensive, and Hypertensive Pregnant Women. <i>Hypertension in Pregnancy</i> , 1999, 18, 35-44.	0.5	7
262	Alternative forms of a novel aspartyl protease gene are differentially expressed in human gestational tissues. <i>Molecular Human Reproduction</i> , 1999, 5, 983-989.	1.3	10
263	Maternal and neonatal outcome of twin pregnancies complicated by single fetal death. <i>Journal of Perinatal Medicine</i> , 1999, 27, 221-7.	0.6	19
264	A Genome-Wide Scan Reveals a Maternal Susceptibility Locus for Pre-Eclampsia on Chromosome 2p13. <i>Human Molecular Genetics</i> , 1999, 8, 1799-1805.	1.4	196
265	Pregnancy-induced hypertension and insulin resistance, evidence for a connection. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1999, 78, 263-284.	1.3	25
266	The use of neuromuscular blocking agents in noncardiac surgery after dynamic cardiomyoplasty. <i>Anaesthesia</i> , 1999, 54, 879-882.	1.8	2
267	Failure of insertion of a laryngeal mask airway caused by a variation in the anatomy of the thyroid cartilage. <i>Anaesthesia</i> , 1999, 54, 884-886.	1.8	6
268	Anaesthetic management of Caesarean section in an elderly parturient with pre-eclampsia. <i>Anaesthesia</i> , 1999, 54, 887-891.	1.8	2
269	Exaggerated cardiovascular response to anaesthesia - a case for investigation. <i>Anaesthesia</i> , 1999, 54, 882-884.	1.8	6
270	Hyperbaric oxygen therapy in the management of severe acute anaemia in a Jehovah's Witness. <i>Anaesthesia</i> , 1999, 54, 891-895.	1.8	33
271	Profound motor blockade with epidural ropivacaine following spinal bupivacaine. <i>Anaesthesia</i> , 1999, 54, 895-898.	1.8	7
272	Selective deficit of angiogenic growth factors characterises pregnancies complicated by pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 1019-1022.	1.1	172
273	Dipstick proteinuria: caveat emptor. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 1113-1115.	1.1	27
274	Doppler fetal circulation in pregnancies complicated by pre-eclampsia or delivery of a small for gestational age baby: 2. Longitudinal analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 453-466.	1.1	97
275	Tissue factor levels and high ratio of fibrinopeptide A:D-dimer as a measure of endothelial procoagulant disorder in pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 594-597.	1.1	40
276	The definition of pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 753-755.	1.1	15
277	Evaluation of a definition of pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 767-773.	1.1	93

#	ARTICLE	IF	CITATIONS
278	Lack of consistency in research papers over the definition of pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1999, 106, 983-985.	1.1	30
279	Sodium blood pressure interrelationship in pregnancy. Journal of Human Hypertension, 1999, 13, 159-166.	1.0	8
280	Intravenous nicardipine for severe hypertension in pre-eclampsia - effects of an acute treatment on mother and foetus. Intensive Care Medicine, 1999, 25, 1277-1281.	3.9	33
281	Uterine Doppler Velocimetry and Placental Hypoxic-ischemic Lesion in Pregnancies with Fetal Intrauterine Growth Restriction. Placenta, 1999, 20, 389-394.	0.7	113
282	Glutathione and Glutathione-related Enzymes in Decidua and Placenta of Controls and Women with Pre-eclampsia. Placenta, 1999, 20, 541-546.	0.7	70
283	The role of soluble adhesion molecules in evaluating endothelial cell activation in preeclampsia. American Journal of Obstetrics and Gynecology, 1999, 180, 68-72.	0.7	46
284	Impact of pregnancy-induced hypertension on fetal growth. American Journal of Obstetrics and Gynecology, 1999, 180, 207-213.	0.7	150
285	Relationship between myometrial resistance artery behavior and circulating lipid composition. American Journal of Obstetrics and Gynecology, 1999, 180, 381-386.	0.7	14
286	Second-trimester maternal serum inhibin A concentration as an early marker for preeclampsia. American Journal of Obstetrics and Gynecology, 1999, 181, 131-136.	0.7	91
287	Effects of pregnancy-induced hypertension on the essential fatty acid statuses of Ecuadorian and Dutch women. American Journal of Obstetrics and Gynecology, 1999, 180, 1185-1190.	0.7	4
288	New insights into the genetics of preeclampsia. Seminars in Perinatology, 1999, 23, 14-23.	1.1	55
289	Measuring blood pressure in normal and hypertensive pregnancy. Best Practice and Research in Clinical Obstetrics and Gynaecology, 1999, 13, 1-26.	1.4	18
290	Classification of hypertension in pregnancy. Best Practice and Research in Clinical Obstetrics and Gynaecology, 1999, 13, 27-39.	1.4	23
291	Serum Levels of Alpha-Tocopherol in Hypertensive Pregnancies. Hypertension in Pregnancy, 1999, 18, 189-195.	0.5	10
292	Regional anaesthesia for caesarean section in severe preeclampsia: spinal anaesthesia is the preferred choice. International Journal of Obstetric Anesthesia, 1999, 8, 85-89.	0.2	54
293	Hemiparesis following post-partum haemorrhage and eclampsia. International Journal of Obstetric Anesthesia, 1999, 8, 273-278.	0.2	4
294	Atenolol and fetal growth in pregnancies complicated by hypertension. American Journal of Hypertension, 1999, 12, 541-547.	1.0	283
295	Computerised analysis of unstimulated and stimulated behaviour in fetuses with intrauterine growth restriction. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1999, 83, 37-45.	0.5	38

#	ARTICLE	IF	CITATIONS
296	Severe uterine diastolic notch as a prognostic factor in preeclamptic women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1999, 85, 179-183.	0.5	8
297	Elevated soluble adhesion molecules in women with pre-eclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1999, 86, 35-41.	0.5	57
298	Perinatal outcome and peripartum complications in preterm singleton and twins deliveries: a comparative study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1999, 87, 55-61.	0.5	34
299	Effect of antioxidants on the occurrence of pre-eclampsia in women at increased risk: a randomised trial. <i>Lancet, The</i> , 1999, 354, 810-816.	6.3	635
300	Umbilical doppler waveforms and placental villous angiogenesis in pregnancies complicated by fetal growth restriction. <i>Obstetrics and Gynecology</i> , 1999, 93, 499-503.	1.2	106
301	Nitric oxide in the uteroplacental, fetoplacental, and peripheral circulations in preeclampsia. <i>Obstetrics and Gynecology</i> , 1999, 93, 958-963.	1.2	79
302	Maternal central hemodynamics in hypertensive disorders of pregnancy. <i>Obstetrics and Gynecology</i> , 1999, 94, 978-984.	1.2	184
303	Glutathione S-transferase isoenzymes in decidua and placenta of preeclamptic pregnancies. <i>Obstetrics and Gynecology</i> , 1999, 94, 1033-1038.	1.2	36
304	Adverse obstetric outcome in low- and high-risk pregnancies: predictive value of maternal serum screening. <i>Obstetrics and Gynecology</i> , 1999, 94, 929-934.	1.2	41
305	A Laboratory Method for Determination of Overall Haemostatic Potential in Plasma. I. Method Design and Preliminary Results. <i>Thrombosis Research</i> , 1999, 96, 145-156.	0.8	77
306	PREECLAMPSIA. <i>Clinics in Liver Disease</i> , 1999, 3, 15-29.	1.0	7
307	The Efficacy and Safety of Beta-Blockers for the Treatment of Hypertension during Pregnancy: What the Trials Can and Cannot Tell Us. <i>Journal of Obstetrics and Gynaecology Canada</i> , 1999, 21, 670-683.	0.1	3
308	Relationship of Cell Adhesion Molecule Expression to Endothelium-Dependent Relaxation in Normal Pregnancy and Pregnancies Complicated With Preeclampsia or Fetal Growth Restriction. <i>Journal of the Society for Gynecologic Investigation</i> , 1999, 6, 196-201.	1.9	7
309	Usefulness of Screening for Congenital or Acquired Hemostatic Abnormalities in Women with Previous Complicated Pregnancies. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 1999, 29, 197-203.	0.5	22
310	Adverse Obstetric Outcome in Low- and High-Risk Pregnancies. <i>Obstetrics and Gynecology</i> , 1999, 94, 929-934.	1.2	29
311	Serum Levels of Elam-1, But not Cd44, Predict the Clinical Outcome of Patients with Preeclampsia. Hypertension in Pregnancy, 1999, 18, 45-55.	0.5	5
312	Plasma GlutathioneS-transferase Pi 1-1 Measurements in the Study of Hemolysis in Hypertensive Disorders of Pregnancy. <i>Hypertension in Pregnancy</i> , 1999, 18, 147-156.	0.5	7
313	The Health Effects of Swimming in Ocean Water Contaminated by Storm Drain Runoff. <i>Epidemiology</i> , 1999, 10, 355-363.	1.2	320

#	ARTICLE	IF	CITATIONS
314	Umbilical Doppler Waveforms and Placental Villous Angiogenesis in Pregnancies Complicated by Fetal Growth Restriction. <i>Obstetrics and Gynecology</i> , 1999, 93, 499-503.	1.2	75
315	Studies on the HLA-DRB1 genotypes in Japanese women with severe pre-eclampsia positive and negative for anticardiolipin antibody using a polymerase chain reaction-restriction fragment length polymorphism method. <i>Human Reproduction</i> , 1999, 14, 2980-2986.	0.4	20
316	The influence of donated gametes on the incidence of hypertensive disorders of pregnancy. <i>Human Reproduction</i> , 1999, 14, 2268-2273.	0.4	196
317	Preeclampsia in Twin Pregnancies: Incidence and Outcome. <i>Hypertension in Pregnancy</i> , 1999, 18, 197-207.	0.5	93
318	Maternal Central Hemodynamics in Hypertensive Disorders of Pregnancy. <i>Obstetrics and Gynecology</i> , 1999, 94, 978-984.	1.2	253
319	Glutathione S-Transferase Isoenzymes in Decidua and Placenta of Preeclamptic Pregnancies. <i>Obstetrics and Gynecology</i> , 1999, 94, 1033-1038.	1.2	34
320	Changes in baroreceptor sensitivity for heart rate during normotensive pregnancy and the puerperium. <i>Clinical Science</i> , 2000, 98, 259-268.	1.8	49
321	Resting peripheral blood flow in normal pregnancy and in pre-eclampsia. <i>Clinical Science</i> , 2000, 99, 505-510.	1.8	21
322	Changes in baroreceptor sensitivity for heart rate during normotensive pregnancy and the puerperium. <i>Clinical Science</i> , 2000, 98, 259.	1.8	16
323	Resting peripheral blood flow in normal pregnancy and in pre-eclampsia. <i>Clinical Science</i> , 2000, 99, 505.	1.8	5
324	Multifrequency bioelectrical impedance analysis in women with a normal and hypertensive pregnancy. <i>American Journal of Clinical Nutrition</i> , 2000, 72, 780-783.	2.2	54
325	Increased blood pressure response to the cold pressor test in pregnant women developing pre-eclampsia. <i>Journal of Hypertension</i> , 2000, 18, 399-403.	0.3	35
326	HLA-DQB1 and HLA-DPB1 Genotypes in Severe Preeclampsia. <i>Obstetrics and Gynecology</i> , 2000, 96, 385-389.	1.2	0
327	Cord Leptin Level and Fetal Macrosomia. <i>Obstetrics and Gynecology</i> , 2000, 96, 707-713.	1.2	2
328	Increased HLA-DR homozygosity associated with pre-eclampsia. <i>Human Reproduction</i> , 2000, 15, 1807-1812.	0.4	33
329	Prevalence and clinical significance of postpartum endometritis and wound infection. , 2000, 8, 77-82.		140
330	Hydramnios and small for gestational age: prevalence and clinical significance. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000, 79, 31-36.	1.3	8
331	The detection, investigation and management of hypertension in pregnancy: full consensus statement. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2000, 40, 139-155.	0.4	258

#	ARTICLE	IF	CITATIONS
332	Is the prophylactic administration of magnesium sulphate in women with pre-eclampsia indicated prior to labour?. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 903-908.	1.1	21
333	Risk factors for pre-eclampsia in a large cohort of Latin American and Caribbean women. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 75-83.	1.1	240
334	Plasma from women with pre-eclampsia induces an in vitro alteration in the endothelium-dependent behaviour of myometrial resistance arteries. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 108-115.	1.1	61
335	Expectant management of early onset, severe pre-eclampsia: maternal outcome. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 1252-1257.	1.1	98
336	Expectant management of early onset, severe pre-eclampsia: perinatal outcome. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 1258-1264.	1.1	92
337	First trimester maternal serum free beta human chorionic gonadotrophin and pregnancy associated plasma protein A as predictors of pregnancy complications. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 1265-1270.	1.1	300
338	Factors influencing postnatal liver function tests. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 1421-1426.	1.1	30
339	How useful is uterine artery Doppler flow velocimetry in the prediction of pre-eclampsia, intrauterine growth retardation and perinatal death? An overview. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 196-208.	1.1	232
340	The effect of smoking on pre-eclampsia in twin pregnancy. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 745-749.	1.1	14
341	Nifedipine or prazosin as a second agent to control early severe hypertension in pregnancy: a randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 759-765.	1.1	49
342	Predicting the risk of pre-eclampsia and a small-for-gestational-age infant by quantitative assessment of the diastolic notch in uterine artery flow velocity waveforms in unselected women. Ultrasound in Obstetrics and Gynecology, 2000, 16, 171-178.	0.9	33
343	Comprehensive analysis of uterine artery flow velocity waveforms for the prediction of pre-eclampsia. Ultrasound in Obstetrics and Gynecology, 2000, 16, 163-170.	0.9	45
344	The effect of gestational age and placental location on the prediction of pre-eclampsia by uterine artery Doppler velocimetry in low-risk nulliparous women. Ultrasound in Obstetrics and Gynecology, 2000, 16, 635-639.	0.9	45
345	Pre-eclampsia does not Change the Adhesion Molecule Status in the Placental Bed. Placenta, 2000, 21, 133-141.	0.7	21
346	Correlation Between Second Trimester Maternal Serum Inhibin-A and Human Chorionic Gonadotrophin for the Prediction of Pre-eclampsia. Placenta, 2000, 21, 487-492.	0.7	47
347	The effects of vascular endothelial growth factor on endothelial cells: A potential role in preeclampsia. American Journal of Obstetrics and Gynecology, 2000, 182, 176-183.	0.7	39
348	Glycaemic control is associated with pre-eclampsia but not with pregnancy-induced hypertension in women with Type I diabetes mellitus. Diabetologia, 2000, 43, 1534-1539.	2.9	104
349	Antithrombin Therapy for Severe Preeclampsia. Thrombosis and Haemostasis, 2000, 84, 583-590.	1.8	66

#	ARTICLE	IF	CITATIONS
350	Neonatal nucleated red blood cell counts in small-for-gestational-age fetuses: relationship to fetoplacental Doppler studies. <i>Journal of Perinatal Medicine</i> , 2000, 28, 355-62.	0.6	3
351	Longitudinal analysis of maternal plasma leptin concentrations during normal pregnancy and pre-eclampsia. <i>Human Reproduction</i> , 2000, 15, 2033-2036.	0.4	147
352	Hydramnios and small for gestational age: prevalence and clinical significance. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000, 79, 31-36.	1.3	14
353	A longitudinal study of maternal plasma insulin-like growth factor binding protein-1 concentrations during normal pregnancy and pregnancies complicated by pre-eclampsia. <i>Human Reproduction</i> , 2000, 15, 2215-2219.	0.4	42
354	ANGIOTENSIN SENSITIVITY TEST REVISITED. <i>Hypertension in Pregnancy</i> , 2000, 19, 289-298.	0.5	2
355	LONG-TERM PROGNOSIS OF HYPERTENSION IN PREGNANCY. <i>Hypertension in Pregnancy</i> , 2000, 19, 199-209.	0.5	113
356	Pregnancy outcomes in urban black South African women aged 35 years and older. <i>Journal of Obstetrics and Gynaecology</i> , 2000, 20, 259-262.	0.4	6
357	Breech presentation is a risk factor for intrapartum and neonatal death in preterm delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2000, 93, 47-51.	0.5	39
358	Leon C. Chesley and hypertension in pregnant women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2000, 90, 181-186.	0.5	1
359	Congenital anomalies are an independent risk factor for neonatal morbidity and perinatal mortality in preterm birth. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2000, 90, 43-49.	0.5	57
360	Clinical significance and outcome of preterm prelabor rupture of membranes: population-based study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2000, 92, 209-216.	0.5	90
361	Maternal and neonatal outcome in early- and late-onset pre-eclampsia. <i>Seminars in Fetal and Neonatal Medicine</i> , 2000, 5, 197-207.	2.8	79
362	A Genome Scan in Families from Australia and New Zealand Confirms the Presence of a Maternal Susceptibility Locus for Pre-Eclampsia, on Chromosome 2. <i>American Journal of Human Genetics</i> , 2000, 67, 1581-1585.	2.6	163
363	HLA-DQB1 and HLA-DPB1 genotypes in severe preeclampsia. <i>Obstetrics and Gynecology</i> , 2000, 96, 385-389.	1.2	15
364	Cord leptin level and fetal macrosomia*1. <i>Obstetrics and Gynecology</i> , 2000, 96, 707-713.	1.2	46
365	The Effect of Pre-eclampsia on Coagulation and Fibrinolytic Activation in the Neonate. <i>Thrombosis Research</i> , 2000, 99, 567-570.	0.8	12
366	Risk factors for pre-eclampsia in an Asian population. <i>International Journal of Gynecology and Obstetrics</i> , 2000, 70, 327-333.	1.0	106
367	Maternal and fetal serum nitric oxide (NO) concentrations in normal pregnancy, pre-eclampsia and eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2000, 68, 207-214.	1.0	87

#	ARTICLE	IF	CITATIONS
368	Hipertensi3n arterial en el embarazo. Hipertension Y Riesgo Vascular, 2000, 17, 258-271.	0.3	2
369	Effects of Antihypertensive Drugs on the Unborn Child. Paediatric Drugs, 2000, 2, 419-436.	1.3	33
370	The Classification and Diagnosis of the Hypertensive Disorders of Pregnancy: Statement from the International Society for the Study of Hypertension in Pregnancy (ISSHP). Hypertension in Pregnancy, 2001, 20, ix-xiv.	0.5	1,225
371	Prediction of the Development of Pregnancy-Induced Hypertensive Disorders in High-Risk Pregnant Women by Artificial Neural Networks. Clinical Chemistry and Laboratory Medicine, 2001, 39, 801-5.	1.4	18
372	An Endothelial Nitric Oxide Synthase Gene Polymorphism is Associated with Preeclampsia. Hypertension in Pregnancy, 2001, 20, 107-118.	0.5	40
374	Leucocyte intracellular pH and Na+/H+ exchanger isoform-1 activity in postpartum women with pre-eclampsia. British Journal of Obstetrics and Gynaecology, 2001, 108, 615-622.	0.9	4
375	Plasma P-selectin is elevated in the first trimester in women who subsequently develop pre-eclampsia. British Journal of Obstetrics and Gynaecology, 2001, 108, 709-715.	0.9	35
376	Can obstetric complications explain the high levels of obstetric interventions and maternity service use among older women? A retrospective analysis of routinely collected data. British Journal of Obstetrics and Gynaecology, 2001, 108, 910-918.	0.9	46
377	Prevention of pre-eclampsia: status and perspectives 2000. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 94, 13-22.	0.5	30
378	Late normalisation of uterine artery velocimetry in high risk pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 95, 42-45.	0.5	26
379	Remote prognosis of primiparous women with preeclampsia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 96, 69-74.	0.5	41
380	Expectant management of severe pre-eclampsia in the mid-trimester. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 96, 168-172.	0.5	29
381	Comparison study between induced and spontaneous term and preterm births of small-for-gestational-age neonates. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 97, 141-146.	0.5	36
382	Risk factors associated with true knots of the umbilical cord. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 98, 36-39.	0.5	110
383	Inhibitory effects of methylxanthines on the pre-eclamptic-like symptoms in ewes. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 99, 25-32.	0.5	10
384	Gestational diabetes complicated by hydramnios was not associated with increased risk of perinatal morbidity and mortality. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 100, 46-49.	0.5	19
385	Pregnancy Outcome in Recurrent Spontaneous Abortion Associated with Antiphospholipid Antibodies: A Comparative Study of Intravenous Immunoglobulin Versus Prednisone Plus Low-Dose Aspirin. American Journal of Reproductive Immunology, 2001, 45, 174-179.	1.2	91
386	Delivery of patients with early onset, severe pre-eclampsia. International Journal of Gynecology and Obstetrics, 2001, 74, 143-150.	1.0	17

#	ARTICLE	IF	CITATIONS
387	Prediction of adverse outcomes by common definitions of hypertension in pregnancy. <i>Obstetrics and Gynecology</i> , 2001, 97, 261-267.	1.2	85
388	Blood pressure in late pregnancy and work outside the home. <i>Obstetrics and Gynecology</i> , 2001, 97, 361-365.	1.2	11
389	Clinical significance of fetal heart rate tracings during the second stage of labor. <i>Obstetrics and Gynecology</i> , 2001, 97, 747-752.	1.2	40
390	Postnatal screening for thrombophilia in women with severe pregnancy complications*1. <i>Obstetrics and Gynecology</i> , 2001, 97, 753-759.	1.2	78
391	Decreased maternal serum placenta growth factor in early second trimester and preeclampsia. <i>Obstetrics and Gynecology</i> , 2001, 97, 898-904.	1.2	55
392	First-trimester maternal serum levels of placenta growth factor as predictor of preeclampsia and fetal growth restriction. <i>Obstetrics and Gynecology</i> , 2001, 98, 608-611.	1.2	36
393	Salivary cortisol levels and anxiety are not increased in women destined to develop preeclampsia. <i>Journal of Psychosomatic Research</i> , 2001, 50, 45-49.	1.2	33
394	Blood-pressure measurement and classification in pregnancy. <i>Lancet, The</i> , 2001, 357, 131-135.	6.3	164
395	Antihypertensive drug therapy for mild to moderate hypertension during pregnancy. , 2001, , CD002252.		48
396	Has consanguinity any impact on occurrence of pre-eclampsia and eclampsia?. <i>Journal of Obstetrics and Gynaecology</i> , 2001, 21, 358-360.	0.4	10
397	Management of Hypertension in Pregnancy. <i>American Journal of Cardiovascular Drugs</i> , 2001, 1, 253-262.	1.0	10
398	Lack of prenatal care in two different societies living in the same region and sharing the same medical facilities. <i>Journal of Obstetrics and Gynaecology</i> , 2001, 21, 453-458.	0.4	20
399	Critical care management of severe pre-eclampsia. , 2001, , 476-488.		0
400	Trophoblast invasion in pre-eclampsia and other pregnancy disorders. , 2001, , 3-19.		3
401	Classification and diagnosis of pre-eclampsia. , 2001, , 243-257.		2
402	Increased Concentrations of Soluble CD40 Ligand, RANTES and GRO- α in Preeclampsia – Possible Role of Platelet Activation. <i>Thrombosis and Haemostasis</i> , 2001, 86, 1272-1276.	1.8	37
403	Management of mild pre-eclampsia. , 2001, , 357-368.		3
404	Measuring blood pressure in pregnancy and pre-eclampsia. , 2001, , 258-275.		3

#	ARTICLE	IF	CITATIONS
405	Neonatal nucleated red blood cell counts: relationship to abnormal fetoplacental circulation detected by Doppler studies.. Journal of Ultrasound in Medicine, 2001, 20, 183-190.	0.8	10
406	Postnatal Screening for Thrombophilia in Women With Severe Pregnancy Complications. Obstetrics and Gynecology, 2001, 97, 753-759.	1.2	47
407	Prediction of Adverse Outcomes by Common Definitions of Hypertension in Pregnancy. Obstetrics and Gynecology, 2001, 97, 261-267.	1.2	84
408	First-Trimester Maternal Serum Levels of Placenta Growth Factor as Predictor of Preeclampsia and Fetal Growth Restriction. Obstetrics and Gynecology, 2001, 98, 608-611.	1.2	29
409	Blood Pressure in Late Pregnancy and Work Outside the Home. Obstetrics and Gynecology, 2001, 97, 361-365.	1.2	6
410	Fibronectin is a Marker for Organ Involvement and may Reflect the Severity of Preeclampsia. Hypertension in Pregnancy, 2001, 20, 79-87.	0.5	17
411	Evidence for abnormal middle cerebral artery values in patients with idiopathic hydramnios. Journal of Maternal-Fetal and Neonatal Medicine, 2001, 10, 404-408.	0.7	15
412	Factor Analysis, Including Antihypertensive Medication, of the Outcome of Pregnancy in Pregnancy-Associated Hypertension. Kidney and Blood Pressure Research, 2001, 24, 124-128.	0.9	2
413	Synovial phospholipase A2 serumlevels in pregnancy and preeclampsia. Acta Obstetrica Et Gynecologica Scandinavica, 2001, 80, 27-27.	1.3	5
414	Erstmanifestation einer Epilepsie bei einer 17-jährigen?. Intensivmedizin Und Notfallmedizin, 2001, 38, 196-199.	0.2	0
415	The renin-aldosterone system during normal and hypertensive pregnancy. Archives of Gynecology and Obstetrics, 2001, 264, 182-185.	0.8	62
416	Significantly higher number of fetal cells in the maternal circulation of women with pre-eclampsia. Prenatal Diagnosis, 2001, 21, 1022-1026.	1.1	37
417	Leucocyte intracellular pH and Na ⁺ /H ⁺ exchanger isoform-1 activity in postpartum women with pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 615-622.	1.1	1
418	Plasma P-selectin is elevated in the first trimester in women who subsequently develop pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 709-715.	1.1	28
419	Can obstetric complications explain the high levels of obstetric interventions and maternity service use among older women? A retrospective analysis of routinely collected data. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 910-918.	1.1	37
420	Placental Superoxide is Increased in Pre-eclampsia. Placenta, 2001, 22, 304-308.	0.7	123
421	Uterine Artery Doppler Flow and Uteroplacental Vascular Pathology in Normal Pregnancies and Pregnancies Complicated by Pre-eclampsia and Small for Gestational Age Fetuses. Placenta, 2001, 22, 405-411.	0.7	213
422	Maternal plasma vascular endothelial growth factor concentrations in normal and hypertensive pregnancies and their relationship to peripheral vascular resistance. American Journal of Obstetrics and Gynecology, 2001, 184, 146-152.	0.7	107

#	ARTICLE	IF	CITATIONS
423	Inducible change in the behavior of resistance arteries from circulating factor in preeclampsia: An effect specific to myometrial vessels from pregnant women. American Journal of Obstetrics and Gynecology, 2001, 184, 420-426.	0.7	15
424	Infertility treatment is an independent risk factor for cesarean section among nulliparous women aged 40 and above. American Journal of Obstetrics and Gynecology, 2001, 185, 888-892.	0.7	74
425	Obstetrical intervention rates and maternal and neonatal outcomes of women with gestational hypertension. American Journal of Obstetrics and Gynecology, 2001, 185, 798-803.	0.7	77
426	Abnormal fetal heart rate tracing patterns during the first stage of labor: Effect on perinatal outcome. American Journal of Obstetrics and Gynecology, 2001, 185, 863-868.	0.7	30
427	Improved early prediction of pre-eclampsia by combining second-trimester maternal serum inhibin-A and uterine artery Doppler. Ultrasound in Obstetrics and Gynecology, 2001, 17, 477-484.	0.9	82
428	Twin chorionicity and pre-eclampsia. Ultrasound in Obstetrics and Gynecology, 2001, 18, 228-231.	0.9	58
429	Multicenter screening for pre-eclampsia and fetal growth restriction by transvaginal uterine artery Doppler at 23 weeks of gestation. Ultrasound in Obstetrics and Gynecology, 2001, 18, 441-449.	0.9	436
430	Maternal diastolic function in asymptomatic pregnant women with bilateral notching of the uterine artery waveform at 24 weeks' gestation: a pilot study. Ultrasound in Obstetrics and Gynecology, 2001, 18, 450-455.	0.9	32
431	Screening for pre-eclampsia and fetal growth restriction by uterine artery Doppler at 11-14 weeks of gestation. Ultrasound in Obstetrics and Gynecology, 2001, 18, 583-586.	0.9	335
432	Maternal Diastolic Dysfunction and Left Ventricular Geometry in Gestational Hypertension. Hypertension, 2001, 37, 1209-1215.	1.3	63
433	Preeclampsia and Fetal Loss in Women With a History of Venous Thromboembolism. Arteriosclerosis, Thrombosis, and Vascular Biology, 2001, 21, 874-879.	1.1	75
434	Placenta previa: obstetric risk factors and pregnancy outcome. Journal of Maternal-Fetal and Neonatal Medicine, 2001, 10, 414-419.	0.7	74
435	Blood pressure monitoring during pregnancy. Blood Pressure Monitoring, 2001, 6, 1-7.	0.4	20
436	Clinical Significance of Fetal Heart Rate Tracings During the Second Stage of Labor. Obstetrics and Gynecology, 2001, 97, 747-752.	1.2	29
437	Long-term sexual co-habitation offers no protection from hypertensive disease of pregnancy. Human Reproduction, 2001, 16, 349-352.	0.4	21
438	There is poor agreement between manual auscultatory and automated oscillometric methods for the measurement of blood pressure in normotensive pregnant women. Journal of Maternal-Fetal and Neonatal Medicine, 2001, 10, 398-403.	0.7	14
439	Decreased Maternal Serum Placenta Growth Factor in Early Second Trimester and Preeclampsia. Obstetrics and Gynecology, 2001, 97, 898-904.	1.2	39
440	The Diversity of Diagnoses of Preeclampsia. Hypertension in Pregnancy, 2001, 20, 57-67.	0.5	27

#	ARTICLE	IF	CITATIONS
441	Apolipoprotein E alleles in women with pre-eclampsia. <i>Journal of Clinical Pathology</i> , 2001, 54, 652-654.	1.0	25
442	Influence of Parity and Age on Ambulatory Monitored Blood Pressure During Pregnancy. <i>Hypertension</i> , 2001, 38, 753-758.	1.3	31
443	Chemokines and Leukocyte Activation in the Fetal Circulation During Preeclampsia. <i>Hypertension</i> , 2001, 38, 394-398.	1.3	59
444	Evaluation of the Blood Pressure Load in the Diagnosis of Hypertension in Pregnancy. <i>Hypertension</i> , 2001, 38, 723-729.	1.3	17
445	Predictable Blood Pressure Variability in Healthy and Complicated Pregnancies. <i>Hypertension</i> , 2001, 38, 736-741.	1.3	87
446	Time-Qualified Reference Values for Ambulatory Blood Pressure Monitoring in Pregnancy. <i>Hypertension</i> , 2001, 38, 746-752.	1.3	44
447	The influence of maternal age on pregnancy outcome in patients with early onset, severe pre-eclampsia. <i>Journal of Obstetrics and Gynaecology</i> , 2001, 21, 246-249.	0.4	2
448	Obstetric risk factors for failure to progress in the first versus the second stage of labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2002, 11, 409-413.	0.7	20
449	The relation between maternal work, ambulatory blood pressure, and pregnancy hypertension. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 389-393.	2.0	27
450	Fetal and maternal cardiovascular diurnal rhythms in pregnancies complicated by pre-eclampsia and intrauterine growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2002, 11, 313-320.	0.7	11
451	Activation of Leukocytes During the Uteroplacental Passage in Preeclampsia. <i>Hypertension</i> , 2002, 39, 155-160.	1.3	151
452	Preeclampsia Disrupts the Normal Physiology of Leptin. <i>American Journal of Perinatology</i> , 2002, 19, 303-310.	0.6	8
453	Neonatal and Maternal Serum Levels of Soluble ICAM-1 in Preeclamptic and Normal Pregnancies. <i>American Journal of Perinatology</i> , 2002, 19, 333-340.	0.6	8
454	Placental GH, IGF-I, IGF-Binding Protein-1, and Leptin during a Glucose Challenge Test in Pregnant Women: Relation with Maternal Body Weight, Glucose Tolerance, and Birth Weight. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 2875-2882.	1.8	57
455	FUNCTIONAL CHARACTERISTICS OF CHORIONIC PLATE PLACENTAL ARTERIES FROM NORMAL PREGNANT WOMEN AND WOMEN WITH PRE-ECLAMPSIA. <i>Hypertension in Pregnancy</i> , 2002, 21, 175-183.	0.5	24
457	Prognostic Value of Office and Ambulatory Blood Pressure Measurements in Pregnancy. <i>Hypertension</i> , 2002, 40, 298-303.	1.3	69
458	Prognostic Value of Absolute versus Relative Rise of Blood Pressure in Pregnancy. <i>African Journal of Reproductive Health</i> , 2002, 6, 32.	1.1	2
459	Transforming Growth Factor- β 1 in Fetal Serum Correlates With Insulin-like Growth Factor-I and Fetal Growth. <i>Obstetrics and Gynecology</i> , 2002, 100, 567-573.	1.2	4

#	ARTICLE	IF	CITATIONS
461	Differential mechanisms of endothelium-dependent vasodilator responses in human myometrial small arteries in normal pregnancy and pre-eclampsia. <i>Clinical Science</i> , 2002, 103, 67-73.	1.8	85
462	Altered Na ⁺ /H ⁺ exchanger isoform 1 activity in immortalized lymphoblasts from women with pre-eclampsia: evidence for an intermediate phenotype. <i>Clinical Science</i> , 2002, 103, 503-509.	1.8	2
463	Differential mechanisms of endothelium-dependent vasodilator responses in human myometrial small arteries in normal pregnancy and pre-eclampsia. <i>Clinical Science</i> , 2002, 103, 67.	1.8	26
464	Altered Na ⁺ /H ⁺ exchanger isoform 1 activity in immortalized lymphoblasts from women with pre-eclampsia: evidence for an intermediate phenotype. <i>Clinical Science</i> , 2002, 103, 503.	1.8	0
465	Implication of Maternal Nitrogen Balance in the Regulation of Circulating Levels of Insulin-Like Growth Factor-I in Human Pregnancy.. <i>Endocrine Journal</i> , 2002, 49, 299-305.	0.7	4
466	Prothrombotic Genotypes Are not Associated with Pre-eclampsia and Gestational Hypertension: Results from a Large Population-based Study and Systematic Review. <i>Thrombosis and Haemostasis</i> , 2002, 87, 779-785.	1.8	181
467	Noninvasive assessment of autonomic cardiovascular control in normal human pregnancy and pregnancy-associated hypertensive disorders. <i>Journal of Hypertension</i> , 2002, 20, 2111-2119.	0.3	45
468	Individual longitudinal patterns in biochemical and hematological markers for the early prediction of pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2002, 11, 93-99.	0.7	15
469	Interventionist versus expectant care for severe pre-eclampsia before term. , 2002, , CD003106.		48
470	NORMALIZATION OF VASOACTIVE CHANGES IN PREECLAMPSIA PRECEDES CLINICAL RECOVERY. <i>Hypertension in Pregnancy</i> , 2002, 21, 51-64.	0.5	8
471	Incidence, obstetric risk factors and pregnancy outcome of preterm placental abruption: a retrospective analysis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2002, 11, 34-39.	0.7	74
472	The effect of meconium on perinatal outcome: a prospective analysis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2002, 11, 54-59.	0.7	49
473	Risk factors for arrest of descent during the second stage of labor. <i>International Journal of Gynecology and Obstetrics</i> , 2002, 77, 7-14.	1.0	69
474	Urinary protein excretion and expectant management of early onset, severe pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2002, 77, 1-6.	1.0	29
475	Maternal and perinatal outcome in varying degrees of anemia. <i>International Journal of Gynecology and Obstetrics</i> , 2002, 79, 93-100.	1.0	145
476	Relationship between plasma malondialdehyde levels and adenosine deaminase activities in preeclampsia. <i>Clinica Chimica Acta</i> , 2002, 322, 169-173.	0.5	40
477	Semicarbazide-sensitive amine oxidase in pre-eclampsia: no relation with markers of endothelial cell activation. <i>Clinica Chimica Acta</i> , 2002, 324, 31-38.	0.5	9
478	19-Noraldosterone in pregnancy-induced hypertension. <i>Steroids</i> , 2002, 67, 605-610.	0.8	5

#	ARTICLE	IF	CITATIONS
479	Transforming growth factor- β 1 in fetal serum correlates with insulin-like growth factor-I and fetal growth. <i>Obstetrics and Gynecology</i> , 2002, 100, 567-573.	1.2	17
480	Managing hypertension in pregnancy. <i>Current Obstetrics & Gynaecology</i> , 2002, 12, 104-110.	0.2	3
482	Adrenomedullin, calcitonin gene-related peptide and their receptors: evidence for a decreased placental mRNA content in preeclampsia and HELLP syndrome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2002, 101, 47-53.	0.5	38
483	C-peptide and insulin levels at 24-30 weeks gestation: an increased risk of adverse pregnancy outcomes?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2002, 103, 130-135.	0.5	10
484	Predictive Value of Routine Circulating Soluble Endothelial Cell Adhesion Molecule Measurements during Pregnancy. <i>Clinical Chemistry</i> , 2002, 48, 1418-1425.	1.5	48
485	Second Trimester Uterine Artery Doppler Screening for Placental Insufficiency. <i>BMUS Bulletin</i> , 2002, 10, 10-14.	0.0	0
486	Enhanced Coagulation Activation in Preeclampsia: the Role of APC Resistance, Microparticles and Other Plasma Constituents. <i>Thrombosis and Haemostasis</i> , 2002, 88, 415-420.	1.8	62
487	Risk factors and outcome of failure to progress during the first stage of labor: a population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 222-226.	1.3	57
488	Monoamine Oxidase Expression and Activity in Human Placentae from Pre-eclamptic and Normotensive Pregnancies. <i>Placenta</i> , 2002, 23, 163-171.	0.7	32
489	Placental Pathology in Early Onset Pre-eclampsia and Intra-uterine Growth Restriction in Women With and Without Thrombophilia. <i>Placenta</i> , 2002, 23, 337-342.	0.7	81
490	Resistance artery smooth muscle function in pregnancy and preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 186, 148-154.	0.7	39
491	Syncytin, a novel human endogenous retroviral gene in human placenta: Evidence for its dysregulation in preeclampsia and HELLP syndrome. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 186, 210-213.	0.7	164
492	A longitudinal study of biochemical variables in women at risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 127-136.	0.7	304
493	No difference in structure between omental small arteries isolated from women with preeclampsia, intrauterine growth restriction, and normal pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 606-610.	0.7	15
494	Isolated microparticles, but not whole plasma, from women with preeclampsia impair endothelium-dependent relaxation in isolated myometrial arteries from healthy pregnant women. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 1686-1693.	0.7	101
495	Platelet changes and subsequent development of pre-eclampsia and fetal growth restriction in women with abnormal uterine artery Doppler screening. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 19, 443-448.	0.9	37
496	Screening for pre-eclampsia and fetal growth restriction in twin pregnancies at 23 weeks of gestation by transvaginal uterine artery Doppler. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 535-540.	0.9	61
497	Twelve cases of placental chorioangioma. <i>Archives of Gynecology and Obstetrics</i> , 2002, 266, 53-55.	0.8	29

#	ARTICLE	IF	CITATIONS
498	Risk factors and outcome of failure to progress during the first stage of labor: a population-based study*. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 222-226.	1.3	38
499	Is mid-trimester maternal serum inhibin-A a marker of preeclampsia or intrauterine growth restriction?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 540-543.	1.3	25
500	High Serum Interleukin-8 Levels in Afro-Caribbean Women with Pre-eclampsia. Relations with Tumor Necrosis Factor- α , Duffy Negative Phenotype and Von Willebrand Factor. <i>American Journal of Reproductive Immunology</i> , 2002, 48, 319-322.	1.2	36
501	Leptin and pre-eclampsia in Black African parturients. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 1256-1261.	1.1	18
502	Gestational diabetes versus obesity as risk factors for pregnancy-induced hypertensive disorders and fetal macrosomia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2002, 42, 35-40.	0.4	33
503	Does endothelial cell activation occur with intrauterine growth restriction?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 836-839.	1.1	69
504	The association of pre-eclampsia with the Duffy negative phenotype in women of West African descent. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 453-455.	1.1	6
505	Inflationary oscillometry provides accurate measurement of blood pressure in pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 1143-1147.	1.1	30
506	Cross-sectional and longitudinal evaluation of uterine artery Doppler velocimetry for the prediction of pre-eclampsia in normotensive women with specific risk factors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 160-165.	0.9	19
507	Randomized controlled trial using low-dose aspirin in the prevention of pre-eclampsia in women with abnormal uterine artery Doppler at 23 weeks' gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 233-239.	0.9	163
509	Does consanguinity affect the severity of pre-eclampsia?. <i>Archives of Gynecology and Obstetrics</i> , 2003, 268, 117-120.	0.8	7
510	Maternal cardiac systolic function and total body water estimation in normal and gestational hypertensive women. <i>Acta Diabetologica</i> , 2003, 40, s216-s221.	1.2	5
511	Maternal serum activin, inhibin, human chorionic gonadotrophin and β -fetoprotein as second trimester predictors of pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 46-52.	1.1	0
512	Stereological Investigation of Placental Morphology in Pregnancies Complicated by Pre-eclampsia with and without Intrauterine Growth Restriction. <i>Placenta</i> , 2003, 24, 219-226.	0.7	239
513	Longitudinal evaluation of markers of endothelial cell dysfunction and hemostasis in treated antiphospholipid syndrome and in healthy pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 454-460.	0.7	23
514	Regulation of insulin-like growth factor-I and insulin-like growth factor binding protein-1 concentrations in preterm fetuses. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 485-491.	0.7	50
515	Longitudinal analysis of serum insulin-like growth factor-I and insulin-like growth factor binding protein-1 in antiphospholipid syndrome and in healthy pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 274-279.	0.7	4
516	Preprandial versus postprandial blood glucose monitoring in type 1 diabetic pregnancy: A randomized controlled clinical trial. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 507-512.	0.7	101

#	ARTICLE	IF	CITATIONS
517	Epidemiology of preeclampsia in Mauritius island. <i>Journal of Reproductive Immunology</i> , 2003, 59, 101-109.	0.8	7
518	HLA-DR in couples associated with preeclampsia: background and updating by DNA sequencing. <i>Journal of Reproductive Immunology</i> , 2003, 59, 235-243.	0.8	13
519	Serum insulin-like growth factors in normal pregnancy and in pregnancies complicated by preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003, 82, 1004-1009.	1.3	10
520	Maternal serum activin, inhibin, human chorionic gonadotrophin and alpha-fetoprotein as second trimester predictors of pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 46-52.	1.1	19
521	Validation of the Welch Allyn 'Vital Signs' blood pressure measurement device in pregnancy and pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 134-138.	1.1	31
522	Myeloid and lymphoid dendritic cells in normal pregnancy and pre-eclampsia. <i>Clinical and Experimental Immunology</i> , 2003, 132, 339-344.	1.1	40
523	Myometrial and placental artery reactivity alone cannot explain reduced placental perfusion in pre-eclampsia and intrauterine growth restriction. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 909-915.	1.1	36
524	Serum IGF-I and IGFBP-3 in healthy pregnancies and patients with preeclampsia. <i>Clinical Biochemistry</i> , 2003, 36, 221-223.	0.8	22
525	Bilateral Total Loss of Vision Following Eclampsia: A Case Report. <i>African Journal of Reproductive Health</i> , 2003, 7, 106.	1.1	6
526	Delivery before 32 weeks of gestation for maternal pre-eclampsia: neonatal outcome and 2-year developmental outcome. <i>Early Human Development</i> , 2003, 76, 39-39.	0.8	1
527	L-Arginine Transport across the Basal Plasma Membrane of the Syncytiotrophoblast of the Human Placenta from Normal and Preeclamptic Pregnancies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 4287-4292.	1.8	38
528	Triglyceride-Rich Lipoproteins Are Associated with Hypertension in Preeclampsia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 1162-1166.	1.8	90
529	Increased high molecular weight fibrinogen in pre-eclampsia. <i>Thrombosis Research</i> , 2003, 111, 143-147.	0.8	20
530	Calcium to creatinine ratio in a spot sample of urine for early prediction of pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2003, 80, 279-283.	1.0	26
531	Effect of lycopene on pre-eclampsia and intra-uterine growth retardation in primigravidas. <i>International Journal of Gynecology and Obstetrics</i> , 2003, 81, 257-262.	1.0	65
532	Endothelial dysfunction and raised plasma concentrations of asymmetric dimethylarginine in pregnant women who subsequently develop pre-eclampsia. <i>Lancet, The</i> , 2003, 361, 1511-1517.	6.3	457
533	Maternal cardiac function in twin pregnancy. <i>Obstetrics and Gynecology</i> , 2003, 102, 806-815.	1.2	75
534	Nifedipine-induced changes in body composition in hypertensive patients at term. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003, 106, 139-143.	0.5	9

#	ARTICLE	IF	CITATIONS
535	Neutrophil intracellular pH and Na ⁺ /H ⁺ exchanger activity in pre-eclampsia. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 87-93.	1.5	2
536	Differences in circadian blood pressure variability during gestation between healthy and complicated pregnancies. <i>American Journal of Hypertension</i> , 2003, 16, 200-208.	1.0	33
538	Are Gestational and Essential Hypertension Similar? Left Ventricular Geometry and Diastolic Function. <i>Hypertension in Pregnancy</i> , 2003, 22, 225-237.	0.5	16
539	Circadian Rhythm of Blood Pressure Challenges Office Values as the "Gold Standard" in the Diagnosis of Gestational Hypertension. <i>Chronobiology International</i> , 2003, 20, 135-156.	0.9	25
540	Pathological Uterine Perfusion in the Second Trimester Is Not Associated with Neutrophil Activation. <i>Hypertension in Pregnancy</i> , 2003, 22, 239-245.	0.5	11
541	NADPH Oxidase Activity in Preeclampsia With Immortalized Lymphoblasts Used as Models. <i>Hypertension</i> , 2003, 41, 925-931.	1.3	44
542	Administration Time-Dependent Influence of Aspirin on Blood Pressure in Pregnant Women. <i>Hypertension</i> , 2003, 41, 651-656.	1.3	77
543	Left Ventricular Concentric Geometry as a Risk Factor in Gestational Hypertension. <i>Hypertension</i> , 2003, 41, 469-475.	1.3	43
544	Pre-Eclampsia: Maternal Risk Factors and Perinatal Outcome. <i>Fetal Diagnosis and Therapy</i> , 2003, 18, 275-280.	0.6	28
545	Sampling Requirements for Ambulatory Blood Pressure Monitoring in the Diagnosis of Hypertension in Pregnancy. <i>Hypertension</i> , 2003, 42, 619-624.	1.3	49
546	Maternal-Fetal Flow, Negative Events, and Preeclampsia. <i>Hypertension</i> , 2003, 41, 932-937.	1.3	85
547	First-Trimester Blood Pressure and Gestational Diabetes in High-Risk Chinese Women. <i>Journal of the Society for Gynecologic Investigation</i> , 2003, 10, 94-98.	1.9	3
548	Birthweight and Gestational Age as Predictors of Outcome in Preterm Deliveries for Severe Preeclampsia. <i>Journal of Tropical Pediatrics</i> , 2003, 49, 178-180.	0.7	4
549	Patients with Severe Preeclampsia Experience Less Hypotension During Spinal Anesthesia for Elective Cesarean Delivery than Healthy Parturients: A Prospective Cohort Comparison. <i>Anesthesia and Analgesia</i> , 2003, 97, 867-872.	1.1	174
550	Inherited Thrombophilia, Pregnancy, and Oral Contraceptive Use: Clinical Implications. <i>Seminars in Vascular Medicine</i> , 2003, 03, 047-060.	2.1	16
551	Sexual Dimorphism in the Growth Hormone and Insulin-Like Growth Factor Axis at Birth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 3708-3714.	1.8	117
552	Blood Pressure, Serum Lipids, Fasting Insulin, and Adrenal Hormones in 12-Year-Old Children Born with Maternal Preeclampsia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 1217-1222.	1.8	108
553	Placental abruption in term pregnancies: clinical significance and obstetric risk factors. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2003, 13, 45-49.	0.7	85

#	ARTICLE	IF	CITATIONS
554	Validation of the DCAÂ® 2000 Microalbumin:Creatinine Ratio Urinalyzer for Its Use in Pregnancy and Preeclampsia. <i>Hypertension in Pregnancy</i> , 2003, 22, 77-92.	0.5	15
555	Serious Perinatal Complications of Non-Proteinuric Hypertension: An International, Multicentre, Retrospective Cohort Study. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2003, 25, 372-382.	0.3	53
556	Maternal Cardiac Function in Twin Pregnancy. <i>Obstetrics and Gynecology</i> , 2003, 102, 806-815.	1.2	62
557	Neutrophil activation and production of reactive oxygen species in pre-eclampsia. <i>Journal of Hypertension</i> , 2003, 21, 395-402.	0.3	75
558	Validation and use of the Finometer™ for blood pressure measurement in normal, hypertensive and pre-eclamptic pregnancy. <i>Journal of Hypertension</i> , 2003, 21, 2053-2060.	0.3	30
560	High-sodium intake prevents pregnancy-induced decrease of blood pressure in the rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 285, H375-H383.	1.5	47
561	Serum insulin-like growth factors in normal pregnancy and in pregnancies complicated by preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003, 82, 1004-1009.	1.3	22
562	Investigation of Placental Stem Villi Arteries in Fetally Growth-Restricted Pregnancies: A Multivariate Analysis. <i>Gynecologic and Obstetric Investigation</i> , 2003, 55, 32-36.	0.7	5
563	AvaliaÃ§Ã£o do dÃ¡mero D (D-Di) na doenÃ§a hipertensiva especÃ­fica da gravidez (DHEG). <i>Jornal Brasileiro De Patologia E Medicina Laboratorial</i> , 2003, 39, 199.	0.3	2
564	First-trimester maternal serum activin A in pre-eclampsia and fetal growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2004, 15, 176-180.	0.7	32
567	Risk of complications of pregnancy in women with type 1 diabetes: nationwide prospective study in the Netherlands. <i>BMJ: British Medical Journal</i> , 2004, 328, 915.	2.4	616
568	Vasoconstriction of Small Arteries Isolated from the Human Placental Chorionic Plate in Normal and Compromised Pregnancy. <i>Hypertension in Pregnancy</i> , 2004, 23, 237-246.	0.5	14
569	An Image Analysis Technique for the Investigation of Variations in Placental Morphology in Pregnancies Complicated by Preeclampsia With and Without Intrauterine Growth Restriction. <i>Journal of the Society for Gynecologic Investigation</i> , 2004, 11, 545-552.	1.9	45
570	Transient Remnant Removal Disease in Acute Fatty Liver of Pregnancy. <i>Hypertension in Pregnancy</i> , 2004, 23, 143-153.	0.5	4
571	Evaluation of Red Blood Cell Deformability and Uterine Blood Flow in Pregnant Women with Preeclampsia or IUGR and Reduced Uterine Blood Flow Following the Intravenous Application of Magnesium. <i>Hypertension in Pregnancy</i> , 2004, 23, 331-343.	0.5	11
572	Maternal blood pressure in pregnancy, birth weight, and perinatal mortality in first births: prospective study. <i>BMJ: British Medical Journal</i> , 2004, 329, 1312.	2.4	113
573	Differences in Circadian Pattern of Ambulatory Pulse Pressure Between Healthy and Complicated Pregnancies. <i>Hypertension</i> , 2004, 44, 316-321.	1.3	23
574	Maternal and fetal single nucleotide polymorphisms in the epoxide hydrolase and glutathione S-transferase P1 genes are not associated with pre-eclampsia in the Coloured population of the Western Cape, South Africa. <i>Journal of Obstetrics and Gynaecology</i> , 2004, 24, 866-872.	0.4	19

#	ARTICLE	IF	CITATIONS
575	Endogenous retroviral syncytin: compilation of experimental research on syncytin and its possible role in normal and disturbed human placentogenesis. <i>Molecular Human Reproduction</i> , 2004, 10, 581-588.	1.3	43
576	Pregnant patients with thrombophilia and subsequent adverse pregnancy outcomes have a decreased first trimester response to thrombomodulin in an activated partial thromboplastin time (APTT) system. <i>Journal of Thrombosis and Haemostasis</i> , 2004, 2, 840-841.	1.9	10
577	Role of thrombin in angiogenesis: a rebuttal. <i>Journal of Thrombosis and Haemostasis</i> , 2004, 2, 841-842.	1.9	3
578	Cross sectional study of automated blood pressure measurements throughout pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 319-325.	1.1	45
579	Obstetric risk factors and persistent increases in brain parenchymal echogenicity in preterm infants. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 913-918.	1.1	11
580	Maternal cardiac function during pregnancy at high altitude. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 1051-1058.	1.1	28
581	Neurokinin B and nitric oxide plasma levels in pre-eclampsia and isolated intrauterine growth restriction. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 1046-1050.	1.1	28
582	Interaction between risk factors for fetal growth retardation associated with abnormal umbilical artery Doppler studies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 431-435.	1.3	9
583	Pregnancy at high altitude: a hyperviscosity state. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 627-633.	1.3	30
584	Upregulation of Neutrophil Surface Adhesion Molecules in Infants of Pre-eclamptic Women. <i>Journal of Perinatology</i> , 2004, 24, 208-212.	0.9	10
585	Birth weight is associated with postmenopausal breast cancer risk in Swedish women. <i>British Journal of Cancer</i> , 2004, 91, 1666-1668.	2.9	32
586	Functional Magnetic Resonance Imaging (Magnetization Transfer) and Stereological Analysis of Human Placentae in Normal Pregnancy and in Pre-eclampsia and Intrauterine Growth Restriction. <i>Placenta</i> , 2004, 25, 408-412.	0.7	28
587	Placental protein 13 (PP-13): effects on cultured trophoblasts, and its detection in human body fluids in normal and pathological pregnancies. <i>Placenta</i> , 2004, 25, 608-622.	0.7	121
588	Delivery before 32 weeks of gestation for maternal pre-eclampsia: neonatal outcome and 2-year developmental outcome. <i>Early Human Development</i> , 2004, 76, 39-46.	0.8	81
589	Two-year infant neurodevelopmental outcome after single or multiple antenatal courses of corticosteroids to prevent complications of prematurity. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, 217-224.	0.7	134
590	Effects of a phosphodiesterase-5 (PDE5) inhibitor on endothelium-dependent relaxation of myometrial small arteries. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 190, 1283-1290.	0.7	55
591	The common prothrombotic factors in nulliparous women do not compromise blood flow in the fetomaternal circulation and are not associated with preeclampsia or intrauterine growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, 2002-2009.	0.7	43
592	Reduced antioxidant capacity in second-trimester pregnancies with pathological uterine perfusion. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004, 23, 579-583.	0.9	14

#	ARTICLE	IF	CITATIONS
593	Abnormal maternal cardiac function precedes the clinical manifestation of fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004, 24, 23-29.	0.9	60
594	The value of uterine artery Doppler in the prediction of uteroplacental complications in multiparous women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004, 23, 50-55.	0.9	91
595	A retrospective study of unplanned out-of-hospital deliveries. <i>Archives of Gynecology and Obstetrics</i> , 2004, 269, 85-88.	0.8	12
596	Trophoblasts and Soluble Adhesion Molecules in Peripheral Blood of Women with Pregnancy-Induced Hypertension. <i>American Journal of Reproductive Immunology</i> , 2004, 51, 152-155.	1.2	4
597	Healthy and pre-eclamptic placental basal plate lining cells: Quantitative comparisons based on confocal laser scanning microscopy. <i>Microscopy Research and Technique</i> , 2004, 64, 54-62.	1.2	10
598	Confocal laser scanning microscope study of cytokeratin immunofluorescence differences between villous and extravillous trophoblast: Cytokeratin downregulation in pre-eclampsia. <i>Microscopy Research and Technique</i> , 2004, 64, 43-53.	1.2	16
599	Maternal and fetal outcome in eclamptic patients in Benin City, Nigeria. <i>Journal of Obstetrics and Gynaecology</i> , 2004, 24, 765-768.	0.4	64
600	Changes in serum levels of leptin, cytokines and lipoprotein in pre-eclamptic and normotensive pregnant women. <i>Gynecological Endocrinology</i> , 2004, 19, 267-273.	0.7	95
601	Applications of polymorphisms and pharmacogenomics in obstetrics and gynecology. <i>Pharmacogenomics</i> , 2004, 5, 57-65.	0.6	63
603	Shift in Expression of HLA-G mRNA Spliceforms in Pregnancies Complicated by Preeclampsia. <i>Journal of the Society for Gynecologic Investigation</i> , 2004, 11, 220-226.	1.9	19
605	Risk factors for recurrent preterm delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 113, 160-163.	0.5	24
606	Three-dimensional spheroidal culture of cytotrophoblast cells mimics the phenotype and differentiation of cytotrophoblasts from normal and preeclamptic pregnancies. <i>Experimental Cell Research</i> , 2004, 297, 415-423.	1.2	80
607	Plasma levels of thrombin activatable fibrinolysis inhibitor in normal and preeclamptic pregnant women. <i>Thrombosis Research</i> , 2004, 114, 155-159.	0.8	16
608	Methodological and technical issues related to the diagnosis, screening, prevention, and treatment of pre-eclampsia and eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2004, 85, S28-S41.	1.0	105
609	The Diabetes and Pre-eclampsia Intervention Trial. <i>International Journal of Gynecology and Obstetrics</i> , 2004, 87, 66-71.	1.0	24
610	Hyperuricaemia and preeclampsia: is there a pathogenic link?. <i>Medical Hypotheses</i> , 2004, 63, 239-244.	0.8	26
611	Circadian Blood Pressure Variability as a Function of Parity in Normotensive Pregnant Women. <i>Journal of Clinical Hypertension</i> , 2004, 6, 126-133.	1.0	6
612	Prognostic value of ambulatory blood pressure measurements for the diagnosis of hypertension in pregnancy. <i>Expert Review of Cardiovascular Therapy</i> , 2004, 2, 375-391.	0.6	15

#	ARTICLE	IF	CITATIONS
613	Does Human Immunodeficiency Virus Infection Protect Against Preeclampsia-Eclampsia?. <i>Obstetrics and Gynecology</i> , 2004, 104, 238-242.	1.2	36
614	Prediction of Preeclampsia: Can It Be Achieved?. <i>Obstetrical and Gynecological Survey</i> , 2004, 59, 464-482.	0.2	33
615	Serial assessment of cardiovascular control shows early signs of developing pre-eclampsia. <i>Journal of Hypertension</i> , 2004, 22, 369-376.	0.3	46
616	Reproducibility of the tolerance-hyperbaric test for diagnosing hypertension in pregnancy. <i>Journal of Hypertension</i> , 2004, 22, 565-572.	0.3	14
617	Second trimester Doppler ultrasound screening of the uterine arteries differentiates between subsequent normal and poor outcomes of hypertensive pregnancy: two different pathophysiological entities?. <i>Clinical Science</i> , 2004, 106, 377-382.	1.8	72
618	Prothrombin 20210A Mutation. <i>Archives of Internal Medicine</i> , 2004, 164, 1932.	4.3	93
619	In Vivo Analysis of Trophoblast Cell Invasion in the Human. , 2006, 122, 9-44.		15
620	The effect of pre-eclampsia on the levels of coagulation and fibrinolysis factors in umbilical cord blood of newborns. <i>Blood Coagulation and Fibrinolysis</i> , 2005, 16, 177-181.	0.5	9
621	Clinical guidelines in severe pre-eclampsia and eclampsia. <i>Clinical Governance</i> , 2005, 10, 291-299.	0.4	3
622	Reference thresholds for 24-h, diurnal, and nocturnal ambulatory blood pressure mean values in pregnancy. <i>Blood Pressure Monitoring</i> , 2005, 10, 33-41.	0.4	11
623	Bed rest with or without hospitalisation for hypertension during pregnancy. <i>The Cochrane Library</i> , 2005, , CD003514.	1.5	41
624	A randomized trial of plasma volume expansion in hypertensive disorders of pregnancy: Influence on the pulsatility indices of the fetal umbilical artery and middle cerebral artery. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 233-239.	0.7	30
625	Remodeling of myometrial radial arteries in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 572-579.	0.7	46
626	Uterine artery Doppler at 11-14 weeks of gestation to screen for hypertensive disorders and associated complications in an unselected population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 490-494.	0.9	158
627	Protein Z, protein S levels are lower in patients with thrombophilia and subsequent pregnancy complications. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 497-501.	1.9	87
628	Optimal bedside urinalysis for the detection of proteinuria in hypertensive pregnancy: a study of diagnostic accuracy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 412-417.	1.1	75
629	An accurate automated blood pressure device for use in pregnancy and pre-eclampsia: the Microlife 3BTO-A. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 915-920.	1.1	97
630	A randomised controlled trial comparing two temporising management strategies, one with and one without plasma volume expansion, for severe and early onset pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 1358-1368.	1.1	131

#	ARTICLE	IF	CITATIONS
631	Maternal complications in women with chronic hypertension: a population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 419-424.	1.3	44
632	Impact of hypertensive disorders of pregnancy at term on infant birth weight. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 875-877.	1.3	12
633	Effect of glutamine on cell adhesion molecule expression and leukocyte transmigration in endothelial cells stimulated by preeclamptic plasma. <i>Nutrition</i> , 2005, 21, 1134-1140.	1.1	12
634	Determination of Interleukin-6 and Tumor Necrosis Factor-alpha concentrations in Iranian-Khorasanian patients with preeclampsia. <i>BMC Pregnancy and Childbirth</i> , 2005, 5, 14.	0.9	47
635	Maternal and fetal plasma adenosine deaminase, xanthine oxidase and malondialdehyde levels in pre-eclampsia. <i>Cell Biochemistry and Function</i> , 2005, 23, 279-283.	1.4	47
636	Third degree perineal tears in a university medical center where midline episiotomies are not performed. <i>Archives of Gynecology and Obstetrics</i> , 2005, 271, 307-310.	0.8	56
637	Hydramnios and small for gestational age are independent risk factors for neonatal mortality and maternal morbidity. <i>Archives of Gynecology and Obstetrics</i> , 2005, 271, 296-301.	0.8	12
638	Uterine leiomyoma among women who conceived following fertility treatment. <i>Archives of Gynecology and Obstetrics</i> , 2005, 272, 218-222.	0.8	4
639	Uterine Artery Doppler Velocimetry During Mid-second Trimester to Predict Complications of Pregnancy Based on Unilateral or Bilateral Abnormalities. <i>Yonsei Medical Journal</i> , 2005, 46, 652.	0.9	9
640	Maternal complications in women with chronic hypertension: a population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 419-424.	1.3	55
641	First Trimester Sex Hormone-Binding Globulin and Subsequent Development of Preeclampsia or Other Adverse Pregnancy Outcomes. <i>Hypertension in Pregnancy</i> , 2005, 24, 303-311.	0.5	31
642	Low-Molecular-Weight Heparin Lowers the Recurrence Rate of Preeclampsia and Restores the Physiological Vascular Changes in Angiotensin-Converting Enzyme DD Women. <i>Hypertension</i> , 2005, 45, 86-91.	1.3	128
643	In Preeclampsia, the Circulating Factors Capable of Altering In Vitro Endothelial Function Precede Clinical Disease. <i>Hypertension</i> , 2005, 45, 258-263.	1.3	85
644	The Influence of Cigarette Smoking on Antenatal Growth, Birth Size, and the Insulin-Like Growth Factor Axis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 2556-2562.	1.8	97
645	Short-Term (0â€“48 h) Effects of Maternal Betamethasone Administration on Fetal Heart Rate and Its Variability. <i>Pediatric Research</i> , 2005, 57, 545-549.	1.1	25
646	First trimester maternal blood rheology and pregnancy induced hypertension. <i>Journal of Obstetrics and Gynaecology</i> , 2005, 25, 746-750.	0.4	4
647	Evaluation of the role of day assessment unit in the management of pregnancy induced hypertension. <i>Journal of Obstetrics and Gynaecology</i> , 2005, 25, 651-655.	0.4	3
648	Adipokine Profile and C-Reactive Protein in Pregnancy: Effects of Glucose Challenge Response Versus Body Mass Index. <i>Journal of the Society for Gynecologic Investigation</i> , 2005, 12, 330-334.	1.9	18

#	ARTICLE	IF	CITATIONS
649	The Incidence of Severe Complications of Preeclampsia. Hypertension in Pregnancy, 2005, 24, 181-190.	0.5	42
650	The Accuracy of Urine Dipsticks as a Screening Test for Proteinuria in Hypertensive Disorders of Pregnancy. Hypertension in Pregnancy, 2005, 24, 117-123.	0.5	53
651	Prediction of Preeclampsia or Intrauterine Growth Restriction by Second Trimester Serum Screening and Uterine Doppler Velocimetry. Fetal Diagnosis and Therapy, 2005, 20, 48-53.	0.6	79
652	Altered Metabolic Profiles among Older Mothers with a History of Preeclampsia. Gynecologic and Obstetric Investigation, 2005, 59, 192-201.	0.7	17
653	Excess Soluble fms-Like Tyrosine Kinase 1 and Low Platelet Counts in Premature Neonates of Preeclamptic Mothers. Pediatrics, 2005, 116, 468-472.	1.0	78
654	Urine Protein Estimation in Hypertensive Pregnancy: Which Thresholds and Laboratory Assay Best Predict Clinical Outcome?. Hypertension in Pregnancy, 2005, 24, 291-302.	0.5	43
655	Angiotensin II Type 1 Receptor Agonistic Antibodies Reflect Fundamental Alterations in the Uteroplacental Vasculature. Hypertension, 2005, 46, 1275-1279.	1.3	117
656	Circadian Blood Pressure Variability in Normotensive Pregnant Women as a Function of Parity, Maternal Age, and Stage of Gestation. Chronobiology International, 2005, 22, 321-341.	0.9	8
657	Increased soluble VCAM-1 serum levels in preeclampsia are not correlated to urinary excretion or circadian blood pressure rhythm. Journal of Perinatal Medicine, 2005, 33, 144-8.	0.6	6
658	Hypertension and renal disease in pregnancy. Women's Health Medicine, 2005, 2, 13-17.	0.0	0
659	A Prospective Analysis of the Role of Uterine Artery Doppler Waveform Notching in the Assessment of At-Risk Pregnancies. Hypertension in Pregnancy, 2005, 24, 137-145.	0.5	19
660	Ephedrine requirements are reduced during spinal anaesthesia for caesarean section in preeclampsia. International Journal of Obstetric Anesthesia, 2005, 14, 9-13.	0.2	73
661	The role of lipoprotein (a) in pregnancies complicated by pre-eclampsia. Medical Hypotheses, 2005, 64, 162-169.	0.8	26
662	Placental barrier breakage in preeclampsia: ultrastructural evidence. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 118, 182-189.	0.5	31
663	Lipid peroxidation, antioxidant defense, status of trace metals and leptin levels in preeclampsia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 119, 60-66.	0.5	159
664	Factor VIII levels and the risk of pre-eclampsia, HELLP syndrome, pregnancy related hypertension and severe intrauterine growth retardation. Thrombosis Research, 2005, 115, 387-392.	0.8	23
666	Prophylactic Therapy for Patients with Reproductive Failure Who were Positive for Anti-Phospholipid Antibodies. American Journal of Reproductive Immunology, 2006, 56, 237-242.	1.2	8
667	Maternal Diseases Complicating Pregnancy: Diabetes, Tumors, Preeclampsia, Lupus Anticoagulant. , 2006, , 584-656.		0

#	ARTICLE	IF	CITATIONS
668	Maternal body size and birth weight: can insulin or adipokines do better?. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 339-344.	1.5	32
669	Phosphodiesterase-5 inhibitors and omental and placental small artery function in normal pregnancy and pre-eclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 127, 41-49.	0.5	32
670	The effect of maternal characteristics on endothelial-dependent relaxation of myometrial arteries. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 124, 158-163.	0.5	8
671	Early pre-eclampsia: What proportion of women qualify for expectant management and if not, why not?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 128, 169-174.	0.5	27
672	Human chorionic gonadotropin levels between 16 and 21 weeks of pregnancy and prediction of pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2006, 92, 101-105.	1.0	16
673	Rates of neonatal death and cerebral palsy associated with fetal growth restriction among very low birthweight infants. A temporal analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006, 113, 775-780.	1.1	13
674	Maternal total vascular resistance and concentric geometry: a key to identify uncomplicated gestational hypertension. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006, 113, 1044-1052.	1.1	43
675	Uterine vein and maternal urinary levels of activin A and inhibin A in pre-eclampsia patients. <i>Clinical Endocrinology</i> , 2006, 64, 469-473.	1.2	24
676	Chronic hypertension as a risk factor for offspring to be born small for gestational age. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 1046-1050.	1.3	34
677	Urine albumin/creatinine ratio for the assessment of albuminuria in pregnancy hypertension. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 1327-1330.	1.3	31
678	Prediction of pre-eclampsia by uterine artery Doppler ultrasonography and maternal serum pregnancy-associated plasma protein-A, free β -human chorionic gonadotropin, activin A and inhibin A at 22 + 0 to 24 + 6 weeks' gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 658-663.	0.9	116
679	Sequential changes in uterine artery blood flow pattern between the first and second trimesters of gestation in relation to pregnancy outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 802-808.	0.9	121
680	Prediction of maternal complications and adverse infant outcome at admission for temporizing management of early-onset severe hypertensive disorders of pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 495-503.	0.7	98
681	Maternal serum concentration of soluble fms-like tyrosine kinase 1 and vascular endothelial growth factor in women with abnormal uterine artery Doppler and in those with fetal growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 1668-1673.	0.7	88
682	Skin autofluorescence, a marker of advanced glycation end products and oxidative stress, is increased in recently preeclamptic women. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 717-722.	0.7	19
683	Increased Insulin Levels Independent of Gestational Overweight in Women with Preeclampsia. <i>Archives of Medical Research</i> , 2006, 37, 749-754.	1.5	13
684	The Placental Bed in Pregnancies Complicated by Primary Antiphospholipid Syndrome. <i>Placenta</i> , 2006, 27, 457-467.	0.7	94
685	Confocal Laser Scanning Microscope Study of Terminal Villi Vessels in Normal Term and Pre-eclamptic Placentas. <i>Placenta</i> , 2006, 27, 735-739.	0.7	33

#	ARTICLE	IF	CITATIONS
686	Increased Intima-Media Thickness After Early-Onset Preeclampsia. <i>Obstetrics and Gynecology</i> , 2006, 107, 1345-1351.	1.2	51
687	Maternal Preeclampsia Predicts Elevated Blood Pressure in 12-Year-Old Children: Evaluation by Ambulatory Blood Pressure Monitoring. <i>Pediatric Research</i> , 2006, 59, 320-324.	1.1	102
688	Objective prioritization of positional candidate genes at a quantitative trait locus for pre-eclampsia on 2q22. <i>Molecular Human Reproduction</i> , 2006, 12, 505-512.	1.3	71
689	The East Flanders Prospective Twin Survey (EFPTS). <i>Twin Research and Human Genetics</i> , 2006, 9, 733-738.	0.3	48
690	Pre-eclampsia Versus Cardiovascular Disease Versus CRP. <i>Current Hypertension Reviews</i> , 2006, 2, 317-323.	0.5	0
691	Combining 2nd-Trimester Maternal Serum Homocysteine Levels and Uterine Artery Doppler for Prediction of Preeclampsia and Isolated Intrauterine Growth Restriction. <i>Gynecologic and Obstetric Investigation</i> , 2006, 61, 142-148.	0.7	36
692	Assessment of pulse transit time to indicate cardiovascular changes during obstetric spinal anaesthesia â€. <i>British Journal of Anaesthesia</i> , 2006, 96, 100-105.	1.5	79
693	Increased Sympathetic Activity Present in Early Hypertensive Pregnancy is Not Lowered by Plasma Volume Expansion. <i>Hypertension in Pregnancy</i> , 2006, 25, 143-157.	0.5	16
694	Hypertensive disorders of pregnancy: preventative-, immediate- and long-term management. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2006, 6, 541-554.	0.7	6
695	Maternal left ventricular diastolic and systolic long-axis function during normal pregnancy. <i>European Journal of Echocardiography</i> , 2007, 8, 360-368.	2.3	69
696	Severe early onset pre-eclampsia: prognostic value of ultrasound and Doppler assessment. <i>Journal of Perinatology</i> , 2007, 27, 335-342.	0.9	24
697	Preeclampsia and Brain Damage among Preterm Infants: A Changed Panorama in a 20-Year Analysis. <i>American Journal of Perinatology</i> , 2007, 24, 101-106.	0.6	9
699	Prediction of Pre-Eclampsia in Early Pregnancy. <i>Women's Health</i> , 2007, 3, 571-582.	0.7	0
700	The Association of Hypertensive Disorders of Pregnancy with Weight Gain over the Subsequent 21 Years: Findings from a Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2007, 166, 421-428.	1.6	39
701	Relationship between Thrombophilic Disorders and Type of Severe Early-Onset Hypertensive Disorder of Pregnancy. <i>Hypertension in Pregnancy</i> , 2007, 26, 433-445.	0.5	20
702	Predicting Transformation from Gestational Hypertension to Preeclampsia in Clinical Practice: A Possible Role for 24 Hour Ambulatory Blood Pressure Monitoring. <i>Hypertension in Pregnancy</i> , 2007, 26, 77-87.	0.5	39
703	Increased Concentration of Soluble CD40 Ligand in Preeclampsia. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2007, 13, 201-205.	0.7	7
704	Rapid Assessment of Blood Pressure in the Obstetric Day Unit Using Microlife MaM Technology. <i>Hypertension in Pregnancy</i> , 2007, 26, 31-37.	0.5	31

#	ARTICLE	IF	CITATIONS
705	Risk Factors for Cardiovascular Disease in Women with a History of Pregnancy Complicated by Preeclampsia or Intrauterine Growth Restriction. <i>Hypertension in Pregnancy</i> , 2007, 26, 39-50.	0.5	133
706	Blood Pressure Monitoring in Cardiovascular Medicine and Therapeutics. , 2007, , .		11
707	Decreased flow-mediated dilation is present 1 year after a pre-eclamptic pregnancy. <i>Journal of Hypertension</i> , 2007, 25, 2301-2307.	0.3	67
708	Tissue kallikrein and kininogen levels in fetoplacental tissues from normotensive pregnant women and women with pregnancy-induced hypertension. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 134, 15-19.	0.5	7
709	Antiplatelet agents for prevention of pre-eclampsia: a meta-analysis of individual patient data. <i>Lancet, The</i> , 2007, 369, 1791-1798.	6.3	887
710	Antihypertensive drug therapy for mild to moderate hypertension during pregnancy. , 2007, , CD002252.		157
711	Second-trimester uterine artery Doppler pulsatility index and maternal serum PP13 as markers of pre-eclampsia. <i>Prenatal Diagnosis</i> , 2007, 27, 258-263.	1.1	62
712	Differential regulation of visfatin and adiponectin in pregnancies with normal and abnormal placental function. <i>Clinical Endocrinology</i> , 2007, 66, 434-439.	1.2	74
713	Being born small for gestational age increases the risk of severe pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2007, 114, 319-324.	1.1	45
714	Dynamics and incidence patterns of maternal complications in early-onset hypertension of pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2007, 114, 741-750.	1.1	23
715	Can we predict recurrence of pre-eclampsia or gestational hypertension?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2007, 114, 984-993.	1.1	69
716	One-year infant outcome in women with early-onset hypertensive disorders of pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 290-298.	1.1	17
717	Placental Oxidative Stress in a Rat Model of Preeclampsia. <i>Placenta</i> , 2007, 28, 52-58.	0.7	37
718	Formation of Syncytial Knots is Increased by Hyperoxia, Hypoxia and Reactive Oxygen Species. <i>Placenta</i> , 2007, 28, S33-S40.	0.7	155
719	Cell-Derived Microparticles and Complement Activation in Preeclampsia Versus Normal Pregnancy. <i>Placenta</i> , 2007, 28, 928-935.	0.7	34
720	Is parvovirus B19 the cause for autoimmunity against the angiotensin II type receptor?. <i>Journal of Reproductive Immunology</i> , 2007, 73, 130-134.	0.8	29
721	First-trimester maternal serum PP-13, PAPP-A and second-trimester uterine artery Doppler pulsatility index as markers of pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 128-134.	0.9	190
722	Reference ranges for tissue Doppler measures of maternal systolic and diastolic left ventricular function. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 414-420.	0.9	57

#	ARTICLE	IF	CITATIONS
723	Uterine artery Doppler at 11 + 0 to 13 + 6 weeks in the prediction of pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 742-749.	0.9	326
724	Plasma From Women with Preeclampsia Has a Low Lipid and Ketone Body Content—A Nuclear Magnetic Resonance Study. <i>Hypertension in Pregnancy</i> , 2007, 26, 329-342.	0.5	24
725	First-trimester placental protein 13 screening for preeclampsia and intrauterine growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 35.e1-35.e7.	0.7	186
726	Diabetes mellitus in the 21 years after a pregnancy that was complicated by hypertension: findings from a prospective cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 492.e1-492.e7.	0.7	61
727	Psychosocial impact of early-onset hypertensive disorders and related complications in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 158.e1-158.e6.	0.7	30
728	The immunohistochemical evaluation of VEGF in placenta biopsies of pregnancies complicated by preeclampsia. <i>Archives of Gynecology and Obstetrics</i> , 2008, 277, 109-114.	0.8	36
729	Mild gestational hyperglycaemia as a risk factor for metabolic syndrome in pregnancy and adverse perinatal outcomes. <i>Diabetes/Metabolism Research and Reviews</i> , 2008, 24, 324-330.	1.7	38
730	Seasonal influence on the admittance of pre-eclampsia patients in Tygerberg Hospital. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 36-42.	1.3	27
731	First trimester uterine artery Doppler in women with previous pre-eclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1271-1275.	1.3	17
732	Maternal cardiac function in normotensive and pre-eclamptic intrauterine growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 682-686.	0.9	85
733	Effect of parity on maternal cardiac function during the first trimester of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 849-854.	0.9	36
734	Low cardiac output to the placenta: an early hemodynamic adaptive mechanism in intrauterine growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 155-159.	0.9	41
735	First-trimester uterine artery Doppler indices in term and preterm pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 133-137.	0.9	117
736	Uterine artery Doppler at 11 + 0 to 13 + 6 weeks and 21 + 0 to 24 + 6 weeks in the prediction of pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 138-146.	0.9	152
737	Prediction of pre-eclampsia by a combination of maternal history, uterine artery Doppler and mean arterial pressure. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 877-883.	0.9	105
738	Maternal endothelial function and serum concentrations of placental growth factor and soluble endoglin in women with abnormal placentation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 871-876.	0.9	48
739	Maternal serum placental growth factor at 11 + 0 to 13 + 6 weeks of gestation in the prediction of pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 732-739.	0.9	222
740	The effect of newly diagnosed undifferentiated connective tissue disease on pregnancy outcome. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, 632.e1-632.e6.	0.7	23

#	ARTICLE	IF	CITATIONS
741	ORIGINAL ARTICLE: Studies on the Compatibility of HLA Class II Alleles in Patient Couples with Severe Pre-eclampsia Using PCR-RFLP Methods. American Journal of Reproductive Immunology, 2008, 60, 75-84.	1.2	12
742	Maternal cardiac function and uterine artery Doppler at 11-14 weeks in the prediction of pre-eclampsia in nulliparous women. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 369-376.	1.1	70
743	Urine albumin concentration and albumin-to-creatinine ratio at 11 ⁺⁰ to 13 ⁺⁶ weeks in the prediction of pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 866-873.	1.1	30

744

#	ARTICLE	IF	CITATIONS
759	Screening for Placental Insufficiency by Transvaginal Uterine Artery Doppler at 22â€“24 Weeks of Gestation. <i>Fetal Diagnosis and Therapy</i> , 2008, 24, 462-469.	0.6	13
760	First-Trimester Maternal Serum a Disintegrin and Metalloprotease 12 (ADAM12) and Adverse Pregnancy Outcome. <i>Obstetrics and Gynecology</i> , 2008, 112, 1082-1090.	1.2	62
761	Mean arterial pressure and prediction of pre-eclampsia. <i>BMJ: British Medical Journal</i> , 2008, 336, 1079-1080.	2.4	14
762	Reducing blood pressure in people of different ages. <i>BMJ: British Medical Journal</i> , 2008, 336, 1080-1081.	2.4	5
763	Host Inflammatory Response Profiling in Preeclampsia Using an In Vitro Whole Blood Stimulation Model. <i>Hypertension in Pregnancy</i> , 2008, 27, 1-16.	0.5	23
764	Mean Arterial Pressure at 11 ⁺⁰ to 13 ⁺⁶ Weeks in the Prediction of Preeclampsia. <i>Hypertension</i> , 2008, 51, 1027-1033.	1.3	104
765	Total Vascular Resistance and Left Ventricular Morphology as Screening Tools for Complications in Pregnancy. <i>Hypertension</i> , 2008, 51, 1020-1026.	1.3	90
766	Screening for pre-eclampsia by oxidative stress markers and uteroplacental blood flow. <i>Journal of Obstetrics and Gynaecology</i> , 2008, 28, 285-289.	0.4	19
767	Aromatic Amino Acid Biomarkers of Preeclampsiaâ€”A Nuclear Magnetic Resonance Investigation. <i>Hypertension in Pregnancy</i> , 2008, 27, 225-235.	0.5	26
768	Circulating levels of adiponectin and leptin at 23â€“25 weeks of pregnancy in women with impaired placentation and in those with established fetal growth restriction. <i>Clinical Science</i> , 2008, 115, 219-224.	1.8	24
769	Effect of Postural Change on Nasal Airway and Autonomic Nervous System Established by Rhinomanometry and Heart Rate Variability Analysis. <i>American Journal of Rhinology & Allergy</i> , 2008, 22, 159-165.	2.3	33
770	Maternal Cardiac Output Between 11 and 13 Weeks of Gestation in the Prediction of Preeclampsia and Small for Gestational Age. <i>Obstetrics and Gynecology</i> , 2008, 111, 292-300.	1.2	90
771	Pre-eclampsia and hypertensive disorders of pregnancy. , 2008, , 70-87.		0
772	Neural networks to estimate the risk for preeclampsia occurrence. , 2009, , .		18
773	Independent risk factors for cesarean section among women with thrombophilia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 770-775.	0.7	0
774	TYPE 1 DIABETES IN PREGNANCY; INFLUENCES ON MOTHER AND FETUS. <i>Fetal and Maternal Medicine Review</i> , 2009, 20, 17-47.	0.3	2
775	Neural networks to investigate the effects of smoking and alcohol abuse on the risk for preeclampsia. , 2009, , .		1
776	Prevalence of Agonistic Autoantibodies Against the Angiotensin II Type 1 Receptor and Soluble fms-Like Tyrosine Kinase 1 in a Gestational Ageâ€”Matched Case Study. <i>Hypertension</i> , 2009, 53, 393-398.	1.3	87

#	ARTICLE	IF	CITATIONS
777	Obesity and the Hypertensive Disorders of Pregnancy. <i>Hypertension in Pregnancy</i> , 2009, 28, 473-493.	0.5	24
778	Maternal Serum Activin A at 11–13 Weeks of Gestation in Hypertensive Disorders of Pregnancy. <i>Fetal Diagnosis and Therapy</i> , 2009, 25, 320-327.	0.6	35
779	Validation and Compliance of a Home Monitoring Device in Pregnancy: Microlife WatchBP Home. <i>Hypertension in Pregnancy</i> , 2009, 28, 348-359.	0.5	55
780	Closure Versus Non-Closure of the Visceral Peritoneum (VP) in Patients with Gestational Hypertension"An Observational Analysis. <i>Hypertension in Pregnancy</i> , 2009, 28, 290-299.	0.5	4
781	The Impact of First-Trimester Serum Free Î²-Human Chorionic Gonadotropin and Pregnancy-Associated Plasma Protein A on the Diagnosis of Fetal Growth Restriction and Small for Gestational Age Infant. <i>Fetal Diagnosis and Therapy</i> , 2009, 25, 130-135.	0.6	25
782	First-Trimester Uterine Artery Doppler and Serum Pregnancy-Associated Plasma Protein-A in Preeclampsia and Chromosomal Defects. <i>Fetal Diagnosis and Therapy</i> , 2009, 25, 336-339.	0.6	33
784	Use and Safety of Calcium Channel Blockers in Obstetrics. <i>Current Medicinal Chemistry</i> , 2009, 16, 3330-3340.	1.2	14
785	Imidazole-Based Erythrocyte Markers of Oxidative Stress in Preeclampsia"An NMR Investigation. <i>Reproductive Sciences</i> , 2009, 16, 1040-1051.	1.1	17
786	Maternal arterial stiffness in pregnancies affected by preeclampsia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H759-H764.	1.5	81
787	First-trimester maternal plasma cell-free fetal DNA and preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, 472.e1-472.e7.	0.7	68
788	First"trimester maternal serum matrix metalloproteinase"9 (MMP"9) and adverse pregnancy outcome. <i>Prenatal Diagnosis</i> , 2009, 29, 553-559.	1.1	52
789	Maternal plasma inhibin A at 11"13 weeks of gestation in hypertensive disorders of pregnancy. <i>Prenatal Diagnosis</i> , 2009, 29, 753-760.	1.1	61
790	Maternal serum angiopoietin"2 at 11 to 13 weeks of gestation in hypertensive disorders of pregnancy. <i>Prenatal Diagnosis</i> , 2009, 29, 847-851.	1.1	9
791	Maternal plasma pentraxin 3 at 11 to 13 weeks of gestation in hypertensive disorders of pregnancy. <i>Prenatal Diagnosis</i> , 2009, 29, 934-938.	1.1	38
792	Decreased serum levels of kisspeptin in early pregnancy are associated with intra"uterine growth restriction and pre"eclampsia. <i>Prenatal Diagnosis</i> , 2009, 29, 982-985.	1.1	66
793	Infant sex, obstetric risk factors, and 2"year neurodevelopmental outcome among preterm infants. <i>Developmental Medicine and Child Neurology</i> , 2009, 51, 518-525.	1.1	58
794	First trimester urinary placental growth factor and development of pre"eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 643-647.	1.1	27
795	First"trimester maternal serum tumor necrosis factor receptor"1 and pre"eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 135-141.	0.9	31

#	ARTICLE	IF	CITATIONS
796	First-trimester maternal serum pregnancy-associated plasma protein-A and pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 23-33.	0.9	196
797	First-trimester uterine artery Doppler indices in the prediction of small-for-gestational age pregnancy and intrauterine growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 524-529.	0.9	101
798	Hypertensive disorders in pregnancy: screening by uterine artery Doppler at 11-13 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 142-148.	0.9	107
799	Hypertensive disorders in pregnancy: screening by uterine artery Doppler imaging and blood pressure at 11-13 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 497-502.	0.9	106
800	Prognostic significance of the interaction between abnormal umbilical and middle cerebral artery Doppler velocimetry in pregnancies complicated by fetal growth restriction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 159-166.	1.3	21
801	Time Development Models for Perfusion Provocations Studied with Laser-Doppler Flowmetry, Applied to Iontophoresis and PORH. <i>Microcirculation</i> , 2009, 16, 559-571.	1.0	8
802	Accuracy of the spot urinary microalbumin:creatinine ratio and visual dipsticks in hypertensive pregnant women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009, 144, 146-148.	0.5	59
803	Higher de novo synthesized fatty acids and lower 3- and 6-long-chain polyunsaturated fatty acids in umbilical vessels of women with preeclampsia and high fish intakes. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2009, 80, 101-106.	1.0	9
804	Comparison of pregnancy outcomes in women with hypertensive disorders of pregnancy using 24-hour urinary protein and urinary microalbumin to creatinine ratio. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 107, 19-22.	1.0	14
806	Plasma From Women With Preeclampsia Inhibits Trophoblast Invasion. <i>Reproductive Sciences</i> , 2009, 16, 1082-1090.	1.1	12
807	Association between different levels of dysglycemia and metabolic syndrome in pregnancy. <i>Diabetology and Metabolic Syndrome</i> , 2009, 1, 3.	1.2	14
808	Short- and long-term strategies for the management of hypertensive disorders of pregnancy. <i>Expert Review of Cardiovascular Therapy</i> , 2009, 7, 1581-1594.	0.6	5
809	Introduction, History, Controversies, and Definitions. , 2009, , 1-23.		14
810	Epidemiology of Pregnancy-Related Hypertension. , 2009, , 37-50.		7
811	How should proteinuria be detected and measured?. <i>Annals of Clinical Biochemistry</i> , 2009, 46, 205-217.	0.8	198
812	First-Trimester Prediction of Hypertensive Disorders in Pregnancy. <i>Hypertension</i> , 2009, 53, 812-818.	1.3	389
813	Increased levels of an apoptotic product in the sera from women with pre-eclampsia. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 204-208.	0.6	7
814	Psychological treatment of women with psychological complaints after pre-eclampsia. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2009, 30, 65-72.	1.1	33

#	ARTICLE	IF	CITATIONS
815	Association Between Insulin Resistance, Glucose Intolerance, and Hypertension in Pregnancy. Metabolic Syndrome and Related Disorders, 2009, 7, 53-59.	0.5	23
816	Pre-eclampsia in the second pregnancy: Does previous outcome matter?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 144, 130-134.	0.5	14
817	Changes in the Metabolic Footprint of Placental Explant-Conditioned Culture Medium Identifies Metabolic Disturbances Related to Hypoxia and Pre-Eclampsia. Placenta, 2009, 30, 974-980.	0.7	76
818	Assessment of left ventricular structure and function in preeclampsia by echocardiography and cardiovascular biomarkers. Journal of Hypertension, 2009, 27, 2257-2264.	0.3	129
819	Accuracy of inflationary versus deflationary oscillometry in pregnancy and preeclampsia: OMRON-MIT versus OMRON-M7. Blood Pressure Monitoring, 2009, 14, 37-40.	0.4	44
820	First-Trimester Placental Volume and Vascularization Measured by 3-Dimensional Power Doppler Sonography in Pregnancies With Low Serum Pregnancy-Associated Plasma Protein A Levels. Journal of Ultrasound in Medicine, 2009, 28, 1615-1622.	0.8	59
821	Comparison between Essential Hypertension and Pregnancy-induced Hypertension: a Genetic Perspective. Endocrine Journal, 2009, 56, 921-934.	0.7	10
822	Inherited Predisposition to Spontaneous Preterm Delivery. Obstetrics and Gynecology, 2010, 115, 1125-1133.	1.2	76
823	Association of Anticardiolipin Antibodies With Preeclampsia. Obstetrics and Gynecology, 2010, 116, 1433-1443.	1.2	95
824	Preeclampsia and future maternal health. Journal of Hypertension, 2010, 28, 1349-1355.	0.3	115
825	Maternal renal interlobar vein impedance index is higher in early than in late onset preeclampsia. Ultrasound in Obstetrics and Gynecology, 2010, 36, 69-75.	0.9	31
826	Hypertensive disorders in pregnancy: screening by biophysical and biochemical markers at 11-13 weeks. Ultrasound in Obstetrics and Gynecology, 2010, 35, 662-670.	0.9	142
827	Sensitivity of higher, lower and mean second trimester uterine artery Doppler resistance indices in screening for preeclampsia. Ultrasound in Obstetrics and Gynecology, 2010, 36, 573-576.	0.9	17
828	Influence of polyhydramnios on perinatal outcome in pregestational diabetic pregnancies. Ultrasound in Obstetrics and Gynecology, 2010, 36, 338-343.	0.9	36
829	First trimester umbilical vein blood flow in pregnancies with low serum pregnancy-associated plasma protein-A levels: an early predictor of fetal growth restriction. Ultrasound in Obstetrics and Gynecology, 2010, 36, 433-438.	0.9	12
830	Variation in composition of the intervillous space lining in term placentas of mothers with pre-eclampsia. Placenta, 2010, 31, 409-417.	0.7	9
831	Cord coiling, umbilical cord insertion and placental shape in an unselected cohort delivering at term: Relationship with common obstetric outcomes. Placenta, 2010, 31, 963-968.	0.7	50
832	Maternal arterial stiffness in pregnancies complicated by gestational and type 2 diabetes mellitus. American Journal of Obstetrics and Gynecology, 2010, 203, 274.e1-274.e7.	0.7	31

#	ARTICLE	IF	CITATIONS
833	Hypertensive disorders in pregnancy: combined screening by uterine artery Doppler, blood pressure and serum PAPP-A at 11-13 weeks. <i>Prenatal Diagnosis</i> , 2010, 30, 216-223.	1.1	121
834	First-trimester placental growth factor as a marker for hypertensive disorders and SGA. <i>Prenatal Diagnosis</i> , 2010, 30, 565-570.	1.1	32
835	Maternal thyroid function at 11 to 13 weeks of gestation and subsequent development of preeclampsia. <i>Prenatal Diagnosis</i> , 2010, 30, 1032-1038.	1.1	40
836	Distinction between fetal growth restriction and small for gestational age newborn weight enhances the prognostic value of low PAPP-A in the first trimester. <i>Prenatal Diagnosis</i> , 2010, 30, 1007-1009.	1.1	9
837	Effects of Guided Imagery on Blood Pressure in Pregnant Women with Hypertension: A Pilot Randomized Controlled Trial. <i>Birth</i> , 2010, 37, 296-306.	1.1	19
838	21 Rechtliche Aspekte. , 2010, , .		0
840	Preeclampsia. , 0, , 53-62.		0
841	Classification and diagnosis of hypertension in pregnancy. , 0, , 35-44.		1
842	Maternal Serum ADAM-12 as a Potential Marker for Different Adverse Pregnancy Outcomes. <i>Fetal Diagnosis and Therapy</i> , 2010, 27, 32-39.	0.6	10
843	Predictive Value of Clinical and Laboratory Indices at First Assessment in Women Referred with Suspected Gestational Hypertension. <i>Hypertension in Pregnancy</i> , 2010, 29, 163-179.	0.5	32
844	Effect of Peroxynitrite Scavenging on Endothelial Cells Stimulated by Plasma from Women with Preeclampsia: A Proteomic Approach. <i>Hypertension in Pregnancy</i> , 2010, 29, 419-428.	0.5	4
845	Preeclampsia and Gestational Hypertension Are Associated With Childhood Blood Pressure Independently of Family Adiposity Measures. <i>Circulation</i> , 2010, 122, 1192-1199.	1.6	185
846	Late Onset Preeclampsia is not an Innocuous Condition. <i>Hypertension in Pregnancy</i> , 2010, 29, 262-270.	0.5	45
847	Second Trimester Maternal Serum Cystatin C Levels in Preeclamptic and Normotensive Pregnancies: A Small Case-Control Study. <i>Hypertension in Pregnancy</i> , 2010, 29, 112-119.	0.5	10
848	Maternal risk factors for hypertensive disorders in pregnancy: a multivariate approach. <i>Journal of Human Hypertension</i> , 2010, 24, 104-110.	1.0	265
849	Markers of haemostasis and angiogenesis in placentae from gestational vascular complications: Impairment of mechanisms involved in maintaining intervillous blood flow. <i>Thrombosis Research</i> , 2010, 125, 267-271.	0.8	11
851	Maternal insulin-like growth factors 1 and 2 (IGF-1, IGF-2) and IGF BP-3 and the hypertensive disorders of pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 658-661.	0.7	11
852	Antepartum and postpartum maternal plasma levels of E-selectin and VE-cadherin in preeclampsia, gestational proteinuria and gestational hypertension. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1027-1032.	0.7	5

#	ARTICLE	IF	CITATIONS
853	Thrombophilia Mediates Lowering Cardiovascular Risk Factors in Women with a History of Preeclampsia. <i>Hypertension in Pregnancy</i> , 2011, 30, 421-432.	0.5	2
856	Insulin Resistance Is Associated with Gestational Hypertension and Not with Preeclampsia: A Population-Based Screening Study. <i>Gynecologic and Obstetric Investigation</i> , 2011, 71, 256-261.	0.7	9
857	A meta-analysis of tumor necrosis factor-alpha, interleukin-6, and interleukin-10 in preeclampsia. <i>Cytokine</i> , 2011, 56, 550-559.	1.4	98
858	A common variation in the cannabinoid 1 receptor (CNR1) gene is associated with pre-eclampsia in the Central European population. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 155, 19-22.	0.5	10
859	Prevention of pre-eclampsia with low-dose aspirin or vitamins C and E in women at high or low risk: a systematic review with meta-analysis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 158, 9-16.	0.5	63
860	Assessment of the Cardioankle Vascular Index in Pregnant Women Complicated with Hypertensive Disorders. <i>ISRN Obstetrics & Gynecology</i> , 2011, 2011, 1-5.	1.2	4
861	Maternal Arterial Stiffness in Women Who Subsequently Develop Pre-Eclampsia. <i>PLoS ONE</i> , 2011, 6, e18703.	1.1	62
862	Measurement of the placental total antioxidant status in preeclamptic women using a novel automated method. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 337-342.	0.6	25
863	Cerebrovascular complications during pregnancy and postpartum: clinical and prognosis observations in 240 Hispanic women. <i>European Journal of Neurology</i> , 2011, 18, 819-825.	1.7	55
864	Diagnosis and treatment of hypertension 21 years after a hypertensive disorder of pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011, 51, 437-440.	0.4	16
865	How accurate are maternal symptoms in predicting impending complications in women with preeclampsia? A systematic review and meta-analysis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 564-573.	1.3	53
866	Granulocyte superoxide anion production and regulation by plasma factors in normal and preeclamptic pregnancy. <i>Journal of Reproductive Immunology</i> , 2011, 89, 199-206.	0.8	11
867	Screening for Pre-eclampsia—Lessons from Aneuploidy Screening. <i>Placenta</i> , 2011, 32, S42-S48.	0.7	66
868	Placenta-bound and Body Fluid PP13 and its mRNA in Normal Pregnancy Compared to Preeclampsia, HELLP and Preterm Delivery. <i>Placenta</i> , 2011, 32, S30-S36.	0.7	34
869	Development of early non-invasive markers and means for the diagnosis and progression monitoring of preeclampsia and tailoring putative therapies (project pregenesys 037244). <i>Placenta</i> , 2011, 32, S1-S3.	0.7	6
870	Uterine artery blood flow volume in pregnant women with an abnormal pulsatility index of the uterine arteries delivering normal or intrauterine growth restricted newborns. <i>Placenta</i> , 2011, 32, 487-492.	0.7	47
871	Temporising versus interventionist management (preterm and at term). <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011, 25, 463-476.	1.4	22
872	Uterine artery Doppler screening for pre-eclampsia: comparison of the lower, mean and higher first-trimester pulsatility indices. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 534-537.	0.9	43

#	ARTICLE	IF	CITATIONS
873	Prevalence of maternal cardiac defects in women with high-resistance uterine artery Doppler indices. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 310-316.	0.9	14
874	Frequency and clinical significance of placental histological lesions in an unselected population at or near term. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 565-572.	1.4	113
875	Effect of Vitamin E on sP-Selectin Levels in Pre-Eclampsia. <i>Indian Journal of Clinical Biochemistry</i> , 2011, 26, 169-171.	0.9	8
876	Placental site in the second trimester of pregnancy and its association with subsequent obstetric outcome. <i>Prenatal Diagnosis</i> , 2011, 31, 548-554.	1.1	21
877	First trimester screening for intrauterine growth restriction and early-onset pre-eclampsia. <i>Prenatal Diagnosis</i> , 2011, 31, 955-961.	1.1	33
878	Pregnancy and delivery in women with chronic inflammatory arthritides with a specific focus on first birth. <i>Arthritis and Rheumatism</i> , 2011, 63, 1534-1542.	6.7	85
879	Hypertensive Disorders in Pregnancy: Screening by Systolic Diastolic and Mean Arterial Pressure at 11-13 Weeks. <i>Hypertension in Pregnancy</i> , 2011, 30, 93-107.	0.5	68
880	Natriuretic peptide levels in intrauterine growth-restricted fetuses with absent and reversed end-diastolic flow of the umbilical artery in relation to ductus venosus flow velocities. <i>Journal of Perinatal Medicine</i> , 2011, 39, 529-37.	0.6	18
881	Subarachnoid block for caesarean section in severe preeclampsia. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2011, 27, 169.	0.2	12
882	Preeclampsia and eclampsia incidence in the eastern anatolia region of Turkey: the effects of high altitude. <i>Journal of the Turkish German Gynecology Association</i> , 2011, 12, 26-30.	0.2	8
883	Skin Autofluorescence as Marker of Tissue Advanced Glycation End-Products Accumulation in Formerly Preeclamptic Women. <i>Hypertension in Pregnancy</i> , 2011, 30, 231-242.	0.5	9
884	Pre-Eclampsia, Severe Pre-Eclampsia and Hemolysis, Elevated Liver Enzymes and Low Platelets Syndrome: What is New?. <i>Women's Health</i> , 2011, 7, 555-569.	0.7	17
885	Genetic Variation of Myeloperoxidase Gene Contributes to Preeclampsia: A Preliminary Association Study in Turkish Population. <i>Hypertension in Pregnancy</i> , 2011, 30, 377-383.	0.5	4
886	Placental Protein-13 and Pregnancy-Associated Plasma Protein-A as First Trimester Screening Markers for Hypertensive Disorders and Small for Gestational Age Outcomes. <i>Hypertension in Pregnancy</i> , 2011, 30, 384-395.	0.5	20
887	Assessment of the Safety and Efficacy of a Raft-Forming Alginate Reflux Suppressant (Liquid Gaviscon) for the Treatment of Heartburn during Pregnancy. <i>ISRN Obstetrics & Gynecology</i> , 2012, 2012, 1-6.	1.2	19
888	Associations of Pregnancy Complications With Calculated Cardiovascular Disease Risk and Cardiovascular Risk Factors in Middle Age. <i>Circulation</i> , 2012, 125, 1367-1380.	1.6	336
889	Venous Pulse Transit Time in Normal Pregnancy and Preeclampsia. <i>Reproductive Sciences</i> , 2012, 19, 431-436.	1.1	29
890	Time Interval Between Maternal Electrocardiogram and Venous Doppler Waves in Normal Pregnancy and Preeclampsia: A Pilot Study. <i>Ultraschall in Der Medizin</i> , 2012, 33, E119-E125.	0.8	18

#	ARTICLE	IF	CITATIONS
891	Cardiovascular biomarkers and vascular function during childhood in the offspring of mothers with hypertensive disorders of pregnancy: findings from the Avon Longitudinal Study of Parents and Children. <i>European Heart Journal</i> , 2012, 33, 335-345.	1.0	127
892	Impedance cardiography in uncomplicated pregnancy and pre-eclampsia: A reliability study. <i>Journal of Obstetrics and Gynaecology</i> , 2012, 32, 630-634.	0.4	24
893	Prevalence and significance of previously undiagnosed rheumatic diseases in pregnancy. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 918-923.	0.5	36
894	Does hypertensive disorder of pregnancy predict offspring blood pressure at 21 years? Evidence from a birth cohort study. <i>Journal of Human Hypertension</i> , 2012, 26, 288-294.	1.0	40
895	Maternal psychosocial outcome after early onset preeclampsia and preterm birth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 272-276.	0.7	30
896	MBL Interferes with Endovascular Trophoblast Invasion in Pre-Eclampsia. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-7.	3.3	19
897	The effect of maternal soluble FMS-like tyrosine kinase 1 during pregnancy on risk of preterm delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1879-1883.	0.7	8
898	Combinations of Maternal Serum Markers to Predict Preeclampsia, Small for Gestational Age, and Stillbirth: A Systematic Review. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2012, 34, 142-153.	0.3	49
899	D-dimer in preeclampsia: Systematic review and meta-analysis. <i>Clinica Chimica Acta</i> , 2012, 414, 166-170.	0.5	29
900	Combination of uterine artery Doppler velocimetry and maternal serum placental growth factor estimation in predicting occurrence of pre-eclampsia in early second trimester pregnancy: a prospective cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 161, 144-151.	0.5	20
901	Glycated hemoglobin in pregnancies at increased risk for gestational diabetes mellitus. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 161, 157-162.	0.5	12
902	Uterine artery Doppler velocimetry and obstetric outcomes in connective tissue diseases diagnosed during the first trimester of pregnancy. <i>Prenatal Diagnosis</i> , 2012, 32, 1094-1101.	1.1	11
903	Medical treatment of early-onset mild gestational hypertension reduces total peripheral vascular resistance and influences maternal and fetal complications. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 325-331.	0.9	24
904	Oxidative damage to pre-eclamptic placenta: immunohistochemical expression of VEGF, nitrotyrosine residues and von Willebrand factor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 2339-2345.	0.7	23
905	Independent effects of pregnancy induced hypertension on childhood development: a retrospective cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 165, 219-224.	0.5	20
907	Hypertensive disorders of pregnancy and future health and mortality: A record linkage study. <i>Pregnancy Hypertension</i> , 2012, 2, 1-7.	0.6	48
908	A single rapid point-of-care placental growth factor determination as an aid in the diagnosis of preeclampsia. <i>Pregnancy Hypertension</i> , 2012, 2, 8-15.	0.6	48
909	Body mass index and hypertensive disorders of pregnancy. <i>Pregnancy Hypertension</i> , 2012, 2, 28-31.	0.6	3

#	ARTICLE	IF	CITATIONS
910	Association between placental growth factor levels in early onset preeclampsia with the occurrence of postpartum hemorrhage: A prospective cohort study. <i>Pregnancy Hypertension</i> , 2012, 2, 115-122.	0.6	9
911	Invasive versus non-invasive monitoring of acute severe hypertension in women with pre-eclampsia. <i>Pregnancy Hypertension</i> , 2012, 2, 374-379.	0.6	5
912	Clinical accuracy of inflationary oscillometry in pregnancy and pre-eclampsia: Omron-MIT Elite. <i>Pregnancy Hypertension</i> , 2012, 2, 411-415.	0.6	9
913	Preeclampsia in women with chronic kidney disease. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1367-1369.	0.7	13
914	Eclampsia: maternal and fetal outcome. <i>African Health Sciences</i> , 2012, 12, 148-52.	0.3	17
915	Left ventricular midwall mechanics at 24 weeks' gestation in high-risk normotensive pregnant women: relationship to placenta-related complications of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 430-437.	0.9	17
916	Screening for pre-eclampsia by using changes in uterine artery Doppler indices with advancing gestation. <i>Prenatal Diagnosis</i> , 2012, 32, 180-184.	1.1	32
917	The metabolome of human placental tissue: investigation of first trimester tissue and changes related to preeclampsia in late pregnancy. <i>Metabolomics</i> , 2012, 8, 579-597.	1.4	51
918	Effect of placenta previa on fetal growth restriction and stillbirth. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 295-298.	0.8	29
919	Plasma vitamin C assay in women of reproductive age in Kampala, Uganda, using a colorimetric method. <i>Tropical Medicine and International Health</i> , 2012, 17, 191-196.	1.0	12
920	Impaired endothelial function and elevated levels of pentraxin 3 in early-onset preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 50-56.	1.3	49
921	Risk factors for pre-eclampsia in Mulago Hospital, Kampala, Uganda. <i>Tropical Medicine and International Health</i> , 2012, 17, 480-487.	1.0	36
922	Perinatal outcomes after sonographic detection of isolated short femur in the second trimester. <i>Journal of Clinical Ultrasound</i> , 2012, 40, 63-67.	0.4	22
923	Interventionist versus expectant care for severe pre-eclampsia between 24 and 34 weeks' gestation. <i>The Cochrane Library</i> , 2013, , CD003106.	1.5	47
924	Is serum placental growth factor more effective as a biomarker in predicting early onset preeclampsia in early second trimester than in first trimester of pregnancy?. <i>Archives of Gynecology and Obstetrics</i> , 2013, 287, 865-873.	0.8	20
925	Can maternal serum placental growth factor estimation in early second trimester predict the occurrence of early onset preeclampsia and/or early onset intrauterine growth restriction? A prospective cohort study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 881-890.	0.6	20
926	Serum placental growth factor as a predictor of early onset preeclampsia in overweight/obese pregnant women. <i>Journal of the American Society of Hypertension</i> , 2013, 7, 137-148.	2.3	21
927	Placental protein tyrosine nitration and MAPK in type 1 diabetic pre-eclampsia: Impact of antioxidant vitamin supplementation. <i>Journal of Diabetes and Its Complications</i> , 2013, 27, 322-327.	1.2	7

#	ARTICLE	IF	CITATIONS
928	Cardiovascular function in women with recurrent miscarriage, pre-eclampsia and/or intrauterine growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 351-356.	0.7	18
929	Does a history of hypertensive disorders of pregnancy help predict future essential hypertension? Findings from a prospective pregnancy cohort study. <i>Journal of Human Hypertension</i> , 2013, 27, 309-314.	1.0	16
930	Associations between vascular endothelial growth factor gene polymorphisms and pre-eclampsia susceptibility: a meta-analysis. <i>Immunological Investigations</i> , 2013, 42, 749-762.	1.0	11
931	Is there a link between endothelial dysfunction, coagulation activation and nitric oxide synthesis in preeclampsia?. <i>Clinica Chimica Acta</i> , 2013, 415, 226-229.	0.5	21
932	Complement in Pregnancy: A Delicate Balance. <i>American Journal of Reproductive Immunology</i> , 2013, 69, 3-11.	1.2	68
933	Ambulatory Blood Pressure Monitoring for the Early Identification of Hypertension in Pregnancy. <i>Chronobiology International</i> , 2013, 30, 233-259.	0.9	40
934	Current controversies in prenatal diagnosis 4: pregnancy complications due to placental vascular disease (pre-eclampsia, FGR): are we ready for prevention?. <i>Prenatal Diagnosis</i> , 2013, 33, 17-20.	1.1	4
935	Elevated complement factor C5a in maternal and umbilical cord plasma in preeclampsia. <i>Journal of Reproductive Immunology</i> , 2013, 97, 211-216.	0.8	48
936	Analysis of syncytial nuclear aggregates in preeclampsia shows increased sectioning artefacts and decreased inter-villous bridges compared to healthy placentas. <i>Placenta</i> , 2013, 34, 1251-1254.	0.7	16
937	Maternal serum cytokines at 30-33 weeks in the prediction of preeclampsia. <i>Prenatal Diagnosis</i> , 2013, 33, 823-830.	1.1	19
938	First-trimester uterine artery Doppler examination in pregnancies complicated by gestational diabetes mellitus with or without pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 525-529.	0.9	14
939	External funding of obstetrical publications: citation significance and trends over 2 decades. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 150.e1-150.e6.	0.7	0
940	Does microalbuminuria at mid-pregnancy predict development of subsequent pre-eclampsia?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 478-483.	0.6	9
941	2013 Ambulatory Blood Pressure Monitoring Recommendations for the Diagnosis of Adult Hypertension, Assessment of Cardiovascular and other Hypertension-associated Risk, and Attainment of Therapeutic Goals. <i>Chronobiology International</i> , 2013, 30, 355-410.	0.9	168
942	Vitamin D and Pre-Eclampsia: Original Data, Systematic Review and Meta-Analysis. <i>Annals of Nutrition and Metabolism</i> , 2013, 63, 331-340.	1.0	131
943	Quantification of Maternal Serum Cell-Free Fetal DNA in Early-Onset Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2013, 14, 7571-7582.	1.8	27
944	Preeclampsia: A review of the evidence. <i>Annals of African Medicine</i> , 2013, 12, 75.	0.2	42
945	Hypertensive Disorders of Pregnancy and Cardiometabolic Health in Adolescent Offspring. <i>Hypertension</i> , 2013, 62, 614-620.	1.3	125

#	ARTICLE	IF	CITATIONS
946	Integrated Proteomics Pipeline Yields Novel Biomarkers for Predicting Preeclampsia. <i>Hypertension</i> , 2013, 61, 1281-1288.	1.3	67
947	Comparison of Wavelet Transform and Time-Domain Analysis of Second Trimester Uterine Artery Doppler Waveforms in Screening for Pre-Eclampsia. <i>Fetal Diagnosis and Therapy</i> , 2013, 33, 189-193.	0.6	0
948	Redefining Preeclampsia Using Placenta-Derived Biomarkers. <i>Hypertension</i> , 2013, 61, 932-942.	1.3	308
949	Similar Adverse Pregnancy Outcome in Native and Nonnative Dutch Women with Pregestational Type 2 Diabetes: A Multicentre Retrospective Study. <i>ISRN Obstetrics & Gynecology</i> , 2013, 2013, 1-7.	1.2	13
950	Placental protein 13 (PP13): a new biological target shifting individualized risk assessment to personalized drug design combating pre-eclampsia. <i>Human Reproduction Update</i> , 2013, 19, 391-405.	5.2	63
951	Maternal serum tumour necrosis factor receptor 1 (TNF-R1) at 30-33 weeks in the prediction of preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 763-767.	0.7	3
952	Normalized endothelial function but sustained cardiovascular risk profile 11 years following a pregnancy complicated by preeclampsia. <i>Hypertension Research</i> , 2013, 36, 1081-1087.	1.5	55
953	The feasibility of prospectively studying maternal cardiovascular changes from before conception. <i>Hypertension Research</i> , 2013, 36, 698-704.	1.5	12
954	Maternal Vitamin D Status in Type 1 Diabetic Pregnancy: Impact on Neonatal Vitamin D Status and Association with Maternal Glycaemic Control. <i>PLoS ONE</i> , 2013, 8, e74068.	1.1	14
955	Preeclampsia Is Associated with Alterations in the p53-Pathway in Villous Trophoblast. <i>PLoS ONE</i> , 2014, 9, e87621.	1.1	80
956	Serum Copper, Zinc and Lipid Peroxidation in Pregnant Women with Preeclampsia in Gorgan. <i>The Open Biochemistry Journal</i> , 2014, 1, 83-88.	0.3	28
957	Effect of selenium on markers of risk of pre-eclampsia in UK pregnant women: a randomised, controlled pilot trial. <i>British Journal of Nutrition</i> , 2014, 112, 99-111.	1.2	92
959	Type of Conception and Outcomes in Women with Singleton Pregnancy. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014, 8, 103-5.	0.8	1
960	Association of Lipid Profile and Uric Acid with Pre-Eclampsia of Third Trimester in Nullipara Women. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014, 8, CC04-7.	0.8	14
961	Pre-eclampsia and Chorionicity in Women with Twin Gestations. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014, 8, 100-2.	0.8	1
963	Circulating Cytokines and Alarmins Associated with Placental Inflammation in High-Risk Pregnancies. <i>American Journal of Reproductive Immunology</i> , 2014, 72, 422-434.	1.2	63
964	The effect of method and gestational age at termination of pregnancy on future obstetric and perinatal outcomes: a register-based cohort study in <sc>A</sc>berdeen, <sc>S</sc>cotland. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 309-318.	1.1	10
965	Uterine artery Doppler evaluation in twin pregnancies at 11-13 weeks of gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 557-561.	0.9	20

#	ARTICLE	IF	CITATIONS
966	A comparison of maternal calcium and magnesium levels in pre-eclamptic and normotensive pregnancies: an observational case-control study. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 327-336.	1.1	14
967	Follow up of intima-media thickness after severe early-onset preeclampsia. Acta Obstetrica Et Gynecologica Scandinavica, 2014, 93, 1309-1316.	1.3	22
968	Cardiovascular Risk, Lipids and Pregnancy: Preeclampsia and the Risk of Later Life Cardiovascular Disease. Heart Lung and Circulation, 2014, 23, 203-212.	0.2	79
969	Pregnancy Complications and Calculated Cardiovascular Risk in Urban Women: Do We Envisage an Association?. Journal of Urban Health, 2014, 91, 162-175.	1.8	10
970	Contraception and Pregnancy in Patients with Rheumatic Disease. , 2014, , .		3
971	The impact of donor insemination on the risk of preeclampsia: a systematic review and meta-analysis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 182, 160-166.	0.5	54
972	Systemic Lupus Erythematosus and Outcomes in First and Subsequent Births Based on Data From a National Birth Registry. Arthritis Care and Research, 2014, 66, 1718-1724.	1.5	46
973	Essential pre-pregnancy and pregnancy interventions for improved maternal, newborn and child health. Reproductive Health, 2014, 11, S2.	1.2	57
974	Meta-analysis of associations between interleukin-10 polymorphisms and susceptibility to pre-eclampsia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 182, 202-207.	0.5	11
975	Antihypertensive drug therapy for mild to moderate hypertension during pregnancy. The Cochrane Library, 2014, , CD002252.	1.5	214
976	Genomic and proteomic investigation of preeclampsia. Experimental and Therapeutic Medicine, 2015, 10, 711-716.	0.8	10
977	First-trimester fetal growth discordance and development of preeclampsia in dichorionic twin pregnancies. Journal of Perinatal Medicine, 2015, 43, 755-759.	0.6	3
978	Clinical accuracy of a low cost portable blood pressure device in pregnancy and pre-eclampsia: the Nissei DS-400. Tropical Doctor, 2015, 45, 168-173.	0.2	4
979	A comparative study of efficacy of antihypertensive drugs and fetal-maternal outcome in the treatment of pregnancy induced hypertension. International Journal of Reproduction, Contraception, Obstetrics and Gynecology, 2015, , 1846-1852.	0.0	5
980	Clinical and Biomarkers Difference in Prepartum and Postpartum Eclampsia. Ethiopian Journal of Health Sciences, 2015, 25, 257.	0.2	9
981	Endocrine aspects of pre-eclampsia. Cardiovascular Endocrinology, 2015, 4, 1-10.	0.8	2
982	Ethnicity, Obesity and Emotional Factors Associated With Gestational Hypertension. Journal of Community Health, 2015, 40, 899-904.	1.9	4
983	Selenium status in UK pregnant women and its relationship with hypertensive conditions of pregnancy. British Journal of Nutrition, 2015, 113, 249-258.	1.2	70

#	ARTICLE	IF	CITATIONS
984	The Risk Factors That Predict Chronic Hypertension After Delivery in Women With a History of Hypertensive Disorders of Pregnancy. <i>Medicine (United States)</i> , 2015, 94, e1747.	0.4	23
985	Association between maternal haemoglobin at 27-29 weeks gestation and intrauterine growth restriction. <i>Pregnancy Hypertension</i> , 2015, 5, 339-345.	0.6	12
986	Does fetal macrosomia affect umbilical artery Doppler velocity waveforms in pregnancies complicated by gestational diabetes?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1-5.	0.7	8
987	P-Wave Dispersion and Atrial Electromechanical Delay in Patients with Preeclampsia. <i>Medical Principles and Practice</i> , 2015, 24, 515-521.	1.1	9
988	Reduced expression of the epidermal growth factor signaling system in preeclampsia. <i>Placenta</i> , 2015, 36, 270-278.	0.7	72
989	Novel fetal and maternal sonographic findings in confirmed cases of Beckwith-Wiedemann syndrome. <i>Prenatal Diagnosis</i> , 2015, 35, 394-399.	1.1	33
990	Markers of Insulin Sensitivity in 12-Year-Old Children Born from Preeclamptic Pregnancies. <i>Journal of Pediatrics</i> , 2015, 167, 125-130.	0.9	11
991	Maternal hemoglobin at 27-29 weeks gestation and severity of pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1575-1580.	0.7	5
992	Risk factors and effective management of preeclampsia. <i>Integrated Blood Pressure Control</i> , 2015, 8, 7.	0.4	153
993	Brachial Artery Flow Mediated Dilation in the First Trimester to Predict the Occurrence of Hypertensive Disorders during Pregnancy. <i>Fetal Diagnosis and Therapy</i> , 2015, 37, 316-320.	0.6	9
994	Interventional Decentralized Telemonitoring: Bridging the Gap Between Patient's Device and Physician's Needs in Well Selected Indications. <i>Kidney and Blood Pressure Research</i> , 2015, 40, 130-140.	0.9	1
995	Homocysteinemia After Hypertensive Pregnancy Disorders at Term. <i>Journal of Women's Health</i> , 2015, 24, 524-529.	1.5	3
996	Prophylactic treatment for preeclampsia in high-risk teenage primigravidae with nitric oxide donors: a pilot study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1-4.	0.7	7
997	Maternal Obesity During Pregnancy Associates With Premature Mortality and Major Cardiovascular Events in Later Life. <i>Hypertension</i> , 2015, 66, 938-944.	1.3	116
998	Association between previously unknown connective tissue disease and subclinical hypothyroidism diagnosed during first trimester of pregnancy. <i>Fertility and Sterility</i> , 2015, 104, 1195-1201.	0.5	6
999	Introduction, History, Controversies, and Definitions. , 2015, , 1-24.		8
1000	Specialized Diagnostic Investigations to Assess Ocular Status in Hypertensive Diseases of Pregnancy. <i>Diseases (Basel, Switzerland)</i> , 2016, 4, 19.	1.0	2
1001	Comparison of the Hemodynamic Alterations in Normotensive and Preeclamptic Pregnant Woman Posted for Cesarean Section Under Subarachnoid Block. <i>Journal of Cardiovascular Diseases & Diagnosis</i> , 2016, 04, .	0.0	2

#	ARTICLE	IF	CITATIONS
1002	The impact of unrecognized autoimmune rheumatic diseases on the incidence of preeclampsia and fetal growth restriction: a longitudinal cohort study. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 313.	0.9	27
1003	Placental histology and neutrophil extracellular traps in lupus and pre-eclampsia pregnancies. <i>Lupus Science and Medicine</i> , 2016, 3, e000134.	1.1	78
1004	Decreased baroreflex sensitivity is linked to sympathovagal imbalance, low-grade inflammation, and oxidative stress in pregnancy-induced hypertension. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 666-672.	0.5	20
1005	Role of maternal factors, PAPP-A, and Doppler in screening for early- and late-onset pregnancy hypertension in Asian population. <i>Hypertension in Pregnancy</i> , 2016, 35, 382-393.	0.5	10
1007	Effect of nebivolol treatment during pregnancy on the intrauterine fetal growth, mortality and pup postnatal development in the L-NAME-induced hypertensive rats. <i>European Journal of Pharmacology</i> , 2016, 791, 465-472.	1.7	4
1008	Measuring regional and district variations in the incidence of pregnancy-induced hypertension in Ghana: challenges, opportunities and implications for maternal and newborn health policy and programmes. <i>Tropical Medicine and International Health</i> , 2016, 21, 93-100.	1.0	6
1009	Long term effects of gestational hypertension and pre-eclampsia on kidney function: Record linkage study. <i>Pregnancy Hypertension</i> , 2016, 6, 344-349.	0.6	47
1010	Renal Interlobar Vein Impedance Index as a First-trimester Marker Does Not Predict Hypertensive Disorders of Pregnancy. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 2641-2648.	0.8	6
1011	Maternal weight gain in pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 206, e148-e149.	0.5	0
1012	Maternal ethnicity and its impact on the haemodynamic and blood pressure response to labetalol for the treatment of antenatal hypertension. <i>Open Heart</i> , 2016, 3, e000351.	0.9	7
1013	Early, Incomplete, or Preclinical Autoimmune Systemic Rheumatic Diseases and Pregnancy Outcome. <i>Arthritis and Rheumatology</i> , 2016, 68, 2555-2562.	2.9	13
1014	Maternal demographics and hemodynamics for the prediction of fetal growth restriction at booking, in pregnancies at high risk for placental insufficiency. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 329-338.	1.3	25
1015	TNF-R1 as a first trimester marker for prediction of pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 897-903.	0.7	5
1016	Cardiac structure and function, and ventricular-arterial interaction 11 years following a pregnancy with preeclampsia. <i>Journal of the American Society of Hypertension</i> , 2016, 10, 297-306.	2.3	14
1017	Connective tissue diseases and autoimmune thyroid disorders in the first trimester of pregnancy. <i>Journal of Reproductive Immunology</i> , 2016, 114, 32-37.	0.8	19
1018	Placental antioxidant enzyme status and lipid peroxidation in pregnant women with type 1 diabetes: The effect of vitamin C and E supplementation. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 109-114.	1.2	14
1019	Do low-risk nulliparous women with abnormal uterine artery Doppler in the third trimester have poorer perinatal outcomes? A longitudinal prospective study on uterine artery Doppler in low-risk nulliparous women and correlation with pregnancy outcomes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 877-880.	0.7	3
1020	Can Staining of Damaged Proteins in Urine Effectively Predict Preeclampsia?. <i>Fetal Diagnosis and Therapy</i> , 2017, 41, 23-31.	0.6	16

#	ARTICLE	IF	CITATIONS
1021	High serum copper level is associated with an increased risk of preeclampsia in Asians: A meta-analysis. <i>Nutrition Research</i> , 2017, 39, 14-24.	1.3	22
1022	Determination of glucose exchange rates and permeability of erythrocyte membrane in preeclampsia and subsequent oxidative stress-related protein damage using dynamic-19F-NMR. <i>Journal of Biomolecular NMR</i> , 2017, 67, 145-156.	1.6	6
1023	Increased Oxidatively Modified Forms of Albumin in Association with Decreased Total Antioxidant Activity in Different Types of Hypertensive Disorders of Pregnancy. <i>Indian Journal of Clinical Biochemistry</i> , 2017, 32, 200-206.	0.9	10
1024	Inherited predisposition to preeclampsia: Analysis of the Aberdeen intergenerational cohort. <i>Pregnancy Hypertension</i> , 2017, 8, 37-41.	0.6	11
1025	Longitudinal maternal hemodynamics in pregnancies affected by fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 761-768.	0.9	49
1026	Takayasu Arteritis and Pregnancy: A Population-Based Study on Outcomes and Mother/Child-Related Concerns. <i>Arthritis Care and Research</i> , 2017, 69, 1384-1390.	1.5	24
1027	Longitudinal hemodynamics in acute phase of treatment with labetalol in hypertensive pregnant women to predict need for vasodilatory therapy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 85-94.	0.9	25
1028	Change in maternal cardiac output from preconception to mid-pregnancy is associated with birth weight in healthy pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 78-84.	0.9	36
1029	Hematological changes in severe early onset growth-restricted fetuses with absent and reversed end-diastolic flow in the umbilical artery. <i>Journal of Perinatal Medicine</i> , 2017, 45, 367-373.	0.6	1
1030	Serial hemodynamic monitoring to guide treatment of maternal hypertension leads to reduction in severe hypertension. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 95-103.	0.9	24
1031	Color Doppler Imaging of Cerebral-Umbilical Pulsatility Ratio in Intrauterine Growth Retardation. <i>Journal of Enam Medical College</i> , 2017, 7, 140-145.	0.1	0
1032	Efficacy of methyl dopa versus nifedipine in mild and severe pregnancy induced hypertension. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2017, 6, 4544.	0.0	0
1033	The effect of ethnicity on the performance of protein-creatinine ratio in the prediction of significant proteinuria in pregnancies at risk of or with established hypertension: an implementation audit and cost implications. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 598-607.	1.3	5
1034	Trophoblast retrieval and isolation from the cervix: origins of cervical trophoblasts and their potential value for risk assessment of ongoing pregnancies. <i>Human Reproduction Update</i> , 2018, 24, 484-496.	5.2	41
1035	External iliac artery Doppler assessment in the prediction of adverse pregnancy outcomes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 3314-3319.	0.7	0
1036	Inverse correlation between maternal plasma asymmetric dimethylarginine (ADMA) and birthweight percentile in women with impaired placental perfusion: circulating ADMA as an NO-independent indicator of fetal growth restriction?. <i>Amino Acids</i> , 2018, 50, 341-351.	1.2	16
1037	Liver function tests in patients of pre-eclampsia in Bhilai, Chhattisgarh, India: a clinical study. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2018, 7, 5102.	0.0	0
1038	State-of-the-Art Diagnosis and Treatment of Hypertension in Pregnancy. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1664-1677.	1.4	40

#	ARTICLE	IF	CITATIONS
1039	Maternal Outcomes Associated With Lower Range Stage 1 Hypertension. <i>Obstetrics and Gynecology</i> , 2018, 132, 843-849.	1.2	84
1040	Placental Peripartum Pathologies in Women with Preeclampsia and Eclampsia. <i>Obstetrics and Gynecology International</i> , 2018, 2018, 1-8.	0.5	9
1041	Effects of gestational hypertension and pre-eclampsia in mRNA expression of fibrinolysis genes in primary cultured human umbilical vein endothelial cells. <i>Thrombosis Research</i> , 2018, 167, 74-79.	0.8	3
1042	Aspirin Effect on Adverse Pregnancy Outcomes Associated With Stage 1 Hypertension in a High-Risk Cohort. <i>Hypertension</i> , 2018, 72, 202-207.	1.3	50
1043	Serum IL-1 Receptor Antagonist Concentrations Associate With Unfavorable Metabolic Features in 12-Year-Old Children. <i>Journal of the Endocrine Society</i> , 2018, 2, 870-881.	0.1	7
1044	Pro-angiogenic therapeutics for preeclampsia. <i>Biology of Sex Differences</i> , 2018, 9, 36.	1.8	43
1045	Association between first caesarean delivery and adverse outcomes in subsequent pregnancy: a retrospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 273.	0.9	25
1046	A review of copper concentrations in Iranian populations. <i>Environmental Monitoring and Assessment</i> , 2019, 191, 537.	1.3	10
1047	Pre-eclampsia: pathophysiology and clinical implications. <i>BMJ: British Medical Journal</i> , 2019, 366, l2381.	2.4	613
1048	New blood pressure cut off for preeclampsia definition: 130/80 mmHg. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 322-324.	0.5	17
1049	Autonomic Dysfunction in Preeclampsia: A Systematic Review. <i>Frontiers in Neurology</i> , 2019, 10, 816.	1.1	28
1050	A systematic review and meta-analysis indicates long-term risk of chronic and end-stage kidney disease after preeclampsia. <i>Kidney International</i> , 2019, 96, 711-727.	2.6	61
1051	Preeclampsia is Associated with Sex-Specific Transcriptional and Proteomic Changes in Fetal Erythroid Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2038.	1.8	16
1052	A double blind, randomised, placebo-controlled trial to evaluate the efficacy of metformin to treat preterm pre-eclampsia (PI2 Trial): study protocol. <i>BMJ Open</i> , 2019, 9, e025809.	0.8	34
1053	Fibroblast Growth Factor 21, Adiponectin, and Irisin as Markers of Unfavorable Metabolic Features in 12-Year-Old Children. <i>Journal of the Endocrine Society</i> , 2019, 3, 825-837.	0.1	6
1054	Inherited predisposition to stillbirth: an intergenerational analysis of 26,788 mother-daughter pairs. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 393.e1-393.e7.	0.7	4
1055	Association of serum hydrogen sulphide with hypertension and proteinuria in pre-eclampsia. <i>Asian Journal of Medical Sciences</i> , 2019, 10, 33-38.	0.0	1
1056	Association of Serum Total Osteocalcin Concentrations With Endogenous Glucocorticoids and Insulin Sensitivity Markers in 12-Year-Old Children: A Cross-Sectional Study. <i>Frontiers in Endocrinology</i> , 2019, 10, 798.	1.5	3

#	ARTICLE	IF	CITATIONS
1057	Maternal characteristics and outcomes affected by hypothyroidism during pregnancy (maternal) Tj ETQq0 0 0 rgBT /Qverlock_10 Tf 50 7	0.9	22
1058	Top-cited articles in the Journal: aÅibliometricÅanalysis. American Journal of Obstetrics and Gynecology, 2019, 220, 12-25.	0.7	30
1059	Arterial stiffness in women previously with preeclampsia from a semi-rural region of South Africa. Clinical and Experimental Hypertension, 2019, 41, 36-43.	0.5	4
1060	Pregnancy and undifferentiated connective tissue disease: outcome and risk of flare in 100 pregnancies. Rheumatology, 2020, 59, 1335-1339.	0.9	21
1061	Uterine Artery Pulsatility Index Assessment at <11 Weeksâ€™ Gestation: A Prospective Study. Fetal Diagnosis and Therapy, 2020, 47, 129-137.	0.6	5
1062	Adaptations in autonomic nervous system regulation in normal and hypertensive pregnancy. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2020, 171, 57-84.	1.0	16
1063	Prenatal features in Beckwith-Wiedemann syndrome and indications for prenatal testing. Journal of Medical Genetics, 2021, 58, 842-849.	1.5	13
1064	Speckle Tracking Echocardiography in Hypertensive Pregnancy Disorders: A Systematic Review. Obstetrical and Gynecological Survey, 2020, 75, 497-509.	0.2	14
1065	Are blood pressure level and variability related to pregnancy outcome? Analysis of control of hypertension in pregnancy study data. Pregnancy Hypertension, 2020, 19, 87-93.	0.6	11
1066	A bibliometric analysis of obstetrics and gynecology articles with highest relative citation ratios, 1980 to 2019. American Journal of Obstetrics & Gynecology MFM, 2021, 3, 100293.	1.3	18
1067	Endothelial Progenitor Cell CD34+ and CD133+ Concentrations and Soluble HLA-G Concentrations During Pregnancy and in Cord Blood in Undifferentiated Connective Tissue Diseases Compared to Controls. Reproductive Sciences, 2021, 28, 1382-1389.	1.1	2
1068	Circulating endothelial progenitor cells during pregnancy in multiple sclerosis. Neurological Sciences, 2021, 42, 1443-1451.	0.9	0
1069	Association of thyroid antibodies status on the outcomes of pregnant women with hypothyroidism (maternal hypothyroidism on pregnancy outcomes, MHPO-4). BMC Pregnancy and Childbirth, 2021, 21, 136.	0.9	10
1070	Are remission and low disease activity state ideal targets for pregnancy planning in systemic lupus erythematosus? A multicentre study. Rheumatology, 2021, 60, 5610-5619.	0.9	21
1071	Attenuation of baroreflex sensitivity and heart rate variability is linked to reduced levels of nitric oxide in pregnant women having risks of developing gestational hypertension. Clinical and Experimental Hypertension, 2021, 43, 356-362.	0.5	5
1072	Pregnancy Outcomes and Blood Pressure Visit-to-Visit Variability and Level in Three Less-Developed Countries. Hypertension, 2021, 77, 1714-1722.	1.3	4
1073	Joint Predictors of Hypertension and Type 2 Diabetes Among Adults Under Treatment in Amhara Region (North-Western Ethiopia). Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 2453-2463.	1.1	0
1074	MATERNAL PROTEINURIA IN TWIN COMPARED WITH SINGLETON PREGNANCIES. , 2021, , 18-20.		0

#	ARTICLE	IF	CITATIONS
1075	Sympathovagal imbalance, cardiometabolic risks and hypertension status are linked to depression in women having risk factors for pregnancy-induced hypertension. <i>International Journal of Clinical and Experimental Physiology</i> , 2021, 8, 59-64.	0.2	0
1076	Effect of Pregnancy on eGFR After Kidney Transplantation: A National Cohort Study. <i>Transplantation</i> , 2022, 106, 1262-1270.	0.5	6
1077	Interventionist versus expectant care for severe pre-eclampsia between 24 and 34 weeks' gestation. <i>The Cochrane Library</i> , 2018, 2018, CD003106.	1.5	29
1079	<i>The Placenta and Umbilical Cord.</i> , 2001, , 47-92.		2
1080	<i>Placenta and Umbilical Cord and the Immunology of Pregnancy.</i> , 1993, , 47-85.		3
1081	<i>Does Leptin Play a Role in Preeclampsia?.</i> , 2003, , 299-310.		2
1082	<i>Diseases of the Placenta.</i> , 1994, , 975-1048.		6
1083	<i>Hypertensive Disorders.</i> , 1990, , 499-529.		4
1084	<i>Maternal Diseases Complicating Pregnancy: Diabetes, Tumors, Preeclampsia, Lupus Anticoagulant.</i> , 1995, , 476-536.		8
1085	<i>Maternal Diseases Complicating Pregnancy: Diabetes, Tumors, Preeclampsia, Lupus Anticoagulant.</i> , 2000, , 523-590.		2
1087	Increased expression of low-affinity insulin receptor isoform and insulin/insulin-like growth factor-I hybrid receptors in term placenta from insulin-resistant women with gestational hypertension. <i>Diabetologia</i> , 1996, 39, 952-960.	2.9	6
1088	<i>Prospective Studies of the Association Between Anticardiolipin Antibody and Outcome of Pregnancy.</i> <i>Obstetrics and Gynecology</i> , 1995, 86, 555-559.	1.2	134
1089	<i>Kidney Function Tests.</i> , 2012, , 669-707.		17
1090	First-trimester blood pressure and gestational diabetes in high-risk Chinese women. <i>Journal of the Society for Gynecologic Investigation</i> , 2003, 10, 94-98.	1.9	10
1091	Treatment of endothelial cells with serum from women with preeclampsia: effect on neutrophil adhesion. <i>Journal of the Society for Gynecologic Investigation</i> , 1997, 4, 27-33.	1.9	8
1092	Serum Nitrites Predict the Response to Prostaglandin-Induced Delivery at Term. <i>Journal of the Society for Gynecologic Investigation</i> , 1998, 5, 140-143.	1.9	10
1093	Differential regulation of sFlt-1 splicing by U2AF65 and JMJD6 in placental-derived and endothelial cells. <i>Bioscience Reports</i> , 2020, 40, .	1.1	8
1094	Factor V Leiden, C>T MTHFR Polymorphism and Genetic Susceptibility to Preeclampsia. <i>Thrombosis and Haemostasis</i> , 1997, 77, 1052-1054.	1.8	205

#	ARTICLE	IF	CITATIONS
1095	THE CLASSIFICATION AND DIAGNOSIS OF THE HYPERTENSIVE DISORDERS OF PREGNANCY: STATEMENT FROM THE INTERNATIONAL SOCIETY FOR THE STUDY OF HYPERTENSION IN PREGNANCY (ISSHP). Hypertension in Pregnancy, 2001, 20, ix-xiv.	0.5	712
1096	An endothelial nitric oxide synthase gene polymorphism is associated with preeclampsia. Hypertension in Pregnancy, 2001, 20, 107-18.	0.5	17
1097	Reproductive hormones and blood pressure during pregnancy. Human Reproduction, 2001, 16, 13-17.	0.4	62
1098	Management of pre-eclampsia and haemolysis, elevated liver enzymes, and low platelets syndrome. Current Opinion in Obstetrics and Gynecology, 1999, 11, 149-156.	0.9	13
1099	Management of Mild Preeclampsia. Clinical Obstetrics and Gynecology, 1999, 42, 455.	0.6	28
1100	Ambulatory Blood Pressure Monitoring in Pregnancy. Obstetrical and Gynecological Survey, 1998, 53, 636-644.	0.2	5
1101	Predictors of ratio of placental weight to fetal weight in multiethnic community. BMJ: British Medical Journal, 1995, 310, 436-439.	2.4	106
1102	A randomised controlled trial comparing two schedules of antenatal visits: the antenatal care project. BMJ: British Medical Journal, 1996, 312, 546-553.	2.4	189
1103	Incidence and Causes of Strokes Associated With Pregnancy and Puerperium. Stroke, 1995, 26, 930-936.	1.0	337
1104	Adverse neonatal outcomes in women with pre-eclampsia in Mulago Hospital, Kampala, Uganda: a cross-sectional study. Pan African Medical Journal, 2014, 17 Suppl 1, 7.	0.3	19
1106	Gestational Hypertension. , 2002, , 189-220.		1
1107	IGF-I, IGF-II, IGF Binding Protein 1, and C-Peptide in Second Trimester Amniotic Fluid Are Dependent on Gestational Age but Do Not Predict Weight at Birth. Pediatric Research, 1999, 46, 101-108.	1.1	33
1108	Urine Protein/Creatinine Ratios during Labor: A Prospective Observational Study. PLoS ONE, 2016, 11, e0160453.	1.1	7
1109	The East Flanders Prospective Twin Survey (EFPTS). Twin Research and Human Genetics, 2002, 5, 337-341.	1.5	40
1110	SPINAL ANESTHESIA IN PREECLAMPTIC PARTURIE N TS. Journal of Evolution of Medical and Dental Sciences, 2014, 3, 1915-1919.	0.1	3
1111	Validation of the gestational week division border for subclassification of pregnancy induced hypertension. Hypertension Research in Pregnancy, 2013, 1, 23-30.	0.1	7
1112	Altered Intrahepatic Hematopoiesis in Neonates from Women with Pregnancy Induced Hypertension/Pre-Eclampsia. Acta Medica (Hradec Kralove), 2004, 47, 119-123.	0.2	5
1113	Situaci3n psicosocial de las adolescentes y toxemias del embarazo. Salud Publica De Mexico, 2000, 42, 99-105.	0.1	5

#	ARTICLE	IF	CITATIONS
1114	Relationship between ABO blood group and pregnancy complications: a systematic literature analysis. Blood Transfusion, 2016, 14, 441-8.	0.3	25
1115	Preeclampsia and intrauterine growth restriction. Reproductive Medicine and Assisted Reproductive Techniques Series, 2008, , 745-760.	0.1	2
1116	Development and validation of Prediction models for Risks of complications in Early-onset Pre-eclampsia (PREP): a prospective cohort study. Health Technology Assessment, 2017, 21, 1-100.	1.3	30
1117	Maternal Myocardial Performance in Various Stages of Pregnancy and Post-Partum. Research Journal of Cardiology, 2009, 3, 9-16.	0.0	5
1118	Hemodynamic Monitoring in High-Risk Obstetrics Patients, II. Critical Care Nurse, 2003, 23, 52-57.	0.5	8
1119	Diagnosis and management of preeclampsia in community settings in low and middle-income countries. Journal of Family Medicine and Primary Care, 2015, 4, 501.	0.3	49
1120	Clinical study of fundus findings in pregnancy induced hypertension. Journal of Family Medicine and Primary Care, 2016, 5, 424.	0.3	9
1121	Clinical characteristics of pregnant women on the use of daily low-dose aspirin in different hypertensive pregnancy disorders: A retrospective comparative study. Journal of Pharmacy and Bioallied Sciences, 2019, 11, 77.	0.2	3
1122	Different Fetal and Neonatal Growth between Early- and Late-Onset Preeclampsia. Open Journal of Obstetrics and Gynecology, 2015, 05, 516-521.	0.1	3
1123	The effect of Silymarin on VEGF, VEGFR-1 and IL-1 β levels in placental cultures of severe preeclamptic women. Journal of the Turkish German Gynecology Association, 2014, 15, 30-35.	0.2	2
1124	Hypertensive disorders of pregnancy: what the physician needs to know. Cardiovascular Journal of Africa, 2016, 27, 104-110.	0.2	24
1125	Considerations when devising a protocol for pre-eclampsia. Acta Medica Lituanica, 2012, 19, 115-122.	0.2	1
1126	Prediction of Preeclampsia. Donald School Journal of Ultrasound in Obstetrics and Gynecology, 2021, 15, 306-311.	0.1	0
1127	PrÄeklampsie, Gestose und HELLP-Syndrom. , 2000, , 1370-1385.		0
1128	AnÄsthesiologische und intensivmedizinische Aspekte bei Patientinnen mit Gestose. , 2000, , 31-44.		0
1129	Reproductive hormones and blood pressure during pregnancy. , 2001, , 177-182.		0
1130	Special Situations in the Management of Hypertension. , 2001, , 252-274.		1
1131	Intensive Care of the Patient with Complicated Preeclampsia. , 2002, , 279-312.		0

#	ARTICLE	IF	CITATIONS
1132	Diagnosis and Classification of Preeclampsia and Other Hypertensive Disorders of Pregnancy. , 2002, , 1-16.		0
1133	Preeclampsia y eclampsia (toxemia del embarazo). , 2005, , 214-217.		0
1134	THE PLACENTA IN MATERNAL DISORDERS. , 2007, , 203-234.		4
1136	DÃ©finitions et consÃ©quences des hypertensions artÃ©rielles de la grossesse. , 2009, , 1-10.		0
1137	Genetics of pre-eclampsia and the weight of babies at birth â€” clinical and genetic studies in Sri Lanka. Ceylon Medical Journal, 2009, 54, 90.	0.1	0
1138	Maternal illness in pregnancy. , 2012, , 189-206.		0
1139	Maternal Diseases Complicating Pregnancy: Diabetes, Tumors, Preeclampsia, Lupus Anticoagulant. , 2012, , 495-555.		7
1140	Eclampsia at 17 Weeks and 3 Days Gestation: A Diagnostic Dilemma. International Journal of Case Reports in Medicine, 2013, , 1-4.	0.0	0
1141	Preâ€œeclampsia. Medical Journal of Australia, 1989, 150, 47-47.	0.8	0
1143	Das Pro und Contra der neuen Hypertoniedefinition und -klassifikation der International Society for the Study of Hypertension in Pregnancy (ISSHP). , 1995, , 246-249.		0
1145	Gestose und HELLP-Syndrom. , 1998, , 13-28.		2
1146	CLASIFICACIÃ“N DE LA ENFERMEDAD HIPERTENSIVA EN LA GESTACIÃ“N. Revista Peruana De GinecologÃ­a Y Obstetricia, 2015, 52, 219-225.	0.1	2
1147	PrÃ©eklampsie â€” Signatur und Pathophysiologie. Der Merkurstab, 2016, 69, 11-20.	0.0	3
1148	Evaluation of Maternal Complications in Severe Preeclampsia in a University Hospital in Tirana. Open Access Macedonian Journal of Medical Sciences, 2016, 4, 102-106.	0.1	2
1149	ROLE OF UTERINE ARTERY DOPPLER AS A PREDICTOR OF PREECLAMPSIA. Journal of Evolution of Medical and Dental Sciences, 2016, 5, 1261-1264.	0.1	0
1150	MEAN ARTERIAL PRESSURE AS A PREDICTOR OF GESTATIONAL HYPERTENSION AND PREECLAMPSIA. Journal of Evidence Based Medicine and Healthcare, 2016, 3, 3715-3720.	0.0	0
1151	Electronegativity and intrinsic disorder of preeclampsia-related proteins. Acta Biochimica Polonica, 2017, 64, 99-111.	0.3	0
1152	Arterial Resistance in Late First Trimester as a Predictor of Subsequent Pregnancy-Related Hypertension. Sultan Qaboos University Medical Journal, 2016, 16, e451-457.	0.3	1

#	ARTICLE	IF	CITATIONS
1153	COMPARATIVE EVALUATION OF LIVER FUNCTIONS IN PRE-ECLAMPTIC AND NORMAL PREGNANT FEMALES. Journal of Evidence Based Medicine and Healthcare, 2017, 4, 5192-5195.	0.0	0
1154	Plazentainsuffizienz/Plazentaassoziierte Erkrankungen. , 2018, , 247-285.		1
1155	Hypertensive Disorders during Pregnancy. , 0, , 73-73.		0
1156	Serum Sodium and Potassium Levels in Preeclampsia: A Clinical Study. Indian Journal of Medical Biochemistry, 2018, 22, 105-107.	0.1	1
1157	A Study of Urinary Calcium/Creatinine Ratio and Microalbuminuria as a Predictor of Preeclampsia. Journal of SAFOG, 2018, 10, 245-248.	0.1	0
1158	SIGNIFICANCE OF SPOT URINE PROTEIN CREATININE RATIO VERSUS 24-HOUR URINE PROTEIN ANALYSIS AND THEIR CORRELATION IN QUANTIFICATION OF PROTEINURIA IN HYPERTENSIVE PREGNANT WOMEN- A PROSPECTIVE OBSERVATIONAL STUDY. Journal of Evidence Based Medicine and Healthcare, 2019, 6, 1087-1093.	0.0	0
1159	COMPARATIVE ASSESSMENT OF MICROALBUMINURIA AND EARLY UTERINE ARTERY DOPPLER INDICES AS A PREDICTOR OF DEVELOPING PREECLAMPSIA.. , 2021, , 21-24.		0
1160	Potential confounders and a modified Framingham risk score for the prediction of pregnancy-related medical conditions occurrence among pregnant women: A retrospective study from Baghdad, Iraq. Journal of Pharmacy and Bioallied Sciences, 2020, 12, 391.	0.2	0
1161	Spontaneous resolution of serous retinal detachment in preeclampsia. Saudi Journal of Ophthalmology, 2020, 34, 313.	0.3	1
1162	Synovial phospholipase A2 serum levels in pregnancy and preeclampsia. Acta Obstetrica Et Gynecologica Scandinavica, 2001, 80, 27-9.	1.3	0
1165	Ambulatory Blood Pressure During Pregnancy. , 2007, , 369-387.		3
1166	Preeklampsi ile komplike olmuÅ gebelerde 24 saatlik idrarda proteinÅ¼ari deÄerlerinin maternal ve perinatal sonuÅlar Å¼zerine etkisi. Jinekoloji-Obstetrik Ve Neonatoloji TÄ±p Dergisi, 0, , .	0.2	0
1167	The diversity of diagnoses of preeclampsia. Hypertension in Pregnancy, 2001, 20, 57-67.	0.5	10
1168	Fibronectin is a marker for organ involvement and may reflect the severity of preeclampsia. Hypertension in Pregnancy, 2001, 20, 79-87.	0.5	9
1169	Report of the Canadian Hypertension Society Consensus Conference: 1. Definitions, evaluation and classification of hypertensive disorders in pregnancy. Cmaj, 1997, 157, 715-25.	0.9	45
1170	Assessment and management of hypertensive disorders in pregnancy by health professionals in the Avon district. British Journal of General Practice, 1991, 41, 23-5.	0.7	3
1171	Acute renal failure in pregnancy: a review of clinical outcomes at an inner-city hospital from 1986-1996. Journal of the National Medical Association, 1998, 90, 486-90.	0.6	12
1172	Plasma vitamin C concentration in pregnant women with pre-eclampsia in Mulago hospital, Kampala, Uganda. African Health Sciences, 2011, 11, 566-72.	0.3	4

#	ARTICLE	IF	CITATIONS
1174	Correlation between Serum Sodium and Potassium Levels in Preeclampsia. <i>International Journal of Biochemistry Research & Review</i> , 0, , 74-80.	0.1	1
1175	Antihypertensive Medications for Severe Hypertension in Pregnancy: A Systematic Review and Meta-Analysis. <i>Healthcare (Switzerland)</i> , 2022, 10, 325.	1.0	10
1177	The evolution of the diagnostic criteria of preeclampsia-eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, S835-S843.	0.7	20
1178	There is poor agreement between manual auscultatory and automated oscillometric methods for the measurement of blood pressure in normotensive pregnant women. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2001, 10, 398-403.	0.7	8
1179	Association of Maternal Hypertensive Disorders During Pregnancy With Severe Bronchopulmonary Dysplasia: A Systematic Review and Meta-Analysis. <i>Journal of Korean Medical Science</i> , 2022, 37, e127.	1.1	2
1180	A Cross-Sectional Study on Current Practice of the Management of Pregnancy Induced Hypertension and Its Maternal and Foetal Complications and Outcome in the Western Part of the State of Libya. <i>Open Journal of Obstetrics and Gynecology</i> , 2022, 12, 222-241.	0.1	0
1185	Evidence for abnormal middle cerebral artery values in patients with idiopathic hydramnios. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2001, 10, 404-408.	0.7	4
1186	A Study of Ocular Fundus Findings in Hypertension during Pregnancy in a Tertiary Care Hospital. <i>MVP Journal of Medical Sciences</i> , 0, , .	0.1	0
1187	A nationwide Dutch cohort study shows relatively good pregnancy outcomes after kidney transplantation and finds risk factors for adverse outcomes. <i>Kidney International</i> , 2022, 102, 866-875.	2.6	14
1188	Effects of yoga on cardiometabolic risks and fetomaternal outcomes are associated with serum nitric oxide in gestational hypertension: a randomized control trial. <i>Scientific Reports</i> , 2022, 12, .	1.6	5
1190	Role of microRNAs in trophoblast invasion and spiral artery remodeling: Implications for preeclampsia. <i>Frontiers in Cell and Developmental Biology</i> , 0, 10, .	1.8	9
1191	Alcohol Intake and Hypertensive Disorders of Pregnancy: A Negative Control Analysis in the ALSPAC Cohort. <i>Journal of the American Heart Association</i> , 2022, 11, .	1.6	3
1192	American College of Cardiology and American Heart Association blood pressure categoriesâ€™ a systematic review of the relationship with adverse pregnancy outcomes in the first half of pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2023, 228, 418-429.e34.	0.7	7
1193	Antioxidant Potential and Transferrin, Ceruloplasmin, and Lipid Peroxidation Levels in Women with Preeclampsia. <i>Journal of Investigative Medicine</i> , 2003, 51, 284-287.	0.7	2
1195	Placental Insufficiency/Placenta-Associated Diseases. , 2023, , 243-280.		0
1196	The Role of Placental Non-Coding RNAs in Adverse Pregnancy Outcomes. <i>International Journal of Molecular Sciences</i> , 2023, 24, 5030.	1.8	1
1198	THE PREVALENCE OF PREECLAMPSIA AND OBSTETRIC OUTCOME IN PREGNANCIES OF NORMOTENSIVE AND HYPERTENSIVE WOMEN ATTENDING A HOSPITAL SPECIALIST CLINIC. <i>International Journal of Clinical Practice</i> , 2001, 55, 361-367.	0.8	25