

Cotranslational processing and protein turnover in euk

Biochemistry

27, 7979-7984

DOI: 10.1021/bi00421a001

Citation Report

#	ARTICLE	IF	CITATIONS
1	The presence of ATP + ubiquitin-dependent proteinase and multicatalytic proteinase complex in bovine brain. <i>Neurochemical Research</i> , 1989, 14, 995-1001.	1.6	16
2	High-Level Expression and In Vivo Processing of Chimeric Ubiquitin Fusion Proteins in <i>Saccharomyces Cerevisiae</i> . <i>Nature Biotechnology</i> , 1989, 7, 705-709.	9.4	34
3	Signal peptidases in protein biosynthesis and intracellular transport. <i>Current Opinion in Cell Biology</i> , 1989, 1, 1188-1193.	2.6	7
4	Regulation of protein degradation rates in eukaryotes. <i>Current Opinion in Cell Biology</i> , 1989, 1, 1194-1200.	2.6	35
5	How are substrates recognized by the ubiquitin-mediated proteolytic system. <i>Trends in Biochemical Sciences</i> , 1989, 14, 483-488.	3.7	127
6	New expression vectors for the fission yeast <i>Schizosaccharomyces pombe</i> . <i>FEBS Letters</i> , 1989, 248, 105-110.	1.3	29
7	The degradation signal in a short-lived protein. <i>Cell</i> , 1989, 56, 1019-1032.	13.5	430
8	Protein translocation and turnover in eukaryotic cells. <i>Trends in Biochemical Sciences</i> , 1989, 14, 276-279.	3.7	61
9	Mutational analysis of HIV-1 Tat minimal domain peptides: Identification of trans-dominant mutants that suppress HIV-LTR-driven gene expression. <i>Cell</i> , 1989, 58, 215-223.	13.5	264
10	Nitric oxide: biosynthesis and biological significance. <i>Trends in Biochemical Sciences</i> , 1989, 14, 488-492.	3.7	366
11	Post-translational arginylation of ornithine decarboxylase from rat hepatocytes. <i>Biochemical Journal</i> , 1990, 267, 343-348.	1.7	39
12	The degradation sequence of adenovirus E1A consists of the amino-terminal tetrapeptide Met-Arg-His-Ile.. <i>Molecular and Cellular Biology</i> , 1990, 10, 5609-5615.	1.1	9
13	[33] Contr translational amino-terminal processing. <i>Methods in Enzymology</i> , 1990, 185, 398-407.	0.4	59
14	Characterization of Recombinant Factor XIIIa Produced in <i>Saccharomyces cerevisiae</i> . <i>Nature Biotechnology</i> , 1990, 8, 543-546.	9.4	7
15	Eighth international conference on methods in protein sequence analysis (Short communications). <i>The Protein Journal</i> , 1990, 9, 247-368.	1.1	1
16	In situ chemical cleavage of proteins immobilized to glass-fiber and polyvinylidenedifluoride membranes: Cleavage at tryptophan residues with 2-(2-nitrophenylsulfenyl)-3-methyl-3-bromoindolenine to obtain internal amino acid sequence. <i>Analytical Biochemistry</i> , 1990, 187, 27-38.	1.1	80
17	Expression and amplification of cloned rat liver tyrosine aminotransferase in nonhepatic cells. <i>Journal of Cellular Physiology</i> , 1990, 142, 194-200.	2.0	5
18	CONFORMATIONAL STABILITY OF GLOBULAR PROTEINS. , 1990, , 117-123.		2

#	ARTICLE	IF	CITATIONS
19	The recognition component of the N-end rule pathway.. EMBO Journal, 1990, 9, 3179-3189.	3.5	352
20	Point mutations in the yeast histone H4 gene prevent silencing of the silent mating type locus HML.. Molecular and Cellular Biology, 1990, 10, 4932-4934.	1.1	188
21	Molecular cloning and protein structure of a human blood group Rh polypeptide.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 6243-6247.	3.3	305
22	Isolation and characterization of human cDNA clones encoding the .alpha. and the .alpha.' subunits of casein kinase II. Biochemistry, 1990, 29, 8436-8447.	1.2	167
23	Isolation and structural characterization of three isoforms of recombinant consensus $\hat{\pm}$ interferon. Archives of Biochemistry and Biophysics, 1990, 276, 531-537.	1.4	18
24	Conformational stability of globular proteins. Trends in Biochemical Sciences, 1990, 15, 14-17.	3.7	402
25	Structure and time-dependent behavior of acetylated and non-acetylated forms of a molluscan metallothionein. Biochimica Et Biophysica Acta - General Subjects, 1991, 1074, 230-236.	1.1	31
26	Rat liver polysome N.alpha.-acetyltransferase: substrate specificity. Biochemistry, 1991, 30, 1017-1021.	1.2	26
27	Rat liver polysome N.alpha.-acetyltransferase: isolation and characterization. Biochemistry, 1991, 30, 1010-1016.	1.2	23
28	Crystallization and preliminary x-ray analysis of the cAMP-dependent protein kinase catalytic subunit from Saccharomyces cerevisiae. Biochemistry, 1991, 30, 10595-10600.	1.2	8
29	Construction of a synthetic gene for an R-plasmid-encoded dihydrofolate reductase and studies on the role of the N-terminus in the protein. Biochemistry, 1991, 30, 10895-10904.	1.2	70
30	Primary structure of molluscan metallothioneins deduced from PCR-amplified cDNA and mass spectrometry of purified proteins. Biochimica Et Biophysica Acta - General Subjects, 1991, 1074, 371-377.	1.1	48
31	The N-end rule in bacteria. Science, 1991, 254, 1374-1377.	6.0	500
32	Ubiquitin Fusion Approach to Heterologous Gene Expression in Yeast. ACS Symposium Series, 1991, , 51-64.	0.5	3
33	Ribonuclease T1: Structure, Function, and Stability. Angewandte Chemie International Edition in English, 1991, 30, 343-360.	4.4	144
34	Ribonuclease T1: Struktur, Funktion und StabilitÄt. Angewandte Chemie, 1991, 103, 351-369.	1.6	22
35	Development of hydrophobicity parameters to analyze proteins which bear post- or cotranslational modifications. Analytical Biochemistry, 1991, 193, 72-82.	1.1	327
36	N-terminal sequence analysis of N $\hat{\pm}$ -acetylated proteins after unblocking with N-acylaminoacyl-peptide hydrolase. Analytical Biochemistry, 1991, 199, 45-50.	1.1	35

#	ARTICLE	IF	CITATIONS
37	Methionyl aminopeptidase from rat liver: distribution of the membrane-bound subcellular enzyme. <i>Molecular and Cellular Biochemistry</i> , 1991, 102, 101-113.	1.4	6
38	[30] Purification of invertebrate metallothioneins. <i>Methods in Enzymology</i> , 1991, 205, 263-273.	0.4	27
39	Synthesis of Wild Type and Mutant Human Hemoglobins in <i>Saccharomyces cerevisiae</i> . <i>Nature Biotechnology</i> , 1991, 9, 57-61.	9.4	99
40	Ornithine decarboxylase gene of <i>Neurospora crassa</i> : isolation, sequence, and polyamine-mediated regulation of its mRNA. <i>Molecular and Cellular Biology</i> , 1992, 12, 347-359.	1.1	60
41	Two genes in <i>Saccharomyces cerevisiae</i> encode a membrane-bound form of casein kinase-1. <i>Molecular Biology of the Cell</i> , 1992, 3, 275-286.	0.9	100
42	Posttranslational Modifications in the Amino- Terminal Region of the Large Subunit of Ribulose-1,5-Bisphosphate Carboxylase/Oxygenase from Several Plant Species. <i>Plant Physiology</i> , 1992, 98, 1170-1174.	2.3	64
43	A strategy for the generation of conditional mutations by protein destabilization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 1249-1252.	3.3	71
44	Structure and expression of a calcium-binding protein gene contained within a calmodulin-regulated protein kinase gene. <i>Molecular and Cellular Biology</i> , 1992, 12, 2359-2371.	1.1	51
45	The N-end rule. <i>Cell</i> , 1992, 69, 725-735.	13.5	489
46	Dipeptide inhibitors of ubiquitin-mediated protein turnover prevent growth factor-induced neurite outgrowth in rat pheochromocytoma PC12 cells. <i>Biochemical and Biophysical Research Communications</i> , 1992, 189, 280-288.	1.0	31
47	Binding of RNA by the alfalfa mosaic virus movement protein is biphasic. <i>FEBS Letters</i> , 1992, 308, 231-234.	1.3	19
48	The "second-codon rule"™ and autophosphorylation govern the stability and activity of Mos during the meiotic cell cycle in <i>Xenopus</i> oocytes. <i>EMBO Journal</i> , 1992, 11, 2433-2446.	3.5	135
49	Specificity determinants of acylaminoacyl-peptide hydrolase. <i>Protein Science</i> , 1992, 1, 582-589.	3.1	14
50	Determination of free N-acetylamino acids in biological samples and N-terminal acetylamino acids of proteins. <i>Biomedical Applications</i> , 1992, 576, 63-70.	1.7	5
51	The protein of Mr 21 000 constituting the prosome-like particle of duck erythroblasts is homologous to apoferritin. <i>FEBS Journal</i> , 1992, 207, 823-832.	0.2	7
52	Detection and quantitation of recombinant granulocyte colony-stimulating factor charge isoforms: Comparative analysis by cationic-exchange chromatography, isoelectric focusing gel electrophoresis, and peptide mapping. <i>Analytical Biochemistry</i> , 1992, 202, 375-383.	1.1	22
53	S-Carboxymethylation of proteins transferred onto polyvinylidene difluoride membranes followed by in situ protease digestion and amino acid microsequencing. <i>Electrophoresis</i> , 1992, 13, 142-147.	1.3	127
54	Proteins of the Golgi apparatus. Purification to homogeneity, N-terminal sequence, and unusually large Stokes radius of the membrane-bound form of UDP-galactose: N-acetylglucosamine beta1-4galactosyltransferase from rat liver. <i>FEBS Journal</i> , 1993, 216, 405-417.	0.2	18

#	ARTICLE	IF	CITATIONS
56	Purification and properties of the apple fruit ethylene-forming enzyme. <i>Biochemistry</i> , 1993, 32, 7445-7450.	1.2	52
57	Structure of the cobalt-dependent methionine aminopeptidase from <i>Escherichia coli</i> : a new type of proteolytic enzyme. <i>Biochemistry</i> , 1993, 32, 3907-3912.	1.2	356
58	Protein Degradation in Plants. <i>Annual Review of Plant Biology</i> , 1993, 44, 385-410.	14.2	223
59	Four proteolytic processes of myocardium, one insensitive to thiol reactive agents and thiol protease inhibitor. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1993, 265, E10-E19.	1.8	2
60	Analysis of protein modifications: recent advances in detection, characterization and mapping. <i>Current Opinion in Biotechnology</i> , 1994, 5, 85-93.	3.3	10
61	Behavior of metallothionein-bound metals in a natural population of an estuarine mollusc. <i>Marine Environmental Research</i> , 1994, 38, 147-168.	1.1	69
62	Increased thermal stability of proteins in the presence of amino acids. <i>Biochemical Journal</i> , 1994, 303, 147-153.	1.7	160
63	The proteolytic processing site of the precursor of lysyl oxidase. <i>Biochemical Journal</i> , 1995, 306, 279-284.	1.7	84
64	Eukaryotic methionyl aminopeptidases: two classes of cobalt-dependent enzymes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 7714-7718.	3.3	238
65	Cloning and sequencing of two d-xylose reductase genes (<i>xyrA</i> and <i>xyrB</i>) from <i>Candida tropicalis</i> . <i>Journal of Bioscience and Bioengineering</i> , 1995, 80, 603-605.	0.9	24
66	The Sequence of Porcine Protein NH2-terminal Asparagine Amidohydrolase. <i>Journal of Biological Chemistry</i> , 1995, 270, 25-28.	1.6	30
67	The CUG codon is decoded in vivo as serine and not leucine in <i>Candida albicans</i> . <i>Nucleic Acids Research</i> , 1995, 23, 1481-1486.	6.5	244
68	Chromosomal Localization and Catalytic Properties of the Recombinant β Subunit of Human Lymphocyte Methionine Adenosyltransferase. <i>Journal of Biological Chemistry</i> , 1995, 270, 21860-21868.	1.6	43
69	Structural Characterization of Folded and Unfolded States of an SH3 Domain in Equilibrium in Aqueous Buffer. <i>Biochemistry</i> , 1995, 34, 6784-6794.	1.2	186
70	The amino acid sequence of eukaryotic translation initiation factor 1 and its similarity to yeast initiation factor SUI1. <i>FEBS Letters</i> , 1995, 365, 47-50.	1.3	26
71	Removal of N-terminal Blocking Groups from Proteins. <i>Current Protocols in Protein Science</i> , 1996, 3, Unit 11.7.	2.8	2
72	Evidence That the Human Homologue of a Rat Initiation Factor-2 Associated Protein (p67) Is a Methionine Aminopeptidase. <i>Biochemical and Biophysical Research Communications</i> , 1996, 227, 152-159.	1.0	58
73	Using ubiquitin to follow the metabolic fate of a protein.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 4907-4912.	3.3	94

#	ARTICLE	IF	CITATIONS
74	The N-end rule: functions, mysteries, uses.. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 12142-12149.	3.3	802
75	Chapter 10 ATP-Ubiquitin-mediated protein degradation. Principles of Medical Biology, 1996, , 275-284.	0.1	0
76	Production of the R2 subunit of ribonucleotide reductase from herpes simplex virus with prokaryotic and eukaryotic expression systems: higher activity of R2 produced by eukaryotic cells related to higher iron-binding capacity. Biochemical Journal, 1996, 320, 129-135.	1.7	20
77	Proteolysis in plants: mechanisms and functions. Plant Molecular Biology, 1996, 32, 275-302.	2.0	328
78	Mass Spectrometric Analysis of 40 S Ribosomal Proteins from Rat-1 Fibroblasts. Journal of Biological Chemistry, 1996, 271, 28189-28198.	1.6	55
79	A Mouse Amidase Specific for N-terminal Asparagine. Journal of Biological Chemistry, 1996, 271, 28521-28532.	1.6	74
80	The <i>Listeria monocytogenes</i> -secreted p60 Protein Is an N-end Rule Substrate in the Cytosol of Infected Cells. Journal of Biological Chemistry, 1997, 272, 19261-19268.	1.6	50
81	Human N-Myristoyltransferase Amino-terminal Domain Involved in Targeting the Enzyme to the Ribosomal Subcellular Fraction. Journal of Biological Chemistry, 1997, 272, 28680-28689.	1.6	84
82	Production of human normal adult and fetal hemoglobins in <i>Escherichia coli</i> . Protein Engineering, Design and Selection, 1997, 10, 1085-1097.	1.0	81
83	Pathways of ubiquitin conjugation. FASEB Journal, 1997, 11, 1257-1268.	0.2	293
84	A N ¹ -acetyltransferase selectively transfers an acetyl group to NH ₂ -terminal methionine residues: purification and partial characterization. BBA - Proteins and Proteomics, 1997, 1338, 244-252.	2.1	6
85	Identification and structural influence of a differentially modified N-terminal methionine in human S100b. Protein Science, 1997, 6, 1110-1113.	3.1	23
86	The N-end rule pathway of protein degradation. Genes To Cells, 1997, 2, 13-28.	0.5	328
87	Modulation of the intracellular stability and toxicity of diphtheria toxin through degradation by the N-end rule pathway. EMBO Journal, 1998, 17, 615-625.	3.5	35
88	N-Terminal processing: the methionine aminopeptidase and N ¹ -acetyl transferase families. Trends in Biochemical Sciences, 1998, 23, 263-267.	3.7	449
89	Sequence elements that contribute to the degradation of yeast G1 ⁺ . Genes To Cells, 1998, 3, 307-319.	0.5	20
90	The human DENN gene: genomic organization, alternative splicing, and localization to chromosome 11p11.21-p11.22. Genome, 1998, 41, 543-552.	0.9	20
92	The Microheterogeneity of the Mammalian H10Histone. Journal of Biological Chemistry, 1998, 273, 13324-13330.	1.6	55

#	ARTICLE	IF	CITATIONS
93	Cloning of an intracellular protein that binds selectively to mitogenic acidic fibroblast growth factor. <i>Biochemical Journal</i> , 1998, 336, 213-222.	1.7	54
94	CLASSIFICATION OF BIOLOGICAL STRUCTURES. , 1999, , 1-56.		0
95	The catalytic sites of 20S proteasomes and their role in subunit maturation: A mutational and crystallographic study. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 10976-10983.	3.3	279
96	Size and Charge Requirements for Kinetic Modulation and Actin Binding by Alkali 1-type Myosin Essential Light Chains. <i>Journal of Biological Chemistry</i> , 1999, 274, 18271-18277.	1.6	42
97	Structural investigations on human erythrocyte acylpeptide hydrolase by mass spectrometric procedures. <i>The Protein Journal</i> , 1999, 18, 349-360.	1.1	10
98	The Methionyl Aminopeptidase from <i>Escherichia coli</i> Can Function as an Iron(II) Enzyme. <i>Biochemistry</i> , 1999, 38, 11079-11085.	1.2	152
99	Insights into the Mechanism of <i>Escherichia coli</i> Methionine Aminopeptidase from the Structural Analysis of Reaction Products and Phosphorus-Based Transition-State Analogues. <i>Biochemistry</i> , 1999, 38, 14810-14819.	1.2	113
100	Proteasome β^2 -type subunits: unequal roles of propeptides in core particle maturation and a hierarchy of active site function. <i>Journal of Molecular Biology</i> , 1999, 291, 997-1013.	2.0	123
101	Co-expression of glutathione S-transferase with methionine aminopeptidase: a system of producing enriched N-terminal processed proteins in <i>Escherichia coli</i> . <i>Biochemical Journal</i> , 1999, 338, 335-342.	1.7	13
102	Co-expression of glutathione S-transferase with methionine aminopeptidase: a system of producing enriched N-terminal processed proteins in <i>Escherichia coli</i> . <i>Biochemical Journal</i> , 1999, 338, 335.	1.7	2
103	Identification of eukaryotic peptide deformylases reveals universality of N-terminal protein processing mechanisms. <i>EMBO Journal</i> , 2000, 19, 5916-5929.	3.5	192
104	MAPs and POEP of the roads from prokaryotic to eukaryotic kingdoms. <i>Biochimie</i> , 2000, 82, 95-107.	1.3	47
105	Divalent Metal Binding Properties of the Methionyl Aminopeptidase from <i>Escherichia coli</i> . <i>Biochemistry</i> , 2000, 39, 3817-3826.	1.2	110
106	Circular Dichroic Investigation of the Native and Non-native Conformational States of the Growth Factor Receptor-Binding Protein 2 N-Terminal src Homology Domain 3: A Effect of Binding to a Proline-rich Peptide from Guanine Nucleotide Exchange Factor. <i>Biochemistry</i> , 2000, 39, 7722-7735.	1.2	15
107	Structural Evidence That the Methionyl Aminopeptidase from <i>Escherichia coli</i> is a Mononuclear Metalloprotease. <i>Biochemistry</i> , 2001, 40, 13302-13309.	1.2	50
108	PIG-S and PIG-T, essential for GPI anchor attachment to proteins, form a complex with GAA1 and GPI8. <i>EMBO Journal</i> , 2001, 20, 4088-4098.	3.5	154
109	N-end Rule Specificity within the Ubiquitin/Proteasome Pathway Is Not an Affinity Effect. <i>Journal of Biological Chemistry</i> , 2001, 276, 39428-39437.	1.6	24
110	The Human Immunodeficiency Virus Type 1 gag Gene Encodes an Internal Ribosome Entry Site. <i>Journal of Virology</i> , 2001, 75, 181-191.	1.5	145

#	ARTICLE	IF	CITATIONS
111	Overexpression and Divalent Metal Binding Properties of the Methionyl Aminopeptidase from <i>Pyrococcus furiosus</i> . <i>Biochemistry</i> , 2002, 41, 7199-7208.	1.2	48
112	Kinetic and Structural Characterization of Manganese(II)-Loaded Methionyl Aminopeptidases. <i>Biochemistry</i> , 2002, 41, 13096-13105.	1.2	42
113	Co- and Posttranslational Processing: The Removal of Methionine. <i>The Enzymes</i> , 2002, , 387-420.	0.7	7
114	Manipulation of Temperature To Improve Solubility of Hydrophobic Proteins and Cocrystallization with Matrix for Analysis by MALDI-TOF Mass Spectrometry. <i>Analytical Chemistry</i> , 2002, 74, 219-225.	3.2	17
115	N-terminal acetylation of ectopic recombinant proteins in <i>Escherichia coli</i> . <i>FEBS Letters</i> , 2002, 529, 341-345.	1.3	32
116	A novel N ^ε -acetyl alanine aminopeptidase from <i>Allomyces arbuscula</i> . <i>Biochimie</i> , 2002, 84, 309-319.	1.3	0
117	MALDI-TOF mass spectrometry characterization of recombinant hydrophobic mutants containing the GCN4 basic region/leucine zipper motif. <i>BBA - Proteins and Proteomics</i> , 2002, 1597, 252-259.	2.1	11
118	Kinetic and Spectroscopic Characterization of the H178A Methionyl Aminopeptidase from <i>Escherichia coli</i> . <i>Biochemistry</i> , 2003, 42, 6283-6292.	1.2	43
119	Substrate access and processing by the 20S proteasome core particle. <i>International Journal of Biochemistry and Cell Biology</i> , 2003, 35, 606-616.	1.2	169
120	Minimalist proteins: Design of new molecular recognition scaffolds. <i>Pure and Applied Chemistry</i> , 2004, 76, 1579-1590.	0.9	1
121	Protein N-terminal methionine excision. <i>Cellular and Molecular Life Sciences</i> , 2004, 61, 1455-74.	2.4	275
122	Characterization of the active site and insight into the binding mode of the anti-angiogenesis agent fumagillin to the manganese(II)-loaded methionyl aminopeptidase from <i>Escherichia coli</i> . <i>Journal of Biological Inorganic Chemistry</i> , 2005, 10, 41-50.	1.1	11
123	Posttranslational Protein Modification in Archaea. <i>Microbiology and Molecular Biology Reviews</i> , 2005, 69, 393-425.	2.9	189
124	Characterization of a Novel Zinc-Containing, Lysine-Specific Aminopeptidase from the Hyperthermophilic Archaeon <i>Pyrococcus furiosus</i> . <i>Journal of Bacteriology</i> , 2005, 187, 2077-2083.	1.0	23
125	EPR and X-ray Crystallographic Characterization of the Product-Bound Form of the Mn(II)-Loaded Methionyl Aminopeptidase from <i>Pyrococcus furiosus</i> . <i>Biochemistry</i> , 2005, 44, 121-129.	1.2	27
126	Both Nucleophile and Substrate Bind to the Catalytic Fe(II)-Center in the Type-II Methionyl Aminopeptidase from <i>Pyrococcus furiosus</i> . <i>Inorganic Chemistry</i> , 2005, 44, 1160-1162.	1.9	21
127	Identification of N-terminal acetylation of recombinant human prothymosin β in <i>Escherichia coli</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2006, 1760, 1241-1247.	1.1	18
128	Peptide deformylase as an antibacterial target: a critical assessment. <i>Current Opinion in Pharmacology</i> , 2006, 6, 445-452.	1.7	67

#	ARTICLE	IF	CITATIONS
129	Archaeal N-terminal Protein Maturation Commonly Involves N-terminal Acetylation: A Large-scale Proteomics Survey. <i>Journal of Molecular Biology</i> , 2006, 362, 915-924.	2.0	80
130	MAP1D, a novel methionine aminopeptidase family member is overexpressed in colon cancer. <i>Oncogene</i> , 2006, 25, 3471-3478.	2.6	25
131	A new colorimetric assay for methionyl aminopeptidases: Examination of the binding of a new class of pseudopeptide analog inhibitors. <i>Analytical Biochemistry</i> , 2006, 357, 43-49.	1.1	13
132	Post-Translational Modification of Proteins. <i>Advances in Enzymology and Related Areas of Molecular Biology</i> , 2006, 67, 265-298.	1.3	110
133	Assembly of protein complexes in plastids. <i>Topics in Current Genetics</i> , 2007, , 283-313.	0.7	6
134	Experimental evidence for a metallohydrolase mechanism in which the nucleophile is not delivered by a metal ion: EPR spectrokinetic and structural studies of aminopeptidase from <i>Vibrio proteolyticus</i> . <i>Biochemical Journal</i> , 2007, 403, 527-536.	1.7	14
135	Sequence specificity and efficiency of protein N-terminal methionine elimination in wheat-embryo cell-free system. <i>Protein Expression and Purification</i> , 2007, 52, 59-65.	0.6	16
136	Cell and Molecular Biology of Plastids. <i>Topics in Current Genetics</i> , 2007, , .	0.7	25
137	Targeting of mitochondrial <i>Saccharomyces cerevisiae</i> Ilv5p to the cytosol and its effect on vicinal diketone formation in brewing. <i>Applied Microbiology and Biotechnology</i> , 2008, 78, 503-513.	1.7	30
138	Tools for analyzing and predicting N-terminal protein modifications. <i>Proteomics</i> , 2008, 8, 626-649.	1.3	74
139	The loss in hydrophobic surface area resulting from a Leu to Val mutation at the N-terminus of the aldehyde dehydrogenase presequence prevents import of the protein into mitochondria. <i>Protein Science</i> , 1999, 8, 890-896.	3.1	6
140	Analyzing the catalytic role of Asp97 in the methionine aminopeptidase from <i>Escherichia coli</i> . <i>FEBS Journal</i> , 2008, 275, 6248-6259.	2.2	8
141	Predicting N-terminal acetylation based on feature selection method. <i>Biochemical and Biophysical Research Communications</i> , 2008, 372, 862-865.	1.0	30
142	Kinetic and Spectroscopic Analysis of the Catalytic Role of H79 in the Methionine Aminopeptidase from <i>Escherichia coli</i> . <i>Biochemistry</i> , 2008, 47, 11885-11893.	1.2	13
143	Analyzing the binding of Co(II)-specific inhibitors to the methionyl aminopeptidases from <i>Escherichia coli</i> and <i>Pyrococcus furiosus</i> . <i>Journal of Biological Inorganic Chemistry</i> , 2009, 14, 573-585.	1.1	9
144	Mutation of H63 and its catalytic affect on the methionine aminopeptidase from <i>Escherichia coli</i> . <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2009, 1794, 137-143.	1.1	0
145	Heterologous expression and purification of <i>Vibrio proteolyticus</i> (<i>Aeromonas proteolytica</i>) aminopeptidase: A rapid protocol. <i>Protein Expression and Purification</i> , 2009, 66, 91-101.	0.6	12
146	High-level expression and purification of rat monoamine oxidase A (MAO A) in <i>Pichia pastoris</i> : Comparison with human MAO A. <i>Protein Expression and Purification</i> , 2010, 70, 211-217.	0.6	18

#	ARTICLE	IF	CITATIONS
147	Removal of N-Terminal Blocking Groups from Proteins. <i>Current Protocols in Protein Science</i> , 2011, 63, Unit11.7.	2.8	3
148	The N-end rule pathway: emerging functions and molecular principles of substrate recognition. <i>Nature Reviews Molecular Cell Biology</i> , 2011, 12, 735-747.	16.1	175
149	Targeted large-scale analysis of protein acetylation. <i>Proteomics</i> , 2011, 11, 571-589.	1.3	70
150	Dynamics of post-translational modifications and protein stability in the stroma of <i>Chlamydomonas reinhardtii</i> chloroplasts. <i>Proteomics</i> , 2011, 11, 1734-1750.	1.3	51
151	Interplay Between N-Terminal Methionine Excision and FtsH Protease Is Essential for Normal Chloroplast Development and Function in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2011, 23, 3745-3760.	3.1	46
152	N-Terminal Acetylation Inhibits Protein Targeting to the Endoplasmic Reticulum. <i>PLoS Biology</i> , 2011, 9, e1001073.	2.6	167
153	Back down to Earth. <i>EMBO Reports</i> , 2012, 13, 408-411.	2.0	1
154	The N-end rule and retroviral infection: no effect on integrase. <i>Virology Journal</i> , 2013, 10, 233.	1.4	6
155	N-terminal Protein Processing: A Comparative Proteogenomic Analysis. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 14-28.	2.5	80
156	Purification of phosphinothricin acetyltransferase using Reactive brown 10 affinity in a single chromatography step. <i>Protein Expression and Purification</i> , 2013, 90, 129-134.	0.6	4
157	Methionyl Aminopeptidase Type 1. , 2013, , 1495-1500.		2
158	Timing Is Everything: Unifying Codon Translation Rates and Nascent Proteome Behavior. <i>Journal of the American Chemical Society</i> , 2014, 136, 17892-17898.	6.6	46
159	A <i>Saccharomyces cerevisiae</i> Model Reveals In Vivo Functional Impairment of the Ogden Syndrome N-Terminal Acetyltransferase NAA10 Ser37Pro Mutant. <i>Molecular and Cellular Proteomics</i> , 2014, 13, 2031-2041.	2.5	49
160	Proteogenomic Analysis of the <i>Venturia pirina</i> (Pear Scab Fungus) Secretome Reveals Potential Effectors. <i>Journal of Proteome Research</i> , 2014, 13, 3635-3644.	1.8	23
161	N-terminal acetylome analysis reveals the specificity of Naa50 (Nat5) and suggests a kinetic competition between N-terminal acetyltransferases and methionine aminopeptidases. <i>Proteomics</i> , 2015, 15, 2436-2446.	1.3	49
162	N-terminal modifications of cellular proteins: The enzymes involved, their substrate specificities and biological effects. <i>Proteomics</i> , 2015, 15, 2385-2401.	1.3	163
163	Purification, characterization and safety assessment of the introduced cold shock protein B in DroughtGard [®] maize. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 71, 164-173.	1.3	16
164	Quality Control of a Cytoplasmic Protein Complex. <i>Journal of Biological Chemistry</i> , 2015, 290, 4677-4687.	1.6	22

#	ARTICLE	IF	CITATIONS
165	N-terminal protein modifications: Bringing back into play the ribosome. <i>Biochimie</i> , 2015, 114, 134-146.	1.3	150
166	Physiological functions and clinical implications of the N-end rule pathway. <i>Frontiers of Medicine</i> , 2016, 10, 258-270.	1.5	9
167	Oxidative stress-mediated N-terminal protein modifications and MS-based approaches for N-terminal proteomics. <i>Drug Metabolism and Pharmacokinetics</i> , 2016, 31, 27-34.	1.1	8
168	Prediction of protein N-formylation using the composition of k-spaced amino acid pairs. <i>Analytical Biochemistry</i> , 2017, 534, 40-45.	1.1	23
169	Omics Assisted N-terminal Proteoform and Protein Expression Profiling On Methionine Aminopeptidase 1 (MetAP1) Deletion. <i>Molecular and Cellular Proteomics</i> , 2018, 17, 694-708.	2.5	21
170	Biochemical and in silico evaluation of recombinant <i>E. coli</i> aminopeptidase and in vitro processed human interferon β . <i>Turkish Journal of Biology</i> , 2018, 42, 240-249.	2.1	1
171	Safety of the <i>Bacillus thuringiensis</i> -derived Cry1A.105 protein: Evidence that domain exchange preserves mode of action and safety. <i>Regulatory Toxicology and Pharmacology</i> , 2018, 99, 50-60.	1.3	15
172	N-terminal methionine excision of proteins creates tertiary destabilizing N-degrons of the Arg/N-end rule pathway. <i>Journal of Biological Chemistry</i> , 2019, 294, 4464-4476.	1.6	29
173	The N-End Rule Pathway. , 1998, , 223-278.		7
174	N-Terminal Acetylated Mitochondrial Aldehyde Dehydrogenase is Found in Fresh but not Frozen Liver Tissue. , 1991, , 161-167.		2
175	Co-translational Modification, Stability and Turnover of Eukaryotic Proteins. , 1994, , 155-167.		1
176	Structure and Function of Bovine Lens Aminopeptidase and Comparison with Homologous Aminopeptidases. <i>Molecular Biology Intelligence Unit</i> , 1996, , 21-67.	0.2	6
177	Methionine Aminopeptidase: Structure and Function. <i>Molecular Biology Intelligence Unit</i> , 1996, , 91-106.	0.2	5
178	Proteolysis in plants: mechanisms and functions. , 1996, , 275-302.		12
179	Posttranslational Modifications. , 1998, , 121-206.		18
180	Purification and characterization of a methionine aminopeptidase from <i>Saccharomyces cerevisiae</i> .. <i>Journal of Biological Chemistry</i> , 1990, 265, 19892-19897.	1.6	89
181	Cardiac fatty acid-binding proteins. Isolation and characterization of the mitochondrial fatty acid-binding protein and its structural relationship with the cytosolic isoforms.. <i>Journal of Biological Chemistry</i> , 1990, 265, 16255-16261.	1.6	58
182	Involvement of sequences near both amino and carboxyl termini in the rapid intracellular degradation of tyrosine aminotransferase.. <i>Journal of Biological Chemistry</i> , 1992, 267, 23713-23721.	1.6	12

#	ARTICLE	IF	CITATIONS
183	Analysis of the compartmentalization of myristoyl-CoA:protein N-myristoyltransferase in <i>Saccharomyces cerevisiae</i> .. <i>Journal of Biological Chemistry</i> , 1992, 267, 5366-5373.	1.6	39
184	Phenylalanine hydroxylase-stimulating protein/pterin-4 alpha-carbinolamine dehydratase from rat and human liver. Purification, characterization, and complete amino acid sequence.. <i>Journal of Biological Chemistry</i> , 1993, 268, 4828-4831.	1.6	62
185	The carboxyl terminus of the smooth muscle myosin light chain kinase is expressed as an independent protein, telokin.. <i>Journal of Biological Chemistry</i> , 1991, 266, 23945-23952.	1.6	115
186	The cloning and expression of a gene encoding Old Yellow Enzyme from <i>Saccharomyces carlsbergensis</i> .. <i>Journal of Biological Chemistry</i> , 1991, 266, 20720-20724.	1.6	90
187	Stabilization of the shikimate pathway enzyme dehydroquinase by covalently bound ligand. <i>Journal of Biological Chemistry</i> , 1991, 266, 10893-10898.	1.6	26
188	Isolation and characterization of the methionine aminopeptidase from porcine liver responsible for the co-translational processing of proteins.. <i>Journal of Biological Chemistry</i> , 1992, 267, 20667-20673.	1.6	88
189	Model peptides reveal specificity of N alpha-acetyltransferase from <i>Saccharomyces cerevisiae</i> .. <i>Journal of Biological Chemistry</i> , 1990, 265, 11576-11580.	1.6	19
190	Identification of methionine Nalpha-acetyltransferase from <i>Saccharomyces cerevisiae</i> .. <i>Journal of Biological Chemistry</i> , 1990, 265, 3603-3606.	1.6	18
191	Acylpeptide hydrolase: inhibitors and some active site residues of the human enzyme.. <i>Journal of Biological Chemistry</i> , 1992, 267, 3811-3818.	1.6	58
192	Universality and Structure of the N-end Rule. <i>Journal of Biological Chemistry</i> , 1989, 264, 16700-16712.	1.6	410
193	Methionine aminopeptidases and angiogenesis. <i>Essays in Biochemistry</i> , 2002, 38, 65-78.	2.1	48
194	Amino Acid Residues Involved in the Functional Integrity of <i>Escherichia coli</i> Methionine Aminopeptidase. <i>Journal of Bacteriology</i> , 1999, 181, 4686-4689.	1.0	18
195	A papillomavirus E2 phosphorylation mutant exhibits normal transient replication and transcription but is defective in transformation and plasmid retention. <i>Journal of Virology</i> , 1997, 71, 3652-3665.	1.5	30
196	Notes: Point Mutations in the Yeast Histone H4 Gene Prevent Silencing of the Silent Mating Type Locus <i><i>HML</i></i> . <i>Molecular and Cellular Biology</i> , 1990, 10, 4932-4934.	1.1	137
197	Ornithine decarboxylase gene of <i>Neurospora crassa</i> : isolation, sequence, and polyamine-mediated regulation of its mRNA. <i>Molecular and Cellular Biology</i> , 1992, 12, 347-359.	1.1	36
198	Structure and macromolecular assembly of two isoforms of the major sperm protein (MSP) from the amoeboid sperm of the nematode, <i><i>Ascaris suum</i></i> . <i>Journal of Cell Science</i> , 1992, 101, 847-857.	1.2	52
199	MetAP1 and MetAP2 drive cell selectivity for a potent anti-cancer agent in synergy, by controlling glutathione redox state. <i>Oncotarget</i> , 2016, 7, 63306-63323.	0.8	32
200	The Purification and Characterization of a <i>Bacillus stearothermophilus</i> Methionine Aminopeptidase (MetAP). <i>BMB Reports</i> , 2002, 35, 228-235.	1.1	7

#	ARTICLE	IF	CITATIONS
201	An Introduction to Metabolism. , 2001, , 505-533.		0
202	Ribosomes and the Synthesis of Proteins. , 2001, , 1669-1739.		0
203	Methionyl aminopeptidase type 1. , 2004, , 911-917.		2
204	PROTEIN TRANSLOCATION AND TURNOVER IN EUKARYOTIC CELLS. , 1990, , 183-190.		0
205	The Degradation Sequence of Adenovirus E1A Consists of the Amino-Terminal Tetrapeptide Met-Arg-His-Ile. Molecular and Cellular Biology, 1990, 10, 5609-5615.	1.1	5
206	Structure and Expression of a Calcium-Binding Protein Gene Contained within a Calmodulin-Regulated Protein Kinase Gene. Molecular and Cellular Biology, 1992, 12, 2359-2371.	1.1	16
209	The recognition component of the N-end rule pathway. EMBO Journal, 1990, 9, 3179-89.	3.5	166
210	The 'second-codon rule' and autophosphorylation govern the stability and activity of Mos during the meiotic cell cycle in <i>Xenopus</i> oocytes. EMBO Journal, 1992, 11, 2433-46.	3.5	49
211	Co-expression of glutathione S-transferase with methionine aminopeptidase: a system of producing enriched N-terminal processed proteins in <i>Escherichia coli</i> . Biochemical Journal, 1999, 338 (Pt 2), 335-42.	1.7	4
213	The carboxyl terminus of the smooth muscle myosin light chain kinase is expressed as an independent protein, telokin. Journal of Biological Chemistry, 1991, 266, 23945-52.	1.6	107
215	Zn-regulated GTPase metalloprotein activator 1 modulates vertebrate zinc homeostasis. Cell, 2022, 185, 2148-2163.e27.	13.5	39
216	Safety assessment of Mpp75Aa1.1, a new ETX_MTX2 protein from <i>Brevibacillus laterosporus</i> that controls western corn rootworm. PLoS ONE, 2022, 17, e0274204.	1.1	0
217	Protein N-terminal acylation: An emerging field in bacterial cell physiology. Current Trends in Microbiology, 0, 16, 1-18.	0.0	1
218	Methionine aminopeptidases. , 2024, , 343-373.		0