## CITATION REPORT List of articles citing

Biventricular performance during volume loading in patients with early septic shock, with emphasis on the right ventricle: a combined hemodynamic and radionuclide study

DOI: 10.1016/0002-8703(88)90256-6 American Heart Journal, 1988, 116, 103-12.

Source: https://exaly.com/paper-pdf/19830916/citation-report.pdf

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 185 | Intensive care medicinea review. <b>1989</b> , 65, 875-80   |      | 1         |
| 184 | The cardiovascular response to endotoxin. <b>1989</b> , 321, 1828-30  |      | 8         |
| 183 | Measurements of right ventricular volumes during fluid challenge. <b>1990</b> , 98, 1450-4  |      | 153       |
| 182 | The haemodynamics of septic shock. <i>Intensive Care Medicine</i> , <b>1990</b> , 16 Suppl 3, S182-6  | 14.5 | 23        |
| 181 | Myocardial function in septic shock. <i>Journal of Critical Care</i> , <b>1990</b> , 5, 47-61   | 4    | 9         |
| 180 | [Hemodynamic effects of dobutamine in hyperkinetic septic shock treated with norepinephrine]. <b>1991</b> , 10, 31-7  |      | 3         |
| 179 | Right ventricular pump dysfunction with acute experimental septic shock. <b>1991</b> , 50, 93-9   |      | 4         |
| 178 | Nitrogen cycling in an acid forest ecosystem in the Netherlands under increased atmospheric nitrogen input. <b>1991</b> , 15, 21  |      | 41        |
| 177 | Age and right ventricular function during cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>1992</b> , 6, 29-32  | 2.1  | 16        |
| 176 | Right ventricular function in patients with reduced left ventricular function undergoing myocardial revascularization. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>1992</b> , 6, 24-8 | 2.1  | 11        |
| 175 | High-volume hemofiltration improves hemodynamics of endotoxin-induced shock in the pig. <i>Journal of Critical Care</i> , <b>1992</b> , 7, 67-75  | 4    | 90        |
| 174 | High volume hemofiltration improves right ventricular function in endotoxin-induced shock in the pig. <i>Intensive Care Medicine</i> , <b>1992</b> , 18, 235-40   | 14.5 | 237       |
| 173 | Infusion of ultrafiltrate from endotoxemic pigs depresses myocardial performance in normal pigs. <i>Journal of Critical Care</i> , <b>1993</b> , 8, 161-9   | 4    | 96        |
| 172 | Right ventricular function in early septic shock states. <i>Intensive Care Medicine</i> , <b>1993</b> , 19, 3-7   | 14.5 | 51        |
| 171 | Management of septic shock. <b>1993</b> , 306, 1661-4   |      | 16        |
| 170 | Invasive monitoring combined with two-dimensional echocardiographic study in septic shock. <i>Intensive Care Medicine</i> , <b>1994</b> , 20, 550-4   | 14.5 | 106       |
| 169 | Dynamic accumulation of neutrophils in lungs and visceral organs during early abdominal sepsis in the pig. <b>1994</b> , 18, 811-6; discussion 816-7  |      | 19        |

| 168               | Hemodynamic support during sepsis. <i>Clinics in Chest Medicine</i> , <b>1996</b> , 17, 279-87   | 5.3         | 10                           |
|-------------------|--|-------------|------------------------------|
| 167               | Cardiac dysfunction during septic shock. <i>Clinics in Chest Medicine</i> , <b>1996</b> , 17, 237-48   | 5.3         | 14                           |
| 166               | New perspectives on the management of septic shock in the cancer patient. <b>1996</b> , 10, 239-53   |             | 3                            |
| 165               | Perturbations cardio-circulatoires du choc septique. <b>1996</b> , 5, 457-460  |             |                              |
| 164               | RIGHT VENTRICULAR FUNCTION AND FAILURE IN THE PERIOPERATIVE PERIOD. <b>1997</b> , 15, 797-822  |             | 4                            |
| 163               | Septic shock. Canadian Journal of Anaesthesia, <b>1997</b> , 44, 59-72   | 3           | 20                           |
| 162               | Left ventricular systolic and diastolic function in septic shock. <i>Intensive Care Medicine</i> , <b>1997</b> , 23, 553-60  | 14.5        | 803                          |
| 161               | Effects of epinephrine on right ventricular function in patients with severe septic shock and right ventricular failure: a preliminary descriptive study. <i>Intensive Care Medicine</i> , <b>1997</b> , 23, 664-70  | 14.5        | 70                           |
| 160               | Cardiac dysfunction in sepsis. <i>Intensive Care Medicine</i> , <b>1998</b> , 24, 990-2  | 14.5        | 2                            |
| 159               | Pulmonary impedance and right ventricular-vascular coupling in endotoxin shock. <b>1998</b> , 38, 375-82   |             | _                            |
|                   | Fulfiloriary impedance and right ventricular-vascular coupling in endocoxin shock. 1996, 36, 373-62  |             | 7                            |
| 158               | Persistent preload defect in severe sepsis despite fluid loading: A longitudinal echocardiographic study in patients with septic shock. 1999, 116, 1354-9  |             | 769                          |
| 158<br>157        | Persistent preload defect in severe sepsis despite fluid loading: A longitudinal echocardiographic   | 14.5        |                              |
|                   | Persistent preload defect in severe sepsis despite fluid loading: A longitudinal echocardiographic study in patients with septic shock. <b>1999</b> , 116, 1354-9  Monitoring the circulatory responses of shocked patients during fluid resuscitation in the  | 14.5        | 769                          |
| 157               | Persistent preload defect in severe sepsis despite fluid loading: A longitudinal echocardiographic study in patients with septic shock. <b>1999</b> , 116, 1354-9  Monitoring the circulatory responses of shocked patients during fluid resuscitation in the emergency department. <i>Intensive Care Medicine</i> , <b>2000</b> , 26, 173-9   | 14.5<br>4.5 | 769<br>15                    |
| 157<br>156        | Persistent preload defect in severe sepsis despite fluid loading: A longitudinal echocardiographic study in patients with septic shock. 1999, 116, 1354-9  Monitoring the circulatory responses of shocked patients during fluid resuscitation in the emergency department. <i>Intensive Care Medicine</i> , 2000, 26, 173-9  [Acute right heart failure. Etiologypathophysiologydiagnosistherapy]. 2000, 49, 788-808  |             | 769<br>15<br>38              |
| 157<br>156<br>155 | Persistent preload defect in severe sepsis despite fluid loading: A longitudinal echocardiographic study in patients with septic shock. 1999, 116, 1354-9  Monitoring the circulatory responses of shocked patients during fluid resuscitation in the emergency department. <i>Intensive Care Medicine</i> , 2000, 26, 173-9  [Acute right heart failure. Etiologypathophysiologydiagnosistherapy]. 2000, 49, 788-808  Myocardial dysfunction in septic shock. <i>Critical Care Clinics</i> , 2000, 16, 251-87  Myocardial dysfunction in septic shock: Part I. Clinical manifestation of cardiovascular dysfunction.  | 4.5         | 769<br>15<br>38<br>179       |
| 157<br>156<br>155 | Persistent preload defect in severe sepsis despite fluid loading: A longitudinal echocardiographic study in patients with septic shock. 1999, 116, 1354-9  Monitoring the circulatory responses of shocked patients during fluid resuscitation in the emergency department. Intensive Care Medicine, 2000, 26, 173-9  [Acute right heart failure. Etiologypathophysiologydiagnosistherapy]. 2000, 49, 788-808  Myocardial dysfunction in septic shock. Critical Care Clinics, 2000, 16, 251-87  Myocardial dysfunction in septic shock: Part I. Clinical manifestation of cardiovascular dysfunction. Journal of Cardiothoracic and Vascular Anesthesia, 2001, 15, 364-76  Myocardial dysfunction in septic shock: Part II. Role of cytokines and nitric oxide. Journal of | 4.5         | 769<br>15<br>38<br>179<br>88 |

| 150 | Der âldrankeâlfrechte Ventrikel. <b>2001</b> , 38, 264-277   |      | 2    |
|-----|--|------|------|
| 149 | Myocardial Dysfunction in Sepsis. <b>2001</b> , 4, 89-97   |      | 3    |
| 148 | alpha-atrial natriuretic peptide, cyclic guanosine monophosphate, and endothelin in plasma as markers of myocardial depression in human septic shock. <i>Critical Care Medicine</i> , <b>2001</b> , 29, 80-7 | 1.4  | 51   |
| 147 | Respiratory changes in aortic blood velocity as an indicator of fluid responsiveness in ventilated patients with septic shock. <b>2001</b> , 119, 867-73   |      | 473  |
| 146 | The Sepsis Text. <b>2002</b> ,   |      | 2    |
| 145 | Predicting fluid responsiveness in ICU patients: a critical analysis of the evidence. <b>2002</b> , 121, 2000-8  |      | 1127 |
| 144 | Myocardial dysfunction in the patient with sepsis. Current Opinion in Critical Care, 2002, 8, 376-88   | 3.5  | 172  |
| 143 | Heart Dysfunction in Human Septic Shock. <b>2002</b> , 9, 206-212  |      |      |
| 142 | Reversible myocardial dysfunction in critically ill, noncardiac patients: a review. <i>Critical Care Medicine</i> , <b>2002</b> , 30, 1280-90  | 1.4  | 36   |
| 141 | Clinical review: Myocardial depression in sepsis and septic shock. <i>Critical Care</i> , <b>2002</b> , 6, 500-8   | 10.8 | 278  |
| 140 | Invasive Hemodynamic Monitoring. <b>2002</b> , 285-307   |      |      |
| 139 | R\$erve de prcharge ventriculaire gauche dans le choc septique : mythe ou ralit'?. <i>Reanimation:</i> Journal De La Societe De Reanimation De Langue Francaise, 2002, 11, 105-110                           |      | 1    |
| 138 | [Assessment of volume responsiveness in mechanically ventilated patients]. 2003, 52, 1005-7, 1010-3  |      | 11   |
| 137 | Hemodynamic instability in sepsis: bedside assessment by Doppler echocardiography. 2003, 168, 1270-0   | 6    | 206  |
| 136 | Assessment of cardiac preload and left ventricular function under increasing levels of positive end-expiratory pressure. <i>Intensive Care Medicine</i> , <b>2004</b> , 30, 119-26                           | 14.5 | 468  |
| 135 | Superior vena caval collapsibility as a gauge of volume status in ventilated septic patients. <i>Intensive Care Medicine</i> , <b>2004</b> , 30, 1734-9  | 14.5 | 184  |
| 134 | Science review: natriuretic peptides in critical illness. <i>Critical Care</i> , <b>2004</b> , 8, 342-9  | 10.8 | 41   |
| 133 | Les critfes hmodynamiques statiques prdictifs de l'efficacit'd'un remplissage vasculaire.  Reanimation: Journal De La Societe De Reanimation De Langue Francaise, 2004, 13, 289-298                          |      | 1    |

| 132 | Brain natriuretic peptide: a potential marker for mortality in septic shock. 2004, 8, 271-4   |      | 40  |
|-----|---|------|-----|
| 131 | Crittes de mauvaise tolfance et d'arrt du remplissage vasculaire [champ 6]. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , <b>2004</b> , 13, 316-320    |      |     |
| 130 | Crittes clinicobiologiques prdictifs de l'efficacit du remplissage vasculaire. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , <b>2004</b> , 13, 279-284 |      | 1   |
| 129 | Differentiated and dose-related cardiovascular effects of a dual endothelin receptor antagonist in endotoxin shock. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1192-9            | 1.4  | 26  |
| 128 | Fluid responsiveness in spontaneously breathing patients: a review of indexes used in intensive care. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 2757-62                         | 1.4  | 72  |
| 127 | Monitoring of right-sided heart function. <i>Current Opinion in Critical Care</i> , <b>2005</b> , 11, 271-9   | 3.5  | 32  |
| 126 | Pulmonary Artery Occlusion Pressure: Measurement, Significance, and Clinical Uses. <b>2005</b> , 111-134  |      |     |
| 125 | Clinical Value of Intrathoracic Volumes from Transpulmonary Indicator Dilution. <i>Update in Intensive Care and Emergency Medicine</i> , <b>2005</b> , 153-163                          |      |     |
| 124 | Central Venous Pressure: Uses and Limitations. <b>2005</b> , 99-110   |      | 3   |
| 123 | Traitement de la dfaillance cardiaque. <b>2005</b> , 239-249  |      |     |
| 122 | Functional Hemodynamic Monitoring. Update in Intensive Care and Emergency Medicine, 2005,   |      | 6   |
| 121 | Sepsis sville et choc septique. <b>2005</b> ,   |      |     |
| 120 | Clinical relevance of data from the pulmonary artery catheter. <i>Critical Care</i> , <b>2006</b> , 10 Suppl 3, S3  | 10.8 | 43  |
| 119 | What role does the right side of the heart play in circulation?. <i>Critical Care</i> , <b>2006</b> , 10 Suppl 3, S5  | 10.8 | 16  |
| 118 | Bedside echocardiographic evaluation of hemodynamics in sepsis: is a qualitative evaluation sufficient?. <i>Intensive Care Medicine</i> , <b>2006</b> , 32, 1547-52                     | 14.5 | 104 |
| 117 | Sepsis associated cardiomyopathy. <b>2006</b> , 17, 349-358   |      | 3   |
| 116 | Sepsis. <b>2006</b> ,   |      |     |
| 115 | Myocardial Depression in Sepsis and Septic Shock. <b>2006</b> , 55-73   |      |     |

| 114                      | Mechanisms of Sepsis-Induced Organ Dysfunction and Recovery. <i>Update in Intensive Care and Emergency Medicine</i> , <b>2007</b> ,  |      |   |
|--------------------------|--|------|---|
| 113                      | Prognostic values of B-type natriuretic peptide in severe sepsis and septic shock. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 1019-26   | 1.4  | 114                                       |
| 112                      | Cardiac filling pressures are not appropriate to predict hemodynamic response to volume challenge. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 64-8  | 1.4  | 537                                       |
| 111                      | Radial artery pulse pressure variation correlates with brachial artery peak velocity variation in ventilated subjects when measured by internal medicine residents using hand-carried ultrasound devices. <b>2007</b> , 131, 1301-7  |      | 26  |
| 110                      | The clinical role of central venous pressure measurements. <b>2007</b> , 22, 44-51   |      | 82  |
| 109                      | A clinician's guide to predicting fluid responsiveness in critical illness: applied physiology and research methodology. <b>2007</b> , 35, 669-78  |      | 5   |
| 108                      | Myocardial Depression in Sepsis and Septic Shock. <b>2007</b> , 415-435  |      |   |
| 107                      | Hemodynamic effects of passive leg raising: an echocardiographic study in patients with shock. <i>Intensive Care Medicine</i> , <b>2008</b> , 34, 1239-45  | 14.5 | 38  |
| 106                      | Acute Heart Failure. <b>2008</b> ,   |      | 7   |
|                          |  |      |   |
| 105                      | Pulmonary Hypertension. 2008,  |      | 3   |
| 105                      | Pulmonary Hypertension. 2008,  The right ventricle in sepsis. <i>Clinics in Chest Medicine</i> , 2008, 29, 661-76, ix  | 5.3  | 53  |
| Ĭ                        |  | 5.3  |   |
| 104                      | The right ventricle in sepsis. <i>Clinics in Chest Medicine</i> , <b>2008</b> , 29, 661-76, ix  Advances in critical care for the nephrologist: hemodynamic monitoring and volume management.  | 5.3  | 53  |
| 104                      | The right ventricle in sepsis. <i>Clinics in Chest Medicine</i> , <b>2008</b> , 29, 661-76, ix  Advances in critical care for the nephrologist: hemodynamic monitoring and volume management. <b>2008</b> , 3, 554-61  | 5.3  | 53  |
| 104<br>103<br>102        | The right ventricle in sepsis. <i>Clinics in Chest Medicine</i> , <b>2008</b> , 29, 661-76, ix  Advances in critical care for the nephrologist: hemodynamic monitoring and volume management. <b>2008</b> , 3, 554-61  Natriuretic peptide testing in clinical medicine. <b>2008</b> , 16, 240-9  Isolated and reversible impairment of ventricular relaxation in patients with septic shock. <i>Critical</i>  |      | <ul><li>53</li><li>5</li><li>21</li></ul> |
| 104<br>103<br>102        | The right ventricle in sepsis. <i>Clinics in Chest Medicine</i> , <b>2008</b> , 29, 661-76, ix  Advances in critical care for the nephrologist: hemodynamic monitoring and volume management. <b>2008</b> , 3, 554-61  Natriuretic peptide testing in clinical medicine. <b>2008</b> , 16, 240-9  Isolated and reversible impairment of ventricular relaxation in patients with septic shock. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 766-74   |      | <ul><li>53</li><li>5</li><li>21</li></ul> |
| 104<br>103<br>102<br>101 | The right ventricle in sepsis. Clinics in Chest Medicine, 2008, 29, 661-76, ix  Advances in critical care for the nephrologist: hemodynamic monitoring and volume management. 2008, 3, 554-61  Natriuretic peptide testing in clinical medicine. 2008, 16, 240-9  Isolated and reversible impairment of ventricular relaxation in patients with septic shock. Critical Care Medicine, 2008, 36, 766-74  Avalia da responsividade a volume em pacientes sob ventila despontible a. 2009, 21,  Hemodynamic resuscitation in septic shock: cardiovascular support and adjunctive therapy. 2009, |      | 53<br>5<br>21<br>137                      |

## (2009-2009)

| 96 | Another look at the opening and collapse story. Critical Care Medicine, 2009, 37, 2667-8   | 1.4 | 8   |
|----|--|-----|-----|
| 95 | Bending gender rules for septic patients: are host responses positioned equally for all critically ill patients?. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2649-50                                      | 1.4 | 3   |
| 94 | Resident work-hours or "duty hours": evidence versus emotion. Critical Care Medicine, 2009, 37, 2661-2   | 1.4 |     |
| 93 | Protecting children in clinical research-Need for a rethink?. Critical Care Medicine, 2009, 37, 2673-4   | 1.4 |     |
| 92 | Diagnosing hypovolemia in the critically ill. Critical Care Medicine, 2009, 37, 2674-5   | 1.4 | 8   |
| 91 | Hypoglycemia and intensive insulin therapy: strict vigilance and prompt correction. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2656-7   | 1.4 |     |
| 90 | Respiratory failure and abdominal sepsis: time to focus on diaphragm is back. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2669-70  | 1.4 |     |
| 89 | Early-onset candidemia: an increasing problem?. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2652-3   | 1.4 | 2   |
| 88 | Preload responsiveness or right ventricular dysfunction?. Critical Care Medicine, 2009, 37, 2662-3   | 1.4 | 11  |
| 87 | Ventilator-associated pneumonia prevalence: to benchmark or not to benchmark. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2657-9   | 1.4 | 2   |
| 86 | Living on the lighter side of sedation in the intensive care unit: is there a psychological cost?. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2654-5  | 1.4 | 1   |
| 85 | Adenosine for diagnosis of wide QRS tachycardia: rapid infusion for an easier conclusion. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2651-2   | 1.4 | 2   |
| 84 | Acute left ventricular dilatation and shock-induced myocardial dysfunction. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 441-7  | 1.4 | 631 |
| 83 | Maintenance of normoglycemia, insulin therapy, or feeding: why not all three?. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2665-7  | 1.4 | 1   |
| 82 | Discontinuation of continuous renal replacement therapy: when is enough enough?. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2664-5  | 1.4 | 1   |
| 81 | More data on epidemiology and outcome of acute kidney injury with AKIN criteria: benefits of standardized definitions, AKIN and RIFLE classifications. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2659-61 | 1.4 | 19  |
| 80 | Assessment of right ventricular function. Current Opinion in Critical Care, 2009, 15, 254-60   | 3.5 | 38  |
| 79 | Miles to go before we sleep. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2670-2  | 1.4 | 1   |

| 78 | Advantages and limitations of static parameters of fluid loading. <i>International Anesthesiology Clinics</i> , <b>2010</b> , 48, 1-21   | 0.6  | 7   |
|----|--|------|-----|
| 77 | Cardiovascular and metabolic effects of high-dose insulin in a porcine septic shock model. <i>Academic Emergency Medicine</i> , <b>2010</b> , 17, 429-35   | 3.4  | 22  |
| 76 | Pulmonary vascular and right ventricular dysfunction in adult critical care: current and emerging options for management: a systematic literature review. <i>Critical Care</i> , <b>2010</b> , 14, R169          | 10.8 | 221 |
| 75 | Pulse pressure variation and volume responsiveness during acutely increased pulmonary artery pressure: an experimental study. <i>Critical Care</i> , <b>2010</b> , 14, R122                                      | 10.8 | 35  |
| 74 | Inferior vena cava diameter correlates with invasive hemodynamic measures in mechanically ventilated intensive care unit patients with sepsis. <i>Journal of Emergency Medicine</i> , <b>2010</b> , 38, 632-7    | 1.5  | 79  |
| 73 | Septic Shock. <b>2011</b> , 109-116  |      |     |
| 72 | Echocardiographic Evaluation and Monitoring of Right Ventricular Function and Pulmonary Artery Pressures. <b>2011</b> , 133-149  |      | 2   |
| 71 | High mixed venous oxygen saturation levels do not exclude fluid responsiveness in critically ill septic patients. <i>Critical Care</i> , <b>2011</b> , 15, R177  | 10.8 | 37  |
| 70 | Hemodynamic Monitoring Using Echocardiography in the Critically Ill. 2011,   |      | 13  |
| 69 | Sepsis grave et choc septique. <b>2011</b> ,   |      |     |
| 68 | Myocardial dysfunction in severe sepsis and septic shock: more questions than answers?. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>2011</b> , 25, 526-35                                      | 2.1  | 577 |
| 67 | Septic cardiomyopathy. <i>Annals of Intensive Care</i> , <b>2011</b> , 1, 6  | 8.9  | 125 |
| 66 | Traitement de la dfaillance cardiaque. <b>2011</b> , 237-249   |      |     |
| 65 | Dimension and overlap of femoral and neck blood vessels in neonates. <i>Pediatric Critical Care Medicine</i> , <b>2012</b> , 13, 312-7   | 3    | 13  |
| 64 | Myocardial dysfunction in neonatal sepsis: a tissue Doppler imaging study. <i>Pediatric Critical Care Medicine</i> , <b>2012</b> , 13, 318-23  | 3    | 35  |
| 63 | Diastolic dysfunction and mortality in severe sepsis and septic shock. <i>European Heart Journal</i> , <b>2012</b> , 33, 895-903   | 9.5  | 256 |
| 62 | Central venous pressure and shock index predict lack of hemodynamic response to volume expansion in septic shock: a prospective, observational study. <i>Journal of Critical Care</i> , <b>2012</b> , 27, 609-15 | 4    | 16  |
| 61 | Assessment of cardiovascular preload and response to volume expansion. <i>Medicina Intensiva</i>   | 0.2  |     |

## (2017-2012)

| 60 | Management of acute right ventricular failure in the intensive care unit. <i>Current Heart Failure Reports</i> , <b>2012</b> , 9, 228-35  | 2.8  | 39  |
|----|---|------|-----|
| 59 | [Assessment of cardiovascular preload and response to volume expansion]. <i>Medicina Intensiva</i> , <b>2012</b> , 36, 45-55  | 1.2  | 14  |
| 58 | Global end-diastolic volume increases to maintain fluid responsiveness in sepsis-induced systolic dysfunction. <i>BMC Anesthesiology</i> , <b>2013</b> , 13, 12   | 2.4  | 6   |
| 57 | Hemodynamic instability and fluid responsiveness. <i>Canadian Journal of Anaesthesia</i> , <b>2013</b> , 60, 1240-7   | 3    | 8   |
| 56 | Limitations of global end-diastolic volume index as a parameter of cardiac preload in the early phase of severe sepsis: a subgroup analysis of a multicenter, prospective observational study. <i>Journal of Intensive Care</i> , <b>2013</b> , 1, 11 | 7    | 15  |
| 55 | Cor Pulmonale. <b>2014</b> , 201-208  |      |     |
| 54 | The Right Heart. <b>2014</b> ,  |      | 1   |
| 53 | Core Knowledge in Critical Care Medicine. <b>2014</b> ,   |      |     |
| 52 | Myocardial depression in sepsis: from pathogenesis to clinical manifestations and treatment. <i>Journal of Critical Care</i> , <b>2014</b> , 29, 500-11   | 4    | 157 |
| 51 | Bedside Ultrasound in the Intensive Care Unit: Where Is the Evidence?. <i>Seminars in Respiratory and Critical Care Medicine</i> , <b>2015</b> , 36, 878-89   | 3.9  | 9   |
| 50 | Recommandations hmodynamiques de la Surviving Sepsis Campaign : o,en sommes-nous aujourdâliui ?. Reanimation: Journal De La Societe De Reanimation De Langue Francaise, <b>2015</b> , 24, 122-1   | 28   |     |
| 49 | Functional hemodynamic monitoring. <i>Critical Care Clinics</i> , <b>2015</b> , 31, 89-111  | 4.5  | 43  |
| 48 | Experts' opinion on management of hemodynamics in ARDS patients: focus on the effects of mechanical ventilation. <i>Intensive Care Medicine</i> , <b>2016</b> , 42, 739-749   | 14.5 | 145 |
| 47 | The Use of Ultrasound in Caring for Patients with Sepsis. <i>Clinics in Chest Medicine</i> , <b>2016</b> , 37, 299-307  | 5.3  | 7   |
| 46 | Hospital and intensive care unit management of decompensated pulmonary hypertension and right ventricular failure. <i>Heart Failure Reviews</i> , <b>2016</b> , 21, 323-46  | 5    | 18  |
| 45 | Characterization of Cardiac Dysfunction by Echocardiography in Early Severe Acute Pancreatitis. <i>Pancreas</i> , <b>2017</b> , 46, 626-630   | 2.6  | 6   |
| 44 | Sepsis. Respiratory Medicine, 2017,   | 0.2  | 3   |
| 43 | Fluid Resuscitation in Severe Sepsis. Emergency Medicine Clinics of North America, 2017, 35, 59-74  | 1.9  | 28  |

| 42 | Myocardial depression in a calf with septic shock. Veterinary Record Case Reports, 2018, 6, e000513   | 0.2  | 0  |
|----|---|------|----|
| 41 | Pathophysiology, echocardiographic evaluation, biomarker findings, and prognostic implications of septic cardiomyopathy: a review of the literature. <i>Critical Care</i> , <b>2018</b> , 22, 112   | 10.8 | 65 |
| 40 | Miocardiopat sptica en pacientes pediEricos: fisiopatolog y presentaci claica. <i>Acta Colombiana De Cuidado Intensivo</i> , <b>2018</b> , 18, 179-189  | 0.1  |    |
| 39 | Physiologic Approach to Mechanical Ventilation in Right Ventricular Failure. <i>Annals of the American Thoracic Society</i> , <b>2018</b> , 15, 383-389   | 4.7  | 10 |
| 38 | Physiology-guided management of hemodynamics in acute respiratory distress syndrome. <i>Annals of Translational Medicine</i> , <b>2018</b> , 6, 353   | 3.2  | 10 |
| 37 | Pathophysiology of Volume Administration in Septic Shock and the Role of the Clinical Pharmacist. <i>Annals of Pharmacotherapy</i> , <b>2020</b> , 54, 388-396  | 2.9  | 3  |
| 36 | Swollen heart in COVID-19 patients who progress to critical illness: a perspective from echo-cardiologists. <i>ESC Heart Failure</i> , <b>2020</b> , 7, 3621  | 3.7  | 14 |
| 35 | Clinical Outcome of Septic Patients With Heart Failure With Preserved Ejection Fraction Presenting to the Emergency Department of a Tertiary Hospital: A Retrospective Cohort Study. <i>Frontiers in Medicine</i> , <b>2020</b> , 7, 517999 | 4.9  | 1  |
| 34 | Reversible left ventricular diastolic dysfunction-Overview and clinical implications. <i>Echocardiography</i> , <b>2020</b> , 37, 1957-1966   | 1.5  | О  |
| 33 | Cor Pulmonale. <b>2021</b> , 163-170  |      |    |
| 32 | Effect of Inflammatory Conditions on the Heart. <b>2000</b> , 340-352   |      | 1  |
| 31 | Clinical Manifestations of Cardiovascular Dysfunction in Sepsis. <b>1993</b> , 859-881  |      | 1  |
| 30 | Fluid Therapy in Septic Shock. <i>Update in Intensive Care and Emergency Medicine</i> , <b>1995</b> , 167-190   |      | 7  |
| 29 | Cardiac Alterations in Septic Shock: Pathophysiology, Diagnosis, Prognostic, and Therapeutic Implications. <i>Update in Intensive Care and Emergency Medicine</i> , <b>1991</b> , 126-136   |      | 2  |
| 28 | Mechanical Heart-Lung Interaction in the Adult Respiratory Distress Syndrome. <i>Clinics in Chest Medicine</i> , <b>1990</b> , 11, 691-714  | 5.3  | 8  |
| 27 | Myocardial Depression: Is it Clinically Relevant?. <b>2000</b> , 591-597  |      |    |
| 26 | Detection of Fluid Responsiveness. <b>2002</b> , 553-563  |      |    |
| 25 | Detection of Fluid Responsiveness. <b>2002</b> , 553-563  |      |    |

| 24 | Assessment of preload. 2003, 661-677   |
|----|--|
| 23 | Diastolic (Dys)Function in Sepsis. <i>Yearbook of Intensive Care and Emergency Medicine</i> , <b>2007</b> , 444-454 2                                    |
| 22 | Diagnosis of Central Hypovolemia in a Spontaneously Breathing Patient. <i>Yearbook of Intensive Care and Emergency Medicine</i> , <b>2007</b> , 520-530  |
| 21 | Assessment of Fluid Responsiveness in Spontaneously Breathing Patients. <i>Yearbook of Intensive Care and Emergency Medicine</i> , <b>2007</b> , 531-541 |
| 20 | Ehocardiographie et Doppler Bophagien peropfatoires en chirurgie non cardiaque. <b>2008</b> , 481-499  |
| 19 | Right Ventricular Dysfunction in the Intensive Care Unit. <b>2008</b> , 237-246  |
| 18 | Myocardial Dysfunction in Sepsis and Septic Shock. 2008, 333-347   |
| 17 | Cardiac Filling Volumes and Pressures in Assessing Preload Responsiveness during Fluid<br>Challenges. <b>2009</b> , 265-274                              |
| 16 | Cardiac Filling Volumes and Pressures in Assessing Preload Responsiveness during Fluid Challenges. <b>2009</b> , 265-274                                 |
| 15 | Crystalloid or Colloid Fluids: A Matter of Volumes?. <i>Annual Update in Intensive Care and Emergency Medicine</i> , <b>2011</b> , 313-321               |
| 14 | Bewertung. <b>2013</b> , 161-179   |
| 13 | Preload-Dependent Monitoring. <b>2014</b> , 117-126  |
| 12 | Shock. <b>2014</b> , 159-271   |
| 11 | Hemodynamic Monitoring in Septic Shock. <i>Update in Intensive Care and Emergency Medicine</i> , <b>1991</b> , 179-196                                   |
| 10 | Sepsis. <b>1993</b> , 715-724  |
| 9  | Sepsis. <b>1995</b> , 715-724  |
| 8  | Non-Invasive Hemodynamic and Metabolic Monitoring. <i>Update in Intensive Care and Emergency Medicine</i> , <b>1997</b> , 141-149                        |
| 7  | Organ Dysfunction in Sepsis: Brain, Neuromuscular, Cardiovascular, and Gastrointestinal.  **Respiratory Medicine*, <b>2017</b> , 159-183                 |

- 6 Diastolic (Dys)Function in Sepsis. 2007, 444-454
- 5 Diagnosis of Central Hypovolemia in a Spontaneously Breathing Patient. **2007**, 520-530
- Assessment of Fluid Responsiveness in Spontaneously Breathing Patients. 2007, 531-541
- Acute Right Ventricular Dysfunction: Focus on Acute Cor Pulmonale. **2008**, 363-382
- 2 KreislaufunterstEzende Therapie. 1530-1553
- 1 Fluid management in septic patients with pulmonary hypertension, review of the literature. 10,

O