

Water Quality Assessment of Streams Using a Qualitative Macroinvertebrates

Journal of the North American Benthological Society
7, 222-233

DOI: [10.2307/1467422](https://doi.org/10.2307/1467422)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Characterisation and classification of benthic invertebrate communities in 88 New Zealand rivers in relation to environmental factors. <i>New Zealand Journal of Marine and Freshwater Research</i> , 1990, 24, 387-409.	2.0	259
2	Comparison of measured instream biological responses with responses predicted using the <i>ceriodaphnia dubia</i> chronic toxicity test. <i>Environmental Toxicology and Chemistry</i> , 1990, 9, 1019-1028.	4.3	42
3	Magnitude of effects of substrate particle size, recent flooding, and catchment development on benthic invertebrates in 88 New Zealand rivers. <i>New Zealand Journal of Marine and Freshwater Research</i> , 1990, 24, 411-427.	2.0	168
4	Comparison of a Rapid Bioassessment Method with North Carolina's Qualitative Macroinvertebrate Collection Method. <i>Journal of the North American Benthological Society</i> , 1991, 10, 335-338.	3.1	23
5	Biological Integrity: A Long-Neglected Aspect of Water Resource Management. , 1991, 1, 66-84.		1,133
6	Aquatic Invertebrate Assemblages: Spatial and Temporal Differences among Sampling Protocols. <i>Journal of the North American Benthological Society</i> , 1992, 11, 377-390.	3.1	85
7	Effects of riparian grazing and channelisation on streams in Southland, New Zealand. 2. Benthic invertebrates. <i>New Zealand Journal of Marine and Freshwater Research</i> , 1992, 26, 259-273.	2.0	82
8	Percent Model Affinity: A New Measure of Macroinvertebrate Community Composition. <i>Journal of the North American Benthological Society</i> , 1992, 11, 80-85.	3.1	74
9	Freshwater biomonitoring and Chironomidae. <i>Netherlands Journal of Aquatic Ecology</i> , 1992, 26, 101-122.	0.3	96
10	Use of sequential sampling of amphipod abundance to classify the biotic integrity of acid-sensitive lakes. <i>Environmental Management</i> , 1992, 16, 157-166.	2.7	10
11	Defining and assessing ecological integrity: Beyond water quality. <i>Environmental Toxicology and Chemistry</i> , 1993, 12, 1521-1531.	4.3	161
12	A Biotic Index for the Southeastern United States: Derivation and List of Tolerance Values, with Criteria for Assigning Water-Quality Ratings. <i>Journal of the North American Benthological Society</i> , 1993, 12, 279-290.	3.1	354
13	Using Mentum Deformities of Chironomus Larvae to Evaluate the Effects of Toxicity and Organic Loading in Streams. <i>Journal of the North American Benthological Society</i> , 1993, 12, 265-269.	3.1	47
14	Effects of land use on water quality and aquatic biota of three North Carolina Piedmont streams. <i>Hydrobiologia</i> , 1994, 294, 185-199.	2.0	423
15	Variability, accuracy, and taxonomic costs of rapid assessment approaches in benthic macroinvertebrate biomonitoring. <i>Bollettino Di Zoologia</i> , 1994, 61, 375-383.	0.3	37
16	Invertebrate fauna of three streams in relation to land use in Southland, New Zealand. <i>New Zealand Journal of Marine and Freshwater Research</i> , 1994, 28, 277-290.	2.0	18
17	Rapid assessment of rivers using macroinvertebrates: A procedure based on habitat-specific sampling, family level identification and a biotic index. <i>Austral Ecology</i> , 1995, 20, 122-129.	1.5	267
18	Functional structure and production of the benthic community in a Piedmont river: 1956-1957 and 1991-1992. <i>Limnology and Oceanography</i> , 1995, 40, 490-501.	3.1	52

#	ARTICLE	IF	CITATIONS
19	Spatial and temporal variation in littoral-zone benthic invertebrates from three south-central Ontario lakes. Canadian Journal of Fisheries and Aquatic Sciences, 1995, 52, 1406-1420.	1.4	28
20	The effect of trout farm effluent on the taxa richness of benthic macroinvertebrates. Aquaculture, 1996, 147, 37-55.	3.5	51
21	A Framework for Biological Criteria for Florida Streams Using Benthic Macroinvertebrates. Journal of the North American Benthological Society, 1996, 15, 185-211.	3.1	488
22	Relations of fish community composition to environmental variables in streams of central Nebraska, USA. Environmental Management, 1996, 20, 689-705.	2.7	13
23	A Macrophyte-Based Rapid Biosurvey of Stream Water Quality: Restoration at the Watershed Scale. Restoration Ecology, 1996, 4, 124-145.	2.9	15
24	Macroinvertebrate Community Structure and Environmental Characteristics along a Large River: Congruity of Patterns for Identification to Species or Family. Journal of the North American Benthological Society, 1996, 15, 232-253.	3.1	72
25	Biotic Indices and Stream Ecosystem Processes: Results from an Experimental Study. , 1996, 6, 140-151.		207
26	A Multimetric Index Using Macroinvertebrate Data Collected with Artificial Substrates. Journal of Freshwater Ecology, 1997, 12, 367-378.	1.2	8
27	Effective and scientifically sound bioassessment: Opinions and corroboration from academe. Human and Ecological Risk Assessment (HERA), 1997, 3, 941-954.	3.4	10
28	Biological monitoring: Essential foundation for ecological risk assessment. Human and Ecological Risk Assessment (HERA), 1997, 3, 993-1004.	3.4	61
29	A multivariate method for determining optimal subsample size in the analysis of macroinvertebrate samples. Marine and Freshwater Research, 1997, 48, 241.	1.3	39
30	The effects of conservation tillage practices on benthic invertebrate communities in headwater streams in southwestern Ontario, Canada. Environmental Pollution, 1997, 96, 207-215.	7.5	20
31	Recovery of three New Zealand rural streams as they pass through native forest remnants. Hydrobiologia, 1997, 353, 63-76.	2.0	77
32	Title is missing!. Hydrobiologia, 1997, 6, 141-157.	0.9	6
33	Title is missing!. Hydrobiologia, 1998, 385, 33-46.	2.0	10
34	Associations between stream fish and benthos across environmental gradients in southern Ontario, Canada. Freshwater Biology, 1999, 41, 553-566.	2.4	62
35	Fine Sediment and Macroinvertebrate Assemblages in Appalachian Streams: A Field Experiment with Biomonitoring Applications. Journal of the North American Benthological Society, 1999, 18, 49-66.	3.1	149
36	Hexazinone dissipation in forest ecosystems and impacts on aquatic communities. Canadian Journal of Forest Research, 1999, 29, 1170-1181.	1.7	22

#	ARTICLE	IF	CITATIONS
37	The Effects of Bison Crossings on the Macroinvertebrate Community in a Tallgrass Prairie Stream. American Midland Naturalist, 1999, 141, 253-265.	0.4	28
38	Associations spécifiques chez les macroinvertébrés benthiques et leur utilisation pour la typologie des cours d'eau. Cas du réseau hydrographique Adour-Garonne (France). Annales De Limnologie, 2000, 36, 189-202.	0.6	31
39	Abundance, diversity and community structure of macroinvertebrates in an Algerian stream : the Sâbaou wadi. Annales De Limnologie, 2000, 36, 123-133.	0.6	41
40	Field assessments in conjunction with whole effluent toxicity testing. Environmental Toxicology and Chemistry, 2000, 19, 14-24.	4.3	40
41	Comparative study of toxicity testing and macroinvertebrate assessment of petroleum storage and manufacturing site and receiving water. Environmental Toxicology and Chemistry, 2000, 19, 405-416.	4.3	2
42	Aquatic ecosystem protection and restoration: advances in methods for assessment and evaluation. Environmental Science and Policy, 2000, 3, 89-98.	4.9	50
43	Title is missing!. Environmental Monitoring and Assessment, 2000, 64, 311-329.	2.7	16
44	Title is missing!. Wetlands Ecology and Management, 2000, 8, 243-256.	1.5	22
45	Correspondence between stream macroinvertebrate assemblages and 4 ecoregions of the southeastern USA. Journal of the North American Benthological Society, 2000, 19, 442-461.	3.1	61
46	Using Stream Macroinvertebrates to Compare Riparian Land Use Practices on Cattle Farms in Southwestern Wisconsin. Journal of Freshwater Ecology, 2000, 15, 93-106.	1.2	61
47	A Comparison of Macroinvertebrates of Two Great Lakes Coastal Wetlands: Testing Potential Metrics for an Index of Ecological Integrity. Journal of Great Lakes Research, 2000, 26, 460-481.	1.9	61
48	Problems of quality designation in diffusely polluted urban streams – the case of Pymme's Brook, north London. Environmental Pollution, 2000, 109, 91-107.	7.5	36
49	Comparing strengths of geographic and nongeographic classifications of stream benthic macroinvertebrates in the Mid-Atlantic Highlands, USA. Journal of the North American Benthological Society, 2000, 19, 429-441.	3.1	94
50	AQUATIC INSECT ECOLOGY. , 2001, , 733-775.		16
51	A comparison of several methods of assessing river condition using benthic macroinvertebrate assemblages. African Journal of Aquatic Science, 2001, 26, 135-147.	1.1	6
52	Measuring human disturbance using terrestrial invertebrates in the shrub-steppe of eastern Washington (USA). Ecological Indicators, 2001, 1, 63-81.	6.3	72
53	Title is missing!. Hydrobiologia, 2001, 464, 153-164.	2.0	17
54	Evaluation of the sample size used for the rapid bioassessment of rivers using macroinvertebrates. Hydrobiologia, 2001, 444, 159-170.	2.0	30

#	ARTICLE	IF	CITATIONS
55	INFLUENCES OF WATERSHED, RIPARIAN-CORRIDOR, AND REACH-SCALE CHARACTERISTICS ON AQUATIC BIOTA IN AGRICULTURAL WATERSHEDS. <i>Journal of the American Water Resources Association</i> , 2001, 37, 1475-1487.	2.4	106
56	EFFECTS OF MULTI-SCALE ENVIRONMENTAL CHARACTERISTICS ON AGRICULTURAL STREAM BIOTA IN EASTERN WISCONSIN. <i>Journal of the American Water Resources Association</i> , 2001, 37, 1489-1507.	2.4	118
57	Development and Validation of Biocriteria Using Benthic Macroinvertebrates for North Carolina Estuarine Waters. <i>Marine Pollution Bulletin</i> , 2001, 42, 23-30.	5.0	43
58	Identification of bioindicator species among Ephemeroptera, Plecoptera and Trichoptera in a survey of streams belonging to the rhithral classification in the Grand Duchy of Luxembourg. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , 2002, 28, 381-386.	0.1	5
59	Relative importance of surface and subsurface movement on benthic community recovery in the Makaretu River, North Island, New Zealand. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2002, 36, 459-469.	2.0	15
60	Assemblages of breeding birds as indicators of grassland condition. <i>Ecological Indicators</i> , 2002, 2, 257-270.	6.3	41
61	Title is missing!. <i>Hydrobiologia</i> , 2002, 9, 271-283.	0.9	4
62	Risk-Based Analysis of Environmental Monitoring Data: Application to Heavy Metals in North Carolina Surface Waters. <i>Environmental Management</i> , 2002, 30, 279-293.	2.7	10
63	Rapid assessment of rivers using macroinvertebrates: the role of experience, and comparisons with quantitative methods. <i>Hydrobiologia</i> , 2003, 510, 39-52.	2.0	64
64	Applications of artificial neural networks for patterning and predicting aquatic insect species richness in running waters. <i>Ecological Modelling</i> , 2003, 160, 265-280.	2.5	346
65	Macroinvertebrate community structure and function associated with large wood in low gradient streams. <i>River Research and Applications</i> , 2003, 19, 199-218.	1.7	97
66	Predicting the species richness of aquatic insects in streams using a limited number of environmental variables. <i>Journal of the North American Benthological Society</i> , 2003, 22, 442-456.	3.1	71
67	Effects of Repeated TFM Applications on Riffle Macroinvertebrate Communities in Four Great Lakes Tributaries. <i>Journal of Great Lakes Research</i> , 2003, 29, 552-565.	1.9	11
68	Sensitivity of aquatic insect species richness to disturbance in the Adour-Garonne stream system (France). <i>Ecological Indicators</i> , 2003, 3, 135-142.	6.3	60
69	A Benthic Community Index for streams in the Northern Lakes and Forests Ecoregion. <i>Ecological Indicators</i> , 2003, 3, 181-193.	6.3	43
70	Macroinvertebrate Biomonitoring in Intermittent Coastal Plain Streams Impacted by Animal Agriculture. <i>Journal of Environmental Quality</i> , 2003, 32, 1036-1043.	2.0	46
72	Performance of a stochastic-dynamic modelling methodology for running waters ecological assessment. <i>Ecological Modelling</i> , 2004, 175, 303-317.	2.5	25
73	Mesoscale spatial variability of selected aquatic invertebrate community metrics from a minimally impaired stream segment. <i>Journal of the North American Benthological Society</i> , 2004, 23, 616-633.	3.1	11

#	ARTICLE	IF	CITATIONS
74	Influence of Watershed Urbanization on Fine Sediment and Macroinvertebrate Assemblage Characteristics in Tennessee Ridge and Valley Streams. <i>Journal of Freshwater Ecology</i> , 2004, 19, 353-362.	1.2	31
75	Effects of sampling error on bioassessments of stream ecosystems: application to RIVPACS-type models. <i>Journal of the North American Benthological Society</i> , 2004, 23, 363-382.	3.1	106
76	The use of indicator taxa as representatives of communities in bioassessment. <i>Freshwater Biology</i> , 2005, 50, 1427-1440.	2.4	19
77	Macroinvertebrate Communities in Agriculturally Impacted Southern Illinois Streams: Patterns with Riparian Vegetation, Water Quality, and In-Stream Habitat Quality. <i>Journal of Environmental Quality</i> , 2005, 34, 907-917.	2.0	67
78	Alternative approach for establishing acceptable thresholds on macroinvertebrate community metrics. <i>Journal of the North American Benthological Society</i> , 2005, 24, 428-440.	3.1	16
80	Bioassessment in A Harsh Environment: A Comparison of Macroinvertebrate Assemblages at Reference and Assessment Sites in An Australian Inland River System. <i>Environmental Monitoring and Assessment</i> , 2006, 119, 303-330.	2.7	33
81	Taxonomic Resolution and Quantification of Freshwater Macroinvertebrate Samples from an Australian Dryland River: The Benefits and Costs of Using Species Abundance Data. <i>Hydrobiologia</i> , 2006, 572, 171-194.	2.0	132
82	Influence of macroinvertebrate sample size on bioassessment of streams. <i>Hydrobiologia</i> , 2006, 566, 523-542.	2.0	44
83	River condition assessment may depend on the sub-sampling method: field live-sort versus laboratory sub-sampling of invertebrates for bioassessment. <i>Hydrobiologia</i> , 2006, 572, 195-213.	2.0	22
84	Influence of macroinvertebrate sample size on bioassessment of streams. , 2006, , 523-542.		7
85	Temporal Variation in Ohio River Macroinvertebrates: A Historical Comparison of Rock Basket Sampling (1965-1971 and 2002). <i>Journal of Freshwater Ecology</i> , 2006, 21, 561-574.	1.2	5
86	Assessing the ecological integrity of boreal streams: a comparison of functional and structural responses. <i>Fundamental and Applied Limnology</i> , 2007, 168, 113-125.	0.7	28
87	Invertebrate community responses to experimentally reduced discharge in small streams of different water quality. <i>Journal of the North American Benthological Society</i> , 2007, 26, 754-766.	3.1	66
88	Eutrophication: are mayflies (Ephemeroptera) good bioindicators for ponds?. , 2007, , 125-135.		3
89	Stream Food Webs. , 2007, , 637-659.		7
90	Invertebrate responses to short-term water abstraction in small New Zealand streams. <i>Freshwater Biology</i> , 2007, 52, 357-369.	2.4	69
91	Effects of nutrient enrichment on boreal streams: invertebrates, fungi and leaf-litter breakdown. <i>Freshwater Biology</i> , 2007, 52, 1618-1633.	2.4	39
92	Community patterns of benthic macroinvertebrates collected on the national scale in Korea. <i>Ecological Modelling</i> , 2007, 203, 26-33.	2.5	62

#	ARTICLE	IF	CITATIONS
93	Applying a stochastic-dynamic methodology (StDM) to facilitate ecological monitoring of running waters, using selected trophic and taxonomic metrics as state variables. <i>Ecological Modelling</i> , 2007, 207, 109-127.	2.5	21
94	Eutrophication: are mayflies (Ephemeroptera) good bioindicators for ponds?. <i>Hydrobiologia</i> , 2008, 597, 125-135.	2.0	66
95	Taxonomic sufficiency: The influence of taxonomic resolution on freshwater bioassessments using benthic macroinvertebrates. <i>Environmental Reviews</i> , 2008, 16, 45-69.	4.5	219
96	Macroinvertebrates in Estonian streams: the effects of habitat, season, and sampling effort on some common metrics of biological quality. <i>Estonian Journal of Ecology</i> , 2008, 57, 37.	0.5	9
97	Rapid Bioassessment of Crabtree Creek (Wake County, North Carolina) Using Macroinvertebrate and Microbial Indicators. <i>Journal of Freshwater Ecology</i> , 2009, 24, 227-238.	1.2	3
98	SPEAR indicates pesticide effects in streams – Comparative use of species- and family-level biomonitoring data. <i>Environmental Pollution</i> , 2009, 157, 1841-1848.	7.5	98
99	Quantifying the condition of Hawaiian coral reefs. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2010, 20, 93-105.	2.0	13
100	Impacts of deep open drains on water quality and biodiversity of receiving waterways in the Wheatbelt of Western Australia. <i>Hydrobiologia</i> , 2009, 619, 103-118.	2.0	11
101	Comparison of Sewage and Coal-Mine Wastes on Stream Macroinvertebrates Within an Otherwise Clean Upland Catchment, Southeastern Australia. <i>Water, Air, and Soil Pollution</i> , 2009, 204, 227-241.	2.4	22
102	Invertebrate drift patterns in a regulated river: dams, periphyton biomass or longitudinal patterns?. <i>River Research and Applications</i> , 2009, 25, 1219-1231.	1.7	15
103	Multi-scale mechanistic indicators of Midwestern USA stream macroinvertebrates. <i>Ecological Indicators</i> , 2009, 9, 1138-1150.	6.3	27
104	Predicting assemblages and species richness of endemic fish in the upper Yangtze River. <i>Science of the Total Environment</i> , 2010, 408, 4211-4220.	8.0	41
105	Pollution status of a tropical forest river using aquatic insects as indicators. <i>African Journal of Ecology</i> , 2010, 48, 232-238.	0.9	15
106	Patterning and predicting aquatic insect richness in four West-African coastal rivers using artificial neural networks. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2010, , 06.	1.1	5
107	Diversity of macrobenthos in lowland streams: ecological determinants and taxonomic specificity. <i>Journal of Limnology</i> , 2010, 69, 88.	1.1	27
108	The reference condition: predicting benchmarks for ecological and water-quality assessments. <i>Journal of the North American Benthological Society</i> , 2010, 29, 312-343.	3.1	252
109	Testing the coherence of several macroinvertebrate indices and environmental factors in a large lowland river system (Volga River, Russia). <i>Ecological Indicators</i> , 2010, 10, 1083-1092.	6.3	32
111	A weight-of-evidence approach to define nutrient criteria protective of aquatic life in large rivers. <i>Journal of the North American Benthological Society</i> , 2010, 29, 875-891.	3.1	63

#	ARTICLE	IF	CITATIONS
112	Literature Citations. , 2010, , 1022-1194.		0
113	Diversity of freshwater macrobenthos and its use in biological assessment: a critical review of current applications. <i>Environmental Reviews</i> , 2011, 19, 16-31.	4.5	29
114	Do channel restoration structures promote ammonium uptake and improve macroinvertebrate-based water quality classification in urban streams?. <i>Inland Waters</i> , 2011, 1, 133-145.	2.2	17
115	An assessment of the impacts of timber plantations on water quality and biodiversity values of Marbellup Brook, Western Australia. <i>Environmental Monitoring and Assessment</i> , 2011, 173, 941-953.	2.7	4
116	Fish as ecological tools to complement biodiversity inventories of benthic macroinvertebrates. <i>Hydrobiologia</i> , 2011, 673, 29-40.	2.0	10
117	The effect of damming on biological quality according to macroinvertebrates in some Estonian streams, Centralâ€”Baltic Europe: A pilot study. <i>River Research and Applications</i> , 2011, 27, 895-907.	1.7	12
118	Design of ETL Process on Spatio-temporal Data and Study of Quality Control. <i>International Federation for Information Processing</i> , 2011, , 487-494.	0.4	0
119	Selecting macroinvertebrate taxa and metrics to assess eutrophication in different depth zones of Mediterranean lakes. <i>Fundamental and Applied Limnology</i> , 2012, 180, 133-143.	0.7	34
120	Biological Quality on the Basis of Macroinvertebrates in Dammed Habitats of Some Estonian Streams, Central â€” Baltic Europe. <i>International Review of Hydrobiology</i> , 2012, 97, 497-508.	0.9	6
121	Differences between kick sampling techniques and short-term Hester-Dendy sampling for stream macroinvertebrates. <i>Bios</i> , 2012, 83, 47-55.	0.0	10
122	Different bioindicators measured at different spatial scales vary in their response to agricultural intensity. <i>Ecological Indicators</i> , 2012, 18, 676-683.	6.3	24
123	Using Scientific Inquiry to Teach Students about Water Quality. <i>American Biology Teacher</i> , 2012, 74, 503-508.	0.2	5
124	Knickpoint effects on macroinvertebrates, sediment, and discharge in urban and forested streams: urbanization outweighs microscale habitat heterogeneity. <i>Freshwater Science</i> , 2012, 31, 282-295.	1.8	11
125	Community-Level Response of Fishes and Aquatic Macroinvertebrates to Stream Restoration in a Third-Order Tributary of the Potomac River, USA. <i>International Journal of Ecology</i> , 2012, 2012, 1-9.	0.8	11
126	EFFECTS OF FLOW RELEASES ON MACROINVERTEBRATE ASSEMBLAGES IN THE INDIAN AND HUDSON RIVERS IN THE ADIRONDACK MOUNTAINS OF NORTHERN NEW YORK. <i>River Research and Applications</i> , 2012, 28, 858-871.	1.7	2
127	Fish diversity and assemblage patterns along the longitudinal gradient of a tropical river in the Indo-Burma hotspot region (Ping-Wang River Basin, Thailand). <i>Hydrobiologia</i> , 2012, 694, 153-169.	2.0	25
128	Biological Assessment of Aquaculture Effects on Effluent-Receiving Streams in Ghana Using Structural and Functional Composition of Fish and Macroinvertebrate Assemblages. <i>Environmental Management</i> , 2012, 50, 166-180.	2.7	18
129	Assessment of Stream Restoration: Sources of Variation in Macroinvertebrate Recovery throughout an 11â€”Year Study of Coal Mine Drainage Treatment. <i>Restoration Ecology</i> , 2012, 20, 431-440.	2.9	8

#	ARTICLE	IF	CITATIONS
130	Assessment of the effectiveness of best management practices for streams draining agricultural landscapes using diatoms and macroinvertebrates. <i>Hydrobiologia</i> , 2012, 680, 247-264.	2.0	16
131	Refining a kick sampling strategy for the bioassessment of benthic macroinvertebrates in headwater streams. <i>Hydrobiologia</i> , 2012, 683, 53-68.	2.0	15
132	Ecological indicators for stream restoration success. <i>Ecological Indicators</i> , 2013, 30, 106-118.	6.3	176
133	Regional nutrient thresholds in wadeable streams of New York State protective of aquatic life. <i>Ecological Indicators</i> , 2013, 29, 455-467.	6.3	25
134	Environmental monitoring using next generation sequencing: rapid identification of macroinvertebrate bioindicator species. <i>Frontiers in Zoology</i> , 2013, 10, 45.	2.0	171
135	Changes in macroinvertebrate community structure provide evidence of neutral mine drainage impacts. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 393-404.	3.5	7
136	Evaluation of methods to assess benthic biodiversity of desert sinkholes. <i>Freshwater Science</i> , 2013, 32, 1101-1110.	1.8	7
137	Is coarse taxonomy sufficient for detecting macroinvertebrate patterns in floodplain lakes?. <i>Ecological Indicators</i> , 2013, 27, 48-55.	6.3	31
138	Invertebrates, ecosystem services and climate change. <i>Biological Reviews</i> , 2013, 88, 327-348.	10.4	210
139	Productivityâ€“diversity relationships for stream invertebrates differ geographically. <i>Aquatic Ecology</i> , 2013, 47, 109-121.	1.5	5
140	Assessing the relationship between the Lake Habitat Survey and littoral macroinvertebrate communities in European lakes. <i>Ecological Indicators</i> , 2013, 25, 205-214.	6.3	44
142	Conceptual Ecological Model of the Chiquibul/Maya Mountain Massif, Belize. <i>Human and Ecological Risk Assessment (HERA)</i> , 2013, 19, 317-340.	3.4	9
143	Biological zonation of the last unbound big river in the West Carpathians: reference scheme based on caddisfly communities. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2014, , 04.	1.1	3
144	Deforestation and Benthic Indicators: How Much Vegetation Cover Is Needed to Sustain Healthy Andean Streams?. <i>PLoS ONE</i> , 2014, 9, e105869.	2.5	50
145	Aquatic Ecosystems as Indicators of Status and Trends in Water Quality. , 2014, , 122-156.		8
146	<i>Sylphella puccoon</i> gen. n., sp. n. and two additional new species of aquatic oligochaetes (Lumbriculidae, Clitellata) from poorly-known lotic habitats in North Carolina (USA). <i>ZooKeys</i> , 2014, 451, 1-32.	1.1	6
147	Social Observation for Sustainability Science about Water. <i>Journal of Contemporary Water Research and Education</i> , 2014, 153, 59-65.	0.7	0
148	Quantifying ecological responses to amplified water level fluctuations in standing waters: an experimental approach. <i>Journal of Applied Ecology</i> , 2014, 51, 1282-1291.	4.0	39

#	ARTICLE	IF	CITATIONS
149	How Do Environmental Parameters Relate to Macroinvertebrate Metrics? â€” Prospects for River Water Quality Assessment. Polish Journal of Ecology, 2014, 62, 111-122.	0.2	10
150	The response of fish and macroinvertebrate assemblages to multiple stressors: A comparative analysis of aquatic communities in a perturbed watershed (Onondaga Lake, NY). Ecological Indicators, 2014, 41, 198-208.	6.3	38
151	Inferring community properties of benthic macroinvertebrates in streams using Shannon index and exergy. Frontiers of Earth Science, 2014, 8, 44-57.	2.1	2
152	Risk-Informed Management of European River Basins. Handbook of Environmental Chemistry, 2014, , .	0.4	17
153	A comparison of various indices based on benthic macrofauna for the assessment of the ecological status of selected Carpathian streams. Oceanological and Hydrobiological Studies, 2014, 43, 123-130.	0.7	5
154	Lowland river reference condition: spatial and temporal patterns of the zoobenthos community in the Volga headwaters (2006â€”2010). Hydrobiologia, 2014, 729, 175-189.	2.0	9
155	Structure, functional organization and biological traits of macroinvertebrate assemblages from leaf-bags and benthic samples in a third-order stream of Central Apennines (Italy). Ecological Indicators, 2014, 46, 84-91.	6.3	26
156	Periphyton control on stream invertebrate diversity: is periphyton architecture more important than biomass?. Marine and Freshwater Research, 2014, 65, 818.	1.3	14
157	A novel bacterial community index to assess stream ecological health. Freshwater Biology, 2015, 60, 1988-2002.	2.4	47
158	Spatial variation of macroinvertebrate community structure and associated environmental conditions in a subtropical river system of southeastern China. Knowledge and Management of Aquatic Ecosystems, 2015, , 17.	1.1	4
159	Observer rating of recreational use in wadeable streams of New York State, USA: Implications for nutrient criteria development. Water Research, 2015, 69, 195-209.	11.3	16
160	Characterization of Chironomidae (Diptera) surface-floating pupal exuviae sample sort time from coastal tropical aquatic systems. Environmental Monitoring and Assessment, 2015, 187, 70.	2.7	3
161	The effects of a thermal discharge on the macroinvertebrate community of a large British river: implications for climate change. Hydrobiologia, 2015, 753, 81-95.	2.0	27
162	Climate warming and agricultural stressors interact to determine stream macroinvertebrate community dynamics. Global Change Biology, 2015, 21, 1887-1906.	9.5	142
163	New data on the distribution and ecology of the mayfly larvae (Insecta: Ephemeroptera) of Serbia (central part of the Balkan Peninsula). Turkish Journal of Zoology, 2015, 39, 195-209.	0.9	9
164	Ecological Analysis Before and After Planting in a Constructed Wetland in the Adirondacks. Wetlands, 2015, 35, 611-624.	1.5	6
165	A hitchhiker's guide to European lake ecological assessment and intercalibration. Ecological Indicators, 2015, 52, 533-544.	6.3	96
166	A review of macroinvertebrate- and fish-based stream health indices. Ecohydrology and Hydrobiology, 2015, 15, 53-67.	2.3	81

#	ARTICLE	IF	CITATIONS
167	NoMBSI: a new, Non-lethal Method for Benthos Sampling and Identification for use in biological monitoring of flowing waters: preliminary results. <i>Hydrobiologia</i> , 2015, 751, 215-227.	2.0	5
168	Stability of environmental reference conditions as indicated by stream macroinvertebrate communities: a case study in the central United States. <i>Journal of Freshwater Ecology</i> , 2015, 30, 263-279.	1.2	0
169	Nutrient uptake and macroinvertebrate community structure in a highly regulated Mediterranean stream receiving treated wastewater. <i>Aquatic Sciences</i> , 2015, 77, 623-637.	1.5	25
170	Recent advances and developments in monitoring biological agents in water samples. <i>Reviews in Environmental Science and Biotechnology</i> , 2015, 14, 23-48.	8.1	16
171	Elaboration of a biotic index of pollution using macroinvertebrates for the monitoring of Lake Nokoué in Benin. <i>International Journal of Biological and Chemical Sciences</i> , 2016, 9, 2987.	0.2	0
172	Saproxylic Beetle Biodiversity in Golf Course Habitats. <i>Crop, Forage and Turfgrass Management</i> , 2016, 2, 1-8.	0.6	1
173	Plant genotype influences aquatic-terrestrial ecosystem linkages through timing and composition of insect emergence. <i>Ecosphere</i> , 2016, 7, e01331.	2.2	15
174	First confirmed record of the larva of <i>Calamoceras illiesi</i> Malicky and Kumanski, 1974 (Trichoptera) from Europe, with notes on its morphology. <i>Aquatic Insects</i> , 2016, 37, 317-326.	0.9	2
175	Evaluating stream health based environmental justice model performance at different spatial scales. <i>Journal of Hydrology</i> , 2016, 538, 500-514.	5.4	10
176	Lessons from the macroinvertebrates: species-genetic diversity correlations highlight important dissimilar relationships. <i>Freshwater Biology</i> , 2016, 61, 1819-1829.	2.4	14
177	A Stream Multimetric Macroinvertebrate Index (MMI) for the Sand Hills Ecoregion of the Southeastern Plains, USA. <i>Environmental Management</i> , 2016, 58, 741-751.	2.7	7
178	Water level fluctuations regulate the structure and functioning of natural lakes. <i>Freshwater Biology</i> , 2016, 61, 251-264.	2.4	102
179	Two-phase approach to improve stream health modeling. <i>Ecological Informatics</i> , 2016, 34, 13-21.	5.2	10
180	Multiple-stressor effects on stream invertebrates: DNA barcoding reveals contrasting responses of cryptic mayfly species. <i>Ecological Indicators</i> , 2016, 61, 159-169.	6.3	87
181	Impacts of land use and environmental factors on macroinvertebrate functional feeding groups in the Dongjiang River basin, southeast China. <i>Journal of Freshwater Ecology</i> , 2016, 31, 21-35.	1.2	57
182	A method for estimating watershed restoration feasibility under different treatment levels. <i>Water Science and Technology: Water Supply</i> , 2017, 17, 1232-1240.	2.1	1
183	A fish-based index for the assessment of the ecological quality of temperate lakes. <i>Ecological Indicators</i> , 2017, 78, 556-565.	6.3	24
184	The effect of channelization on the biological quality of lowland streams using macroinvertebrates as proxies. <i>Hydrobiologia</i> , 2017, 794, 167-177.	2.0	10

#	ARTICLE	IF	CITATIONS
185	Landscape variables influence taxonomic and trait composition of insect assemblages in Neotropical savanna streams. <i>Freshwater Biology</i> , 2017, 62, 1472-1486.	2.4	29
186	Coal Mine Water Pollution and Ecological Impairment of One of Australia's Most Protected High Conservation-Value Rivers. <i>Water, Air, and Soil Pollution</i> , 2017, 228, 1.	2.4	33
187	Response of benthic macroinvertebrate communities to climate change. <i>Ecohydrology and Hydrobiology</i> , 2017, 17, 63-72.	2.3	11
188	Macroinvertebrates as Biotic Indicators of Environmental Quality. , 2017, , 293-318.		54
189	Improving the performance of the EPT Index to accommodate multiple stressors in Afrotropical streams. <i>African Journal of Aquatic Science</i> , 2017, 42, 219-233.	1.1	36
190	Rapid bioassessment of macroinvertebrate communities is suitable for monitoring the impacts of fish farm effluents. <i>Aquaculture</i> , 2017, 468, 19-25.	3.5	3
191	Temporal variations in macroinvertebrate communities from the tributaries in the Three Gorges Reservoir Catchment, China. <i>Revista Chilena De Historia Natural</i> , 2017, 90, .	1.2	16
192	Seasonal patterns of stream macroinvertebrate communities in response to anthropogenic stressors in monsoonal Taiwan. <i>Journal of Asia-Pacific Entomology</i> , 2018, 21, 423-429.	0.9	7
193	Nonlinear higher order abiotic interactions explain riverine biodiversity. <i>Journal of Biogeography</i> , 2018, 45, 628-639.	3.0	29
194	Environmental DNA filtration techniques affect recovered biodiversity. <i>Scientific Reports</i> , 2018, 8, 4682.	3.3	93
195	Assessing the ecological impact of banana farms on water quality using aquatic macroinvertebrate community composition. <i>Environmental Science and Pollution Research</i> , 2018, 25, 13373-13381.	5.3	21
196	Land use changes and socio-economic development strongly deteriorate river ecosystem health in one of the largest basins in China. <i>Science of the Total Environment</i> , 2018, 616-617, 376-385.	8.0	112
197	The Impact of Metal-Rich Sediments Derived from Mining on Freshwater Stream Life. <i>Reviews of Environmental Contamination and Toxicology</i> , 2018, 248, 111-189.	1.3	2
198	Mentum Deformities of Chironomid Larvae as an Indicator of Environmental Stress in the Menderes River, Turkey. <i>Inland Water Biology</i> , 2018, 11, 515-522.	0.8	4
199	Mayfly (Ephemeroptera) assemblages of a Pannonian lowland mountain, with first records of the parasite <i>Symbiocladius rhithrogenae</i> (Zavrel, 1924) (Diptera: Chironomidae). <i>Annales De Limnologie</i> , 2018, 54, 31.	0.6	2
200	Not all pavements lead to streams: variation in impervious surface connectivity affects urban stream ecosystems. <i>Freshwater Science</i> , 2018, 37, 673-684.	1.8	29
201	Benthos-drift relationships as proxies for the detection of the most suitable bioindicator taxa in flowing waters – a pilot-study within a Mediterranean karst river. <i>Ecotoxicology and Environmental Safety</i> , 2018, 163, 125-135.	6.0	19
202	Assessing the relative importance of parameter estimation in stream health based environmental justice modeling. <i>Journal of Hydrology</i> , 2018, 563, 211-222.	5.4	1

#	ARTICLE	IF	CITATIONS
203	Effects of food availability and habitat features on the Ephemeroptera species composition at seasonal and spatial scales from neotropical floodplain rivers. <i>Brazilian Journal of Biology</i> , 2018, 78, 160-168.	0.9	1
204	Long-term trends in biological indicators and water quality in rivers and streams of New York State (1972–2012). <i>River Research and Applications</i> , 2018, 34, 442-450.	1.7	7
205	Potential impact of small hydroelectric power plants on river biota: a case study on macroinvertebrates associated to basaltic knickzones. <i>Brazilian Journal of Biology</i> , 2019, 79, 722-734.	0.9	10
206	Outcome of the Pesticides Peer Review Meeting on general recurring issues in ecotoxicology. <i>EFSA Supporting Publications</i> , 2019, 16, 1673E.	0.7	14
207	Littoral mayfly assemblages in South-East European man-made lakes. <i>Journal of Limnology</i> , 2019, 78, .	1.1	11
208	Applying the umbrella index across aquatic insect taxon sets for freshwater assessment. <i>Ecological Indicators</i> , 2019, 107, 105655.	6.3	24
209	Effects of agricultural landscapes and land uses in highly biodiverse tropical streams of the Ecuadorian Choco. <i>Inland Waters</i> , 2019, 9, 289-300.	2.2	12
210	In search of microbial indicator taxa: shifts in stream bacterial communities along an urbanization gradient. <i>Environmental Microbiology</i> , 2019, 21, 3653-3668.	3.8	61
211	Resilience of benthic macroinvertebrates to extreme floods in a Catskill Mountain river, New York, USA: Implications for water quality monitoring and assessment. <i>Ecological Indicators</i> , 2019, 104, 107-115.	6.3	15
212	Streamlined eco-engineering approach helps define environmental flows for tropical Andean headwaters. <i>Freshwater Biology</i> , 2019, 64, 1315-1325.	2.4	14
213	Assessment of Aquatic Macroinvertebrate Sampling Methods for Nonregulatory Water Quality Programs. <i>Journal of Environmental Quality</i> , 2019, 48, 1749-1757.	2.0	0
214	Is circadian rhythm a good indicator in the environmental assessment? The toxic effects of contaminants in trace level on the behavior responses of goldfish (<i>Carassius auratus</i>). <i>Ecological Indicators</i> , 2019, 105, 700-708.	6.3	8
215	Ecosystem services provided by insects for achieving sustainable development goals. <i>Ecosystem Services</i> , 2019, 35, 109-115.	5.4	95
216	Assessing alpha and beta diversities of benthic macroinvertebrates and their environmental drivers between watersheds with different levels of habitat transformation in Japan. <i>Marine and Freshwater Research</i> , 2019, 70, 504.	1.3	2
217	Relative importance of Conservation Reserve Programs to aquatic insect biodiversity in an agricultural watershed in the Midwest, USA. <i>Hydrobiologia</i> , 2019, 829, 323-340.	2.0	10
218	Reviews of Environmental Contamination and Toxicology Volume 248. <i>Reviews of Environmental Contamination and Toxicology</i> , 2020, , .	1.3	1
219	Short-term effects of instream habitat restoration on macroinvertebrates and a comparison of sampling approaches. <i>Limnologia</i> , 2020, 80, 125741.	1.5	5
220	Shifts in the community composition of caddisflies (Insecta: Trichoptera) in a subtropical river over three decades. <i>Ecological Entomology</i> , 2020, 45, 514-524.	2.2	4

#	ARTICLE	IF	CITATIONS
221	Aproximación preliminar a un Índice multimétrico de macroinvertebrados (IMARBO) para evaluar el estado ecológico de ríos de las cuencas alta y media del río Chicamocha en Boyacá, Colombia. <i>Gestión Y Ambiente</i> , 2020, 23, .	0.1	1
222	Distribution patterns of benthic macroinvertebrate communities based on multispatial-scale environmental variables in the river systems of Republic of Korea. <i>Journal of Freshwater Ecology</i> , 2020, 35, 323-347.	1.2	8
223	A framework to diagnose the causes of river ecosystem deterioration using biological symptoms. <i>Journal of Applied Ecology</i> , 2020, 57, 2271-2284.	4.0	11
224	Combined impact of pesticides and other environmental stressors on animal diversity in irrigation ponds. <i>PLoS ONE</i> , 2020, 15, e0229052.	2.5	18
225	Multivariate-statistics based selection of a benthic macroinvertebrate index for assessing water quality in the Paute River basin (Ecuador). <i>Ecological Indicators</i> , 2020, 111, 106037.	6.3	14
226	Relationships in ecological health between connected stream and estuary ecosystems. <i>Ecological Indicators</i> , 2020, 115, 106374.	6.3	5
227	Spatial patterns of mayfly, stonefly and caddisfly assemblages in Swiss running waters in the face of global warming. <i>Ecography</i> , 2020, 43, 1065-1078.	4.5	11
228	Physicochemical and biological status of Aghlagan river, Iran: effects of seasonal changes and point source pollution. <i>Environmental Science and Pollution Research</i> , 2021, 28, 15339-15349.	5.3	6
229	Ethanol eDNA Reveals Unique Community Composition of Aquatic Macroinvertebrates Compared to Bulk Tissue Metabarcoding in a Biomonitoring Sampling Scheme. <i>Diversity</i> , 2021, 13, 34.	1.7	14
230	Réponse des macroinvertébrés benthiques (Épheméroptères, plécoptères, trichoptères) aux pressions anthropiques dans un contexte de changement climatique sur le bassin versant de l'Ourika (Haut-Atlas du Maroc). <i>Hydroecologie Appliquée</i> , 2021, 21, 115-155.	1.3	7
231	Nuisance species in lake constance revealed through eDNA. <i>Biological Invasions</i> , 2021, 23, 1619-1636.	2.4	5
232	Design and use of a benthic sled for quantitative sampling of epibenthic macroinvertebrates in lakes. <i>Lake and Reservoir Management</i> , 2021, 37, 289-299.	1.3	0
233	Structure of aquatic macroinvertebrate communities in streams of a sub-basin in the Pampa Biome, Southern Brazil. <i>Neotropical Biology and Conservation</i> , 2021, 16, 249-271.	0.9	2
234	Evaluation of the impact of heterogeneous environmental pollutants on benthic macroinvertebrates and water quality by long-term monitoring of the buyuk menderes river basin. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 280.	2.7	18
235	Impacts of climate change on aquatic insects in temperate alpine regions: Complementary modeling approaches applied to Swiss rivers. <i>Global Change Biology</i> , 2021, 27, 3565-3581.	9.5	11
236	Aquatic macroinvertebrate communities in relation to environmental variables in restoration and reference wetlands in North Carolina, USA. <i>Wetlands Ecology and Management</i> , 2021, 29, 823-841.	1.5	2
237	Consistent declines in aquatic biodiversity across diverse domains of life in rivers impacted by surface coal mining. <i>Ecological Applications</i> , 2021, 31, e02389.	3.8	17
238	Pesticides are the dominant stressors for vulnerable insects in lowland streams. <i>Water Research</i> , 2021, 201, 117262.	11.3	118

#	ARTICLE	IF	CITATIONS
239	Using unsorted sweep-net samples to rapidly assess macroinvertebrate biodiversity. <i>Freshwater Science</i> , 2021, 40, 551-565.	1.8	4
240	Exploratory analysis of multivariate data: Applications of parallel coordinates in ecology. <i>Ecological Informatics</i> , 2021, 64, 101361.	5.2	7
241	Multidecadal biological monitoring and abatement program assessing human impacts on aquatic ecosystems within the Oak Ridge Reservation in eastern Tennessee, USA. <i>Hydrological Processes</i> , 2021, 35, e14340.	2.6	4
242	Evaluating Water Quality in a Large River System in the Northern European Russia by Macrozoobenthos. <i>Water Resources</i> , 2021, 48, 774-781.	0.9	3
243	Rivers as Sentinels: Using the Biology of Rivers to Guide Landscape Management. , 1998, , 502-528.		54
244	Ecological Monitoring of Fish Assemblages in Tennessee River Reservoirs. , 1992, , 259-281.		20
245	Lake and Stream Indicators for the United States Environmental Protection Agency's Environmental Monitoring and Assessment Program. , 1992, , 305-335.		7
246	Using Biological Criteria to Protect Ecological Health. , 1995, , 137-152.		19
247	Sampling and Processing Aquatic and Terrestrial Invertebrates in Wetlands. , 2013, , 143-195.		11
248	Measuring the attainment of biological integrity in the USA: a critical element of ecological integrity. , 2000, , 453-464.		20
249	Macroinvertebrate Assemblages On Woody Debris And Their Relations With Environmental Variables In The Lower Sacramento And San Joaquin River Drainages, California. , 2000, , 311-329.		2
250	Ecological informatics approach to screening of integrity metrics based on benthic macroinvertebrates in streams. <i>Annales De Limnologie</i> , 2011, 47, S51-S62.	0.6	6
251	Reliable and effective sampling gear type for large river substrate dwelling macroinvertebrates. <i>River Systems</i> , 2018, , .	0.2	1
252	A New Freshwater Biodiversity Indicator Based on Fish Community Assemblages. <i>PLoS ONE</i> , 2013, 8, e80968.	2.5	10
253	Geomorphic and Ecological Disturbance and Recovery from Two Small Dams and Their Removal. <i>PLoS ONE</i> , 2014, 9, e108091.	2.5	58
254	Climatic and Catchment-Scale Predictors of Chinese Stream Insect Richness Differ between Taxonomic Groups. <i>PLoS ONE</i> , 2015, 10, e0123250.	2.5	19
255	The Value of Long-Term Stream Invertebrate Data Collected by Citizen Scientists. <i>PLoS ONE</i> , 2016, 11, e0153713.	2.5	11
256	Application of the BMWP-Costa Rica biotic index in aquatic biomonitoring: sensitivity to collection method and sampling intensity. <i>Revista De Biologia Tropical</i> , 2014, 62, 275.	0.4	7

#	ARTICLE	IF	CITATIONS
257	Analysis on the Relationship between Biological Indices and Survey Area of Benthic Macroinvertebrates Using Mathematical Model. Journal of Korean Neuropsychiatric Association, 2015, 31, 610-618.	0.5	2
258	Monitoring Water Quality Using Biotic Indices of Benthic Macroinvertebrates along Surfaces Water Ecosystems in Some Tourism Areas in East Java, Indonesia. Journal of Indonesian Tourism and Development Studies, 2016, 4, 81-90.	0.2	7
259	Assessment of riparian environments through semi-automated procedures for the computation of eco-morphological indicators: Preliminary results of the WEQUAL project. Bodenkultur, 2019, 70, 131-145.	0.2	3
260	SÃ¼rgÃ¼n Ã¶yÃ¼n (Malatya, TÃ¼rkiye)â€™de Makrobentik Omurgasızların TÃ¼r Kompozisyonu ve ÃœstÃ¼nlüğü. Mehmet Akif Ersoy Ãœniversitesi Fen Bilimleri Enstitüsü Dergisi, 0, , .	0.3	6
265	Long-term succession of benthic infauna communities on constructed Spartina alterniflora marshes. Marine Ecology - Progress Series, 2003, 257, 45-58.	1.9	48
266	First checklist of mayflies (Insecta, Ephemeroptera) from Kosovo. ZooKeys, 2019, 874, 69-82.	1.1	4
267	Evaluation of Environmental Factors to Determine the Distribution of Functional Feeding Groups of Benthic Macroinvertebrates Using an Artificial Neural Network. Journal of Ecology and Environment, 2008, 31, 233-241.	1.6	9
268	Development of biological criteria for coral reef ecosystem assessment. Atoll Research Bulletin, 1998, 450, 1-102.	0.2	27
269	Drivers of macroinvertebrate community structure in unmodified streams. PeerJ, 2014, 2, e465.	2.0	18
278	The Stream Ecosystem. , 2007, , 83-103.		0
279	A comparison between EU and Brazilian water policies: the use of macroinvertebrates. Linnaeus Eco-Tech, 0, , 983-989.	0.0	0
280	Status and Causal Pathway Assessments Supporting River Basin Management. Handbook of Environmental Chemistry, 2014, , 53-149.	0.4	2
284	The Effects of Thermal Discharge on Benthic Macroinvertebrate Communities Structure in Buso Stream. Hangug Hwangyeong Saengmul Haghoeji, 2017, 35, 83-94.	0.4	4
285	Evaluation of EPT macroinvertebrate metrics in small streams located within the non-connected stormwater management region of Kansas City, Missouri, USA. Transactions of the Missouri Academy of Science, 2019, 47, 21-34.	0.2	0
286	Characteristics of Benthic Macroinvertebrates in Gihwa Stream, Tributary of Dong River, Korea. Korean Journal of Ecology and Environment, 2019, 52, 105-117.	0.3	0
287	Do abundance and percentage of dipteran larvae and Oligochaeta indicate low water quality in streams and lake littoral?. Oceanological and Hydrobiological Studies, 2019, 48, 415-429.	0.7	5
288	Analysis of functional habitat groups and community stability of benthic macroinvertebrates before and after Yeongju Dam completion in Korea. Hangug Hwangyeong Saengmul Haghoeji, 2019, 37, 664-671.	0.4	1
289	Characterizing Responses of Biological Trait and Functional Diversity of Benthic Macroinvertebrates to Environmental Variables to Develop Aquatic Ecosystem Health Assessment Index.. Korean Journal of Ecology and Environment, 2020, 53, 31-45.	0.3	2

#	ARTICLE	IF	CITATIONS
290	Effect of floods of different magnitude on the macroinvertebrate communities of Matarranya stream (Ebro river basin, NE Spain). , 2004, 23, 283-294.		19
291	Pesticide Effects on Macroinvertebrates and Leaf Litter Decomposition in Areas with Traditional Agriculture. SSRN Electronic Journal, 0, , .	0.4	0
292	Impacts of damming and climate change on the ecosystem structure of headwater streams: a case study from the Pyrenees. Inland Waters, 2022, 12, 434-450.	2.2	3
293	Assessment of Passive and Active Macroinvertebrate Collection Methods in Adjacent Reaches on the Upper Main Stem of the Susquehanna River. Journal of the Pennsylvania Academy of Science, 2014, 88, 47-56.	0.1	5
294	Long-term abundance trends of insect taxa are only weakly correlated. Biology Letters, 2022, 18, 20210554.	2.3	15
295	Climate change shifts the timing of nutritional flux from aquatic insects. Current Biology, 2022, 32, 1342-1349.e3.	3.9	33
296	Pesticide effects on macroinvertebrates and leaf litter decomposition in areas with traditional agriculture. Science of the Total Environment, 2022, 828, 154549.	8.0	6
297	NĀMĀŠTY NA POKUSY A POZOROVĀNĀ VODNĀCH Ā½IVOĀĀEICHĀ® VE ĀKOLNĀM AKVĀRIU XI (CHOV JEPIC A POĀVATEK). Biologie Chemie ZemĀpis, 2021, 30, 21-31.	0.2	0
299	Balancing Effort and Benefit â€“ How Taxonomic and Quantitative Resolution Affect the Ecological Assessment of Pesticide Effects. SSRN Electronic Journal, 0, , .	0.4	1
300	Characterization of temporal and spatial variation in subwatersheds of the Strawberry River, AR, prior to implementation of agricultural best management practices. Journal of the Arkansas Academy of Science, 0, 66, .	0.0	1
301	Quantifying the ecological effects of water abstraction in Alpine streams through flume simulations. Ecohydrology, 2022, 15, .	2.4	1
302	A global synthesis of human impacts on the multifunctionality of streams and rivers. Global Change Biology, 2022, 28, 4783-4793.	9.5	21
303	Balancing effort and benefit â€“ How taxonomic and quantitative resolution influence the pesticide indicator system SPEARpesticides. Science of the Total Environment, 2022, 848, 157642.	8.0	2
304	Assessment of the ecological status of the Oum Er-rabie River basin (Central Morocco) through physicochemical, bacteriological parameters and biotic indices. , 0, , .		1
305	Effect of sewerage development on water quality and invertebrate assemblages in a Japanese river over the long term. Journal of Freshwater Ecology, 2022, 37, 455-465.	1.2	1
306	A portable spectroscopic instrument for multiplexed monitoring of acute water toxicity: Design, testing, and evaluation. Review of Scientific Instruments, 2022, 93, .	1.3	3
307	Evaluation of Water Quality Using Physicochemical Parameters and Aquatic Insects Diversity. , 0, , .		0
308	Applicability of macrobenthos indexes in health assessment upstream of a large river: A case study in the Babian River of the Red River Basin, China. Ecological Informatics, 2023, 74, 101958.	5.2	5

#	ARTICLE	IF	CITATIONS
309	New York State's WAVE Method - Evaluation of a Method for Water Quality Monitoring by Citizen Scientists using Benthic Macroinvertebrates. <i>Environmental Management</i> , 0, , .	2.7	0
310	Effects of urbanization-induced local alterations on the diversity and assemblage structure of macroinvertebrates in low-order streams. <i>Hydrobiologia</i> , 2023, 850, 881-899.	2.0	2
312	Combined Impact of Pesticides and Other Environmental Stressors on Reptile Diversity in Irrigation Ponds Compared to Other Animal Taxa. , 2023, , 110-129.		0
313	The Canterbury Museum mayfly collection data resource. <i>Journal of Limnology</i> , 2023, 82, .	1.1	1
314	Larval taxonomy of eastern Nearctic <i>Polycentropus</i> sensu stricto (Trichoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 582 Td (Pol	1.8	1
315	Distribution of Freshwater Organisms in the Pyeongyang Stream and Application Effects of Hydrothermal Energy on Variations in Water Temperature by Return Flow in a Stream Ecosystem. <i>Economic and Environmental Geology</i> , 2023, 56, 185-199.	0.4	0
316	Comparing passive and active macroinvertebrate sampling gear efficacy during biomonitoring in Southern Appalachian mountain streams. <i>River Research and Applications</i> , 0, , .	1.7	0
317	The combined effects of treated sewage discharge and land use on rivers. <i>Global Change Biology</i> , 2023, 29, 6415-6422.	9.5	1
318	Habitat type strongly influences the structural benthic invertebrate community composition in a landscape characterized by ubiquitous, long-term agricultural stress. <i>Inland Waters</i> , 0, , 1-13.	2.2	0
319	Using bacteria and benthic macroinvertebrates as water quality parameters in Mat River, Albania. <i>Aqua Water Infrastructure, Ecosystems and Society</i> , 2023, 72, 1852-1866.	0.0	2
321	Freshwater biodiversity loss in urbanised rivers. <i>Ecological Indicators</i> , 2023, 156, 111150.	6.3	1
322	A bold new purpose for an old method: Using invertebrate kick-netting to improve monitoring of microplastic pollution in running waters. <i>Limnology and Oceanography: Methods</i> , 2024, 22, 65-76.	2.0	0
323	A Comparison of Two Macroinvertebrate Multi-Plate Sampling Methods to Inform Great Lakes Monitoring and Remediation Efforts. <i>Journal of Environmental Protection</i> , 2023, 14, 933-953.	0.7	0
324	Analysis of environmental factors in sediment based on benthic macroinvertebrates in streams, Korea. <i>Entomological Research</i> , 2023, 53, 618-626.	1.1	0
325	Revealing the cascade of pesticide effects from gene to community. <i>Science of the Total Environment</i> , 2024, 917, 170472.	8.0	0
326	Identifying the Most Discriminative Parameter for Water Quality Prediction Using Machine Learning Algorithms. <i>Water (Switzerland)</i> , 2024, 16, 481.	2.7	0
327	Macroinvertebrate Community in a Mediterranean Mountain River: Relationship with Environmental Factors Measured at Different Spatial and Temporal Scales. <i>Sustainability</i> , 2024, 16, 1777.	3.2	0
328	Integrated Assessment of Kirala Kele Wetland Health: Bridging the Gap between Water Quality Parameters and Biotic Components. <i>Water Science and Technology: Water Supply</i> , 2024, 24, 738-759.	2.1	0

#	ARTICLE	IF	CITATIONS
329	Machine Learning Models for Water Quality Prediction: A Comprehensive Analysis and Uncertainty Assessment in Mirpurkhas, Sindh, Pakistan. <i>Water (Switzerland)</i> , 2024, 16, 941.	2.7	0
330	Aquatic Insects (Ephemeroptera, Plecoptera and Trichoptera) Metric as an Important Tool in Water Quality Assessment in Hilly and Mountain Streams. <i>Water (Switzerland)</i> , 2024, 16, 849.	2.7	0
331	New Data on Biodiversity and Chorology of Aquatic Insects of Tazekka National Park (Middle Atlas,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Society, 2024, 150, .	0.3	0