

The dominant-white spotting (W) locus of the mouse en

Cell

55, 185-192

DOI: [10.1016/0092-8674\(88\)90020-7](https://doi.org/10.1016/0092-8674(88)90020-7)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Role of mast cells in anaphylaxis. Evidence for the importance of mast cells in the cardiopulmonary alterations and death induced by anti-IgE in mice.. Journal of Clinical Investigation, 1989, 83, 1375-1383.	3.9	93
2	Megakaryocytopenia in W/W ^v mice is accompanied by an increase in size within ploidy groups and acceleration of maturation. Blood, 1989, 74, 94-98.	0.6	11
3	Different repopulation profile between erythroid and nonerythroid progenitor cells in genetically anemic W/W ^v mice after bone marrow transplantation. Blood, 1989, 74, 1552-1556.	0.6	22
4	Suppressive effect of Sl/Sld mouse embryo-derived fibroblast cell lines on diffusible factor-dependent proliferation of mast cells. Blood, 1989, 74, 1557-1562.	0.6	15
5	The unique insert of cellular and viral fms protein tyrosine kinase domains is dispensable for enzymatic and transforming activities.. EMBO Journal, 1989, 8, 2029-2037.	3.5	66
6	Expression of c-kit gene products in known cellular targets of W mutations in normal and W mutant mice—evidence for an impaired c-kit kinase in mutant mice.. Genes and Development, 1989, 3, 816-826.	2.7	468
7	Molecular Genetics of Development Studied in the Transgenic Mouse. Annual Review of Cell Biology, 1989, 5, 181-196.	26.0	16
8	Mouse mutants provide new insights into the role of extracellular matrix in cell migration and differentiation. Trends in Genetics, 1989, 5, 116-121.	2.9	51
9	Towards a molecular-genetic analysis of mammalian development. Trends in Genetics, 1989, 5, 277-283.	2.9	77
10	Oncogenes, growth factors and hematopoietic cell transformation. Biochimica Et Biophysica Acta: Reviews on Cancer, 1989, 989, 179-208.	3.3	15
11	Colony-stimulating factors, cytokines and hematopoiesis. Current Opinion in Immunology, 1989, 2, 68-77.	2.4	18
12	A molecular genetic linkage map of mouse chromosome 4 including the localization of several proto-oncogenes. Genomics, 1989, 5, 699-709.	1.3	110
13	The neural crest cell lineage problem: Neuropoiesis?. Neuron, 1989, 3, 1-12.	3.8	317
14	Mouse melanoma growth stimulatory activity gene (Mgsa) is polymorphic and syntenic with the W, patch, Rumpwhite, and recessive spotting loci on chromosome 5. Genomics, 1989, 5, 629-632.	1.3	20
15	Protein modification: phosphorylation on tyrosine residues. Current Opinion in Cell Biology, 1989, 1, 1168-1181.	2.6	99
16	Chromosome maps of man and mouse. IV. Annals of Human Genetics, 1989, 53, 89-140.	0.3	196
17	Myeloid expression of the human c-fps/fes proto-oncogene in transgenic mice.. Molecular and Cellular Biology, 1990, 10, 2521-2527.	1.1	75
18	Receptor functions and ligand-dependent transforming potential of a chimeric kit proto-oncogene.. Molecular and Cellular Biology, 1990, 10, 6064-6068.	1.1	41

#	ARTICLE	IF	CITATIONS
19	Transgene-induced mutation of the murine steel locus.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 10019-10022.	3.3	19
20	Mutant Mice as a Tool for Investigation of Mast Cell Differentiation[*]. Proceedings of the Japanese Association of Animal Models for Human Diseases, 1990, 6, 1-5.	0.0	0
21	Growth Competition between W Mutant and Wild-type Cells in Mouse Aggregation Chimeras. (aggregation chimera/W mutation/c-kit oncogene/cellular competition/mouse). Development Growth and Differentiation, 1990, 32, 255-261.	0.6	4
22	Differential Phosphorylation of Myelin-Associated Glycoprotein Isoforms in Cell Culture. Journal of Neurochemistry, 1990, 55, 1418-1426.	2.1	36
23	Embryonic expression of a haematopoietic growth factor encoded by the Sl locus and the ligand for c-kit. Nature, 1990, 347, 667-669.	13.7	512
24	Expression of a candidate sex-determining gene during mouse testis differentiation. Nature, 1990, 348, 450-452.	13.7	801
25	Regulation of Hemopoiesis by Bone Marrow Stromal Cells and Their Products. Annual Review of Immunology, 1990, 8, 111-137.	9.5	495
26	Receptor tyrosine kinases: genetic evidence for their role in Drosophila and mouse development. Trends in Genetics, 1990, 6, 350-356.	2.9	166
27	Overo lethal white foal syndrome: Equine model of aganglionic megacolon (Hirschsprung disease). American Journal of Medical Genetics Part A, 1990, 36, 336-340.	2.4	62
28	Molecular bases of dominant negative and loss of function mutations at the murine c-kit/white spotting locus: W37, Wv, W41 and W.. EMBO Journal, 1990, 9, 1805-1813.	3.5	521
29	Mechanism of mast cell deficiency in mutant mice of mi/mi genotype: an analysis by co-culture of mast cells and fibroblasts. Blood, 1990, 75, 1247-1251.	0.6	76
30	Phorbol 12-myristate 13-acetate-induced development of functionally active mast cells in W/Wv but not Sl/Sld genetically mast cell- deficient mice. Blood, 1990, 75, 1637-1645.	0.6	37
31	Candidate ligand for the c-kit transmembrane kinase receptor: KL, a fibroblast derived growth factor stimulates mast cells and erythroid progenitors.. EMBO Journal, 1990, 9, 3287-3294.	3.5	258
32	Expression of the trk proto-oncogene is restricted to the sensory cranial and spinal ganglia of neural crest origin in mouse development.. Genes and Development, 1990, 4, 683-694.	2.7	329
33	Mouse and hamster mutants as models for Waardenburg syndromes in humans.. Journal of Medical Genetics, 1990, 27, 618-626.	1.5	55
34	Cloning and expression of a gene encoding an interleukin 3 receptor-like protein: identification of another member of the cytokine receptor gene family.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 5459-5463.	3.3	188
35	A distinctive family of embryonic protein-tyrosine kinase receptors.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 5812-5816.	3.3	122
36	The dominant W42 spotting phenotype results from a missense mutation in the c-kit receptor kinase. Science, 1990, 247, 209-212.	6.0	290

#	ARTICLE	IF	CITATIONS
37	Interleukin 3 perfusion in W/W ^v mice allows the development of macroscopic hematopoietic spleen colonies and restores cutaneous mast cell number.. Journal of Experimental Medicine, 1990, 172, 403-406.	4.2	25
38	W mutant mice with mild or severe developmental defects contain distinct point mutations in the kinase domain of the c-kit receptor.. Genes and Development, 1990, 4, 390-400.	2.7	318
39	The Pit-1 transcription factor gene is a candidate for the murine Snell dwarf mutation. Genomics, 1990, 8, 586-590.	1.3	213
40	A molecular genetic linkage map of mouse chromosome 13 anchored by the beige (bg) and satin (sa) loci. Genomics, 1990, 6, 341-351.	1.3	52
41	The Mouse W/c-kit Locus.. Annals of the New York Academy of Sciences, 1990, 599, 58-65.	1.8	31
42	Cytokines: Coordinators of Immune and Inflammatory Responses. Annual Review of Biochemistry, 1990, 59, 783-836.	5.0	1,279
43	Steel locus defines new multipotent growth factor. Cell, 1990, 63, 5-6.	13.5	522
44	Identification of a ligand for the c-kit proto-oncogene. Cell, 1990, 63, 167-174.	13.5	932
45	Mast cell growth factor maps near the steel locus on mouse chromosome 10 and is deleted in a number of steel alleles. Cell, 1990, 63, 175-183.	13.5	618
46	The kit ligand: A cell surface molecule altered in steel mutant fibroblasts. Cell, 1990, 63, 185-194.	13.5	770
47	Identification, purification, and biological characterization of hematopoietic stem cell factor from buffalo rat liver-conditioned medium. Cell, 1990, 63, 195-201.	13.5	797
48	Stem cell factor is encoded at the Sl locus of the mouse and is the ligand for the c-kit tyrosine kinase receptor. Cell, 1990, 63, 213-224.	13.5	1,406
49	The hematopoietic growth factor KL is encoded by the Sl locus and is the ligand of the c-kit receptor, the gene product of the W locus. Cell, 1990, 63, 225-233.	13.5	1,169
50	Molecular cloning of mast cell growth factor, a hematopoietin that is active in both membrane bound and soluble forms. Cell, 1990, 63, 235-243.	13.5	840
51	An interspecific backcross linkage map of mouse chromosome 8. Genomics, 1990, 6, 72-79.	1.3	48
52	Molecular genetic markers spanning mouse chromosome 10. Genomics, 1990, 8, 519-524.	1.3	139
53	Oncogenes and anti-oncogenes. Current Opinion in Cell Biology, 1990, 2, 285-295.	2.6	23
54	Selective expression of PDGF A and its receptor during early mouse embryogenesis. Developmental Biology, 1990, 138, 114-122.	0.9	203

#	ARTICLE	IF	CITATIONS
55	Association between collagen and glycosaminoglycans is altered in dermal extracellular matrix of fetal Steel () mice. <i>Developmental Biology</i> , 1990, 139, 308-313.	0.9	14
56	Receptor-like oncogenes: Functional analysis through novel experimental approaches. <i>Molecular Immunology</i> , 1990, 27, 1319-1324.	1.0	8
57	Expression of the mRNA for the ligand of C-kit in mouse sertoli cells. <i>Biochemical and Biophysical Research Communications</i> , 1991, 176, 910-914.	1.0	124
58	Neuropoietic cytokines in the hematopoietic fold. <i>Neuron</i> , 1991, 7, 197-208.	3.8	503
59	Growth factors and oncogenes. <i>Bailliere's Clinical Endocrinology and Metabolism</i> , 1991, 5, 655-669.	1.0	0
60	Characterization of the gene-product of the Steel locus. <i>Progress in Growth Factor Research</i> , 1991, 3, 235-242.	1.7	23
61	Isolation and chromosomal localization of a novel FMS-like tyrosine kinase gene. <i>Genomics</i> , 1991, 9, 380-385.	1.3	135
62	Mast cells and their role in urticaria. <i>Journal of the American Academy of Dermatology</i> , 1991, 25, 190-204.	0.6	55
63	Krox-20: A candidate gene for the regulation of pattern formation in the hindbrain. <i>Biochimie</i> , 1991, 73, 85-91.	1.3	22
64	A gene encoding a fibroblast growth factor receptor isolated from the Huntington disease gene region of human chromosome 4. <i>Genomics</i> , 1991, 11, 1133-1142.	1.3	115
65	Development of the neural crest. <i>Current Opinion in Genetics and Development</i> , 1991, 1, 221-229.	1.5	25
66	An extended family of protein-tyrosine kinase genes differentially expressed in the vertebrate nervous system. <i>Neuron</i> , 1991, 6, 691-704.	3.8	433
67	The kit ligand encoded at the murine Steel locus: a pleiotropic growth and differentiation factor. <i>Current Opinion in Cell Biology</i> , 1991, 3, 939-946.	2.6	164
68	The rat c-kit ligand, stem cell factor, induces the development of connective tissue-type and mucosal mast cells in vivo. Analysis by anatomical distribution, histochemistry, and protease phenotype.. <i>Journal of Experimental Medicine</i> , 1991, 174, 125-131.	4.2	285
69	Exon skipping by mutation of an authentic splice site of c-kit gene in W/W mouse. <i>Nucleic Acids Research</i> , 1991, 19, 1267-1271.	6.5	144
70	Expression of c-kit encoded at the W locus of mice in developing embryonic germ cells and presumptive melanoblasts. <i>Developmental Biology</i> , 1991, 146, 312-324.	0.9	225
71	A pregnancy defect in the osteopetrotic () mouse demonstrates the requirement for CSF-1 in female fertility. <i>Developmental Biology</i> , 1991, 148, 273-283.	0.9	335
72	A receptor tyrosine kinase specific to hematopoietic stem and progenitor cell-enriched populations. <i>Cell</i> , 1991, 65, 1143-1152.	13.5	560

#	ARTICLE	IF	CITATIONS
73	A functional c-myb gene is required for normal murine fetal hepatic hematopoiesis. <i>Cell</i> , 1991, 65, 677-689.	13.5	1,016
74	Transmembrane form of the kit ligand growth factor is determined by alternative splicing and is missing in the Sld mutant. <i>Cell</i> , 1991, 64, 1025-1035.	13.5	723
75	The molecular basis of the undulated/Pax-1 mutation. <i>Cell</i> , 1991, 66, 873-884.	13.5	268
76	Growth factors in development, transformation, and tumorigenesis. <i>Cell</i> , 1991, 64, 271-280.	13.5	696
77	Regulation of Murine Megakaryocyte Size and Ploidy by Non-Platelet-Dependent Mechanisms in Radiation-Induced Megakaryocytopenia. <i>Radiation Research</i> , 1991, 127, 278.	0.7	5
78	Urticaria pigmentosum: Nature's experiment in mast cell biology. <i>Journal of Dermatological Science</i> , 1991, 2, 395-401.	1.0	7
79	Expression of functional c-kit receptors rescues the genetic defect of W mutant mast cells.. <i>EMBO Journal</i> , 1991, 10, 3683-3691.	3.5	33
80	Signal transduction by normal isoforms and W mutant variants of the Kit receptor tyrosine kinase.. <i>EMBO Journal</i> , 1991, 10, 2451-2459.	3.5	230
81	Enrichment and characterization of murine hematopoietic stem cells that express c-kit molecule. <i>Blood</i> , 1991, 78, 1706-1712.	0.6	292
82	Effect of murine mast cell growth factor (c-kit proto-oncogene ligand) on colony formation by human marrow hematopoietic progenitor cells. <i>Blood</i> , 1991, 77, 2142-2149.	0.6	185
83	Monoclonal antibody YB5.B8 identifies the human c-kit protein product. <i>Blood</i> , 1991, 77, 1876-1883.	0.6	147
84	Expression and functional role of the proto-oncogene c-kit in acute myeloblastic leukemia cells. <i>Blood</i> , 1991, 78, 2962-2968.	0.6	254
85	c-kit expression by CD34+ bone marrow progenitors and inhibition of response to recombinant human interleukin-3 following exposure to c-kit antisense oligonucleotides. <i>Blood</i> , 1991, 78, 3186-3191.	0.6	31
86	Temporal replacement of donor erythrocytes and leukocytes in nonanemic W44J/W44J and severely anemic W/Wv mice. <i>Blood</i> , 1991, 78, 1432-1437.	0.6	14
87	Anemia and mast cell depletion in mutant rats that are homozygous at "white spotting (Ws)" locus. <i>Blood</i> , 1991, 78, 1936-1941.	0.6	131
88	Diamond-Blackfan anemia: heterogenous response of hematopoietic progenitor cells in vitro to the protein product of the steel locus. <i>Blood</i> , 1991, 78, 2211-2215.	0.6	68
89	Mast cell growth factor (c-kit ligand) supports the growth of human multipotential progenitor cells with a high replating potential. <i>Blood</i> , 1991, 78, 2216-2221.	0.6	133
90	Embryonic RNA expression patterns of the c-kit receptor and its cognate ligand suggest multiple functional roles in mouse development.. <i>EMBO Journal</i> , 1991, 10, 2425-2435.	3.5	309

#	ARTICLE	IF	CITATIONS
91	In utero manipulation of coat color formation by a monoclonal anti-c-kit antibody: two distinct waves of c-kit-dependency during melanocyte development.. EMBO Journal, 1991, 10, 2111-2118.	3.5	435
92	Platelet-derived growth factor receptor alpha-subunit gene (Pdgfra) is deleted in the mouse patch (Ph) mutation.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 6-10.	3.3	234
93	Steel-Dickie mutation encodes a c-kit ligand lacking transmembrane and cytoplasmic domains.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 4671-4674.	3.3	286
94	Mutation of the KIT (mast/stem cell growth factor receptor) protooncogene in human piebaldism.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 8696-8699.	3.3	353
95	STY, a tyrosine-phosphorylating enzyme with sequence homology to serine/threonine kinases.. Molecular and Cellular Biology, 1991, 11, 568-572.	1.1	135
96	A dominant negative mutation suppresses the function of normal epidermal growth factor receptors by heterodimerization.. Molecular and Cellular Biology, 1991, 11, 1454-1463.	1.1	229
97	Modulation of c-kit mRNA and protein by hemopoietic growth factors.. Molecular and Cellular Biology, 1991, 11, 2901-2904.	1.1	51
98	Fibroblast-Dependent Differentiation/Proliferation of Mast Cells. Skin Pharmacology and Physiology, 1991, 4, 2-7.	1.1	3
99	Activation of the human c-kit product by ligand-induced dimerization mediates circular actin reorganization and chemotaxis.. EMBO Journal, 1991, 10, 4121-4128.	3.5	281
100	Deletion of the c-kit protooncogene in the human developmental defect piebald trait.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 10885-10889.	3.3	205
101	Direct proliferative actions of stem cell factor on murine bone marrow cells in vitro: effects of combination with colony-stimulating factors.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 6239-6243.	3.3	151
102	Mouse platelet-derived growth factor receptor alpha gene is deleted in W19H and patch mutations on chromosome 5.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 4811-4815.	3.3	90
103	Induction of mast cell proliferation, maturation, and heparin synthesis by the rat c-kit ligand, stem cell factor.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 6382-6386.	3.3	393
104	The Steel/W transduction pathway: kit autophosphorylation and its association with a unique subset of cytoplasmic signaling proteins is induced by the Steel factor.. Molecular and Cellular Biology, 1991, 11, 3043-3051.	1.1	258
105	Role of mast cells in ion transport abnormalities associated with intestinal anaphylaxis. Correction of the diminished secretory response in genetically mast cell-deficient W/W ^v mice by bone marrow transplantation.. Journal of Clinical Investigation, 1991, 87, 687-693.	3.9	146
106	6 Sequential Segregation and Fate of Developmentally Restricted Intermediate Cell Populations in the Neural Crest Lineage. Current Topics in Developmental Biology, 1991, 25, 133-153.	1.0	153
107	Highlights of the 19th Annual Meeting of the International Society for Experimental Hematology (ISEH) Held in Seattle, Washington, USA, August 26-30, 1990. Leukemia and Lymphoma, 1991, 4, 425-428.	0.6	0
108	Effect of W mutant Gene for Cell Growth and Differentiation.. Proceedings of the Japanese Association of Animal Models for Human Diseases, 1991, 7, 19-23.	0.0	0

#	ARTICLE	IF	CITATIONS
109	Hematopoietic stem-cell differentiation. <i>Current Opinion in Immunology</i> , 1991, 3, 171-178.	2.4	29
110	Lymphohematopoietic cytokines in the female reproductive tract. <i>Current Opinion in Immunology</i> , 1991, 3, 772-777.	2.4	58
111	Colony-stimulating factors and cytokine receptor network. <i>Current Opinion in Biotechnology</i> , 1991, 2, 227-237.	3.3	8
112	Cytogenetic characterization of radiosensitive mouse mutants. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1991, 251, 171-179.	0.4	2
113	Of kit and mouse and man. <i>Current Biology</i> , 1991, 1, 356-358.	1.8	7
114	Mouse hematopoietic stem cells and the interaction of c-kit receptor and steel factor. <i>International Journal of Cell Cloning</i> , 1991, 9, 451-460.	1.6	32
115	Gene expression during erythropoiesis. <i>International Journal of Cell Cloning</i> , 1991, 9, 109-122.	1.6	3
116	Hematopoietic growth factor receptors. <i>International Journal of Cell Cloning</i> , 1991, 9, 274-300.	1.6	20
117	Biological control of mast cell growth factor c-kit interactions may be mediated through alternate splicing of mRNAs. <i>International Journal of Cell Cloning</i> , 1991, 9, 183-193.	1.6	0
118	Biological characteristics of recombinant rat and human stem cell factor. <i>International Journal of Cell Cloning</i> , 1991, 9, 194-203.	1.6	3
119	Stem cell factor (SCF), a novel hematopoietic growth factor and ligand for c-kit tyrosine kinase receptor, maps on human chromosome 12 between 12q14.3 and 12qter. <i>Somatic Cell and Molecular Genetics</i> , 1991, 17, 207-214.	0.7	75
120	Effects of the steel gene product on mouse primordial germ cells in culture. <i>Nature</i> , 1991, 352, 807-809.	13.7	395
121	Effect of Steel factor and leukaemia inhibitory factor on murine primordial germ cells in culture. <i>Nature</i> , 1991, 353, 750-752.	13.7	447
122	Adhesion of mouse mast cells to fibroblasts: Adverse effects of steel (Sl) mutation. <i>Journal of Cellular Physiology</i> , 1991, 147, 224-230.	2.0	36
123	Characterization of spleen colonies derived from mice with mutations at the sl locus. <i>Journal of Cellular Physiology</i> , 1991, 149, 451-458.	2.0	8
124	The c-kit-encoded tyrosine kinase regulates the proliferation of early pre-B cells. <i>European Journal of Immunology</i> , 1991, 21, 2609-2612.	1.6	103
125	Mitotic recombination in mammals. <i>BioEssays</i> , 1991, 13, 351-356.	1.2	9
126	Mouse coat colour mutations: A molecular genetic resource which spans the centuries. <i>BioEssays</i> , 1991, 13, 439-446.	1.2	43

#	ARTICLE	IF	CITATIONS
127	Mouse chromosome 5. <i>Mammalian Genome</i> , 1991, 1, S79-S96.	1.0	5
128	Comparative map for mice and humans. <i>Mammalian Genome</i> , 1991, 1, S461-S515.	1.0	40
129	Growth factors and tyrosine protein kinases in normal and malignant melanocytes. <i>Cancer and Metastasis Reviews</i> , 1991, 10, 129-140.	2.7	62
130	G/A polymorphism in an intron of the fibrillin gene FBNI. <i>Nucleic Acids Research</i> , 1991, 19, 6975-6975.	6.5	4
131	Expression and function of c-kit in hemopoietic progenitor cells.. <i>Journal of Experimental Medicine</i> , 1991, 174, 63-71.	4.2	696
132	TaqI RFLP at the c-kit oncogene locus (KIT). <i>Nucleic Acids Research</i> , 1991, 19, 6975-6975.	6.5	0
133	Hematopoietic development of embryonic stem cells in vitro: cytokine and receptor gene expression.. <i>Genes and Development</i> , 1991, 5, 728-740.	2.7	308
134	The c-fms gene complements the mitogenic defect in mast cells derived from mutant W mice but not mi (microphthalmia) mice.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 2341-2345.	3.3	67
135	The Expression of c-kit Protein during Oogenesis and Early Embryonic Development1. <i>Biology of Reproduction</i> , 1991, 45, 547-552.	1.2	150
136	Molecular basis of mouse developmental mutants.. <i>Genes and Development</i> , 1991, 5, 1115-1123.	2.7	64
137	Ectopic expression of a c-kit ^{W42} minigene in transgenic mice: recapitulation of W phenotypes and evidence for c-kit function in melanoblast progenitors.. <i>Genes and Development</i> , 1991, 5, 2265-2273.	2.7	47
138	A receptor tyrosine kinase cDNA isolated from a population of enriched primitive hematopoietic cells and exhibiting close genetic linkage to c-kit.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 9026-9030.	3.3	475
139	A melanocyte-specific gene, Pmel 17, maps near the silver coat color locus on mouse chromosome 10 and is in a syntenic region on human chromosome 12.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 9228-9232.	3.3	164
140	White-Spotting Mutations Affect the Regenerative Differentiation of Testicular Germ Cells: Demonstration by Experimental Cryptorchidism and its Surgical Reversal1. <i>Biology of Reproduction</i> , 1991, 45, 642-648.	1.2	45
141	Effect of the W mutation, for white belly spot, on testicular germ cell differentiation in mice. <i>Reproduction</i> , 1991, 93, 287-294.	1.1	17
142	Expression of messenger RNA for kit-ligand in human placenta: localization by in situ hybridization and identification of alternatively spliced variants.. <i>Molecular Endocrinology</i> , 1992, 6, 1235-1241.	3.7	21
143	Microenvironmental Factors that Influence Mast Cell Phenotype and Function. <i>Experimental Biology and Medicine</i> , 1992, 199, 22-33.	1.1	19
144	c-Kit-kinase induces a cascade of protein tyrosine phosphorylation in normal human melanocytes in response to mast cell growth factor and stimulates mitogen-activated protein kinase but is down-regulated in melanomas.. <i>Molecular Biology of the Cell</i> , 1992, 3, 197-209.	0.9	171

#	ARTICLE	IF	CITATIONS
145	In vitro proliferation of primitive hemopoietic stem cells supported by stromal cells: evidence for the presence of a mechanism(s) other than that involving c-kit receptor and its ligand.. Journal of Experimental Medicine, 1992, 176, 351-361.	4.2	67
146	Expression of C-Kit Protein during Placental Development1. Biology of Reproduction, 1992, 47, 614-620.	1.2	28
147	Differential expression of secretory granule proteases in mouse mast cells exposed to interleukin 3 and c-kit ligand.. Journal of Experimental Medicine, 1992, 175, 1003-1012.	4.2	197
148	Developmental abnormalities in Steel17H mice result from a splicing defect in the steel factor cytoplasmic tail.. Genes and Development, 1992, 6, 1832-1842.	2.7	124
149	Spontaneous malignant transformation of melanocytes explanted from Wf/Wf mice with a Kit kinase-domain mutation.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 7816-7820.	3.3	42
150	Role of the KIT protooncogene in normal and malignant human hematopoiesis.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 1710-1714.	3.3	133
151	Differential expression and processing of two cell associated forms of the kit-ligand: KL-1 and KL-2.. Molecular Biology of the Cell, 1992, 3, 349-362.	0.9	300
152	Support of human hematopoiesis in long-term bone marrow cultures by murine stromal cells selectively expressing the membrane-bound and secreted forms of the human homolog of the steel gene product, stem cell factor.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 7350-7354.	3.3	284
153	Isolation and characterization of four CSF-1-dependent placental macrophage cell lines. Journal of Leukocyte Biology, 1992, 51, 535-545.	1.5	6
154	Epigenetic Regulation of the Early Development of the Nervous System. Advances in Molecular and Cell Biology, 1992, 5, 197-227.	0.1	2
155	Protein Tyrosine Kinase Growth Factor Receptors and their Ligands in Development, Differentiation, and Cancer. Advances in Cancer Research, 1992, 60, 43-73.	1.9	38
156	Interkinase domain of kit contains the binding site for phosphatidylinositol 3' kinase.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 678-682.	3.3	116
157	Evidence that hematopoietic stem cells express mouse c-kit but do not depend on steel factor for their generation.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 1502-1506.	3.3	562
158	Identification of a human src homology 2-containing protein-tyrosine-phosphatase: a putative homolog of Drosophila corkscrew.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 11239-11243.	3.3	353
159	Cell Surface Structures on Human Basophils and Mast Cells: Biochemical and Functional Characterization. Advances in Immunology, 1992, 52, 333-423.	1.1	181
160	Characteristics of stria vascularis melanocytes of viable dominant spotting () mouse mutants. Hearing Research, 1992, 64, 6-20.	0.9	87
161	Lymphocyte Development from Stem Cells. Annual Review of Immunology, 1992, 10, 759-783.	9.5	165
163	The Effect of Recombinant Stem Cell Factor (SCF) on Purified CD34-Positive Human Umbilical Cord Blood Progenitor Cells. Growth Factors, 1992, 6, 31-39.	0.5	20

#	ARTICLE	IF	CITATIONS
164	Proto-oncogenes in mammalian development. <i>Current Opinion in Genetics and Development</i> , 1992, 2, 38-44.	1.5	7
165	The gene for dominant white color in the pig is closely linked to ALB and PDGFRA on chromosome 8. <i>Genomics</i> , 1992, 14, 965-969.	1.3	101
166	Cochlear disorder associated with melanocyte anomaly in mice with a transgenic insertional mutation. <i>Molecular and Cellular Neurosciences</i> , 1992, 3, 433-445.	1.0	87
167	Functional Analyses of lprGene in MRL/Mp-lpr/lprMice. Role of Lymph Node StromalCells in lpr-Lymphadenopathy. <i>Immunobiology</i> , 1992, 186, 449-465.	0.8	0
168	Construction, analysis, and application of a radiation hybrid mapping panel surrounding the mouse agouti locus. <i>Genomics</i> , 1992, 13, 731-740.	1.3	12
170	Analyzing Mast Cell Development and Function Using Mice Carrying Mutations at W/c-kit or Sl/MGF (SCF) Loci. <i>Annals of the New York Academy of Sciences</i> , 1992, 664, 69-88.	1.8	56
171	Developmental defects in gorlin syndrome related to a putative tumor suppressor gene on chromosome 9. <i>Cell</i> , 1992, 69, 111-117.	13.5	396
172	Diffusible factors in vertebrate embryonic induction. <i>Cell</i> , 1992, 68, 257-270.	13.5	324
173	Cytokine Receptors and Signal Transduction. <i>Annual Review of Immunology</i> , 1992, 10, 295-331.	9.5	644
174	Molecular characterization of the mouse agouti locus. <i>Cell</i> , 1992, 71, 1195-1204.	13.5	802
175	Analysis of the close relationship between human astrocytoma-specific antigens detected by murine monoclonal antibodies and c-kit proto-oncogene product. <i>Biochemical and Biophysical Research Communications</i> , 1992, 182, 474-480.	1.0	5
176	Post-translational processing of membrane-associated recombinant human stem cell factor expressed in Chinese hamster ovary cells. <i>Archives of Biochemistry and Biophysics</i> , 1992, 298, 150-158.	1.4	37
177	Purification and characterization of soluble forms of human and rat stem cell factor recombinantly expressed by <i>Escherichia coli</i> and by Chinese hamster ovary cells. <i>Archives of Biochemistry and Biophysics</i> , 1992, 295, 21-28.	1.4	55
178	Expression of c-kit protooncogene is stimulated by cAMP in differentiated F9 mouse teratocarcinoma cells. <i>Experimental Cell Research</i> , 1992, 198, 352-356.	1.2	9
179	Expression of the fibroblast growth factor receptor FGFR-1/flg during gastrulation and segmentation in the mouse embryo. <i>Developmental Biology</i> , 1992, 152, 75-88.	0.9	143
180	A novel c-kit transcript, potentially encoding a truncated receptor, originates within a kit gene intron in mouse spermatids. <i>Developmental Biology</i> , 1992, 152, 203-207.	0.9	103
181	The Steel factor. <i>Developmental Biology</i> , 1992, 151, 368-376.	0.9	191
182	Expression of CSF-1/c-fms and SF/c-kit mRNA during preimplantation mouse development. <i>Developmental Biology</i> , 1992, 151, 1-8.	0.9	100

#	ARTICLE	IF	CITATIONS
183	c-kit receptor and ligand expression in postnatal development of the mouse cerebellum suggests a function for c-kit in inhibitory interneurons. <i>Journal of Neuroscience</i> , 1992, 12, 4663-4676.	1.7	75
184	The Xmrk receptor tyrosine kinase is activated in Xiphophorus malignant melanoma.. <i>EMBO Journal</i> , 1992, 11, 4239-4246.	3.5	61
185	Role and Expression of Colony Stimulating Factor-1 and Steel Factor Receptors and their Ligands during Pregnancy in the Mouse. <i>Reproduction, Fertility and Development</i> , 1992, 4, 619.	0.1	17
186	Interleukin-7 and B Lymphopoiesis. <i>Chemical Immunology and Allergy</i> , 1992, 51, 205-235.	1.7	2
187	The c-kit receptor ligand functions as a mast cell chemoattractant. <i>Blood</i> , 1992, 79, 958-963.	0.6	216
188	Factor-dependent erythroid cell lines derived from mice transplanted with hematopoietic cells expressing the v-src oncogene. <i>Blood</i> , 1992, 79, 180-190.	0.6	8
189	Necessity of extracellular domain of W (c-kit) receptors for attachment of murine cultured mast cells to fibroblasts. <i>Blood</i> , 1992, 79, 650-656.	0.6	109
190	Stem cell factor increases colony-forming unit-spleen number in vitro in synergy with interleukin-6, and in vivo in Sl/Sl mice as a single factor. <i>Blood</i> , 1992, 79, 913-919.	0.6	49
191	Differential roles of stromal cells, interleukin-7, and kit-ligand in the regulation of B lymphopoiesis. <i>Blood</i> , 1992, 79, 1185-1192.	0.6	109
192	The SCF and c-kit genes in Diamond-Blackfan anemia [letter]. <i>Blood</i> , 1992, 79, 2177-2178.	0.6	26
193	Expression of the FMS/KIT-like gene FLT3 in human acute leukemias of the myeloid and lymphoid lineages. <i>Blood</i> , 1992, 80, 2584-2593.	0.6	208
194	In vivo and in vitro stem cell function of c-kit- and Sca-1-positive murine hematopoietic cells. <i>Blood</i> , 1992, 80, 3044-3050.	0.6	493
195	Evidence that stem cell factor is involved in the rebound thrombocytosis that follows 5-fluorouracil treatment. <i>Blood</i> , 1992, 80, 904-911.	0.6	29
196	c-kit Gene was not transcribed in cultured mast cells of mast cell- deficient Wsh/Wsh mice that have a normal number of erythrocytes and a normal c-kit coding region. <i>Blood</i> , 1992, 80, 1448-1453.	0.6	70
197	Low c-kit expression of cultured mast cells of mi/mi genotype may be involved in their defective responses to fibroblasts that express the ligand for c-kit. <i>Blood</i> , 1992, 80, 1454-1462.	0.6	51
198	BALB/3T3 fibroblast-conditioned medium attracts cultured mast cells derived from W/W but not from mi/mi mutant mice, both of which are deficient in mast cells. <i>Blood</i> , 1992, 80, 1933-1939.	0.6	16
199	Induction of differentiation of human mast cells from bone marrow and peripheral blood mononuclear cells by recombinant human stem cell factor/kit-ligand in long-term culture. <i>Blood</i> , 1992, 80, 2237-2245.	0.6	409
200	Comparative map for mice and humans. <i>Mammalian Genome</i> , 1992, 3, 480-536.	1.0	122

#	ARTICLE	IF	CITATIONS
201	The Molecular Basis of Human Piebaldism. <i>Pigment Cell & Melanoma Research</i> , 1992, 5, 340-343.	4.0	16
202	Proliferation and Neoplastic Transformation of Pigment Cells in Metallothionein/ret Transgenic Mice. <i>Pigment Cell & Melanoma Research</i> , 1992, 5, 344-347.	4.0	7
203	Control of Melanocyte Proliferation and Differentiation in the Mouse Epidermis. <i>Pigment Cell & Melanoma Research</i> , 1992, 5, 1-11.	4.0	75
204	Traces of her workings. <i>Nature Genetics</i> , 1992, 2, 5-8.	9.4	16
205	Hematopoietic stem cells. <i>Current Opinion in Immunology</i> , 1992, 4, 133-139.	2.4	38
206	Mechanisms of soluble mediators. <i>Current Opinion in Immunology</i> , 1992, 4, 307-313.	2.4	9
207	Long-term survival of human myeloid progenitor cells induced by a mouse bone marrow stromal cell line. <i>International Journal of Cell Cloning</i> , 1992, 10, 153-160.	1.6	7
208	Epidermal keratinocyte stem cells: their maintenance and regulation. <i>Seminars in Cell Biology</i> , 1992, 3, 435-444.	3.5	21
209	Gene expression during oogenesis in mice. <i>Mutation Research - Reviews in Genetic Toxicology</i> , 1992, 296, 3-15.	3.0	64
210	Mutational risks in females: genomic imprinting and maternal molecules. <i>Mutation Research - Reviews in Genetic Toxicology</i> , 1992, 296, 157-165.	3.0	12
211	Recent progress in the discovery and invention of novel hematopoietic cytokines. <i>Critical Reviews in Oncology/Hematology</i> , 1992, 13, 1-15.	2.0	7
212	Molecular weights of glycosylated and nonglycosylated forms of recombinant human stem cell factor determined by low-angle laser light scattering. <i>Analytical Biochemistry</i> , 1992, 203, 53-57.	1.1	37
213	Antigenic analysis of human haemopoietic progenitor cells expressing the growth factor receptor c-kit. <i>British Journal of Haematology</i> , 1992, 82, 287-294.	1.2	54
214	Expression of c-kit, a proto-oncogene of the murine <i>W</i> locus, in cerebella of normal and neurological mutant mice: Immunohistochemical and in situ hybridization analysis. <i>Differentiation</i> , 1992, 51, 121-127.	1.0	18
215	Localization of the fibroblast growth factor receptor-4 gene to chromosome region 5q33-qter. <i>Genes Chromosomes and Cancer</i> , 1992, 4, 94-98.	1.5	17
216	Progression of human cutaneous melanoma is associated with loss of expression of c-kit proto-oncogene receptor. <i>International Journal of Cancer</i> , 1992, 52, 197-201.	2.3	220
217	Breast cancer is associated with loss of the c-kit oncogene product. <i>International Journal of Cancer</i> , 1992, 52, 713-717.	2.3	112
218	Deletion of the <i>KIT</i> and <i>PDGFRA</i> genes in a patient with piebaldism. <i>American Journal of Medical Genetics Part A</i> , 1992, 44, 492-495.	2.4	33

#	ARTICLE	IF	CITATIONS
219	Steel factor and c-Kit receptor: From mutants to a growth factor system. <i>BioEssays</i> , 1993, 15, 77-83.	1.2	95
220	Tyrosine kinase receptors in the control of epithelial growth and morphogenesis during development. <i>BioEssays</i> , 1993, 15, 185-190.	1.2	37
221	Dynamic changes in ovarian c-kit and Steel expression during the estrous reproductive cycle. <i>Developmental Dynamics</i> , 1993, 197, 69-79.	0.8	116
222	Proliferation and migration of primordial germ cells in <i>We/We</i> mouse embryos. <i>Developmental Dynamics</i> , 1993, 198, 182-189.	0.8	165
223	Relationship between c-Kit expression and proliferation in acute myeloblastic leukemia cell lines. <i>Journal of Cellular Physiology</i> , 1993, 154, 410-418.	2.0	23
224	Induction of the murine γ W phenotype? in long-term cultures of human cord blood cells by c-kit antisense oligomers. <i>Journal of Cellular Physiology</i> , 1993, 157, 158-163.	2.0	5
225	Signal transduction—a conserved pathway from the membrane to the nucleus. <i>Genesis</i> , 1993, 14, 333-338.	3.3	34
226	Distinct patterns of early response gene expression and proliferation in mouse mast cells stimulated by stem cell factor, interleukin-3, or IgE and antigen. <i>European Journal of Immunology</i> , 1993, 23, 867-872.	1.6	36
227	Expression of the receptor tyrosine kinase c-kit in oligodendrocyte progenitor cells. <i>Journal of Neuroscience Research</i> , 1993, 36, 596-606.	1.3	31
228	Paracrine factors and the regulation of spermatogenesis. <i>World Journal of Urology</i> , 1993, 11, 120-8.	1.2	43
229	Deletion mapping of the chocolate (cht) locus within the Fes-Hbb region of mouse Chromosome 7. <i>Mammalian Genome</i> , 1993, 4, 46-48.	1.0	5
230	The ovine Booroola fecundity gene (FecB) is linked to markers from a region of human chromosome 4q. <i>Nature Genetics</i> , 1993, 4, 410-414.	9.4	166
231	Novel Mutations of the KIT (Mast/Stem Cell Growth Factor Receptor) Proto-Oncogene in Human Piebaldism. <i>Journal of Investigative Dermatology</i> , 1993, 101, 22-25.	0.3	47
232	The Role of c-kit Proto-oncogene during Melanocyte Development in Mouse. In vivo Approach by the In utero Microinjection of Anti-c-kit Antibody. (c-kit proto-oncogene/melanogenesis/monoclonal) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i> 209-220.	0.6	40
233	Mammalian Male Gametogenesis: Growth, Differentiation and Maturation of Germ Cells. (Spermatogenesis/Germ cell/Mutant mouse/Cryptorchidism/Capacitation). <i>Development Growth and Differentiation</i> , 1993, 35, 479-486.	0.6	14
234	Characterization of the Promoter Region of the Human c-kit Proto-oncogene. <i>Japanese Journal of Cancer Research</i> , 1993, 84, 1136-1144.	1.7	81
235	From Gene to Protein: Determination of Melanin Synthesis. <i>Pigment Cell & Melanoma Research</i> , 1993, 6, 186-192.	4.0	35
236	Stem cell factor enhances the growth of primitive erythroid progenitors to a greater extent than interleukin-3 in patients with aplastic anaemia. <i>British Journal of Haematology</i> , 1993, 85, 663-669.	1.2	20

#	ARTICLE	IF	CITATIONS
237	The expression of cytokine and cytokine receptor genes in long-term bone marrow culture in congenital and acquired bone marrow hypoplasias. <i>British Journal of Haematology</i> , 1993, 83, 560-566.	1.2	60
238	THE 1993 LEWIS SCHIFFER MEMORIAL LECTURE TO THE CELL KINETICS SOCIETY. <i>Cell Proliferation</i> , 1993, 26, 399-425.	2.4	27
239	The role of stem cell factor in mobilization of peripheral blood progenitor cells: Synergy with G‐CSF. <i>Stem Cells</i> , 1993, 11, 83-88.	1.4	23
240	Molecular regulation of neural crest development. <i>Molecular Neurobiology</i> , 1993, 7, 111-135.	1.9	28
241	High affinity VEGF binding and developmental expression suggest Flk-1 as a major regulator of vasculogenesis and angiogenesis. <i>Cell</i> , 1993, 72, 835-846.	13.5	1,880
242	A genetic linkage map of the mouse: current applications and future prospects. <i>Science</i> , 1993, 262, 57-66.	6.0	579
243	New Concepts about the Mast Cell. <i>New England Journal of Medicine</i> , 1993, 328, 257-265.	13.9	934
244	The Sertoli-Germ Cell Communication Network in Mammals. <i>International Review of Cytology</i> , 1993, , 25-96.	6.2	292
245	Two molecules related to the VEGF receptor are expressed in early endothelial cells during avian embryonic development. <i>Mechanisms of Development</i> , 1993, 42, 33-48.	1.7	196
246	Changes in protooncogene expression correlated with general and sex-specific differentiation in murine primordial germ cells. <i>Mechanisms of Development</i> , 1993, 42, 49-58.	1.7	30
247	Cloning and expression of the chicken c-kit proto-oncogene. <i>Gene</i> , 1993, 128, 257-261.	1.0	38
248	The in vivo role of stem cell factor (câ€kit ligand) on mastocytosis and host protective immunity to the intestinal nematode <i>Trichinella spiralis</i> in mice. <i>Parasite Immunology</i> , 1993, 15, 55-59.	0.7	103
249	Pigmentation and Proliferation of Human Melanocytes and the Effects of Melanocyte-Stimulating Hormone and Ultraviolet B Light. <i>Annals of the New York Academy of Sciences</i> , 1993, 680, 290-301.	1.8	65
250	Cloning of the mouse agouti gene predicts a secreted protein ubiquitously expressed in mice carrying the lethal yellow mutation.. <i>Genes and Development</i> , 1993, 7, 454-467.	2.7	397
251	The Role of Stem Cell Factor in the Hematopoietic System. <i>Cancer Investigation</i> , 1993, 11, 724-729.	0.6	7
252	B Lymphopoiesis in the Mouse. <i>Advances in Immunology</i> , 1993, 53, 123-156.	1.1	56
253	Expression, Function and Activation of the Proto-oncogenec-kitProduct in Human Leukemia Cells. <i>Leukemia and Lymphoma</i> , 1993, 10, 35-41.	0.6	41
254	REGULATION OF BASOPHILIC AND ERYTHROID-DIFFERENTIATION OF A HUMAN CHRONIC MYELOGENOUS LEUKEMIA-CELL LINE, KU812F, BY INTERLEUKIN-3 AND STEM-CELL FACTOR. <i>International Journal of Oncology</i> , 1993, 2, 213-9.	1.4	0

#	ARTICLE	IF	CITATIONS
255	Oocyte Development: Molecular Biology of the Zona Pellucida. <i>Vitamins and Hormones</i> , 1993, 47, 115-159.	0.7	15
256	The kit Ligand, Stem Cell Factor. <i>Advances in Immunology</i> , 1993, 55, 1-96.	1.1	517
257	Molecular genetics of human malignant melanoma. <i>Cancer Treatment and Research</i> , 1993, 65, 201-255.	0.2	33
258	Scatter factor/hepatocyte growth factor and its receptor, the c-met tyrosine kinase, can mediate a signal exchange between mesenchyme and epithelia during mouse development.. <i>Journal of Cell Biology</i> , 1993, 123, 223-235.	2.3	677
259	Genetics, Development, and Malignancy of Melanocytes. <i>International Review of Cytology</i> , 1993, 146, 191-260.	6.2	80
260	Growth Factors and Testicular Development. <i>Journal of Urology</i> , 1993, 150, 583-592.	0.2	54
261	Development of Mast Cells and Basophils: Processes and Regulation Mechanisms. <i>American Journal of the Medical Sciences</i> , 1993, 306, 185-191.	0.4	76
262	The Kit-Ligand (Steel Factor) and Its Receptor C-Kit. Insights from Germline Mutations.. <i>Proceedings of the Japanese Society of Animal Models for Human Diseases</i> , 1993, 9, 1-5.	0.1	23
263	Human and Murine Recombinant c-kit Ligands Support the Development of Human Mast Cells from Umbilical Cord Blood Cells: Ultrastructural Identification. <i>International Archives of Allergy and Immunology</i> , 1993, 101, 247-253.	0.9	12
264	Interspecies molecular chimeras of kit help define the binding site of the stem cell factor.. <i>Molecular and Cellular Biology</i> , 1993, 13, 2224-2234.	1.1	80
265	Association of hematopoietic cell phosphatase with c-Kit after stimulation with c-Kit ligand.. <i>Molecular and Cellular Biology</i> , 1993, 13, 3350-3358.	1.1	275
266	Expression of a gene encoding a unique protein-tyrosine kinase within specific fetal- and adult-derived hematopoietic lineages.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 5747-5751.	3.3	30
267	Pregnancy: The expression of c-kit protein in human adult and fetal tissues. <i>Human Reproduction</i> , 1993, 8, 1955-1962.	0.4	91
268	Contemporary Approaches Toward Understanding the Pathogenesis of Hirschsprung Disease. <i>Pediatric Pathology</i> , 1993, 13, 83-100.	0.5	26
269	Effects of recombinant canine stem cell factor, a c-kit ligand, and recombinant granulocyte colony-stimulating factor on hematopoietic recovery after otherwise lethal total body irradiation. <i>Blood</i> , 1993, 81, 20-26.	0.6	74
270	Infection of <i>Nippostrongylus brasiliensis</i> induces normal increase of basophils in mast cell-deficient <i>Ws/Ws</i> rats with a small deletion at the kinase domain of c-kit. <i>Blood</i> , 1993, 81, 2521-2529.	0.6	25
271	Infection of <i>Nippostrongylus brasiliensis</i> induces development of mucosal-type but not connective tissue-type mast cells in genetically mast cell-deficient <i>Ws/Ws</i> rats. <i>Blood</i> , 1993, 81, 2572-2578.	0.6	57
272	Soluble stem cell factor in human serum. <i>Blood</i> , 1993, 81, 656-660.	0.6	143

#	ARTICLE	IF	CITATIONS
273	Cytokine treatment of inherited bone marrow failure syndromes [editorial] [see comments]. <i>Blood</i> , 1993, 81, 1669-1674.	0.6	38
274	Changes in frequencies of clonable pre B cells during life in different lymphoid organs of mice. <i>Blood</i> , 1993, 81, 2290-2300.	0.6	128
275	Insulin-like growth factor-1 potentiates expansion of interleukin-7- dependent pro-B cells. <i>Blood</i> , 1993, 82, 3005-3011.	0.6	101
276	Age-dependent amelioration of hypoplastic anemia in Ws/Ws rats with a small deletion at the kinase domain of c-kit. <i>Blood</i> , 1993, 82, 3315-3320.	0.6	13
277	Treatment of Diamond-Blackfan anemia with recombinant human interleukin- 3 [see comments]. <i>Blood</i> , 1993, 82, 744-751.	0.6	54
278	Purification and characterization of heterogeneous pluripotent hematopoietic stem cell populations expressing high levels of c-kit receptor. <i>Blood</i> , 1993, 82, 762-770.	0.6	179
279	Expression of isoforms of the human receptor tyrosine kinase c-kit in leukemic cell lines and acute myeloid leukemia. <i>Blood</i> , 1993, 82, 1151-1158.	0.6	106
280	Alternative mechanisms with and without steel factor support primitive human hematopoiesis. <i>Blood</i> , 1993, 81, 1465-1470.	0.6	85
281	Stage-specific expression of c-kit protein by murine hematopoietic progenitors. <i>Blood</i> , 1993, 82, 2353-2360.	0.6	117
282	Human FLT3/FLK2 gene: cDNA cloning and expression in hematopoietic cells. <i>Blood</i> , 1993, 82, 1110-1119.	0.6	315
283	Phosphatidylinositol 3-kinase associates with p145c-kit as part of a cell type characteristic multimeric signalling complex.. <i>EMBO Journal</i> , 1993, 12, 3817-3826.	3.5	21
284	Increased Kit/SCF receptor induced mitogenicity but abolished cell motility after inhibition of protein kinase C.. <i>EMBO Journal</i> , 1993, 12, 4199-4209.	3.5	98
285	White Mutants in Mice Shedding Light on Humans. <i>Journal of Investigative Dermatology</i> , 1993, 100, S176-S185.	0.3	28
286	Genetic deafness--progress with mouse models. <i>Human Molecular Genetics</i> , 1994, 3, 1453-1456.	1.4	33
287	Dominant Inheritance of Overo Spotting in Paint Horses. <i>Journal of Heredity</i> , 1994, 85, 222-224.	1.0	7
288	Ligand-dependent polyubiquitination of c-kit gene product: a possible mechanism of receptor down modulation in M07e cells. <i>Blood</i> , 1994, 83, 137-145.	0.6	115
289	Transforming growth factor-beta regulates c-kit message stability and cell-surface protein expression in hematopoietic progenitors. <i>Blood</i> , 1994, 83, 3138-3145.	0.6	106
290	Splenic primitive hematopoietic stem cell (PHSC) activity is enhanced by steel factor because of PHSC proliferation. <i>Blood</i> , 1994, 83, 3146-3151.	0.6	28

#	ARTICLE	IF	CITATIONS
291	C-kit gene is expressed by skin mast cells in embryos but not in puppies of Wsh/Wsh mice: age-dependent abolishment of c-kit gene expression. <i>Blood</i> , 1994, 83, 3509-3516.	0.6	40
292	Steel factor and c-kit regulate cell-matrix adhesion. <i>Blood</i> , 1994, 83, 1033-1038.	0.6	133
293	Characterization of cultured mast cells derived from Ws/Ws mast cell- deficient rats with a small deletion at tyrosine kinase domain of c-kit. <i>Blood</i> , 1994, 83, 916-925.	0.6	31
294	Failure of recombinant human interleukin-3 therapy to induce erythropoiesis in patients with refractory Diamond-Blackfan anemia [see comments]. <i>Blood</i> , 1994, 83, 2444-2450.	0.6	20
295	Ligand-independent activation of c-kit receptor tyrosine kinase in a murine mastocytoma cell line P-815 generated by a point mutation. <i>Blood</i> , 1994, 83, 2619-2626.	0.6	202
296	Stem cell factor enhances the survival but not the self-renewal of murine hematopoietic long-term repopulating cells. <i>Blood</i> , 1994, 84, 408-414.	0.6	111
297	Expression of the Kit and KitA receptor isoforms in human acute myelogenous leukemia. <i>Blood</i> , 1994, 83, 476-481.	0.6	37
298	6 Growth Factor Regulation of Mouse Primordial Germ Cell Development. <i>Current Topics in Developmental Biology</i> , 1994, 29, 189-225.	1.0	113
299	Porcine Stem Cell Factor/c-kit Ligand: Its Molecular Cloning and Localization within the Uterus1. <i>Biology of Reproduction</i> , 1994, 50, 95-102.	1.2	37
300	Activation and inhibition of erythropoietin receptor function: role of receptor dimerization.. <i>Molecular and Cellular Biology</i> , 1994, 14, 3535-3549.	1.1	202
301	High Incidence of Uterine Inversion in Mast Cell-Deficient Osteopetrotic Mutant Mice of mi/mi Genotype1. <i>Biology of Reproduction</i> , 1994, 50, 1034-1039.	1.2	10
302	Mouse bone marrow-derived mast cells (mBMMC) obtained in vitro from mice that are mast cell-deficient in vivo express the same panel of granule proteases as mBMMC and serosal mast cells from their normal littermates.. <i>Journal of Experimental Medicine</i> , 1994, 180, 67-73.	4.2	38
303	Transmembrane kit ligand cleavage does not require a signal in the cytoplasmic domain and occurs at a site dependent on spacing from the membrane.. <i>Molecular Biology of the Cell</i> , 1994, 5, 943-953.	0.9	46
304	STK-1, the human homolog of Flk-2/Flt-3, is selectively expressed in CD34+ human bone marrow cells and is involved in the proliferation of early progenitor/stem cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 459-463.	3.3	412
305	Role of Mast Cells in Early Epithelial Target Cell Injury in Experimental Acute Graft-Versus-Host Disease. <i>Journal of Investigative Dermatology</i> , 1994, 102, 451-461.	0.3	48
306	Effect of Recombinant Stem Cell Factor on Clonogenic Maturation and Cycle Status of Human Fetal Hematopoietic Progenitors. <i>Pediatric Research</i> , 1994, 35, 303-306.	1.1	9
307	Alternate Splicing Creates Two Forms of the Human Kit Protein. <i>Leukemia and Lymphoma</i> , 1994, 12, 441-447.	0.6	31
308	The ter primordial germ cell deficiency mutation maps near Crl-1 on mouse Chromosome 18. <i>Mammalian Genome</i> , 1994, 5, 333-336.	1.0	28

#	ARTICLE	IF	CITATIONS
309	Mouse rump-white mutation associated with an inversion of Chromosome 5. <i>Mammalian Genome</i> , 1994, 5, 342-348.	1.0	26
310	Synteny conservation of the Huntington's disease gene and surrounding loci on mouse Chromosome 5. <i>Mammalian Genome</i> , 1994, 5, 424-428.	1.0	12
311	Expression of c-kit ligand in human keratinocytes. <i>Archives of Dermatological Research</i> , 1994, 286, 273-277.	1.1	50
312	The c-kit receptor transduces the stem cell factor-triggered growth signal in murine interleukin-3-dependent cell line. <i>Cytotechnology</i> , 1994, 16, 27-35.	0.7	11
313	Epitope mapping and functional studies with three monoclonal antibodies to the c-KIT receptor tyrosine kinase, YB5.B8, 17F11, and SR-1. <i>Journal of Cellular Physiology</i> , 1994, 158, 545-554.	2.0	27
314	Pro-T cells in fetal thymus express c-kit and RAG-2 but do not rearrange the gene encoding the T cell receptor β chain. <i>European Journal of Immunology</i> , 1994, 24, 1339-1344.	1.6	27
315	Expression of the c-kit ligand and interleukin 6 genes in mouse bone marrow stromal cell lines. <i>Stem Cells</i> , 1994, 12, 409-415.	1.4	8
316	Working paper no. 4 Spontaneous mutations in germ cells of the mouse: estimates of mutation frequencies and a molecular characterization of mutagenic events. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1994, 304, 107-118.	0.4	18
317	Regulation of the early development of the nervous system by growth factors. , 1994, 64, 371-393.		11
318	Receptor Protein-Tyrosine Kinases and Their Signal Transduction Pathways. <i>Annual Review of Cell Biology</i> , 1994, 10, 251-337.	26.0	1,194
319	Stem Cell Factor Regulates Human Melanocyte-Matrix Interactions. <i>Pigment Cell & Melanoma Research</i> , 1994, 7, 44-51.	4.0	43
320	Attenuation of allergic airway inflammation in IL-4 deficient mice. <i>Clinical and Experimental Allergy</i> , 1994, 24, 73-80.	1.4	401
321	Gene-Targeting Approaches in the Study of Cellular Processes Involved in Growth or Differentiation. <i>Advances in the Analysis of Oncogenes, Tumour-Suppressor Genes, Cytokine/receptor Systems and Developmental Control Genes. FEBS Journal</i> , 1994, 226, 739-749.	0.2	5
322	Mucosal mast cell proliferation following normal and heterotopic infections of the nematode <i>Nippostrongylus brasiliensis</i> in rats. <i>Apmsis</i> , 1994, 102, 589-596.	0.9	11
323	Expression of the c-kit protein product in carcinoma-in-situ and invasive testicular germ cell tumours. <i>Journal of Developmental and Physical Disabilities</i> , 1994, 17, 85-92.	3.6	172
324	Identification and cloning of ELF-1, a developmentally expressed ligand for the Mek4 and Sek receptor tyrosine kinases. <i>Cell</i> , 1994, 79, 157-168.	13.5	364
325	Paracrine control of spermatogenesis. <i>Trends in Endocrinology and Metabolism</i> , 1994, 5, 126-131.	3.1	32
326	Isolation of tyrosine kinase related genes expressed in the early hematopoietic system. <i>FEBS Letters</i> , 1994, 348, 119-125.	1.3	10

#	ARTICLE	IF	CITATIONS
327	Expression of C-kit and kit ligand at the human maternofetal interface. <i>Cytokine</i> , 1994, 6, 195-205.	1.4	35
328	Effects of Mutations at the <i>W</i> Locus (<i>c-kit</i>) on Inner Ear Pigmentation and Function in the Mouse. <i>Pigment Cell & Melanoma Research</i> , 1994, 7, 17-32.	4.0	66
329	Interactions between stem cell factor and c-Kit are required for intestinal immune system homeostasis. <i>Immunity</i> , 1994, 1, 733-739.	6.6	123
330	Biotechnological applications of research on animal pigmentation. <i>Biotechnology Advances</i> , 1994, 12, 49-69.	6.0	41
331	The expression of the receptor-protein tyrosine kinase gene, <i>eck</i> , is highly restricted during early mouse development. <i>Mechanisms of Development</i> , 1994, 46, 87-100.	1.7	92
332	Identification of novel protein kinases expressed in the myocardium of the developing mouse heart. <i>Mechanisms of Development</i> , 1994, 48, 153-164.	1.7	51
333	Sequence of a bovine <i>c-kit</i> proto-oncogene cDNA. <i>Gene</i> , 1994, 141, 305-306.	1.0	21
334	Isolation of a Receptor Tyrosine Kinase (DTK) from Embryonic Stem Cells: Structure, Genetic Mapping and Analysis of Expression. <i>Growth Factors</i> , 1994, 11, 125-136.	0.5	34
335	Reduced Recovery of Translocations from X-Irradiated Spermatogonial Stem Cells of Dominant Spotting (<i>W^v/+</i>) and Steel (<i>Sl^{con}/Sl^{con}</i>) Mice. <i>Radiation Research</i> , 1994, 137, 171.	0.7	3
336	Mutation of the proto-oncogene <i>c-kit</i> blocks development of interstitial cells and electrical rhythmicity in murine intestine. <i>Journal of Physiology</i> , 1994, 480, 91-97.	1.3	758
337	Regulation of Mast Cell Development by <i>c-kit</i> Receptor and its Ligand. <i>Acta Histochemica Et Cytochemica</i> , 1994, 27, 17-22.	0.8	9
338	Expression and Function of Protein Kinases During Mammalian Gametogenesis. <i>Advances in Developmental Biochemistry</i> , 1994, , 1-53.	0.9	0
339	Regulation of Pigmentation During Mammalian Development. <i>Advances in Developmental Biochemistry</i> , 1994, 3, 149-177.	0.9	4
340	The Role of Growth Factors in Mammalian Pregastrulation Development. <i>Advances in Developmental Biology</i> (1992), 1994, 3, 41-71.	1.1	8
341	The <i>c-kit</i> ligand suppresses apoptosis of human natural killer cells through the upregulation of <i>bcl-2</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 7553-7557.	3.3	142
342	Differential expression of mast cell growth factor receptor (<i>c-kit</i>) by peritoneal connective tissue-type mast cells and tissue culture-derived mast cells. <i>Journal of Leukocyte Biology</i> , 1994, 55, 596-602.	1.5	5
343	Structural analysis of chromosomal rearrangements associated with the developmental mutations <i>Ph</i> , <i>W19H</i> , and <i>Rw</i> on mouse chromosome 5. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 7237-7241.	3.3	56
344	Identification of a unique membrane-bound molecule on a hemopoietic stem cell line and on multipotent progenitor cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 11014-11018.	3.3	5

#	ARTICLE	IF	CITATIONS
345	Chapter 17 Genetic Approaches for Studying Programmed Cell Death during Development of the Laboratory Mouse. <i>Methods in Cell Biology</i> , 1995, 46, 387-440.	0.5	23
346	DNA rearrangements located over 100 kb 5' of the Steel (Sl)-coding region in Steel-panda and Steel-contrasted mice deregulate Sl expression and cause female sterility by disrupting ovarian follicle development.. <i>Genes and Development</i> , 1995, 9, 455-470.	2.7	134
347	Expression of c-kit ligand messenger ribonucleic acids in human ovaries and regulation of their steady state levels by gonadotropins in cultured granulosa-luteal cells.. <i>Endocrinology</i> , 1995, 136, 4407-4414.	1.4	53
348	Spontaneous dissociation-association of monomers of the human-stem-cell-factor dimer. <i>Biochemical Journal</i> , 1995, 305, 563-568.	1.7	29
349	c-Kit Proto-oncogene Is More Likely to Lose Expression in Differentiated Thyroid Carcinoma Than Three Thyroid-specific Genes: Thyroid Peroxidase, Thyroglobulin, and Thyroid Stimulating Hormone Receptor.. <i>Endocrine Journal</i> , 1995, 42, 723-728.	0.7	20
350	Characterization of Chicken Kit Tyrosine Kinase Receptor in Cos Cell Transfectants and in Chicken Brain.. <i>Journal of Veterinary Medical Science</i> , 1995, 57, 231-236.	0.3	6
351	The Role of Growth Factor Receptors in Central Nervous System Development and Neoplasia. <i>Neurosurgery</i> , 1995, 37, 179-194.	0.6	52
352	Murine B Cell Development: Commitment and Progression from Multipotential Progenitors to Mature B Lymphocytes. <i>International Review of Cytology</i> , 1995, 157, 129-179.	6.2	26
353	Melanoma and Melanocytes: Pigmentation, Tumor Progression, and the Immune Response to Cancer. <i>Advances in Pharmacology</i> , 1995, 32, 343-374.	1.2	9
354	Steel and c-kit in the development of avian melanocytes: A study of normally pigmented birds and of the hyperpigmented mutant silky fowl. <i>Developmental Dynamics</i> , 1995, 203, 106-118.	0.8	41
355	Mutagenesis and human genetic disease: Dominant mutation frequencies and a characterization of mutational events in mice and humans. <i>Environmental and Molecular Mutagenesis</i> , 1995, 25, 81-87.	0.9	11
356	Ultrastructural analysis of the development of human basophils and mast cells in vitro. <i>International Journal of Clinical and Laboratory Research</i> , 1995, 25, 7-24.	1.0	20
357	Subregional mapping of the human gonadotropin-releasing hormone receptor (GnRH-R) gene to 4q between the markers D4S392 and D4S409. <i>Human Genetics</i> , 1995, 96, 477-80.	1.8	25
358	The germ cell deficient locus maps to mouse Chromosome 11A2?3. <i>Mammalian Genome</i> , 1995, 6, 697-699.	1.0	17
359	Expression of the c-kit gene product in normal and neoplastic mast cells but not in neoplastic basophil/mast cell precursors from chronic myelogenous leukaemia. <i>Journal of Pathology</i> , 1995, 177, 139-146.	2.1	43
360	W/k _{it} gene required for interstitial cells of Cajal and for intestinal pacemaker activity. <i>Nature</i> , 1995, 373, 347-349.	13.7	1,304
361	Targeted Disruption of the IL-6 Related Genes: gp130 and NF-IL-6. <i>Immunological Reviews</i> , 1995, 148, 221-253.	2.8	34
362	Mouse mast cell cytokine production: role in cutaneous inflammatory and immunological responses. <i>Experimental Dermatology</i> , 1995, 4, 240-249.	1.4	31

#	ARTICLE	IF	CITATIONS
363	Identification and localization of secretin and secretin receptor mRNAs in rat testis. <i>Endocrine</i> , 1995, 3, 505-510.	2.2	4
364	The genomic structure of the proto-oncogene c-kit encoded at the murine White spotting locus. <i>Journal of Biomedical Science</i> , 1995, 2, 36-45.	2.6	2
365	The role of mast cells in the development of skin fibrosis in tight-skin mutant mice. <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1995, 110, 159-165.	0.7	34
366	c-kit-Dependent development of interstitial cells and electrical activity in the murine gastrointestinal tract. <i>Cell and Tissue Research</i> , 1995, 280, 97-111.	1.5	339
367	Assessment and characterization of hemopoietic stem cells. <i>Stem Cells</i> , 1995, 13, 13-18.	1.4	7
368	The Biology of Hematopoietic Stem Cells. <i>Annual Review of Cell and Developmental Biology</i> , 1995, 11, 35-71.	4.0	687
369	Soluble kit receptor in human serum. <i>Blood</i> , 1995, 85, 66-73.	0.6	65
370	FLT3/FLK2 ligand promotes the growth of murine stem cells and the expansion of colony-forming cells and spleen colony-forming units. <i>Blood</i> , 1995, 85, 2747-2755.	0.6	128
371	Constitutively activating mutations of c-kit receptor tyrosine kinase confer factor-independent growth and tumorigenicity of factor-dependent hematopoietic cell lines. <i>Blood</i> , 1995, 85, 790-798.	0.6	264
372	Infection with <i>Nippostrongylus brasiliensis</i> induces invasion of mast cell precursors from peripheral blood to small intestine. <i>Blood</i> , 1995, 85, 1334-1340.	0.6	54
373	Separation of myeloid and erythroid progenitors based on expression of CD34 and c-kit. <i>Blood</i> , 1995, 86, 4076-4085.	0.6	38
374	The Genomic Structure of the Proto-Oncogene c-fcIt Encoded at the Murine White Spotting Locus. <i>Journal of Biomedical Science</i> , 1995, 2, 36-45.	2.6	1
375	Targeting gene expression to haemopoietic stem cells: a chromatin-dependent upstream element mediates cell type-specific expression of the stem cell antigen CD34.. <i>EMBO Journal</i> , 1995, 14, 564-574.	3.5	43
376	The FLT3 ligand potently and directly stimulates the growth and expansion of primitive murine bone marrow progenitor cells in vitro: synergistic interactions with interleukin (IL) 11, IL-12, and other hematopoietic growth factors.. <i>Journal of Experimental Medicine</i> , 1995, 181, 1357-1363.	4.2	170
377	Identification of the Major Phosphorylation Sites for Protein Kinase C in Kit/Stem Cell Factor Receptor in Vitro and in Intact Cells. <i>Journal of Biological Chemistry</i> , 1995, 270, 14192-14200.	1.6	83
378	Mast Cells: Accessory Cells Which Potentiate Fibrosis. <i>International Reviews of Immunology</i> , 1995, 12, 259-279.	1.5	49
379	Inherited Hearing Defects in Mice. <i>Annual Review of Genetics</i> , 1995, 29, 675-701.	3.2	163
380	Quantitative trait loci that modify the severity of spotting in piebald mice.. <i>Genome Research</i> , 1995, 5, 29-41.	2.4	45

#	ARTICLE	IF	CITATIONS
381	Hemopoietic-initiating cells. <i>Journal of Perinatal Medicine</i> , 1995, 23, 31-38.	0.6	8
382	Identification of the Control Regions for Mouse c-kit Gene Transcription Induced by Retinoic Acid. <i>DNA Research</i> , 1995, 2, 211-218.	1.5	6
383	Stem Cell Factor Enhances the Survival of Murine Intestinal Stem Cells after Photon Irradiation. <i>Radiation Research</i> , 1995, 142, 12.	0.7	32
384	Regulation of Cell-Matrix Adhesion by Receptor Tyrosine Kinases. <i>Leukemia and Lymphoma</i> , 1995, 18, 203-208.	0.6	11
385	Identification of a Novel Receptor Tyrosine Kinase Expressed in Acute Myeloid Leukemic Blasts. <i>Leukemia and Lymphoma</i> , 1995, 18, 443-449.	0.6	37
386	[38] Transdominant negative mutations. <i>Methods in Enzymology</i> , 1995, 254, 565-576.	0.4	4
387	Physical mapping of the Tec and Gabrb1 loci reveals that the Wsh mutation on mouse chromosome 5 is associated with an inversion. <i>Human Molecular Genetics</i> , 1995, 4, 2073-2079.	1.4	53
388	Expression of c-kit Receptor and its Autophosphorylation in Immature Rat Type A Spermatogonia 1. <i>Biology of Reproduction</i> , 1995, 52, 8-19.	1.2	191
389	Formation of Signal Transfer Complexes between Stem Cell and Platelet-Derived Growth Factor Receptors and SH2 Domain Proteins in Vitro. <i>Biochemistry</i> , 1995, 34, 5971-5979.	1.2	30
390	Recombinant human stem cell factor does exert minor stimulation of growth in small cell lung cancer and melanoma cell lines. <i>European Journal of Cancer</i> , 1995, 31, 2371-2378.	1.3	28
391	In-vitro models of B-lineage commitment. <i>Seminars in Immunology</i> , 1995, 7, 143-154.	2.7	8
392	Intrathymically expressed c-kit ligand (stem cell factor) is a major factor driving expansion of very immature thymocytes in vivo. <i>Immunity</i> , 1995, 3, 313-319.	6.6	190
393	Targeted disruption of the flk2/flt3 gene leads to deficiencies in primitive hematopoietic progenitors. <i>Immunity</i> , 1995, 3, 147-161.	6.6	554
394	A 1.8-Mb YAC contig spanning three members of the receptor tyrosine kinase gene family (Pdgfra, Kit,) Tj ETQq1 1 0.784314 32 BT /Over	1.3	32
395	Disturbed intestinal movement, bile reflux to the stomach, and deficiency of c-kit-expressing cells in WsWs mutant rats. <i>Gastroenterology</i> , 1995, 109, 456-464.	0.6	155
396	Characterization of c-kit-positive neurons in the dorsal root ganglion of mouse. <i>Developmental Brain Research</i> , 1995, 85, 201-211.	2.1	35
397	Embryo brain kinase: a novel gene of the eph/elk receptor tyrosine kinase family. <i>Mechanisms of Development</i> , 1995, 52, 319-341.	1.7	66
398	Mutations at the W locus affect survival of neural crest-derived melanocytes in the mouse. <i>Mechanisms of Development</i> , 1995, 50, 139-150.	1.7	126

#	ARTICLE	IF	CITATIONS
399	The Wsh and Ph mutations affect the c-kit expression profile: c-kit misexpression in embryogenesis impairs melanogenesis in Wsh and Ph mutant mice.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 3754-3758.	3.3	93
400	A Xenopus c-kit-related receptor tyrosine kinase expressed in migrating stem cells of the lateral line system. Mechanisms of Development, 1995, 50, 217-228.	1.7	32
401	Expression of Xkl-1, a Xenopus gene related to mammalian c-kit, in dorsal embryonic tissue. Mechanisms of Development, 1995, 50, 57-69.	1.7	21
402	Spermatocyte-specific expression of the gene for mouse testis-specific transcription elongation factor S-II. FEBS Letters, 1996, 385, 21-24.	1.3	24
403	Dermal Papilla Cells Derived from Beard Hair Follicles Secrete More Stem Cell Factor (SCF) in Culture Than Scalp Cells or Dermal Fibroblasts. Biochemical and Biophysical Research Communications, 1996, 222, 401-405.	1.0	59
404	Avian stem cell factor (SCF): production and characterization of the recombinant His-tagged SCF of chicken and its neutralizing antibody. Cytokine, 1996, 8, 14-20.	1.4	35
405	Ectopic c-kit Expression Affects the Fate of Melanocyte Precursors in Patch Mutant Embryos. Developmental Biology, 1996, 177, 463-474.	0.9	54
406	Anti-c-kit protein immunoreactive cells corresponding to the interstitial cells of Cajal in the guinea-pig small intestine. Journal of the Autonomic Nervous System, 1996, 61, 169-174.	1.9	73
407	Clinical Aspects of Hearing. Springer Handbook of Auditory Research, 1996, , .	0.3	9
408	Abundant expression of transcription factor GATA-2 in proliferating but not in differentiated mast cells in tissues of mice: demonstration by in situ hybridization. Blood, 1996, 87, 993-998.	0.6	46
409	The FLT3 ligand is a direct and potent stimulator of the growth of primitive and committed human CD34+ bone marrow progenitor cells in vitro. Blood, 1996, 87, 1317-1325.	0.6	132
410	A point mutation in the catalytic domain of c-kit induces growth factor independence, tumorigenicity, and differentiation of mast cells. Blood, 1996, 87, 3117-3123.	0.6	121
411	Xenogeneic expression of human stem cell factor in transgenic mice mimics codominant c-kit mutations. Blood, 1996, 87, 3203-3211.	0.6	14
412	Structure-function relationships of stem cell factor: an analysis based on a series of human-murine stem cell factor chimera and the mapping of a neutralizing monoclonal antibody. Blood, 1996, 88, 437-444.	0.6	29
413	Neoplastic transformation of normal hematopoietic cells by constitutively activating mutations of c-kit receptor tyrosine kinase. Blood, 1996, 88, 995-1004.	0.6	131
414	Combined signaling through interleukin-7 receptors and flt3 but not c-kit potently and selectively promotes B-cell commitment and differentiation from uncommitted murine bone marrow progenitor cells. Blood, 1996, 88, 1256-1265.	0.6	86
415	Flk-1, a Receptor for Vascular Endothelial Growth Factor (VEGF), Is Expressed by Retinal Progenitor Cells. Journal of Neuroscience, 1996, 16, 6089-6099.	1.7	221
416	Steel mutant mice are deficient in hippocampal learning but not long-term potentiation.. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 1808-1813.	3.3	90

#	ARTICLE	IF	CITATIONS
418	Hormonal regulation of the ligand for c-kit in the rat ovary and its effects on spontaneous oocyte meiotic maturation. <i>Molecular Reproduction and Development</i> , 1996, 43, 458-469.	1.0	106
419	Peptides of the growth hormone-releasing hormone family. <i>Endocrine</i> , 1996, 4, 73-78.	2.2	12
420	Structure-function analyses of the kit receptor for the steel factor. <i>Stem Cells</i> , 1993, 11, 12-21.	1.4	31
421	Molecular genetic approaches to the elucidation of hematopoietic stem cell function. <i>Stem Cells</i> , 1993, 11, 31-35.	1.4	3
422	Successful treatment of diamond-blackfan anemia with interleukin 3. <i>Stem Cells</i> , 1996, 11, 123-130.	1.4	3
423	Expression of stem-cell factor and its receptor c-kit protein in normal testicular tissue and malignant germ-cell tumours. <i>Journal of Cancer Research and Clinical Oncology</i> , 1996, 122, 301-306.	1.2	98
424	Assignment of c-KIT gene to swine Chromosome 8p12-p21 by fluorescence in situ hybridization. <i>Mammalian Genome</i> , 1996, 7, 397-397.	1.0	8
425	Localization of the antigen CD3, zeta polypeptide (CD3Z) to cattle Chromosome 3qll-ql4. <i>Mammalian Genome</i> , 1996, 7, 397-398.	1.0	5
426	Colony stimulating factor-1 potentiates neuronal survival in cerebral cortex ischemic lesion. <i>Acta Neuropathologica</i> , 1996, 92, 479-486.	3.9	45
427	D5Ucl1 and Els1 are closely linked to W on mouse Chromosome 5 but lie distal to the W 19H deletion. <i>Mammalian Genome</i> , 1996, 7, 691-693.	1.0	0
428	Pigs with the dominant white coat color phenotype carry a duplication of the KIT gene encoding the mast/stem cell growth factor receptor. <i>Mammalian Genome</i> , 1996, 7, 822-830.	1.0	195
429	Epitope Mapping and Immunoneutralization of Recombinant Human Stem-Cell Factor. <i>FEBS Journal</i> , 1996, 239, 842-849.	0.2	12
430	Role of c-kit receptor tyrosine kinase in the development, survival and neoplastic transformation of mast cells. <i>Pathology International</i> , 1996, 46, 933-938.	0.6	43
431	Expression of stem cell factor receptor (c-kit) by the malignant mast cells from spontaneous canine mast cell tumours. <i>Journal of Comparative Pathology</i> , 1996, 115, 399-414.	0.1	86
432	Regulation of mast cell growth and proliferation. <i>Critical Reviews in Oncology/Hematology</i> , 1996, 23, 131-150.	2.0	11
433	Authentic 17kDa tumour necrosis factor β is synthesized and released by canine mast cells and up-regulated by stem cell factor. <i>Clinical and Experimental Allergy</i> , 1996, 26, 710-718.	1.4	25
434	Somatic c-KIT activating mutation in urticaria pigmentosa and aggressive mastocytosis: establishment of clonality in a human mast cell neoplasm. <i>Nature Genetics</i> , 1996, 12, 312-314.	9.4	584
435	Signalling by the W/Kit receptor tyrosine kinase is negatively regulated in vivo by the protein tyrosine phosphatase Shp1. <i>Nature Genetics</i> , 1996, 13, 309-315.	9.4	157

#	ARTICLE	IF	CITATIONS
436	Genes responsible for human hereditary deafness: symphony of a thousand. <i>Nature Genetics</i> , 1996, 14, 385-391.	9.4	245
437	Mutations in the Ligand-Binding Domain of the Kit Receptor: An Uncommon Site in Human Piebaldism. <i>Journal of Investigative Dermatology</i> , 1996, 107, 703-706.	0.3	31
438	c-kit+ stem cells and thymocyte precursors in the livers of adult mice.. <i>Journal of Experimental Medicine</i> , 1996, 184, 687-693.	4.2	125
439	Human Stem Cell Factor Dimer Forms a Complex with Two Molecules of the Extracellular Domain of Its Receptor, Kit. <i>Journal of Biological Chemistry</i> , 1996, 271, 6895-6902.	1.6	65
440	GENETIC ANALYSIS OF TYROSINE KINASE FUNCTION IN B CELL DEVELOPMENT. <i>Annual Review of Immunology</i> , 1996, 14, 131-154.	9.5	34
441	The c-ros tyrosine kinase receptor controls regionalization and differentiation of epithelial cells in the epididymis.. <i>Genes and Development</i> , 1996, 10, 1184-1193.	2.7	196
442	A critical role for stem cell factor and c-kit in host protective immunity to an intestinal helminth. <i>International Immunology</i> , 1996, 8, 559-567.	1.8	112
443	The cloning and sequencing of cDNAs encoding two isoforms of feline stem cell factor. <i>DNA Sequence</i> , 1996, 6, 233-237.	0.7	6
444	Human stem cell factor promoter deoxyribonucleic acid sequence and regulation by cyclic 3',5'-adenosine monophosphate in a Sertoli cell line.. <i>Endocrinology</i> , 1996, 137, 5407-5414.	1.4	41
445	Enhanced mucosal permeability and nitric oxide synthase activity in jejunum of mast cell deficient mice. <i>Cut</i> , 1997, 41, 636-641.	6.1	19
446	Steel Factor Induces Tyrosine Phosphorylation of CRKL and Binding of CRKL to a Complex Containing c-Kit, Phosphatidylinositol 3-Kinase, and p120CBL. <i>Journal of Biological Chemistry</i> , 1997, 272, 10248-10253.	1.6	95
447	Direct Actions of Kit-Ligand on Theca Cell Growth and Differentiation During Follicle Development*. <i>Endocrinology</i> , 1997, 138, 3819-3827.	1.4	117
448	Expression and Function of the c-kit Proto-Oncogene Protein in Mouse Sperm1. <i>Biology of Reproduction</i> , 1997, 57, 194-203.	1.2	34
449	CYTOKINE REGULATION OF HOST DEFENSE AGAINST PARASITIC GASTROINTESTINAL NEMATODES:Lessons from Studies with Rodent Models*. <i>Annual Review of Immunology</i> , 1997, 15, 505-533.	9.5	626
450	Growth factor receptor tyrosine kinases. <i>Biomembranes: A Multi-Volume Treatise</i> , 1997, , 17-76.	0.1	0
451	Expression of stem cell factor in human aortic endothelial and smooth muscle cells. <i>Atherosclerosis</i> , 1997, 129, 207-213.	0.4	52
452	Localization and expression of the c-Kit receptor protein in human and rodent testis and sperm. <i>Urology</i> , 1997, 49, 494-500.	0.5	61
453	Stem cell factor in nasal polyposis and allergic rhinitis: Increased expression by structural cells is suppressed by in vivo topical corticosteroids. <i>Journal of Allergy and Clinical Immunology</i> , 1997, 100, 389-399.	1.5	61

#	ARTICLE	IF	CITATIONS
454	Stepwise Requirement of c-kit Tyrosine Kinase in Mouse Ovarian Follicle Development. <i>Developmental Biology</i> , 1997, 184, 122-137.	0.9	222
455	Activation of the Receptor Tyrosine Kinase Kit Is Required for the Proliferation of Melanoblasts in the Mouse Embryo. <i>Developmental Biology</i> , 1997, 192, 99-107.	0.9	292
456	The Primordial Germ Cells of Mammals: Some Current Perspectives. <i>Experimental Cell Research</i> , 1997, 232, 194-207.	1.2	71
457	Chromosomal Mapping of the Mouse and Rat <i>brt</i> Genes. <i>Genomics</i> , 1997, 40, 181-184.	1.3	0
458	Low frequency of c-kit expression and detection of an aberrant Kit message among Hong Kong Chinese myelogenous leukaemia patients. <i>Cancer Letters</i> , 1997, 116, 253-258.	3.2	3
459	Interactions Between c-kit and Stem Cell Factor Are Not Required for B-Cell Development In Vivo. <i>Blood</i> , 1997, 89, 518-525.	0.6	42
460	Overexpression of Human Stem Cell Factor Impairs Melanocyte, Mast Cell, and Thymocyte Development: A Role for Receptor Tyrosine Kinase-Mediated Mitogen Activated Protein Kinase Activation in Cell Differentiation. <i>Blood</i> , 1997, 90, 3018-3026.	0.6	17
461	Activation of the Mitogen-Activated Protein Kinase Pathway Is Involved in and Sufficient for Megakaryocytic Differentiation of CMK Cells. <i>Blood</i> , 1997, 90, 3462-3470.	0.6	71
462	Development of Osteoclasts From Embryonic Stem Cells Through a Pathway That Is c-fms but not c-kit Dependent. <i>Blood</i> , 1997, 90, 3516-3523.	0.6	85
463	Stem Cell Factor Enhances Interleukin-2-Mediated Expansion of Murine Natural Killer Cells In Vivo. <i>Blood</i> , 1997, 90, 3647-3653.	0.6	32
464	Pluripotent hemopoietic stem cells are c-kit ^{low} . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 2513-2517.	3.3	78
465	Molecular Basis of Congenital Hypopigmentary Disorders in Humans: A Review. <i>Pigment Cell & Melanoma Research</i> , 1997, 10, 12-24.	4.0	107
466	Understanding Mast Cells and Mastocytosis. <i>Journal of Investigative Dermatology</i> , 1997, 108, 698-699.	0.3	7
467	Chronically KIT-Stimulated Clonally-Derived Human Mast Cells Show Heterogeneity in Different Tissue Microenvironments. <i>Journal of Investigative Dermatology</i> , 1997, 108, 792-796.	0.3	28
468	The zebrafish homologue of the ret receptor and its pattern of expression during embryogenesis. <i>Oncogene</i> , 1997, 14, 879-889.	2.6	69
469	Molecular cloning of cDNA encoding the c-kit receptor of Shiba goats and a novel alanine insertion specific to goats and sheep in the kinase insert region. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1997, 1352, 151-155.	2.4	7
470	Analysis of synergism between stem cell factor and granulocyte-macrophage colony-stimulating factor on human megakaryoblastic cells: An increase in tyrosine phosphorylation of 145 KDA subunit of c-kit in two-factor combination. <i>Leukemia Research</i> , 1997, 21, 1097-1106.	0.4	12
471	The road less travelled: c-kit and stem cell factor. , 1997, 35, 327-333.		18

#	ARTICLE	IF	CITATIONS
472	Ultrastructural identification of the c-kit- expressing interstitial cells in the rat stomach: a comparison of control and Ws/Ws mutant rats. <i>Cell and Tissue Research</i> , 1997, 289, 137-143.	1.5	70
473	Mouse chromosome 5. <i>Mammalian Genome</i> , 1997, 7, S80-S99.	1.0	33
474	Differential expression of p53, c-kit, and CD34 in prepubertal and postpubertal testicular germ cell tumors. , 1997, 79, 2430-2434.		19
475	RPTP β and the novel protein tyrosine phosphatase RPTP γ are expressed in restricted regions of the developing central nervous system. , 1997, 208, 48-61.		67
476	Novel Eph-family receptor tyrosine kinase is widely expressed in the developing zebrafish nervous system. <i>Developmental Dynamics</i> , 1997, 209, 166-181.	0.8	13
477	Loss of AP-2 results in downregulation of c-KIT and enhancement of melanoma tumorigenicity and metastasis. <i>EMBO Journal</i> , 1998, 17, 4358-4369.	3.5	224
478	Kit signaling through PI 3-kinase and Src kinase pathways: an essential role for Rac1 and JNK activation in mast cell proliferation. <i>EMBO Journal</i> , 1998, 17, 6250-6262.	3.5	244
479	The c-kit receptor and its possible signaling transduction pathway in mouse spermatozoa. <i>Molecular Reproduction and Development</i> , 1998, 49, 317-326.	1.0	48
480	Development of Melanocyte Progenitors in Murine Steel Mutant Neural Crest Explants Cultured With Stem Cell Factor, Endothelin-3, or TPA. <i>Pigment Cell & Melanoma Research</i> , 1998, 11, 291-298.	4.0	30
481	Spermatogonial transplantation and reconstitution of donor cell spermatogenesis in recipient mice. <i>Apmis</i> , 1998, 106, 47-57.	0.9	85
482	Primordial germ cells, stem cells and testicular cancer. <i>Apmis</i> , 1998, 106, 134-141.	0.9	23
483	Early events in human myelopoiesis. <i>Apmis</i> , 1998, 106, 5-36.	0.9	1
484	Phenotypic and functional characterization of mobilized peripheral blood CD34+ cells coexpressing different levels of c-Kit. <i>Leukemia Research</i> , 1998, 22, 355-363.	0.4	7
485	Disturbed pyloric motility in <i>Ws/Ws</i> mutant rats due to deficiency of c-kit expressing interstitial cells of Cajal. <i>Pathology International</i> , 1998, 48, 843-849.	0.6	24
486	Developmental origin and kit-dependent development of the interstitial cells of cajal in the mammalian small intestine. <i>Developmental Dynamics</i> , 1998, 211, 60-71.	0.8	204
487	Expression of the c-Kit receptor and its ligand SCF in non-small-cell lung carcinomas. <i>International Journal of Cancer</i> , 1998, 75, 171-175.	2.3	47
489	Biology of Human Umbilical Cord Blood-Derived Hematopoietic Stem/Progenitor Cells. <i>Stem Cells</i> , 1998, 16, 153-165.	1.4	226
490	A review of mast cell biology. <i>Veterinary Dermatology</i> , 1998, 9, 145-166.	0.4	33

#	ARTICLE	IF	CITATIONS
491	Hematopoietic tissues, as a playground of receptor tyrosine kinases of the PDGF-receptor family. <i>Developmental and Comparative Immunology</i> , 1998, 22, 321-332.	1.0	24
493	A novel gain-of-function mutation of c-kit gene in gastrointestinal stromal tumors. <i>Gastroenterology</i> , 1998, 115, 1090-1095.	0.6	205
494	Mutations in microphthalmia, the mouse homolog of the human deafness gene MITF, affect neuroepithelial and neural crest-derived melanocytes differently. <i>Mechanisms of Development</i> , 1998, 70, 155-166.	1.7	205
495	Growth factor synergism and antagonism in early neural crest development. <i>Biochemistry and Cell Biology</i> , 1998, 76, 1039-1050.	0.9	54
496	Molecular Basis for the Dominant White Phenotype in the Domestic Pig. <i>Genome Research</i> , 1998, 8, 826-833.	2.4	195
497	Spermatids as gametes: indications and limitations. <i>Human Reproduction</i> , 1998, 13, 89-107.	0.4	51
498	The Classical Mouse Mutant Postaxial Hemimelia Results from a Mutation in the Wnt7a Gene. <i>Developmental Biology</i> , 1998, 202, 228-234.	0.9	51
499	Generation, Identification, and Recovery of Mouse Mutations. <i>Methods</i> , 1998, 14, 107-118.	1.9	7
500	Gain-of-Function Mutations of c-kit in Human Gastrointestinal Stromal Tumors. <i>Science</i> , 1998, 279, 577-580.	6.0	4,190
501	Dyskeratosis Congenita: Multisystemic Disorder with Special Consideration of Immunologic Aspects. <i>Clinical Pediatrics</i> , 1998, 37, 521-530.	0.4	46
502	Murine Cutaneous Mastocytosis and Epidermal Melanocytosis Induced by Keratinocyte Expression of Transgenic Stem Cell Factor. <i>Journal of Experimental Medicine</i> , 1998, 187, 1565-1573.	4.2	178
503	Molecular and Cellular Events in Early Thymocyte Development 11Received for publication October 14, 1997. <i>Advances in Immunology</i> , 1998, 69, 1-112.	1.1	130
504	Role of Dimerization of the Membrane-associated Growth Factor Kit Ligand in Juxtacrine Signaling: The S117H Mutation Affects Dimerization and Stability Phenotypes in Hematopoiesis. <i>Journal of Experimental Medicine</i> , 1998, 187, 1451-1461.	4.2	32
505	Rump white inversion in the mouse disrupts dipeptidyl aminopeptidase-like protein 6 and causes dysregulation of Kit expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 13800-13805.	3.3	57
506	Ontogeny of Stem Cell Factor Receptor (c-kit) Messenger Ribonucleic Acid in the Ovine Corpus Luteum 1. <i>Biology of Reproduction</i> , 1998, 59, 983-990.	1.2	9
507	The Steel Factor/kit Ligand/Stem Cell Factor. , 1998, , 297-320.		2
508	Malignant melanoma: modern black plague and genetic black box. <i>Genes and Development</i> , 1998, 12, 3467-3481.	2.7	158
509	7 Neural Crest Diversification. <i>Current Topics in Developmental Biology</i> , 1998, 43, 221-258.	1.0	46

#	ARTICLE	IF	CITATIONS
510	SHP-1 Binds and Negatively Modulates the c-Kit Receptor by Interaction with Tyrosine 569 in the c-Kit Juxtamembrane Domain. <i>Molecular and Cellular Biology</i> , 1998, 18, 2089-2099.	1.1	194
511	Analysis of the Kit and Pdgfra genes in the patch-extended (Phe) mutation. <i>Genetical Research</i> , 1998, 72, 205-210.	0.3	5
512	Selective Sp1 Binding Is Critical for Maximal Activity of the Human c-kit Promoter. <i>Blood</i> , 1998, 92, 4138-4149.	0.6	49
513	c-kit Ligand and Flt3 Ligand: Stem/Progenitor Cell Factors With Overlapping Yet Distinct Activities. <i>Blood</i> , 1998, 91, 1101-1134.	0.6	653
514	Physiological Features of Visceral Smooth Muscle Cells, With Special Reference to Receptors and Ion Channels. <i>Physiological Reviews</i> , 1998, 78, 811-920.	13.1	225
515	Mast cell activation is not required for induction of airway hyperresponsiveness by ozone in mice. <i>Journal of Applied Physiology</i> , 1999, 86, 202-210.	1.2	20
516	The Presence of Novel Amino Acids in the Cytoplasmic Domain of Stem Cell Factor Results in Hematopoietic Defects in Steel17H Mice. <i>Blood</i> , 1999, 94, 1915-1925.	0.6	24
517	The Wsh, W57, and Ph Kit Expression Mutations Define Tissue-Specific Control Elements Located Between ~ 23 and ~ 154 kb Upstream of Kit. <i>Blood</i> , 1999, 94, 2658-2666.	0.6	56
518	Function of Stem Cell Factor as a Survival Factor of Spermatogonia and Localization of Messenger Ribonucleic Acid in the Rat Seminiferous Epithelium. <i>Endocrinology</i> , 1999, 140, 1492-1498.	1.4	80
519	The potential role of stem cell factor and its receptor c-kit in the mouse blastocyst implantation. <i>Molecular Human Reproduction</i> , 1999, 5, 874-879.	1.3	38
520	A QTL for the degree of spotting in cattle shows synteny with the KIT locus on chromosome 6. , 1999, 90, 629-634.		49
521	A Novel Way to Induce Erythroid Progenitor Self Renewal: Cooperation of c-Kit with the Erythropoietin Receptor. <i>Biological Chemistry</i> , 1999, 380, 187-202.	1.2	34
522	Brief communication. An STS linked to a hessian fly locus controlling virulence to resistance gene H13 in wheat. , 1999, 90, 242-247.		4
523	Brief communication. Microsatellite diversity in captive bottlenose dolphins (<i>Tursiops truncatus</i>). , 1999, 90, 228-231.		57
524	Kit-Ligand/Stem Cell Factor Induces Primordial Follicle Development and Initiates Folliculogenesis1. <i>Endocrinology</i> , 1999, 140, 4262-4271.	1.4	357
525	Brief communication. The mitochondrial genome of allotetraploid cotton (<i>Gossypium L.</i>). , 1999, 90, 251-253.		32
526	Brief communication. Development and characterization of genetic mapping resources for the turkey (<i>Meleagris gallopavo</i>). , 1999, 90, 240-242.		29
527	Brief communication. Hybridization between sika deer (<i>Cervus nippon</i>) and axis deer (<i>Axis axis</i>). , 1999, 90, 236-240.		15

#	ARTICLE	IF	CITATIONS
528	Brief communication. Evidence of female heterogametic genetic sex determination in white sturgeon. , 1999, 90, 231-233.		73
529	Brief communication. The 'spotted' locus maps to bovine chromosome 6 in Hereford-cross population. , 1999, 90, 233-236.		41
531	Brief communication. Inheritance of intersimple sequence repeat markers in citrus. , 1999, 90, 247-249.		9
532	Brief communication. Genetic analysis of two terpenoid variants in cotton (<i>Gossypium hirsutum</i> L.). , 1999, 90, 249-251.		7
533	Stem cell factor/c-kit system in spermatogenesis. <i>Human Reproduction Update</i> , 1999, 5, 535-545.	5.2	190
534	Activating and dominant inactivating c-KIT catalytic domain mutations in distinct clinical forms of human mastocytosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 1609-1614.	3.3	530
535	Fiz1, a Novel Zinc Finger Protein Interacting with the Receptor Tyrosine Kinase Flt3. <i>Journal of Biological Chemistry</i> , 1999, 274, 21478-21484.	1.6	24
536	Spatial and temporal mapping of c-kit and its ligand, stem cell factor expression during human embryonic haemopoiesis. <i>British Journal of Haematology</i> , 1999, 107, 247-253.	1.2	30
537	Development and plasticity of interstitial cells of Cajal. <i>Neurogastroenterology and Motility</i> , 1999, 11, 311-338.	1.6	291
538	Melanocytogenesis and melanogenesis: genetic regulation and comparative clinical diseases. <i>Veterinary Dermatology</i> , 1999, 10, 3-16.	0.4	22
539	A third-phase cutaneous (very late phase) response after elicitation with dinitrofluorobenzene in passively or actively sensitized mice. <i>Allergy International</i> , 1999, 48, 265-273.	1.4	16
540	Local Ultraviolet B Irradiation Impairs Contact Hypersensitivity Induction by Triggering Release of Tumor Necrosis Factor- α from Mast Cells. Involvement of Mast Cells and Langerhans Cells in Susceptibility to Ultraviolet B. <i>Journal of Investigative Dermatology</i> , 1999, 113, 983-990.	0.3	42
541	Hepatocyte Growth Factor/Scatter Factor-MET Signaling in Neural Crest-Derived Melanocyte Development. <i>Pigment Cell & Melanoma Research</i> , 1999, 12, 13-21.	4.0	79
542	Strain-Specific White-Spotting Patterns in Laboratory Mice. <i>Pigment Cell & Melanoma Research</i> , 1999, 12, 383-390.	4.0	10
543	Role of AP-2 in tumor growth and metastasis of human melanoma. , 1999, 18, 377-385.		78
544	Bile reflux due to disturbed gastric movement is a cause of spontaneous gastric ulcer in W/W ^v mice. <i>Digestive Diseases and Sciences</i> , 1999, 44, 1177-1183.	1.1	12
545	Close association between sequence polymorphism in the KIT gene and the roan coat color in horses KIT sequences: AJ224642A–AJ224645.->. <i>Mammalian Genome</i> , 1999, 10, 283-288.	1.0	66
546	Accelerated proliferation of epidermal keratinocytes by the transgenic expression of the platelet-activating factor receptor. <i>Archives of Dermatological Research</i> , 1999, 291, 614-621.	1.1	26

#	ARTICLE	IF	CITATIONS
547	Three-dimensional structures of c-Kit-positive cellular networks in the guinea pig small intestine and colon. <i>Cell and Tissue Research</i> , 1999, 295, 425-436.	1.5	28
548	Spontaneous canine mast cell tumors express tandem duplications in the proto-oncogene c-kit. <i>Experimental Hematology</i> , 1999, 27, 689-697.	0.2	203
549	In vivo expansion of purified hematopoietic stem cells transplanted in nonablated W/W ^v mice. <i>Experimental Hematology</i> , 1999, 27, 1655-1666.	0.2	25
550	MIGRATION AND ULTRASTRUCTURAL LOCALIZATION OF THE C-KIT RECEPTOR PROTEIN IN SPERMATOGENIC CELLS AND SPERMATOZOA OF THE MOUSE. <i>Journal of Urology</i> , 1999, 161, 1676-1680.	0.2	25
551	Early signaling pathways activated by c-Kit in hematopoietic cells. <i>International Journal of Biochemistry and Cell Biology</i> , 1999, 31, 1053-1074.	1.2	336
552	HemT-3, an alternative transcript of mouse gene HemT specific to male germ cells. <i>Gene</i> , 1999, 240, 193-199.	1.0	3
553	The biology of stem cell factor and its receptor C-kit. <i>International Journal of Biochemistry and Cell Biology</i> , 1999, 31, 1037-1051.	1.2	510
554	Evaluation of role of mast cells in the development of liver fibrosis using mast cell-deficient rats and mice. <i>Journal of Hepatology</i> , 1999, 30, 859-867.	1.8	54
555	Decreased expression of the c-kit receptor is associated with increased apoptosis in subfertile human testes. <i>Fertility and Sterility</i> , 1999, 71, 85-89.	0.5	76
556	Purification of Hematopoietic Stem Cells for Further Biological Study. <i>Methods</i> , 1999, 17, 202-218.	1.9	42
557	Tyrosinase-Related Protein 2 Promoter Targets Transgene Expression to Ocular and Neural Crest-Derived Tissues. <i>Developmental Biology</i> , 1999, 216, 154-163.	0.9	64
558	Effects of Mutant c-Kit in Early Myeloid Cells. <i>Leukemia and Lymphoma</i> , 1999, 34, 451-461.	0.6	29
559	In vitro Studies on PGC or PGC-Like Cells in Cultured Yolk Sac Cells and Embryonic Stem Cells of the Mouse.. <i>Archives of Histology and Cytology</i> , 2000, 63, 229-241.	0.2	6
560	Functional Natural Killer T Cells in Experimental Mouse Strains, Including NK1.1- Strains.. <i>Experimental Animals</i> , 2000, 49, 171-180.	0.7	12
561	Mouse Homologues for Human Deafness. , 2000, 56, 233-243.		13
562	Utility of Paraffin Section Immunohistochemistry for C-KIT (CD117) in the Differential Diagnosis of Systemic Mast Cell Disease Involving the Bone Marrow. <i>American Journal of Surgical Pathology</i> , 2000, 24, 81.	2.1	49
563	Kit ligand actions on ovarian stromal cells: Effects on theca cell recruitment and steroid production. , 2000, 55, 55-64.		114
564	Deceiving appearances: signaling by "dead" and "fractured" receptor protein-tyrosine kinases. <i>BioEssays</i> , 2000, 23, 69-76.	1.2	67

#	ARTICLE	IF	CITATIONS
565	Common cytokine receptor β^3 chain (β^3c)-deficient B cells persist in T cell-deficient β^3c mice and respond to a T-independent antigen. <i>European Journal of Immunology</i> , 2000, 30, 1614-1622.	1.6	8
566	Mapping quantitative trait loci for stress induced alterations in porcine leukocyte numbers and functions. <i>Animal Genetics</i> , 2000, 31, 186-193.	0.6	42
567	Transplantation of male germ line stem cells restores fertility in infertile mice. <i>Nature Medicine</i> , 2000, 6, 29-34.	15.2	317
568	Primitive acute myeloid leukemia cells with long-term proliferative ability in vitro and in vivo lack surface expression of c-kit (CD117). <i>Experimental Hematology</i> , 2000, 28, 660-671.	0.2	153
569	Molecular cloning and characterization of mouse testis poly(A) binding protein II encoded by the Pabp3 gene, which transcomplements meiotic mutant sme2 of <i>S. pombe</i> . <i>Biochemical Genetics</i> , 2000, 38, 1-11.	0.8	4
570	Point mutation in Kit receptor tyrosine kinase reveals essential roles for Kit signaling in spermatogenesis and oogenesis without affecting other Kit responses. <i>EMBO Journal</i> , 2000, 19, 1312-1326.	3.5	311
571	Stem cell factor induces phosphatidylinositol 3-kinase-dependent Lyn/Tec/Dok-1 complex formation in hematopoietic cells. <i>Blood</i> , 2000, 96, 3406-3413.	0.6	82
572	Differential stimulation of c-Kit mutants by membrane-bound and soluble Steel Factor correlates with leukemic potential. <i>Blood</i> , 2000, 96, 3734-3742.	0.6	51
573	Intramedullary and extramedullary B lymphopoiesis in osteopetrotic mice. <i>Blood</i> , 2000, 95, 3363-3370.	0.6	47
574	The human basophil: a new appreciation of its role in immune responses. <i>Blood</i> , 2000, 96, 4028-4038.	0.6	212
575	RUNX1(AML1) and CBF β : Genes Required for the Development of all Definitive Hematopoietic Lineages. , 0, , 85-102.		1
576	IX. Mast cell-deficient mice and intestinal biology. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 278, G343-G348.	1.6	30
577	Impaired Kit- but Not Fc γ RI-initiated Mast Cell Activation in the Absence of Phosphoinositide 3-Kinase p85 β Gene Products. <i>Journal of Biological Chemistry</i> , 2000, 275, 6022-6029.	1.6	75
578	Roles of KIT and KIT LIGAND in ovarian function. <i>Reproduction</i> , 2000, 5, 143-152.	2.0	225
579	Autocrine Interactions of Keratinocyte Growth Factor, Hepatocyte Growth Factor, and Kit-Ligand in the Regulation of Normal Ovarian Surface Epithelial Cells*. <i>Endocrinology</i> , 2000, 141, 2532-2539.	1.4	39
580	Mammalian Cochlear Genes and Hereditary Deafness. <i>Microbial & Comparative Genomics</i> , 2000, 5, 61-69.	0.6	5
581	Effects of Mutant c-Kit in Early Myeloid Cells. <i>Leukemia and Lymphoma</i> , 2000, 37, 233-243.	0.6	17
582	Expression and Action of Kit Ligand/Stem Cell Factor in Normal Human and Bovine Ovarian Surface Epithelium and Ovarian Cancer ¹ . <i>Biology of Reproduction</i> , 2000, 62, 1600-1609.	1.2	82

#	ARTICLE	IF	CITATIONS
583	The Hair Follicle: A Paradoxical Androgen Target Organ. <i>Hormone Research in Paediatrics</i> , 2000, 54, 243-250.	0.8	64
584	Potential roles for RUNX1 and its orthologs in determining hematopoietic cell fate. <i>Seminars in Cell and Developmental Biology</i> , 2000, 11, 337-342.	2.3	53
585	Germline-Activating Mutation in the Kinase Domain of KIT Gene in Familial Gastrointestinal Stromal Tumors. <i>American Journal of Pathology</i> , 2000, 157, 1581-1585.	1.9	212
586	Keratinocyte expression of transgenic hepatocyte growth factor affects melanocyte development, leading to dermal melanocytosis. <i>Mechanisms of Development</i> , 2000, 94, 67-78.	1.7	95
587	Role of c-kit in mammalian spermatogenesis. <i>Journal of Endocrinological Investigation</i> , 2000, 23, 609-615.	1.8	150
589	REGULATION OF MAST CELL NUMBER AND FUNCTION. <i>Hematology/Oncology Clinics of North America</i> , 2000, 14, 497-516.	0.9	13
590	Definitive hematopoietic stem cells first develop within the major arterial regions of the mouse embryo. <i>EMBO Journal</i> , 2000, 19, 2465-2474.	3.5	507
591	Identification of meiotic and postmeiotic gene expression in testicular tissue of patients histologically classified as Sertoli cell only. <i>Fertility and Sterility</i> , 2000, 74, 785-790.	0.5	15
592	The Stem Cell Factor, its Properties and Potential Role in the Airways. <i>Pulmonary Pharmacology and Therapeutics</i> , 2001, 14, 277-288.	1.1	10
593	Defective Stem Cell Factor Expression in c-myc Null Fetal Liver Stroma. <i>Blood Cells, Molecules, and Diseases</i> , 2001, 27, 470-478.	0.6	15
594	How the Zebrafish Gets Its Stripes. <i>Developmental Biology</i> , 2001, 240, 301-314.	0.9	144
595	Implication of Stem Cell Factor in the Proliferation of Choroidal Melanocytes. <i>Experimental Eye Research</i> , 2001, 73, 151-157.	1.2	14
596	The Molecular Bases of Spontaneous Immunological Mutations in the Mouse and Their Homologous Human Diseases. <i>Clinical Immunology</i> , 2001, 101, 113-129.	1.4	8
597	Development and degeneration of dorsal root ganglia in the absence of the HMG-domain transcription factor Sox10. <i>Mechanisms of Development</i> , 2001, 109, 253-265.	1.7	93
598	MASTOCYTOSIS. <i>Dermatologic Clinics</i> , 2001, 19, 679-696.	1.0	23
599	The transcription factor Sox10 is a key regulator of peripheral glial development. <i>Genes and Development</i> , 2001, 15, 66-78.	2.7	797
600	The antiangiogenic protein kinase inhibitors SU5416 and SU6668 inhibit the SCF receptor (c-kit) in a human myeloid leukemia cell line and in acute myeloid leukemia blasts. <i>Blood</i> , 2001, 97, 1413-1421.	0.6	185
601	Coat Color and Coat Color Related Genes in Pigs. <i>Nihon Chikusan Gakkaiho</i> , 2001, 72, 524-535.	0.0	0

#	ARTICLE	IF	CITATIONS
602	Detection of invasion-related chromosomal changes in highly and weakly invasive melanoma cell clones by a modified comparative genomic hybridization approach. <i>Melanoma Research</i> , 2001, 11, 105-115.	0.6	6
603	Phosphatidylinositol 3 kinase contributes to the transformation of hematopoietic cells by the D816V c-Kit mutant. <i>Blood</i> , 2001, 98, 1365-1373.	0.6	123
604	Cellular Interactions That Control Primordial Follicle Development and Folliculogenesis. <i>Journal of the Society for Gynecologic Investigation</i> , 2001, 8, S17-S20.	1.9	50
605	129/Sv mice—a model system for studying germ cell biology and testicular cancer. <i>Mammalian Genome</i> , 2001, 12, 89-94.	1.0	36
606	Spermatogonial transplantation: the principle and possible applications. <i>Journal of Molecular Medicine</i> , 2001, 79, 368-374.	1.7	43
607	Immunoelectron-microscopic study of Kit-expressing cells in the jejunum of wildtype and Ws/Ws rats. <i>Cell and Tissue Research</i> , 2001, 304, 21-30.	1.5	18
608	Linked markers excludeKITas the gene responsible for appaloosa coat colour spotting patterns in horses. <i>Animal Genetics</i> , 2001, 32, 98-101.	0.6	9
609	Developmental study of the different effects on the hybrid sterility of Kit ^W and Kit ^{W-v} alleles paired with Kit ^S from <i>Mus spretus</i> . <i>Development Growth and Differentiation</i> , 2001, 43, 611-617.	0.6	3
610	Mutant laboratory mice with abnormalities in hair follicle morphogenesis, cycling, and/or structure: annotated tables. <i>Experimental Dermatology</i> , 2001, 10, 369-390.	1.4	82
611	Gene Regulation in Melanoma Progression by the AP-2 Transcription Factor. <i>Pigment Cell & Melanoma Research</i> , 2001, 14, 78-85.	4.0	102
612	Gain-of-function mutation at the extracellular domain of KIT in gastrointestinal stromal tumours. <i>Journal of Pathology</i> , 2001, 193, 505-510.	2.1	206
613	Male hybrid sterility of mice with the genomic region of the Kit ^W mutation and the Kit ^S allele from <i>Mus spretus</i> . <i>Biochemical Genetics</i> , 2001, 39, 127-137.	0.8	2
614	Classes of c-KIT activating mutations: proposed mechanisms of action and implications for disease classification and therapy. <i>Leukemia Research</i> , 2001, 25, 571-576.	0.4	299
615	Mast cell lineage development and phenotypic regulation. <i>Leukemia Research</i> , 2001, 25, 511-518.	0.4	81
616	Mastocytosis: molecular mechanisms and clinical disease heterogeneity. <i>Leukemia Research</i> , 2001, 25, 577-582.	0.4	84
617	A loss-of-function mutation of c-kit results in depletion of mast cells and interstitial cells of Cajal, while its gain-of-function mutation results in their oncogenesis. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2001, 477, 165-171.	0.4	57
618	Expression of Protein Tyrosine Kinases and Stem Cell Factor in Chicken Blastodermal Cells. <i>Poultry Science</i> , 2001, 80, 161-171.	1.5	3
619	Remodeling of the postnatal mouse testis is accompanied by dramatic changes in stem cell number and niche accessibility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 6186-6191.	3.3	281

#	ARTICLE	IF	CITATIONS
620	T Helper Cell Type 2 Cytokines Coordinately Regulate Immunoglobulin E-Dependent Cysteinyl Leukotriene Production by Human Cord Blood-Derived Mast Cells. <i>Journal of Experimental Medicine</i> , 2001, 193, 123-134.	4.2	204
621	The histopathological differential diagnosis of gastrointestinal stromal tumours. <i>Journal of Clinical Pathology</i> , 2001, 54, 96-102.	1.0	195
622	Targeting Protein Kinases for Tumor Therapy. <i>Oncology Research and Treatment</i> , 2001, 24, 346-355.	0.8	15
623	A negative feedback system between oocyte bone morphogenetic protein 15 and granulosa cell kit ligand: Its role in regulating granulosa cell mitosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 8060-8065.	3.3	223
624	Male germ-line stem cell potential is predicted by morphology of cells in neonatal rat testes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 11706-11711.	3.3	83
625	Adenovirus-mediated gene delivery and in vitro microinsemination produce offspring from infertile male mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 1383-1388.	3.3	70
626	Mutations in Mcoln3 associated with deafness and pigmentation defects in varitint-waddler (Va) mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 14994-14999.	3.3	201
627	SLUG (SNAI2) deletions in patients with Waardenburg disease. <i>Human Molecular Genetics</i> , 2002, 11, 3231-3236.	1.4	211
628	RasGRP4, a New Mast Cell-restricted Ras Guanine Nucleotide-releasing Protein with Calcium- and Diacylglycerol-binding Motifs. <i>Journal of Biological Chemistry</i> , 2002, 277, 25756-25774.	1.6	90
629	Understanding the Human Condition: Experimental Strategies in Mammalian Genetics. <i>ILAR Journal</i> , 2002, 43, 123-135.	1.8	22
630	Apoptosis, Onset and Maintenance of Spermatogenesis: Evidence for the Involvement of Kit in Kit-Haplodeficient Mice1. <i>Biology of Reproduction</i> , 2002, 67, 70-79.	1.2	34
631	Atypical Cellular Disorders. <i>Hematology American Society of Hematology Education Program</i> , 2002, 2002, 297-314.	0.9	31
633	The Avian Embryo, a Model for the Role of Cellular Interactions in Development; the Example of Neural Crest-Derived Pigment Cells. <i>Avian Biology Research</i> , 2002, 13, 155-167.	1.3	1
634	Mast Cells: A Cellular Link Between Autoantibodies and Inflammatory Arthritis. <i>Science</i> , 2002, 297, 1689-1692.	6.0	722
635	The Complexity of KIT Gene Mutations and Chromosome Rearrangements and Their Clinical Correlation in Gastrointestinal Stromal (Pacemaker Cell) Tumors. <i>American Journal of Pathology</i> , 2002, 160, 15-22.	1.9	103
636	Spermatogonia-Dependent Expression of Testicular Genes in Mice. <i>Developmental Biology</i> , 2002, 246, 466-479.	0.9	36
637	Genes associated with the development of the male germ line. <i>Reproductive BioMedicine Online</i> , 2002, 4, 52-57.	1.1	0
638	Familial gastrointestinal stromal tumors associated with dysphagia and novel type germline mutation of KIT gene. <i>Gastroenterology</i> , 2002, 122, 1493-1499.	0.6	181

#	ARTICLE	IF	CITATIONS
640	Genetics, genomics and gene discovery in the auditory system. <i>Human Molecular Genetics</i> , 2002, 11, 1229-1240.	1.4	110
641	The Synergy Between Stem Cell Factor (SCF) and Granulocyte Colony-stimulating Factor (G-CSF): Molecular Basis and Clinical Relevance. <i>Leukemia and Lymphoma</i> , 2002, 43, 1179-1187.	0.6	46
642	The murine BTB/POZ zinc finger gene Znf131: predominant expression in the developing central nervous system, in adult brain, testis, and thymus. <i>Biochemical and Biophysical Research Communications</i> , 2002, 296, 319-327.	1.0	17
643	Dose-dependent and time-limited proliferation of cultured murine interstitial cells of Cajal in response to stem cell factor. <i>Life Sciences</i> , 2002, 70, 2367-2376.	2.0	20
644	Sexually dimorphic expression of Gata-2 during mouse gonad development. <i>Mechanisms of Development</i> , 2002, 111, 159-162.	1.7	42
645	Homeostatic regulation of germinal stem cell proliferation by the GDNF/FSH pathway. <i>Mechanisms of Development</i> , 2002, 113, 29-39.	1.7	267
646	Male Germ Cell Specification and Differentiation. <i>Developmental Cell</i> , 2002, 2, 537-547.	3.1	123
647	Zinc-finger transcription factor Slug contributes to the function of the stem cell factor c-kit signaling pathway. <i>Blood</i> , 2002, 100, 1274-1286.	0.6	162
648	Mice as Models for Human Hereditary Deafness. , 2002, , 247-296.		11
649	The evolution of morphological complexity in zebrafish stripes. <i>Trends in Genetics</i> , 2002, 18, 128-134.	2.9	48
650	Using mouse forward genetics to define novel target space. <i>Targets</i> , 2002, 1, 130-138.	0.3	1
651	Zebrafish as a model for hearing and deafness. <i>Journal of Neurobiology</i> , 2002, 53, 157-171.	3.7	174
652	Characterization of the fertility of Kit haplodeficient male mice. <i>Journal of Developmental and Physical Disabilities</i> , 2002, 25, 358-368.	3.6	17
653	Piebaldism in diamond-blackfan anaemia: a new phenotype?. <i>British Journal of Haematology</i> , 2002, 119, 572-572.	1.2	5
654	Successful umbilical cord blood transplantation in a child with dyskeratosis congenita after a fludarabine-based reduced-intensity conditioning regimen. <i>British Journal of Haematology</i> , 2002, 119, 573-574.	1.2	45
655	Hyperbaric oxygen for cyclophosphamide-induced cystitis. <i>British Journal of Haematology</i> , 2002, 119, 575-575.	1.2	3
656	Severe increase in creatinine with hypocalcaemia in thalidomide-treated myeloma patients receiving zoledronic acid infusions. <i>British Journal of Haematology</i> , 2002, 119, 576-577.	1.2	26
657	Treatment of refractory autoimmune (acquired) haemophilia with anti-cd20 (rituximab). <i>British Journal of Haematology</i> , 2002, 119, 578-578.	1.2	48

#	ARTICLE	IF	CITATIONS
658	Is high expression of the chemokine receptor cxcr-4 of predictive value for early relapse in childhood acute lymphoblastic leukaemia?. <i>British Journal of Haematology</i> , 2002, 119, 579-580.	1.2	26
659	The Stem Cell Factor c-kit System and Mast Cells in Human Pancreatic Cancer. <i>Laboratory Investigation</i> , 2002, 82, 1481-1492.	1.7	77
660	Differential effects of the Kit ^W mutation with other Kit allelic combinations on male sterility among inter- or intrasubspecific hybrids in mice. <i>Biochemical Genetics</i> , 2002, 40, 13-25.	0.8	2
661	Title is missing!. <i>Russian Journal of Developmental Biology</i> , 2002, 33, 158-163.	0.1	0
662	The Pleiotropic Effect of the hooded Mutation on Male Fertility in Rat. <i>Russian Journal of Genetics</i> , 2003, 39, 400-405.	0.2	0
663	The expression patterns of c-kit and Sl in chicken embryos suggest unexpected roles for these genes in somite and limb development. <i>Gene Expression Patterns</i> , 2003, 3, 53-58.	0.3	19
664	Imatinib inhibits various types of activating mutant kit found in gastrointestinal stromal tumors. <i>International Journal of Cancer</i> , 2003, 105, 130-135.	2.3	69
665	Deletion of the SLUG (SNAI2) gene results in human piebaldism. , 2003, 122A, 125-132.		109
666	Molecular mechanisms utilized by alternative c-kit gene products in the control of spermatogonial proliferation and sperm-mediated egg activation. <i>Andrologia</i> , 2003, 35, 71-78.	1.0	37
667	c-kit Gene mutation at exon 17 or 13 is very rare in sporadic gastrointestinal stromal tumors. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 147-151.	1.4	73
668	Mutations of c-kit at exons 17/13 are rare but clinically relevant in human subjects. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 475-478.	1.4	0
669	The role of the c-kit receptor in the regenerative differentiation of rat Leydig cells. <i>Journal of Developmental and Physical Disabilities</i> , 2003, 26, 121-125.	3.6	7
670	Steel Factor Controls the Proliferation and Differentiation of Neonatal Mouse Epidermal Melanocytes in Culture. <i>Pigment Cell & Melanoma Research</i> , 2003, 16, 644-655.	4.0	28
671	Gastrointestinal stromal tumors (GIST): A model for molecule-based diagnosis and treatment of solid tumors. <i>Cancer Science</i> , 2003, 94, 315-320.	1.7	98
672	Involvement of death receptor Fas in germ cell degeneration in gonads of Kit-deficient Wv/Wv mutant mice. <i>Cell Death and Differentiation</i> , 2003, 10, 676-686.	5.0	44
673	Effect of imatinib on haematopoietic recovery following idarubicin exposure. <i>Leukemia</i> , 2003, 17, 298-304.	3.3	11
674	The radioresistance biological function of the SCF/kit signaling pathway is mediated by the zinc-finger transcription factor Slug. <i>Oncogene</i> , 2003, 22, 4205-4211.	2.6	83
675	Identification and characterization of Mlr1,2: two mouse homologues of Mblk-1, a transcription factor from the honeybee brain. <i>FEBS Letters</i> , 2003, 535, 61-65.	1.3	23

#	ARTICLE	IF	CITATIONS
676	Temporal and molecular separation of the kit receptor tyrosine kinase's roles in zebrafish melanocyte migration and survival. <i>Developmental Biology</i> , 2003, 262, 152-161.	0.9	66
677	Dystroglycan expression in the mouse cochlea. <i>Hearing Research</i> , 2003, 177, 12-20.	0.9	8
678	The role of mast cells in asthma. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2003, 69, 195-205.	1.0	56
679	Mast cells: Beyond IgE. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 111, 24-32.	1.5	141
680	Stem cell factor. , 2003, , 1011-1016.		2
681	Interleukin-3. , 2003, , 201-225.		7
682	Expression of Proto-oncogene c-kit Receptor in Rats (<i>Rattus norvegicus</i>) and Identification of a Mutant mRNA Transcript Implicated in Spermatogenic Failure. <i>DNA and Cell Biology</i> , 2003, 22, 447-456.	0.9	8
683	3 Ontogeny of hematopoiesis: Examining the emergence of hematopoietic cells in the vertebrate embryo. <i>Current Topics in Developmental Biology</i> , 2003, 53, 139-158.	1.0	145
684	Restoration of Fertility by Germ Cell Transplantation Requires Effective Recipient Preparation1. <i>Biology of Reproduction</i> , 2003, 69, 412-420.	1.2	144
685	Allogeneic Offspring Produced by Male Germ Line Stem Cell Transplantation into Infertile Mouse Testis1. <i>Biology of Reproduction</i> , 2003, 68, 167-173.	1.2	109
686	Roles for an Epo Receptor Tyr-343 Stat5 Pathway in Proliferative Co-signaling with Kit. <i>Journal of Biological Chemistry</i> , 2003, 278, 40702-40709.	1.6	22
687	Late Onset of Spermatogenesis and Gain of Fertility in POG-Deficient Mice Indicate that POG Is Not Necessary for the Proliferation of Spermatogonia1. <i>Biology of Reproduction</i> , 2003, 69, 161-168.	1.2	35
688	Toward the Genetics of Mammalian Reproduction: Induction and Mapping of Gametogenesis Mutants in Mice1. <i>Biology of Reproduction</i> , 2003, 69, 1615-1625.	1.2	61
689	Identification of isoforms and RH mapping of canine KIT. <i>Cytogenetic and Genome Research</i> , 2003, 102, 261-263.	0.6	9
690	Germ Cell-Specific Expression of Microphthalmia-Associated Transcription Factor mRNA in Mouse Testis. <i>Journal of Biochemistry</i> , 2003, 134, 143-150.	0.9	20
691	Src Family Kinases Are Involved in the Differential Signaling from Two Splice Forms of c-Kit. <i>Journal of Biological Chemistry</i> , 2003, 278, 9159-9166.	1.6	83
692	Mouse GGN1 and GGN3, Two Germ Cell-specific Proteins from the Single Gene Ggn, Interact with Mouse POG and Play a Role in Spermatogenesis. <i>Journal of Biological Chemistry</i> , 2003, 278, 16289-16296.	1.6	40
693	Gene expression differences in quiescent versus regenerating hair cells of avian sensory epithelia: implications for human hearing and balance disorders. <i>Human Molecular Genetics</i> , 2003, 12, 1261-1272.	1.4	59

#	ARTICLE	IF	CITATIONS
694	Successive increases in human cyclin A1 promoter activity during spermatogenesis in transgenic mice. <i>International Journal of Molecular Medicine</i> , 2003, 11, 311.	1.8	1
695	Restoration of fertility in infertile mice by transplantation of cryopreserved male germline stem cells. <i>Human Reproduction</i> , 2003, 18, 2660-2667.	0.4	139
696	Functional Assessment of Self-Renewal Activity of Male Germline Stem Cells Following Cytotoxic Damage and Serial Transplantation1. <i>Biology of Reproduction</i> , 2003, 68, 1801-1807.	1.2	93
697	Endoscopic ultrasonography-guided fine needle aspiration biopsy in follow-up patients with gastrointestinal stromal tumours. <i>European Journal of Gastroenterology and Hepatology</i> , 2003, 15, 1189-1193.	0.8	44
698	Immunohistochemical expression of receptor-tyrosine kinase c-kit protein in invasive ductal carcinoma of the pancreas. <i>Anti-Cancer Drugs</i> , 2003, 14, 313-319.	0.7	18
699	<i>Biology of Hematopoietic Stem and Progenitor Cells.</i> , 0 , 69-95.		3
700	Hair follicles serve as local reservoirs of skin mast cell precursors. <i>Blood</i> , 2003, 102, 1654-1660.	0.6	81
701	A rare complex DNA rearrangement in the murine Steel gene results in exon duplication and a lethal phenotype. <i>Blood</i> , 2003, 102, 3548-3555.	0.6	5
702	Abnormalities of Interstitial Cells of Cajal in <i>Dominant </i>Megacolon Mice. <i>Neuroembryology and Aging</i> , 2003, 2, 156-163.	0.1	1
703	Targeting mutated tyrosine kinases in the therapy of myeloid leukaemias. <i>Expert Opinion on Therapeutic Targets</i> , 2004, 8, 221-239.	1.5	16
704	CD9 Is a Surface Marker on Mouse and Rat Male Germline Stem Cells1. <i>Biology of Reproduction</i> , 2004, 70, 70-75.	1.2	256
705	Cell-autonomous and cell non-autonomous signaling through endothelin receptor B during melanocyte development. <i>Development (Cambridge)</i> , 2004, 131, 3239-3247.	1.2	62
706	c-kit Expression in Adenocarcinomas of the Lung. <i>Tumor Biology</i> , 2004, 25, 235-242.	0.8	31
707	Targeted mutations of the juxtamembrane tyrosines in the Kit receptor tyrosine kinase selectively affect multiple cell lineages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 6015-6020.	3.3	55
708	Genetic mapping of dominant white (W), a homozygous lethal condition in the horse (<i>Equus caballus</i>). <i>Journal of Animal Breeding and Genetics</i> , 2004, 121, 374-383.	0.8	18
709	Assignment of the appaloosa coat colour gene (LP) to equine chromosome 1. <i>Animal Genetics</i> , 2004, 35, 134-137.	0.6	37
710	RasGRP4 is a lineage-restricted, guanine nucleotide exchange factor/phorbol ester receptor that controls mast cell development. <i>Clinical and Experimental Allergy Reviews</i> , 2004, 4, 102-110.	0.3	0
711	Spotlight on Spotted Mice: A Review of White Spotting Mouse Mutants and Associated Human Pigmentation Disorders. <i>Pigment Cell & Melanoma Research</i> , 2004, 17, 215-224.	4.0	91

#	ARTICLE	IF	CITATIONS
712	Effects of G-protein mutations on skin color. <i>Nature Genetics</i> , 2004, 36, 961-968.	9.4	186
713	Human KIT ligand promoter is positively regulated by HMGA1 in breast and ovarian cancer cells. <i>Oncogene</i> , 2004, 23, 8557-8562.	2.6	31
714	In utero stem cell transplantation. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2004, 18, 941-958.	1.4	38
715	Effect of Alleles Wvand Wyof the Dominant White Spotting Mutation on the Preimplantation Development of Mice. <i>Doklady Biological Sciences</i> , 2004, 398, 399-402.	0.2	0
716	Regulation of Mouse Spermatogonial Stem Cell Self-Renewing Division by the Pituitary Gland1. <i>Biology of Reproduction</i> , 2004, 70, 1731-1737.	1.2	22
717	Histochemical in situ identification of bovine embryonic blood cells reveals differences to the adult haematopoietic system and suggests a close relationship between haematopoietic stem cells and primordial germ cells. <i>Histochemistry and Cell Biology</i> , 2004, 121, 273-289.	0.8	31
718	A requirement for kit in embryonic zebrafish melanocyte differentiation is revealed by melanoblast delay. <i>Development Genes and Evolution</i> , 2004, 214, 493-502.	0.4	25
719	Immunohistochemical determination of HER-2/neu, c-Kit (CD117), and vascular endothelial growth factor (VEGF) overexpression in malignant melanoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 80-86.	1.2	38
720	Neutrophil recruitment in mast cell-dependent inflammation: inhibitory mechanisms of glucocorticoids. <i>Inflammation Research</i> , 2004, 53, 644-652.	1.6	60
721	Signal transduction via the stem cell factor receptor/c-Kit. <i>Cellular and Molecular Life Sciences</i> , 2004, 61, 2535-2548.	2.4	377
722	Oncogenic protein tyrosine kinases. <i>Cellular and Molecular Life Sciences</i> , 2004, 61, 2924-2931.	2.4	180
723	Absence of c-kit gene mutations in gastrointestinal stromal tumours from neurofibromatosis type 1 patients. <i>Journal of Pathology</i> , 2004, 202, 80-85.	2.1	188
724	Chronotopic organization of olfactory bulb axons in the lateral olfactory tract. <i>Journal of Comparative Neurology</i> , 2004, 475, 247-260.	0.9	26
725	Targeting c-Kit mutations: basic science to novel therapies. <i>Leukemia Research</i> , 2004, 28, 11-20.	0.4	81
726	The biology of Kit in disease and the application of pharmacogenetics. <i>Journal of Allergy and Clinical Immunology</i> , 2004, 114, 13-19.	1.5	120
727	New KIT mutations in patients with piebaldism. <i>Journal of Dermatological Science</i> , 2004, 35, 29-33.	1.0	41
728	Gene expression profiling in the inductive human hematopoietic microenvironment. <i>Biochemical and Biophysical Research Communications</i> , 2004, 323, 703-711.	1.0	2
729	Distinct roles for the SgIGSF adhesion molecule and c-kit receptor tyrosine kinase in the interaction between mast cells and the mesentery. <i>Biochemical and Biophysical Research Communications</i> , 2004, 324, 782-788.	1.0	6

#	ARTICLE	IF	CITATIONS
730	Deficient Eosinophil Chemotaxis-Promoting Activity of Genetically Normal Mast Cells Transplanted into Subcutaneous Tissue of Mitfmi-vga9/Mitfmi-vga9 Mice. <i>American Journal of Pathology</i> , 2004, 165, 1141-1150.	1.9	5
731	Origins of Mammalian Hematopoiesis: In Vivo Paradigms and In Vitro Models. <i>Current Topics in Developmental Biology</i> , 2004, 60, 127-196.	1.0	55
732	Analysis of KIT (CD117) expression in gallbladder carcinomas by tissue microarray. <i>European Journal of Surgical Oncology</i> , 2004, 30, 847-850.	0.5	8
733	Activation of the MAP kinase pathway by c-Kit is PI-3 kinase dependent in hematopoietic progenitor/stem cell lines. <i>Blood</i> , 2004, 104, 51-57.	0.6	83
734	Cell Cycle and Growth Control: Current Clinical Applications. , 2004, , 667-703.		2
736	Two-phase culture in Diamond Blackfan anemia: localization of erythroid defect. <i>Blood</i> , 2005, 105, 838-846.	0.6	80
737	PKC ζ plays opposite roles in growth mediated by wild-type Kit and an oncogenic Kit mutant. <i>Blood</i> , 2005, 105, 1923-1929.	0.6	15
738	Role of c-Kit and erythropoietin receptor in erythropoiesis. <i>Critical Reviews in Oncology/Hematology</i> , 2005, 54, 63-75.	2.0	120
739	Normal and Oncogenic Forms of the Receptor Tyrosine Kinase Kit. <i>Stem Cells</i> , 2005, 23, 16-43.	1.4	252
740	Kit (CD117) immunoreactivity is rare in renal cell and upper urinary tract transitional cell carcinomas. <i>BJU International</i> , 2005, 95, 315-318.	1.3	15
741	Influence of porcine coat colour genotypes on haematological parameters, piglet birth weight and body weight gain until weaning. <i>Journal of Animal Breeding and Genetics</i> , 2005, 122, 127-130.	0.8	9
742	Polymorphism at the porcine Dominant white/KIT locus influence coat colour and peripheral blood cell measures. <i>Animal Genetics</i> , 2005, 36, 288-296.	0.6	57
743	Tissue-selective mast cell reconstitution and differential lung gene expression in mast cell-deficient KitW-sh/KitW-sh sash mice. <i>Clinical and Experimental Allergy</i> , 2005, 35, 82-88.	1.4	151
744	Distinct role for c-kit receptor tyrosine kinase and SglGSF adhesion molecule in attachment of mast cells to fibroblasts. <i>Laboratory Investigation</i> , 2005, 85, 426-435.	1.7	29
745	Role of keratinocyte-derived factors involved in regulating the proliferation and differentiation of mammalian epidermal melanocytes. <i>Pigment Cell & Melanoma Research</i> , 2005, 18, 2-12.	4.0	243
746	Analysis of KIT, SCF, and Initial Screening of SLUG in Patients with Piebaldism. <i>Journal of Investigative Dermatology</i> , 2005, 124, 670-672.	0.3	20
747	Kit-activating mutations cooperate with Spi-1/PU.1 overexpression to promote tumorigenic progression during erythroleukemia in mice. <i>Cancer Cell</i> , 2005, 8, 467-478.	7.7	48
748	Cooperative and indispensable roles of endothelin 3 and KIT signalings in melanocyte development. <i>Developmental Dynamics</i> , 2005, 233, 407-417.	0.8	32

#	ARTICLE	IF	CITATIONS
749	kitb, a second zebrafish ortholog of mouse Kit. <i>Development Genes and Evolution</i> , 2005, 215, 470-477.	0.4	42
750	Co-expression of c-kit and stem cell factor in primary and metastatic nasopharyngeal carcinomas and nasopharyngeal epithelium. <i>Journal of Pathology</i> , 2005, 207, 216-223.	2.1	23
751	Endothelin receptor B is required for the expansion of melanocyte precursors and malignant melanoma. <i>International Journal of Developmental Biology</i> , 2005, 49, 173-180.	0.3	56
752	Cardiac Stem Cells and Mechanisms of Myocardial Regeneration. <i>Physiological Reviews</i> , 2005, 85, 1373-1416.	13.1	400
753	Clonality and Molecular Pathogenesis of Mastocytosis. <i>Acta Haematologica</i> , 2005, 114, 61-69.	0.7	52
754	c-Kit Expression and Stem Cell Factor-Induced Hematopoietic Cell Proliferation Are Up-Regulated in Aged B6D2F1 Mice. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 448-456.	1.7	14
755	Identification and Integrative Analysis of 28 Novel Genes Specifically Expressed and Developmentally Regulated in Murine Spermatogenic Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 7685-7693.	1.6	51
756	Germline niche transplantation restores fertility in infertile mice. <i>Human Reproduction</i> , 2005, 20, 2376-2382.	0.4	51
757	Oncogenes as Novel Targets for Cancer Therapy (Part I). <i>Molecular Diagnosis and Therapy</i> , 2005, 5, 173-190.	3.3	24
758	Long-Term Culture of Mouse Male Germline Stem Cells Under Serum-or Feeder-Free Conditions1. <i>Biology of Reproduction</i> , 2005, 72, 985-991.	1.2	309
759	Pathological alterations of strial capillaries in dominant white spotting W/W ^v mice. <i>Hearing Research</i> , 2005, 209, 53-59.	0.9	5
760	Frequent c- gene mutations not only in gastrointestinal stromal tumors but also in interstitial cells of Cajal in surrounding normal mucosa. <i>Cancer Letters</i> , 2005, 230, 199-210.	3.2	15
761	Depletion of Endogenous Germ Cells in Male Pigs and Goats in Preparation for Germ Cell Transplantation. <i>Journal of Andrology</i> , 2005, 26, 698-705.	2.0	76
762	Mast Cells Are Critical Mediators of Vaccine-Induced Helicobacter Clearance in the Mouse Model. <i>Gastroenterology</i> , 2005, 129, 142-155.	0.6	83
763	Role of Human Mast Cells and Basophils in Bronchial Asthma. <i>Advances in Immunology</i> , 2005, 88, 97-160.	1.1	57
764	Molecular Mechanisms of Mast Cell Development. <i>Immunology and Allergy Clinics of North America</i> , 2006, 26, 387-405.	0.7	56
765	The stem cell factor/c-kit receptor pathway enhances proliferation and invasion of pancreatic cancer cells. <i>Molecular Cancer</i> , 2006, 5, 46.	7.9	81
766	Stem Cell c-KITandHOXB4Genes: Critical Roles and Mechanisms in Self-Renewal, Proliferation, and Differentiation. <i>Stem Cells and Development</i> , 2006, 15, 755-778.	1.1	55

#	ARTICLE	IF	CITATIONS
767	Mast cell biology in evolution. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 117, 1227-1229.	1.5	16
768	Anti-IgE as a mast cell-stabilizing therapeutic agent. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 117, 1203-1212.	1.5	115
769	Pathogenesis, clinical features, and treatment advances in mastocytosis. <i>Best Practice and Research in Clinical Haematology</i> , 2006, 19, 595-615.	0.7	69
770	Analysis of c-kit expression in small cell lung cancer: Prevalence and prognostic implications. <i>Lung Cancer</i> , 2006, 52, 343-347.	0.9	29
771	The stabilization of β -catenin leads to impaired primordial germ cell development via aberrant cell cycle progression. <i>Developmental Biology</i> , 2006, 300, 545-553.	0.9	81
772	Influence of the Dominant White/KIT Genotypes on the Reproductive Organs of Pigs. <i>Journal of Reproduction and Development</i> , 2006, 52, 707-713.	0.5	0
773	SHIP deficiency enhances HSC proliferation and survival but compromises homing and repopulation. <i>Blood</i> , 2006, 107, 4338-4345.	0.6	52
774	Bax, bcl-2 and c-kit expression in non-small-cell lung cancer and their effects on prognosis. <i>International Journal of Clinical Practice</i> , 2006, 60, 675-682.	0.8	30
775	Stem cell factor expression, mast cells and inflammation in asthma. <i>Fundamental and Clinical Pharmacology</i> , 2006, 20, 21-39.	1.0	54
776	Mouse models for genes involved in impaired spermatogenesis. <i>Journal of Developmental and Physical Disabilities</i> , 2006, 29, 76-89.	3.6	68
777	Glycogen synthase kinase-3 is an in vivo regulator of hematopoietic stem cell repopulation. <i>Nature Medicine</i> , 2006, 12, 89-98.	15.2	235
778	Mice Transgenic for KitV620A: Recapitulation of Piebaldism but not Progressive Depigmentation Seen in Humans with this Mutation. <i>Journal of Investigative Dermatology</i> , 2006, 126, 1111-1118.	0.3	14
779	Defining the Conditions for the Generation of Melanocytes from Human Embryonic Stem Cells. <i>Stem Cells</i> , 2006, 24, 1668-1677.	1.4	113
780	Effects of Aging and Niche Microenvironment on Spermatogonial Stem Cell Self-Renewal. <i>Stem Cells</i> , 2006, 24, 1505-1511.	1.4	235
781	Immunohistochemical demonstration of c-Kit protooncogene product in gallbladder cancer. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2006, 13, 228-234.	2.0	7
782	Genetics of early mammalian folliculogenesis. <i>Cellular and Molecular Life Sciences</i> , 2006, 63, 579-590.	2.4	89
783	Stem cell factor and its receptor c-Kit as targets for inflammatory diseases. <i>European Journal of Pharmacology</i> , 2006, 533, 327-340.	1.7	229
784	Pathology of gastrointestinal stromal tumors. <i>Pathology International</i> , 2006, 56, 1-9.	0.6	125

#	ARTICLE	IF	CITATIONS
785	Uncovering the uncharacterized and unexpected: Unbiased phenotype-driven screens in the mouse. <i>Developmental Dynamics</i> , 2006, 235, 2412-2423.	0.8	28
786	In utero transplantation of human bone marrow-derived multipotent mesenchymal stem cells in mice. <i>Journal of Orthopaedic Research</i> , 2006, 24, 301-312.	1.2	30
787	A Distant Upstream Locus Control Region Is Critical for Expression of the Kit Receptor Gene in Mast Cells. <i>Molecular and Cellular Biology</i> , 2006, 26, 5850-5860.	1.1	36
788	Gain-of-Function Mutations of Receptor Tyrosine Kinases in Gastrointestinal Stromal Tumors. <i>Current Genomics</i> , 2006, 7, 469-475.	0.7	41
789	Immunology of <i>Helicobacter pylori</i> Infection. <i>Digestion</i> , 2006, 73, 116-123.	1.2	32
790	From Melanocytes to Melanoma. , 2006, , .		21
791	Somatic Activation of KIT in Distinct Subtypes of Melanoma. <i>Journal of Clinical Oncology</i> , 2006, 24, 4340-4346.	0.8	1,481
792	Different ADAMs have distinct influences on Kit ligand processing: phorbol-ester-stimulated ectodomain shedding of Kitl1 by ADAM17 is reduced by ADAM19. <i>Journal of Cell Science</i> , 2007, 120, 943-952.	1.2	56
793	Stat5 Is Essential for Early B Cell Development but Not for B Cell Maturation and Function. <i>Journal of Immunology</i> , 2007, 179, 1068-1079.	0.4	60
794	Gene Duplication of the Zebrafish kit ligand and Partitioning of Melanocyte Development Functions to kit ligand a. <i>PLoS Genetics</i> , 2007, 3, e17.	1.5	93
795	Akt mediates self-renewal division of mouse spermatogonial stem cells. <i>Development (Cambridge)</i> , 2007, 134, 1853-1859.	1.2	234
796	Allelic Heterogeneity at the Equine KIT Locus in Dominant White (W) Horses. <i>PLoS Genetics</i> , 2007, 3, e195.	1.5	114
797	Effects of Growth Factors on Testicular Morphogenesis. <i>International Review of Cytology</i> , 2007, 260, 113-173.	6.2	16
798	Oocyte growth and follicular development in KIT-deficient Fas-knockout mice. <i>Reproduction</i> , 2007, 133, 117-125.	1.1	53
799	Adenovirus-mediated gene delivery into mouse spermatogonial stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 2596-2601.	3.3	58
800	Neoplasia Driven by Mutant c- KIT Is Mediated by Intracellular, Not Plasma Membrane, Receptor Signaling. <i>Molecular and Cellular Biology</i> , 2007, 27, 267-282.	1.1	107
801	The c-kit receptor protein in the testis of green frog <i>Rana esculenta</i> : seasonal changes in relationship to testosterone titres and spermatogonial proliferation. <i>Reproduction</i> , 2007, 133, 51-60.	1.1	32
802	The Early Growth Response Factor-1 Is Involved in Stem Cell Factor (SCF)-induced Interleukin 13 Production by Mast Cells, but Is Dispensable for SCF-dependent Mast Cell Growth. <i>Journal of Biological Chemistry</i> , 2007, 282, 22573-22581.	1.6	19

#	ARTICLE	IF	CITATIONS
803	Leukemia Inhibitory Factor Enhances Formation of Germ Cell Colonies in Neonatal Mouse Testis Culture. <i>Biology of Reproduction</i> , 2007, 76, 55-62.	1.2	69
804	Direct interaction between Kit and the interleukin-7 receptor. <i>Blood</i> , 2007, 110, 1840-1847.	0.6	20
805	BMP4, SCF, and hypoxia cooperatively regulate the expansion of murine stress erythroid progenitors. <i>Blood</i> , 2007, 109, 4494-4502.	0.6	134
806	Lipid rafts are required for Kit survival and proliferation signals. <i>Blood</i> , 2007, 110, 1739-1747.	0.6	45
807	Involvement of Fyn kinase in Kit and integrin-mediated Rac activation, cytoskeletal reorganization, and chemotaxis of mast cells. <i>Blood</i> , 2007, 109, 3679-3686.	0.6	66
808	Influence of host irradiation on long-term engraftment by CD34-deficient hematopoietic stem cells. <i>Blood</i> , 2007, 110, 1076-1077.	0.6	23
809	Lenalidomide therapy in a patient with POEMS syndrome. <i>Blood</i> , 2007, 110, 1075-1076.	0.6	95
810	Function of the Zinc-Finger Transcription Factor SNAI2 in Cancer and Development. <i>Annual Review of Genetics</i> , 2007, 41, 41-61.	3.2	170
811	Spontaneous Diseases in Commonly Used Mouse Strains. , 2007, , 623-717.		19
812	Enhanced expression of mast cell growth factor and mast cell activation in the bladder following the resolution of trinitrobenzenesulfonic acid (TNBS) colitis in female rats. <i>Neurourology and Urodynamics</i> , 2007, 26, 887-893.	0.8	20
813	L576P KIT mutation in anal melanomas correlates with KIT protein expression and is sensitive to specific kinase inhibition. <i>International Journal of Cancer</i> , 2007, 121, 257-264.	2.3	236
814	Protein expression of KIT and gene mutation of c-kit and PDGFRs in Ewing sarcomas. <i>Pathology Research and Practice</i> , 2007, 203, 127-134.	1.0	28
815	KIT is required for hepatic function during mouse post-natal development. <i>BMC Developmental Biology</i> , 2007, 7, 81.	2.1	15
816	From genotype to phenotype and back. <i>Journal of Physiology</i> , 2007, 578, 7-8.	1.3	1
817	Isolation and characterization of Kit α -independent melanocyte precursors induced in the skin of Steel factor transgenic mice. <i>Development Growth and Differentiation</i> , 2008, 50, 63-69.	0.6	5
818	Interstitial cells of Cajal in health and disease. Part II: ICC and gastrointestinal stromal tumours. <i>Histopathology</i> , 2007, 50, 190-202.	1.6	32
819	Haematopoietic progenitor cells utilise conventional PKC to suppress PKB/Akt activity in response to c-Kit stimulation. <i>British Journal of Haematology</i> , 2007, 136, 260-268.	1.2	16
820	Integrative characterization of germ cell-specific genes from mouse spermatocyte UniGene library. <i>BMC Genomics</i> , 2007, 8, 256.	1.2	27

#	ARTICLE	IF	CITATIONS
821	Heterozygous Kit Mutants with Little or No Apparent Anemia Exhibit Large Defects in Overall Hematopoietic Stem Cell Function. <i>Experimental Hematology</i> , 2007, 35, 214.e1-214.e9.	0.2	48
822	Endogenous Cardiac Stem Cells. <i>Progress in Cardiovascular Diseases</i> , 2007, 50, 31-48.	1.6	229
823	Does a pleiotropic gene explain deafness and blue irises in white cats?. <i>Veterinary Journal</i> , 2007, 173, 548-553.	0.6	30
824	The RTK/RAS/BRAF/PI3K Pathways in Melanoma: Biology, Small Molecule Inhibitors, and Potential Applications. <i>Seminars in Oncology</i> , 2007, 34, 546-554.	0.8	56
825	Gastrointestinal stromal tumors: past, present, and future. <i>Journal of Gastroenterology</i> , 2008, 43, 499-508.	2.3	53
826	A mouse model of a human multiple GIST family with KIT Δ Asp820Tyr mutation generated by a knock Δ strategy. <i>Journal of Pathology</i> , 2008, 214, 302-311.	2.1	47
827	Iris as a recipient tissue for pigment cells: Organized in vivo differentiation of melanocytes and pigmented epithelium derived from embryonic stem cells in vitro. <i>Developmental Dynamics</i> , 2008, 237, 2394-2404.	0.8	8
828	Recent Advances in the Molecular Biology of Pigmentation: Mouse Models. <i>Pigment Cell & Melanoma Research</i> , 1990, 3, 67-78.	4.0	3
829	Activation of c-Kit in dendritic cells regulates T helper cell differentiation and allergic asthma. <i>Nature Medicine</i> , 2008, 14, 565-573.	15.2	191
830	Cells Isolated from the Epidermis by Hoechst Dye Exclusion, Small Size, and Negative Selection for Hematopoietic Markers Can Generate B Lymphocyte Precursors. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1386-1396.	0.3	3
831	Coat colour genes in diversity studies. <i>Journal of Animal Breeding and Genetics</i> , 2000, 117, 217-224.	0.8	4
832	An equine chromosome 3 inversion is associated with the tobiano spotting pattern in German horse breeds. <i>Animal Genetics</i> , 2008, 39, 306-309.	0.6	27
833	Myocardial Regeneration and Stem Cell Repair. <i>Current Problems in Cardiology</i> , 2008, 33, 91-153.	1.1	92
834	Characterization of eight novel proteins with male germ cell-specific expression in mouse. <i>Reproductive Biology and Endocrinology</i> , 2008, 6, 32.	1.4	6
835	Melanoma Biology and the Promise of Zebrafish. <i>Zebrafish</i> , 2008, 5, 247-255.	0.5	58
836	Homing of Mouse Spermatogonial Stem Cells to Germline Niche Depends on β 1-Integrin. <i>Cell Stem Cell</i> , 2008, 3, 533-542.	5.2	170
837	Melanocytes in Development, Regeneration, and Cancer. <i>Cell Stem Cell</i> , 2008, 3, 242-252.	5.2	133
838	Timeline and distribution of melanocyte precursors in the mouse heart. <i>Pigment Cell and Melanoma Research</i> , 2008, 21, 464-470.	1.5	70

#	ARTICLE	IF	CITATIONS
839	C-Kit and Its Ligand Stem Cell Factor: Potential Contribution to Prostate Cancer Bone Metastasis. <i>Neoplasia</i> , 2008, 10, 996-1003.	2.3	82
840	The Early Growth Response Factor-1 Contributes to Interleukin-13 Production by Mast Cells in Response to Stem Cell Factor Stimulation. <i>Journal of Immunotoxicology</i> , 2008, 5, 163-171.	0.9	9
841	Loss of the Transmembrane but not the Soluble Kit Ligand Isoform Increases Testicular Germ Cell Tumor Susceptibility in Mice. <i>Cancer Research</i> , 2008, 68, 5193-5197.	0.4	73
842	The Secreted Metalloprotease ADAMTS20 Is Required for Melanoblast Survival. <i>PLoS Genetics</i> , 2008, 4, e1000003.	1.5	102
843	Stem cell factor/c-Kit signalling in normal and androgenetic alopecia hair follicles. <i>Journal of Endocrinology</i> , 2008, 197, 11-23.	1.2	41
844	The Diacylglycerol-dependent Translocation of Ras Guanine Nucleotide-releasing Protein 4 inside a Human Mast Cell Line Results in Substantial Phenotypic Changes, Including Expression of Interleukin 13 Receptor $\beta 2$. <i>Journal of Biological Chemistry</i> , 2008, 283, 1610-1621.	1.6	14
845	Friend Virus Utilizes the BMP4-Dependent Stress Erythropoiesis Pathway To Induce Erythroleukemia. <i>Journal of Virology</i> , 2008, 82, 382-393.	1.5	22
846	Oncogenic Kit controls neoplastic mast cell growth through a Stat5/PI3-kinase signaling cascade. <i>Blood</i> , 2008, 112, 2463-2473.	0.6	97
847	Leydig Cell Hyperplasia in an ENU-induced Mutant Mouse with Germ Cell Depletion. <i>Journal of Reproduction and Development</i> , 2008, 54, 225-228.	0.5	11
848	Basonuclin-2 Requirements for Zebrafish Adult Pigment Pattern Development and Female Fertility. <i>PLoS Genetics</i> , 2009, 5, e1000744.	1.5	74
849	Erythropoietin Down-Regulates Stem Cell Factor Receptor (Kit) Expression in the Leukemic Proerythroblast: Role of Lyn Kinase. <i>PLoS ONE</i> , 2009, 4, e5721.	1.1	12
850	Dermatoscopic Findings of Cutaneous Mastocytosis. <i>Dermatology</i> , 2009, 218, 226-230.	0.9	39
851	Antigen-Induced Increases in Pulmonary Mast Cell Progenitor Numbers Depend on IL-9 and CD1d-Restricted NKT Cells. <i>Journal of Immunology</i> , 2009, 183, 5251-5260.	0.4	81
852	Mapping Loci Associated With Tail Color and Sex Determination in the Short-Lived Fish <i>Nothobranchius furzeri</i> . <i>Genetics</i> , 2009, 183, 1385-1395.	1.2	67
853	Essential Role of Stem Cell Factor Signaling in Primary Sensory Neuron Development. <i>Developmental Neuroscience</i> , 2009, 31, 202-211.	1.0	12
854	Development of primordial germ cells in the mouse*. <i>Andrologia</i> , 1992, 24, 243-247.	1.0	53
855	The receptors for regulatory molecules of hematopoiesis. <i>European Journal of Haematology</i> , 1992, 48, 1-9.	1.1	24
856	Lack of effect of corticosteroids in W/W ^v and Sl/Sl ^d mice: These strains are not a model for steroid-responsive Diamond-Blackfan anemia. <i>European Journal of Haematology</i> , 1993, 50, 275-278.	1.1	6

#	ARTICLE	IF	CITATIONS
857	Stem cell factor in aplastic anemia: <i>in vitro</i> expression in bone marrow stroma and fibroblast cultures. <i>European Journal of Haematology</i> , 1995, 54, 262-269.	1.1	14
858	Oncogenic signaling from the hematopoietic growth factor receptors c-Kit and Flt3. <i>Cellular Signalling</i> , 2009, 21, 1717-1726.	1.7	111
859	Kit and foxd3 genetically interact to regulate melanophore survival in zebrafish. <i>Developmental Dynamics</i> , 2009, 238, 875-886.	0.8	13
860	Mutation discovery in the mouse using genetically guided array capture and resequencing. <i>Mammalian Genome</i> , 2009, 20, 424-436.	1.0	29
861	Seven novel <i>KIT</i> mutations in horses with white coat colour phenotypes. <i>Animal Genetics</i> , 2009, 40, 623-629.	0.6	102
862	In vivo effect of imatinib on progression of cecal GIST-like tumors in exon 17-type c-kit knock-in mice. <i>Laboratory Investigation</i> , 2009, 89, 1161-1168.	1.7	5
863	Gastrointestinal stromal tumors (GISTs): a review. <i>Apmis</i> , 2009, 117, 73-86.	0.9	79
864	Comparison of mechanical and electrical activity and interstitial cells of Cajal in urinary bladders from wild-type and <i>W/W^v</i> mice. <i>British Journal of Pharmacology</i> , 2009, 156, 273-283.	2.7	44
865	CD34 is a Key Regulator of Hematopoietic Stem Cell Trafficking to Bone Marrow and Mast Cell Progenitor Trafficking in the Periphery. <i>Microcirculation</i> , 2009, 16, 487-496.	1.0	77
866	Unexpected Multipotency of Melanoblasts Isolated from Murine Skin. <i>Stem Cells</i> , 2009, 27, 888-897.	1.4	38
867	Pyrido[2,3-d]pyrimidin-5-ones: A Novel Class of Antiinflammatory Macrophage Colony-Stimulating Factor-1 Receptor Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 1081-1099.	2.9	37
868	A Canadian paediatric brain tumour consortium (CPBTC) phase II molecularly targeted study of imatinib in recurrent and refractory paediatric central nervous system tumours. <i>European Journal of Cancer</i> , 2009, 45, 2352-2359.	1.3	34
869	Mechanisms for reaching the differentiated state: Insights from neural crest-derived melanocytes. <i>Seminars in Cell and Developmental Biology</i> , 2009, 20, 105-110.	2.3	29
870	Not just black and white: Pigment pattern development and evolution in vertebrates. <i>Seminars in Cell and Developmental Biology</i> , 2009, 20, 72-81.	2.3	105
871	The c-kit signaling pathway is involved in the development of persistent pain. <i>Pain</i> , 2009, 144, 178-186.	2.0	22
872	Two distinct types of mouse melanocyte: differential signaling requirement for the maintenance of non-cutaneous and dermal versus epidermal melanocytes. <i>Development (Cambridge)</i> , 2009, 136, 2511-2521.	1.2	77
873	Biology of Hematopoietic Stem and Progenitor Cells. , 0, , 36-63.		1
874	Applications of Genomics in Melanoma Oncogene Discovery. <i>Hematology/Oncology Clinics of North America</i> , 2009, 23, 397-414.	0.9	26

#	ARTICLE	IF	CITATIONS
875	Direct crosstalk between mast cellâ€‘TNF and TNFR1-expressing endothelia mediates local tissue inflammation. <i>Blood</i> , 2009, 114, 1696-1706.	0.6	55
876	Wiskott-Aldrich syndrome protein is an effector of Kit signaling. <i>Blood</i> , 2009, 114, 2900-2908.	0.6	25
877	Growth of Primordial Oocytes in Neonatal and Adult Mammals. <i>Journal of Reproduction and Development</i> , 2010, 56, 559-566.	0.5	16
878	The genetic and evolutionary basis of colour variation in vertebrates. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 2591-2603.	2.4	94
879	Haematological parameters are normal in dominant white Franchesâ€‘Montagnes horses carrying a KIT mutation. <i>Veterinary Journal</i> , 2010, 184, 315-317.	0.6	12
880	Targeting KIT in melanoma: A paradigm of molecular medicine and targeted therapeutics. <i>Biochemical Pharmacology</i> , 2010, 80, 568-574.	2.0	129
881	Melanocytes in development and cancer. <i>Journal of Cellular Physiology</i> , 2010, 222, 38-41.	2.0	130
882	Surfing the wave, cycle, life history, and genes/proteins expressed by testicular germ cells. Part 1: Background to spermatogenesis, spermatogonia, and spermatocytes. <i>Microscopy Research and Technique</i> , 2010, 73, 241-278.	1.2	363
883	White spotting in Norway rats selected for tame behavior. <i>Journal of Zoology</i> , 2010, 280, 264-270.	0.8	7
884	Genetic heterogeneity at the bovine <i>KIT</i> gene in cattle breeds carrying different putative alleles at the <i>spotting</i> locus. <i>Animal Genetics</i> , 2010, 41, 295-303.	0.6	73
885	Human piebaldism: relationship between phenotype and site of kit gene mutation. <i>British Journal of Dermatology</i> , 1995, 132, 929-935.	1.4	38
886	c-Kit mutants require hypoxia-inducible factor 1 α to transform melanocytes. <i>Oncogene</i> , 2010, 29, 227-236.	2.6	70
887	Signaling of c-kit in dendritic cells influences adaptive immunity. <i>Annals of the New York Academy of Sciences</i> , 2010, 1183, 104-122.	1.8	52
888	Mast Cells in Allergic Asthma and Beyond. <i>Yonsei Medical Journal</i> , 2010, 51, 797.	0.9	38
889	Inflammatory Effector Cells/Cell Migration. , 2010, , 52-67.		1
890	Kit System in the Zebrafish Ovary: Evidence for Functional Divergence of Two Isoforms of Kit (Kita and) Tj ETQq1 1 1216-1226.	0.784314 1.2	rgBT /Over 23
891	Analysis of SNPs in the KIT gene of cattle with different coat colour patterns and perspectives to use these markers for breed traceability and authentication of beef and dairy products. <i>Italian Journal of Animal Science</i> , 2010, 9, .	0.8	25
892	Role of miR-34c microRNA in the late steps of spermatogenesis. <i>Rna</i> , 2010, 16, 720-731.	1.6	239

#	ARTICLE	IF	CITATIONS
893	Bidirectional communication between oocytes and follicle cells: ensuring oocyte developmental competence. <i>Canadian Journal of Physiology and Pharmacology</i> , 2010, 88, 399-413.	0.7	236
894	Transmission distortion by loss of p21 or p27 cyclin-dependent kinase inhibitors following competitive spermatogonial transplantation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 6210-6215.	3.3	35
895	KIT ligand and bone morphogenetic protein signaling enhances human embryonic stem cell to germ-like cell differentiation. <i>Human Reproduction</i> , 2010, 25, 168-178.	0.4	73
896	Novel insights into the cellular basis of atrial fibrillation. <i>Expert Review of Cardiovascular Therapy</i> , 2010, 8, 907-916.	0.6	5
897	Mutations in the c-Kit Gene Disrupt Mitogen-Activated Protein Kinase Signaling during Tumor Development in Adenoid Cystic Carcinoma of the Salivary Glands. <i>Neoplasia</i> , 2010, 12, 708-717.	2.3	39
898	A novel mutation in the kinase domain of KIT in an Indian family with a mild piebaldism phenotype. <i>Journal of Dermatological Science</i> , 2010, 59, 206-209.	1.0	4
899	Kit ligand cytoplasmic domain is essential for basolateral sorting in vivo and has roles in spermatogenesis and hematopoiesis. <i>Developmental Biology</i> , 2010, 337, 199-210.	0.9	13
900	Identification of a novel nonsense mutation on the Pax3 gene in ENU-derived white belly spotting mice and its genetic interaction with c-Kit. <i>Pigment Cell and Melanoma Research</i> , 2010, 23, 252-262.	1.5	14
901	Gastrointestinal Tract Disorder in Natriuretic Peptide Receptor B Gene Mutant Mice. <i>American Journal of Pathology</i> , 2010, 177, 822-828.	1.9	23
904	Optimization of a Potent Class of Arylamide Colony-Stimulating Factor-1 Receptor Inhibitors Leading to Anti-inflammatory Clinical Candidate 4-Cyano-N-[2-(1-cyclohexen-1-yl)-4-[1-[(dimethylamino)acetyl]-4-piperidinyl]phenyl]-1H-imidazole-2-carboxamide (IN-28312141). <i>Journal of Medicinal Chemistry</i> , 2011, 54, 7860-7883.	2.9	30
905	Hematopoietic Growth Factors in Oncology. <i>Cancer Treatment and Research</i> , 2011, , .	0.2	5
906	Stem cell factor/c-kit signaling enhances invasion of pancreatic cancer cells via HIF-1 α under normoxic condition \dagger . <i>Cancer Letters</i> , 2011, 303, 108-117.	3.2	42
907	How are proliferation and differentiation of melanocytes regulated?. <i>Pigment Cell and Melanoma Research</i> , 2011, 24, 462-478.	1.5	129
908	Interstitial cells of Cajal in the gastrointestinal musculature of Wjic c-kit mutant mice. <i>Journal of Smooth Muscle Research</i> , 2011, 47, 111-121.	0.7	19
909	Myeloproliferative neoplasms. , 0, , 217-244.		0
910	Stress erythropoiesis: new signals and new stress progenitor cells. <i>Current Opinion in Hematology</i> , 2011, 18, 139-145.	1.2	193
911	Mast Cell Development and Biostresses: Different Stromal Responses in Bone Marrow and Spleen after Treatment of Myeloablater, 5-Fluorouracil, and Inflammatory Stressor, Lipopolysaccharide. <i>Biological and Pharmaceutical Bulletin</i> , 2011, 34, 1533-1541.	0.6	6
912	Asymptomatic red β -brown macules distributed symmetrically over the torso, upper arms, and thighs. <i>International Journal of Dermatology</i> , 2011, 50, 1067-1070.	0.5	1

#	ARTICLE	IF	CITATIONS
913	Five novel <i>KIT</i> mutations in horses with white coat colour phenotypes. <i>Animal Genetics</i> , 2011, 42, 337-339.	0.6	32
914	Tumor-intrinsic and -extrinsic roles of c-Kit: mast cells as the primary off-target of tyrosine kinase inhibitors. <i>Oncogene</i> , 2011, 30, 757-769.	2.6	70
915	The Notch2/Jagged1 interaction mediates stem cell factor signaling in erythropoiesis. <i>Cell Death and Differentiation</i> , 2011, 18, 371-380.	5.0	23
916	Expression of a sperm flagellum component encoded by the <i>Als2cr12</i> gene. <i>Gene Expression Patterns</i> , 2011, 11, 327-333.	0.3	8
917	Characterization of an alternative splicing by a NAGNAG splice acceptor site in the porcine <i>KIT</i> gene. <i>Genes and Genomics</i> , 2011, 33, 179-186.	0.5	2
918	Low Level of c-Kit Expression Marks Deeply Quiescent Murine Hematopoietic Stem Cells. <i>Stem Cells</i> , 2011, 29, 1783-1791.	1.4	29
919	Cutaneous melanoma: A model to study cancer metastasis. <i>Journal of Surgical Oncology</i> , 2011, 103, 538-549.	0.8	38
920	<i>KITLG</i> Mutations Cause Familial Progressive Hyper- and Hypopigmentation. <i>Journal of Investigative Dermatology</i> , 2011, 131, 1234-1239.	0.3	54
921	Genetic Variation Determines Mast Cell Functions in Experimental Asthma. <i>Journal of Immunology</i> , 2011, 186, 7225-7231.	0.4	37
922	Epigenetics: prenatal exposure to genistein leaves a permanent signature on the hematopoietic lineage. <i>FASEB Journal</i> , 2011, 25, 797-807.	0.2	85
923	Prevention of Chemotherapy-Induced Anemia and Thrombocytopenia by Constant Administration of Stem Cell Factor. <i>Clinical Cancer Research</i> , 2011, 17, 6185-6191.	3.2	24
924	Mutations in <i>MITF</i> and <i>PAX3</i> Cause "Splashed White" and Other White Spotting Phenotypes in Horses. <i>PLoS Genetics</i> , 2012, 8, e1002653.	1.5	124
925	Age-related decline of mast cell regeneration in senescence-accelerated mice (SAMP1) after chemical myeloablation due to senescent stromal cell impairment. <i>Experimental Biology and Medicine</i> , 2012, 237, 1289-1297.	1.1	23
927	A Novel <i>Kit</i> Gene Mutation in CF1 Mice Involved in the Extracellular Domain of the <i>KIT</i> Protein. <i>Experimental Animals</i> , 2012, 61, 435-444.	0.7	3
928	Immunoreactivity of c-kit Receptor Protein during the Prehibernation Period in the Oviduct of the Chinese Brown Frog, <i>Rana chensinensis</i> . <i>Journal of Veterinary Medical Science</i> , 2012, 74, 209-213.	0.3	12
929	Mammalian Developmental Genetics in the Twentieth Century. <i>Genetics</i> , 2012, 192, 1151-1163.	1.2	9
930	Stem Cell Factor Receptor/c-Kit: From Basic Science to Clinical Implications. <i>Physiological Reviews</i> , 2012, 92, 1619-1649.	13.1	634
931	Role of mast cells in colorectal cancer development, the jury is still out. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012, 1822, 9-13.	1.8	31

#	ARTICLE	IF	CITATIONS
932	Reconstitution of Mouse Spermatogonial Stem Cell Niches in Culture. <i>Cell Stem Cell</i> , 2012, 11, 567-578.	5.2	104
933	Retinoic acid metabolism links the periodical differentiation of germ cells with the cycle of Sertoli cells in mouse seminiferous epithelium. <i>Mechanisms of Development</i> , 2012, 128, 610-624.	1.7	119
934	The Role of EMT Modulators in Hematopoiesis and Leukemic Transformation. , 0, , .		1
935	Café-au-lait macules and intertriginous freckling in piebaldism: Clinical overlap with neurofibromatosis type 1 and Legius syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2012, 158A, 1195-1199.	0.7	23
936	Efficient Enhancement of Lentiviral Transduction Efficiency in Murine Spermatogonial Stem Cells. <i>Molecules and Cells</i> , 2012, 33, 449-456.	1.0	9
937	Exclusion of candidate genes for coat colour phenotypes of the American mink (<i>Novis vison</i>). <i>Animal Genetics</i> , 2012, 43, 813-816.	0.6	3
938	Decoding the Disease-Associated Proteins Encoded in the Human Chromosome 4. <i>Journal of Proteome Research</i> , 2013, 12, 33-44.	1.8	9
939	Abnormalities of Pigmentation. , 2013, , 1-44.		6
940	Enrichment of Mouse Spermatogonial Stem Cells Based on Aldehyde Dehydrogenase Activity1. <i>Biology of Reproduction</i> , 2013, 89, 140.	1.2	16
941	Insights into mast cell functions in asthma using mouse models. <i>Pulmonary Pharmacology and Therapeutics</i> , 2013, 26, 532-539.	1.1	33
942	Primordial Germ-Cell Development and Epigenetic Reprogramming in Mammals. <i>Current Topics in Developmental Biology</i> , 2013, 104, 149-187.	1.0	109
943	Molecular and cellular pathogenesis of melanoma initiation and progression. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 4055-4065.	2.4	51
944	Nuclear localization of the actin regulatory protein palladin in sertoli cells. <i>Molecular Reproduction and Development</i> , 2013, 80, 403-413.	1.0	10
945	C-kit-mutated melanomas. <i>Current Opinion in Oncology</i> , 2013, 25, 160-165.	1.1	15
946	Protein Kinase C- δ -Mediated Recycling of Active KIT in Colon Cancer. <i>Clinical Cancer Research</i> , 2013, 19, 4961-4971.	3.2	22
947	Mast Cell-deficient <i>Kit^{W-sh}</i> α -Sash ⁺ Mutant Mice Display Aberrant Myelopoiesis Leading to the Accumulation of Splenocytes That Act as Myeloid-Derived Suppressor Cells. <i>Journal of Immunology</i> , 2013, 190, 5534-5544.	0.4	36
948	On the embryonic origin of adult melanophores: the role of ErbB and Kit signalling in establishing melanophore stem cells in zebrafish. <i>Development (Cambridge)</i> , 2013, 140, 1003-1013.	1.2	135
949	Kit signaling is involved in melanocyte stem cell fate decisions in zebrafish embryos. <i>Development (Cambridge)</i> , 2013, 140, 996-1002.	1.2	24

#	ARTICLE	IF	CITATIONS
950	Melanoma Mutagenesis and Aberrant Cell Signaling. <i>Cancer Control</i> , 2013, 20, 261-281.	0.7	29
951	Cryopreservation in Trehalose Preserves Functional Capacity of Murine Spermatogonial Stem Cells. <i>PLoS ONE</i> , 2013, 8, e54889.	1.1	56
952	Identification and Characterization of Germ Cell Genes Expressed in the F9 Testicular Teratoma Stem Cell Line. <i>PLoS ONE</i> , 2014, 9, e103837.	1.1	15
953	Inflammation induced by mast cell deficiency rather than the loss of interstitial cells of Cajal causes smooth muscle dysfunction in W/W ^v mice. <i>Frontiers in Physiology</i> , 2014, 5, 22.	1.3	8
954	Development of Mast Cells and Importance of Their Tryptase and Chymase Serine Proteases in Inflammation and Wound Healing. <i>Advances in Immunology</i> , 2014, 122, 211-252.	1.1	127
955	Neural Crest Cells in Ear Development. , 2014, , 167-187.		5
956	Neurocristopathies. , 2014, , 361-394.		16
957	<scp>C</scp>re<scp>ER</scp>^{T2} expression from within the câ€<scp>K</scp>it gene locus allows efficient inducible gene targeting in and ablation of mast cells. <i>European Journal of Immunology</i> , 2014, 44, 296-306.	1.6	26
958	Genes on B chromosomes of vertebrates. <i>Molecular Cytogenetics</i> , 2014, 7, 99.	0.4	40
959	The Genetic Inheritance of the Blue-eyed White Phenotype in Alpacas (<i>Vicugna pacos</i>). <i>Journal of Heredity</i> , 2014, 105, 941-951.	1.0	24
960	The Multifaceted Mast Cell in Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 2364-2378.	0.9	62
961	Spatial and temporal expression of c-Kit in the development of the murine submandibular gland. <i>Journal of Molecular Histology</i> , 2014, 45, 381-389.	1.0	9
962	Mast cell ontogeny: An historical overview. <i>Immunology Letters</i> , 2014, 159, 11-14.	1.1	38
963	Perspectives on Auditory Research. <i>Springer Handbook of Auditory Research</i> , 2014, , .	0.3	9
964	Generation of male germ cells from mouse induced pluripotent stem cells in vitro. <i>Stem Cell Research</i> , 2014, 12, 517-530.	0.3	36
965	The biology of melanocyte and melanocyte stem cell. <i>Acta Biochimica Et Biophysica Sinica</i> , 2014, 46, 255-260.	0.9	11
966	Comparative analysis of the domestic cat genome reveals genetic signatures underlying feline biology and domestication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 17230-17235.	3.3	281
967	The SCF/c-KIT system in the male: Survival strategies in fertility and cancer. <i>Molecular Reproduction and Development</i> , 2014, 81, 1064-1079.	1.0	31

#	ARTICLE	IF	CITATIONS
968	Toward a better understanding of gastrointestinal nitrenergic neuromuscular transmission. <i>Neurogastroenterology and Motility</i> , 2014, 26, 901-912.	1.6	23
969	Interstitial Cells: Regulators of Smooth Muscle Function. <i>Physiological Reviews</i> , 2014, 94, 859-907.	13.1	365
970	Existence of c-Kit negative cells with ultrastructural features of interstitial cells of Cajal in the subserosal layer of the <i>W/W ^v </i> mutant mouse colon. <i>Journal of Smooth Muscle Research</i> , 2015, 51, 1-9.	0.7	14
971	Development of the stria vascularis and potassium regulation in the human fetal cochlea: Insights into hereditary sensorineural hearing loss. <i>Developmental Neurobiology</i> , 2015, 75, 1219-1240.	1.5	80
972	Zebrafish Stripes as a Model for Vertebrate Colour Pattern Formation. <i>Current Biology</i> , 2015, 25, R81-R92.	1.8	175
973	Receptor Tyrosine Kinase Signaling. <i>Current Topics in Developmental Biology</i> , 2015, 111, 135-182.	1.0	24
974	Functional Differences between GDNF-Dependent and FGF2-Dependent Mouse Spermatogonial Stem Cell Self-Renewal. <i>Stem Cell Reports</i> , 2015, 4, 489-502.	2.3	142
975	Platinum coat color in red fox (<i>Vulpes vulpes</i>) is caused by a mutation in an autosomal copy ofKIT. <i>Animal Genetics</i> , 2015, 46, 190-199.	0.6	13
976	c-kit plays a critical role in induction of intravenous tolerance in experimental autoimmune encephalomyelitis. <i>Immunologic Research</i> , 2015, 61, 294-302.	1.3	8
977	Conditional Deletion of Kit in Melanocytes: White Spotting Phenotype Is Cell Autonomous. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1829-1838.	0.3	16
978	Allelic Mutations of KITLG, Encoding KIT Ligand, Cause Asymmetric and Unilateral Hearing Loss and Waardenburg Syndrome Type 2. <i>American Journal of Human Genetics</i> , 2015, 97, 647-660.	2.6	55
979	The PDGFR Receptor Family. , 2015, , 373-538.		2
980	Two variants in the<i>KIT</i>gene as candidate causative mutations for a dominant white and a white spotting phenotype in the donkey. <i>Animal Genetics</i> , 2015, 46, 321-324.	0.6	17
981	Epigenetic Mechanisms and Inheritance of Acquired Susceptibility to Disease. , 2016, , 531-552.		1
982	Suppression of c-Kit signaling induces adult neurogenesis in the mouse intestine after myenteric plexus ablation with benzalkonium chloride. <i>Scientific Reports</i> , 2016, 6, 32100.	1.6	7
983	Mast cells and IgE in defense against venoms: Possible "good side" of allergy?. <i>Allergology International</i> , 2016, 65, 3-15.	1.4	58
984	Tracheal Smooth Muscle Cells Stimulated by Stem Cell Factor-c-Kit Coordinate the Production of Transforming Growth Factor- β 1 and Fibroblast Growth Factor-2 Mediated by Chemokine (C-C Motif) Ligand 3. <i>Journal of Interferon and Cytokine Research</i> , 2016, 36, 401-411.	0.5	2
985	Low c-Kit Expression Level Induced by Stem Cell Factor Does Not Compromise Transplantation of Hematopoietic Stem Cells. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1167-1172.	2.0	8

#	ARTICLE	IF	CITATIONS
986	Behavioral associations with breed, coat type, and eye color in single-breed cats. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2016, 13, 80-87.	0.5	53
987	In Utero Stem Cell Transplantation. <i>Pancreatic Islet Biology</i> , 2016, , 317-337.	0.1	10
989	Activated c-Kit receptor in the heart promotes cardiac repair and regeneration after injury. <i>Cell Death and Disease</i> , 2016, 7, e2317-e2317.	2.7	38
990	Reconciling diverse mammalian pigmentation patterns with a fundamental mathematical model. <i>Nature Communications</i> , 2016, 7, 10288.	5.8	53
991	The Mast Cell-IgE Paradox. <i>American Journal of Pathology</i> , 2016, 186, 212-224.	1.9	71
992	Inflammatory and Effector Cells/Cell Migration. , 2016, , 41-53.e4.		3
993	Differentiation of Mouse Primordial Germ Cells into Functional Oocytes In Vitro. <i>Annals of Biomedical Engineering</i> , 2017, 45, 1608-1619.	1.3	10
994	ETV2/ER71 regulates hematopoietic regeneration by promoting hematopoietic stem cell proliferation. <i>Journal of Experimental Medicine</i> , 2017, 214, 1643-1653.	4.2	22
995	From fish bowl to bedside: The power of zebrafish to unravel melanoma pathogenesis and discover new therapeutics. <i>Pigment Cell and Melanoma Research</i> , 2017, 30, 402-412.	1.5	52
997	Insights from zebrafish on human pigment cell disease and treatment. <i>Developmental Dynamics</i> , 2017, 246, 889-896.	0.8	26
998	ETS transcription factor ETV2/ER71/Etsrp in hematopoietic and vascular development, injury, and regeneration. <i>Developmental Dynamics</i> , 2017, 246, 318-327.	0.8	5
999	MAPK and PI3K signaling: At the crossroads of neural crest development. <i>Developmental Biology</i> , 2018, 444, S79-S97.	0.9	47
1000	ETS transcription factor ETV2/ER71/Etsrp in haematopoietic regeneration. <i>Current Opinion in Hematology</i> , 2018, 25, 253-258.	1.2	4
1001	Kit W-sh Mutation Prevents Cancellous Bone Loss during Calcium Deprivation. <i>Calcified Tissue International</i> , 2018, 102, 93-104.	1.5	3
1002	Genome-Wide Association Studies Identify Candidate Genes for Coat Color and Mohair Traits in the Iranian Markhoz Goat. <i>Frontiers in Genetics</i> , 2018, 9, 105.	1.1	76
1003	Controlling Mast Cell Activation and Homeostasis: Work Influenced by Bill Paul That Continues Today. <i>Frontiers in Immunology</i> , 2018, 9, 868.	2.2	57
1004	Profiling of testis-specific long noncoding RNAs in mice. <i>BMC Genomics</i> , 2018, 19, 539.	1.2	67
1005	Neuroblastoma Origin and Therapeutic Targets for Immunotherapy. <i>Journal of Immunology Research</i> , 2018, 2018, 1-25.	0.9	100

#	ARTICLE	IF	CITATIONS
1006	A non-synonymous <sc>SNP</sc> in exon 3 of the <i><sc>KIT</sc></i> gene is responsible for the classic grey phenotype in alpacas (<i>Vicugna pacos</i>). <i>Animal Genetics</i> , 2019, 50, 493-500.	0.6	18
1007	Cytokines, Growth Factors, and POMC Peptides. , 2019, , 303-312.		0
1008	A novel KIT mutation in a family with expanded syndrome of piebaldism. <i>JAAD Case Reports</i> , 2019, 5, 627-631.	0.4	4
1009	Mast cells drive IgE-mediated disease but might be bystanders in many other inflammatory and neoplastic conditions. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, S19-S30.	1.5	24
1010	Zebrafish Pigment Pattern Formation: Insights into the Development and Evolution of Adult Form. <i>Annual Review of Genetics</i> , 2019, 53, 505-530.	3.2	108
1011	Differential expression of <i>MC1R</i> gene in Liaoning Cashmere goats with different coat colors. <i>Animal Biotechnology</i> , 2019, 30, 273-278.	0.7	7
1012	c-kit Haploinsufficiency impairs adult cardiac stem cell growth, myogenicity and myocardial regeneration. <i>Cell Death and Disease</i> , 2019, 10, 436.	2.7	43
1013	Cdrom Archive: A Gateway to Study Camel Phenotypes. <i>Frontiers in Genetics</i> , 2019, 10, 48.	1.1	10
1014	Maintenance of Melanocyte Stem Cell Quiescence by GABA-A Signaling in Larval Zebrafish. <i>Genetics</i> , 2019, 213, 555-566.	1.2	7
1015	Selection signatures in goats reveal copy number variants underlying breed-defining coat color phenotypes. <i>PLoS Genetics</i> , 2019, 15, e1008536.	1.5	50
1016	KIT as a therapeutic target for non-oncological diseases. , 2019, 197, 11-37.		14
1017	From Tank to Treatment: Modeling Melanoma in Zebrafish. <i>Cells</i> , 2020, 9, 1289.	1.8	17
1018	Mast cells and IgE in defense against lethality of venoms: Possible "benefit" of allergy. <i>Allergo Journal International</i> , 2020, 29, 46-62.	0.9	22
1019	Coat Color Roan Shows Association with KIT Variants and No Evidence of Lethality in Icelandic Horses. <i>Genes</i> , 2020, 11, 680.	1.0	4
1020	Dissecting the Role of Subtypes of Gastrointestinal Vagal Afferents. <i>Frontiers in Physiology</i> , 2020, 11, 643.	1.3	44
1021	Pigment Intensity in Dogs is Associated with a Copy Number Variant Upstream of KITLG. <i>Genes</i> , 2020, 11, 75.	1.0	27
1022	Stem cell factor induces mast cell degranulation and proliferation independent of CD81 receptor. , 2020, , 15-20.		0
1024	Conversion from spermatogonia to spermatocytes: Extracellular cues and downstream transcription network. <i>Gene</i> , 2021, 764, 145080.	1.0	3

#	ARTICLE	IF	CITATIONS
1025	Building the Next Generation of Humanized Hemato-Lymphoid System Mice. <i>Frontiers in Immunology</i> , 2021, 12, 643852.	2.2	41
1026	Exon-1 skipping and intron-1 retaining by alternative splicing of the c-KIT gene encodes a novel splice variant in the skin of Merino sheep (<i>Ovis aries</i>). <i>Molecular Biology Reports</i> , 2021, 48, 4987-4994.	1.0	1
1027	A retroviral insertion in the tyrosinase (TYR) gene is associated with the recessive white plumage color in the Yeonsan Ogye chicken. <i>Journal of Animal Science and Technology</i> , 2021, 63, 751-758.	0.8	7
1028	Pimlitespib is effective on cecal GIST in a mouse model of familial GISTs with KIT-Asp820Tyr mutation through KIT signaling inhibition. <i>Experimental and Molecular Pathology</i> , 2021, 123, 104692.	0.9	5
1030	Embryonic Germ Cell Lines and Their Derivation from Mouse Primordial Germ Cells. <i>Novartis Foundation Symposium</i> , 1994, 182, 157-178.	1.2	40
1031	Extracutaneous Melanocytes. , 0, , 91-107.		8
1032	Regulation of Melanoblast Migration and Differentiation. , 0, , 108-139.		17
1033	Melanoblast Development and Associated Disorders. , 0, , 140-154.		4
1035	Testicular Teratomas: Back to Pluripotent Stem Cells. , 2005, 40, 133-150.		4
1036	Early-Acting Hematopoietic Growth Factors: Biology and Clinical Experience. <i>Cancer Treatment and Research</i> , 2010, 157, 11-31.	0.2	6
1037	New Insights into "The Riddle of the Mast Cells" Microenvironmental Regulation of Mast Cell Development and Phenotypic Heterogeneity. , 1990, , 49-77.		186
1038	The Regulation of Mast Cell and Basophil Development by the Kit Ligand, SCF, and IL-3. , 1999, , 11-30.		7
1039	The c-kit Receptor and the mi Transcription Factor: Two Important Molecules for Mast Cell Development. , 1999, , 31-38.		6
1040	Approaches to Understanding the Molecular Genetics of Hearing and Deafness. <i>Springer Handbook of Auditory Research</i> , 1996, , 10-40.	0.3	3
1041	Models for Pigment Pattern Formation in the Skin of Fishes. <i>The IMA Volumes in Mathematics and Its Applications</i> , 2001, , 59-81.	0.5	8
1042	What's the Use of Genetics?. <i>Springer Handbook of Auditory Research</i> , 2014, , 569-584.	0.3	5
1043	Specific-Locus Mutation Tests in Germ Cells of the Mouse: An Assessment of the Screening Procedures and the Mutational Events Detected. , 1994, , 23-36.		8
1044	Regulation of the Early Development of the Nervous System by Growth Factors. , 1992, , 1-21.		1

#	ARTICLE	IF	CITATIONS
1045	The cell surface receptor encoded by the proto-oncogene KIT and its ligand. <i>Cancer Treatment and Research</i> , 1993, 64, 45-77.	0.2	8
1046	Cytokines at the Maternal Fetal Interface: Colony Stimulating Factor-1 as a Paradigm for the Maternal Regulation of Pregnancy. , 1991, , 107-118.		4
1047	B-Lymphocyte Lineage-Committed, IL-7 and Stroma Cell- Reactive Progenitors and Precursors, and Their Differentiation to B Cells. <i>Advances in Experimental Medicine and Biology</i> , 1992, 323, 111-117.	0.8	9
1048	Lineage Relationships Between B Lymphocytes and Macrophages. , 1998, , 267-283.		1
1049	Genetic Disorders of Pigmentation. , 1994, 22, 1-45.		75
1050	Retroviruses and Oncogenes. , 1995, , 293-408.		10
1051	The Role of the C-Kit/Kit Ligand Axis in Mammalian Gametogenesis. , 2001, , 147-163.		3
1052	The Origin and Development of Neural Crest-Derived Melanocytes. , 2006, , 3-26.		5
1053	Selecting Patients for KIT Inhibition in Melanoma. <i>Methods in Molecular Biology</i> , 2014, 1102, 137-162.	0.4	4
1054	Molecular Biology of Friend Viral Erythroleukemia. <i>Current Topics in Microbiology and Immunology</i> , 1989, 148, 1-42.	0.7	191
1055	Relationships Between Oncogenes and Growth Control. <i>Handbook of Experimental Pharmacology</i> , 1990, , 655-703.	0.9	5
1056	Oligonucleotide-Based Therapeutics of Human Malignancies. <i>Nucleic Acids and Molecular Biology</i> , 1994, , 298-326.	0.2	9
1057	Development and Regulation of the B Lymphocyte Lineage: An Interpretive Overview. , 1989, , 305-315.		11
1058	Growth Regulation in Normal and Malignant Melanocytes. <i>Recent Results in Cancer Research</i> , 1993, 128, 133-150.	1.8	11
1059	Expression of Proto-Oncogenes and Protein Kinases in the Testis. , 1992, , 201-224.		3
1062	KIT as an Oncogenic Driver in Melanoma: An Update on Clinical Development. <i>American Journal of Clinical Dermatology</i> , 2019, 20, 315-323.	3.3	64
1063	Paracrine Mechanisms in Testicular Control. , 1993, , 271-310.		41
1064	Signal Transduction by the Colony-Stimulating Factor-1 Receptor; Comparison to Other Receptor Tyrosine Kinases. <i>Current Topics in Cellular Regulation</i> , 1992, 32, 73-181.	9.6	9

#	ARTICLE	IF	CITATIONS
1065	Immune-Deficient Mice as Models for Human Hematopoietic Disease. , 1991, 1, 77-115.		6
1066	Regulation of B-cell differentiation by stromal cells. , 1995, , 103-128.		1
1067	Regulation of Mast Cell and Basophil Development by Stem Cell Factor and Interleukin-3. , 2000, , 3-20.		6
1068	Gain-of-function Mutations of c-kit in Human Diseases. , 2000, , 21-29.		4
1069	Functional Morphology of the Testis. , 2010, , 2440-2468.		2
1070	Analysis of KIT (CD117) expression in gallbladder carcinomas by tissue microarray. European Journal of Surgical Oncology, 2004, 30, 847-850.	0.5	4
1071	Tyrosine residue 719 of the c-kit receptor is essential for binding of the P85 subunit of phosphatidylinositol (PI) 3-kinase and for c-kit-associated PI 3-kinase activity in COS-1 cells.. Journal of Biological Chemistry, 1994, 269, 6026-6030.	1.6	126
1072	Mechanism of down-regulation of c-kit receptor. Roles of receptor tyrosine kinase, phosphatidylinositol 3'-kinase, and protein kinase C.. Journal of Biological Chemistry, 1994, 269, 31991-31998.	1.6	137
1073	Differential effects of W mutations on p145c-kit tyrosine kinase activity and substrate interaction.. Journal of Biological Chemistry, 1992, 267, 13210-13216.	1.6	30
1074	Primary structure and chromosomal localization of human and mouse rod photoreceptor cGMP-gated cation channel.. Journal of Biological Chemistry, 1992, 267, 6257-6262.	1.6	100
1075	Soluble c-kit proteins and antireceptor monoclonal antibodies confine the binding site of the stem cell factor.. Journal of Biological Chemistry, 1993, 268, 4399-4406.	1.6	58
1076	Substrate phosphorylation specificity of the human c-kit receptor tyrosine kinase.. Journal of Biological Chemistry, 1991, 266, 19908-19916.	1.6	55
1077	Glycosylated and unglycosylated recombinant-derived human stem cell factors are dimeric and have extensive regular secondary structure.. Journal of Biological Chemistry, 1991, 266, 18942-18948.	1.6	99
1078	The fatty liver dystrophy (fld) mutation. Journal of Biological Chemistry, 1989, 264, 7994-8003.	1.6	125
1079	Amino acid sequence and post-translational modification of stem cell factor isolated from buffalo rat liver cell-conditioned medium. Journal of Biological Chemistry, 1991, 266, 8102-8107.	1.6	70
1080	A helix-loop-helix transcription factor-like gene is located at the mi locus.. Journal of Biological Chemistry, 1993, 268, 20687-20690.	1.6	231
1081	Steel factor stimulates the tyrosine phosphorylation of the proto-oncogene product, p95vav, in human hemopoietic cells.. Journal of Biological Chemistry, 1992, 267, 18021-18025.	1.6	118
1082	Dimerization and activation of the kit receptor by monovalent and bivalent binding of the stem cell factor.. Journal of Biological Chemistry, 1992, 267, 15970-15977.	1.6	138

#	ARTICLE	IF	CITATIONS
1083	Isolation and characterization of a novel receptor-type protein tyrosine kinase (hek) from a human pre-B cell line.. Journal of Biological Chemistry, 1992, 267, 3262-3267.	1.6	84
1084	Naturally occurring mutations in mice affecting lipid transport and metabolism.. Journal of Lipid Research, 1996, 37, 1387-1405.	2.0	47
1085	Cellular interactions that control primordial follicle development and folliculogenesis. Journal of the Society for Gynecologic Investigation, 2001, 8, S17-S20.	1.9	69
1086	Coat colour genes in diversity studies. Journal of Animal Breeding and Genetics, 2000, 117, 217-224.	0.8	20
1087	The Agouti gene: a positional candidate for recessive self-colour pigmentation in Australian Merino sheep. Australian Journal of Agricultural Research, 1999, 50, 1099.	1.5	18
1088	Cloning, sequencing and expression of stem cell factor (c-kit ligand) cDNA of brushtail possum (<i>Trichosurus vulpecula</i>). Reproduction, Fertility and Development, 1996, 8, 789.	0.1	5
1089	A molecular genetic linkage map of mouse chromosome 9 with regional localizations for the Gsta, T3g, Ets-1 and Ldlr loci.. Genetics, 1989, 123, 165-172.	1.2	57
1090	Evidence for mitotic recombination in <i>Wei/+</i> heterozygous mice.. Genetics, 1990, 125, 175-182.	1.2	24
1091	A genetic linkage map of mouse chromosome 10: localization of eighteen molecular markers using a single interspecific backcross.. Genetics, 1990, 125, 855-866.	1.2	94
1092	The <i>Drosophila</i> clathrin heavy chain gene: clathrin function is essential in a multicellular organism.. Genetics, 1993, 134, 1119-1134.	1.2	94
1093	Multiple Pathways for <i>Steel</i> Regulation Suggested by Genomic and Sequence Analysis of the Murine <i>Steel</i> Gene. Genetics, 1996, 142, 927-934.	1.2	26
1094	Deletion and Interallelic Complementation Analysis of Steel Mutant Mice. Genetics, 1996, 142, 935-944.	1.2	31
1095	The Mouse <i>Clock</i> Mutation Behaves as an Antimorph and Maps Within the <i>W19H</i> Deletion, Distal of <i>Kit</i> . Genetics, 1997, 146, 1049-1060.	1.2	156
1096	Unexpectedly High Allelic Diversity at the <i>KIT</i> Locus Causing Dominant White Color in the Domestic Pig. Genetics, 2002, 160, 305-311.	1.2	137
1097	One Hundred Years of Mouse Genetics: An Intellectual History. II. The Molecular Revolution (1981-2002). Genetics, 2003, 163, 1227-1235.	1.2	80
1098	The Role of Growth Factor Receptors in Central Nervous System Development and Neoplasia. Neurosurgery, 1995, 37, 179-194.	0.6	1
1099	White Mutants in Mice Shedding Light on Humans.. Journal of Investigative Dermatology, 1993, 100, 176S-185S.	0.3	9
1100	Susceptibility of mast cell-deficient <i>W/W^v</i> mice to <i>Cryptosporidium parvum</i> . Infection and Immunity, 1991, 59, 718-720.	1.0	12

#	ARTICLE	IF	CITATIONS
1101	Myeloid Expression of the Human <i>c-fps/fes</i> Proto-Oncogene in Transgenic Mice. <i>Molecular and Cellular Biology</i> , 1990, 10, 2521-2527.	1.1	32
1102	A dominant negative mutation suppresses the function of normal epidermal growth factor receptors by heterodimerization. <i>Molecular and Cellular Biology</i> , 1991, 11, 1454-1463.	1.1	89
1103	The <i>Steel/W</i> Transduction Pathway: Kit Autophosphorylation and Its Association with a Unique Subset of Cytoplasmic Signaling Proteins Is Induced by the Steel Factor. <i>Molecular and Cellular Biology</i> , 1991, 11, 3043-3051.	1.1	73
1104	Interspecies Molecular Chimeras of Kit Help Define the Binding Site of the Stem Cell Factor. <i>Molecular and Cellular Biology</i> , 1993, 13, 2224-2234.	1.1	21
1105	Association of hematopoietic cell phosphatase with c-Kit after stimulation with c-Kit ligand. <i>Molecular and Cellular Biology</i> , 1993, 13, 3350-3358.	1.1	82
1106	Activation and Inhibition of Erythropoietin Receptor Function: Role of Receptor Dimerization. <i>Molecular and Cellular Biology</i> , 1994, 14, 3535-3549.	1.1	70
1107	Recruitment of neutrophils during IgE-dependent cutaneous late phase reactions in the mouse is mast cell-dependent. Partial inhibition of the reaction with antiserum against tumor necrosis factor-alpha. <i>Journal of Clinical Investigation</i> , 1991, 87, 446-453.	3.9	276
1108	Differences in the expression of the cardiopulmonary alterations associated with anti-immunoglobulin E-induced or active anaphylaxis in mast cell-deficient and normal mice. Mast cells are not required for the cardiopulmonary changes associated with certain fatal anaphylactic responses. <i>Journal of Clinical Investigation</i> , 1991, 88, 598-608.	3.9	48
1109	Human piebald trait resulting from a dominant negative mutant allele of the c-kit membrane receptor gene. <i>Journal of Clinical Investigation</i> , 1992, 89, 1713-1717.	3.9	67
1110	Mast cell activation enhances airway responsiveness to methacholine in the mouse. <i>Journal of Clinical Investigation</i> , 1993, 91, 1176-1182.	3.9	110
1111	Identification of mutations in the coding sequence of the proto-oncogene c-kit in a human mast cell leukemia cell line causing ligand-independent activation of c-kit product. <i>Journal of Clinical Investigation</i> , 1993, 92, 1736-1744.	3.9	738
1112	Tumor necrosis factor-alpha inhibits stem cell factor-induced proliferation of human bone marrow progenitor cells in vitro. Role of p55 and p75 tumor necrosis factor receptors. <i>Journal of Clinical Investigation</i> , 1994, 94, 165-172.	3.9	58
1113	Treatment for chronic myelogenous leukemia: the long road to imatinib. <i>Journal of Clinical Investigation</i> , 2007, 117, 2036-2043.	3.9	83
1114	Expression of the YB5.B8 antigen (c-kit proto-oncogene product) in normal human bone marrow. <i>Blood</i> , 1991, 78, 30-37.	0.6	160
1115	Characterization of Ws mutant allele of rats: a 12-base deletion in tyrosine kinase domain of c-kit gene. <i>Blood</i> , 1991, 78, 1942-1946.	0.6	133
1116	Stem cell factor stimulates the in vitro growth of bone marrow cells from aplastic anemia patients. <i>Blood</i> , 1992, 79, 3196-3202.	0.6	32
1117	Thrombopoietin, but not erythropoietin, directly stimulates multilineage growth of primitive murine bone marrow progenitor cells in synergy with early acting cytokines: distinct interactions with the ligands for c-kit and FLT3. <i>Blood</i> , 1996, 88, 4481-4492.	0.6	89
1118	The Presence of Novel Amino Acids in the Cytoplasmic Domain of Stem Cell Factor Results in Hematopoietic Defects in <i>Steel</i> ^{17H} Mice. <i>Blood</i> , 1999, 94, 1915-1925.	0.6	2

#	ARTICLE	IF	CITATIONS
1119	Intramedullary and extramedullary B lymphopoiesis in osteopetrotic mice. <i>Blood</i> , 2000, 95, 3363-3370.	0.6	6
1120	Stem cell factor induces phosphatidylinositol 3-kinase-dependent Lyn/Tec/Dok-1 complex formation in hematopoietic cells. <i>Blood</i> , 2000, 96, 3406-3413.	0.6	11
1121	Differential stimulation of c-Kit mutants by membrane-bound and soluble Steel Factor correlates with leukemic potential. <i>Blood</i> , 2000, 96, 3734-3742.	0.6	12
1122	The human basophil: a new appreciation of its role in immune responses. <i>Blood</i> , 2000, 96, 4028-4038.	0.6	70
1123	Immunohistochemical determination of HER-2/neu overexpression in malignant melanoma reveals no prognostic value, while c-Kit (CD117) overexpression exhibits potential therapeutic implications. <i>Journal of Carcinogenesis</i> , 2003, 2, 8.	2.5	21
1124	Stem cells: the generation and maintenance of cellular diversity. <i>Development (Cambridge)</i> , 1989, 106, 619-633.	1.2	437
1125	Expression of the tyrosine kinase receptor gene <i>trkB</i> is confined to the murine embryonic and adult nervous system. <i>Development (Cambridge)</i> , 1990, 109, 845-850.	1.2	341
1126	Developmental expression of <i>c-kit</i> , a proto-oncogene encoded by the <i>W</i> locus. <i>Development (Cambridge)</i> , 1990, 109, 911-923.	1.2	326
1127	Two alkaline phosphatase genes are expressed during early development in the mouse embryo. <i>Development (Cambridge)</i> , 1990, 110, 555-564.	1.2	135
1128	Gonadal expression of <i>c-kit</i> encoded at the <i>W</i> locus of the mouse. <i>Development (Cambridge)</i> , 1990, 110, 1057-1069.	1.2	436
1129	A novel retrovirally induced embryonic lethal mutation in the mouse: assessment of the developmental fate of embryonic stem cells homozygous for the 413.d proviral integration. <i>Development (Cambridge)</i> , 1991, 111, 969-981.	1.2	130
1130	Migration and proliferation of cultured neural crest cells in <i>W</i> mutant neural crest chimeras. <i>Development (Cambridge)</i> , 1991, 112, 131-141.	1.2	55
1131	Role of <i>c-kit</i> in mouse spermatogenesis: identification of spermatogonia as a specific site of <i>c-kit</i> expression and function. <i>Development (Cambridge)</i> , 1991, 113, 689-699.	1.2	554
1132	Biologically active kit ligand growth factor is produced by mouse Sertoli cells and is defective in <i>Sld</i> mutant mice. <i>Development (Cambridge)</i> , 1991, 113, 1031-1035.	1.2	85
1133	Contiguous patterns of <i>c-kit</i> and <i>steel</i> expression: analysis of mutations at the <i>W</i> and <i>Sl</i> loci. <i>Development (Cambridge)</i> , 1991, 113, 1207-1221.	1.2	263
1134	Combined action of c-Kit and erythropoietin on erythroid progenitor cells. <i>Development (Cambridge)</i> , 1992, 114, 245-252.	1.2	18
1135	Effects of <i>W</i> (<i>c-kit</i>) gene mutation on gametogenesis in male mice: agametic tubular segments in <i>Wf/Wf</i> testes. <i>Development (Cambridge)</i> , 1992, 114, 861-867.	1.2	25
1136	Regulation and role of PDGF receptor α -subunit expression during embryogenesis. <i>Development (Cambridge)</i> , 1992, 115, 123-131.	1.2	209

#	ARTICLE	IF	CITATIONS
1137	TRP-2/DT, a new early melanoblast marker, shows that steel growth factor (c-kit ligand) is a survival factor. <i>Development (Cambridge)</i> , 1992, 115, 1111-1119.	1.2	365
1138	Developmentally regulated cell surface expression and function of c-kit receptor during lymphocyte ontogeny in the embryo and adult mice. <i>Development (Cambridge)</i> , 1992, 115, 1133-1147.	1.2	36
1139	Requirement of <i>c-kit</i> for development of intestinal pacemaker system. <i>Development (Cambridge)</i> , 1992, 116, 369-375.	1.2	630
1140	Expression and function of c-Kit in fetal hemopoietic progenitor cells: transition from the early c-Kit-independent to the late c-Kit-dependent wave of hemopoiesis in the murine embryo. <i>Development (Cambridge)</i> , 1993, 117, 1089-1098.	1.2	123
1141	<i>trkC</i> , a receptor for neurotrophin-3, is widely expressed in the developing nervous system and in non-neuronal tissues. <i>Development (Cambridge)</i> , 1993, 118, 463-475.	1.2	264
1142	<i>W-sash</i> affects positive and negative elements controlling <i>c-kit</i> expression: ectopic <i>c-kit</i> expression at sites of kit-ligand expression affects melanogenesis. <i>Development (Cambridge)</i> , 1993, 118, 705-717.	1.2	121
1143	Stem cell factor induces outgrowth of <i>c-kit</i> -positive neurites and supports the survival of <i>c-kit</i> -positive neurons in dorsal root ganglia of mouse embryos. <i>Development (Cambridge)</i> , 1993, 119, 49-56.	1.2	92
1144	The <i>kit</i> -ligand (steel factor) and its receptor <i>c-kit/W</i> pleiotropic roles in gametogenesis and melanogenesis. <i>Development (Cambridge)</i> , 1993, 119, 125-137.	1.2	127
1145	Mouse embryonic germ (EG) cell lines: transmission through the germline and differences in the methylation imprint of insulin-like growth factor 2 receptor (<i>Igf2r</i>) gene compared with embryonic stem (ES) cell lines. <i>Development (Cambridge)</i> , 1994, 120, 3197-3204.	1.2	321
1146	The sevenless signalling cassette mediates <i>Drosophila</i> EGF receptor function during epidermal development. <i>Development (Cambridge)</i> , 1994, 120, 569-578.	1.2	178
1147	Intercellular signals downstream of endothelin receptor-B mediate colonization of the large intestine by enteric neuroblasts. <i>Development (Cambridge)</i> , 1995, 121, 3787-3795.	1.2	75
1148	Soluble and cell-bound forms of steel factor activity play distinct roles in melanocyte precursor dispersal and survival on the lateral neural crest migration pathway. <i>Development (Cambridge)</i> , 1995, 121, 731-742.	1.2	247
1149	TGF alpha can act as a chemoattractant to perioptic mesenchymal cells in developing mouse eyes. <i>Development (Cambridge)</i> , 1995, 121, 1669-1680.	1.2	59
1150	The dominant white spotting oncogene allele <i>Kit(W-42)</i> exacerbates XY(DOM) sex reversal. <i>Development (Cambridge)</i> , 1996, 122, 3597-3605.	1.2	18
1151	Multiple roles for endothelin in melanocyte development: regulation of progenitor number and stimulation of differentiation. <i>Development (Cambridge)</i> , 1996, 122, 3911-3919.	1.2	136
1152	Distinct stages of melanocyte differentiation revealed by analysis of nonuniform pigmentation patterns. <i>Development (Cambridge)</i> , 1996, 122, 1207-1214.	1.2	173
1153	Long-range genomic rearrangements upstream of <i>Kit</i> dysregulate the developmental pattern of <i>Kit</i> expression in W57 and Wbanded mice and interfere with distinct steps in melanocyte development. <i>Development (Cambridge)</i> , 1997, 124, 65-77.	1.2	43
1154	Melanocyte development in vivo and in neural crest cell cultures: crucial dependence on the <i>Mitf</i> basic-helix-loop-helix-zipper transcription factor. <i>Development (Cambridge)</i> , 1997, 124, 2377-2386.	1.2	251

#	ARTICLE	IF	CITATIONS
1155	The PDGF β receptor is required for neural crest cell development and for normal patterning of the somites. <i>Development (Cambridge)</i> , 1997, 124, 2691-2700.	1.2	607
1156	Signaling and transcriptional regulation in the neural crest-derived melanocyte lineage: interactions between KIT and MITF. <i>Development (Cambridge)</i> , 2000, 127, 5379-5389.	1.2	166
1157	Requirements for the kit receptor tyrosine kinase during regeneration of zebrafish fin melanocytes. <i>Development (Cambridge)</i> , 2001, 128, 1943-1949.	1.2	63
1158	Colour genes, oncogenes and melanocyte differentiation. <i>Journal of Cell Science</i> , 1991, 98, 135-139.	1.2	26
1159	Postnatal Alterations of Testicular Morphology, Testicular Testosterone Contents and Plasma Hormone Levels in Male Hypogonadic Rat (hgn/hgn).. <i>Journal of Reproduction and Development</i> , 1993, 39, 333-346.	0.5	10
1160	Aging Kit Mutant Mice Develop Cardiomyopathy. <i>PLoS ONE</i> , 2012, 7, e33407.	1.1	16
1161	The KIT Gene Is Associated with the English Spotting Coat Color Locus and Congenital Megacolon in Checkered Giant Rabbits (<i>Oryctolagus cuniculus</i>). <i>PLoS ONE</i> , 2014, 9, e93750.	1.1	41
1162	CD117+ Dendritic and Mast Cells Are Dependent on RasGRP4 to Function as Accessory Cells for Optimal Natural Killer Cell-Mediated Responses to Lipopolysaccharide. <i>PLoS ONE</i> , 2016, 11, e0151638.	1.1	6
1163	A structural variant in the 5' flanking region of the TWIST2 gene affects melanocyte development in belted cattle. <i>PLoS ONE</i> , 2017, 12, e0180170.	1.1	12
1164	A Mechanistic Overview on Male Infertility and Germ Cell Cancers. <i>Current Pharmaceutical Design</i> , 2004, 10, 449-469.	0.9	3
1165	On-Target CRISPR/Cas9 Activity Can Cause Undesigned Large Deletion in Mouse Zygotes. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3604.	1.8	30
1167	Giant malignant gastrointestinal stromal tumors: Recurrence and effects of treatment with STI-571. <i>World Journal of Gastroenterology</i> , 2005, 11, 260.	1.4	16
1168	Expression and mutation of c-kit gene in gastrointestinal stromal tumors. <i>World Journal of Gastroenterology</i> , 2003, 9, 2548.	1.4	24
1169	Gastrointestinal stromal tumor and its targeted therapeutics. <i>Chinese Journal of Cancer</i> , 2011, 30, 303-314.	4.9	10
1170	The Spectrum of Kit (CD117) Immunoreactivity in Lung and Pleural Tumors: A Study of 96 Cases Using a Single-Source Antibody With a Review of the Literature. <i>Archives of Pathology and Laboratory Medicine</i> , 2004, 128, 538-543.	1.2	60
1171	Molecular Diagnostics in Melanoma: Current Status and Perspectives. <i>Archives of Pathology and Laboratory Medicine</i> , 2011, 135, 860-869.	1.2	29
1172	Inhibition Of Vascular Endothelial Growth Factor (Vegf) And Stem- Cell Factor (Scf) Receptor Kinases As Therapeutic Targets For The Treatment Of Human Diseases. , 2000, , .		0
1173	Formation and Differentiation of Leukocytes. , 2001, , 11-51.		1

#	ARTICLE	IF	CITATIONS
1174	A Study on DNA Polymorphism of the Bovine c-KIT Receptor Gene. Journal of Animal Science and Technology, 2002, 44, 653-660.	0.8	1
1175	Allelic Heterogeneity at the Equine KIT Locus in Dominant White (W) Horses. PLoS Genetics, 2005, preprint, e195.	1.5	0
1177	Kinase Inhibitors: Cancer Drugs Derived from Mechanistic Considerations. , 2007, , 313-341.		0
1178	Genetic Control of Cellular Interactions in <i>Caenorhabditis Elegans</i> Development. Novartis Foundation Symposium, 1989, 144, 212-226.	1.2	0
1179	Mast Cells: Immunologically Specific Effectors and Potential Sources of Multiple Cytokines During IgE-Dependent Responses. Novartis Foundation Symposium, 1989, 147, 53-73.	1.2	15
1180	Gonadal Abnormality and Homozygous Decease from the Nonsense Mutation of <i>Kit</i> in <i>W^{3Ba}</i> Mouse. Zoological Research, 2009, 30, 45-52.	0.6	0
1181	Melanoma: Mutations in Multiple Pathways at the Tumor-Stroma Interface. , 2010, , 455-469.		0
1183	KIT as a Therapeutic Target for Melanoma. , 2012, , 43-61.		0
1184	Regulation of Tyrosine Kinase Signaling by Cbl in Hematopoietic Stem Cells. , 0, , .		0
1185	Investigation of KIT Gene Polymorphisms in Korean Cattle. Journal of Animal Science and Technology, 2012, 54, 411-418.	0.8	0
1186	Differentiation of Mast Cells and Phenotypic Change Between Subpopulations. , 1989, , 701-708.		1
1187	Biological Characteristics of Acute Myeloblastic Leukaemia Contributing to Management Strategy. , 1990, , 87-116.		0
1188	Cell Specific Gene Expression in Mouse Testis. , 1990, , 131-142.		0
1189	Receptor Functions and Ligand-Dependent Transforming Potential of a Chimeric <i>kit</i> Proto-Oncogene. Molecular and Cellular Biology, 1990, 10, 6064-6068.	1.1	19
1190	Interactions between Regulators and Chemotherapy Affecting the Blast Cells of Acute Myeloblastic Leukemia. , 1991, , 35-62.		0
1191	STY, a Tyrosine-Phosphorylating Enzyme with Sequence Homology to Serine/Threonine Kinases. Molecular and Cellular Biology, 1991, 11, 568-572.	1.1	60
1192	Modulation of <i>kit</i> mRNA and Protein by Hemopoietic Growth Factors. Molecular and Cellular Biology, 1991, 11, 2901-2904.	1.1	10
1193	Proliferation of human myeloid leukemia cell line associated with the tyrosine-phosphorylation and activation of the proto-oncogene <i>c-kit</i> product. Blood, 1991, 78, 2834-2840.	0.6	27

#	ARTICLE	IF	CITATIONS
1194	The Kit Receptor for the Stem Cell Factor: Genetic Lessons in Signal Transduction. , 1992, , 311-324.		0
1195	Stroma-Dependent Hematolymphopoietic Stem Cells. Current Topics in Microbiology and Immunology, 1992, 177, 151-166.	0.7	12
1196	Growth and Differentiation in Melanocytes. , 1992, , 269-295.		0
1197	Patterns of Expression and Potential Functions of Proto-oncogenes during Mammalian Spermatogenesis. , 1993, , 143-179.		4
1198	Mast cell number in the skin of heterozygotes reflects the molecular nature of c-kit mutation. Blood, 1993, 81, 2530-2538.	0.6	15
1199	Immune Responses in Interleukin 4-Deficient Mice. , 1994, , 203-226.		2
1200	Gene-targeting approaches in the study of cellular processes involved in growth or differentiation. , 1994, , 221-231.		0
1201	Hematopoietic Growth Factors Involved in B-Cell Development. Blood Cell Biochemistry, 1996, , 217-239.	0.3	0
1202	Hematopoiesis and the Red Blood Cell. , 1996, , 1679-1693.		0
1203	Regulation of the early development of the nervous system by growth factors. , 1996, , 123-147.		0
1204	Mechanisms of avidity modulation of integrin in mast cells.. Ensho, 1996, 16, 163-169.	0.0	0
1205	Stem Cell Factor. Blood Cell Biochemistry, 1996, , 363-379.	0.3	0
1206	Molecular Basis of Genetic Disorders of Pigmentation in Humans and Mice. , 1996, , 145-174.		0
1207	Expression and function of receptors for stem cell factor and erythropoietin during lineage commitment of human hematopoietic progenitor cells. Blood, 1996, 88, 1594-1607.	0.6	6
1208	Cytogenetic Biomarkers in Skin Cancer. , 1997, , 289-317.		0
1209	Selective Sp1 Binding Is Critical for Maximal Activity of the Human c-kit Promoter. Blood, 1998, 92, 4138-4149.	0.6	0
1211	FLT3 in AML. , 2015, , 215-231.		0
1212	Comparative Study of Some Potential Paracrine Factors Produced by Normal and Androgenetic Alopecia Hair Follicles. American Journal of Medical and Biological Research, 2015, 3, 38-47.	0.5	1

#	ARTICLE	IF	CITATIONS
1215	Regulation of mouse primordial follicle formation by signaling through the PI3K pathway. <i>Biology of Reproduction</i> , 2021, , .	1.2	6
1217	Bax, bcl-2 and c-kit expression in non-small-cell lung cancer and their effects on prognosis. <i>International Journal of Clinical Practice</i> , 2006, 60, 675-682.	0.8	1
1219	Targeting gene expression to haemopoietic stem cells: a chromatin-dependent upstream element mediates cell type-specific expression of the stem cell antigen CD34. <i>EMBO Journal</i> , 1995, 14, 564-74.	3.5	13
1220	The unique insert of cellular and viral fms protein tyrosine kinase domains is dispensable for enzymatic and transforming activities. <i>EMBO Journal</i> , 1989, 8, 2029-37.	3.5	35
1221	Phosphatidylinositol 3'-kinase associates with p145c-kit as part of a cell type characteristic multimeric signalling complex. <i>EMBO Journal</i> , 1993, 12, 3817-26.	3.5	5
1222	Increased Kit/SCF receptor induced mitogenicity but abolished cell motility after inhibition of protein kinase C. <i>EMBO Journal</i> , 1993, 12, 4199-209.	3.5	32
1223	In utero manipulation of coat color formation by a monoclonal anti-c-kit antibody: two distinct waves of c-kit-dependency during melanocyte development. <i>EMBO Journal</i> , 1991, 10, 2111-8.	3.5	114
1224	Embryonic RNA expression patterns of the c-kit receptor and its cognate ligand suggest multiple functional roles in mouse development. <i>EMBO Journal</i> , 1991, 10, 2425-35.	3.5	64
1225	Signal transduction by normal isoforms and W mutant variants of the Kit receptor tyrosine kinase. <i>EMBO Journal</i> , 1991, 10, 2451-9.	3.5	66
1226	Expression of functional c-kit receptors rescues the genetic defect of W mutant mast cells. <i>EMBO Journal</i> , 1991, 10, 3683-91.	3.5	11
1227	Activation of the human c-kit product by ligand-induced dimerization mediates circular actin reorganization and chemotaxis. <i>EMBO Journal</i> , 1991, 10, 4121-8.	3.5	86
1228	Molecular bases of dominant negative and loss of function mutations at the murine c-kit/white spotting locus: W37, Wv, W41 and W. <i>EMBO Journal</i> , 1990, 9, 1805-13.	3.5	205
1229	Candidate ligand for the c-kit transmembrane kinase receptor: KL, a fibroblast derived growth factor stimulates mast cells and erythroid progenitors. <i>EMBO Journal</i> , 1990, 9, 3287-94.	3.5	82
1230	The Xmrk receptor tyrosine kinase is activated in Xiphophorus malignant melanoma. <i>EMBO Journal</i> , 1992, 11, 4239-46.	3.5	20
1240	Regulation of normal and neoplastic human mast cell development in mastocytosis. <i>Transactions of the American Clinical and Climatological Association</i> , 2005, 116, 185-203; discussion 203-4.	0.9	15
1241	Unraveling the melanocyte. <i>American Journal of Human Genetics</i> , 1993, 52, 1-7.	2.6	93
1242	Dominant negative and loss of function mutations of the c-kit (mast/stem cell growth factor) Tj ETQq0 0 0 rgBT /Oyerlock 10 Tf 50 102	2.6	116
1243	Novel mutations and deletions of the KIT (steel factor receptor) gene in human piebaldism. <i>American Journal of Human Genetics</i> , 1995, 56, 58-66.	2.6	82

#	ARTICLE	IF	CITATIONS
1244	Gastrointestinal pacemaker cell tumor (GIPACT): gastrointestinal stromal tumors show phenotypic characteristics of the interstitial cells of Cajal. <i>American Journal of Pathology</i> , 1998, 152, 1259-69.	1.9	1,146
1245	Transforming and differentiation-inducing potential of constitutively activated c-kit mutant genes in the IC-2 murine interleukin-3-dependent mast cell line. <i>American Journal of Pathology</i> , 1996, 148, 189-200.	1.9	55
1246	Expression of the c-kit protein in human solid tumors and in corresponding fetal and adult normal tissues. <i>American Journal of Pathology</i> , 1993, 142, 339-46.	1.9	137
1247	Absence of immature mast cells in the skin of Ws/Ws rats with a small deletion at tyrosine kinase domain of the c-kit gene. <i>American Journal of Pathology</i> , 1993, 142, 1001-7.	1.9	27
1248	The c-kit receptor, stem cell factor, and mast cells. What each is teaching us about the others. <i>American Journal of Pathology</i> , 1993, 142, 965-74.	1.9	210
1249	The c-kit ligand, stem cell factor, promotes mast cell survival by suppressing apoptosis. <i>American Journal of Pathology</i> , 1994, 144, 321-8.	1.9	210
1250	Cell type-specific deficiency of c-kit gene expression in mutant mice of mi/mi genotype. <i>American Journal of Pathology</i> , 1994, 145, 827-36.	1.9	55
1251	New horizons in melanoma treatment: targeting molecular pathways. <i>Ochsner Journal</i> , 2010, 10, 93-8.	0.5	1
1252	Gastrointestinal stromal tumors with exon 8 c-kit gene mutation might occur at extragastric sites and have metastasis-prone nature. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 8024-31.	0.5	5
1253	Relationship between gene mutations and protein expressions of PDGFR $\hat{\pm}$ and C-kit in gastrointestinal stromal tumors. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 7592-8.	1.3	1
1254	Epigenetic Interactions and Gene Expression in Peri-Implantation Mouse Embryo Development. <i>Modern Cell Biology</i> , 1993, 12, 131-171.	0.0	0
1255	Mast Cells and IgE can Enhance Survival During Innate and Acquired Host Responses to Venoms. <i>Transactions of the American Clinical and Climatological Association</i> , 2017, 128, 193-221.	0.9	13
1256	KIT gene mutation causes deafness and hypopigmentation in Bama miniature pigs. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 5095-5107.	0.0	1
1257	Differentiation of fetal hematopoietic stem cells requires ARID4B to restrict autocrine KITLG/KIT- <i>Src</i> signaling. <i>Cell Reports</i> , 2021, 37, 110036.	2.9	4
1259	Antibody-Drug Conjugate Targeting c-Kit for the Treatment of Small Cell Lung Cancer. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2264.	1.8	10
1260	Epithelial to mesenchymal transition during mammalian neural crest cell delamination. <i>Seminars in Cell and Developmental Biology</i> , 2023, 138, 54-67.	2.3	8
1272	In Utero Transplantation. , 0, , 565-575.		1
1273	General Mechanistic Patterns of Signal Transduction Across Membranes. , 0, , 1-59.		0

#	ARTICLE	IF	CITATIONS
1274	KIT as a master regulator of the mast cell lineage. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 1845-1854.	1.5	28
1276	Steroidogenic Factor-1 Lineage Origin of Skin Lesions in Carney Complex Syndrome. <i>Journal of Investigative Dermatology</i> , 2022, 142, 2949-2957.e9.	0.3	3
1277	Identification of Candidate Genes for Pigmentation in Camels Using Genotyping-by-Sequencing. <i>Animals</i> , 2022, 12, 1095.	1.0	3
1278	Brain Mast Cells in Sleep and Behavioral Regulation. <i>Current Topics in Behavioral Neurosciences</i> , 2022, , .	0.8	1
1279	Developmental genetics with model organisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	26
1280	Clinical and Molecular Evidence for c-kit Receptor as a Therapeutic Target in Neuroblastic Tumors. <i>Clinical Cancer Research</i> , 2005, 11, 380-389.	3.2	27
1282	Impact of <i>KIT</i> Editing on Coat Pigmentation and Fresh Meat Color in Yorkshire Pigs. <i>CRISPR Journal</i> , 2022, 5, 825-842.	1.4	1
1284	Cutting Edge: Generation of a Novel Stem Cell Factor-Dependent Mast Cell Progenitor. <i>Journal of Immunology</i> , 1998, 161, 5143-5146.	0.4	24
1285	The Epithelial Cell Response to Rotavirus Infection. <i>Journal of Immunology</i> , 1999, 163, 4442-4452.	0.4	107
1287	Pigment cell progenitor heterogeneity and reiteration of developmental signaling underlie melanocyte regeneration in zebrafish. <i>ELife</i> , 0, 12, .	2.8	0
1288	Further explorations into the role of mast cells in deaths associated with fatal asphyxia: an immunohistochemical study utilizing CD 117 marker. <i>Forensic Science International</i> , 2023, 350, 111689.	1.3	0