

CITATION REPORT

List of articles citing

Suicide, and other causes of death, following attempted suicide

DOI: 10.1192/bjp.152.3.359

British Journal of Psychiatry, 1988, 152, 359-66.

Source: <https://exaly.com/paper-pdf/20116167/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
368	What suicide leaves behind. 1989 , 12, 103-18		8
367	Suicide and violent death among adolescent suicide attempters. 1989 , 79, 453-9		52
366	Psychotherapeutic management of suicide attempts in children and early adolescents: working with parents. 1989 , 52, 125-32		3
365	The dexamethasone suppression test and completed suicide. 1990 , 81, 120-5		59
364	Attempted suicide in Denmark. IV. A five-year follow-up. 1990 , 81, 250-4		81
363	Why parasuicides repeat despite problem resolution. <i>British Journal of Psychiatry</i> , 1990 , 156, 399-405	5.4	33
362	Clinical predictors of completed suicide and repeated self-poisoning in 8895 self-poisoning patients. 1990 , 239, 270-6		23
361	Psychiatric diagnoses as predictors of suicide. A comparison of diagnoses at conscription and in psychiatric care in a cohort of 50,465 young men. <i>British Journal of Psychiatry</i> , 1990 , 157, 339-44	5.4	64
360	Self-poisoning in adolescents. Hospital admissions and deaths in the Oxford region 1980-85. <i>British Journal of Psychiatry</i> , 1990 , 156, 866-70	5.4	45
359	Correlates of suicidal history in male prisoners. 1990 , 30, 217-8		2
358	Database. <i>General Hospital Psychiatry</i> , 1991 , 13, 18-62	5.6	
357	What happens to patients who frequently harm themselves? A retrospective one-year outcome study. <i>British Journal of Psychiatry</i> , 1991 , 158, 375-8	5.4	14
356	Suicide and other causes of death in a five-year follow-up of patients treated for self-poisoning in Oslo. 1991 , 83, 432-7		43
355	Platelet imipramine binding in intensive care unit suicidal patients. 1991 , 241, 85-7		4
354	Epidemiological, social and psychiatric aspects in self-poisoned patients. A prospective comparative study from Trondheim, Norway between 1978 and 1987. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1991 , 26, 53-62	4.5	15
353	Outcome of attempted suicide and psychiatric consultation: risk factors and suicide mortality during a five-year follow-up. 1991 , 84, 545-9		106
352	Sense of coherence, self-esteem, depression and hopelessness as correlates of reattempting suicide. 1992 , 31, 293-300		81

351	Psycho-social intervention following attempted suicide: is there a case for better services?. 1992 , 4, 15-22		28
350	A retrospective study of self-inflicted burns. <i>General Hospital Psychiatry</i> , 1992 , 14, 404-7	5.6	39
349	Suicides and parasuicides in a high-risk patient group on and off lithium long-term medication. <i>Journal of Affective Disorders</i> , 1992 , 25, 261-9	6.6	155
348	Factors predicting suicide in psychotic patients. 1992 , 241, 259-66		55
347	Recent changes in the age- and gender-specific rates of attempted suicide in Gent. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1993 , 28, 66-70	4.5	3
346	The cost of treatment of deliberate self-harm. 1993 , 10, 8-14		18
345	Repeat deliberate self-harm: a link with childhood sexual abuse?. 1993 , 10, 161-6		16
344	Factors associated with suicide after parasuicide in young people. <i>BMJ: British Medical Journal</i> , 1993 , 306, 1641-4		158
343	Mental illness and social integration among suicide attempters in Copenhagen. Comparison with the general population and a four-year follow-up study of 100 patients. 1993 , 88, 278-85		41
342	Clinical management of parasuicides: critical issues in the 1990s. 1994 , 28, 212-21		18
341	A follow-up study of attempted railway suicides. 1994 , 38, 437-42		31
340	Attempted suicide in Oxford University students, 1976-1990. <i>Psychological Medicine</i> , 1995 , 25, 179-88	6.9	20
339	Frequent deliberate self-harm: repetition, suicide and cost after three or more years. 1995 , 40, 10-2		11
338	Suicide and Sexual Orientation: A Critical Summary of Recent Research and Directions for Future Research. 1995 , 25, 72-81		39
337	Assessment of deliberate self-harm in adults. 1995 , 1, 124-130		4
336	Survival analysis of suicide risk after attempted suicide. 1995 , 91, 336-40		149
335	Repetition of attempted suicide: The performance of the Edinburgh predictive scales in patients in Oxford. 1995 , 1, 261-272		24
334	Prédiction du risque de récïdive suicidaire par somaticiens et psychiatres : expfience de l'hþpital cantonal universitaire de Genève. 1995 , 4, 329-333		1

333	Strategies of suicide prevention: focus on health care. <i>Journal of Affective Disorders</i> , 1996 , 39, 83-91	6.6	70
332	The prevention of suicide. 1996 , 365-377		
331	The prevention of suicide: some practical steps. 1996 , 116, 295-8		0
330	The changing mental health of children and adolescents: evidence for a deterioration?. <i>Psychological Medicine</i> , 1996 , 26, 715-25	6.9	43
329	Mental disorders and comorbidity in attempted suicide. 1996 , 94, 234-40		185
328	A 5-year follow-up study of suicide attempts. 1996 , 93, 151-7		90
327	Epidemiology and patterns of hospital use after parasuicide in the south west of England. 1996 , 50, 24-9		19
326	Inpatient suicide on a general hospital psychiatric ward: Does experience with high risk patients help to prevent suicides?. 1996 , 2, 119-124		4
325	The mortality risk of psychiatric emergency patients: A follow-up study. 1996 , 50, 207-216		4
324	Audit of a multi-disciplinary assessment unit for deliberate self-harm patients in a general hospital. 1996 , 2, 207-212		
323	Suicide in the 18 years after deliberate self-harm a prospective study. <i>British Journal of Psychiatry</i> , 1996 , 169, 489-94	5.4	80
322	Suicide rate following attendance at an accident and emergency department with deliberate self harm. 1996 , 13, 101-4		19
321	Survival of the Fittest in a Parasuicidal Group [A Twenty-Year Follow-Up of Suicide in Sweden. 1997 , 3, 131-137		
320	An examination of the accident and emergency management of deliberate self harm. 1997 , 14, 311-5		29
319	Strategies for preventing suicide. <i>British Journal of Psychiatry</i> , 1997 , 171, 351-354	5.4	129
318	Trends in deliberate self-harm in Oxford, 1985-1995. Implications for clinical services and the prevention of suicide. <i>British Journal of Psychiatry</i> , 1997 , 171, 556-60	5.4	232
317	Survival after Attempted Suicide in Sweden. A follow-up after 20 years. 1997 , 6, 315-328		2
316	Effects of education on attitudes to deliberate self-harm. <i>Psychiatric Bulletin</i> , 1997 , 21, 334-335		7

315	Suicide by jumping. 1997 , 96, 1-6		88
314	Deliberate self-harm in alcohol and drug misusers: patient characteristics and patterns of clinical care. 1997 , 16, 123-9		19
313	Child sexual abuse in women who take overdoses: I. A study of prevalence and severity. 1998 , 4, 291-306		2
312	Suicide following an inpatient hospitalization for a suicide attempt: a Canadian follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998 , 33, 543-51	4-5	44
311	Predictors of suicide, accidental death, and premature natural death in a general-population birth cohort. 1998 , 351, 93-7		88
310	Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. <i>BMJ: British Medical Journal</i> , 1998 , 317, 441-7		273
309	Repetition of parasuicide: Risk factors in general hospital referred patients. 1998 , 7, 285-297		7
308	Child sexual abuse in women who take overdoses: I. A study of prevalence and severity. 1998 , 4, 291-306		17
307	Fears over radiotherapy fractionation regimens in breast cancer. Proposed Uk trial needs to define techniques as well as numbers of treatments. <i>BMJ: British Medical Journal</i> , 1998 , 317, 155-6		6
306	Deliberate self harm assessment by accident and emergency staff--an intervention study. 1998 , 15, 18-22		41
305	Management of deliberate self poisoning in adults in four teaching hospitals: descriptive study. <i>BMJ: British Medical Journal</i> , 1998 , 316, 831-2		117
304	Thirteen-year follow-up of deliberate self-harm, using linked data. <i>British Journal of Psychiatry</i> , 1998 , 172, 239-42	5-4	64
303	Suicide Prevention Strategies: The Role of Health Care Workers. 1999 , 66-78		
302	Why A&E nurses feel inadequate in managing patients who deliberately self harm?. 1999 , 6, 24-7		10
301	Deliberate self harm. 1999 , 8, 137-43		7
300	General hospital services for deliberate self-poisoning: an expensive road to nowhere?. 1999 , 75, 599-602		37
299	Changes in choice of method and lethality between last attempted and completed suicides: how did suicide attempters carry out their desire?. 1999 , 1, 150-8		14
298	Deliberate self-harm in rural Western Australia: results of an intervention study. 1999 , 8, 65-73		13

297	A review of the literature on the prevention of suicide through interventions in accident and emergency departments. 1999 , 8, 3-12		20
296	Attempted suicide. Do we understand the patients' reasons?. <i>General Hospital Psychiatry</i> , 1999 , 21, 62-9 5.6		53
295	Suicide attempts among adults in Butajira, Ethiopia. 1999 , 397, 70-6		36
294	Attempted suicide: repetition and survival--findings of a follow-up study. 1999 , 100, 205-11		110
293	Psychosocial versus pharmacological treatments for deliberate self harm. 2000 , CD001764		78
292	Deliberate self-harm: how feasible are the current guidelines?. 1999 , 16, 61-63		7
291	Suicide and undetermined death in south east Scotland. A case-control study using the psychological autopsy method. <i>Psychological Medicine</i> , 1999 , 29, 1141-9	6.9	53
290	The National Service Framework for Mental Health. 2000 , 8, 5-10		
289	Emergency departments have a role in the prevention of suicide. 2000 , 12, 198-203		1
288	An evaluation of the implementation of a liaison service in an A&E department. 2000 , 7, 391-7		13
287	Recommended care for young people (15-19 years) after suicide attempts in certain European countries. 2000 , 9, 100-8		15
286	The role of psychopathology and suicidal intention in predicting suicide risk: a longitudinal study. 2000 , 33, 143-50		33
285	Evaluating risks. 2000 , 6, 399-406		15
284	Unmet need following serious suicide attempt: follow-up of 302 individuals for 30 months. 2000 , 245-255		10
283	Sex and suicide. Gender differences in suicidal behaviour. <i>British Journal of Psychiatry</i> , 2000 , 177, 484-5 5.4		352
282	Deliberate self-harm in children and adolescents. 2000 , 12, 31-36		27
281	Assessing the risk of self-harm in adolescents: A psychoanalytical perspective. 2000 , 14, 9-21		6
280	Attendance for self-harm in a West Midlands hospital A&E department. 2000 , 9, 215-20		5

279	Repetition of Suicidal Behaviour. 385-404		51
278	Influence of method on seasonal distribution of attempted suicides in Italy. 2000 , 41, 62-72		34
277	Deliberate self-poisoning presenting at a rural hospital in Northern Ireland 1976-1996: relationship to prescribing. 2000 , 15, 348-53		13
276	Attempted Suicide: Patterns and Trends. 49-64		34
275	Deliberate self-harm patients who leave the accident and emergency department without a psychiatric assessment: a neglected population at risk of suicide. 2001 , 50, 87-93		167
274	Psychiatric and personality disorders in deliberate self-harm patients. <i>British Journal of Psychiatry</i> , 2001 , 178, 48-54	5-4	322
273	A national survey of the hospital services for the management of adult deliberate self-harm. <i>Psychiatric Bulletin</i> , 2001 , 25, 53-55		18
272	Assessment following deliberate self-harm: who are we seeing and are we following the guidelines?. 2001 , 18, 116-119		9
271	History of deliberate self-harm may predict methods of fatal self-harm in the elderly. 2001 , 41, 107-10		4
270	Elderly suicide and attempted suicide: one syndrome. 2001 , 41, 250-5		19
269	The problem of deliberate self-harm. <i>Current Opinion in Psychiatry</i> , 2001 , 14, 107-111	4-9	9
268	Psychological management following deliberate self-harm. 2001 , 1, 185-7		
267	Excess mortality of suicide attempters. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 29-35	4-5	110
266	Deliberate self-poisoning in an Irish county hospital. 2001 , 170, 90-90		0
265	Deliberate self-poisoning in an Irish county hospital. 2001 , 170, 94-7; discussion 90		11
264	Developing A&E nursing responses to people who deliberately self-harm: the provision and evaluation of a series of reflective workshops. 2001 , 8, 449-58		34
263	Long-term risk factors for suicide mortality after attempted suicide—findings of a 14-year follow-up study. 2001 , 104, 117-21		160
262	Early suicide following discharge from a psychiatric hospital. 2001 , 31, 358-63		24

261	The efficacy of problem-solving treatments after deliberate self-harm: meta-analysis of randomized controlled trials with respect to depression, hopelessness and improvement in problems. <i>Psychological Medicine</i> , 2001 , 31, 979-88	6.9	158
260	Randomised controlled trial of brief psychological intervention after deliberate self poisoning. <i>BMJ: British Medical Journal</i> , 2001 , 323, 135-8		264
259	A continuum of premature death. Meta-analysis of competing mortality in the psychosocially vulnerable. 2001 , 30, 154-62		57
258	Young People's Pathways to Well-being Following a Suicide Attempt. 2002 , 4, 25-32		8
257	Suicide rate 22 years after parasuicide: cohort study. 2002 , 325, 1155		92
256	Trends in Attempted Suicide in Adolescents and Young Adults in Gent, 1986-1995. 2002 , 6, 135-141		4
255	Telephone contact with patients in the year after a suicide attempt: does it affect treatment attendance and outcome? A randomised controlled study. 2002 , 17, 82-91		83
254	An examination of suicidal intent in patients with multiple sclerosis. 2002 , 59, 674-8		244
253	Fatal and non-fatal repetition of self-harm. Systematic review. <i>British Journal of Psychiatry</i> , 2002 , 181, 193-9	5.4	866
252	Management and costs of deliberate self-poisoning in the general hospital: A multi-centre study. 2002 , 11, 223-230		9
251	Problems reported by self-harm patients: perception, hopelessness, and suicidal intent. 2002 , 53, 819-22		51
250	Suicide Intervention in Rural Western Australia. 2002 , 231-236		
249	Suicide in the 18 Years after Deliberate Self-Harm. 2002 , 79-85		
248	Do patients who self-harm consult their general practitioner soon after hospital discharge? A cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 599-602	4.5	31
247	Comparison of 3190 Alcohol-Dependent Individuals With and Without Suicide Attempts. 2002 , 26, 471-477		93
246	Suicide after suicide attempt in severe depression: a long-term follow-up. 2003 , 33, 381-8		16
245	Predictors of outcome following brief psychodynamic-interpersonal therapy for deliberate self-poisoning. 2003 , 37, 532-6		15
244	Subsequent mortality in medically serious suicide attempts: a 5 year follow-up. 2003 , 37, 595-9		91

243	Life satisfaction and suicidal attempts among persons with schizophrenia. 2003 , 44, 442-7		50
242	Suicide and euthanasia in late life. 2003 , 15, 99-110		14
241	Suicide and serious suicide attempts in youth: a multiple-group comparison study. 2003 , 160, 1093-9		246
240	Suicide following deliberate self-harm: long-term follow-up of patients who presented to a general hospital. <i>British Journal of Psychiatry</i> , 2003 , 182, 537-42	5.4	494
239	Do we manage deliberate self-harm appropriately? Characteristics of general hospital patients who are offered psychiatric aftercare. 2003 , 7, 27-32		1
238	Factors that influence emergency department doctors' assessment of suicide risk in deliberate self-harm patients. 2003 , 10, 283-7		16
237	Self-poisoning patients in the general hospital: the frequency and nature of their consultations with the general practitioner. 2003 , 20, 15-17		1
236	Attendance at the accident and emergency department in the year before suicide: retrospective study. <i>British Journal of Psychiatry</i> , 2003 , 183, 28-33	5.4	180
235	Risk factors for fatal accidents and suicides in peacekeepers: is there an overlap?. 2004 , 169, 988-93		11
234	Intentional and unintentional injuries across health regions in Alberta, Canada: an implication for policy. <i>Crisis</i> , 2004 , 25, 156-60	2.8	2
233	[Can suicidality be cured? Suicide prevention in the G.P.'s practice]. 2004 , 93, 1817-23		1
232	Australian and New Zealand clinical practice guidelines for the management of adult deliberate self-harm. 2004 , 38, 868-84		36
231	Suicide risk factors and suicide vulnerability in various major psychiatric disorders. 2004 , 29, 65-74		4
230	Risk factors for suicide and other deaths following hospital treated self-poisoning in Australia. 2004 , 38, 520-5		31
229	Psychological and psychosocial interventions after attempted suicide: an overview of treatment studies. <i>Crisis</i> , 2004 , 25, 108-17	2.8	52
228	Australian and New Zealand clinical practice guidelines for the management of adult deliberate self-harm. 2004 , 38, 868-884		16
227	Short shrift for the sane? The hospital management of self-harm patients with and without mental illness. 2004 , 11, 401-6		8
226	Level of suicidal intent predicts overall mortality and suicide after attempted suicide: a 12-year follow-up study. 2004 , 4, 11		104

225	Emergency department management and outcome for self-poisoning: a cohort study. <i>General Hospital Psychiatry</i> , 2004 , 26, 36-41	5.6	54
224	Further suicidal behavior among medically serious suicide attempters. 2004 , 34, 1-11		136
223	Sex differences in risk factors for suicide after attempted suicide-a follow-up study of 1052 suicide attempters. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 113-20	4.5	83
222	Substance use and male gender as risk factors for deaths and suicide--a 5-year follow-up study after deliberate self-harm. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 720-4	4.5	55
221	Suicide without explicit precursors: a state of secret despair?. 2004 , 1, 227-248		5
220	Attempted suicide: factors leading to hospitalization. 2004 , 49, 736-42		17
219	Fuzzy logic detection of medically serious suicide attempt records in major psychiatric disorders. 2004 , 192, 708-10		6
218	Adolescents with suicidal behaviour: attendance at A&E and six month follow-up. 2004 , 21, 78-84		11
217	Repetition of deliberate self-harm and subsequent suicide risk: long-term follow-up study of 11,583 patients. <i>British Journal of Psychiatry</i> , 2004 , 185, 70-5	5.4	308
216	Value of measuring suicidal intent in the assessment of people attending hospital following self-poisoning or self-injury. <i>British Journal of Psychiatry</i> , 2005 , 186, 60-6	5.4	180
215	Emergency staff reactions to suicidal and self-harming patients. 2005 , 12, 169-78		70
214	Suicidal intent in deliberate self-harm and the risk of suicide: the predictive power of the Suicide Intent Scale. <i>Journal of Affective Disorders</i> , 2005 , 86, 225-33	6.6	94
213	How does a suicide attempter eat differently from others? Comparison of macronutrient intakes. 2005 , 21, 711-7		21
212	Utilizing practice development to implement an integrated care pathway for self-harm. 2005 , 4, 77-85		3
211	Suicide in developing countries (2): risk factors. <i>Crisis</i> , 2005 , 26, 112-9	2.8	146
210	Mortality and suicide after non-fatal self-poisoning: 16-year outcome study. <i>British Journal of Psychiatry</i> , 2005 , 187, 470-5	5.4	81
209	Registration, psychiatric evaluation and adherence to psychiatric treatment after suicide attempt. 2005 , 59, 213-6		29
208	Non-Suicidal Deaths Following Hospital-Treated Self-Poisoning. 2005 , 39, 101-107		19

207	Mortality and Further Suicidal Behaviour After an Index Suicide Attempt: a 10-Year Study. 2005 , 39, 95-100	122
206	Suicide after deliberate self-harm: a 4-year cohort study. 2005 , 162, 297-303	463
205	Effect of a Suicide Prevention Centre for young people with suicidal behaviour in Copenhagen. 2005 , 20, 121-8	14
204	Attempted Suicide in Elderly Chinese Persons: A Multi-Group, Controlled Study. 2005 , 13, 562-571	88
203	Pain and deliberate self-harm: an important association. 2005 , 58, 317-20	22
202	Gender differences in risk factors for attempted suicide among young adults: findings from the Third National Health and Nutrition Examination Survey. 2005 , 15, 167-74	86
201	Does availability of mental health resources prevent recurrent suicidal behavior? An ecological analysis. 2006 , 36, 409-17	17
200	Psychiatric assessment of patients with self-inflicted lacerations to the wrist and forearm admitted to a nonpsychiatric ward: the experience of a regional plastic surgery unit. 2006 , 59, 266-71	9
199	Increasing psychosocial assessment by introducing a self-harm pathway. <i>Psychiatric Bulletin</i> , 2006 , 30, 169-172	3
198	Deaths from all causes in a long-term follow-up study of 11,583 deliberate self-harm patients. <i>Psychological Medicine</i> , 2006 , 36, 397-405	6.9 84
197	Self-harm in British South Asian women: psychosocial correlates and strategies for prevention. 2006 , 5, 7	28
196	A clinical tool for assessing risk after self-harm. 2006 , 48, 459-66	86
195	1.6. Death, survival and recovery in anorexia nervosa: a thirty five year study. 2006 , 14, 168-175	27
194	Effect of telephone contact on further suicide attempts in patients discharged from an emergency department: randomised controlled study. 2006 , 332, 1241-5	172
193	Patients with deliberate self-harm seen by a consultation-liaison service. 2006 , 14, 192-7	10
192	Serum concentrations of antioxidant vitamins and carotenoids are low in individuals with a history of attempted suicide. 2007 , 10, 51-8	25
191	Let's not talk about it: suicide inquiry in primary care. 2007 , 5, 412-8	114
190	Suicide and deliberate self-harm. 245-269	1

189	Personality Disorder: Still Everybody's Business?. 2007 , 12, 5-12	4	
188	Repetition of deliberate self-harm: a study of the characteristics and subsequent deaths in patients presenting to a general hospital according to extent of repetition. 2007 , 37, 379-96	72	
187	The role of the nurse in liaison psychiatry. 102-122		
186	Early intervention and suicide prevention. 2008 , 2, 119-21	3	
185	Repeat suicide attempts in Hong Kong community adolescents. 2008 , 66, 232-41	34	
184	Attempted suicide among Iranian population. 2008 , 38, 456-66	17	
183	Impact of liver disease, alcohol abuse, and unintentional ingestions on the outcomes of acetaminophen overdose. 2008 , 6, 918-25; quiz 837	55	
182	Determinants and outcomes of serious attempted suicide: a nationwide study in Finland, 1996-2003. 2008 , 167, 1155-63	120	
181	Suicidal ideation in UK HIV clinic attenders. 2008 , 22, 1651-8	75	
180	Deliberate self-harm in children and adolescents: a qualitative study exploring the needs of parents and carers. 2008 , 13, 493-504	60	
179	Psychological approaches to the acute patient. 74-88		
178	Suicide and self-harm. 451-476	2	
177	The types of deliberate self-harm and its prevalence among Lithuanian teenagers. 2009 , 45, 132	5	
176	Mortality and causes of death after hospital-treated self-poisoning in Oslo: a 20-year follow-up. 2009 , 47, 116-23	36	
175	Suicide prevention strategies and mental disorders. 2009 , 18, 169-171	6	
174	Analysis of accident and emergency doctors' responses to treating people who self-harm. 2009 , 19, 755-65	51	
173	Cause-specific excess mortality in suicidal patients: gender differences in mortality patterns. <i>General Hospital Psychiatry</i> , 2009 , 31, 67-74	5.6	4
172	Outcomes of liver transplantation for paracetamol (acetaminophen)-induced hepatic failure. 2009 , 15, 1351-7	34	

171	A community-based study of case fatality proportion among those who carry out suicide acts. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 1005-11	4.5	31
170	Study protocol: the development of a randomised controlled trial testing a postcard intervention designed to reduce suicide risk among young help-seekers. 2009 , 9, 59		9
169	Repetition and severity of suicide attempts across the life cycle: a comparison by age group between suicide victims and controls with severe depression. 2009 , 9, 62		21
168	Risk factors for suicide attempts in patients with alcohol dependence or abuse and a history of depressive symptoms: a subgroup analysis from the WHO/ISBRA study. 2010 , 29, 64-74		15
167	Physical disability and suicidal ideation: a community-based study of risk/protective factors for suicidal thoughts. 2009 , 39, 440-51		41
166	Is attempted suicide an offense?. 2009 , 14, 139-145		1
165	Cross-sectional assessment of diet quality in individuals with a lifetime history of attempted suicide. 2009 , 165, 111-9		31
164	Patterns and predictors of re-admission to hospital with self-poisoning in Scotland. 2009 , 123, 134-7		11
163	Deliberate self-harm in young people: attendance at a paediatric emergency department. 2009 , 26, 114-118		2
162	Self-harm in UK armed forces personnel: descriptive and case-control study of general hospital presentations. <i>British Journal of Psychiatry</i> , 2009 , 194, 266-72	5.4	12
161	Deliberate self-harm (DSH) out of hour's presentations. 2010 , 27, 11-14		1
160	Psychiatric disorders in women prisoners who have engaged in near-lethal self-harm: case-control study. <i>British Journal of Psychiatry</i> , 2010 , 197, 219-26	5.4	64
159	Deliberate self-harm: the St Andrew's experience. 2010 , 33, 237-239		2
158	Cancer risk from diagnostic radiology in a deliberate self-harm patient. 2010 , 122, 427-30		4
157	Suicide and self-harm. 2010 , 693-713		
156	Routine, self-administered, touch-screen, computer-based suicidal ideation assessment linked to automated response team notification in an HIV primary care setting. 2010 , 50, 1165-73		74
155	Pathways to high-lethality suicide attempts in individuals with borderline personality disorder. 2010 , 14, 342-62		32
154	Profile of risk factors associated with suicide attempts: A study from Orissa, India. <i>Indian Journal of Psychiatry</i> , 2010 , 52, 48-56	2.2	55

153	Demographics of people who self-harm deliberately. 2010 , 18, 28-32			1
152	Group-based problem-solving therapy in self-poisoning females: A pilot study. 2010 , 10, 201-213			7
151	Suicide attempts prior to starting methadone maintenance treatment in Taiwan. 2010 , 109, 139-43			31
150	Suicidal ideation, self-harm and attempted suicide: results from the British psychiatric morbidity survey 2000. 2010 , 25, 427-31			76
149	Deliberate self-poisoning: factors associated with recurrent self-poisoning. 2011 , 29, 908-12			23
148	Incidence and risk factors of suicide reattempts within 1 year after psychiatric hospital discharge in mood disorder patients. 2011 , 3, 305-13			12
147	Suicide among persons with back pain: a population-based study of 2310 suicide victims in Northern Finland. 2011 , 36, 541-8			10
146	Challenges to Classifying Suicidal Ideations, Communications, and Behaviours. 2011 , 7-25			6
145	Attitudes of Japanese nursing personnel toward patients who have attempted suicide. <i>General Hospital Psychiatry</i> , 2011 , 33, 393-7	5.6		25
144	The ACCESS study a Zelen randomised controlled trial of a treatment package including problem solving therapy compared to treatment as usual in people who present to hospital after self-harm: study protocol for a randomised controlled trial. 2011 , 12, 135			4
143	Prevention of: self harm in British South Asian women: study protocol of an exploratory RCT of culturally adapted manual assisted Problem Solving Training (C- MAP). 2011 , 12, 159			4
142	To waiver or not to waiver? The dilemma of informed consent in emergency department suicide prevention research. 2011 , 4, 463-8			2
141	Deliberate self-harm patients in the emergency department: factors associated with repeated self-harm among 1524 patients. 2011 , 28, 1019-25			42
140	If you want to know, consider asking: how likely is it that patients will hurt themselves in the future?. 2011 , 23, 626-34			18
139	Intervention for suicide attempters: A randomized controlled study. <i>Indian Journal of Psychiatry</i> , 2011 , 53, 244-8	2.2		30
138	Deliberate Self-harm: A Search for Distinct Group of Suicide. 2011 , 33, 182-7			6
137	Suicide: An Indian perspective. <i>Indian Journal of Psychiatry</i> , 2012 , 54, 304-19	2.2		114
136	Shared characteristics of suicides and other unnatural deaths following non-fatal self-harm? A multicentre study of risk factors. <i>Psychological Medicine</i> , 2012 , 42, 727-41	6.9		39

135	Changes in problem-solving appraisal after cognitive therapy for the prevention of suicide. <i>Psychological Medicine</i> , 2012 , 42, 1185-93	6.9	40
134	Suicide and non-suicide mortality after self-harm in Taipei City, Taiwan. <i>British Journal of Psychiatry</i> , 2012 , 200, 405-11	5.4	39
133	Premature death after self-harm: a multicentre cohort study. 2012 , 380, 1568-74		194
132	Suicide attempt presentations at the emergency department: outcomes from a pilot study examining precipitating factors in deliberate self-harm and issues in primary care physician management. 2012 , 51, 66-76		8
131	Asthma and suicide: current knowledge and future directions. 2012 , 14, 30-5		26
130	Risk and predictors of suicide and non-suicide mortality following non-fatal self-harm in Northern Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1621-7	4.5	10
129	The association between suicidal ideation and increased mortality from natural causes. <i>Journal of Affective Disorders</i> , 2013 , 150, 855-60	6.6	16
128	Suicide risk in skin disorders. 2013 , 31, 47-56		76
127	Buprenorphine in the treatment of non-suicidal self-injury: a case series and discussion of the literature. 2013 , 25, 323-30		22
126	Psychological attributes and socio-demographic profile of hundred completed suicide victims in the state of Goa, India. <i>Indian Journal of Psychiatry</i> , 2013 , 55, 268-72	2.2	12
125	A social work contribution to suicide prevention through assertive brief psychotherapy and community linkage: use of the Manchester Short Assessment of Quality of Life (MANSA). 2013 , 52, 239-57		8
124	One-year follow up after admission to an emergency department for drug overdose in Japan. 2013 , 67, 441-50		8
123	A systematic review of the literature on counselling and psychotherapy for the prevention of suicide: 1. Quantitative outcome and process studies. 2013 , 13, 164-183		10
122	Childhood suicide attempts with acetaminophen in Denmark: characteristics, social behaviour, trends and risk factors. 2013 , 41, 240-6		6
121	Last suicide attempt before completed suicide in severe depression: an extended suicidal process may be found in men rather than women. 2013 , 17, 426-33		1
120	Behavioral Emergencies for the Emergency Physician. 53-59		
119	Behavioral Emergencies for the Emergency Physician. 60-68		1
118	Suicide assessments. 41-56		

117	Autopsias psicológicas de treinta suicidios en la IV Región de Chile. 2014 , 52, 9-19		
116	Research priorities in suicide prevention: an examination of Australian-based research 2007-11. 2014 , 38, 18-24		25
115	Asthma and self-harm: a population-based cohort study in Taiwan. 2014 , 77, 462-7		11
114	Re-development of mental health first aid guidelines for non-suicidal self-injury: a Delphi study. 2014 , 14, 236		17
113	Hospital management of self-harm patients and risk of repetition: systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2014 , 168, 476-83	6.6	35
112	Suicidal ideation and attempts among men who inject drugs in Delhi, India: psychological and social risk factors. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1367-77	4.5	24
111	The development of a randomised controlled trial testing the effects of an online intervention among school students at risk of suicide. 2014 , 14, 155		17
110	WITHDRAWN: Psychosocial and pharmacological treatments for deliberate self harm. 2015 , CD001764		19
109	Pharmacological interventions for self-harm in adults. 2015 , CD011777		32
108	Suicide following self-harm: findings from the Multicentre Study of self-harm in England, 2000-2012. <i>Journal of Affective Disorders</i> , 2015 , 175, 147-51	6.6	175
107	Seriousness and lethality of attempted suicide: A systematic review. 2015 , 21, 97-109		20
106	Protocol: Reducing suicidal ideation among Turkish migrants in the Netherlands and in the UK: effectiveness of an online intervention. 2015 , 27, 72-81		10
105	Temperament and character personality profile and affective temperaments in self-poisoning nonlethal suicide attempters. 2015 , 229, 394-400		17
104	Age-specific suicide mortality following non-fatal self-harm: national cohort study in Sweden. <i>Psychological Medicine</i> , 2015 , 45, 1699-707	6.9	34
103	Incidence and outcomes of emergency self-harm among adolescents: a descriptive epidemiological study in Osaka City, Japan. <i>BMJ Open</i> , 2016 , 6, e011419	3	
102	Challenges to Defining and Classifying Suicide and Suicidal Behaviors. 2016 , 9-35		9
101	Preventing repetition of attempted suicide-III. The Amager Project, 5-year follow-up of a randomized controlled trial. 2016 , 70, 547-53		10
100	Predictive value of psychological characteristics and suicide history on medical lethality of suicide attempts: A follow-up study of hospitalized patients. <i>Journal of Affective Disorders</i> , 2016 , 199, 73-80	6.6	26

99	Time-varying associations of suicide with deployments, mental health conditions, and stressful life events among current and former US military personnel: a retrospective multivariate analysis. 2016 , 3, 1039-1048		38
98	Can an Internet-based intervention reduce suicidal ideation, depression and hopelessness among secondary school students: results from a pilot study. 2016 , 10, 28-35		52
97	Three-year mortality rate of suicide attempters in consultation-liaison service. 2016 , 20, 254-9		1
96	Suicide Attempt as a Risk Factor for Completed Suicide: Even More Lethal Than We Knew. 2016 , 173, 1094-1100		276
95	Is there a difference between hospital-verified and self-reported self-harm? Implications for repetition. <i>General Hospital Psychiatry</i> , 2016 , 43, 12-16	5.6	5
94	Psychosocial interventions for self-harm in adults. 2016 , CD012189		92
93	Correlates of Attempted Suicide from the Emergency Room of 2 General Hospitals in Montreal, Canada. 2016 , 61, 382-393		11
92	Suicidal tendencies as correlates of disability measures. 2016 , 21, 3037-3047		1
91	Characteristics and outcomes of emergency patients with self-inflicted injuries: a report from ambulance records in Osaka City, Japan. 2016 , 24, 68		13
90	The impact of intimate partner relationships on suicidal thoughts and behaviours: A systematic review. <i>Journal of Affective Disorders</i> , 2016 , 190, 585-598	6.6	47
89	Impact of the recent recession on self-harm: Longitudinal ecological and patient-level investigation from the Multicentre Study of Self-harm in England. <i>Journal of Affective Disorders</i> , 2016 , 191, 132-8	6.6	29
88	Suicide and self-injury-related implicit cognition: A large-scale examination and replication. 2017 , 126, 199-211		50
87	Understanding the relationship between suicidality, current depressed mood, personality, and cognitive factors. 2017 , 90, 530-549		11
86	Internet-based cognitive behavioural therapy for young people with suicide-related behaviour (Reframe-IT): a randomised controlled trial. 2017 , 20, 76-82		56
85	A cross-national study on gender differences in suicide intent. 2017 , 17, 234		112
84	Pathways to Suicide in Lesbian and Gay Populations in Australia: A Life Chart Analysis. 2017 , 46, 1481-1489		10
83	Attempted suicide in Podgorica, Montenegro: higher rates in females and unemployed males. 2017 , 16, 27		4
82	Suicidal Risk and Affective Temperaments, Evaluated with the TEMPS-A Scale: A Systematic Review. 2018 , 26, 8-18		34

81	Aggression, impulsivity, and their predictive value on medical lethality of suicide attempts: A follow-up study on hospitalized patients. <i>Journal of Affective Disorders</i> , 2018 , 227, 840-846	6.6	12
80	Mental health follow-up after deliberate self-harm and risk for repeat self-harm and death. 2018 , 259, 333-339		10
79	Tensions in perspectives on suicide prevention between men who have attempted suicide and their support networks: Secondary analysis of qualitative data. 2018 , 21, 261-269		7
78	Short term risk of non-fatal and fatal suicidal behaviours: the predictive validity of the Columbia-Suicide Severity Rating Scale in a Swedish adult psychiatric population with a recent episode of self-harm. 2018 , 18, 319		14
77	Deliberate Self-harm among Young People Begins to Increase at the Very Early Age: a Nationwide Study. 2018 , 33, e191		7
76	Suicidal patients presenting to secondary and tertiary emergency departments and referral to a psychiatrist: a population-based descriptive study from Japan. 2018 , 18, 112		12
75	A comparative study of mental health and wellbeing among UK students on professional degree programmes. 2019 , 43, 1226-1238		10
74	Suicide Prevention. 2019 , 1-18		
73	Solid acids assisted matrix solid-phase dispersion microextraction of alkaloids by capillary electrophoresis coupled with quadrupole time-of-flight mass spectrometry. 2019 , 42, 3579-3588		5
72	Predictors of short- and long-term recurrence of suicidal behavior in borderline personality disorder. 2019 , 140, 158-168		8
71	Trajectories of Well-Being Among Latina Adolescents Who Attempt Suicide: A Longitudinal Qualitative Analysis. 2019 , 29, 1766-1780		5
70	Meta-analysis of suicide rates among people discharged from non-psychiatric settings after presentation with suicidal thoughts or behaviours. 2019 , 139, 472-483		9
69	Validation of the Poisoning Severity Score (PSS) in suicidal behavior by self-poisoning. 2019 , 37, 240-246		3
68	Connectome Analysis of Brain Functional Network Alterations in Depressive Patients with Suicidal Attempt. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	12
67	Assistance related to suicidal behavior at a mobile emergency service: Sociodemographic and clinical associated factors. <i>Archives of Psychiatric Nursing</i> , 2019 , 33, 136-142	2.1	2
66	Inpatient psychiatric care following a suicide-related hospitalization: A pilot trial of Post-Admission Cognitive Therapy in a military medical center. <i>General Hospital Psychiatry</i> , 2020 , 63, 46-53	5.6	14
65	Suicide Prevention. 2020 , 439-456		
64	Best practice when working with suicidal behaviour and self-harm in primary care: a qualitative exploration of young people's perspectives. <i>BMJ Open</i> , 2020 , 10, e038855	3	5

63	Deep into that darkness peering: A computational analysis of the role of depression in Edgar Allan Poe's life and death. <i>Journal of Affective Disorders</i> , 2020 , 266, 482-491	6.6	2
62	Trajectories of suicide attempts from early adolescence to emerging adulthood: prospective 11-year follow-up of a Canadian cohort. <i>Psychological Medicine</i> , 2021 , 51, 1933-1943	6.9	12
61	A randomized, controlled trial of the safety planning intervention: Research design and methods. <i>Contemporary Clinical Trials</i> , 2021 , 103, 106291	2.3	0
60	IMPULSIVITY IN SUICIDE ATTEMPTERS: A CROSS-SECTIONAL STUDY IN A TERTIARY CARE CENTRE IN KERALA. 2021 , 22-25		
59	Assessment of suicide attempt and death in bipolar affective disorder: a combined clinical and genetic approach. <i>Translational Psychiatry</i> , 2021 , 11, 379	8.6	1
58	The path not taken: Distinguishing individuals who die by suicide from those who die by natural causes despite a shared history of suicide attempt. <i>Journal of Clinical Psychology</i> , 2021 ,	2.8	
57	Follow-up studies of child and adolescent suicide attempters. 2003 , 271-293		13
56	Population-based study of medically treated self-inflicted injuries. <i>Canadian Journal of Emergency Medicine</i> , 2004 , 6, 313-20	0.6	22
55	Psychopathology 8 1/2 years post parasuicide. <i>Crisis</i> , 1999 , 20, 115-20	2.8	10
54	Season and suicide: recent findings from Italy. <i>Crisis</i> , 2000 , 21, 59-70	2.8	48
53	Suicides and suicide attempts in emergency medicine. <i>Crisis</i> , 2002 , 23, 68-73	2.8	20
52	Adolescent self-poisoning: a cohort study of subsequent suicide and premature deaths. <i>Crisis</i> , 2003 , 24, 79-84	2.8	14
51	Repetition of suicide attempts: data from emergency care settings in five culturally different low- and middle-income countries participating in the WHO SUPRE-MISS Study. <i>Crisis</i> , 2010 , 31, 194-201	2.8	65
50	Negative life events associated with deliberate self-harm in an African population in Uganda. <i>Crisis</i> , 2005 , 26, 4-11	2.8	32
49	Monitoring deliberate self-harm presentations to general hospitals. <i>Crisis</i> , 2006 , 27, 157-63	2.8	21
48	A pilot study of mobile telephone message interventions with suicide attempters in China. <i>Crisis</i> , 2010 , 31, 109-12	2.8	41
47	A systematic review of school-based interventions aimed at preventing, treating, and responding to suicide-related behavior in young people. <i>Crisis</i> , 2013 , 34, 164-82	2.8	177
46	Effects of a training workshop on suicide prevention among emergency room nurses. <i>Crisis</i> , 2014 , 35, 357-61	2.8	12

45	Blurred Boundaries - A Qualitative Study of How Acts of Self-Harm and Attempted Suicide Are Defined by Mental Health Practitioners. <i>Crisis</i> , 2018 , 39, 247-254	2.8	4
44	Over-the-Counter Drugs and Other 'Substances' Used in 'Attempted Suicide' Presented to 'Emergency Departments in Montreal, Canada. <i>Crisis</i> , 2019 , 40, 166-175	2.8	4
43	Somatic diseases and suicidal behaviour. 2009 , 294-300		4
42	Can attempted suicide (deliberate self-harm) be anticipated or prevented?. <i>Current Opinion in Psychiatry</i> , 1995 , 8, 76-79	4.9	5
41	Prevention of suicide: aspirations and evidence. <i>BMJ: British Medical Journal</i> , 1994 , 308, 1227-33		273
40	Increase in parasuicide in Scotland. <i>BMJ: British Medical Journal</i> , 1994 , 308, 1569-70		12
39	Relation between parasuicide, suicide, psychiatric admissions, and socioeconomic deprivation. <i>BMJ: British Medical Journal</i> , 1995 , 311, 226-30		140
38	A national target for reducing suicide. Important for mental health strategy as well as for suicide prevention. <i>BMJ: British Medical Journal</i> , 1998 , 317, 156-7		23
37	One hundred cases of attempted suicide in the elderly. <i>British Journal of Psychiatry</i> , 1997 , 171, 42-6	5.4	73
36	How to establish case registers: II. Non-fatal deliberate self-harm. <i>Psychiatric Bulletin</i> , 1996 , 20, 403-405		4
35	Training and supervision of deliberate self-harm assessments. <i>Psychiatric Bulletin</i> , 1998 , 22, 510-512		6
34	Against a high-risk strategy in the prevention of suicide. <i>Psychiatric Bulletin</i> , 1998 , 22, 534-536		5
33	Maternal suicide - Register based study of all suicides occurring after delivery in Sweden 1974-2009. <i>PLoS ONE</i> , 2018 , 13, e0190133	3.7	22
32	Suicide Risk among Military Women. <i>Psychiatric Annals</i> , 2014 , 44, 189-193	0.5	2
31	Revisiting profile of deliberate self-harm at a tertiary care hospital after an interval of 10 years. <i>Indian Journal of Psychiatry</i> , 2016 , 58, 301-306	2.2	10
30	Failed suicide and deliberate self-harm: A need for specific nomenclature. <i>Indian Journal of Psychiatry</i> , 2006 , 48, 78-83	2.2	26
29	Psychological autopsy of 101 suicide cases from northwest region of India. <i>Indian Journal of Psychiatry</i> , 2008 , 50, 34-8	2.2	30
28	Suicide and crisis management. <i>Indian Journal of Social Psychiatry</i> , 2015 , 31, 123	0.4	2

27	Community-based strategy to prevent deliberate self-harm in adolescence: an inquiry to find risk factors at school. <i>International Journal of High Risk Behaviors & Addiction</i> , 2015 , 4, e19663	0.8	4
26	Prediction of recurrent suicidal behavior among suicide attempters with Cox regression and machine learning: a 10-year prospective cohort study. <i>Journal of Psychiatric Research</i> , 2021 , 144, 217-224 ^{5.2}		0
25	Psychiatric Disorders. 2000 , 789-812		
24	¿Afecta el contacto telefónico con los pacientes en el período posterior a un intento de suicidio a la asistencia al tratamiento y la evolución? Un estudio controlado distribuido al azar. <i>European Psychiatry (Ed Española)</i> , 2002 , 9, 380-389		
23	Self harm. 2003 , 267-275		
22	Psychiatric Disorders. 2006 , 839-871		
21	Psychiatric Disorders. 2006 , 839-871		
20	Emergency psychiatry. 2012 , 535-544		
19	Suicide and deliberate self-harm. 2012 , 335-348		
18	Deliberate self-harm: epidemiology and risk factors. 2012 , 957-963		
17	Suicide Prevention: A Canadian Perspective. <i>Frontiers of Primary Care</i> , 1990 , 137-149		
16	Treatment of Trauma-Related Suicidal Self-Directed Violence: Expanding Knowledge Base with a Focused Case Study. 2015 , 1-15		
15	THE CHALLENGES OF SCHOOL-BASED YOUTH SUICIDE PREVENTION: EXPERIENCES AND PERCEPTIONS OF MENTAL HEALTH PROFESSIONALS IN SOUTH AFRICAN SCHOOLS. <i>Southern African Journal of Social Work and Social Development</i> , 2015 , 27, 20-44	0.7	
14	A STUDY OF PSYCHIATRIC FACTORS IN PATIENTS PRESENTED WITH ATTEMPTED SUICIDE IN A STATE CAPITAL MEDICAL COLLEGE HOSPITAL IN CENTRAL INDIA. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2016 , 5, 117-119	0.1	
13	Periodic health examination, 1990 update: 2. Early detection of depression and prevention of suicide. Canadian Task Force on the Periodic Health Examination. <i>Cmaj</i> , 1990 , 142, 1233-8	3.5	1
12	Prevention of suicide. <i>Cmaj</i> , 1990 , 142, 1223-30	3.5	2
11	Changes in the pattern of deliberate self-poisoning presenting at Craigavon Area Hospital: 1976, 1986 and 1991. <i>Ulster Medical Journal</i> , 1994 , 63, 155-61	0.4	4
10	General hospital services for deliberate self-harm. Haphazard clinical provision, little research, no central strategy. <i>Journal of the Royal College of Physicians of London</i> , 1994 , 28, 370-1		27

9	Mortality after deliberate self-poisoning. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997 , 32, 443-450.	4.5	5
8	Suicide, unemployment and gender variations in the Western world 1964-1986. Are women in Anglo-phone countries protected from suicide?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1990 , 25, 73-80	4.5	26
7	Mortality after deliberate self-poisoning. A prospective follow-up study of 587 persons observed for 5279 person years: risk factors and causes of death. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997 , 32, 443-50	4.5	12
6	Working with Young People at Risk of Suicidal Behaviour and Self-Harm: A Qualitative Study of Australian General Practitioners' Perspectives.. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
5	The Review Study on Suicidal Risk among Youth/Adolescents, its Prevention and Interventions. <i>Research Journal of Pharmacy and Technology</i> , 2022 , 1405-1415	1.7	0
4	Excess mortality by suicide in high-risk subgroups of suicide attempters: a prospective study of standardised mortality rates in suicide attempters examined at a medical emergency inpatient unit. <i>BMJ Open</i> , 2022 , 12, e054898	3	0
3	Composite mixture of log-linear models with application to psychiatric studies. <i>Annals of Applied Statistics</i> , 2022 , 16,	2.1	
2	FASE-family and social engagement model for prevention and management of self harm behavior study protocol for cluster randomized control trial in India. 13,		
1	Time-series analysis of trends in the incidence rates of successful and attempted suicides in Thailand in 2013-2019 and their predictors. 2022 , 22,		0